University of the Philippines Manila
College of Arts and Sciences
Department of Physical Sciences and Mathematics

Online Community of Student Organizations

A special problem in partial fulfillment
of the requirements for the degree of
Bachelor of Science in Computer Science

Submitted by:

Maristela S. Dela Cruz

April 2014

Permission is given for the following people to have access to this SP:

Available to the general public	Yes
Available only after consultation with author/SP adviser	No
Available only to those bound by confidentiality agreement	No

ACCEPTANCE SHEET

The Special Problem entitled "Online Community of Student Organizations" prepared and submitted by Maristela S. Dela Cruz in partial fulfillment of the requirements for the degree of Bachelor of Science in Computer Science has been examined and is recommended for acceptance.

Avegail D. Carpio, M.Sc.
Adviser

EXAMINERS:

	Approved	**Disapproved**
1. Gregorio B. Baes, Ph.D. (*candidate*)	_____	_____
2. Richard Bryann L. Chua, M.Sc.	_____	_____
3. Aldrich Colin K. Co, M.Sc. (*candidate*)	_____	_____
4. Ma. Sheila A. Magboo, M.Sc.	_____	_____
5. Vincent Peter C. Magboo, M.D., M.Sc.	_____	_____
6. Geoffrey A. Solano, M.Sc.	_____	_____
7. Bernie B. Terrado, M.Sc. (*candidate*)	_____	_____

Accepted and approved as partial fulfillment of the requirements for the degree of Bachelor of Science in Computer Science.

Ma. Sheila A. Magboo, M.Sc.
Unit Head
Mathematical and Computing Sciences Unit
Department of Physical Sciences and Mathematics

Marcelina B. Lirazan, Ph.D.
Chair
Department of Physical Sciences and Mathematics

Alex C. Gonzaga, Ph.D., Dr.Eng.
Dean
College of Arts and Sciences

Abstract

In the University of the Philippines Manila (UPM), a student organization is defined as a group of at least fifteen students that share common goals and interests, meet regularly and work together to achieve their common goals and to form close relationships. They are classified into two: university-based and college-based. University-based student organizations are supervised by the Office of Student Affairs (OSA) Coordinator while college-based ones are supervised by the Office of Student Services (OSS) Coordinators. The Online Community of Student Organizations (OCSO) provides tools that can help accredited student organizations in their organizational activities. In OCSO, each student organization is managed by administrators who are organization members assigned by either the OSA Coordinator (if university-based) or OSS Coordinator (if college-based). OCSO allows these student organization administrators to activate/deactivate organization members, create public and exclusive posts, polls, collaboration threads, activity planner and events where they can invite users. The OCSO also allows the OSA and OSS Coordinators to create announcements or posts related to students or student organizations and to review and approve first public posts made by student organizations before they will be displayed.

Keywords: Online Community, Student Organization

Contents

Acceptance Sheet **i**

Abstract **ii**

List of Figures **vi**

List of Tables **xi**

I. Introduction **1**

A. Background of the Study 1

B. Statement of the Problem 2

C. Objectives of the Study 3

D. Significance of the Project 6

E. Scope and Limitations 7

F. Assumptions 8

II. Review of Related Literature **10**

III. Theoretical Framework **14**

A. Accreditation of Student Organizations in UP Manila 14

B. Requesting for the Approval of Posting Materials in UP Manila . 17

C. Online Community 17

D. Student Organization 19

E. Relational Database Management System 20

F. Hypertext Preprocessor 20

IV. Design and Implementation **22**

A. Entity Relationship Diagram 22

B. Context Diagram 24

C. Use Case Diagram 25

D. Activity Flow Diagram 27

E. Data Dictionary 42

V. Architecture **60**

A. System Architecture 60

B. Technical Architecture 60

VI. Results **62**

A. Home Page 62

B. Student Organization Page 63

C. Announcements Page 63

D. Events Page 64

E. About OCSO Page 65

F. OSA and OSS Coordinators View 66

F.1. View/Edit Profile 68

F.2. Add User 70

F.3. Assign Student Organization Administrator 77

F.4. Search User 78

F.5. Activate/Deactivate User 85

F.6. View List of Student Organization Administrators 88

F.7. View List of Student Organization Members 89

F.8. Add Post 90

F.9. Receive Notifications of Public Post Requests 91

G. Student View 95

G.1. View/Edit Profile 95

G.2. Join Student Organization 97

G.3. Renew Membership 99

H. Student Organization Member and Alumni Member 100

H.1. View Dashboard 100

I. Student Organization Administrator 110

I.1. View/Edit Student Organization Profile 110

I.2. Activate/Deactivate Member 113
I.3. Add/Create 114

VII. Discussions **120**

VIII. Conclusions **124**

IX. Recommendations **125**

X. Bibliography **126**

XI. Appendix **130**

A. Forms 130
B. Source Code 137
B.1. Config 137
B.2. Controller 142
B.3. Models 152
B.4. htaccess 212
B.5. Views 212
B.6. JavaScript 306

XII. Acknowledgement **316**

List of Figures

1 Entity Relationship Diagram of OCSO 22

2 Context Diagram of OCSO 24

3 Use Case Diagram of OCSO 26

4 Login 27

5 Manage User Account (OSA Coordinator) 28

6 Manage User Account, (OSS Coordinator, OSA Coordinator, Alumni and Students) 28

7 Manage Student Organization Details (OSS and OSA Coordinators) 29

8 Manage Student Organization Details (Student Organization Administrator) 29

9 Manage Posts (OSS and OSA Coordinators) 30

10 Manage Posts - Public (Student Organization Administrator) 31

11 Manage Posts - Exclusive (Student Organization Administrator) . . 32

12 Manage Requests - Public Posts (OSS and OSA Coordinator) . . . 33

13 Manage Requests - Membership Renewal (Student Organization Administrator) 34

14 Manage Requests - New Membership (Student Organization Administrator) 35

15 Manage Student Organization Activities - Poll (Student Organization Administrator) 36

16 Manage Student Organization Activities - Event (Student Organization Administrator) 37

17 Manage Student Organization Activities - Thread (Student Organization Administrator) 38

18 Manage Student Organization Activities - Activity Planner or To-do List (Student Organization Administrator) 39

19 Manage Student Organization Activities - File (Student Organization Administrator) 40

20 Manage Student Organization Activities - Delete Offensive Comments (Student Organization Administrator) 41
21 OCSO System Architecture 60
22 OCSO Home Page 62
23 OCSO Student Organization Page 63
24 OCSO Announcements Page 64
25 OCSO Events Page 65
26 About OCSO Page 66
27 Successful User Login (OSA Coordinator) 67
28 Successful User Login (OSS Coordinator) 68
29 View Profile (OSA and OSS Coordinator) 69
30 Edit Profile (OSA and OSS Coordinator) 70
31 Add User Submenu (OSA Coordinator) 71
32 Data Format Inside The XLS File 72
33 Add Student (OSA Coordinator) 72
34 Preview of Recently Added Students (OSA Coordinator) 73
35 Doc File Downloaded That Contains Basic Information of Recently Added Students 73
36 Add OSS Coordinator (OSA Coordinator) 74
37 Preview of Recently Added OSS Coordinator (OSA Coordinator) . 75
38 Preview of Recently Added OSS Coordinator - PDF File (OSA Coordinator) 75
39 Add Student Organization (OSA and OSS Coordinator) 76
40 Preview of Recently Added Student Organization (OSA and OSS Coordinator) 77
41 Assign Student Organization Administrator (OSA and OSS Coordinator) 78
42 Search Student by Year (OSA Coordinator) 79
43 Search Student by Course (OSA Coordinator) 79

44 Search Student by Student Organization (OSA Coordinator) 80
45 View Student User Profile (OSA Coordinator) 80
46 Search OSS Coordinator (OSA Coordinator) 81
47 View OSS Coordinator User Profile (OSA Coordinator) 82
48 Search Student Organization (OSA and OSS Coordinators) 83
49 View Student Organization Profile (OSA and OSS Coordinators) . . 83
50 Search Student Organization Administrator (OSA and OSS Coordinators) 84
51 View Student Organization Administrator User Profile (OSA and OSS Coordinators) 85
52 Activate/Deactivate Student (OSA Coordinator) 86
53 Activate/Deactivate OSS Coordinator (OSA Coordinator) 87
54 Activate/Deactivate Student Organization (OSA and OSS Coordinators) 88
55 List of Currently Activated Student Organization Administrators (OSA Coordinator) 89
56 List of Currently Activated University-Based Student Organizations and Their Members (OSA Coordinator) 90
57 Add Post (OSA and OSS Coordinators) 91
58 Notification Area (OSA and OSS Coordinators) 92
59 View Public Post Request (OSA and OSS Coordinators) 92
60 Notification of Public Post Approval (Student Organization Administrator) 93
61 Successful User Login (Student) 94
62 View Profile (Student) 95
63 Edit Profile (Student) 96
64 Join Student Organization (Student) 97
65 Notification of Membership Request (Student Organization Administrator) 98

66 View Membership Request (Student Organization Administrator) . 98
67 Notification of Membership Approval (Student) 99
68 Renew Membership (Student) 100
69 Submenu of a Chosen Student Organization (Student Organization Administrator) 101
70 View Options on the Student Organization Dashboard (Student Organization Member) 102
71 View All Exclusive Posts (Student Organization Members) 103
72 Comment on Exclusive Posts (Student Organization Members) . . . 103
73 View All Photos (Student Organization Members) 104
74 View All Files (Student Organization Members) 104
75 View All Videos (Student Organization Members) 105
76 Recently Created Polls (Student Organization Members) 105
77 Recently Ended Polls (Student Organization Administrator) 106
78 View Results of A Recently Ended Poll (Student Organization Administrator) 107
79 Shared Polls (Student Organization Members) 107
80 View All Threads (Student Organization Members) 108
81 View All Threads (Student Organization Members) 109
82 View All Activity Planners or To-do Lists 110
83 View Student Organization Profile (Student Organization Administrator) 111
84 Edit Student Organization Profile (Student Organization Administrator) 112
85 Activate/Deactivate Member (Student Organization Administrator) 113
86 Add/Create Page (Student Organization Administrator) 114
87 Add/Create Public Post (Student Organization Administrator) . . . 115
88 Add/Create Exclusive Post (Student Organization Administrator) . 115
89 Add/Create Thread (Student Organization Administrator) 116

90 Add/Create Event (Student Organization Administrator) 116
91 Add/Create Poll (Student Organization Administrator) 117
92 Add/Create Activity Planner (Student Organization Administrator) 117
93 Report Comment in Public Event 118
94 Notification of Reported Comment (Student Organization Administrator) 119
95 View Reported Comment (Student Organization Administrator) . . 119
96 Student Organization Accreditation Form A 130
97 Student Organization Accreditation Form B 131
98 Student Organization Accreditation Form C 132
99 Student Organization Accreditation Form D 133
100 Student Organization Accreditation Form E 134
101 Student Organization Accreditation Form F 135
102 Student Organization Accreditation Form G 136

List of Tables

1 Accreditation of Student Organizations Criteria Table 16

2 student table 42

3 student_organization table 43

4 student_organization_member table 44

5 university_coordinator table 46

6 ocso_post table 47

7 ocso_post_comment table 48

8 ocso_thread table 49

9 ocso_thread_comment table 50

10 ocso_event table 51

11 ocso_event_comment table 52

12 ocso_event_comment_report_record table 53

13 ocso_event_invites table 53

14 ocso_files table 54

15 ocso_poll table 55

16 ocso_poll_vote_record table 56

17 ocso_activity_planner table 57

18 ocso_notification table 58

I. Introduction

A. Background of the Study

Each school or university has its own definition of a student organization. In the University of the Philippines Manila (UPM), a student organization is defined as a group of at least fifteen students that share common goals and interests, meet regularly and work together to achieve their common goals and to form close relationships. These student organizations are classified into two: college-based and university-based. A college-based organization has members who are mostly enrolled $(50\% + 1)$ in one college while a university-based organization has members who are mostly enrolled $(50\% + 1)$ in different colleges [1]. Most of the time, college-based organizations are academic or course-related organizations while the university-based organizations can be art- and service-related organizations, religious organizations, honor societies, fraternities and sororities and others are associated with political parties.

Student organizations have their own faculty advisers that will guide and help them to plan their activities. However, in order for them to conduct such activities, they must first be accredited and recognized. If accredited, they can be given permission by the Director of Student Affairs (for university-based organizations) and the Office of Student Services or OSS (for college-based organizations) to conduct activities inside the university premises and to use its facilities. Aside from that, they will be given a particular place inside the university called *tambayan* that they can use in any purpose that they want [1].

Student organizations in UPM are able to strengthen their relationship through conducting different organizational activities. In doing so, communication is an important factor in the success of these activities. Most of the time, planning these activities takes in the form of face-to-face communication. But there are times when face-to-face communication among members is impossible because of their schedules. Despite of this, members were able to communicate using different

media. The use of mobile phone via Short Messaging System (SMS) is one of them since majority of students already owns a mobile phone [2]. Another is through the use of various social networking sites [3] since many students are actively using them.

Usually, hosting events is one of the activities of these student organizations. These events are for members and even non-members to share. To promote such events, these student organizations use bulletin boards, located at different colleges, to post event details given that posting materials are approved by the OSS of the college where the bulletin boards are located. Aside from bulletin boards, they also use social networking sites to promote those events.

B. Statement of the Problem

Student organizations in UPM utilize SMS and social networking sites to communicate with one another but the use of SMS requires one to have load or credit to send messages while the use of social networking sites requires one to have an account to access them thus students especially members who do not have social networking accounts can be deprived of the information shared in those sites. These student organizations also post announcements and promotional posters of events on bulletin boards and use social networking sites to promote such events but using bulletin boards for sharing information can encounter numerous problems [4] and in the use of social networking sites, neither the Office of Student Affairs nor the Office of Student Services can monitor these posts. Also, students who have questions about these events can only inquire if these posting materials provide contact numbers. So, there must be a way in which all members are able to take part in planning their activities, student organizations are able to effectively promote their events and at the same time be monitored by either the OSS or OSA and students who have questions about events organized by these student organizations are able to relay their inquiries to these student organizations.

C. Objectives of the Study

This research will create an online community of accredited student organizations in UP Manila and the system can be used by the members to communicate with another and for promoting their events. The Office of Student Services (OSS) and Office of Student Affairs (OSA) have access to the system to monitor the public posts made by each organization. The system will have the following functionalities:

1. Allows the Student Organization Administrator to
    (a) Activate/Deactivate members from the organization
    (b) Accept membership renewal and new membership requests
    (c) Edit his/her organization's profile
    (d) Add/Delete exclusive posts visible to organization members
    (e) Upload a photo and video and also upload and download files visible to organization members
    (f) Send public post requests to OSS Coordinator (if college-based organization) or OSA Coordinator (if university-based organization)
    (g) Receive notifications about membership requests and the approval of public post requests
    (h) Create collaboration threads visible to organizations included in those threads
    (i) Create polls and generate graphs of results
    (j) Create public events and invite users to these events
    (k) Create an activity planner or to-do list for an event or activity
    (l) Receive notifications of reported offensive comments in public events
    (m) Delete reported offensive comments in public events

2. Allows the Student Organization Member to

    (a) Send membership renewal requests to his/her organization's administrator

    (b) Receive notifications about the approval of his/her requests

    (c) View public posts and exclusive posts in his/her organization

    (d) Download files uploaded in his/her organization

    (e) Comment on exclusive posts in his/her organization, on collaboration threads and on events where he/she was invited

    (f) Vote in polls posted in his/her organization

    (g) Update activity planner or to-do list whenever he/she has already finished a task assigned to him/her

3. Allows the Student Organization Alumni Member to

    (a) View public posts and exclusive posts in his/her organization

    (b) Download files uploaded in his/her organization

    (c) Comment on exclusive posts in his/her organization, on collaboration threads and on events where he/she was invited

    (d) Vote in polls posted in his/her organization that are accessible to him/her

    (e) Update activity planner or to-do list whenever he/she has already finished a task assigned to him/her

4. Allows the OSA Coordinator to

    (a) Edit his/her account details

    (b) Add users

    (c) Activate/Deactivate users

    (d) Add accredited university-based student organizations

    (e) Activate/Deactivate existing university-based student organizations

(f) View list of university-based student organization administrators

(g) Add public posts visible to all users

(h) Receive notifications of public post requests sent by university-based student organization administrators

(i) Approve public post requests sent by university-based student organization administrators

(j) Assign university-based student organization administrators

(k) Generate list of university-based student organizations and their respective members and officers

5. Allows the OSS Coordinator to

(a) Edit his/her account details

(b) Add accredited college-based student organizations

(c) Activate/Deactivate existing college-based student organizations

(d) View list of college-based student organization administrators

(e) Add public posts visible to all users

(f) Receive notifications of public post requests sent by college-based student organization administrators

(g) Approve public post requests sent by college-based student organization administrators

(h) Assign college-based student organization administrators

(i) Generate list of college-based student organizations and their respective members and officers

6. Allows the Student to

(a) Edit his/her account details

(b) Request for membership to organizations he/she prefers

(c) View public posts and each student organization's profile

(d) Comment on events where he/she was invited

(e) Report offensive comments in events where he/she was invited

7. Allows the Public to

(a) View public posts and each student organization's profile

(b) Comment on events open for the public

(c) Report offensive comments in public events

D. Significance of the Project

The Online Community of Student Organizations can be a means of communication between the members if face-to-face interaction is impossible. Through the system, members can discuss issues related to their organization or plan organizational activities. Aside from that, it will be easier for them to communicate with other student organizations if they plan on having collaborative events or activities since online communities can answer time and geographical constraints. Another benefit would be the promotion of events posted in the university's bulletin boards since student organizations can post digital posters in the system and all of the students even the public can view them. Aside from those two, public posts will be automatically deactivated if their posting periods are over so student organizations do not have to worry about them unlike those posters in the bulletin boards which must be manually removed.

The system can also be useful to both Office of Student Services and Office of Student Affairs. They can use the system to post important announcements related to student organizations. Aside from posting in bulletin boards, according to one of the OSS coordinators, he also uses his Facebook account to disseminate announcements. So through the system, using of personal accounts in social networking sites to disseminate announcements can be prevented. Also, students involved can overlook these announcements in social networking sites since most

of the time, what they see there are contents related to their friends rather than organization-related stuff. The OSS and OSA would also be able to monitor the public posts made by the student organizations in the system since public posts have to be first approved before posted.

All of the students, even those who do not belong to any organization, can also benefit from the system since they can view public posts or events, participate in student organization event discussions and be informed anytime and anywhere for as long as an internet connection is available.

E. Scope and Limitations

1. This project involves accredited student organizations in the University of the Philippines Manila.

2. The requesting of username and password will be done outside the system. Students and alumni can request their usernames and passwords to the Office of Student Affairs by presenting their Form-5s (for currently enrolled students) or their Certificate of Graduation (for alumni).

3. The username and password of each user will be system generated.

4. For each student organization, only three administrators, chosen by the organization itself, will be activated. University-based student organization administrators will be activated by the OSA Coordinator while college-based student organization administrators will be activated by the OSS Coordinator.

5. Public posts are visible to all users while exclusive posts are only visible to student organization members.

6. Upon approval of public post requests, the public posts will be displayed.

7. Student organization administrators are the only ones who can send public post requests, add exclusive posts on their organization, add files, create

threads, events and to-do lists and delete offensive comments, reported by other users, in events they have created.

8. Only activated members of the student organization have the privilege to view exclusive posts on their organization and participate in the organization's discussion.

9. Only photos can be attached to public posts while videos, photos and files (word, excel, PDF, powerpoint, text) can be attached to exclusive posts.

10. Public posts will only be visible for a certain period of time specified by the author of the post.

11. Notifications will be sent to the one who will approve the requests when there are pending requests and upon approval, those who sent these requests will also receive notifications.

12. All posts, events, polls and threads whose end date is over will be deactivated including all the comments associated with them. All of them can no longer be seen by the users.

13. If a poll's end date is over, the results are not automatically generated. It is up to the student organization administrator when he/she wants the results be generated and he/she can share the results to the other student organization members.

14. Comments found in public events can be reported as offensive by users invited to those events. The student organization administrator who created the said event will receive notifications about those reports and can delete them.

F. Assumptions

1. When student organizations submit the requirements needed for accreditation, they will also provide the OSA Coordinator (for university-based

organizations) or OSS Coordinators (for college-based organizations) a list of members who they assign to be their organization's administrators.

2. Assigned student organization administrators are members of the executive committee of the student organization.

3. The president of the student organization is one of the student organization administrators.

4. Before the student organization administrator activates members and approves membership renewals and new membership requests, members involved have already submitted to the executive committee all the requirements necessary for membership.

5. Student organization members who were assigned to do specific tasks and have access to the activity planner or to-do list created by the student organization administrator are expected to be aware of the tasks delegated to them and update the to-do list whenever he/she has already completed the tasks.

6. The OSS Coordinators, OSA Coordinator and student organization administrators regularly check for requests.

7. All student organizations including their members are deactivated by the start of the school year.

8. The OSA Coordinator is informed about the current OSS Coordinators.

II. Review of Related Literature

Virtual or online communities provide people a convenient way of interacting with one another. Nowadays, different local communities [5], organizations [6] as well as schools and universities [4, 7, 8] use them. They are also being utilized in various industries like Healthcare [9], Information Technology (IT) [10] and Computer and Information Sciences [11]. Each virtual community is created for a certain purpose. Most of the time, virtual communities are established to connect geographically dispersed people. Through them, people can still communicate, coordinate and collaborate with one another [5, 6, 8, 10]. There are also virtual communities called Communities of Practice (CoP) [8] that serve as learning environments whose primary aim is to create and share knowledge [4, 7, 9, 10, 12]. Engaging in this type of community can help one in developing his/her skills and competencies [6, 8, 11]. Virtual communities are also established with the aim of providing peer support to other people [8, 9], promoting events and activities [5, 6, 8] and also for finding people with similar interests [12].

Usually, the members of virtual communities do not know each other and are just connected through the same interest or goal that they share. But there are cases in which members also know each other personally and interact face-to-face just like students of the same school or university course, employees working at the same office and neighbors in a local community. This kind of virtual community can be called partially virtual community (PVC) since they can interact physically and virtually [13]. These communities involve stable relationships since members know each other and how they relate with one another. It is said that PVCs can either be open to public members or closed in private groups or organizations.

In PVCs, even in common virtual communities, it is important to provide services or features that maintain the community's organization and that enable interaction among members. Thus, in designing and developing virtual communities, one must consider and include these features to the system because if these features are provided, the participation in the community can be maintained [14].

In virtual communities, one way to maintain organization is through proper community governance [13]. This can be achieved by assigning a specific role to each member. A hierarchy of users is sometimes established and the higher the user's rank in the hierarchy, the more access or privileges he/she possesses [6]. It is suggested that virtual communities implement at least two roles: administrator and standard users [14]. The administrator user is the one responsible for facilitating the community. He/she has the privilege to manage the contents found in the community [6] as well as to coordinate and control the participation and membership in the community [14]. Virtual communities can have more than one administrator [9]. On the other hand, standard users are usually the other participating members of the community. In other virtual communities, unregistered or external users may also have access to the community but their functionalities are only limited to viewing public contents and registration [6].

Another way to maintain organization is through proper management of contents. To manage the contents that are accessible to all members such as public posts, some virtual communities enable their members to categorize their posts based on its importance so that on the main dashboard, the valuable ones would be seen first [7]. Assigning posting periods on these posts is also helpful so that they will be deleted automatically when their posting period is over [10]. But, there are other virtual communities that really don't allow their members to directly post anything to the community. Instead, members who wish to post something must first send it to the administrator. He/she is the one to decide if it should be posted [5]. There are also virtual communities that let their members customize what contents they would only want to view so that they wouldn't be flooded with irrelevant information [12].

Aside from the community's organization, tools that enable interaction within the community are also important. Each virtual community has its own set of tools that members can use to interact with one another and these are sometimes referred to as *feedback loops* [13]. Some of these include discussions or forums

and bulletin board systems (BBS). Discussions or forums enable members to post questions which in turn be answered by other members [9]. On the other hand, BBS is the one that can be seen on the main dashboard of virtual communities since it contains public topics [7]. It also contains important news, notices or announcements of the community [4] and it is also used to promote events and activities for the community to share [6, 8].

There are also other features that can be integrated with virtual community systems to enhance interaction among members. One could be allowing members to post multimedia content. There are virtual communities that allow their members to post and share videos [7, 8, 11] and photos [8, 10] since this increases the participation in the community. Another one is allowing members to create polls that might help them in their activities [8].

One of the universities who have implemented their own virtual community, which they call SISATspace, is the Claremont Graduate University (CGU) School of Information Systems and Technology (SISAT). The university believed that conversations of the students and professors outside the class, which they call "Claremont Conversations," help in building the university's intellectual community. However, there are problems identified that hinder the development of the said community. The main purpose of SISATspace is to address those problems. SISATspace has different tools that can be used by the students, faculty and even alumni to make "Claremont Conversations." This includes blogs that can be used to share experiences and for others to discuss and relate them with their own. Wikis are also included to promote collaborative writing among members. It also has other features like displaying of most active and recently updated blogs and allowing the upload of videos (via Google Video and YouTube) or photo slideshows (via Flickr). SISATspace also serves as an online bulletin board since the Information Science Student Council can post announcements and department-wide activities [8].

Another existing online community is the wConnect which aims to promote

Computer and Information Sciences among women and connect them so that they can support each other, learn from one another and develop themselves. Community members include high school students, junior and advanced undergraduates from a university and alumnae in professional or academic settings. wConnect has gone through evolution and was implemented using different platforms. Facebook was one of these platforms and both its "closed" group and API features were used to implement the community. Rosson et al. mentioned that Facebook was useful in attracting interested women but it is limited to the basic social networking features provided for individual users and there are some women who were interested to join the community but were unwilling to join Facebook. These were some of the reasons why wConnect's platform was changed. Today, wConnect was implemented using Drupal and some of its features include blogs, newsletter subscriptions, video interviews of professionals and forums [11].

The Global Innovation Network (GINNN) is another existing online community. It was the first United Kingdom (UK) based online CoP. Its objective is to facilitate the sharing of knowledge and experiences between students, entrepreneurs, investors, scientists and other professionals. The community has four user types: external user, registered user, moderator and administrator. Each user type has its own access rights. The external user is the one with the fewest access rights while the administrator is the one with the most. GINNN has typical features including Content Management System (CMS) that allows users to fully control their posts, discussion forums that allow members to post topics and let others reply to that topic, creation of blogs and wikis, embedding of Google or YouTube videos, poll creation, posting of news and events and commenting on them [6].

III. Theoretical Framework

A. Accreditation of Student Organizations in UP Manila

In the University of the Philippines Manila, student organizations must first be accredited to be able to schedule activities using UPM facilities. A procedure for accreditation of student organizations is followed. To apply for accreditation, a student organization must first submit the application form (Form A) together with the following:

For old organizations

- Organization Profile (Form C)
- Consent of adviser (Form B)
- List of officers and members with 1x1 pictures and with complete addresses, student numbers, college/units (Form D & E)
- Report of activities of the previous year signed by the secretary and duly noted by the head of the organization and adviser (Form F)
- Treasurer's report of finances (Form G)
- Tentative plans for the next school year
- Amended Constitution and by-laws

For new organizations

- Organization Profile (Form C)
- Consent of adviser (Form B)
- List of officers and members with 1x1 pictures and with complete addresses, student numbers, college/units (Form D & E)
- Tentative plans for the next school year

- Amended Constitution and by-laws

Next, an executive member from the student organization must undergo an interview by either the University (if university-based) or College (if college-based) Accreditation Committees. The accreditation committee shall be composed of:

For University-based - OSA Director

- 1 faculty representative/Administrative Officer
- 2 University Student Council representatives
- 2 League of College Councils representatives

For College-based - OSS

- 1 faculty representative
- Administrative Officer

When the submission and interview are done, the application for accreditation will be reviewed and graded based on the following criteria:

I. GROWTH OF MEMBERSHIP	**[10%]**
II. MAINTENANCE OF TAMBAYANS	**[10%]**
Clean	[5%]
Orderly	[5%]
III. ATTENDANCE IN MEETINGS CALLED BY OSR/OSS/OSA	**[10%]**
Attended 100% meetings	[10%]
Attended 90% meetings	[9%]
Attended 80% meetings	[8%]
Attended 70% meetings	[7%]
Attended 60% meetings & below	[6%]
IV. ACCOMPLISHED ACTIVITIES	**[70%]**
A. Completed Activity	[35 pts]

1. Nature of Activity	[15 pts]
2. Proposal	[15 pts]
3. Documentation (report, financial, pictorial)	[15 pts]
B. Significant Contribution of Activities	[50 pts]
1. Student Welfare	
University	
College	
2. Nat'l/Local or any group outside university	[50 pts]
100% target group	[50 pts]
80% target group	[40 pts]
75% target group	[35 pts]
70% target group	[30 pts]
60% or less	[25 pts]
C. Participation of Members	[15 pts]
100% participation	[15 pts]
80% participation	[14 pts]
75% participation	[13 pts]
70% participation	[12 pts]
65% participation	[11 pts]
60% or less	[10 pts]

Table 1: Accreditation of Student Organizations Criteria Table

The accreditation of the student organization will depend on the total grade or score that they will get from the mentioned criteria above and this pointing system:

61-100 pts - Full accreditation for a year

51-60 pts - Probation status (Organization shall be advised to perform better)

41-50 pts - Non-accreditation of organization [1]

B. Requesting for the Approval of Posting Materials in UP Manila

Accredited student organizations in UP Manila are allowed to host activities or events inside or outside the campus. To make the events successful, student organizations are allowed to promote their events via posters or ads that will be placed on bulletin boards found inside the campus. But before posting these materials, they must first be approved by the OSA or OSS of the college where the bulletin boards are located. The maximum number of materials allowed for each activity is ten coupon bonds or cartolinas. The posting materials do not have a specific format or layout to follow but they are required to have the name or state the identity of the sponsoring organization. When the posters or ads have been printed, student organizations will just go the OSA or OSS of the college where they want to post these materials and write on a logbook details like the purpose of the posting materials and also up to when the materials will be posted. After that, student organizations will just hand in the posters to the person in-charge at the office and he/she will attach a paper with a stamp indicating that the poster has been approved by the OSA/OSS. Then, the posters can now be placed on the bulletin boards. The removal of posters shall be the responsibility of the sponsoring organization and shall be done one day after the scheduled activity [1].

C. Online Community

An online community, also known as virtual community (VC), electronic community and internet community [15], is a group of individuals with a common goal or interest that communicates and shares knowledge, ideas, experiences and feelings with one another through the use of various social media. It was first mentioned in Howard Rheingold's book, "The Virtual Community: Homesteading on the Electronic Frontier," where he described Whole Earth 'Lectronic Link (WELL), an Internet-based bulletin board in which he participated in [16]. Unlike traditional

communities, members of an online community can be geographically dispersed and politically diverse [17]. Also, they need not to have pre-established relationships unlike in social networking sites where people tend to interact with people they know [18].

An online community can be classified into four types: community of interest (COI), goal-oriented community of interest, learners' community and community of practice (CoP). A community of interest is an online community where members share a topic of common interest rather than a common goal. It has a variable lifespan meaning that it can exist for years or cease to exist depending on the participation of the members. A goal-oriented community of interest is an online community that is established because of a given mandate. Most of the time, members of this type of virtual community are "expert" individuals that share a common goal and work together to reach that goal. Unlike an ordinary community of interest, goal-oriented community of interest has a fixed lifespan which is associated to the given mandate. Another type would be the learners' community which is an online community of students whose aim is to learn and share knowledge with one another. A community of practice has professionals as its members and they share complementary knowledge with one another enriching their professional practice [19].

The design of an online community contributes to its success. Gurzick and Lutters suggested some guidelines in designing online communities. According to them, it is important for an online community to clearly establish its purpose because it is the reason behind the members' interaction and also it can help other people who are interested to join the community to decide whether they should join or not. Another is that an online community should allow its members to take active part in the community's formation by providing them tools or areas that they can use to socially interact with other members and these interactions should have proper moderation which can be achieved by having community moderators who will facilitate and promote these interactions. It is also important that the

community's user interface follows a constant and natural format so that members can navigate easily throughout the community. It also mentioned that the community's design should be predictable in a way that given a particular input action, the response of the system should be able to meet what the user expects will happen [20].

D. Student Organization

Nowadays, different schools and universities promote learning not only inside but outside the classroom as well through offering a wide range of extracurricular activities to their students. Extracurricular activities are not included in the academic curriculum. A lot of students engage in these activities because they give the students enjoyment and they can also help the students develop personally, socially and intellectually [21]. A common type of extracurricular activity would be a student organization though there are some student organizations especially the academic ones that are co-curricular rather than extracurricular. This means that they are related with the academic curriculum.

In general, student organizations provide opportunities for students to get involved in school or campus [22]. They supplement academic learning [23] and according to a research, members of student organizations tend to perform better academically compared to non-members. It also helps the students to establish friendships and connections with other students. Aside from that, it also serves as a medium for academic discourse, personal growth, community service [22] and leadership and communication skills development [24].

Student organizations can be classified according to what they do or the purpose of their organization. There are student organizations that facilitate student activities like governing bodies and government groups. There are academic and professional societies that are studies-related. There are also that are dedicated to public service like the publication, media and community service groups. Others include Greek letter social organizations like fraternities and sororities, sports-

related organizations, religious organizations, and special interest/cultural groups [23].

E. Relational Database Management System

A database is a collection of organized data stored in tables with rows and columns. A database becomes relational when the data stored in it is a collection of objects of the same type and is related by common keys and concepts [25]. The program that lets the user create, update and manage a relational database is called a Relational Database Management System (RDBMS). To access data in RDBMS, a language called Structured Query Language (SQL) is used [26].

In RDBMS, relational tables follow integrity rules to make sure that data will always be accurate and accessible. One rule states that columns can only contain single values not repeating groups or arrays. Another rule involves null values which relational databases use to indicate missing values. There is also a rule that suggests that all rows in the table should be distinct and one or two columns, called primary key/s, can be used to identify a particular row but these keys cannot be null [25].

RDBMS is said to be the most commonly used database format. It is used by businesses and corporations in managing their relational databases [27]. It became popular because it requires little or no training and the database entries can be modified without changing the whole structure [28].

F. Hypertext Preprocessor

The Hypertext Preprocessor, commonly known as PHP, is a scripting language [29] that enables web developers to create dynamic content and interactive Hypertext Mark-up Language (HTML) web pages that interact with databases [30]. It is used for several reasons. First, it works great with HTML. The interface of a website is still created using HTML but PHP enable developers to add some new features into a website that pure HTML cannot provide. Another reason is that it

possesses interactive features. PHP allows users to interact with other users and save information in databases. Lastly, it is easy to learn. Just by learning a few basic functions, developers are able to do various things to his/her website [31].

IV. Design and Implementation

A. Entity Relationship Diagram



Figure 1: Entity Relationship Diagram of OCSO

Figure 1 shows the entity relationship diagram (ERD) of the Online Community of Student Organizations (OCSO). A student can have many student organizations while a student organization is composed of many students. Since this is a many-to-many relationship, an associative entity called student organization member will be created. In the student_organization_member table, if the STUDORG_ADMIN field has a 'Yes' value, then that student organization member is a student organization administrator. A student organization administrator can have many posts which can either be public or exclusive, upload many files, create many polls, threads and events, plan for many events or activities and comment on posts, events and threads created. On the other hand, those whose STUDORG_ADMIN field value is 'No' can only comment on existing exclusive posts, events and threads and vote in polls. Aside from the student organization administrator, the OSS and OSA Coordinators also have the privilege to create many public posts. For each request sent to the OSS Coordinator, OSA Coordinator and student organization administrator, he/she will be notified about it and upon approval of the request, the sender will also be notified.

In OCSO, one event can have many invites. Users invited, like students, to that event can comment on it. Comments found in events can be reported by users if they find them offensive. For invited students, they can only report each offensive comment once.

Also in OCSO, posts can be classified into two: public and exclusive. Exclusive posts are the ones visible only to student organization members and members can only comment on this type of post. Aside from events and exclusive posts, threads can also have comments from users who have access to them.

B. Context Diagram



Figure 2: Context Diagram of OCSO

Figure 2 shows the context diagram of OCSO. The student users can be classified into four: student organization administrator, student organization member, student organization alumni member and non-member. In general, student users can update their account details.

The student organization administrator can add posts, polls, files, threads and events, plan for activities or events, comment on posts, threads and events, send request of public posts, approve membership requests, be notified of reported comments in events and delete these comments. The student organization members can send membership renewal requests, view posts, vote on polls, download files, comment on exclusive posts, threads and events and report comments in events where he/she is invited. Members, who are assigned to do a specific task in an

activity planned by their organization, have access to the activity planner made by their organization. The student organization alumni member also have the same privileges that student organization members possess except for one, sending membership renewal requests. Non-members can send membership requests to the organization/s they like to join and they can also comment on events where they are invited. The Coordinators can be classified into two: OSA Coordinator and OSS Coordinator. They can add posts to the system. The OSA Coordinator can add details of new university-based student organizations while the OSS Coordinator for college-based student organizations. These coordinators can also update his/her account details and status details of existing student organizations, receive public post requests and approve these requests. Only the OSA Coordinator can add users and can view updates made by the users. The public users or non-student members can view public posts and event details, can comment in public events and report those comments that they find offensive.

C. Use Case Diagram

Figure 3 shows the use case diagram of OCSO. This gives an overview of the main processes in the proposed system. The main processes involved in the system are (1) log-in, (2) manage user account, (3) manage posts, (4) manage student organization details, (5) manage requests and (6) manage student organization activities. Getting or requesting of username and password will be outside the system. To do processes (2) to (6), users are required to log-in first. The student organization alumni member can only do three processes, processes (1), (2) and (6). The OSS and OSA Coordinators can do processes (1) to (5) while the student users can do all the processes.



Figure 3: Use Case Diagram of OCSO

D. Activity Flow Diagram

The following figures show in detail the main processes found in the use case diagram of OCSO.



Figure 4: Login

Figure 4 shows the log-in process in the proposed system. Users can log into the system using their username and password.



Figure 5: Manage User Account (OSA Coordinator)



Figure 6: Manage User Account, (OSS Coordinator, OSA Coordinator, Alumni and Students)

Figures 5 and 6 show the manage user account process. Figure 5 shows that the OSA Coordinator can activate and deactivate users while figure 6 suggests that the OSS Coordinator, OSA Coordinator, alumni and student users can change and update their account details.



Figure 7: Manage Student Organization Details (OSS and OSA Coordinators)



Figure 8: Manage Student Organization Details (Student Organization Administrator)

Figures 7 and 8 show the manage student organization details process. Figure 7 shows that the OSA (for university-based) and OSS (for college-based) Coordinators can activate and deactivate student organizations and assign their respective administrators. Figure 8 shows that the student organization administrator can update his/her organization's profile.



Figure 9: Manage Posts (OSS and OSA Coordinators)

Figures 9, 10 and 11 show the manage posts process. Figure 9 shows that the OSS and OSA Coordinators can add public posts and public posts will automatically be deactivated when their posting periods are over.



Figure 10: Manage Posts - Public (Student Organization Administrator)

Figure 10 shows that the student organization administrator can add public posts but they must first be approved by the OSA Coordinator (for university-based) or OSS Coordinator (for college-based).



Figure 11: Manage Posts - Exclusive (Student Organization Administrator)

Figure 11 shows that the student organization administrator can add exclusive posts to his/her organization. Members can also comment to these exclusive posts.

Figures 12, 13 and 14 shows the manage requests process.



Figure 12: Manage Requests - Public Posts (OSS and OSA Coordinator)

Figure 12 shows that the OSA and OSS Coordinators approve public post requests. Those sent by the university-based student organization administrators will be approved by the OSA Coordinator while those sent by college-based student organization administrators will be approved by the OSS Coordinator.



Figure 13: Manage Requests - Membership Renewal (Student Organization Administrator)

Figure 13 shows that student organization members can send requests to renew their membership and these requests are approved by the student organization administrator.



Figure 14: Manage Requests - New Membership (Student Organization Administrator)

Figure 14 shows that all students can send membership requests to the student organization that they prefer to join. These requests will also be approved by the student organization administrator.

The last six figures, figures 15 to 20, shows the manage student organization activities.



Figure 15: Manage Student Organization Activities - Poll (Student Organization Administrator)

Figure 15 shows that the student organization administrator can create polls and members can vote on these polls. When the polls reached their end dates, the student administrator has the option to generate the results whenever he/she prefers and share the results to other student organization members.



Figure 16: Manage Student Organization Activities - Event (Student Organization Administrator)

The next figure, figure 16, shows that the student organization administrator can create events and invite different users based on his/her liking. Invited users can be student organization officers, members, all students in a particular college and or the public. If users have questions about these events, they can comment on them and comments that are offensive can be reported.



Figure 17: Manage Student Organization Activities - Thread (Student Organization Administrator)

The next figure suggests that the student organization administrator can create threads for his/her organization and other organizations to share. This can be useful when organizations have collaborative events. Members that have access to the thread can comment on it.



Figure 18: Manage Student Organization Activities - Activity Planner or To-do List (Student Organization Administrator)

Figure 18 shows that the student organization administrator can create to-do lists and assign members to do some tasks. This will be useful in planning of events and distributing work among chosen members. Members involved can update the to-do list when they have already finished the task assigned to them.



Figure 19: Manage Student Organization Activities - File (Student Organization Administrator)

The following figure, figure 19 suggests that student organization administrators can upload files and members can also download them.



Figure 20: Manage Student Organization Activities - Delete Offensive Comments (Student Organization Administrator)

The last figure shows that users invited in public events can report offensive comments found in those events. The student organization administrator will be notified about these reports and can delete those offensive comments.

E. Data Dictionary

Table 2: student

FIELD	**TYPE**	**DESCRIPTION**
STUD_NUMBER	VARCHAR(10)	Specifies the **primary key** of student
STUD_FNAME	VARCHAR(20)	Specifies student's first name
STUD_LNAME	VARCHAR(20)	Specifies student's last name
STUD_MNAME	VARCHAR(20)	Specifies student's middle name
STUD_YEAR	ENUM(I, II, III, IV, V, NA)	Specifies student's year
STUD_COURSE	VARCHAR(50)	Specifies student's course
STUD_COLLEGENAME	VARCHAR(255)	Specifies student's college
STUD_USERNAME	VARCHAR(20)	Specifies student's username used for login
STUD_PASSWORD	VARCHAR(50)	Specifies student's password used for login
STUD_CONTACTNO	VARCHAR(15)	Specifies student's contact number
STUD_EMAIL	VARCHAR(50)	Specifies student's email address
STUD_ALUMNI	ENUM(YES, NO)	Specifies if graduated student
STUD_STATUS	ENUM(YES, NO)	Specifies if student is activated or deactivated

The *student* table stores the basic information of added students.

Table 3: student_organization

FIELD	**TYPE**	**DESCRIPTION**
STUDORG_ID	INT(10)	Specifies the **primary key** of student organization
STUDORG_NAME	VARCHAR(255)	Specifies the student organization's name
STUDORG_ACRONYM	VARCHAR(50)	Specifies the student organization's name's acronym
STUDORG_CATEGORY	ENUM(CULTURAL, SOCIO-CIVIC, SERVICE, FRATERNITY/SORORITY, SPORTS, CAUSE ORIENTED, RELIGIOUS/SPIRITUAL, SPECIAL INTEREST)	Specifies the student organization's category
STUDORG_DESCRIPTION	TEXT	Specifies short description of student organization
STUDORG_EMAIL	VARCHAR(255)	Specifies the official email address of the student organization
STUDORG_PICTURE	VARCHAR(255)	Specifies the link of the profile picture of the student organization

STUDORG_STATUS	ENUM(ACTIVATED, DEACTIVATED)	Specifies whether student organization is activated or deactivated
STUDORG_FOUNDINGDATE	VARCHAR(20)	Specifies the date of establishment of the student organization
STUDORG_TYPE	ENUM(UNIVERSITY-BASED, COLLEGE-BASED)	Specifies whether student organization is university-based or college-based
STUDORG_COLLEGENAME	ENUM(College of Arts and Sciences, College of Dentistry, College of Nursing, College of Public Health, College of Medicine, College of Pharmacy, College of Allied Medical Professions)	Specifies to which college the student organization belongs
STUDORG_ADVISER	VARCHAR(255)	Specifies the current adviser of the student organization

The *student_organization* table stores information about added student organizations.

Table 4: student_organization_member

FIELD	**TYPE**	**DESCRIPTION**

STUDORG_ID	INT(10)	Foreign and **primary key**; Specifies to which student organization the student belongs
STUDORG_NAME	VARCHAR(255)	Foreign key; Specifies the student organization's name
STUD_NUMBER	VARCHAR(10)	Foreign and **primary key**; Specifies the student number of a student organization member
STUD_FNAME	VARCHAR(20)	Foreign key; Specifies student's first name
STUD_LNAME	VARCHAR(20)	Foreign key; Specifies student's last name
STUD_MNAME	VARCHAR(20)	Foreign key; Specifies student's middle name
STUDORG_POSITION	VARCHAR(20)	Specifies student's position in student organization
MEMBERSHIP_STATUS	ENUM(ACTIVATED, DEACTIVATED)	Specifies whether the student is currently a member of that student organization
MEMBERSHIP_STARTDATE	DATE	Specifies the date when the student was activated in the organization
STUDORG_ADMIN	ENUM(YES, NO)	Specifies whether the member is an administrator or not

The *student_organization_member* table stores information about added stu-

dent organization members.

Table 5: university_coordinator

FIELD	**TYPE**	**DESCRIPTION**
COOR_ID	VARCHAR(10)	Specifies the **primary key** of coordinator
COOR_FNAME	VARCHAR(20)	Specifies coordinator's first name
COOR_LNAME	VARCHAR(20)	Specifies coordinator's last name
COOR_MNAME	VARCHAR(20)	Specifies coordinator's middle name
COOR_USERNAME	VARCHAR(20)	Specifies coordinator's username used for login
COOR_PASSWORD	VARCHAR(50)	Specifies coordinator's password used for login
COOR_EMAIL	VARCHAR(50)	Specifies coordinator's email address
COOR_CONTACTNO	VARCHAR(15)	Specifies coordinator's contact number
COOR_OFFICE	ENUM(OSA, OSS)	Specifies if coordinator is an OSA Coordinator or OSS Coordinator

COOR_COLLEGENAME	ENUM(College of Arts and Sciences, College of Dentistry, College of Nursing, College of Public Health, College of Medicine, College of Pharmacy, College of Allied Medical Professions)	Specifies to which college the coordinator belongs
COOR_STATUS	ENUM(ACTIVATED, DEACTIVATED)	Specifies whether he/she is the current coordinator of a college

The *university_coordinator* table stores information about the OSA Coordinator and added OSS Coordinators.

Table 6: ocso_post

FIELD	**TYPE**	**DESCRIPTION**
POST_ID	INT(10)	Specifies the **primary key** of post
STUDORG_ID	INT(10)	Foreign key; Specifies the student organization of student organization administrator who made the post
STUD_NUMBER	VARCHAR(10)	Foreign key; Identifies if post is made by student organization administrator

COOR_ID	VARCHAR(10)	Foreign key; Identifies if post is made by OSS coordinator
POST_TITLE	VARCHAR(255)	Specifies the post's title
POST_MESSAGE	TEXT	Specifies the post's content message
POST_IMAGE	VARCHAR(255)	Specifies the link of the attached image to the post if there is one
POST_ACCESSTYPE	ENUM(PUBLIC, EXCLUSIVE)	Specifies whether the post is public or exclusive to a student organization
POST_STARTDATE	DATETIME	Specifies when will a post be visible
POST_ENDATE	DATE	Specifies when will a post be taken down
POST_STATUS	ENUM(ACTIVATED, DEACTIVATED, PENDING)	Specifies whether post is currently visible or not
POST_COMMENT_COUNT	INT(255)	Specifies the number of comments under this post

The *ocso_post* table stores all posts created by the OSA Coordinator, OSS Coordinators and student organization administrators.

Table 7: ocso_post_comment

FIELD	**TYPE**	**DESCRIPTION**

POST_COMMENT_ID	INT(10)	Specifies the **primary key** of post's comment
POST_ID	INT(10)	Foreign and **primary key**; Specifies to which post the comment belongs
STUD_NUMBER	VARCHAR(10)	Foreign key; Specifies the student organization administrator who made the post
STUDORG_ID	INT(10)	Foreign key; Specifies the student organization of the administrator who made the post
POST_COMMENT	TEXT	Specifies the content of the post's comment
POST_COMMENT_DATE	DATETIME	Specifies when the post's comment was commented
POST_COMMENT_REPORT_-COUNT	INT(11)	Specifies the number of reports that a comment received

The *ocso_post_comment* table stores comments on exclusive posts of the student organizations.

Table 8: ocso_thread

FIELD	**TYPE**	**DESCRIPTION**
THREAD_ID	INT(10)	Specifies the **primary key** of thread

STUDORG_PARTNERS	VARCHAR(255)	**Primary key**; Specifies student organization who have access to the thread
STUD_NUMBER	VARCHAR(10)	Foreign key; Specifies the student organization administrator who made the thread
STUDORG_ID	INT(10)	Foreign key; Specifies the student organization of student organization administrator who made the thread
THREAD_TITLE	VARCHAR(30)	Specifies the thread's title
THREAD_STARTDATE	DATETIME	Specifies when the thread will start
THREAD_ENDDATE	DATE	Specifies when the thread will end
THREAD_STATUS	ENUM(ACTIVATED, DEACTIVATED)	Specifies if a thread is currently visible or not

The *ocso_thread* table stores all threads created by student organizations.

Table 9: ocso_thread_comment

FIELD	**TYPE**	**DESCRIPTION**
THREAD_COMMENT_ID	INT(10)	Specifies the **primary key** of thread's comment
THREAD_ID	INT(10)	Foreign and **primary key**; Specifies to which thread the comment belongs

STUD_NUMBER	VARCHAR(10)	Foreign key; Specifies the student organization member who made the comment
STUDORG_ID	INT(10)	Foreign key; Specifies the student organization of student organization member who made the comment
THREAD_COMMENT	TEXT	Specifies the content of thread's comment
THREAD_COMMENT_DATE	DATE	Specifies when the thread's comment was commented

The *ocso_thread_comment* table stores comments on threads of the student organizations.

Table 10: ocso_event

FIELD	**TYPE**	**DESCRIPTION**
EVENT_ID	INT(10)	Specifies the **primary key** of event
EVENT_TITLE	VARCHAR(30)	Specifies event's title
EVENT_DESCRIPTION	VARCHAR(255)	Specifies the short description of the event
EVENT_STARTDATE	DATETIME	Specifies when the event will start
EVENT_ENDDATE	DATE	Specifies when the event will end
EVENT_ACCESSTYPE	VARCHAR(255)	Specifies who have access to the event

STUD_NUMBER	VARCHAR(10)	Foreign key; Specifies the student organization administrator who made the event
STUDORG_ID	INT(10)	Foreign key; Specifies the student organization of the administrator who made the event
EVENT_VENUE	VARCHAR(255)	Specifies the venue of the event
EVENT_IMAGE	VARCHAR(255)	Specifies the link of the promotional image of the event
EVENT_STATUS	ENUM(ACTIVATED, DEACTIVATED)	Specifies if an event is currently visible or not

The *ocso_event* table stores all events created by student organizations.

Table 11: ocso_event_comment

FIELD	**TYPE**	**DESCRIPTION**
EVENT_COMMENT_ID	INT(10)	Specifies the **primary key** of event's comment
EVENT_ID	INT(10)	Foreign and **primary key**; Specifies to which event the comment belongs
STUD_NUMBER	VARCHAR(10)	Foreign key; Specifies the user who made the comment
EVENT_COMMENT	TEXT	Specifies the content of the event's comment

EVENT_COMMENT_DATE	DATETIME	Specifies when the event's comment was commented
EVENT_COMMENT_STATUS	ENUM(ACTIVATED, DEACTIVATED)	Specifies the event's comment is currently visible or not
EVENT_COMMENT_REPORT_COUNT	INT(11)	Specifies the number of reports that a comment received

The *ocso_event_comment* table stores comments on events of the student organizations.

Table 12: ocso_event_comment_report_record

FIELD	**TYPE**	**DESCRIPTION**
EVENT_COMMENT_ID	INT(10)	Specifies the **primary key** of event's reported comment
EVENT_ID	INT(10)	Foreign and **primary key**; Specifies to which event the reported comment belongs
STUD_NUMBER	VARCHAR(10)	Foreign key; Specifies the user who reported the comment

The *ocso_event_comment_report_record* table stores all reported offensive comments found in events and those who have reported them.

Table 13: ocso_event_invites

FIELD	**TYPE**	**DESCRIPTION**

EVENT_ID	INT(11)	Foreign and **primary key**; Specifies to which event the invitee belongs
STUD_NUMBER	VARCHAR(10)	Foreign key; Specifies the student invited to the event
INVITE_STATUS	ENUM(INVITED, JOIN, DECLINE)	Specifies if student joined or declined the invitation

The *ocso_event_invites* table stores all users who are invited in events created.

Table 14: ocso_files

FIELD	**TYPE**	**DESCRIPTION**
FILES_ID	INT(10)	Specifies the **primary key** of uploaded file
FILES_TITLE	VARCHAR(20)	Specifies uploaded file's title
FILES_TYPE	VARCHAR(255)	Specifies the type of uploaded file
FILES_LINK	VARCHAR(20)	Specifies the link of the file
STUD_NUMBER	VARCHAR(10)	Foreign key; Specifies the student organization administrator who uploaded the file
STUDORG_ID	INT(10)	Foreign key; Specifies the student organization of the administrator who uploaded the file
FILES_DESCRIPTION	VARCHAR(100)	Specifies uploaded file's description

DATE_UPLOADED	DATETIME	Specifies when the file was uploaded
FILES_STATUS	ENUM(ACTIVATED, DEACTIVATED)	Specifies if the uploaded file is currently visible or not

The *ocso_files* table stores information and the links of the files uploaded by student organization administrators.

Table 15: ocso_poll

FIELD	**TYPE**	**DESCRIPTION**
POLL_ID	INT(10)	Specifies the **primary key** of poll
POLL_CHOICE	VARCHAR(20)	**Primary key**; Specifies the possible choices in a poll
POLL_TITLE	VARCHAR(255)	Specifies the poll's title
POLL_VOTE	INT(5)	Specifies the number of votes in each poll choice
POLL_STARTDATE	DATETIME	Specifies when the poll will start
POLL_ENDDATE	DATETIME	Specifies when the poll will end
STUD_NUMBER	VARCHAR(10)	Foreign key; Specifies the student organization administrator who made the poll

STUDORG_ID	INT(10)	Foreign key; Specifies the student organization of the administrator who made the poll
POLL_ACCESSTYPE	ENUM(All, Non-Alumni)	Specifies if a poll is visible to all of the members or to non-alumni members only
POLL_STATUS	ENUM(ACTIVATED, DEACTIVATED, PENDING FOR RESULTS, SHARED)	Specifies if a poll is currently visible or not, if a poll has ended and results are ready to be generated or if the poll's results was shared

The *ocso_poll* table stores all polls created by student organizations.

Table 16: ocso_poll_vote_record

FIELD	**TYPE**	**DESCRIPTION**
POLL_ID	INT(10)	Foreign and **primary key**; Specifies in which poll the vote belongs to
POLL_CHOICE	VARCHAR(20)	Specifies the chosen poll choice
STUD_NUMBER	VARCHAR(10)	Foreign and **primary key**; Specifies the student organization member who voted
STUDORG_ID	INT(10)	Foreign key; Specifies the student organization of the member who voted

The *ocso_poll_vote_record* table stores all of the votes in every poll created by student organizations.

Table 17: ocso_activity_planner

FIELD	**TYPE**	**DESCRIPTION**
ACTIVITY_ID	INT(10)	Specifies the **primary key** of planned activity
TASK_NAME	VARCHAR(30)	**Primary key**; Specifies the task that needs to be accomplished
ACTIVITY_NAME	VARCHAR(20)	Specifies the planned activity's name
ASSIGNED_TO	VARCHAR(30)	Specifies to whom the task is assigned
TASK_STARTDATE	DATE	Specifies when the task starts
TASK_ENDDATE	DATE	Specifies when the task ends
TASK_STATUS	ENUM(IN PROGRESS, COMPLETED)	Specifies whether the task has been completed or not
STUD_NUMBER	VARCHAR(10)	Foreign key; Specifies the student organization administrator who created the activity planner
STUDORG_ID	INT(10)	Foreign key; Specifies the student organization of the administrator who created the activity planner

ACTIVITY_STATUS	ENUM(ACTIVATED, DEACTIVATED)	Specifies if the activity planner is currently visible or not
ACTIVITY_DATE_POSTED	DATETIME	Specifies when the activity planner was created

The *ocso_activity_planner* table stores all activity planner created by student organization administrators.

Table 18: ocso_notification

FIELD	**TYPE**	**DESCRIPTION**
NOTIF_ID	INT(10)	Specifies the **primary key** of notification
NOTIF_MESSAGE	VARCHAR(255)	Specifies the notification's content
NOTIF_DATE	DATETIME	Specifies when the notification was saved
ID	INT(11)	Specifies the public post ID (for public post request), event comment ID (for reported comment) and coordinator ID (for deactivate all organization notification)
STUDORG_ID	INT(11)	Specifies the student organization of the one who made the public post request or where a membership request was sent

STUD_NUMBER	VARCHAR(10)	Specifies the student who made a membership request
NOTIF_TYPE	ENUM(PUBLIC POST REQUEST, PUBLIC POST APPROVAL, PUBLIC POST DISAPPROVAL, MEMBERSHIP REQUEST, MEMBERSHIP RENEWAL, REPORTED COMMENT, DEACTIVATE ORGS)	Specifies the type of notification
NOTIF_STATUS	ENUM(ACTIVATED, DEACTIVATED)	Specifies if the notification is currently visible or not

The *ocso_notification* table stores all notifications that users receive.

V. Architecture

A. System Architecture



Figure 21: OCSO System Architecture

Figure 20 shows the system architecture of OCSO. It is composed of three layers namely Presentation Layer, Business Layer and Data Access Layer. The three layers are linked to each other via CodeIgniter, a PHP framework that is based on a Model-View-Controller (MVC) development pattern. The presentation layer provides the system's user interface and was encoded using HTML, JavaScript, Cascading Style Sheet (CSS) and jQuery. The business layer implements the functionalities of the system and was developed using PHP. The data access layer is the one that accesses MySQL, the database used in the system and was also developed using PHP.

B. Technical Architecture

The minimum hardware requirements for the client-side computer are:

1. Web browser

2. Consistent Internet connection

The minimum hardware and application requirements for the server-side computer are:

1. 500+ MHz processor speed or higher

2. 500 MB RAM or higher

3. At least 1 GB hard disk space

4. PHP (Version 4 or up)

5. MySQL (Version 5 or up)

6. Apache (at least 1.3.23)

VI. Results

The Online Community of Student Organizations (OCSO) has five publicly accessible pages: Home Page, Student Organization Page, Announcements Page, Events Page and About OCSO Page.

A. Home Page

Figure 22 shows the Home Page of OCSO. All public posts created by different accredited student organizations that are approved by the OSA Coordinator (for university-based) or OSS Coordinator (for college-based) can be found on this page. Users who have accounts can use the login area, found on the left side of the page, to access the system.

Figure 22: OCSO Home Page

B. Student Organization Page

Figure 23 shows the Student Organization Page of OCSO. All accredited student organizations and their respective profiles are displayed on this page.



Figure 23: OCSO Student Organization Page

C. Announcements Page

The next figure, figure 24, shows the Announcements Page of OCSO. Posts or announcements concerning the students or student organizations which are created by the OSA and OSS Coordinators of different colleges are displayed on this page.



Figure 24: OCSO Announcements Page

D. Events Page

Figure 25 shows the Events Page of OCSO. All the events created by the different accredited student organizations are displayed on this page. Events have different access types or visibilities. Only those who are invited to a particular event are the ones that can only view and access the event.

Figure 25: OCSO Events Page

E. About OCSO Page

The following figure, figure 26, shows the About OCSO Page. A brief description of the Online Community of Student Organizations can be found on this page.

Figure 26: About OCSO Page

F. OSA and OSS Coordinators View

The OCSO has seven different types of users: OSA Coordinator, OSS Coordinator, Student Organization Administrator, Student Organization Member, Student Organization Alumni Member, Student and public users.

These users, except for public users, can logged in to the system using their usernames and passwords. When a user has successfully logged in to the system, the user can see his/her username, his/her role as well as the signout link at the upper right corner, just below the header.

In this figure, figure 27, the currently logged in user is the OSA Coordinator. At the left side, a menu can be seen. The menu is composed of the different functionalities the OSA Coordinator has. Aside from the menu, the notification area can also be seen.



Figure 27: Successful User Login (OSA Coordinator)

Figure 28 shows the successful user login of the OSS Coordinator. Just like before, a menu can be seen at the left side that is composed of the different functionalities the OSS Coordinator has. Notice that both the OSA and OSS Coordinators almost have the same functionalities except for the "Add User" functionality. The OSA Coordinator can add students, OSS Coordinators and university-based student organizations while the OSS Coordinator can only add college-based student organizations.

Figure 28: Successful User Login (OSS Coordinator)

F.1. View/Edit Profile

The next figures, figures 29 to 57, show the common functionalities of the OSA and OSS Coordinators.

First is the "View/Edit Profile" functionality. The OSA Coordinator can view all of the information about him/her that were saved in the database. At the bottom of his/her profile, the "Edit Profile" button can be seen. The same "View/Edit Profile" page can be seen by the OSS Coordinator but of course, containing his/her own profile.



Figure 29: View Profile (OSA and OSS Coordinator)

When the "Edit Profile" button is clicked, the OSA or OSS Coordinator will be redirected to a page where he/she can update his/her profile. The only details he/she can update are his/her e-mail address, contact number and password. Text fields in yellow are uneditable. When he/she has already finished editing his/her profile, he/she will be redirected to the "View Profile" page.



Figure 30: Edit Profile (OSA and OSS Coordinator)

F.2. Add User

Second functionality is the "Add User". The OSA Coordinator is the one responsible for adding users to the system. When the "Add User" option is clicked on the menu, a submenu will appear containing all of the possible users that the OSA Coordinator can add such as students/alumni, OSS Coordinators and university-based student organizations.



Figure 31: Add User Submenu (OSA Coordinator)

When the Student/Alumni option is clicked, the "Add Student/Alumni" page will be displayed . The OSA Coordinator just needs to import or upload an excel file (XLS format only) containing a list of all the students that he/she wants to add to the system. The format of the data in the xls file should be as follows: student number, student's first name, student's middle name, student's last name, college name, course, e-mail address and as for the last column, it should indicate whether the student is an alumna/alumnae (YES if alumna/alumnae and NO if not).

	A	B	C	D	E	F	G	H
1	2013-67321	Suzy	Sy	Lee	College of Arts and Sciences	BS Computer Science	suzysy@gmail.com	NO
2	2013-45009	Joyce	Rizal	Pangan	College of Arts and Sciences	BS Applied Physics	jrp@gmail.com	NO
3	2013-56119	Bernard	Salvador	Pilapil	College of Nursing	BS Nursing	bernz08@yahoo.com	NO
4								
5								
6								
7								

Figure 32: Data Format Inside The XLS File



Figure 33: Add Student (OSA Coordinator)

When the file has been uploaded, a preview of recently added students will be shown and a doc file containing the basic information of the recently added students will be automatically downloaded.



Figure 34: Preview of Recently Added Students (OSA Coordinator)



Figure 35: Doc File Downloaded That Contains Basic Information of Recently Added Students

When the OSS Coordinator option is clicked, the "Add OSS Coordinator" page will be displayed. Initially, the page only displays one entry form to fill up. To add more entry forms, the OSA Coordinator can just click the "Add Another Entry" button. When he/she wants to delete an entry, he/she can just click the X button found at the upper right corner of that entry. When submitted, a preview of recently added coordinators will be displayed.



Figure 36: Add OSS Coordinator (OSA Coordinator)



Figure 37: Preview of Recently Added OSS Coordinator (OSA Coordinator)

The list can be saved as a PDF when the "Save as PDF" link is clicked.

University of the Philippines Manila
Office of Student Affairs

Date: April 6, 2014 3:51 PM

List of Added OSS Coordinators

	Employee Number	Name	College	Username	Password
1	092347783	Jeremy Mendoza	CAMP	jsmendoza	fFZyMxn3mq

Figure 38: Preview of Recently Added OSS Coordinator - PDF File (OSA Coordinator)

For the OSA Coordinator, when the Student Organization option is clicked, the "Add Student Organization" page will be displayed. The same page will also be displayed when the OSS Coordinator click the "Add Student Organization" on his/her own menu.



Figure 39: Add Student Organization (OSA and OSS Coordinator)

When submitted, there will also be a preview of recently added organizations.



Figure 40: Preview of Recently Added Student Organization (OSA and OSS Coordinator)

F.3. Assign Student Organization Administrator

The third one is the "Assign Student Organization Administrator" functionality. Both the OSA and OSS Coordinators will see the same page when this option is clicked. The OSA Coordinator can assign administrators for university-based student organizations while the OSS Coordinator can assign administrators for college-based ones. While typing the name of a student to assign, a possible list of names close to the one currently being typed will appear. Beside these name text fields, texts fields for the members' positions can be seen. The default position is "MEMBER" but the OSA and OSS Coordinator can change it.



Figure 41: Assign Student Organization Administrator (OSA and OSS Coordinator)

F.4. Search User

The fourth functionality is "Search User". The OSA Coordinator can search for users such as student/alumni, OSS Coordinators, university-based student organizations and student organization administrators of university-based ones while the OSS Coordinator can search for college-based student organizations and student organization administrators of college-based organizations.

The figures 42, 43 and 44 show that OSA Coordinator can search for a student by year, course and student organization (university-based only) while the figure 45 shows that the OSA Coordinator can view the user profile of the searched student by clicking his/her name on the search results.



Figure 42: Search Student by Year (OSA Coordinator)



Figure 43: Search Student by Course (OSA Coordinator)



Figure 44: Search Student by Student Organization (OSA Coordinator)



Figure 45: View Student User Profile (OSA Coordinator)

Aside from students, as mentioned, the OSA Coordinator can search also for OSS Coordinators. The user profile of the searched OSS Coordinator can also be viewed by clicking his/her name.



Figure 46: Search OSS Coordinator (OSA Coordinator)



Figure 47: View OSS Coordinator User Profile (OSA Coordinator)

Both the OSA and OSS Coordinators can search for student organizations, university-based for the OSA Coordinator and college-based for the OSS Coordinator. The organization profile of the searched student organization can be viewed by clicking the student organization's name.



Figure 48: Search Student Organization (OSA and OSS Coordinators)



Figure 49: View Student Organization Profile (OSA and OSS Coordinators)

Lastly, the OSA and OSS Coordinators can search for student organization administrators that are currently activated and upon clicking the name of the administrator, a short membership profile of the chosen administrator is shown.



Figure 50: Search Student Organization Administrator (OSA and OSS Coordinators)



Figure 51: View Student Organization Administrator User Profile (OSA and OSS Coordinators)

F.5. Activate/Deactivate User

The "Activate/Deactivate User" is the fifth functionality. The OSA Coordinator can activate/deactivate students, OSS Coordinators and university-based student organizations while the OSA Coordinator can only activate/deactivate college-based student organizations.

For the OSA Coordinator, in searching for student users to activate/deactivate, the same parameters seen at the "Search User" page can also be seen here, meaning the OSA Coordinator can search for a student by year, course and student organization (university-based only). When the search results are shown this time, there will be checkboxes beside each of the names. The OSA Coordinator can check those entries he/she wants to activate/deactivate and click the "Activate" button if he/she wants to activate the chosen students or the "Deactivate"

button if he/she wants to deactivate the them. This figure only shows searching for a student to activate/deactivate by year.



Figure 52: Activate/Deactivate Student (OSA Coordinator)

In searching for OSS Coordinators to activate/deactivate, the OSA Coordinator can type the name of the OSS Coordinator he/she wants to activate/deactivate. The same goes for searching for student organizations to activate/deactivate. The OSA and OSS Coordinators just have to type the organization's name



Figure 53: Activate/Deactivate OSS Coordinator (OSA Coordinator)



Figure 54: Activate/Deactivate Student Organization (OSA and OSS Coordinators)

F.6. View List of Student Organization Administrators

The next functionality is the generation and view of the "List of Student Organization Admins". This figure, figure 55, shows a PDF file containing a list of currently activated student organization administrators for each university-based student organization. This file will be viewed when the OSA Coordinator clicks the "List of Student Organization Admins" option at the menu. The same goes for the OSS Coordinator but the list will contain currently activated student organization administrators from college-based organizations.



University of the Philippines Manila
Office of Student Affairs

Date: April 6, 2014 6:01 PM

University-Based Student Organization Administrators

University of the Philippines Manila-Ongaku, Manga, Anime, Kosupure, Eiga		
1	2008-56788	Shiela Macarayan
2	2010-30207	Maristela Dela Cruz
3	2012-33222	Jeryl Chica

Shoot UPM		
1	2007-12345	Rhosell Pia
2	2008-56788	Shiela Macarayan
3	2010-23456	Paula Escober

Dramatista
THERE ARE NO CURRENT ADMINISTRATORS ASSIGNED.

HallyUP
THERE ARE NO CURRENT ADMINISTRATORS ASSIGNED.

Figure 55: List of Currently Activated Student Organization Administrators (OSA Coordinator)

F.7. View List of Student Organization Members

Another functionality is the generation and view of the "List of Student Organization Members". Figure 56 shows a PDF file containing a list of currently activated university-based student organizations and their respective members. This file will be viewed when the OSA Coordinator clicks the "Generate List of Orgs" option at the menu. The same goes for the OSS Coordinator.



University of the Philippines Manila
Office of Student Affairs

Date: April 6, 2014 6:09 PM

University-Based Student Organizations

NAME:	University of the Philippines Manila-Ongaku, Manga, Anime, Kosupure, Eiga	
ACRONYM:	UPM-OMAKE	
CATEGORY:	Special Interest	
EMAIL	upmomake@gmail.com	
ACTIVATED MEMBERS (3)		
2008-56788	Shiela Macarayan	MEMBER
2010-30207	Maristela Dela Cruz	MEMBER
2012-33222	Jeryl Chica	MEMBER

NAME:	Shoot UPM	
ACRONYM:	Shoot UPM	
CATEGORY:	Service	
EMAIL	shoot.upm@gmail.com	
ACTIVATED MEMBERS (4)		
2007-12345	Rhosell Pia	SECRETARY
2008-56788	Shiela Macarayan	PRESIDENT
2010-23456	Paula Escober	VICE PRESIDENT
2010-30207	Maristela Dela Cruz	MEMBER

Figure 56: List of Currently Activated University-Based Student Organizations and Their Members (OSA Coordinator)

F.8. Add Post

The last functionality is the "Add Post". If the OSA or OSS Coordinator have announcements, he/she can post them in OCSO. After the submission of the post, the OSA or OSS Coordinator will be redirected to the Announcements Page.



Figure 57: Add Post (OSA and OSS Coordinators)

F.9. Receive Notifications of Public Post Requests

Figure 58 shows the notification area of the OSA Coordinator. When university-based student organizations send public post requests, the OSA Coordinator will receive notifications. The same goes for the OSS Coordinator who will receive notifications of public post requests of college-based student organizations.

Figure 58: Notification Area (OSA and OSS Coordinators)

When the OSA or OSS Coordinator clicks a particular public post request notification, he/she will be redirected to the "Public Post Request" page where the details about the public post is shown so that he/she can review it. If an image is attached to the public post, the OSA or OSS Coordinator can click the image to enlarge it and be able to review the image.

Figure 59: View Public Post Request (OSA and OSS Coordinators)

When a public post request is approved, it will automatically be displayed in the Home Page and the student organization administrator who sent the request will receive a public post approval notification.

Figure 60: Notification of Public Post Approval (Student Organization Administrator)

The next functionalities involves the other users such as the student organization administrator, student organization member, student organization alumni member and student. The next figure shows the successful login of a student user. Found at the left side of the page are the menu area, student organizations area and notification area. The menu area shows the available functionalities that all students share. The student organization area shows the student organizations of the currently logged in student and the notifications area shows notifications received by the currently logged in student.

Figure 61: Successful User Login (Student)

G. Student View

G.1. View/Edit Profile

Figures 62, 63, 64 and 68 are the functionalities found on the menu area that are common to all students. Each student can view his/her profile and at the bottom his/her profile, an "Edit Profile" button can be seen. When the button is clicked, he/she can now edit his/her profile. Just like the OSA and OSS Coordinators, the only details the students can edit are their e-mail addresses, contact numbers and passwords. Again, text fields in yellow are uneditable.



Figure 62: View Profile (Student)



Figure 63: Edit Profile (Student)

When he/she has already finished editing his/her profile, he/she will be redirected to the "View Profile" page.

G.2. Join Student Organization

Students can join any student organization he/she wants. This figure shows the "Join Student Organization" page where students just need to type the name of the student organization he/she wants to join and a table of search results will be shown. At the right most column of the table, students can see a "Join" button if she's not yet a member of that organization, "ALREADY A MEMBER" phrase when he/she is already a member of that organization, "REQUEST SENT" phrase when he/she has already sent a membership request to that organization and "RENEW YOUR MEMBERSHIP" phrase when the student just needs to renew his/her membership.



Figure 64: Join Student Organization (Student)

When the membership request or renewal has been sent, the administrators of that student organization where the student wants to join, will receive a membership notification.



Figure 65: Notification of Membership Request (Student Organization Administrator)

The student organization administrator will just click that notification and he/she will see a short user profile of the student who sent the request.



Figure 66: View Membership Request (Student Organization Administrator)

When the membership request has been approved, the student who requested will receive a notification and can now access the student organization.

Figure 67: Notification of Membership Approval (Student)

G.3. Renew Membership

The last functionality that all students have in common, except for the alumni, is the "Renew Membership". All of the student organizations that a student joined in the past and where he/she is currently not a member will be shown here. To renew membership, the student just needs to check the ones he/she wants to renew his/her membership with.



Figure 68: Renew Membership (Student)

H. Student Organization Member and Alumni Member

H.1. View Dashboard

If a student is a member of any student organization, under the menu area, he/she will see a list of student organizations where he/she is currently a member. When the student clicks on a particular student organization, a submenu will appear. If he/she is a student organization administrator, the submenu will look like the one on figure 69 but if he/she is not an administrator, the only accessible submenu is the "Dashboard". This figure also shows the "Dashboard" of the current chosen student organization.



Figure 69: Submenu of a Chosen Student Organization (Student Organization Administrator)

At the upper part of the dashboard, below the name of the student organization, a student can choose what to view or to be displayed on the dashboard. The default view is "All" which means that all of the things posted, created and uploaded in the student organization will be displayed. They are arranged by the date when they were posted.



Figure 70: View Options on the Student Organization Dashboard (Student Organization Member)

The other view options are: "Posts" (displays all exclusive posts in the organization), "Photos" (displays all photos that have been uploaded or attached to exclusive posts), "Files" (displays the list of files that have been uploaded or attached to exclusive posts), "Videos" (displays the list of videos that have been uploaded), "Polls" (displays recently created polls, shared poll results and recently ended polls), "Threads" (displays the list of currently activated threads) and "Activity Planner" (displays the list of activity planners or to-do lists).



Figure 71: View All Exclusive Posts (Student Organization Members)

Members can comment on these exclusive posts.



Figure 72: Comment on Exclusive Posts (Student Organization Members)



Figure 73: View All Photos (Student Organization Members)



Figure 74: View All Files (Student Organization Members)



Figure 75: View All Videos (Student Organization Members)

The recently created polls are accessible to all members of the student organizations. The recently ended polls are only accessible to the administrators.



Figure 76: Recently Created Polls (Student Organization Members)



Figure 77: Recently Ended Polls (Student Organization Administrator)

At the recently ended polls area, when the "View Results" link is clicked, the administrator will be redirected to a page where the results of the chosen ended poll can be seen. The results are presented in a pie chart. The administrator can decide whether he/she can share the results to the other members. When the "Share Results" link is clicked, the results of that poll will be displayed on the shared polls area.



Figure 78: View Results of A Recently Ended Poll (Student Organization Administrator)



Figure 79: Shared Polls (Student Organization Members)



Figure 80: View All Threads (Student Organization Members)

When the "More Details Here" link is clicked, details about that thread will be displayed. Those who have access to a particular thread can comment on that thread.



Figure 81: View All Threads (Student Organization Members)

For the next figure, a particular activity planner can only be viewed by those who have tasks assigned to them but all of these activity planners are visible to the student organization administrators. The activity planner has a progress bar that shows the percentage of the tasks done. A particular row will be in yellow if the end date for that task is three days from today. It will be in green if the task is already done and will be in red if the task was not completed on or before its end date.



Figure 82: View All Activity Planners or To-do Lists

I. Student Organization Administrator

I.1. View/Edit Student Organization Profile

The following functionalities are for the student organization administrators only. Only the administrators can view and edit their organization's profile. Only the organization description, email and profile picture can be edited.



Figure 83: View Student Organization Profile (Student Organization Administrator)



Figure 84: Edit Student Organization Profile (Student Organization Administrator)

I.2. Activate/Deactivate Member

The next functionality is the "Activate/Deactivate Member". The student organization administrator will just search for the names of the members who he/she wants to activate/deactivate. Just like in the "Activate/Deactivate User" of the OSA Coordinator, the student organization administrator just needs to check those members and click the "Activate" or "Deactivate" button to activate/deactivate them.



Figure 85: Activate/Deactivate Member (Student Organization Administrator)

I.3. Add/Create

The next figure shows another functionality which is "Add/Create". The administrators can choose what to add or create in the student organization. They can create public posts which will be subjected for the approval of the OSA or OSS Coordinator, exclusive posts with attached photos, videos or files, polls, threads, events and activity planners.



Figure 86: Add/Create Page (Student Organization Administrator)



Figure 87: Add/Create Public Post (Student Organization Administrator)



Figure 88: Add/Create Exclusive Post (Student Organization Administrator)

Aside from public posts, student organization administrators can also create threads, events, polls and activity planners.



Figure 89: Add/Create Thread (Student Organization Administrator)



Figure 90: Add/Create Event (Student Organization Administrator)



Figure 91: Add/Create Poll (Student Organization Administrator)



Figure 92: Add/Create Activity Planner (Student Organization Administrator)

Events which are visible to the public have a comment report functionality. If the users find a comment offensive, he/she can report it. The administrators of the student organization who hosted the event will receive a notification about that reported comment and the administrators will decide whether to delete or just ignore the report.



Figure 93: Report Comment in Public Event



Figure 94: Notification of Reported Comment (Student Organization Administrator)



Figure 95: View Reported Comment (Student Organization Administrator)

VII. Discussions

The challenges or issues encountered while developing the Online Community of Student Organizations (OCSO) and the solutions applied to these problems will be discussed. Aside from these, different tools or libraries used that helped in developing the functionalities of the users will also be tackled.

The OSA and OSS Coordinators are the ones responsible of adding and activating/deactivating student organizations and even assigning their respective administrators. The OCSO allows the coordinators to generate a list of currently activated student organization administrators and even the members. To generate these lists, all of the information needed are fetched from the database first. When fetched, the data will be organized in tables in an HTML file. This HTML file will be converted into a PDF file with the use of DOMPDF. It is convenient to use because it renders the PDF in a way that the CSS used in the HTML file will also be reflected into it.

The OSA Coordinator is also responsible for adding student users. Instead of inputting one by one the students that must be added to the system, which will take a long time, OCSO allows the OSA Coordinator to just upload or import an excel file containing a list of all of the students that will be added and their basic information. The challenge encountered here was the reading of the excel file uploaded and parsing and getting the data from the file. A class for reading Microsoft Excel (97/2003) Spreadsheets was used. This means files in .xls format are the only ones that can be read and parsed. The class can be called php-excel-reader which was enhanced and maintained by Matt Kruse and can be downloaded from the web. When the excel file is read and parsed, the data inside it will be saved into the database. Also, these data will be stored in a session variable. The session variable containing the data will be used in the preview of recently added students which will be presented to the OSA Coordinator.

When the "Recently Added Student/Alumni" page loads, a word document will automatically be downloaded containing all of the basic information plus the

system generated usernames and passwords of the recently added students. The automatic download was made possible with the use of *Meta Refresh Tag* and the *Content-Disposition: attachment response-header field*. The "Recently Added Student/Alumni" page contains the *Meta Refresh Tag* at the head part of its PHP file. This tag defines a URL that will be loaded or where the user will be redirected to after a particular time interval. The URL that was used is *studentTable* and the time interval specified was 2 seconds. This means that after 2 seconds, from the "Recently Added Student/Alumni" page, the OSA Coordinator will be redirected to the *studentTable* page. But instead of loading this page, the contents of this page will be saved as a file because it contains the *Content-Disposition: attachment response-header field*. The session variable containing the data of the students is used and organized in an HTML table in this page thus the contents of the downloaded file will be the data of the recently added students.

The OCSO also offers some tools that student organization members can use to conduct their organizational activities. One of their activities is hosting of events. To promote their events, OCSO enables the student organizations to create online events where they can invite users, even the public, to be able to know or estimate the number of people who are interested to join the event. People invited to an event can comment on that event to ask or inquire. Aside from commenting, invited users can also report comments that they find offensive. When logged in users such as students report offensive comments found on these events, their student numbers, which uniquely identifies them, are recorded along with the comment that they have reported and the event where that comment belongs so that they could only report that comment once. One of the challenges encountered was the recording of the reports coming from public users because they do not have something like an ID that can uniquely identify them which means that they can report a comment as many times as they want. Since they can report many times, when the student organization administrator view a reported comment, he/she will just see how many reports come from public users and from the students.

In OCSO, student organization administrators can upload videos which can be viewed by the members. This was one challenge encountered but was answered by adding some of the video file format types such as mp4, wmv, avi and flv in the *mimes.php* file found in the config folder in CodeIgniter, setting the *upload_max_filesize* parameter to 500M in the *php.ini* file in xampp and adding this piece of code in the *.htaccess* file:

```
php_value upload_max_filesize 500M
php_value post_max_size 500M
php_value max_input_time 300
php_value max_execution_time 300
```

The last challenge encountered was combining all of the notifications that a student will receive and sorting them based on the date they were recorded or saved in the database. The notifications that a student will receive were stored in different arrays based on the type of the notification. The types of notifications a student can receive are "Approval of Public Post" (if administrator), "New Membership or Renewal Request" (if administrator), 'Approval of New Membership or Renewal Request'" and "Reported Comments" (if administrator). This challenge was answered by merging these arrays into one array called *mergedNotifs*. The *array_push* function in PHP was used:

```
array_push($_SESSION['mergedNotifs'], array("studOrg" => <
    The Student Organization ID>, "message" => <The Content
    of the Notification>, "date"=> <Date When The
    Notification Was Recorder>, "notifID"=> <Notification ID
    >, "studNum"=> <The Student Number>, "id"=> <Extra
    Parameter>));
```

As for the sorting of the elements, the following code ws used:

```
function sortFunction($a, $b) {
        return strtotime($a["date"]) - strtotime($b["date"]);
```

```
}
usort($_SESSION['mergedNotifs'], "sortFunction");
```

OCSO can be compared and contrasted with Facebook. OCSO has similar functionalities with Facebook's Group feature. Just like in that feature, users can request if he/she wants to join a particular group and the administrators of that group will decide if they will accept or reject the request. Administrators can also add and remove members to the group. Unlike in OCSO where the student organization administrators are the only ones who can post and upload files in the organization, members of the group in Facebook's Group can also post and upload files but sometimes these posts are subjected to the approval of the group's administrators.

Aside from Facebook's Group feature, the OCSO also has similar features with the Page feature. In the Page feature as well as in OCSO, administrators can create events and invite users to these events. Also, page's posts are always public and just like in OCSO, student organization administrators can also add posts visible to the public given that they were approved by either the OSA Coordinator or OSS Coordinator. Another similar functionality is the creation of polls.

What's unique about the OCSO is that the public posts are reviewed by the OSA or OSS Coordinators before they are posted or will be visible to the public. Also, OCSO allows the student organization administrators to create activity planner or to-do lists and assign the members of their organization to do different tasks. This might help them in planning their organizational activities.

One challenge in developing the OCSO is the hierarchy or the level of access rights of the users because the things visible to some users may not be visible to others. This challenge was answered by assigning a role to each user. The checking of roles makes it easy to know which functionalities or access rights will be given to a particular user.

VIII. Conclusions

The Online Community of Student Organizations (OCSO) allows students organization members who do not have social networking accounts to still be updated, to communicate with other members and to take part in planning their organizational activities for as long as they are activated as a student and as a member of the organization. To be activated as a student, they just need to request to the OSA Coordinator and to be activated as a student organization member, they just need to send a membership request to the administrator of that student organization.

The OCSO also allows the OSA and OSS Coordinators to monitor the public posts created by student organizations unlike in social networking sites where they do not have any control over these posts. Public posts made by student organizations will first be subjected to the approval of these coordinators before they will be displayed.

In UPM, student organizations are able to promote their events via posters or ads placed on bulletin boards inside the campus. Instead of using these posting materials, student organizations can promote their events via OCSO where more users can see them. Also, student organizations do not have to worry about the removal of the posting materials since there are no more paper posters or ads involved and their public posts in OCSO will automatically be removed if the posting period that the student organization administrator specified on that post is over. Aside from that, instead of contacting the sponsoring student organization through the details found on the posters, people who are interested and have inquiries about the event, can directly comment on the event if found in OCSO.

IX. Recommendations

To further enhance the Online Community of Student Organizations (OCSO), it can be integrated with the UP Manila CRS so that the OSA Coordinator would not have to upload or import a file. This also ensures that the information about the students are up-to-date and more reliable.

For the OSA and OSS Coordinators' functionality of adding student organizations in OCSO, instead of inputting one by one the information of the organizations, it can also be done through file import or upload just like in adding a student to be able to lessen the input of the coordinators.

A private message/chat functionality for users can also be incorporated to the system so that those users who want to directly communicate with other users can do so.

For student organization members, functionalities similar to the student organization administrators like adding exclusive posts and uploading files to the student organization, can also be incorporated but in the condition that these posts and files will first be reviewed for approval by their student organization administrators.

Aside from exclusive posts, threads and events, where users are allowed to comment, a functionality that enables users to comment in public posts of the student organizations can also be incorporated.

In OCSO, the only personal information that can be updated or edited are the e-mails, contact numbers and passwords. The upload of profile picture can also be added.

It is also recommended to develop a functionality that could enable student organization administrators to generate reports of all the activities they have done within the year that were recorded in the system.

Lastly, a functionality for updating the year and alumni status of the students is also recommended to be developed for the OSA Coordinator.

X. Bibliography

[1] Office of Student Affairs University of the Philippines Manila, *Student handbook*, 2010 ed., 2010.

[2] Z. B. Yasak, "Information dissemination through sms among it students." 4 pages.

[3] A. Zaideh, "The use of social networking in education: challenges and opportunities," *World of Computer Science and Information Technology Journal*, vol. 2, pp. 18–21, 2012.

[4] V. C. Osamor, O. S. Aloba, and I. P. Osamor, "From wooden to digital notice board (dnb): design and implementation for university administration," *International Journal of Electrical and Computer Sciences*, vol. 10, pp. 79–83, Apr. 2010.

[5] S. Foo, N. Pang, S. Vu, and S. Verma, "Developing virtual social communities: lessons drawn from two indian social communities," in *4th International Conf. on Creative Content Technologies*, 2012.

[6] R. Michaelides, M. Tickle, and S. C. Morton, "Online communities of practice for innovation and knowledge transfer: a case study in the u.k.," in *2010 IEEE International Conf. Management of Innovation and Technology (ICMIT)*, (Singapore), pp. 922–927, 2010.

[7] G. Deng and S. Huang, "Case study on incentive mechanism and its effectiveness of campus network in virtual community-case of myclub2.com," in *2010 IEEE 2nd Symp. Web Society (SWS)*, (Beijing), pp. 38–44, 2010.

[8] D. Firpo, S. Kasemvilas, P. Ractham, and X. Zhang, "Implementation of an online intellectual community in a graduate educational setting," in *Proc. Special Interest Group Management Information Systems 47th Annual Conf.*

Computer Personnel Research (SIGMIS CPR 09), (New York), pp. 63–72, 2009.

[9] I. Varlamis and I. Apostolakis, "Self-supportive virtual communities," *International Journal of Web Based Communities*, vol. 6, pp. 43–61, Dec. 2010.

[10] C. R. B. de Souza, C. S. Pinhanez, V. F. Cavalcante, F. Aluani, V. Daros, D. Ferreira, and R. de Paula, "Designing an enterprise social tool for cross-boundary communication, coordination, and information sharing," in *Proc. 30th ACM International Conf. Design of Communication (SIGDOC 12)*, (New York), pp. 55–64, 2012.

[11] M. Rosson, E. Thiry, D. Zhao, and J. M. Carroll, "Developing an online community for women in computer and information sciences: a design rationale analysis," in *Proc. 44th Hawaii International Conf. System Sciences (HICSS)*, (Kauai), pp. 1–10, 2011.

[12] Q. Dong, "Research on building an online community," in *2010 2nd International Conf. Networking and Digital Society (ICNDS)*, (Wenzhou), pp. 524–527, 2010.

[13] F. Gutierrez, N. Baloian, S. F. Ochoa, and G. Zurita, "A conceptual model to design partially virtual communities," in *2012 IEEE 16th International Conf. Computer Supported Cooperative Work in Design (CSCWD)*, (Wuhan), pp. 685–692, 2012.

[14] F. Gutierrez, N. Baloian, S. F. Ochoa, and G. Zurita, "Designing the software support for partially virtual communities," in *Proc. 18th International Conf. Collaboration and Technology*, (Berlin), pp. 73–88, 2012.

[15] C. Wang, I. Chiang, and C. Chuang, "Recent development of the virtual community research: a citation and co-citation analysis," in *ICEME-IPEDR*, pp. 107–111, 2010.

[16] A. Blanchard, "Definition, antecedents, and outcomes of successful virtual communities," in *Encyclopedia of E-Collaboration*.

[17] C. Somani, "Virtual community: the new hope for e-commerce," *Indian Journal of Computer Science and Engineering*, vol. 3, pp. 20–23, 2012.

[18] M. Wu, "Community vs. social network." `https://lithosphere.lithium.com/t5/science-of-social-blog/Community-vs-Social-Network/ba-p/5283`, Sept. 2012.

[19] F. Henri and B. Pudelko, "Understanding and analyzing activity and learning in virtual communities," *Journal of Computer Assisted Learning*, vol. 19, pp. 474–487, 2003.

[20] D. Gurzick and W. G. Lutters, "Towards a design theory for online communities," in *Proc. 4th International Conf. Design Science Research in Information Systems and Technology (DESRIST 09)*, 2009.

[21] B. Lawhorn, "Extracurricular activities: the afterschool connection," *Occupational Outlook Quarterly*, vol. 52, pp. 16–21, Dec. 2008.

[22] "Get involved." `http://ohiounion.osu.edu/get_involved/student_organizations`, 2013.

[23] R. Montelongo, "Student participation in college student organizations: a review of literature," *Journal of the Indiana University Student Personnel Association*, pp. 50–62, 2002.

[24] C. Hegedus and J. Knight, "Student participation in collegiate organizations expanding the boundaries.".

[25] "A relational databse overview." `http://docs.oracle.com/javase/tutorial/jdbc/overview/database.html`.

[26] M. Rouse, "Relational database management system (rdbms)." http://searchsqlserver.techtarget.com/definition/relational-database-management-system, Nov. 2005.

[27] K. Powell, "What is a relational database?." http://www.wisegeek.org/what-is-a-relational-database.htm, Sept. 2013.

[28] "Database fundamentals." http://www.personal.psu.edu/glh10/ist110/topic/topic07/topic07_06.html, 2008.

[29] C. Janssen, "Php: hypertext preprocessor (php)." http://www.techopedia.com/definition/24406/php-hypertext-preprocessor-php.

[30] M. Chapple, "Php definition." http://databases.about.com/cs/development/g/php.htm.

[31] A. Bradley, "Why use php?." http://php.about.com/od/phpbasics/p/php_reasons.htm.

XI. Appendix

A. Forms

FORM A
06-20-2000

UNIVERSITY OF THE PHILIPPINES MANILA
Office of Student Affairs
Ermita, Manila

APPLICATION FOR ACCREDITATION SY 20___-20____

DATE OF FILING: _____
DEADLINE : _____

NAME OF ORGANIZATION :_____

[ ] New
[ ] Old: No. of years in existence ____
[ ] University-based
[ ] College-based:_____ (College/Unit)

NUMBER OF MEMBERS : _____
CATEGORY :
[ ] Cultural [ ] Sports/
[ ] Socio-civic [ ] Cause Oriented
[ ] Service [ ] Religious/Spiritual
[ ] Fraternity/Sorority [ ] Special Interest

NAME OF ADVISER : _____
POSITION/DESIGNATIONN : _____
COLLEGE/UNIT : _____

CONTACT PERSON : _____
ADDRESS : _____
TELEPHONE NO. : _____
CELLPHONE NO. : _____ E-MAIL ADDRESS:_____

OFFICIAL POSITION/
DESIGNATION IN ORGANIZATION: _____

OBJECTIVES OF THE ORGANIZATION: _____
_____
_____

BREIF DESCRIPTION OF THE ORGANIZATION:_____
_____
_____
_____

_____
(Name of person filing the application)

_____
(Signature)

_____
(Position in Organization)

Figure 96: Student Organization Accreditation Form A

FORM B
06-20-2000

UNIVERSITY OF THE PHILIPPINES MANILA
Office of Student Affairs
Ermita, Manila

_____
(Date)

AFFIDAVIT OF CONSENT

I, the undersigned, a full time faculty of _____ have
(college/unit)
consented to serve as the organization's adviser for the school year 20__ to20__ and will assume full responsibility for the conduct of activities of the organization.

I am aware that my consent is necessary in all these activities.

Signature :_____

Printed Name :_____

Unit/College :_____

Department :_____

Designated Faculty Position and Rank :_____

Mailing Address :_____

_____

Telephone No.(s) :_____

Cellphone No. :_____

Fax No. :_____

Figure 97: Student Organization Accreditation Form B

FORM C
05-20-2000

ORGANIZATION PROFILE

NAME OF ORGANIZATION:_____ ACRONYM: _____

MAILING ADDRESS:_____

_____

OFFICIAL E-MAIL ADDRESS: *(Yahoogroups is not acceptable)*_____

DATE ESTABLISHED: _____

TOTAL NUMBER OF MEMBERS (since establishment up to the present) : _____

MEMBERSHIP DISTRIBUTION
(as of AY 20___-20____)

	FIRST YEAR*		SOPHOMORE	JUNIOR	SENIOR	MASTERAL	DOCTORAL	TOTAL
FEMALE								
MALE								
TOTAL								

Is your organization incorporated with the Securities and Exchange Commission (SEC)?

☐ NO

☐ YES, When? _____

*** First column for those taking up their first undergraduate degree. The second, for those who are now enrolled on their second degree, e.g. Medicine**

Figure 98: Student Organization Accreditation Form C

FORM D
06-20-2000

UNIVERSITY OF THE PHILIPPINES MANILA
Office of Student Affairs
Ermita, Manila

_____
(NAME OF ORGANIZATION)

_____
(CATEGORY)

LIST OF OFFICERS
AY 20___-20___

NAME : _____ POSITION: _____
COLLEGE : _____YR. LEVEL:_____COURSE: _____
ADDRESS : _____
: _____
Email Address .:_____ Cell Phone # : _____

PHOTO

NAME : _____ POSITION: _____
COLLEGE : _____ YR. LEVEL:_____ COURSE: _____
ADDRESS : _____
: _____
Email Address .:_____ Cell Phone # : _____

PHOTO

NAME : _____ POSITION: _____
COLLEGE : _____ YR. LEVEL:_____ COURSE: _____
ADDRESS : _____
: _____
Email Address .:_____ Cell Phone # : _____

PHOTO

NAME : _____ POSITION: _____
COLLEGE : _____ YR. LEVEL:_____ COURSE: _____
ADDRESS : _____
: _____
Email Address .:_____ Cell Phone # : _____

PHOTO

NAME : _____ POSITION: _____
COLLEGE : _____ YR. LEVEL:_____ COURSE: _____
ADDRESS : _____
: _____
Email Address .:_____ Cell Phone # : _____

PHOTO

NOTE: Add additional sheets if necessary

Figure 99: Student Organization Accreditation Form D

FORM E
06-20-2000

UNIVERSITY OF THE PHILIPPINES MANILA
Office of Student Affairs
Ermita, Manila

LIST OF MEMBERS
AY 20___-20___

NAME : _____
COLLEGE : _____YR. LEVEL:_____COURSE: _____
ADDRESS : _____
: _____
Email Address .:_____ Cell Phone # : _____

PHOTO

NAME : _____
COLLEGE : _____ YR. LEVEL:_____ COURSE: _____
ADDRESS : _____
: _____
Email Address .:_____ Cell Phone # : _____

PHOTO

NAME : _____
COLLEGE : _____ YR. LEVEL:_____ COURSE: _____
ADDRESS : _____
: _____
Email Address .:_____ Cell Phone # : _____

PHOTO

NAME : _____
COLLEGE : _____ YR. LEVEL:_____ COURSE: _____
ADDRESS : _____
: _____
Email Address .:_____ Cell Phone # : _____

PHOTO

NAME : _____
COLLEGE : _____ YR. LEVEL:_____ COURSE: _____
ADDRESS : _____
: _____
Email Address .:_____ Cell Phone # : _____

PHOTO

NAME : _____
COLLEGE : _____YR, LEVEL: _____ COURSE: _____
ADDRESS : _____
: _____
Email Address .:_____ Cell Phone # : _____

PHOTO

NOTE: Add additional sheets if necessary.

Figure 100: Student Organization Accreditation Form E

FORM F
06-30-2000

UNIVERSITY OF THE PHILIPPINES MANILA
Office of Student Affairs
Ermita, Manila

_____ (NAME OF ORGANIZATION)

(CATEGORY)

REPORT OF ACTIVITIES
(FROM LAST SCHOOL YEAR)

DATE	ACTIVITY	VENUE	RECEPIENTS/ BENEFICIARIES	REMARKS

- If the activity is a symposium/lecture, please include names of speakers/lecturers

Prepared by: _____ (Secretary's Signature)

Attested by: _____ (Head's Signature)

_____ (Adviser's Signature)

Figure 101: Student Organization Accreditation Form F

FORM G
06-20-2000

UNIVERSITY OF THE PHILIPPINES MANILA
Office of Student Affairs
Ermita, Manila

_____
(Name of Organization)

_____
(Category)

FINANCIAL STATEMENT
AY 20_____- 20_____

Starting Cash Balance ..... P _____

Add:

Receipts: (Include all collections for the year)

DETAILS	AMOUNT
_____	_____
_____	_____
_____	_____
_____	_____

Total amount available for disbursement .... P _____

Less:

Disbursements:

DETAILS	AMOUNT
_____	_____
_____	_____
_____	_____
_____	_____

Cash Balance as of: _____ ..... P _____
(Date)

FINANCE OFFICER:_____
(Signature over printed name)

AUDITED BY: _____ ATTESTED BY: _____
(Signature over printed name) (Head of Organization)

_____
(Faculty Adviser)

Figure 102: Student Organization Accreditation Form G

B. Source Code

B.1. Config

Listing 1: config.php

```
<?php  if ( ! defined('BASEPATH')) exit('No direct script access allowed');

/*
|--------------------------------------------------------------------------
| Base Site URL
|--------------------------------------------------------------------------
|
| URL to your CodeIgniter root. Typically this will be your base URL,
| WITH a trailing slash:
|
| http://example.com/
|
| If this is not set then CodeIgniter will guess the protocol, domain and
| path to your installation.
|
*/
$config['base_url'] = 'http://localhost/OCSO_v6/';

/*
|--------------------------------------------------------------------------
| Index File
|--------------------------------------------------------------------------
|
| Typically this will be your index.php file, unless you've renamed it to
| something else. If you are using mod_rewrite to remove the page set this
| variable so that it is blank.
|
*/
$config['index_page'] = '';

/*
|--------------------------------------------------------------------------
| URI PROTOCOL
|--------------------------------------------------------------------------
|
| This item determines which server global should be used to retrieve the
| URI string.  The default setting of 'AUTO' works for most servers.
| If your links do not seem to work, try one of the other delicious flavors:
|
| 'AUTO'       Default - auto detects
| 'PATH_INFO'   Uses the PATH_INFO
| 'QUERY_STRING'  Uses the QUERY_STRING
| 'REQUEST_URI'   Uses the REQUEST_URI
| 'ORIG_PATH_INFO'  Uses the ORIG_PATH_INFO
|
*/
$config['uri_protocol'] = 'AUTO';

/*
|--------------------------------------------------------------------------
| URL suffix
|--------------------------------------------------------------------------
|
| This option allows you to add a suffix to all URLs generated by CodeIgniter.
| For more information please see the user guide:
|
| http://codeigniter.com/user_guide/general/urls.html
*/

$config['url_suffix'] = '';

/*
|--------------------------------------------------------------------------
| Default Language
|--------------------------------------------------------------------------
|
| This determines which set of language files should be used. Make sure
| there is an available translation if you intend to use something other
| than english.
|
*/
$config['language'] = 'english';

/*
|--------------------------------------------------------------------------
| Default Character Set
|--------------------------------------------------------------------------
|
| This determines which character set is used by default in various methods
| that require a character set to be provided.
|
*/
$config['charset'] = 'UTF-8';

/*
|--------------------------------------------------------------------------
| Enable/Disable System Hooks
|--------------------------------------------------------------------------
```

```
89 |
90 | If you would like to use the 'hooks' feature you must enable it by
91 | setting this variable to TRUE (boolean).  See the user guide for details.
92 |
93 */
94 $config['enable_hooks'] = FALSE;
95
96
97 /*
98 |--------------------------------------------------------------------------
99 | Class Extension Prefix
100 |--------------------------------------------------------------------------
101 |
102 | This item allows you to set the filename/classname prefix when extending
103 | native libraries.  For more information please see the user guide:
104 |
105 | http://codeigniter.com/user_guide/general/core_classes.html
106 | http://codeigniter.com/user_guide/general/creating_libraries.html
107 |
108 */
109 $config['subclass_prefix'] = 'MY_';
110
111
112 /*
113 |--------------------------------------------------------------------------
114 | Allowed URL Characters
115 |--------------------------------------------------------------------------
116 |
117 | This lets you specify with a regular expression which characters are permitted
118 | within your URLs.  When someone tries to submit a URL with disallowed
119 | characters they will get a warning message.
120 |
121 | As a security measure you are STRONGLY encouraged to restrict URLs to
122 | as few characters as possible.  By default only these are allowed: a-z 0-9~%.:_-
123 |
124 | Leave blank to allow all characters -- but only if you are insane.
125 |
126 | DO NOT CHANGE THIS UNLESS YOU FULLY UNDERSTAND THE REPERCUSSIONS!!
127 |
128 */
129 $config['permitted_uri_chars'] = 'a-z_0-9~%.:_\-';
130
131
132 /*
133 |--------------------------------------------------------------------------
134 | Enable Query Strings
135 |--------------------------------------------------------------------------
136 |
137 | By default CodeIgniter uses search-engine friendly segment based URLs:
138 | example.com/who/what/where/
139 |
140 | By default CodeIgniter enables access to the $_GET array.  If for some
141 | reason you would like to disable it, set 'allow_get_array' to FALSE.
142 |
143 | You can optionally enable standard query string based URLs:
144 | example.com?who=me&what=something&where=here
145 |
146 | Options are: TRUE or FALSE (boolean)
147 |
148 | The other items let you set the query string 'words' that will
149 | invoke your controllers and its functions:
150 | example.com/index.php?c=controller&m=function
151 |
152 | Please note that some of the helpers won't work as expected when
153 | this feature is enabled, since CodeIgniter is designed primarily to
154 | use segment based URLs.
155 |
156 */
157 $config['allow_get_array']    = TRUE;
158 $config['enable_query_strings'] = FALSE;
159 $config['controller_trigger'] = 'c';
160 $config['function_trigger']   = 'm';
161 $config['directory_trigger']  = 'd'; // experimental not currently in use
162
163 /*
164 |--------------------------------------------------------------------------
165 | Error Logging Threshold
166 |--------------------------------------------------------------------------
167 |
168 | If you have enabled error logging, you can set an error threshold to
169 | determine what gets logged. Threshold options are:
170 | You can enable error logging by setting a threshold over zero. The
171 | threshold determines what gets logged. Threshold options are:
172 |
173 | 0 = Disables logging, Error logging TURNED OFF
174 | 1 = Error Messages (including PHP errors)
175 | 2 = Debug Messages
176 | 3 = Informational Messages
177 | 4 = All Messages
178 |
179 | For a live site you'll usually only enable Errors (1) to be logged otherwise
180 | your log files will fill up very fast.
181 |
182 */
183 $config['log_threshold'] = 0;
184
185 /*
186 |--------------------------------------------------------------------------
187 | Error Logging Directory Path
```

```
188 |--------------------------------------------------------------------------
189 |
190 | Leave this BLANK unless you would like to set something other than the default
191 | application/logs/ folder. Use a full server path with trailing slash.
192 |
193 */
194 $config['log_path'] = '';
195
196 /*
197 |--------------------------------------------------------------------------
198 | Date Format for Logs
199 |--------------------------------------------------------------------------
200 |
201 | Each item that is logged has an associated date. You can use PHP date
202 | codes to set your own date formatting
203 |
204 */
205 $config['log_date_format'] = 'Y-m-d H:i:s';
206
207 /*
208 |--------------------------------------------------------------------------
209 | Cache Directory Path
210 |--------------------------------------------------------------------------
211 |
212 | Leave this BLANK unless you would like to set something other than the default
213 | system/cache/ folder.  Use a full server path with trailing slash.
214 |
215 */
216 $config['cache_path'] = '';
217
218 /*
219 |--------------------------------------------------------------------------
220 | Encryption Key
221 |--------------------------------------------------------------------------
222 |
223 | If you use the Encryption class or the Session class you
224 | MUST set an encryption key.  See the user guide for info.
225 |
226 */
227 $config['encryption_key'] = 'REALLY_LONG_NUMBER';
228
229 /*
230 |--------------------------------------------------------------------------
231 | Session Variables
232 |--------------------------------------------------------------------------
233 |
234 | 'sess_cookie_name'  = the name you want for the cookie
235 | 'sess_expiration'   = the number of SECONDS you want the session to last.
236 |   by default sessions last 7200 seconds (two hours).  Set to zero for no expiration.
237 | 'sess_expire_on_close'  = Whether to cause the session to expire automatically
238 |   when the browser window is closed
239 | 'sess_encrypt_cookie' = Whether to encrypt the cookie
240 | 'sess_use_database' = Whether to save the session data to a database
241 | 'sess_table_name'   = The name of the session database table
242 | 'sess_match_ip' = Whether to match the user's IP address when reading the session data
243 | 'sess_match_useragent' = Whether to match the User Agent when reading the session data
244 | 'sess_time_to_update' = how many seconds between CI refreshing Session Information
245 |
246 */
247 $config['sess_cookie_name']   = 'ci_session';
248 $config['sess_expiration']    = 7200;
249 $config['sess_expire_on_close'] = FALSE;
250 $config['sess_encrypt_cookie']  = FALSE;
251 $config['sess_use_database']  = FALSE;
252 $config['sess_table_name']    = 'ci_sessions';
253 $config['sess_match_ip']    = FALSE;
254 $config['sess_match_useragent'] = TRUE;
255 $config['sess_time_to_update']  = 300;
256
257 /*
258 |--------------------------------------------------------------------------
259 | Cookie Related Variables
260 |--------------------------------------------------------------------------
261 |
262 | 'cookie_prefix' = Set a prefix if you need to avoid collisions
263 | 'cookie_domain' = Set to .your-domain.com for site-wide cookies
264 | 'cookie_path'   =  Typically will be a forward slash
265 | 'cookie_secure' =  Cookies will only be set if a secure HTTPS connection exists.
266 |
267 */
268 $config['cookie_prefix']  = "";
269 $config['cookie_domain']  = "";
270 $config['cookie_path']    = "/";
271 $config['cookie_secure']  = FALSE;
272
273 /*
274 |--------------------------------------------------------------------------
275 | Global XSS Filtering
276 |--------------------------------------------------------------------------
277 |
278 | Determines whether the XSS filter is always active when GET, POST or
279 | COOKIE data is encountered
280 |
281 */
282 $config['global_xss_filtering'] = FALSE;
283
284 /*
285 |--------------------------------------------------------------------------
286 | Cross Site Request Forgery
```

```
287 |--------------------------------------------------------------------------
288 | Enables a CSRF cookie token to be set. When set to TRUE, token will be
289 | checked on a submitted form. If you are accepting user data, it is strongly
290 | recommended CSRF protection be enabled.
291 |
292 | 'csrf_token_name' = The token name
293 | 'csrf_cookie_name' = The cookie name
294 | 'csrf_expire' = The number in seconds the token should expire.
295 */
296 $config['csrf_protection'] = FALSE;
297 $config['csrf_token_name'] = 'csrf_test_name';
298 $config['csrf_cookie_name'] = 'csrf_cookie_name';
299 $config['csrf_expire'] = 7200;
300
301 /*
302 |--------------------------------------------------------------------------
303 | Output Compression
304 |--------------------------------------------------------------------------
305 |
306 | Enables Gzip output compression for faster page loads.  When enabled,
307 | the output class will test whether your server supports Gzip.
308 | Even if it does, however, not all browsers support compression
309 | so enable only if you are reasonably sure your visitors can handle it.
310 |
311 | VERY IMPORTANT:  If you are getting a blank page when compression is enabled it
312 | means you are prematurely outputting something to your browser. It could
313 | even be a line of whitespace at the end of one of your scripts.  For
314 | compression to work, nothing can be sent before the output buffer is called
315 | by the output class.  Do not 'echo' any values with compression enabled.
316 |
317 */
318 $config['compress_output'] = FALSE;
319
320 /*
321 |--------------------------------------------------------------------------
322 | Master Time Reference
323 |--------------------------------------------------------------------------
324 |
325 | Options are 'local' or 'gmt'.  This pref tells the system whether to use
326 | your server's local time as the master 'now' reference, or convert it to
327 | GMT.  See the 'date helper' page of the user guide for information
328 | regarding date handling.
329 |
330 */
331 $config['time_reference'] = 'local';
332
333
334 /*
335 |--------------------------------------------------------------------------
336 | Rewrite PHP Short Tags
337 |--------------------------------------------------------------------------
338 |
339 | If your PHP installation does not have short tag support enabled CI
340 | can rewrite the tags on-the-fly, enabling you to utilize that syntax
341 | in your view files.  Options are TRUE or FALSE (boolean)
342 |
343 */
344 $config['rewrite_short_tags'] = FALSE;
345
346
347 /*
348 |--------------------------------------------------------------------------
349 | Reverse Proxy IPs
350 |--------------------------------------------------------------------------
351 |
352 | If your server is behind a reverse proxy, you must whitelist the proxy IP
353 | addresses from which CodeIgniter should trust the HTTP_X_FORWARDED_FOR
354 | header in order to properly identify the visitor's IP address.
355 | Comma-delimited, e.g.  '10.0.1.200,10.0.1.201'
356 |
357 */
358 $config['proxy_ips'] = '';
359
360
361 /* End of file config.php */
362 /* Location: ./application/config/config.php */
```

Listing 2: database.php

```
1 <?php  if ( ! defined('BASEPATH')) exit('No_direct_script_access_allowed');
2 /*
3 | -------------------------------------------------------------------
4 | DATABASE CONNECTIVITY SETTINGS
5 | -------------------------------------------------------------------
6 | This file will contain the settings needed to access your database.
7 |
8 | For complete instructions please consult the 'Database Connection'
9 | page of the User Guide.
10 |
11 | -------------------------------------------------------------------
12 | EXPLANATION OF VARIABLES
13 | -------------------------------------------------------------------
14 |
15 | ['hostname'] The hostname of your database server.
16 | ['username'] The username used to connect to the database
17 | ['password'] The password used to connect to the database
18 | ['database'] The name of the database you want to connect to
19 | ['dbdriver'] The database type. ie: mysql.  Currently supported:
```

```
20          mysql, mysqli, postgre, odbc, mssql, sqlite, oci8
21 | ['dbprefix'] You can add an optional prefix, which will be added
22 |          to the table name when using the  Active Record class
23 | ['pconnect'] TRUE/FALSE - Whether to use a persistent connection
24 | ['db_debug'] TRUE/FALSE - Whether database errors should be displayed.
25 | ['cache_on'] TRUE/FALSE - Enables/disables query caching
26 | ['cachedir'] The path to the folder where cache files should be stored
27 | ['char_set'] The character set used in communicating with the database
28 | ['dbcollat'] The character collation used in communicating with the database
29 | NOTE: For MySQL and MySQLi databases, this setting is only used
30 | as a backup if your server is running PHP < 5.2.3 or MySQL < 5.0.7
31 | (and in table creation queries made with DB Forge).
32 | There is an incompatibility in PHP with mysql_real_escape_string() which
33 | can make your site vulnerable to SQL injection if you are using a
34 | multi-byte character set and are running versions lower than these.
35 | Sites using Latin-1 or UTF-8 database character set and collation are unaffected.
36 | ['swap_pre'] A default table prefix that should be swapped with the dbprefix
37 | ['autoinit'] Whether or not to automatically initialize the database.
38 | ['stricton'] TRUE/FALSE - forces 'Strict Mode' connections
39 | - good for ensuring strict SQL while developing
40 |
41 | The $active_group variable lets you choose which connection group to
42 | make active.  By default there is only one group (the 'default' group).
43 |
44 | The $active_record variables lets you determine whether or not to load
45 | the active record class
46 */
47
48 $active_group = 'default';
49 $active_record = TRUE;
50
51 $db['default']['hostname'] = 'localhost';
52 $db['default']['username'] = 'root';
53 $db['default']['password'] = '';
54 $db['default']['database'] = 'ocso';
55 $db['default']['dbdriver'] = 'mysql';
56 $db['default']['dbprefix'] = '';
57 $db['default']['pconnect'] = TRUE;
58 $db['default']['db_debug'] = TRUE;
59 $db['default']['cache_on'] = FALSE;
60 $db['default']['cachedir'] = '';
61 $db['default']['char_set'] = 'utf8';
62 $db['default']['dbcollat'] = 'utf8_general_ci';
63 $db['default']['swap_pre'] = '';
64 $db['default']['autoinit'] = TRUE;
65 $db['default']['stricton'] = FALSE;
66
67
68 /* End of file database.php */
69 /* Location: ./application/config/database.php */
```

Listing 3: mimes.php

```
1 <?php  if ( ! defined('BASEPATH')) exit('No direct script access allowed');
2 /*
3 | -------------------------------------------------------------------
4 | MIME TYPES
5 | -------------------------------------------------------------------
6 | This file contains an array of mime types.  It is used by the
7 | Upload class to help identify allowed file types.
8 |
9 */
10
11 $mimes = array( 'hqx' =>  'application/mac-binhex40',
12   'cpt' =>  'application/mac-compactpro',
13   'csv' =>  array('text/x-comma-separated-values', 'text/comma-separated-values',
14     'application/octet-stream', 'application/vnd.ms-excel', 'application/x-csv',
15     'text/x-csv', 'text/csv', 'application/csv', 'application/excel', 'application/vnd.msexcel
          '),
16   'bin' =>  'application/macbinary',
17   'dms' =>  'application/octet-stream',
18   'lha' =>  'application/octet-stream',
19   'lzh' =>  'application/octet-stream',
20   'exe' =>  array('application/octet-stream', 'application/x-msdownload'),
21   'class' =>  'application/octet-stream',
22   'psd' =>  'application/x-photoshop',
23   'so' =>  'application/octet-stream',
24   'sea' =>  'application/octet-stream',
25   'dll' =>  'application/octet-stream',
26   'oda' =>  'application/oda',
27   'pdf' =>  array('application/pdf', 'application/x-download'),
28   'ai' =>  'application/postscript',
29   'eps' =>  'application/postscript',
30   'ps' =>  'application/postscript',
31   'smi' =>  'application/smil',
32   'smil' =>  'application/smil',
33   'mif' =>  'application/vnd.mif',
34   'xls' =>  array('application/excel', 'application/vnd.ms-excel', 'application/msexcel'),
35   'ppt' =>  array('application/powerpoint', 'application/vnd.ms-powerpoint'),
36   'wbxml' =>  'application/wbxml',
37   'wmlc' =>  'application/wmlc',
38   'dcr' =>  'application/x-director',
39   'dir' =>  'application/x-director',
40   'dxr' =>  'application/x-director',
41   'dvi' =>  'application/x-dvi',
42   'gtar'=>  'application/x-gtar',
43   'gz' =>  'application/x-gzip',
44   'php' =>  'application/x-httpd-php',
```

```
45    'php4'  =>  'application/x-httpd-php',
46    'php3'  =>  'application/x-httpd-php',
47    'phtml' =>  'application/x-httpd-php',
48    'phps'  =>  'application/x-httpd-php-source',
49    'js'  =>  'application/x-javascript',
50    'swf' =>  'application/x-shockwave-flash',
51    'sit' =>  'application/x-stuffit',
52    'tar' =>  'application/x-tar',
53    'tgz' =>  array('application/x-tar', 'application/x-gzip-compressed'),
54    'xhtml' =>  'application/xhtml+xml',
55    'xht' =>  'application/xhtml+xml',
56    'zip' =>  array('application/x-zip', 'application/zip', 'application/x-zip-compressed',
57      'application/octet-stream'),
58    'rar' =>  array('application/x-rar-compressed', 'application/octet-stream'),
59    'mid' =>  'audio/midi',
60    'midi'  =>  'audio/midi',
61    'mpga'  =>  'audio/mpeg',
62    'mp2' =>  'audio/mpeg',
63    'mp3' =>  array('audio/mpeg', 'audio/mpg', 'audio/mpeg3', 'audio/mp3'),
64    'aif' =>  'audio/x-aiff',
65    'aiff'  =>  'audio/x-aiff',
66    'aifc'  =>  'audio/x-aiff',
67    'ram' =>  'audio/x-pn-realaudio',
68    'rm'  =>  'audio/x-pn-realaudio',
69    'rpm' =>  'audio/x-pn-realaudio-plugin',
70    'ra'  =>  'audio/x-realaudio',
71    'rv'  =>  'video/vnd.rn-realvideo',
72    'wav' =>  array('audio/x-wav', 'audio/wave', 'audio/wav'),
73    'bmp' =>  array('image/bmp', 'image/x-windows-bmp'),
74    'gif' =>  'image/gif',
75    'jpeg'  =>  array('image/jpeg', 'image/pjpeg'),
76    'jpg' =>  array('image/jpeg', 'image/pjpeg'),
77    'jpe' =>  array('image/jpeg', 'image/pjpeg'),
78    'png' =>  array('image/png',  'image/x-png'),
79    'tiff'  =>  'image/tiff',
80    'tif' =>  'image/tiff',
81    'css' =>  'text/css',
82    'html'  =>  'text/html',
83    'htm' =>  'text/html',
84    'shtml' =>  'text/html',
85    'txt' =>  'text/plain',
86    'text'  =>  'text/plain',
87    'log' =>  array('text/plain', 'text/x-log'),
88    'rtx' =>  'text/richtext',
89    'rtf' =>  'text/rtf',
90    'xml' =>  'text/xml',
91    'xsl' =>  'text/xml',
92    'wmv' => array('video/wmv', 'video/x-ms-wmv', 'flv-application/octet-stream',
93      'application/octet-stream'),
94    'flv' => array('video/x-flv', 'flv-application/octet-stream', 'application/octet-stream'),
95    'mp4' => 'video/mp4',
96    'm4v' => 'video/x-m4v',
97    '3gp' => 'video/3gpp',
98    'avi' => array('application/x-troff-msvideo', 'video/avi', 'video/msvideo', 'video/x-msvideo
          '),
99    'mpeg'  =>  'video/mpeg',
100   'mpg' =>  'video/mpeg',
101   'mpe' =>  'video/mpeg',
102   'qt'  =>  'video/quicktime',
103   'mov' =>  'video/quicktime',
104   'movie' =>  'video/x-sgi-movie',
105   'doc' =>  'application/msword',
106   'docx'  =>  array('application/vnd.openxmlformats-officedocument.wordprocessingml.document',
107     'application/zip'),
108   'pptx' =>  'application/vnd.openxmlformats-officedocument.presentationml.presentation',
109   'xlsx'  =>  array('application/vnd.openxmlformats-officedocument.spreadsheetml.sheet',
110     'application/zip'),
111   'word'  =>  array('application/msword', 'application/octet-stream'),
112   'xl'  =>  'application/excel',
113   'eml' =>  'message/rfc822',
114   'json' => array('application/json', 'text/json')
115 );
116
117
118 /* End of file mimes.php */
119 /* Location: ./application/config/mimes.php */
```

B.2. Controller

Listing 4: home.php

```
1  <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');
2    class Home extends CI_Controller{
3
4      function __construct(){
5        parent::__construct();
6        $this->load->database();
7        $this->load->model('ocso_model');
8        $this->load->model('ocso_mainModel');
9        $this->load->model('ocso_OSAmodel');
10       $this->load->model('ocso_OSSmodel');
11       $this->load->model('ocso_studentModel');
12       $this->load->library('session');
13       $this->load->library("pagination");
14       $this->load->library('upload');
15       $this->load->helper('date');
16       $this->load->helper("url");
```

```
17        $this->load->library('form_validation');
18      }
19
20      public function index(){
21        header("Location:_http://localhost/OCSO_v6/index.php/Home/home");
22      }
23
24      function home(){
25        session_start();
26        $this->ocso_mainModel->login();
27
28        $config = array();
29        $config["base_url"] = base_url() . "index.php/Home/home";
30        $config["total_rows"] = $this->ocso_mainModel->publicPost_count();
31        $config["per_page"] = 3;
32        $config["uri_segment"] = 3;
33
34        $choice = $config["total_rows"] / $config["per_page"];
35        $config["num_links"] = round($choice);
36
37        $this->pagination->initialize($config);
38
39        $page = ($this->uri->segment(3))? $this->uri->segment(3) : 0;
40        $data["results"] = $this->ocso_mainModel->fetch_publicPost($config["per_page"], $page);
41        $data["links"] = $this->pagination->create_links();
42
43        $this->load->view("home_page", $data);
44      }
45
46      function studentOrganization(){
47        session_start();
48        $this->ocso_mainModel->login();
49
50        $config = array();
51        $config["base_url"] = base_url() . "index.php/Home/studentOrganization";
52        $config["total_rows"] = $this->ocso_mainModel->studOrg_count();
53        $config["per_page"] = 3;
54        $config["uri_segment"] = 3;
55
56        $choice = $config["total_rows"] / $config["per_page"];
57        $config["num_links"] = round($choice);
58
59        $this->pagination->initialize($config);
60
61        $page = ($this->uri->segment(3))? $this->uri->segment(3) : 0;
62        $data["results"] = $this->ocso_mainModel->fetch_studOrgInfo($config["per_page"], $page);
63        $data["links"] = $this->pagination->create_links();
64
65        $this->load->view("studentOrganization_page", $data);
66      }
67
68      function announcement(){
69        session_start();
70        $this->ocso_mainModel->login();
71
72        $config = array();
73        $config["base_url"] = base_url() . "index.php/Home/announcement";
74        $config["total_rows"] = $this->ocso_mainModel->announcement_count();
75        $config["per_page"] = 3;
76        $config["uri_segment"] = 3;
77
78        $choice = $config["total_rows"] / $config["per_page"];
79        $config["num_links"] = round($choice);
80
81        $this->pagination->initialize($config);
82
83        $page = ($this->uri->segment(3))? $this->uri->segment(3) : 0;
84        $data["results"] = $this->ocso_mainModel->fetch_announcement($config["per_page"], $page)
              ;
85        $data["links"] = $this->pagination->create_links();
86
87        $this->load->view("announcement_page", $data);
88      }
89
90      function event(){
91        session_start();
92        $this->ocso_mainModel->login();
93        $this->ocso_studentModel->checkEvents();
94        $this->load->view('event_page');
95      }
96
97      function aboutUs(){
98        session_start();
99        $this->ocso_mainModel->login();
100       $this->load->view('aboutUs_page');
101     }
102
103   //-------------------------OSA COORDINATOR/OSS COORDINATOR-------------------------
104     function addStudent(){
105       $this->load->view('OSA_Coordinator/addStudent');
106     }
107
108     function submitStudent(){
109       session_start();
110       $this->ocso_OSAmodel->submitExcel();
111       header("Location:_viewStudent");
112     }
113
114     function viewStudent(){
```

```
115         session_start();
116         $this->load->view('OSA_Coordinator/viewStudent');
117       }
118
119       function listOfAddedStudents(){
120         session_start();
121         $this->load->helper(array('dompdf', 'file'));
122         $html = $this->load->view('listOfAddedStudents', '', TRUE);
123         pdf_create($html, 'List_Of_Added_Students');
124       }
125
126       function addOSSCoordinator(){
127         $this->ocso_OSAmodel->fetchAvailableColleges();
128         $this->load->view('OSA_Coordinator/addOSSCoordinator');
129       }
130
131       function submitOSSCoordinator(){
132         $this->ocso_OSAmodel->submit_OSSCoordinator();
133         header("Location: viewOSSCoordinator");
134       }
135       function viewOSSCoordinator(){
136         session_start();
137         $this->load->view('OSA_Coordinator/viewOSSCoordinator');
138       }
139
140       function listOfAddedOSSCoordinators(){
141         session_start();
142         $this->load->helper(array('dompdf', 'file'));
143         $html = $this->load->view('listOfAddedOSSCoordinators', '', TRUE);
144         pdf_create($html, 'List_Of_Added_OSS_Coordinators');
145       }
146
147       function addStudentOrganization(){
148         session_start();
149         if($_SESSION['role'] == 'OSA_Coordinator'){
150           $this->load->view('OSA_Coordinator/addStudentOrganization');
151         }
152         else{
153           $this->load->view('OSS_Coordinator/addStudentOrganization');
154         }
155       }
156
157       function submitStudentOrganization(){
158         session_start();
159         if($_SESSION['role'] == 'OSA_Coordinator'){
160           $this->ocso_OSAmodel->submit_studentOrganization();
161         }
162         else{
163           $this->ocso_OSSmodel->submit_studentOrganization();
164         }
165         header("Location: viewStudentOrganization");
166       }
167
168       function viewStudentOrganization(){
169         session_start();
170         if($_SESSION['role'] == 'OSA_Coordinator'){
171           $this->load->view('OSA_Coordinator/viewStudentOrganization');
172         }
173         else{
174           $this->load->view('OSS_Coordinator/viewStudentOrganization');
175         }
176       }
177
178       //--------------------ACTIVATE/DEACTIVATE USER-------------------------------
179
180       function activateUserSearch(){
181         session_start();
182         if($_SESSION['role'] == 'OSA_Coordinator'){
183           $this->ocso_OSAmodel->activateUserSearch();
184           $this->load->view('OSA_Coordinator/activateUser');
185         }
186         else{
187           $this->ocso_OSSmodel->activateUserSearch();
188           $this->load->view('OSS_Coordinator/activateUser');
189         }
190       }
191
192       function activateUser(){
193         session_start();
194         if($_SESSION['role'] == 'OSA_Coordinator'){
195           $this->ocso_OSAmodel->activateUser();
196           header("Location: activateUserSearch");
197         }
198         else{
199           $this->ocso_OSSmodel->activateUser();
200           header("Location: activateUserSearch");
201         }
202       }
203
204       function assignStudOrgAdmin(){
205         session_start();
206         if($_SESSION['role'] == 'OSA_Coordinator'){
207           $this->ocso_OSAmodel->getStudOrgs();
208         }
209         else{
210           $this->ocso_OSSmodel->getStudOrgs();
211         }
212         $this->load->view('assignStudOrgAdmin');
213       }
```

```
214
215     function submitStudOrgAdmin(){
216       session_start();
217       if($_SESSION['role'] == 'OSA_Coordinator'){
218         $this->ocso_OSAmodel->submitStudOrgAdmin();
219       }
220       else{
221         $this->ocso_OSSmodel->submitStudOrgAdmin();
222       }
223       header("Location: assignStudOrgAdmin");
224     }
225
226     function activateOrg(){
227       session_start();
228       $_SESSION['changeOrgStatusTo'] = 'ACTIVATED';
229       $this->ocso_OSAmodel->activateOrg();
230       header("Location: activateUserSearch");
231     }
232
233     function deactivateOrg(){
234       session_start();
235       $_SESSION['changeOrgStatusTo'] = 'DEACTIVATED';
236       $this->ocso_OSAmodel->activateOrg();
237       header("Location: activateUserSearch");
238     }
239
240     function activateCoor(){
241       session_start();
242       $_SESSION['changeCoorStatusTo'] = 'ACTIVATED';
243       $this->ocso_OSAmodel->activateCoor();
244       header("Location: activateUserSearch");
245     }
246
247     function deactivateCoor(){
248       session_start();
249       $_SESSION['changeCoorStatusTo'] = 'DEACTIVATED';
250       $this->ocso_OSAmodel->activateCoor();
251       header("Location: activateUserSearch");
252     }
253
254     function activateStud(){
255       session_start();
256       $_SESSION['changeStudStatusTo'] = 'ACTIVATED';
257       $this->ocso_OSAmodel->activateStud();
258       header("Location: activateUserSearch");
259     }
260
261     function deactivateStud(){
262       session_start();
263       $_SESSION['changeStudStatusTo'] = 'DEACTIVATED';
264       $this->ocso_OSAmodel->activateStud();
265       header("Location: activateUserSearch");
266     }
267
268     //-------------------------------------------------------------------------------
269
270     function searchUser(){
271       session_start();
272       if($_SESSION['role'] == 'OSA_Coordinator'){
273         $this->ocso_OSAmodel->searchUser();
274         $this->load->view('OSA_Coordinator/searchUser');
275       }
276       else{
277         $this->ocso_OSSmodel->searchUser();
278         $this->load->view('OSS_Coordinator/searchUser');
279       }
280     }
281
282     function viewUserProfile(){
283       $this->ocso_OSAmodel->viewUserProfile();
284       $this->load->view('OSA_Coordinator/viewUserProfile');
285     }
286
287     function viewListOfUsers(){
288       session_start();
289       if($_SESSION['role'] == 'OSA_Coordinator'){
290         $this->ocso_OSAmodel->viewListOfUsers();
291         $this->load->view('OSA_Coordinator/viewListOfUsers');
292       }
293       else{
294         $this->ocso_OSSmodel->viewListOfUsers();
295         $this->load->view('OSS_Coordinator/viewListOfUsers');
296       }
297     }
298
299     function generateOrgAdminList(){
300       session_start();
301       $this->load->helper(array('dompdf', 'file'));
302       if($_SESSION['role'] == 'OSA_Coordinator'){
303         $this->ocso_OSAmodel->generateOrgAdminList();
304       }
305       else{
306         $this->ocso_OSSmodel->generateOrgAdminList();
307       }
308       $html = $this->load->view('generatePDF2', '', TRUE);
309       pdf_create_orientation($html, 'List_Of_Student_Organization');
310     }
311
312     function viewRequestID(){
```

```
313         session_start();
314         $_SESSION['requestIDToView'] = $_GET['requestIDToView'];
315         $this->ocso_mainModel->getRequestedPost();
316         header("Location: viewRequest");
317       }
318
319       function viewRequest(){
320         session_start();
321         $this->ocso_mainModel->getPendingPublicPostNotifs();
322         $this->load->view('viewRequest');
323       }
324
325       function approveRequest(){
326         session_start();
327         $_SESSION['changePostStatusTo'] = 'ACTIVATED';
328         $this->ocso_mainModel->approveRequest();
329         $this->ocso_mainModel->getPendingPublicPostNotifs();
330         header("Location: viewRequest");
331       }
332
333       function disapproveRequest(){
334         session_start();
335         $_SESSION['changePostStatusTo'] = 'DEACTIVATED';
336         $this->ocso_mainModel->approveRequest();
337         $this->ocso_mainModel->getPendingPublicPostNotifs();
338         header("Location: viewRequest");
339       }
340
341     //-------------------------------------------------------------------
342
343       function viewProfile(){
344         $this->ocso_mainModel->viewProfile();
345         $this->load->view('viewProfile');
346       }
347
348       function editProfile(){
349         session_start();
350         unset($_SESSION['userChangePW']);
351         $this->load->view('editProfile');
352       }
353
354       //validation rule to check if current password == your password
355       public function password_check($str){
356         if ($str != $_SESSION['userPassword']){
357           $this->form_validation->set_message('password_check', 'The %s field does not match
                your password.');
358           return FALSE;
359         }
360         else{
361           return TRUE;
362         }
363       }
364
365
366       function saveProfile(){
367         session_start();
368
369         $this->form_validation->set_rules('userEmail', 'EMAIL', 'required|valid_email');
370         $this->form_validation->set_rules('userContactNo', 'CONTACT_NUMBER', 'required|numeric')
              ;
371         $this->form_validation->set_error_delimiters('<div class="error">', '</div>');
372
373         $_SESSION['userChangePW'] = $_POST['userChangePW'];
374         if($_POST['userChangePW'] == 'Yes'){
375           $userPW = $_SESSION['userPassword'];
376           $this->form_validation->set_rules('userCurrentPW', 'CURRENT_PASSWORD', 'required|
                alpha_numeric|callback_password_check');
377           $this->form_validation->set_rules('userNewPW', 'NEW_PASSWORD', 'required|alpha_numeric
                ');
378           $this->form_validation->set_rules('userConfirmPW', 'CONFIRM_PASSWORD', 'required|
                alpha_numeric|matches[userNewPW]');
379         }
380
381         if ($this->form_validation->run() == FALSE){
382           $this->load->view('editProfile');
383         }
384         else{
385           $this->ocso_mainModel->editProfile();
386           $this->load->view('viewProfile');
387         }
388       }
389
390       function addPost(){
391         session_start();
392         unset($_SESSION['postImage']);
393         $this->load->view('addPost');
394       }
395
396
397       function submitPost(){
398         session_start();
399         $this->form_validation->set_rules('postTitle', 'TITLE', 'required');
400         $this->form_validation->set_rules('postMessage', 'MESSAGE', 'required');
401         $this->form_validation->set_rules('postEndDate', 'END_DATE', 'required');
402
403         $this->form_validation->set_error_delimiters('<div class="error">', '</div>');
404         $_SESSION['postImage'] = $_POST['postImage'];
405
406
```

```
407         if($_POST['postImage'] == 'Yes'){
408           if (empty($_FILES['imageUploaded']['name'])){
409               $this->form_validation->set_rules('imageUploaded', 'IMAGE', 'required');
410           }
411         }
412
413         if ($this->form_validation->run() == FALSE){
414           $this->load->view('addPost');
415         }
416         else{
417           $this->ocso_mainModel->submitPost();
418           header("Location: announcement");
419         }
420
421       }
422
423     //---------------STUDENT ORGANIZATION-----------------------------------
424
425       function getOrg(){
426         session_start();
427         $_SESSION['myOrgID'] = $_GET['orgID'];
428         $this->ocso_studentModel->fetchOrgData();
429         header("Location: orgDashboard");
430         if($_GET['activity'] == 'viewDashboard'){
431           header("Location: orgDashboard");
432         }
433         else if($_GET['activity'] == 'viewOrgProfile'){
434           header("Location: viewOrgProfile");
435         }
436         else if($_GET['activity'] == 'addCreate'){
437           header("Location: addCreate");
438         }
439         else if($_GET['activity'] == 'activateMember'){
440           header("Location: activateMemberSearch");
441         }
442         else if($_GET['activity'] == 'viewEventsEnded'){
443           header("Location: viewEventsEnded");
444         }
445       }
446
447       function addCreate(){
448         session_start();
449         $this->ocso_studentModel->getOrgPartnerList();
450         $this->ocso_studentModel->getOrgMembers();
451         $this->load->view('Student/addCreate');
452       }
453
454       function orgSubmitCreated(){
455         session_start();
456         $_SESSION['addChoice'] = $_POST['addChoice'];
457         $_SESSION['pubPostSuccess'] = 0;
458         if($_POST['addChoice'] == 'Post'){
459           $_SESSION['orgPostType'] = $_POST['orgPostType'];
460           if($_POST['orgPostType']=='PUBLIC'){
461             $this->ocso_studentModel->orgSubmitPost();
462             $_SESSION['pubPostSuccess'] = 1;
463           }
464           else{
465             if($_POST['attach'] == 'file' || $_POST['attach'] == 'video'){
466               $this->ocso_studentModel->orgSubmitFile();
467             }
468             else{
469               $this->ocso_studentModel->orgSubmitPost();
470             }
471           }
472           header("Location: orgDashboard");
473         }
474         else if($_POST['addChoice'] == 'Poll'){
475           $this->ocso_studentModel->orgSubmitPoll();
476           header("Location: orgDashboard");
477         }
478         else if($_POST['addChoice'] == 'Event'){
479           $this->ocso_studentModel->orgSubmitEvent();
480           header("Location: orgDashboard");
481         }
482         else if($_POST['addChoice'] == 'Thread'){
483           $this->ocso_studentModel->orgSubmitThread();
484           header("Location: orgDashboard");
485         }
486         else if($_POST['addChoice'] == 'Activity Planner'){
487           $this->ocso_studentModel->orgSubmitActivityPlanner();
488           header("Location: orgDashboard");
489         }
490       }
491
492       function renewMembership(){
493         session_start();
494         $this->ocso_studentModel->fetchDeactivatedStatus();
495         $this->load->view('Student/renewMembership');
496       }
497
498       function sendRenewal(){
499         session_start();
500         $this->ocso_studentModel->sendRenewal();
501         header("Location: renewMembership");
502       }
503
504       function orgDashboard(){
505         session_start();
```

```
506         $this->ocso_studentModel->checkOrgPost();
507         $this->ocso_studentModel->checkOrgPoll();
508         $this->ocso_studentModel->checkThreads();
509         $this->ocso_studentModel->getOrgFiles();
510         $this->ocso_studentModel->getOrgVideos();
511         $this->ocso_studentModel->getOrgPhotos();
512         $this->ocso_studentModel->checkOrgActivityPlanner();
513         //$_SESSION['collapseFlag'] = 1;
514         $this->load->view('Student/orgDashboard');
515       }
516
517       function viewOrgProfile(){
518         session_start();
519         $this->ocso_studentModel->viewOrgProfile();
520         $this->load->view('Student/viewOrgProfile');
521       }
522
523       function editOrgProfile(){
524         if(isset($_SESSION['changeOrgPic'])){
525           unset($_SESSION['changeOrgPic']);
526         }
527         $this->load->view('Student/editOrgProfile');
528       }
529
530       function saveOrgProfile(){
531         $this->form_validation->set_rules('orgEmail', 'EMAIL', 'required|valid_email');
532         $this->form_validation->set_rules('orgDesc', 'ORG_DESCRIPTION', 'required');
533         $this->form_validation->set_error_delimiters('<div class="error">', '</div>');
534
535         $_SESSION['changeOrgPic'] = $_POST['postImage'];
536         if($_POST['postImage'] == 'Yes'){
537           if (empty($_FILES['orgPic']['name'])){
538               $this->form_validation->set_rules('orgPic', 'IMAGE', 'required');
539           }
540         }
541
542         if ($this->form_validation->run() == FALSE){
543           $this->load->view('Student/editOrgProfile');
544         }
545         else{
546           $this->ocso_studentModel->editOrgProfile();
547           $this->load->view('Student/viewOrgProfile');
548         }
549       }
550
551       function studOrgRequest(){
552         session_start();
553         $this->ocso_studentModel->searchOrg();
554         $this->load->view('Student/studOrgRequest');
555       }
556
557       function sendRequestToAdmin(){
558         session_start();
559         $this->ocso_studentModel->sendRequestToAdmin();
560         header("Location: studOrgRequest");
561       }
562
563       function viewMembershipRequestID(){
564         session_start();
565         $_SESSION['requestStudNumToView'] = $_GET['requestStudNumToView'];
566         $_SESSION['requestStudOrgToView'] = $_GET['requestStudOrgToView'];
567         $_SESSION['requestType'] = $_GET['requestType'];
568         $this->ocso_studentModel->getRequestedMembership();
569         header("Location: viewMembershipRequest");
570       }
571
572       function viewMembershipRequest(){
573         session_start();
574         $this->ocso_mainModel->getMembershipRequestNotifs();
575         $this->load->view('viewMembershipRequest');
576       }
577
578       function approveMembershipRequest(){
579         session_start();
580         $_SESSION['changeMemberStatusTo'] = 'ACTIVATED';
581         $this->ocso_studentModel->approveMembershipRequest();
582         header("Location: viewMembershipRequest");
583       }
584
585       function disapproveMembershipRequest(){
586         session_start();
587         $_SESSION['changeMemberStatusTo'] = 'DEACTIVATED';
588         $this->ocso_studentModel->approveMembershipRequest();
589         header("Location: viewMembershipRequest");
590       }
591
592       function activateMemberSearch(){
593         session_start();
594         $this->ocso_studentModel->activateMemberSearch();
595         $this->load->view('Student/activateMember');
596       }
597
598       function activateMember(){
599         session_start();
600         $_SESSION['changeMemberStatusTo'] = 'ACTIVATED';
601         $this->ocso_studentModel->activateMember();
602         header("Location: activateMemberSearch");
603       }
604
```

```
605     function deactivateMember(){
606       session_start();
607       $_SESSION['changeMemberStatusTo'] = 'DEACTIVATED';
608       $this->ocso_studentModel->activateMember();
609       header("Location:_activateMemberSearch");
610     }
611
612     function getPostIDToDelete(){
613       session_start();
614       $_SESSION['postIDToDelete'] = $_GET['postIDToDelete'];
615       header("Location:_deleteStudOrgPost");
616     }
617
618     function deleteStudOrgPost(){
619       session_start();
620       $this->ocso_studentModel->deleteStudOrgPost();
621       header("Location:_orgDashboard");
622     }
623
624     function viewReportedCommentID(){
625       session_start();
626       $_SESSION['reportedCommentToView'] = $_GET['reportedCommentToView'];
627       $this->ocso_studentModel->getReportedComment();
628       header("Location:_viewReportedComments");
629     }
630
631     function viewReportedComments(){
632       session_start();
633       $this->ocso_mainModel->getReportedCommentsNotifs();
634       $this->load->view('Student/viewReportedComments');
635     }
636
637     function deleteReportedComment(){
638       session_start();
639       $_SESSION['changeCommentStatusTo'] = 'DEACTIVATED';
640       $this->ocso_studentModel->deleteReportedComments();
641       header("Location:_viewReportedComments");
642     }
643
644     function ignoreReportedComment(){
645       session_start();
646       $_SESSION['changeCommentStatusTo'] = 'ACTIVATED';
647       $this->ocso_studentModel->deleteReportedComments();
648       header("Location:_viewReportedComments");
649     }
650
651     //------------------------FILE--------------------------
652
653     function getFileIDToDelete(){
654       session_start();
655       $_SESSION['fileIDToDelete'] = $_GET['fileIDToDelete'];
656       header("Location:__deleteFile");
657     }
658
659     function  deleteFile(){
660       session_start();
661       $this->ocso_studentModel->deleteFile();
662       $_SESSION['deleteFileSuccess'] = 1;
663       header("Location:_orgDashboard");
664     }
665
666     function getVideoIDToDelete(){
667       session_start();
668       $_SESSION['videoIDToDelete'] = $_GET['videoIDToDelete'];
669       header("Location:__deleteVideo");
670     }
671
672     function  deleteVideo(){
673       session_start();
674       $this->ocso_studentModel->deleteVideo();
675       $_SESSION['deleteVideoSuccess'] = 1;
676       header("Location:_orgDashboard");
677     }
678
679     //------------------------------------------------------
680
681     //------------------------POLL--------------------------
682
683     function orgPollSubmitVote(){
684       session_start();
685       $this->ocso_studentModel->orgPollSubmitVote();
686       $_SESSION['goToPolls'] = 1;
687       header("Location:_orgDashboard");
688     }
689
690     function orgPollEditVote(){
691       session_start();
692       $this->ocso_studentModel->orgPollEditVote();
693       $_SESSION['goToPolls'] = 1;
694       header("Location:_orgDashboard");
695     }
696
697     function getPollIDToView(){
698       session_start();
699       $_SESSION['pollIDGraph'] = $_GET['pollIDGraph'];
700       $_SESSION['pollIndex'] = array_search($_SESSION['pollIDGraph'], $_SESSION['deactPollID'
              ]);
701       header("Location:_viewPollGraph");
702     }
```

```
703
704     function viewPollGraph(){
705       session_start();
706       $this->load->view('viewPollGraph');
707     }
708
709     function sharePollGraph(){
710       session_start();
711       $this->ocso_studentModel->sharePollGraph();
712       $_SESSION['goToPolls'] = 1;
713       header("Location:_orgDashboard");
714     }
715
716     function deletePollResult(){
717       session_start();
718       $_SESSION['pollIDToDelete'] = $_GET['pollIDToDelete'];
719       $this->ocso_studentModel->deletePollResult();
720       $_SESSION['goToPolls'] = 1;
721       header("Location:_orgDashboard");
722     }
723
724     function goToPolls(){
725       session_start();
726       $_SESSION['goToPolls'] = 1;
727       header("Location:_orgDashboard");
728     }
729
730     //-------------------------------------------------------
731
732     //-----------------ACTIVITY PLANNER-------------------
733
734     function orgActivityPlannerUpdate(){
735       session_start();
736       $this->ocso_studentModel->orgActivityPlannerUpdate();
737       header("Location:_orgDashboard");
738     }
739
740     function getActivityPlannerToDelete(){
741       session_start();
742       $_SESSION['actPlanIDToDelete'] = $_GET['actPlanIDToDelete'];
743       header("Location:__deleteActivityPlanner");
744     }
745
746     function  deleteActivityPlanner(){
747       session_start();
748       $this->ocso_studentModel->deleteActivityPlanner();
749       header("Location:_orgDashboard");
750     }
751
752     function goToActivityPlanner(){
753       session_start();
754       $_SESSION['goToActivityPlanner'] = 1;
755       header("Location:_orgDashboard");
756     }
757
758     //-------------------------------------------------------
759
760     function generateList(){
761       session_start();
762       $this->load->helper(array('dompdf', 'file'));
763       if($_SESSION['role'] == 'OSA_Coordinator'){
764         $this->ocso_OSAmodel->generateListOfOrgs();
765       }
766       else{
767         $this->ocso_OSSmodel->generateListOfOrgs();
768       }
769       $html = $this->load->view('generatePDF', '', TRUE);
770       pdf_create_orientation($html, 'List_Of_Student_Organizations');
771     }
772
773
774     //-----------------------EVENT-------------------------
775
776     function getEventDetails(){
777       session_start();
778       $_SESSION['viewEventID'] = $_GET['eventID'];
779       $this->ocso_studentModel->getEventComments();
780       header("Location:_viewEvent");
781     }
782
783     function viewEvent(){
784       session_start();
785       $this->ocso_mainModel->login();
786       $this->ocso_studentModel->getEventInviteStatus();
787       $this->ocso_studentModel->getEventComments();
788       $this->load->view('viewEvent');
789     }
790
791     function submitEventComment(){
792       session_start();
793       $this->ocso_studentModel->submitEventComment();
794       header("Location:_viewEvent");
795     }
796
797     function reportEventComment(){
798       session_start();
799       $_SESSION['eventCommentIDToReport'] = $_GET['eventCommentIDToReport'];
800       $this->ocso_studentModel->reportEventComment();
801       header("Location:_viewEvent");
```

```
802     }
803
804     function joinEvent(){
805       session_start();
806       $this->ocso_studentModel->joinEvent();
807       header("Location:_viewEvent");
808     }
809
810     function declineEvent(){
811       session_start();
812       $this->ocso_studentModel->declineEvent();
813       header("Location:_viewEvent");
814     }
815
816     function viewEventsEnded(){
817       session_start();
818       $this->ocso_studentModel->getEventsEnded();
819       $this->load->view('viewEventsEnded');
820     }
821
822     function getEventEndedIDToDelete(){
823       session_start();
824       $_SESSION['eventEndedIDToDelete'] = $_GET['eventEndedIDToDelete'];
825       $this->ocso_studentModel->deleteEventEnded();
826       header("Location:_viewEventsEnded");
827     }
828
829     //-------------------------------------------------------
830
831
832     //-----------------------THREAD--------------------------
833
834     function getThreadDetails(){
835       session_start();
836       $_SESSION['viewThreadID'] = $_GET['threadID'];
837       $this->ocso_studentModel->getThreadComments();
838       header("Location:_viewThread");
839     }
840
841     function viewThread(){
842       session_start();
843       $this->ocso_studentModel->getThreadComments();
844       $this->load->view('viewThread');
845     }
846
847     function submitThreadComment(){
848       session_start();
849       $this->ocso_studentModel->submitThreadComment();
850       header("Location:_viewThread");
851     }
852
853     function backToThreads(){
854       session_start();
855       $_SESSION['goToThreads'] = 1;
856       header("Location:_orgDashboard");
857     }
858
859     //-------------------------------------------------------
860
861
862     //-----------------------POST COMMENTS-------------------
863
864     function getPostComments(){
865       session_start();
866       $_SESSION['postIDofComment'] = $_GET['postIDofComment'];
867       $this->ocso_studentModel->getPostComments();
868       header("Location:_viewPostComments");
869     }
870
871     function viewPostComments(){
872       session_start();
873       $this->ocso_studentModel->getPostComments();
874       $this->load->view('viewPostComments');
875     }
876
877     function submitPostComment(){
878       session_start();
879       $this->ocso_studentModel->submitPostComment();
880       header("Location:_viewPostComments");
881     }
882
883     function backToPosts(){
884       session_start();
885       $_SESSION['goToPosts'] = 1;
886       header("Location:_orgDashboard");
887     }
888
889     //-------------------------------------------------------
890
891
892     //-------------------NOTIFICATIONS-----------------------
893     function seeAllNotifications(){
894       session_start();
895       if($_SESSION['role'] == 'OSA_Coordinator' || $_SESSION['role'] == 'OSS_Coordinator'){
896         $this->ocso_mainModel->getPendingPublicPostNotifs();
897       }
898       else{
899         $this->ocso_mainModel->getApprovalPublicPostNotifs();
900         $this->ocso_mainModel->getMembershipRequestNotifs();
```

```
901           $this->ocso_mainModel->getMembershipApprovalNotifs();
902           $this->ocso_mainModel->getReportedCommentsNotifs();
903         }
904         $this->load->view('allNotifications');
905       }
906
907       function getNotifIDToDelete(){
908         session_start();
909         $_SESSION['notifIDToDelete'] = $_GET['notifIDToDelete'];
910         header("Location: deleteNotif");
911       }
912
913       function deleteNotif(){
914         session_start();
915         $this->ocso_mainModel->deleteNotif();
916         header("Location: seeAllNotifications");
917       }
918
919       function getNotifID(){
920         session_start();
921         $_SESSION['notifIDToDeactivate'] = $_GET['notifIDToDeactivate'];
922         header("Location: deactivateAllOrgs");
923       }
924
925
926       function deactivateAllOrgs(){
927         session_start();
928         $this->load->view('deactivateAllOrgs');
929       }
930
931       function deactivateAll(){
932         session_start();
933         $this->ocso_mainModel->deactivateAllOrgs();
934         header("Location: deactivateAllOrgs");
935       }
936       //-----------------------------------------------------
937
938       function studentTable(){
939         session_start();
940         $this->load->view("studentTable");
941       }
942
943     }
944   ?>
```

B.3. Models

Listing 5: ocso_mainModel.php

```
1
2   <?php
3     class OCSO_mainModel extends CI_Model{
4
5       function __construct(){
6         parent::__construct();
7         $this->load->database();
8         $this->load->library('session');
9       }
10
11      function getPendingPublicPosts(){
12        $query = $this->db->query("SELECT * FROM ocso_post");
13        $totalPosts = $query->num_rows();
14
15        $pendPostCtr = 0;
16
17        $pendPostID =  array();
18        $pendPostTitle =  array();
19        $pendPostMessage =  array();
20        $pendPostStartDate =  array();
21        $pendPostEndDate =  array();
22        $pendPostImage =  array();
23        $pendPostOrg =  array();
24
25        $orgCollege = '';
26
27        $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_STATUS='PENDING' AND
              POST_ACCESSTYPE='PUBLIC'");
28        if ($query->num_rows() > 0){
29          foreach ($query->result() as $row){
30            $pendPostID[$pendPostCtr] = $row->POST_ID;
31            $orgID = $row->STUDORG_ID;
32            $query2 = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
                  $orgID'");
33            if ($query2->num_rows() > 0){
34              foreach ($query2->result() as $row2){
35                $pendPostOrg[$pendPostCtr] = $row2->STUDORG_NAME;
36                $orgType = $row2->STUDORG_TYPE;
37                if($orgType == 'COLLEGE-BASED'){
38                  $orgCollege = $row2->STUDORG_COLLEGENAME;
39                }
40              }
41            }
42
43            if(($_SESSION['role'] == 'OSA Coordinator' && $orgType == 'UNIVERSITY-BASED') || (
                  $_SESSION['role'] == 'OSS Coordinator' && $_SESSION['collegeName'] ==
                  $orgCollege && $orgType == 'COLLEGE-BASED')){
44              $pendPostTitle[$pendPostCtr] = $row->POST_TITLE;
```

```
45              $pendPostMessage[$pendPostCtr] = $row->POST_MESSAGE;
46              $pendPostStartDate[$pendPostCtr] = $row->POST_STARTDATE;
47              $pendPostEndDate[$pendPostCtr] = $row->POST_ENDDATE;
48              $pendPostImage[$pendPostCtr] = $row->POST_IMAGE;
49              $pendPostCtr++;
50            }
51          }
52        }
53
54        $_SESSION['pendPostCtr'] = $pendPostCtr;
55        $_SESSION['pendPostID'] = $pendPostID;
56        $_SESSION['pendPostTitle'] = $pendPostTitle;
57        $_SESSION['pendPostMessage'] = $pendPostMessage;
58        $_SESSION['pendPostStartDate'] = $pendPostStartDate;
59        $_SESSION['pendPostEndDate'] = $pendPostEndDate;
60        $_SESSION['pendPostImage'] = $pendPostImage;
61        $_SESSION['pendPostOrg'] = $pendPostOrg;
62      }
63
64      function getPendingPublicPostNotifs(){
65        $orgArrayCtr = 0;
66        $orgArrayID = array();
67
68        if($_SESSION['role']=='OSA Coordinator'){
69          $orgType = 'UNIVERSITY-BASED';
70          $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
                ACTIVATED' AND STUDORG_TYPE='$orgType'");
71          if ($query->num_rows() > 0){
72            foreach ($query->result() as $row){
73              $orgArrayID[$orgArrayCtr] = $row->STUDORG_ID;
74              $orgArrayCtr++;
75            }
76          }
77        }
78        else{
79          $orgType = 'COLLEGE-BASED';
80          $collegeName = $_SESSION['collegeName'];
81          $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
                ACTIVATED' AND STUDORG_TYPE='$orgType' AND STUDORG_COLLEGENAME='$collegeName'");
82          if ($query->num_rows() > 0){
83            foreach ($query->result() as $row){
84              $orgArrayID[$orgArrayCtr] = $row->STUDORG_ID;
85              $orgArrayCtr++;
86            }
87          }
88        }
89
90        $notifCtr = 0;
91        $notifID = array();
92        $notifPostID = array();
93        $notifStudOrgID = array();
94        $notifMessage = array();
95        $notifDate = array();
96
97        $query = $this->db->query("SELECT * FROM ocso_notification WHERE NOTIF_STATUS='ACTIVATED
              ' AND NOTIF_TYPE='PUBLIC POST REQUEST'");
98        if ($query->num_rows() > 0){
99          foreach ($query->result() as $row){
100           $notifID[$notifCtr] = $row->NOTIF_ID;
101           $notifPostID[$notifCtr] = $row->ID;
102           $notifStudOrgID[$notifCtr] = $row->STUDORG_ID;
103           $notifMessage[$notifCtr] = $row->NOTIF_MESSAGE;
104           $notifDate[$notifCtr] = $row->NOTIF_DATE;
105           $notifCtr++;
106         }
107       }
108
109       $pendingPostNotifCtr = 0;
110       $pendingPostNotifID = array();
111       $pendingPostID = array();
112       $pendingPostNotifMessage = array();
113       $pendingPostNotifDate = array();
114
115       for($i=0; $i<$notifCtr; $i++){
116         if(in_array($notifStudOrgID[$i], $orgArrayID)){
117           $pendingPostNotifID[$pendingPostNotifCtr] = $notifID[$i];
118           $pendingPostNotifMessage[$pendingPostNotifCtr] = $notifMessage[$i];
119           $pendingPostNotifDate[$pendingPostNotifCtr] = $notifDate[$i];
120           $pendingPostID[$pendingPostNotifCtr] = $notifPostID[$i];
121           $pendingPostNotifCtr++;
122         }
123       }
124
125       $_SESSION['pendingPostNotifCtr'] = $pendingPostNotifCtr;
126       $_SESSION['pendingPostNotifID'] = $pendingPostNotifID;
127       $_SESSION['pendingPostID'] = $pendingPostID;
128       $_SESSION['pendingPostNotifMessage'] = $pendingPostNotifMessage;
129       $_SESSION['pendingPostNotifDate'] = $pendingPostNotifDate;
130
131     }
132
133     function getApprovalPublicPostNotifs(){
134       $approvedPostNotifCtr = 0;
135       $approvedPostNotifID = array();
136       $approvedPostNotifStudOrg = array();
137       $approvedPostNotifMessage = array();
138       $approvedPostNotifDate = array();
139       $orgArray = array();
140
```

```
141         $index = array_keys($_SESSION['studOrgAdmin'],'YES');
142         for($i=0; $i<count($index); $i++){
143           $orgArray[$i] = $_SESSION['studOrgID'][$index[$i]];
144         }
145
146         $query = $this->db->query("SELECT * FROM ocso_notification WHERE NOTIF_STATUS='ACTIVATED
                ' AND (NOTIF_TYPE='PUBLIC POST APPROVAL' OR NOTIF_TYPE='PUBLIC POST DISAPPROVAL')");
147         if ($query->num_rows() > 0){
148           foreach ($query->result() as $row){
149             if(in_array($row->STUDORG_ID, $orgArray)){
150               $approvedPostNotifID[$approvedPostNotifCtr] = $row->NOTIF_ID;
151               $approvedPostNotifMessage[$approvedPostNotifCtr] = $row->NOTIF_MESSAGE;
152               $approvedPostNotifDate[$approvedPostNotifCtr] = $row->NOTIF_DATE;
153               $studOrgID = $row->STUDORG_ID;
154
155               $query2 = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
                      $studOrgID'");
156               if ($query2->num_rows() > 0){
157                 foreach ($query2->result() as $row2){
158                   $approvedPostNotifStudOrg[$approvedPostNotifCtr] = $row2->STUDORG_NAME;
159                 }
160               }
161
162               $approvedPostNotifCtr++;
163             }
164           }
165         }
166
167         $_SESSION['approvedPostNotifCtr'] = $approvedPostNotifCtr;
168         $_SESSION['approvedPostNotifID'] = $approvedPostNotifID;
169         $_SESSION['approvedPostNotifMessage'] = $approvedPostNotifMessage;
170         $_SESSION['approvedPostNotifDate'] = $approvedPostNotifDate;
171         $_SESSION['approvedPostNotifStudOrg'] = $approvedPostNotifStudOrg;
172
173       }
174
175       function checkMembershipRequests(){
176         $query = $this->db->query("SELECT * FROM student_organization_member");
177         $total = $query->num_rows();
178
179
180         $memberCtrArray =  array();
181         $memberIDArray =  array();
182         $memberNameArray =  array();
183         $memberCourseArray =  array();
184
185         for($i=0; $i< count($_SESSION['studOrgID']); $i++){
186           $pendMemberCtr = 0;
187           $pendMemberID =  array();
188           $pendMemberName =  array();
189           $pendMemberCourse =  array();
190           if($_SESSION['studOrgAdmin'][$i] == 'YES'){
191             $studOrgID = $_SESSION['studOrgID'][$i];
192             $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                    MEMBERSHIP_STATUS='PENDING' AND STUDORG_ID='$studOrgID'");
193             if ($query->num_rows() > 0){
194               foreach ($query->result() as $row){
195                 $pendMemberID[$pendMemberCtr] = $row->STUD_NUMBER;
196                 $studNum = $row->STUD_NUMBER;
197                 $query2 = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studNum'")
                        ;
198                 if ($query2->num_rows() > 0){
199                   foreach ($query2->result() as $row2){
200                     $pendMemberName[$pendMemberCtr] = $row2->STUD_FNAME.' '.$row2->STUD_LNAME;
201                     $pendMemberCourse[$pendMemberCtr] = $row2->STUD_COURSE;
202                   }
203                 }
204                 $pendMemberCtr++;
205               }
206             }
207           }
208           $memberCtrArray[$i] = $pendMemberCtr;
209           $memberIDArray[$i] = $pendMemberID;
210           $memberNameArray[$i] = $pendMemberName;
211           $memberCourseArray[$i] = $pendMemberCourse;
212         }
213
214         $_SESSION['memberCtrArray'] = $memberCtrArray;
215         $_SESSION['memberIDArray'] = $memberIDArray;
216         $_SESSION['memberNameArray'] = $memberNameArray;
217         $_SESSION['memberCourseArray'] = $memberCourseArray;
218       }
219
220       function getMembershipRequestNotifs(){
221         $membershipRequestNotifCtr = 0;
222         $membershipRequestNotifID = array();
223         $membershipRequestNotifStudOrg = array();
224         $membershipRequestNotifMessage = array();
225         $membershipRequestNotifStudNum = array();
226         $membershipRequestNotifDate = array();
227         $orgArray = array();
228
229         $index = array_keys($_SESSION['studOrgAdmin'],'YES');
230         for($i=0; $i<count($index); $i++){
231           $orgArray[$i] = $_SESSION['studOrgID'][$index[$i]];
232         }
233
234         $query = $this->db->query("SELECT * FROM ocso_notification WHERE NOTIF_STATUS='ACTIVATED
                ' AND (NOTIF_TYPE='MEMBERSHIP REQUEST' OR NOTIF_TYPE='MEMBERSHIP RENEWAL')");
```

```
235         if ($query->num_rows() > 0){
236           foreach ($query->result() as $row){
237             if(in_array($row->STUDORG_ID, $orgArray)){
238               $membershipRequestNotifID[$membershipRequestNotifCtr] = $row->NOTIF_ID;
239               $membershipRequestNotifMessage[$membershipRequestNotifCtr] = $row->NOTIF_MESSAGE;
240               $membershipRequestNotifDate[$membershipRequestNotifCtr] = $row->NOTIF_DATE;
241               $membershipRequestNotifStudNum[$membershipRequestNotifCtr] = $row->STUD_NUMBER;
242               $studOrgID = $row->STUDORG_ID;
243
244               $query2 = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
                      $studOrgID'");
245               if ($query2->num_rows() > 0){
246                 foreach ($query2->result() as $row2){
247                   $membershipRequestNotifStudOrg[$membershipRequestNotifCtr] = $row2->
                        STUDORG_NAME;
248                 }
249               }
250
251               $membershipRequestNotifCtr++;
252             }
253           }
254         }
255
256         $_SESSION['membershipRequestNotifCtr'] = $membershipRequestNotifCtr;
257         $_SESSION['membershipRequestNotifID'] = $membershipRequestNotifID;
258         $_SESSION['membershipRequestNotifMessage'] = $membershipRequestNotifMessage;
259         $_SESSION['membershipRequestNotifDate'] = $membershipRequestNotifDate;
260         $_SESSION['membershipRequestNotifStudOrg'] = $membershipRequestNotifStudOrg;
261         $_SESSION['membershipRequestNotifStudNum'] = $membershipRequestNotifStudNum;
262
263       }
264
265       function getMembershipApprovalNotifs(){
266         $membershipApprovalNotifCtr = 0;
267         $membershipApprovalNotifID = array();
268         $membershipApprovalNotifStudOrg = array();
269         $membershipApprovalNotifMessage = array();
270         $membershipApprovalNotifDate = array();
271         $orgArray = array();
272
273         $studNum = $_SESSION['userID'];
274         $query = $this->db->query("SELECT * FROM ocso_notification WHERE NOTIF_STATUS='ACTIVATED
                ' AND (NOTIF_TYPE='MEMBERSHIP APPROVAL' OR NOTIF_TYPE='MEMBERSHIP DISAPPROVAL') AND
                STUD_NUMBER='$studNum'");
275         if ($query->num_rows() > 0){
276           foreach ($query->result() as $row){
277             if(in_array($row->STUDORG_ID, $_SESSION['studOrgID'])){
278               $membershipApprovalNotifID[$membershipApprovalNotifCtr] = $row->NOTIF_ID;
279               $membershipApprovalNotifMessage[$membershipApprovalNotifCtr] = $row->NOTIF_MESSAGE
                      ;
280               $membershipApprovalNotifDate[$membershipApprovalNotifCtr] = $row->NOTIF_DATE;
281               $studOrgID = $row->STUDORG_ID;
282
283               $query2 = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
                      $studOrgID'");
284               if ($query2->num_rows() > 0){
285                 foreach ($query2->result() as $row2){
286                   $membershipApprovalNotifStudOrg[$membershipApprovalNotifCtr] = $row2->
                        STUDORG_NAME;
287                 }
288               }
289
290               $membershipApprovalNotifCtr++;
291             }
292           }
293         }
294
295         $_SESSION['membershipApprovalNotifCtr'] = $membershipApprovalNotifCtr;
296         $_SESSION['membershipApprovalNotifID'] = $membershipApprovalNotifID;
297         $_SESSION['membershipApprovalNotifMessage'] = $membershipApprovalNotifMessage;
298         $_SESSION['membershipApprovalNotifDate'] = $membershipApprovalNotifDate;
299         $_SESSION['membershipApprovalNotifStudOrg'] = $membershipApprovalNotifStudOrg;
300
301       }
302
303       function getReportedCommentsNotifs(){
304         $reportedCommentsNotifCtr = 0;
305         $reportedCommentsNotifID = array();
306         $reportedCommentsNotifStudOrg = array();
307         $reportedCommentsNotifMessage = array();
308         $reportedCommentsNotifDate = array();
309         $reportedCommentsID = array();
310         $orgArray = array();
311
312         $index = array_keys($_SESSION['studOrgAdmin'],'YES');
313         for($i=0; $i<count($index); $i++){
314           $orgArray[$i] = $_SESSION['studOrgID'][$index[$i]];
315         }
316
317         $query = $this->db->query("SELECT * FROM ocso_notification WHERE NOTIF_STATUS='ACTIVATED
                ' AND NOTIF_TYPE='REPORTED COMMENT'");
318         if ($query->num_rows() > 0){
319           foreach ($query->result() as $row){
320             if(in_array($row->STUDORG_ID, $orgArray)){
321               $reportedCommentsNotifID[$reportedCommentsNotifCtr] = $row->NOTIF_ID;
322               $reportedCommentsNotifMessage[$reportedCommentsNotifCtr] = $row->NOTIF_MESSAGE;
323               $reportedCommentsNotifDate[$reportedCommentsNotifCtr] = $row->NOTIF_DATE;
324               $reportedCommentsID[$reportedCommentsNotifCtr] = $row->ID;
325               $studOrgID = $row->STUDORG_ID;
```

```
326
327             $query2 = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
                    $studOrgID'");
328             if ($query2->num_rows() > 0){
329               foreach ($query2->result() as $row2){
330                 $reportedCommentsNotifStudOrg[$reportedCommentsNotifCtr] = $row2->STUDORG_NAME
                        ;
331               }
332             }
333
334             $reportedCommentsNotifCtr++;
335           }
336         }
337       }
338
339       $_SESSION['reportedCommentsNotifCtr'] = $reportedCommentsNotifCtr;
340       $_SESSION['reportedCommentsNotifID'] = $reportedCommentsNotifID;
341       $_SESSION['reportedCommentsNotifMessage'] = $reportedCommentsNotifMessage;
342       $_SESSION['reportedCommentsNotifDate'] = $reportedCommentsNotifDate;
343       $_SESSION['reportedCommentsNotifStudOrg'] = $reportedCommentsNotifStudOrg;
344       $_SESSION['reportedCommentsID'] = $reportedCommentsID;
345
346     }
347
348
349     function login(){
350       if(!(isset($_SESSION['loggedin']))){
351         $_SESSION['noUsername'] = 0;
352         $_SESSION['noPassword'] = 0;
353         $_SESSION['wrongBoth'] = 0;
354         $_SESSION['loggedin'] = 0;
355       }
356
357       if($_SERVER['REQUEST_METHOD'] == 'POST') {
358         if ($_POST['username']){
359           if ($_POST['password']){
360             $username = $_POST['username'];
361             $password = $_POST['password'];
362             $_SESSION['userPassword'] = $password;
363             $password = md5($password);
364             $query = $this->db->query("SELECT * FROM university_coordinator WHERE
                    COOR_USERNAME = '$username' AND COOR_PASSWORD = '$password'");
365
366             if ($query->num_rows() > 0){
367               foreach ($query->result() as $row){
368                 $userUsername = $row->COOR_USERNAME;
369                 $userPassword = $row->COOR_PASSWORD;
370                 $coorOffice = $row->COOR_OFFICE;
371                 $coorCollege = $row->COOR_COLLEGENAME;
372                 $userID = $row->COOR_ID;
373               }
374               $_SESSION['loggedin'] = 1;
375               if($coorOffice == 'OSA'){
376                 $_SESSION['role'] = "OSA Coordinator";
377               }
378               else{
379                 $_SESSION['role'] = "OSS Coordinator";
380                 $_SESSION['collegeName'] = $coorCollege;
381               }
382               $_SESSION['userUsername'] = $userUsername;
383               $_SESSION['userID'] = $userID;
384               $this->getPendingPublicPosts();
385               $this->getPendingPublicPostNotifs();
386             }
387             else{
388               $query = $this->db->query("SELECT * FROM student WHERE STUD_USERNAME = '
                      $username' AND STUD_PASSWORD = '$password'");
389               if ($query->num_rows() > 0){
390                 foreach ($query->result() as $row){
391                   $userUsername = $row->STUD_USERNAME;
392                   $userPassword = $row->STUD_PASSWORD;
393                   $userFullName = $row->STUD_FNAME .' '. $row->STUD_LNAME;
394                   $userAlumni = $row->STUD_ALUMNI;
395                   $userID = $row->STUD_NUMBER;
396                   $userCollege = $row->STUD_COLLEGENAME;
397                 }
398                 $_SESSION['loggedin'] = 1;
399                 $_SESSION['role'] = "student";
400                 $_SESSION['userUsername'] = $userUsername;
401                 $_SESSION['userFullName'] = $userFullName;
402                 $_SESSION['userID'] = $userID;
403                 $_SESSION['userAlumni'] = $userAlumni;
404                 $_SESSION['userCollege'] = $userCollege;
405
406                 //fetches orgs of the student
407                 $ctr=0;
408                 $studOrgID = array();
409                 $studOrgName = array();
410                 $studOrgAdmin = array();
411                 $query2 = $this->db->query("SELECT * FROM student_organization_member WHERE
                        STUD_NUMBER = '$userID' AND MEMBERSHIP_STATUS = 'ACTIVATED'");
412                 if ($query2->num_rows() > 0){
413                   foreach ($query2->result() as $row2){
414                     $id = $row2->STUDORG_ID;
415                     //checks if org of student is activated
416                     $query3 = $this->db->query("SELECT * FROM student_organization WHERE
                            STUDORG_ID='$id'");
417                       if ($query3->num_rows() > 0){
418                         foreach ($query3->result() as $row3){
```

```
419                             if($row3->STUDORG_STATUS == 'ACTIVATED'){
420                               $studOrgID[$ctr] = $row2->STUDORG_ID;
421                               $studOrgName[$ctr] = $row2->STUDORG_NAME;
422                               $studOrgAdmin[$ctr] = $row2->STUDORG_ADMIN;
423                               $ctr++;
424                             }
425                           }
426                         }
427                       }
428                     }
429                     $_SESSION['studOrgID'] = $studOrgID;
430                     $_SESSION['studOrgName'] = $studOrgName;
431                     $_SESSION['studOrgAdmin'] = $studOrgAdmin;
432
433                     //fetches orgs of student where he/she is an execomm
434                     $ctr=0;
435                     $execommOrgID = array();
436                     $query2 = $this->db->query("SELECT * FROM student_organization_member WHERE
                            STUD_NUMBER = '$userID' AND MEMBERSHIP_STATUS = 'ACTIVATED' AND
                            STUDORG_POSITION!='MEMBER'");
437                     if ($query2->num_rows() > 0){
438                       foreach ($query2->result() as $row2){
439                         $execommOrgID[$ctr] = $row2->STUDORG_ID;
440                         $ctr++;
441                       }
442                     }
443                     $_SESSION['execommOrgID'] = $execommOrgID;
444
445                     $this->checkMembershipRequests();
446                     $this->getApprovalPublicPostNotifs();
447                     $this->getMembershipRequestNotifs();
448                     $this->getMembershipApprovalNotifs();
449                     $this->getReportedCommentsNotifs();
450                   }
451                   else
452                     $_SESSION['wrongBoth'] = 1;
453                 }
454               }
455               else
456                 $_SESSION['noPassword'] = 1;
457             }
458             else
459               $_SESSION['noUsername'] = 1;
460           }
461         }
462
463
464         function viewProfile(){
465           session_start();
466           $username = $_SESSION['userUsername'];
467           $password = md5($_SESSION['userPassword']);
468           $userType = $_SESSION['role'];
469           if($userType == 'OSA Coordinator' || $userType == 'OSS Coordinator'){
470             $query = $this->db->query("SELECT * FROM university_coordinator WHERE COOR_USERNAME='
                    $username' AND COOR_PASSWORD='$password'");
471             if ($query->num_rows() > 0){
472               foreach ($query->result() as $row){
473                 $_SESSION['userID'] = $row->COOR_ID;
474                 $_SESSION['userFName'] = $row->COOR_FNAME;
475                 $_SESSION['userMName'] = $row->COOR_MNAME;
476                 $_SESSION['userLName'] = $row->COOR_LNAME;
477                 $_SESSION['userUsername'] = $row->COOR_USERNAME;
478                 $_SESSION['userContactNo'] = $row->COOR_CONTACTNO;
479                 $_SESSION['userEmail'] = $row->COOR_EMAIL;
480               }
481             }
482           }
483           else if($userType == 'student'){
484             $query = $this->db->query("SELECT * FROM student WHERE STUD_USERNAME='$username' AND
                    STUD_PASSWORD='$password'");
485             if ($query->num_rows() > 0){
486               foreach ($query->result() as $row){
487                 $_SESSION['userID'] = $row->STUD_NUMBER;
488                 $_SESSION['userFName'] = $row->STUD_FNAME;
489                 $_SESSION['userMName'] = $row->STUD_MNAME;
490                 $_SESSION['userLName'] = $row->STUD_LNAME;
491                 $_SESSION['userUsername'] = $row->STUD_USERNAME;
492                 $_SESSION['userContactNo'] = $row->STUD_CONTACTNO;
493                 $_SESSION['userEmail'] = $row->STUD_EMAIL;
494                 $_SESSION['userYear'] = $row->STUD_YEAR;
495                 $_SESSION['userCourse'] = $row->STUD_COURSE;
496               }
497             }
498           }
499         }
500
501         function editProfile(){
502           //session_start();
503           $userFName = $_POST['userFName'];
504           $userMName = $_POST['userMName'];
505           $userLName = $_POST['userLName'];
506           $_SESSION['last'] = $_POST['userLName'];
507           $userUsername = $_POST['userUsername'];
508           $userEmail = $_POST['userEmail'];
509           $userContactNo = $_POST['userContactNo'];
510           $userChangePW = $_POST['userChangePW'];
511           $id = $_SESSION['userID'];
512           $userType = $_SESSION['role'];
513           $_SESSION['pwChangeFailed'] = 0;
```

```
514
515         if($userChangePW == 'Yes'){
516           $userCurrentPW = $_POST['userCurrentPW'];
517           $userNewPW = $_POST['userNewPW'];
518           $userConfirmPW = $_POST['userConfirmPW'];
519         }
520
521         if($userType == 'OSA Coordinator' || $userType == 'OSS Coordinator'){
522           $data = array(
523             'COOR_FNAME'=>$userFName,
524             'COOR_MNAME'=>$userMName,
525             'COOR_LNAME'=>$userLName,
526             'COOR_USERNAME'=>$userUsername,
527             'COOR_EMAIL'=>$userEmail,
528             'COOR_CONTACTNO'=>$userContactNo,
529           );
530           $this->db->where('COOR_ID', $id);
531           $this->db->update('university_coordinator', $data);
532
533           if($userChangePW == 'Yes'){
534             $data = array(
535               'COOR_PASSWORD'=>md5($userNewPW),
536             );
537             $this->db->where('COOR_ID', $id);
538             $this->db->update('university_coordinator', $data);
539             $_SESSION['userPassword'] = $userNewPW;
540           }
541
542           $query = $this->db->query("SELECT * FROM university_coordinator WHERE COOR_ID='$id'");
543           if ($query->num_rows() > 0){
544             foreach ($query->result() as $row){
545               $_SESSION['userID'] = $row->COOR_ID;
546               $_SESSION['userFName'] = $row->COOR_FNAME;
547               $_SESSION['userMName'] = $row->COOR_MNAME;
548               $_SESSION['userLName'] = $row->COOR_LNAME;
549               $_SESSION['userUsername'] = $row->COOR_USERNAME;
550               $_SESSION['userContactNo'] = $row->COOR_CONTACTNO;
551               $_SESSION['userEmail'] = $row->COOR_EMAIL;
552             }
553           }
554         }
555         else if($userType == 'student'){
556           $data = array(
557             'STUD_FNAME'=>$userFName,
558             'STUD_MNAME'=>$userMName,
559             'STUD_LNAME'=>$userLName,
560             'STUD_USERNAME'=>$userUsername,
561             'STUD_EMAIL'=>$userEmail,
562             'STUD_CONTACTNO'=>$userContactNo,
563           );
564           $this->db->where('STUD_NUMBER', $id);
565           $this->db->update('student', $data);
566
567           if($userChangePW == 'Yes'){
568             $data = array(
569               'STUD_PASSWORD'=>md5($userNewPW),
570             );
571             $this->db->where('STUD_NUMBER', $id);
572             $this->db->update('student', $data);
573             $_SESSION['userPassword'] = $userNewPW;
574           }
575
576           $query = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$id'");
577           if ($query->num_rows() > 0){
578             foreach ($query->result() as $row){
579               $_SESSION['userID'] = $row->STUD_NUMBER;
580               $_SESSION['userFName'] = $row->STUD_FNAME;
581               $_SESSION['userMName'] = $row->STUD_MNAME;
582               $_SESSION['userLName'] = $row->STUD_LNAME;
583               $_SESSION['userUsername'] = $row->STUD_USERNAME;
584               $_SESSION['userContactNo'] = $row->STUD_CONTACTNO;
585               $_SESSION['userEmail'] = $row->STUD_EMAIL;
586             }
587           }
588         }
589         $_SESSION['editProfileSuccess'] = 1;
590       }
591
592
593       function checkPost(){
594         date_default_timezone_set('Asia/Manila');
595
596           $endDate = date_create('0000-00-00 00:00:00');
597           $currentDate = date_create(date('Y-m-d H:i:s'));
598
599           $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_ACCESSTYPE='PUBLIC' AND
                POST_STATUS='ACTIVATED'");
600             if ($query->num_rows() > 0){
601               foreach ($query->result() as $row){
602                 $endDate = date_create($row->POST_ENDDATE);
603                 $interval = date_diff($currentDate, $endDate);
604                 $year = $interval->format('%r%y');
605                 $month = $interval->format('%r%m');
606                 $day = $interval->format('%r%a');
607                 $hour = $interval->format('%r%h');
608                 $minute = $interval->format('%r%i');
609                 $second = $interval->format('%r%s');
610                 if($year <= 0 && $month <= 0 && $day <= 0 && $hour <= 0 && $minute <= 0 &&
                      $second <= 0){
```

```
611                 $data = array(
612                   'POST_STATUS'=>'DEACTIVATED'
613                 );
614                 $this->db->where('POST_ID', $row->POST_ID);
615                 $this->db->update('ocso_post',$data);
616               }
617             }
618           }
619
620       $postCtr = 0;
621
622       $postTitle =  array();
623       $postMessage =  array();
624       $postStartDate =  array();
625       $postImage =  array();
626       $postCoor =  array();
627       $postCoorCollege =  array();
628
629       $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_STATUS='ACTIVATED' AND
              COOR_ID!='' AND POST_ACCESSTYPE='PUBLIC'");
630       if ($query->num_rows() > 0){
631         foreach ($query->result() as $row){
632           $coorID = $row->COOR_ID;
633           $query2 = $this->db->query("SELECT * FROM university_coordinator WHERE COOR_ID='
                $coorID'");
634           if ($query2->num_rows() > 0){
635             foreach ($query2->result() as $row2){
636               $postCoor[$postCtr] = $row2->COOR_OFFICE;
637               $postCoorCollege[$postCtr] = $row2->COOR_COLLEGENAME;
638             }
639           }
640           $postTitle[$postCtr] = $row->POST_TITLE;
641           $postMessage[$postCtr] = $row->POST_MESSAGE;
642           $postStartDate[$postCtr] = $row->POST_STARTDATE;
643           $postImage[$postCtr] = $row->POST_IMAGE;
644           $postCtr++;
645         }
646       }
647
648       $_SESSION['postCtr'] = $postCtr;
649       $_SESSION['postTitle'] = $postTitle;
650       $_SESSION['postMessage'] = $postMessage;
651       $_SESSION['postStartDate'] = $postStartDate;
652       $_SESSION['postImage'] = $postImage;
653       $_SESSION['postCoor'] = $postCoor;
654       $_SESSION['postCoorCollege'] = $postCoorCollege;
655     }
656
657     public function announcement_count() {
658       $query = $this->db->query("SELECT * FROM ocso_post");
659       $totalPosts = $query->num_rows();
660
661         date_default_timezone_set('Asia/Manila');
662         $endDate = date_create('0000-00-00 00:00:00');
663         $currentDate = date_create(date('Y-m-d H:i:s'));
664
665         $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_STATUS='ACTIVATED' AND
                POST_ACCESSTYPE='PUBLIC'");
666           if ($query->num_rows() > 0){
667             foreach ($query->result() as $row){
668               $endDate = date_create($row->POST_ENDDATE);
669               $interval = date_diff($currentDate, $endDate);
670               $year = $interval->format('%r%y');
671               $month = $interval->format('%r%m');
672               $day = $interval->format('%r%a');
673               $hour = $interval->format('%r%h');
674               $minute = $interval->format('%r%i');
675               $second = $interval->format('%r%s');
676               if($year <= 0 && $month <= 0 && $day <= 0 && $hour <= 0 && $minute <= 0 &&
                    $second <= 0){
677                 $data = array(
678                   'POST_STATUS'=>'DEACTIVATED'
679                 );
680                 $this->db->where('POST_ID', $row->POST_ID);
681                 $this->db->update('ocso_post',$data);
682               }
683             }
684           }
685
686
687       $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_STATUS='ACTIVATED' AND
              COOR_ID!='' AND POST_ACCESSTYPE='PUBLIC'");
688       return $query->num_rows();
689     }
690
691     public function fetch_announcement($limit, $start) {
692
693       $this->db->join('university_coordinator', 'university_coordinator.COOR_ID = ocso_post.
              COOR_ID');
694       $query = $this->db->order_by("ocso_post.POST_STARTDATE", "DESC")->get_where('ocso_post',
              array('POST_STATUS' => 'ACTIVATED', 'ocso_post.COOR_ID !='=>'', 'POST_ACCESSTYPE'=>
              'PUBLIC'), $limit, $start);
695
696       if ($query->num_rows() > 0) {
697         foreach ($query->result() as $row) {
698           $data[] = $row;
699         }
700         return $data;
701       }
```

```
702       return false;
703     }
704
705     function submitPost(){
706       $postTitle = $_POST['postTitle'];
707       $postMessage = $_POST['postMessage'];
708       $postEndDate = $_POST['postEndDate'];
709
710       $query = $this->db->query("SELECT * FROM ocso_post");
711       if ($query->num_rows() < 0){
712         $num = 1;
713       }
714       else{
715         $num = ($query->num_rows())+1;
716       }
717
718       date_default_timezone_set('Asia/Manila');
719       $startDate = date('Y-m-d H:i:s');
720
721       $data = array(
722           'POST_ID'=>$num,
723           'POST_TITLE'=>$postTitle,
724           'POST_MESSAGE'=>$postMessage,
725           'POST_ACCESSTYPE'=>'PUBLIC',
726           'POST_STARTDATE'=>$startDate,
727           'POST_ENDDATE'=>$postEndDate,
728           'POST_STATUS'=>'ACTIVATED'
729       );
730       $this->db->insert('ocso_post',$data);
731
732       if($_SESSION['role'] == 'OSA Coordinator' || $_SESSION['role'] == 'OSS Coordinator'){
733         $data3 = array(
734           'COOR_ID'=>$_SESSION['userID']
735         );
736       }
737       else{
738         $data3 = array(
739           'STUDORG_ID'=>'',
740           'STUD_NUMBER'=>$_SESSION['userID']
741         );
742       }
743
744       $this->db->where('POST_ID', $num);
745       $this->db->update('ocso_post',$data3);
746
747       if($_POST['postImage'] == 'Yes'){
748         if (!empty($_FILES['imageUploaded']['name'])){
749           $filename = "OSApost-".$num;
750           $config['upload_path'] = './uploads/';
751           $config['allowed_types'] = 'gif|jpg|png';
752           $config['max_size'] = '5000';
753           $config['file_name'] = $filename;
754           $this->load->library('upload', $config);
755           $this->upload->initialize($config);
756           $this->upload->do_upload('imageUploaded');
757
758           $data = $this->upload->data();
759           $image_link = base_url()."uploads/".$data['file_name'];
760
761           $data2 = array(
762             'POST_IMAGE'=>$image_link
763           );
764           $this->db->where('POST_ID', $num);
765           $this->db->update('ocso_post',$data2);
766
767         }
768       }
769     }
770
771     function checkPublicPost(){
772       $query = $this->db->query("SELECT * FROM ocso_post");
773       $totalPosts = $query->num_rows();
774
775       date_default_timezone_set('Asia/Manila');
776
777       for($i=1; $i<=$totalPosts; $i++){
778         $endDate = date_create('0000-00-00');
779         $currentDate = date_create(date('Y-m-d'));
780
781         $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_ID='$i'");
782           if ($query->num_rows() > 0){
783             foreach ($query->result() as $row){
784               $endDate = date_create($row->POST_ENDDATE);
785             }
786           }
787         $interval = date_diff($currentDate, $endDate);
788         $year = $interval->format('%r%y');
789         $month = $interval->format('%r%m');
790         $day = $interval->format('%r%a');
791         if($year <= 0 && $month <= 0 && $day <= 0){
792           $data = array(
793             'POST_STATUS'=>'DEACTIVATED'
794           );
795           $this->db->where('POST_ID', $i);
796           $this->db->update('ocso_post',$data);
797         }
798       }
799
800       $pubPostCtr = 0;
```

```
801
802         $pubPostTitle =  array();
803         $pubPostMessage =  array();
804         $pubPostStartDate =  array();
805         $pubPostImage =  array();
806         $pubPostOrg =  array();
807
808         $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_STATUS='ACTIVATED' AND
                STUDORG_ID!='' AND POST_ACCESSTYPE='PUBLIC'");
809         if ($query->num_rows() > 0){
810           foreach ($query->result() as $row){
811             $orgID = $row->STUDORG_ID;
812             $query2 = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
                    $orgID'");
813             if ($query2->num_rows() > 0){
814               foreach ($query2->result() as $row2){
815                 $pubPostOrg[$pubPostCtr] = $row2->STUDORG_NAME;
816               }
817             }
818
819             $pubPostTitle[$pubPostCtr] = $row->POST_TITLE;
820             $pubPostMessage[$pubPostCtr] = $row->POST_MESSAGE;
821             $pubPostStartDate[$pubPostCtr] = $row->POST_STARTDATE;
822             $pubPostImage[$pubPostCtr] = $row->POST_IMAGE;
823             $pubPostCtr++;
824           }
825         }
826
827         $_SESSION['pubPostCtr'] = $pubPostCtr;
828         $_SESSION['pubPostTitle'] = $pubPostTitle;
829         $_SESSION['pubPostMessage'] = $pubPostMessage;
830         $_SESSION['pubPostStartDate'] = $pubPostStartDate;
831         $_SESSION['pubPostImage'] = $pubPostImage;
832         $_SESSION['pubPostOrg'] = $pubPostOrg;
833       }
834
835       public function publicPost_count() {
836         $query = $this->db->query("SELECT * FROM ocso_post");
837         $totalPosts = $query->num_rows();
838
839           date_default_timezone_set('Asia/Manila');
840           $endDate = date_create('0000-00-00');
841           $currentDate = date_create(date('Y-m-d'));
842
843           $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_STATUS='ACTIVATED' AND
                POST_ACCESSTYPE='PUBLIC'");
844             if ($query->num_rows() > 0){
845               foreach ($query->result() as $row){
846                 $endDate = date_create($row->POST_ENDDATE);
847                 $interval = date_diff($currentDate, $endDate);
848                 $year = $interval->format('%r%y');
849                 $month = $interval->format('%r%m');
850                 $day = $interval->format('%r%a');
851                 if($year <= 0 && $month <= 0 && $day <= 0){
852                   $data = array(
853                     'POST_STATUS'=>'DEACTIVATED'
854                   );
855                   $this->db->where('POST_ID', $row->POST_ID);
856                   $this->db->update('ocso_post',$data);
857                 }
858               }
859             }
860
861
862         $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_STATUS='ACTIVATED' AND
                STUDORG_ID!='' AND POST_ACCESSTYPE='PUBLIC'");
863         return $query->num_rows();
864       }
865
866       public function fetch_publicPost($limit, $start) {
867
868         $this->db->join('student_organization', 'student_organization.STUDORG_ID = ocso_post.
                STUDORG_ID');
869         $query = $this->db->order_by("ocso_post.POST_STARTDATE", "DESC")->get_where('ocso_post',
                array('POST_STATUS' => 'ACTIVATED', 'ocso_post.STUDORG_ID !='=>'', 'POST_ACCESSTYPE
                '=>'PUBLIC'), $limit, $start);
870
871         if ($query->num_rows() > 0) {
872           foreach ($query->result() as $row) {
873             $data[] = $row;
874           }
875           return $data;
876         }
877         return false;
878        }
879
880       function approveRequest(){
881         $status = $_SESSION['changePostStatusTo'];
882         if($status == 'ACTIVATED'){
883           $status2 = 'APPROVED';
884         }
885         else{
886           $status2 = 'DISAPPROVED';
887         }
888
889         date_default_timezone_set('Asia/Manila');
890         $currentDate = date('Y-m-d H:i:s');
891
892           $data = array(
```

```
893             'POST_STATUS'=>$status,
894             'POST_STARTDATE'=>$currentDate
895           );
896           $this->db->where('POST_ID', $_SESSION['requestIDToView']);
897           $this->db->update('ocso_post',$data);
898
899
900         //save notification for approval of public posts
901         if($_SESSION['role'] == 'OSA Coordinator'){
902           $coor = 'OSA Coordinator';
903         }
904         else{
905           $coor = 'OSS Coordinator';
906         }
907
908
909           $query = $this->db->query("SELECT * FROM ocso_notification");
910           if ($query->num_rows() < 0){
911             $num2 = 1;
912           }
913           else{
914             $num2 = ($query->num_rows())+1;
915           }
916           $postID = $_SESSION['requestIDToView'];
917           $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_ID='$postID'");
918           if ($query->num_rows() > 0){
919             foreach ($query->result() as $row){
920               $notifStr = 'Public post "'. $row->POST_TITLE .'" has been approved.';
921               $data = array(
922                 'NOTIF_ID'=>$num2,
923                 'STUDORG_ID'=>$row->STUDORG_ID,
924                 'ID'=>$postID,
925                 'NOTIF_TYPE'=>'PUBLIC POST APPROVAL',
926                 'NOTIF_DATE'=>$currentDate,
927                 'NOTIF_MESSAGE'=>$notifStr,
928                 'NOTIF_STATUS'=>'ACTIVATED'
929               );
930               $this->db->insert('ocso_notification',$data);
931             }
932           }
933           $data = array(
934             'NOTIF_STATUS'=>'DEACTIVATED'
935           );
936           $this->db->where('ID', $postID);
937           $this->db->where('NOTIF_TYPE', 'PUBLIC POST REQUEST');
938           $this->db->update('ocso_notification',$data);
939
940           $_SESSION['approvalSuccess'] = 1;
941           $_SESSION['approvalStatus'] = $status2;
942       }
943
944       public function studOrg_count() {
945         return $this->db->count_all("student_organization");
946       }
947
948       public function fetch_studOrgInfo($limit, $start) {
949         $this->db->limit($limit, $start);
950         $query = $this->db->get("student_organization");
951
952         if ($query->num_rows() > 0) {
953           foreach ($query->result() as $row) {
954             $data[] = $row;
955           }
956           return $data;
957         }
958         return false;
959        }
960
961       function getStudOrgInfo(){
962         $orgPostCtr = 0;
963
964         $orgPostName =  array();
965         $orgPostDesc =  array();
966         $orgPostPicture =  array();
967         $orgPostDate =  array();
968         $orgPostType =  array();
969         $orgPostCollege =  array();
970
971         $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
               ACTIVATED'");
972         if ($query->num_rows() > 0){
973           foreach ($query->result() as $row){
974             $orgPostName[$orgPostCtr] = $row->STUDORG_NAME;
975             $orgPostDesc[$orgPostCtr] = $row->STUDORG_DESCRIPTION;
976             $orgPostPicture[$orgPostCtr] = $row->STUDORG_PICTURE;
977             $orgPostDate[$orgPostCtr] = $row->STUDORG_FOUNDINGDATE;
978             $orgPostType[$orgPostCtr] = $row->STUDORG_TYPE;
979             $orgPostCollege[$orgPostCtr] = $row->STUDORG_COLLEGENAME;
980             $orgPostCtr++;
981           }
982         }
983
984         $_SESSION['orgPostCtr'] = $orgPostCtr;
985         $_SESSION['orgPostName'] = $orgPostName;
986         $_SESSION['orgPostDesc'] = $orgPostDesc;
987         $_SESSION['orgPostPicture'] = $orgPostPicture;
988         $_SESSION['orgPostDate'] = $orgPostDate;
989         $_SESSION['orgPostType'] = $orgPostType;
990         $_SESSION['orgPostCollege'] = $orgPostCollege;
```

```
991     }
992
993     function deleteNotif(){
994       $notifToDelete = $_SESSION['notifIDToDelete'];
995
996       $data = array(
997         'NOTIF_STATUS'=>'DEACTIVATED'
998       );
999       $this->db->where('NOTIF_ID', $notifToDelete);
1000      $this->db->update('ocso_notification',$data);
1001    }
1002
1003    function getRequestedPost(){
1004      $postID = $_SESSION['requestIDToView'];
1005
1006      $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_ID='$postID'");
1007      if ($query->num_rows() > 0){
1008        foreach ($query->result() as $row){
1009          $_SESSION['requestedPostTitle'] =  $row->POST_TITLE;
1010          $_SESSION['requestedPostMessage'] =  $row->POST_MESSAGE;
1011          $_SESSION['requestedPostEndDate'] =  $row->POST_ENDDATE;
1012          $studOrgID =  $row->STUDORG_ID;
1013          $query2 = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
                $studOrgID'");
1014          if ($query2->num_rows() > 0){
1015            foreach ($query2->result() as $row2){
1016              $_SESSION['requestedPostStudOrgName'] =  $row2->STUDORG_NAME;
1017            }
1018          }
1019          $_SESSION['requestedPostImage'] =  $row->POST_IMAGE;
1020        }
1021      }
1022    }
1023
1024    /*function deactivateAllOrgsNotif(){
1025      date_default_timezone_set('Asia/Manila');
1026      $currentMonth = date('m');
1027
1028      date_default_timezone_set('Asia/Manila');
1029      $currentDate = date('Y-m-d H:i:s');
1030
1031      $query = $this->db->query("SELECT * FROM ocso_notification");
1032        if ($query->num_rows() < 0){
1033          $num2 = 1;
1034        }
1035        else{
1036          $num2 = ($query->num_rows())+1;
1037        }
1038
1039      $userID = $_SESSION['userID'];
1040      if($currentMonth == 8){
1041        $query = $this->db->query("SELECT * FROM ocso_notification WHERE ID='$userID' AND
              NOTIF_STATUS='ACTIVATED'");
1042        if ($query->num_rows() == 0){
1043            $data = array(
1044              'NOTIF_ID'=>$num2,
1045              'STUDORG_ID'=>0,
1046              'ID'=>$userID,
1047              'NOTIF_TYPE'=>'DEACTIVATE ORGS',
1048              'NOTIF_DATE'=>$currentDate,
1049              'NOTIF_MESSAGE'=>'REMINDER: Dectivate All Student Organizations.',
1050              'NOTIF_STATUS'=>'ACTIVATED'
1051            );
1052            $this->db->insert('ocso_notification',$data);
1053        }
1054      }
1055
1056      $query = $this->db->query("SELECT * FROM ocso_notification WHERE ID='$userID' AND
            NOTIF_STATUS='ACTIVATED'");
1057      if ($query->num_rows() > 0){
1058        foreach ($query->result() as $row){
1059          $_SESSION['deactOrgNotifID'] = $row->NOTIF_ID;
1060          $_SESSION['deactOrgNotifMessage'] = $row->NOTIF_MESSAGE;
1061          $_SESSION['deactOrgNotifDate'] = $row->NOTIF_MESSAGE;
1062        }
1063      }
1064    }
1065
1066    /*function deactivateAllOrgs(){
1067      if($_SESSION['role'] == 'OSA Coordinator'){
1068        $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
              ACTIVATED' AND STUDORG_TYPE='UNIVERSITY-BASED'");
1069        if ($query->num_rows() > 0){
1070          foreach ($query->result() as $row){
1071            $data = array(
1072              'STUDORG_STATUS'=>'DEACTIVATED'
1073            );
1074            $this->db->where('STUDORG_ID', $row->STUDORG_ID);
1075            $this->db->update('student_organization',$data);
1076          }
1077        }
1078      }
1079      else{
1080        $collegeName = $_SESSION['collegeName'];
1081        $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
              ACTIVATED' AND STUDORG_TYPE='COLLEGE-BASED' AND STUDORG_COLLEGENAME='$collegeName
              '");
1082        if ($query->num_rows() > 0){
1083          foreach ($query->result() as $row){
```

```
1084              $data = array(
1085                'STUDORG_STATUS'=>'DEACTIVATED'
1086              );
1087              $this->db->where('STUDORG_ID', $row->STUDORG_ID);
1088              $this->db->update('student_organization',$data);
1089            }
1090          }
1091        }
1092
1093              $data = array(
1094                'NOTIF_STATUS'=>'DEACTIVATED'
1095              );
1096              $this->db->where('NOTIF_ID', $_SESSION['notifIDToDeactivate']);
1097              $this->db->update('ocso_notification',$data);
1098
1099              $_SESSION['deactivateAllOrgsSuccess'] = 1;
1100
1101              $this->deactivateAllOrgsNotif();
1102
1103      }*/
1104    }
1105  ?>
```

Listing 6: ocso_OSAmodel.php

```
1  <?php
2    class OCSO_OSAmodel extends CI_Model{
3
4      function __construct(){
5        parent::__construct();
6        $this->load->database();
7        $this->load->library('session');
8      }
9
10     function generatePassword(){
11       $length=10;
12       $password = "";
13       $possible = "2346789bcdfghjkmnpqrtvwxyzBCDFGHJKLMNPQRTVWXYZ";
14       $maxlength = strlen($possible);
15       if ($length > $maxlength) {
16         $length = $maxlength;
17       }
18       $k = 0;
19       while ($k < $length) {
20         $char = substr($possible, mt_rand(0, $maxlength-1), 1);
21         if (!strstr($password, $char)) {
22           $password .= $char;
23           $k++;
24         }
25
26       }
27       return $password;
28     }
29
30     function renameCollege($item){
31       switch($item){
32         case 'College of Arts and Sciences': $college = 'CAS';
33         break;
34         case 'College of Dentistry': $college = 'CD';
35         break;
36         case 'College of Medicine': $college = 'CM';
37         break;
38         case 'College of Nursing': $college = 'CN';
39         break;
40         case 'College of Public Health': $college = 'CPH';
41         break;
42         case 'College of Pharmacy': $college = 'CP';
43         break;
44         case 'College of Allied Medical Professions': $college = 'CAMP';
45         break;
46       }
47       return $college;
48     }
49
50     function fetchAvailableColleges(){
51       session_start();
52       $availableListCtr = 0;
53       $ctr=0;
54       $availableList = array();
55       $tempArray = array();
56
57       $query = $this->db->query("SELECT * FROM university_coordinator WHERE COOR_OFFICE='OSS'
             AND COOR_STATUS='ACTIVATED'");
58         if ($query->num_rows() > 0){
59           foreach ($query->result() as $row){
60             $availableList[$availableListCtr] = $row->COOR_COLLEGENAME;
61             $availableListCtr++;
62           }
63         }
64
65       $all = array('College of Arts and Sciences','College of Dentistry','College of Allied
             Medical Professions','College of Nursing',
66       'College of Public Health','College of Pharmacy','College of Medicine');
67       $available = array_diff($all, $availableList);
68       $keys = array_keys($available);
69       for($j=0;$j<count($keys);$j++){
70         $tempArray[$ctr] = $available[$keys[$j]];
71         $ctr++;
```

```
72        }
73        $_SESSION['availableList'] = $tempArray;
74        $_SESSION['availableListCtr'] = $ctr;
75      }
76
77      function submit_OSSCoordinator(){
78        session_start();
79        $coordinatorNo = $_POST['coordinatorNo'];
80        $coordinatorFName = $_POST['coordinatorFName'];
81        $coordinatorMName = $_POST['coordinatorMName'];
82        $coordinatorLName = $_POST['coordinatorLName'];
83        $coordinatorCollege = $_POST['coordinatorCollege'];
84        $coordinatorEmail = $_POST['coordinatorEmail'];
85
86        //assigns username to each OSS Coordinator
87        for($i=0;$i<count($coordinatorNo);$i++){
88          $lastname = preg_replace("/\s+/", "", $coordinatorLName[$i]);
89          $coordinatorUsername[$i] = $coordinatorFName[$i][0].$coordinatorMName[$i][0].$lastname
                ;
90          $coordinatorUsername[$i] = strtolower($coordinatorUsername[$i]);
91
92          $query = $this->db->query('SELECT COOR_USERNAME FROM university_coordinator');
93
94          if ($query->num_rows() > 0){
95            foreach ($query->result() as $row){
96              $username = $row->COOR_USERNAME;
97              if(strcmp($username, $coordinatorUsername[$i]) ==0){
98                $length = strlen($coordinatorUsername[$i]);
99                if(is_numeric($coordinatorUsername[$i][$length-1])){
100                 $ctr = $coordinatorUsername[$i][$length-1]+1;
101                 $coordinatorUsername[$i] = substr($coordinatorUsername[$i], 0, -1);
102                 $coordinatorUsername[$i] = $coordinatorUsername[$i].$ctr;
103               }
104               else{
105                 $coordinatorUsername[$i] = $coordinatorUsername[$i].'2';
106               }
107             }
108           }
109         }
110
111         for($j=0; $j<$i; $j++){
112           if(strcmp($coordinatorUsername[$j], $coordinatorUsername[$i]) ==0){
113               $length = strlen($coordinatorUsername[$i]);
114               if(is_numeric($coordinatorUsername[$i][$length-1])){
115                 $ctr = $coordinatorUsername[$i][$length-1]+1;
116                 $coordinatorUsername[$i] = substr($coordinatorUsername[$i], 0, -1);
117                 $coordinatorUsername[$i] = $coordinatorUsername[$i].$ctr;
118               }
119               else{
120                 $coordinatorUsername[$i] = $coordinatorUsername[$i].'2';
121               }
122             }
123         }
124
125         $_SESSION['coordinatorPassword'][$i] = $this->generatePassword();
126         $coordinatorPassword[$i] =  md5($_SESSION['coordinatorPassword'][$i]);
127
128         //checks if there's a currently activated coor for that college and deactivates him/
              her
129         $queryA = $this->db->query("SELECT * FROM university_coordinator WHERE
              COOR_COLLEGENAME='$coordinatorCollege[$i]'");
130         if ($queryA->num_rows() > 0){
131           foreach ($queryA->result() as $row2){
132             $collegeName = $row2->COOR_COLLEGENAME;
133             $status = $row2->COOR_STATUS;
134             if(strcmp($status,'ACTIVATED')==0){
135
136               $data2 = array(
137                 'COOR_STATUS'=>'DEACTIVATED'
138               );
139               $this->db->where('COOR_COLLEGENAME', $coordinatorCollege[$i]);
140               $this->db->update('university_coordinator', $data2);
141             }
142           }
143         }
144       }
145
146       $_SESSION['coordinatorNo'] = $coordinatorNo;
147       $_SESSION['coordinatorFName'] = $coordinatorFName;
148       $_SESSION['coordinatorLName'] = $coordinatorLName;
149       $_SESSION['coordinatorUsername'] = $coordinatorUsername;
150       $_SESSION['coordinatorCollege'] = $coordinatorCollege;
151
152       for($i=0;$i<count($coordinatorNo);$i++){
153         $data = array(
154           'COOR_ID'=>$coordinatorNo[$i],
155           'COOR_FNAME'=>$coordinatorFName[$i],
156           'COOR_MNAME'=>$coordinatorMName[$i],
157           'COOR_LNAME'=>$coordinatorLName[$i],
158           'COOR_COLLEGENAME'=>$coordinatorCollege[$i],
159           'COOR_OFFICE'=>'OSS',
160           'COOR_USERNAME'=>$coordinatorUsername[$i],
161           'COOR_PASSWORD'=>$coordinatorPassword[$i],
162           'COOR_EMAIL'=>$coordinatorEmail[$i],
163           'COOR_CONTACTNO'=>"",
164           'COOR_STATUS'=>'ACTIVATED'
165         );
166         $this->db->insert('university_coordinator',$data);
167       }
```

```
168
169     }
170
171     function submit_studentOrganization(){
172       $studOrgName = $_POST['studOrgName'];
173       $studOrgFoundingDate = $_POST['studOrgFoundingDate'];
174       $studOrgCategory = $_POST['studOrgCategory'];
175       $studOrgAcronym = $_POST['studOrgAcronym'];
176       $studOrgEmail = $_POST['studOrgEmail'];
177       $studOrgAdviser = $_POST['studOrgAdviser'];
178
179       $query = $this->db->query("SELECT * FROM student_organization");
180       $idCtr =  $query->num_rows() + 1;
181
182       $_SESSION['studOrgName'] = $studOrgName;
183       $_SESSION['studOrgFoundingDate'] = $studOrgFoundingDate;
184       $_SESSION['studOrgCategory'] = $studOrgCategory;
185       $_SESSION['studOrgAcronym'] = $studOrgAcronym;
186       $_SESSION['studOrgEmail'] = $studOrgEmail;
187       $_SESSION['studOrgAdviser'] = $studOrgAdviser;
188
189       for($i=0;$i<count($studOrgName);$i++){
190         $data = array(
191           'STUDORG_ID'=>$idCtr,
192           'STUDORG_NAME'=>$studOrgName[$i],
193           'STUDORG_TYPE'=>'UNIVERSITY-BASED',
194           'STUDORG_FOUNDINGDATE'=>$studOrgFoundingDate[$i],
195           'STUDORG_DESCRIPTION'=>"",
196           'STUDORG_ACRONYM'=>$studOrgAcronym[$i],
197           'STUDORG_CATEGORY'=>$studOrgCategory[$i],
198           'STUDORG_EMAIL'=>$studOrgEmail[$i],
199           'STUDORG_ADVISER'=>$studOrgAdviser[$i],
200           'STUDORG_COLLEGENAME'=>"NA",
201           'STUDORG_STATUS'=>"ACTIVATED"
202         );
203         $_SESSION['studOrgID'][$i] = $idCtr;
204         $idCtr++;
205         $this->db->insert('student_organization',$data);
206       }
207     }
208
209     function fetchAllStudent(){
210       $adminOrgCtr = 0;
211       $adminOrgIDList = array();
212       $adminOrgNameList = array();
213
214       $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_TYPE='
              UNIVERSITY-BASED'");
215       if ($query->num_rows() > 0){
216         foreach ($query->result() as $row){
217           $adminOrgIDList[$adminOrgCtr] = $row->STUDORG_ID;
218           $adminOrgNameList[$adminOrgCtr] = $row->STUDORG_NAME;
219           $adminOrgCtr++;
220         }
221       }
222
223       $_SESSION['adminOrgIDList'] = $adminOrgIDList;
224       $_SESSION['adminOrgNameList'] = $adminOrgNameList;
225       $_SESSION['adminOrgCtrList'] = $adminOrgCtr;
226
227       $allStudentCtr = 0;
228       $allStudentID = array();
229       $allStudentNames = array();
230
231       $query = $this->db->query("SELECT * FROM student WHERE STUD_STATUS='ACTIVATED'");
232       if ($query->num_rows() > 0){
233         foreach ($query->result() as $row){
234           $allStudentID[$allStudentCtr] = $row->STUD_NUMBER;
235           $allStudentName[$allStudentCtr] = $row->STUD_FNAME .' '. $row->STUD_LNAME;
236           $allStudentCtr++;
237         }
238       }
239
240       $_SESSION['allStudentCtr'] = $allStudentCtr;
241       $_SESSION['allStudentID'] = $allStudentID;
242       $_SESSION['allStudentName'] = $allStudentName;
243     }
244
245     function viewListOfUsers(){
246       unset($_SESSION['viewListUser']);
247       $_SESSION['viewListUser'] = 'none';
248
249
250       $studCourseCtr = 0;
251
252       $query = $this->db->query("SELECT DISTINCT STUD_COURSE FROM student");
253       if ($query->num_rows() > 0){
254         foreach ($query->result() as $row){
255           $studCourseList[$studCourseCtr] = $row->STUD_COURSE;
256           $studCourseCtr++;
257         }
258       }
259
260       $_SESSION['studCourseListVIEW'] = $studCourseList;
261       $_SESSION['studCourseCtrVIEW'] = $studCourseCtr;
262
263       $adminOrgCtr = 0;
264
265       $query = $this->db->query("SELECT STUDORG_NAME FROM student_organization WHERE
```

```
            STUDORG_TYPE='UNIVERSITY-BASED'");
266         if ($query->num_rows() > 0){
267           foreach ($query->result() as $row){
268             $adminOrgList[$adminOrgCtr] = $row->STUDORG_NAME;
269             $adminOrgCtr++;
270           }
271         }
272
273         $_SESSION['adminOrgListVIEW'] = $adminOrgList;
274         $_SESSION['adminOrgCtrVIEW'] = $adminOrgCtr;
275
276         if($_SERVER['REQUEST_METHOD'] == 'POST') {
277           $viewListUserType = 'Student Organization Admin';
278           $_SESSION['viewListUserType'] = $viewListUserType;
279           $_SESSION['viewListUser'] = $viewListUserType;
280
281           if($viewListUserType == 'Student'){
282             $viewListStudentCourse = $_POST['viewListStudentCourse'];
283             $_SESSION['viewListStudentCourse'] = $viewListStudentCourse;
284
285             $studCtr = 0;
286
287             $studListID = array();
288             $studListFName = array();
289             $studListLName = array();
290             $studListYear = array();
291
292             $query = $this->db->query("SELECT * FROM student WHERE STUD_COURSE='
                    $viewListStudentCourse' AND STUD_STATUS='ACTIVATED'");
293             if ($query->num_rows() > 0){
294               foreach ($query->result() as $row){
295                 $studListID[$studCtr] = $row->STUD_NUMBER;
296                 $studListFName[$studCtr] = $row->STUD_FNAME;
297                 $studListLName[$studCtr] = $row->STUD_LNAME;
298                 $studListYear[$studCtr] = $row->STUD_YEAR;
299                 $studCtr++;
300               }
301             }
302
303               $_SESSION['studCtrVIEW'] = $studCtr;
304               $_SESSION['studListIDVIEW'] = $studListID;
305               $_SESSION['studListFNameVIEW'] = $studListFName;
306               $_SESSION['studListLNameVIEW'] = $studListLName;
307               $_SESSION['studListYearVIEW'] = $studListYear;
308
309           }
310           else if($viewListUserType == 'OSS Coordinator'){
311             $coorCtr = 0;
312
313             $coorListID = array();
314             $coorListFName = array();
315             $coorListLName = array();
316             $coorListCollege = array();
317
318             $query = $this->db->query("SELECT * FROM university_coordinator WHERE COOR_OFFICE='
                    OSS' AND COOR_STATUS='ACTIVATED'");
319             if ($query->num_rows() > 0){
320               foreach ($query->result() as $row){
321                 $coorListID[$coorCtr] = $row->COOR_ID;
322                 $coorListFName[$coorCtr] = $row->COOR_FNAME;
323                 $coorListLName[$coorCtr] = $row->COOR_LNAME;
324                 $coorListCollege[$coorCtr] = $this->renameCollege($row->COOR_COLLEGENAME);
325                 $coorCtr++;
326               }
327             }
328
329             $_SESSION['coorCtrVIEW'] = $coorCtr;
330             $_SESSION['coorListIDVIEW'] = $coorListID;
331             $_SESSION['coorListFNameVIEW'] = $coorListFName;
332             $_SESSION['coorListLNameVIEW'] = $coorListLName;
333             $_SESSION['coorListCollegeVIEW'] = $coorListCollege;
334           }
335           else if($viewListUserType == 'Student Organization'){
336             $orgCtr = 0;
337
338             $orgListID = array();
339             $orgListName = array();
340             $orgListDesc = array();
341
342             $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
                    ACTIVATED' AND STUDORG_TYPE='UNIVERSITY-BASED'");
343             if ($query->num_rows() > 0){
344               foreach ($query->result() as $row){
345                 $orgListID[$orgCtr] = $row->STUDORG_ID;
346                 $orgListName[$orgCtr] = $row->STUDORG_NAME;
347                 $orgListDesc[$orgCtr] = $row->STUDORG_DESCRIPTION;
348                 $orgCtr++;
349               }
350             }
351
352             $_SESSION['orgCtrVIEW'] = $orgCtr;
353             $_SESSION['orgListIDVIEW'] = $orgListID;
354             $_SESSION['orgListNameVIEW'] = $orgListName;
355             $_SESSION['orgListDescVIEW'] = $orgListDesc;
356           }
357           else{
358             $viewListOrgOfAdmin = $_POST['viewListOrgOfAdmin'];
359             $_SESSION['viewListOrgOfAdmin'] = $viewListOrgOfAdmin;
360
```

```
361             $adminCtr = 0;
362
363             $adminListID = array();
364             $adminListFName = array();
365             $adminListLName = array();
366             $adminListPosition = array();
367
368             $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                    STUDORG_NAME='$viewListOrgOfAdmin' AND STUDORG_ADMIN='YES'");
369             if ($query->num_rows() > 0){
370               foreach ($query->result() as $row){
371                 $adminListID[$adminCtr] = $row->STUD_NUMBER;
372                 $adminListFName[$adminCtr] = $row->STUD_FNAME;
373                 $adminListLName[$adminCtr] = $row->STUD_LNAME;
374                 $adminListPosition[$adminCtr] = $row->STUDORG_POSITION;
375                 $adminCtr++;
376               }
377             }
378
379             $_SESSION['adminCtrVIEW'] = $adminCtr;
380             $_SESSION['adminListIDVIEW'] = $adminListID;
381             $_SESSION['adminListFNameVIEW'] = $adminListFName;
382             $_SESSION['adminListLNameVIEW'] = $adminListLName;
383             $_SESSION['adminListPositionVIEW'] = $adminListPosition;
384
385           }
386         }
387       }
388
389       function searchUser(){
390         unset($_SESSION['viewUser']);
391
392         $username = $_SESSION['userUsername'];
393         $password = $_SESSION['userPassword'];
394         $coorType = $_SESSION['role'];
395
396         $_SESSION['viewUser'] = 'none';
397
398         $studCourseCtr = 0;
399
400         $query = $this->db->query("SELECT DISTINCT STUD_COURSE FROM student");
401         if ($query->num_rows() > 0){
402           foreach ($query->result() as $row){
403             $studCourseList[$studCourseCtr] = $row->STUD_COURSE;
404             $studCourseCtr++;
405           }
406         }
407
408         $_SESSION['studCourseList'] = $studCourseList;
409         $_SESSION['studCourseCtr'] = $studCourseCtr;
410
411         $adminOrgCtr = 0;
412
413         $query = $this->db->query("SELECT STUDORG_NAME FROM student_organization WHERE
                    STUDORG_STATUS='ACTIVATED' AND STUDORG_TYPE='UNIVERSITY-BASED'");
414         if ($query->num_rows() > 0){
415           foreach ($query->result() as $row){
416             $adminOrgList[$adminOrgCtr] = $row->STUDORG_NAME;
417             $adminOrgCtr++;
418           }
419         }
420
421         $_SESSION['adminOrgList'] = $adminOrgList;
422         $_SESSION['adminOrgCtr'] = $adminOrgCtr;
423
424         if($_SERVER['REQUEST_METHOD'] == 'POST') {
425           if(!empty($_POST['selectedUserType'])){
426             $selectedUserType = $_POST['selectedUserType'];
427             $_SESSION['selectedUserType'] = $selectedUserType;
428             $nameToSearch = strtolower($_POST['nameToSearch']);
429             $_SESSION['nameToSearch'] = $_POST['nameToSearch'];
430             $_SESSION['viewUser'] = $selectedUserType;
431
432             if($selectedUserType == 'Student'){
433               $searchStudentBy = $_POST['searchStudentBy'];
434               $_SESSION['searchStudentBy'] = $searchStudentBy;
435               $selectedOption = $_POST['selectedOption'];
436               $_SESSION['selectedOption'] = $selectedOption;
437
438               $studCtrTemp = 0;
439               $studCtr = 0;
440
441               $studListID = array();
442               $studListIDTemp = array();
443               $studListFName = array();
444               $studListLName = array();
445               $studListNameTemp = array();
446               $studListYear = array();
447               $studListCourse = array();
448               $studListUsername = array();
449               $studListStatus = array();
450               $idToSearch = 'none';
451
452               if($nameToSearch != ''){
453                 if($searchStudentBy == 'Year'){
454                   $query = $this->db->query("SELECT * FROM student WHERE STUD_YEAR='
                          $selectedOption'");
455                 }
456                 else if($searchStudentBy == 'Course'){
```

```
457                 $query = $this->db->query("SELECT * FROM student WHERE STUD_COURSE='
                        $selectedOption'");
458               }
459               else{
460                 $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                        STUDORG_NAME='$selectedOption'");
461               }
462                 if ($query->num_rows() > 0){
463                   foreach ($query->result() as $row){
464                     $studListIDTemp[$studCtrTemp] = $row->STUD_NUMBER;
465                     $studListNameTemp[$studCtrTemp] = strtolower($row->STUD_FNAME).' '.
                            strtolower($row->STUD_LNAME);
466                     $studCtrTemp++;
467                   }
468                 }
469
470               if($studCtrTemp > 0){
471                 for($i=0; $i < $studCtrTemp; $i++){
472                   if(strpos($studListNameTemp[$i], $nameToSearch) !== FALSE){
473                     $idToSearch = $studListIDTemp[$i];
474                     $query = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='
                            $idToSearch'");
475                     if ($query->num_rows() > 0){
476                       foreach ($query->result() as $row){
477                         $studListID[$studCtr] = $row->STUD_NUMBER;
478                         $studListFName[$studCtr] = $row->STUD_FNAME;
479                         $studListLName[$studCtr] = $row->STUD_LNAME;
480                         $studListYear[$studCtr] = $row->STUD_YEAR;
481                         $studListCourse[$studCtr] = $row->STUD_COURSE;
482                         $studListUsername[$studCtr] = $row->STUD_USERNAME;
483                         $studListStatus[$studCtr] = $row->STUD_STATUS;
484                         $studCtr++;
485                       }
486                     }
487                   }
488                 }
489               }
490             }
491             else{
492               if($searchStudentBy == 'Year'){
493                 $query = $this->db->query("SELECT * FROM student WHERE STUD_YEAR='
                        $selectedOption'");
494                     if ($query->num_rows() > 0){
495                       foreach ($query->result() as $row){
496                         $studListID[$studCtr] = $row->STUD_NUMBER;
497                         $studListFName[$studCtr] = $row->STUD_FNAME;
498                         $studListLName[$studCtr] = $row->STUD_LNAME;
499                         $studListYear[$studCtr] = $row->STUD_YEAR;
500                         $studListCourse[$studCtr] = $row->STUD_COURSE;
501                         $studListUsername[$studCtr] = $row->STUD_USERNAME;
502                         $studListStatus[$studCtr] = $row->STUD_STATUS;
503                         $studCtr++;
504                       }
505                     }
506               }
507               else if($searchStudentBy == 'Course'){
508                 $query = $this->db->query("SELECT * FROM student WHERE STUD_COURSE='
                        $selectedOption'");
509                     if ($query->num_rows() > 0){
510                       foreach ($query->result() as $row){
511                         $studListID[$studCtr] = $row->STUD_NUMBER;
512                         $studListFName[$studCtr] = $row->STUD_FNAME;
513                         $studListLName[$studCtr] = $row->STUD_LNAME;
514                         $studListYear[$studCtr] = $row->STUD_YEAR;
515                         $studListCourse[$studCtr] = $row->STUD_COURSE;
516                         $studListUsername[$studCtr] = $row->STUD_USERNAME;
517                         $studListStatus[$studCtr] = $row->STUD_STATUS;
518                         $studCtr++;
519                       }
520                     }
521               }
522               else{
523                 $query2 = $this->db->query("SELECT * FROM student_organization_member WHERE
                        STUDORG_NAME='$selectedOption'");
524                 if ($query2->num_rows() > 0){
525                       foreach ($query2->result() as $row2){
526                         $studNum = $row2->STUD_NUMBER;
527                         $query = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='
                                $studNum'");
528                           if ($query->num_rows() > 0){
529                             foreach ($query->result() as $row){
530                               $studListID[$studCtr] = $row->STUD_NUMBER;
531                               $studListFName[$studCtr] = $row->STUD_FNAME;
532                               $studListLName[$studCtr] = $row->STUD_LNAME;
533                               $studListYear[$studCtr] = $row->STUD_YEAR;
534                               $studListCourse[$studCtr] = $row->STUD_COURSE;
535                               $studListUsername[$studCtr] = $row->STUD_USERNAME;
536                               $studListStatus[$studCtr] = $row->STUD_STATUS;
537                               $studCtr++;
538                             }
539                           }
540                       }
541                     }
542               }
543
544             }
545               $_SESSION['studCtr'] = $studCtr;
546               $_SESSION['studListID'] = $studListID;
547               $_SESSION['studListFName'] = $studListFName;
```

```
548                 $_SESSION['studListLName'] = $studListLName;
549                 $_SESSION['studListUsername'] = $studListUsername;
550                 $_SESSION['studListYear'] = $studListYear;
551                 $_SESSION['studListCourse'] = $studListCourse;
552                 $_SESSION['studListStatus'] = $studListStatus;
553
554               }
555               else if($selectedUserType == 'OSS Coordinator'){
556                 $selectedCoorCollege = $_POST['selectedCoorCollege'];
557                 $_SESSION['selectedCoorCollege'] = $selectedCoorCollege;
558
559                 $coorCtrTemp = 0;
560                 $coorCtr = 0;
561                 $idToSearchCtr = 0;
562
563                 $coorListID = array();
564                 $coorListIDTemp = array();
565                 $coorListFName = array();
566                 $coorListLName = array();
567                 $coorListNameTemp = array();
568                 $coorListUsername = array();
569                 $coorListStatus = array();
570                 $coorListCollege = array();
571                 $idToSearch = 'none';
572
573                 $query = $this->db->query("SELECT * FROM university_coordinator WHERE COOR_OFFICE
                        ='OSS' AND COOR_COLLEGENAME='$selectedCoorCollege'");
574                 if ($query->num_rows() > 0){
575                   foreach ($query->result() as $row){
576                     $coorListIDTemp[$coorCtrTemp] = $row->COOR_ID;
577                     $coorListNameTemp[$coorCtrTemp] = strtolower($row->COOR_FNAME).' '.strtolower(
                            $row->COOR_LNAME);
578                     $coorCtrTemp++;
579                   }
580                 }
581
582                 if($coorCtrTemp > 0){
583                   for($i=0; $i < $coorCtrTemp; $i++){
584                     if($nameToSearch != ''){
585                       if(strpos($coorListNameTemp[$i], $nameToSearch) !== FALSE){
586                         $idToSearch = $coorListIDTemp[$i];
587                         $query = $this->db->query("SELECT * FROM university_coordinator WHERE
                                COOR_ID='$idToSearch' AND COOR_COLLEGENAME='$selectedCoorCollege'");
588                         if ($query->num_rows() > 0){
589                           foreach ($query->result() as $row){
590                             $coorListID[$coorCtr] = $row->COOR_ID;
591                             $coorListFName[$coorCtr] = $row->COOR_FNAME;
592                             $coorListLName[$coorCtr] = $row->COOR_LNAME;
593                             $coorListUsername[$coorCtr] = $row->COOR_USERNAME;
594                             $coorListStatus[$coorCtr] = $row->COOR_STATUS;
595                             $coorListCollege[$coorCtr] = $this->renameCollege($row->
                                    COOR_COLLEGENAME);
596                             $coorCtr++;
597                           }
598                         }
599                       }
600                     }
601                     else{
602                       $idToSearch = $coorListIDTemp[$i];
603                       $query = $this->db->query("SELECT * FROM university_coordinator WHERE
                              COOR_ID='$idToSearch' AND COOR_COLLEGENAME='$selectedCoorCollege'");
604                       if ($query->num_rows() > 0){
605                         foreach ($query->result() as $row){
606                           $coorListID[$coorCtr] = $row->COOR_ID;
607                           $coorListFName[$coorCtr] = $row->COOR_FNAME;
608                           $coorListLName[$coorCtr] = $row->COOR_LNAME;
609                           $coorListUsername[$coorCtr] = $row->COOR_USERNAME;
610                           $coorListStatus[$coorCtr] = $row->COOR_STATUS;
611                           $coorListCollege[$coorCtr] = $this->renameCollege($row->
                                  COOR_COLLEGENAME);
612                           $coorCtr++;
613                         }
614                       }
615                     }
616                   }
617                 }
618                 $_SESSION['coorCtr'] = $coorCtr;
619                 $_SESSION['coorListID'] = $coorListID;
620                 $_SESSION['coorListFName'] = $coorListFName;
621                 $_SESSION['coorListLName'] = $coorListLName;
622                 $_SESSION['coorListUsername'] = $coorListUsername;
623                 $_SESSION['coorListStatus'] = $coorListStatus;
624                 $_SESSION['coorListCollege'] = $coorListCollege;
625               }
626               else if($selectedUserType == 'Student Organization'){
627                 $orgCtr = 0;
628                 $ctr=0;
629                 $orgListID = array();
630                 $orgListName = array();
631                 $orgListDesc = array();
632                 $orgListFoundingDate = array();
633                 $orgListStatus = array();
634
635
636                 $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_TYPE='
                        UNIVERSITY-BASED'");
637                 if ($query->num_rows() > 0){
638                   foreach ($query->result() as $row){
639                     if($nameToSearch != ''){
```

```
640                     $orgNameTemp = strtolower($row->STUDORG_NAME . $row->STUDORG_ACRONYM);
641                     if(strpos($orgNameTemp, $nameToSearch) !== false){
642                       $orgListID[$orgCtr] = $row->STUDORG_ID;
643                       $orgListName[$orgCtr] = $row->STUDORG_NAME;
644                       $orgListDesc[$orgCtr] = $row->STUDORG_DESCRIPTION;
645                       $orgListStatus[$orgCtr] = $row->STUDORG_STATUS;
646                       $orgListFoundingDate[$orgCtr] = $row->STUDORG_FOUNDINGDATE;
647                       $orgCtr++;
648                     }
649                   }
650                   else{
651                       $orgListID[$orgCtr] = $row->STUDORG_ID;
652                       $orgListName[$orgCtr] = $row->STUDORG_NAME;
653                       $orgListDesc[$orgCtr] = $row->STUDORG_DESCRIPTION;
654                       $orgListStatus[$orgCtr] = $row->STUDORG_STATUS;
655                       $orgListFoundingDate[$orgCtr] = $row->STUDORG_FOUNDINGDATE;
656                       $orgCtr++;
657                   }
658                 }
659               }
660
661               $_SESSION['orgCtr'] = $orgCtr;
662               $_SESSION['orgListID'] = $orgListID;
663               $_SESSION['orgListName'] = $orgListName;
664               $_SESSION['orgListDesc'] = $orgListDesc;
665               $_SESSION['orgListStatus'] = $orgListStatus;
666               $_SESSION['orgListFoundingDate'] = $orgListFoundingDate;
667             }
668             else{
669               $selectedOrgOfAdmin = $_POST['selectedOrgOfAdmin'];
670               $_SESSION['selectedOrgOfAdmin'] = $selectedOrgOfAdmin;
671
672               $adminCtrTemp = 0;
673               $adminCtr = 0;
674
675               $adminListID = array();
676               $adminListIDTemp = array();
677               $adminListFName = array();
678               $adminListLName = array();
679               $adminListNameTemp = array();
680               $adminListStatus = array();
681               $adminListPosition = array();
682               $idToSearch = 'none';
683
684               $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                       STUDORG_NAME='$selectedOrgOfAdmin' AND STUDORG_ADMIN='YES'");
685               if ($query->num_rows() > 0){
686                 foreach ($query->result() as $row){
687                   $adminListIDTemp[$adminCtrTemp] = $row->STUD_NUMBER;
688                   $adminListNameTemp[$adminCtrTemp] = strtolower($row->STUD_FNAME).' '.
                           strtolower($row->STUD_LNAME);
689                   $adminCtrTemp++;
690                 }
691               }
692
693               if($adminCtrTemp > 0){
694                 for($i=0; $i < $adminCtrTemp; $i++){
695                   if($nameToSearch != ''){
696                     if(strpos($adminListNameTemp[$i], $nameToSearch) !== FALSE){
697                       $idToSearch = $adminListIDTemp[$i];
698                       $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                               STUD_NUMBER='$idToSearch' AND STUDORG_NAME='$selectedOrgOfAdmin' AND
                               STUDORG_ADMIN='YES'");
699                       if ($query->num_rows() > 0){
700                         foreach ($query->result() as $row){
701                           $adminListID[$adminCtr] = $row->STUD_NUMBER;
702                           $adminListFName[$adminCtr] = $row->STUD_FNAME;
703                           $adminListLName[$adminCtr] = $row->STUD_LNAME;
704                           $adminListPosition[$adminCtr] = $row->STUDORG_POSITION;
705                           $adminListStatus[$adminCtr] = $row->MEMBERSHIP_STATUS;
706                           $adminCtr++;
707                         }
708                       }
709                     }
710                   }
711                   else{
712                     $idToSearch = $adminListIDTemp[$i];
713                     $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                             STUD_NUMBER='$idToSearch' AND STUDORG_NAME='$selectedOrgOfAdmin' AND
                             STUDORG_ADMIN='YES'");
714                     if ($query->num_rows() > 0){
715                       foreach ($query->result() as $row){
716                         $adminListID[$adminCtr] = $row->STUD_NUMBER;
717                         $adminListFName[$adminCtr] = $row->STUD_FNAME;
718                         $adminListLName[$adminCtr] = $row->STUD_LNAME;
719                         $adminListPosition[$adminCtr] = $row->STUDORG_POSITION;
720                         $adminListStatus[$adminCtr] = $row->MEMBERSHIP_STATUS;
721                         $adminCtr++;
722                       }
723                     }
724                   }
725                 }
726               }
727               $_SESSION['adminCtr'] = $adminCtr;
728               $_SESSION['adminListID'] = $adminListID;
729               $_SESSION['adminListFName'] = $adminListFName;
730               $_SESSION['adminListLName'] = $adminListLName;
731               $_SESSION['adminListPosition'] = $adminListPosition;
732               $_SESSION['adminListStatus'] = $adminListStatus;
```

```
733
734             }
735           }
736         }
737       }
738
739       function viewUserProfile(){
740         session_start();
741         $userToView = $_POST['userToView'];
742         if($_SESSION['viewUser'] == 'Student'){
743           $query = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$userToView'");
744             if ($query->num_rows() > 0){
745               foreach ($query->result() as $row){
746                 $_SESSION['viewUserID'] = $row->STUD_NUMBER;
747                 $_SESSION['viewUserFName'] = $row->STUD_FNAME;
748                 $_SESSION['viewUserMName'] = $row->STUD_MNAME;
749                 $_SESSION['viewUserLName'] = $row->STUD_LNAME;
750                 $_SESSION['viewUserYear'] = $row->STUD_YEAR;
751                 $_SESSION['viewUserCourse'] = $row->STUD_COURSE;
752                 $_SESSION['viewUserUsername'] = $row->STUD_USERNAME;
753                 $_SESSION['viewUserStatus'] = $row->STUD_STATUS;
754                 $_SESSION['viewUserEmail'] = $row->STUD_EMAIL;
755                 $_SESSION['viewUserContactNo'] = $row->STUD_CONTACTNO;
756                 $_SESSION['viewUserAlumni'] = $row->STUD_ALUMNI;
757               }
758             }
759         }
760         else if($_SESSION['viewUser'] == 'OSS Coordinator'){
761           $query = $this->db->query("SELECT * FROM university_coordinator WHERE COOR_ID='
                  $userToView'");
762             if ($query->num_rows() > 0){
763               foreach ($query->result() as $row){
764                 $_SESSION['viewUserID'] = $row->COOR_ID;
765                 $_SESSION['viewUserFName'] = $row->COOR_FNAME;
766                 $_SESSION['viewUserMName'] = $row->COOR_MNAME;
767                 $_SESSION['viewUserLName'] = $row->COOR_LNAME;
768                 $_SESSION['viewUserUsername'] = $row->COOR_USERNAME;
769                 $_SESSION['viewUserStatus'] = $row->COOR_STATUS;
770                 $_SESSION['viewUserEmail'] = $row->COOR_EMAIL;
771                 $_SESSION['viewUserContactNo'] = $row->COOR_CONTACTNO;
772                 $_SESSION['viewUserCollege'] = $row->COOR_COLLEGENAME;
773               }
774             }
775         }
776         else if($_SESSION['viewUser'] == 'Student Organization'){
777           $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
                  $userToView'");
778             if ($query->num_rows() > 0){
779               foreach ($query->result() as $row){
780                 $_SESSION['viewUserID'] = $row->STUDORG_ID;
781                 $_SESSION['viewUserName'] = $row->STUDORG_NAME;
782                 $_SESSION['viewUserAcronym'] = $row->STUDORG_ACRONYM;
783                 $_SESSION['viewUserCategory'] = $row->STUDORG_CATEGORY;
784                 $_SESSION['viewUserAdviser'] = $row->STUDORG_ADVISER;
785                 $_SESSION['viewUserEmail'] = $row->STUDORG_EMAIL;
786                 $_SESSION['viewUserDesc'] = $row->STUDORG_DESCRIPTION;
787                 $_SESSION['viewUserStatus'] = $row->STUDORG_STATUS;
788                 $_SESSION['viewUserFoundingDate'] = $row->STUDORG_FOUNDINGDATE;
789               }
790             }
791         }
792         else{
793           $orgOfAdminToView = $_POST['orgOfAdminToView'];
794           $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUD_NUMBER
                  ='$userToView' AND STUDORG_NAME='$orgOfAdminToView' AND STUDORG_ADMIN='YES'");
795             if ($query->num_rows() > 0){
796               foreach ($query->result() as $row){
797                 $_SESSION['viewUserID'] = $row->STUD_NUMBER;
798                 $_SESSION['viewUserFName'] = $row->STUD_FNAME;
799                 $_SESSION['viewUserMName'] = $row->STUD_MNAME;
800                 $_SESSION['viewUserLName'] = $row->STUD_LNAME;
801                 $_SESSION['viewUserOrgName'] = $row->STUDORG_NAME;
802                 $_SESSION['viewUserPosition'] = $row->STUDORG_POSITION;
803                 $_SESSION['viewUserMembershipDate'] = $row->MEMBERSHIP_STARTDATE;
804
805               }
806             }
807         }
808       }
809
810       function activateUserSearch(){
811         unset($_SESSION['activateUser']);
812         $_SESSION['activateUser'] = 'none';
813
814         $studCourseCtr = 0;
815         $studCourseList = array();
816
817         $query = $this->db->query("SELECT DISTINCT STUD_COURSE FROM student");
818         if ($query->num_rows() > 0){
819           foreach ($query->result() as $row){
820             $studCourseList[$studCourseCtr] = $row->STUD_COURSE;
821             $studCourseCtr++;
822           }
823         }
824
825         $_SESSION['studCourseListACT'] = $studCourseList;
826         $_SESSION['studCourseCtrACT'] = $studCourseCtr;
827
828         $collegeCtr = 0;
```

```
829         $occupiedColleges = array();
830
831         $query = $this->db->query("SELECT * FROM university_coordinator WHERE COOR_OFFICE='OSS'
                AND COOR_STATUS='ACTIVATED'");
832         if ($query->num_rows() > 0){
833           foreach ($query->result() as $row){
834             $occupiedColleges[$collegeCtr] = $row->COOR_COLLEGENAME;
835             $collegeCtr++;
836             }
837         }
838
839         $_SESSION['collegeCtr'] = $collegeCtr;
840         $_SESSION['occupiedColleges'] = $occupiedColleges;
841
842
843         if($_SERVER['REQUEST_METHOD'] == 'POST') {
844           $userTypeToActivate = $_POST['userTypeToActivate'];
845           $_SESSION['userTypeToActivate'] = $_POST['userTypeToActivate'];
846           $nameToActivate = strtolower($_POST['nameToActivate']);
847           $_SESSION['nameToActivate'] = $_POST['nameToActivate'];
848           $_SESSION['activateUser'] = $userTypeToActivate;
849
850           if($userTypeToActivate == 'Student'){
851             $activateStudentBy = $_POST['activateStudentBy'];
852             $_SESSION['activateStudentBy'] = $activateStudentBy;
853             $selectedOption = $_POST['selectedOption'];
854             $_SESSION['selectedOption'] = $selectedOption;
855
856             $studCtrTemp = 0;
857             $studCtr = 0;
858
859             $studListID = array();
860             $studListIDTemp = array();
861             $studListFName = array();
862             $studListLName = array();
863             $studListNameTemp = array();
864             $studListYear = array();
865             $studListCourse = array();
866             $studListUsername = array();
867             $studListStatus = array();
868             $idToSearch = 'none';
869
870             if($nameToActivate != ''){
871               if($activateStudentBy == 'Year'){
872                 $query = $this->db->query("SELECT * FROM student WHERE STUD_YEAR='
                        $selectedOption'");
873               }
874               else if($activateStudentBy == 'Course'){
875                 $query = $this->db->query("SELECT * FROM student WHERE STUD_COURSE='
                        $selectedOption'");
876               }
877               else{
878                 $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                        STUDORG_NAME='$selectedOption'");
879               }
880                 if ($query->num_rows() > 0){
881                   foreach ($query->result() as $row){
882                     $studListIDTemp[$studCtrTemp] = $row->STUD_NUMBER;
883                     $studListNameTemp[$studCtrTemp] = strtolower($row->STUD_FNAME).' '.
                            strtolower($row->STUD_LNAME);
884                     $studCtrTemp++;
885                   }
886                 }
887
888               if($studCtrTemp > 0){
889                 for($i=0; $i < $studCtrTemp; $i++){
890                   if(strpos($studListNameTemp[$i], $nameToActivate) !== FALSE){
891                     $idToSearch = $studListIDTemp[$i];
892                     $query = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='
                            $idToSearch'");
893                     if ($query->num_rows() > 0){
894                       foreach ($query->result() as $row){
895                         $studListID[$studCtr] = $row->STUD_NUMBER;
896                         $studListFName[$studCtr] = $row->STUD_FNAME;
897                         $studListLName[$studCtr] = $row->STUD_LNAME;
898                         $studListYear[$studCtr] = $row->STUD_YEAR;
899                         $studListCourse[$studCtr] = $row->STUD_COURSE;
900                         $studListUsername[$studCtr] = $row->STUD_USERNAME;
901                         $studListStatus[$studCtr] = $row->STUD_STATUS;
902                         $studCtr++;
903                       }
904                     }
905                   }
906                 }
907               }
908             }
909             else{
910               if($activateStudentBy == 'Year'){
911                 $query = $this->db->query("SELECT * FROM student WHERE STUD_YEAR='
                        $selectedOption'");
912                     if ($query->num_rows() > 0){
913                       foreach ($query->result() as $row){
914                         $studListID[$studCtr] = $row->STUD_NUMBER;
915                         $studListFName[$studCtr] = $row->STUD_FNAME;
916                         $studListLName[$studCtr] = $row->STUD_LNAME;
917                         $studListYear[$studCtr] = $row->STUD_YEAR;
918                         $studListCourse[$studCtr] = $row->STUD_COURSE;
919                         $studListUsername[$studCtr] = $row->STUD_USERNAME;
920                         $studListStatus[$studCtr] = $row->STUD_STATUS;
```

```
921                         $studCtr++;
922                       }
923                     }
924               }
925               else if($activateStudentBy == 'Course'){
926                 $query = $this->db->query("SELECT * FROM student WHERE STUD_COURSE='
                        $selectedOption'");
927                     if ($query->num_rows() > 0){
928                       foreach ($query->result() as $row){
929                         $studListID[$studCtr] = $row->STUD_NUMBER;
930                         $studListFName[$studCtr] = $row->STUD_FNAME;
931                         $studListLName[$studCtr] = $row->STUD_LNAME;
932                         $studListYear[$studCtr] = $row->STUD_YEAR;
933                         $studListCourse[$studCtr] = $row->STUD_COURSE;
934                         $studListUsername[$studCtr] = $row->STUD_USERNAME;
935                         $studListStatus[$studCtr] = $row->STUD_STATUS;
936                         $studCtr++;
937                       }
938                     }
939               }
940               else{
941                 $query2 = $this->db->query("SELECT * FROM student_organization_member WHERE
                        STUDORG_NAME='$selectedOption'");
942                 if ($query2->num_rows() > 0){
943                       foreach ($query2->result() as $row2){
944                         $studNum = $row2->STUD_NUMBER;
945                         $query = $this->db->query("SELECT * FROM student WHERE STUD_NUM='
                                $studNum'");
946                           if ($query->num_rows() > 0){
947                             foreach ($query->result() as $row){
948                               $studListID[$studCtr] = $row->STUD_NUMBER;
949                               $studListFName[$studCtr] = $row->STUD_FNAME;
950                               $studListLName[$studCtr] = $row->STUD_LNAME;
951                               $studListYear[$studCtr] = $row->STUD_YEAR;
952                               $studListCourse[$studCtr] = $row->STUD_COURSE;
953                               $studListUsername[$studCtr] = $row->STUD_USERNAME;
954                               $studListStatus[$studCtr] = $row->STUD_STATUS;
955                               $studCtr++;
956                             }
957                           }
958                       }
959                     }
960               }
961
962             }
963               $_SESSION['studCtrACT'] = $studCtr;
964               $_SESSION['studListIDACT'] = $studListID;
965               $_SESSION['studListFNameACT'] = $studListFName;
966               $_SESSION['studListLNameACT'] = $studListLName;
967               $_SESSION['studListUsernameACT'] = $studListUsername;
968               $_SESSION['studListYearACT'] = $studListYear;
969               $_SESSION['studListCourseACT'] = $studListCourse;
970               $_SESSION['studListStatusACT'] = $studListStatus;
971
972           }
973           else if($userTypeToActivate == 'OSS Coordinator'){
974             $coorCtrTemp = 0;
975             $coorCtr = 0;
976             $idToSearchCtr = 0;
977
978
979             $coorListID = array();
980             $coorListIDTemp = array();
981             $coorListFName = array();
982             $coorListLName = array();
983             $coorListNameTemp = array();
984             $coorListStatus = array();
985             $coorListCollege = array();
986             $coorListCollegeFull = array();
987             $occupiedColleges = array();
988             $idToSearch = 'none';
989
990             if($nameToActivate != ''){
991               $query = $this->db->query("SELECT * FROM university_coordinator WHERE COOR_OFFICE
                      ='OSS'");
992               if ($query->num_rows() > 0){
993                 foreach ($query->result() as $row){
994                   $coorListIDTemp[$coorCtrTemp] = $row->COOR_ID;
995                   $coorListNameTemp[$coorCtrTemp] = strtolower($row->COOR_FNAME).' '.strtolower(
                          $row->COOR_LNAME);
996                   $coorCtrTemp++;
997                 }
998               }
999
1000              if($coorCtrTemp > 0){
1001                for($i=0; $i < $coorCtrTemp; $i++){
1002                  if(strpos($coorListNameTemp[$i], $nameToActivate) !== FALSE){
1003                    $idToSearch = $coorListIDTemp[$i];
1004                    $query = $this->db->query("SELECT * FROM university_coordinator WHERE
                           COOR_ID='$idToSearch'");
1005                    if ($query->num_rows() > 0){
1006                      foreach ($query->result() as $row){
1007                        $coorListID[$coorCtr] = $row->COOR_ID;
1008                        $coorListFName[$coorCtr] = $row->COOR_FNAME;
1009                        $coorListLName[$coorCtr] = $row->COOR_LNAME;
1010                        $coorListStatus[$coorCtr] = $row->COOR_STATUS;
1011                        $coorListCollege[$coorCtr] = $this->renameCollege($row->COOR_COLLEGENAME
                               );
1012                        $coorListCollegeFull[$coorCtr] = $row->COOR_COLLEGENAME;
```

```
1013                        $coorCtr++;
1014                      }
1015                    }
1016                  }
1017                }
1018              }
1019            }
1020            else{
1021              $query = $this->db->query("SELECT * FROM university_coordinator WHERE COOR_OFFICE
                      ='OSS'");
1022              if ($query->num_rows() > 0){
1023                foreach ($query->result() as $row){
1024                        $coorListID[$coorCtr] = $row->COOR_ID;
1025                        $coorListFName[$coorCtr] = $row->COOR_FNAME;
1026                        $coorListLName[$coorCtr] = $row->COOR_LNAME;
1027                        $coorListStatus[$coorCtr] = $row->COOR_STATUS;
1028                        $coorListCollege[$coorCtr] = $this->renameCollege($row->COOR_COLLEGENAME
                              );
1029                        $coorListCollegeFull[$coorCtr] = $row->COOR_COLLEGENAME;
1030                        $coorCtr++;
1031                }
1032              }
1033            }
1034
1035            $_SESSION['coorCtrACT'] = $coorCtr;
1036            $_SESSION['coorListIDACT'] = $coorListID;
1037            $_SESSION['coorListFNameACT'] = $coorListFName;
1038            $_SESSION['coorListLNameACT'] = $coorListLName;
1039            $_SESSION['coorListStatusACT'] = $coorListStatus;
1040            $_SESSION['coorListCollegeACT'] = $coorListCollege;
1041            $_SESSION['coorListCollegeFullACT'] = $coorListCollegeFull;
1042          }
1043          else if($userTypeToActivate == 'Student Organization'){
1044            $orgCtr = 0;
1045            $ctr=0;
1046            $orgListID = array();
1047            $orgListName = array();
1048            $orgListDesc = array();
1049            $orgListFoundingDate = array();
1050            $orgListStatus = array();
1051
1052
1053            $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_TYPE='
                    UNIVERSITY-BASED'");
1054            if ($query->num_rows() > 0){
1055              foreach ($query->result() as $row){
1056                if($nameToActivate != ''){
1057                  $orgNameTemp = strtolower($row->STUDORG_NAME . $row->STUDORG_ACRONYM);
1058                  if(strpos($orgNameTemp, $nameToActivate) !== false){
1059                    $orgListID[$orgCtr] = $row->STUDORG_ID;
1060                    $orgListName[$orgCtr] = $row->STUDORG_NAME;
1061                    $orgListStatus[$orgCtr] = $row->STUDORG_STATUS;
1062                    $orgCtr++;
1063                  }
1064                }
1065                else{
1066                    $orgListID[$orgCtr] = $row->STUDORG_ID;
1067                    $orgListName[$orgCtr] = $row->STUDORG_NAME;
1068                    $orgListStatus[$orgCtr] = $row->STUDORG_STATUS;
1069                    $orgCtr++;
1070                }
1071              }
1072            }
1073
1074            $_SESSION['orgCtrACT'] = $orgCtr;
1075            $_SESSION['orgListIDACT'] = $orgListID;
1076            $_SESSION['orgListNameACT'] = $orgListName;
1077            $_SESSION['orgListStatusACT'] = $orgListStatus;
1078          }
1079        }
1080      }
1081
1082      function activateOrg(){
1083        $status = $_SESSION['changeOrgStatusTo'];
1084        $orgsToChangeStatus = $_POST['orgsToChangeStatus'];
1085
1086        for($i=0; $i<count($orgsToChangeStatus); $i++){
1087          $data = array(
1088            'STUDORG_STATUS'=>$status,
1089          );
1090          $this->db->where('STUDORG_ID', $orgsToChangeStatus[$i]);
1091          $this->db->update('student_organization', $data);
1092
1093          $orgID = $orgsToChangeStatus[$i];
1094          $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID
                  ='$orgID'");
1095              if ($query->num_rows() > 0){
1096                foreach ($query->result() as $row){
1097                  $studNum = $row->STUD_NUMBER;
1098                  $query2 = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studNum'
                          ");
1099                  if ($query2->num_rows() > 0){
1100                    foreach ($query2->result() as $row2){
1101                      if($row2->STUD_ALUMNI == 'YES'){
1102                        $data = array(
1103                          'MEMBERSHIP_STATUS'=>$status,
1104                        );
1105                        $this->db->where('STUD_NUMBER', $studNum);
1106                        $this->db->where('STUDORG_ID', $orgsToChangeStatus[$i]);
```

```
1107                        $this->db->update('student_organization_member', $data);
1108                      }
1109                      if($status == 'DEACTIVATED'){
1110                        $data = array(
1111                          'MEMBERSHIP_STATUS'=>$status,
1112                        );
1113                        $this->db->where('STUD_NUMBER', $studNum);
1114                        $this->db->where('STUDORG_ID', $orgsToChangeStatus[$i]);
1115                        $this->db->update('student_organization_member', $data);
1116                      }
1117                    }
1118                  }
1119                }
1120              }
1121        }
1122
1123        $_SESSION['activateSuccess'] = 1;
1124        $_SESSION['activateStatus'] = $_SESSION['changeOrgStatusTo'];
1125      }
1126
1127      function activateCoor(){
1128        $status = $_SESSION['changeCoorStatusTo'];
1129        $coorsToChangeStatus = $_POST['coorsToChangeStatus'];
1130        $coorCollegeName = $_POST['coorCollegeName'];
1131
1132        //deactivates currently activated coors
1133        if($status == 'ACTIVATED'){
1134          for($i=0; $i<count($coorsToChangeStatus); $i++){
1135            $college = $coorCollegeName[$i];
1136            $query = $this->db->query("SELECT * FROM university_coordinator WHERE
                 COOR_COLLEGENAME='$college' AND COOR_STATUS='ACTIVATED'");
1137            if ($query->num_rows() > 0){
1138              foreach ($query->result() as $row){
1139                $data = array(
1140                  'COOR_STATUS'=>'DEACTIVATED',
1141                );
1142                $this->db->where('COOR_ID', $row->COOR_ID);
1143                $this->db->where('COOR_COLLEGENAME', $college);
1144                $this->db->update('university_coordinator', $data);
1145              }
1146            }
1147          }
1148        }
1149
1150        for($i=0; $i<count($coorsToChangeStatus); $i++){
1151          $data = array(
1152            'COOR_STATUS'=>$status,
1153          );
1154          $this->db->where('COOR_ID', $coorsToChangeStatus[$i]);
1155          $this->db->where('COOR_COLLEGENAME', $coorCollegeName[$i]);
1156          $this->db->update('university_coordinator', $data);
1157        }
1158
1159        $_SESSION['activateSuccess'] = 1;
1160        $_SESSION['activateStatus'] = $_SESSION['changeCoorStatusTo'];
1161      }
1162
1163      function activateStud(){
1164        $status = $_SESSION['changeStudStatusTo'];
1165        $studsToChangeStatus = $_POST['studsToChangeStatus'];
1166        for($i=0; $i<count($studsToChangeStatus); $i++){
1167            date_default_timezone_set('Asia/Manila');
1168            $currentDate = date('Y');
1169            $year = intval($currentDate)-intval(substr($studsToChangeStatus[$i], 0, 4));
1170            switch($year){
1171              case 0: $studentYear = 'I';
1172              break;
1173              case 1: $studentYear = 'I';
1174              break;
1175              case 2: $studentYear = 'II';
1176              break;
1177              case 3: $studentYear = 'III';
1178              break;
1179              case 4: $studentYear = 'IV';
1180              break;
1181              case 5: $studentYear = 'V';
1182              break;
1183            }
1184            if($year > 5){
1185              $studentYear = 'V';
1186            }
1187          $data = array(
1188            'STUD_STATUS'=>$status,
1189            'STUD_YEAR'=>$studentYear
1190          );
1191          $this->db->where('STUD_NUMBER', $studsToChangeStatus[$i]);
1192          $this->db->update('student', $data);
1193        }
1194
1195        $_SESSION['activateSuccess'] = 1;
1196        $_SESSION['activateStatus'] = $_SESSION['changeStudStatusTo'];
1197      }
1198
1199      function generateOrgAdminList(){
1200        $activatedAdminOrgCtr = 0;
1201        $activatedAdminOrgID = array();
1202        $activatedAdminOrgName = array();
1203        $activatedAdminID = array();
1204        $activatedAdminName = array();
```

```
1205        $activatedAdminPosition = array();
1206
1207
1208        $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
                ACTIVATED' AND STUDORG_TYPE='UNIVERSITY-BASED'");
1209        if ($query->num_rows() > 0){
1210          foreach ($query->result() as $row){
1211            $activatedAdminOrgID[$activatedAdminOrgCtr] = $row->STUDORG_ID;
1212            $activatedAdminOrgName[$activatedAdminOrgCtr] = $row->STUDORG_NAME;
1213            $activatedAdminOrgCtr++;
1214          }
1215        }
1216
1217
1218        for($i=0; $i<$activatedAdminOrgCtr; $i++){
1219          $adminCtr = 0;
1220          $studNumTemp = array();
1221          $nameTemp = array();
1222          $positionTemp = array();
1223
1224          $studOrgID = $activatedAdminOrgID[$i];
1225          $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID
                ='$studOrgID' AND STUDORG_ADMIN='YES'");
1226          if ($query->num_rows() > 0){
1227            foreach ($query->result() as $row){
1228              $studNumTemp[$adminCtr] = $row->STUD_NUMBER;
1229              $nameTemp[$adminCtr] = $row->STUD_FNAME . ' '. $row->STUD_LNAME;
1230              $positionTemp[$adminCtr] = $row->STUDORG_POSITION;
1231              $adminCtr++;
1232            }
1233          }
1234          $activatedAdminID[$i] = $studNumTemp;
1235          $activatedAdminName[$i] = $nameTemp;
1236          $activatedAdminPosition[$i] = $positionTemp;
1237        }
1238
1239        $_SESSION['activatedAdminOrgCtr'] = $activatedAdminOrgCtr;
1240        $_SESSION['activatedAdminOrgID'] = $activatedAdminOrgID;
1241        $_SESSION['activatedAdminOrgName'] = $activatedAdminOrgName;
1242        $_SESSION['activatedAdminID'] = $activatedAdminID;
1243        $_SESSION['activatedAdminName'] = $activatedAdminName;
1244        $_SESSION['activatedAdminPosition'] = $activatedAdminPosition;
1245
1246      }
1247
1248      function generateListOfOrgs(){
1249        $activatedOrgCtr = 0;
1250        $activatedOrgID = array();
1251        $activatedOrgName = array();
1252        $activatedOrgFoundingDate = array();
1253        $activatedOrgAcronym = array();
1254        $activatedOrgCategory = array();
1255        $activatedOrgEmail = array();
1256        $activatedOrgAdviser = array();
1257        $activatedOrgAdminArray = array();
1258        $activatedOrgMemberCount = array();
1259        $activatedOrgMembersStudNum = array();
1260        $activatedOrgMembersName = array();
1261        $activatedOrgMembersPosition = array();
1262
1263        $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
                ACTIVATED' AND STUDORG_TYPE='UNIVERSITY-BASED'");
1264        if ($query->num_rows() > 0){
1265          foreach ($query->result() as $row){
1266            $activatedOrgID[$activatedOrgCtr] = $row->STUDORG_ID;
1267            $activatedOrgName[$activatedOrgCtr] = $row->STUDORG_NAME;
1268            $activatedOrgFoundingDate[$activatedOrgCtr] = $row->STUDORG_FOUNDINGDATE;
1269            $activatedOrgAcronym[$activatedOrgCtr] = $row->STUDORG_ACRONYM;
1270            $activatedOrgCategory[$activatedOrgCtr] = $row->STUDORG_CATEGORY;
1271            $activatedOrgEmail[$activatedOrgCtr] = $row->STUDORG_EMAIL;
1272            $activatedOrgAdviser[$activatedOrgCtr] = $row->STUDORG_ADVISER;
1273            $activatedOrgCtr++;
1274          }
1275        }
1276
1277
1278        for($i=0; $i<$activatedOrgCtr; $i++){
1279          $activatedOrgAdmin = array();
1280          $adminCtr = 0;
1281          $studOrgID = $activatedOrgID[$i];
1282          $ctr = 0;
1283          $studNumTemp = array();
1284          $nameTemp = array();
1285          $positionTemp = array();
1286
1287          $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID
                ='$studOrgID' AND MEMBERSHIP_STATUS='ACTIVATED'");
1288          $activatedOrgMemberCount[$i] = $query->num_rows();
1289          if ($query->num_rows() > 0){
1290            foreach ($query->result() as $row){
1291              $studNumTemp[$ctr] = $row->STUD_NUMBER;
1292              $nameTemp[$ctr] = $row->STUD_FNAME . ' '. $row->STUD_LNAME;
1293              $positionTemp[$ctr] = $row->STUDORG_POSITION;
1294              $ctr++;
1295            }
1296          }
1297
1298          $activatedOrgMembersStudNum[$i] = $studNumTemp;
1299          $activatedOrgMembersName[$i] = $nameTemp;
```

```
1300          $activatedOrgMembersPosition[$i] = $positionTemp;
1301
1302
1303          $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID
                  ='$studOrgID' AND STUDORG_ADMIN='YES'");
1304          if ($query->num_rows() > 0){
1305            foreach ($query->result() as $row){
1306              $activatedOrgAdmin[$adminCtr] = $row->STUD_FNAME .' '. $row->STUD_LNAME;
1307              $adminCtr++;
1308            }
1309          }
1310          $activatedOrgAdminArray[$i] = $activatedOrgAdmin;
1311        }
1312
1313        $_SESSION['activatedOrgCtr'] = $activatedOrgCtr;
1314        $_SESSION['activatedOrgName'] = $activatedOrgName;
1315        $_SESSION['activatedOrgFoundingDate'] = $activatedOrgFoundingDate;
1316        $_SESSION['activatedOrgAcronym'] = $activatedOrgAcronym;
1317        $_SESSION['activatedOrgCategory'] = $activatedOrgCategory;
1318        $_SESSION['activatedOrgEmail'] = $activatedOrgEmail;
1319        $_SESSION['activatedOrgAdviser'] = $activatedOrgAdviser;
1320        $_SESSION['activatedOrgAdminArray'] = $activatedOrgAdminArray;
1321        $_SESSION['activatedOrgMemberCount'] = $activatedOrgMemberCount;
1322        $_SESSION['activatedOrgMembersStudNum'] = $activatedOrgMembersStudNum;
1323        $_SESSION['activatedOrgMembersName'] = $activatedOrgMembersName;
1324        $_SESSION['activatedOrgMembersPosition'] = $activatedOrgMembersPosition;
1325
1326      }
1327
1328      function getStudOrgs(){
1329        $studOrgsCtr = 0;
1330        $studOrgsID = array();
1331        $studOrgsName = array();
1332
1333        $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
                  ACTIVATED' AND STUDORG_TYPE='UNIVERSITY-BASED'");
1334          if ($query->num_rows() > 0){
1335            foreach ($query->result() as $row){
1336              $studOrgsID[$studOrgsCtr] = $row->STUDORG_ID;
1337              $studOrgsName[$studOrgsCtr] = $row->STUDORG_NAME;
1338              $studOrgsCtr++;
1339            }
1340          }
1341
1342        $_SESSION['studOrgsCtr'] = $studOrgsCtr;
1343        $_SESSION['studOrgsID'] = $studOrgsID;
1344        $_SESSION['studOrgsName'] = $studOrgsName;
1345
1346        $availableStudCtr = 0;
1347        $availableStudName = array();
1348
1349        $query = $this->db->query("SELECT * FROM student WHERE STUD_STATUS='ACTIVATED'");
1350          if ($query->num_rows() > 0){
1351            foreach ($query->result() as $row){
1352              $availableStudNum[$availableStudCtr] = $row->STUD_NUMBER;
1353              $availableStudName[$availableStudCtr] = $row->STUD_FNAME .' '. $row->STUD_LNAME .'
                      '.$row->STUD_NUMBER;
1354              $availableStudCtr++;
1355            }
1356          }
1357
1358        $_SESSION['availableStudName'] = $availableStudName;
1359      }
1360
1361      function submitStudOrgAdmin(){
1362        $studOrgOfAdminToAssign = $_POST['studOrgOfAdminToAssign'];
1363        $studOrgAdmin1 = substr($_POST['studOrgAdmin1'], -10);
1364        $studOrgAdmin2 = substr($_POST['studOrgAdmin2'], -10);
1365        $studOrgAdmin3 = substr($_POST['studOrgAdmin3'], -10);
1366        $studOrgAdminPosition1 = $_POST['studOrgAdminPosition1'];
1367        $studOrgAdminPosition2 = $_POST['studOrgAdminPosition2'];
1368        $studOrgAdminPosition3 = $_POST['studOrgAdminPosition3'];
1369
1370        $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
                  $studOrgOfAdminToAssign'");
1371          if ($query->num_rows() > 0){
1372            foreach ($query->result() as $row){
1373              $studOrgName = $row->STUDORG_NAME;
1374            }
1375          }
1376
1377        date_default_timezone_set('Asia/Manila');
1378        $currentDate = date('Y-m-d H:i:s');
1379
1380        //deactivates all currently activated
1381        $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID='
                  $studOrgOfAdminToAssign' AND STUDORG_ADMIN='YES'");
1382          if ($query->num_rows() > 0){
1383            foreach ($query->result() as $row){
1384              $data = array(
1385                'STUDORG_ADMIN'=>'NO'
1386              );
1387              $this->db->where('STUDORG_ID', $studOrgOfAdminToAssign);
1388              $this->db->where('STUD_NUMBER', $row->STUD_NUMBER);
1389              $this->db->update('student_organization_member', $data);
1390            }
1391          }
1392
1393        for($i=1; $i<=3; $i++){
```

```
1394          $studOrgAdmin = substr($_POST['studOrgAdmin'.$i], -10);
1395          $studOrgAdminPosition = $_POST['studOrgAdminPosition'.$i];
1396          $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUD_NUMBER
                  ='$studOrgAdmin' AND STUDORG_ID='$studOrgOfAdminToAssign'");
1397          if ($query->num_rows() > 0){
1398            foreach ($query->result() as $row){
1399              $data = array(
1400                'MEMBERSHIP_STATUS'=>'ACTIVATED',
1401                'STUDORG_ADMIN'=>'YES',
1402                'STUDORG_POSITION'=>$studOrgAdminPosition
1403              );
1404              $this->db->where('STUDORG_ID', $studOrgOfAdminToAssign);
1405              $this->db->where('STUD_NUMBER', $studOrgAdmin);
1406              $this->db->update('student_organization_member', $data);
1407            }
1408          }
1409          else{
1410            $query2 = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studOrgAdmin'"
                    );
1411              if ($query2->num_rows() > 0){
1412                foreach ($query2->result() as $row2){
1413                  $data = array(
1414                    'STUD_NUMBER'=>$studOrgAdmin,
1415                    'STUD_FNAME'=>$row2->STUD_FNAME,
1416                    'STUD_MNAME'=>$row2->STUD_MNAME,
1417                    'STUD_LNAME'=>$row2->STUD_LNAME,
1418                    'STUDORG_ID'=>$studOrgOfAdminToAssign,
1419                    'STUDORG_NAME'=>$studOrgName,
1420                    'STUDORG_POSITION'=>$studOrgAdminPosition,
1421                    'MEMBERSHIP_STATUS'=>'ACTIVATED',
1422                    'MEMBERSHIP_STARTDATE'=>$currentDate,
1423                    'STUDORG_ADMIN'=>'YES'
1424                  );
1425                  $this->db->insert('student_organization_member',$data);
1426                }
1427              }
1428
1429          }
1430        }
1431
1432        $_SESSION['assignStudOrgAdminSuccess'] = 1;
1433        $_SESSION['assignStudOrgAdminStatus'] = 'ASSIGNED';
1434
1435      }
1436
1437      function submitExcel(){
1438        $query = $this->db->query("SELECT * FROM ocso_post");
1439        if ($query->num_rows() < 0){
1440          $num = 1;
1441        }
1442        else{
1443          $num = ($query->num_rows())+1;
1444        }
1445
1446          if (!empty($_FILES['excelUploaded']['name'])){
1447            $filename = "list_of_recently_added_students_".$num;
1448            $config['upload_path'] = './uploads/';
1449            $config['allowed_types'] = 'xls';
1450            $config['max_size'] = '5000000';
1451            $config['file_name'] = $filename;
1452            $this->load->library('upload', $config);
1453            $this->upload->initialize($config);
1454            $this->upload->do_upload('excelUploaded');
1455
1456            $data = $this->upload->data();
1457            $image_link = base_url()."uploads/".$data['file_name'];
1458
1459
1460            // include class file
1461            include 'excel_reader2.php';
1462
1463            // initialize reader object
1464            $excel = new Spreadsheet_Excel_Reader();
1465
1466            $path = 'C:\xampp\htdocs\OCSO_v6\uploads\\';
1467
1468            // read spreadsheet data
1469            $excel->read($path.$data['file_name']);
1470
1471            $alumni = array();
1472            $studentYear = array();
1473            $studentFName = array();
1474            $studentMName = array();
1475            $studentLName = array();
1476            $studentCollege = array();
1477            $studentCourse = array();
1478            $studentUsername = array();
1479            $studentPassword = array();
1480
1481            // iterate over spreadsheet cells and print as HTML table
1482            for($i = 1; $i<=$excel->sheets[0]['numRows']; $i++) {
1483              for($j=1; $j<=$excel->sheets[0]['numCols']; $j++) {
1484                $cell = isset($excel->sheets[0]['cells'][$i][$j]) ? $excel->sheets[0]['cells'][
                        $i][$j] : '';
1485                if(!empty($cell)){
1486                  if($j== 1){
1487                    $studentNo[$i-1] = $cell;
1488                    $studYear = substr($cell, 0, 4);
1489                  }
```

```
1490                  else if($j == 2){
1491                    $studentFName[$i-1] = $cell;
1492                  }
1493                  else if($j == 3){
1494                    $studentMName[$i-1] = $cell;
1495                  }
1496                  else if($j == 4){
1497                    $studentLName[$i-1] = $cell;
1498                  }
1499                  else if($j == 5){
1500                    $studentCollege[$i-1] = $cell;
1501                  }
1502                  else if($j == 6){
1503                    $studentCourse[$i-1] = $cell;
1504                  }
1505                  else if($j == 7){
1506                    $studentEmail[$i-1] = $cell;
1507                  }
1508                  else{
1509                    $alumni[$i-1] = strtoupper($cell);
1510                    if($cell == 'NO'){
1511                      date_default_timezone_set('Asia/Manila');
1512                      $currentDate = date('Y');
1513                      $year = intval($currentDate)-intval($studYear);
1514                      switch($year){
1515                        case 0: $studentYear[$i-1] = 'I';
1516                        break;
1517                        case 1: $studentYear[$i-1] = 'I';
1518                        break;
1519                        case 2: $studentYear[$i-1] = 'II';
1520                        break;
1521                        case 3: $studentYear[$i-1] = 'III';
1522                        break;
1523                        case 4: $studentYear[$i-1] = 'IV';
1524                        break;
1525                        case 5: $studentYear[$i-1] = 'V';
1526                        break;
1527                      }
1528                      if($year > 5){
1529                        $studentYear[$i-1] = 'V';
1530                      }
1531                    }
1532                    else{
1533                      $studentYear[$i-1] = 'NA';
1534                    }
1535                  }
1536                }
1537              }// end of j for loop
1538
1539              //assigns username to each student
1540              if(!empty($studentLName[$i-1])){
1541                  $lastname = preg_replace("/\s+/", "", $studentLName[$i-1]);
1542                  $studentUsername[$i-1] = $studentFName[$i-1][0].$studentMName[$i-1][0].
                        $lastname;
1543                  $studentUsername[$i-1] = strtolower($studentUsername[$i-1]);
1544
1545                  $query = $this->db->query('SELECT STUD_USERNAME FROM student');
1546
1547                  if ($query->num_rows() > 0){
1548                    foreach ($query->result() as $row){
1549                      $username = $row->STUD_USERNAME;
1550                      if(strcmp($username, $studentUsername[$i-1]) ==0){
1551                        $length = strlen($studentUsername[$i-1]);
1552                        if(is_numeric($studentUsername[$i-1][$length-1])){
1553                          $ctr = $studentUsername[$i-1][$length-1]+1;
1554                          $studentUsername[$i-1] = substr($studentUsername[$i-1], 0, -1);
1555                          $studentUsername[$i-1] = $studentUsername[$i-1].$ctr;
1556                        }
1557                        else{
1558                          $studentUsername[$i-1] = $studentUsername[$i-1].'2';
1559                        }
1560                      }
1561                    }
1562                  }
1563
1564                for($k=0; $k<$i-1; $k++){
1565                    if(strcmp($studentUsername[$k], $studentUsername[$i-1]) ==0){
1566                      $length = strlen($studentUsername[$i-1]);
1567                      if(is_numeric($studentUsername[$i-1][$length-1])){
1568                        $ctr = $studentUsername[$i-1][$length-1]+1;
1569                        $studentUsername[$i-1] = substr($studentUsername[$i-1], 0, -1);
1570                        $studentUsername[$i-1] = $studentUsername[$i-1].$ctr;
1571                      }
1572                      else{
1573                        $studentUsername[$i-1] = $studentUsername[$i-1].'2';
1574                      }
1575                    }
1576                  }
1577
1578                $origPassword[$i-1] = $this->generatePassword();
1579                $studentPassword[$i-1] = md5($origPassword[$i-1]);
1580
1581                  $data = array(
1582                    'STUD_NUMBER'=>$studentNo[$i-1],
1583                    'STUD_FNAME'=>$studentFName[$i-1],
1584                    'STUD_MNAME'=>$studentMName[$i-1],
1585                    'STUD_LNAME'=>$studentLName[$i-1],
1586                    'STUD_YEAR'=>$studentYear[$i-1],
1587                    'STUD_COLLEGENAME'=>$studentCollege[$i-1],
```

```
1588                    'STUD_COURSE'=>$studentCourse[$i-1],
1589                    'STUD_USERNAME'=>$studentUsername[$i-1],
1590                    'STUD_PASSWORD'=>$studentPassword[$i-1],
1591                    'STUD_EMAIL'=>$studentEmail[$i-1],
1592                    'STUD_CONTACTNO'=>"",
1593                    'STUD_ALUMNI'=>$alumni[$i-1],
1594                    'STUD_STATUS'=>"ACTIVATED"
1595                  );
1596                  $this->db->insert('student',$data);
1597                }
1598
1599                // spreadsheet data
1600                $myData[$i-1] = array($studentNo[$i-1], $studentFName[$i-1], $studentMName[$i
                        -1], $studentLName[$i-1], $studentYear[$i-1], $studentCollege[$i-1],
                        $studentCourse[$i-1], $studentEmail[$i-1], $studentUsername[$i-1],
                        $origPassword[$i-1]);
1601
1602            } // end of i loop
1603
1604                $_SESSION['myData'] = $myData;
1605                $_SESSION['studentNo'] = $studentNo;
1606                $_SESSION['studentFName'] = $studentFName;
1607                $_SESSION['studentLName'] = $studentLName;
1608                $_SESSION['studentUsername'] = $studentUsername;
1609                $_SESSION['studentPassword'] = $origPassword;
1610
1611          }
1612      }
1613
1614    }
1615 ?>
```

Listing 7: ocso_OSSmodel.php

```
 1 <?php
 2   class OCSO_OSSmodel extends CI_Model{
 3
 4     function __construct(){
 5       parent::__construct();
 6       $this->load->database();
 7       $this->load->library('session');
 8     }
 9
10     function submit_studentOrganization(){
11       $studOrgName = $_POST['studOrgName'];
12       $studOrgFoundingDate = $_POST['studOrgFoundingDate'];
13       $studOrgCategory = $_POST['studOrgCategory'];
14       $studOrgAcronym = $_POST['studOrgAcronym'];
15       $studOrgEmail = $_POST['studOrgEmail'];
16       $studOrgAdviser = $_POST['studOrgAdviser'];
17
18       $query = $this->db->query("SELECT * FROM student_organization");
19       $idCtr =  $query->num_rows() + 1;
20
21       $_SESSION['studOrgName'] = $studOrgName;
22       $_SESSION['studOrgFoundingDate'] = $studOrgFoundingDate;
23       $_SESSION['studOrgCategory'] = $studOrgCategory;
24       $_SESSION['studOrgAcronym'] = $studOrgAcronym;
25       $_SESSION['studOrgEmail'] = $studOrgEmail;
26       $_SESSION['studOrgAdviser'] = $studOrgAdviser;
27
28       for($i=0;$i<count($studOrgName);$i++){
29         $data = array(
30           'STUDORG_ID'=>$idCtr,
31           'STUDORG_NAME'=>$studOrgName[$i],
32           'STUDORG_TYPE'=>'COLLEGE-BASED',
33           'STUDORG_FOUNDINGDATE'=>$studOrgFoundingDate[$i],
34           'STUDORG_DESCRIPTION'=>"",
35           'STUDORG_ACRONYM'=>$studOrgAcronym[$i],
36           'STUDORG_CATEGORY'=>$studOrgCategory[$i],
37           'STUDORG_EMAIL'=>$studOrgEmail[$i],
38           'STUDORG_ADVISER'=>$studOrgAdviser[$i],
39           'STUDORG_COLLEGENAME'=>$_SESSION['collegeName'],
40           'STUDORG_STATUS'=>"ACTIVATED"
41         );
42         $_SESSION['studOrgID'][$i] = $idCtr;
43         $idCtr++;
44         $this->db->insert('student_organization',$data);
45       }
46     }
47
48     function fetchAllStudent(){
49       $adminOrgCtr = 0;
50       $adminOrgIDList = array();
51       $adminOrgNameList = array();
52
53       $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_TYPE='
             COLLEGE-BASED'");
54       if ($query->num_rows() > 0){
55         foreach ($query->result() as $row){
56           $adminOrgIDList[$adminOrgCtr] = $row->STUDORG_ID;
57           $adminOrgNameList[$adminOrgCtr] = $row->STUDORG_NAME;
58           $adminOrgCtr++;
59         }
60       }
61
62       $_SESSION['adminOrgIDList'] = $adminOrgIDList;
63       $_SESSION['adminOrgNameList'] = $adminOrgNameList;
```

```
64        $_SESSION['adminOrgCtrList'] = $adminOrgCtr;
65
66        $allStudentCtr = 0;
67        $allStudentID = array();
68        $allStudentNames = array();
69
70        $query = $this->db->query("SELECT * FROM student WHERE STUD_STATUS='ACTIVATED'");
71        if ($query->num_rows() > 0){
72          foreach ($query->result() as $row){
73            $allStudentID[$allStudentCtr] = $row->STUD_NUMBER;
74            $allStudentName[$allStudentCtr] = $row->STUD_FNAME .' '. $row->STUD_LNAME;
75            $allStudentCtr++;
76          }
77        }
78
79        $_SESSION['allStudentCtr'] = $allStudentCtr;
80        $_SESSION['allStudentID'] = $allStudentID;
81        $_SESSION['allStudentName'] = $allStudentName;
82
83
84      }
85
86      function submit_studOrgAdmin(){
87        $orgOfAdminToAssign = $_POST['orgOfAdminToAssign'];
88        $assignedStudOrgAdmins = $_POST['assignedStudOrgAdmins'];
89
90        $_SESSION['assignedStudOrgAdmins'] = $assignedStudOrgAdmins;
91        $_SESSION['orgOfAdminToAssign'] = $orgOfAdminToAssign;
92
93        $orgName = array();
94        $orgID = '';
95
96        for($i=0; $i<count($orgOfAdminToAssign);$i++){
97          $orgID = $orgOfAdminToAssign;
98          $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='$orgID
                '");
99          if ($query->num_rows() > 0){
100           foreach ($query->result() as $row){
101             $orgName[$i] = $row->STUDORG_NAME;
102             $_SESSION['orgOfAdminToAssign'] = $orgName[$i];
103           }
104         }
105       }
106
107       $studFName = array();
108       $studMName = array();
109       $studLName = array();
110       $assignedStudOrgAdminsName = array();
111
112       for($i=0; $i<count($assignedStudOrgAdmins);$i++){
113         $studNum = $assignedStudOrgAdmins[$i];
114         $query = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studNum'");
115         if ($query->num_rows() > 0){
116           foreach ($query->result() as $row){
117             $studFName[$i] = $row->STUD_FNAME;
118             $studMName[$i] = $row->STUD_MNAME;
119             $studLName[$i] = $row->STUD_LNAME;
120             $assignedStudOrgAdminsName[$i] = $row->STUD_FNAME .' '. $row->STUD_LNAME;
121           }
122         }
123       }
124
125       $_SESSION['assignedStudOrgAdminsName'] = $assignedStudOrgAdminsName;
126
127       date_default_timezone_set('Asia/Manila');
128       $currentDate = date('Y-m-d H:i:s');
129
130       for($i=0;$i<count($assignedStudOrgAdmins);$i++){
131         $data = array(
132           'STUDORG_ID'=>$orgOfAdminToAssign[$i],
133           'STUDORG_NAME'=>$orgName[$i],
134           'STUD_NUMBER'=>$assignedStudOrgAdmins[$i],
135           'STUD_FNAME'=>$studFName[$i],
136           'STUD_MNAME'=>$studMName[$i],
137           'STUD_LNAME'=>$studLName[$i],
138           'STUDORG_POSITION'=>'MEMBER',
139           'MEMBERSHIP_STATUS'=>'ACTIVATED',
140           'MEMBERSHIP_STARTDATE'=>$currentDate,
141           'STUDORG_ADMIN'=>'YES'
142
143         );
144         $this->db->insert('student_organization_member',$data);
145       }
146
147     }
148
149     function viewListOfUsers(){
150       unset($_SESSION['viewListUser']);
151       $_SESSION['viewListUser'] = 'none';
152
153
154       $adminOrgCtr = 0;
155
156       $query = $this->db->query("SELECT STUDORG_NAME FROM student_organization WHERE
              STUDORG_TYPE='COLLEGE-BASED'");
157       if ($query->num_rows() > 0){
158         foreach ($query->result() as $row){
159           $adminOrgList[$adminOrgCtr] = $row->STUDORG_NAME;
160           $adminOrgCtr++;
```

```
161           }
162         }
163
164         $_SESSION['adminOrgListVIEW'] = $adminOrgList;
165         $_SESSION['adminOrgCtrVIEW'] = $adminOrgCtr;
166
167         if($_SERVER['REQUEST_METHOD'] == 'POST') {
168           $viewListUserType = 'Student Organization Admin';
169           $_SESSION['viewListUserType'] = $viewListUserType;
170           $_SESSION['viewListUser'] = $viewListUserType;
171
172           if($viewListUserType == 'Student Organization'){
173             $orgCtr = 0;
174
175             $orgListID = array();
176             $orgListName = array();
177             $orgListDesc = array();
178
179             $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
                    ACTIVATED' AND STUDORG_TYPE='COLLEGE-BASED'");
180             if ($query->num_rows() > 0){
181               foreach ($query->result() as $row){
182                 $orgListID[$orgCtr] = $row->STUDORG_ID;
183                 $orgListName[$orgCtr] = $row->STUDORG_NAME;
184                 $orgListDesc[$orgCtr] = $row->STUDORG_DESCRIPTION;
185                 $orgCtr++;
186               }
187             }
188
189             $_SESSION['orgCtrVIEW'] = $orgCtr;
190             $_SESSION['orgListIDVIEW'] = $orgListID;
191             $_SESSION['orgListNameVIEW'] = $orgListName;
192             $_SESSION['orgListDescVIEW'] = $orgListDesc;
193           }
194           else{
195             $viewListOrgOfAdmin = $_POST['viewListOrgOfAdmin'];
196             $_SESSION['viewListOrgOfAdmin'] = $viewListOrgOfAdmin;
197
198             $adminCtr = 0;
199
200             $adminListID = array();
201             $adminListFName = array();
202             $adminListLName = array();
203             $adminListPosition = array();
204
205             $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                    STUDORG_NAME='$viewListOrgOfAdmin' AND STUDORG_ADMIN='YES'");
206             if ($query->num_rows() > 0){
207               foreach ($query->result() as $row){
208                 $adminListID[$adminCtr] = $row->STUD_NUMBER;
209                 $adminListFName[$adminCtr] = $row->STUD_FNAME;
210                 $adminListLName[$adminCtr] = $row->STUD_LNAME;
211                 $adminListPosition[$adminCtr] = $row->STUDORG_POSITION;
212                 $adminCtr++;
213               }
214             }
215
216             $_SESSION['adminCtrVIEW'] = $adminCtr;
217             $_SESSION['adminListIDVIEW'] = $adminListID;
218             $_SESSION['adminListFNameVIEW'] = $adminListFName;
219             $_SESSION['adminListLNameVIEW'] = $adminListLName;
220             $_SESSION['adminListPositionVIEW'] = $adminListPosition;
221
222           }
223         }
224       }
225
226       function searchUser(){
227         unset($_SESSION['viewUser']);
228
229         $username = $_SESSION['userUsername'];
230         $password = $_SESSION['userPassword'];
231         $coorType = $_SESSION['role'];
232         $_SESSION['viewUser'] = 'none';
233
234
235         $adminOrgCtr = 0;
236
237         $query = $this->db->query("SELECT STUDORG_NAME FROM student_organization WHERE
                STUDORG_STATUS='ACTIVATED' AND STUDORG_TYPE='COLLEGE-BASED'");
238         if ($query->num_rows() > 0){
239           foreach ($query->result() as $row){
240             $adminOrgList[$adminOrgCtr] = $row->STUDORG_NAME;
241             $adminOrgCtr++;
242           }
243         }
244
245         $_SESSION['adminOrgList'] = $adminOrgList;
246         $_SESSION['adminOrgCtr'] = $adminOrgCtr;
247
248         if(!isset($_POST['viewChecker']) && $_SERVER['REQUEST_METHOD'] == 'POST') {
249           $selectedUserType = $_POST['selectedUserType'];
250           $_SESSION['selectedUserType'] = $_POST['selectedUserType'];
251           $nameToSearch = strtolower($_POST['nameToSearch']);
252           $_SESSION['nameToSearch'] = $_POST['nameToSearch'];
253           $_SESSION['viewUser'] = $selectedUserType;
254
255           if($selectedUserType == 'Student Organization'){
256             $orgCtr = 0;
```

```
257             $ctr=0;
258             $orgListID = array();
259             $orgListName = array();
260             $orgListDesc = array();
261             $orgListFoundingDate = array();
262             $orgListStatus = array();
263
264
265             $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_TYPE='
                    COLLEGE-BASED'");
266             if ($query->num_rows() > 0){
267               foreach ($query->result() as $row){
268                 if($nameToSearch != ''){
269                   $orgNameTemp = strtolower($row->STUDORG_NAME . $row->STUDORG_ACRONYM);
270                   if(strpos($orgNameTemp, $nameToSearch) !== false){
271                     $orgListID[$orgCtr] = $row->STUDORG_ID;
272                     $orgListName[$orgCtr] = $row->STUDORG_NAME;
273                     $orgListDesc[$orgCtr] = $row->STUDORG_DESCRIPTION;
274                     $orgListStatus[$orgCtr] = $row->STUDORG_STATUS;
275                     $orgListFoundingDate[$orgCtr] = $row->STUDORG_FOUNDINGDATE;
276                     $orgCtr++;
277                   }
278                 }
279                 else{
280                     $orgListID[$orgCtr] = $row->STUDORG_ID;
281                     $orgListName[$orgCtr] = $row->STUDORG_NAME;
282                     $orgListDesc[$orgCtr] = $row->STUDORG_DESCRIPTION;
283                     $orgListStatus[$orgCtr] = $row->STUDORG_STATUS;
284                     $orgListFoundingDate[$orgCtr] = $row->STUDORG_FOUNDINGDATE;
285                     $orgCtr++;
286                 }
287               }
288             }
289
290             $_SESSION['orgCtr'] = $orgCtr;
291             $_SESSION['orgListID'] = $orgListID;
292             $_SESSION['orgListName'] = $orgListName;
293             $_SESSION['orgListDesc'] = $orgListDesc;
294             $_SESSION['orgListStatus'] = $orgListStatus;
295             $_SESSION['orgListFoundingDate'] = $orgListFoundingDate;
296           }
297           else{
298             $selectedOrgOfAdmin = $_POST['selectedOrgOfAdmin'];
299             $_SESSION['selectedOrgOfAdmin'] = $selectedOrgOfAdmin;
300
301             $adminCtrTemp = 0;
302             $adminCtr = 0;
303
304             $adminListID = array();
305             $adminListIDTemp = array();
306             $adminListFName = array();
307             $adminListLName = array();
308             $adminListNameTemp = array();
309             $adminListStatus = array();
310             $adminListPosition = array();
311             $idToSearch = 'none';
312
313             $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                    STUDORG_NAME='$selectedOrgOfAdmin' AND STUDORG_ADMIN='YES'");
314             if ($query->num_rows() > 0){
315               foreach ($query->result() as $row){
316                 $adminListIDTemp[$adminCtrTemp] = $row->STUD_NUMBER;
317                 $adminListNameTemp[$adminCtrTemp] = strtolower($row->STUD_FNAME).' '.strtolower(
                        $row->STUD_LNAME);
318                 $adminCtrTemp++;
319               }
320             }
321
322             if($adminCtrTemp > 0){
323               for($i=0; $i < $adminCtrTemp; $i++){
324                 if($nameToSearch != ''){
325                   if(strpos($adminListNameTemp[$i], $nameToSearch) !== false){
326                     $idToSearch = $adminListIDTemp[$i];
327                     $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                            STUD_NUMBER='$idToSearch' AND STUDORG_NAME='$selectedOrgOfAdmin' AND
                            STUDORG_ADMIN='YES'");
328                     if ($query->num_rows() > 0){
329                       foreach ($query->result() as $row){
330                         $adminListID[$adminCtr] = $row->STUD_NUMBER;
331                         $adminListFName[$adminCtr] = $row->STUD_FNAME;
332                         $adminListLName[$adminCtr] = $row->STUD_LNAME;
333                         $adminListPosition[$adminCtr] = $row->STUDORG_POSITION;
334                         $adminListStatus[$adminCtr] = $row->MEMBERSHIP_STATUS;
335                         $adminCtr++;
336                       }
337                     }
338                   }
339                 }
340                 else{
341                     $idToSearch = $adminListIDTemp[$i];
342                     $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                            STUD_NUMBER='$idToSearch' AND STUDORG_NAME='$selectedOrgOfAdmin' AND
                            STUDORG_ADMIN='YES'");                    if ($query->num_rows() > 0){
343                       foreach ($query->result() as $row){
344                         $adminListID[$adminCtr] = $row->STUD_NUMBER;
345                         $adminListFName[$adminCtr] = $row->STUD_FNAME;
346                         $adminListLName[$adminCtr] = $row->STUD_LNAME;
347                         $adminListPosition[$adminCtr] = $row->STUDORG_POSITION;
348                         $adminListStatus[$adminCtr] = $row->MEMBERSHIP_STATUS;
```

```
349                         $adminCtr++;
350                       }
351                     }
352                 }
353               }
354             }
355             $_SESSION['adminCtr'] = $adminCtr;
356             $_SESSION['adminListID'] = $adminListID;
357             $_SESSION['adminListFName'] = $adminListFName;
358             $_SESSION['adminListLName'] = $adminListLName;
359             $_SESSION['adminListPosition'] = $adminListPosition;
360             $_SESSION['adminListStatus'] = $adminListStatus;
361
362           }
363         }
364       }
365
366       function activateUserSearch(){
367         unset($_SESSION['activateUser']);
368         $_SESSION['activateUser'] = 'none';
369
370         if($_SERVER['REQUEST_METHOD'] == 'POST') {
371           $userTypeToActivate = 'Student Organization';
372           $_SESSION['userTypeToActivate'] = 'Student Organization';
373           $nameToActivate = strtolower($_POST['nameToActivate']);
374           $_SESSION['nameToActivate'] = $_POST['nameToActivate'];
375           $_SESSION['activateUser'] = $userTypeToActivate;
376
377           if($userTypeToActivate == 'Student Organization'){
378             $orgCtr = 0;
379             $ctr=0;
380             $orgListID = array();
381             $orgListName = array();
382             $orgListDesc = array();
383             $orgListFoundingDate = array();
384             $orgListStatus = array();
385
386
387             $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_TYPE='
                    COLLEGE-BASED'");
388             if ($query->num_rows() > 0){
389               foreach ($query->result() as $row){
390                 if($nameToActivate != ''){
391                   $orgNameTemp = strtolower($row->STUDORG_NAME . $row->STUDORG_ACRONYM);
392                   if(strpos($orgNameTemp, $nameToActivate) !== false){
393                     $orgListID[$orgCtr] = $row->STUDORG_ID;
394                     $orgListName[$orgCtr] = $row->STUDORG_NAME;
395                     $orgListStatus[$orgCtr] = $row->STUDORG_STATUS;
396                     $orgCtr++;
397                   }
398                 }
399                 else{
400                     $orgListID[$orgCtr] = $row->STUDORG_ID;
401                     $orgListName[$orgCtr] = $row->STUDORG_NAME;
402                     $orgListStatus[$orgCtr] = $row->STUDORG_STATUS;
403                     $orgCtr++;
404                 }
405               }
406             }
407
408             $_SESSION['orgCtrACT'] = $orgCtr;
409             $_SESSION['orgListIDACT'] = $orgListID;
410             $_SESSION['orgListNameACT'] = $orgListName;
411             $_SESSION['orgListStatusACT'] = $orgListStatus;
412           }
413         }
414       }
415
416       function generateListOfOrgs(){
417         $activatedOrgCtr = 0;
418         $activatedOrgID = array();
419         $activatedOrgName = array();
420         $activatedOrgFoundingDate = array();
421         $activatedOrgAcronym = array();
422         $activatedOrgCategory = array();
423         $activatedOrgEmail = array();
424         $activatedOrgAdviser = array();
425         $activatedOrgAdminArray = array();
426         $activatedOrgMemberCount = array();
427         $activatedOrgMembersStudNum = array();
428         $activatedOrgMembersName = array();
429         $activatedOrgMembersPosition = array();
430
431         $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
                ACTIVATED' AND STUDORG_TYPE='COLLEGE-BASED'");
432         if ($query->num_rows() > 0){
433           foreach ($query->result() as $row){
434             $activatedOrgID[$activatedOrgCtr] = $row->STUDORG_ID;
435             $activatedOrgName[$activatedOrgCtr] = $row->STUDORG_NAME;
436             $activatedOrgFoundingDate[$activatedOrgCtr] = $row->STUDORG_FOUNDINGDATE;
437             $activatedOrgAcronym[$activatedOrgCtr] = $row->STUDORG_ACRONYM;
438             $activatedOrgCategory[$activatedOrgCtr] = $row->STUDORG_CATEGORY;
439             $activatedOrgEmail[$activatedOrgCtr] = $row->STUDORG_EMAIL;
440             $activatedOrgAdviser[$activatedOrgCtr] = $row->STUDORG_ADVISER;
441             $activatedOrgCtr++;
442           }
443         }
444
445
```

```
446         for($i=0; $i<$activatedOrgCtr; $i++){
447           $activatedOrgAdmin = array();
448           $adminCtr = 0;
449           $studOrgID = $activatedOrgID[$i];
450           $ctr = 0;
451           $studNumTemp = array();
452           $nameTemp = array();
453           $positionTemp = array();
454
455           $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID
                  ='$studOrgID' AND MEMBERSHIP_STATUS='ACTIVATED'");
456           $activatedOrgMemberCount[$i] = $query->num_rows();
457           if ($query->num_rows() > 0){
458             foreach ($query->result() as $row){
459               $studNumTemp[$ctr] = $row->STUD_NUMBER;
460               $nameTemp[$ctr] = $row->STUD_FNAME .' '. $row->STUD_LNAME;
461               $positionTemp[$ctr] = $row->STUDORG_POSITION;
462               $ctr++;
463             }
464           }
465
466           $activatedOrgMembersStudNum[$i] = $studNumTemp;
467           $activatedOrgMembersName[$i] = $nameTemp;
468           $activatedOrgMembersPosition[$i] = $positionTemp;
469
470
471           $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID
                  ='$studOrgID' AND STUDORG_ADMIN='YES'");
472           if ($query->num_rows() > 0){
473             foreach ($query->result() as $row){
474               $activatedOrgAdmin[$adminCtr] = $row->STUD_FNAME .' '. $row->STUD_LNAME;
475               $adminCtr++;
476             }
477           }
478           $activatedOrgAdminArray[$i] = $activatedOrgAdmin;
479         }
480
481         $_SESSION['activatedOrgCtr'] = $activatedOrgCtr;
482         $_SESSION['activatedOrgName'] = $activatedOrgName;
483         $_SESSION['activatedOrgFoundingDate'] = $activatedOrgFoundingDate;
484         $_SESSION['activatedOrgAcronym'] = $activatedOrgAcronym;
485         $_SESSION['activatedOrgCategory'] = $activatedOrgCategory;
486         $_SESSION['activatedOrgEmail'] = $activatedOrgEmail;
487         $_SESSION['activatedOrgAdviser'] = $activatedOrgAdviser;
488         $_SESSION['activatedOrgAdminArray'] = $activatedOrgAdminArray;
489         $_SESSION['activatedOrgMemberCount'] = $activatedOrgMemberCount;
490         $_SESSION['activatedOrgMembersStudNum'] = $activatedOrgMembersStudNum;
491         $_SESSION['activatedOrgMembersName'] = $activatedOrgMembersName;
492         $_SESSION['activatedOrgMembersPosition'] = $activatedOrgMembersPosition;
493
494       }
495
496       function generateOrgAdminList(){
497         $activatedAdminOrgCtr = 0;
498         $activatedAdminOrgID = array();
499         $activatedAdminOrgName = array();
500         $activatedAdminID = array();
501         $activatedAdminName = array();
502         $activatedAdminPosition = array();
503
504
505         $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
                ACTIVATED' AND STUDORG_TYPE='COLLEGE-BASED'");
506         if ($query->num_rows() > 0){
507           foreach ($query->result() as $row){
508             $activatedAdminOrgID[$activatedAdminOrgCtr] = $row->STUDORG_ID;
509             $activatedAdminOrgName[$activatedAdminOrgCtr] = $row->STUDORG_NAME;
510             $activatedAdminOrgCtr++;
511           }
512         }
513
514
515         for($i=0; $i<$activatedAdminOrgCtr; $i++){
516           $adminCtr = 0;
517           $studNumTemp = array();
518           $nameTemp = array();
519           $positionTemp = array();
520
521           $studOrgID = $activatedAdminOrgID[$i];
522           $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID
                  ='$studOrgID' AND STUDORG_ADMIN='YES'");
523           if ($query->num_rows() > 0){
524             foreach ($query->result() as $row){
525               $studNumTemp[$adminCtr] = $row->STUD_NUMBER;
526               $nameTemp[$adminCtr] = $row->STUD_FNAME .' '. $row->STUD_LNAME;
527               $positionTemp[$adminCtr] = $row->STUDORG_POSITION;
528               $adminCtr++;
529             }
530           }
531           $activatedAdminID[$i] = $studNumTemp;
532           $activatedAdminName[$i] = $nameTemp;
533           $activatedAdminPosition[$i] = $positionTemp;
534         }
535
536         $_SESSION['activatedAdminOrgCtr'] = $activatedAdminOrgCtr;
537         $_SESSION['activatedAdminOrgID'] = $activatedAdminOrgID;
538         $_SESSION['activatedAdminOrgName'] = $activatedAdminOrgName;
539         $_SESSION['activatedAdminID'] = $activatedAdminID;
540         $_SESSION['activatedAdminName'] = $activatedAdminName;
```

```
541         $_SESSION['activatedAdminPosition'] = $activatedAdminPosition;
542
543       }
544
545       function getStudOrgs(){
546         $studOrgsCtr = 0;
547         $studOrgsID = array();
548         $studOrgsName = array();
549
550         $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
              ACTIVATED' AND STUDORG_TYPE='COLLEGE-BASED'");
551           if ($query->num_rows() > 0){
552             foreach ($query->result() as $row){
553               $studOrgsID[$studOrgsCtr] = $row->STUDORG_ID;
554               $studOrgsName[$studOrgsCtr] = $row->STUDORG_NAME;
555               $studOrgsCtr++;
556             }
557           }
558
559         $_SESSION['studOrgsCtr'] = $studOrgsCtr;
560         $_SESSION['studOrgsID'] = $studOrgsID;
561         $_SESSION['studOrgsName'] = $studOrgsName;
562
563         $availableStudCtr = 0;
564         $availableStudName = array();
565
566         $query = $this->db->query("SELECT * FROM student WHERE STUD_STATUS='ACTIVATED'");
567           if ($query->num_rows() > 0){
568             foreach ($query->result() as $row){
569               $availableStudNum[$availableStudCtr] = $row->STUD_NUMBER;
570               $availableStudName[$availableStudCtr] = $row->STUD_FNAME .' '. $row->STUD_LNAME .'
                      '.$row->STUD_NUMBER;
571               $availableStudCtr++;
572             }
573           }
574
575         $_SESSION['availableStudName'] = $availableStudName;
576       }
577
578       function submitStudOrgAdmin(){
579         $studOrgOfAdminToAssign = $_POST['studOrgOfAdminToAssign'];
580         $studOrgAdmin1 = substr($_POST['studOrgAdmin1'], -10);
581         $studOrgAdmin2 = substr($_POST['studOrgAdmin2'], -10);
582         $studOrgAdmin3 = substr($_POST['studOrgAdmin3'], -10);
583         $studOrgAdminPosition1 = $_POST['studOrgAdminPosition1'];
584         $studOrgAdminPosition2 = $_POST['studOrgAdminPosition2'];
585         $studOrgAdminPosition3 = $_POST['studOrgAdminPosition3'];
586
587         $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
              $studOrgOfAdminToAssign'");
588           if ($query->num_rows() > 0){
589             foreach ($query->result() as $row){
590               $studOrgName = $row->STUDORG_NAME;
591             }
592           }
593
594         date_default_timezone_set('Asia/Manila');
595         $currentDate = date('Y-m-d H:i:s');
596
597         //deactivates all currently activated
598         $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID='
              $studOrgOfAdminToAssign' AND STUDORG_ADMIN='YES'");
599           if ($query->num_rows() > 0){
600             foreach ($query->result() as $row){
601               $data = array(
602                 'STUDORG_ADMIN'=>'NO'
603               );
604               $this->db->where('STUDORG_ID', $studOrgOfAdminToAssign);
605               $this->db->where('STUD_NUMBER', $row->STUD_NUMBER);
606               $this->db->update('student_organization_member', $data);
607             }
608           }
609
610         for($i=1; $i<=3; $i++){
611           $studOrgAdmin = substr($_POST['studOrgAdmin'.$i], -10);
612           $studOrgAdminPosition = $_POST['studOrgAdminPosition'.$i];
613           $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUD_NUMBER
                ='$studOrgAdmin' AND STUDORG_ID='$studOrgOfAdminToAssign'");
614           if ($query->num_rows() > 0){
615             foreach ($query->result() as $row){
616               $data = array(
617                 'MEMBERSHIP_STATUS'=>'ACTIVATED',
618                 'STUDORG_ADMIN'=>'YES',
619                 'STUDORG_POSITION'=>$studOrgAdminPosition
620               );
621               $this->db->where('STUDORG_ID', $studOrgOfAdminToAssign);
622               $this->db->where('STUD_NUMBER', $studOrgAdmin);
623               $this->db->update('student_organization_member', $data);
624             }
625           }
626           else{
627             $query2 = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studOrgAdmin'"
                  );
628               if ($query2->num_rows() > 0){
629                 foreach ($query2->result() as $row2){
630                   $data = array(
631                     'STUD_NUMBER'=>$studOrgAdmin,
632                     'STUD_FNAME'=>$row2->STUD_FNAME,
633                     'STUD_MNAME'=>$row2->STUD_MNAME,
```

```
634                     'STUD_LNAME'=>$row2->STUD_LNAME,
635                     'STUDORG_ID'=>$studOrgOfAdminToAssign,
636                     'STUDORG_NAME'=>$studOrgName,
637                     'STUDORG_POSITION'=>$studOrgAdminPosition,
638                     'MEMBERSHIP_STATUS'=>'ACTIVATED',
639                     'MEMBERSHIP_STARTDATE'=>$currentDate,
640                     'STUDORG_ADMIN'=>'YES'
641                   );
642                   $this->db->insert('student_organization_member',$data);
643                 }
644               }
645
646           }
647         }
648
649         $_SESSION['assignStudOrgAdminSuccess'] = 1;
650         $_SESSION['assignStudOrgAdminStatus'] = 'ASSIGNED';
651
652       }
653     }
654 ?>
```

Listing 8: ocso_studentModel.php

```
1  <?php
2    class OCSO_studentModel extends CI_Model{
3
4      function __construct(){
5        parent::__construct();
6        $this->load->database();
7        $this->load->library('session');
8      }
9
10     function fetchOrgData(){
11       $myOrgID = $_SESSION['myOrgID'];
12       $userID = $_SESSION['userID'];
13
14       $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='$myOrgID
             '");
15       if ($query->num_rows() > 0){
16         foreach ($query->result() as $row){
17           $_SESSION['myOrgName'] = $row->STUDORG_NAME;
18         }
19       }
20
21       $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID='
             $myOrgID' AND STUD_NUMBER='$userID'");
22       if ($query->num_rows() > 0){
23         foreach ($query->result() as $row){
24           $_SESSION['myOrgAdmin'] = $row->STUDORG_ADMIN;
25           $_SESSION['myOrgPosition'] = $row->STUDORG_POSITION;
26         }
27       }
28     }
29
30     function viewOrgProfile(){
31       $myOrgID = $_SESSION['myOrgID'];
32
33       $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='$myOrgID
             '");
34       if ($query->num_rows() > 0){
35         foreach ($query->result() as $row){
36           $_SESSION['viewOrgName'] = $row->STUDORG_NAME;
37           $_SESSION['viewOrgDesc'] = $row->STUDORG_DESCRIPTION;
38           $_SESSION['viewOrgPic'] = $row->STUDORG_PICTURE;
39           $_SESSION['viewOrgDate'] = $row->STUDORG_FOUNDINGDATE;
40           $_SESSION['viewOrgAcronym'] = $row->STUDORG_ACRONYM;
41           $_SESSION['viewOrgCategory'] = $row->STUDORG_CATEGORY;
42           $_SESSION['viewOrgAdviser'] = $row->STUDORG_ADVISER;
43           $_SESSION['viewOrgEmail'] = $row->STUDORG_EMAIL;
44           $_SESSION['viewOrgType'] = $row->STUDORG_TYPE;
45           if($_SESSION['viewOrgType'] == 'COLLEGE-BASED'){
46             $_SESSION['viewOrgCollege'] = $row->STUDORG_COLLEGENAME;
47           }
48         }
49       }
50
51       $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID='
             $myOrgID'");
52       $_SESSION['viewOrgMembers'] = $query->num_rows();
53     }
54
55     function editOrgProfile(){
56       session_start();
57       $myOrgID = $_SESSION['myOrgID'];
58       $orgName = $_POST['orgName'];
59       $orgDesc = $_POST['orgDesc'];
60       $orgDate = $_POST['orgDate'];
61       $orgAcronym = $_POST['orgAcronym'];
62       $orgEmail = $_POST['orgEmail'];
63       $postImage = $_POST['postImage'];
64
65       $data = array(
66         'STUDORG_NAME'=>$orgName,
67         'STUDORG_DESCRIPTION'=>$orgDesc,
68         'STUDORG_ACRONYM'=>$orgAcronym,
69         'STUDORG_EMAIL'=>$orgEmail,
70         'STUDORG_FOUNDINGDATE'=>$orgDate
```

```
71        );
72        $this->db->where('STUDORG_ID', $myOrgID);
73        $this->db->update('student_organization', $data);
74
75        if($postImage == 'Yes'){
76          if (!empty($_FILES['orgPic']['name'])){
77            $filename = "studOrg-".$myOrgID;
78            $config['upload_path'] = './uploads/';
79            $config['allowed_types'] = 'gif|jpg|png';
80            $config['max_size'] = '5000';
81            $config['file_name'] = $filename;
82            $this->load->library('upload', $config);
83            $this->upload->initialize($config);
84            $this->upload->do_upload('orgPic');
85
86            $data = $this->upload->data();
87            $image_link = base_url()."uploads/".$data['file_name'];
88
89            $data2 = array(
90              'STUDORG_PICTURE'=>$image_link
91            );
92            $this->db->where('STUDORG_ID', $myOrgID);
93            $this->db->update('student_organization',$data2);
94
95          }
96        }
97
98        $this->viewOrgProfile();
99        $_SESSION['editProfileSuccess'] = 1;
100     }
101
102     function orgSubmitPost(){
103       $postTitle = $_POST['postTitle'];
104       $postMessage = $_POST['postMessage'];
105       $accessType = $_POST['orgPostType'];
106
107
108       $query = $this->db->query("SELECT * FROM ocso_post");
109       if ($query->num_rows() == 0){
110         $num = 1;
111       }
112       else{
113         $num = ($query->num_rows())+1;
114       }
115
116       date_default_timezone_set('Asia/Manila');
117       $startDate = date('Y-m-d H:i:s');
118       if($accessType == 'PUBLIC'){
119         $endDate = $_POST['postEndDate'];
120       }
121
122       if($accessType == 'PUBLIC'){
123         $status = 'PENDING';
124       }
125       else{
126         $status = 'ACTIVATED';
127       }
128
129       if($accessType == 'PUBLIC'){
130         $data = array(
131           'POST_ID'=>$num,
132           'POST_TITLE'=>$postTitle,
133           'POST_MESSAGE'=>$postMessage,
134           'POST_ACCESSTYPE'=>$accessType,
135           'POST_STARTDATE'=>$startDate,
136           'POST_ENDDATE'=>$endDate,
137           'POST_STATUS'=>$status
138         );
139         $this->db->insert('ocso_post',$data);
140
141       }
142       else{
143         $data = array(
144           'POST_ID'=>$num,
145           'POST_TITLE'=>$postTitle,
146           'POST_MESSAGE'=>$postMessage,
147           'POST_ACCESSTYPE'=>$accessType,
148           'POST_STARTDATE'=>$startDate,
149           'POST_STATUS'=>$status
150         );
151         $this->db->insert('ocso_post',$data);
152       }
153
154
155
156       $data3 = array(
157         'STUDORG_ID'=>$_SESSION['myOrgID'],
158         'STUD_NUMBER'=>$_SESSION['userID']
159       );
160
161       $this->db->where('POST_ID', $num);
162       $this->db->update('ocso_post',$data3);
163
164
165       if (!empty($_FILES['imageUploaded']['name'])){
166         $filename = "studOrgpost-".$num;
167         $config['upload_path'] = './uploads/';
168         $config['allowed_types'] = 'gif|jpg|png|jpeg|bmp|jpe';
169         $config['max_size'] = '10000000000';
```

```
170           $config['file_name'] = $filename;
171           $this->load->library('upload', $config);
172           $this->upload->initialize($config);
173           $this->upload->do_upload('imageUploaded');
174
175           $data = $this->upload->data();
176           $image_link = base_url()."uploads/".$data['file_name'];
177
178           $data2 = array(
179             'POST_IMAGE'=>$image_link
180           );
181           $this->db->where('POST_ID', $num);
182           $this->db->update('ocso_post',$data2);
183         }
184
185         if($accessType == 'PUBLIC'){
186           $query = $this->db->query("SELECT * FROM ocso_notification");
187           if ($query->num_rows() == 0){
188             $num2 = 1;
189           }
190           else{
191             $num2 = ($query->num_rows())+1;
192           }
193
194           $orgID = $_SESSION['myOrgID'];
195           $query2 = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
                $orgID'");
196           if ($query2->num_rows() > 0){
197             foreach ($query2->result() as $row2){
198               $orgName = $row2->STUDORG_ACRONYM;
199             }
200           }
201
202           $notifStr = $orgName.' sent a public post request.';
203
204           $data = array(
205               'NOTIF_ID'=>$num2,
206               'STUDORG_ID'=>$orgID,
207               'ID'=>$num,
208               'NOTIF_TYPE'=>'PUBLIC POST REQUEST',
209               'NOTIF_DATE'=>$startDate,
210               'NOTIF_MESSAGE'=>$notifStr,
211               'NOTIF_STATUS'=>'ACTIVATED'
212
213           );
214           $this->db->insert('ocso_notification',$data);
215         }
216       }
217
218       function checkOrgPost(){
219
220         date_default_timezone_set('Asia/Manila');
221           $endDate = date_create('0000-00-00 00:00:00');
222           $currentDate = date_create(date('Y-m-d H:i:s'));
223
224           $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_ACCESSTYPE='PUBLIC' AND
                POST_STATUS='ACTIVATED'");
225             if ($query->num_rows() > 0){
226               foreach ($query->result() as $row){
227                 $endDate = date_create($row->POST_ENDDATE);
228                 $interval = date_diff($currentDate, $endDate);
229
230                 $year = $interval->format('%r%y');
231                 $month = $interval->format('%r%m');
232                 $day = $interval->format('%r%a');
233                 $hour = $interval->format('%r%h');
234                 $minute = $interval->format('%r%i');
235                 $second = $interval->format('%r%s');
236                 if($year <= 0 && $month <= 0 && $day <= 0 && $hour <= 0 && $minute <= 0 &&
                      $second <= 0){
237                   $data = array(
238                     'POST_STATUS'=>'DEACTIVATED'
239                   );
240                   $this->db->where('POST_ID', $row->POST_ID);
241                   $this->db->update('ocso_post',$data);
242                 }
243               }
244             }
245
246         $orgPostCtr = 0;
247
248         $orgPostID =  array();
249         $orgPostTitle =  array();
250         $orgPostMessage =  array();
251         $orgPostStartDate =  array();
252         $orgPostImage =  array();
253         $orgPostCommentCount =  array();
254
255         $myOrgID = $_SESSION['myOrgID'];
256
257         $query = $this->db->query("SELECT * FROM ocso_post WHERE POST_STATUS='ACTIVATED' AND
              STUDORG_ID='$myOrgID' AND POST_ACCESSTYPE='EXCLUSIVE'");
258         if ($query->num_rows() > 0){
259           foreach ($query->result() as $row){
260             $orgPostID[$orgPostCtr] = $row->POST_ID;
261             $orgPostTitle[$orgPostCtr] = $row->POST_TITLE;
262             $orgPostMessage[$orgPostCtr] = $row->POST_MESSAGE;
263             $orgPostStartDate[$orgPostCtr] = $row->POST_STARTDATE;
264             $orgPostImage[$orgPostCtr] = $row->POST_IMAGE;
```

```
265
266             $postID = $row->POST_ID;
267             $query = $this->db->query("SELECT * FROM ocso_post_comment WHERE POST_ID='$postID'")
                    ;
268             $count = $query->num_rows();
269             $data = array(
270               'POST_COMMENT_COUNT'=>$count
271             );
272             $this->db->where('POST_ID', $row->POST_ID);
273             $this->db->update('ocso_post',$data);
274
275             $orgPostCommentCount[$orgPostCtr] = $count;
276             $orgPostCtr++;
277           }
278         }
279
280         $_SESSION['orgPostCtr'] = $orgPostCtr;
281         $_SESSION['orgPostID'] = $orgPostID;
282         $_SESSION['orgPostTitle'] = $orgPostTitle;
283         $_SESSION['orgPostMessage'] = $orgPostMessage;
284         $_SESSION['orgPostStartDate'] = $orgPostStartDate;
285         $_SESSION['orgPostImage'] = $orgPostImage;
286         $_SESSION['orgPostCommentCount'] = $orgPostCommentCount;
287       }
288
289       function submitPostComment(){
290         $comment = $_POST['comment'];
291
292         $query = $this->db->query("SELECT * FROM ocso_post_comment");
293         if ($query->num_rows() == 0){
294           $num = 1;
295         }
296         else{
297           $num = ($query->num_rows())+1;
298         }
299
300         date_default_timezone_set('Asia/Manila');
301         $currentDate = date('Y-m-d H:i:s');
302
303         $data = array(
304             'POST_COMMENT_ID'=>$num,
305             'POST_ID'=>$_SESSION['postIDofComment'],
306             'POST_COMMENT_DATE'=>$currentDate,
307             'POST_COMMENT'=>$comment,
308             'STUD_NUMBER'=>$_SESSION['userID'],
309             'STUDORG_ID'=>$_SESSION['myOrgID'],
310             'POST_COMMENT_REPORT_COUNT'=>0
311         );
312         $this->db->insert('ocso_post_comment',$data);
313
314       }
315
316
317       function getPostComments(){
318         $postID = $_SESSION['postIDofComment'];
319
320         $commentCtr = 0;
321
322         $commentArray = array();
323         $commentDateArray = array();
324         $commentorIDArray = array();
325         $commentorArray = array();
326
327         $query = $this->db->query("SELECT * FROM ocso_post_comment WHERE POST_ID='$postID' ORDER
                BY POST_COMMENT_DATE DESC");
328         if ($query->num_rows() > 0){
329           foreach ($query->result() as $row){
330             $commentArray[$commentCtr] = $row->POST_COMMENT;
331             $commentDateArray[$commentCtr] = $row->POST_COMMENT_DATE;
332             $commentorIDArray[$commentCtr] = $row->STUD_NUMBER;
333             $commentCtr++;
334           }
335         }
336
337         for($i=0; $i<$commentCtr; $i++){
338           $studNum = $commentorIDArray[$i];
339           $query = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studNum'");
340           if ($query->num_rows() > 0){
341             foreach ($query->result() as $row){
342               $commentorArray[$i] = $row->STUD_FNAME .' '. $row->STUD_LNAME;
343             }
344           }
345         }
346
347         $_SESSION['commentCtr'] = $commentCtr;
348         $_SESSION['commentArray'] = $commentArray;
349         $_SESSION['commentDateArray'] = $commentDateArray;
350         $_SESSION['commentorIDArray'] = $commentorIDArray;
351         $_SESSION['commentorArray'] = $commentorArray;
352
353       }
354
355
356
357       function searchOrg(){
358         if(isset($_POST['orgToSearch'])){
359           $orgToSearch = $_POST['orgToSearch'];
360           $_SESSION['orgToSearch'] = $_POST['orgToSearch'];
361           $orgReqCtr = 0;
```

```
362
363         $orgReqID =  array();
364         $orgReqName =  array();
365         $memberCheck =  array();
366
367         $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_STATUS='
                ACTIVATED'");
368         if ($query->num_rows() > 0){
369           foreach ($query->result() as $row){
370             $orgNameTemp = strtolower($row->STUDORG_NAME);
371             $orgID = $row->STUDORG_ID;
372             if($orgToSearch != ''){
373               if(strpos($orgNameTemp, strtolower($orgToSearch)) !== false){
374                 $studNum = $_SESSION['userID'];
375                 $query2 = $this->db->query("SELECT * FROM student_organization_member WHERE
                        STUD_NUMBER='$studNum' AND STUDORG_ID='$orgID'");
376                 if ($query2->num_rows() > 0){
377                   foreach ($query2->result() as $row2){
378                     if($row2->MEMBERSHIP_STATUS == 'ACTIVATED'){
379                       $memberCheck[$orgReqCtr] = 'YES';
380                     }
381                     else if($row2->MEMBERSHIP_STATUS == 'PENDING'){
382                       $memberCheck[$orgReqCtr] = 'SENT';
383                     }
384                     else{
385                       $memberCheck[$orgReqCtr] = 'RENEW';
386                     }
387                   }
388                 }
389                 else{
390                   $memberCheck[$orgReqCtr] = 'NO';
391                 }
392
393                 $orgReqID[$orgReqCtr] = $row->STUDORG_ID;
394                 $orgReqName[$orgReqCtr] = $row->STUDORG_NAME;
395                 $orgReqCtr++;
396               }
397             }
398             else{
399               $studNum = $_SESSION['userID'];
400                 $query2 = $this->db->query("SELECT * FROM student_organization_member WHERE
                        STUD_NUMBER='$studNum' AND STUDORG_ID='$orgID'");
401                 if ($query2->num_rows() > 0){
402                   foreach ($query2->result() as $row2){
403                     if($row2->MEMBERSHIP_STATUS == 'ACTIVATED'){
404                       $memberCheck[$orgReqCtr] = 'YES';
405                     }
406                     else if($row2->MEMBERSHIP_STATUS == 'PENDING'){
407                       $memberCheck[$orgReqCtr] = 'SENT';
408                     }
409                     else{
410                       $memberCheck[$orgReqCtr] = 'RENEW';
411                     }
412                   }
413                 }
414                 else{
415                   $memberCheck[$orgReqCtr] = 'NO';
416                 }
417
418                 $orgReqID[$orgReqCtr] = $row->STUDORG_ID;
419                 $orgReqName[$orgReqCtr] = $row->STUDORG_NAME;
420                 $orgReqCtr++;
421
422             }
423           }
424         }
425
426         $_SESSION['orgReqID'] = $orgReqID;
427         $_SESSION['orgReqName'] = $orgReqName;
428         $_SESSION['memberCheck'] = $memberCheck;
429         $_SESSION['orgCheck'] = 1;
430       }
431     }
432
433     function sendRequestToAdmin(){
434       $studNum = $_SESSION['userID'];
435       $query = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studNum'");
436       if ($query->num_rows() > 0){
437         foreach ($query->result() as $row){
438           $studFName = $row->STUD_FNAME;
439           $studMName = $row->STUD_MNAME;
440           $studLName = $row->STUD_LNAME;
441         }
442       }
443
444       $orgID = $_POST['orgToRequest'];
445
446       $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='$orgID'
              ");
447       if ($query->num_rows() > 0){
448         foreach ($query->result() as $row){
449           $orgName = $row->STUDORG_NAME;
450         }
451       }
452       $_SESSION['chosenOrgName'] =  $orgName;
453
454       $data = array(
455         'STUD_NUMBER'=>$studNum,
456         'STUD_FNAME'=>$studFName,
```

```
457           'STUD_MNAME'=>$studMName,
458           'STUD_LNAME'=>$studLName,
459           'STUDORG_ID'=>$orgID,
460           'STUDORG_NAME'=>$orgName,
461           'STUDORG_POSITION'=>'Member',
462           'MEMBERSHIP_STATUS'=>'PENDING',
463           'MEMBERSHIP_STARTDATE'=>'',
464           'STUDORG_ADMIN'=>'NO'
465         );
466
467         $this->db->insert('student_organization_member',$data);
468
469         date_default_timezone_set('Asia/Manila');
470         $currentDate = date('Y-m-d H:i:s');
471
472         $query = $this->db->query("SELECT * FROM ocso_notification");
473         if ($query->num_rows() == 0){
474           $num2 = 1;
475         }
476         else{
477           $num2 = ($query->num_rows())+1;
478         }
479
480
481         $notifStr = $_SESSION['userFullName'].' sent a membership request.';
482
483         $data = array(
484           'NOTIF_ID'=>$num2,
485           'STUDORG_ID'=>$orgID,
486           'STUD_NUMBER'=>$_SESSION['userID'],
487           'NOTIF_TYPE'=>'MEMBERSHIP REQUEST',
488           'NOTIF_DATE'=>$currentDate,
489           'NOTIF_MESSAGE'=>$notifStr,
490           'NOTIF_STATUS'=>'ACTIVATED'
491         );
492         $this->db->insert('ocso_notification',$data);
493
494         $_SESSION['requestSuccess'] = 1;
495
496       }
497
498       function fetchDeactivatedStatus(){
499         $deactCtr = 0;
500         $deactID =  array();
501         $deactName =  array();
502
503         $studNum = $_SESSION['userID'];
504
505         $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUD_NUMBER='
                $studNum' AND MEMBERSHIP_STATUS='DEACTIVATED'");
506         if ($query->num_rows() > 0){
507           foreach ($query->result() as $row){
508             $deactID[$deactCtr] = $row->STUDORG_ID;
509             $deactName[$deactCtr] = $row->STUDORG_NAME;
510             $deactCtr++;
511           }
512         }
513
514         $_SESSION['deactCtr'] = $deactCtr;
515         $_SESSION['deactID'] = $deactID;
516         $_SESSION['deactName'] = $deactName;
517       }
518
519       function sendRenewal(){
520         $studNum = $_SESSION['userID'];
521
522         date_default_timezone_set('Asia/Manila');
523         $currentDate = date('Y-m-d H:i:s');
524
525         $query = $this->db->query("SELECT * FROM ocso_notification");
526         if ($query->num_rows() == 0){
527           $num2 = 1;
528         }
529         else{
530           $num2 = ($query->num_rows())+1;
531         }
532
533
534         $notifStr = $_SESSION['userFullName'].' sent a membership renewal request.';
535
536         for($i=0; $i<count($_POST['orgToRenew']); $i++){
537           $data = array(
538             'MEMBERSHIP_STATUS'=>'PENDING'
539           );
540
541           $this->db->where('STUD_NUMBER', $studNum);
542           $this->db->where('STUDORG_ID', $_POST['orgToRenew'][$i]);
543           $this->db->update('student_organization_member',$data);
544
545           $data2 = array(
546             'NOTIF_ID'=>$num2,
547             'STUDORG_ID'=>$_POST['orgToRenew'][$i],
548             'STUD_NUMBER'=>$_SESSION['userID'],
549             'NOTIF_TYPE'=>'MEMBERSHIP RENEWAL',
550             'NOTIF_DATE'=>$currentDate,
551             'NOTIF_MESSAGE'=>$notifStr,
552             'NOTIF_STATUS'=>'ACTIVATED'
553           );
554
```

```
555           $this->db->insert('ocso_notification',$data2);
556
557           $_SESSION['requestSuccess'] = 1;
558         }
559       }
560
561       function orgSubmitPoll(){
562         $pollQuestion = $_POST['pollQuestion'];
563         $pollChoice = $_POST['pollChoice'];
564         $pollEndDate = $_POST['pollEndDate'];
565         $pollAccessType = $_POST['visibleTo'];
566
567         $query = $this->db->query("SELECT * FROM ocso_poll ORDER BY POLL_ID DESC LIMIT 1");
568         if ($query->num_rows() == 0){
569           $num = 1;
570         }
571         else{
572           foreach ($query->result() as $row){
573             $num = ($row->POLL_ID)+1;
574           }
575
576         }
577
578         date_default_timezone_set('Asia/Manila');
579         $startDate = date('Y-m-d H:i:s');
580
581         for($i=0; $i<count($pollChoice); $i++){
582           $data = array(
583                'POLL_ID'=>$num,
584                'POLL_TITLE'=>$pollQuestion,
585                'POLL_CHOICE'=>$pollChoice[$i],
586                'POLL_VOTE'=>0,
587                'STUDORG_ID'=>$_SESSION['myOrgID'],
588                'STUD_NUMBER'=>$_SESSION['userID'],
589                'POLL_STARTDATE'=>$startDate,
590                'POLL_ENDDATE'=>$pollEndDate,
591                'POLL_ACCESSTYPE' => $pollAccessType,
592                'POLL_STATUS'=>'ACTIVATED'
593           );
594           $this->db->insert('ocso_poll',$data);
595         }
596       }
597
598       function checkOrgPoll(){
599         $query = $this->db->query("SELECT * FROM ocso_poll");
600         if ($query->num_rows() > 0){
601           foreach ($query->result() as $row){
602             $pollID = $row->POLL_ID;
603             $pollChoice = $row->POLL_CHOICE;
604             $query2 = $this->db->query("SELECT * FROM ocso_poll_vote_record WHERE POLL_ID='
                    $pollID' AND POLL_CHOICE='$pollChoice'");
605             $numOfVotes = $query2->num_rows();
606             $data = array(
607               'POLL_VOTE'=>$numOfVotes
608             );
609             $this->db->where('POLL_ID', $pollID);
610             $this->db->where('POLL_CHOICE', $pollChoice);
611             $this->db->update('ocso_poll',$data);
612           }
613         }
614
615         $totalPosts = 0;
616
617         $query = $this->db->query("SELECT * FROM ocso_poll ORDER BY POLL_ID DESC LIMIT 1");
618         if ($query->num_rows() > 0){
619           foreach ($query->result() as $row){
620             $totalPosts = $row->POLL_ID;
621           }
622         }
623
624         date_default_timezone_set('Asia/Manila');
625
626         for($i=1; $i<=$totalPosts; $i++){
627           $endDate = date_create('0000-00-00 00:00:00');
628           $currentDate = date_create(date('Y-m-d H:i:s'));
629
630           $query = $this->db->query("SELECT * FROM ocso_poll WHERE POLL_ID='$i'");
631             $totalChoices = $query->num_rows();
632             if ($query->num_rows() > 0){
633               foreach ($query->result() as $row){
634                 $endDate = date_create($row->POLL_ENDDATE);
635                 $deactivatedChecker = $row->POLL_STATUS;
636               }
637             }
638
639           if($deactivatedChecker != 'DEACTIVATED' && $deactivatedChecker != 'SHARED'){
640             $interval = date_diff($currentDate, $endDate);
641             $year = $interval->format('%r%y');
642             $month = $interval->format('%r%m');
643             $day = $interval->format('%r%a');
644             if($year <= 0 && $month <= 0 && $day < 0){
645                  $data = array(
646                    'POLL_STATUS'=>'PENDING FOR RESULTS'
647                  );
648                  $this->db->where('POLL_ID', $i);
649                  $this->db->update('ocso_poll',$data);
650             }
651           }
652       }
```

```
653
654         $orgPollCtr = 0;
655         $orgPollID =  array();
656         $orgPollTitle = array();
657         $orgPollChoiceArray =  array();
658         $orgPollChoiceCtrArray =  array();
659         $orgPollStartDate = array();
660         $orgPollHasVote = array();
661         $orgPollVote = array();
662         $orgPollAccessType = array();
663
664         $myOrgID = $_SESSION['myOrgID'];
665
666         $query = $this->db->query("SELECT DISTINCT POLL_ID,POLL_TITLE,POLL_STARTDATE,
                POLL_ACCESSTYPE FROM ocso_poll WHERE POLL_STATUS='ACTIVATED' AND STUDORG_ID='
                $myOrgID'");
667         if ($query->num_rows() > 0){
668           foreach ($query->result() as $row){
669             $orgPollID[$orgPollCtr] = $row->POLL_ID;
670             $orgPollTitle[$orgPollCtr] = $row->POLL_TITLE;
671             $orgPollStartDate[$orgPollCtr] = $row->POLL_STARTDATE;
672             $orgPollAccessType[$orgPollCtr] = $row->POLL_ACCESSTYPE;
673             $orgPollCtr++;
674           }
675         }
676
677         $studNum = $_SESSION['userID'];
678
679         for($i=0; $i<$orgPollCtr; $i++){
680           $id = $orgPollID[$i];
681           $orgPollChoiceCtr = 0;
682           $orgPollChoice =  array();
683           $query = $this->db->query("SELECT * FROM ocso_poll WHERE POLL_ID='$id'");
684           if ($query->num_rows() > 0){
685             foreach ($query->result() as $row){
686               $orgPollChoice[$orgPollChoiceCtr] = $row->POLL_CHOICE;
687               $orgPollChoiceCtr++;
688             }
689           }
690
691           $query2 = $this->db->query("SELECT * FROM ocso_poll_vote_record WHERE POLL_ID='$id'
                  AND STUDORG_ID='$myOrgID' AND STUD_NUMBER='$studNum'");
692           if ($query2->num_rows() > 0){
693             $orgPollHasVote[$i] = 1;
694             foreach ($query2->result() as $row2){
695               $orgPollVote[$i] = $row2->POLL_CHOICE;
696             }
697           }
698           else{
699             $orgPollHasVote[$i] = 0;
700             $orgPollVote[$i] = '';
701           }
702           $orgPollChoiceCtrArray[$i] = $orgPollChoiceCtr;
703           $orgPollChoiceArray[$i] = $orgPollChoice;
704         }
705
706
707
708
709         $_SESSION['orgPollCtr'] = $orgPollCtr;
710         $_SESSION['orgPollID'] = $orgPollID;
711         $_SESSION['orgPollTitle'] = $orgPollTitle;
712         $_SESSION['orgPollStartDate'] = $orgPollStartDate;
713         $_SESSION['orgPollChoiceCtrArray'] = $orgPollChoiceCtrArray;
714         $_SESSION['orgPollChoiceArray'] = $orgPollChoiceArray;
715         $_SESSION['orgPollHasVote'] = $orgPollHasVote;
716         $_SESSION['orgPollVote'] = $orgPollVote;
717         $_SESSION['orgPollAccessType'] = $orgPollAccessType;
718
719         //GET DEACTIVATED POLL FOR GRAPH GENERATION
720
721         $deactPollCtr = 0;
722         $deactPollID =  array();
723         $deactPollTitle = array();
724         $deactPollVotesArray = array();
725         $deactPollChoiceArray =  array();
726         $deactPollChoiceCtrArray =  array();
727
728         $query = $this->db->query("SELECT DISTINCT POLL_ID, POLL_TITLE FROM ocso_poll WHERE
                POLL_STATUS='PENDING FOR RESULTS'");
729         if ($query->num_rows() > 0){
730           foreach ($query->result() as $row){
731             $deactPollID[$deactPollCtr] = $row->POLL_ID;
732             $deactPollTitle[$deactPollCtr] = $row->POLL_TITLE;
733             $deactPollCtr++;
734           }
735         }
736
737         for($i=0; $i<$deactPollCtr; $i++){
738           $pollID = $deactPollID[$i];
739           $deactPollChoice = array();
740           $deactPollVotes = array();
741           $ctr = 0;
742           $query = $this->db->query("SELECT * FROM ocso_poll WHERE POLL_ID='$pollID'");
743           if ($query->num_rows() > 0){
744             foreach ($query->result() as $row){
745               $deactPollChoice[$ctr] = $row->POLL_CHOICE;
746               $deactPollVotes[$ctr] = $row->POLL_VOTE;
747               $ctr++;
```

```
748             }
749           }
750           $deactPollVotesArray[$i] = $deactPollVotes;
751           $deactPollChoiceArray[$i] =  $deactPollChoice;
752           $deactPollChoiceCtrArray[$i] =  $ctr;
753         }
754
755         $_SESSION['deactPollCtr'] = $deactPollCtr;
756         $_SESSION['deactPollID'] = $deactPollID;
757         $_SESSION['deactPollTitle'] = $deactPollTitle;
758         $_SESSION['deactPollChoiceCtrArray'] = $deactPollChoiceCtrArray;
759         $_SESSION['deactPollChoiceArray'] = $deactPollChoiceArray;
760         $_SESSION['deactPollVotesArray'] = $deactPollVotesArray;
761
762         //CHECK IF CURRENT USER IS ADMIN OF CURRENT CHOSEN ORG
763         $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUD_NUMBER='
                $studNum' AND STUDORG_ID='$myOrgID'");
764           if ($query->num_rows() > 0){
765             foreach ($query->result() as $row){
766               $_SESSION['isAdminOfCurrentOrg'] = $row->STUDORG_ADMIN;
767             }
768           }
769
770
771         //FETCH ALL SHARED POLLS
772         $sharedPollCtr = 0;
773         $sharedPollID = array();
774         $sharedPollTitle = array();
775         $sharedPollChoiceArray = array();
776         $sharedPollVoteArray = array();
777
778         $orgID = $_SESSION['myOrgID'];
779         $query = $this->db->query("SELECT DISTINCT POLL_ID, POLL_TITLE FROM ocso_poll WHERE
                STUDORG_ID='$orgID' AND POLL_STATUS='SHARED'");
780           if ($query->num_rows() > 0){
781             foreach ($query->result() as $row){
782               $sharedPollID[$sharedPollCtr] = $row->POLL_ID;
783               $sharedPollTitle[$sharedPollCtr] = $row->POLL_TITLE;
784               $sharedPollCtr++;
785             }
786           }
787
788         for($i=0; $i<$sharedPollCtr; $i++){
789           $ctr=0;
790           $pollChoice = array();
791           $pollVote = array();
792           $pollID = $sharedPollID[$i];
793           $query = $this->db->query("SELECT * FROM ocso_poll WHERE POLL_ID='$pollID'");
794           if ($query->num_rows() > 0){
795             foreach ($query->result() as $row){
796               $pollChoice[$ctr] = $row->POLL_CHOICE;
797               $pollVote[$ctr] = $row->POLL_VOTE;
798               $ctr++;
799             }
800           }
801           $sharedPollChoiceArray[$i] = $pollChoice;
802           $sharedPollVoteArray[$i] = $pollVote;
803         }
804
805         $_SESSION['sharedPollCtr'] = $sharedPollCtr;
806         $_SESSION['sharedPollID'] = $sharedPollID;
807         $_SESSION['sharedPollTitle'] = $sharedPollTitle;
808         $_SESSION['sharedPollChoiceArray'] = $sharedPollChoiceArray;
809         $_SESSION['sharedPollVoteArray'] = $sharedPollVoteArray;
810
811
812       }
813
814       function orgPollSubmitVote(){
815         $pollID = $_POST['pollID'];
816         $pollVote = $_POST[$pollID];
817         if(!empty($pollVote)){
818           $data = array(
819                'POLL_ID'=>$pollID,
820                'POLL_CHOICE'=>$pollVote,
821                'STUDORG_ID'=>$_SESSION['myOrgID'],
822                'STUD_NUMBER'=>$_SESSION['userID'],
823           );
824           $this->db->insert('ocso_poll_vote_record',$data);
825         }
826       }
827
828
829       function orgPollEditVote(){
830         $pollID = $_POST['pollID'];
831         $pollVote = $_POST[$pollID];
832
833         $data = array(
834           'POLL_CHOICE'=>$pollVote,
835         );
836
837         $this->db->where('STUD_NUMBER', $_SESSION['userID']);
838         $this->db->where('STUDORG_ID', $_SESSION['myOrgID']);
839         $this->db->where('POLL_ID', $pollID);
840         $this->db->update('ocso_poll_vote_record',$data);
841       }
842
843       function sharePollGraph(){
844         $pollID = $_SESSION['pollIDGraph'];
```

```
845
846         $data = array(
847           'POLL_STATUS'=>'SHARED',
848         );
849         $this->db->where('POLL_ID', $pollID);
850         $this->db->update('ocso_poll',$data);
851       }
852
853       function deletePollResult(){
854         $pollID = $_SESSION['pollIDToDelete'];
855         $data = array(
856           'POLL_STATUS'=>'DEACTIVATED',
857         );
858         $this->db->where('POLL_ID', $pollID);
859         $this->db->update('ocso_poll',$data);
860       }
861
862       function orgSubmitFile(){
863
864         $query = $this->db->query("SELECT * FROM ocso_files");
865         if ($query->num_rows() == 0){
866           $num = 1;
867         }
868         else{
869           $num = ($query->num_rows())+1;
870         }
871
872         date_default_timezone_set('Asia/Manila');
873         $currentDate = date('Y-m-d H:i:s');
874
875         if($_POST['attach'] == 'file'){
876           if (!empty($_FILES['fileUploaded']['name'])){
877             $filename = $_POST['postTitle'];
878             $config['upload_path'] = './uploads/';
879             $config['allowed_types'] = 'pdf|doc|docx|word|xls|xlsx|csv|txt|rtf|text|zip|ppt|pptx
                  ';
880             $config['max_size'] = '5000';
881             $config['file_name'] = $filename;
882             $this->load->library('upload', $config);
883             $this->upload->initialize($config);
884             $this->upload->do_upload('fileUploaded');
885
886             $data = $this->upload->data();
887             $file_link = base_url()."uploads/".$data['file_name'];
888
889             $nameOfFile = $_FILES['fileUploaded']['name'];
890             $ext = pathinfo($nameOfFile, PATHINFO_EXTENSION);
891
892             $data = array(
893               'FILES_ID'=>$num,
894               'FILES_TITLE'=>$_POST['postTitle'],
895               'FILES_TYPE'=>$ext,
896               'FILES_LINK'=>$file_link,
897               'STUDORG_ID'=>$_SESSION['myOrgID'],
898               'STUD_NUMBER'=>$_SESSION['userID'],
899               'FILES_DESCRIPTION'=>$_POST['postMessage'],
900               'DATE_UPLOADED'=>$currentDate,
901               'FILES_STATUS'=>'ACTIVATED'
902
903             );
904             $this->db->insert('ocso_files',$data);
905           }
906         }
907         else{
908           if (!empty($_FILES['videoUploaded']['name'])){
909             $filename = $_POST['postTitle'];
910             $config['upload_path'] = './uploads/';
911             $config['allowed_types'] = 'mp4|mpeg|mpg|avi|flv|mov|wmv|3gp|m4v';
912             $config['max_size'] = '256000';
913             $config['file_name'] = $filename;
914             $this->load->library('upload', $config);
915             $this->upload->initialize($config);
916             $this->upload->do_upload('videoUploaded');
917
918             $data = $this->upload->data();
919             $file_link = base_url()."uploads/".$data['file_name'];
920
921             $nameOfFile = $_FILES['videoUploaded']['name'];
922             $ext = pathinfo($nameOfFile, PATHINFO_EXTENSION);
923
924             $data = array(
925               'FILES_ID'=>$num,
926               'FILES_TITLE'=>$_POST['postTitle'],
927               'FILES_TYPE'=>$ext,
928               'FILES_LINK'=>$file_link,
929               'STUDORG_ID'=>$_SESSION['myOrgID'],
930               'STUD_NUMBER'=>$_SESSION['userID'],
931               'FILES_DESCRIPTION'=>$_POST['postMessage'],
932               'DATE_UPLOADED'=>$currentDate,
933               'FILES_STATUS'=>'ACTIVATED'
934
935             );
936             $this->db->insert('ocso_files',$data);
937           }
938
939         }
940       }
941
942       function getOrgFiles(){
```

```
943         $orgFilesCtr = 0;
944
945         $orgFilesID = array();
946         $orgFilesTitle = array();
947         $orgFilesLink = array();
948         $orgFilesUploaderTemp = array();
949         $orgFilesUploader = array();
950         $orgFilesDate = array();
951         $orgFilesDesc = array();
952         $orgFilesType = array();
953
954         $myOrgID = $_SESSION['myOrgID'];
955
956         $query = $this->db->query("SELECT * FROM ocso_files WHERE STUDORG_ID='$myOrgID' AND
                FILES_STATUS='ACTIVATED' AND FILES_TYPE!='mp4' AND FILES_TYPE!='mpeg' AND FILES_TYPE
                !='mpg' AND FILES_TYPE!='avi' AND FILES_TYPE!='flv' AND FILES_TYPE!='mov' AND
                FILES_TYPE!='wmv' AND FILES_TYPE!='3gp' AND FILES_TYPE!='m4v' ORDER BY DATE_UPLOADED
                 DESC");
957         if ($query->num_rows() > 0){
958           foreach ($query->result() as $row){
959             $orgFilesID[$orgFilesCtr] = $row->FILES_ID;
960             $orgFilesTitle[$orgFilesCtr] = $row->FILES_TITLE;
961             $orgFilesLink[$orgFilesCtr] = $row->FILES_LINK;
962             $orgFilesUploaderTemp[$orgFilesCtr] = $row->STUD_NUMBER;
963             $orgFilesDate[$orgFilesCtr] = $row->DATE_UPLOADED;
964             $orgFilesDesc[$orgFilesCtr] = $row->FILES_DESCRIPTION;
965             $orgFilesType[$orgFilesCtr] = $row->FILES_TYPE;
966             $orgFilesCtr++;
967           }
968         }
969
970         for($i=0; $i<$orgFilesCtr;$i++){
971           $studNum = $orgFilesUploaderTemp[$i];
972           $query2 = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studNum'");
973           if ($query2->num_rows() > 0){
974             foreach ($query2->result() as $row2){
975               $orgFilesUploader[$i] = $row2->STUD_FNAME .' '. $row2->STUD_LNAME;
976             }
977           }
978         }
979
980         $_SESSION['orgFilesCtr'] = $orgFilesCtr;
981         $_SESSION['orgFilesID'] = $orgFilesID;
982         $_SESSION['orgFilesTitle'] = $orgFilesTitle;
983         $_SESSION['orgFilesLink'] = $orgFilesLink;
984         $_SESSION['orgFilesUploader'] = $orgFilesUploader;
985         $_SESSION['orgFilesDate'] = $orgFilesDate;
986         $_SESSION['orgFilesDesc'] = $orgFilesDesc;
987         $_SESSION['orgFilesType'] = $orgFilesType;
988       }
989
990       function getOrgVideos(){
991         $orgVideoCtr = 0;
992
993         $orgVideoID = array();
994         $orgVideoTitle = array();
995         $orgVideoLink = array();
996         $orgVideoUploaderTemp = array();
997         $orgVideoUploader = array();
998         $orgVideoDate = array();
999         $orgVideoDesc = array();
1000
1001        $myOrgID = $_SESSION['myOrgID'];
1002
1003        $query = $this->db->query("SELECT * FROM ocso_files WHERE STUDORG_ID='$myOrgID' AND
                FILES_STATUS='ACTIVATED' AND (FILES_TYPE='mp4' OR FILES_TYPE='mpeg' OR FILES_TYPE='
                mpg' OR FILES_TYPE='avi' OR FILES_TYPE='flv' OR FILES_TYPE='mov' OR FILES_TYPE='wmv'
                 OR FILES_TYPE='3gp' OR FILES_TYPE='m4v') ORDER BY DATE_UPLOADED DESC");
1004        if ($query->num_rows() > 0){
1005          foreach ($query->result() as $row){
1006            $orgVideoID[$orgVideoCtr] = $row->FILES_ID;
1007            $orgVideoTitle[$orgVideoCtr] = $row->FILES_TITLE;
1008            $orgVideoLink[$orgVideoCtr] = $row->FILES_LINK;
1009            $orgVideoUploaderTemp[$orgVideoCtr] = $row->STUD_NUMBER;
1010            $orgVideoDate[$orgVideoCtr] = $row->DATE_UPLOADED;
1011            $orgVideoDesc[$orgVideoCtr] = $row->FILES_DESCRIPTION;
1012            $orgVideoCtr++;
1013          }
1014        }
1015
1016        for($i=0; $i<$orgVideoCtr;$i++){
1017          $studNum = $orgVideoUploaderTemp[$i];
1018          $query2 = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studNum'");
1019          if ($query2->num_rows() > 0){
1020            foreach ($query2->result() as $row2){
1021              $orgVideoUploader[$i] = $row2->STUD_FNAME .' '. $row2->STUD_LNAME;
1022            }
1023          }
1024        }
1025
1026        $_SESSION['orgVideoCtr'] = $orgVideoCtr;
1027        $_SESSION['orgVideoID'] = $orgVideoID;
1028        $_SESSION['orgVideoTitle'] = $orgVideoTitle;
1029        $_SESSION['orgVideoLink'] = $orgVideoLink;
1030        $_SESSION['orgVideoUploader'] = $orgVideoUploader;
1031        $_SESSION['orgVideoDate'] = $orgVideoDate;
1032        $_SESSION['orgVideoDesc'] = $orgVideoDesc;
1033      }
1034
```

```
1035      function deleteFile(){
1036        $data = array(
1037          'FILES_STATUS'=> 'DEACTIVATED'
1038        );
1039        $this->db->where('FILES_ID', $_SESSION['fileIDToDelete']);
1040        $this->db->update('ocso_files',$data);
1041
1042        $this->getOrgFiles();
1043      }
1044
1045      function deleteVideo(){
1046        $data = array(
1047          'FILES_STATUS'=> 'DEACTIVATED'
1048        );
1049        $this->db->where('FILES_ID', $_SESSION['videoIDToDelete']);
1050        $this->db->update('ocso_files',$data);
1051
1052        $this->getOrgVideos();
1053      }
1054
1055
1056      function approveMembershipRequest(){
1057        $memberToChangeStatus = $_POST['memberToChangeStatus'];
1058        $studOrg = $_SESSION['requestStudOrgToView'];
1059        $position = $_POST['memberPosition'];
1060
1061        date_default_timezone_set('Asia/Manila');
1062        $currentDate = date('Y-m-d H:i:s');
1063
1064        $query = $this->db->query("SELECT * FROM ocso_notification");
1065        if ($query->num_rows() == 0){
1066          $num2 = 1;
1067        }
1068        else{
1069          $num2 = ($query->num_rows())+1;
1070        }
1071
1072        if($_SESSION['changeMemberStatusTo'] == 'ACTIVATED'){
1073          $notifStr = 'Membership request/renewal has been approved.';
1074          $notifType = 'MEMBERSHIP APPROVAL';
1075        }
1076        else{
1077          $notifStr = 'Membership request/renewal has been disapproved.';
1078          $notifType = 'MEMBERSHIP DISAPPROVAL';
1079        }
1080
1081
1082        if($_SESSION['changeMemberStatusTo'] == 'ACTIVATED'){
1083          $data = array(
1084            'MEMBERSHIP_STATUS'=>$_SESSION['changeMemberStatusTo'],
1085            'STUDORG_POSITION'=>$position
1086          );
1087          $this->db->where('STUD_NUMBER', $memberToChangeStatus);
1088          $this->db->where('STUDORG_NAME', $studOrg);
1089          $this->db->update('student_organization_member',$data);
1090        }
1091        else{
1092          $this->db->delete('student_organization_member', array('STUD_NUMBER' =>
                $memberToChangeStatus, 'STUDORG_NAME' => $studOrg));
1093        }
1094
1095          $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_NAME='
                $studOrg'");
1096            if ($query->num_rows() > 0){
1097              foreach ($query->result() as $row){
1098                $studOrgID = $row->STUDORG_ID;
1099              }
1100            }
1101
1102          $data2 = array(
1103            'NOTIF_ID'=>$num2,
1104            'STUDORG_ID'=>$studOrgID,
1105            'STUD_NUMBER'=>$memberToChangeStatus,
1106            'NOTIF_TYPE'=>$notifType,
1107            'NOTIF_DATE'=>$currentDate,
1108            'NOTIF_MESSAGE'=>$notifStr,
1109            'NOTIF_STATUS'=>'ACTIVATED'
1110          );
1111          $this->db->insert('ocso_notification',$data2);
1112
1113          $data = array(
1114            'NOTIF_STATUS'=>'DEACTIVATED',
1115          );
1116          $this->db->where('STUD_NUMBER', $memberToChangeStatus);
1117          $this->db->where('STUDORG_ID', $studOrgID);
1118          $this->db->where('NOTIF_TYPE', 'MEMBERSHIP REQUEST');
1119          $this->db->or_where('NOTIF_TYPE', 'MEMBERSHIP RENEWAL');
1120          $this->db->update('ocso_notification',$data);
1121
1122        $_SESSION['activateMemberSuccess'] = 1;
1123        $_SESSION['activateMemberStatus'] = $_SESSION['changeMemberStatusTo'];
1124      }
1125
1126      function activateMemberSearch(){
1127        unset($_SESSION['memberToActivate']);
1128        if($_SERVER['REQUEST_METHOD'] == 'POST') {
1129          $memberToActivate = strtolower($_POST['memberToActivate']);
1130          $_SESSION['memberToActivate'] = $_POST['memberToActivate'];
1131          $orgID = $_SESSION['myOrgID'];
```

```
1132
1133            $memberCtr = 0;
1134            $memberCtrTemp = 0;
1135            $memberListID = array();
1136            $memberListIDTemp = array();
1137            $memberListFName = array();
1138            $memberListLName = array();
1139            $memberListNameTemp = array();
1140            $memberListPosition = array();
1141            $memberListStatus = array();
1142            $idToSearch = 'none';
1143
1144            $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                    STUDORG_ID='$orgID'");
1145            if ($query->num_rows() > 0){
1146              foreach ($query->result() as $row){
1147                $memberListIDTemp[$memberCtrTemp] = $row->STUD_NUMBER;
1148                $memberListNameTemp[$memberCtrTemp] = strtolower($row->STUD_FNAME).' '.
                         strtolower($row->STUD_LNAME);
1149                $memberCtrTemp++;
1150              }
1151            }
1152
1153            if($memberCtrTemp > 0){
1154              for($i=0; $i < $memberCtrTemp; $i++){
1155                if($memberToActivate != ''){
1156                  if(strpos($memberListNameTemp[$i], $memberToActivate) !== false){
1157                    $idToSearch = $memberListIDTemp[$i];
1158                    $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                             STUD_NUMBER='$idToSearch' AND STUDORG_ID='$orgID'");
1159                    if ($query->num_rows() > 0){
1160                      foreach ($query->result() as $row){
1161                        $memberListID[$memberCtr] = $row->STUD_NUMBER;
1162                        $memberListFName[$memberCtr] = $row->STUD_FNAME;
1163                        $memberListLName[$memberCtr] = $row->STUD_LNAME;
1164                        $memberListPosition[$memberCtr] = $row->STUDORG_POSITION;
1165                        $memberListStatus[$memberCtr] = $row->MEMBERSHIP_STATUS;
1166                        $memberCtr++;
1167                      }
1168                    }
1169                  }
1170                }
1171                else{
1172                  $idToSearch = $memberListIDTemp[$i];
1173                    $query = $this->db->query("SELECT * FROM student_organization_member WHERE
                             STUD_NUMBER='$idToSearch' AND STUDORG_ID='$orgID'");
1174                    if ($query->num_rows() > 0){
1175                      foreach ($query->result() as $row){
1176                        $memberListID[$memberCtr] = $row->STUD_NUMBER;
1177                        $memberListFName[$memberCtr] = $row->STUD_FNAME;
1178                        $memberListLName[$memberCtr] = $row->STUD_LNAME;
1179                        $memberListPosition[$memberCtr] = $row->STUDORG_POSITION;
1180                        $memberListStatus[$memberCtr] = $row->MEMBERSHIP_STATUS;
1181                        $memberCtr++;
1182                      }
1183                    }
1184                }
1185              }
1186            }
1187            $_SESSION['memberCtrACT'] = $memberCtr;
1188            $_SESSION['memberListIDACT'] = $memberListID;
1189            $_SESSION['memberListFNameACT'] = $memberListFName;
1190            $_SESSION['memberListLNameACT'] = $memberListLName;
1191            $_SESSION['memberListPositionACT'] = $memberListPosition;
1192            $_SESSION['memberListStatusACT'] = $memberListStatus;
1193        }
1194      }
1195
1196      function activateMember(){
1197        $membersToChangeStatus = $_POST['membersToChangeStatus'];
1198        for($i=0; $i<count($membersToChangeStatus); $i++){
1199          $data = array(
1200            'MEMBERSHIP_STATUS'=>$_SESSION['changeMemberStatusTo'],
1201          );
1202          $this->db->where('STUD_NUMBER', $membersToChangeStatus[$i]);
1203          $this->db->where('STUDORG_ID', $_SESSION['myOrgID']);
1204          $this->db->update('student_organization_member', $data);
1205        }
1206        $_SESSION['memActivateSuccess'] = 1;
1207        $_SESSION['memActivateStatus'] = $_SESSION['changeMemberStatusTo'];
1208      }
1209
1210      function orgSubmitEvent(){
1211        $eventTitle = $_POST['eventTitle'];
1212        $eventVenue = $_POST['eventVenue'];
1213        $eventDetails = $_POST['eventDetails'];
1214        $eventEndDate = $_POST['eventEndDate'];
1215        $eventPeopleInvited = $_POST['eventPeopleInvited'];
1216
1217
1218        $query = $this->db->query("SELECT * FROM ocso_event");
1219        if ($query->num_rows() == 0){
1220          $num = 1;
1221        }
1222        else{
1223          $num = ($query->num_rows())+1;
1224        }
1225
1226        date_default_timezone_set('Asia/Manila');
```

```
1227        $currentDate = date('Y-m-d H:i:s');
1228
1229        $data = array(
1230             'EVENT_ID'=>$num,
1231             'EVENT_TITLE'=>$eventTitle,
1232             'EVENT_DESCRIPTION'=>$eventDetails,
1233             'EVENT_ACCESSTYPE'=>$eventPeopleInvited,
1234             'EVENT_STARTDATE'=>$currentDate,
1235             'EVENT_ENDDATE'=>$eventEndDate,
1236             'EVENT_VENUE'=>$eventVenue,
1237             'EVENT_STATUS'=>'ACTIVATED',
1238             'STUDORG_ID'=>$_SESSION['myOrgID'],
1239             'STUD_NUMBER'=>$_SESSION['userID']
1240        );
1241        $this->db->insert('ocso_event',$data);
1242
1243        if($_POST['eventImage'] == 'Yes'){
1244          if (!empty($_FILES['eventImageUploaded']['name'])){
1245            $filename = "studOrgEvent-".$num;
1246            $config['upload_path'] = './uploads/';
1247            $config['allowed_types'] = 'gif|jpg|png';
1248            $config['max_size'] = '5000';
1249            $config['file_name'] = $filename;
1250            $this->load->library('upload', $config);
1251            $this->upload->initialize($config);
1252            $this->upload->do_upload('eventImageUploaded');
1253
1254            $data = $this->upload->data();
1255            $image_link = base_url()."uploads/".$data['file_name'];
1256
1257            $data2 = array(
1258              'EVENT_IMAGE'=>$image_link
1259            );
1260            $this->db->where('EVENT_ID', $num);
1261            $this->db->update('ocso_event',$data2);
1262
1263          }
1264        }
1265
1266        //record invites of org members
1267        if($eventPeopleInvited == 'All Members'){
1268          $orgID = $_SESSION['myOrgID'];
1269          $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID
                 ='$orgID' AND MEMBERSHIP_STATUS='ACTIVATED'");
1270            if ($query->num_rows() > 0){
1271              foreach ($query->result() as $row){
1272                $data = array(
1273                     'EVENT_ID'=>$num,
1274                     'STUD_NUMBER'=>$row->STUD_NUMBER,
1275                     'INVITE_STATUS'=>'INVITED'
1276                );
1277                $this->db->insert('ocso_event_invites',$data);
1278              }
1279            }
1280        }
1281
1282        //record invites of one college
1283        if($eventPeopleInvited == 'College'){
1284          $college = $_POST['invitedCollege'];
1285          $query = $this->db->query("SELECT * FROM student WHERE STUD_COLLEGENAME='$college' AND
                 STUD_STATUS='ACTIVATED'");
1286            if ($query->num_rows() > 0){
1287              foreach ($query->result() as $row){
1288                $data = array(
1289                     'EVENT_ID'=>$num,
1290                     'STUD_NUMBER'=>$row->STUD_NUMBER,
1291                     'INVITE_STATUS'=>'INVITED'
1292                );
1293                $this->db->insert('ocso_event_invites',$data);
1294              }
1295            }
1296        }
1297
1298        //record invites of execomm
1299        if($eventPeopleInvited == 'ExeComm/Officers'){
1300          $orgID = $_SESSION['myOrgID'];
1301          $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID
                 ='$orgID' AND MEMBERSHIP_STATUS='ACTIVATED' AND STUDORG_POSITION!='MEMBER'");
1302            if ($query->num_rows() > 0){
1303              foreach ($query->result() as $row){
1304                $data = array(
1305                     'EVENT_ID'=>$num,
1306                     'STUD_NUMBER'=>$row->STUD_NUMBER,
1307                     'INVITE_STATUS'=>'INVITED'
1308                );
1309                $this->db->insert('ocso_event_invites',$data);
1310              }
1311            }
1312        }
1313
1314        //record invites of all students (public)
1315        if($eventPeopleInvited == 'Public'){
1316          $query = $this->db->query("SELECT * FROM student WHERE STUD_STATUS='ACTIVATED'");
1317            if ($query->num_rows() > 0){
1318              foreach ($query->result() as $row){
1319                $data = array(
1320                     'EVENT_ID'=>$num,
1321                     'STUD_NUMBER'=>$row->STUD_NUMBER,
1322                     'INVITE_STATUS'=>'INVITED'
```

```
1323                );
1324                $this->db->insert('ocso_event_invites',$data);
1325              }
1326            }
1327        }
1328
1329      }
1330
1331      function checkEvents(){
1332        $query = $this->db->query("SELECT * FROM ocso_event");
1333        $totalEvents = $query->num_rows();
1334
1335        date_default_timezone_set('Asia/Manila');
1336
1337        for($i=1; $i<=$totalEvents; $i++){
1338          $endDate = date_create('0000-00-00');
1339          $currentDate = date_create(date('Y-m-d'));
1340
1341          $query = $this->db->query("SELECT * FROM ocso_event WHERE EVENT_ID='$i'");
1342            if ($query->num_rows() > 0){
1343              foreach ($query->result() as $row){
1344                $endDate = date_create($row->EVENT_ENDDATE);
1345              }
1346            }
1347          $interval = date_diff($currentDate, $endDate);
1348          $year = $interval->format('%r%y');
1349          $month = $interval->format('%r%m');
1350          $day = $interval->format('%r%a');
1351          if($year <= 0 && $month <= 0 && $day <= 0){
1352            $data = array(
1353              'EVENT_STATUS'=>'ENDED'
1354            );
1355            $this->db->where('EVENT_ID', $i);
1356            $this->db->update('ocso_event',$data);
1357          }
1358        }
1359
1360        $eventCtr = 0;
1361        $eventID = array();
1362        $eventHostID = array();
1363        $eventHost = array();
1364        $eventTitle = array();
1365        $eventDescription = array();
1366        $eventStartDate = array();
1367        $eventEndDate = array();
1368        $eventVenue = array();
1369        $eventImage = array();
1370        $eventAccessType = array();
1371        $eventInvites = array();
1372
1373        $query = $this->db->query("SELECT * FROM ocso_event WHERE EVENT_STATUS='ACTIVATED'");
1374        if ($query->num_rows() > 0){
1375          foreach ($query->result() as $row){
1376            $eventID[$eventCtr] = $row->EVENT_ID;
1377            $eventHostID[$eventCtr] = $row->STUDORG_ID;
1378            $eventTitle[$eventCtr] = $row->EVENT_TITLE;
1379            $eventDescription[$eventCtr] = $row->EVENT_DESCRIPTION;
1380            $eventStartDate[$eventCtr] = $row->EVENT_STARTDATE;
1381            $eventEndDate[$eventCtr] = $row->EVENT_ENDDATE;
1382            $eventVenue[$eventCtr] = $row->EVENT_VENUE;
1383            $eventImage[$eventCtr] = $row->EVENT_IMAGE;
1384            $eventAccessType[$eventCtr] = $row->EVENT_ACCESSTYPE;
1385            $eventCtr++;
1386          }
1387        }
1388
1389        for($i=0; $i<$eventCtr; $i++){
1390          $orgID = $eventHostID[$i];
1391          $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='$orgID
                 '");
1392          if ($query->num_rows() > 0){
1393            foreach ($query->result() as $row){
1394              $eventHost[$i] = $row->STUDORG_NAME;
1395            }
1396          }
1397
1398          $ctr=0;
1399          $eventInvitesTemp = array();
1400          $id = $eventID[$i];
1401          $query2 = $this->db->query("SELECT * FROM ocso_event_invites WHERE EVENT_ID='$id'");
1402          if ($query2->num_rows() > 0){
1403            foreach ($query2->result() as $row2){
1404              $eventInvitesTemp[$ctr] = $row2->STUD_NUMBER;
1405              $ctr++;
1406            }
1407          }
1408
1409          $eventInvites[$i] = $eventInvitesTemp;
1410        }
1411
1412
1413        $_SESSION['eventCtr'] = $eventCtr;
1414        $_SESSION['eventID'] = $eventID;
1415        $_SESSION['eventHostID'] = $eventHostID;
1416        $_SESSION['eventHost'] = $eventHost;
1417        $_SESSION['eventTitle'] = $eventTitle;
1418        $_SESSION['eventDescription'] = $eventDescription;
1419        $_SESSION['eventStartDate'] = $eventStartDate;
1420        $_SESSION['eventEndDate'] = $eventEndDate;
```

```
1421        $_SESSION['eventVenue'] = $eventVenue;
1422        $_SESSION['eventImage'] = $eventImage;
1423        $_SESSION['eventAccessType'] = $eventAccessType;
1424        $_SESSION['eventInvites'] = $eventInvites;
1425
1426      }
1427
1428      function submitEventComment(){
1429        $eventComment = $_POST['eventComment'];
1430
1431        $query = $this->db->query("SELECT * FROM ocso_event_comment");
1432        if ($query->num_rows() == 0){
1433          $num = 1;
1434        }
1435        else{
1436          $num = ($query->num_rows())+1;
1437        }
1438
1439        date_default_timezone_set('Asia/Manila');
1440        $currentDate = date('Y-m-d H:i:s');
1441
1442        if($_SESSION['loggedin']){
1443          $userID = $_SESSION['userID'];
1444        }
1445        else{
1446          $userID = 'xxxx-xxxxx';
1447        }
1448
1449        $data = array(
1450            'EVENT_COMMENT_ID'=>$num,
1451            'EVENT_ID'=>$_SESSION['viewEventID'],
1452            'EVENT_COMMENT_DATE'=>$currentDate,
1453            'EVENT_COMMENT'=>$eventComment,
1454            'STUD_NUMBER'=>$userID,
1455            'EVENT_COMMENT_STATUS'=>'ACTIVATED'
1456        );
1457        $this->db->insert('ocso_event_comment',$data);
1458
1459      }
1460
1461
1462      function getEventComments(){
1463        $eventID = $_SESSION['viewEventID'];
1464
1465        $eventCommentCtr = 0;
1466
1467        $eventCommentIDArray = array();
1468        $eventCommentArray = array();
1469        $eventCommentDateArray = array();
1470        $eventCommentorIDArray = array();
1471        $eventCommentorArray = array();
1472
1473        $query = $this->db->query("SELECT * FROM ocso_event_comment WHERE EVENT_ID='$eventID'
                AND EVENT_COMMENT_STATUS='ACTIVATED' ORDER BY EVENT_COMMENT_DATE DESC");
1474        if ($query->num_rows() > 0){
1475          foreach ($query->result() as $row){
1476            $eventCommentIDArray[$eventCommentCtr] = $row->EVENT_COMMENT_ID;
1477            $eventCommentArray[$eventCommentCtr] = $row->EVENT_COMMENT;
1478            $eventCommentDateArray[$eventCommentCtr] = $row->EVENT_COMMENT_DATE;
1479            $eventCommentorIDArray[$eventCommentCtr] = $row->STUD_NUMBER;
1480            $eventCommentCtr++;
1481          }
1482        }
1483
1484        for($i=0; $i<$eventCommentCtr; $i++){
1485          $studNum = $eventCommentorIDArray[$i];
1486          if($studNum != 'xxxx-xxxxx'){
1487            $query = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studNum'");
1488            if ($query->num_rows() > 0){
1489              foreach ($query->result() as $row){
1490                $eventCommentorArray[$i] = $row->STUD_FNAME .' '. $row->STUD_LNAME;
1491              }
1492            }
1493          }
1494          else{
1495            $eventCommentorArray[$i] = 'PUBLIC_USER';
1496          }
1497        }
1498
1499        $eventCommentReportedCtr = 0;
1500        $eventCommentReportedID = array();
1501
1502        if($_SESSION['loggedin']){
1503          $studNum = $_SESSION['userID'];
1504
1505          $query = $this->db->query("SELECT * FROM ocso_event_comment_report_record WHERE
                STUD_NUMBER='$studNum' AND EVENT_ID='$eventID'");
1506          if ($query->num_rows() > 0){
1507            foreach ($query->result() as $row){
1508              $eventCommentReportedID[$eventCommentReportedCtr] = $row->EVENT_COMMENT_ID;
1509              $eventCommentReportedCtr++;
1510            }
1511          }
1512          $_SESSION['eventCommentReportedID'] = $eventCommentReportedID;
1513        }
1514
1515        $_SESSION['eventCommentCtr'] = $eventCommentCtr;
1516        $_SESSION['eventCommentIDArray'] = $eventCommentIDArray;
1517        $_SESSION['eventCommentArray'] = $eventCommentArray;
```

```
1518        $_SESSION['eventCommentDateArray'] = $eventCommentDateArray;
1519        $_SESSION['eventCommentorIDArray'] = $eventCommentorIDArray;
1520        $_SESSION['eventCommentorArray'] = $eventCommentorArray;
1521
1522        //update event comment report count
1523        $query = $this->db->query("SELECT * FROM ocso_event_comment WHERE EVENT_ID='$eventID'");
1524        if ($query->num_rows() > 0){
1525          foreach ($query->result() as $row){
1526            $commentID = $row->EVENT_COMMENT_ID;
1527            $query2 = $this->db->query("SELECT * FROM ocso_event_comment_report_record WHERE
                   EVENT_ID='$eventID' AND EVENT_COMMENT_ID='$commentID'");
1528            $data = array(
1529              'EVENT_COMMENT_REPORT_COUNT'=>$query2->num_rows()
1530            );
1531            $this->db->where('EVENT_ID', $eventID);
1532            $this->db->where('EVENT_COMMENT_ID', $commentID);
1533            $this->db->update('ocso_event_comment',$data);
1534          }
1535        }
1536
1537
1538      }
1539
1540      function reportEventComment(){
1541        $eventID = $_SESSION['viewEventID'];
1542        if($_SESSION['loggedin']){
1543          $userID = $_SESSION['userID'];
1544        }
1545        else{
1546          $query = $this->db->query("SELECT * FROM ocso_event_comment_report_record WHERE
                 EVENT_ID='$eventID'");
1547          $userID = $query->num_rows()+1;
1548        }
1549
1550        //records reported comment
1551          $data = array(
1552              'EVENT_COMMENT_ID'=>$_SESSION['eventCommentIDToReport'],
1553              'EVENT_ID'=>$_SESSION['viewEventID'],
1554              'STUD_NUMBER'=>$userID
1555          );
1556          $this->db->insert('ocso_event_comment_report_record',$data);
1557        $eventCommentReportedCtr = 0;
1558        $eventCommentReportedID = array();
1559
1560        if($_SESSION['loggedin']){
1561          $studNum = $_SESSION['userID'];
1562          $query = $this->db->query("SELECT * FROM ocso_event_comment_report_record WHERE
                 STUD_NUMBER='$studNum' AND EVENT_ID='$eventID'");
1563          if ($query->num_rows() > 0){
1564            foreach ($query->result() as $row){
1565              $eventCommentReportedID[$eventCommentReportedCtr] = $row->EVENT_COMMENT_ID;
1566              $eventCommentReportedCtr++;
1567            }
1568          }
1569          $_SESSION['eventCommentReportedID'] = $eventCommentReportedID;
1570        }
1571
1572        //save notification of reported comment
1573        date_default_timezone_set('Asia/Manila');
1574        $currentDate = date('Y-m-d H:i:s');
1575
1576        $query = $this->db->query("SELECT * FROM ocso_notification");
1577        if ($query->num_rows() == 0){
1578          $num2 = 1;
1579        }
1580        else{
1581          $num2 = ($query->num_rows())+1;
1582        }
1583
1584        $query = $this->db->query("SELECT * FROM ocso_event WHERE EVENT_ID='$eventID'");
1585        if ($query->num_rows() > 0){
1586          foreach ($query->result() as $row){
1587            $eventTitle = $row->EVENT_TITLE;
1588            $eventHost = $row->STUDORG_ID;
1589          }
1590        }
1591
1592        $notifStr = "There's a reported comment in ".$eventTitle." event.";
1593        $eventCommentIDToReport = $_SESSION['eventCommentIDToReport'];
1594        $query = $this->db->query("SELECT * FROM ocso_notification WHERE ID='
               $eventCommentIDToReport' AND NOTIF_TYPE='REPORTED COMMENT'");
1595        if ($query->num_rows() == 0){
1596          $data = array(
1597            'NOTIF_ID'=>$num2,
1598            'STUDORG_ID'=>$eventHost,
1599            'ID'=>$_SESSION['eventCommentIDToReport'],
1600            'NOTIF_TYPE'=>'REPORTED COMMENT',
1601            'NOTIF_DATE'=>$currentDate,
1602            'NOTIF_MESSAGE'=>$notifStr,
1603            'NOTIF_STATUS'=>'ACTIVATED'
1604          );
1605          $this->db->insert('ocso_notification',$data);
1606        }
1607      }
1608
1609      function getReportedComment(){
1610        $reportedCommentToView = $_SESSION['reportedCommentToView'];
1611        $query = $this->db->query("SELECT * FROM ocso_event_comment WHERE EVENT_COMMENT_ID='
               $reportedCommentToView'");
```

```
1612        if ($query->num_rows() > 0){
1613          foreach ($query->result() as $row){
1614            $_SESSION['reportedCommentEvent'] = $row->EVENT_ID;
1615            $_SESSION['reportedComment'] = $row->EVENT_COMMENT;
1616            $query2 = $this->db->query("SELECT * FROM ocso_event_comment WHERE EVENT_COMMENT_ID
                    ='$reportedCommentToView'");
1617            if ($query2->num_rows() > 0){
1618              foreach ($query2->result() as $row2){
1619                $studNum = $row2->STUD_NUMBER;
1620                $query3 = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studNum'")
                        ;
1621                  if ($query3->num_rows() > 0){
1622                    foreach ($query3->result() as $row3){
1623                      $_SESSION['reportedCommentCommentor'] = $row3->STUD_FNAME .' '.$row3->
                            STUD_LNAME;
1624                    }
1625                  }
1626              }
1627            }
1628            $eventID = $_SESSION['reportedCommentEvent'];
1629            $query2 = $this->db->query("SELECT * FROM ocso_event WHERE EVENT_ID='$eventID'");
1630            if ($query2->num_rows() > 0){
1631              foreach ($query2->result() as $row2){
1632                $_SESSION['reportedCommentEventName'] = $row2->EVENT_TITLE;
1633              }
1634            }
1635          }
1636        }
1637
1638        $_SESSION['reportByStudents'] = 0;
1639        $_SESSION['reportByPublic'] = 0;
1640
1641        $query = $this->db->query("SELECT * FROM ocso_event_comment_report_record WHERE
                EVENT_COMMENT_ID='$reportedCommentToView'");
1642        if ($query->num_rows() > 0){
1643          foreach ($query->result() as $row){
1644            if(strpos($row->STUD_NUMBER,'-') != false){
1645              $_SESSION['reportByStudents']++;
1646            }
1647            else{
1648              $_SESSION['reportByPublic']++;
1649            }
1650          }
1651        }
1652      }
1653
1654      function deleteReportedComments(){
1655          if($_SESSION['changeCommentStatusTo'] == 'ACTIVATED'){
1656            $data = array(
1657              'EVENT_COMMENT_STATUS'=>$_SESSION['changeCommentStatusTo']
1658            );
1659            $this->db->where('EVENT_COMMENT_ID', $_SESSION['reportedCommentToView']);
1660            $this->db->update('ocso_event_comment',$data);
1661          }
1662          else{
1663            $this->db->delete('ocso_event_comment', array('EVENT_COMMENT_ID' => $_SESSION['
                    reportedCommentToView']));
1664          }
1665
1666          $data = array(
1667            'NOTIF_STATUS'=>'DEACTIVATED'
1668          );
1669          $this->db->where('ID', $_SESSION['reportedCommentToView']);
1670          $this->db->where('NOTIF_TYPE', 'REPORTED COMMENT');
1671          $this->db->update('ocso_notification',$data);
1672
1673          $_SESSION['deleteCommentSuccess'] = 1;
1674          $_SESSION['deleteCommentStatus'] = $_SESSION['changeCommentStatusTo'];
1675      }
1676
1677      function joinEvent(){
1678        $data = array(
1679          'INVITE_STATUS'=>'JOIN'
1680        );
1681        $this->db->where('EVENT_ID', $_SESSION['viewEventID']);
1682        $this->db->where('STUD_NUMBER', $_SESSION['userID']);
1683        $this->db->update('ocso_event_invites',$data);
1684      }
1685
1686      function declineEvent(){
1687        $data = array(
1688          'INVITE_STATUS'=>'DECLINE'
1689        );
1690        $this->db->where('EVENT_ID', $_SESSION['viewEventID']);
1691        $this->db->where('STUD_NUMBER', $_SESSION['userID']);
1692        $this->db->update('ocso_event_invites',$data);
1693      }
1694
1695      //fetches his/her invite status on chosen event
1696      function getEventInviteStatus(){
1697        $eventID = $_SESSION['viewEventID'];
1698        if($_SESSION['loggedin']){
1699          $studNum = $_SESSION['userID'];
1700          $query = $this->db->query("SELECT * FROM ocso_event_invites WHERE EVENT_ID='$eventID'
                  AND STUD_NUMBER='$studNum'");
1701          if ($query->num_rows() > 0){
1702            foreach ($query->result() as $row){
1703              $_SESSION['inviteStatus'] = $row->INVITE_STATUS;
1704            }
```

```
1705          }
1706        }
1707
1708      }
1709
1710      function getEventsEnded(){
1711        $orgID = $_SESSION['myOrgID'];
1712
1713        $eventsEndedCtr = 0;
1714        $eventsEndedID =  array();
1715        $eventsEndedName =  array();
1716        $eventsEndedInvitedCount =  array();
1717        $eventsEndedJoinedCount =  array();
1718        $eventsEndedDeclinedCount =  array();
1719
1720          $query = $this->db->query("SELECT * FROM ocso_event WHERE EVENT_STATUS='ENDED' AND
                STUDORG_ID='$orgID'");
1721          if ($query->num_rows() > 0){
1722            foreach ($query->result() as $row){
1723              $eventsEndedID[$eventsEndedCtr] = $row->EVENT_ID;
1724              $eventsEndedName[$eventsEndedCtr] = $row->EVENT_TITLE;
1725              $eventsEndedCtr++;
1726            }
1727          }
1728
1729        for($i=0; $i<$eventsEndedCtr; $i++){
1730          $eventID = $eventsEndedID[$i];
1731          $joined = 0;
1732          $declined = 0;
1733          $query = $this->db->query("SELECT * FROM ocso_event_invites WHERE EVENT_ID='$eventID'"
                );
1734          $invited = $query->num_rows();
1735          if ($query->num_rows() > 0){
1736            foreach ($query->result() as $row){
1737              if($row->INVITE_STATUS == 'JOIN'){
1738                $joined++;
1739              }
1740              else if($row->INVITE_STATUS == 'DECLINE'){
1741                $declined++;
1742              }
1743            }
1744          }
1745          $eventsEndedInvitedCount[$i] =  $invited;
1746          $eventsEndedJoinedCount[$i] =  $joined;
1747          $eventsEndedDeclinedCount[$i] =  $declined;
1748        }
1749
1750        $_SESSION['eventsEndedCtr'] = $eventsEndedCtr;
1751        $_SESSION['eventsEndedID'] = $eventsEndedID;
1752        $_SESSION['eventsEndedName'] = $eventsEndedName;
1753        $_SESSION['eventsEndedInvitedCount'] = $eventsEndedInvitedCount;
1754        $_SESSION['eventsEndedJoinedCount'] = $eventsEndedJoinedCount;
1755        $_SESSION['eventsEndedDeclinedCount'] = $eventsEndedDeclinedCount;
1756      }
1757
1758      function deleteEventEnded(){
1759        $data = array(
1760          'EVENT_STATUS'=>'DEACTIVATED'
1761        );
1762        $this->db->where('EVENT_ID', $_SESSION['eventEndedIDToDelete']);
1763        $this->db->update('ocso_event',$data);
1764      }
1765
1766
1767      function getOrgPartnerList(){
1768        $orgPartnerCtr = 0;
1769
1770        $orgPartnerID = array();
1771        $orgPartnerName = array();
1772
1773        $myOrgID = $_SESSION['myOrgID'];
1774
1775        $query = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID!='
              $myOrgID' AND STUDORG_STATUS='ACTIVATED'");
1776        if ($query->num_rows() > 0){
1777          foreach ($query->result() as $row){
1778            $orgPartnerID[$orgPartnerCtr] = $row->STUDORG_ID;
1779            $orgPartnerName[$orgPartnerCtr] = $row->STUDORG_NAME;
1780            $orgPartnerCtr++;
1781          }
1782        }
1783
1784        $_SESSION['orgPartnerCtr'] = $orgPartnerCtr;
1785        $_SESSION['orgPartnerID'] = $orgPartnerID;
1786        $_SESSION['orgPartnerName'] = $orgPartnerName;
1787      }
1788
1789      function getOrgMembers(){
1790        $orgMembersCtr = 0;
1791
1792        $orgMembersID = array();
1793        $orgMembersName = array();
1794
1795        $myOrgID = $_SESSION['myOrgID'];
1796
1797        $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUDORG_ID='
              $myOrgID' AND MEMBERSHIP_STATUS='ACTIVATED'");
1798        if ($query->num_rows() > 0){
1799          foreach ($query->result() as $row){
```

```
1800            $orgMembersID[$orgMembersCtr] = $row->STUD_NUMBER;
1801            $orgMembersName[$orgMembersCtr] = $row->STUD_FNAME .' '.$row->STUD_LNAME ;
1802            $orgMembersCtr++;
1803          }
1804        }
1805
1806        $_SESSION['orgMembersCtr'] = $orgMembersCtr;
1807        $_SESSION['orgMembersID'] = $orgMembersID;
1808        $_SESSION['orgMembersName'] = $orgMembersName;
1809      }
1810
1811
1812
1813      function orgSubmitThread(){
1814        $threadTitle = $_POST['threadTitle'];
1815        $threadDetails = $_POST['threadDetails'];
1816        $threadEndDate = $_POST['threadEndDate'];
1817        $orgPartners = $_POST['orgPartners'];
1818
1819        $query = $this->db->query("SELECT * FROM ocso_thread ORDER BY THREAD_ID DESC LIMIT 1");
1820        if ($query->num_rows() == 0){
1821          $num = 1;
1822        }
1823        else{
1824          foreach ($query->result() as $row){
1825            $num = ($row->THREAD_ID)+1;
1826          }
1827        }
1828
1829        date_default_timezone_set('Asia/Manila');
1830        $currentDate = date('Y-m-d H:i:s');
1831
1832        for($i=0; $i<count($orgPartners); $i++){
1833          $data = array(
1834               'THREAD_ID'=>$num,
1835               'THREAD_TITLE'=>$threadTitle,
1836               'THREAD_DETAILS'=>$threadDetails,
1837               'STUDORG_PARTNERS'=>$orgPartners[$i],
1838               'THREAD_STARTDATE'=>$currentDate,
1839               'THREAD_ENDDATE'=>$threadEndDate,
1840               'THREAD_STATUS'=>'ACTIVATED',
1841               'STUDORG_ID'=>$_SESSION['myOrgID'],
1842               'STUD_NUMBER'=>$_SESSION['userID']
1843          );
1844          $this->db->insert('ocso_thread',$data);
1845        }
1846      }
1847
1848      function checkThreads(){
1849        $query = $this->db->query("SELECT * FROM ocso_thread");
1850        $totalThreads = $query->num_rows();
1851
1852        date_default_timezone_set('Asia/Manila');
1853
1854        for($i=1; $i<=$totalThreads; $i++){
1855          $endDate = date_create('0000-00-00');
1856          $currentDate = date_create(date('Y-m-d'));
1857
1858          $query = $this->db->query("SELECT * FROM ocso_thread WHERE THREAD_ID='$i'");
1859            if ($query->num_rows() > 0){
1860              foreach ($query->result() as $row){
1861                $endDate = date_create($row->THREAD_ENDDATE);
1862              }
1863            }
1864          $interval = date_diff($currentDate, $endDate);
1865          $year = $interval->format('%r%y');
1866          $month = $interval->format('%r%m');
1867          $day = $interval->format('%r%a');
1868          if($year <= 0 && $month <= 0 && $day <= 0){
1869            $data = array(
1870              'THREAD_STATUS'=>'DEACTIVATED'
1871            );
1872            $this->db->where('THREAD_ID', $i);
1873            $this->db->update('ocso_thread',$data);
1874          }
1875        }
1876
1877        $threadCtr = 0;
1878        $threadID = array();
1879        $threadCreator = array();
1880        $threadCreatorName = array();
1881        $threadPartnersCtrArray = array();
1882        $threadPartnersIDArray = array();
1883        $threadPartnersArray = array();
1884        $threadTitle = array();
1885        $threadDetails = array();
1886        $threadStartDate = array();
1887        $threadEndDate = array();
1888
1889        $query = $this->db->query("SELECT DISTINCT THREAD_ID, STUDORG_ID, THREAD_TITLE,
                THREAD_DETAILS, THREAD_STARTDATE, THREAD_ENDDATE FROM ocso_thread WHERE
                THREAD_STATUS='ACTIVATED'");
1890        if ($query->num_rows() > 0){
1891          foreach ($query->result() as $row){
1892            $threadID[$threadCtr] = $row->THREAD_ID;
1893            $threadCreator[$threadCtr] = $row->STUDORG_ID;
1894            $threadTitle[$threadCtr] = $row->THREAD_TITLE;
1895            $threadDetails[$threadCtr] = $row->THREAD_DETAILS;
1896            $threadStartDate[$threadCtr] = $row->THREAD_STARTDATE;
```

```
1897            $threadEndDate[$threadCtr] = $row->THREAD_ENDDATE;
1898            $threadCtr++;
1899          }
1900        }
1901
1902
1903        for($i=0; $i<$threadCtr; $i++){
1904          $id = $threadID[$i];
1905          $creatorID = $threadCreator[$i];
1906          $threadPartnersID = array();
1907          $threadPartners = array();
1908          $ctr = 0;
1909          $query = $this->db->query("SELECT * FROM ocso_thread WHERE THREAD_ID='$id'");
1910          if ($query->num_rows() > 0){
1911            foreach ($query->result() as $row){
1912              $threadPartnersID[$ctr] = $row->STUDORG_PARTNERS;
1913              $orgID = $threadPartnersID[$ctr];
1914              $query2 = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
                      $orgID'");
1915              if ($query2->num_rows() > 0){
1916                foreach ($query2->result() as $row2){
1917                  $threadPartners[$ctr] = $row2->STUDORG_NAME;
1918                }
1919              }
1920              $ctr++;
1921            }
1922          }
1923
1924          $query2 = $this->db->query("SELECT * FROM student_organization WHERE STUDORG_ID='
                $creatorID'");
1925          if ($query2->num_rows() > 0){
1926            foreach ($query2->result() as $row2){
1927              $threadCreatorName[$i] = $row2->STUDORG_NAME;
1928            }
1929          }
1930
1931          $threadPartnersCtrArray[$i] = $ctr;
1932          $threadPartnersIDArray[$i] = $threadPartnersID;
1933          $threadPartnersArray[$i] = $threadPartners;
1934        }
1935
1936        $_SESSION['threadCtr'] = $threadCtr;
1937        $_SESSION['threadID'] = $threadID;
1938        $_SESSION['threadTitle'] = $threadTitle;
1939        $_SESSION['threadCreator'] = $threadCreator;
1940        $_SESSION['threadCreatorName'] = $threadCreatorName;
1941        $_SESSION['threadDetails'] = $threadDetails;
1942        $_SESSION['threadStartDate'] = $threadStartDate;
1943        $_SESSION['threadEndDate'] = $threadEndDate;
1944        $_SESSION['threadPartnersCtrArray'] = $threadPartnersCtrArray;
1945        $_SESSION['threadPartnersIDArray'] = $threadPartnersIDArray;
1946        $_SESSION['threadPartnersArray'] = $threadPartnersArray;
1947      }
1948
1949      function submitThreadComment(){
1950        $threadComment = $_POST['threadComment'];
1951
1952        $query = $this->db->query("SELECT * FROM ocso_thread_comment");
1953        if ($query->num_rows() == 0){
1954          $num = 1;
1955        }
1956        else{
1957          $num = ($query->num_rows())+1;
1958        }
1959
1960        date_default_timezone_set('Asia/Manila');
1961        $currentDate = date('Y-m-d H:i:s');
1962
1963        $data = array(
1964            'THREAD_COMMENT_ID'=>$num,
1965            'THREAD_ID'=>$_SESSION['viewThreadID'],
1966            'THREAD_COMMENT_DATE'=>$currentDate,
1967            'THREAD_COMMENT'=>$threadComment,
1968            'STUD_NUMBER'=>$_SESSION['userID'],
1969            'STUDORG_ID'=>$_SESSION['myOrgID'],
1970            'THREAD_COMMENT_REPORT_COUNT'=>0
1971        );
1972        $this->db->insert('ocso_thread_comment',$data);
1973
1974      }
1975
1976
1977      function getThreadComments(){
1978        $threadID = $_SESSION['viewThreadID'];
1979
1980        $threadCommentCtr = 0;
1981
1982        $threadCommentArray = array();
1983        $threadCommentDateArray = array();
1984        $threadCommentorIDArray = array();
1985        $threadCommentorArray = array();
1986
1987        $query = $this->db->query("SELECT * FROM ocso_thread_comment WHERE THREAD_ID='$threadID'
              ORDER BY THREAD_COMMENT_DATE DESC");
1988        if ($query->num_rows() > 0){
1989          foreach ($query->result() as $row){
1990            $threadCommentArray[$threadCommentCtr] = $row->THREAD_COMMENT;
1991            $threadCommentDateArray[$threadCommentCtr] = $row->THREAD_COMMENT_DATE;
1992            $threadCommentorIDArray[$threadCommentCtr] = $row->STUD_NUMBER;
```

```
1993            $threadCommentCtr++;
1994          }
1995        }
1996
1997        for($i=0; $i<$threadCommentCtr; $i++){
1998          $studNum = $threadCommentorIDArray[$i];
1999          $query = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studNum'");
2000          if ($query->num_rows() > 0){
2001            foreach ($query->result() as $row){
2002              $threadCommentorArray[$i] = $row->STUD_FNAME .' '. $row->STUD_LNAME;
2003            }
2004          }
2005        }
2006
2007        $_SESSION['threadCommentCtr'] = $threadCommentCtr;
2008        $_SESSION['threadCommentArray'] = $threadCommentArray;
2009        $_SESSION['threadCommentDateArray'] = $threadCommentDateArray;
2010        $_SESSION['threadCommentorIDArray'] = $threadCommentorIDArray;
2011        $_SESSION['threadCommentorArray'] = $threadCommentorArray;
2012
2013      }
2014
2015
2016
2017
2018      function deleteStudOrgPost(){
2019        $postToDelete = $_SESSION['postIDToDelete'];
2020
2021        $data2 = array(
2022          'POST_STATUS'=>'DEACTIVATED'
2023        );
2024        $this->db->where('POST_ID', $postToDelete);
2025        $this->db->update('ocso_post',$data2);
2026      }
2027
2028      function orgSubmitActivityPlanner(){
2029        $activityName = $_POST['activityName'];
2030        $taskNames = $_POST['taskNames'];
2031        $membersAssigned = $_POST['membersAssigned'];
2032        $taskStartDates = $_POST['taskStartDates'];
2033        $taskEndDates = $_POST['taskEndDates'];
2034
2035        date_default_timezone_set('Asia/Manila');
2036        $currentDate = date('Y-m-d H:i:s');
2037
2038        $query = $this->db->query("SELECT * FROM ocso_activity_planner ORDER BY ACTIVITY_ID DESC
                LIMIT 1");
2039        if ($query->num_rows() == 0){
2040          $num = 1;
2041        }
2042        else{
2043          foreach ($query->result() as $row){
2044            $num = ($row->ACTIVITY_ID)+1;
2045          }
2046        }
2047
2048        for($i=0; $i<count($taskNames); $i++){
2049          $data = array(
2050              'ACTIVITY_ID'=>$num,
2051              'ACTIVITY_NAME'=>$activityName,
2052              'TASK_NAME'=>$taskNames[$i],
2053              'ASSIGNED_TO'=>$membersAssigned[$i],
2054              'TASK_STARTDATE'=>$taskStartDates[$i],
2055              'TASK_ENDDATE'=>$taskEndDates[$i],
2056              'TASK_STATUS'=>'IN PROGRESS',
2057              'STUDORG_ID'=>$_SESSION['myOrgID'],
2058              'STUD_NUMBER'=>$_SESSION['userID'],
2059              'ACTIVITY_STATUS'=>'ACTIVATED',
2060              'ACTIVITY_DATE_POSTED'=>$currentDate
2061          );
2062          $this->db->insert('ocso_activity_planner',$data);
2063        }
2064      }
2065
2066      function checkOrgActivityPlanner(){
2067        $totalActs = 0;
2068        $query = $this->db->query("SELECT * FROM ocso_activity_planner ORDER BY ACTIVITY_ID DESC
                LIMIT 1");
2069        if ($query->num_rows() > 0){
2070          foreach ($query->result() as $row){
2071            $totalActs = $row->ACTIVITY_ID;
2072          }
2073        }
2074
2075        for($i=1; $i<=$totalActs; $i++){
2076          $doneCtr = 0;
2077          $query = $this->db->query("SELECT * FROM ocso_activity_planner WHERE ACTIVITY_ID='$i'"
                );
2078            $totalTasks = $query->num_rows();
2079            if ($query->num_rows() > 0){
2080              foreach ($query->result() as $row){
2081                if($row->TASK_STATUS == 'COMPLETED'){
2082                  $doneCtr++;
2083                }
2084              }
2085            }
2086
2087          if($doneCtr == $totalTasks){
2088            $data = array(
```

```
2089                'ACTIVITY_STATUS'=>'DEACTIVATED'
2090              );
2091              $this->db->where('ACTIVITY_ID', $i);
2092              $this->db->update('ocso_activity_planner',$data);
2093            }
2094
2095          }
2096
2097          $orgActPlanCtr = 0;
2098          $orgActPlanID =  array();
2099          $orgActPlanName = array();
2100          $orgActPlanTaskCtrArray =  array();
2101          $orgActPlanTaskArray =  array();
2102          $orgActPlanAssignedToArray =  array();
2103          $orgActPlanAssignedToNameArray =  array();
2104          $orgActPlanStartDateArray =  array();
2105          $orgActPlanEndDateArray =  array();
2106          $orgActPlanTaskStatusArray =  array();
2107          $orgActPlanDoneArray =  array();
2108          $orgActPlanDatePosted =  array();
2109
2110
2111          $myOrgID = $_SESSION['myOrgID'];
2112          $studNum = $_SESSION['userID'];
2113
2114          $query = $this->db->query("SELECT DISTINCT ACTIVITY_ID,ACTIVITY_NAME,
                 ACTIVITY_DATE_POSTED FROM ocso_activity_planner WHERE ACTIVITY_STATUS='ACTIVATED'
                 AND STUDORG_ID='$myOrgID'");
2115          if ($query->num_rows() > 0){
2116            foreach ($query->result() as $row){
2117              $orgActPlanID[$orgActPlanCtr] = $row->ACTIVITY_ID;
2118              $orgActPlanName[$orgActPlanCtr] = $row->ACTIVITY_NAME;
2119              $orgActPlanDatePosted[$orgActPlanCtr] = $row->ACTIVITY_DATE_POSTED;
2120              $orgActPlanCtr++;
2121            }
2122          }
2123
2124          for($i=0; $i<$orgActPlanCtr; $i++){
2125            $id = $orgActPlanID[$i];
2126
2127            $orgActPlanTaskCtr = 0;
2128            $orgActPlanTask =  array();
2129            $orgActPlanAssignedTo =  array();
2130            $orgActPlanAssignedToName =  array();
2131            $orgActPlanStartDate =  array();
2132            $orgActPlanEndDate =  array();
2133            $orgActPlanTaskStatus =  array();
2134            $doneCtr = 0;
2135
2136            $query = $this->db->query("SELECT * FROM ocso_activity_planner WHERE ACTIVITY_ID='$id'
                   ");
2137            if ($query->num_rows() > 0){
2138              foreach ($query->result() as $row){
2139                $orgActPlanTask[$orgActPlanTaskCtr] = $row->TASK_NAME;
2140                $orgActPlanAssignedTo[$orgActPlanTaskCtr] = $row->ASSIGNED_TO;
2141                $memberID = $row->ASSIGNED_TO;
2142                $query2 = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$memberID'");
2143                if ($query2->num_rows() > 0){
2144                  foreach ($query2->result() as $row2){
2145                    $orgActPlanAssignedToName[$orgActPlanTaskCtr] = $row2->STUD_FNAME .' '. $row2
                           ->STUD_LNAME;
2146                  }
2147                }
2148                $orgActPlanStartDate[$orgActPlanTaskCtr] = $row->TASK_STARTDATE;
2149                $orgActPlanEndDate[$orgActPlanTaskCtr] = $row->TASK_ENDDATE;
2150                $orgActPlanTaskStatus[$orgActPlanTaskCtr] = $row->TASK_STATUS;
2151                if($orgActPlanTaskStatus[$orgActPlanTaskCtr] == 'COMPLETED'){
2152                  $doneCtr++;
2153                }
2154                $orgActPlanTaskCtr++;
2155              }
2156            }
2157
2158            $orgActPlanTaskCtrArray[$i] = $orgActPlanTaskCtr;
2159            $orgActPlanTaskArray[$i] = $orgActPlanTask;
2160            $orgActPlanAssignedToArray[$i] = $orgActPlanAssignedTo;
2161            $orgActPlanAssignedToNameArray[$i] = $orgActPlanAssignedToName;
2162            $orgActPlanStartDateArray[$i] = $orgActPlanStartDate;
2163            $orgActPlanEndDateArray[$i] = $orgActPlanEndDate;
2164            $orgActPlanTaskStatusArray[$i] = $orgActPlanTaskStatus;
2165            $orgActPlanDoneArray[$i] = $doneCtr;
2166          }
2167
2168
2169          $_SESSION['orgActPlanCtr'] = $orgActPlanCtr;
2170          $_SESSION['orgActPlanID'] = $orgActPlanID;
2171          $_SESSION['orgActPlanName'] = $orgActPlanName;
2172          $_SESSION['orgActPlanTaskCtrArray'] = $orgActPlanTaskCtrArray;
2173          $_SESSION['orgActPlanTaskArray'] = $orgActPlanTaskArray;
2174          $_SESSION['orgActPlanAssignedToArray'] = $orgActPlanAssignedToArray;
2175          $_SESSION['orgActPlanAssignedToNameArray'] = $orgActPlanAssignedToNameArray;
2176          $_SESSION['orgActPlanStartDateArray'] = $orgActPlanStartDateArray;
2177          $_SESSION['orgActPlanEndDateArray'] = $orgActPlanEndDateArray;
2178          $_SESSION['orgActPlanTaskStatusArray'] = $orgActPlanTaskStatusArray;
2179          $_SESSION['orgActPlanDoneArray'] = $orgActPlanDoneArray;
2180          $_SESSION['orgActPlanDatePosted'] = $orgActPlanDatePosted;
2181
2182          $partOfOrgActPlan = array();
2183          $ctr = 0;
```

```
2184
2185        //get all planner where student is part of
2186        for($i=0; $i<$orgActPlanCtr; $i++){
2187          if(in_array($_SESSION['userID'], $_SESSION['orgActPlanAssignedToArray'][$i])){
2188            $partOfOrgActPlan[$ctr] = $i;
2189            $ctr++;
2190          }
2191        }
2192
2193        $_SESSION['partOfOrgActPlan'] = $partOfOrgActPlan;
2194
2195
2196
2197
2198      }
2199
2200      function orgActivityPlannerUpdate(){
2201        $activityID = $_POST['activityID'][0];
2202        $taskStatus = $_POST['taskStatus'];
2203        $taskName = $_POST['taskName'];
2204
2205        for($i = 0; $i < count($_SESSION['orgActPlanID']); $i++){
2206          if($_SESSION['orgActPlanID'][$i] == $activityID){
2207            for($j=0; $j < $_SESSION['orgActPlanTaskCtrArray'][$i]; $j++){
2208              if($taskStatus[$j] != ''){
2209                $data = array(
2210                  'TASK_STATUS'=> $taskStatus[$j]
2211                );
2212                $this->db->where('ACTIVITY_ID', $activityID);
2213                $this->db->where('TASK_NAME', $taskName[$j]);
2214                $this->db->update('ocso_activity_planner',$data);
2215              }
2216            }
2217          }
2218        }
2219      }
2220
2221      function deleteActivityPlanner(){
2222        $actPlanIDToDelete = $_SESSION['actPlanIDToDelete'];
2223          $data = array(
2224            'ACTIVITY_STATUS'=>'DEACTIVATED'
2225          );
2226          $this->db->where('ACTIVITY_ID', $actPlanIDToDelete);
2227          $this->db->update('ocso_activity_planner',$data);
2228      }
2229
2230      function getRequestedMembership(){
2231        $studNum = $_SESSION['requestStudNumToView'];
2232        $studOrg = $_SESSION['requestStudOrgToView'];
2233
2234
2235        $query = $this->db->query("SELECT * FROM student WHERE STUD_NUMBER='$studNum'");
2236          if ($query->num_rows() > 0){
2237            foreach ($query->result() as $row){
2238              $_SESSION['memberIDArray'] = $row->STUD_NUMBER;
2239              $_SESSION['memberNameArray'] = $row->STUD_FNAME . $row->STUD_LNAME;
2240              $_SESSION['memberCourseArray'] = $row->STUD_COURSE;
2241
2242            }
2243          }
2244
2245        $_SESSION['memberPositionArray'] = 'MEMBER';
2246        if($_SESSION['requestType'] == 'RENEWAL'){
2247          $query = $this->db->query("SELECT * FROM student_organization_member WHERE STUD_NUMBER
                ='$studNum' AND STUDORG_NAME='$studOrg'");
2248          if ($query->num_rows() > 0){
2249            foreach ($query->result() as $row){
2250              $_SESSION['memberPositionArray'] = $row->STUDORG_POSITION;
2251            }
2252          }
2253        }
2254
2255      }
2256
2257      function getOrgPhotos(){
2258        $orgID = $_SESSION['myOrgID'];
2259
2260        $ctr = 0;
2261        $photoTitle = array();
2262        $photoLink = array();
2263
2264        $query = $this->db->query("SELECT * FROM ocso_post WHERE STUDORG_ID='$orgID' AND
              POST_IMAGE!='' AND POST_ACCESSTYPE='EXCLUSIVE'");
2265          if ($query->num_rows() > 0){
2266            foreach ($query->result() as $row){
2267              $photoTitle[$ctr] = $row->POST_TITLE;
2268              $photoLink[$ctr] = $row->POST_IMAGE;
2269              $ctr++;
2270            }
2271          }
2272
2273        $_SESSION['photoTitle'] = $photoTitle;
2274        $_SESSION['photoLink'] = $photoLink;
2275
2276      }
2277
2278    }
2279
2280  ?>
```

B.4. htaccess

Listing 9: .htaccess

```
IndexIgnore *
<IfModule mod_rewrite.c>
RewriteEngine on
RewriteCond $1 !^(index\.php|css|js|images|uploads|flot|robots\.txt|favicon\.ico)
RewriteRule ^(.*)$ /index.php/$1 [L]
php_value upload_max_filesize 500M
php_value post_max_size 500M
php_value max_input_time 300
php_value max_execution_time 300
</IfModule>
```

B.5. Views

Listing 10: aboutUs_page.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
    DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title>OCSO | About Us</title>
<meta http-equiv="content-type" content="text/html; charset=utf-8" />
<link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
    icon" />
<link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
<script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>

</head>
<body>
<div class="main">
  <?php include('header.php'); ?>
  <div class="content">
    <div class="content_resize">
      <div class="mainbar">
        <div class="article">
          <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
              padding: 5px;">OCSO</div></h1>
           <div class="article" style="text-align: justify; margin-top: 10px; background-color
              : #EBE4E5; padding: 10px; width: 625px;">
            <div style="border: 2px solid #7B1113; padding: 4px;">
            <p style="font-size: 14px; padding: 4px;">The <b>Online Community of Organizations
                </b> or <b>OCSO</b> was created to support the organizational activities of
                different accredited student organizations in the University of the
                Philippines Manila. The OCSO allows student organization members to
                communicate with another and help the organization in planning and promoting
                their events. It is managed by the Office of Student Affairs together with the
                 Offices of Student Services of all UP Manila colleges: College of Arts and
                Sciences, College of Dentistry, College of Public Health, College of Medicine,
                 College of Pharmacy, College of Nursing and College of Allied Medical
                Professions.</p>
            <br>
            <center><img src="<?php echo base_url();?>images/collegelogos.png" width="570"
                height="470" alt=""/></center>
          </div>
          </div>
        </div>
      </div>
      <div class="sidebar">
        <div class="gadget">
          <h2 class="star">
      <?php
        if($_SESSION["loggedin"]){
        echo 'Menu';
        }
       else
        echo 'Log-in';
      ?>
      </h2>
          <div class="clr"></div>
           <?php
        if($_SESSION["loggedin"]){
        include('rightmenu.php');
        }
       else
        include('login.php');

      ?>
        </div>
        <div class="gadget">
      <?php
      if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
        echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
            >Student Organizations</span></h3>
          <div class="clr"></div>';
        include('studentOrgMenu.php');
      }
      ?>
        </div>
```

```
62          <div class="gadget">
63        <?php
64        if($_SESSION["loggedin"]){
65          echo '<h2 class="star"><span>Notifications</span></h2>
66            <div class="clr"></div>';
67            include('notifBar.php');
68        }
69        ?>
70          </div>
71        </div>
72        <div class="clr"></div>
73      </div>
74    </div>
75    <?php include('footer.php'); ?>
76 </div>
77 </body>
78 </html>
```

Listing 11: activateMember.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
3 <head>
4 <title>OCSO | Activate/Deactivate</title>
5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8 <link href="<?php echo base_url(); ?>css/styles.css" rel="stylesheet" type="text/css" />
9
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/showdivs.js"></script>
16 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.quick.pagination.min.js
      "></script>
17
18 <script type="text/javascript">
19     function submitMemberForm(action)
20     {
21         document.getElementById('activateMemberForm').action = action;
22         document.getElementById('activateMemberForm').submit();
23     }
24 </script>
25
26 <script type="text/javascript">
27   (function($) {
28     $(document).ready(function() {
29        $("ul.pagination3").quickPagination({pageSize:"5"});
30     });
31   })(jQuery);
32 </script>
33
34 </head>
35 <body>
36 <div class="main">
37  <?php include('header.php'); ?>
38   <div class="content">
39     <div class="content_resize">
40       <div class="mainbar">
41         <div class="article">
42           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                 padding: 5px;">Activate/Deactivate Member</div></h1>
43       <form name="viewListForm" method="post" action="activateMemberSearch">
44       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
45       <div style="border: 2px solid #7B1113; padding: 4px;">
46         <table width="620px" style="text-align:center;">
47       <?php
48         if(isset($_SESSION['memActivateSuccess'])){
49           if($_SESSION['memActivateSuccess']){
50             echo '<tr><td colspan="2"><h3>SUCCESSFULLY '.$_SESSION['memActivateStatus'].'!</h3
                   ></td></tr>';
51           }
52           unset($_SESSION['memActivateSuccess']);
53           unset($_SESSION['memActivateStatus']);
54         }
55       ?>
56       <tr>
57         <td>
58           TYPE <font color="#014421"><u>NAME</u></font> OF MEMBER:<br>
59           <input type="text" name="memberToActivate" size="25" value="<?php if(isset($_SESSION
                 ['memberToActivate'])) echo $_SESSION['memberToActivate'];?>"><br>
60           <input type="submit" name="Submit" value="Submit">
61         </td>
62       </tr>
63         </table>
64       </div>
65       </div>
66       </form>
67         </div>
68     <?php
69     if(isset($_SESSION['memberToActivate'])){
70     echo '<div class="article">
71       <h2><span>Search Results </span></h2>
```

```
72        <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
              EBE4E5; padding: 10px; width: 625px;">
73          <div style="border: 2px solid #7B1113; padding: 4px;">';
74            if($_SESSION['memberCtrACT'] > 0){
75              echo '<form name="activateMemberForm" id="activateMemberForm" method="post">';
76              echo '<table width="615px" style="text-align:center;"><tr>
77                  <th class="listHeader" width="25px">
78                  <th class="listHeader" width="130px">STUDENT NUMBER
79                  <th class="listHeader" width="235px">NAME
80                  <th class="listHeader" width="120px">POSITION
81                  <th class="listHeader" width="125px">STATUS
82                  <th class="listHeader" width="30px">
83                 </tr></table>';
84              echo '<ul class="pagination3">';
85              for($i=0; $i < $_SESSION['memberCtrACT']; $i++){
86                if($i%2==0){
87                  echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600px"
                          style="text-align:center;"><tr>';
88                }
89                else{
90                  echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600px"
                          style="text-align:center;"><tr>';
91                }
92                echo '<td width="20px">'.($i+1).'</td>
93                    <td width="120px">'.$_SESSION['memberListIDACT'][$i].'</td>
94                    <td width="245px">'.$_SESSION['memberListFNameACT'][$i].' '.$_SESSION['
                          memberListLNameACT'][$i].'</td>
95                    <td width="120px">'.$_SESSION['memberListPositionACT'][$i].'</td>
96                    <td width="130px">'.$_SESSION['memberListStatusACT'][$i].'</td>
97                    <td width="25px"><input type="checkbox" name="membersToChangeStatus[]" value
                          ="'.$_SESSION['memberListIDACT'][$i].'"></td></tr></table></li>';
98              }
99              echo '</ul><br><br>
100                   <center><input type="button" onclick="submitMemberForm(\'activateMember\')"
                          value="Activate" />
101                    <input type="button" onclick="submitMemberForm(\'deactivateMember\')" value
                          ="Deactivate" /></center>
102                 </form>';
103           }
104           else{
105             echo '<table width="615px" style="text-align:center;"><tr style="background-color:
                      #FFF;"><td class="courseList">NO RESULTS FOUND</td></tr></table>';
106           }
107           echo '<div class="clr"></div>
108       </div></div></div>';
109       }
110     ?>
111       </div>
112       <div class="sidebar">
113         <div class="gadget">
114           <h2 class="star">
115       <?php
116         if($_SESSION["loggedin"]){
117         echo 'Menu';
118         }
119        else
120         echo 'Log-in';
121       ?>
122       </h2>
123           <div class="clr"></div>
124            <?php
125         if($_SESSION["loggedin"]){
126         include('rightmenu.php');
127         }
128        else
129         include('login.php');
130
131       ?>
132         </div>
133         <div class="gadget">
134       <?php
135       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
136         echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
                  >Student Organizations</span></h3>
137           <div class="clr"></div>';
138         include('studentOrgMenu.php');
139       }
140       ?>
141         </div>
142         <div class="gadget">
143       <?php
144       if($_SESSION["loggedin"]){
145         echo '<h2 class="star"><span>Notifications</span></h2>
146           <div class="clr"></div>';
147           include('notifBar.php');
148       }
149       ?>
150         </div>
151       </div>
152       <div class="clr"></div>
153     </div>
154   </div>
155     <?php include('footer.php'); ?>
156 </div>
157 </body>
158 </html>
```

Listing 12: OSA Coordinator: activateUser.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title>OCSO | Activate/Deactivate</title>
<meta http-equiv="content-type" content="text/html; charset=utf-8" />
<link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-icon" />
<link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
<link href="<?php echo base_url(); ?>css/styles.css" rel="stylesheet" type="text/css" />

<script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/showdivs.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/dynamicTables.js"></script>

<script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.9.1.js"></script>
<script type="text/javascript">
  var ctr = <?php echo $_SESSION['studCtrACT'];?>;
  var str, str2;
  (function($) {
    $(document).ready(function () {
      for(var i=0; i<ctr; i++){
        str = '#checkbox'+i;
        $(str).click(function () {
          str2 = '#area'+i;
          $(str2).toggle();
        });
      }
    });
  })(jQuery);
</script>

<script type="text/javascript">
  var formName = '';
  function getForm(num){
    formName = 'activateUserProfileForm'+num;
  }

  function getAdminPosition(str){
    if(str == 'activate'){
      var position = prompt('Input his/her POSITION in the student organization: ','MEMBER');

      if(!position || 0 === position.length || position=='MEMBER'){
        alert('Please specify position.');
        return false;
      }
      else{
        document.getElementById("memberPosition").value = position;
        document.getElementById(formName).submit();
        return true;
      }
    }
    else{
      document.getElementById(formName).submit();
      return true;
    }

  }
</script>
<script type="text/javascript">
    function submitOrgForm(action)
    {
        document.getElementById('activateOrgForm').action = action;
        document.getElementById('activateOrgForm').submit();
    }
</script>
<script type="text/javascript">
  function myconfirm()
  {
      if(confirm('All the currently activated coordinators for those colleges will be replaced. Continue?')){
          return true;
      }
      return false;
  }
    function submitCoorForm(action)
    {
      if(action == 'activateCoor'){
          if(document.getElementById('activateCoorForm').onsubmit()){
            document.getElementById('activateCoorForm').action = action;
            document.getElementById('activateCoorForm').submit();
          }
      }
      else{
          document.getElementById('activateCoorForm').action = action;
          document.getElementById('activateCoorForm').submit();
      }

    }
</script>
<script type="text/javascript">
    function submitStudForm(action)
    {
```

```
95          document.getElementById('activateStudForm').action = action;
96          document.getElementById('activateStudForm').submit();
97      }
98  </script>
99  <script type="text/javascript">
100 <!--
101 // from http://www.bobbyvandersluis.com/articles/unobtrusive_dynamic_select/
102 // by Bobby van der Sluis
103
104
105 function dynamicSelect(id1, id2) {
106   // Browser and feature tests to see if there is enough W3C DOM support
107   var agt = navigator.userAgent.toLowerCase();
108   var is_ie = ((agt.indexOf("msie") != -1) && (agt.indexOf("opera") == -1));
109   var is_mac = (agt.indexOf("mac") != -1);
110   if (!(is_ie && is_mac) && document.getElementById && document.getElementsByTagName) {
111     // Obtain references to both select boxes
112     var sel1 = document.getElementById(id1);
113     var sel2 = document.getElementById(id2);
114     // Clone the dynamic select box
115     var clone = sel2.cloneNode(true);
116     // Obtain references to all cloned options
117     var clonedOptions = clone.getElementsByTagName("option");
118     // Onload init: call a generic function to display the related options in the dynamic
          select box
119     refreshDynamicSelectOptions(sel1, sel2, clonedOptions);
120     // Onchange of the main select box: call a generic function to display the related options
          in the dynamic select box
121     sel1.onchange = function() {
122       refreshDynamicSelectOptions(sel1, sel2, clonedOptions);
123     };
124   }
125 }
126 function refreshDynamicSelectOptions(sel1, sel2, clonedOptions) {
127   // Delete all options of the dynamic select box
128   while (sel2.options.length) {
129     sel2.remove(0);
130   }
131   // Create regular expression objects for "select" and the value of the selected option of
        the main select box as class names
132   var pattern1 = /( |^)(select)( |$)/;
133   var pattern2 = new RegExp("( |^)(" + sel1.options[sel1.selectedIndex].value + ")( |$)");
134   // Iterate through all cloned options
135   for (var i = 0; i < clonedOptions.length; i++) {
136     // If the classname of a cloned option either equals "select" or equals the value of the
          selected option of the main select box
137     if (clonedOptions[i].className.match(pattern1) || clonedOptions[i].className.match(
          pattern2)) {
138       // Clone the option from the hidden option pool and append it to the dynamic select box
139       sel2.appendChild(clonedOptions[i].cloneNode(true));
140     }
141   }
142 }
143
144 //-->
145
146 </script>
147 <script type='text/javascript'>
148 <!--
149  window.onload = function() {
150   dynamicSelect('activateStudentBy', 'selectedOption');
151 }
152 //-->
153 </script>
154
155 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.quick.pagination.min.js
      "></script>
156 <script type="text/javascript">
157   (function($) {
158     $(document).ready(function() {
159        $("ul.pagination3").quickPagination({pageSize:"5"});
160     });
161   })(jQuery);
162 </script>
163 </head>
164 <body>
165 <div class="main">
166  <?php include('header.php'); ?>
167  <div class="content">
168    <div class="content_resize">
169      <div class="mainbar">
170        <div class="article">
171          <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
               padding: 5px;">Activate/Deactivate User</div></h1>
172       <form name="activateUserForm" id="activateUserForm" method="post" action="
            activateUserSearch">
173       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
            EBE4E5; padding: 10px; width: 625px;">
174       <div style="border: 2px solid #7B1113; padding: 4px;">
175        <table width="620px" style="text-align:center;">
176         <?php
177           if(isset($_SESSION['activateSuccess'])){
178             if($_SESSION['activateSuccess']){
179               echo '<tr><td colspan="2"><h3>SUCCESSFULLY '.$_SESSION['activateStatus'].'!</h3
                    ></td></tr>';
180             }
181             else{
182               if($_SESSION['activateStatus'] == 'ACTIVATED'){
183                 $status = 'ACTIVATION';
```

```
184                 }
185                 else{
186                   $status = 'DEACTIVATION';
187                 }
188                 echo '<tr><td colspan="2"><h3>'.$status.' UNSUCCESSFUL.</h3></td></tr>';
189               }
190               unset($_SESSION['activateSuccess']);
191               unset($_SESSION['activateStatus']);
192             }
193           ?>
194           <tr>
195             <td>
196               <select name="userTypeToActivate" id="selectedUserTypeID" onchange="
                      showHiddenField()">
197                 <option value="">Select User Type (Required)</option>
198                 <option value="Student" <?php if($_SESSION['activateUser'] != 'none' &&
                        $_SESSION['userTypeToActivate']=='Student') echo 'selected'; ?>>Student</
                        option>
199                 <option value="OSS Coordinator" <?php if($_SESSION['activateUser'] != 'none' &&
                        $_SESSION['userTypeToActivate']=='OSS Coordinator') echo 'selected'; ?>>OSS
                        Coordinator</option>
200                 <option value="Student Organization" <?php if($_SESSION['activateUser'] != 'none
                        ' && $_SESSION['userTypeToActivate']=='Student Organization') echo 'selected
                        '; ?>>Student Organization</option>
201               </select>
202             </td>
203             <td>
204               <span id='searchCoorHiddenField' align="left" style='<?php if($_SESSION['
                      activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='OSS Coordinator'
                      ){ echo 'display:block';}
205               else{ echo 'display:none'; } ?>'>
206               </span>
207               <span id='coorOptionsHiddenField' style='<?php //if($_SESSION['activateUser'] != '
                      none' && $_SESSION['userTypeToActivate']=='OSS Coordinator' && $_SESSION['
                      coorOptions'] == 'Assign To Other College'){ echo 'display:block';}
208               //else{ echo 'display:none'; }?>'>
209               </span>
210             </td>
211           </tr>
212           <tr>
213             <td>
214               <span id='searchStudentHiddenField' style='<?php if($_SESSION['activateUser'] != '
                      none' && $_SESSION['userTypeToActivate']=='Student'){ echo 'display:block';}
215               else{ echo 'display:none'; } ?>'>
216                 SEARCH BY:
217                   <select name="activateStudentBy" id="activateStudentBy">
218                     <option value="">Select one...</option>
219                     <option value="Year" <?php if($_SESSION['activateUser'] != 'none' &&
                            $_SESSION['userTypeToActivate']=='Student' && $_SESSION['
                            activateStudentBy'] == 'Year') echo 'selected';?>>Year</option>
220                     <option value="Course" <?php if($_SESSION['activateUser'] != 'none' &&
                            $_SESSION['userTypeToActivate']=='Student' && $_SESSION['
                            activateStudentBy'] == 'Course') echo 'selected';?>>Course</option>
221                     <option value="Student Organization" <?php if($_SESSION['activateUser'] != '
                            none' && $_SESSION['userTypeToActivate']=='Student' && $_SESSION['
                            activateStudentBy'] == 'Student Organization') echo 'selected';?>>
                            Student Organization</option>
222                   </select>
223                      
224                   <select name="selectedOption" id="selectedOption">
225                     <option class="" value="">-----</option>
226                     <option class="Year" value="">Select Year...</option>
227                     <option class="Year" value="I" <?php if($_SESSION['activateUser'] != 'none'
                            && $_SESSION['userTypeToActivate']=='Student' && $_SESSION['
                            selectedOption'] == 'I') echo 'selected';?>>I</option>
228                     <option class="Year" value="II" <?php if($_SESSION['activateUser'] != 'none'
                             && $_SESSION['userTypeToActivate']=='Student' && $_SESSION['
                            selectedOption'] == 'II') echo 'selected';?>>II</option>
229                     <option class="Year" value="III" <?php if($_SESSION['activateUser'] != 'none
                            ' && $_SESSION['userTypeToActivate']=='Student' && $_SESSION['
                            selectedOption'] == 'III') echo 'selected';?>>III</option>
230                     <option class="Year" value="IV" <?php if($_SESSION['activateUser'] != 'none'
                             && $_SESSION['userTypeToActivate']=='Student' && $_SESSION['
                            selectedOption'] == 'IV') echo 'selected';?>>IV</option>
231                     <option class="Year" value="V" <?php if($_SESSION['activateUser'] != 'none'
                            && $_SESSION['userTypeToActivate']=='Student' && $_SESSION['
                            selectedOption'] == 'V') echo 'selected';?>>V</option>
232                     <option class="Year" value="NA" <?php if($_SESSION['activateUser'] != 'none'
                             && $_SESSION['userTypeToActivate']=='Student' && $_SESSION['
                            selectedOption'] == 'NA') echo 'selected';?>>Alumni</option>
233                     <option class="Course" value="">Select Course...</option>
234                     <option class="Course" value="BA Organizational Communication" <?php if(
                            $_SESSION['activateUser'] != 'none' && $_SESSION['userTypeToActivate']==
                            'Student' && $_SESSION['selectedOption'] == 'BA Organizational
                            Communication') echo 'selected';?>>BA Organizational Communication</
                            option>
235                     <option class="Course" value="BA Philippine Arts" <?php if($_SESSION['
                            activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                            && $_SESSION['selectedOption'] == 'BA Philippine Arts') echo 'selected'
                            ;?>>BA Philippine Arts</option>
236                     <option class="Course" value="BA Social Sciences (Area Studies)" <?php if(
                            $_SESSION['activateUser'] != 'none' && $_SESSION['userTypeToActivate']==
                            'Student' && $_SESSION['selectedOption'] == 'BA Social Sciences (Area
                            Studies)') echo 'selected';?>>BA Social Sciences (Area Studies)</option>
237                     <option class="Course" value="BA Development Studies" <?php if($_SESSION['
                            activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                            && $_SESSION['selectedOption'] == 'BA Social Sciences (Area Studies)')
                            echo 'selected';?>>BA Development Studies</option>
238                     <option class="Course" value="BA Political Science" <?php if($_SESSION['
```

```
                    activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                    && $_SESSION['selectedOption'] == 'BA Political Science') echo 'selected
                    ';?>>BA Political Science</option>
239                 <option class="Course" value="BA Behavioral Sciences" <?php if($_SESSION['
                    activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                    && $_SESSION['selectedOption'] == 'BA Behavioral Sciences') echo '
                    selected';?>>BA Behavioral Sciences</option>
240                 <option class="Course" value="BS Applied Physics" <?php if($_SESSION['
                    activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                    && $_SESSION['selectedOption'] == 'BS Applied Physics') echo 'selected'
                    ;?>>BS Applied Physics</option>
241                 <option class="Course" value="BS Biochemistry" <?php if($_SESSION['
                    activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                    && $_SESSION['selectedOption'] == 'BS Biochemistry') echo 'selected';?>>
                    BS Biochemistry</option>
242                 <option class="Course" value="BS Computer Science" <?php if($_SESSION['
                    activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                    && $_SESSION['selectedOption'] == 'BS Computer Science') echo 'selected'
                    ;?>>BS Computer Science</option>
243                 <option class="Course" value="BS Biology" <?php if($_SESSION['activateUser']
                     != 'none' && $_SESSION['userTypeToActivate']=='Student' && $_SESSION['
                    selectedOption'] == 'BS Biology') echo 'selected';?>>BS Biology</option>
244                 <option class="Course" value="BS Nursing" <?php if($_SESSION['activateUser']
                     != 'none' && $_SESSION['userTypeToActivate']=='Student' && $_SESSION['
                    selectedOption'] == 'BS Nursing') echo 'selected';?>>BS Nursing</option>
245                 <option class="Course" value="Integrated Liberal Arts and Medicine" <?php if
                    ($_SESSION['activateUser'] != 'none' && $_SESSION['userTypeToActivate'
                    ]=='Student' && $_SESSION['selectedOption'] == 'Integrated Liberal Arts
                    and Medicine') echo 'selected';?>>Integrated Liberal Arts and Medicine</
                    option>
246                 <option class="Course" value="BS Occupational Therapy" <?php if($_SESSION['
                    activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                    && $_SESSION['selectedOption'] == 'BS Occupational Therapy') echo '
                    selected';?>>BS Occupational Therapy</option>
247                 <option class="Course" value="BS Physical Therapy" <?php if($_SESSION['
                    activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                    && $_SESSION['selectedOption'] == 'BS Physical Therapy') echo 'selected'
                    ;?>>BS Physical Therapy</option>
248                 <option class="Course" value="BS Speech Pathology" <?php if($_SESSION['
                    activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                    && $_SESSION['selectedOption'] == 'BS Speech Pathology') echo 'selected'
                    ;?>>BS Speech Pathology</option>
249                 <option class="Course" value="Doctor of Dental Medicine" <?php if($_SESSION[
                    'activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                    && $_SESSION['selectedOption'] == 'Doctor of Dental Medicine') echo '
                    selected';?>>Doctor of Dental Medicine</option>
250                 <option class="Course" value="BS Pharmacy" <?php if($_SESSION['activateUser'
                    ] != 'none' && $_SESSION['userTypeToActivate']=='Student' && $_SESSION['
                    selectedOption'] == 'BS Pharmacy') echo 'selected';?>>BS Pharmacy</
                    option>
251                 <option class="Course" value="BS Industrial Pharmacy" <?php if($_SESSION['
                    activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                    && $_SESSION['selectedOption'] == 'BS Industrial Pharmacy') echo '
                    selected';?>>BS Industrial Pharmacy</option>
252                 <option class="Course" value="BS Public Health" <?php if($_SESSION['
                    activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student'
                    && $_SESSION['selectedOption'] == 'BS Public Health') echo 'selected'
                    ;?>>BS Public Health</option>
253                 <option class="Student Organization" value="">Select Student Organization
                    ...</option>
254                 <?php
255                   for($i=0; $i<$_SESSION['adminOrgCtrACT']; $i++){
256                     echo '<option class="Student Organization" value="'.$_SESSION['
                        adminOrgListACT'][$i].'"';
257                     if($_SESSION['activateUser'] != 'none' && $_SESSION['userTypeToActivate'
                        ]=='Student' && $_SESSION['selectedOption'] == $_SESSION['
                        adminOrgListACT'][$i]) echo 'selected';
258                     echo '>'.$_SESSION['adminOrgListACT'][$i].'</option>';
259                   }
260                 ?>
261               </select>
262           </span>
263         </td>
264       </tr>
265       <tr>
266         <td align="center">
267           <span id='searchOrgOfAdminHiddenField' style='<?php if($_SESSION['activateUser']
                    != 'none' && $_SESSION['userTypeToActivate']=='Student Organization Admin'){
                    echo 'display:block';}
268           else{ echo 'display:none'; } ?>'>
269           </span>
270         </td>
271       </tr>
272       <tr>
273         <td colspan="2" style="font-weight: bold;">
274           <span id='studentHiddenLabel' style='<?php if($_SESSION['activateUser'] != 'none'
                    && $_SESSION['userTypeToActivate']=='Student'){ echo 'display:block';}
275           else{ echo 'display:none'; } ?>'>TYPE <font color="#014421"><u>NAME</u></font> OF
                    STUDENT:</span>
276           <span id='coorHiddenLabel' style='<?php if($_SESSION['activateUser'] != 'none' &&
                    $_SESSION['userTypeToActivate']=='OSS Coordinator'){ echo 'display:block';}
277           else{ echo 'display:none'; } ?>'>TYPE <font color="#014421"><u>NAME</u></font> OF
                    COORDINATOR:</span>
278           <span id='orgOfAdminHiddenLabel' style='<?php if($_SESSION['activateUser'] != '
                    none' && $_SESSION['userTypeToActivate']=='Student Organization Admin'){ echo
                    'display:block';}
279           else{ echo 'display:none'; } ?>'>TYPE <font color="#014421"><u>NAME</u></font> OF
                    STUDENT:</span>
280           <span id='orgHiddenLabel' style='<?php if($_SESSION['activateUser'] != 'none' &&
```

```
                $_SESSION['userTypeToActivate']=='Student Organization'){ echo 'display:block'
                ;}
281             else{ echo 'display:none'; } ?>'>TYPE <font color="#014421"><u>NAME/ACRONYM</u></
                font> OF STUDENT ORGANIZATION:</span>
282             <span id='hiddenSearchField' style='<?php if($_SESSION['activateUser'] != 'none'){
                    echo 'display:block';}
283             else{ echo 'display:none'; } ?>'>
284               <input type="text" name="nameToActivate" size="25" value="<?php if($_SESSION['
                      activateUser'] != 'none') echo $_SESSION['nameToActivate'];?>"><br>
285               <input type="submit" name="Submit" value="Submit">
286             </span>
287           </td>
288         </tr>
289         </table>
290       </div>
291       </div>
292       </form>
293         </div>
294     <?php
295     if($_SESSION['activateUser']!='none'){
296     echo '<div class="article">
297       <h2><span>Search Results </span></h2>
298       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
              EBE4E5; padding: 10px; width: 625px;">
299         <div style="border: 2px solid #7B1113; padding: 4px;">';
300             if ($_SESSION['activateUser'] == 'Student' && $_SESSION['studCtrACT'] > 0){
301                 echo '<form name="activateStudForm" id="activateStudForm" method="post" >';
302                 echo '<table width="615px" style="text-align:center;"><tr>
303                     <th class="listHeader" width="25px">
304                     <th class="listHeader" width="130px">STUDENT NO.
305                     <th class="listHeader" width="210px">NAME
306                     <th class="listHeader" width="80px">YEAR
307                     <th class="listHeader">STATUS
308                     <th class="listHeader" width="50px">
309                     </tr></table>';
310                 echo '<ul class="pagination3">';
311                 for($i=0; $i < $_SESSION['studCtrACT']; $i++){
312                   if($i%2==0){
313                     echo '<li style="background-color: #D6D2D3; color: #000;"><table width
                            ="600px" style="text-align:center;"><tr>';
314                   }
315                   else{
316                     echo '<li style="background-color: #ADA8A9; color: #000;"><table width
                            ="600px" style="text-align:center;"><tr>';
317                   }
318                   echo '<td width="20px">'.($i+1).'</td>
319                   <td width="120px">'.$_SESSION['studListIDACT'][$i].'</td>
320                   <td width="210px">
321                     <input type="hidden" name="userToActivate" value="'.$_SESSION['
                            studListIDACT'][$i].'">
322                     <input type="hidden" name="statusToActivate" value="'.$_SESSION['
                            studListStatusACT'][$i].'">'
323                     .$_SESSION['studListFNameACT'][$i].' '.$_SESSION['studListLNameACT'][$i].
324                   '</td>
325                   <td width="80px">';
326                     if($_SESSION['studListYearACT'][$i] == 'NA'){
327                       echo 'ALUMNI';
328                     }
329                     else{
330                       echo $_SESSION['studListYearACT'][$i];
331                     }
332                   echo '</td>
333                   <td>'.$_SESSION['studListStatusACT'][$i].'</td>
334                   <td width="50px">
335                     <input type="checkbox" name="studsToChangeStatus[]" value="'.$_SESSION['
                            studListIDACT'][$i].'"  id="checkbox'.$i.'">
336                     <span id="area'.$i.'" style="display: none;">
337                       hhhhhhhh
338                     </span>
339                   </td></tr></table></li>';
340                 }
341                 echo '</ul><br><br>
342                   <center><input type="button" onclick="submitStudForm(\'activateStud\')"
                          value="Activate" />
343                    <input type="button" onclick="submitStudForm(\'deactivateStud\')" value="
                          Deactivate" /></center>
344                  </form>';
345             }
346             else if ($_SESSION['activateUser'] == 'OSS Coordinator' && $_SESSION['coorCtrACT']
                    > 0){
347               echo '<form name="activateCoorForm" id="activateCoorForm" method="post" onsubmit
                      ="return myconfirm()">';
348               echo '<table width="615px" style="text-align:center;"><tr>
349                   <th class="listHeader" width="25px">
350                   <th class="listHeader" width="130px">EMPLOYEE ID
351                   <th class="listHeader" width="235px">NAME
352                   <th class="listHeader" width="70px">COLLEGE
353                   <th class="listHeader">STATUS
354                   <th class="listHeader" width="25px">
355                   </tr></table>';
356               echo '<ul class="pagination3">';
357               for($i=0; $i < $_SESSION['coorCtrACT']; $i++){
358                 if($i%2==0){
359                   echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600
                          px" style="text-align:center;"><tr>';
360                 }
361                 else{
362                   echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600
                          px" style="text-align:center;"><tr>';
```

```
363                 }
364                 echo '<td width="20px">'.($i+1).'</td>
365                     <td width="120px">'.$_SESSION['coorListIDACT'][$i].'</td>
366                     <td width="240px">'.$_SESSION['coorListFNameACT'][$i].' '.$_SESSION['
                        coorListLNameACT'][$i].'</td>
367                     <td width="65px">'.$_SESSION['coorListCollegeACT'][$i].'</td>
368                     <td>'.$_SESSION['coorListStatusACT'][$i].'</td>
369                     <td width="20px"><input type="hidden" name="coorCollegeName[]" value="'.
                            $_SESSION['coorListCollegeFullACT'][$i].'">
370                       <input type="checkbox" name="coorsToChangeStatus[]" value="'.$_SESSION['
                            coorListIDACT'][$i].'">';
371                 echo '</td></tr></table></li>';
372               }
373               echo '</ul><br><br><center><input type="button" onclick="submitCoorForm(\'
                      activateCoor\')" value="Activate" />
374                     <input type="button" onclick="submitCoorForm(\'deactivateCoor\')" value="
                          Deactivate" /></center>
375                   </form>';
376             }
377             else if ($_SESSION['activateUser'] == 'Student Organization' && $_SESSION['
                    orgCtrACT'] > 0){
378               echo '<form name="activateOrgForm" id="activateOrgForm" method="post">';
379               echo '<table width="615px" style="text-align:center;"><tr>
380                     <th class="listHeader" width="25px">
381                     <th class="listHeader" width="355px">NAME
382                     <th class="listHeader">STATUS
383                     <th class="listHeader" width="25px">
384                     </tr></table>';
385               echo '<ul class="pagination3">';
386               for($i=0; $i < $_SESSION['orgCtrACT']; $i++){
387                 if($i%2==0){
388                   echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600
                          px" style="text-align:center;"><tr>';
389                 }
390                 else{
391                   echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600
                          px" style="text-align:center;"><tr>';
392                 }
393                 echo '<td width="20px">'.($i+1).'</td>
394                     <td width="345px">'.$_SESSION['orgListNameACT'][$i].'</td>
395                     <td>'.$_SESSION['orgListStatusACT'][$i].'</td>
396                     <td width="20px"><input type="checkbox" name="orgsToChangeStatus[]" value="
                          '.$_SESSION['orgListIDACT'][$i].'"></td></tr></table></li>';
397               }
398               echo '</ul><br><br><center><input type="button" onclick="submitOrgForm(\'
                      activateOrg\')" value="Activate" />
399                     <input type="button" onclick="submitOrgForm(\'deactivateOrg\')" value="
                          Deactivate" /></center>
400                   </form>';
401             }
402             else{
403               echo '<tr style="background-color: #D6D2D3; color: #000; text-align: center;"><
                      td class="courseList">NO RESULTS FOUND</td></tr>';
404             }
405         echo '<div class="clr"></div>
406       </div></div></div>';
407       }
408       ?>
409       </div>
410       <div class="sidebar">
411         <div class="gadget">
412           <h2 class="star">
413       <?php
414         if($_SESSION["loggedin"]){
415         echo 'Menu';
416         }
417        else
418         echo 'Log-in';
419       ?>
420       </h2>
421           <div class="clr"></div>
422             <?php
423         if($_SESSION["loggedin"]){
424         include('rightmenu.php');
425         }
426        else
427         include('login.php');
428
429       ?>
430         </div>
431         <div class="gadget">
432       <?php
433       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
434         echo '<h2 class="star"><span>Student Orgs</span></h2>
435           <div class="clr"></div>';
436         include('studentOrgMenu.php');
437       }
438       ?>
439         </div>
440         <div class="gadget">
441       <?php
442       if($_SESSION["loggedin"]){
443         echo '<h2 class="star"><span>Notifications</span></h2>
444           <div class="clr"></div>';
445           include('notifBar.php');
446       }
447       ?>
448         </div>
449       </div>
```

```
450       <div class="clr"></div>
451     </div>
452   </div>
453    <?php include('footer.php'); ?>
454 </div>
455 </body>
456 </html>
```

Listing 13: OSS Coordinator: activateUser.php

```
 1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
 2 <html xmlns="http://www.w3.org/1999/xhtml">
 3 <head>
 4 <title>OCSO | Activate/Deactivate</title>
 5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
 6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
 7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
 8 <link href="<?php echo base_url(); ?>css/styles.css" rel="stylesheet" type="text/css" />
 9
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/showdivs.js"></script>
16 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.quick.pagination.min.js
       "></script>
17
18 <script type="text/javascript">
19     function submitOrgForm(action)
20     {
21         document.getElementById('activateOrgForm').action = action;
22         document.getElementById('activateOrgForm').submit();
23     }
24 </script>
25 <script type="text/javascript">
26   (function($) {
27     $(document).ready(function() {
28        $("ul.pagination3").quickPagination({pageSize:"5"});
29     });
30   })(jQuery);
31 </script>
32
33 </head>
34 <body>
35 <div class="main">
36  <?php include('header.php'); ?>
37   <div class="content">
38     <div class="content_resize">
39       <div class="mainbar">
40         <div class="article">
41           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                  padding: 5px;">Activate/Deactivate Student Organization</div></h1>
42       <form name="viewListForm" method="post" action="activateUserSearch">
43       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
44       <div style="border: 2px solid #7B1113; padding: 4px;">
45         <table width="620px" style="text-align:center;">
46       <?php
47         if(isset($_SESSION['activateSuccess'])){
48             if($_SESSION['activateSuccess']){
49               echo '<tr><td colspan="2"><h3>SUCCESSFULLY '.$_SESSION['activateStatus'].'!</h3
                      ></td></tr>';
50             }
51             else{
52               if($_SESSION['activateStatus'] == 'ACTIVATED'){
53                 $status = 'ACTIVATION';
54               }
55               else{
56                 $status = 'DEACTIVATION';
57               }
58               echo '<tr><td colspan="2"><h3>'.$status.' UNSUCCESSFUL.</h3></td></tr>';
59             }
60             unset($_SESSION['activateSuccess']);
61             unset($_SESSION['activateStatus']);
62         }
63       ?>
64       <tr>
65         <td>
66           <span id='searchStudentHiddenField' style='<?php if($_SESSION['activateUser'] != '
                  none' && $_SESSION['userTypeToActivate']=='Student'){ echo 'display:block';}
67           else{ echo 'display:none'; } ?>'>
68           </span>
69           <span id='searchCoorHiddenField' align="left" style='<?php if($_SESSION['
                  activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='OSS Coordinator'){
                   echo 'display:block';}
70           else{ echo 'display:none'; } ?>'>
71           </span>
72           <span id='coorOptionsHiddenField' style='<?php //if($_SESSION['activateUser'] != '
                  none' && $_SESSION['userTypeToActivate']=='OSS Coordinator' && $_SESSION['
                  coorOptions'] == 'Assign To Other College'){ echo 'display:block';}
73           //else{ echo 'display:none'; }?>'>
74           </span>
75         </td>
76       </tr>
77       <tr>
```

```
78            <td align="center">
79              <span id='searchOrgOfAdminHiddenField' style='<?php if($_SESSION['activateUser']
                    != 'none' && $_SESSION['userTypeToActivate']=='Student Organization Admin'){
                    echo 'display:block';}
80              else{ echo 'display:none'; } ?>'>
81                <input type="radio" name="orgOfAdminOptions" value="NO" checked <?php if(
                      $_SESSION['activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='
                      Student Organization Admin'
82                && $_SESSION['orgOfAdminOptions']=='NO') echo 'checked';?>>Activate
83                <input type="radio" name="orgOfAdminOptions" value="YES" <?php if($_SESSION['
                      activateUser'] != 'none' && $_SESSION['userTypeToActivate']=='Student
                      Organization Admin'
84                && $_SESSION['orgOfAdminOptions']=='YES') echo 'checked';?>>Deactivate  &
                      nbsp 
85                <br>
86                <select name="orgOfAdminToActivate" id="selectedOrgOfAdminID">
87                  <option value="">Select Student Organization</option>
88                  <?php
89                    for($i=0; $i<$_SESSION['adminOrgCtrACT']; $i++){
90                      echo '<option value="'.$_SESSION['adminOrgListACT'][$i].'"';
91                      if($_SESSION['activateUser'] != 'none' && $_SESSION['userTypeToActivate'
                            ]=='Student Organization Admin' && $_SESSION['orgOfAdminToActivate']
                            == $_SESSION['adminOrgListACT'][$i]) echo 'selected';
92                      echo '>'.$_SESSION['adminOrgListACT'][$i].'</option>';
93                    }
94                  ?>
95                </select>
96              </span>
97            </td>
98          </tr>
99          <tr>
100           <td colspan="2">
101             <span id='studentHiddenLabel' style='<?php if($_SESSION['activateUser'] != 'none' &&
                      $_SESSION['userTypeToActivate']=='Student'){ echo 'display:block';}
102             else{ echo 'display:none'; } ?>'></span>
103             <span id='coorHiddenLabel' style='<?php if($_SESSION['activateUser'] != 'none' &&
                      $_SESSION['userTypeToActivate']=='OSS Coordinator'){ echo 'display:block';}
104             else{ echo 'display:none'; } ?>'></span>
105             <span id='orgOfAdminHiddenLabel' style='<?php if($_SESSION['activateUser'] != 'none'
                      && $_SESSION['userTypeToActivate']=='Student Organization Admin'){ echo '
                      display:block';}
106             else{ echo 'display:none'; } ?>'>TYPE <font color="#014421"><u>NAME</u></font> OF
                      STUDENT:</span>
107             <span id='orgHiddenLabel' style='display:block'>TYPE <font color="#014421"><u>NAME/
                      ACRONYM</u></font> OF STUDENT ORGANIZATION:</span>
108             <span id='hiddenSearchField' style='display:block'>
109               <input type="text" name="nameToActivate" size="25" value="<?php if($_SESSION['
                        activateUser'] != 'none') echo $_SESSION['nameToActivate'];?>"><br>
110               <input type="submit" name="Submit" value="Submit">
111             </span>
112           </td>
113         </tr>
114         </table>
115         </div>
116         </div>
117         </form>
118           </div>
119       <?php
120       if($_SESSION['activateUser']!='none'){
121       echo '<div class="article">
122         <h2><span>Search Results </span></h2>
123         <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
                EBE4E5; padding: 10px; width: 625px;">
124           <div style="border: 2px solid #7B1113; padding: 4px;">';
125             if ($_SESSION['activateUser'] == 'Student Organization' && $_SESSION['orgCtrACT'] >
                    0){
126               echo '<form name="activateOrgForm" id="activateOrgForm" method="post">';
127               echo '<table width="615px" style="text-align:center;"><tr>
128                   <th class="listHeader" width="25px">
129                   <th class="listHeader" width="355px">NAME
130                   <th class="listHeader">STATUS
131                   <th class="listHeader" width="25px">
132                   </tr></table>';
133                 echo '<ul class="pagination3">';
134                 for($i=0; $i < $_SESSION['orgCtrACT']; $i++){
135                   if($i%2==0){
136                     echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600
                            px" style="text-align:center;"><tr>';
137                   }
138                   else{
139                     echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600
                            px" style="text-align:center;"><tr>';
140                   }
141                   echo '<td width="20px">'.($i+1).'</td>
142                       <td width="345px">'.$_SESSION['orgListNameACT'][$i].'</td>
143                     <td>'.$_SESSION['orgListStatusACT'][$i].'</td>
144                     <td width="20px"><input type="checkbox" name="orgsToChangeStatus[]" value="
                            '.$_SESSION['orgListIDACT'][$i].'"></td></tr></table></li>';
145                 }
146                 echo '</ul><br><br>
147                   <center><input type="button" onclick="submitOrgForm(\'activateOrg\')" value
                          ="Activate" />
148                     <input type="button" onclick="submitOrgForm(\'deactivateOrg\')" value="
                          Deactivate" /></center>
149                 </form>';
150             }
151             else{
152               echo '<tr style="background-color: #D6D2D3; color: #000;"><td class="courseList">
                      NO RESULTS FOUND</td></tr>';
```

```
153             }
154             echo '<div class="clr"></div>
155         </div></div></div>';
156         }
157       ?>
158         </div>
159         <div class="sidebar">
160           <div class="gadget">
161             <h2 class="star">
162         <?php
163           if($_SESSION["loggedin"]){
164           echo 'Menu';
165           }
166          else
167           echo 'Log-in';
168         ?>
169         </h2>
170             <div class="clr"></div>
171               <?php
172           if($_SESSION["loggedin"]){
173           include('rightmenu.php');
174           }
175          else
176           include('login.php');
177
178         ?>
179           </div>
180           <div class="gadget">
181         <?php
182         if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
183           echo '<h2 class="star"><span>Student Orgs</span></h2>
184             <div class="clr"></div>';
185           include('studentOrgMenu.php');
186         }
187         ?>
188           </div>
189           <div class="gadget">
190         <?php
191         if($_SESSION["loggedin"]){
192           echo '<h2 class="star"><span>Notifications</span></h2>
193             <div class="clr"></div>';
194             include('notifBar.php');
195         }
196         ?>
197           </div>
198         </div>
199         <div class="clr"></div>
200       </div>
201     </div>
202      <?php include('footer.php'); ?>
203 </div>
204 </body>
205 </html>
```

Listing 14: addCreate.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | Add/Create</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <link href="<?php echo base_url(); ?>css/jquery.ui.css" rel="stylesheet" type="text/css" />
9
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/showdivs.js"></script>
16 <script type="text/javascript" src="<?php echo base_url(); ?>js/dynamicTables.js"></script>
17 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.7.2.min.js"></script>
18 <script type="text/javascript" src="<?php echo base_url(); ?>js/validateForm.js"></script>
19
20 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.9.1.js"></script>
21 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.ui.js"></script>
22
23 <script type="text/javascript">
24
25 var n=0;
26 var fieldNum5;
27 var total5=0;
28
29 function delOrgPartner(row_id){
30   var numRows = document.getElementById("orgPartnerTable").rows.length;
31   if((numRows) == 1){
32     alert("Cannot delete all the rows.");
33   }
34   else{
35     $("#partnerRowID"+row_id).css("background-color","red");
36     if(!confirm('Are you sure you want to delete this entry?')){
37       $("#partnerRowID"+row_id).css("background-color","#EBE4E5");
38       e.preventDefault();
39       return false;
40     }
```

```
41      else{
42        $('#partnerRowID'+row_id).remove();
43      }
44    }
45
46  }
47
48  function addOrgPartner(tableID)
49  {
50    var orgPartID = <?php if(isset($_SESSION['orgPartnerCtr'])) echo json_encode($_SESSION['
          orgPartnerID']);?>;
51    var orgPartName = <?php if(isset($_SESSION['orgPartnerCtr'])) echo json_encode($_SESSION['
          orgPartnerName']);?>;
52    var orgPartCtr = <?php if(isset($_SESSION['orgPartnerCtr'])) echo json_encode($_SESSION['
          orgPartnerCtr']);?>;
53    fieldNum5= n+1;
54    total5 = fieldNum5;
55    var table = document.getElementById(tableID);
56    var numRows = table.rows.length;
57    var row = table.insertRow(numRows);
58    row.align = "left";
59    row.id = "partnerRowID"+fieldNum5;
60    var cellH =row.insertCell(0);
61    cellH.innerHTML='<select name="orgPartners[]" id="orgPartners'+fieldNum5+'"/>'+
62    '<option value="">Select One</option>'+
63    '</select>    <font size="5px"><a onclick="delOrgPartner('+fieldNum5+')" href
          ="#/">&#215;</a></font>';
64    var sel = document.getElementById('orgPartners'+fieldNum5);
65    for(var i = 0; i < orgPartCtr; i++) {
66      var opt = document.createElement('option');
67      opt.innerHTML = orgPartName[i];
68      opt.value = orgPartID[i];
69      sel.add(opt);
70    }
71    n++;
72  }
73
74  var j=0;
75  var fieldNum6 = 0;
76  var total6=0;
77
78  function delTask(row_id){
79    var numRows = document.getElementById("taskTable").rows.length;
80    if((numRows-1) == 1){
81      alert("Cannot delete all the rows.");
82    }
83    else{
84      $("#rowID"+row_id).css("background-color","red");
85      if(!confirm('Are you sure you want to delete this entry?')){
86        $("#rowID"+row_id).css("background-color","#EBE4E5");
87        e.preventDefault();
88        return false;
89      }
90      else{
91        $('#rowID'+row_id).remove();
92      }
93    }
94
95  }
96
97  function addTask(tableID)
98  {
99    var orgMembersID = <?php if(isset($_SESSION['orgMembersCtr'])) echo json_encode($_SESSION['
          orgMembersID']);?>;
100   var orgMembersName = <?php if(isset($_SESSION['orgMembersCtr'])) echo json_encode($_SESSION[
          'orgMembersName']);?>;
101   var orgMembersCtr = <?php if(isset($_SESSION['orgMembersCtr'])) echo json_encode($_SESSION['
          orgMembersCtr']);?>;
102   fieldNum6= j+1;
103   total6 = fieldNum6;
104   var table = document.getElementById(tableID);
105   var numRows = table.rows.length;
106   var row = table.insertRow(numRows);
107   row.id = 'rowID'+fieldNum6;
108   row.align = "center";
109   var cellA =row.insertCell(0);
110   cellA.innerHTML='<input type="text" name="taskNames[]" id="taskNames'+ fieldNum6 +'" >  
           ';
111   var cellB =row.insertCell(1);
112   cellB.vAlign = "top";
113   cellB.innerHTML='<select name="membersAssigned[]" id="membersAssigned'+fieldNum6+'"/>'+
114   '<option value="">Select One</option>'+
115   '</select>';
116   var cellC =row.insertCell(2);
117   cellC.innerHTML='<input type="text" name="taskStartDates[]" id="taskDatepickerStart'+
          fieldNum6 +'" class="date_picker" readonly>   ';
118   var cellD =row.insertCell(3);
119   cellD.innerHTML='<input type="text" name="taskEndDates[]" id="taskDatepickerEnd'+ fieldNum6
          +'" class="date_picker" readonly>   ';
120   var cellH =row.insertCell(4);
121   cellH.vAlign = "top";
122   cellH.innerHTML='<font size="5px"><a onclick="delTask('+fieldNum6+')" href="#/">&#215;</a></
          font>  ';
123   var sel = document.getElementById('membersAssigned'+fieldNum6);
124   for(var ctr = 0; ctr < orgMembersCtr; ctr++) {
125     var opt = document.createElement('option');
126     opt.text = orgMembersName[ctr];
127     opt.value = orgMembersID[ctr];
128     sel.add(opt);
```

```
129    }
130
131    j++;
132  }
133
134  function selectID(IDS) {
135      var selectedID = document.getElementById(IDS);
136      selectedID.checked = true;
137      if(IDS == 'ID1'){
138        document.getElementById("photoField").style.display = "block";
139        document.getElementById("videoField").style.display = "none";
140        document.getElementById("fileField").style.display = "none";
141        $("#cell1").css("background-color", "#014421");
142        $("#cell2").css("background-color", "#EBE4E5");
143        $("#cell3").css("background-color", "#EBE4E5");
144      }
145      else if(IDS == 'ID2'){
146        document.getElementById("photoField").style.display = "none";
147        document.getElementById("videoField").style.display = "none";
148        document.getElementById("fileField").style.display = "block";
149        $("#cell2").css("background-color", "#014421");
150        $("#cell1").css("background-color", "#EBE4E5");
151        $("#cell3").css("background-color", "#EBE4E5");
152      }
153      else if(IDS == 'ID3'){
154        document.getElementById("photoField").style.display = "none";
155        document.getElementById("videoField").style.display = "block";
156        document.getElementById("fileField").style.display = "none";
157        $("#cell3").css("background-color", "#014421");
158        $("#cell2").css("background-color", "#EBE4E5");
159        $("#cell1").css("background-color", "#EBE4E5");
160      }
161      else{
162        document.getElementById("photoField").style.display = "none";
163        document.getElementById("videoField").style.display = "none";
164        document.getElementById("fileField").style.display = "none";
165      }
166
167    }
168
169    function showExclusiveField(type){
170      if(type == 'exclusive'){
171        document.getElementById("exclusiveField").style.display = "block";
172        document.getElementById("exclusiveField2").style.display = "block";
173        document.getElementById("rowForDuration1").style.display = "none";
174        document.getElementById("rowForDuration2").style.display = "none";
175        $("#durationLabel").css("background-color", "#EBE4E5");
176      }
177      else{
178        document.getElementById("exclusiveField").style.display = "none";
179        document.getElementById("exclusiveField2").style.display = "none";
180        document.getElementById("rowForDuration1").style.display = "block";
181        document.getElementById("rowForDuration2").style.display = "block";
182        $("#durationLabel").css("background-color", "#D6D2D3");
183        $("#cell2").css("background-color", "#EBE4E5");
184        $("#cell3").css("background-color", "#EBE4E5");
185      }
186    }
187
188    jQuery.noConflict();
189    (function($) {
190      $(window).load(function(){
191        function readURL(input) {
192            if (input.files && input.files[0]) {
193              var reader = new FileReader();
194              reader.onload = function(e) {
195                $('#previewHolder').attr('src', e.target.result);
196                 $('#previewHolder2').attr('src', e.target.result);
197              }
198
199              reader.readAsDataURL(input.files[0]);
200            }
201        }
202
203        function checkIfEmpty(){
204          if(document.getElementById("filePhoto").value == ''){
205            document.getElementById("previewField").style.display = "none";
206            $("#cellForImage").css("background-color", "#EBE4E5");
207          }
208          else{
209            document.getElementById("previewField").style.display = "block";
210            $("#cellForImage").css("background-color", "#D6D2D3");
211          }
212
213          if(document.getElementById("eventPhoto").value == ''){
214            document.getElementById("previewField2").style.display = "none";
215            $("#cellForImage2").css("background-color", "#EBE4E5");
216          }
217          else{
218            document.getElementById("previewField2").style.display = "block";
219            $("#cellForImage2").css("background-color", "#D6D2D3");
220          }
221        }
222           $("#filePhoto").change(function() {
223             checkIfEmpty();
224             readURL(this);
225           });
226
227           $("#eventPhoto").change(function() {
```

```
228             checkIfEmpty();
229             readURL(this);
230           });
231     });
232    })(jQuery);
233
234   jQuery.noConflict();
235   jQuery(function($) {
236     $(document).ready(function(){
237       $( "#postDatepicker" ).datepicker({ minDate: 1, dateFormat: 'yy-mm-dd', showAnim: '
              slideDown', changeMonth: true, changeYear: true});
238       $( "#pollDatepicker" ).datepicker({ minDate: 1, dateFormat: 'yy-mm-dd', showAnim: '
              slideDown', changeMonth: true, changeYear: true});
239
240       //Thread
241       $( "#threadDatepickerEnd" ).datepicker({ minDate: 1, dateFormat: 'yy-mm-dd', showAnim: '
              slideDown', changeMonth: true, changeYear: true});
242
243       //Event
244       $( "#eventDatepickerEnd" ).datepicker({ minDate: 1, dateFormat: 'yy-mm-dd', showAnim: '
              slideDown', changeMonth: true, changeYear: true});
245
246       //Activity Planner
247           $('body').on('focus',"#taskDatepickerStart1", function(){
248             $(this).datepicker({ minDate: 0, dateFormat: 'yy-mm-dd', showAnim: 'slideDown',
                    changeMonth: true, changeYear: true});
249           });
250           $('body').on('focus',"#taskDatepickerEnd1", function(){
251             $(this).datepicker({ minDate: 0, dateFormat: 'yy-mm-dd', showAnim: 'slideDown',
                    changeMonth: true, changeYear: true});
252           });
253
254       //dynamic
255       $( "#addTaskButton" ).click(function() {
256         var rowCtr = $('#taskTable tr').length-1;
257         for(var k=1; k<=rowCtr; k++){
258           $('body').on('focus',"#taskDatepickerStart"+k, function(){
259             $(this).datepicker({ minDate: 0, dateFormat: 'yy-mm-dd', showAnim: 'slideDown',
                    changeMonth: true, changeYear: true});
260           });
261           $('body').on('focus',"#taskDatepickerEnd"+k, function(){
262             $(this).datepicker({ minDate: 0, dateFormat: 'yy-mm-dd', showAnim: 'slideDown',
                    changeMonth: true, changeYear: true});
263           });
264         }
265       });
266
267       $( "#delTaskButton" ).click(function() {
268         var rowCtr = $('#taskTable tr').length-1;
269         for(var k=1; k<=rowCtr; k++){
270           $('body').on('focus',"#taskDatepickerStart"+k, function(){
271             $(this).datepicker({ minDate: 0, dateFormat: 'yy-mm-dd', showAnim: 'slideDown',
                    changeMonth: true, changeYear: true});
272           });
273           $('body').on('focus',"#taskDatepickerEnd"+k, function(){
274             $(this).datepicker({ minDate: 0, dateFormat: 'yy-mm-dd', showAnim: 'slideDown',
                    changeMonth: true, changeYear: true});
275           });
276         }
277       });
278     });
279    });
280
281 </script>
282 <style>
283 .date_picker {
284   text-align: center;
285   background-image: url("<?php echo base_url('images/iconCalendar.gif'); ?>");
286   background-position: right center;
287   background-repeat: no-repeat;
288   padding-right: 18px;
289   width: 100px;
290 }
291 </style>
292 </head>
293 <body onload="loadPollChoice('pollChoiceTable');addOrgPartner('orgPartnerTable');addTask('
      taskTable');">
294 <div class="main">
295   <?php include('header.php'); ?>
296   <div class="content">
297     <div class="content_resize">
298       <div class="mainbar">
299       <div class="article">
300             <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF
                    ; padding: 5px;"><?php echo $_SESSION['myOrgName'];?></div></h1>
301       <form enctype="multipart/form-data" name="addCreateForm" method="post" action="
              orgSubmitCreated">
302       <table class="viewProfile" style="width: 635px; background-color: #014421;">
303         <tr align="center"><td>Add/Create:
304           <select name="addChoice" id="addChoiceID" onchange="showChoiceField()">
305             <option value="">Select one...</option>
306             <option value="Post">Post/File</option>
307             <option value="Thread">Thread</option>
308             <option value="Event">Event</option>
309             <option value="Poll">Poll</option>
310             <option value="Activity Planner">Activity Planner</option>
311           </select>
312         </td></tr>
313       </table>
```

```
314       <br>
315       <span id="addPostField" style="display: none;">
316       <div class="article" style="text-align: justify; margin-top: 3px; background-color: #
              EBE4E5; padding: 10px; width: 615px;">
317       <div style="border: 2px solid #7B1113; padding: 4px;">
318         <table style="width: 600px">
319           <tr style="background-color: #7B1113; color: #FFF;"><th align="center" colspan="4"><
                  b><h2 style="color: #FFF;">ADD POST/FILE</h2></b></tr>
320           <tr><td align="center" style="background-color: #D6D2D3;" width="150px">TYPE </td>
321             <td align="left" colspan="4">
322               <input type="radio" name="orgPostType"  onchange="showExclusiveField('public');"
                        value="PUBLIC" checked>Public   
323               <input type="radio" name="orgPostType" onchange="showExclusiveField('exclusive')
                      ;" value="EXCLUSIVE">Exclusive for this Organization
324             </td>
325           </tr>
326           <tr>
327             <td align="center" style="background-color: #D6D2D3;">TITLE</td>
328             <td align="left" colspan="3"><input type="text" name="postTitle" id="postTitle"
                      size="30">
329             <br><p id="postTitleError" class="errorDiv" style="width: 250px;">
330           </td>
331           </tr>
332           <tr>
333             <td align="center" style="background-color: #D6D2D3;">MESSAGE</td>
334             <td align="left" colspan="3"><textarea name="postMessage" rows="5" cols="40"
                      placeholder="Type here..."></textarea><br><p id="postMessageError" class="
                      errorDiv" style="width: 250px;"></td>
335           </tr>
336           <tr>
337             <td align="center" id="durationLabel" style="background-color: #D6D2D3;"><span id=
                      "rowForDuration1">DURATION</span></td>
338             <td align="left" colspan="3">
339               <span id="rowForDuration2">
340                 DATE APPROVED - <input type="text" id="postDatepicker" name="postEndDate"
                          class="date_picker" readonly><br><p id="postEndDateError" class="errorDiv"
                           style="width: 250px;">
341               </span>
342             </td>
343           </tr>
344           <tr>
345             <td rowspan="2" align="center" style="background-color: #D6D2D3;">ATTACH</td>
346             <td align="left" width="150px" id="cell1">
347               <input type="radio" name="attach" value="photo" id="ID1" style="display:none;">
348                 <a href="#" onClick="selectID('ID1'); return false;">
349                   <img src="<?php echo base_url();?>images/photoIcon.png" align="left" alt=""
                            />Add Photo
350                 </a>
351             </td>
352             <td align="left" id="cell2">
353               <span id="exclusiveField" style="display: none;">
354                 <input type="radio" name="attach" value="file" id="ID2" style="display:none;">
355                 <a href="#" onClick="selectID('ID2'); return false;">
356                   <img src="<?php echo base_url();?>images/fileIcon.png" align="left" alt=""/>
                          Add File
357                 </a>
358               </span>
359             </td>
360             <td align="left" id="cell3">
361               <span id="exclusiveField2" style="display: none;">
362                 <input type="radio" name="attach" value="video" id="ID3" style="display:none;"
                        >
363                 <a href="#" onClick="selectID('ID3'); return false;">
364                   <img src="<?php echo base_url();?>images/videoIcon.png" align="left" alt=""
                            />Add Video
365                 </a>
366               </span>
367             </td>
368           </tr>
369           <tr>
370             <td colspan="3" align="center" id="cellForImage" style="background-color: #EBE4E5;
                      padding-top: 5px; padding-bottom: 5px;">
371               <span id="photoField" style="display: none;">
372                   <input type="file" name="imageUploaded" value="" id="filePhoto">
373                   <span id="previewField" style="display: none;">
374                     <div style="background-color: #EBE4E5;">IMAGE PREVIEW</div>
375                     <img src="" id="previewHolder" width="150px" height="150px"/>
376                   </span>
377               </span>
378               <span id="videoField" style="display: none;">
379                   <input type="file" name="videoUploaded">
380               </span>
381               <span id="fileField" style="display: none;">
382                 <input type="file" name="fileUploaded">
383               </span>
384             </td>
385           </tr>
386           <tr>
387             <td colspan="4" align="center"><input type="submit" name="submit" value="Submit"
                    ></td>
388           </tr>
389         </table>
390       </div>
391       </div>
392       </span>
393       <span id="addPollField" style="display: none;">
394       <div class="article" style="text-align: justify; margin-top: 3px; background-color: #
              EBE4E5; padding: 10px; width: 615px;">
395         <div style="border: 2px solid #7B1113; padding: 4px;">
```

```
396         <table style="width: 600px">
397         <tr style="background-color: #7B1113; color: #FFF;"><th align="center" colspan="3"><b
                ><h2 style="color: #FFF;">ADD POLL</h2></b></tr>
398         <tr>
399           <td></td>
400           <td></td>
401         </tr>
402         <tr>
403           <td align="center" style="background-color: #D6D2D3;">DURATION</td>
404           <td align="left">PRESENT - <input type="text" id="pollDatepicker" name="pollEndDate"
                  class="date_picker" readonly><br><p id="pollEndDateError" class="errorDiv"
                style="width: 250px;"></td>
405         </tr>
406         <tr>
407           <td align="center" style="background-color: #D6D2D3;">VISIBLE TO</td>
408           <td align="left"><input type="radio" name="visibleTo" value="All" checked>All  &
                nbsp
409             <input type="radio" name="visibleTo" value="Non-Alumni">Non-Alumni Members Only</
                  td>
410         </tr>
411         <tr>
412           <td align="center" style="background-color: #D6D2D3;">QUESTION</td>
413           <td align="left"><input type="text" name="pollQuestion" size="30">
414             <br><p id="pollQuestionError" class="errorDiv" style="width: 250px;"></td>
415         </tr>
416         <tr align="center" style="background-color: #D6D2D3;"><td colspan="2">CHOICES</td></tr
                >
417         <tr>
418           <td colspan="2">
419             <table id="pollChoiceTable" align="center" style="color: #FFF;" cellspacing="0"
                    cellpadding="4" width="595px">
420             </table>
421           </td>
422         </tr>
423         <tr align="center">
424           <td colspan="2">
425             <input type="button" onClick="addPollChoice('pollChoiceTable')" value="Add Another
                    Entry">  
426           </td>
427         <tr>
428         <tr>
429           <td align="center" colspan="2"><input type="submit" name="submit" value="Submit"></
                td>
430         </tr>
431         </table>
432       </div>
433       </div>
434       </span>
435       <span id="addFileField" style="display: none;">
436       </span>
437       <span id="addThreadField" style="display: none;">
438       <div class="article" style="text-align: justify; margin-top: 3px; background-color: #
            EBE4E5; padding: 10px; width: 615px;">
439         <div style="border: 2px solid #7B1113; padding: 4px;">
440         <table style="width: 600px">
441         <tr style="background-color: #7B1113; color: #FFF;"><th align="center" colspan="3"><b
                ><h2 style="color: #FFF;">ADD THREAD</h2></b></tr>
442           <tr>
443             <td></td>
444             <td></td>
445           </tr>
446         <tr>
447           <td align="center" style="background-color: #D6D2D3;">TITLE </td>
448           <td align="left"><input type="text" name="threadTitle"></td>
449         </tr>
450         <tr>
451           <td align="center" style="background-color: #D6D2D3;">DURATION </td>
452           <td>PRESENT - <input type="text" id="threadDatepickerEnd" name="threadEndDate" class
                  ="date_picker" readonly></td>
453         </tr>
454         <tr>
455           <td align="center" style="background-color: #D6D2D3;">DETAILS </td>
456           <td align="left"><textarea name="threadDetails" placeholder="Type details here..."
                  cols="40" rows="6"></textarea></td>
457         </tr>
458         <tr>
459           <td align="center" style="background-color: #D6D2D3;">STUDENT ORG PARTNERS </td>
460           <td align="left">
461             <table id="orgPartnerTable" align="center" style="color: #FFF;" cellspacing="0"
                    cellpadding="4" width="300">
462             </table>
463           </td>
464         </tr>
465         <tr>
466             <td></td>
467             <td align="left">
468               <input type="button" onClick="addOrgPartner('orgPartnerTable')" value="Add
                      Another Entry">  
469             </td>
470         <tr>
471         <tr>
472           <td align="center" colspan="2"><input type="submit" name="submit" value="Submit"></
                td>
473         </tr>
474         </table>
475         </div>
476       </div>
477       </span>
478       <span id="addEventField" style="display: none;">
```

```
479       <div class="article" style="text-align: justify; margin-top: 3px; background-color: #
              EBE4E5; padding: 10px; width: 615px;">
480         <div style="border: 2px solid #7B1113; padding: 4px;">
481         <table style="width: 600px">
482         <tr style="background-color: #7B1113; color: #FFF;"><th align="center" colspan="3"><b
                ><h2 style="color: #FFF;">ADD EVENT</h2></b></tr>
483         <tr>
484           <td></td>
485           <td></td>
486         </tr>
487         <tr>
488           <td align="center" style="background-color: #D6D2D3;">TITLE </td>
489           <td align="left"><input type="text" name="eventTitle" size="30"></td>
490         </tr>
491         <tr>
492           <td align="center" style="background-color: #D6D2D3;">PEOPLE INVITED </td>
493           <td align="left">
494             <select name="eventPeopleInvited" id="peopleInvitedID" onchange="
                    showInvitedCollegeField()">
495               <option value="">Select who to invite...</option>
496               <option value="ExeComm/Officers">ExeComm/Officers</option>
497               <option value="All Members">All Members</option>
498               <option value="College">College</option>
499               <option value="Public">Public</option>
500             </select>
501               
502             <span id="invitedCollegeField" style="display: none;">
503               <select name="invitedCollege">
504                 <option value="">Select College...</option>
505                 <option value="College of Arts and Sciences">College of Arts and Sciences</
                        option>
506                 <option value="College of Dentistry">College of Dentistry</option>
507                 <option value="College of Nursing">College of Nursing</option>
508                 <option value="College of Medicine">College of Medicine</option>
509                 <option value="College of Pharmacy">College of Pharmacy</option>
510                 <option value="College of Allied and Medical Professions">College of Allied
                        and Medical Professions</option>
511                 <option value="College of Public Health">College of Public Health</option>
512               </select>
513             </span>
514           </td>
515         </tr>
516         <tr>
517           <td align="center" style="background-color: #D6D2D3;">DURATION</td>
518           <td>PRESENT - <input type="text" id="eventDatepickerEnd" name="eventEndDate" class="
                  date_picker" readonly></td>
519         </tr>
520         <tr>
521           <td align="center" style="background-color: #D6D2D3;">VENUE</td>
522           <td><input type="text" name="eventVenue" size="20"></td>
523         </tr>
524         <tr>
525           <td align="center" style="background-color: #D6D2D3;">DETAILS </td>
526           <td align="left"><textarea name="eventDetails" placeholder="Type details here..."
                  cols="40" rows="6"></textarea></td>
527         </tr>
528         <tr>
529           <td align="center" style="background-color: #D6D2D3;" rowspan="2">UPLOAD IMAGE</td>
530           <td align="left">
531             <input type="radio" name="eventImage" value="No" checked class="controledivs3">No
                        
532             <input type="radio" name="eventImage" value="Yes" class="controledivs3">Yes  &
                    nbsp  
533           </td>
534         </tr>
535         <tr>
536           <td id="cellForImage2" style="text-align: center;">
537             <div id="hideablearea3">
538               <input type="file" name="eventImageUploaded" value="" id="eventPhoto">
539                 <span id="previewField2" style="display: none;">
540                   <div style="background-color: #EBE4E5;">IMAGE PREVIEW</div>
541                   <img src="" id="previewHolder2" width="150px" height="150px"/>
542                 </span>
543             </div>
544           </td>
545         </tr>
546         <tr>
547           <td align="center" colspan="2"><input type="submit" name="submit" value="Submit"></
                  td>
548         </tr>
549         </table>
550       </div>
551       </div>
552       </span>
553       <span id="addActivityPlannerField" style="display: none;">
554       <div class="article" style="text-align: justify; margin-top: 3px; background-color: #
              EBE4E5; padding: 10px; width: 615px;">
555         <div style="border: 2px solid #7B1113; padding: 4px;">
556         <table style="width: 600px">
557         <tr style="background-color: #7B1113; color: #FFF;"><th align="center" colspan="3"><b
                ><h2 style="color: #FFF;">ADD ACTIVITY PLANNER</h2></b></tr>
558         <tr>
559           <td></td>
560         </tr>
561         <tr>
562           <td align="center" style="background-color: #D6D2D3;">ACTIVITY NAME </td>
563           <td><input type="text" name="activityName" size="30"></td>
564         </tr>
565         <tr>
```

```
566           <td align="center" colspan="2">
567               <table id="taskTable" align="center" style="color: #000;" cellspacing="0"
                      cellpadding="4" width="300">
568                 <tr style="background-color: #D6D2D3;">
569                   <th>TASK
570                   <th>ASSIGNED TO
571                   <th>START DATE
572                   <th>END DATE
573                   <th>
574                 </tr>
575               </table>
576           </td>
577         </tr>
578         <tr>
579             <td align="center" colspan="2">
580               <input id="addTaskButton" type="button" onClick="addTask('taskTable')" value="
                      Add Another Entry">  
581             </td>
582         <tr>
583         <tr>
584           <td align="center" colspan="2"><input type="submit" name="submit" value="Submit"></
                td>
585         </tr>
586         </table>
587       </div>
588       </div>
589       </span>
590
591       </form>
592           <div class="clr"></div>
593         </div>
594       </div>
595       <div class="sidebar">
596         <div class="gadget">
597           <h2 class="star">
598       <?php
599       if($_SESSION["loggedin"]){
600         echo 'Menu';
601       }
602        else
603         echo 'Log-in';
604       ?>
605       </h2>
606           <div class="clr"></div>
607       <?php
608         if($_SESSION["loggedin"]){
609         include('rightmenu.php');
610       }
611        else
612         include('login.php');
613
614       ?>
615         </div>
616     <div class="gadget">
617       <?php
618       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
619         echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
                  >Student Organizations</span></h3>
620           <div class="clr"></div>';
621         include('studentOrgMenu.php');
622       }
623       ?>
624         </div>
625         <div class="gadget">
626       <?php
627       if($_SESSION["loggedin"]){
628         echo '<h2 class="star"><span>Notifications</span></h2>
629           <div class="clr"></div>';
630           include('notifBar.php');
631       }
632       ?>
633         </div>
634       </div>
635       <div class="clr"></div>
636     </div>
637   </div>
638     <?php include('footer.php'); ?>
639 </div>
640 </body>
641 </html>
```

Listing 15: addOSSCoordinator.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
3 <head>
4 <title>OCSO | Add User</title>
5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/dynamicTables.js"></script>
```

```
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/validateForm.js"></script>
15
16 <script type="text/javascript">
17
18 var j=0;
19 var fieldNum2;
20 var total2=0;
21 var fieldNum2Total = 0;
22
23 function delCoordinator(row_id){
24   var numRows = document.getElementById("coordinatorTable").rows.length;
25   if((numRows-1) == 1){
26     alert("Cannot delete all the rows.");
27   }
28   else{
29     if(!confirm('Are you sure you want to delete this entry?')){
30       e.preventDefault();
31       return false;
32     }
33     else{
34       $('#coorRowID'+row_id).remove();
35     }
36   }
37
38 }
39
40 function addCoordinator(tableID)
41 {
42   var array = <?php if(isset($_SESSION['availableListCtr'])) echo json_encode($_SESSION['
         availableList']);?>;
43   var arrayCtr = <?php if(isset($_SESSION['availableListCtr'])) echo json_encode($_SESSION['
         availableListCtr']);?>;
44   fieldNum2= j+1;
45   total2 = fieldNum2;
46   var table = document.getElementById(tableID);
47   var numRows = table.rows.length;
48   var row = table.insertRow(numRows);
49   row.align = "left";
50   row.id = "coorRowID"+fieldNum2;
51   var cellH =row.insertCell(0);
52   cellH.innerHTML='<div class="article" style="text-align: justify; margin-top: 10px;
         background-color: #EBE4E5; padding: 10px; width: 625px; font-weight: bold;">'+
53   '<div style="border: 2px solid #7B1113; padding: 4px;"><table width="612px" cellspacing="2"
         cellpadding="4">'+
54   '<tr><td colspan="2">EMPLOYEE NUMBER <input type="text" name="coordinatorNo[]" id="
         coordinatorNo'+fieldNum2+'" maxlength="9" size="7"/><p id="coordinatorNoError'+fieldNum2
         +'" class="errorDiv"></p></td>'+
55   '<td>COLLEGE <select name="coordinatorCollege[]" id="coordinatorCollege'+fieldNum2+'"/>'+
56   '<option value="">Select One</option>'+
57   '</select>    <font size="5px"><a onclick="delCoordinator('+fieldNum2+')" href="#/"
         style="float:right;">&#215;</a></font>'+
58   '<br><p id="coordinatorCollegeError'+fieldNum2+'" class="errorDiv" style="width: 250px;"></p
         ></td></tr>'+
59   '<tr style="background-color: #D6D2D3;"><td>FIRST NAME </td><td>MIDDLE NAME </td><td>LAST
         NAME </td></tr>'+
60   '<tr><td><input type="text" name="coordinatorFName[]" id="coordinatorFName'+fieldNum2+'"/><p
          id="coordinatorFNameError'+fieldNum2+'" class="errorDiv" style="width: 150px;"></p></td
         >'+
61   '<td><input type="text" name="coordinatorMName[]" id="coordinatorMName'+fieldNum2+'"/><p id
         ="coordinatorMNameError'+fieldNum2+'" class="errorDiv" style="width: 150px;"></p></td>'+
62   '<td><input type="text" name="coordinatorLName[]" id="coordinatorLName'+fieldNum2+'"/><p id
         ="coordinatorLNameError'+fieldNum2+'" class="errorDiv" style="width: 150px;"></p></td></
         tr>'+
63   '<tr style="background-color: #D6D2D3;"><td colspan="3">EMAIL ADDRESS </td></tr>'+
64   '<tr><td td colspan="3"><input type="text" name="coordinatorEmail[]" id="coordinatorEmail'+
         fieldNum2+'" size="40"/><p id="coordinatorEmailError'+fieldNum2+'" class="errorDiv"
         style="width: 150px;"></p></td></tr></table>';
65   var sel = document.getElementById('coordinatorCollege'+fieldNum2);
66   for(var i = 0; i < array.length; i++) {
67     var opt = document.createElement('option');
68     opt.innerHTML = array[i];
69     opt.value = array[i];
70     sel.appendChild(opt);
71   }
72
73   j++;
74   fieldNum2Total++;
75 }
76 </script>
77 </head>
78 <body onload="addCoordinator('coordinatorTable');">
79 <div class="main">
80   <?php include('header.php'); ?>
81   <div class="content">
82     <div class="content_resize">
83       <div class="mainbar">
84         <div class="article">
85           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                 padding: 5px;">Add OSS Coordinator</div></h1>
86       <? if($_SESSION['availableListCtr'] > 0){ ?>
87      <form name="addOSSCoordinator_form" method="post" action ="submitOSSCoordinator" onSubmit
           ="return validateForm2();">
88       <table class="userTable" >
89       <tr>
90         <td colspan="3">
91           <table id="coordinatorTable" align="left" style="color: #000" cellspacing="0"
                cellpadding="4">
92             <tr>
93               <td colspan="3"></td>
```

```
94              </tr>
95            </table>
96          </td>
97        </tr>
98        <tr>
99          <td colspan="3" align="center">
100             <input type="button" onClick="addCoordinator('coordinatorTable')" value="Add
                    Another Entry">  
101         </td>
102       </tr>
103       <tr>
104         <td colspan="3" align="center"><input type="submit" name="submit" value="Submit"></td>
105       </tr>
106       </table>
107       </form>
108       <?php
109       }
110       else{
111       echo '<div class="article" style="text-align: justify; margin-top: 10px; background-
              color: #EBE4E5; padding: 10px; width: 625px; font-weight: bold;">
112           <div style="border: 2px solid #7B1113; padding: 4px;">
113             <center>ALL COLLEGES HAVE ACTIVATED OSS COORDINATORS.</center>
114           </div>
115         </div>';
116       }
117       ?>
118         <div class="clr"></div>
119     </div>
120       </div>
121       <div class="sidebar">
122         <div class="gadget">
123           <h2 class="star">
124       <?php
125         if($_SESSION["loggedin"]){
126         echo 'Menu';
127       }
128        else
129         echo 'Log-in';
130       ?>
131       </h2>
132           <div class="clr"></div>
133       <?php
134         if($_SESSION["loggedin"]){
135         include('rightmenu.php');
136       }
137        else
138         include('login.php');
139
140       ?>
141         </div>
142         <div style="margin: 3px; margin-right: 10px;">
143       <div class="gadget">
144         <?php
145         if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
146           echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><
                  span>Student Organizations</span></h3>
147             <div class="clr"></div>';
148           include('studentOrgMenu.php');
149         }
150         ?>
151       </div>
152         </div>
153         <div class="gadget">
154       <?php
155       if($_SESSION["loggedin"]){
156         echo '<h2 class="star"><span>Notifications</span></h2>
157           <div class="clr"></div>';
158           include('notifBar.php');
159       }
160       ?>
161         </div>
162       </div>
163       <div class="clr"></div>
164     </div>
165   </div>
166    <?php include('footer.php'); ?>
167 </div>
168 </body>
169 </html>
```

Listing 16: addPost.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
3 <head>
4 <title>OCSO | Add Post</title>
5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8 <link href="<?php echo base_url(); ?>css/jquery.ui.css" rel="stylesheet" type="text/css" />
9 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.7.2.min.js"></script>
```

```
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.9.1.js"></script>
16 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.ui.js"></script>
17
18 <script type="text/javascript">
19   (function($) {
20     $(window).load(function(){
21         function readURL(input) {
22             if (input.files && input.files[0]) {
23               var reader = new FileReader();
24               reader.onload = function(e) {
25                 $('#previewHolder').attr('src', e.target.result);
26               }
27               reader.readAsDataURL(input.files[0]);
28             }
29         }
30
31         function checkIfEmpty(){
32           if(document.getElementById("filePhoto").value == ''){
33             document.getElementById("previewField").style.display = "none";
34           }
35           else{
36             document.getElementById("previewField").style.display = "block";
37           }
38         }
39           $("#filePhoto").change(function() {
40             checkIfEmpty();
41             readURL(this);
42           });
43       });
44
45       $(document).ready(function(){
46         $( "#postDatepicker" ).datepicker({ minDate: 1, dateFormat: 'yy-mm-dd', showAnim: '
               slideDown', changeMonth: true, changeYear: true});
47       });
48
49    })(jQuery);
50 </script>
51 <style>
52 .date_picker {
53   text-align: center;
54   background-image: url("<?php echo base_url('images/iconCalendar.gif'); ?>");
55   background-position: right center;
56   background-repeat: no-repeat;
57   padding-right: 18px;
58   width: 100px;
59 }
60 </style>
61 </head>
62 <body>
63 <div class="main">
64  <?php include('header.php'); ?>
65   <div class="content">
66     <div class="content_resize">
67       <div class="mainbar">
68         <div class="article">
69           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                  padding: 5px;">Add Post</div></h1>
70       <form enctype="multipart/form-data" name="addPostForm" method="post" action="submitPost"
              >
71       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
72       <div style="border: 2px solid #7B1113; padding: 4px; font-weight: bold;">
73         <table width="610px" cellpadding="8px">
74         <tr>
75           <td align="center" style="background-color: #D6D2D3;">TITLE</td>
76           <td align="left"><input type="text" name="postTitle" size="50px" value="<?php echo
                 set_value('postTitle'); ?>"><?php echo form_error('postTitle','<div class="
                 errorDiv">', '</div>');?></td>
77         </tr>
78         <tr>
79           <td align="center" style="background-color: #D6D2D3;">MESSAGE</td>
80           <td align="left"><textarea name="postMessage" rows="5" cols="50" placeholder="Write
                 your message here..."><?php echo set_value('postMessage'); ?></textarea><?php
                 echo form_error('postMessage','<div class="errorDiv">', '</div>');?></td>
81         </tr>
82         <tr>
83           <td align="center" style="background-color: #D6D2D3;">DURATION</td>
84           <td align="left">PRESENT - <input type="text" id="postDatepicker" name="postEndDate"
                  class="date_picker" readonly value="<?php echo set_value('postEndDate'); ?>"><?
                 php echo form_error('postEndDate','<div class="errorDiv">', '</div>');?></td>
85         </tr>
86         <tr>
87           <td align="center" style="background-color: #D6D2D3;">UPLOAD IMAGE</td>
88           <td align="left">
89             <input type="radio" name="postImage" value="No" <?php if(isset($_SESSION['
                    postImage']) && $_SESSION['postImage'] == 'No'){ echo 'checked';}else if (!
                    isset($_SESSION['postImage'])) {
90               echo 'checked';
91             } ?> class="controledivs2">No     
92             <input type="radio" name="postImage" value="Yes" <?php if(isset($_SESSION['
                    postImage']) && $_SESSION['postImage'] == 'Yes') echo 'checked'; ?> class="
                    controledivs2">Yes     
93           </td>
94         </tr>
95         <tr>
96           <td></td>
97           <td>
98             <div id="hideablearea2" <?php if(isset($_SESSION['postImage']) && $_SESSION['
                    postImage'] == 'Yes') echo 'style="display: block;"'; else echo 'style="
```

```
                    display: none;"'; ?>>
99                  <input type="file" name="imageUploaded" id="filePhoto" value="<?php echo
                        set_value('imageUploaded'); ?>"><?php echo form_error('imageUploaded','<div
                        class="errorDiv">', '</div>');?>
100                 <span id="previewField" style="display: none;" align="center">
101                   <div style="background-color: #EBE4E5;">IMAGE PREVIEW</div>
102                   <img src="" id="previewHolder" width="150px" height="150px"/>
103                 </span>
104               </div>
105             </td>
106           </tr>
107           <tr>
108             <td colspan="2" align="center"><input type="submit" name="submit" value="Submit"></
                    td>
109           </tr>
110           </table>
111         </div>
112         </div>
113         </form>
114             <div class="clr"></div>
115           </div>
116         </div>
117         <div class="sidebar">
118           <div class="gadget">
119             <h2 class="star">
120         <?php
121           if($_SESSION["loggedin"]){
122           echo 'Menu';
123           }
124          else
125           echo 'Log-in';
126         ?>
127         </h2>
128             <div class="clr"></div>
129               <?php
130           if($_SESSION["loggedin"]){
131           include('rightmenu.php');
132           }
133          else
134           include('login.php');
135
136         ?>
137           </div>
138           <div class="gadget">
139         <?php
140         if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
141           echo '<h2 class="star"><span>Student Orgs</span></h2>
142             <div class="clr"></div>';
143           include('studentOrgMenu.php');
144         }
145         ?>
146           </div>
147           <div class="gadget">
148         <?php
149         if($_SESSION["loggedin"]){
150           echo '<h2 class="star"><span>Notifications</span></h2>
151             <div class="clr"></div>';
152              include('notifBar.php');
153         }
154         ?>
155           </div>
156         </div>
157         <div class="clr"></div>
158       </div>
159     </div>
160      <?php include('footer.php'); ?>
161 </div>
162 </body>
163 </html>
```

Listing 17: addStudent.php

```
 1 <?php
 2   session_start();
 3 ?>
 4 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
 5 <html xmlns="http://www.w3.org/1999/xhtml">
 6 <head>
 7 <title>OCSO | Add User</title>
 8 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
 9 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
10 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
16 <script type="text/javascript" src="<?php echo base_url(); ?>js/dynamicTables.js"></script>
17 <script type="text/javascript" src="<?php echo base_url(); ?>js/validateForm.js"></script>
18 </head>
19 <body onload="addStudent('studentTable');">
20 <div class="main">
21   <?php include('header.php'); ?>
22   <div class="content">
23     <div class="content_resize">
24       <div class="mainbar">
```

```
25          <div class="article">
26            <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                  padding: 5px;">Add Student/Alumni</div></h1>
27             <div class="article" style="text-align: justify; margin-top: 10px; background-color
                  : #EBE4E5; padding: 10px; width: 625px;">
28              <div style="border: 2px solid #000; align: center; padding: 5px; text-align:center
                    ;">
29                <h3>(Upload an excel file in <b>xls</b> format that contains the list of
                      students to be added)</h3>
30                <form enctype="multipart/form-data" name="addStudent_form" method="post" action=
                      "submitExcel">
31                  <input type="file" name="excelUploaded">
32                  <br>
33                  <input type="submit" name="submit" value="Upload">
34                </form>
35              </div>
36            </div>
37            <div class="clr"></div>
38      </div>
39        </div>
40        <div class="sidebar">
41          <div class="gadget">
42            <h2 class="star">
43        <?php
44          if($_SESSION["loggedin"]){
45          echo 'Menu';
46        }
47          else
48          echo 'Log-in';
49        ?>
50        </h2>
51            <div class="clr"></div>
52        <?php
53          if($_SESSION["loggedin"]){
54          include('rightmenu.php');
55        }
56          else
57          include('login.php');
58
59        ?>
60          </div>
61          <div style="margin: 3px; margin-right: 10px;">
62        <div class="gadget">
63          <?php
64          if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
65            echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><
                    span>Student Organizations</span></h3>
66              <div class="clr"></div>';
67            include('studentOrgMenu.php');
68          }
69          ?>
70        </div>
71          </div>
72          <div class="gadget">
73        <?php
74        if($_SESSION["loggedin"]){
75          echo '<h2 class="star"><span>Notifications</span></h2>
76            <div class="clr"></div>';
77            include('notifBar.php');
78        }
79        ?>
80          </div>
81        </div>
82        <div class="clr"></div>
83      </div>
84    </div>
85     <?php include('footer.php'); ?>
86 </div>
87 </body>
88 </html>
```

Listing 18: addStudentOrganization.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
3 <head>
4 <title>OCSO | Add Student Organization</title>
5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/dynamicTables.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/validateForm.js"></script>
15 </head>
16 <body onload="addStudentOrganization('studentOrganizationTable');">
17 <div class="main">
18   <?php include('header.php'); ?>
19   <div class="content">
20     <div class="content_resize">
21       <div class="mainbar">
22         <div class="article">
```

```
23          <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                padding: 5px;">Add Student Organization</div></h1>
24        <form name="addStudentOrganization_form" method="post" action ="
              submitStudentOrganization" onSubmit ="return validateForm4();">
25        <table class="userTable" >
26        <tr>
27          <td colspan="2">
28            <table id="studentOrganizationTable" align="left" style="color: #000;" cellspacing="
                  0" cellpadding="4" width="625px">
29              <tr>
30                <td colspan="2"></td>
31              </tr>
32            </table>
33          </td>
34        </tr>
35        <tr>
36          <td colspan="2" align="center">
37              <input type="button" onClick="addStudentOrganization('studentOrganizationTable')"
                    value="Add Another Entry">  
38          </td>
39        </tr>
40        <tr>
41          <td colspan="3" align="center"><input type="submit" name="submit" value="Submit"></td>
42        </tr>
43        </table>
44        </form>
45            <div class="clr"></div>
46      </div>
47        </div>
48        <div class="sidebar">
49          <div class="gadget">
50            <h2 class="star">
51        <?php
52          if($_SESSION["loggedin"]){
53          echo 'Menu';
54        }
55           else
56          echo 'Log-in';
57        ?>
58        </h2>
59            <div class="clr"></div>
60        <?php
61          if($_SESSION["loggedin"]){
62          include('rightmenu.php');
63        }
64           else
65          include('login.php');
66
67        ?>
68          </div>
69          <div style="margin: 3px; margin-right: 10px;">
70        <div class="gadget">
71          <?php
72          if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
73            echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><
                  span>Student Organizations</span></h3>
74              <div class="clr"></div>';
75            include('studentOrgMenu.php');
76          }
77          ?>
78        </div>
79          </div>
80          <div class="gadget">
81        <?php
82        if($_SESSION["loggedin"]){
83          echo '<h2 class="star"><span>Notifications</span></h2>
84            <div class="clr"></div>';
85            include('notifBar.php');
86        }
87        ?>
88          </div>
89        </div>
90        <div class="clr"></div>
91      </div>
92    </div>
93     <?php include('footer.php'); ?>
94  </div>
95  </body>
96  </html>
```

Listing 19: allNotifications.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | Your Notifications</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9  <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/dynamicTables.js"></script>
14 <script>
```

```
15 function myconfirm()
16 {
17     if(confirm('Are you sure that you want to delete this notification?'))
18         return true;
19     return false;
20 }
21 </script>
22 </head>
23 <body>
24 <div class="main">
25   <?php include('header.php'); ?>
26   <div class="content">
27     <div class="content_resize">
28       <div class="mainbar">
29         <div class="article">
30           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                 padding: 5px;">Notifications</div></h1>
31         <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
              EBE4E5; padding: 10px; width: 625px;">
32          <div style="border: 2px solid #000;">
33           <?php
34           if($_SESSION['role'] == 'OSA Coordinator' || $_SESSION['role'] == 'OSS Coordinator')
                 {
35             echo '<table width="620px" style="font-size: 13px;" cellpadding="4px">';
36             for($i=($_SESSION['pendingPostNotifCtr']-1); $i>=0; $i--){
37               echo '<tr>
38                     <td ';
39                       if($i!=($_SESSION['pendingPostNotifCtr']-1)){
40                         echo 'style="border-top: 2px solid #BAB8B9;" ';
41                       }
42                     echo ' class="notifLink"><b><a href="http://localhost/OCSO_v6/index.php/Home
                           /viewRequestID?requestIDToView='.$_SESSION['pendingPostID'][$i].'">'.
                           $_SESSION['pendingPostNotifMessage'][$i].'
43                     </a></b><font size="1px">'.strtoupper(formatDate($_SESSION['
                           pendingPostNotifDate'][$i])).'</font>
44                     <a href="getNotifIDToDelete?notifIDToDelete='.$_SESSION['pendingPostNotifID'
                           ][$i].'" onclick="return myconfirm()" style="float:right;">
45                       <font size="5px">&#215;</font>
46                     </a>
47                     </td>
48                   </tr>';
49             }
50             echo '</table>';
51           }
52           else{
53             $_SESSION['mergedNotifs'] = array();
54             for($i=($_SESSION['approvedPostNotifCtr']-1); $i>=0; $i--){
55               array_push($_SESSION['mergedNotifs'], array("studOrg" => $_SESSION['
                     approvedPostNotifStudOrg'][$i], "message" => $_SESSION['
                     approvedPostNotifMessage'][$i], "date"=>$_SESSION['approvedPostNotifDate'][
                     $i], "notifID"=>$_SESSION['approvedPostNotifID'][$i], "studNum"=>"","id"=>""
                     ));
56             }
57             for($i=($_SESSION['membershipRequestNotifCtr']-1); $i>=0; $i--){
58               array_push($_SESSION['mergedNotifs'], array("studOrg" => $_SESSION['
                     membershipRequestNotifStudOrg'][$i], "message" => $_SESSION['
                     membershipRequestNotifMessage'][$i], "date"=>$_SESSION['
                     membershipRequestNotifDate'][$i], "notifID"=>$_SESSION['
                     membershipRequestNotifID'][$i], "studNum"=>$_SESSION['
                     membershipRequestNotifStudNum'][$i],"id"=>""));
59             }
60             for($i=($_SESSION['membershipApprovalNotifCtr']-1); $i>=0; $i--){
61               array_push($_SESSION['mergedNotifs'], array("studOrg" => $_SESSION['
                     membershipApprovalNotifStudOrg'][$i], "message" => $_SESSION['
                     membershipApprovalNotifMessage'][$i], "date"=>$_SESSION['
                     membershipApprovalNotifDate'][$i], "notifID"=>$_SESSION['
                     membershipApprovalNotifID'][$i], "studNum"=>"", "id"=>""));
62             }
63             for($i=($_SESSION['reportedCommentsNotifCtr']-1); $i>=0; $i--){
64               array_push($_SESSION['mergedNotifs'], array("studOrg" => $_SESSION['
                     reportedCommentsNotifStudOrg'][$i], "message" => $_SESSION['
                     reportedCommentsNotifMessage'][$i], "date"=>$_SESSION['
                     reportedCommentsNotifDate'][$i], "notifID"=>$_SESSION['
                     reportedCommentsNotifID'][$i], "studNum"=>"", "id"=>$_SESSION['
                     reportedCommentsID'][$i]));
65             }
66
67
68             function sortFunction($a, $b) {
69               return strtotime($a["date"]) - strtotime($b["date"]);
70             }
71             usort($_SESSION['mergedNotifs'], "sortFunction");
72
73             echo '<table width="620px" style="font-size: 13px;" cellpadding="4px">';
74             for($i=(count($_SESSION['mergedNotifs'])-1); $i>=0; $i--){
75               echo '<tr>
76                     <td ';
77                       if($i!=(count($_SESSION['mergedNotifs'])-1)){
78                         echo 'style="border-top: 2px solid #BAB8B9;" ';
79                       }
80                     echo '><b><font color="#000">'.$_SESSION['mergedNotifs'][$i]["studOrg"].'
                           </font><br>';
81                     if(strpos($_SESSION['mergedNotifs'][$i]["message"], 'sent') !== false){
82                       if(strpos($_SESSION['mergedNotifs'][$i]["message"], 'renewal') !== false
                             ){
83                         $requestType = 'RENEWAL';
84                       }
85                       else{
86                         $requestType = 'NEW';
```

```
87                          }
88                          echo '<font class="notifLink"><a href="http://localhost/OCSO_v6/index.
                                php/Home/viewMembershipRequestID?requestStudNumToView='.$_SESSION['
                                mergedNotifs'][$i]["studNum"].'&requestStudOrgToView='.$_SESSION['
                                mergedNotifs'][$i]["studOrg"].'&requestType='.$requestType.'">
89                          '.$_SESSION['mergedNotifs'][$i]["message"].'</a></font>';
90                        }
91                        else if(strpos($_SESSION['mergedNotifs'][$i]["message"], 'reported') !==
                              false){
92                          echo '<font class="notifLink"><a href="http://localhost/OCSO_v6/index.
                                php/Home/viewReportedCommentID?reportedCommentToView='.$_SESSION['
                                mergedNotifs'][$i]["id"].'">
93                          '.$_SESSION['mergedNotifs'][$i]["message"].'</a></font>';
94                        }
95                        else{
96                          echo '<font size="2px" color="#7B1113">'.$_SESSION['mergedNotifs'][$i]["
                                message"].'</font>';
97                        }
98                echo  '<font size="1px">'.strtoupper(formatDate($_SESSION['mergedNotifs'][$i]["
                      date"])).'</font>
99                        <a href="getNotifIDToDelete?notifIDToDelete='.$_SESSION['mergedNotifs'][$i
                              ]["id"].'" onclick="return myconfirm()" style="float:right;">
100                         <font size="5px">&#215;</font>
101                       </a>
102                       </td>
103                     </tr>';
104             }
105             echo '</table>';
106           }
107           ?>
108
109         </div>
110       </div>
111           <div class="clr"></div>
112     </div>
113       </div>
114       <div class="sidebar">
115         <div class="gadget">
116           <h2 class="star">
117       <?php
118         if($_SESSION["loggedin"]){
119         echo 'Menu';
120       }
121        else
122         echo 'Log-in';
123       ?>
124       </h2>
125           <div class="clr"></div>
126       <?php
127         if($_SESSION["loggedin"]){
128         include('rightmenu.php');
129       }
130        else
131         include('login.php');
132
133       ?>
134         </div>
135         <div style="margin: 3px; margin-right: 10px;">
136       <div class="gadget">
137         <?php
138         if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
139           echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><
                    span>Student Organizations</span></h3>
140             <div class="clr"></div>';
141           include('studentOrgMenu.php');
142         }
143         ?>
144       </div>
145         </div>
146       </div>
147       <div class="clr"></div>
148     </div>
149   </div>
150    <?php include('footer.php'); ?>
151 </div>
152 </body>
153 </html>
```

Listing 20: announcement_page.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
3 <head>
4 <title>OCSO | Announcements</title>
5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13
14 </head>
15 <body>
16 <div class="main">
```

```
17   <?php include('header.php'); ?>
18     <div class="content">
19     <div class="content_resize">
20    <div class="mainbar">
21     <div class="article">
22       <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
           padding: 5px;">Announcement</div></h1>
23     </div>
24     <?php
25     if(!empty($results)){
26       foreach($results as $data) {
27         echo '<div class="article" style="text-align: justify; margin-top: 10px; background-
             color: #EBE4E5; padding: 10px; width: 625px;">
28               <div style="border: 2px solid #7B1113; padding: 4px;"><table width="610px"
                   style="table-layout:fixed;" cellpadding="8px">';
29               echo '<tr align="center" style="background-color: #D6D2D3;"><td><h2 style="
                   padding: 2px;"><span>'.$data->POST_TITLE.'</span></h2></td></tr>';
30               echo '<tr><td>'.formatDate($data->POST_STARTDATE).'  |   Posted by '
                   ;
31               if($data->COOR_COLLEGENAME == ''){
32                 echo 'Office of Student Affairs ';
33               }
34               else{
35                 echo $data->COOR_COLLEGENAME.' - Office of Student Services';
36               }
37               echo ' </td></tr>';
38               if(!empty($data->POST_IMAGE)){
39                 echo '<tr><td align="center"><img src="'.$data->POST_IMAGE.'" width="500"
                       height="600" alt=""/></td></tr>';
40               }
41               echo '<tr><td style="word-wrap: break-word">'.$data->POST_MESSAGE.'</td></tr>'
                   ;
42           echo '</table></div></div><hr size="2" color="#d3d3d3" style="margin: 10px;">';
43       }
44
45       echo '<center><font size="3" color="#7B1113">'.$links.'</font></center>';
46     }
47     ?>
48       </div>
49       <div class="sidebar">
50         <div class="gadget">
51           <h2 class="star">
52       <?php
53          if($_SESSION["loggedin"]){
54          echo 'Menu';
55       }
56        else
57          echo 'Log-in';
58       ?>
59       </h2>
60           <div class="clr"></div>
61       <?php
62          if($_SESSION["loggedin"]){
63          include('rightmenu.php');
64       }
65        else
66          include('login.php');
67
68       ?>
69         </div>
70         <div class="gadget">
71       <?php
72       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
73         echo '<h2 class="star"><span>Student Orgs</span></h2>
74           <div class="clr"></div>';
75         include('studentOrgMenu.php');
76       }
77       ?>
78         </div>
79         <div class="gadget">
80       <?php
81       if($_SESSION["loggedin"]){
82         echo '<h2 class="star"><span>Notifications</span></h2>
83           <div class="clr"></div>';
84           include('notifBar.php');
85       }
86       ?>
87         </div>
88       </div>
89       <div class="clr"></div>
90     </div>
91   </div>
92    <?php include('footer.php'); ?>
93 </div>
94 </body>
95 </html>
```

Listing 21: assignStudOrgAdmin.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
3 <head>
4 <title>OCSO | Assign Student Org Admin</title>
5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
```

```
 8 <link href="<?php echo base_url(); ?>css/jquery.ui.css" rel="stylesheet" type="text/css" />
 9 <link href="<?php echo base_url(); ?>css/jquery.ui.1.10.4.css" rel="stylesheet" type="text/css
       " />
10
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
16 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.7.2.min.js"></script>
17 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.9.1.js"></script>
18 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.ui.js"></script>
19 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.ui.1.10.4.js"></script>
20 <script type="text/javascript" src="<?php echo base_url(); ?>js/validateForm.js"></script>
21 <script>
22   var availableNamesCtr = <?php echo count($_SESSION['availableStudName']);?>;
23   var availableStudName = <?php echo json_encode($_SESSION['availableStudName']);?>;
24   var availableNames = [];
25     for(var i=0; i<availableNamesCtr; i++){
26       availableNames.push(availableStudName[i]);
27     }
28
29   (function($) {
30     $(document).ready(function(){
31       $( "#studNames1" ).autocomplete({
32         source: availableNames
33       });
34       $( "#studNames2" ).autocomplete({
35         source: availableNames
36       });
37       $( "#studNames3" ).autocomplete({
38         source: availableNames
39       });
40     });
41   })(jQuery);
42 </script>
43 <script>
44 function myconfirm()
45 {
46     if(confirm('All the currently activated admins for this organization will be replaced.
           Continue?'))
47         return true;
48     return false;
49 }
50 </script>
51 </head>
52 <body>
53 <div class="main">
54  <?php include('header.php'); ?>
55   <div class="content">
56     <div class="content_resize">
57       <div class="mainbar">
58         <div class="article">
59           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                 padding: 5px;">Assign Student Organization Admin</div></h1>
60       <form enctype="multipart/form-data" name="assignStudOrgAdminForm" method="post" action="
             submitStudOrgAdmin" onsubmit="return validateForm3(); return myconfirm();">
61       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
62       <div style="border: 2px solid #7B1113; padding: 4px; font-weight: bold;">
63         <?php
64           echo '<center>';
65           if(isset($_SESSION['assignStudOrgAdminSuccess'])){
66             if($_SESSION['assignStudOrgAdminSuccess']){
67               echo '<tr><td colspan="2"><h3>SUCCESSFULLY '.$_SESSION['assignStudOrgAdminStatus
                     '].'!</h3></td></tr>';
68             }
69             else{
70               echo '<tr><td colspan="2"><h3>ASSIGNMENT UNSUCCESSFUL.</h3></td></tr>';
71             }
72             unset($_SESSION['assignStudOrgAdminSuccess']);
73             unset($_SESSION['assignStudOrgAdminStatus']);
74           }
75           echo '</center>';
76         ?>
77         <table width="610px" cellpadding="8px">
78         <tr>
79           <td align="center" style="background-color: #D6D2D3;">STUDENT ORGANIZATION</td>
80           <td align="left">
81               <select name="studOrgOfAdminToAssign" id="studOrgOfAdminToAssign">
82                 <option value="">Select One...</option>
83                 <?php
84                   for($i=0; $i<$_SESSION['studOrgsCtr']; $i++){
85                     echo '<option value="'.$_SESSION['studOrgsID'][$i].'">'.$_SESSION['
                           studOrgsName'][$i].'</option>';
86                   }
87                 ?>
88               </select>
89               <br>
90               <p id="studOrgOfAdminToAssignError" class="errorDiv" style="width: 250px;"></p>
91           </td>
92         </tr>
93         <tr>
94           <td align="center" style="background-color: #D6D2D3;" rowspan="3" width="120px">
               STUDENTS TO ASSIGN AND THEIR POSITIONS</td>
95           <td align="left"><div class="ui-widget"><label for="studNames1">1.</label> <input
                type="text" name="studOrgAdmin1" id="studNames1" size="30">    <input
                type="text" name="studOrgAdminPosition1" id="studOrgAdminPosition1" value="
               MEMBER"></div>
```

```
96            <p id="studNamesError1" class="errorDiv" style="width: 250px;"></p>
97            </td>
98          </tr>
99          <tr>
100           <td align="left"><div class="ui-widget"><label for="studNames2">2.</label> <input
                  type="text" name="studOrgAdmin2" id="studNames2" size="30">    <input
                  type="text" name="studOrgAdminPosition2" id="studOrgAdminPosition2" value="
                  MEMBER"></div>
101           <p id="studNamesError2" class="errorDiv" style="width: 250px;"></p>
102           </td>
103         </tr>
104         <tr>
105           <td align="left"><div class="ui-widget"><label for="studNames3">3.</label> <input
                  type="text" name="studOrgAdmin3" id="studNames3" size="30">    <input
                  type="text" name="studOrgAdminPosition3" id="studOrgAdminPosition3"  value="
                  MEMBER"></div>
106           <p id="studNamesError3" class="errorDiv" style="width: 250px;"></p>
107           </td>
108         </tr>
109         <tr>
110           <td colspan="2" align="center"><input type="submit" name="submit" value="Submit" ></
                  td>
111         </tr>
112         </table>
113       </div>
114       </div>
115       </form>
116           <div class="clr"></div>
117         </div>
118       </div>
119       <div class="sidebar">
120         <div class="gadget">
121           <h2 class="star">
122       <?php
123         if($_SESSION["loggedin"]){
124         echo 'Menu';
125         }
126        else
127         echo 'Log-in';
128       ?>
129       </h2>
130           <div class="clr"></div>
131             <?php
132         if($_SESSION["loggedin"]){
133         include('rightmenu.php');
134         }
135        else
136         include('login.php');
137
138       ?>
139         </div>
140         <div class="gadget">
141       <?php
142       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
143         echo '<h2 class="star"><span>Student Orgs</span></h2>
144           <div class="clr"></div>';
145         include('studentOrgMenu.php');
146       }
147       ?>
148         </div>
149         <div class="gadget">
150       <?php
151       if($_SESSION["loggedin"]){
152         echo '<h2 class="star"><span>Notifications</span></h2>
153           <div class="clr"></div>';
154           include('notifBar.php');
155       }
156       ?>
157         </div>
158       </div>
159       <div class="clr"></div>
160     </div>
161   </div>
162    <?php include('footer.php'); ?>
163 </div>
164 </body>
165 </html>
```

Listing 22: deactivateAllOrgs.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | Events</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <link href="<?php echo base_url(); ?>css/styles.css" rel="stylesheet" type="text/css" />
9
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.quick.pagination.min.js
       "></script>
```

```
16
17 <script type="text/javascript">
18   (function($) {
19     $(document).ready(function() {
20       $("ul.pagination3").quickPagination({pageSize:"5"});
21     });
22   })(jQuery);
23 </script>
24
25 </head>
26 <body>
27 <div class="main">
28   <?php include('header.php'); ?>
29   <div class="content">
30     <div class="content_resize">
31       <div class="mainbar">
32         <?php
33           echo '<div class="article" style="text-align: center; border-top: 1px #000; margin-
                top: 10px; background-color: #EBE4E5; padding: 5px; width: 625px;">';
34           if(isset($_SESSION['deactivateAllOrgsSuccess'])){
35             echo 'SUCCESFULLY DEACTIVATED ALL!';
36             unset($_SESSION['deactOrgNotifID']);
37             unset($_SESSION['deactOrgNotifMessage']);
38             unset($_SESSION['deactOrgNotifDate']);
39           }
40           else{
41             echo '<form name="deactForm" method="post" action="deactivateAll">
42                     <input type="submit" name="submit" value="Deactivate All Student
                          Organizations">
43                   </form>';
44           }
45
46           echo '</div>';
47         ?>
48       </div>
49       <div class="sidebar">
50         <div class="gadget">
51           <h2 class="star">
52       <?php
53         if($_SESSION["loggedin"]){
54         echo 'Menu';
55         }
56        else
57         echo 'Log-in';
58       ?>
59       </h2>
60           <div class="clr"></div>
61             <?php
62         if($_SESSION["loggedin"]){
63         include('rightmenu.php');
64         }
65        else
66         include('login.php');
67
68       ?>
69         </div>
70         <div class="gadget">
71       <?php
72       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
73         echo '<h2 class="star"><span>Student Orgs</span></h2>
74           <div class="clr"></div>';
75         include('studentOrgMenu.php');
76       }
77       ?>
78         </div>
79         <div class="gadget">
80       <?php
81       if($_SESSION["loggedin"]){
82         echo '<h2 class="star"><span>Notifications</span></h2>
83           <div class="clr"></div>';
84           include('notifBar.php');
85       }
86       ?>
87         </div>
88       </div>
89       <div class="clr"></div>
90     </div>
91   </div>
92    <?php include('footer.php'); ?>
93 </div>
94 </body>
95 </html>
```

Listing 23: editOrgProfile.php

```
1 <?php
2   session_start();
3 ?>
4
5 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
6 <html xmlns="http://www.w3.org/1999/xhtml">
7 <head>
8 <title>OCSO | View Organization Profile</title>
9 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
10 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
11 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
```

```
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
16 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
17 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.7.2.min.js"></script>
18 <script>
19   (function($) {
20     $(window).load(function(){
21       function readURL(input) {
22            if (input.files && input.files[0]) {
23              var reader = new FileReader();
24              reader.onload = function(e) {
25                $('#previewHolder').attr('src', e.target.result);
26              }
27              reader.readAsDataURL(input.files[0]);
28            }
29       }
30
31       function checkIfEmpty(){
32         if(document.getElementById("filePhoto").value == ''){
33           document.getElementById("previewField").style.display = "none";
34         }
35         else{
36           document.getElementById("previewField").style.display = "block";
37         }
38       }
39          $("#filePhoto").change(function() {
40            checkIfEmpty();
41            readURL(this);
42          });
43     });
44    })(jQuery);
45
46 </script>
47 </head>
48 <body>
49 <div class="main">
50  <?php include('header.php'); ?>
51   <div class="content">
52     <div class="content_resize">
53       <div class="mainbar">
54         <div class="article">
55             <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF
                    ; padding: 5px;"><?php echo $_SESSION['myOrgName'];?></div></h1>
56       <form enctype="multipart/form-data" name="viewUserProfile" method="post" action="
              saveOrgProfile">
57      <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
58       <div style="border: 2px solid #7B1113; padding: 4px;">
59         <table width="615px" style="text-align:center; font-weight: bold;">
60       <?php
61       echo '<tr><td colspan="2" align="center"><img src ="'.$_SESSION['viewOrgPic'].'" width
              ="200" height="200" border="2"></td></tr>
62           <tr><td style="background-color: #D6D2D3;">NAME </td><td><input type="text" name="
                orgName" value="'.$_SESSION['viewOrgName'].'" size="50" readonly></td></tr>
63           <tr><td style="background-color: #D6D2D3;">ACRONYM </td><td><input type="text" name
                ="orgAcronym" value="'.$_SESSION['viewOrgAcronym'].'" size="50" readonly></td></
                tr>
64           <tr><td style="background-color: #D6D2D3;">CATEGORY </td><td><input type="text"
                value="'.$_SESSION['viewOrgCategory'].'" readonly size="50"></td></tr>
65           <tr><td style="background-color: #D6D2D3;">TYPE </td><td><input type="text" value="'
                .$_SESSION['viewOrgType'].'" readonly size="50"></td></tr>';
66           if($_SESSION['viewOrgType'] == 'COLLEGE-BASED'){
67             echo '<tr><td style="background-color: #D6D2D3;">COLLEGE </td><td><input type="
                    text" value="'.$_SESSION['viewOrgCollege'].'" readonly size="50"></td></tr>';
68           }
69           echo '<tr><td style="background-color: #D6D2D3;">DATE ESTABLISHED </td><td><input
                type="text" name="orgDate" value="'.$_SESSION['viewOrgDate'].'" size="50"
                readonly></td></tr>
70           <tr><td style="background-color: #D6D2D3;">EMAIL </td><td><input type="text" name="
                orgEmail" value="'.$_SESSION['viewOrgEmail'].'" size="50">'.form_error('orgEmail
                ','<div class="errorDiv">', '</div>').'</td></tr>
71           <tr><td style="background-color: #D6D2D3;">ADVISER </td><td><input type="text" value
                ="'.$_SESSION['viewOrgAdviser'].'" readonly size="50"></td></tr>
72           <tr><td style="background-color: #D6D2D3;">DESCRIPTION </td><td><textarea name="
                orgDesc" cols="40" rows="5">'.$_SESSION['viewOrgDesc'].'</textarea>'.form_error(
                'orgDesc','<div class="errorDiv">', '</div>').'</td></tr>
73           <tr><td style="background-color: #D6D2D3;">NUMBER OF ACTIVATED MEMBERS </td><td><
                input type="text" value="'.$_SESSION['viewOrgMembers'].'" readonly size="50"></
                td></tr>
74           <tr><td style="background-color: #D6D2D3;">CHANGE STUDENT ORG PICTURE</td>
75             <td align="left">
76               <input type="radio" name="postImage" value="No"';
77               if(isset($_SESSION['changeOrgPic'])){
78                 if($_SESSION['changeOrgPic'] == 'No'){
79                   echo ' checked ';
80                 }
81               }
82               else{
83                 echo ' checked ';
84               }
85               echo ' class="controledivs4">No     
86               <input type="radio" name="postImage" value="Yes"';
87               if(isset($_SESSION['changeOrgPic']) && $_SESSION['changeOrgPic'] == 'Yes'){
88                 echo ' checked ';
89               }
90               echo ' class="controledivs4">Yes     
91             </td>
```

```
92            </tr>
93            <tr><td></td>
94              <td>
95                <div id="hideablearea4">
96                  <input type="file" name="orgPic" value="" id="filePhoto">
97                  '.form_error('orgPic','<div class="errorDiv">', '</div>').'
98                    <span id="previewField" style="display: none;">
99                      <div style="background-color: #EBE4E5;">IMAGE PREVIEW</div>
100                     <img src="" id="previewHolder" width="150px" height="150px"/>
101                   </span>
102               </div>
103             </td>
104           </tr>
105           <tr><td colspan="2"><center><input type="submit" name="Save" value="Save"></center
                  ></td></tr>';
106       ?>
107         </table>
108       </div>
109       </div>
110       </form>
111           <div class="clr"></div>
112         </div>
113       </div>
114       <div class="sidebar">
115         <div class="gadget">
116           <h2 class="star">
117       <?php
118         if($_SESSION["loggedin"]){
119         echo 'Menu';
120         }
121        else
122         echo 'Log-in';
123       ?>
124       </h2>
125           <div class="clr"></div>
126            <?php
127         if($_SESSION["loggedin"]){
128         include('rightmenu.php');
129         }
130        else
131         include('login.php');
132
133       ?>
134         </div>
135     <div class="gadget">
136       <?php
137       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
138         echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
                  >Student Organizations</span></h3>
139           <div class="clr"></div>';
140         include('studentOrgMenu.php');
141       }
142       ?>
143         </div>
144         <div class="gadget">
145       <?php
146       if($_SESSION["loggedin"]){
147         echo '<h2 class="star"><span>Notifications</span></h2>
148           <div class="clr"></div>';
149           include("notifBar.php");
150       }
151       ?>
152         </div>
153       </div>
154       <div class="clr"></div>
155     </div>
156   </div>
157    <?php include('footer.php'); ?>
158 </div>
159 </body>
160 </html>
```

Listing 24: editProfile.php

```
1
2 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head>
5 <title>OCSO | Edit Profile</title>
6 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
7 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
8 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
9 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
14
15 </head>
16 <body>
17 <div class="main">
18  <?php include('header.php'); ?>
19   <div class="content">
20     <div class="content_resize">
21       <div class="mainbar">
22         <div class="article">
```

```
23            <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF
                  ; padding: 5px;">Edit Profile</div></h1>
24        <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
              EBE4E5; padding: 10px; width: 625px;">
25         <div style="border: 2px solid #000;">
26
27         <?php
28         if($_SESSION['role']=='OSA Coordinator' || $_SESSION['role']=='OSS Coordinator'){
29           echo ' <table cellpadding="6" cellspacing="4" width="620px" style="color:#000; font-
                  weight: bold;">
30             <form name="editUserProfile" method="post" action="saveProfile">
31             <tr><td align="center" style="background-color: #D6D2D3;">EMPLOYEE ID </td><td><
                   input type="text" value="'.$_SESSION['userID'].'" readonly style="background-
                   color: #F7F5BA;"></td></tr>
32             <tr><td align="center" style="background-color: #D6D2D3;">USERNAME </td><td><input
                   type="text" name="userUsername" value="'.$_SESSION['userUsername'].' " readonly>
                   '.form_error('userUsername','<div class="errorDiv">', '</div>').'</td></tr>
33             <tr><td align="center" style="background-color: #D6D2D3;">FIRST NAME </td><td><input
                    type="text" name="userFName" value="'.$_SESSION['userFName'].' " readonly>'.
                   form_error('userFName','<div class="errorDiv">', '</div>').'</td></tr>
34             <tr><td align="center" style="background-color: #D6D2D3;">MIDDLE NAME </td><td><
                   input type="text" name="userMName" value="'.$_SESSION['userMName'].' " readonly>
                   '.form_error('userMName','<div class="errorDiv">', '</div>').'</td></tr>
35             <tr><td align="center" style="background-color: #D6D2D3;">LAST NAME </td><td><input
                   type="text" name="userLName" value="'.$_SESSION['userLName'].' " readonly>'.
                   form_error('userLName','<div class="errorDiv">', '</div>').'</td></tr>
36             <tr><td align="center" style="background-color: #D6D2D3;">EMAIL </td><td><input type
                   ="text" name="userEmail" value="'.$_SESSION['userEmail'].'"size="30">'.
                   form_error('userEmail','<div class="errorDiv">', '</div>').'</td></tr>
37             <tr><td align="center" style="background-color: #D6D2D3;">CONTACT NO. </td><td><
                   input type="text" name="userContactNo" value="'.$_SESSION['userContactNo'].'"
                   size="15">'.form_error('userContactNo','<div class="errorDiv">', '</div>').'</td
                   ></tr>
38             <tr><td align="center" style="background-color: #D6D2D3;">CHANGE PASSWORD </td><td>
39                 <input type="radio" name="userChangePW" value="No"';
40                 if(isset($_SESSION['userChangePW'])){
41                   if($_SESSION['userChangePW'] == 'No'){
42                     echo ' checked ';
43                   }
44                 }
45                 else{
46                   echo ' checked ';
47                 }
48                 echo 'class="controledivs">No     
49                 <input type="radio" name="userChangePW" value="Yes"';
50                 if(isset($_SESSION['userChangePW']) && $_SESSION['userChangePW'] == 'Yes'){
51                   echo ' checked ';
52                 }
53                 echo 'class="controledivs">Yes</td></tr>
54             <tr><td colspan="2">
55             <div id="hideablearea"';
56               if(isset($_SESSION['userChangePW']) && $_SESSION['userChangePW'] == 'Yes'){
57                 echo ' style="display: block;" ';
58               }
59               else{
60                 echo ' style="display: none;" ';
61               }
62             echo '>
63               <input type="hidden" name="password" value="'.$_SESSION['userPassword'].'">
64               <table cellpadding="4px">
65                 <tr align="left"><td>CURRENT PASSWORD</td><td><input type="password" value="'.
                       set_value('userCurrentPW').'" name="userCurrentPW" size="15">'.form_error('
                       userCurrentPW','<div class="errorDiv">', '</div>').'</td></tr>
66                 <tr align="left"><td>NEW PASSWORD</td><td><input type="password" value="'.
                       set_value('userNewPW').'" name="userNewPW" size="15">'.form_error('userNewPW
                       ','<div class="errorDiv">', '</div>').'</td></tr>
67                 <tr align="left"><td>CONFIRM PASSWORD</td><td><input type="password" value="'.
                       set_value('userConfirmPW').'" name="userConfirmPW" size="15">'.form_error('
                       userConfirmPW','<div class="errorDiv">', '</div>').'</td></tr>
68               </table>
69             </div>
70             </td></tr>
71             <tr><td colspan="2"><center><input type="submit" name="Save" value="Save"></center
                   ></td></tr></form></table>';
72         }
73         else if($_SESSION['role']=='student'){
74           echo '<table cellpadding="6" cellspacing="4" width="620px" style="color:#000; font-
                  weight: bold;">
75             <form name="editUserProfile" method="post" action="saveProfile">
76             <tr><td align="center" style="background-color: #D6D2D3;">STUDENT NUMBER </td><td><
                   input type="text" value="'.$_SESSION['userID'].'" readonly style="background-
                   color: #F7F5BA;"></td></tr>
77             <tr><td align="center" style="background-color: #D6D2D3;">USERNAME </td><td><input
                   type="text" name="userUsername" value="'.$_SESSION['userUsername'].' " readonly>
                   '.form_error('userUsername','<div class="errorDiv">', '</div>').'</td></tr>
78             <tr><td align="center" style="background-color: #D6D2D3;">FIRST NAME </td><td><input
                    type="text" name="userFName" value="'.$_SESSION['userFName'].' " readonly>'.
                   form_error('userFName','<div class="errorDiv">', '</div>').'</td></tr>
79             <tr><td align="center" style="background-color: #D6D2D3;">MIDDLE NAME </td><td><
                   input type="text" name="userMName" value="'.$_SESSION['userMName'].' " readonly>
                   '.form_error('userMName','<div class="errorDiv">', '</div>').'</td></tr>
80             <tr><td align="center" style="background-color: #D6D2D3;">LAST NAME </td><td><input
                   type="text" name="userLName" value="'.$_SESSION['userLName'].' " readonly>'.
                   form_error('userLName','<div class="errorDiv">', '</div>').'</td></tr>
81             <tr><td align="center" style="background-color: #D6D2D3;">YEAR </td><td><input type
                   ="text" name="userYear" value="'.$_SESSION['userYear'].'" readonly style="
                   background-color: #F7F5BA;"></td></tr>
82             <tr><td align="center" style="background-color: #D6D2D3;">COURSE </td><td><input
                   type="text" name="userCourse" value="'.$_SESSION['userCourse'].'" readonly style
```

```
                =”background-color: #F7F5BA;”></td></tr>
83              <tr><td align=”center” style=”background-color: #D6D2D3;”>EMAIL </td><td><input type
                    =”text” name=”userEmail” value=”’.$_SESSION[’userEmail’].’”size=”30”>’.
                    form_error(’userEmail’,’<div class=”errorDiv”>’, ’</div>’).’</td></tr>
84              <tr><td align=”center” style=”background-color: #D6D2D3;”>CONTACT NO. </td><td><
                    input type=”text” name=”userContactNo” value=”’.$_SESSION[’userContactNo’].’”
                    size=”15”>’.form_error(’userContactNo’,’<div class=”errorDiv”>’, ’</div>’).’</td
                    ></tr>
85              <tr><td align=”center” style=”background-color: #D6D2D3;”>CHANGE PASSWORD </td><td>
86                  <input type=”radio” name=”userChangePW” value=”No”’;
87                  if(isset($_SESSION[’userChangePW’])){
88                    if($_SESSION[’userChangePW’] == ’No’){
89                      echo ’ checked ’;
90                    }
91                  }
92                  else{
93                    echo ’ checked ’;
94                  }
95                  echo ’class=”controledivs”>No     
96                  <input type=”radio” name=”userChangePW” value=”Yes”’;
97                  if(isset($_SESSION[’userChangePW’]) && $_SESSION[’userChangePW’] == ’Yes’){
98                    echo ’ checked ’;
99                  }
100                 echo ’class=”controledivs”>Yes</td></tr>
101             <tr><td colspan=”2”>
102             <div id=”hideablearea”’;
103               if(isset($_SESSION[’userChangePW’]) && $_SESSION[’userChangePW’] == ’Yes’){
104                 echo ’ style=”display: block;”’;
105               }
106               else{
107                 echo ’ style=”display: none;”’;
108               }
109             echo ’>
110               <table cellpadding=”4px”>
111                 <tr align=”left”><td>CURRENT PASSWORD</td><td><input type=”password” value=”’.
                        set_value(’userCurrentPW’).’” name=”userCurrentPW” size=”15”>’.form_error(’
                        userCurrentPW’,’<div class=”errorDiv”>’, ’</div>’).’</td></tr>
112                 <tr align=”left”><td>NEW PASSWORD</td><td><input type=”password” value=”’.
                        set_value(’userNewPW’).’” name=”userNewPW” size=”15”>’.form_error(’userNewPW
                        ’,’<div class=”errorDiv”>’, ’</div>’).’</td></tr>
113                 <tr align=”left”><td>CONFIRM PASSWORD</td><td><input type=”password” value=”’.
                        set_value(’userConfirmPW’).’” name=”userConfirmPW” size=”15”>’.form_error(’
                        userConfirmPW’,’<div class=”errorDiv”>’, ’</div>’).’</td></tr>
114               </table>
115             </div>
116             </td></tr>
117             <tr><td colspan=”2”><center><input type=”submit” name=”Save” value=”Save”></center
                    ></td></tr></form></table>’;
118       }
119       ?>
120
121       </div>
122       </div>
123           <div class=”clr”></div>
124         </div>
125       </div>
126       <div class=”sidebar”>
127         <div class=”gadget”>
128           <h2 class=”star”>
129       <?php
130         if($_SESSION[”loggedin”]){
131         echo ’Menu’;
132         }
133        else
134         echo ’Log-in’;
135       ?>
136       </h2>
137           <div class=”clr”></div>
138             <?php
139         if($_SESSION[”loggedin”]){
140         include(’rightmenu.php’);
141         }
142        else
143         include(’login.php’);
144
145       ?>
146         </div>
147         <div class=”gadget”>
148       <?php
149       if($_SESSION[”loggedin”] && $_SESSION[’role’] == ’student’){
150         echo ’<h3 class=”star” style=”height: 20px; padding-top: 18px; font-size: 18px;”><span
                  >Student Organizations</span></h3>
151           <div class=”clr”></div>’;
152         include(’studentOrgMenu.php’);
153       }
154       ?>
155         </div>
156         <div class=”gadget”>
157       <?php
158       if($_SESSION[”loggedin”]){
159         echo ’<h2 class=”star”><span>Notifications</span></h2>
160           <div class=”clr”></div>’;
161           include(’notifBar.php’);
162       }
163       ?>
164         </div>
165       </div>
166       <div class=”clr”></div>
167     </div>
```

```
168    </div>
169     <?php include('footer.php'); ?>
170  </div>
171  </body>
172  </html>
```

Listing 25: event_page.php

```
 1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
        DTD/xhtml1-transitional.dtd">
 2  <html xmlns="http://www.w3.org/1999/xhtml">
 3  <head>
 4  <title>OCSO | Events</title>
 5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
 6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
        icon" />
 7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
 8  <link href="<?php echo base_url(); ?>css/styles.css" rel="stylesheet" type="text/css" />
 9
10  <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
11  <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
12  <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
13  <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
14  <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
15  <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.quick.pagination.min.js
        "></script>
16
17  <script type="text/javascript">
18    (function($) {
19      $(document).ready(function() {
20          $("ul.pagination3").quickPagination({pageSize:"5"});
21      });
22    })(jQuery);
23  </script>
24
25  </head>
26  <body>
27  <div class="main">
28    <?php include('header.php'); ?>
29    <div class="content">
30      <div class="content_resize">
31        <div class="mainbar">
32      <div class="article">
33      <h1><div align="center" style="width: 630px; background-color: #7B1113; color: #FFF;
            padding: 5px;">Events</div></h1>
34      </div>
35          <?php
36        if($_SESSION['eventCtr']>0){
37          echo '<ul class="pagination3">';
38          for($i=($_SESSION['eventCtr']-1); $i>=0; $i--){
39            if($_SESSION['eventAccessType'][$i] == 'Public' || ($_SESSION['loggedin'] &&
                  in_array($_SESSION['userID'], $_SESSION['eventInvites'][$i]))){
40              echo '<li><div class="article" style="text-align: justify; margin-top: 10px;
                      background-color: #EBE4E5; padding: 10px; width: 615px;">';
41                echo '<div style="border: 2px solid #000;"><table cellpadding="5px" width="614px
                        ">';
42                echo '<tr style="background-color: #014421; color: #FFF;"><td colspan="3" align
                        ="center"><h3>'.strtoupper($_SESSION['eventTitle'][$i]).'</h3></td></tr>';
43                echo '<tr><td rowspan="5" align="center"><img src="'.base_url().'images/
                        eventIcon.png" align="center" width="110" height="110" alt=""/></td></tr>';
44                echo '<tr><td>Hosted by: </td><td align="center">'.$_SESSION['eventHost'][$i].'
                        </td></tr>';
45                echo '<tr><td>Start Date: </td><td align="center">'.formatDate($_SESSION['
                        eventStartDate'][$i]).'</td></tr>';
46                echo '<tr><td>End Date: </td><td align="center">'.formatDateOnly($_SESSION['
                        eventEndDate'][$i]).'</td></tr>';
47                echo '<tr><td>Venue: </td><td align="center">'.$_SESSION['eventVenue'][$i].'</td
                        ></tr>';
48                echo '<tr align="center"><td colspan="3"><u><b><a href="getEventDetails?eventID=
                        '.$_SESSION['eventID'][$i].'" style="color: #7B1113;">More Details Here</a
                        ></b></u></td></tr>';
49                echo '</table></div>';
50              echo '</div></li>';
51            }
52          }
53          echo '</ul>';
54        }
55        else{
56          echo '<div class="article" style="text-align: center; border-top: 1px #000; margin-top
                : 10px; background-color: #EBE4E5; padding: 5px; width: 625px;">';
57          echo '<b>THERE ARE NO RECENT EVENTS.</b></div>';
58        }
59      ?>
60        </div>
61        <div class="sidebar">
62          <div class="gadget">
63            <h2 class="star">
64        <?php
65          if($_SESSION["loggedin"]){
66          echo 'Menu';
67          }
68         else
69          echo 'Log-in';
70        ?>
71        </h2>
72            <div class="clr"></div>
73              <?php
74          if($_SESSION["loggedin"]){
```

```
75          include('rightmenu.php');
76          }
77         else
78          include('login.php');
79
80        ?>
81          </div>
82          <div class="gadget">
83        <?php
84        if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
85          echo '<h2 class="star"><span>Student Orgs</span></h2>
86            <div class="clr"></div>';
87          include('studentOrgMenu.php');
88        }
89        ?>
90          </div>
91          <div class="gadget">
92        <?php
93        if($_SESSION["loggedin"]){
94          echo '<h2 class="star"><span>Notifications</span></h2>
95            <div class="clr"></div>';
96            include('notifBar.php');
97        }
98        ?>
99          </div>
100       </div>
101       <div class="clr"></div>
102     </div>
103   </div>
104    <?php include('footer.php'); ?>
105 </div>
106 </body>
107 </html>
```

Listing 26: format.php

```
1  <?php
2    function formatDate($dateToParse){
3      $dateArray = date_parse($dateToParse);
4      switch($dateArray['month']){
5        case 1: $month = 'January';
6        break;
7        case 2: $month = 'February';
8        break;
9        case 3: $month = 'March';
10       break;
11       case 4: $month = 'April';
12       break;
13       case 5: $month = 'May';
14       break;
15       case 6: $month = 'June';
16       break;
17       case 7: $month = 'July';
18       break;
19       case 8: $month = 'August';
20       break;
21       case 9: $month = 'September';
22       break;
23       case 10: $month = 'October';
24       break;
25       case 11: $month = 'November';
26       break;
27       case 12: $month = 'December';
28       break;
29     }
30
31     $hour = $dateArray['hour'];
32
33     switch($hour){
34         case 0: $hour = 12;
35         break;
36         case 13: $hour = 1;
37         break;
38         case 14: $hour = 2;
39         break;
40         case 15: $hour = 3;
41         break;
42         case 16: $hour = 4;
43         break;
44         case 17: $hour = 5;
45         break;
46         case 18: $hour = 6;
47         break;
48         case 19: $hour = 7;
49         break;
50         case 20: $hour = 8;
51         break;
52         case 21: $hour = 9;
53         break;
54         case 22: $hour = 10;
55         break;
56         case 23: $hour = 11;
57         break;
58         case 24: $hour = 12;
59         break;
60     }
61
62     if($dateArray['hour'] >= 12){
```

```
63        $session = 'PM';
64      }
65      else{
66        $session = 'AM';
67      }
68
69      $string = $month.' '.$dateArray['day'].', '.$dateArray['year'].' '.$hour.':'.sprintf("%02s
            ", $dateArray['minute']).' '.$session;
70      return $string;
71    }
72
73    function formatDateOnly($dateToParse){
74      $dateArray = date_parse($dateToParse);
75      switch($dateArray['month']){
76        case 1: $month = 'January';
77        break;
78        case 2: $month = 'February';
79        break;
80        case 3: $month = 'March';
81        break;
82        case 4: $month = 'April';
83        break;
84        case 5: $month = 'May';
85        break;
86        case 6: $month = 'June';
87        break;
88        case 7: $month = 'July';
89        break;
90        case 8: $month = 'August';
91        break;
92        case 9: $month = 'September';
93        break;
94        case 10: $month = 'October';
95        break;
96        case 11: $month = 'November';
97        break;
98        case 12: $month = 'December';
99        break;
100     }
101
102     $string = $month.' '.$dateArray['day'].', '.$dateArray['year'];
103     return $string;
104
105   }
106
107   function acronymOfCollegeName($collegeName){
108     switch($collegeName){
109       case 'College of Arts and Sciences': $newName = 'CAS';
110       break;
111       case 'College of Dentistry': $newName = 'CD';
112       break;
113       case 'College of Nursing': $newName = 'CN';
114       break;
115       case 'College of Pharmacy': $newName = 'CP';
116       break;
117       case 'College of Public Health': $newName = 'CPH';
118       break;
119       case 'College of Medicine': $newName = 'CM';
120       break;
121       case 'College of Allied Medical Professions': $newName = 'CAMP';
122       break;
123     }
124
125     return $newName;
126   }
127
128 ?>
```

Listing 27: footer.php

```
1 <?php
2 echo '<link href="'.base_url().'css/style.css" rel="stylesheet" type="text/css" />';
3 echo ' <div class="footer">
4     <div class="footer_resize">
5       <p class="lf">Copyright &copy; <a href="#">University of the Philippines Manila</a>. All
            Rights Reserved</p>
6       <div class="clr"></div>
7     </div>
8   </div>';
9 ?>
```

Listing 28: generatePDF.php

```
1 <html>
2 <body>
3   <?php
4     include("format.php");
5     echo '<table align="center" cellpadding="20px">';
6     echo '<tr align="center">
7         <td width="40%">
8           <img src="'.base_url().'images/upmlogo.jpg" align="center" width="80" height="80"
                alt=""/>
9         </td>
10        <td width="60%">
11          <b><font size="14">University of the Philippines Manila</font></b><br>';
12          if($_SESSION['role'] == 'OSA Coordinator'){
```

```
13              echo '<font size="12">Office of Student Affairs</font>';
14            }
15            else{
16              echo '<font font size="12">Office of Student Services</font><br>';
17              echo $_SESSION['collegeName'];
18            }
19      echo  '</td>
20         </tr>';
21      echo '</table>';
22
23      date_default_timezone_set('Asia/Manila');
24      $currentDate = date('Y-m-d H:i:s');
25      echo '<span align="right">Date: '.formatDate($currentDate).'</span>';
26      echo '<center>';
27      if($_SESSION['role'] == 'OSA Coordinator'){
28        echo '<u><h3>University-Based Student Organizations</h3></u>';
29      }
30      else{
31        echo '<u><h3>College-Based Student Organizations</h3></u>';
32      }
33      echo '</center><br>';
34      for($i=0; $i<$_SESSION['activatedOrgCtr']; $i++){
35      echo '<table align="center" cellpadding="3px" style="border: 2px solid;" border="2px solid
            " cellspacing="0" width="100%">';
36      echo '<tr>
37          <td style="background-color: #D6D2D3;">NAME: </td>
38          <td colspan="2">'.$_SESSION['activatedOrgName'][$i].'</td>
39         </tr>
40         <tr>
41          <td style="background-color: #D6D2D3;">ACRONYM: </td>
42          <td colspan="2">'.$_SESSION['activatedOrgAcronym'][$i].'</td>
43         </tr>
44         <tr>
45          <td style="background-color: #D6D2D3;">CATEGORY: </td>
46          <td colspan="2">'.$_SESSION['activatedOrgCategory'][$i].'</td>
47         </tr>
48         <tr>
49          <td style="background-color: #D6D2D3;">EMAIL </td>
50          <td colspan="2">'.$_SESSION['activatedOrgEmail'][$i].'</td>
51         </tr>
52         <tr align="center">
53          <td style="background-color: #D6D2D3;" colspan="3">ACTIVATED MEMBERS ('.$_SESSION['
              activatedOrgMemberCount'][$i].')</td>
54         </tr>
55        ';
56        for($j=0; $j<$_SESSION['activatedOrgMemberCount'][$i];$j++){
57          echo '<tr align="center">
58              <td>'.$_SESSION['activatedOrgMembersStudNum'][$i][$j].'</td>
59              <td>'.$_SESSION['activatedOrgMembersName'][$i][$j].'</td>
60              <td>'.$_SESSION['activatedOrgMembersPosition'][$i][$j].'</td>
61             </tr>';
62        }
63      echo '</table><br>';
64      }
65    ?>
66 </body>
67 </html>
```

Listing 29: generatePDF2.php

```
1 <html>
2 <body>
3   <?php
4     include("format.php");
5     echo '<table align="center" cellpadding="20px">';
6     echo '<tr align="center">
7         <td width="40%">
8           <img src="'.base_url().'images/upmlogo.jpg" align="center" width="80" height="80"
                alt=""/>
9         </td>
10        <td width="60%">
11          <b><font size="14">University of the Philippines Manila</font></b><br>';
12          if($_SESSION['role'] == 'OSA Coordinator'){
13            echo '<font size="12">Office of Student Affairs</font>';
14          }
15          else{
16            echo '<font font size="12">Office of Student Services</font><br>';
17            echo $_SESSION['collegeName'];
18          }
19      echo  '</td>
20         </tr>';
21      echo '</table>';
22
23      date_default_timezone_set('Asia/Manila');
24      $currentDate = date('Y-m-d H:i:s');
25      echo '<span align="right">Date: '.formatDate($currentDate).'</span>';
26      echo '<center>';
27      if($_SESSION['role'] == 'OSA Coordinator'){
28        echo '<u><h3>University-Based Student Organization Administrators</h3></u>';
29      }
30      else{
31        echo '<u><h3>College-Based Student Organizations Administrators</h3></u>';
32      }
33      echo '</center><br>';
34      for($i=0; $i<$_SESSION['activatedAdminOrgCtr']; $i++){
35        echo '<table align="center" cellpadding="3px" style="border: 2px solid;" border="2px
              solid" cellspacing="0" width="80%">';
36        echo '<tr>
```

```
37            <td style="background-color: #D6D2D3;" align="center" colspan="3">'.$_SESSION['
                  activatedAdminOrgName'][$i].'</td>
38           </tr>
39          ';
40          if(count($_SESSION['activatedAdminID'][$i]) == 0){
41            echo '<tr><td align="center" colspan="3">THERE ARE NO CURRENT ADMINISTRATORS
                  ASSIGNED.</td></tr>';
42          }
43          else{
44            for($j=0; $j<count($_SESSION['activatedAdminID'][$i]);$j++){
45              echo '<tr align="center">
46                  <td width="30px">'.($j+1).'</td><td width="200px">'.$_SESSION['
                        activatedAdminID'][$i][$j].'</td><td>'.$_SESSION['activatedAdminName'][$i
                        ][$j].'</td>
47                </tr>';
48            }
49          }
50        echo '</table><br>';
51      }
52    ?>
53  </body>
54  </html>
```

Listing 30: header.php

```
1
2  <?php
3    include("format.php");
4    $url = substr(strrchr($_SERVER["REQUEST_URI"], '/'), 1);
5    echo '<div class="header">
6      <div class="header_resize">
7        <div class="logo">
8          <!--<h1><a href="#">O<span>C</span>S<span>O</span> <small>UP MANILA</small></a></h1
               >-->
9        </div>
10       <div class="clr"></div>
11       <div class="htext">
12     </div>
13       <div class="clr"></div>
14       <div class="menu_nav">
15         <ul>
16           <li class="';
17         if(strpos($_SERVER["REQUEST_URI"],"home") !==false)
18           echo 'active';
19         echo '"><a href="http://localhost/OCSO_v6/index.php/Home/home"><span><span>Home</span
               ></span></a></li>
20       <li class="';
21         if(strpos($_SERVER["REQUEST_URI"],"studentOrganization") !==false)
22           echo 'active';
23         echo '"><a href="http://localhost/OCSO_v6/index.php/Home/studentOrganization"><span><
             span>Student Organizations</span></span></a></li>
24       <li class="';
25         if(strpos($_SERVER["REQUEST_URI"],"announcement") !==false)
26           echo 'active';
27         echo '"><a href="http://localhost/OCSO_v6/index.php/Home/announcement"><span><span>
               Announcements</span></span></a></li>
28       <li class="';
29         if(strrchr($_SERVER["REQUEST_URI"], '/') == "/event")
30           echo 'active';
31         echo '"><a href="http://localhost/OCSO_v6/index.php/Home/event"><span><span>Events</
               span></span></a></li>
32       <li class="';
33         if(strrchr($_SERVER["REQUEST_URI"], '/') == "/aboutUs")
34           echo 'active';
35         echo '"><a href="http://localhost/OCSO_v6/index.php/Home/aboutUs"><span><span>About
               OCSO</span></span></a></li>
36         </ul>
37     <span class="loginStatus">';
38         if($_SESSION["loggedin"] == 1){
39         echo 'Logged in as '.$_SESSION['userUsername'].'   | <b><a href = "http://
               localhost/OCSO_v6/index.php/Home/home?signOut=1" class="signOut"> SIGN OUT</a></b>
               ';
40         echo '<br><center><font color="#014421"><b>('.$_SESSION['role'].')</b></font></center>
               ';
41         }
42        else
43         echo 'NOT LOGGED IN';
44     echo' </span>
45       </div>
46
47       <div class="clr"></div>
48
49     </div>
50   </div>';
51
52   if(strrchr($_SERVER["REQUEST_URI"], '/') != "/event"
53     AND strrchr($_SERVER["REQUEST_URI"], '/') != "/aboutUs" AND strrchr($_SERVER["REQUEST_URI"
           ], '/') != "/getEventDetails"
54     AND strrchr($_SERVER["REQUEST_URI"], '/') != "/viewEvent" AND strrchr($_SERVER["
           REQUEST_URI"], '/') != "/submitEventComment"
55     AND strrchr($_SERVER["REQUEST_URI"], '/') != "/reportEventComment")
56   {
57     if(strpos($_SERVER["REQUEST_URI"],"studentOrganization") == false AND strpos($_SERVER["
           REQUEST_URI"],"home?") !==false){
58       if(!$_SESSION["loggedin"])
59         header("Location: http://localhost/OCSO_v6/index.php/Home/home");
60     }
61   }
```

```
62 ?>
```

Listing 31: home_page.php

```
1 <?php
2   if(isset($_GET['signOut'])){
3     $_SESSION['loggedin'] = 0;
4     session_unset();
5   }
6 ?>
7 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
8 <html xmlns="http://www.w3.org/1999/xhtml">
9 <head>
10 <title>OCSO | Home</title>
11 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
12 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
13 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
16 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
17 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
18 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
19
20 </head>
21 <body>
22 <div class="main">
23   <?php include('header.php'); ?>
24   <div class="content">
25     <div class="content_resize">
26       <div class="mainbar">
27     <?php
28       if(!empty($results)){
29         foreach($results as $data) {
30           echo '<div class="article" style="text-align: justify; margin-top: 10px; background-
                color: #EBE4E5; padding: 10px; width: 625px;">
31                 <div style="border: 2px solid #7B1113; padding: 4px;"><table width="610px"
                      style="table-layout:fixed;" cellpadding="8px">';
32                 echo '<tr align="center" style="background-color: #D6D2D3;"><td><h2 style="
                      padding: 2px;"><span>'.$data->POST_TITLE.'</span></h2></td></tr>';
33                 echo '<tr><td>'.formatDate($data->POST_STARTDATE).'  |   Posted by
                      '.$data->STUDORG_NAME.' </td></tr>';
34                 if(!empty($data->POST_IMAGE)){
35                   echo '<tr><td align="center"><img src="'.$data->POST_IMAGE.'" width="400"
                        height="500" alt=""/></td></tr>';
36                 }
37                 echo '<tr><td style="word-wrap: break-word">'.$data->POST_MESSAGE.'</td></tr
                      >';
38             echo '</table></div></div><hr size="2" color="#d3d3d3" style="margin: 10px;">';
39         }
40
41         echo '<center><font size="3" color="#7B1113">'.$links.'</font></center>';
42       }
43     ?>
44       </div>
45       <div class="sidebar">
46     <div style="margin: 3px; margin-right: 10px;">
47       <div class="gadget">
48         <h2 class="star">
49         <?php
50         if($_SESSION["loggedin"]){
51           echo 'Menu';
52         }
53          else
54           echo 'Log-in';
55         ?>
56         </h2>
57         <?php
58           if($_SESSION["loggedin"]){
59           include('rightmenu.php');
60         }
61          else
62           include('login.php');
63
64         ?>
65       </div>
66     </div>
67     <div style="margin: 3px; margin-right: 10px;">
68       <div class="gadget">
69         <?php
70         if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
71           echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><
                span>Student Organizations</span></h3>
72             <div class="clr"></div>';
73           include('studentOrgMenu.php');
74         }
75         ?>
76       </div>
77         </div>
78         <div class="gadget">
79       <?php
80       if($_SESSION["loggedin"]){
81         echo '<h2 class="star"><span>Notifications</span></h2>
82           <div class="clr"></div>';
83           include('notifBar.php');
84       }
85       ?>
```

```
86          </div>
87        </div>
88        <div class="clr"></div>
89      </div>
90    </div>
91     <?php include('footer.php'); ?>
92 </div>
93 </body>
94 </html>
```

Listing 32: listOfAddedOSSCoordinators.php

```
1 <html>
2 <body>
3   <?php
4     include("format.php");
5     echo '<table align="center" cellpadding="20px">';
6     echo '<tr align="center">
7         <td width="40%">
8           <img src="'.base_url().'images/upmlogo.jpg" align="center" width="80" height="80"
                alt=""/>
9         </td>
10        <td width="60%">
11          <b><font size="14">University of the Philippines Manila</font></b><br>
12          <font size="12">Office of Student Affairs</font>
13        </td>
14       </tr>';
15    echo '</table>';
16
17    date_default_timezone_set('Asia/Manila');
18    $currentDate = date('Y-m-d H:i:s');
19    echo '<span align="right">Date: '.formatDate($currentDate).'</span>';
20
21    echo '<center><u><h3>List of Added OSS Coordinators</h3></u></center><br>';
22
23    echo '<table align="center" cellpadding="5px" border="1px" width="90%">';
24    echo '<tr>
25        <th>
26        <th>Employee Number
27        <th>Name
28        <th>College
29        <th>Username
30        <th>Password
31       </tr>';
32    for($i=0; $i<count($_SESSION['coordinatorFName']); $i++){
33      echo '<tr align="center">
34          <td>'.($i+1).'</td>
35          <td>'.$_SESSION['coordinatorNo'][$i].'</td>
36          <td>'.$_SESSION['coordinatorFName'][$i].' '.$_SESSION['coordinatorLName'][$i].'</td>
37          <td>'.acronymOfCollegeName($_SESSION['coordinatorCollege'][$i]).'</td>
38          <td>'.$_SESSION['coordinatorUsername'][$i].'</td>
39          <td>'.$_SESSION['coordinatorPassword'][$i].'</td>
40         </tr>';
41    }
42    echo '</table>';
43  ?>
44 </body>
45 </html>
```

Listing 33: login.php

```
1 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.lightbox_me.js"></
      script>
2 <script type="text/javascript">
3   jQuery(function($) {
4     $(document).ready(function(){
5       $('#try-1').click(function(e) {
6         $('#id').lightbox_me({
7           centered: true,
8           onLoad: function() {
9             $('#id').find('input:first').focus()
10            }
11          });
12        e.preventDefault();
13      });
14      $('#close').click(function(e) {
15        $('#id').trigger('close');
16      });
17    });
18  });
19 </script>
20
21 <?php
22
23   $url = substr(strrchr($_SERVER["REQUEST_URI"], '/'), 1);
24   echo "
25     <div class='loginbox'>
26       <center>
27       <form action = $url method = 'post'>
28         <b><span align = 'center'>";
29       if($_SESSION['noUsername'] == 1){
30         echo '<font color="red">Enter username.</font>';
31       }
32       else if($_SESSION['noPassword'] == 1){
33         echo '<font color="red">Enter password.</font>';
34       }
```

```
35        else if($_SESSION['wrongBoth'] == 1){
36          echo '<font color="red">Login failed.</font>';
37        }
38
39    echo  "</span></b><br /><br />
40          Username<br />
41          <input name = 'username' size = '20' type = 'text'/><br>
42          Password<br />
43          <input name = 'password' size = '20' type = 'password'/><br /><br />
44          <input name = 'login' class = 'button' type = 'submit' value = 'Log In'>
45        </form>
46        </center>
47      </div>";
48
49    ?>
50  </html>
```

Listing 34: notifBar.php

```
1  <?php
2        if($_SESSION['role'] == 'OSA Coordinator' || $_SESSION['role'] == 'OSS Coordinator'){
3          if($_SESSION['pendingPostNotifCtr'] > 0 || isset($_SESSION['deactOrgNotifID'])){
4            if($_SESSION['pendingPostNotifCtr'] > 3){
5              if(isset($_SESSION['deactOrgNotifID'])){
6                $notifLimit = $_SESSION['pendingPostNotifCtr']-2;
7              }
8              else{
9                $notifLimit = $_SESSION['pendingPostNotifCtr']-3;
10             }
11           }
12           else{
13             if(isset($_SESSION['deactOrgNotifID'])){
14               $notifLimit = 1;
15             }
16             else{
17               $notifLimit = 0;
18             }
19           }
20           echo '<table width="220px" cellpadding="5px" cellspacing="0"  style="font-weight:
                 bold; background-color: #D6D2D3; border-spacing: 0px 3px">';
21           if(isset($_SESSION['deactOrgNotifID'])){
22             echo '<tr style="background-color: #FAE861;">
23                 <td style="border: 2px solid #DBCB53; border-right: 2px solid #DBCB53;"><img
                       src="'.base_url().'images/alert.png" width="20" height="20" alt=""/></td>
24                 <td style="border: 2px solid #DBCB53;" class="notifLink"><a href="http://
                       localhost/OCSO_v6/index.php/Home/getNotifID?notifIDToDeactivate='.
                       $_SESSION['deactOrgNotifID'].'">'.$_SESSION['deactOrgNotifMessage'].'
25                 </a><br><center><font size="1px">'.strtoupper(formatDate($_SESSION['
                       deactOrgNotifDate'])).'</font></center>
26                 </td>
27                </tr>';
28           }
29           for($i=($_SESSION['pendingPostNotifCtr']-1); $i>=$notifLimit; $i--){
30             echo '<tr style="background-color: #FAE861;">
31                 <td style="border: 2px solid #DBCB53; border-right: 2px solid #DBCB53;"><img
                       src="'.base_url().'images/alert.png" width="20" height="20" alt=""/></td>
32                 <td style="border: 2px solid #DBCB53;" class="notifLink"><a href="http://
                       localhost/OCSO_v6/index.php/Home/viewRequestID?requestIDToView='.$_SESSION
                       ['pendingPostID'][$i].'">'.$_SESSION['pendingPostNotifMessage'][$i].'
33                 </a><br><center><font size="1px">'.strtoupper(formatDate($_SESSION['
                       pendingPostNotifDate'][$i])).'</font></center>
34                 </td>
35                </tr>';
36           }
37           echo '<tr><td colspan="2" align="center"><u><a href="http://localhost/OCSO_v6/index.
                 php/Home/seeAllNotifications">See All</a></u></td></tr></table>';
38         }
39         else{
40           echo '<div style="background-color: #D6D2D3; width:215px; padding: 3px; font-weight:
                  bold;" align="center">
41               <div style="border: 2px solid #BAB8B9; padding: 2px;">YOU HAVE NO RECENT
                     NOTIFICATIONS.</div></div>';
42         }
43       }
44       else{
45         $_SESSION['mergedNotifs'] = array();
46         for($i=($_SESSION['approvedPostNotifCtr']-1); $i>=0; $i--){
47           array_push($_SESSION['mergedNotifs'], array("studOrg" => $_SESSION['
                 approvedPostNotifStudOrg'][$i], "message" => $_SESSION['approvedPostNotifMessage
                 '][$i], "date"=>$_SESSION['approvedPostNotifDate'][$i], "notifID"=>$_SESSION['
                 approvedPostNotifID'][$i], "studNum"=>"","id"=>""));
48         }
49         for($i=($_SESSION['membershipRequestNotifCtr']-1); $i>=0; $i--){
50           array_push($_SESSION['mergedNotifs'], array("studOrg" => $_SESSION['
                 membershipRequestNotifStudOrg'][$i], "message" => $_SESSION['
                 membershipRequestNotifMessage'][$i], "date"=>$_SESSION['
                 membershipRequestNotifDate'][$i], "notifID"=>$_SESSION['membershipRequestNotifID
                 '][$i], "studNum"=>$_SESSION['membershipRequestNotifStudNum'][$i],"id"=>""));
51         }
52         for($i=($_SESSION['membershipApprovalNotifCtr']-1); $i>=0; $i--){
53           array_push($_SESSION['mergedNotifs'], array("studOrg" => $_SESSION['
                 membershipApprovalNotifStudOrg'][$i], "message" => $_SESSION['
                 membershipApprovalNotifMessage'][$i], "date"=>$_SESSION['
                 membershipApprovalNotifDate'][$i], "notifID"=>$_SESSION['
                 membershipApprovalNotifID'][$i], "studNum"=>"", "id"=>""));
54         }
55         for($i=($_SESSION['reportedCommentsNotifCtr']-1); $i>=0; $i--){
```

```
56            array_push($_SESSION['mergedNotifs'], array("studOrg" => $_SESSION['
                  reportedCommentsNotifStudOrg'][$i], "message" => $_SESSION['
                  reportedCommentsNotifMessage'][$i], "date"=>$_SESSION['reportedCommentsNotifDate
                  '][$i], "notifID"=>$_SESSION['reportedCommentsNotifID'][$i], "studNum"=>"", "id"
                  =>$_SESSION['reportedCommentsID'][$i]));
57          }
58
59          function sortFunction($a, $b) {
60            return strtotime($a["date"]) - strtotime($b["date"]);
61          }
62          usort($_SESSION['mergedNotifs'], "sortFunction");
63
64            if(count($_SESSION['mergedNotifs']) > 0){
65                if(count($_SESSION['mergedNotifs']) > 3){
66                  $notifLimit = count($_SESSION['mergedNotifs'])-3;
67                }
68                else{
69                  $notifLimit = 0;
70                }
71              echo '<table width="220px" cellpadding="5px" cellspacing="0"  style="text-align:
                     center; font-weight: bold; background-color: #D6D2D3; border-spacing: 0px 3px
                    ">';
72                for($i=(count($_SESSION['mergedNotifs'])-1); $i>=$notifLimit; $i--){
73                  echo '<tr style="background-color: #FAE861;">
74                      <td style="border: 2px solid #DBCB53; border-right: 2px solid #DBCB53;"><
                           img src="'.base_url().'images/alert.png" width="20" height="20" alt
                           =""/></td>
75                      <td style="border: 2px solid #DBCB53;"><center>'.$_SESSION['mergedNotifs'
                           ][$i]["studOrg"].'<br>
76                        </center>';
77
78                      if(strpos($_SESSION['mergedNotifs'][$i]["message"], 'sent') !== false){
79                        if(strpos($_SESSION['mergedNotifs'][$i]["message"], 'renewal') !== false
                               ){
80                          $requestType = 'RENEWAL';
81                        }
82                        else{
83                          $requestType = 'NEW';
84                        }
85                        echo '<font class="notifLink"><a href="http://localhost/OCSO_v6/index.
                             php/Home/viewMembershipRequestID?requestStudNumToView='.$_SESSION['
                             mergedNotifs'][$i]["studNum"].'&requestStudOrgToView='.$_SESSION['
                             mergedNotifs'][$i]["studOrg"].'&requestType='.$requestType.'">
86                        '.$_SESSION['mergedNotifs'][$i]["message"].'</a></font>';
87                      }
88                      else if(strpos($_SESSION['mergedNotifs'][$i]["message"], 'reported') !==
                             false){
89                        echo '<font class="notifLink"><a href="http://localhost/OCSO_v6/index.
                             php/Home/viewReportedCommentID?reportedCommentToView='.$_SESSION['
                             mergedNotifs'][$i]["id"].'">
90                        '.$_SESSION['mergedNotifs'][$i]["message"].'</a></font>';
91                      }
92                      else{
93                        echo '<font size="2px" color="#7B1113">'.$_SESSION['mergedNotifs'][$i]["
                             message"].'</font>';
94                      }
95
96                    echo  '<br><center><font size="1px">'.strtoupper(formatDate($_SESSION['
                         mergedNotifs'][$i]["date"])).'</font></center>
97                      </td>
98                    </tr>';
99                }
100             echo '<tr><td colspan="2" align="center"><u><a href="http://localhost/OCSO_v6/
                    index.php/Home/seeAllNotifications">See All</a></u></td></tr></table>';
101           }
102           else{
103             echo '<div style="background-color: #D6D2D3; width:215px; padding: 3px; font-
                    weight: bold;" align="center">
104               <div style="border: 2px solid #BAB8B9; padding: 2px;">YOU HAVE NO RECENT
                        NOTIFICATIONS.</div></div>';
105           }
106       }
107 ?>
```

Listing 35: orgDashboard.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
3 <head>
4 <title>OCSO | Dashboard</title>
5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8 <link rel="stylesheet" type="text/css" href="<?php echo base_url(); ?>css/jquery.fancybox.css"
      />
9 <link href="<?php echo base_url(); ?>css/styles.css" rel="stylesheet" type="text/css" />
10
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
16 <script type="text/javascript" src="<?php echo base_url(); ?>js/showdivs.js"></script>
17 <script language="javascript" src="<?php echo base_url(); ?>js/jquery.1.8.3.js"></script>
18 <script type="text/javascript" src="<?php echo base_url(); ?>js/validateForm.js"></script>
19
```

```
20 <script>
21 function myconfirm(){
22     if(confirm('Are you sure that you want to delete this post?'))
23         return true;
24     return false;
25 }
26
27 function confirmActPlanDelete(){
28     if(confirm('Are you sure that you want to delete this activity planner?'))
29         return true;
30     return false;
31 }
32
33 function confirmFileDelete(name){
34     var message = 'Are you sure that you want to delete the file "'+name+'"?';
35     if(confirm(message)){
36         return true;
37     }
38     return false;
39 }
40 </script>
41
42 <style type="text/css">
43  #link a {outline: 0 none; text-decoration: none;}
44  #link a img {border: 0 none;}
45 </style>
46
47 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.4.2.min.js"></script>
48 <script type="text/javascript" src="<?php echo base_url(); ?>js/expand.js"></script>
49
50 <script type="text/javascript">
51 (function($) {
52   $(document).ready(function () {
53     $("h2.expand").toggler();
54   });
55 })(jQuery);
56 </script>
57
58 <script type="text/javascript">
59 var success = <?php echo json_encode($_SESSION['pubPostSuccess']);?>;
60 (function($) {
61   $(document).ready(function()
62   {
63     if(success){
64       alert('The post has been subjected to the approval of the OSA/OSS Coordinator since it
              will be viewed by the public.');
65       <?php $_SESSION['pubPostSuccess'] = 0;?>
66     }
67   });
68 })(jQuery);
69
70 </script>
71
72 <script language="javascript" type="text/javascript" src="<?php echo base_url(); ?>js/
       jqueryforflot.js"></script>
73 <script language="javascript" type="text/javascript" src="<?php echo base_url(); ?>js/jquery.
       flot.js"></script>
74 <script language="javascript" type="text/javascript" src="<?php echo base_url(); ?>js/jquery.
       flot.categories.js"></script>
75 <script language="javascript" type="text/javascript" src="<?php echo base_url(); ?>js/jquery.
       flot.pie.js"></script>
76
77 <script type="text/javascript">
78   var orgActPlanCtr = <?php if(isset($_SESSION['orgActPlanCtr'])) echo json_encode($_SESSION['
       orgActPlanCtr']);?>;
79   var orgActPlanTaskCtrArray = <?php if(isset($_SESSION['orgActPlanTaskCtrArray'])) echo
       json_encode($_SESSION['orgActPlanTaskCtrArray']);?>;
80   var orgActPlanDoneArray = <?php if(isset($_SESSION['orgActPlanDoneArray'])) echo json_encode
       ($_SESSION['orgActPlanDoneArray']);?>;
81   var partOfOrgActPlan = <?php if(isset($_SESSION['partOfOrgActPlan'])) echo json_encode(
       $_SESSION['partOfOrgActPlan']);?>;
82
83   var isAdmin = <?php echo json_encode($_SESSION['isAdminOfCurrentOrg']);?>;
84
85   (function($) {
86     $(document).ready(function() {
87       for(var i=0; i<orgActPlanCtr; i++){
88         if($.inArray(i,partOfOrgActPlan) > -1 || isAdmin == 'YES'){
89           var percent = (orgActPlanDoneArray[i]/orgActPlanTaskCtrArray[i])*100;
90           var data = [[percent, ""]];
91           $.plot("#placeholder"+i, [ data ], {
92             series: {
93               bars: {
94                 show: true,
95                 barWidth: 0.6,
96                 align: "center",
97                 horizontal: true
98               }
99             },
100            yaxis: {
101              mode: "categories",
102            },
103            xaxis: {
104              min: 0,
105              max: 100,
106              tickSize: 5
107            }
108          });
109        }
```

```
110         }
111       });
112     })(jQuery);
113 </script>
114 <script type="text/javascript">
115     (function($) {
116       $(document).ready(function() {
117         var sharedPollCtr = <?php if(isset($_SESSION['sharedPollCtr'])) echo json_encode(
                $_SESSION['sharedPollCtr']);?>;
118         var sharedPollChoiceArray = <?php if(isset($_SESSION['sharedPollCtr'])) echo json_encode
                ($_SESSION['sharedPollChoiceArray']);?>;
119         var sharedPollVoteArray = <?php if(isset($_SESSION['sharedPollCtr'])) echo json_encode(
                $_SESSION['sharedPollVoteArray']);?>;
120
121         for(var i=0; i<sharedPollCtr; i++){
122           var data = [];
123           var sumVotes = 0;
124           for(var j=0; j<sharedPollChoiceArray[i].length; j++){
125             sumVotes += sharedPollVoteArray[i][j];
126           }
127           for(var j=0; j<sharedPollChoiceArray[i].length; j++){
128             data[j] = { label: sharedPollChoiceArray[i][j]+' ('+sharedPollVoteArray[i][j]+'
                    votes)', data: (sharedPollVoteArray[i][j]/sumVotes)*100 }
129           }
130           $.plot("#placeholders"+i, data, {
131             series: {
132               pie: {
133                   show: true,
134                   radius: 3/4,
135                   label: {
136                       show: true,
137                       radius: 1/2,
138                       formatter: function(label, series){
139                           return '<div style="font-size:8pt;text-align:center;padding:2px;color:
                                black;">'+label+'<br/>'+Math.round(series.percent)+'%</div>';
140                       },
141                       background: { opacity: 0.5 }
142                   }
143               }
144             },
145             legend: {
146                 show: false
147             }
148             });
149         }
150
151       });
152     })(jQuery);
153 </script>
154 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.quick.pagination.min.js
      "></script>
155
156 <script type="text/javascript">
157     (function($) {
158       $(document).ready(function() {
159           $("ul.pagination3").quickPagination({pageSize:"5"});
160           $("ul.pagination2").quickPagination({pageSize:"3"});
161           $("ul.pagination1").quickPagination({pageSize:"10"});
162       });
163     })(jQuery);
164 </script>
165
166
167 </head>
168 <body>
169 <div class="main">
170   <?php include('header.php'); ?>
171   <div class="content">
172     <div class="content_resize">
173       <div class="mainbar">
174         <div class="article">
175           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF
                ; padding: 5px;"><?php echo $_SESSION['myOrgName'];?></div></h1>
176     <div align="center" style="width: 625px; background-color: #014421; color: #FFF; padding:
          5px;">
177         View:
178         <select name="viewType" id="viewChoiceID" onchange="showViewChoiceField()">
179           <option value="All" <?php if((!isset($_SESSION['addChoice']) && !isset($_SESSION['
                deleteFileSuccess']) && !isset($_SESSION['deleteVideoSuccess']) && !isset(
                $_SESSION['goToThreads']) && !isset($_SESSION['goToPosts']) && !isset($_SESSION['
                goToPolls']) && !isset($_SESSION['goToActivityPlanner'])) || isset($_SESSION['
                addChoice']) && $_SESSION['addChoice'] == 'Post' && $_SESSION['orgPostType'] == '
                PUBLIC'){ echo ' selected ';}?>>All</option>
180           <option value="Posts" <?php if((isset($_SESSION['addChoice']) && $_SESSION['addChoice'
                ] == 'Post' && $_SESSION['orgPostType'] == 'EXCLUSIVE') || isset($_SESSION['
                goToPosts'])){ echo ' selected ';}?>>Posts</option>
181           <option value="Files" <?php if(isset($_SESSION['deleteFileSuccess'])){ echo ' selected
                ';}?>>Files</option>
182           <option value="Videos" <?php if(isset($_SESSION['deleteVideoSuccess'])){ echo '
                selected ';}?>>Videos</option>
183           <option value="Photos">Photos</option>
184           <option value="Polls" <?php if((isset($_SESSION['addChoice']) && $_SESSION['addChoice'
                ] == 'Poll') || isset($_SESSION['goToPolls'])){ echo ' selected ';}?>>Polls</
                option>
185           <option value="Threads" <?php if((isset($_SESSION['addChoice']) && $_SESSION['
                addChoice'] == 'Thread') || isset($_SESSION['goToThreads'])){ echo ' selected '
                ;}?>>Threads</option>
186           <option value="Activity Planner" <?php if((isset($_SESSION['addChoice']) && $_SESSION[
                'addChoice'] == 'Activity Planner') || isset($_SESSION['goToActivityPlanner'])){
```

```
            echo ' selected ';}?>>Activity Planner</option>
187       </select>
188     </div>
189         <div class="clr"></div>
190       </div>
191     <span id="viewAllField" <?php if((!isset($_SESSION['addChoice']) && !isset($_SESSION['
          deleteFileSuccess']) && !isset($_SESSION['deleteVideoSuccess']) && !isset($_SESSION['
          goToThreads']) && !isset($_SESSION['goToPosts']) && !isset($_SESSION['goToPolls']) &&
          !isset($_SESSION['goToActivityPlanner'])) || (isset($_SESSION['addChoice']) &&
          $_SESSION['addChoice'] == 'Post' && $_SESSION['orgPostType'] == 'PUBLIC')){ echo '
          style="display: block;"'; } else{ echo ' style="display: none;"'; }?>>
192     <?php
193       $_SESSION['mergedPosts'] = array();
194         if(isset($_SESSION['orgPostCtr'])){
195           for($i=($_SESSION['orgPostCtr']-1); $i>=0; $i--){
196             array_push($_SESSION['mergedPosts'], array("type"=>"post", "id" => $_SESSION['
                  orgPostID'][$i], "title" => $_SESSION['orgPostTitle'][$i],
197             "date"=>$_SESSION['orgPostStartDate'][$i], "link"=>$_SESSION['orgPostImage'][$i],
                  "message"=>$_SESSION['orgPostMessage'][$i],
198             "commentCount"=>$_SESSION['orgPostCommentCount'][$i]));
199           }
200         }
201         if(isset($_SESSION['orgFilesCtr'])){
202           for($i=($_SESSION['orgFilesCtr']-1); $i>=0; $i--){
203             array_push($_SESSION['mergedPosts'], array("type"=>"file", "id" => $_SESSION['
                  orgFilesID'][$i], "title" => $_SESSION['orgFilesTitle'][$i],
204             "date"=>$_SESSION['orgFilesDate'][$i], "link"=>$_SESSION['orgFilesLink'][$i], "
                  message"=>$_SESSION['orgFilesDesc'][$i],
205             "commentCount"=>""));
206           }
207         }
208         if(isset($_SESSION['orgVideoCtr'])){
209           for($i=($_SESSION['orgVideoCtr']-1); $i>=0; $i--){
210             array_push($_SESSION['mergedPosts'], array("type"=>"video", "id" => $_SESSION['
                  orgVideoID'][$i], "title" => $_SESSION['orgVideoTitle'][$i],
211             "date"=>$_SESSION['orgVideoDate'][$i], "link"=>$_SESSION['orgVideoLink'][$i], "
                  message"=>$_SESSION['orgVideoDesc'][$i],
212             "commentCount"=>""));
213           }
214         }
215         if(isset($_SESSION['orgPollCtr'])){
216           for($i=($_SESSION['orgPollCtr']-1); $i>=0; $i--){
217             if(($_SESSION['userAlumni'] == 'YES' && $_SESSION['orgPollAccessType'][$i] == 'All
                  ')|| ($_SESSION['userAlumni'] == 'NO')){
218               array_push($_SESSION['mergedPosts'], array("type"=>"poll", "id" => $_SESSION['
                    orgPollID'][$i], "title" => $_SESSION['orgPollTitle'][$i],
219               "date"=>$_SESSION['orgPollStartDate'][$i], "link"=>"", "message"=>"",
220               "commentCount"=>""));
221             }
222           }
223         }
224         if(isset($_SESSION['threadCtr'])){
225           for($i=($_SESSION['threadCtr']-1); $i>=0; $i--){
226             if($_SESSION['threadCreator'][$i] == $_SESSION['myOrgID'] || in_array($_SESSION['
                  myOrgID'], $_SESSION['threadPartnersIDArray'][$i])){
227               array_push($_SESSION['mergedPosts'], array("type"=>"thread", "id" => $_SESSION['
                    threadID'][$i], "title" => $_SESSION['threadTitle'][$i],
228               "date"=>$_SESSION['threadStartDate'][$i], "link"=>"", "message"=>$_SESSION['
                    threadDetails'][$i],
229               "commentCount"=>""));
230             }
231           }
232         }
233         if(isset($_SESSION['orgActPlanCtr'])){
234           for($i=($_SESSION['orgActPlanCtr']-1); $i>=0; $i--){
235             if(in_array($_SESSION['userID'], $_SESSION['orgActPlanAssignedToArray'][$i])){
236               array_push($_SESSION['mergedPosts'], array("type"=>"activity planner", "id" =>
                    $_SESSION['orgActPlanID'][$i], "title" => $_SESSION['orgActPlanName'][$i],
237               "date"=>$_SESSION['orgActPlanDatePosted'][$i], "link"=>"", "message"=>"",
238               "commentCount"=>""));
239             }
240           }
241         }
242
243         function sortPostFunction($a, $b) {
244           return strtotime($b["date"]) - strtotime($a["date"]);
245         }
246         usort($_SESSION['mergedPosts'], "sortPostFunction");
247         if(count($_SESSION['mergedPosts']) >0){
248           echo '<ul class="pagination3">';
249           for($i=0; $i<count($_SESSION['mergedPosts']); $i++){
250             echo '<li><div class="article" style="text-align: justify; border-top: 1px #000;
                    margin-top: 10px; background-color: #EBE4E5; padding: 5px; width: 625px;">
                  <div style="border: 2px solid #7B1113; padding: 8px;">';
251
252               //----POST-----
253               if($_SESSION['mergedPosts'][$i]["type"] == 'post'){
254                 echo '<table width="605px" style="table-layout:fixed;" cellpadding="8px">';
255                   echo '<tr align="center" style="background-color: #D6D2D3;"><td><font color
                        ="#000" size="5px">'.$_SESSION['mergedPosts'][$i]["title"].'</font>';
256                 if($_SESSION['isAdminOfCurrentOrg'] == 'YES'){
257                   echo'<a href="getPostIDToDelete?postIDToDelete='.$_SESSION['mergedPosts'][$i
                        ]["id"].'" onclick="return myconfirm()" style="float:right;">
258                       <font size="5px">&#215;</font>
259                     </a>';
260                 }
261                 echo '</td></tr>';
262                   echo '<tr><td><b>'.strtoupper(formatDate($_SESSION['mergedPosts'][$i]["date"
                        ])).'</b></td></tr>';
```

```
264                     echo '<tr align="center"><td>';
265                       if(!empty($_SESSION['mergedPosts'][$i]["link"])){
266                         echo '<img src="'.$_SESSION['mergedPosts'][$i]["link"].'" width="500"
                                height="600" alt=""/>';
267                       }
268                     echo '</td></tr>';
269                     echo '<tr><td style="word-wrap: break-word">'.$_SESSION['mergedPosts'][$i]["
                            message"].'</td></tr>';
270                     echo '<tr><td align="right"><u><a href="getPostComments?postIDofComment='.
                            $_SESSION['mergedPosts'][$i]["id"].'" style="color: #7B1113;">View '.
                            $_SESSION['mergedPosts'][$i]["commentCount"].' Comments >> </a></u></td
                            ></tr>';
271                   echo '</table>';
272                 }
273
274                 //----FILE----
275                 if($_SESSION['mergedPosts'][$i]["type"] == 'file'){
276                   echo '<table width="605px" style="table-layout:fixed;" cellpadding="8px">';
277                     echo '<tr><td colspan="2"><b>'.strtoupper(formatDate($_SESSION['mergedPosts'
                            ][$i]["date"])).'</b></td></tr>';
278                     echo '<tr><td colspan="2">
279                         <img src="'.base_url().'/images/file.png" width="30" height="30" alt=""
                                style="float:left;"/>
280                         <h3><span>The file
281                           <a href="'.$_SESSION['mergedPosts'][$i]["link"].'" style="color: #7
                                B1113; " download>'.strtoupper($_SESSION['mergedPosts'][$i]["title
                                "]).'</a>
282                           has been uploaded.
283                           </span></h3>
284                         </td></tr>';
285                     echo '<tr><td style="word-wrap: break-word" colspan="2">'.$_SESSION['
                            mergedPosts'][$i]["message"].'</td></tr>';
286                   echo '</table>';
287                 }
288
289                 //----VIDEO----
290                 if($_SESSION['mergedPosts'][$i]["type"] == 'video'){
291                   echo '<table width="605px" style="table-layout:fixed;" cellpadding="8px">';
292                     echo '<tr><td colspan="2"><b>'.strtoupper(formatDate($_SESSION['mergedPosts'
                            ][$i]["date"])).'</b></td></tr>';
293                     echo '<tr><td colspan="2">
294                         <img src="'.base_url().'/images/video.png" width="30" height="30" alt=""
                                style="float:left;"/>
295                         <h3><span>The video
296                           <a href="'.$_SESSION['mergedPosts'][$i]["link"].'" style="color: #7
                                B1113; " target="_blank">'.strtoupper($_SESSION['mergedPosts'][$i
                                ]["title"]).'</a>
297                           has been uploaded.
298                           </span></h3>
299                         </td></tr>';
300                     echo '<tr><td style="word-wrap: break-word" colspan="2">'.$_SESSION['
                            mergedPosts'][$i]["message"].'</td></tr>';
301                   echo '</table>';
302                 }
303
304                 //----POLL----
305                 if($_SESSION['mergedPosts'][$i]["type"] == 'poll'){
306                   echo '<table width="605px" style="table-layout:fixed;" cellpadding="8px">';
307                     echo '<tr><td colspan="2"><b>'.strtoupper(formatDate($_SESSION['mergedPosts'
                            ][$i]["date"])).'</b></td></tr>';
308                     echo '<tr><td colspan="2">
309                         <img src="'.base_url().'/images/poll.png" width="30" height="30" alt=""
                                style="float:left;"/>
310                         <h3><span>The poll <a href="goToPolls" style="color: #7B1113;">'.
                                strtoupper($_SESSION['mergedPosts'][$i]["title"]).'</a>
311                           has been created.
312                           </span></h3>
313                         </td></tr>';
314                   echo '</table>';
315                 }
316
317                 //----THREAD----
318                 if($_SESSION['mergedPosts'][$i]["type"] == 'thread'){
319                   echo '<table width="605px" style="table-layout:fixed;" cellpadding="8px">';
320                     echo '<tr><td colspan="2"><b>'.strtoupper(formatDateOnly($_SESSION['
                            mergedPosts'][$i]["date"])).'</b></td></tr>';
321                     echo '<tr><td colspan="2">
322                         <img src="'.base_url().'/images/threadIcon.png" width="30" height="30"
                                alt="" style="float:left;"/>
323                         <h3><span>The thread <a href="getThreadDetails?threadID='.$_SESSION['
                                mergedPosts'][$i]["id"].'" style="color: #7B1113;">'.strtoupper(
                                $_SESSION['mergedPosts'][$i]["title"]).'
324                           </a> has been created.
325                           </span></h3>
326                         </td></tr>';
327                     echo '<tr><td style="word-wrap: break-word" colspan="2">'.$_SESSION['
                            mergedPosts'][$i]["message"].'</td></tr>';
328                   echo '</table>';
329                 }
330
331                 //----ACTIVITY PLANNER----
332                 if($_SESSION['mergedPosts'][$i]["type"] == 'activity planner'){
333                   echo '<table width="605px" style="table-layout:fixed;" cellpadding="8px">';
334                     echo '<tr><td colspan="2"><b>'.strtoupper(formatDateOnly($_SESSION['
                            mergedPosts'][$i]["date"])).'</b></td></tr>';
335                     echo '<tr><td colspan="2">
336                         <img src="'.base_url().'/images/planner.png" width="30" height="30" alt
                                ="" style="float:left;"/>
337                         <h3><span>An <a href="goToActivityPlanner" style="color: #7B1113;">
```

```
                                activity planner </a> has been created for '.strtoupper($_SESSION['
                                mergedPosts'][$i]["title"]).'
338                            and you are assigned to do one of the tasks.
339                           </span></h3>
340                         </td></tr>';
341                   echo '</table>';
342                 }
343
344               echo '</div></div></li>';
345             }
346             echo '</ul>';
347           }
348           else{
349             echo '<div class="article" style="text-align: center; border-top: 1px #000; margin-
                    top: 10px; background-color: #EBE4E5; padding: 5px; width: 625px;">
350               <div style="border: 2px solid #000;">';
351             echo '<b>THERE ARE NO RECENT POSTS.</b></div></div>';
352           }
353
354       ?>
355       </span>
356       <span id="viewPostField" <?php if(isset($_SESSION['addChoice']) && $_SESSION['addChoice']
            == 'Post' && $_SESSION['orgPostType'] == 'EXCLUSIVE'){ echo ' style="display: block;"'
            ; unset($_SESSION['addChoice']); } else if (isset($_SESSION['goToPosts'])) { echo '
            style="display: block;"'; unset($_SESSION['goToPosts']);} else{ echo ' style="display:
             none;"'; }?>>
357       <?php
358         if(isset($_SESSION['orgPostCtr']) && $_SESSION['orgPostCtr']>0){
359           echo '<ul class="pagination3">';
360           for($i=($_SESSION['orgPostCtr']-1); $i>=0; $i--){
361             echo '<li><div class="article" style="text-align: justify; border-top: 1px #000;
                      margin-top: 10px; background-color: #EBE4E5; padding: 5px; width: 625px;">
362               <div style="border: 2px solid #7B1113; padding: 8px;">
363               <table width="605px" style="table-layout:fixed;" cellpadding="8px">';
364               echo '<tr align="center" style="background-color: #D6D2D3;"><td><font color="#000"
                        size="5px">'.$_SESSION['orgPostTitle'][$i].'</font>';
365               if($_SESSION['isAdminOfCurrentOrg'] == 'YES'){
366               echo '<a href="getPostIDToDelete?postIDToDelete='.$_SESSION['orgPostID'][$i].'"
                        onclick="return myconfirm()" style="float:right;">
367                   <font size="5px">&#215;</font>
368                 </a>';
369               }
370               echo '</td></tr>';
371               echo '<tr><td><b>'.strtoupper(formatDate($_SESSION['orgPostStartDate'][$i])).'</b
                        ></td></tr>';
372               echo '<tr align="center"><td>';
373                 if(!empty($_SESSION['orgPostImage'][$i])){
374                   echo '<img src="'.$_SESSION['orgPostImage'][$i].'" width="500" height="600"
                            alt=""/>';
375                 }
376               echo '</td></tr>';
377               echo '<tr><td style="word-wrap: break-word">'.$_SESSION['orgPostMessage'][$i].'</
                        td></tr>';
378               echo '<tr><td align="right"><u><a href="getPostComments?postIDofComment='.
                        $_SESSION['orgPostID'][$i].'" style="color: #7B1113;">View '.$_SESSION['
                        orgPostCommentCount'][$i].' Comments >> </a></u></td></tr>';
379             echo '</table></div></div></li>';
380           }
381           echo '</ul>';
382         }
383         else{
384             echo '<div class="article" style="text-align: center; border-top: 1px #000; margin-
                    top: 10px; background-color: #EBE4E5; padding: 5px; width: 625px;">
385               <div style="border: 2px solid #000;">';
386             echo '<b>THERE ARE NO RECENT POSTS.</b></div></div>';
387           }
388       ?>
389       </span>
390       <span id="viewFileField" <?php if(isset($_SESSION['deleteFileSuccess'])){ echo ' style="
            display: block;"'; unset($_SESSION['deleteFileSuccess']); } else{ echo ' style="
            display: none;"'; }?>>
391       <?php
392         echo '<div class="article" style="text-align: justify; margin-top: 10px; background-
                  color: #EBE4E5; padding: 10px; width: 625px;">
393           <div style="border: 2px solid #7B1113; padding: 4px;">
394           <table width="615px" style="text-align:center;">';
395         echo '<tr align="center">
396             <th class="listHeader" width="25px">
397             <th class="listHeader" width="245px">FILE TITLE
398             <th class="listHeader" width="180px">DATE UPLOADED
399             <th class="listHeader">UPLOADED BY
400             </tr></table>';
401         echo '<ul class="pagination1">';
402         for($i=0; $i<$_SESSION['orgFilesCtr']; $i++){
403           if($i%2==0){
404             echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600px" style
                      ="text-align:center;"><tr>';
405           }
406           else{
407             echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600px" style
                      ="text-align:center;"><tr>';
408           }
409           echo '<td width="20px">'.($i+1).'</td>
410               <td width="235px">'.$_SESSION['orgFilesTitle'][$i].'<a href="'.$_SESSION['
                        orgFilesLink'][$i].'" style="color: #7B1113;" download><img src="'.base_url().
                        'images/download.png" width="15" height="15" style="float: right;" alt=""/></a
                        ></td>
411               <td width="185px">'.formatDate($_SESSION['orgFilesDate'][$i]).'</td>
412               <td>'.$_SESSION['orgFilesUploader'][$i];
```

```
413             if($_SESSION['isAdminOfCurrentOrg'] == 'YES'){
414               echo '<a href="getFileIDToDelete?fileIDToDelete='.$_SESSION['orgFilesID'][$i].'"
                       onclick="return confirmFileDelete(\''.$_SESSION['orgFilesTitle'][$i].'\')"
                      style="float:right;"><font size="5px">&#215;</font></a>';
415             }
416             echo '</td>
417             </tr></table></li>';
418       }
419       echo '</ul></div></div>';
420     ?>
421     </span>
422     <span id="viewVideoField" <?php if(isset($_SESSION['deleteVideoSuccess'])){ echo ' style="
          display: block;"'; unset($_SESSION['deleteVideoSuccess']); } else{ echo ' style="
          display: none;"'; }?>>
423     <?php
424       echo '<div class="article" style="text-align: justify; margin-top: 10px; background-
            color: #EBE4E5; padding: 10px; width: 625px;">
425           <div style="border: 2px solid #7B1113; padding: 4px;">
426           <table width="615px" style="text-align:center;">';
427       echo '<tr align="center">
428           <th class="listHeader" width="25px">
429           <th class="listHeader" width="245px">VIDEO TITLE
430           <!--<th class="listHeader" width="40px">SIZE-->
431           <th class="listHeader" width="180px">DATE UPLOADED
432           <th class="listHeader">UPLOADED BY
433           </tr></table>';
434       echo '<ul class="pagination1">';
435       for($i=0; $i<$_SESSION['orgVideoCtr']; $i++){
436         if($i%2==0){
437           echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600px" style
                ="text-align:center;"><tr>';
438         }
439         else{
440           echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600px" style
                ="text-align:center;"><tr>';
441         }
442         echo '<td width="20px">'.($i+1).'</td>
443             <td width="235px">'.$_SESSION['orgVideoTitle'][$i].'<a href="'.$_SESSION['
                  orgVideoLink'][$i].'" style="color: #7B1113;" target="_blank"><img src="'.
                  base_url().'images/watch.png" width="15" height="15" style="float: right;" alt
                  =""/></a></td>
444             <td width="185px">'.formatDate($_SESSION['orgVideoDate'][$i]).'</td>
445             <td>'.$_SESSION['orgVideoUploader'][$i];
446             if($_SESSION['isAdminOfCurrentOrg'] == 'YES'){
447               echo '<a href="getVideoIDToDelete?videoIDToDelete='.$_SESSION['orgVideoID'][$i].
                       '" onclick="return confirmFileDelete(\''.$_SESSION['orgVideoTitle'][$i].'\')
                       " style="float:right;"><font size="5px">&#215;</font>';
448             }
449             echo '</td>
450             </tr></table></li>';
451       }
452       echo '</ul></div></div>';
453     ?>
454     </span>
455     <span id="viewPollField" <?php if(isset($_SESSION['addChoice']) && $_SESSION['addChoice']
          == 'Poll'){ echo ' style="display: block;"'; unset($_SESSION['addChoice']); } else if
          (isset($_SESSION['goToPolls'])) { echo ' style="display: block;"'; unset($_SESSION['
          goToPolls']); } else{ echo ' style="display: none;"'; }?>>
456     <?php
457       echo '<div style="width: 632px; background-color: #EBE4E5; padding: 4px; margin-top: 10
            px;">';
458       echo '<h2 class="expand" style="width: 620px; padding: 2px;">RECENT POLLS</h2>
459             <div class="collapse">';
460       if($_SESSION['orgPollCtr'] > 0){
461         echo '<ul class="pagination2">';
462         for($i=0; $i<$_SESSION['orgPollCtr']; $i++){
463           if(($_SESSION['userAlumni'] == 'YES' && $_SESSION['orgPollAccessType'][$i] == 'All')
                || ($_SESSION['userAlumni'] == 'NO')){
464           echo '<li><div class="article" style="text-align: justify; border-top: 1px #000;
                margin-top: 10px; background-color: #EBE4E5; padding: 2px; width: 590px;">';
465             echo '<div style="border: 2px solid #000; padding: 5px;">
466                 <table cellpadding="5px" width="577px">
467                 <tr><td style="background-color: #014421; color: #FFF;">
468                  <h3><span>'.$_SESSION['orgPollTitle'][$i].'</span></h3>
469                 </td></tr>';
470             echo '<tr><td>
471                  <div>Posted on: '.formatDate($_SESSION['orgPollStartDate'][$i]);
472             echo '</td></tr>';
473             echo '<tr><td>';
474             echo '<form name="orgPollForm'.$i.'" method="post" action="';
475                 if($_SESSION['orgPollHasVote'][$i] == 1){
476                   echo 'orgPollEditVote';
477                 }
478                 else{
479                   echo 'orgPollSubmitVote';
480                 }
481               echo '">
482                 <input type="hidden" name="pollID" value="'.$_SESSION['orgPollID'][$i].'">
483                ';
484             for($j=0; $j<$_SESSION['orgPollChoiceCtrArray'][$i]; $j++){
485               echo '<input type="radio" name="'.$_SESSION['orgPollID'][$i].'"';
486                 if($_SESSION['orgPollVote'][$i] == $_SESSION['orgPollChoiceArray'][$i][$j]){
487                   echo ' checked';
488                 }
489               echo ' value="'.$_SESSION['orgPollChoiceArray'][$i][$j].'">'.$_SESSION['
                    orgPollChoiceArray'][$i][$j].'<br>';
490             }
491             echo '</td></tr>';
492             echo '<tr><td>';
```

```
493             echo '<center>';
494                 echo '<input type="submit" name="submit" value="Submit">';
495             echo '</td></tr>';
496             echo '</center></form>';
497           echo '</table></div></div></li>';
498           }
499         }
500         echo '</ul>';
501       }
502       else{
503         echo '<div class="article" style="text-align: center; border-top: 1px #000; margin-top
              : 10px; background-color: #EBE4E5; padding: 5px; width: 600px;">
504         <div style="border: 2px solid #000;">';
505         echo '<b>THERE ARE NO RECENT POLLS.</b></div></div>';
506       }
507
508       echo '</div></div>';
509
510       echo '<div style="width: 632px; background-color: #EBE4E5; padding: 4px; margin-top: 10
              px;">';
511       echo '<h2 class="expand" style="width: 625px; padding: 2px;">SHARED POLLS</h2>
512             <div class="collapse">';
513         if($_SESSION['sharedPollCtr'] > 0){
514           echo '<div class="article" style="border-top: 1px #000; margin-top: 10px; background
                  -color: #EBE4E5; padding: 7px; width: 615px;">
515               <div style="border: 2px solid #000; padding: 1px;">';
516           echo '<ul class="pagination2">';
517           for($i=0; $i<$_SESSION['sharedPollCtr']; $i++){
518             echo '<li><table cellpadding="5px" width="580px">';
519             echo '<tr style="background-color: #014421; color: #FFF;"><td align="center"><font
                       size="3px">'.strtoupper($_SESSION['sharedPollTitle'][$i]).'</font>';
520             if($_SESSION['isAdminOfCurrentOrg'] == 'YES'){
521               echo '<font size="5px"><a href="deletePollResult?pollIDToDelete='.$_SESSION['
                       sharedPollID'][$i].'" style="float:right;">&#215;</a></font>';
522             }
523             echo '</td></tr>';
524             echo '<tr><td><div class="demo-container" style="margin: 0px; width: 568px;">
525                 <div id="placeholders'.$i.'" class="demo-placeholder"></div>
526               </div></td></tr>';
527             echo '</table></li>';
528           }
529           echo '</ul></div></div>';
530         }
531         else{
532           echo '<div class="article" style="text-align: center; border-top: 1px #000; margin-
                  top: 10px; background-color: #EBE4E5; padding: 7px; width: 615px;">
533           <div style="border: 2px solid #000;">';
534           echo '<b>THERE ARE NO SHARED POLLS.</b></div></div>';
535         }
536
537       echo '</div></div>';
538
539       if($_SESSION['isAdminOfCurrentOrg'] == 'YES'){
540         echo '<div style="width: 632px; background-color: #EBE4E5; padding: 4px; margin-top:
                  10px;">';
541         echo '<h2 class="expand" style="width: 625px; padding: 2px;">RECENTLY ENDED POLLS</h2>
542             <div class="collapse">';
543         if($_SESSION['deactPollCtr'] > 0){
544           echo '<div class="article" style="text-align: justify; border-top: 1px #000; margin-
                  top: 10px; background-color: #EBE4E5; padding: 15px; width: 608px;">
545               <div style="border: 2px solid #000; padding: 5px;">';
546           echo '<table width="587px" style="text-align:center;">';
547           echo '<tr style="background-color: #014421; color: #FFF;">
548               <th width="25px">
549               <th>Poll Title
550               <th width="100px">
551             </tr></table>';
552           echo '<ul class="pagination2">';
553           for($i=0; $i<$_SESSION['deactPollCtr']; $i++){
554               if($i%2==0){
555                 echo '<li style="background-color: #D6D2D3; color: #000;"><table width="565px"
                        style="text-align:center;"><tr>';
556               }
557               else{
558                 echo '<li style="background-color: #ADA8A9; color: #000;"><table width="565px"
                        style="text-align:center;"><tr>';
559               }
560               echo '<td width="20px">'.($i+1).'</td>
561                   <td>'.$_SESSION['deactPollTitle'][$i].'</td>
562                   <td width="90px"><b><u><a href="getPollIDToView?pollIDGraph='.$_SESSION['
                        deactPollID'][$i].'" style="color: #7B1113;">View Results</a></u></b></
                        td>
563                 </tr></table>';
564           }
565           echo '</ul></div></div>';
566         }
567         else{
568           echo '<div class="article" style="text-align: center; border-top: 1px #000; margin-
                  top: 10px; background-color: #EBE4E5; padding: 5px; width: 615px;">
569           <div style="border: 2px solid #000;">';
570           echo '<b>THERE ARE NO RECENTLY ENDED POLLS.</b></div></div>';
571         }
572         echo '</div></div>';
573       }
574     ?>
575     </span>
576     <span id="viewThreadField" <?php if(isset($_SESSION['addChoice']) && $_SESSION['addChoice'
          ] == 'Thread'){ echo ' style="display: block;" '; unset($_SESSION['addChoice']); }else
          if (isset($_SESSION['goToThreads'])) {
```

```
577       echo ' style="display: block;"'; unset($_SESSION['goToThreads']); } else{ echo ' style="
              display: none;"'; }?>>
578     <?php
579       if($_SESSION['threadCtr']>0){
580         echo '<ul class="pagination3">';
581         for($i=0; $i<$_SESSION['threadCtr']; $i++){
582           if($_SESSION['threadCreator'][$i] == $_SESSION['myOrgID'] || in_array($_SESSION['
                myOrgID'], $_SESSION['threadPartnersIDArray'][$i])){
583             echo '<li><div class="article" style="text-align: justify; margin-top: 10px;
                    background-color: #EBE4E5; padding: 10px; width: 625px;">';
584               echo '<div style="border: 2px solid #000;"><table cellpadding="5px" width="620
                      px">';
585               echo '<tr style="background-color: #014421; color: #FFF;"><td colspan="3"
                      align="center"><h3>'.strtoupper($_SESSION['threadTitle'][$i]).'</h3></td
                      ></tr>';
586               echo '<tr><td rowspan="5" align="center"><img src="'.base_url().'images/
                      threadIcon.png" align="center" width="110" height="110" alt=""/></td></tr>
                      ';
587               echo '<tr><td>Created by: </td><td align="center">'.$_SESSION['
                      threadCreatorName'][$i].'</td></tr>';
588               echo '<tr><td>In cooperation with: </td><td align="center">';
589                 $orgNames = '';
590                 for($j=0; $j<$_SESSION['threadPartnersCtrArray'][$i]; $j++){
591                   $orgNames .= $_SESSION['threadPartnersArray'][$i][$j].'<br>';
592                 }
593               echo $orgNames;
594               echo '</td></tr>';
595               echo '<tr><td>Start Date: </td><td align="center">'.formatDate($_SESSION['
                      threadStartDate'][$i]).'</td></tr>';
596               echo '<tr><td>End Date: </td><td align="center">'.formatDate($_SESSION['
                      threadEndDate'][$i]).'</td></tr>';
597               echo '<tr align="center"><td colspan="3"><u><b><a href="getThreadDetails?
                      threadID='.$_SESSION['threadID'][$i].'" style="color: #7B1113;">More
                      Details Here</a></b></u></td></tr>';
598               echo '</table></div>';
599             echo '</div></li>';
600           }
601         }
602         echo '</ul>';
603       }
604       else{
605         echo '<div class="article" style="text-align: center; border-top: 1px #000; margin-top
                : 10px; background-color: #EBE4E5; padding: 5px; width: 625px;">
606           <div style="border: 2px solid #000;">';
607         echo '<b>THERE ARE NO RECENT THREADS.</b></div></div>';
608       }
609     ?>
610     </span>
611     <span id="viewActivityPlannerField" <?php if(isset($_SESSION['addChoice']) && $_SESSION['
          addChoice'] == 'Activity Planner'){ echo ' style="display: block;"'; unset($_SESSION['
          addChoice']); } else if (isset($_SESSION['goToActivityPlanner'])) { echo ' style="
          display: block;"'; unset($_SESSION['goToActivityPlanner']);} else{ echo ' style="
          display: none;"'; }?>>
612       <?php
613
614         if($_SESSION['orgActPlanCtr'] > 0){
615           $ctr = 0;
616           echo '<ul class="pagination2">';
617           for($i=0; $i<$_SESSION['orgActPlanCtr']; $i++){
618             if(in_array($_SESSION['userID'],$_SESSION['orgActPlanAssignedToArray'][$i]) ||
                    $_SESSION['isAdminOfCurrentOrg'] == 'YES'){
619               $ctr++;
620               echo '<li><div class="article" style="text-align: justify; border-top: 1px #000;
                      margin-top: 10px; background-color: #EBE4E5; padding: 15px; width: 608px;">
621                 <div style="border: 2px solid #7B1113; padding: 4px;">';
622                 echo '<form name="orgActPlanForm'.$i.'" method="post" action="
                        orgActivityPlannerUpdate">';
623                 echo '<table style="width: 595px">';
624                 echo '<tr align="center" style="background-color: #014421;">
625                     <td colspan="5">';
626                       if($_SESSION['isAdminOfCurrentOrg'] == 'YES'){
627                         echo '<font size="5px"><a href="getActivityPlannerToDelete?
                                actPlanIDToDelete='.$_SESSION['orgActPlanID'][$i].'"  onclick="
                                return confirmActPlanDelete()" style="float:right; padding-right:
                                5px;">&#215;</a></font>';
628                       }
629                 echo     '<br><h3 style="color: #FFF;"><span><center>Activity No. '.($i+1).'</
                        center></span></h3>
630                       <h3 style="color: #FFF;"><span><center>'.$_SESSION['orgActPlanName'][$i
                              ].'</center></span></h3>
631                     </td>
632                   </tr>';
633                 echo '<tr align="center">
634                     <td>STATUS </td>
635                     <td colspan="4" class="status-container">
636                       <div id="placeholder'.$i.'" style="width: 380px; height: 30px;"></div>
637                     </td>
638                   </tr>';
639                 echo '<tr align="center" style="background-color: #D6D2D3;">
640                     <th>TASK NAME
641                     <th>ASSIGNED MEMBER
642                     <th>START DATE
643                     <th>END DATE
644                     <th>TASK STATUS
645                     </tr>';
646                 $disableCtr = 0;
647                 date_default_timezone_set('Asia/Manila');
648                 $currentDate = date('Y-m-d');
649                 for($j=0; $j<$_SESSION['orgActPlanTaskCtrArray'][$i]; $j++){
```

```
650                   if($_SESSION['orgActPlanTaskStatusArray'][$i][$j] == 'IN PROGRESS'){
651                     $interval = date_diff(date_create($currentDate), date_create($_SESSION['
                            orgActPlanEndDateArray'][$i][$j]));
652                     $year = $interval->format('%r%y');
653                     $month = $interval->format('%r%m');
654                     $day = $interval->format('%r%a');
655                     if($year <= 0 && $month <= 0 && $day <= 0){
656                       $color = '#F090A5';
657                     }
658                     else if($year == 0 && $month == 0 && ($day <= 3 && $day > 0)){
659                       $color = '#F5F5B0';
660                     }
661                     else{
662                       $color = '#EBE4E5';
663                     }
664                   }
665                   else{
666                     $color = '#C9F5B0';
667                   }
668                   echo '<tr align="center" style="background-color:'.$color.';">
669                       <td width="125px">
670                         <input type="hidden" name="activityID" value="'.$_SESSION['
                                orgActPlanID'][$i].'">
671                         <input type="hidden" name="taskName['.$j.']" value="'.$_SESSION['
                                orgActPlanTaskArray'][$i][$j].'">'
672                        .$_SESSION['orgActPlanTaskArray'][$i][$j].
673                       '</td>
674                       <td width="125px">'.$_SESSION['orgActPlanAssignedToNameArray'][$i][$j].'
                              </td>
675                       <td width="125px">'.formatDateOnly($_SESSION['orgActPlanStartDateArray'
                            ][$i][$j]).'</td>
676                       <td width="125px">'.formatDateOnly($_SESSION['orgActPlanEndDateArray'][
                            $i][$j]).'</td>
677                       <td align="left" width="125px">
678                         <input type="radio" name="taskStatus['.$j.']" ';
679                           if($_SESSION['orgActPlanTaskStatusArray'][$i][$j] == 'IN PROGRESS'){
680                             if($_SESSION['orgActPlanAssignedToArray'][$i][$j] == $_SESSION['
                                    userID']){
681                               echo 'checked';
682                             }
683                             else{
684                               echo 'checked disabled';
685                               $disableCtr++;
686                             }
687                           }
688                           else{
689                             echo ' disabled';
690
691                           }
692                   echo      ' value="IN PROGRESS">IN PROGRESS<br>
693                         <input type="radio" name="taskStatus['.$j.']" ';
694                           if($_SESSION['orgActPlanTaskStatusArray'][$i][$j] == 'COMPLETED'){
695                             echo 'checked disabled';
696                             $disableCtr++;
697                           }
698                           else{
699                             if($_SESSION['orgActPlanAssignedToArray'][$i][$j] != $_SESSION['
                                    userID']){
700                               echo 'disabled';
701
702                             }
703                           }
704                   echo      ' value="COMPLETED">COMPLETED
705                       </td>
706                     </tr>';
707                 }
708                 echo '<tr align="center"><td colspan="5">';
709                       echo '<input type="submit" name="submit" ';
710                         if($disableCtr == $_SESSION['orgActPlanTaskCtrArray'][$i]){
711                           echo 'disabled';
712                         }
713                       echo ' value="Update">';
714                 echo '</td></tr>';
715                 echo '</table></form>';
716               echo '</div></div></li>';
717             }
718           }
719           echo '</ul>';
720           if($ctr==0){
721             echo '<div class="article" style="text-align: center; border-top: 1px #000; margin
                      -top: 10px; background-color: #EBE4E5; padding: 5px; width: 625px;">
722             <div style="border: 2px solid #000;">';
723             echo '<b>THERE ARE NO RECENT ENTRIES.</b></div></div>';
724           }
725         }
726         else{
727           echo '<div class="article" style="text-align: center; border-top: 1px #000; margin-
                    top: 10px; background-color: #EBE4E5; padding: 5px; width: 625px;">
728           <div style="border: 2px solid #000;">';
729           echo '<b>THERE ARE NO RECENT ENTRIES.</b></div></div>';
730         }
731       ?>
732     </span>
733     <span id="viewPhotoField" style="display: none;">
734       <div class="article" style="text-align: justify; border-top: 1px #000; margin-top: 10px;
              background-color: #EBE4E5; padding: 15px; width: 608px;">
735         <div style="border: 2px solid #7B1113; padding: 4px;">
736           <?php
737             if(count($_SESSION['photoTitle']) != 0){
```

```
738                 echo '<div id="thumbnails">
739                       <table cellspacing="4px"><ul class="clearfix" style="list-style-type: none
                              ;">';
740                       for($i=0; $i<count($_SESSION['photoTitle']); $i++){
741                         if($i%3 == 0 ){
742                           echo '<tr>';
743                         }
744                         echo '<td><li style="display: inline; padding-right: 3px;"><a href="
                                    '.$_SESSION['photoLink'][$i].'" title="'.$_SESSION['photoTitle'
                                    ][$i].'"><img src="'.$_SESSION['photoLink'][$i].'" alt="'.
                                    $_SESSION['photoTitle'][$i].'" width="180" height="180" style="
                                    border: 1px solid #000;"></a></li></td>';
745                       }
746                 echo '</ul></table>
747                       </div>';
748               }
749               else{
750                 echo '<center>THERE ARE NO RECENT PHOTOS.</center>';
751               }
752             ?>
753
754           </div>
755         </div>
756       </span>
757         </div>
758         <div class="sidebar">
759           <div class="gadget">
760             <h2 class="star">
761         <?php
762           if($_SESSION["loggedin"]){
763           echo 'Menu';
764           }
765          else
766           echo 'Log-in';
767         ?>
768         </h2>
769             <div class="clr"></div>
770               <?php
771           if($_SESSION["loggedin"]){
772           include('rightmenu.php');
773           }
774          else
775           include('login.php');
776
777         ?>
778           </div>
779       <div class="gadget">
780         <?php
781         if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
782           echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
                    >Student Organizations</span></h3>
783             <div class="clr"></div>';
784           include('studentOrgMenu.php');
785         }
786         ?>
787           </div>
788           <div class="gadget">
789         <?php
790         if($_SESSION["loggedin"]){
791           echo '<h2 class="star"><span>Notifications</span></h2>
792             <div class="clr"></div>';
793              include('notifBar.php');
794         }
795         ?>
796           </div>
797         </div>
798         <div class="clr"></div>
799       </div>
800     </div>
801      <?php include('footer.php'); ?>
802 </div>
803 <link rel="stylesheet" type="text/css" media="all" href="<?php echo base_url(); ?>css/jquery.
        lightbox.0.5.css">
804 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.10.1.min.js"></script
        >
805 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.lightbox.0.5.min.js"></
        script>
806 <script type="text/javascript">
807   (function($) {
808     $(document).ready(function() {
809       $('#thumbnails a').lightBox();
810     });
811   })(jQuery);
812 </script>
813 </body>
814 </html>
```

Listing 36: renewMembership.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
3 <head>
4 <title>OCSO | Requests</title>
5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
```

```
 8 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
 9 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13
14 </head>
15 <body>
16 <div class="main">
17   <?php include('header.php'); ?>
18   <div class="content">
19     <div class="content_resize">
20       <div class="mainbar">
21     <div class="article">
22           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                 padding: 5px;">Renew Membership</div></h1>
23       <form name="viewUserProfile" method="post" action="sendRenewal">
24        <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
              EBE4E5; padding: 10px; width: 625px;">
25         <div style="border: 2px solid #7B1113; padding: 4px;">
26           <table width="615px" style="text-align:center;" cellpadding="3px">
27           <?php
28           if(isset($_SESSION['requestSuccess'])){
29             if($_SESSION['requestSuccess']){
30               echo '<tr><td><h3>MEMBERSHIP RENEWAL/S SUCCESSFULLY SENT!</h3></td></tr>';
31             }
32             else{
33               echo '<tr><td><h3>SENDING OF MEMBERSHIP RENEWAL UNSUCCESSFUL.</h3></td></tr>';
34             }
35             unset($_SESSION['requestSuccess']);
36             unset($_SESSION['chosenOrgName']);
37           }
38         ?>
39       <?php
40         if($_SESSION['deactCtr'] != 0){
41           echo '<tr><td colspan="2"><h3><span>Check the ones you want to renew your membership
                  with: </span></h3></td></tr>';
42           for($i=0; $i<$_SESSION['deactCtr']; $i++){
43             if($i%2==0){
44               echo '<tr style="background-color: #D6D2D3; color: #000;">';
45             }
46             else{
47               echo '<tr style="background-color: #ADA8A9; color: #000;">';
48             }
49             echo '<td align="center"><input type="checkbox" name="orgToRenew[]" value="'.
                    $_SESSION['deactID'][$i].'"></td>
50                 <td align="left">'.$_SESSION['deactName'][$i].'</td></tr>';
51           }
52           echo '<tr align="center"><td colspan="2"><input type="submit" name="submit" value="
                Submit"></td></tr>';
53         }
54         else{
55           echo '<tr><td colspan="2" align="center"><b>ALL OF YOUR MEMBERSHIPS ARE RENEWED.</b
                ></td></tr>';
56         }
57       ?>
58       </table>
59       </div>
60       </div>
61       </form>
62     </div>
63       </div>
64       <div class="sidebar">
65         <div class="gadget">
66           <h2 class="star">
67       <?php
68       if($_SESSION["loggedin"]){
69         echo 'Menu';
70       }
71        else
72         echo 'Log-in';
73       ?>
74       </h2>
75           <div class="clr"></div>
76       <?php
77         if($_SESSION["loggedin"]){
78         include('rightmenu.php');
79       }
80        else
81         include('login.php');
82
83       ?>
84         </div>
85     <div class="gadget">
86       <?php
87       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
88         echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
               >Student Organizations</span></h3>
89           <div class="clr"></div>';
90         include('studentOrgMenu.php');
91       }
92       ?>
93         </div>
94         <div class="gadget">
95       <?php
96       if($_SESSION["loggedin"]){
97         echo '<h2 class="star"><span>Notifications</span></h2>
98           <div class="clr"></div>';
99           include('notifBar.php');
```

```
100         }
101         ?>
102           </div>
103         </div>
104         <div class="clr"></div>
105       </div>
106     </div>
107     <?php include('footer.php'); ?>
108 </div>
109 </body>
110 </html>
```

Listing 37: rightmenu.php

```
1  <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.min.js"></script>
2  <script type="text/javascript" language="javascript">
3
4  (function($) {
5    $(document).ready(function(){
6      $('div.dropdown').each(function() {
7      var $dropdown = $(this);
8
9      $("a.dropdown-link", $dropdown).click(function(e) {
10       e.preventDefault();
11       $div = $("div.dropdown-container", $dropdown);
12       $div.slideToggle();
13       $("div.dropdown-container").not($div).hide();
14       return false;
15     });
16   });
17
18     $('html').click(function(){
19     $("div.dropdown-container").hide();
20     });
21
22   });
23 })(jQuery);
24
25
26 </script>
27
28 <?php
29   $_SESSION['today'] = "";
30   header ("Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0");
31   header ("Pragma: no-cache");
32
33   if(strrchr($_SERVER["REQUEST_URI"], '/') == "/viewProfile" ) {
34     unset($_SESSION['myOrgID']);
35   }
36
37   echo '<ul class="sb_menu">';
38   if($_SESSION['role'] == "OSA Coordinator"){
39     echo '
40         <li class="sb_menu_sub"';
41             if(strrchr($_SERVER["REQUEST_URI"], '/') == "/viewProfile" || strrchr($_SERVER["
                    REQUEST_URI"], '/') == "/editProfile")
42               echo 'style="background-color: #7B1113; border-color: #000;"';
43         echo ' >
44           <a href="http://localhost/OCSO_v6/index.php/Home/viewProfile"><img src = "'.base_url
                ().'images/edit_profile.png" width = "18" height = "18" align = "top">
45             My Profile</a>
46         </li>
47         <li class="sb_menu_sub"';
48             if(strrchr($_SERVER["REQUEST_URI"], '/') == "/searchUser")
49               echo 'style="background-color: #7B1113; border-color: #000;"';
50         echo ' >
51           <a href="http://localhost/OCSO_v6/index.php/Home/searchUser" class="viewLink"><img
                 src = "'.base_url().'images/search.png" width = "18" height = "18" align = "top
                ">
52             Search User</a>
53         </li>
54         <div id="dropdown-1" class="dropdown dropdown-processed">
55         <li class="sb_menu_sub"';
56             if(strrchr($_SERVER["REQUEST_URI"], '/') == "/addStudent" || strrchr($_SERVER["
                    REQUEST_URI"], '/') == "/addStudentOrganization" || strrchr($_SERVER["
                    REQUEST_URI"], '/') == "/addOSSCoordinator")
57               echo 'style="background-color: #7B1113; border-color: #000;"';
58         echo ' >
59           <a href="#/" class="dropdown-link"><img src = "'.base_url().'images/users.png"
                 width = "18" height = "18" align = "top">
60             Add</a>
61         </li>
62         <div class="dropdown-container" style="display: none;">
63           <ul id="nav" class="no_list_style">
64             <li><a href="http://localhost/OCSO_v6/index.php/Home/addStudent">  Student
                    /Alumni</a></li>
65             <li><a href="http://localhost/OCSO_v6/index.php/Home/addOSSCoordinator"> 
                    OSS Coordinator</a></li>
66             <li><a href="http://localhost/OCSO_v6/index.php/Home/addStudentOrganization">&
                    nbsp Student Organization</a></li>
67           </ul>
68         </div>
69         </div>
70         <li class="sb_menu_sub"';
71             if(strrchr($_SERVER["REQUEST_URI"], '/') == "/activateUserSearch")
72               echo 'style="background-color: #7B1113; border-color: #000;"';
73         echo ' ><a href="http://localhost/OCSO_v6/index.php/Home/activateUserSearch" class="
              activateUserLink"><img src = "'.base_url().'images/activate_user.png" width = "18"
```

```
                height = "18" align = "top">
74            Activate/Deactivate</a>
75          </li>
76          <li class="sb_menu_sub"';
77              if(strrchr($_SERVER["REQUEST_URI"], '/') == "/assignStudOrgAdmin")
78                  echo 'style="background-color: #7B1113; border-color: #000;"';
79          echo ' ><a href="http://localhost/OCSO_v6/index.php/Home/assignStudOrgAdmin" class="
                viewLink"><img src = "'.base_url().'images/admin.png" width = "18" height = "18"
                align = "top">
80              Assign Student Org Admin</a>
81          </li>
82          <li class="sb_menu_sub"';
83              if(strrchr($_SERVER["REQUEST_URI"], '/') == "/generateOrgAdminList")
84                  echo 'style="background-color: #7B1113; border-color: #000;"';
85          echo ' ><a href="http://localhost/OCSO_v6/index.php/Home/generateOrgAdminList"  target
                ="_blank" class="viewLink"><img src = "'.base_url().'images/view.png" width = "18"
                 height = "18" align = "top">
86              List of Student Org Admins</a>
87          </li>
88          <li class="sb_menu_sub"';
89              if(strrchr($_SERVER["REQUEST_URI"], '/') == "/generateList")
90                  echo 'style="background-color: #7B1113; border-color: #000;"';
91          echo ' >
92            <a href="http://localhost/OCSO_v6/index.php/Home/generateList" target="_blank"><img
                   src = "'.base_url().'images/pdf.png" width = "18" height = "18" align = "top">
93              Generate List of Orgs</a>
94          </li>
95          <li class="sb_menu_sub"';
96              if(strrchr($_SERVER["REQUEST_URI"], '/') == "/addPost")
97                  echo 'style="background-color: #7B1113; border-color: #000;"';
98          echo ' >
99            <a href="http://localhost/OCSO_v6/index.php/Home/addPost"><img src = "'.base_url().'
                   images/public_post.png" width = "18" height = "18" align = "top">
100             Add Public Post</a>
101         </li>
102     ';
103   }
104   else if($_SESSION['role'] == "OSS Coordinator"){
105     echo '
106         <li class="sb_menu_sub"';
107             if(strrchr($_SERVER["REQUEST_URI"], '/') == "/viewProfile" || strrchr($_SERVER["
                    REQUEST_URI"], '/') == "/editProfile")
108                 echo 'style="background-color: #7B1113; border-color: #000;"';
109         echo ' >
110           <a href="http://localhost/OCSO_v6/index.php/Home/viewProfile"><img src = "'.base_url
                  ().'images/edit_profile.png" width = "18" height = "18" align = "top">
111             My Profile</a>
112         </li>
113         <li class="sb_menu_sub"';
114             if(strrchr($_SERVER["REQUEST_URI"], '/') == "/searchUser")
115                 echo 'style="background-color: #7B1113; border-color: #000;"';
116         echo ' ><a href="http://localhost/OCSO_v6/index.php/Home/searchUser" class="viewLink
                ><img src = "'.base_url().'images/search.png" width = "18" height = "18" align =
                "top">
117             Search User</a>
118         </li>
119         <li class="sb_menu_sub"';
120             if(strrchr($_SERVER["REQUEST_URI"], '/') == "/addStudentOrganization")
121                 echo 'style="background-color: #7B1113; border-color: #000;"';
122         echo ' >
123           <a href="http://localhost/OCSO_v6/index.php/Home/addStudentOrganization"><img src =
                  "'.base_url().'images/bullet_plus.png" width = "18" height = "18" align = "top">
124             Add Student Organization</a>
125         </li>
126         <li class="sb_menu_sub"';
127             if(strrchr($_SERVER["REQUEST_URI"], '/') == "/activateUserSearch")
128                 echo 'style="background-color: #7B1113; border-color: #000;"';
129         echo ' ><a href="http://localhost/OCSO_v6/index.php/Home/activateUserSearch" class="
                activateUserLink"><img src = "'.base_url().'images/activate_user.png" width = "18"
                 height = "18" align = "top">
130           Activate/Deactivate Org</a>
131         </li>
132         <li class="sb_menu_sub"';
133             if(strrchr($_SERVER["REQUEST_URI"], '/') == "/assignStudOrgAdmin")
134                 echo 'style="background-color: #7B1113; border-color: #000;"';
135         echo ' ><a href="http://localhost/OCSO_v6/index.php/Home/assignStudOrgAdmin" class="
                viewLink"><img src = "'.base_url().'images/admin.png" width = "18" height = "18"
                align = "top">
136             Assign Student Org Admin</a>
137         </li>
138         <li class="sb_menu_sub"';
139             if(strrchr($_SERVER["REQUEST_URI"], '/') == "/generateOrgAdminList")
140                 echo 'style="background-color: #7B1113; border-color: #000;"';
141         echo ' ><a href="http://localhost/OCSO_v6/index.php/Home/generateOrgAdminList" target
                ="_blank" class="viewLink"><img src = "'.base_url().'images/view.png" width = "18"
                 height = "18" align = "top">
142             List of Student Org Admins</a>
143         </li>
144         <li class="sb_menu_sub"';
145             if(strrchr($_SERVER["REQUEST_URI"], '/') == "/generateList")
146                 echo 'style="background-color: #7B1113; border-color: #000;"';
147         echo ' >
148           <a href="http://localhost/OCSO_v6/index.php/Home/generateList" target="_blank"><img
                   src = "'.base_url().'images/pdf.png" width = "18" height = "18" align = "top">
149             Generate List of Orgs</a>
150         </li>
151         <li class="sb_menu_sub"';
152             if(strrchr($_SERVER["REQUEST_URI"], '/') == "/addPost")
153                 echo 'style="background-color: #7B1113; border-color: #000;"';
```

```
154           echo ' >
155             <a href="http://localhost/OCSO_v6/index.php/Home/addPost"><img src = "'.base_url().'
                    images/public_post.png" width = "18" height = "18" align = "top">
156               Add Public Post</a>
157           </li>
158       ';
159     }
160     else if($_SESSION['role'] == "student"){
161       echo '
162         <li class="sb_menu_sub"';
163               if(strrchr($_SERVER["REQUEST_URI"], '/') == "/viewProfile")
164                   echo 'style="background-color: #7B1113; border-color: #000;"';
165           echo ' >
166             <a href="http://localhost/OCSO_v6/index.php/Home/viewProfile"><img src = "'.base_url
                    ().'images/edit_profile.png" width = "18" height = "18" align = "top">
167               My Profile</a>
168         </li>
169         <li class="sb_menu_sub"';
170               if(strrchr($_SERVER["REQUEST_URI"], '/') == "/studOrgRequest")
171                   echo 'style="background-color: #7B1113; border-color: #000;"';
172           echo ' >
173             <a href="http://localhost/OCSO_v6/index.php/Home/studOrgRequest"><img src = "'.
                    base_url().'images/studorg.png" width = "18" height = "18" align = "top">
174               Join Student Organization</a>
175         </li>
176       ';
177       if($_SESSION['userAlumni'] == 'NO'){
178         echo '<li class="sb_menu_sub"';
179               if(strrchr($_SERVER["REQUEST_URI"], '/') == "/renewMembership")
180                   echo 'style="background-color: #7B1113; border-color: #000;"';
181           echo ' >
182               <a href="http://localhost/OCSO_v6/index.php/Home/renewMembership"><img src = "'.
                      base_url().'images/renew.png" width = "18" height = "18" align = "top">
183                 Renew Membership</a>
184           </li>';
185       }
186     }
187     echo '</ul>';
188 ?>
```

Listing 38: OSA Coordinator: searchUser.php

```
 1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
 2 <html xmlns="http://www.w3.org/1999/xhtml">
 3 <head>
 4 <title>OCSO | Search</title>
 5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
 6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
 7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
 8 <link href="<?php echo base_url(); ?>css/styles.css" rel="stylesheet" type="text/css" />
 9
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/showdivs.js"></script>
16 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.9.1.js"></script>
17 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.ui.js"></script>
18 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.ui.1.10.4.js"></script>
19 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.quick.pagination.min.js
       "></script>
20 <script type="text/javascript" src="<?php echo base_url(); ?>js/validateForm.js"></script>
21
22 <script>
23   var availableCourses = ['BA Organizational Communication', 'BA Philippine Arts', 'BA Social
         Sciences (Area Studies)', 'BA Development Studies', 'BA Political Science', 'BA
         Behavioral Sciences', 'BS Applied Physics', 'BS Applied Physics', 'BS Biochemistry', 'BS
          Computer Science', 'BS Biology', 'BS Nursing', 'Integrated Liberal Arts and Medicine',
         'BS Occupational Therapy', 'BS Physical Therapy', 'BS Speech Pathology', 'Doctor of
         Dental Medicine', 'BS Pharmacy', 'BS Industrial Pharmacy', 'BS Public Health'];
24
25   (function($) {
26     $(document).ready(function(){
27       $( "#selectedCourse" ).autocomplete({
28         source: availableCourses
29       });
30     });
31   })(jQuery);
32 </script>
33
34 <script type="text/javascript">
35 <!--
36 // from http://www.bobbyvandersluis.com/articles/unobtrusive_dynamic_select/
37 // by Bobby van der Sluis
38
39
40 function dynamicSelect(id1, id2) {
41   // Browser and feature tests to see if there is enough W3C DOM support
42   var agt = navigator.userAgent.toLowerCase();
43   var is_ie = ((agt.indexOf("msie") != -1) && (agt.indexOf("opera") == -1));
44   var is_mac = (agt.indexOf("mac") != -1);
45   if (!(is_ie && is_mac) && document.getElementById && document.getElementsByTagName) {
46     // Obtain references to both select boxes
47     var sel1 = document.getElementById(id1);
48     var sel2 = document.getElementById(id2);
```

```
49      // Clone the dynamic select box
50      var clone = sel2.cloneNode(true);
51      // Obtain references to all cloned options
52      var clonedOptions = clone.getElementsByTagName("option");
53      // Onload init: call a generic function to display the related options in the dynamic
            select box
54      refreshDynamicSelectOptions(sel1, sel2, clonedOptions);
55      // Onchange of the main select box: call a generic function to display the related options
            in the dynamic select box
56      sel1.onchange = function() {
57        refreshDynamicSelectOptions(sel1, sel2, clonedOptions);
58      };
59    }
60  }
61  function refreshDynamicSelectOptions(sel1, sel2, clonedOptions) {
62    // Delete all options of the dynamic select box
63    while (sel2.options.length) {
64      sel2.remove(0);
65    }
66    // Create regular expression objects for "select" and the value of the selected option of
          the main select box as class names
67    var pattern1 = /( |^)(select)( |$)/;
68    var pattern2 = new RegExp("( |^)(" + sel1.options[sel1.selectedIndex].value + ")( |$)");
69    // Iterate through all cloned options
70    for (var i = 0; i < clonedOptions.length; i++) {
71      // If the classname of a cloned option either equals "select" or equals the value of the
            selected option of the main select box
72      if (clonedOptions[i].className.match(pattern1) || clonedOptions[i].className.match(
            pattern2)) {
73        // Clone the option from the hidden option pool and append it to the dynamic select box
74        sel2.appendChild(clonedOptions[i].cloneNode(true));
75      }
76    }
77  }
78
79  //-->
80
81  </script>
82  <script type='text/javascript'>
83  <!--
84   window.onload = function() {
85    dynamicSelect('searchStudentBy', 'selectedOption');
86  }
87  //-->
88  </script>
89  <script type="text/javascript">
90    (function($) {
91      $(document).ready(function() {
92          $("ul.pagination3").quickPagination({pageSize:"5"});
93      });
94    })(jQuery);
95  </script>
96  </head>
97  <body>
98  <div class="main">
99   <?php include('header.php'); ?>
100   <div class="content">
101     <div class="content_resize">
102       <div class="mainbar">
103         <div class="article">
104          <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                padding: 5px;">Search User</div></h1>
105       <form name="viewListForm" method="post" action="searchUser">
106        <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
               EBE4E5; padding: 10px; width: 625px;">
107         <div style="border: 2px solid #7B1113; padding: 4px;">
108           <table width="620px" style="text-align:center;">
109           <tr>
110             <td>
111               <select name="selectedUserType" id="selectedUserTypeID" onchange="
                      showHiddenField()">
112                 <option value="">Select User Type (Required)</option>
113                 <option value="Student" <?php if($_SESSION['viewUser'] != 'none' && $_SESSION[
                        'selectedUserType']=='Student') echo 'selected'; ?>>Student</option>
114                 <option value="OSS Coordinator" <?php if($_SESSION['viewUser'] != 'none' &&
                        $_SESSION['selectedUserType']=='OSS Coordinator') echo 'selected'; ?>>OSS
                        Coordinator</option>
115                 <option value="Student Organization" <?php if($_SESSION['viewUser'] != 'none'
                        && $_SESSION['selectedUserType']=='Student Organization') echo 'selected';
                         ?>>Student Organization</option>
116                 <option value="Student Organization Admin" <?php if($_SESSION['viewUser'] != '
                        none' && $_SESSION['selectedUserType']=='Student Organization Admin')
117                 echo 'selected'; ?>>Student Organization Admin</option>
118               </select>
119             </td>
120             <td>
121               <span id='searchCoorHiddenField' style='<?php if($_SESSION['viewUser'] != 'none'
                      && $_SESSION['selectedUserType']=='OSS Coordinator'){ echo 'display:block'
                      ;}
122                 else{ echo 'display:none'; } ?>'>
123                 <select name="selectedCoorCollege" id="selectedCoorCollegeID">
124                   <option value="">Select College</option>
125                   <option value="College of Arts and Sciences" <?php if($_SESSION['viewUser']
                          != 'none' && $_SESSION['selectedUserType']=='OSS Coordinator' &&
126                   $_SESSION['selectedCoorCollege'] == 'College of Arts and Sciences') echo '
                          selected'; ?>>College of Arts and Sciences</option>
127                   <option value="College of Dentistry" <?php if($_SESSION['viewUser'] != 'none
                          ' && $_SESSION['selectedUserType']=='OSS Coordinator' &&
128                   $_SESSION['selectedCoorCollege'] == 'College of Dentistry') echo 'selected';
```

```
                    ?>>College of Dentistry</option>
129                 <option value="College of Nursing" <?php if($_SESSION['viewUser'] != 'none'
                        && $_SESSION['selectedUserType']=='OSS Coordinator' &&
130                 $_SESSION['selectedCoorCollege'] == 'College of Nursing') echo 'selected';
                        ?>>College of Nursing</option>
131                 <option value="College of Public Health" <?php if($_SESSION['viewUser'] != '
                        none' && $_SESSION['selectedUserType']=='OSS Coordinator' &&
132                 $_SESSION['selectedCoorCollege'] == 'College of Public Health') echo '
                        selected'; ?>>College of Public Health</option>
133                 <option value="College of Medicine" <?php if($_SESSION['viewUser'] != 'none'
                        && $_SESSION['selectedUserType']=='OSS Coordinator' &&
134                 $_SESSION['selectedCoorCollege'] == 'College of Medicine') echo 'selected';
                        ?>>College of Medicine</option>
135                 <option value="College of Pharmacy" <?php if($_SESSION['viewUser'] != 'none'
                        && $_SESSION['selectedUserType']=='OSS Coordinator' &&
136                 $_SESSION['selectedCoorCollege'] == 'College of Pharmacy') echo 'selected';
                        ?>>College of Pharmacy</option>
137                 <option value="College of Allied Medical Professions" <?php if($_SESSION['
                        viewUser'] != 'none' && $_SESSION['selectedUserType']=='OSS Coordinator'
                        &&
138                 $_SESSION['selectedCoorCollege'] == 'College of Allied Medical Professions')
                        echo 'selected'; ?>>College of Allied Medical Professions</option>
139               </select>
140             </span>
141           </td>
142         </tr>
143         <tr>
144           <td>
145             <span id='searchStudentHiddenField' style='<?php if($_SESSION['viewUser'] != '
                      none' && $_SESSION['selectedUserType']=='Student'){ echo 'display:block';}
146             else{ echo 'display:none'; } ?>'>
147               SEARCH BY:
148               <select name="searchStudentBy" id="searchStudentBy">
149                 <option value="">Select one...</option>
150                 <option value="Year" <?php if($_SESSION['viewUser'] != 'none' && $_SESSION['
                        selectedUserType']=='Student' && $_SESSION['searchStudentBy'] == 'Year')
                        echo 'selected';?>>Year</option>
151                 <option value="Course" <?php if($_SESSION['viewUser'] != 'none' && $_SESSION
                        ['selectedUserType']=='Student' && $_SESSION['searchStudentBy'] == '
                        Course') echo 'selected';?>>Course</option>
152                 <option value="Student Organization" <?php if($_SESSION['viewUser'] != 'none
                        ' && $_SESSION['selectedUserType']=='Student' && $_SESSION['
                        searchStudentBy'] == 'Student Organization') echo 'selected';?>>Student
                        Organization</option>
153               </select>
154                  
155               <select name="selectedOption" id="selectedOption">
156                 <option class="" value="">-----</option>
157                 <option class="Year" value="">Select Year...</option>
158                 <option class="Year" value="I" <?php if($_SESSION['viewUser'] != 'none' &&
                        $_SESSION['selectedUserType']=='Student' && $_SESSION['selectedOption']
                        == 'I') echo 'selected';?>>I</option>
159                 <option class="Year" value="II" <?php if($_SESSION['viewUser'] != 'none' &&
                        $_SESSION['selectedUserType']=='Student' && $_SESSION['selectedOption']
                        == 'II') echo 'selected';?>>II</option>
160                 <option class="Year" value="III" <?php if($_SESSION['viewUser'] != 'none' &&
                         $_SESSION['selectedUserType']=='Student' && $_SESSION['selectedOption']
                         == 'III') echo 'selected';?>>III</option>
161                 <option class="Year" value="IV" <?php if($_SESSION['viewUser'] != 'none' &&
                        $_SESSION['selectedUserType']=='Student' && $_SESSION['selectedOption']
                        == 'IV') echo 'selected';?>>IV</option>
162                 <option class="Year" value="V" <?php if($_SESSION['viewUser'] != 'none' &&
                        $_SESSION['selectedUserType']=='Student' && $_SESSION['selectedOption']
                        == 'V') echo 'selected';?>>V</option>
163                 <option class="Year" value="NA" <?php if($_SESSION['viewUser'] != 'none' &&
                        $_SESSION['selectedUserType']=='Student' && $_SESSION['selectedOption']
                        == 'NA') echo 'selected';?>>Alumni</option>
164                 <option class="Course" value="">Select Course...</option>
165                 <option class="Course" value="BA Organizational Communication" <?php if(
                        $_SESSION['viewUser'] != 'none' && $_SESSION['selectedUserType']=='
                        Student' && $_SESSION['selectedOption'] == 'BA Organizational
                        Communication') echo 'selected';?>>BA Organizational Communication</
                        option>
166                 <option class="Course" value="BA Philippine Arts" <?php if($_SESSION['
                        viewUser'] != 'none' && $_SESSION['selectedUserType']=='Student' &&
                        $_SESSION['selectedOption'] == 'BA Philippine Arts') echo 'selected';?>
                        BA Philippine Arts</option>
167                 <option class="Course" value="BA Social Sciences (Area Studies)" <?php if(
                        $_SESSION['viewUser'] != 'none' && $_SESSION['selectedUserType']=='
                        Student' && $_SESSION['selectedOption'] == 'BA Social Sciences (Area
                        Studies)') echo 'selected';?>>BA Social Sciences (Area Studies)</option>
168                 <option class="Course" value="BA Development Studies" <?php if($_SESSION['
                        viewUser'] != 'none' && $_SESSION['selectedUserType']=='Student' &&
                        $_SESSION['selectedOption'] == 'BA Social Sciences (Area Studies)') echo
                         'selected';?>>BA Development Studies</option>
169                 <option class="Course" value="BA Political Science" <?php if($_SESSION['
                        viewUser'] != 'none' && $_SESSION['selectedUserType']=='Student' &&
                        $_SESSION['selectedOption'] == 'BA Political Science') echo 'selected'
                        ;?>>BA Political Science</option>
170                 <option class="Course" value="BA Behavioral Sciences" <?php if($_SESSION['
                        viewUser'] != 'none' && $_SESSION['selectedUserType']=='Student' &&
                        $_SESSION['selectedOption'] == 'BA Behavioral Sciences') echo 'selected'
                        ;?>>BA Behavioral Sciences</option>
171                 <option class="Course" value="BS Applied Physics" <?php if($_SESSION['
                        viewUser'] != 'none' && $_SESSION['selectedUserType']=='Student' &&
                        $_SESSION['selectedOption'] == 'BS Applied Physics') echo 'selected';?>>
                        BS Applied Physics</option>
172                 <option class="Course" value="BS Biochemistry" <?php if($_SESSION['viewUser'
                        ] != 'none' && $_SESSION['selectedUserType']=='Student' && $_SESSION['
```

```
                    selectedOption'] == 'BS Biochemistry') echo 'selected';?>>BS
                    Biochemistry</option>
173                 <option class="Course" value="BS Computer Science" <?php if($_SESSION['
                    viewUser'] != 'none' && $_SESSION['selectedUserType']=='Student' &&
                    $_SESSION['selectedOption'] == 'BS Computer Science') echo 'selected'
                    ;?>>BS Computer Science</option>
174                 <option class="Course" value="BS Biology" <?php if($_SESSION['viewUser'] !=
                    'none' && $_SESSION['selectedUserType']=='Student' && $_SESSION['
                    selectedOption'] == 'BS Biology') echo 'selected';?>>BS Biology</option>
175                 <option class="Course" value="BS Nursing" <?php if($_SESSION['viewUser'] !=
                    'none' && $_SESSION['selectedUserType']=='Student' && $_SESSION['
                    selectedOption'] == 'BS Nursing') echo 'selected';?>>BS Nursing</option>
176                 <option class="Course" value="Integrated Liberal Arts and Medicine" <?php if
                    ($_SESSION['viewUser'] != 'none' && $_SESSION['selectedUserType']=='
                    Student' && $_SESSION['selectedOption'] == 'Integrated Liberal Arts and
                    Medicine') echo 'selected';?>>Integrated Liberal Arts and Medicine</
                    option>
177                 <option class="Course" value="BS Occupational Therapy" <?php if($_SESSION['
                    viewUser'] != 'none' && $_SESSION['selectedUserType']=='Student' &&
                    $_SESSION['selectedOption'] == 'BS Occupational Therapy') echo 'selected
                    ';?>>BS Occupational Therapy</option>
178                 <option class="Course" value="BS Physical Therapy" <?php if($_SESSION['
                    viewUser'] != 'none' && $_SESSION['selectedUserType']=='Student' &&
                    $_SESSION['selectedOption'] == 'BS Physical Therapy') echo 'selected'
                    ;?>>BS Physical Therapy</option>
179                 <option class="Course" value="BS Speech Pathology" <?php if($_SESSION['
                    viewUser'] != 'none' && $_SESSION['selectedUserType']=='Student' &&
                    $_SESSION['selectedOption'] == 'BS Speech Pathology') echo 'selected'
                    ;?>>BS Speech Pathology</option>
180                 <option class="Course" value="Doctor of Dental Medicine" <?php if($_SESSION[
                    'viewUser'] != 'none' && $_SESSION['selectedUserType']=='Student' &&
                    $_SESSION['selectedOption'] == 'Doctor of Dental Medicine') echo '
                    selected';?>>Doctor of Dental Medicine</option>
181                 <option class="Course" value="BS Pharmacy" <?php if($_SESSION['viewUser'] !=
                      'none' && $_SESSION['selectedUserType']=='Student' && $_SESSION['
                    selectedOption'] == 'BS Pharmacy') echo 'selected';?>>BS Pharmacy</
                    option>
182                 <option class="Course" value="BS Industrial Pharmacy" <?php if($_SESSION['
                    viewUser'] != 'none' && $_SESSION['selectedUserType']=='Student' &&
                    $_SESSION['selectedOption'] == 'BS Industrial Pharmacy') echo 'selected'
                    ;?>>BS Industrial Pharmacy</option>
183                 <option class="Course" value="BS Public Health" <?php if($_SESSION['viewUser
                    '] != 'none' && $_SESSION['selectedUserType']=='Student' && $_SESSION['
                    selectedOption'] == 'BS Public Health') echo 'selected';?>>BS Public
                    Health</option>
184                 <option class="Student Organization" value="">Select Student Organization
                    ...</option>
185                 <?php
186                   for($i=0; $i<$_SESSION['adminOrgCtr']; $i++){
187                     echo '<option class="Student Organization" value="'.$_SESSION['
                          adminOrgList'][$i].'"';
188                     if($_SESSION['viewUser'] != 'none' && $_SESSION['selectedUserType']=='
                          Student' && $_SESSION['selectedOption'] == $_SESSION['adminOrgList'
                          ][$i]) echo 'selected';
189                     echo '>'.$_SESSION['adminOrgList'][$i].'</option>';
190                   }
191                 ?>
192               </select>
193             </span>
194           </td>
195         </tr>
196         <tr>
197           <td>
198             <span id='searchOrgOfAdminHiddenField' style='<?php if($_SESSION['viewUser'] !=
                      'none' && $_SESSION['selectedUserType']=='Student Organization Admin'){ echo
                      'display:block';}
199               else{ echo 'display:none'; } ?>'>
200               <select name="selectedOrgOfAdmin" id="selectedOrgOfAdminID">
201                 <option value="">Select Student Organization</option>
202                 <?php
203                   for($i=0; $i<$_SESSION['adminOrgCtr']; $i++){
204                     echo '<option value="'.$_SESSION['adminOrgList'][$i].'"';
205                     if($_SESSION['viewUser'] != 'none' && $_SESSION['selectedUserType']=='
                          Student Organization Admin' && $_SESSION['selectedOrgOfAdmin'] ==
                          $_SESSION['adminOrgList'][$i]) echo 'selected';
206                     echo '>'.$_SESSION['adminOrgList'][$i].'</option>';
207                   }
208                 ?>
209               </select>
210             </span>
211           </td>
212         </tr>
213         <tr>
214           <td colspan="2" style="font-weight: bold;">
215             <span id='studentHiddenLabel' style='<?php if($_SESSION['viewUser'] != 'none' &&
                      $_SESSION['selectedUserType']=='Student'){ echo 'display:block';}
216               else{ echo 'display:none'; } ?>'>TYPE <font color="#014421"><u>NAME</u></font>
                    OF STUDENT:</span>
217             <span id='coorHiddenLabel' style='<?php if($_SESSION['viewUser'] != 'none' &&
                    $_SESSION['selectedUserType']=='OSS Coordinator'){ echo 'display:block';}
218               else{ echo 'display:none'; } ?>'>TYPE <font color="#014421"><u>NAME</u></font>
                    OF COORDINATOR:</span>
219             <span id='orgOfAdminHiddenLabel' style='<?php if($_SESSION['viewUser'] != 'none'
                      && $_SESSION['selectedUserType']=='Student Organization Admin'){ echo '
                      display:block';}
220               else{ echo 'display:none'; } ?>'>TYPE <font color="#014421"><u>NAME</u></font>
                    OF STUDENT ORG ADMIN:</span>
221             <span id='orgHiddenLabel' style='<?php if($_SESSION['viewUser'] != 'none' &&
                    $_SESSION['selectedUserType']=='Student Organization'){ echo 'display:block'
```

```
                ;}
222             else{ echo 'display:none'; } ?>'>TYPE <font color="#014421"><u>NAME/ACRONYM</u
                    ></font> OF STUDENT ORGANIZATION:</span>
223             <span id='hiddenSearchField' style='<?php if($_SESSION['viewUser'] != 'none'){
                    echo 'display:block';}
224             else{ echo 'display:none'; } ?>'>
225               <input type="text" name="nameToSearch" size="25" value="<?php if($_SESSION['
                      viewUser'] != 'none') echo $_SESSION['nameToSearch'];?>"><br>
226               <input type="submit" name="Submit" value="Submit" onSubmit ="return
                      validateForm();">
227             </span>
228           </td>
229         </tr>
230       </table>
231     </div>
232   </div>
233   </form>
234     </div>
235 <?php
236 if($_SESSION['viewUser']!='none'){
237 echo '<div class="article">
238   <h2><span>Search Results </span></h2>
239   <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
        EBE4E5; padding: 10px; width: 625px;">
240     <div style="border: 2px solid #7B1113; padding: 4px;">';
241       if ($_SESSION['viewUser'] == 'Student' && $_SESSION['studCtr'] > 0){
242           echo '<table width="615px" style="text-align:center;"><tr>
243               <th class="listHeader" width="25px">
244               <th class="listHeader" width="130px">STUDENT NO.
245               <th class="listHeader" width="245px">NAME
246               <th class="listHeader" width="80px">YEAR
247               <th class="listHeader">STATUS
248               </tr></table>';
249           echo '<ul class="pagination3">';
250           for($i=0; $i < $_SESSION['studCtr']; $i++){
251             if($i%2==0){
252               echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600
                      px" style="text-align:center;"><tr>';
253             }
254             else{
255               echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600
                      px" style="text-align:center;"><tr>';
256             }
257             echo '<td width="20px" align="left">'.($i+1).'</td>
258             <td width="120px">'.$_SESSION['studListID'][$i].'</td>
259             <td class="profileLink" width="250px"><form name="viewUserProfileForm'.$i.'"
                    method="post" action="viewUserProfile">
260               <input type="hidden" name="userToView" value="'.$_SESSION['studListID'][$i].
                      '">
261               <a href="#" onclick="document.viewUserProfileForm'.$i.'.submit();">'.
                      $_SESSION['studListFName'][$i].' '.$_SESSION['studListLName'][$i].'</a>
262               </form>
263             </td>
264             <td width="80px">';
265               if($_SESSION['studListYear'][$i] == 'NA'){
266                 echo 'ALUMNI';
267               }
268               else{
269                 echo $_SESSION['studListYear'][$i];
270               }
271             echo '</td>
272             <td align="center">'.$_SESSION['studListStatus'][$i].'</td></tr></table></li>'
                    ;
273           }
274           echo '</ul>';
275       }
276       else if ($_SESSION['viewUser'] == 'OSS Coordinator' && $_SESSION['coorCtr'] > 0){
277         echo '<table width="615px" style="text-align:center;"><tr>
278                 <th class="listHeader" width="25px">
279                 <th class="listHeader" width="130px">EMPLOYEE ID
280                 <th class="listHeader" width="245px">NAME
281                 <th class="listHeader">STATUS
282                 <!--<th class="listHeader">ContactNo-->
283                 </tr>
284               </table>';
285         echo '<ul class="pagination3">';
286         for($i=0; $i < $_SESSION['coorCtr']; $i++){
287           if($i%2==0){
288             echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600px"
                      style="text-align:center;"><tr>';
289           }
290           else{
291             echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600px"
                      style="text-align:center;"><tr>';
292           }
293           echo '<td width="20px" align="left">'.($i+1).'</td>
294               <td width="120px">'.$_SESSION['coorListID'][$i].'</td>
295               <td class="profileLink" width="250px"><form name="viewUserProfileForm'.$i.'"
                      method="post" action="viewUserProfile">
296                 <input type="hidden" name="userToView" value="'.$_SESSION['coorListID'][$i
                        ].'">
297                 <a href="#" onclick="document.viewUserProfileForm'.$i.'.submit();">'.
                        $_SESSION['coorListFName'][$i].' '.$_SESSION['coorListLName'][$i].'</a
                        >
298               </form></td>
299           <td>'.$_SESSION['coorListStatus'][$i].'</td></tr></table></li>';
300         }
301         echo '</ul>';
302       }
```

```
303           else if ($_SESSION['viewUser'] == 'Student Organization' && $_SESSION['orgCtr'] > 0)
                 {
304             echo '<table width="615px" style="text-align:center;"><tr>
305                 <th class="listHeader" width="25px">
306                 <th class="listHeader" width="355px">NAME
307                 <th class="listHeader">STATUS
308                 </tr></table>';
309             echo '<ul class="pagination3">';
310             for($i=0; $i < $_SESSION['orgCtr']; $i++){
311               if($i%2==0){
312                 echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600px"
                        style="text-align:center;"><tr>';
313               }
314               else{
315                 echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600px"
                        style="text-align:center;"><tr>';
316               }
317               echo '<td width="20px">'.($i+1).'</td>
318                   <td class="profileLink" width="345px"><form name="viewUserProfileForm'.$i.'"
                          method="post" action="viewUserProfile">
319                     <input type="hidden" name="userToView" value="'.$_SESSION['orgListID'][$i
                            ].'">
320                   <a href="#" onclick="document.viewUserProfileForm'.$i.'.submit();">'.
                        $_SESSION['orgListName'][$i].'</form></td>
321                 <td>'.$_SESSION['orgListStatus'][$i].'</td></tr></table></li>';
322             }
323             echo '</ul>';
324           }
325           else if($_SESSION['viewUser'] == 'Student Organization Admin' && $_SESSION['adminCtr
                '] > 0){
326             echo '<table width="615px" style="text-align:center;"><tr>
327                 <th class="listHeader" width="25px">
328                 <th class="listHeader" width="130px">STUDENT NUMBER
329                 <th class="listHeader" width="245px">NAME
330                 <th class="listHeader" width="130">POSITION
331                 <th class="listHeader">STATUS
332                </tr></table>';
333             echo '<ul class="pagination3">';
334             for($i=0; $i < $_SESSION['adminCtr']; $i++){
335               if($i%2==0){
336                 echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600px"
                        style="text-align:center;"><tr>';
337               }
338               else{
339                 echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600px"
                        style="text-align:center;"><tr>';
340               }
341               echo '<td width="20px">'.($i+1).'</td>
342                   <td width="120px">'.$_SESSION['adminListID'][$i].'</td>
343                   <td class="profileLink" width="250px"><form name="viewUserProfileForm'.$i.'"
                          method="post" action="viewUserProfile">
344                     <input type="hidden" name="userToView" value="'.$_SESSION['adminListID'][
                            $i].'">
345                     <input type="hidden" name="orgOfAdminToView" value="'.$_SESSION['
                          selectedOrgOfAdmin'].'">
346                   <a href="#" onclick="document.viewUserProfileForm'.$i.'.submit();">'.
                        $_SESSION['adminListFName'][$i].' '.$_SESSION['adminListLName'][$i].
347                   '</a></form></td>
348                   <td width="120px">'.$_SESSION['adminListPosition'][$i].'</td>
349                   <td>'.$_SESSION['adminListStatus'][$i].'</td></tr></table></li>';
350             }
351             echo '</ul>';
352           }
353           else{
354             echo '<table width="615px" style="text-align:center;"><tr style="background-color:
                    #D6D2D3; color: #000;"><td class="courseList">NO RESULTS FOUND</td></tr></
                  table>';
355           }
356           echo '<div class="clr"></div>
357       </ul></table>
358        </div></div></div>';
359        }
360       ?>
361        </div>
362        <div class="sidebar">
363          <div class="gadget">
364            <h2 class="star">
365        <?php
366          if($_SESSION["loggedin"]){
367          echo 'Menu';
368          }
369         else
370          echo 'Log-in';
371        ?>
372        </h2>
373            <div class="clr"></div>
374              <?php
375          if($_SESSION["loggedin"]){
376          include('rightmenu.php');
377          }
378         else
379          include('login.php');
380
381        ?>
382          </div>
383          <div class="gadget">
384        <?php
385          if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
386            echo '<h2 class="star"><span>Student Orgs</span></h2>
```

```
387           <div class="clr"></div>';
388         include('studentOrgMenu.php');
389       }
390       ?>
391         </div>
392         <div class="gadget">
393       <?php
394       if($_SESSION["loggedin"]){
395         echo '<h2 class="star"><span>Notifications</span></h2>
396           <div class="clr"></div>';
397           include('notifBar.php');
398       }
399       ?>
400         </div>
401       </div>
402       <div class="clr"></div>
403     </div>
404   </div>
405     <?php include('footer.php'); ?>
406 </div>
407 </body>
408 </html>
```

Listing 39: OSS Coordinator: searchUser.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | Search</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <link href="<?php echo base_url(); ?>css/styles.css" rel="stylesheet" type="text/css" />
9
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/showdivs.js"></script>
16 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.quick.pagination.min.js
       "></script>
17
18 <script type="text/javascript">
19   (function($) {
20     $(document).ready(function() {
21        $("ul.pagination3").quickPagination({pageSize:"5"});
22     });
23   })(jQuery);
24 </script>
25
26 </head>
27 <body>
28 <div class="main">
29  <?php include('header.php'); ?>
30   <div class="content">
31     <div class="content_resize">
32       <div class="mainbar">
33         <div class="article">
34          <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                padding: 5px;">Search User</div></h1>
35       <form name="viewListForm" method="post" action="searchUser">
36       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
37       <div style="border: 2px solid #7B1113; padding: 4px;">
38       <table width="620px" style="text-align:center;">
39         <tr>
40           <td>
41             <select name="selectedUserType" id="selectedUserTypeID" onchange="showHiddenField
                   ()">
42               <option value="">Select User Type (Required)</option>
43               <option value="Student Organization" <?php if($_SESSION['viewUser'] != 'none' &&
                       $_SESSION['selectedUserType']=='Student Organization') echo 'selected'; ?>>
                       Student Organization</option>
44               <option value="Student Organization Admin" <?php if($_SESSION['viewUser'] != '
                       none' && $_SESSION['selectedUserType']=='Student Organization Admin')
45               echo 'selected'; ?>>Student Organization Admin</option>
46             </select>
47           </td>
48           <td>
49             <span id='searchStudentHiddenField' style='<?php if($_SESSION['viewUser'] != 'none
                   ' && $_SESSION['selectedUserType']=='Student'){ echo 'display:block';}
50             else{ echo 'display:none'; } ?>'>
51             </span>
52             <span id='searchCoorHiddenField' style='<?php if($_SESSION['viewUser'] != 'none'
                   && $_SESSION['selectedUserType']=='OSS Coordinator'){ echo 'display:block';}
53             else{ echo 'display:none'; } ?>'>
54             </span>
55           </td>
56         </tr>
57         <tr>
58           <td>
59             <span id='searchOrgOfAdminHiddenField' style='<?php if($_SESSION['viewUser'] != '
                   none' && $_SESSION['selectedUserType']=='Student Organization Admin'){ echo '
                   display:block';}
60             else{ echo 'display:none'; } ?>'>
```

```
61                <select name="selectedOrgOfAdmin" id="selectedOrgOfAdminID">
62                  <option value="">Select Student Organization</option>
63                  <?php
64                    for($i=0; $i<$_SESSION['adminOrgCtr']; $i++){
65                      echo '<option value="'.$_SESSION['adminOrgList'][$i].'"';
66                      if($_SESSION['viewUser'] != 'none' && $_SESSION['selectedUserType']=='
                            Student Organization Admin' && $_SESSION['selectedOrgOfAdmin'] ==
                            $_SESSION['adminOrgList'][$i]) echo 'selected';
67                      echo '>'.$_SESSION['adminOrgList'][$i].'</option>';
68                    }
69                  ?>
70                </select>
71              </span>
72            </td>
73          </tr>
74          <tr>
75            <td colspan="2">
76              <span id='studentHiddenLabel' style='<?php if($_SESSION['viewUser'] != 'none' &&
                    $_SESSION['selectedUserType']=='Student'){ echo 'display:block';}
77              else{ echo 'display:none'; } ?>'></span>
78              <span id='coorHiddenLabel' style='<?php if($_SESSION['viewUser'] != 'none' &&
                    $_SESSION['selectedUserType']=='OSS Coordinator'){ echo 'display:block';}
79              else{ echo 'display:none'; } ?>'></span>
80              <span id='orgOfAdminHiddenLabel' style='<?php if($_SESSION['viewUser'] != 'none'
                    && $_SESSION['selectedUserType']=='Student Organization Admin'){ echo 'display
                    :block';}
81              else{ echo 'display:none'; } ?>'>TYPE <font color="#014421"><u>NAME</u></font> OF
                    STUDENT ORGANIZATION ADMINISTRATOR:</span>
82              <span id='orgHiddenLabel' style='<?php if($_SESSION['viewUser'] != 'none' &&
                    $_SESSION['selectedUserType']=='Student Organization'){ echo 'display:block';}
83              else{ echo 'display:none'; } ?>'>TYPE <font color="#014421"><u>NAME/ACRONYM</u></
                    font> OF STUDENT ORGANIZATION:</span>
84              <span id='hiddenSearchField' style='<?php if($_SESSION['viewUser'] != 'none'){
                    echo 'display:block';}
85              else{ echo 'display:none'; } ?>'>
86                <input type="text" name="nameToSearch" size="25" value="<?php if($_SESSION['
                      viewUser'] != 'none') echo $_SESSION['nameToSearch'];?>"><br>
87                <input type="submit" name="Submit" value="Submit">
88              </span>
89            </td>
90          </tr>
91        </table>
92        </div>
93        </div>
94        </form>
95          </div>
96      <?php
97      if($_SESSION['viewUser']!='none'){
98      echo '<div class="article">
99        <h2><span>Search Results </span></h2>
100       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
              EBE4E5; padding: 10px; width: 625px;">
101         <div style="border: 2px solid #7B1113; padding: 4px;">';
102           if ($_SESSION['viewUser'] == 'Student Organization' && $_SESSION['orgCtr'] > 0){
103             echo '<table width="615px" style="text-align:center;"><tr>
104                 <th class="listHeader" width="25px">
105                 <th class="listHeader" width="355px">NAME
106                 <th class="listHeader">STATUS
107                 </tr></table>';
108             echo '<ul class="pagination3">';
109             for($i=0; $i < $_SESSION['orgCtr']; $i++){
110               if($i%2==0){
111                 echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600px"
                        style="text-align:center;"><tr>';
112               }
113               else{
114                 echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600px"
                        style="text-align:center;"><tr>';
115               }
116               echo '<td width="20px">'.($i+1).'</td>
117                   <td class="profileLink" width="345px"><form name="viewUserProfileForm'.$i.'"
                          method="post" action="viewUserProfile">
118                     <input type="hidden" name="userToView" value="'.$_SESSION['orgListID'][$i
                          ].'">
119                   <a href="#" onclick="document.viewUserProfileForm'.$i.'.submit();">'.
                        $_SESSION['orgListName'][$i].'</td>
120                 <td>'.$_SESSION['orgListStatus'][$i].'</td></tr></table></li>';
121             }
122             echo '</ul>';
123           }
124           else if($_SESSION['viewUser'] == 'Student Organization Admin' && $_SESSION['adminCtr
                  '] > 0){
125             echo '<table width="615px" style="text-align:center;"><tr>
126                 <th class="listHeader" width="130px">STUDENT NUMBER
127                 <th class="listHeader" width="245px">NAME
128                 <th class="listHeader" width="130px">POSITION
129               </tr></table>';
130             echo '<ul class="pagination3">';
131             for($i=0; $i < $_SESSION['adminCtr']; $i++){
132               if($i%2==0){
133                 echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600px"
                        style="text-align:center;"><tr>';
134               }
135               else{
136                 echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600px"
                        style="text-align:center;"><tr>';
137               }
138               echo '<td width="120px">'.$_SESSION['adminListID'][$i].'</td>
139                   <td class="profileLink" width="250px"><form name="viewUserProfileForm'.$i.'"
```

```
                        method="post" action="viewUserProfile">
140                     <input type="hidden" name="userToView" value="'.$_SESSION['adminListID'][
                            $i].'">
141                     <input type="hidden" name="orgOfAdminToView" value="'.$_SESSION['
                            selectedOrgOfAdmin'].'">
142                   <a href="#" onclick="document.viewUserProfileForm'.$i.'.submit();">'.
                          $_SESSION['adminListFName'][$i].' '.$_SESSION['adminListLName'][$i].
143                   '</a></form></td>
144                   <td width="120px">'.$_SESSION['adminListPosition'][$i].'</td></tr></table></
                          li>';
145             }
146             echo '</ul>';
147           }
148           else{
149             echo '<tr style="background-color: #D6D2D3; color: #000;"><td class="courseList">
                      NO RESULTS FOUND</td></tr>';
150           }
151           echo '<div class="clr"></div>
152       </div></div></div>';
153       }
154      ?>
155       </div>
156       <div class="sidebar">
157         <div class="gadget">
158           <h2 class="star">
159       <?php
160         if($_SESSION["loggedin"]){
161         echo 'Menu';
162         }
163        else
164         echo 'Log-in';
165       ?>
166       </h2>
167           <div class="clr"></div>
168             <?php
169         if($_SESSION["loggedin"]){
170         include('rightmenu.php');
171         }
172        else
173         include('login.php');
174
175       ?>
176         </div>
177         <div class="gadget">
178       <?php
179       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
180         echo '<h2 class="star"><span>Student Orgs</span></h2>
181           <div class="clr"></div>';
182         include('studentOrgMenu.php');
183       }
184       ?>
185         </div>
186         <div class="gadget">
187       <?php
188       if($_SESSION["loggedin"]){
189         echo '<h2 class="star"><span>Notifications</span></h2>
190           <div class="clr"></div>';
191           include('notifBar.php');
192       }
193       ?>
194         </div>
195       </div>
196       <div class="clr"></div>
197     </div>
198   </div>
199     <?php include('footer.php'); ?>
200 </div>
201 </body>
202 </html>
```

Listing 40: studentOrganization_page.php

```
 1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
 2 <html xmlns="http://www.w3.org/1999/xhtml">
 3 <head>
 4 <title>OCSO | Student Organizations</title>
 5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
 6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
 7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
 8 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
 9 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13
14 </head>
15 <body>
16 <div class="main">
17  <?php include('header.php'); ?>
18   <div class="content">
19     <div class="content_resize">
20       <div class="mainbar">
21     <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
           padding: 5px;">Accredited Student Organizations</div></h1>
22     <?php
23       if(!empty($results)){
```

```
24          foreach($results as $data) {
25            echo '<div class="article" style="text-align: justify; margin-top: 10px; background-
                   color: #EBE4E5; padding: 10px; width: 625px;">
26                 <div style="border: 2px solid #000;">
27                   <table cellpadding="5px" width="620px" align="center">
28                     <tr style="background-color: #014421; color: #FFF;" align="center">
29                       <td colspan="2"><h3 style="color: #FFF;">'.$data->STUDORG_NAME.'</h3></td>
30                     </tr>
31                     <tr>
32                       <td><img src="'.$data->STUDORG_PICTURE.'" width="100" height="100" align="
                             left" alt=""/></td>
33                       <td>A '.strtolower($data->STUDORG_TYPE);
34                       if($data->STUDORG_TYPE == 'COLLEGE-BASED'){
35                       echo ' ('.$data->STUDORG_COLLEGENAME.')';
36                       }
37                     echo ' student organization established on '.$data->STUDORG_FOUNDINGDATE.'.
                           '.$data->STUDORG_DESCRIPTION.'</td>
38                     </tr>
39                   </table>
40                 </div>
41                 </div><hr size="2" color="#d3d3d3" width="625px">';
42          }
43
44          echo '<center><font size="3" color="#7B1113">'.$links.'</font></center>';
45        }
46      ?>
47        </div>
48        <div class="sidebar">
49          <div class="gadget">
50            <h2 class="star">
51        <?php
52          if($_SESSION["loggedin"]){
53          echo 'Menu';
54          }
55         else
56          echo 'Log-in';
57        ?>
58        </h2>
59            <div class="clr"></div>
60              <?php
61          if($_SESSION["loggedin"]){
62          include('rightmenu.php');
63          }
64         else
65          include('login.php');
66
67        ?>
68          </div>
69         <div class="gadget">
70        <?php
71        if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
72          echo '<h2 class="star"><span>Student Orgs</span></h2>
73            <div class="clr"></div>';
74          include('studentOrgMenu.php');
75        }
76        ?>
77          </div>
78          <div class="gadget">
79        <?php
80        if($_SESSION["loggedin"]){
81          echo '<h2 class="star"><span>Notifications</span></h2>
82            <div class="clr"></div>';
83            include('notifBar.php');
84        }
85        ?>
86          </div>
87        </div>
88        <div class="clr"></div>
89      </div>
90    </div>
91     <?php include('footer.php'); ?>
92 </div>
93 </body>
94 </html>
```

Listing 41: studentOrgMenu.php

```
1 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.3.2.min.js"></script>
2 <script type="text/javascript" src="<?php echo base_url(); ?>js/animatedcollapse.js"></script>
3 <script type="text/javascript">
4
5 var studOrgCtr = <?php echo count($_SESSION['studOrgID']);?>;
6 var studOrgID = <?php echo json_encode($_SESSION['studOrgID']);?>;
7 var myOrgID = <?php if(isset($_SESSION['myOrgID'])){ echo json_encode($_SESSION['myOrgID']);}
      else{ echo 0;}?>;
8
9 for(var i=0; i<studOrgCtr; i++){
10   if(myOrgID == studOrgID[i]){
11       animatedcollapse.addDiv(studOrgID[i], 'fade=0, speed=400, group=studOrgs')
12     }
13     else{
14       animatedcollapse.addDiv(studOrgID[i], 'fade=0, speed=400, group=studOrgs, hide=1')
15     }
16 }
17
18 animatedcollapse.ontoggle=function($, divobj, state){ //fires each time a DIV is expanded/
       contracted
19 //$: Access to jQuery
```

```
20 //divobj: DOM reference to DIV being expanded/ collapsed. Use "divobj.id" to get its ID
21 //state: "block" or "none", depending on state
22 }
23
24 animatedcollapse.init()
25
26 </script>
27
28 <?php
29   $_SESSION['today'] = "";
30   header ("Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0");
31   header ("Pragma: no-cache");
32
33     if(count($_SESSION['studOrgID']) >0){
34     for($i=0; $i< count($_SESSION['studOrgID']); $i++){
35       echo '<div style="width: 210px; font-weight: bold;';
36         if(isset($_SESSION['myOrgID']) && $_SESSION['myOrgID'] == $_SESSION['studOrgID'][$i]){
37           echo 'background-color: #7B1113; padding: 3px; border: 2px solid #000;';
38         }
39         else{
40           echo 'background-color: #014421; padding: 3px; border: 2px solid #7B1113;';
41         }
42       echo '"><a href="#" rel="toggle['.$_SESSION['studOrgID'][$i].']" data-openimage="'.
             base_url().'images/collapse.png" data-closedimage="'.base_url().'images/expand.png"
             style="color: #FFF;">
43         <table>
44           <tr>
45             <td align="left"><img src="'.base_url().'images/collapse.png" border="0" align="
                   top"/></td>
46             <td align="center">'.$_SESSION['studOrgName'][$i].'</td>
47             </tr>
48         </table></a> <a href="javascript:animatedcollapse.show(/"'.$_SESSION['studOrgID'][$i].
             '/")"></a></div>';
49             echo '<div id="'.$_SESSION['studOrgID'][$i].'">';
50             echo '<ul id="nav" class="no_list_style">
51                 <li ';
52                 if(isset($_SESSION['myOrgID']) && $_SESSION['myOrgID'] == $_SESSION['studOrgID
                       '][$i] && strrchr($_SERVER["REQUEST_URI"], '/') == "/orgDashboard")
53                   echo 'style="background-color: #606362;"';
54                 echo '><a href="http://localhost/OCSO_v6/index.php/Home/getOrg?orgID='.
                       $_SESSION['studOrgID'][$i].'&activity=viewDashboard">Dashboard</a></li>';
55                 if($_SESSION['studOrgAdmin'][$i] == 'YES'){
56                   echo '<li ';
57                     if(isset($_SESSION['myOrgID']) && $_SESSION['myOrgID'] == $_SESSION['
                           studOrgID'][$i] && (strrchr($_SERVER["REQUEST_URI"], '/') == "/
                           editOrgProfile" || strrchr($_SERVER["REQUEST_URI"], '/') == "/
                           viewOrgProfile"))
58                       echo 'style="background-color: #606362;"';
59                     echo '><a href="http://localhost/OCSO_v6/index.php/Home/getOrg?orgID='.
                           $_SESSION['studOrgID'][$i].'&activity=viewOrgProfile">View/Edit
                           Student Org Profile</a>
60                   </li>
61                   <li ';
62                     if(isset($_SESSION['myOrgID']) && $_SESSION['myOrgID'] == $_SESSION['
                           studOrgID'][$i] && strrchr($_SERVER["REQUEST_URI"], '/') == "/
                           activateMemberSearch")
63                       echo 'style="background-color: #606362;"';
64                     echo '>
65                       <a href="http://localhost/OCSO_v6/index.php/Home/getOrg?orgID='.
                             $_SESSION['studOrgID'][$i].'&activity=activateMember">Activate/
                             Deactivate Members</a>
66                   </li>
67                   <li ';
68                     if(isset($_SESSION['myOrgID']) && $_SESSION['myOrgID'] == $_SESSION['
                           studOrgID'][$i] && strrchr($_SERVER["REQUEST_URI"], '/') == "/
                           addCreate")
69                       echo 'style="background-color: #606362;"';
70                     echo '>
71                       <a href="http://localhost/OCSO_v6/index.php/Home/getOrg?orgID='.
                             $_SESSION['studOrgID'][$i].'&activity=addCreate">Add/Create</a>
72                   </li>
73                   <li ';
74                     if(isset($_SESSION['myOrgID']) && $_SESSION['myOrgID'] == $_SESSION['
                           studOrgID'][$i] && strrchr($_SERVER["REQUEST_URI"], '/') == "/
                           viewEventsEnded")
75                       echo 'style="background-color: #606362;"';
76                     echo '>
77                       <a href="http://localhost/OCSO_v6/index.php/Home/getOrg?orgID='.
                             $_SESSION['studOrgID'][$i].'&activity=viewEventsEnded">View Events
                             Ended</a>
78                   </li>';
79                 }
80               echo "</ul></div>";
81     }
82   }
83   else{
84     echo '<div style="background-color: #D6D2D3; width:215px; padding: 3px; font-weight: bold
           ;" align="center">
85               <div style="border: 2px solid #BAB8B9; padding: 2px;">YOU HAVE NO STUDENT
                     ORGANIZATIONS.</div></div>';
86   }
87 ?>
```

Listing 42: studOrgRequest.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
```

```
 3 <head>
 4 <title>OCSO | Search</title>
 5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
 6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
 7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
 8 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
 9 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/showdivs.js"></script>
14 </head>
15 <body>
16 <div class="main">
17  <?php include('header.php'); ?>
18   <div class="content">
19     <div class="content_resize">
20       <div class="mainbar">
21         <div class="article">
22             <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF
                   ; padding: 5px;">Join A Student Organization</div></h1>
23       <form name="viewListForm" method="post" action="studOrgRequest">
24        <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
               EBE4E5; padding: 10px; width: 625px;">
25         <div style="border: 2px solid #7B1113; padding: 4px;">
26           <table width="620px" style="text-align:center;">
27           <?php
28           if(isset($_SESSION['requestSuccess'])){
29             if($_SESSION['requestSuccess']){
30               echo '<tr><td><h3>MEMBERSHIP REQUEST FOR '.strtoupper($_SESSION['chosenOrgName'
                       ]).' SUCCESSFULLY SENT!</h3></td></tr>';
31             }
32             else{
33               echo '<tr><td><h3>SENDING OF MEMBERSHIP REQUEST UNSUCCESSFUL.</h3></td></tr>';
34             }
35             unset($_SESSION['requestSuccess']);
36             unset($_SESSION['chosenOrgName']);
37           }
38         ?>
39           <tr>
40             <td>
41               <span>TYPE <font color="#014421"><u>NAME</u></font> OF STUDENT ORGANIZATION:</
                     span>
42               <br>
43               <span>
44                 <input type="text" name="orgToSearch" size="25" value="<?php if(isset(
                       $_SESSION['orgCheck'])) echo $_SESSION['orgToSearch'];?>"><br>
45                 <input type="submit" name="Submit" value="Submit">
46               </span>
47             </td>
48           </tr>
49           </table>
50         </div>
51       </div>
52       </form>
53         </div>
54     <?php
55     if(isset($_SESSION['orgCheck'])){
56     echo '<div class="article">
57       <h2><span>Search Results </span></h2>
58       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
59         <div style="border: 2px solid #7B1113; padding: 4px;">
60           <table width="615px" style="text-align:center;">';
61           if (count($_SESSION['orgReqID']) > 0){
62             echo '<tr>
63                 <th class="listHeader">NO.
64                 <th class="listHeader">NAME
65                 <th class="listHeader">
66                 </tr>';
67             for($i=0; $i < count($_SESSION['orgReqID']); $i++){
68               if($i%2==0){
69                 echo '<tr style="background-color: #D6D2D3; color: #000;">';
70               }
71               else{
72                 echo '<tr style="background-color: #ADA8A9; color: #000;">';
73               }
74               echo '<td>'.$_SESSION['orgReqID'][$i].'</td>
75                   <td><form name="viewUserProfileForm'.$i.'" method="post" action="
                         sendRequestToAdmin">
76                     <input type="hidden" name="orgToRequest" value="'.$_SESSION['orgReqID'][$i
                           ].'">'.$_SESSION['orgReqName'][$i].'</td>
77                   <td>';
78                   if($_SESSION['memberCheck'][$i] == 'NO'){
79                    echo '<input type="submit" name="submit" value="Join">';
80                   }
81                   else if($_SESSION['memberCheck'][$i] == 'SENT'){
82                   echo 'REQUEST SENT';
83                   }
84                   else if($_SESSION['memberCheck'][$i] == 'RENEW'){
85                   echo 'RENEW YOUR MEMBERSHIP';
86                   }
87                   else{
88                   echo 'ALREADY A MEMBER';
89                   }
90                  echo '</td></form></tr>';
91             }
92           }
```

```
93            else{
94              echo '<tr style="background-color: #FFF;"><td class="courseList">NO RESULTS FOUND
                    </td></tr>';
95            }
96            echo '<div class="clr"></div>
97        </table>
98        </div></div></div>';
99        }
100       unset($_SESSION['orgCheck']);
101     ?>
102       </div>
103       <div class="sidebar">
104         <div class="gadget">
105           <h2 class="star">
106       <?php
107         if($_SESSION["loggedin"]){
108         echo 'Menu';
109         }
110        else
111         echo 'Log-in';
112       ?>
113       </h2>
114           <div class="clr"></div>
115            <?php
116         if($_SESSION["loggedin"]){
117         include('rightmenu.php');
118         }
119        else
120         include('login.php');
121
122       ?>
123           </div>
124     <div class="gadget">
125       <?php
126       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
127         echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
                  >Student Organizations</span></h3>
128           <div class="clr"></div>';
129         include('studentOrgMenu.php');
130       }
131       ?>
132         </div>
133         <div class="gadget">
134       <?php
135       if($_SESSION["loggedin"]){
136         echo '<h2 class="star"><span>Notifications</span></h2>
137           <div class="clr"></div>';
138           include('notifBar.php');
139       }
140       ?>
141         </div>
142       </div>
143       <div class="clr"></div>
144     </div>
145   </div>
146    <?php include('footer.php'); ?>
147 </div>
148 </body>
149 </html>
```

Listing 43: studentTable.php

```
1  <?php
2    //session_start();
3  $filePath = 'C:\xampp\htdocs\OCSO_v6\uploads\\';
4  header('Content-type: application/octet-stream');
5  header('Content-Disposition: attachment; filename="list_of_recently_added_students.doc"');
6  readfile($filePath);
7
8  ?>
9
10 <html>
11 <head>
12 </head>
13 <body>
14   <table>
15     <tr>
16       <th> Student Number
17       <th> First Name
18       <th> Middle Name
19       <th> Last Name
20       <th> Year
21       <th> College
22       <th> Course
23       <th> Email
24       <th> Username
25       <th> Password
26     </tr>
27 <?php
28   for($i=0; $i<count($_SESSION['myData']); $i++){
29     echo '<tr>';
30     for($j=0; $j<count($_SESSION['myData'][$i]); $j++){
31       echo '<td>'.$_SESSION['myData'][$i][$j].'</td>';
32     }
33     echo '</tr>';
34   }
35 ?>
36   </table>
```

```
37 </body>
38 </html>
```

Listing 44: viewEvent.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
3 <head>
4 <title>OCSO | View Event</title>
5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8 <link href="<?php echo base_url(); ?>css/styles.css" rel="stylesheet" type="text/css" />
9 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.quick.pagination.min.js
      "></script>
15
16 <script>
17 function confirmReport()
18 {
19     if(confirm('Are you sure that you want to report this comment?'))
20         return true;
21     return false;
22 }
23
24   function submitForm(action)
25   {
26         document.getElementById('eventInviteForm').action = action;
27         document.getElementById('eventInviteForm').submit();
28     }
29
30   function enableButton()
31   {
32         document.getElementById('joinButton').disabled = false;
33         document.getElementById('declineButton').disabled = false;
34     }
35 </script>
36 <script type="text/javascript">
37   (function($) {
38     $(document).ready(function() {
39        $("ul.pagination3").quickPagination({pageSize:"5"});
40     });
41   })(jQuery);
42 </script>
43 </head>
44 <body>
45 <div class="main">
46   <?php include('header.php'); ?>
47   <div class="content">
48     <div class="content_resize">
49       <div class="mainbar">
50         <?php
51         echo '<div class="article" style="text-align: justify; margin-top: 10px; background-
              color: #EBE4E5; padding: 10px; width: 625px;">
52         <div style="border: 2px solid #000;">';
53         echo '<form name="eventInviteForm" id="eventInviteForm" method="post">';
54         for($i=0; $i<$_SESSION['eventCtr']; $i++){
55           if($_SESSION['eventID'][$i] == $_SESSION['viewEventID']){
56               echo '<table cellpadding="5px" width="620px" style="table-layout:fixed">';
57               echo '<tr style="background-color: #014421; color: #FFF;"><td colspan="2" align
                    ="center"><h3>'.strtoupper($_SESSION['eventTitle'][$i]).'</h3></td></tr>';
58               if($_SESSION['eventImage'][$i] != ''){
59                 echo '<tr><td colspan="2" align="center"><img src="'.$_SESSION['eventImage'][
                        $i].'" align="center" width="350" height="400" alt=""/></td></tr>';
60               }
61               echo '<tr><td style="background-color: #D6D2D3;" align="center">HOSTED BY </td><
                    td>'.$_SESSION['eventHost'][$i].'</td></tr>';
62               echo '<tr><td style="background-color: #D6D2D3;" align="center">START DATE </td
                    ><td>'.formatDate($_SESSION['eventStartDate'][$i]).'</td></tr>';
63               echo '<tr><td style="background-color: #D6D2D3;" align="center">END DATE </td><
                    td>'.formatDateOnly($_SESSION['eventEndDate'][$i]).'</td></tr>';
64               echo '<tr><td style="background-color: #D6D2D3;" align="center">VENUE </td><td>'
                    .$_SESSION['eventVenue'][$i].'</td></tr>';
65               echo '<tr><td style="background-color: #D6D2D3;" align="center">EVENT
                    DESCRIPTION </td><td style="word-wrap: break-word;">'.$_SESSION['
                    eventDescription'][$i].'</td></tr>';
66               if($_SESSION['loggedin'] && $_SESSION['role'] == 'student'){
67                 echo '<tr><td style="background-color: #D6D2D3;" align="center">YOU\'RE
                        INVITED</td>
68                 <td>';
69                 if($_SESSION['inviteStatus'] != 'INVITED'){
70                   if($_SESSION['inviteStatus'] == 'JOIN'){
71                     $str = $_SESSION['inviteStatus'].'ED';
72                   }
73                   else{
74                     $str = $_SESSION['inviteStatus'].'D JOINING';
75                   }
76                   echo 'YOU\'VE '.$str.' THE EVENT <br><input type="button" id="joinButton"
                          onclick="submitForm(\'joinEvent\')" value="Join" disabled />
77                   <input type="button" id="declineButton" onclick="submitForm(\'declineEvent
                          \')" value="Decline" disabled />
78                      <u><a href="#/" onclick="enableButton();">EDIT</a></u>';
```

```
79                  }
80                  else{
81                    echo '<input type="button" onclick="submitForm(\'joinEvent\')" value="Join"
                          />
82                    <input type="button" onclick="submitForm(\'declineEvent\')" value="Decline"
                          />';
83                  }
84
85                  echo '</td></tr>';
86                }
87                echo '<tr><td colspan="2" align="center"><a href="event" style="color: #7B1113
                      ;"><b><u>Back To Events</a></u></b></td></tr>';
88                echo '</table>';
89              }
90            }
91            echo '</form>';
92
93              echo '<form name="eventCommentForm" method="post" action="submitEventComment"><table
                     cellpadding="5px" width="620px" style="border: 0;">';
94              echo '<tr style="background-color: #D6D2D3;" align="center">
95                  <th colspan="2">COMMENTS
96                 </tr>';
97              if($_SESSION['eventCommentCtr'] > 0){
98                echo '<tr style="background-color: #D6D2D3;"><td colspan="2" style="word-wrap:
                       break-word">
99                <ul class="pagination3">';
100               for($i=0; $i<$_SESSION['eventCommentCtr']; $i++){
101                 echo '<li style="background-color: #ADA8A9;">
102                   <font color="#7B1113"><b>'.$_SESSION['eventCommentorArray'][$i].'</b> &#8226;'
                          .formatDate($_SESSION['eventCommentDateArray'][$i]);
103                   if($_SESSION['loggedin']){
104                     if(($_SESSION['role'] != 'OSA Coordinator') && ($_SESSION['role'] != 'OSS
                            Coordinator')){
105                       if($_SESSION['eventCommentorIDArray'][$i] != $_SESSION['userID']){
106                         if(isset($_SESSION['eventCommentReportedID']) && in_array($_SESSION['
                                eventCommentIDArray'][$i],$_SESSION['eventCommentReportedID'])){
107                           echo ' &#8226; Already Reported';
108                         }
109                         else{
110                           echo ' &#8226; <u><a href="reportEventComment?eventCommentIDToReport='
                                  .$_SESSION['eventCommentIDArray'][$i].'" style="color: #7B1113;"
                                  onclick="return confirmReport()">REPORT</a></u>';
111                         }
112                       }
113                     }
114                   }
115                   else{
116                     echo ' &#8226; <u><a href="reportEventComment?eventCommentIDToReport='.
                            $_SESSION['eventCommentIDArray'][$i].'" style="color: #7B1113;" onclick
                            ="return confirmReport()">REPORT</a></u>';
117                   }
118                 echo '</font><br>'.$_SESSION['eventCommentArray'][$i].'</li>';
119
120               }
121               echo '</ul></td></tr>';
122             }
123             if(isset($_SESSION['role']) && ($_SESSION['role'] != 'OSA Coordinator') && (
                    $_SESSION['role'] != 'OSS Coordinator')){
124               echo '<tr style="background-color: #D6D2D3;" align="center">
125                   <td><textarea name="eventComment" rows="2" cols="60" placeholder="Write a
                          comment..."></textarea></td>
126                   <td><input type="submit" name="submit" value="Submit"></td>
127                 </tr>';
128             }
129             else if(!isset($_SESSION['role'])){
130               echo '<tr style="background-color: #D6D2D3;" align="center">
131                   <td><textarea name="eventComment" rows="2" cols="60" placeholder="Write a
                          comment..."></textarea></td>
132                   <td><input type="submit" name="submit" value="Submit"></td>
133                 </tr>';
134             }
135             echo '</table></form>';
136       echo '</div></div>';
137     ?>
138       </div>
139       <div class="sidebar">
140         <div class="gadget">
141           <h2 class="star">
142       <?php
143         if($_SESSION["loggedin"]){
144         echo 'Menu';
145         }
146        else
147         echo 'Log-in';
148       ?>
149       </h2>
150           <div class="clr"></div>
151            <?php
152         if($_SESSION["loggedin"]){
153         include('rightmenu.php');
154         }
155        else
156         include('login.php');
157
158       ?>
159         </div>
160         <div class="gadget">
161       <?php
162       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
```

```
163         echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
                >Student Organizations</span></h3>
164           <div class="clr"></div>';
165         include('studentOrgMenu.php');
166       }
167       ?>
168         </div>
169         <div class="gadget">
170       <?php
171       if($_SESSION["loggedin"]){
172         echo '<h2 class="star"><span>Notifications</span></h2>
173           <div class="clr"></div>';
174           include('notifBar.php');
175       }
176       ?>
177         </div>
178       </div>
179       <div class="clr"></div>
180     </div>
181   </div>
182    <?php include('footer.php'); ?>
183 </div>
184 </body>
185 </html>
```

Listing 45: viewEventsEnded.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | View Event</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <link href="<?php echo base_url(); ?>css/styles.css" rel="stylesheet" type="text/css" />
9
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.quick.pagination.min.js
       "></script>
16
17 <script>
18 function myconfirm(name)
19 {
20     var message = 'Are you sure that you want to delete the "'+name+'" event?';
21     if(confirm(message)){
22         return true;
23     }
24     return false;
25 }
26
27   function submitForm(action)
28   {
29         document.getElementById('eventInviteForm').action = action;
30         document.getElementById('eventInviteForm').submit();
31     }
32
33   function enableButton()
34   {
35         document.getElementById('joinButton').disabled = false;
36         document.getElementById('declineButton').disabled = false;
37     }
38 </script>
39
40 <script type="text/javascript">
41   (function($) {
42     $(document).ready(function() {
43        $("ul.pagination3").quickPagination({pageSize:"5"});
44     });
45   })(jQuery);
46 </script>
47
48 </head>
49 <body>
50 <div class="main">
51   <?php include('header.php'); ?>
52   <div class="content">
53     <div class="content_resize">
54       <div class="mainbar">
55          <div class="article">
56          <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                padding: 5px;">Events Ended</div></h1>
57         </div>
58         <?php
59       if($_SESSION['eventsEndedCtr']>0){
60         echo '<div class="article" style="text-align: justify; margin-top: 10px; background-
               color: #EBE4E5; padding: 10px; width: 625px;">
61         <div style="border: 2px solid #000;">';
62         echo '<form name="eventInviteForm" id="eventInviteForm" method="post">';
63         echo '<table cellpadding="3px" width="620px">';
64         echo '<tr align="center">
65               <th class="listHeader" width="25px">
66               <th class="listHeader" width="245px">EVENT TITLE
```

```
67                <th class="listHeader" width="100px">TOTAL NO. OF INVITED
68                <th class="listHeader" width="100px">NO. OF PEOPLE WHO JOINED
69                <th class="listHeader">NO. OF PEOPLE WHO DECLINED
70              </tr></table>';
71          echo '<ul class="pagination3">';
72          for($i=0; $i<$_SESSION['eventsEndedCtr']; $i++){
73            if($i%2==0){
74              echo '<li style="background-color: #D6D2D3; color: #000;"><table width="600px"
                    style="text-align:center;"><tr>';
75            }
76            else{
77              echo '<li style="background-color: #ADA8A9; color: #000;"><table width="600px"
                    style="text-align:center;"><tr>';
78            }
79            echo '<td width="20px">'.($i+1).'</td>
80               <td width="250px">'.$_SESSION['eventsEndedName'][$i].'</td>
81               <td width="95px">'.$_SESSION['eventsEndedInvitedCount'][$i].'</td>
82               <td width="95px">'.$_SESSION['eventsEndedJoinedCount'][$i].'</td>
83               <td>'.$_SESSION['eventsEndedDeclinedCount'][$i].'<a href="getEventEndedIDToDelete
                      ?eventEndedIDToDelete='.$_SESSION['eventsEndedID'][$i].'" onclick="return
                      myconfirm(\''.$_SESSION['eventsEndedName'][$i].'\')" style="float:right;"><
                      font size="5px">&#215;</font>
84               </a></td>
85            </tr></table></li>';
86
87          }
88          echo '</form>';
89        echo '</div></div>';
90        }
91        else{
92          echo '<div class="article" style="text-align: center; border-top: 1px #000; margin-top
                : 10px; background-color: #EBE4E5; padding: 5px; width: 625px;"><div style="border
                : 2px solid #000;">';
93          echo '<b>THERE ARE NO EVENTS ENDED.</b></div></div>';
94        }
95      ?>
96        </div>
97        <div class="sidebar">
98          <div class="gadget">
99            <h2 class="star">
100       <?php
101         if($_SESSION["loggedin"]){
102         echo 'Menu';
103         }
104        else
105         echo 'Log-in';
106       ?>
107       </h2>
108           <div class="clr"></div>
109            <?php
110         if($_SESSION["loggedin"]){
111         include('rightmenu.php');
112         }
113        else
114         include('login.php');
115
116       ?>
117         </div>
118         <div class="gadget">
119       <?php
120       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
121         echo '<h2 class="star"><span>Student Orgs</span></h2>
122           <div class="clr"></div>';
123         include('studentOrgMenu.php');
124       }
125       ?>
126         </div>
127         <div class="gadget">
128       <?php
129       if($_SESSION["loggedin"]){
130         echo '<h2 class="star"><span>Notifications</span></h2>
131           <div class="clr"></div>';
132           include('notifBar.php');
133       }
134       ?>
135         </div>
136       </div>
137       <div class="clr"></div>
138     </div>
139   </div>
140     <?php include('footer.php'); ?>
141 </div>
142 </body>
143 </html>
```

Listing 46: OSA Coordinator: viewListOfUsers.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
3 <head>
4 <title>OCSO | View List</title>
5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
```

```
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/showdivs.js"></script>
14 </head>
15 <body>
16 <div class="main">
17  <?php include('header.php'); ?>
18   <div class="content">
19     <div class="content_resize">
20       <div class="mainbar">
21         <div class="article">
22           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                 padding: 5px;">List of Student Organization Administrators</div></h1>
23       <form name="viewListForm" method="post" action="viewListOfUsers">
24       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
25       <div style="border: 2px solid #7B1113; padding: 4px;">
26         <table width="620px" style="text-align:center;">
27         <tr>
28           <td>
29             <span>
30               <select name="viewListOrgOfAdmin" id="selectedOrgOfAdminID">
31                 <option value="">Select Student Organization</option>
32                 <?php
33                   for($i=0; $i<$_SESSION['adminOrgCtrVIEW']; $i++){
34                     echo '<option value="'.$_SESSION['adminOrgListVIEW'][$i].'"';
35                     if($_SESSION['viewListUser'] != 'none' && $_SESSION['viewListUserType']=='
                           Student Organization Admin' && $_SESSION['viewListOrgOfAdmin'] ==
                           $_SESSION['adminOrgListVIEW'][$i]) echo 'selected';
36                     echo '>'.$_SESSION['adminOrgListVIEW'][$i].'</option>';
37                   }
38                 ?>
39               </select>
40             </span>
41           </td>
42         </tr>
43         <tr>
44           <td colspan="2">
45             <input type="submit" name="Submit" value="Submit">
46           </td>
47         </tr>
48         </table>
49        </div>
50       </div>
51       </form>
52         </div>
53     <?php
54     if($_SESSION['viewListUser']!='none'){
55     echo '<br><div class="article">
56       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
57       <div style="border: 2px solid #7B1113; padding: 4px;">
58         <table width="615px" style="text-align:center;">';
59           if ($_SESSION['viewListUser'] == 'Student' && $_SESSION['studCtrVIEW'] > 0){
60               echo '<tr>
61                   <th class="listHeader">
62                   <th class="listHeader">Student No.
63                   <th class="listHeader">Name
64                   <th class="listHeader">Year
65                   </tr>';
66               for($i=0; $i < $_SESSION['studCtrVIEW']; $i++){
67                 if($i%2==0){
68                   echo '<tr style="background-color: #014421;">';
69                 }
70                 else{
71                   echo '<tr style="background-color: #FFF; color: #000;">';
72                 }
73                 echo '<td>'.($i+1).'</td>
74                 <td>'.$_SESSION['studListIDVIEW'][$i].'</td>
75                 <td>'.$_SESSION['studListFNameVIEW'][$i].' '.$_SESSION['studListLNameVIEW'][$i
                       ].'</td>
76                 <td>'.$_SESSION['studListYearVIEW'][$i].'</td></tr>';
77               }
78           }
79           else if ($_SESSION['viewListUser'] == 'OSS Coordinator' && $_SESSION['coorCtrVIEW']
                 > 0){
80             echo '<tr>
81                 <th class="listHeader">Employee ID
82                 <th class="listHeader">Name
83                 <th class="listHeader">College
84                 </tr>';
85             for($i=0; $i < $_SESSION['coorCtrVIEW']; $i++){
86               if($i%2==0){
87                 echo '<tr style="background-color: #014421;">';
88               }
89               else{
90                 echo '<tr style="background-color: #FFF; color: #000;">';
91               }
92               echo '<td>'.$_SESSION['coorListIDVIEW'][$i].'</td>
93                   <td>'.$_SESSION['coorListFNameVIEW'][$i].' '.$_SESSION['coorListLNameVIEW'][
                         $i].'</td>
94                   <td>'.$_SESSION['coorListCollegeVIEW'][$i].'</td></tr>';
95             }
96           }
97           else if ($_SESSION['viewListUser'] == 'Student Organization' && $_SESSION['
                 orgCtrVIEW'] > 0){
98             echo '<tr>
99                 <th class="listHeader">No.
```

```
100                 <th class="listHeader">Name
101                 <th class="listHeader">Description
102                 </tr>';
103               for($i=0; $i < $_SESSION['orgCtrVIEW']; $i++){
104                 if($i%2==0){
105                   echo '<tr style="background-color: #014421;">';
106                 }
107                 else{
108                   echo '<tr style="background-color: #FFF; color: #000;">';
109                 }
110                 echo '<td>'.$_SESSION['orgListIDVIEW'][$i].'</td>
111                     <td>'.$_SESSION['orgListNameVIEW'][$i].'</td>
112                    <td>'.$_SESSION['orgListDescVIEW'][$i].'</td></tr>';
113               }
114             }
115             else if($_SESSION['viewListUser'] == 'Student Organization Admin' && $_SESSION['
                    adminCtrVIEW'] > 0){
116               echo '<tr>
117                   <th class="listHeader">STUDENT NO.
118                   <th class="listHeader">NAME
119                   <th class="listHeader">POSITION
120                  </tr>';
121               for($i=0; $i < $_SESSION['adminCtrVIEW']; $i++){
122                 if($i%2==0){
123                   echo '<tr style="background-color: #D6D2D3; color: #000;">';
124                 }
125                 else{
126                   echo '<tr style="background-color: #ADA8A9; color: #000;">';
127                 }
128                 echo '<td>'.$_SESSION['adminListIDVIEW'][$i].'</td>
129                     <td>'.$_SESSION['adminListFNameVIEW'][$i].' '.$_SESSION['adminListLNameVIEW'
                            ][$i].'</td>
130                     <td>'.$_SESSION['adminListPositionVIEW'][$i].'</td></tr>';
131               }
132             }
133             else{
134               echo '<tr style="background-color: #D6D2D3; color: #000;"><td class="courseList">
                      NO RESULTS FOUND</td></tr>';
135             }
136             echo '<div class="clr"></div>
137         </table>
138         </div></div></div>';
139         }
140       ?>
141         </div>
142         <div class="sidebar">
143           <div class="gadget">
144             <h2 class="star">
145         <?php
146           if($_SESSION["loggedin"]){
147           echo 'Menu';
148           }
149          else
150           echo 'Log-in';
151         ?>
152         </h2>
153             <div class="clr"></div>
154              <?php
155           if($_SESSION["loggedin"]){
156           include('rightmenu.php');
157           }
158          else
159           include('login.php');
160
161         ?>
162           </div>
163          <div class="gadget">
164         <?php
165         if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
166           echo '<h2 class="star"><span>Student Orgs</span></h2>
167             <div class="clr"></div>';
168           include('studentOrgMenu.php');
169         }
170         ?>
171           </div>
172           <div class="gadget">
173         <?php
174         if($_SESSION["loggedin"]){
175           echo '<h2 class="star"><span>Notifications</span></h2>
176             <div class="clr"></div>';
177            include('notifBar.php');
178         }
179         ?>
180           </div>
181         </div>
182         <div class="clr"></div>
183       </div>
184     </div>
185      <?php include('footer.php'); ?>
186 </div>
187 </body>
188 </html>
```

Listing 47: OSS Coordinator: viewListOfUsers.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
<title>OCSO | View List</title>
<meta http-equiv="content-type" content="text/html; charset=utf-8" />
<link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-icon" />
<link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
<script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
<script type="text/javascript" src="<?php echo base_url(); ?>js/showdivs.js"></script>
</head>
<body>
<div class="main">
 <?php include('header.php'); ?>
  <div class="content">
    <div class="content_resize">
      <div class="mainbar">
        <div class="article">
           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF; padding: 5px;">List of Student Organization Administrators</div></h1>
      <form name="viewListForm" method="post" action="viewListOfUsers">
      <div class="article" style="text-align: justify; margin-top: 10px; background-color: #EBE4E5; padding: 10px; width: 625px;">
      <div style="border: 2px solid #7B1113; padding: 4px;">
        <table width="620px" style="text-align:center;">
        <tr>
          <td>
            <span>
              <select name="viewListOrgOfAdmin" id="selectedOrgOfAdminID">
                <option value="">Select Student Organization</option>
                <?php
                  for($i=0; $i<$_SESSION['adminOrgCtrVIEW']; $i++){
                    echo '<option value="'.$_SESSION['adminOrgListVIEW'][$i].'"';
                    if($_SESSION['viewListUser'] != 'none' && $_SESSION['viewListUserType']=='Student Organization Admin' && $_SESSION['viewListOrgOfAdmin'] == $_SESSION['adminOrgListVIEW'][$i]) echo 'selected';
                    echo '>'.$_SESSION['adminOrgListVIEW'][$i].'</option>';
                  }
                ?>
              </select>
            </span>
          </td>
        </tr>
        <tr>
          <td colspan="2">
            <input type="submit" name="Submit" value="Submit">
          </td>
        </tr>
      </table>
      </div>
      </div>
      </form>
        </div>
    <?php
    if($_SESSION['viewListUser']!='none'){
    echo '<br><div class="article">
      <div class="article" style="text-align: justify; margin-top: 10px; background-color: #EBE4E5; padding: 10px; width: 625px;">
        <div style="border: 2px solid #7B1113; padding: 4px;">
        <table width="615px" style="text-align:center;">';
          if ($_SESSION['viewListUser'] == 'Student Organization' && $_SESSION['orgCtrVIEW'] > 0){
            echo '<tr><th class="listTitle" colspan="5">';
            if($_SESSION['role'] == 'OSA Coordinator'){
              echo 'University-based Student Organizations';
            }
            else{
              echo 'College-based Student Organizations';
            }
            echo '</tr>
                <tr>
                <th class="listHeader">No.
                <th class="listHeader">Name
                <th class="listHeader">Description
                </tr>';
            for($i=0; $i < $_SESSION['orgCtrVIEW']; $i++){
              if($i%2==0){
                echo '<tr style="background-color: #014421;">';
              }
              else{
                echo '<tr style="background-color: #FFF; color: #000;">';
              }
              echo '<td>'.$_SESSION['orgListIDVIEW'][$i].'</td>
                  <td>'.$_SESSION['orgListNameVIEW'][$i].'</td>
                 <td>'.$_SESSION['orgListDescVIEW'][$i].'</td></tr>';
            }
          }
          else if($_SESSION['viewListUser'] == 'Student Organization Admin' && $_SESSION['adminCtrVIEW'] > 0){
            echo '<tr>
                <th class="listHeader">STUDENT NUMBER
                <th class="listHeader">NAME
                <th class="listHeader">POSITION
               </tr>';
            for($i=0; $i < $_SESSION['adminCtrVIEW']; $i++){
              if($i%2==0){
                echo '<tr style="background-color: #D6D2D3; color: #000;">';
```

```
94                }
95                else{
96                  echo '<tr style="background-color: #ADA8A9; color: #000;">';
97                }
98                echo '<td>'.$_SESSION['adminListIDVIEW'][$i].'</td>
99                    <td>'.$_SESSION['adminListFNameVIEW'][$i].' '.$_SESSION['adminListLNameVIEW'
                          ][$i].'</td>
100                   <td>'.$_SESSION['adminListPositionVIEW'][$i].'</td></tr>';
101             }
102           }
103           else{
104             echo '<tr style="background-color: #D6D2D3; color: #000;"><td class="courseList">
                      NO RESULTS FOUND</td></tr>';
105           }
106           echo '<div class="clr"></div>
107       </table>
108       </div></div></div>';
109       }
110     ?>
111       </div>
112       <div class="sidebar">
113         <div class="gadget">
114           <h2 class="star">
115       <?php
116         if($_SESSION["loggedin"]){
117         echo 'Menu';
118         }
119        else
120         echo 'Log-in';
121       ?>
122       </h2>
123           <div class="clr"></div>
124            <?php
125         if($_SESSION["loggedin"]){
126         include('rightmenu.php');
127         }
128        else
129         include('login.php');
130
131       ?>
132         </div>
133       <div class="gadget">
134        <?php
135        if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
136         echo '<h2 class="star"><span>Student Orgs</span></h2>
137           <div class="clr"></div>';
138         include('studentOrgMenu.php');
139       }
140       ?>
141         </div>
142         <div class="gadget">
143       <?php
144       if($_SESSION["loggedin"]){
145         echo '<h2 class="star"><span>Notifications</span></h2>
146           <div class="clr"></div>';
147           include('notifBar.php');
148       }
149       ?>
150         </div>
151       </div>
152       <div class="clr"></div>
153     </div>
154   </div>
155    <?php include('footer.php'); ?>
156 </div>
157 </body>
158 </html>
```

Listing 48: viewMembershipRequest.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | Requests</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9  <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <!--<script src="http://ajax.googleapis.com/ajax/libs/jquery/1.3.2/jquery.js" type="text/
       javascript"></script>-->
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
14 <script type="text/javascript">
15     function submitForm(action)
16     {
17         document.getElementById('pendingRequestForm').action = action;
18         document.getElementById('pendingRequestForm').submit();
19     }
20 </script>
21 </head>
22 <body>
23 <div class="main">
24   <?php include('header.php'); ?>
25   <div class="content">
```

```
26      <div class="content_resize">
27        <div class="mainbar">
28      <div class="article">
29           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                 padding: 5px;">Membership Requests</div></h1>
30      <?php
31        if(isset($_SESSION['activateMemberSuccess'])){
32           echo '<div class="article" style="text-align: justify; margin-top: 10px; background-
                    color: #EBE4E5; padding: 10px; width: 625px;">
33                <div style="border: 2px solid #7B1113; padding: 4px; font-weight: bold;"><center
                       ><h3>';
34              if($_SESSION['activateMemberSuccess']){
35                echo '<tr><td colspan="2"><h3>SUCCESSFULLY '.$_SESSION['activateMemberStatus'].'
                       !</h3></td></tr>';
36              }
37              else{
38                if($_SESSION['activateMemberStatus'] == 'ACTIVATED'){
39                  $status = 'ACTIVATION';
40                }
41                else{
42                  $status = 'DEACTIVATION';
43                }
44                echo '<tr><td colspan="2"><h3>'.$status.' UNSUCCESSFUL.</h3></td></tr>';
45              }
46           echo '</h3></center></div></div>';
47             unset($_SESSION['activateMemberSuccess']);
48             unset($_SESSION['activateMemberStatus']);
49        }
50        else{
51        echo '<form name="pendingRequestForm" id="pendingRequestForm" method="post">';
52              echo '<div class="article" style="text-align: justify; margin-top: 10px;
                        background-color: #EBE4E5; padding: 10px; width: 625px;">
53                  <div style="border: 2px solid #7B1113; padding: 4px;">
54                  <center>'.$_SESSION['requestStudOrgToView'].'</center>
55                  <table width="615px" style="text-align:center;">
56                    <tr>
57                      <th class="listHeader">REQUEST TYPE
58                      <th class="listHeader">STUDENT NO.
59                      <th class="listHeader">NAME
60                      <th class="listHeader">COURSE
61                      <th class="listHeader">POSITION
62                    </tr>
63                ';
64              echo '<tr style="background-color: #D6D2D3; color: #000;">
65                <td>'.$_SESSION['requestType'].'</td>
66                <td>
67                <input type="hidden" name="memberToChangeStatus" value="'.$_SESSION['
                       memberIDArray'].'">
68                <input type="hidden" name="studOrgToChangeStatus" value="'.$_SESSION['
                       requestStudOrgToView'].'">'
69                .$_SESSION['memberIDArray'].'</td><td>'
70                .$_SESSION['memberNameArray'].'</td><td>'
71                .$_SESSION['memberCourseArray'].'</td>
72                <td><input type="text" name="memberPosition" value="'.$_SESSION['
                       memberPositionArray'].'"></td></tr>';
73              echo '<tr><td colspan="5" align="center"><input type="button" onclick="submitForm
                       (\'approveMembershipRequest\')" value="Approve" />
74                  <input type="button" onclick="submitForm(\'disapproveMembershipRequest\')"
                         value="Disapprove" /></td></tr></table></div></div></form>';
75        }
76      ?>
77        </div>
78        </div>
79        <div class="sidebar">
80          <div class="gadget">
81            <h2 class="star">
82        <?php
83        if($_SESSION["loggedin"]){
84          echo 'Menu';
85        }
86         else
87          echo 'Log-in';
88        ?>
89        </h2>
90            <div class="clr"></div>
91        <?php
92          if($_SESSION["loggedin"]){
93          include('rightmenu.php');
94        }
95         else
96          include('login.php');
97
98        ?>
99          </div>
100     <div class="gadget">
101       <?php
102       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
103         echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
                   >Student Organizations</span></h3>
104           <div class="clr"></div>';
105         include('studentOrgMenu.php');
106       }
107       ?>
108         </div>
109         <div class="gadget">
110       <?php
111       if($_SESSION["loggedin"]){
112         echo '<h2 class="star"><span>Notifications</span></h2>
113           <div class="clr"></div>';
```

```
114             include('notifBar.php');
115         }
116         ?>
117           </div>
118         </div>
119         <div class="clr"></div>
120       </div>
121     </div>
122      <?php include('footer.php'); ?>
123 </div>
124 </body>
125 </html>
```

Listing 49: viewOrgProfile.php

```
 1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
 2 <html xmlns="http://www.w3.org/1999/xhtml">
 3 <head>
 4 <title>OCSO | View Organization Profile</title>
 5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
 6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
 7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
 8 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
 9 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13
14 </head>
15 <body>
16 <div class="main">
17  <?php include('header.php'); ?>
18   <div class="content">
19     <div class="content_resize">
20       <div class="mainbar">
21         <div class="article">
22             <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF
                    ; padding: 5px;"><?php echo $_SESSION['myOrgName'];?></div></h1>
23       <form name="viewUserProfile" method="post" action="editOrgProfile">
24       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
25       <div style="border: 2px solid #7B1113; padding: 4px;">
26         <table width="620px" style="text-align:center; font-weight: bold;">
27       <?php
28         if(isset($_SESSION['editProfileSuccess'])){
29             if($_SESSION['editProfileSuccess']){
30               echo '<tr align="center"><td colspan="2"><h3>PROFILE SUCCESSFULLY UPDATED!</h3
                      ></td></tr>';
31             }
32             else{
33               echo '<tr align="center"><td colspan="2"><h3>PROFILE UPDATE UNSUCCESSFUL.</h3></
                      td></tr>';
34             }
35             unset($_SESSION['editProfileSuccess']);
36           }
37
38         echo '<tr><td colspan="2" align="center"><img src ="'.$_SESSION['viewOrgPic'].'" width
                ="200" height="200" border="2"></td></tr>
39           <tr><td style="background-color: #D6D2D3;">NAME </td><td><input type="text" value="'
                .$_SESSION['viewOrgName'].'" readonly size="50"></td></tr>
40           <tr><td style="background-color: #D6D2D3;">ACRONYM </td><td><input type="text" value
                ="'.$_SESSION['viewOrgAcronym'].'" readonly size="50"></td></tr>
41           <tr><td style="background-color: #D6D2D3;">CATEGORY </td><td><input type="text"
                value="'.$_SESSION['viewOrgCategory'].'" readonly size="50"></td></tr>
42           <tr><td style="background-color: #D6D2D3;">TYPE </td><td><input type="text" value="'
                .$_SESSION['viewOrgType'].'" readonly size="50"></td></tr>';
43           if($_SESSION['viewOrgType'] == 'COLLEGE-BASED'){
44             echo '<tr><td style="background-color: #D6D2D3;">COLLEGE </td><td><input type="
                    text" value="'.$_SESSION['viewOrgCollege'].'" readonly size="50"></td></tr>';
45           }
46           echo '<tr><td style="background-color: #D6D2D3;">DATE ESTABLISHED </td><td><input
                type="text" value="'.$_SESSION['viewOrgDate'].'" readonly size="50"></td></tr>
47           <tr><td style="background-color: #D6D2D3;">EMAIL </td><td><input type="text" value="
                '.$_SESSION['viewOrgEmail'].'" readonly size="50"></td></tr>
48           <tr><td style="background-color: #D6D2D3;">ADVISER </td><td><input type="text" value
                ="'.$_SESSION['viewOrgAdviser'].'" readonly size="50"></td></tr>
49           <tr><td style="background-color: #D6D2D3;">DESCRIPTION </td><td><textarea cols="40"
                rows="5" readonly>'.$_SESSION['viewOrgDesc'].'</textarea></td></tr>
50           <tr><td style="background-color: #D6D2D3;">NUMBER OF ACTIVATED MEMBERS </td><td><
                input type="text" value="'.$_SESSION['viewOrgMembers'].'" readonly size="50"></
                td></tr>
51           <tr><td colspan="2"><center><input type="submit" name="Edit" value="Edit Profile"></
                center></td></tr>';
52       ?>
53         </table>
54       </div>
55       </div>
56       </form>
57           <div class="clr"></div>
58         </div>
59       </div>
60       <div class="sidebar">
61         <div class="gadget">
62           <h2 class="star">
63       <?php
64         if($_SESSION["loggedin"]){
```

```
65          echo 'Menu';
66          }
67         else
68          echo 'Log-in';
69        ?>
70        </h2>
71            <div class="clr"></div>
72             <?php
73          if($_SESSION["loggedin"]){
74          include('rightmenu.php');
75          }
76         else
77          include('login.php');
78
79        ?>
80          </div>
81      <div class="gadget">
82          <?php
83          if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
84            echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
                  >Student Organizations</span></h3>
85              <div class="clr"></div>';
86            include('studentOrgMenu.php');
87          }
88          ?>
89            </div>
90            <div class="gadget">
91          <?php
92          if($_SESSION["loggedin"]){
93            echo '<h2 class="star"><span>Notifications</span></h2>
94              <div class="clr"></div>';
95               include("notifBar.php");
96          }
97          ?>
98            </div>
99          </div>
100         <div class="clr"></div>
101       </div>
102     </div>
103      <?php include('footer.php'); ?>
104 </div>
105 </body>
106 </html>
```

Listing 50: viewOSSCoordinator.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | View User</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9  <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/dynamicTables.js"></script>
14
15 </head>
16 <body>
17 <div class="main">
18   <?php include('header.php'); ?>
19   <div class="content">
20     <div class="content_resize">
21       <div class="mainbar">
22         <div class="article">
23             <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF
                    ; padding: 5px;">Recently Added OSS Coordinator</div></h1>
24        <form name="viewOSSCoordinatorForm" method="post" action="addOSSCoordinator">
25       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
              EBE4E5; padding: 10px; width: 625px;">
26         <div style="border: 2px solid #000;">
27           <table cellpadding="6" cellspacing="4" width="620px" style="color:#FFF; font-weight:
                  bold;">
28           <tr align="center" style="background-color: #7B1113;">
29             <th>EMPLOYEE NUMBER
30             <th>NAME
31             <th>COLLEGE
32             <th>USERNAME
33             <th>PASSWORD
34           </tr>
35           <?php
36             for($i=0; $i<count($_SESSION['coordinatorFName']); $i++){
37               if($i%2==0){
38                 echo '<tr style="background-color: #D6D2D3; color: #000;" align="center">';
39               }
40               else{
41                 echo '<tr style="background-color: #ADA8A9; color: #000;" align="center">';
42               }
43               echo '<td>'.$_SESSION['coordinatorNo'][$i].'</td>
44                 <td>'.$_SESSION['coordinatorFName'][$i].' '.$_SESSION['coordinatorLName'][$i].
                        '</td>
45                 <td>'.$_SESSION['coordinatorCollege'][$i].'</td>
46                 <td>'.$_SESSION['coordinatorUsername'][$i].'</td>
```

```
47                  <td>'.$_SESSION['coordinatorPassword'][$i].'</td>
48                </tr>';
49              }
50            ?>
51            <tr>
52              <td colspan="5" align="center">
53                <u><a href="listOfAddedOSSCoordinators" target="_blank" style="color: #7B1113;">
                      Save as PDF</a></u><br>
54                <input type="submit" name="submit" value="Back">
55              </td>
56            </tr>
57            </table>
58          </div>
59        </div>
60        </form>
61            <div class="clr"></div>
62      </div>
63        </div>
64        <div class="sidebar">
65          <div class="gadget">
66            <h2 class="star">
67        <?php
68          if($_SESSION["loggedin"]){
69          echo 'Menu';
70        }
71         else
72          echo 'Log-in';
73        ?>
74        </h2>
75            <div class="clr"></div>
76        <?php
77          if($_SESSION["loggedin"]){
78          include('rightmenu.php');
79        }
80         else
81          include('login.php');
82
83        ?>
84          </div>
85           <div style="margin: 3px; margin-right: 10px;">
86        <div class="gadget">
87          <?php
88          if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
89            echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><
                  span>Student Organizations</span></h3>
90              <div class="clr"></div>';
91            include('studentOrgMenu.php');
92          }
93          ?>
94        </div>
95          </div>
96          <div class="gadget">
97        <?php
98        if($_SESSION["loggedin"]){
99          echo '<h2 class="star"><span>Notifications</span></h2>
100           <div class="clr"></div>';
101           include('notifBar.php');
102       }
103       ?>
104         </div>
105       </div>
106       <div class="clr"></div>
107     </div>
108   </div>
109    <?php include('footer.php'); ?>
110 </div>
111 </body>
112 </html>
```

Listing 51: viewPollGraph.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | View Poll Result</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9  <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13 <script language="javascript" type="text/javascript" src="<?php echo base_url(); ?>js/
       jqueryforflot.js"></script>
14 <script language="javascript" type="text/javascript" src="<?php echo base_url(); ?>js/jquery.
       flot.js"></script>
15 <script language="javascript" type="text/javascript" src="<?php echo base_url(); ?>js/jquery.
       flot.pie.js"></script>
16
17 <script type="text/javascript">
18   (function($) {
19     $(document).ready(function() {
20       var data = [];
21       var pollChoiceCtr = <?php if(isset($_SESSION['pollIndex'])) $pollIndex = $_SESSION['
             pollIndex']; echo json_encode($_SESSION['deactPollChoiceCtrArray'][$pollIndex]);?>;
```

```
22        var pollChoice = <?php if(isset($_SESSION['pollIndex'])) $pollIndex = $_SESSION['
              pollIndex']; echo json_encode($_SESSION['deactPollChoiceArray'][$pollIndex]);?>;
23        var pollVotes = <?php if(isset($_SESSION['pollIndex'])) $pollIndex = $_SESSION['
              pollIndex']; echo json_encode($_SESSION['deactPollVotesArray'][$pollIndex]);?>;
24        var sumVotes = 0;
25        for(var i=0; i<pollChoiceCtr; i++){
26          sumVotes += pollVotes[i];
27        }
28        for(var i=0; i<pollChoiceCtr; i++){
29          data[i] = { label: pollChoice[i]+' ('+pollVotes[i]+' votes)', data: (pollVotes[i]/
                sumVotes)*100 }
30        }
31        var placeholder = $("#placeholder");
32        $.plot(placeholder, data, {
33          series: {
34            pie: {
35              show: true,
36            }
37          },
38          legend:{
39            show: true
40          }
41        });
42      });
43    })(jQuery);
44  </script>
45
46  </head>
47  <body>
48  <div class="main">
49    <?php include('header.php'); ?>
50    <div class="content">
51      <div class="content_resize">
52        <div class="mainbar">
53          <?php
54        if($_SESSION['deactPollCtr']>0){
55          for($i=0; $i<$_SESSION['deactPollCtr']; $i++){
56            if($_SESSION['deactPollID'][$i] == $_SESSION['pollIDGraph']){
57              echo '<div class="article" style="text-align: justify; margin-top: 10px;
                      background-color: #EBE4E5; padding: 10px; width: 625px;">';
58                echo '<div style="border: 2px solid #000;"><table cellpadding="5px" width="620px
                        " style="table-layout:fixed">';
59                echo '<tr style="background-color: #014421; color: #FFF;"><td colspan="2" align
                      ="center"><font size="3px">'.strtoupper($_SESSION['deactPollTitle'][$i]).'</
                      font>';
60                if($_SESSION['isAdminOfCurrentOrg'] == 'YES'){
61                echo '<font size="5px"><a href="deletePollResult?pollIDToDelete='.$_SESSION['
                      deactPollID'][$i].'" style="float:right;">&#215;</a></font>';
62                }
63                echo '</td></tr>';
64                echo '</table></div>';
65              echo '<div class="demo-container">
66                  <div id="placeholder" class="demo-placeholder"></div>
67                </div>';
68              echo '<center><u><b><a href="sharePollGraph" style="color: #7B1113;">Share Results
                      </a></u>    <u>
69              <a href="goToPolls" style="color: #7B1113;">Back To Polls</a></b></u></center>';
70              echo '</div>';
71            }
72          }
73        }
74      ?>
75        </div>
76        <div class="sidebar">
77          <div class="gadget">
78            <h2 class="star">
79        <?php
80          if($_SESSION["loggedin"]){
81          echo 'Menu';
82          }
83         else
84          echo 'Log-in';
85        ?>
86        </h2>
87            <div class="clr"></div>
88              <?php
89          if($_SESSION["loggedin"]){
90          include('rightmenu.php');
91          }
92         else
93          include('login.php');
94
95        ?>
96          </div>
97          <div class="gadget">
98        <?php
99        if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
100         echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
                ">Student Organizations</span></h3>
101           <div class="clr"></div>';
102         include('studentOrgMenu.php');
103       }
104       ?>
105         </div>
106         <div class="gadget">
107       <?php
108       if($_SESSION["loggedin"]){
109         echo '<h2 class="star"><span>Notifications</span></h2>
110           <div class="clr"></div>';
```

```
111             include('notifBar.php');
112         }
113         ?>
114           </div>
115         </div>
116         <div class="clr"></div>
117       </div>
118     </div>
119      <?php include('footer.php'); ?>
120 </div>
121 </body>
122 </html>
```

Listing 52: viewPostComments.php

```
 1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
 2 <html xmlns="http://www.w3.org/1999/xhtml">
 3 <head>
 4 <title>OCSO | View Post</title>
 5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
 6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
 7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
 8 <link href="<?php echo base_url(); ?>css/styles.css" rel="stylesheet" type="text/css" />
 9
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.quick.pagination.min.js
       "></script>
16
17 <script type="text/javascript">
18   (function($) {
19     $(document).ready(function() {
20        $("ul.pagination3").quickPagination({pageSize:"5"});
21     });
22   })(jQuery);
23 </script>
24
25 </head>
26 <body>
27 <div class="main">
28   <?php include('header.php'); ?>
29   <div class="content">
30     <div class="content_resize">
31       <div class="mainbar">
32         <?php
33         echo '<div class="article" style="text-align: justify; margin-top: 10px; background-
               color: #EBE4E5; padding: 10px; width: 625px;">
34           <div style="border: 2px solid #000;">';
35         for($i=0; $i<$_SESSION['orgPostCtr']; $i++){
36           if($_SESSION['orgPostID'][$i] == $_SESSION['postIDofComment']){
37               echo '<table cellpadding="5px" width="620px" style="table-layout:fixed">';
38               echo '<tr style="background-color: #014421; color: #FFF;"><td align="center"><h3
                       >'.strtoupper($_SESSION['orgPostTitle'][$i]).'</h3></td></tr>';
39               echo '<tr><td>'.formatDate($_SESSION['orgPostStartDate'][$i]).'</td></tr>';
40               if(!empty($_SESSION['orgPostImage'][$i])){
41               echo '<tr><td align="center"><img src="'.$_SESSION['orgPostImage'][$i].'" align
                       ="center" width="500" height="400" alt=""/></td></tr>';
42               }
43               echo '<tr><td align="center" style="word-wrap: break-word">'.$_SESSION['
                       orgPostMessage'][$i].'</td></tr>';
44               echo '<tr><td align="center"><a href="backToPosts" style="color: #7B1113;"><b><u
                       >Back To Posts</a></u></b></td></tr>';
45               echo '</table>';
46           }
47         }
48         echo '<form name="postCommentForm" method="post" action="submitPostComment"><table
                 cellpadding="5px" width="620px" style="border: 0;">';
49         echo '<tr style="background-color: #D6D2D3;" align="center">
50             <th colspan="2">COMMENTS
51            </tr>';
52         if($_SESSION['commentCtr'] > 0){
53           echo '<tr style="background-color: #D6D2D3;"><td colspan="2" style="word-wrap: break
                   -word">
54           <ul class="pagination3">';
55           for($i=0; $i<$_SESSION['commentCtr']; $i++){
56             echo '<li style="background-color: #ADA8A9;"><font color="#7B1113"><b>'.$_SESSION[
                     'commentorArray'][$i].'</b> &#8226; '
57               .formatDate($_SESSION['commentDateArray'][$i]).
58               '</font><br>'.$_SESSION['commentArray'][$i].
59             '</li>';
60           }
61           echo '</ul></td></tr>';
62         }
63         echo '<tr style="background-color: #D6D2D3;" align="center">
64             <td><textarea name="comment" rows="2" cols="60" placeholder="Write a comment
                   ..."></textarea></td>
65             <td><input type="submit" name="submit" value="Submit"></td>
66            </tr>';
67         echo '</table></form>';
68         echo '</div></div>';
69     ?>
70       </div>
71       <div class="sidebar">
```

```
72          <div class="gadget">
73            <h2 class="star">
74          <?php
75            if($_SESSION["loggedin"]){
76            echo 'Menu';
77            }
78           else
79            echo 'Log-in';
80          ?>
81          </h2>
82              <div class="clr"></div>
83                <?php
84            if($_SESSION["loggedin"]){
85            include('rightmenu.php');
86            }
87           else
88            include('login.php');
89
90          ?>
91            </div>
92            <div class="gadget">
93          <?php
94          if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
95            echo '<h2 class="star"><span>Student Orgs</span></h2>
96              <div class="clr"></div>';
97            include('studentOrgMenu.php');
98          }
99          ?>
100           </div>
101           <div class="gadget">
102         <?php
103         if($_SESSION["loggedin"]){
104           echo '<h2 class="star"><span>Notifications</span></h2>
105             <div class="clr"></div>';
106             include('notifBar.php');
107         }
108         ?>
109           </div>
110         </div>
111         <div class="clr"></div>
112       </div>
113     </div>
114      <?php include('footer.php'); ?>
115 </div>
116 </body>
117 </html>
```

Listing 53: viewProfile.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | View Profile</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9  <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13
14 </head>
15 <body>
16 <div class="main">
17  <?php include('header.php'); ?>
18   <div class="content">
19     <div class="content_resize">
20       <div class="mainbar">
21         <div class="article">
22           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                 padding: 5px;">View Profile</div></h1>
23       <form name="viewUserProfile" method="post" action="editProfile">
24       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
25       <div style="border: 2px solid #000;">
26         <table cellpadding="6" cellspacing="4" width="620px" style="color:#000; font-weight:
               bold;">
27         <?php
28           if(isset($_SESSION['editProfileSuccess'])){
29             if($_SESSION['editProfileSuccess']){
30               echo '<tr align="center"><td colspan="2"><h3>PROFILE SUCCESSFULLY UPDATED!</h3
                     ></td></tr>';
31             }
32             else{
33               echo '<tr align="center"><td colspan="2"><h3>PROFILE UPDATE UNSUCCESSFUL.</h3></
                     td></tr>';
34             }
35             unset($_SESSION['editProfileSuccess']);
36           }
37
38         if($_SESSION['role']=='OSA Coordinator' || $_SESSION['role']=='OSS Coordinator'){
39           echo '<tr><td align="center" style="background-color: #D6D2D3;">EMPLOYEE ID </td><td
                ><input type="text" value="'.$_SESSION['userID'].'" readonly style="background-
                color: #F7F5BA;"></td></tr>
```

```
40              <tr><td align="center" style="background-color: #D6D2D3;">USERNAME </td><td><input
                     type="text" value="'.$_SESSION['userUsername'].'" readonly style="background-
                    color: #F7F5BA;"></td></tr>
41              <tr><td align="center" style="background-color: #D6D2D3;">FIRST NAME </td><td><
                    input type="text" value="'.$_SESSION['userFName'].'" readonly style="
                    background-color: #F7F5BA;"></td></tr>
42              <tr><td align="center" style="background-color: #D6D2D3;">MIDDLE NAME </td><td><
                    input type="text" value="'.$_SESSION['userMName'].'" readonly style="
                    background-color: #F7F5BA;"></td></tr>
43              <tr><td align="center" style="background-color: #D6D2D3;">LAST NAME </td><td><
                    input type="text" value="'.$_SESSION['userLName'].'" readonly style="
                    background-color: #F7F5BA;"></td></tr>
44              <tr><td align="center" style="background-color: #D6D2D3;">EMAIL </td><td><input
                    type="text" value="'.$_SESSION['userEmail'].'" readonly size="30" style="
                    background-color: #F7F5BA;"></td></tr>
45              <tr><td align="center" style="background-color: #D6D2D3;">CONTACT NO. </td><td><
                    input type="text" value="'.$_SESSION['userContactNo'].'" readonly size="15"
                    style="background-color: #F7F5BA;"></td></tr>
46              <tr><td colspan="2" ><center><input type="submit" name="Edit" value="Edit Profile
                    "></center></td></tr>';
47          }
48          else if($_SESSION['role']=='student'){
49            echo '<tr><td align="center" style="background-color: #D6D2D3;">STUDENT NUMBER</td><
                   td><input type="text" value="'.$_SESSION['userID'].'" readonly style="background
                   -color: #F7F5BA;"></td></tr>
50              <tr><td align="center" style="background-color: #D6D2D3;">USERNAME </td><td><input
                     type="text" value="'.$_SESSION['userUsername'].'" readonly style="background-
                    color: #F7F5BA;"></td></tr>
51              <tr><td align="center" style="background-color: #D6D2D3;">FIRST NAME </td><td><
                    input type="text" value="'.$_SESSION['userFName'].'" readonly style="
                    background-color: #F7F5BA;"></td></tr>
52              <tr><td align="center" style="background-color: #D6D2D3;">MIDDLE NAME </td><td><
                    input type="text" value="'.$_SESSION['userMName'].'" readonly style="
                    background-color: #F7F5BA;"></td></tr>
53              <tr><td align="center" style="background-color: #D6D2D3;">LAST NAME </td><td><
                    input type="text" value="'.$_SESSION['userLName'].'" readonly style="
                    background-color: #F7F5BA;"></td></tr>
54              <tr><td align="center" style="background-color: #D6D2D3;">YEAR </td><td><input
                    type="text" value="'.$_SESSION['userYear'].'" readonly style="background-color
                    : #F7F5BA;"></td></tr>
55              <tr><td align="center" style="background-color: #D6D2D3;">COURSE </td><td><input
                    type="text" value="'.$_SESSION['userCourse'].'" readonly style="background-
                    color: #F7F5BA;"></td></tr>
56              <tr><td align="center" style="background-color: #D6D2D3;">EMAIL </td><td><input
                    type="text" value="'.$_SESSION['userEmail'].'" readonly size="30" style="
                    background-color: #F7F5BA;"></td></tr>
57              <tr><td align="center" style="background-color: #D6D2D3;">CONTACT NO. </td><td><
                    input type="text" value="'.$_SESSION['userContactNo'].'" readonly size="15"
                    style="background-color: #F7F5BA;"></td></tr>
58              <tr><td colspan="2"><center><input type="submit" name="Edit" value="Edit Profile
                    "></center></td></tr>';
59          }
60          ?>
61          </table>
62        </div>
63        </div>
64        </form>
65            <div class="clr"></div>
66          </div>
67        </div>
68        <div class="sidebar">
69          <div class="gadget">
70            <h2 class="star">
71        <?php
72          if($_SESSION["loggedin"]){
73          echo 'Menu';
74          }
75         else
76          echo 'Log-in';
77        ?>
78        </h2>
79            <div class="clr"></div>
80              <?php
81          if($_SESSION["loggedin"]){
82          include('rightmenu.php');
83          }
84         else
85          include('login.php');
86
87        ?>
88          </div>
89      <div class="gadget">
90          <?php
91          if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
92            echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
                     >Student Organizations</span></h3>
93              <div class="clr"></div>';
94            include('studentOrgMenu.php');
95          }
96          ?>
97          </div>
98          <div class="gadget">
99        <?php
100         if($_SESSION["loggedin"]){
101           echo '<h2 class="star"><span>Notifications</span></h2>
102             <div class="clr"></div>';
103             include('notifBar.php');
104         }
105         ?>
```

```
106         </div>
107       </div>
108       <div class="clr"></div>
109     </div>
110   </div>
111    <?php include('footer.php'); ?>
112 </div>
113 </body>
114 </html>
```

Listing 54: viewReportedComments.php

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
      DTD/xhtml1-transitional.dtd">
2 <html xmlns="http://www.w3.org/1999/xhtml">
3 <head>
4 <title>OCSO | Reported Comments</title>
5 <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
      icon" />
7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/dynamicTables.js"></script>
14 <script type="text/javascript">
15     function submitForm(action)
16     {
17         document.getElementById('reportedCommentsForm').action = action;
18         document.getElementById('reportedCommentsForm').submit();
19     }
20 </script>
21 </head>
22 <body>
23 <div class="main">
24   <?php include('header.php'); ?>
25   <div class="content">
26     <div class="content_resize">
27       <div class="mainbar">
28         <div class="article">
29           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                 padding: 5px;">Reported Event Comments</div></h1>
30           <?php
31             if(isset($_SESSION['deleteCommentSuccess'])){
32             echo '<div class="article" style="text-align: justify; margin-top: 10px;
                    background-color: #EBE4E5; padding: 10px; width: 625px;">
33                 <div style="border: 2px solid #7B1113; padding: 4px; font-weight: bold;"><
                       center><h3>';
34               if($_SESSION['deleteCommentSuccess']){
35                 if($_SESSION['deleteCommentStatus'] == 'ACTIVATED'){
36                   $status = 'IGNORED';
37                 }
38                 else{
39                   $status = 'DELETED';
40                 }
41                 echo '<tr><td colspan="2"><h3> SUCCESSFULLY '.$status.'!</h3></td></tr>';
42               }
43               else{
44                 if($_SESSION['deleteCommentStatus'] == 'ACTIVATED'){
45                   $status = 'IGNORING THE COMMENT';
46                 }
47                 else{
48                   $status = 'DELETION';
49                 }
50                 echo '<tr><td colspan="2"><h3>'.$status.' UNSUCCESSFUL.</h3></td></tr>';
51               }
52             echo '</h3></center></div></div>';
53               unset($_SESSION['deleteCommentSuccess']);
54               unset($_SESSION['deleteCommentStatus']);
55           }
56           else{
57             echo '<div class="article" style="text-align: justify; margin-top: 10px;
                    background-color: #EBE4E5; padding: 10px; width: 625px;">
58                 <div style="border: 2px solid #7B1113;">';
59               echo '<form name="reportedCommentsForm" id="reportedCommentsForm" method="post">
                      ';
60               echo '<div align="center" style="color: #FFF; font-weight: bold; background-
                      color: #014421; margin-top: 3px; margin-left: 3px; margin-right: 3px;
                      padding: 3px;">'.strtoupper($_SESSION['reportedCommentEventName']).'</div>';
61             echo '<table cellpadding="4" cellspacing="4" width="620px" style="color:#FFF; font
                    -weight: bold; table-layout:fixed;">
62                   <tr align="center" style="background-color: #7B1113;">
63                     <th width="200px">REPORTED COMMENT
64                     <th width="100px">COMMENTED BY
65                     <th width="60px">NO. OF REPORTS BY STUDENTS
66                     <th width="60px">NO. OF REPORTS BY PUBLIC USERS
67                   </tr>';
68             echo '<tr style="background-color: #D6D2D3; color: #000;" align="center">
69                 <td style="word-wrap: break-word">'.$_SESSION['reportedComment'].'</td>
70                 <td>'.$_SESSION['reportedCommentCommentor'].'</td>
71                 <td>'.$_SESSION['reportByStudents'].'</td>
72                 <td>'.$_SESSION['reportByPublic'].'</td>
73                </tr>';
74             echo '<tr><td colspan="4" align="center"><input type="button" onclick="submitForm
                    (\'deleteReportedComment\')" value="Delete" />
```

```
75                  <input type="button" onclick="submitForm(\'ignoreReportedComment\')" value="
                        Ignore" /></td></tr>';
76               echo '</table></form></div></div>';
77             }
78             ?>
79         <div class="clr"></div>
80       </div>
81         </div>
82         <div class="sidebar">
83           <div class="gadget">
84             <h2 class="star">
85         <?php
86           if($_SESSION["loggedin"]){
87           echo 'Menu';
88         }
89           else
90           echo 'Log-in';
91         ?>
92         </h2>
93             <div class="clr"></div>
94         <?php
95           if($_SESSION["loggedin"]){
96           include('rightmenu.php');
97         }
98           else
99           include('login.php');
100
101        ?>
102          </div>
103          <div style="margin: 3px; margin-right: 10px;">
104        <div class="gadget">
105          <?php
106          if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
107            echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><
                    span>Student Organizations</span></h3>
108              <div class="clr"></div>';
109            include('studentOrgMenu.php');
110          }
111          ?>
112        </div>
113          </div>
114          <div class="gadget">
115        <?php
116        if($_SESSION["loggedin"]){
117          echo '<h2 class="star"><span>Notifications</span></h2>
118            <div class="clr"></div>';
119            include('notifBar.php');
120        }
121        ?>
122          </div>
123        </div>
124        <div class="clr"></div>
125      </div>
126    </div>
127     <?php include('footer.php'); ?>
128 </div>
129 </body>
130 </html>
```

Listing 55: viewRequest.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | Requests</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9  <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13 <script type="text/javascript">
14      function submitForm(action)
15      {
16          document.getElementById('pendingRequestForm').action = action;
17          document.getElementById('pendingRequestForm').submit();
18      }
19 </script>
20 </head>
21 <body>
22 <div class="main">
23   <?php include('header.php'); ?>
24   <div class="content">
25     <div class="content_resize">
26       <div class="mainbar">
27     <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
           padding: 5px;">Public Post Requests</div></h1>
28     <?php
29          if(isset($_SESSION['approvalSuccess'])){
30            echo '<div class="article" style="text-align: justify; margin-top: 10px; background-
                   color: #EBE4E5; padding: 10px; width: 625px;">
31                <div style="border: 2px solid #7B1113; padding: 4px; font-weight: bold;"><center
                       ><h3>';
32              if($_SESSION['approvalSuccess']){
```

```
33                echo '<tr><td colspan="2"><h3>SUCCESSFULLY '.$_SESSION['approvalStatus'].'!</h3
                      ></td></tr>';
34              }
35              else{
36                if($_SESSION['approvalStatus'] == 'APPROVED'){
37                  $status = 'APPROVAL';
38                }
39                else{
40                  $status = 'DISAPPROVAL';
41                }
42                echo '<tr><td colspan="2"><h3>'.$status.' UNSUCCESSFUL.</h3></td></tr>';
43              }
44            echo '</h3></center></div></div>';
45              unset($_SESSION['approvalSuccess']);
46              unset($_SESSION['approvalStatus']);
47          }
48          else{
49            if($_SESSION['pendPostCtr'] != 0){
50            echo '<form name="pendingRequestForm" id="pendingRequestForm" method="post">
51            <input type="hidden" name="postIDToChangeStatus" value="'.$_SESSION['requestIDToView
                  '].'">';
52              echo ' <div class="article" style="text-align: justify; margin-top: 10px;
                       background-color: #EBE4E5; padding: 10px; width: 625px;">
53                  <div style="border: 2px solid #7B1113; padding: 4px; font-weight: bold;">
54                    <table width="610px" cellpadding="8px" style="table-layout:fixed;">';
55                  echo '<tr><td align="center" style="background-color: #D6D2D3;">TITLE</td><td>
                         '.$_SESSION['requestedPostTitle'].'</td></tr>
56                      <tr><td align="center" style="background-color: #D6D2D3;">END DATE</td><td
                           >'.formatDateOnly($_SESSION['requestedPostEndDate']).'</td></tr>
57                      <tr><td align="center" style="background-color: #D6D2D3;">STUDENT
                           ORGANIZATION</td><td>'.$_SESSION['requestedPostStudOrgName'].'</td></
                           tr>
58                      <tr><td align="center" style="background-color: #D6D2D3;">MESSAGE</td><td
                           style="word-wrap: break-word">'.$_SESSION['requestedPostMessage'].'</
                           td></tr>';
59              if(!empty($_SESSION['requestedPostImage'])){
60                echo '<tr><td colspan="2" align="center"><div id="thumbnails">
61                      <ul class="clearfix" style="list-style-type: none;">
62                        <li style="display: inline; padding-right: 3px;">
63                          <a href="'.$_SESSION['requestedPostImage'].'" title="'.$_SESSION['
                                requestedPostTitle'].'">
64                            <img src="'.$_SESSION['requestedPostImage'].'" width="200" height
                                  ="250" alt=""/>
65                          </a>
66                        </li>
67                      </ul>
68                  </div></td></tr>';
69              }
70              echo  '</table></div></div>';
71              echo '<center><input type="button" onclick="submitForm(\'approveRequest\')" value
                     ="Approve" />
72                  <input type="button" onclick="submitForm(\'disapproveRequest\')" value="
                       Disapprove" /></center></form>';
73            }
74          }
75      ?>
76        </div>
77        <div class="sidebar">
78          <div class="gadget">
79            <h2 class="star">
80        <?php
81        if($_SESSION["loggedin"]){
82          echo 'Menu';
83        }
84         else
85          echo 'Log-in';
86        ?>
87        </h2>
88            <div class="clr"></div>
89        <?php
90          if($_SESSION["loggedin"]){
91          include('rightmenu.php');
92        }
93         else
94          include('login.php');
95
96        ?>
97            </div>
98      <div class="gadget">
99        <?php
100       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
101         echo '<h2 class="star"><span>Student Orgs</span></h2>
102           <div class="clr"></div>';
103         include('studentOrgMenu.php');
104       }
105       ?>
106         </div>
107         <div class="gadget">
108       <?php
109       if($_SESSION["loggedin"]){
110         echo '<h2 class="star"><span>Notifications</span></h2>
111           <div class="clr"></div>';
112           include('notifBar.php');
113       }
114       ?>
115         </div>
116       </div>
117       <div class="clr"></div>
118     </div>
```

```
119   </div>
120    <?php include('footer.php'); ?>
121 </div>
122 <link rel="stylesheet" type="text/css" media="all" href="<?php echo base_url(); ?>css/jquery.
      lightbox.0.5.css">
123 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.1.10.1.min.js"></script
      >
124 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.lightbox.0.5.min.js"></
      script>
125 <script type="text/javascript">
126   (function($) {
127     $(document).ready(function() {
128       $('#thumbnails a').lightBox();
129     });
130   })(jQuery);
131 </script>
132 </body>
133 </html>
```

Listing 56: viewStudent.php

```
 1 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
 2 <html xmlns="http://www.w3.org/1999/xhtml">
 3 <head>
 4 <title>OCSO | View User</title>
 5 <meta http-equiv="Refresh" CONTENT="2;URL='studentTable">
 6 <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
 7 <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
 8 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
 9 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/dynamicTables.js"></script>
14
15 </head>
16 <body>
17 <div class="main">
18   <?php include('header.php'); ?>
19   <div class="content">
20     <div class="content_resize">
21       <div class="mainbar">
22         <div class="article">
23          <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                padding: 5px;">Recently Added Student/Alumni</div></h1>
24       <form name="viewStudentForm" method="post" action="addStudent">
25       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
26       <div style="border: 2px solid #000;">
27         <table cellpadding="6" cellspacing="4" width="620px" style="color:#FFF; font-weight:
               bold;">
28         <tr align="center" style="background-color: #7B1113;">
29           <th>STUDENT NUMBER
30           <th>NAME
31           <th>USERNAME
32           <th>PASSWORD
33         </tr>
34         <?php
35           for($i=0; $i<count($_SESSION['studentFName']); $i++){
36             if($i%2==0){
37               echo '<tr style="background-color: #D6D2D3; color: #000;" align="center">';
38             }
39             else{
40               echo '<tr style="background-color: #ADA8A9; color: #000;" align="center">';
41             }
42             echo '<td>'.$_SESSION['studentNo'][$i].'</td>
43               <td>'.$_SESSION['studentFName'][$i].' '.$_SESSION['studentLName'][$i].'</td>
44               <td>'.$_SESSION['studentUsername'][$i].'</td>
45               <td>'.$_SESSION['studentPassword'][$i].'</td>
46             </tr>';
47           }
48         ?>
49         <tr>
50           <td colspan="4" align="center">
51             <u><a href="listOfAddedStudents" target="_blank" style="color: #7B1113;">Save as
                   PDF</a></u><br>
52             <input type="submit" name="submit" value="Back">
53           </td>
54         </tr>
55         </table>
56        </div>
57       </div>
58       </form>
59           <div class="clr"></div>
60     </div>
61       </div>
62       <div class="sidebar">
63         <div class="gadget">
64           <h2 class="star">
65       <?php
66         if($_SESSION["loggedin"]){
67         echo 'Menu';
68       }
69        else
70         echo 'Log-in';
71       ?>
```

```
72        </h2>
73            <div class="clr"></div>
74        <?php
75          if($_SESSION["loggedin"]){
76          include('rightmenu.php');
77        }
78           else
79          include('login.php');
80
81        ?>
82          </div>
83          <div style="margin: 3px; margin-right: 10px;">
84        <div class="gadget">
85          <?php
86          if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
87            echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><
                  span>Student Organizations</span></h3>
88              <div class="clr"></div>';
89            include('studentOrgMenu.php');
90          }
91          ?>
92        </div>
93          </div>
94          <div class="gadget">
95        <?php
96        if($_SESSION["loggedin"]){
97          echo '<h2 class="star"><span>Notifications</span></h2>
98            <div class="clr"></div>';
99            include('notifBar.php');
100       }
101       ?>
102         </div>
103       </div>
104       <div class="clr"></div>
105     </div>
106   </div>
107     <?php include('footer.php'); ?>
108 </div>
109 </body>
110 </html>
```

Listing 57: viewStudentOrganization.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | View Student Organization</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9  <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/dynamicTables.js"></script>
14
15 </head>
16 <body>
17 <div class="main">
18   <?php include('header.php'); ?>
19   <div class="content">
20     <div class="content_resize">
21       <div class="mainbar">
22         <div class="article">
23           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                 padding: 5px;">Added Student Organization</div></h1>
24       <form name="viewStudentOrganizationForm" method="post" action="addStudentOrganization">
25        <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
              EBE4E5; padding: 10px; width: 625px;">
26         <div style="border: 2px solid #000;">
27           <?php
28             for($i=0; $i<count($_SESSION['studOrgName']); $i++){
29               echo '<table cellpadding="6" cellspacing="2" width="610px" style="text-align:
                      center;color:#000; font-weight: bold; margin: 5px;';
30                 if($i%2==0){
31                   echo 'background-color: #D6D2D3;';
32                 }
33                 else{
34                   echo 'background-color: #ADA8A9;';
35                 }
36               echo '">
37                   <tr align="center" style="background-color: #7B1113;">
38                     <th class="listHeader">NAME OF STUDENT ORGANIZATION
39                     <th class="listHeader">ACRONYM
40                     <th class="listHeader">CATEGORY
41                     <th class="listHeader">DATE ESTABLISHED
42                   </tr>
43                   <tr>
44                     <td>'.$_SESSION['studOrgName'][$i].'</td>
45                     <td>'.$_SESSION['studOrgAcronym'][$i].'</td>
46                     <td>'.$_SESSION['studOrgCategory'][$i].'</td>
47                     <td>'.$_SESSION['studOrgFoundingDate'][$i].'</td>
48                   </tr>
49                   <tr align="center" style="background-color: #7B1113;">
50                     <th colspan="2" class="listHeader">OFFICIAL EMAIL ADDRESS
```

```
51                      <th colspan="2" class="listHeader">ADVISER
52                    </tr>
53                    <tr>
54                      <td colspan="2">'.$_SESSION['studOrgEmail'][$i].'</td>
55                      <td colspan="2">'.$_SESSION['studOrgAdviser'][$i].'</td>
56                    </tr>
57                  </table><br>';
58              }
59            ?>
60            <center><input type="submit" name="submit" value="Back"></center>
61          </div>
62        </div>
63        </form>
64            <div class="clr"></div>
65      </div>
66        </div>
67        <div class="sidebar">
68          <div class="gadget">
69            <h2 class="star">
70        <?php
71          if($_SESSION["loggedin"]){
72          echo 'Menu';
73        }
74          else
75          echo 'Log-in';
76        ?>
77        </h2>
78            <div class="clr"></div>
79        <?php
80          if($_SESSION["loggedin"]){
81          include('rightmenu.php');
82        }
83          else
84          include('login.php');
85
86        ?>
87          </div>
88          <div style="margin: 3px; margin-right: 10px;">
89        <div class="gadget">
90          <?php
91          if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
92            echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><
                  span>Student Organizations</span></h3>
93              <div class="clr"></div>';
94            include('studentOrgMenu.php');
95          }
96          ?>
97        </div>
98          </div>
99          <div class="gadget">
100       <?php
101       if($_SESSION["loggedin"]){
102         echo '<h2 class="star"><span>Notifications</span></h2>
103           <div class="clr"></div>';
104           include('notifBar.php');
105       }
106       ?>
107         </div>
108       </div>
109       <div class="clr"></div>
110     </div>
111   </div>
112    <?php include('footer.php'); ?>
113 </div>
114 </body>
115 </html>
```

Listing 58: viewThread.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | View Thread</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <link href="<?php echo base_url(); ?>css/styles.css" rel="stylesheet" type="text/css" />
9
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
13 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
14 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
15 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery.quick.pagination.min.js
       "></script>
16
17 <script type="text/javascript">
18   (function($) {
19     $(document).ready(function() {
20        $("ul.pagination3").quickPagination({pageSize:"5"});
21     });
22   })(jQuery);
23 </script>
24
25 </head>
26 <body>
```

```
<div class="main">
  <?php include('header.php'); ?>
  <div class="content">
    <div class="content_resize">
      <div class="mainbar">
        <?php
        echo '<div class="article" style="text-align: justify; margin-top: 10px; background-
            color: #EBE4E5; padding: 10px; width: 625px;">
        <div style="border: 2px solid #000;">';
        for($i=0; $i<$_SESSION['threadCtr']; $i++){
          if($_SESSION['threadID'][$i] == $_SESSION['viewThreadID']){
              echo '<table cellpadding="5px" width="620px" style="table-layout:fixed">';
              echo '<tr style="background-color: #014421; color: #FFF;"><td colspan="2" align
                  ="center"><h3>'.strtoupper($_SESSION['threadTitle'][$i]).'</h3></td></tr>';
              echo '<tr><td style="background-color: #D6D2D3;" align="center" >CREATED BY </td
                  ><td>'.$_SESSION['threadCreatorName'][$i].'</td></tr>';
              echo '<tr><td style="background-color: #D6D2D3;" align="center">IN COOPERATION
                  WITH </td><td>';
                $orgNames = '';
                    for($j=0; $j<$_SESSION['threadPartnersCtrArray'][$i]; $j++){
                      $orgNames .= $_SESSION['threadPartnersArray'][$i][$j].'<br>';
                    }
                echo $orgNames;
              echo '</td></tr>';
              echo '<tr><td style="background-color: #D6D2D3;" align="center">START DATE </td
                  ><td>'.formatDate($_SESSION['threadStartDate'][$i]).'</td></tr>';
              echo '<tr><td style="background-color: #D6D2D3;" align="center">END DATE </td><
                  td>'.formatDate($_SESSION['threadEndDate'][$i]).'</td></tr>';
              echo '<tr><td style="background-color: #D6D2D3;" align="center">DETAILS </td><td
                   style="word-wrap: break-word;">'.$_SESSION['threadDetails'][$i].'</td></tr>
                  ';
              echo '<tr><td colspan="2" align="center"><a href="backToThreads" style="color:
                  #7B1113;"><b><u>Back To Threads</a></u></b></td></tr>';
              echo '</table>';

          }
        }
        echo '<form name="threadCommentForm" method="post" action="submitThreadComment"><table
             cellpadding="5px" width="620px" style="border: 0;">';
        echo '<tr style="background-color: #D6D2D3;" align="center">
            <th colspan="2">COMMENTS
          </tr>';
        if($_SESSION['threadCommentCtr'] > 0){
          echo '<tr style="background-color: #D6D2D3;"><td colspan="2" style="word-wrap: break
              -word">
          <ul class="pagination3">';
          for($i=0; $i<$_SESSION['threadCommentCtr']; $i++){
            echo '<li style="background-color: #ADA8A9;"><font color="#7B1113"><font color="#7
                B1113"><b>'.$_SESSION['threadCommentorArray'][$i].'</b> &#8226; '
              .formatDate($_SESSION['threadCommentDateArray'][$i]).
              '</font><br>'.$_SESSION['threadCommentArray'][$i].
            '</li>';
          }
          echo '</ul>';
        }
        echo '<tr style="background-color: #D6D2D3;" align="center">
            <td><textarea name="threadComment" rows="2" cols="60" placeholder="Write a comment
                ..."></textarea></td>
            <td><input type="submit" name="submit" value="Submit"></td>
          </tr>';
        echo '</table></form>';
        echo '</div></div>';
    ?>
      </div>
      <div class="sidebar">
        <div class="gadget">
          <h2 class="star">
      <?php
        if($_SESSION["loggedin"]){
        echo 'Menu';
        }
       else
        echo 'Log-in';
      ?>
      </h2>
          <div class="clr"></div>
           <?php
        if($_SESSION["loggedin"]){
        include('rightmenu.php');
        }
       else
        include('login.php');

      ?>
        </div>
        <div class="gadget">
      <?php
      if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
        echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
            >Student Organizations</span></h3>
          <div class="clr"></div>';
        include('studentOrgMenu.php');
      }
      ?>
        </div>
        <div class="gadget">
      <?php
      if($_SESSION["loggedin"]){
        echo '<h2 class="star"><span>Notifications</span></h2>
```

```
112             <div class="clr"></div>';
113             include('notifBar.php');
114         }
115         ?>
116           </div>
117         </div>
118         <div class="clr"></div>
119       </div>
120     </div>
121      <?php include('footer.php'); ?>
122 </div>
123 </body>
124 </html>
```

Listing 59: viewUserProfile.php

```
1  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/
       DTD/xhtml1-transitional.dtd">
2  <html xmlns="http://www.w3.org/1999/xhtml">
3  <head>
4  <title>OCSO | View Profile</title>
5  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
6  <link rel="shortcut icon" href="<?php echo base_url(); ?>images/favicon.ico" type="image/x-
       icon" />
7  <link href="<?php echo base_url(); ?>css/style.css" rel="stylesheet" type="text/css" />
8  <script type="text/javascript" src="<?php echo base_url(); ?>js/cufon-yui.js"></script>
9  <script type="text/javascript" src="<?php echo base_url(); ?>js/arial.js"></script>
10 <script type="text/javascript" src="<?php echo base_url(); ?>js/cuf_run.js"></script>
11 <script type="text/javascript" src="<?php echo base_url(); ?>js/jquery2.js"></script>
12 <script type="text/javascript" src="<?php echo base_url(); ?>js/jQuery.js"></script>
13
14 </head>
15 <body>
16 <div class="main">
17  <?php include('header.php'); ?>
18   <div class="content">
19     <div class="content_resize">
20       <div class="mainbar">
21         <div class="article">
22           <h1><div align="center" style="width: 625px; background-color: #7B1113; color: #FFF;
                 padding: 5px;"><?php echo $_SESSION['viewUser'];?> Profile</div></h1>
23       <form name="viewUserProfile" method="post" action="searchUser">
24       <div class="article" style="text-align: justify; margin-top: 10px; background-color: #
             EBE4E5; padding: 10px; width: 625px;">
25       <div style="border: 2px solid #7B1113; padding: 4px;">
26         <table width="615px" style="text-align:center; font-weight: bold;">
27       <?php
28
29       if($_SESSION['viewUser'] == 'Student' || $_SESSION['viewUser'] == 'OSS Coordinator' ||
             $_SESSION['viewUser'] == 'Student Organization Admin' ){
30         echo '<tr style="background-color: #014421; color: #FFF;"><td colspan="2"><h3>'.
               strtoupper($_SESSION['viewUserLName']).', '.strtoupper($_SESSION['viewUserFName'])
               .' '.strtoupper($_SESSION['viewUserMName']).'</h3></tr>';
31       }
32       else{
33         echo '<tr style="background-color: #014421; color: #FFF;"><td colspan="2"><h3>'.
               strtoupper($_SESSION['viewUserName']).'</h3></tr>';
34       }
35
36       if($_SESSION['viewUser'] == 'Student' ){
37         echo '<tr><td style="background-color: #D6D2D3;">STUDENT NUMBER </td><td><input type="
               text" value="'.$_SESSION['viewUserID'].'" readonly size="30" size="30"></td></tr>'
               ;
38         echo '<tr><td style="background-color: #D6D2D3;">USERNAME </td><td><input type="text"
               value="'.$_SESSION['viewUserUsername'].'" readonly size="30" size="30"></td></tr>'
               ;
39         echo '<tr><td style="background-color: #D6D2D3;">YEAR </td><td><input type="text"
               value="'.$_SESSION['viewUserYear'].'" readonly size="30"></td></tr>';
40         echo '<tr><td style="background-color: #D6D2D3;">COURSE </td><td><input type="text"
               value="'.$_SESSION['viewUserCourse'].'" readonly size="30"></td></tr>';
41         echo '<tr><td style="background-color: #D6D2D3;">EMAIL </td><td><input type="text"
               value="'.$_SESSION['viewUserEmail'].'" readonly size="30"></td></tr>';
42         echo '<tr><td style="background-color: #D6D2D3;">CONTACT NO. </td><td><input type="
               text" value="'.$_SESSION['viewUserContactNo'].'" readonly size="30"></td></tr>';
43         echo '<tr><td style="background-color: #D6D2D3;">ALUMNI </td><td><input type="text"
               value="'.$_SESSION['viewUserAlumni'].'" readonly size="30"></td></tr>';
44         echo '<tr><td style="background-color: #D6D2D3;">STATUS </td><td><input type="text"
               value="'.$_SESSION['viewUserStatus'].'" readonly size="30"></td></tr>';
45       }
46       else if($_SESSION['viewUser'] == 'OSS Coordinator' ){
47         echo '<tr><td style="background-color: #D6D2D3;">EMPLOYEE ID </td><td><input type="
               text" value="'.$_SESSION['viewUserID'].'" readonly size="30"></td></tr>';
48         echo '<tr><td style="background-color: #D6D2D3;">USERNAME </td><td><input type="text"
               value="'.$_SESSION['viewUserUsername'].'" readonly size="30"></td></tr>';
49         echo '<tr><td style="background-color: #D6D2D3;">COLLEGE </td><td><input type="text"
               value="'.$_SESSION['viewUserCollege'].'" readonly size="30"></td></tr>';
50         echo '<tr><td style="background-color: #D6D2D3;">EMAIL </td><td><input type="text"
               value="'.$_SESSION['viewUserEmail'].'" readonly size="30"></td></tr>';
51         echo '<tr><td style="background-color: #D6D2D3;">CONTACT NO. </td><td><input type="
               text" value="'.$_SESSION['viewUserContactNo'].'" readonly size="30"></td></tr>';
52         echo '<tr><td style="background-color: #D6D2D3;">STATUS </td><td><input type="text"
               value="'.$_SESSION['viewUserStatus'].'" readonly size="30"></td></tr>';
53       }
54       else if($_SESSION['viewUser'] == 'Student Organization' ){
55         echo '<tr><td style="background-color: #D6D2D3;">STUDENT ORG ID </td><td><input type="
               text" value="'.$_SESSION['viewUserID'].'" readonly size="30"></td></tr>';
56         echo '<tr><td style="background-color: #D6D2D3;">ACRONYM </td><td><input type="text"
               value="'.$_SESSION['viewUserAcronym'].'" readonly size="30"></td></tr>';
```

```
57          echo '<tr><td style="background-color: #D6D2D3;">CATEGORY </td><td><input type="text"
                value="'.$_SESSION['viewUserCategory'].'" readonly size="30"></td></tr>';
58          echo '<tr><td style="background-color: #D6D2D3;">DATE ESTABLISHED </td><td><input type
                ="text" value="'.$_SESSION['viewUserFoundingDate'].'" readonly size="30"></td></tr
                >';
59          echo '<tr><td style="background-color: #D6D2D3;">EMAIL </td><td><input type="text"
                value="'.$_SESSION['viewUserEmail'].'" readonly size="30"></td></tr>';
60          echo '<tr><td style="background-color: #D6D2D3;">ADVISER </td><td><input type="text"
                value="'.$_SESSION['viewUserAdviser'].'" readonly size="30"></td></tr>';
61          echo '<tr><td style="background-color: #D6D2D3;">DESCRIPTION </td><td><textarea
                readonly size="30" cols="40" rows="8">'.$_SESSION['viewUserDesc'].'</textarea></td
                ></tr>';
62          echo '<tr><td style="background-color: #D6D2D3;">STATUS </td><td><input type="text"
                value="'.$_SESSION['viewUserStatus'].'" readonly size="30"></td></tr>';
63        }
64        else{
65          echo '<tr><td style="background-color: #D6D2D3;">STUDENT NUMBER </td><td><input type="
                text" value="'.$_SESSION['viewUserID'].'" readonly size="30"></td></tr>';
66          echo '<tr><td style="background-color: #D6D2D3;">STUDENT ORGANIZATION </td><td><input
                type="text" value="'.$_SESSION['viewUserOrgName'].'" readonly size="30" size
                ="35"></td></tr>';
67          echo '<tr><td style="background-color: #D6D2D3;">POSITION </td><td><input type="text"
                value="'.$_SESSION['viewUserPosition'].'" readonly size="30"></td></tr>';
68          echo '<tr><td style="background-color: #D6D2D3;">MEMBER SINCE </td><td><input type="
                text" value="'.formatDateOnly($_SESSION['viewUserMembershipDate']).'" readonly
                size="30"></td></tr>';
69
70        }
71        echo '<tr><td colspan="2"><center><b><u><a href="searchUser" style="color: #7B1113;">
                Back To Search</a></u><b></center></td></tr>';
72        ?>
73        </table>
74        </div>
75        </div>
76        </form>
77            <div class="clr"></div>
78          </div>
79        </div>
80        <div class="sidebar">
81          <div class="gadget">
82            <h2 class="star">
83        <?php
84          if($_SESSION["loggedin"]){
85          echo 'Menu';
86          }
87         else
88          echo 'Log-in';
89        ?>
90        </h2>
91            <div class="clr"></div>
92              <?php
93          if($_SESSION["loggedin"]){
94          include('rightmenu.php');
95          }
96         else
97          include('login.php');
98
99        ?>
100         </div>
101         <div class="gadget">
102       <?php
103       if($_SESSION["loggedin"] && $_SESSION['role'] == 'student'){
104         echo '<h3 class="star" style="height: 20px; padding-top: 18px; font-size: 18px;"><span
                >Student Organizations</span></h3>
105           <div class="clr"></div>';
106         include('studentOrgMenu.php');
107       }
108       ?>
109         </div>
110         <div class="gadget">
111       <?php
112       if($_SESSION["loggedin"]){
113         echo '<h2 class="star"><span>Notifications</span></h2>
114           <div class="clr"></div>';
115           include('notifBar.php');
116       }
117       ?>
118         </div>
119       </div>
120       <div class="clr"></div>
121     </div>
122   </div>
123    <?php include('footer.php'); ?>
124 </div>
125 </body>
126 </html>
```

B.6. JavaScript

Listing 60: dynamicTables.js

```
1 var k=0;
2 var fieldNum3;
3 var total3=0;
4 var fieldNumTotal3 = 0;
5
6 function delStudentOrganization(row_id){
```

```
 7    var numRows = document.getElementById("studentOrganizationTable").rows.length;
 8    if((numRows-2) == 1){
 9      alert("Cannot delete all the rows.");
10    }
11    else{
12      if(!confirm('Are you sure you want to delete this entry?')){
13        e.preventDefault();
14        return false;
15      }
16      else{
17        $('#studOrgRowID'+row_id).remove();
18        $('#brRowID'+row_id).remove();
19      }
20    }
21
22  }
23
24  function addStudentOrganization(tableID)
25  {
26    fieldNum3= k+1;
27    total3 = fieldNum3;
28    var table = document.getElementById(tableID);
29    var numRows = table.rows.length;
30    var row = table.insertRow(numRows);
31    row.align = "left";
32    row.id = "studOrgRowID"+fieldNum3;
33    var cellH =row.insertCell(0);
34    cellH.setAttribute('style', 'background-color: #EBE4E5;');
35    cellH.innerHTML='<div style="border: 2px solid #7B1113; padding: 8px; font-weight: bold;"><
          table cellpadding="5px" width="612px">'+
36      '<tr><td align="center" style="background-color: #D6D2D3;">'+
37        'NAME OF ORGANIZATION </td><td> <input type="text" name="studOrgName[]" id="studOrgName
              '+fieldNum3+'" size="30"/>'+
38      '   <font size="5px"><a onclick="delStudentOrganization('+fieldNum3+')" href="#/"
            style="float: right;">&#215;</a></font><br><p id="studOrgNameError'+fieldNum3+'" class
            ="errorDiv" style="width: 150px;"></p></td></tr>'+
39      '<tr><td align="center" style="background-color: #D6D2D3;">'+
40        'ACRONYM </td><td> <input type="text" name="studOrgAcronym[]" id="studOrgAcronym'+
              fieldNum3+'" size="30"/><br><p id="studOrgAcronymError'+fieldNum3+'" class="errorDiv
              " style="width: 150px;"></p>'+
41      '</td></tr>'+
42      '<tr><td align="center" style="background-color: #D6D2D3;">'+
43        'CATEGORY </td><td> <select name="studOrgCategory[]" id="studOrgCategory'+fieldNum3
              +'"/>'+
44        '<option value="">Select One...</option>'+
45        '<option value="Academic">Academic</option>'+
46        '<option value="Cultural">Cultural</option>'+
47        '<option value="Socio-civic">Socio-civic</option>'+
48        '<option value="Service">Service</option>'+
49        '<option value="Fraternity/Sorority">Fraternity/Sorority</option>'+
50        '<option value="Sports">Sports</option>'+
51        '<option value="Cause Oriented">Cause Oriented</option>'+
52        '<option value="Religious/Spiritual">Religious/Spiritual</option>'+
53        '<option value="Special Interest">Special Interest</option>'+
54        '</select><br><p id="studOrgCategoryError'+fieldNum3+'" class="errorDiv" style="width:
              150px;"></p>'+
55      '</td></tr>'+
56      '<tr><td align="center" style="background-color: #D6D2D3;">'+
57        'DATE ESTABLISHED </td><td> <input type="text" name="studOrgFoundingDate[]" id="
              studOrgFoundingDate'+fieldNum3+'" size="30"/><br><p id="studOrgFoundingDateError'+
              fieldNum3+'" class="errorDiv" style="width: 150px;"></p>'+
58      '</td></tr>'+
59      '<tr><td align="center" style="background-color: #D6D2D3;">'+
60        'OFFICIAL EMAIL ADDRESS </td><td> <input type="text" name="studOrgEmail[]" id="
              studOrgEmail'+fieldNum3+'" size="30"/><br><p id="studOrgEmailError'+fieldNum3+'"
              class="errorDiv" style="width: 150px;"></p>'+
61      '</td></tr>'+
62      '<tr><td align="center" style="background-color: #D6D2D3;">'+
63        'NAME OF ADVISER </td><td> <input type="text" name="studOrgAdviser[]" id="studOrgAdviser
              '+fieldNum3+'" size="30"/><br><p id="studOrgAdviserError'+fieldNum3+'" class="
              errorDiv" style="width: 150px;"></p>'+
64      '</td></tr>'+
65    '</table></div>';
66    var row3 = table.insertRow(numRows+1);
67    row3.align = "left";
68    row3.id = "brRowID"+fieldNum3;
69    var cellD =row3.insertCell(0);
70    cellD.innerHTML = '<br>';
71    k++;
72    fieldNumTotal3++;
73  }
74
75  var m=0;
76  var fieldNum4;
77  var total4=0;
78  var fieldNumTotal4 = 0;
79
80
81  function delPollChoice(row_id){
82    var numRows = document.getElementById("pollChoiceTable").rows.length;
83    if(numRows == 2){
84      alert("Cannot delete all the rows.");
85    }
86    else{
87      $("#pollRowID"+row_id).css("background-color","red");
88      if(!confirm('Are you sure you want to delete this entry?')){
89        $("#pollRowID"+row_id).css("background-color","#EBE4E5");
90        e.preventDefault();
91        return false;
```

```
92      }
93      else{
94        $('#pollRowID'+row_id).remove();
95      }
96    }
97
98  }
99
100 function loadPollChoice(tableID)
101 {
102   fieldNum4= m+1;
103   total4 = fieldNum4;
104   var table = document.getElementById(tableID);
105   var numRows = table.rows.length;
106   var row = table.insertRow(numRows);
107   row.align = "center";
108   row.id = 'pollRowID'+fieldNum4;
109   var cellH =row.insertCell(0);
110   cellH.innerHTML='<input type="text" name="pollChoice[]" id="pollChoice'+fieldNum4+'"
        placeholder="Add Choice" size="30"/>   '+
111   '<font size="5px"><a onclick="delPollChoice('+fieldNum4+')" href="#/">&#215;</a></font>'+
112   '<br><p id="pollChoiceError'+fieldNum4+'" class="errorDiv" style="width: 250px;">';
113   m++;
114   fieldNumTotal4++;
115   fieldNum4= m+1;
116   total4 = fieldNum4;
117   var row2 = table.insertRow(numRows+1);
118   row2.align = "center";
119   row2.id = 'pollRowID'+fieldNum4;
120   var cellA =row2.insertCell(0);
121   cellA.innerHTML='<input type="text" name="pollChoice[]" id="pollChoice'+fieldNum4+'"
        placeholder="Add Choice" size="30"/>   '+
122   '<font size="5px"><a onclick="delPollChoice('+fieldNum4+')" href="#/">&#215;</a></font>';
123   m++;
124   fieldNumTotal4++;
125 }
126
127
128 function addPollChoice(tableID)
129 {
130   fieldNum4= m+1;
131   total4 = fieldNum4;
132   var table = document.getElementById(tableID);
133   var numRows = table.rows.length;
134   var row = table.insertRow(numRows);
135   row.align = "center";
136   row.id = 'pollRowID'+fieldNum4;
137   var cellH =row.insertCell(0);
138   cellH.innerHTML='<input type="text" name="pollChoice[]" id="pollChoice'+fieldNum4+'"
        placeholder="Add Choice" size="30"/>   '+
139   '<font size="5px"><a onclick="delPollChoice('+fieldNum4+')" href="#/">&#215;</a></font>';
140   m++;
141 }
```

Listing 61: jQuery.js

```
1
2  jQuery(function() {
3    $(document).ready(function(){
4
5      $(".addUserSubmenu").hide();
6      $(".addUserLink").show();
7
8      $('.addUserLink').click(function(){
9        $(".addUserSubmenu").slideToggle();
10     });
11
12     $(".activateUserSubmenu").hide();
13     $(".activateUserLink").show();
14
15     $('.activateUserLink').click(function(){
16       $(".activateUserSubmenu").slideToggle();
17     });
18
19     $(".viewSubmenu").hide();
20     $(".viewLink").show();
21
22     $('.viewLink').click(function(){
23       $(".viewSubmenu").slideToggle();
24     });
25
26
27     $(".controledivs").click(function()
28     {
29       if ($('input[name=userChangePW]:checked').val() == "Yes" ) {
30         $("#hideablearea").slideDown("slow"); //Slide Down Effect
31         $('#hideablearea :input').removeAttr('disabled');
32       }
33       else {
34         $("#hideablearea").slideUp("slow"); //Slide Up Effect
35         $('#hideablearea :input').attr('disabled', true);
36       }
37     });
38
39
40     $(".controledivs2").click(function()
41     {
42       if ($('input[name=postImage]:checked').val() == "Yes" ) {
```

```
43          $("#hideablearea2").slideDown("slow"); //Slide Down Effect
44          $('#hideablearea2 :input').removeAttr('disabled');
45        }
46        else {
47          $("#hideablearea2").slideUp("slow"); //Slide Up Effect
48          $('#hideablearea2 :input').attr('disabled', true);
49        }
50      });
51
52      $("#hideablearea3").css("display","none"); // ol id
53      $('#hideablearea3 :input').attr('disabled', true);
54
55      $(".controledivs3").click(function()
56      {
57        if ($('input[name=eventImage]:checked').val() == "Yes" ) {
58          $("#hideablearea3").slideDown("slow"); //Slide Down Effect
59          $('#hideablearea3 :input').removeAttr('disabled');
60        }
61        else {
62          $("#hideablearea3").slideUp("slow"); //Slide Up Effect
63          $('#hideablearea3 :input').attr('disabled', true);
64        }
65      });
66
67      $("#hideablearea4").css("display","none"); // ol id
68      $('#hideablearea4 :input').attr('disabled', true);
69
70      $(".controledivs4").click(function()
71      {
72        if ($('input[name=postImage]:checked').val() == "Yes" ) {
73          $("#hideablearea4").slideDown("slow"); //Slide Down Effect
74          $('#hideablearea4 :input').removeAttr('disabled');
75        }
76        else {
77          $("#hideablearea4").slideUp("slow"); //Slide Up Effect
78          $('#hideablearea4 :input').attr('disabled', true);
79        }
80      });
81
82    });
83  });
```

Listing 62: showdivs.js

```
1  function showViewChoiceField(){
2      viewChoiceID = document.getElementById("viewChoiceID");
3      viewChoiceOption = viewChoiceID.options[viewChoiceID.selectedIndex].value;
4      if (viewChoiceOption == "Posts"){
5        document.getElementById("viewPostField").style.display = "block";
6        document.getElementById("viewFileField").style.display = "none";
7        document.getElementById("viewPollField").style.display = "none";
8        document.getElementById("viewActivityPlannerField").style.display = "none";
9        document.getElementById("viewThreadField").style.display = "none";
10       document.getElementById("viewAllField").style.display = "none";
11       document.getElementById("viewPhotoField").style.display = "none";
12       document.getElementById("viewVideoField").style.display = "none";
13     }
14     else if (viewChoiceOption == "Files"){
15       document.getElementById("viewFileField").style.display = "block";
16       document.getElementById("viewPostField").style.display = "none";
17       document.getElementById("viewPollField").style.display = "none";
18       document.getElementById("viewActivityPlannerField").style.display = "none";
19       document.getElementById("viewThreadField").style.display = "none";
20       document.getElementById("viewAllField").style.display = "none";
21       document.getElementById("viewPhotoField").style.display = "none";
22       document.getElementById("viewVideoField").style.display = "none";
23     }
24     else if (viewChoiceOption == "Videos"){
25       document.getElementById("viewVideoField").style.display = "block";
26       document.getElementById("viewFileField").style.display = "none";
27       document.getElementById("viewPostField").style.display = "none";
28       document.getElementById("viewPollField").style.display = "none";
29       document.getElementById("viewActivityPlannerField").style.display = "none";
30       document.getElementById("viewThreadField").style.display = "none";
31       document.getElementById("viewAllField").style.display = "none";
32       document.getElementById("viewPhotoField").style.display = "none";
33     }
34     else if (viewChoiceOption == "Photos"){
35       document.getElementById("viewFileField").style.display = "none";
36       document.getElementById("viewPhotoField").style.display = "block";
37       document.getElementById("viewPostField").style.display = "none";
38       document.getElementById("viewPollField").style.display = "none";
39       document.getElementById("viewActivityPlannerField").style.display = "none";
40       document.getElementById("viewThreadField").style.display = "none";
41       document.getElementById("viewAllField").style.display = "none";
42       document.getElementById("viewVideoField").style.display = "none";
43     }
44     else if (viewChoiceOption == "Polls"){
45       document.getElementById("viewPollField").style.display = "block";
46       document.getElementById("viewFileField").style.display = "none";
47       document.getElementById("viewPostField").style.display = "none";
48       document.getElementById("viewActivityPlannerField").style.display = "none";
49       document.getElementById("viewThreadField").style.display = "none";
50       document.getElementById("viewAllField").style.display = "none";
51       document.getElementById("viewPhotoField").style.display = "none";
52       document.getElementById("viewVideoField").style.display = "none";
53     }
54     else if (viewChoiceOption == "Threads"){
```

```
55        document.getElementById("viewThreadField").style.display = "block";
56        document.getElementById("viewActivityPlannerField").style.display = "none";
57        document.getElementById("viewPollField").style.display = "none";
58        document.getElementById("viewFileField").style.display = "none";
59        document.getElementById("viewPostField").style.display = "none";
60        document.getElementById("viewAllField").style.display = "none";
61        document.getElementById("viewPhotoField").style.display = "none";
62        document.getElementById("viewVideoField").style.display = "none";
63      }
64      else if (viewChoiceOption == "Activity Planner"){
65        document.getElementById("viewActivityPlannerField").style.display = "block";
66        document.getElementById("viewPollField").style.display = "none";
67        document.getElementById("viewFileField").style.display = "none";
68        document.getElementById("viewPostField").style.display = "none";
69        document.getElementById("viewThreadField").style.display = "none";
70        document.getElementById("viewAllField").style.display = "none";
71        document.getElementById("viewPhotoField").style.display = "none";
72        document.getElementById("viewVideoField").style.display = "none";
73      }
74      else{
75        document.getElementById("viewAllField").style.display = "block";
76        document.getElementById("viewPostField").style.display = "none";
77        document.getElementById("viewFileField").style.display = "none";
78        document.getElementById("viewPollField").style.display = "none";
79        document.getElementById("viewThreadField").style.display = "none";
80        document.getElementById("viewActivityPlannerField").style.display = "none";
81        document.getElementById("viewPhotoField").style.display = "none";
82        document.getElementById("viewVideoField").style.display = "none";
83      }
84  }
85
86
87  function showChoiceField(){
88      choiceID = document.getElementById("addChoiceID");
89      choiceOption = choiceID.options[choiceID.selectedIndex].value;
90      if (choiceOption == "Post"){
91        document.getElementById("addPostField").style.display = "block";
92        document.getElementById("addPollField").style.display = "none";
93        document.getElementById("addFileField").style.display = "none";
94        document.getElementById("addThreadField").style.display = "none";
95        document.getElementById("addEventField").style.display = "none";
96        document.getElementById("addActivityPlannerField").style.display = "none";
97      }
98      else if (choiceOption == "Poll"){
99        document.getElementById("addPollField").style.display = "block";
100       document.getElementById("addPostField").style.display = "none";
101       document.getElementById("addFileField").style.display = "none";
102       document.getElementById("addThreadField").style.display = "none";
103       document.getElementById("addEventField").style.display = "none";
104       document.getElementById("addActivityPlannerField").style.display = "none";
105     }
106     else if (choiceOption == "File"){
107       document.getElementById("addPollField").style.display = "none";
108       document.getElementById("addPostField").style.display = "none";
109       document.getElementById("addFileField").style.display = "block";
110       document.getElementById("addThreadField").style.display = "none";
111       document.getElementById("addEventField").style.display = "none";
112       document.getElementById("addActivityPlannerField").style.display = "none";
113     }
114     else if (choiceOption == "Thread"){
115       document.getElementById("addPollField").style.display = "none";
116       document.getElementById("addPostField").style.display = "none";
117       document.getElementById("addFileField").style.display = "none";
118       document.getElementById("addThreadField").style.display = "block";
119       document.getElementById("addEventField").style.display = "none";
120       document.getElementById("addActivityPlannerField").style.display = "none";
121     }
122     else if (choiceOption == "Event"){
123       document.getElementById("addPollField").style.display = "none";
124       document.getElementById("addPostField").style.display = "none";
125       document.getElementById("addFileField").style.display = "none";
126       document.getElementById("addThreadField").style.display = "none";
127       document.getElementById("addEventField").style.display = "block";
128       document.getElementById("addActivityPlannerField").style.display = "none";
129     }
130     else if (choiceOption == "Activity Planner"){
131       document.getElementById("addPollField").style.display = "none";
132       document.getElementById("addPostField").style.display = "none";
133       document.getElementById("addFileField").style.display = "none";
134       document.getElementById("addThreadField").style.display = "none";
135       document.getElementById("addEventField").style.display = "none";
136       document.getElementById("addActivityPlannerField").style.display = "block";
137     }
138     else{
139       document.getElementById("addPostField").style.display = "none";
140       document.getElementById("addPollField").style.display = "none";
141       document.getElementById("addFileField").style.display = "none";
142       document.getElementById("addThreadField").style.display = "none";
143       document.getElementById("addEventField").style.display = "none";
144       document.getElementById("addActivityPlannerField").style.display = "none";
145     }
146 }
147
148
149
150
151 function showHiddenField(){
152   userTypeID = document.getElementById("selectedUserTypeID");
153   userTypeOption = userTypeID.options[userTypeID.selectedIndex].value;
```

```
154   if (userTypeOption=="Student"){
155     document.getElementById("searchStudentHiddenField").style.display = "block";
156     document.getElementById("searchCoorHiddenField").style.display = "none";
157     document.getElementById("searchOrgOfAdminHiddenField").style.display = "none";
158     document.getElementById("studentHiddenLabel").style.display = "block";
159     document.getElementById("coorHiddenLabel").style.display = "none";
160     document.getElementById("orgOfAdminHiddenLabel").style.display = "none";
161     document.getElementById("orgHiddenLabel").style.display = "none";
162     document.getElementById("hiddenSearchField").style.display = "block";
163   }
164   else if (userTypeOption=="OSS Coordinator"){
165     document.getElementById("searchStudentHiddenField").style.display = "none";
166     document.getElementById("searchCoorHiddenField").style.display = "block";
167     document.getElementById("searchOrgOfAdminHiddenField").style.display = "none";
168     document.getElementById("studentHiddenLabel").style.display = "none";
169     document.getElementById("coorHiddenLabel").style.display = "block";
170     document.getElementById("orgOfAdminHiddenLabel").style.display = "none";
171     document.getElementById("orgHiddenLabel").style.display = "none";
172     document.getElementById("hiddenSearchField").style.display = "block";
173   }
174   else if (userTypeOption=="Student Organization Admin"){
175     document.getElementById("searchStudentHiddenField").style.display = "none";
176     document.getElementById("searchCoorHiddenField").style.display = "none";
177     document.getElementById("searchOrgOfAdminHiddenField").style.display = "block";
178     document.getElementById("studentHiddenLabel").style.display = "none";
179     document.getElementById("coorHiddenLabel").style.display = "none";
180     document.getElementById("orgOfAdminHiddenLabel").style.display = "block";
181     document.getElementById("orgHiddenLabel").style.display = "none";
182     document.getElementById("hiddenSearchField").style.display = "block";
183   }
184   else if(userTypeOption=="Student Organization"){
185     document.getElementById("searchStudentHiddenField").style.display = "none";
186     document.getElementById("searchCoorHiddenField").style.display = "none";
187     document.getElementById("searchOrgOfAdminHiddenField").style.display = "none";
188     document.getElementById("studentHiddenLabel").style.display = "none";
189     document.getElementById("coorHiddenLabel").style.display = "none";
190     document.getElementById("orgOfAdminHiddenLabel").style.display = "none";
191     document.getElementById("orgHiddenLabel").style.display = "block";
192     document.getElementById("hiddenSearchField").style.display = "block";
193   }
194   else{
195     document.getElementById("searchStudentHiddenField").style.display = "none";
196     document.getElementById("searchCoorHiddenField").style.display = "none";
197     document.getElementById("searchOrgOfAdminHiddenField").style.display = "none";
198     document.getElementById("studentHiddenLabel").style.display = "none";
199     document.getElementById("coorHiddenLabel").style.display = "none";
200     document.getElementById("orgOfAdminHiddenLabel").style.display = "none";
201     document.getElementById("orgHiddenLabel").style.display = "none";
202     document.getElementById("hiddenSearchField").style.display = "none";
203   }
204 }
205
206 function showHiddenField2(){
207   coorOptionsID = document.getElementById("coorOptionsID");
208   coorOptionsChoice = coorOptionsID.options[coorOptionsID.selectedIndex].value;
209   if (coorOptionsChoice=="Assign To Other College"){
210     document.getElementById("coorOptionsHiddenField").style.display = "block";
211   }
212   else if(coorOptionsChoice=='Activate/Deactivate'){
213     document.getElementById("coorOptionsHiddenField").style.display = "none";
214   }
215   else{
216     document.getElementById("coorOptionsHiddenField").style.display = "none";
217   }
218 }
219
220 function showhidefield(value)
221 {
222   if(value=='assign'){
223     document.getElementById('coorOptionsHiddenField').style.display = "block";
224   }
225   else if(value=='activate'){
226     document.getElementById('coorOptionsHiddenField').style.display = "none";
227   }
228   else
229   {
230     document.getElementById('coorOptionsHiddenField').style.display = "block";
231   }
232 }
233
234 function showInvitedCollegeField(){
235     peopleInvitedID = document.getElementById("peopleInvitedID");
236     peopleInvitedOption = peopleInvitedID.options[peopleInvitedID.selectedIndex].value;
237     if (peopleInvitedOption == "College"){
238       document.getElementById("invitedCollegeField").style.display = "block";
239     }
240     else{
241       document.getElementById("invitedCollegeField").style.display = "none";
242     }
243 }
244
245 function showSelectedCollegeField(){
246     viewChoiceID = document.getElementById("searchStudentBy");
247     viewChoiceOption = viewChoiceID.options[viewChoiceID.selectedIndex].value;
248     if (viewChoiceOption == "Course"){
249       document.getElementById("selectedCollegeField").style.display = "block";
250     }
251     else{
252       document.getElementById("selectedCollegeField").style.display = "none";
```

```
253     }
254 }
```

Listing 63: validateForm.js

```
 1
 2 function validateForm(){
 3   var valid = true;
 4   var name = /^[a-zA-Z \.\-]+$/;
 5   var regex = /^[\.,-\/#!$%\^&\*;:{}=\-_`~()]+$/;
 6   var whitespace = /^\s*$/;
 7
 8   for(var i=1; i<=fieldNumTotal; i++){
 9     if(document.getElementById('studentNoA'+i) && document.getElementById('studentNoB'+i)){
10       if(addStudent_form.elements['studentNoA'+i].value.length<1 || addStudent_form.elements['
             studentNoB'+i].value.length<1){
11         document.getElementById('studentNoError'+i).innerHTML = 'THIS FIELD IS REQUIRED.';
12         valid = false;
13       }
14       else if(regex.test(addStudent_form.elements['studentNoA'+i].value) || isNaN(
             addStudent_form.elements['studentNoA'+i].value) ||
15       whitespace.test(addStudent_form.elements['studentNoA'+i].value) || whitespace.test(
             addStudent_form.elements['studentNoB'+i].value) ||
16       regex.test(addStudent_form.elements['studentNoB'+i].value) || isNaN(addStudent_form.
             elements['studentNoB'+i].value)){
17         document.getElementById('studentNoError'+i).innerHTML = 'THIS FIELD HAS AN INVALID
               VALUE.';
18         valid = false;
19       }
20       else if(addStudent_form.elements['studentNoA'+i].value.length<4 || addStudent_form.
             elements['studentNoB'+i].value.length<5){
21         document.getElementById('studentNoError'+i).innerHTML = 'THIS FIELD HAS A MISSING
               VALUE.';
22         valid = false;
23       }
24       else{
25         document.getElementById('studentNoError'+i).innerHTML = '';
26       }
27     }
28
29     if(document.getElementById('studentEmail'+i)){
30       var x=document.forms["addStudent_form"]['studentEmail'+i].value;
31       var atpos=x.indexOf("@");
32       var dotpos=x.lastIndexOf(".");
33       if (atpos<1 || dotpos<atpos+2 || dotpos+2>=x.length){
34         document.getElementById('studentEmailError'+i).innerHTML = 'NOT A VALID EMAIL';
35         valid = false;
36       }
37       else{
38         document.getElementById('studentEmailError'+i).innerHTML = '';
39       }
40     }
41
42     if(document.getElementById('studentFName'+i)){
43       if(addStudent_form.elements['studentFName'+i].value.length<1){
44         document.getElementById('studentFNameError'+i).innerHTML = 'THIS FIELD IS REQUIRED.';
45         valid = false;
46       }
47       else if(!isNaN(addStudent_form.elements['studentFName'+i].value)){
48         document.getElementById('studentFNameError'+i).innerHTML = 'INVALID VALUE';
49         valid = false;
50       }
51       else{
52         document.getElementById('studentFNameError'+i).innerHTML = '';
53       }
54     }
55
56     if(document.getElementById('studentMName'+i)){
57       if(addStudent_form.elements['studentMName'+i].value.length<1){
58         document.getElementById('studentMNameError'+i).innerHTML = 'THIS FIELD IS REQUIRED.';
59         valid = false;
60       }
61       else if(!isNaN(addStudent_form.elements['studentMName'+i].value)){
62         document.getElementById('studentMNameError'+i).innerHTML = 'INVALID VALUE';
63         valid = false;
64       }
65       else{
66         document.getElementById('studentMNameError'+i).innerHTML = '';
67       }
68     }
69
70     if(document.getElementById('studentLName'+i)){
71       if(addStudent_form.elements['studentLName'+i].value.length<1){
72         document.getElementById('studentLNameError'+i).innerHTML = 'THIS FIELD IS REQUIRED.';
73         valid = false;
74       }
75       else if(!isNaN(addStudent_form.elements['studentLName'+i].value)){
76         document.getElementById('studentLNameError'+i).innerHTML = 'INVALID VALUE';
77         valid = false;
78       }
79       else{
80         document.getElementById('studentLNameError'+i).innerHTML = '';
81       }
82     }
83
84     if(document.getElementById('studentYear'+i)){
85       var id = document.getElementById('studentYear'+i);
86       var selected = id.options[id.selectedIndex].value;
```

```
87        if(selected == 'NA'){
88          document.getElementById('studentYearError'+i).innerHTML = 'CHOOSE A YEAR.';
89          valid = false;
90        }
91        else{
92          document.getElementById('studentYearError'+i).innerHTML = '';
93        }
94      }
95
96      if(document.getElementById('studentCollege'+i)){
97        var id = document.getElementById('studentCollege'+i);
98        var selected = id.options[id.selectedIndex].value;
99        if(selected == ''){
100         document.getElementById('studentCollegeError'+i).innerHTML = 'CHOOSE A COLLEGE.';
101         valid = false;
102       }
103       else{
104         document.getElementById('studentCollegeError'+i).innerHTML = '';
105       }
106     }
107
108     if(document.getElementById('studentCourse'+i)){
109       var id = document.getElementById('studentCourse'+i);
110       var selected = id.options[id.selectedIndex].value;
111       if(selected == ''){
112         document.getElementById('studentCourseError'+i).innerHTML = 'CHOOSE A COURSE.';
113         valid = false;
114       }
115       else{
116         document.getElementById('studentCourseError'+i).innerHTML = '';
117       }
118     }
119   }
120
121   if(valid){
122     return true;
123   }
124   else{
125     return false;
126   }
127 }
128
129 function validateForm2(){
130   var valid = true;
131   var name = /^[a-zA-Z \.\-]+$/;
132   var regex = /^[\.,-\/#!$%\^&\*;:{}=\-_`~()]+$/;
133   var whitespace = /^\s*$/;
134
135
136   for(var i=1; i<=fieldNum2Total; i++){
137     if(document.getElementById('coordinatorNo'+i)){
138       if(addOSSCoordinator_form.elements['coordinatorNo'+i].value.length<1){
139         document.getElementById('coordinatorNoError'+i).innerHTML = 'THIS FIELD IS REQUIRED.';
140         valid = false;
141       }
142       else if(regex.test(addOSSCoordinator_form.elements['coordinatorNo'+i].value) ||
              whitespace.test(addOSSCoordinator_form.elements['coordinatorNo'+i].value) ||
143       isNaN(addOSSCoordinator_form.elements['coordinatorNo'+i].value)){
144         document.getElementById('coordinatorNoError'+i).innerHTML = 'THIS FIELD HAS AN INVALID
                VALUE.';
145         valid = false;
146       }
147       else if(addOSSCoordinator_form.elements['coordinatorNo'+i].value.length<9){
148         document.getElementById('coordinatorNoError'+i).innerHTML = 'THIS FIELD HAS A MISSING
              VALUE.';
149         valid = false;
150       }
151       else{
152         document.getElementById('coordinatorNoError'+i).innerHTML = '';
153       }
154     }
155
156     if(document.getElementById('coordinatorFName'+i)){
157       if(addOSSCoordinator_form.elements['coordinatorFName'+i].value.length<1){
158         document.getElementById('coordinatorFNameError'+i).innerHTML = 'THIS FIELD IS REQUIRED
                .';
159         valid = false;
160       }
161       else if(!isNaN(addOSSCoordinator_form.elements['coordinatorFName'+i].value)){
162         document.getElementById('coordinatorFNameError'+i).innerHTML = 'INVALID VALUE.';
163         valid = false;
164       }
165       else{
166         document.getElementById('coordinatorFNameError'+i).innerHTML = '';
167       }
168     }
169
170     if(document.getElementById('coordinatorMName'+i)){
171       if(addOSSCoordinator_form.elements['coordinatorMName'+i].value.length<1){
172         document.getElementById('coordinatorMNameError'+i).innerHTML = 'THIS FIELD IS REQUIRED
                .';
173         valid = false;
174       }
175       else if(!isNaN(addOSSCoordinator_form.elements['coordinatorMName'+i].value)){
176         document.getElementById('coordinatorMNameError'+i).innerHTML = 'INVALID VALUE.';
177         valid = false;
178       }
179       else{
180         document.getElementById('coordinatorMNameError'+i).innerHTML = '';
```

```
181         }
182       }
183
184       if(document.getElementById('coordinatorLName'+i)){
185         if(addOSSCoordinator_form.elements['coordinatorLName'+i].value.length<1){
186           document.getElementById('coordinatorLNameError'+i).innerHTML = 'THIS FIELD IS REQUIRED
                .';
187           valid = false;
188         }
189         else if(!isNaN(addOSSCoordinator_form.elements['coordinatorLName'+i].value)){
190           document.getElementById('coordinatorLNameError'+i).innerHTML = 'INVALID VALUE.';
191           valid = false;
192         }
193         else{
194           document.getElementById('coordinatorLNameError'+i).innerHTML = '';
195         }
196       }
197
198       if(document.getElementById('coordinatorCollege'+i)){
199         var college = new Array();
200         var ctr = 0;
201         for(var j=0; j<fieldNum2Total; j++){
202           if(document.getElementById('coordinatorCollege'+j) && i!=j){
203             var id = document.getElementById('coordinatorCollege'+j);
204             var selected = id.options[id.selectedIndex].value;
205             college[ctr] = selected;
206             ctr++;
207           }
208         }
209         var id = document.getElementById('coordinatorCollege'+i);
210         var selected = id.options[id.selectedIndex].value;
211         if(selected == ''){
212           document.getElementById('coordinatorCollegeError'+i).innerHTML = 'CHOOSE A COLLEGE.';
213           valid = false;
214         }
215         else if(college.indexOf(selected) != -1){
216           document.getElementById('coordinatorCollegeError'+i).innerHTML = 'DUPLICATE COLLEGE
                ASSIGNMENT.';
217           valid = false;
218         }
219         else{
220           document.getElementById('coordinatorCollegeError'+i).innerHTML = '';
221         }
222       }
223
224       if(document.getElementById('coordinatorEmail'+i)){
225         var x=document.forms["addOSSCoordinator_form"]['coordinatorEmail'+i].value;
226         var atpos=x.indexOf("@");
227         var dotpos=x.lastIndexOf(".");
228         if (atpos<1 || dotpos<atpos+2 || dotpos+2>=x.length){
229           document.getElementById('coordinatorEmailError'+i).innerHTML = 'NOT A VALID EMAIL';
230           valid = false;
231         }
232         else{
233           document.getElementById('coordinatorEmailError'+i).innerHTML = '';
234         }
235       }
236     }
237
238     if(valid){
239       return true;
240     }
241     else{
242       return false;
243     }
244 }
245
246 function validateForm3(){
247         var id = document.getElementById('studOrgOfAdminToAssign');
248         var selected = id.options[id.selectedIndex].value;
249         if(selected == ''){
250           document.getElementById('studOrgOfAdminToAssignError').innerHTML = 'CHOOSE AN
                ORGANIZATION.';
251           valid = false;
252         }
253         else{
254           document.getElementById('studOrgOfAdminToAssignError').innerHTML = '';
255         }
256
257         for(var i=1; i<=3; i++){
258           if(assignStudOrgAdminForm.elements['studNames'+i].value.length<1 ||
                assignStudOrgAdminForm.elements['studOrgAdminPosition'+i].value.length<1){
259             document.getElementById('studNamesError'+i).innerHTML = 'ONE OF THE FIELDS IS
                  MISSING';
260             valid = false;
261           }
262           else{
263             for(var j=1; j<=3; j++){
264               if(i!=j){
265                 if(assignStudOrgAdminForm.elements['studNames'+i].value ==
                      assignStudOrgAdminForm.elements['studNames'+j].value){
266                   document.getElementById('studNamesError'+i).innerHTML = 'DUPLICATE ENTRY';
267                   valid = false;
268                 }
269                 else{
270                   document.getElementById('studNamesError'+i).innerHTML = '';
271                 }
272               }
273             }
```

```
274           }
275         }
276
277         if(valid){
278           return true;
279         }
280         else{
281           return false;
282         }
283 }
284
285 function validateForm4(){
286   var valid = true;
287   var name = /^[a-zA-Z \.\-]+$/;
288   var regex = /^[\.,-\/#!$%\^&\*;:{}=\-_`~()]+$/;
289   var whitespace = /^\s*$/;
290
291   for(var i=1; i<=fieldNumTotal3; i++){
292     if(document.getElementById('studOrgName'+i)){
293       if(addStudentOrganization_form.elements['studOrgName'+i].value.length<1){
294         document.getElementById('studOrgNameError'+i).innerHTML = 'THIS FIELD IS REQUIRED.';
295         valid = false;
296       }
297       else{
298         document.getElementById('studOrgNameError'+i).innerHTML = '';
299       }
300     }
301
302     if(document.getElementById('studOrgAcronym'+i)){
303       if(addStudentOrganization_form.elements['studOrgAcronym'+i].value.length<1){
304         document.getElementById('studOrgAcronymError'+i).innerHTML = 'THIS FIELD IS REQUIRED
              .';
305         valid = false;
306       }
307       else{
308         document.getElementById('studOrgAcronymError'+i).innerHTML = '';
309       }
310     }
311
312       var id = document.getElementById('studOrgCategory'+i);
313       var selected = id.options[id.selectedIndex].value;
314       if(selected == ''){
315         document.getElementById('studOrgCategoryError'+i).innerHTML = 'CHOOSE A CATEGORY.';
316         valid = false;
317       }
318       else{
319         document.getElementById('studOrgCategoryError'+i).innerHTML = '';
320       }
321
322     if(document.getElementById('studOrgFoundingDate'+i)){
323       if(addStudentOrganization_form.elements['studOrgFoundingDate'+i].value.length<1){
324         document.getElementById('studOrgFoundingDateError'+i).innerHTML = 'THIS FIELD IS
              REQUIRED.';
325         valid = false;
326       }
327       else{
328         document.getElementById('studOrgFoundingDateError'+i).innerHTML = '';
329       }
330     }
331
332     if(document.getElementById('studOrgAdviser'+i)){
333       if(addStudentOrganization_form.elements['studOrgAdviser'+i].value.length<1){
334         document.getElementById('studOrgAdviserError'+i).innerHTML = 'THIS FIELD IS REQUIRED
              .';
335         valid = false;
336       }
337       else{
338         document.getElementById('studOrgAdviserError'+i).innerHTML = '';
339       }
340     }
341
342     if(document.getElementById('studOrgEmail'+i)){
343       var x=document.forms["addStudentOrganization_form"]['studOrgEmail'+i].value;
344       var atpos=x.indexOf("@");
345       var dotpos=x.lastIndexOf(".");
346       if (atpos<1 || dotpos<atpos+2 || dotpos+2>=x.length){
347         document.getElementById('studOrgEmailError'+i).innerHTML = 'NOT A VALID EMAIL';
348         valid = false;
349       }
350       else{
351         document.getElementById('studOrgEmailError'+i).innerHTML = '';
352       }
353     }
354   }
355
356   if(valid){
357         return true;
358       }
359       else{
360         return false;
361       }
362 }
```

XII. Acknowledgement

"Do the best and God will do the rest" ika nga. Super naniniwala talaga ako sa kasabihang ito at hanggang ngayon masasabi kong ito pa rin ang motto ko sa buhay ko. Sa apat na taon ko sa UPM, wala na atang sasaya pa sa feeling ko ngayon. Sa wakas! Natapos ko rin ang thesis ko! Nais ko sanang magpasalamat sa ilang taong tumulong at nag encourage sa akin para matapos ko ito. :)

First of all, I wanna thank God for everything. Sa lahat ng answered prayers ko and sa lahat rin ng chances at time na ibinigay nea sa akin para matapos ang thesis kong ito. Thank you Lord para po sa binigay neong adviser sa akin. Dun pa lang po ay alam kong maswerte na ako at nagkalakas na po agad ako ng loob na gumawa ng thesis. Thank you rin po for giving me a tap on the shoulder kapag di ako gumagawa ng thesis ko at papetiks-petiks lang ako. Kung hindi neo po siguro ginawa yun baka hindi ko ito matatapos on time. Thank you rin po Lord na kahit minsan super nastressed, pagod at puyat po ako ay hindi neo po ako pinabayaan na magkasakit or anuman. Super thankful rin po ako na di neo po ako pinabayaan nung proposal at nung defense at binigyan neo po ako ng lakas ng loob na humarap at sagutin ang mga tanong ng panel. Wala na po akong masasabi sa inyo Lord kundi puro pasasalamat. Ang lahat po nang ito ay utang ko po sa inyo. :)

Then, I wanna thank my parents and family sa support na ibinigay nila sa akin para matapos ko itong thesis ko. Kung hindi dahil sa kanila, kahit pano di ko rin ito matatapos on time. Kahit na medyo napressure ako dahil kailangan kong grumaduate on time para sabay kami ng kapatid ko, para makapagtrabaho na at makatulong sa pagpapaaral nea, I guess maganda rin pala yun. Napush talaga ako at nagpursigi na gawin at tapusin ito. Daddy and mommy thank you po sa lahat ng encouragement na ibinigay neo po sa akin at sa pang unawa at pagtitiwala na kaya ko tong thesis kong ito. Thank you rin Tita Emy sa pagpapamass at thanksgiving sa akin nung proposal at defense. :)

I also wanna thank my SP adviser na si Ma'am Ave. Kung hindi sya naging

adviser ko baka hindi ko magagawa tong thesis kong ito or possibly, di pa ako nakapagpropose ng SP. Siya kasi ang nagbigay ng topic na ito sa akin kaya sa umpisa pa lang super thankful na ako. Ma'am thank you po sa guidance and advices. Sorry po talaga if andami kong tanong sa texts. Sana po naintindihan neo hehe! Thank you po Ma'am na di neo po ako iniwan nung defense. Pumunta pa rin po kayo dun kaysa ako lang po mag isa yung humarap sa panel. :)

Gusto ko rin pasalamatan yung mga friends ko dito sa UPM na sina Jezra, Liezl, Nicole, Sherwin, Ate Michelle at Ate Hainah. Guys! Thank you sobra sa mga advices at suggestions neo sa akin. Sa pagdamay at pag encourage rin! Pero nagpapasalamat talaga ako sa wala neong sawang pakikinig sa mga rants at kadramahan ko nung gumagawa tayo ng thesis lol. Kailangan ko talagang mailabas lang yung mga nararamdaman ko nung mga time na yun. For that, thank you ulit!

Thank you STUFF and Block 12 2010! Thank you for making mg UPM life colorful! Ansaya neo kasama. :) I will never forget you guys!

Thank you rin pala sa mga HS friends ko na umuunawa na lang sa akin every time na di ako nakakasama sa mga get together. See you soon guys! Paparamdam na ako! haha!

I also wanna thank EXO, SHINee, Super Junior, B.A.P., VIXX at marami pang KPOP bands na tumulong sa akin magdetox minsan lol.