

CHAPTER I

INTRODUCTION

A. Background of the Study

Ugnayan ng Pahinungod is a program of the University of the Philippines which institutionalizes volunteerism among UP constituents through the rendering of free services to communities in greatest need. This program is being implemented in all autonomous campuses of UP except in Diliman.^[1]

The Ugnayan ng Pahinungod Manila offers the following program packages: 1) Educational Assistance Program, 2) Community Health Programs, 3) Community Social Welfare Programs and 4) Advocacy Program. Please see Figure 1 for a summary.

The **Educational Assistance Program** seeks to improve the quality of public educational system in terms of skills enhancement and manpower augmentation. Volunteers may serve under the following components: 1) Tutorials, 2) Teachers' Development and 3) Gurong Pahinungod.

The **Community Health Programs** are held to provide direct assistance and sharing of knowledge through empowerment of communities to take active role in alleviating the existing health concerns in underserved communities. Among its components are: 1) Health Missions, 2) Health Training/ Health Education, and 3) Emergency Room Volunteers.

The **Community Social Welfare Program** promotes the interest and welfare of some marginalized sectors of the society through activities targeting identified needs of the

community. The components of this program are: 1) Summer Immersion Service Program and 2) Program for the Street Children.

The fourth program is the **Advocacy Program** which aims to promote and campaign for volunteerism among different units of the University concerned sectors. Among the works done under this programs are documentation of volunteer works, publications and networking with other organizations, offices and individuals.

Time and number of volunteers available are the main concerns of the office. There is much to do and the staff personnel are limited in number. To maximize the manpower available, the Program Deployment Management System for Ugnayan ng Pahinungod is proposed. This aims to help the program coordinator who at the same time acts as a regular volunteer to missions. This will aid in managing the requests for missions, from deciding if requests should be approved to scheduling them.

The Program Deployment Management System for Ugnayan ng Pahinungod seeks to assist in decision-handling and documentation. The system will eliminate the tedious need of manually checking for conflicting schedules of new program requests to the already approved programs and searching for volunteers who are available for the desired date.

B. Statement of the Problem

The Program Deployment Management System is a database monitoring system which seeks to answer the problems in program management.




Figure 2. Cause and Effect Diagram

The office of the Ugnayan ng Pahinungod is composed of volunteers and office personnel. The office personnel and some volunteers who are appointed as coordinators are the people who coordinate with the volunteers and other stakeholders of an event deployment. There are only a few of them and there is a lot of coordinating to be dealt with.

The task of scheduling a program is done manually. The program coordinator manually checks for conflicting schedules to the desired date and also manually checks for volunteers that are suited for the program. Some programs have special volunteer needs so the coordinator has to be

particular with this, i.e. nurses and doctors for medical mission, surgeons for surgical missions, etc.

At present, the records of the programs accomplished by the office and the information about the volunteers are available as hard copy and as .doc files. Possibilities of cluttering or losing these documents are also high.

For report generation, officers are asked to fill up the accomplishment report form (see Appendix) that asks the accomplishments that were done for that month. The Administrative Officer II will then collate them and make the final monthly report. The annual report will also be derived from the collated monthly reports.

In light of these, I would like at this point to summarize the things required of a software solution that would satisfactorily meet the requirements for an Ugnayan ng Pahinungod program management system, as follows:

- System should be a searchable online repository of events and volunteer profiles
- System should show progress of every event entered into it, from its initiation to post-deployment by showing statuses of tasks needed to be accomplished which includes fund solicitation, ocular evaluation, volunteer gathering, deployment and accomplishment recording
- System should allow the office to accept online requests for event deployment made by volunteer organizations external to Pahinungod
- System should store organization profiles for future reference, i.e. taking account of past reputation (good or bad) of organizations

- System can produce detailed monthly and annual reports for events successfully deployed

C. Objectives

The Program Management System aims to save time and effort in organizing programs and missions. It will also be publicly available so even non-members can be informed of the activities the office has accomplished. The proposed system offers online submission of requests to organization representatives.

The system will assist the office staff in verifying and managing several aspects of a program, e.g., the organization's background, conflicting events, result of ocular visit, to the selection of required volunteers, and also to the sufficiency of funding if applicable. (In an ocular visit, volunteers and the office staff check the location of the deployment and make their evaluation about the place.) Only administrators can key in the locations. The system will send notifications to the appropriate members.

The main actors in the system are:

- Guest – unregistered member and a prospect volunteer/representative interested in knowing more about the organization
- Representative - a member of a third party organization that can be of partnership with the organization in deploying events
- Volunteer - confirms availability for an event and checks coming events
- Program Coordinator – in-charge of coordinating with the third party organizations, and volunteers of a program

- Administrative Officer IV - in-charge of regulating funds
- Program Chairperson - initiates programs, approves/rejects requests
- Administrative Officer II - in-charge of documentations and monitoring of status of requests
- Director - dictates what necessary actions are to be undertaken after receiving an event request

In summary, the following are the use cases for each user:

Admin – Admin Officer II, Director

AOIV – Admin Officer IV

CP – Chairperson

PC – Program Coordinator

Vol - Volunteer

Rep – Representative

G - Guest

System Function / User	Admin	AOIV	CP	PC	Vol	Rep	Guest
Search							
View upcoming and archived events	X	X	X	X	X	X	X
Search for an event	X	X	X	X	X	X	X
Search for an organization	X	X	X	X	X	X	X
Search for a user	X						
Manage account							
Add/delete all accounts	X						
Edit own account information	X	X	X	X	X	X	X
Edit membership/ availability to a mission	X	X	X	X	X		
Manage organization							
Add/Edit/Delete all organizations	X						
Add/Edit/Delete own organization	X	X	X	X	X	X	

Edit remark/ reputation	X						
Manage request							
Submit request for a program *	X	X	X	X	X	X	
Submit cancellation request	X	X	X	X	X	X	
Approve/disapprove requests	X		X				
View statuses of tasks	X		X		X		
Add additional task for an event	X		X				
Update status of a task	X		X				
Select volunteers for a program	X		X				
Make an ocular evaluation	X						
Manage event							
Add/edit/delete events	X		X				
Suggest a location for a program **	X		X				
Add/Edit/Delete sponsor funding	X						
View volunteers involved in an event	X		X				
Generate reports	X						

* Health Training, Teachers' Development Program and Health Missions

** Tutorial, Gurong Pahinungod, Summer Immersion Service Program, Program for Street Children

- View upcoming and archived events – this shows the events that volunteers can join in, and also the past events where the other volunteers who were not able to join can know what had taken place in that event.
- Search for an event – viewers can have an specific event in mind and wish to know more about it. They can search for it in the system.
- Search for an organization – a personnel may wish to get the location of an organization, or other contact details to set a meeting with them

- Search for a user – administrators can check if a specific user has his account confirmed, or wish to disable login for an account. The Search for a user functionality is useful for that.
- Edit account – users may want have their contact details updated. They can edit their own account so their details will be updated.
- Edit/Mark a reputation – some organizations may have had a bad reputation like cancelled an event without notice. The office may add this remark to a company's profile so they would be reminded in the next time that organization makes a request.
- Suggest a location – before an event gets a go, the location has to be evaluated. So an event may have a few prospect locations.
- Sponsor Funding – some events needs funds to push through, and the monitoring of funding helps with that.
- Generate reports – Reports are done monthly and annually to show all the accomplishments of the office.

D. Significance

The proposed system solves the two major problem areas for the office of Pahinungod: time and manpower constraints.

The system greatly simplifies the following aspects of program management, among other things: verifying volunteers' and organizations' statuses, checking for conflicting events and keeping track of amount accumulated as funds for events. These tasks would normally require looking at several files and folders. Time allotted in performing such tasks manually can now be used to accomplish other tasks.

Because the schedule is to be managed electronically, optimization of resources becomes possible. With the numbers of staff personnel being limited, the assignment of tasks can be done in a way that maximizes their time. This simple but necessary strategy is often times ignored due to limited time allotted for task scheduling.

The status of programs involving multiple steps can be tracked by indicating which tasks are or are not completed. Thus, documentation of programs, as they are taking place, will be made simpler and more effective. Monthly and annual reports can be generated by the system.

The web-based nature of the system will also broaden the scope of individuals that will know about Ugnayan ng Pahinungod, increasing the chances of a larger number of volunteers joining the volunteer effort, as well social and civic organizations that can be their partners in reaching out to communities.

E. Scope and Limitation

1. The scheduler cannot automatically assign schedules to volunteers, i.e., it does not employ a timetabling algorithm.
2. The general procedure for evaluating an event request is
 - checking calendar for conflicting event on desired date
 - checking organization's background
 - making ocular evaluation
 - checking sufficiency of required volunteers.

3. For events initiated by the office, fund sufficiency is another criterion to determine event deployment. Incoming funds will be monitored by the system, but how the funds will be dispensed will not be recorded.
4. Only representatives can fill up an event request form. Guests will be requested to sign-up for a representative account which should be verified by the administrative officer.
5. Events are expected to fall into the available set of event categories. Adding additional categories will not be supported and would need technical support.
6. Applications and requests are not done automatically. Human intervention is needed.
7. Volunteers can create an account online. Account created will also be subjected to verification by the administrative officer. Pending accounts will be approved after its owner has submitted required documents and made personal appearance on the office of Pahinungod.
8. A volunteer (member of Pahinungod) can also be a representative for an outside organization. He just has to enlist himself as a contact person for that organization.
9. Names of volunteers will be queued if their program preference matches the requested event. If the program requires specific type of volunteer, i.e. dentist, surgeon, etc., the volunteers' professions will be displayed
10. The Chairperson/ Administrative Officer II will have the final decision as to approve/reject a request.
11. This study is focused only on the optimization of manpower with regards to program scheduling and management. Other resources, such as medicines, medical/surgical supplies and equipments needed in the programs are not monitored.

F. Assumptions

1. It is the responsibility of the Administrative Officer II to update the system regularly.
2. It is also his responsibility to validate new representative accounts and create accounts for requesting users. Same with the volunteer accounts.

CHAPTER II

REVIEW OF RELATED LITERATURE

Event management comprises the coordination of all the tasks and activities necessary for the execution of an event regarding its strategy, planning, implementation and control, based on the principles of event marketing and methods of project management.^[2] Proprietary software solutions for word processing, spreadsheets, project management or e-mail communication do not provide an integrated approach for event management. These are essential parts of a system for event management since they are automated versions of the each of the manual processes applied. The integration of these standalone applications will make up the proposed system. This literature review examines the different components that will be incorporated to the proposed system. This also addresses some of the fundamental questions surrounding the benefits of deploying such a system.

One of the components that will be included is the Record Management System. Records management is the practice of maintaining the records of an organization from the time they are created up to their eventual disposal. The record pertained here is the digital form of information: for example, office documents, databases, application data and email. A record management system is a record keeping system that maintains and provides access to records over time. It could be considered as an archive. Over the years, the use of electronic record management system has already established benefits. Electronic document management systems provide benefits over paper filing including cost savings, security, disaster recovery, remote access and process consistency.^[3] A review of case studies, and some unpublished results

identifies the main principles applied by the cases that showed clear benefits by implementing an electronic records management system (ERMS) or an electronic document management system (EDMS). First, the record system must include the people, or the policy makers and users. Second, the record system must be integrated with the process of the organization. Third, frequently, the role of the record managers is to educate, advise and support the users.^[4]

Records management is primarily concerned with the evidence of an organization's activities. As to the proposed system, it will store the different events deployed by the office. This will also be used in the system for the profile of each member to store information about them. These includes the application forms and the document requirements they submit either as proof that they are affiliated to the university or proof that they had graduated from a four-year course on another university. The system will follow the footsteps of the successful ERMS's and have the principles applied. There will be accounts for the members that will use it and it will be an integral part of the operation of the office.

Another component is the scheduling component. Manual scheduling is done in many fields. Personnel scheduling problems occur in a variety of service delivery setting, including the scheduling of airlines and hotel reservation personnel, nurses in hospitals, coastguards, patrol officers and others.^[5] Workforce schedules have an impact on the health and satisfaction of employees as well as on their performance at work. Therefore, computerized workforce scheduling has interested researchers for over 30 years.^[6] The problem is characterized by assigning workers to jobs on different shifts given a restricted time-frame.

There are commercially available software applications that solve timetabling problems. These applications arrive at satisfactory solutions within a specific model. Several algorithms have to

be applicable to timetabling but they are nearly all designed to address specific problems. For each specific situation, the model has to be redesigned. This hinders reuse of software to problems for which it was not specifically designed for.^[7]

Despite decades of research into automated methods for employee scheduling problems and some academic successes, many institutions still resort to manual practices. Only 30 percent of systems that research articles discuss are implemented, and there is very little academic involvement in systems that third-party vendors offer.^[8] In a study done to classify the different scheduling problems, the authors concluded about the general desires of planners. "In general there is no wish for a fully automated planning. Instead, support will be strongly appreciated. Most planners prefer evaluation tools that indicate possibilities and that warn for mistakes such as double bookings."^[9] The system will give guidance as needed, reminding planners what tasks are already done and checking the requirements for a program request like conflicting schedules and insufficiency of volunteers and/or funds.

This function of the system makes it resemble an enterprise resource planning software, or ERP. An enterprise resource planning software attempts to integrate all departments and functions across a company onto a single computer system that can serve all those different departments' particular needs. Each of those departments typically has its own computer system optimized for the particular ways that the department does its work. But ERP combines them all together into a single, integrated software program that runs off a single database so that various departments can more easily share information and communicate with each other.^[13] This will be how the proposed system will function. Each stakeholder in the system represents a 'department' and the system will integrate the jobs done by these stakeholders to complete an event's cycle. Among

the system's stakeholders are the administrative officer that will relay request for event deployment to the director and to the appropriate chairperson, the chairperson for each program that decides whether to approve a program deployment, the mission coordinator that will contact people that will be involved and the volunteers that will be the part of the event's deployment.

Enterprise resource planning systems have become a vital application and are adopted by business to manage their operations and resources. But ERP implementation faces several key challenges such as processes reengineering, IT infrastructure, integration, etc.[10] During the past few years, ERP implementation has resulted in an increase in the volume of literature devoted to it. According to a study, 70 percent of the ERP implementations fail to provide the expected benefits. In a research done to explore the current literature base of critical success factors (CSFs) of ERP implementations, the two most cited out of the 26 categories are 1) top management commitment and support and 2) change management.[11] These two factors for successfully adopting ERP are related to "misfit": the gap between pre-written functionality offered and that required by the adopting firm. This results from the customer organizations requiring unique business solutions and ERP vendors having a generic solution sold to a broad market. [12] Due to the fact that customization is expensive, organizations commit to implementing the "vanilla" version of an ERP. This is the basic version or the version with the minimum customization. Most companies installing an ERP need to adapt or even rework their processes to fit the requirements of the package. Under such circumstances, the study suggested that for a better "fit", the client firm adapting the ERP should hire a consultant that will help them re-engineer their business processes to adapt better with the ERP. The basis was that this will ensure them a more effective knowledge transfer and thus will lead to better satisfaction of

the client's needs. The proposed system, though do not anymore need a consultant as it will be tailored-fit to their business processes.

CHAPTER III

CONCEPTUAL /THEORETICAL FRAMEWORK

UGNAYAN NG PAHINUNGOD

The Ugnayan ng Pahinungod offers a number of community-oriented programs that wishes not only to help to others but also to facilitate learning to its corps of volunteers. These programs may be organized either through the initiative of one of its members or through an outside organization. At present, the program relies on social and civic organizations to reach out to communities in need on these three: health missions, the teachers' development program and health education/training. The others, namely the tutorial services, Gurong Pahinungod, Summer Immersion Service Program and the Program for the Street Children are initiated by the office.

The Emergency Room Volunteer is also initiated by the office but for some years now, it had been a year-round partnership between the office and the ER department.

MEMBERSHIP

An interested individual can be a volunteer provided that he is an affiliate of the University of the Philippines Manila or Philippine General Hospital. He is required to submit a photocopy of any proof of his affiliation with UPM or PGH, i.e. ID, form5, diploma, alumni id, etc. If he is not an affiliate, he should be a graduate of any four year course from any university. Additional requirements for non-UP affiliate are photocopy of transcript of records/ diploma, photocopy of

any valid ID, and photocopy of recent antibody for Hepatitis B or Hepatitis profile from any laboratory clinic.

FUND-DRIVEN

The programs initiated by the office are restricted by funds and therefore will not pursue without sufficient funding. The office sends letters requesting for funding to organizations and individuals that can be a sponsor to an event.

One of the fund-dependent activities is the tutorial. Previous tutorials are conducted to street children within Metro Manila but the office is planning to make it outside NCR and host it not to street children anymore but to elementary school pupils. The chairperson of the committee will create a list of candidate places for the program. Evaluation is done on each place and from there, the chairperson will choose where to deploy the program. The number of locations chosen will depend on capacity of the funding received. The same process is done on choosing locations for deployment of the Gurong Pahinungod, Summer Immersion Program and Program for the Street Children.

OCULAR VISIT

Ocular visit is done on all possible locations for any type of program, regardless if it was a requested event or initiated by the office. In ocular visits, a number of volunteers go to the location and evaluates them according to 1) safety, 2) accessibility and 3) need of service on the place. Active participation of the community is also essential for the place to be chosen. Active participation includes continuation of what the office has started doing in the place.

DUTIES OF THIRD PARTIES

The request-driven activities needs the requests in written form and should contain necessary details for the requested program. On health missions, the requesting party has the following duties:

- Coordination with the local government and/or NGOs for the information dissemination
- Recruitment of additional volunteers from local or surrounding hospitals
- Making arrangements with the local hospital/clinic for the post-operation care of patients after the mission team has left
- Close follow-up with the Pahinungod office until the conclusion of the mission
- Provision of medicines, medical and/or surgical supplies and equipments as needed
- Transportation of the mission team from the PGH to the mission area and back
- Compilation of a list of patients' data i.e. name, age, sex and pre-operative diagnosis

On the Health trainings and teachers' development, the requesting party also has the duty of 1) securing a place to conduct program, 2) transportation of the team from PGH to the mission area and back and 3) close follow-up with the Pahinungod office until conclusion of the program.

Requests are to be followed-up after three working days after submission. Requests not followed up within the said period are assumed to have been withdrawn and will no longer be entertained. Requests for surgical missions must be received at least eight (8) weeks prior to the scheduled

date of mission, while request for medical-dental missions should be received five (5) weeks prior to the mission date. Same with Health Training request which should be done five (5) weeks before. For Teachers' development, it should be done six (6) months before.^[14]

The final arrangements for programs should be discussed by the requesting party with Pahinungod seven days before and two days before the scheduled date of the program. It is usually the mission coordinator that cooperates with the requesting party and other people involved in accomplishment of event. Failure of the requesting party to finalize details on the designated dates will result in cancellation of the mission.

PROCESSING OF REQUESTS

Four positions in the administrative position of the office can be given almost all the privileges to the proposed system, namely the 1) Director, 2) University Extension Specialist 1, 3) Administrative Officer 2 and 4) Chairpersons of each program since in practice they are the ones who decide which programs are to be organized. The recommendation states what other actions besides the usual is/are to be done, who to talk to, what departments to contact, etc. for the accomplishment of the program.

The administrative officer II is managing the advocacy program. In addition to this, he is the first to know about incoming requests and just relay them to the right person, which are usually the director and the chairperson for that program. The director will make his recommendations and the volunteers will carry this out. In scheduling the events, the routine is checking background of the requesting party, making ocular visit, checking availability of desired date then selecting

volunteers. For the Health Training, letters are sent to departments that have expertise on the requested subject.

For non-requested events, the process starts from choosing locations and making ocular visits on them. Letters for prospective sponsors are sent after. Then same procedure as the requested programs is done.




Figure 3. Event-driven Process Chain (EPC) diagram for Processing of Requested Event




Figure 4: Event-driven Process Chain (EPC) diagram for Processing of Event Initiated by Ugnayan ng Pahinungod

The volunteers had chosen the programs they would want to be part of upon registration as member. The selected volunteers will be notified about the event. They either confirm or deny their membership on that event depending on their availability at the date of the event. If they are available, their records are checked for the forms needed for that event, if there are any. If they do not have a record, a copy of the form/s will be sent too along with other necessary documents like list of requirements. When there is sufficient number of volunteers already, the program is ready to be deployed.

AVAILABILITY OF VOLUNTEERS

Volunteers' availability for missions is determined by their free time. In some cases, volunteers adjust their schedule according to missions. This is most apparent in the cases of health missions where there are required types of volunteers. Volunteers that match the type required are informed as soon as possible because some of them have to schedule leaves on their jobs to accommodate the program. This is one of the reasons behind the week/month allowances needed upon submission of an event request.

DATABASE MANAGEMENT SYSTEM (DBMS)

A database management system is the software that allows a computer to perform database functions of storing, retrieving, adding, deleting and modifying data.^[11] It provides facilities for controlling data access, enforcing data integrity and consistency, managing concurrency controlled, restoring database. Database Management Systems employ the use of a query language and report writers to interrogate the database and analyze its data. Queries allow users to search, sort, and analyze specific data by granting users efficient access to the required

information. The DBMS also provides security features that protect against unauthorized users trying to gain access to confidential database information; and prevent data loss in case of a system crash. Furthermore, the DBMS is also responsible for the database's integrity, ensuring that no two users are able to update the same record at the same time, as well as preventing duplicate entries. [12]

INFORMATION SYSTEM

Information systems are the software and hardware systems that support data-intensive applications. It is made up of the database, application programs and manual and machine procedures. It also encompasses the computer systems that do the processing. The database stores the subjects of the field it is used for (master files) and its activities (transaction files). The application programs provide the data entry, updating, query and report processing. The manual procedures document how data are obtained for input and how the system's output is distributed. Machine procedures instruct the computer how to perform scheduled activities, in which the output of one program is automatically fed into another. At the end of the day or other period, programs print reports and update files that were not updated on a daily basis. Periodically, files must be updated for routine maintenance such as adding and deleting employees and making changes to product descriptions. [13]

CHAPTER IV

DESIGN AND IMPLEMENTATION

JOOMLA! INTEGRATION

The proposed system will make use of the content management system Joomla!. The information about the office can easily be published using the framework, in the form of articles.

Another of its key features is its extension ability. Developers can install extensions in form of modules and plug-ins to broaden the ability of the system. The proposed system will make use of a calendar module for a more presentable view of the programs being handled. In calendar modules, events can readily be added. This though has to be configured since details of input events are limited only to its title, start date and time, end date and time, and location. Additional information about events handled by the system will be added to the field needed to be filled-in when inputting events.

USER ACCESS

Access on certain parts of the system is restricted to certain types of user. Their privileges will be established according to what type of user they are (i.e. guest, representative, or volunteer, admin). This would mean that if a volunteer has a change in position, i.e. promotion, his privileges will automatically change along with it. With this in mind, only the administrators can change a volunteer's position. Administrators also have the permission to block/unblock a user.

The Joomla! Framework provides user management. Restrictions can be done by assigning a user group to a user. Each user group has its own set of privileges. Though the user groups

available in the core of Joomla! don't fit the user groups needed for the system, it can be configured. The proposed system can use the framework's way of assigning user privileges by customizing the user groups.

EVENT / PROGRAM LIFECYCLE

Different programs have different set of tasks to be accomplished. The system will monitor an event's lifecycle by keeping record of the accomplished tasks for that event. For each type of program, the generic steps that are needed to be accomplished will be stored in the system and will be rendered to the administrator as a checklist. There will only be differences between events of the same type when there are recommendation/s received from the director.

Recommendations are additional tasks that should be done to make the event possible, i.e. contact the Department of Education, coordinate with the different department heads involved, etc. These recommendations are the main source of the tasks for that event. Status of the tasks can either be done/not yet done. The tasks will be set as links leading to further details about that task.

The same functionality of adding tasks to be accomplished can be done by an administrator. This can be the case when the director gives additional instructions verbally.

ORGANIZATION

Information about the third party organizations will be entered by the representatives. A representative will also have privilege of editing information on the sponsor's profile. Incurring a bad reputation will be reflected on the profile of the organization.

FUND MONITORING

For office-initiated programs, there will always be a fund solicitation done. Under the task of finding sponsors, an estimated cost will have to be keyed-in. The list of sponsors who responded to their requests should be entered with the corresponding amount they are willing to give. The system will then show a comparison between the estimated cost and the accumulated funding as either sufficient or insufficient. If insufficient, the amount needed will also be displayed.

REPORT GENERATION

Annual and monthly accomplishment reports can be generated from the system. Monthly reports follow the pattern of the present monthly accomplishment report. Annual report will show the statistics and compiled accomplishments for a given year.

MISSION SPECIAL CASES

Professional volunteers are requested to input the profession they are in. This is for event assignment purposes. The event organizer will find volunteers with the required profession based on his profile data. The same will be true on the system since the same exact form data will be stored.

SITE MEMBERSHIP APPROVAL

After users has successfully filled a form, they have to show up to the Pahinungod office and bring original copies of required documents to verify their identity and affiliation. The representatives on the other hand also have to initiate personal contact with the officer personnel before their membership be approved.

CONTEXT DIAGRAM




Figure 5: Context Diagram

The system's context diagram is shown on figure 5. There will be technically 7 users in the system: guest, representative, ordinary volunteer, university extension specialist 1, chairperson and the system administrator. The system administrator will have all the privileges. The director is also a system administrator. The chairperson will have the privileges of a volunteer plus the capability of adding/ deleting events, approving/ disapproving events and assigning volunteers. The university extension specialist 1 will have the privileges of a volunteer plus the ability to make ocular evaluation. A volunteer will have the capability of viewing event details including list of volunteers joining an event, searching and requesting for event (as representative). A representative on can do what a guest user can do plus request an event deployment. The guest

users will have the viewing and searching capability on events, representatives and organizations.

TOP LEVEL DATA FLOW DIAGRAM




Figure 7: Top Level Data Flow Diagram

The Top Level Data Flow Diagram is shown on Figure 7. The processes indicated are the functionalities that the users are allowed to perform. Not shown in the diagram is the need for logging in into the system before access is allowed.




Figure 8: Sub-explosion of Process 1: Manage events (Representative)

Shown in Figure 8 is the sub-explosion of the process Manage Event for Representative account. A representative can make a request and can also cancel it. View for pending requests will also be shown on representative's page. Notifications received by the representative will allow him to view his approved/ denied requests.




Figure 9: Sub-explosion of Process 2 : Manage Account (Representative and Volunteer)

A representative can change his login and account information. Representatives are the contact persons for a specific organization. He is then granted the privilege of editing the details about

his organization. Storing the company profile is mainly for verifying the reputation of the company, i.e. they have a bad record in Pahinungod. It is also important to take note of an organization's type. In certain periods such as election period, missions with politics-related organizations are prohibited by the law.




Figure 10 : Sub-explosion of Process 3 : Manage Events (Volunteer)

Volunteers are given the privilege of changing their account information. If they are also representatives for organizations other than the Ugnayan ng Pahinungod, they will also have the privilege of making requests. They will be allowed to view their requests. As volunteers, they will be invited by the administrators to join events. The notification that they will receive alongside the event details is the instruction on how to confirm or deny joining the event.




Figure 11: Sub-explosion of Process 4 : Manage accounts (Administrator)

The administrator uses all the functionalities of the system including creation of accounts, suspending a user and deleting a user. The representative accounts will have an icon that will indicate if it was verified or not. This is to ensure reliability. If an account is verified, the administrator had already proven in some way, i.e. physical meet-up, that the representative is who he says he is.




Figure 12: Sub-explosion of Process 5 : Process Events

The processes shown are the processes involved in the processing of a request and the users who are allowed to do it. Initiate event involves setting a date for the event and keying-in the suggested locations. For both the initiated and requested events, the next step will be to inform the director and get additional tasks to accomplish. Then the administrator or the chairperson will just click a link to view the status of tasks in an event. If all the tasks are done, it will show the details needed for approving the event namely: approved/disapproved location, available/conflicting date, names of volunteers, and/ or funding sufficiency/insufficiency. It will then be up to the chairperson to decide if he will approve or disapprove based on the presented data.




Figure 13. Sub-explosion of Process 6: Generate Reports

The administrator can input event accomplishments and generate monthly and annual reports derived from them.

ENTITY-RELATIONSHIP DIAGRAM




Figure 14: Entity Relationship Diagram


The entity relationship diagram for the proposed system is shown on Figure 6. There are four main entities: volunteer, organization, program and task.


A volunteer can either be a student or a professional. And a volunteer has one contact person, in case of emergency. He can join one or more programs.



A program should be one of its subtypes: initiated or requested. An initiated program can be Summer Immersion, Program for the Street Children, tutorial or Gurong Pahinungod. A requested program on the other hand can be a Teachers' Development Program, Health Training or Health Mission. A requested program is requested by a partner organization. And each organization has a representative.


A program can have many tasks.

ERD ENTITIES









DATA DICTIONARY

`jos_accomplishments_ervp` – stores the accomplishments for ERVP

<code>Event_ID</code>	numeric	Event id
<code>Level</code>	enum	1st,2nd,3rd
<code>Patients</code>	numeric	Number of patients catered
<code>Departments</code>	string	Department assigned for each level

jos_accomplishments_gp- stores the accomplishments for Gurong Pahinungod

Event_ID	numeric	Event id
Academic_year	string	School year the volunteers will serve
Batch	numeric	Batch number of the group deployed

jos_accomplishments_hm- stores the accomplishments for Health Mission

Event_ID	numeric	Event id
Medical_cases	numeric	Number of medical patients catered
Dental_cases	numeric	Number of dental patients catered
Minor_surgical	numeric	Number of minor surgical patients catered
Major_surgical	numeric	Number of major surgical patients catered

jos_accomplishments_sisp- stores the accomplishments for Summer Immersion Service Program

Event_ID	numeric	Event id
Vol_ID	numeric	Volunteer id
Loc_ID	numeric	id of the location the volunteer was assigned to

jos_accomplishments_tut- stores the accomplishments for Tutorials

Event_ID	numeric	Event id
Program	numeric	Tutorial program
Term	numeric	Term the volunteers served
Academic_year	string	School year volunteers served

jos_allow_multiple_locations - stores the events and if they have allow multiple locations

Event_ID	numeric	Event id
Multiple_loc	Numeric	Loc_ID

jos_archive_article - stores which articles are assigned to an event

created_by	numeric	User id
article_id	numeric	Id of the article
Event_ID	numeric	Event ID
Catid	Numeric	Category id

jos_attachments- stores article downloadables

<u>id</u>	Numeric	Attachment id
<u>filename</u>	String	Filename of attachment
<u>filename_sys</u>	String	File location
<u>file_type</u>	String	File type
<u>file_size</u>	Numeric	File size
<u>url</u>	String	URL of file on the system
<u>uri_type</u>	String	URI type
<u>url_valid</u>	Boolean	If url is valid
<u>display_name</u>	String	Display name of attachment
<u>description</u>	String	File
<u>icon_filename</u>	String	Filename of attachment icon
<u>uploader_id</u>	String	ID of uploader
<u>published</u>	Boolean	If published or not
<u>parent_id</u>	Numeric	Article id
<u>create_date</u>	Datetime	Date and time attachment was uploaded
<u>modification_date</u>	Datetime	Date and time attachment details was modified
<u>download_count</u>	Numeric	Number of times attachment was downloaded

jos_batch_membership – contains which volunteer belongs to a gp batch

<u>Vol_ID</u>	numeric	Volunteer ID
<u>Batch</u>	numeric	GP Batch Number

jos_beneficiaries- stores institution name and number of beneficiaries for an event

<u>Event_ID</u>	numeric	Event id
<u>Institution</u>	string	Name of benefiting institution
<u>Num_of_attendees</u>	numeric	Number of attendees

jos_comprofiler – stores details about the user

<u>Id</u>	numeric	Unique id
<u>user_id</u>	numeric	User ID from <u>jos_users</u> table
<u>firstname</u>	string	First name
<u>middlename</u>	string	Middle name
<u>lastname</u>	string	Last name
<u>hits</u>	numeric	Number of profile views
<u>message_last_sent</u>	string	Timestamp when user sent last message
<u>message_number_sent</u>	numeric	Number of messages sent
<u>avatar</u>	string	file path of the user's

		avatar
avatarapproved	boolean	Avatar approved or not
approved	boolean	User approved or not by an administrator
confirmed	boolean	User clicked link sent to mail or not
lastupdatedate	timestamp	Last date the user edited profile
registeripaddr	strng	User ip address
cbactivation	string	Activation code for a new user
banned	boolean	If user is banned or not
banneddate	timestamp	Date when user was banned
unbanneddate	timestamp	Date user was unbanned
bannedby	numeric	Id of user who banned the profile
unbannedby	numeric	Id of user who unbanned the profile
bannedreason	string	Reason for banning profile
cb_usertype	string	usertype
cb_mobilenumber	numeric	Cellular phone number of the user
cb_nickname	String	Nickname of user
cb_birthday	string	Birthday, Format: [Month number Date, Year]
cb_civilstat	String	User's civil status
cb_gender	enum	Male or female
cb_bloodtype	enum	A, O, AB, B
cb_religion	string	religion
cb_presentaddress	string	Present address
cb_permanentaddress	string	Permanent address
cb_upaddiliation	Enum	Yes or No (UP Affiliation)
cb_specialskill	string	skills
cb_hobbies	String	hobbies
cb_volunteertype	enum	Student or professional
cb_orgname	string	Name of organization
cb_position	string	Position on organization
cb_orgtype	string	Organization type
cb_programname	string	Name of program
cb_prclicenseno	numeric	PRC license number
cb_department	string	Department user is working/ studying in
cb_officecontactno	string	Office contact number
cb_profession	String	Profession of the user
cb_otherprofession	string	Other profession
cb_studentno	string	Student number

cb_course	string	Student's course
cb_college	string	College
cb_yearlevel	string	Ordinal number of year level
cb_school	string	school
cb_cfirstname	string	Contact Person's first name
cb_clastname	string	Contact Person's last name
cb_cmiddlename	string	Contact Person's middlename
cb_relationship	string	Relationship of contact person to user
cb_contactno	string	Contact number of the contact person
cb_address	string	Contact Person's address
cb_alumnus	enum	Alumni? Yes or No
cb_campus	string	Campus, if alumni
cb_graduation	Numeric	Year of graduation

jos_cswp - stores the additional fields for Community and Social Welfare Programs

Event_ID	numeric	Event id
Estimated_cost	numeric	Estimated cost of event
Service	Enum	'Program fpr the street children' or 'Summer Immersion'
Accumulated	numeric	How much dun is already accumulated

jos_eap- contains further details about an EAP event or request

Field Name	Data Type	Description
Prog_ID	Numeric	Program ID Primary Key
Subject	String (required)	Program's target subject
School	String (required)	Program's target school
Service	Enum (required)	Tutorial or Gurong Pahinungod

jos_ervp_attendance - contains attendance of ervp volunteers to debriefing, feedback, orientation and training

Field Name	Data Type	Description
Event_ID	numeric	Event ID
Vol_ID	Numeric	Volunteer ID
Orientation	Enum	-1 - pending 0 - did not attend 1 - attended

Training	enum	-1 - pending 0 - did not attend 1 - attended
More_trainings	Varchar	Collection of enum separated by ' ', -1 - pending 0 - did not attend 1 - attended
Deployment	enum	-1 - pending 0 - did not attend 1 - attended
Feedback	enum	-1 - pending 0 - did not attend 1 - attended
Debriefing	enum	-1 - pending 0 - did not attend 1 - attended

jos_ervp_level - stores on which level an ervp volunteer has achieved

Field Name	Data Type	Description
Vol_ID	Numeric	Volunteer ID
ERVP_level	Enum	Levels: 1,2 or 3

jos_events - stores details about events common to all categories

Field Name	Data Type	Description
id	Numeric	Event ID
catid	numeric	Event Category ID
title	string	Title of event
content	string	Description of event
adresse_info	string	Venue of event
extra_info	string	Additional details of event that are not fit for other fields
coloruseCatColor	boolean	If to use category color
state	boolean	If published as private (0), public (1) or archive (-1)
created	datetime	Date and time event was created
created_by	Numeric	User ID
created_by_alias	string	Username of creator
modified	datetime	Date and time event was modified
modified_by	numeric	User ID
publish_up	datetime	Start date of event

publish_down	datetime	End date of event
alldayevent	boolean	If event is an all day event
participants	numeric	Expected number of volunteers needed
Estimated_cost	numeric	Estimated cost of event
has_report	boolean	If has report
etype	string	What program type
Accumulated	numeric	Accumulated funds
Admin_in_rep_of	numeric	Representative ID when an admin created the event and assigned to a representative
Multiple_loc	boolean	If multiple locations

jos_events_categories – contains event categories and details about each

Field Name	Data Type	Description
id	Numeric	Event Category ID
color	string	Hexadecimal representation of category color
name	string	Category name

jos_extra_reports – contains extra reports about an event

Field Name	Data Type	Description
Event_ID	Numeric	Event ID
Extra_report	string	Additional report
Date_submitted	timestamp	Date and time additional report was input
Reporter	Numeric	User ID
Date_modified	datetime	Date and time report was modified
modifier	Numeric	User ID

jos_funding- contains information about funding on an event

Field Name	Data Type	Description
Event_ID	Numeric	Init_prog_ID Primary Key
Sponsor_name	String (required)	Name of sponsor
Amount	Numeric (required)	Amount

jos_health_mission - contains further details about a health mission event or request

Field Name	Data Type	Description
Event_ID	Numeric	Program ID Primary Key
Status	Numeric (required)	1 followed-up 2 confirmed

		3 finalized
No_of_patients	Numeric (required)	Estimated number of patients to be seen
Area_population	Numeric	Population of the area
Health_problem	String	Any health problem particular to the community to be visited
Service	Enum (required)	Dental, medical, dental-medical, surgical
Org_ID	Numeric (required)	ID of requesting org
Date_submitted	Date (required)	Date request was submitted
Assistance	string	Kind of assistance representative can provide
Expectation	String	Expected help from Pahinungod

jos_health_training- contains further details about a health training event or request

Field Name	Data Type	Description
Event_ID	Numeric	Program ID Primary Key
Subject	string	Topic to be taught
Num_of_participants	numeric	Estimated number of participants to be taught
Org_ID	Numeric	ID of organization
Participant_type	String	Type of participants
Assistance	string	Kind of assistance representative can provide
Expectation	String	Expected help from Pahinungod
Date_submitted	Date (required)	Date request was submitted

jos_location - contains information and general evaluation of a location

Loc_ID	numeric	Location ID
Location	String	Location
Safety	enum	-1, 0,1
Accessibility	enum	-1, 0,1
Need_of_service	enum	-1, 0,1
Gen_comment	string	General evaluation
A_date_start	date	Start date of ocular evaluation
A_end_date	date	End date of ocular evaluation

jos_location_membership - stores which location is assigned to an event, along with its evaluation

Event_ID	numeric	Event id
Program	numeric	Tutorial program
Term	numeric	Term the volunteers served

jos_major_surgical - contains number of patients operated for a major surgery case

Event_ID	numeric	Event ID
Case_num	String	Number of catered patients for surgery case
Case_name	String	Major surgery performed

jos_membership - contains records of volunteers' assignment to events

Field Name	Data Type	Description
Event_ID	Numeric	Event's ID Composite Primary Key (1) Foreign Key from table EVENT
Vol_ID	Numeric	Volunteer's ID Composite Primary Key (2) Foreign Key from table VOLUNTEER
Status	Enum	If pending, joining, not joining
Deployed	boolean	If deployed or not
Is_staff	boolean	If member of staff when event took place
Remarks	string	Additional Remarks

jos_organization - contains information about partner organizations

Field Name	Data Type	Description
Org_ID	Numeric Auto Increment	Unique organization ID Primary Key
Org_name	String (required)	Org's Name
Sec_reg_no	Numeric	Org's Sec. Registration Number
Org_type	String (required)	Organization type
Tel_no	Numeric (required)	Org's telephone number
Fax_no	Numeric (required)	Org's fax number
Email_address	String (required)	Org's email address
Office_address	String (required)	Org's office address
HO_address	String	Head office's address
HO_tel_no	Numeric	Head office's telephone number
HO_fax_no	Numeric	Head office's fax number

HO_email_address	String	Head office's email address
------------------	--------	-----------------------------

jos_party_membership – stores users who are affiliates of an organization outside Pahinungod

Org_ID	numeric	Organization id
Rep_ID	numeric	Id of the user
Status	enum	Rejected, Pending, Approved
Position	String	Position in the organization

jos_preferred_program – keeps track of volunteer's preferred programs

Field Name	Data Type	Description
Volunteer_ID	Numeric	Volunteer ID
Preferred_prog	Enum	Volunteer's preferred program Tutorial Service, Teachers' Development, Gurong Pahinungod, Health Mission, Health Training, Health Education, Emergency Room Volunteer, Summer Immersion Service, Program for the street Children, Advocacy Program

jos_profession – stores profession of volunteer

Field Name	Data Type	Description
Volunteer_ID	Numeric	Volunteer ID
profession	Enum	'Physician', 'Pediatrician', 'Surgeon', 'Anesthesiologist', 'OB-Gyne', 'Anesthesia Technician', 'Pharmacist', 'Nurse', 'Dentist', 'Faculty Member', 'Employee', 'Other'
Other	string	Other profession

jos_recommendation – stores director recommendations

Field Name	Data Type	Description
Event_ID	Numeric	Event ID

Recommendation	String	Recommendation
Date_created	timestamp	Input date and time of recommendation
Uploader	numeric	User ID
Uploader_username	string	Username of uploader
Date_modified	datetime	Date and time recommendation was modified
Modifier	numeric	User id
Modifier_username	string	Username of modifier

jos_request - stores details about a request

Field Name	Data Type	Description
Event_ID	Numeric	Event ID
Event_title	String	Title of Event
Rep_ID	numeric	Representative's ID
Org_ID	numeric	Organization's ID
Date_created	timestamp	Input date and time of request
Date_processed	datetime	Date and time request was processed
Status	enum	'Pending', 'Approved', 'Rejected', 'Acknowledged', 'Cancelled'
Comments	string	Comments upon acknowledgement or rejection

jos_signups - stores users who signed up for an event

Vol_ID	numeric	Volunteer ID
Event_ID	numeric	Event ID
Date_queued	timestamp	Date user signed up
Date_acknowledged	timestamp	Date acknowledged by admin
Status	string	Status of signup
Remarks	string	i.e. Reason why rejected
Deployed	boolean	If user was deployed

jos_staff - stores office staff and their administrative position

Vol_ID	numeric	User ID
Position	string	position
Remarks	string	Category if coordinator or chairperson

jos_users – stores account login info of user

id	numeric	User id
name	string	User's full name
username	string	User's username
email	string	User's email address
password	string	password
usertype	string	Type of user
block	boolean	If user is blocked from login
sendMail	boolean	Send admin emails?
gid	numeric	Group id
registerDate	timestamp	Date user registered on the system
lastvisitDate	timestamp	Date user last logged in
ac		

jos_task– stores event and miscellaneous tasks

Task_ID	numeric	Task id
Event_ID	numeric	Event ID
catid	numeric	Category id
User_ID	numeric	ID of creator
Description	string	Task title
Status	boolean	Status of task, if done or not yet done
Instruction	string	Task instructions
Partner	string	Partner on task
Accomplishment	string	Task Accomplishment
publish_up	date	Start Date when task was accomplished
publish_down	Date	End Date when task was accomplished
MonthOnly	boolean	If no specific date on task accomplishment
Location	string	Location where task was accomplished
ERVP	boolean	If an ERVP task
Report_user_ID	numeric	Accomplishment Reporter's user ID

jos_tdp_attendees– stores number of tdp attendees

Event_ID	numeric	Event ID
Attendees	numeric	Number of attendees from a school
School	String	School

jos_tdp_attendees– stores details about teacher development event request

Event_ID	numeric	Event ID
Date_submitted	timestamp	Date request was submitted
Number_of_participants	numeric	Number of participating teachers
Number_of_participating_institutions	numeric	Number of participating schools/institutions
Org_ID	numeric	Partner Organization
Subject_area	string	Subjects
Participant_type	string	Type of participants attending
Assistance	String	Kind of assistance they can provide
Expectation	String	Kind of help that they want from Pahinungod
Count_type	enum	'count' or 'breakdown': count if only total count of participants are available, breakdown if participating schools/institutions are available

TECHNICAL ARCHITECTURE

Architecture: Web Client-Server

The system will be deployed to the official server of the University of the Philippines Manila.

Minimum requirements for the major server-side and client-side components are given:

Client:

Hardware:

An Internet Connection

Software: any modern (major) web browser (Firefox, IE, Opera, Safari, Chrome)

that supports javascript and / or has it enabled

Server:

PHP 4.3.10 or higher

MySQL 3.23.x or above

Apache 1.3 or above

At least 1GB available extra disk space for application data

Joomla!

DEFINITION OF TERMS

1. Program

Programs are generic term for the activities that is offered and/or deployed by the Ugnayan ng Pahinungod. When requests for programs are processed and deployed, they will be termed as events.

2. Mission

Mission refers to any of the health missions under Community Health Program package; can be medical, dental or surgical.

3. Sponsor

A sponsor is an outside organization that is willing to provide funding for a program.

4. Partner

A partner is a third party organization that requests for deployment of a program to a desired area. They will be closely working with the office until the conclusion of the program.

5. Push

Pushing (data to a user) term in computer science that pertains to system's action of taking information from its database and rendering it to the user.

6. PGH

PGH stands for Philippine General Hospital and is where the office of the Ugnayan ng Pahinungod is located. It is often the pick-up and drop-off point of volunteers when they are deployed on a mission.

CHAPTER V

RESULTS

The screenshot shows the homepage of the Ugnayan ng Pahinungod - Manila website. At the top, there is a banner featuring the University of the Philippines Manila logo and the text "UNIVERSITY OF THE PHILIPPINES MANILA THE HEALTH SCIENCES CENTER". Below the banner, the main title "UGNAYAN NG PAHINUNGÓD - MANILA" is displayed. A navigation menu at the top includes links for Home, About Us, Calendar of Activities, Programs, Get Involved!, Contact Us, Downloads, and View Archive. There is also a search bar labeled "Click to search for event". The main content area features a section titled "About Pahinungód" with a brief description of the organization's mission and history. It also includes a "Pahinungód logo" section with a description of the logo's meaning. On the right side, there are two sidebar sections: "Latest Events" and "Latest News". The "Latest Events" section lists sample events like ERVP and SISP. The "Latest News" section lists items such as sample news items and program descriptions. At the bottom of the page, there is a "Who's Online" section showing that no one is currently online.

Figure 15. Home

The PDMS Homepage provides an introduction to the organization, stating the origin of the organization and their logo to briefly but wholly state the purpose that they want to fulfill. It also provides menu for easy navigation of the users. The latest

events and news are also put into the homepage to facilitate dynamism and website “stickiness” along with the Login and Who’s Online sections.



Figure 16. Search Section

A screenshot of the search results page. The search keyword is "medical". Results are ordered by "Newest First". There are 16 results found, displayed in 20 per page. The first result is "1. Medical Mission" under "Events/Health Mission". The second result is "2. Medical/ Dental/ Ophtha. Surgical Mission" under "Events/Health Mission". Both results show a snippet of text: "Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam ...".

Figure 17. Search Results

The search tool searches the whole website of what the user might want to know including articles, events and third party organizations that are involved in the missions of the organization.

Manage Staff

Director :	Ma. Pamela May Dumacl Anca	<input type="button" value="Change"/> <input type="button" value="Vacate"/>
University Extension Specialist I [+] :	Maria Charmaine Gonzalo Banog	<input type="button" value="Change"/> <input type="button" value="Vacate"/>
University Research Associate I :	---	<input type="button" value="Change"/> <input type="button" value="Vacate"/>
Administrative Officer IV [+] :	Justin Marlo Nessa Namuco	<input type="button" value="Change"/> <input type="button" value="Vacate"/>
Administrative Officer II [+] :	Dioana Andres Ramos	<input type="button" value="Change"/> <input type="button" value="Vacate"/>

Coordinators:

Tutorials :	Kenneth Marlon Coronel Carolino	<input type="button" value="Change"/> <input type="button" value="Vacate"/>
Teachers' Development :	Eden Amistral Cueto	<input type="button" value="Change"/> <input type="button" value="Vacate"/>
Gurong Pahinungod :	Randie Hernandez Carolino	<input type="button" value="Change"/> <input type="button" value="Vacate"/>
Health Missions :	Francisco Dumacl Castillo	<input type="button" value="Change"/> <input type="button" value="Vacate"/>
Health Training /Health Education :	Dwether Praile Gaddi	<input type="button" value="Change"/> <input type="button" value="Vacate"/>

Figure 18. Manage Staff Page which controls User Access

There are different levels that an office staff can manage. The Director will have access to everything being the highest in the officer hierarchy. But since **Administrative Officer II** is the one responsible for all office records and he is also given the access to all the functionalities of the application. The **Administrative Officer IV**, being the one responsible for fund management in the office will have access to the management of the fund records for the events. The **chairperson**, having the decision of foregoing with the event or not will have the capability of creating events, approving or disapproving events and also volunteer and resource management. The **event coordinators** are the ones getting in touch with the people involved, and thus is granted the privilege of controlling invitations and recording fund accumulations from sponsorships.

The site access and privilege depends on the position of a member and control of which is given to the Administrative Officer II.

Account Details	
First name	Joshua Shem *
Middle name	Marasigan *
Last name	De Castro *
Username	shem * Username available to register
Email	iyo@yahoo.com *
Re-type email	iyo@yahoo.com * This email address is already registered
Password	***** *
Re-type password	***** *

Personal Info	
Nickname	Shem
Blood type	<input type="button" value="▼"/>
Religion	
Civil status	Single *
Gender	Female *
Present address	San Juan, Batangas *
Permanent address	San Juan, Batangas *
Special skills and hobbies	
Telephone number	e.g. 824-4564
Mobile phone number	e.g. +639***** * *
Birth date	Year <input type="button" value="1992"/> Month <input type="button" value="June"/> Day <input type="button" value="1"/>

Contact Person	
First name	Jerome *
Middle name	Marasigan
Last name	De Castro *
Relationship	brother *
Address	San Juan, Batangas *
Contact number	663-5652 *

Figure 19. User Details – Volunteer Data Form Page 1

Memberships and Organizations		
Name of Organization	Position	Type of Organization
JMI Dance Co.	Member	Non-profit
Sangguniang Kabataan	SK Chairman	Political

Volunteer Work	
Program	Date
San Juan Outreach Program	June 2010
Sagip sa Kapwa	December 2010

Other Affiliations	
Are you presently connected with UPM/ PGH? *	<input type="radio"/> Yes <input checked="" type="radio"/> No
Are you a professional or a student? *	<input type="radio"/> Professional <input checked="" type="radio"/> Student
Student	
Student Number	2008-20000*
School	University of the Philippines Manila*
College	College of Arts and Sciences*
Course	B.S. Computer Science*
Year Level	3rd*
Are you an alumnus of U.P.? *	<input type="radio"/> Yes <input checked="" type="radio"/> No

*required fields

Step 3

Figure 20. User Details – Volunteer Data Form Page 2

Programs you may wish to join		
A. EDUCATIONAL ASSISTANCE PROGRAM		
<input type="checkbox"/> Tutorials	<input type="checkbox"/> Teachers' Development	<input type="checkbox"/> Gurong Pahimungod
B. COMMUNITY HEALTH PROGRAMS		
<input type="checkbox"/> Health Mission	<input type="checkbox"/> Health Training/Health Education	
<input type="checkbox"/> Emergency Room Volunteer		
C. COMMUNITY SOCIAL WELFARE PROGRAM		
<input type="checkbox"/> Summer Immersion Service Program		
<input type="checkbox"/> Program for the Street Children		
D. <input type="checkbox"/> ADVOCACY PROGRAM		
* you may join more than one program		Finish

Figure 21. User Details – Volunteer Data Form Page 3 – Program Preference Page

All the members' information is gathered upon registration which they can edit.

Program Name	<input type="text"/>
Categories	<input type="text" value="Tutorials"/> <input type="button" value="▼"/>
Activity	[show/hide]
Path:	Words: 0
<input type="button" value="Image"/> <input type="button" value="Pagebreak"/> <input type="button" value="Read more"/>	
School	<input type="text"/>
Subject	<input type="text"/>
Estimated Number of Tutees	<input type="text"/>
Estimated Cost	<input type="text"/>
Volunteer Team Size	<input type="text"/>
Extra Info	<input type="text"/>

Figure 22. Tutorials Event Form

Program Name	<input type="text"/>				
Categories	Health Mission <input type="button" value="▼"/>				
Mission type	Dental <input type="button" value="▼"/>				
Activity	[show/hide]				
<p>Path: Words: 0</p> <p>Image Pagebreak Read more</p>					
Estimated Number of Patients	<input type="text"/>				
Estimated Population of Target Area	<input type="text"/>				
Specific Health Problem (if there's any)	<input type="text"/>				
Estimated Cost	<input type="text"/>				
Volunteer Team Size	<input type="text"/>				
Desired volunteer composition:	<table border="1"> <thead> <tr> <th>How Many</th> <th>Volunteer Type</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="text"/> Physician <input type="button" value="▼"/></td> </tr> </tbody> </table>	How Many	Volunteer Type	<input type="checkbox"/>	<input type="text"/> Physician <input type="button" value="▼"/>
How Many	Volunteer Type				
<input type="checkbox"/>	<input type="text"/> Physician <input type="button" value="▼"/>				
Extra Info	<input type="text"/>				


Figure 23. Health Missions Form

The screenshot shows a 'Save' button with a blue icon and a 'Cancel' button with a red 'X' icon at the top right. Below them is a section titled 'Add event' with tabs for 'Common', 'Calendar', and 'Extra'. A checkbox labeled 'All day Event or Unspecified time' is checked. Under 'Start date', there is a date picker set to '2011-05-15', a 'Start Time' field with '08:00', and AM/PM radio buttons. Under 'End date', there is a date picker set to '2011-05-15', an 'End Time' field with '05:00', and AM/PM radio buttons.

Figure 24. Event details form – input date

Each type of event may have one or more fields different than others. But the common field for all of the events are the date, estimated cost, title, category, volunteer team size and other info fields.

Calendar of Events



Teachers Development Program	
Event Summary and Statistics	
Category	Teachers Development
Partner	Tacurong Pilot Elementary School
Venue	Brgy. Poblacion, Tacurong City, Sultan Kudarat
Date	May 08 - 13, 2011 at 8:00am - 5:00am
Number of participants	75
Type of participants	public elementary school teachers
Estimated expenditure	PhP 5000
Volunteers needed	10
Committed volunteers	No confirmed volunteers yet. [Sign-up]
	NOTE: This event is viewable for registered members only as some factors (funds, volunteer availability, location evaluation, etc.) are still being polished.

[Back](#)

Figure 25. Event Details Page for Volunteers

A wide description section is provided to be able to provide room for artistic and strategic advertising of the events. A summary of the details for quick viewing is available to the possible volunteers of the event, which are the members of the site. Some event will be published and made visible only to members and thus only the members of the site will have access to them. The **volunteers** can control the events they will be attending in. The **representatives** will have access to their requests.

Calendar of Events


See by year See by month See by week See Today Search Jump to month



Teachers Development Program

Event Summary and Statistics	
Category	Teachers Development
Partner	Tacurong Pilot Elementary School
Venue	Brgy. Poblacion, Tacurong City, Sultan Kudarat
Date	May 08 - 13, 2011 at 8:00am - 5:00am
Number of participants	75
Type of participants	public elementary school teachers
Estimated expenditure	PhP 5000
Volunteers needed	10
Committed volunteers	No confirmed volunteers yet. [Sign-up]
 NOTE: This event is viewable for registered members only as some factors (funds, volunteer availability, location evaluation, etc.) are still being polished.	
Manage Tasks Record Accomplishments Back	
Add an event My events	

Figure 26. Event details page for Administrators

Manage Tasks of An Event [Public Tutorials]

Director's Recommendation	
Recommendation :	1) Coordinate with Tacurong Pilot Elementary School principal for verification of details. 2) Check if we have sufficient funding for the deployment. 3) Coordinate with faculty members of UP Manila for volunteer recruitment. 4) Update the requesting school teachers afterwards.
Date created :	Oct 25, 2011 02:46:51 pm (by : pamela)
Edit	
Location	
Volunteer Assignment	
Funding	
Other Tasks	
Publish as Member-accessible Only Cancel Event Back	

Figure 27. Event Tasks Management Page – Director's Recommendation

Usually there are four aspects that the chairperson will consider to say go for the event. These are enough volunteers, enough funds, and if the location is found well-suited for the event. These are compacted into one page which provides an overview of all the four aspects. The recommendation would be coming from the director and will be the tasks that the office staff and volunteers will have to accomplish so that the event may successfully pursue.

Manage Tasks of An Event [Teachers Development Program]

Director's Recommendation	
Location	
Volunteer Assignment	
Funding	
Estimated Cost:	No available funds
Total Accumulated Funds for Event:	Php 5000
Manage Funding	
Other Tasks	
Publish Publicly Cancel Event Back	

Figure 28. Event Tasks Management Page - Funding Summary

Estimated cost: PhP 5000

SOURCE OF FUNDS	
<input checked="" type="checkbox"/> Office of Pahinungod	
Amount:	<input type="text"/> Add Funding
<input type="checkbox"/> Sponsors	

SOURCE	AMOUNT	
Ugnayan ng Pahinungod Manila	Php 2500	<input type="button" value="Delete"/>

Still needs : Php 2500

Total : PhP 2500

Figure 29. Fund Management Page

Fund is presented as a list showing how much is already accumulated and how much is still needed.

Manage Tasks of An Event [Teachers Development Program]

Director's Recommendation
Location
Volunteer Assignment
Funding
Other Tasks

Instruction	Status
Coordinate with Tacurong Pilot Elementary School principal for verification of details.	<input checked="" type="checkbox"/>
Coordinate with faculty members of UP Manila for volunteer recruitment.	<input checked="" type="checkbox"/>

New Task

Title	<input type="text" value="Title"/>
Instruction	<input type="text" value="Instruction"/>

Figure 30. Event Tasks Management Page – Additional Tasks

Manage Tasks [Teachers Development Program]

Title	Instruction	Created By	Status	
Coordination	Coordinate with Tacurong Pilot Elementary School principal for verification of details.	jenny	<input type="checkbox"/>	<input type="button" value="Delete"/>
Coordination	Coordinate with faculty members of UP Manila for volunteer recruitment.	jenny	<input type="checkbox"/>	<input type="button" value="Delete"/>

New Task

Title	<input type="text" value="Title"/>
Instruction	<input type="text" value="Instruction"/>

Figure 31. Manage Additional Tasks

The tasks given by the director and other tasks that the management thinks are still needed to be accomplished so that the event will go smoothly goes to the tasks page.

Manage Tasks of An Event [Life Support - Health Training]

Director's Recommendation												
Location												
<table border="1"><thead><tr><th colspan="4">Input multiple locations</th></tr><tr><th>Location</th><th>Status</th><th>Click to Edit</th><th>Click to Delete</th></tr></thead><tbody><tr><td>Brgy. Agbannawag, Tabuk, Kalinga</td><td>Pending</td><td><input type="button" value="Edit"/></td><td><input type="button" value="Delete"/></td></tr></tbody></table>	Input multiple locations				Location	Status	Click to Edit	Click to Delete	Brgy. Agbannawag, Tabuk, Kalinga	Pending	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>
Input multiple locations												
Location	Status	Click to Edit	Click to Delete									
Brgy. Agbannawag, Tabuk, Kalinga	Pending	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>									
<input type="button" value="Back"/>												
Volunteer Assignment												
Funding												
Other Tasks												
<input type="button" value="Publish Publicly"/> <input type="button" value="Cancel Event"/> <input type="button" value="Back"/>												

Figure 31. Events Task Manage Page – Location

Each prospective location is displayed along with the summary of the ocular evaluation for each.

Add Location [Life Support - Health Training]

Location

Location	<input type="text"/>
<input checked="" type="checkbox"/> Include Evaluation	

Evaluation

General Comment <small>?</small>	
Evaluation <small>?</small>	
Evaluators:	
Status	Pending
Activity on Location:	
Evaluation Period	
Start Date of Evaluation	2011 <input type="button" value="..."/> <input type="button" value="..."/> <input type="button" value="..."/>
End Date of Evaluation	2011 <input type="button" value="..."/> <input type="button" value="..."/> <input type="button" value="..."/>

[Add](#) [Back](#)

Figure 32. Add Location

Add Location [Life Support - Health Training]

Location

Location	<input type="text" value="San"/>
  	
Brgy. Barualte, San Juan, Batangas	
San Isidro, Palanan, Masbate	
Malaking Ilog, San Pascual, Burias Island, Masbate	

Figure 33. Add Location – Shows existing locations on the system

Request an Event

	Health Missions Provides medical, surgical and dental services to remote underserved areas (bringing health care to remote communities)
	Teacher's Development Program Enhances the competences of teachers through knowledge sharing. uplifts the level of high school education in underserved public schools for one year.
	Health Training Conducts seminar workshops on Basic Life Support (BLS), First Aid, Trauma Prevention and Management as well as preventive medicine intervention.

Figure 34. Request Page

Request an Event - Health Mission

Event Title:	Dental Health Mission		
Requesting Party:	Celedonio Salvador Elementary School		
Mission Type	Dental		
Location:			
Estimated number of patients to be seen:			
Estimated population of the area:			
Health problem/s particular to the community to be visited:			
Desired volunteer composition :	How Many Volunteer Type <input type="button" value="Add"/> <input type="button" value="Delete"/> <input type="checkbox"/> <input type="text"/> Physician		
Kind of assistance you can provide:			
Kind of assistance you expect from Pahinungod:			
Desired start date:	Choose Date		
Desired end date:	Choose Date		
Other info:			

NOTE:

Request for **surgical missions** must be received at least eight(8) weeks prior the scheduled date of mission while request for **medical-dental** missions should be received five(5) weeks prior to the mission date.

Figure 35. Request Form (Health Mission)

Currently, three of the events can be requested by outside organizations: Health missions, health education/training and Teachers' Development program.

Save Accomplishments [ERVP Batch 4]

Emergency Room Volunteers - Orientation
Volunteer Count: 19

Assigned Volunteers	Status	Orientation
1) Castillo, Francisco Dumael	Pending	<input checked="" type="checkbox"/>
2) Custodio, Celestina Marie Perez	Pending	<input checked="" type="checkbox"/>
3) Sabile, Paul Bart Anthony Moraleja	Pending	<input checked="" type="checkbox"/>
4) Gaddi, Dyxther Praile	Pending	<input checked="" type="checkbox"/>
5) Dumael, Marigres Limbo	Pending	<input checked="" type="checkbox"/>
6) Esguerra, Chona Ilao	Pending	<input checked="" type="checkbox"/>
7) Villamor, Jobert Villagonzalo	Pending	<input checked="" type="checkbox"/>
8) Esmena Jr., Romeo Alas	Pending	<input checked="" type="checkbox"/>
9) Coronel, Hazel Batay	Pending	<input checked="" type="checkbox"/>
10) Dinglasan, Niña Dimaculangan	Pending	<input checked="" type="checkbox"/>

« Prev | 1 | 2 | Next »

Accomplishment:

Venue: _____

Accomplishment Date:

Start: 2011 Day:

Partner: _____

End: 2011 Day:

Figure 34. Accomplishment Form (ERVP)

Report Generation

- Annual Report

Year: 2011 

- Monthly Report

Figure 35. Report Generation Section

The accomplishments are input on forms like on Figure 34. There are two main reports generated by the system - the annual report and the monthly report. The data are derived from these accomplishment reports. The monthly report is patterned on the monthly report made by the office that details the events deployed and tasks accomplished for the month chosen. The annual report is patterned on the annually released book of the organization which summarizes the accomplishments of the organization for the whole year.

CHAPTER VI

DISCUSSION

The system provides easier ways of report generation. The monthly report is a compilation of records done by each coordinator. This report includes the events successfully deployed that month and the tasks accomplished for each event grouped according to their program type. Along with the tasks is the time, date and place where it took place, partners who helped in the accomplishment of the tasks and the report on what actually took place. Along with the events are the details of the actual event: location, date, place, funds accumulated, sponsors, actual number of volunteers who attended, total number of beneficiaries and their breakdowns.

The annual report on the other hand provides the summary of the accomplishment of the organization for the whole year. It serves as an outline of the accomplishments with the events that took place grouped according to their program type. The calculated total number of beneficiaries and their breakdown, total volunteers who took part in that program, the locations reached and the sponsors and donors who helped and made it possible for the organization to reach out more communities.

The system provides also an easy quick summary page of the status of an event request or events that are still in the planning stage on the events task management page. The page utilizes the organizational benefit of writing down and to aid in the decision making and successful planning of the event. They can now see on which part of the event should they focus more as this page displays the summary of each aspect, and a list of what tasks are still to be done.

The users can apply as a registered volunteer or a representative of a third party organization. When the application is approved, they can request for events.

The volunteers can also manage the events that he or she will be attending. The feed that shows on the users' dashboard is also customized, following the user's program preference and showing only the upcoming programs that are of his interest [which he initially set up upon registration and can anytime be updated].

The system provides information on what kind of organizations are taking part in the events. It also provides a more convenient and direct way of expressing interest for third party organizations to make an event possible. The ability to see which organizations are already part of the missions can give a sense of confidence to the third parties on the organization.

The web-based management system provides effective means of information dissemination and helps boost publicity as it provides a wider audience as opposed to personal face to face campaign. The system takes facilitating the volunteers' passion to share their advocacy to the next level as the system shows the accomplishments of the past events and how it benefitted their less fortunate counterparts.

CHAPTER VII

CONCLUSION

PDMS is a web-based system that can be a useful application for the Ugnayan ng Pahinungod in achieving their mission. The website provides a broader range of possible volunteers and third party organizations or willing individuals who shares the same advocates.

The website helps the events chairpersons by giving a more organized perspective of the things they should think about. Instead of being busy thinking of things that they might have missed, they can focus more on each of the aspects and clearly mark out which things were already done and which needs more attention.

The site helps in instilling the volunteerism to its users, both volunteers and outside parties, as it provides all the means and resources that they might need to start up. And boost the already existing calling to the volunteers as they see how each event changes the lives not only of their colleagues but more so of the people they have helped. Thus helping the organization in its mission to reach and benefit more people.

CHAPTER VIII

RECOMMENDATION

The Program Deployment Management System may be better if additional categories can be catered. The system could make use of the capability of having customized fields on the events page for each new category just as the existing categories have different fields for each. It should also automatically reflect on the report and staff positions and program links on the homepage.

The PDMS can also make use of improved scheduling, improved interface for events, and possible integration with billing systems. On the improved scheduling, functionality of asking for volunteer's free time and employing automatic scheduling of the volunteers according to the event date which matches their program preference and their input free time.

Since the incoming funds for the events are monitored, outside billing systems could be integrated with it. There could be a functionality such that expenses incurred could be imported by the system and thus be monitored.

CHAPTER IX

BIBLIOGRAPHY

- [1] (2010). University of the Philippines Manila Ugnayan ng Pahinungod Oblation Corps. Handout.
- [2] Thomas, O., et.al. (2008). Reference Model-based Event Manager *International Journal of Event Management Research*. Vol. 4 Number 1. 38-57.
- [3] Pummer, T., et.al. (2009). The Cost-Effective Implementation of an Electronic Document Management at a Poison Information Center to Improve Preparedness for a Terrorism Incident. *Journal of Homeland Security and Emergency Management*. 6, 1, 84.
- [4] Johnston, G., et.al. (2005). The Benefits of Electronic Records Management Systems: A General Review of Published and Unpublished Cases. *Record Management Journal*. 15. 3. 131-140.
- [5] Kim, S. H. (2006). Analysis of Real World Personnel Scheduling Problem: An Experimental Study of Lp-Based Algorithm for Multi-Time Multi-Period Scheduling Problem for Hourly Employees. *International Journal of Soft Computing*. 1. 143-148.
- [6] Musliu, N. (2006). Heuristic Methods for Automatic Rotating Workforce Scheduling. *International Journal of Computational Intelligence Research*. 2. 309-326.
- [7] Custers, N., et.al. (2005). Semantic Components for Timetabling. Practice and Theory of Automated Timetabling V. *Lecture Notes in Computer Science Series*, 17-33.
- [8] Kellogg, D.L., et.al. (2007). Nurse Scheduling: From Academia to Implementation or Not?. *Interfaces*. 37. 4. 355-369.
- [9] P. De Causmaecker, et.al. (2004). Verbeke: Analysis of real-world personnel scheduling problems. *Proceedings of the 5th International Conference on Practice and Theory of Automated Timetabling*, Pittsburgh. 183-197.
- [10] Singla, A. (2009). Enterprise resource planning systems implementation: a literature analysis. *International Journal of Business Systems and Research*. 3. 2. 170-185.
- [11] Corbet, M., et.al. (2007). ERP implementation: a compilation and analysis of critical success factors. *Business Process Management Journal*. 13. 3. 329-347.
- [12] Wang, E., (2007). Improving enterprise resource planning (ERP) fit to organizational process through knowledge transfer. *International Journal of Information Management*. 27. 3. 200-212.

- [13] (2010, February 10). ERP Definitions and Solutions from
http://www.cio.com/article/40323/ERP_Definition_and_Solutions
- [14] (2010). Ugnayan ng Pahinungod Manila Guidelines for Requesting Health Missions. Handout.

CHAPTER X

APPENDIX

A. University of the Philippines Manila Ugnayan ng Pahinungod Oblation Corps Handout (pp 1)

<p>What is Ugnayan ng Pahinungód Oblation Corps?</p> <p>Ugnayan ng Pahinungód/Oblation Corps is a program of the University of the Philippines, institutionalizing volunteerism among UP constituents through the rendering of free services to communities in greatest need. It enjoins faculty, students, alumni and employees of UP to share their skills and talents with our less privileged countrymen. It seeks to put flesh and blood to the term Iskolarang Bayan.</p> <p>Pahinungód, a Cebuano word, is the Filipino equivalent of "oblation" which denotes the offering of oneself to a higher cause. The term Ugnayan is used to recognize the link of the University and the volunteers with the community and the society.</p> <p>The program is being implemented in all autonomous campuses of UP except in Diliman.</p> <p>What are the programs being offered by Ugnayan ng Pahinungód Manila?</p> <p>The Ugnayan ng Pahinungod Manila essentially works within the health service program of the University and more. The different program packages are:</p> <ol style="list-style-type: none"> 1. Educational Assistance Program <p>UP being the national university/ education is given utmost emphasis. Under the program, projects seeking to improve the quality of public educational system in terms of skills enhancement and manpower augmentation are done. Volunteers may serve under the following components:</p> <ul style="list-style-type: none"> ❖ Tutorials Tutoring of pupils at risk of failing from public elementary schools. To improve English and Filipino language proficiency of students. 	<p>Teachers' Development</p> <p>Enhances the competencies of teachers through knowledge sharing.</p> <p>Uplifts the level of high school education in underrepresented provinces.</p> <p>Gurong Pahinungód</p> <p>Volunteers serve as regular teachers in underserved public schools for one year.</p> <p>Community Health Programs</p> <p>UP Manila being the leading health sciences institution, we provide direct assistance and sharing of knowledge through empowerment of communities to take active role in alleviating the existing health concerns in these underserved communities.</p> <p>Health Missions</p> <p>Provides medical, surgical and dental services to remote underserved areas (bringing health care to remote communities).</p> <p>Health Training/Health Education</p> <p>Conducts seminar workshops on Basic Life Support (BLS), First Aid, Trauma Prevention and Management as well as preventive medicine interventions.</p> <p>Emergency Room Volunteers</p> <p>Provides assistance to Philippine General Hospital - Emergency Room staff, provides training to E.R. volunteers & uplifts patient care in PGH-ER.</p> <p>Community Social Welfare Programs</p> <p>Promotes the interest and welfare of some marginalized sectors of the society through activities targeting identified needs of the community.</p> <p>The program components are:</p> <ul style="list-style-type: none"> ❖ Summer Immersion Service Program Deploys volunteers to rural communities 	<p>Program for the Street Children</p> <p>Enhances the artistic abilities of street children; and provides volunteer interaction with street children.</p> <p>Advocacy Program</p> <p>Aims to promote and campaign for volunteerism among different units of the University and concerned sectors.</p> <p>Among the program activities are documentation of volunteer works, publications and networking with other organizations, offices and individuals.</p> <p>What is expected of volunteers? How long should they serve?</p> <p>Volunteers are expected to provide their expertise to the area or community they choose and then share insights from experiences upon their return. The duration of the volunteer work is at the option of the volunteers. The terms are flexible and can be adjusted to the schedule of the volunteer.</p> <p>Who takes care of the expenses incurred for volunteer work?</p> <p>Volunteers need not worry about incurring any out-of-pocket expense for service they will render in the field. The Ugnayan ng Pahinungód program will, to all extent possible, take care of all such expenses either by soliciting funds for them or negotiating with partners and sponsors to cover such expenses.</p> <p>A volunteer is given of insurance coverage for the duration of his/her volunteer work, prophylactic medicine depending on the area of assignment and food and transportation allowances as needed by the program's venue and donation.</p>
--	---	---



Location map
& contact person

vision

U.P. in the service of
the underserved
communities of the
nation through
volunteerism

mission

Prepare and nurture a
corps of volunteers
committed to provide
leadership in the
undertaking and
implementation of
community-oriented
programs complementary
to the Teaching, Research
and Extension functions
of the University



FEDERICO B. CRUZ, MD, MSc
Director
Ugnayan ng Pahinungod Manila
Mezzanine Floor (above UP Health Service)
Central Block, PGH Complex
Taft Avenue, Manila
Telefax: (02) 526-6950 to 51
upm_pahinungod@yahoo.com

Ugnayan
ng
Pahinungód
Oblation Corps

C. Volunteer Data Form

<div style="border: 1px solid black; width: 100%; height: 40px; margin-bottom: 5px;"></div> PHOTO	<p style="margin: 0;">UGNAYAN NG PAHINUNGOD</p> <p style="margin: 0;">VOLUNTEERS DATA FORM</p>	
DATE: _____		
NAME: _____ LAST NAME FIRST NAME _____ MIDDLE NAME _____ NICKNAME: _____ AGE: _____ SEX: _____ CIVIL STATUS: _____ BIRTHDATE: _____ BLOODYTYPE: _____ RELIGION: _____ PRESENT ADDRESS: _____ PROVINCIAL ADDRESS: _____ HOME NUMBER: _____ MOBILE NUMBER: _____ E-MAIL ADDRESS: _____ CONTACT PERSON IN CASE OF EMERGENCY: NAME: _____ RELATIONSHIP: _____ ADDRESS: _____ CONTACT NUMBER: _____ SPECIAL SKILLS AND HOBBIES: _____		
MEMBERSHIPS and ORGANIZATION		
NAME of ORGANIZATION _____ _____ _____	POSITION _____ _____ _____	TYPE OF ORGANIZATION _____ _____ _____
VOLUNTEER WORK PROGRAM _____ _____		DATE _____
<i>Are you presently connected with UPM/ PGH? (Please check)</i> <input type="checkbox"/> YES <input type="checkbox"/> NO (for Professional) <input type="checkbox"/> Physician <input type="checkbox"/> Surgeon <input type="checkbox"/> Nurse <input type="checkbox"/> Dentist <input type="checkbox"/> Faculty Member <input type="checkbox"/> Employee PRC License Number: _____ Dept./ Ward/ Office: _____ Unit/College/Company: _____ Office contact number: _____ (for Student) Student Number: _____ School: _____ College: _____ Course and Year: _____		
<i>ARE YOU AN ALUMNIUS OF U.P.? (Please check)</i> <input type="checkbox"/> YES <input type="checkbox"/> NO Campus/ College: _____ Year Graduated: _____		
PROGRAMS YOU WISH TO JOIN (you may join more than one program)		
A. EDUCATIONAL ASSISTANCE PROGRAM <input type="checkbox"/> Tutorial Services <input type="checkbox"/> Teachers Development <input type="checkbox"/> Gurong Pahinungod		
B. COMMUNITY HEALTH PROGRAMS <input type="checkbox"/> Health Mission <input type="checkbox"/> Health Training <input type="checkbox"/> Health Education <input type="checkbox"/> Emergency Room Volunteers		
C. COMMUNITY SOCIAL WELFARE PROGRAM <input type="checkbox"/> Summer Immersion Service <input type="checkbox"/> Program for the Street Children		
D. ADVOCACY PROGRAM		

D. Ugnayan ng Pahinungod Manila Guidelines for Requesting Health Missions Handout

Health Program

The Health Program of the Ugnayan ng Pahinungod Manila was created in 1994 due to the overwhelming need for medical services in many areas of the country and in response to the realization that, despite the existence of numerous government hospitals and health care facilities, specialized health care remains, for the most part, inaccessible.

Under the program, volunteer dentists, doctors, specialists, nurses, students and other health professionals are fielded to requesting underserved communities in order for them to provide free direct assistance and share knowledge and expertise. At present, the program relies on social and civic organizations as partners to reach out to communities in need.

Request for missions

Request for medical, surgical, and/or dental missions must be in written form and should contain the following information:

- name of the organization requesting the mission (*Please accomplish the enclosed Requesting Party Profile Form*)
- name and telephone number of the contact person(s)
- date, time, location of the mission
- estimated number of patients to be seen and/or population of the area
- desired medical team size and composition. (e.g. 2 internists, etc.)
- any health problems particular to the Community to be visited

Responsibilities of the Requesting Party

The requesting party shall be responsible for the following:

- coordination with the local government and/or NGOs for information dissemination
- recruitment of additional volunteers from local or surrounding hospitals
- making arrangements with a local hospital/clinic for post-operation care of patients after the mission team has left
- close follow-up with the Pahinungod office until the conclusion of the mission
- provision of medicines, medical and/or surgical supplies and equipment as needed
- transportation of the mission team from the PGH to the mission area and back
- provision of board and lodging for the mission team while in the area
- compilation of a list of patients' data, i.e. name, age, sex and pre-operative diagnosis

Cancellation

To cancel missions previously scheduled, a written notice must be sent to the Ugnayan ng Pahinungod Manila as soon as possible. The notice should be addressed to the Pahinungod Director and must indicate the reason for the cancellation. Failure to inform the Ugnayan ng Pahinungod of any cancellation will be noted and will be taken into account when considering future requests from the sponsor.

Follow-up

Requests must be followed up **three working days** after submission of request. Requests not followed-up within the said period are assumed to have been withdrawn and will no longer be entertained.



Priority Areas

Despite having reached numerous communities, Ugnayan ng Pahinungod believes there is still much to do. There are countless people in need of medical services. You can help Pahinungod Manila help them by prioritizing hard to reach areas particularly outside Metro Manila.

E. Ugnayan ng Pahinungod Manila Guidelines for Requesting Health Missions Handout

Request for **surgical missions** must be received at least **eight (8) weeks** prior to the scheduled date of the mission, while request for **medical-dental missions** should be received **five (5) weeks** prior to the mission date. All requests should be addressed to:

Federico B. Cruz, MD, MSc
Director

Ugnayan ng Pahinugód Manila
Mezzanine Floor (Above Health Service)
Philippine General Hospital
Taft Avenue, Manila

Tel. 526-6951/521-8450 loc.3962
Telfax: 526-6950

Email address: pahinungod@mail.upm.edu.ph

Ugnayan ng Pahinungód Manila

Guidelines for Requesting



HEALTH MISSIONS



F. Representative Data Form

**Requesting Party
PROFILE**

1. DATE OF REQUEST	2. SEC REGISTRATION NO.
3. NAME OF ORGANIZATION	
4. TYPE OF ORGANIZATION	5. INCORPORATION DATE
6. AREA OF OPERATION	
7. BENEFICIARY	
8. HEAD OFFICE	
TEL. NO./ FAX/ CELLPHONE	EMAIL
9. OFFICE ADDRESS	
TEL. NO./ FAX/ CELLPHONE	EMAIL
10. CONTACT PERSON	
TEL. NO./ FAX/ CELLPHONE/ EMAIL	
11. CONDUCTED AN OUTREACH ACTIVITY IN THE PAST? <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <input type="checkbox"/> MEDICAL <input type="checkbox"/> SURGICAL <input type="checkbox"/> DENTAL <input type="checkbox"/> OTHERS _____	
DATE & VENUE OF MOST RECENT ACTIVITY?	
IN COLLABORATION WITH WHAT ORGANIZATIONS?	

G. Sample Filled-up Accomplishment Report Form

ACCOMPLISHMENT REPORT
 For the Month of June 2011
 PROGRAM: Health Mission Program

DATE and PLACE	ACTIVITY	ACCOMPLISHMENT
June 4, 2011 Tahanang Walang Hagdanan Bontoc, Rizal	Medical Mission	<ul style="list-style-type: none"> - 35 medical consults - 9 ophtha consults - sponsored by Pro-Dent Lab. - volunteers: 4 MDS 2 RNS 2 Pahinungod staff
June 18-19, 2011 Caibiran, Biliran Province	Follow Up of Cataract & Ptengium Patients	<ul style="list-style-type: none"> - followed up 21 patients - Sponsored by: RAWES / RCS Paramedics - volunteer: 1 MD 1 Pahinungod staff
NOTES/ REQUESTS: (Anything you want to include in the Newsletter/ Reports)		

H. Sample Monthly Accomplishments Form

**University of the Philippines Manila
Ugnayan ng Pahinungod**

Accomplishment Report for the month of January 2012

A. EDUCATIONAL ASSISTANCE PROGRAM

The Educational Assistance Program seeks to improve the quality of public educational system in terms of skill enhancement and manpower augmentation.

*** NO EVENTS ***

Date & Place	Activity	Accomplishments
Tutorial Services Program		
Teachers Development Program		

B. COMMUNITY HEALTH PROGRAM

The Community Health Program provides direct assistance and sharing of knowledge to help in alleviating the existing health concerns of communities that lack medical facilities and expertise.

Date & Place	Activity	Accomplishments
Health Missions Program		
Health Training/ Health Education		
Emergency Room Volunteers Program (ERVP)		

C. COMMUNITY SOCIAL WELFARE PROGRAM

The Community Social Welfare Program aims to promote the interest and welfare of marginalized sectors of the society and enlighten the volunteers with some realities of life.

Date & Place	Activity	Accomplishments
Summer Immersion Service Program (SISP)		
Program for Street Children		

D. ADVOCACY PROGRAM

This program promotes and campaigns for volunteerism within the University and in some concerned sectors of the society. It has several publications that inform, encourage and inspire others to get involved with volunteer work. Every quarter, the office releases its newsletter entitled "Ang Pahinungód". Other publications are "Volunteerism in Action," book series and "Annual Report."

Date & Place	Activity	Accomplishments

ADMINISTRATIVE AND OTHER CONCERNS

Date & Place	Activity	Accomplishments

Prepared By:

Administrative Officer II

Noted By:

Director

I.SOURCE CODE

```

acc_advocacy_script.php
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
<?php
    include "j_connection.php";
    include "get_header.php";
    $eventID = $_POST['eventID'];
    $userID = $_POST['userID'];

    $result = mysql_query("SELECT
firstname,lastname FROM jos_comprofiler
WHERE id='".$userID"');
    $row = mysql_fetch_assoc($result);
    $username = $row['firstname']." ".
    $row['lastname'];
    $deployed = $_POST['deployment'];
    //attendees = $_POST['attendees'];
    //organization =
$_POST['organization'];
    $deployedArr = join(',',$deployed);
    $ToDo = $_POST['ToDo'];
    $extraReport = $_POST['extraReport'];
    $staff = array(); $i = 0;
    $r = mysql_query("SELECT Vol_ID
FROM jos_staff");
    while($row = mysql_fetch_array($r)){
        $staff[$i++] =
$row['Vol_ID'];}if($ToDo == "addAcc"){
    //save as archive
    $query = "UPDATE jos_events
SET state='1' WHERE id='".$eventID."'";
    mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());
    //set all to declined first
    $query = ("UPDATE
jos_membership SET Deployed='0' WHERE
Event_ID='".$eventID' AND Vol_ID NOT
IN($deployedArr)");
    mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());
    //update status of membership
    (from possible pending to confirmed)
    for($i=0; $i <
count($deployed) $i++){
        $isStaff = (in_array($deployed[$i],
$staff))?1:0;
        $query = ("UPDATE
jos_membership SET
Deployed='1',Is_staff='$isStaff' WHERE
Vol_ID='".$deployed[$i]' AND
Event_ID='".$eventID"");
}

```

```

    mysql_query($query,$link) or die
    ("INSERT error:" .mysql_error()); } }
//add extra report$query = "INSERT INTO
jos_extra_reports
(Event_ID,Extra_report,Reporter)
VALUES('$eventID','$extraReport','$username')
"; mysql_query($query,$link) or die ("INSERT
extra reports error:" .mysql_error());
} else {
    //set all to declined first
    $query = ("UPDATE
jos_membership SET Deployed='0' WHERE
Event_ID='".$eventID' AND Vol_ID NOT
IN($deployedArr)");
    mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());
}

//update status of membership
(from possible pending to confirmed)
for($i=0; $i <
count($deployed) ; $i++){
    $query = ("UPDATE
jos_membership SET Deployed='1' WHERE
Vol_ID='".$deployed[$i]' AND
Event_ID='".$eventID"');
    mysql_query($query,
$link) or die ("INSERT error:" .mysql_error());
}

//update extra reports
$query = ("UPDATE
jos_extra_reports SET
Extra_report='".$extraReport',
Date_modified=NOW(),Modifier='".$username'
WHERE Event_ID='".$eventID"');
    mysql_query($query,$link) or
die ("UPDATE extra reports error:"
.mysql_error());
}

$result = mysql_query("SELECT title
FROM jos_events WHERE id='".$eventID"');
    $row = mysql_fetch_array($result);
    $title = $row['title'];
    mysql_close($link);
?>

<h3 class="pageTitle">Save Accomplishments
[ <?php echo $title?> ] </h3>
<hr width="630px" color="#006600"/>
```

```

<hr width="500px" color="#009900"/>

<div align="center">

<h3>Please wait! Processing...</h3>
</div>
<form action="" id="form1" name="form1"
method="POST" target="_parent">
    <input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?>" />
    <input type="hidden" id="userID"
name="userID" value="<?php echo $userID;?
>" />
    <input type="hidden"
id="isErvp2Tasks" name="isErvp2Tasks"
value="false"/>
    <input type="hidden" id="ToDo"
name="ToDo" value="<?php echo $ToDo;?
>" />
</form>
<script>
    function redirect(){
        //parent.window.location.replace("<?
        php echo $_header;?>/index.php?
        option=com_wrapper&view=wrapper&Itemid=
        129&param3=<?php echo $eventID;?>");
        document.form1.action = "<?
        php echo $_header; ?>/index.php?
        option=com_events&task=notifyReport";
        document.form1.submit();
    }
    redirect();
</script>
acc_ervp.php
<script type="text/javascript"
language="javascript">
    function checkAll(toggler) {
        if(toggler.checked){
            volunteers =
document.getElementsByName("deployment[]")
);
for (i = 0; i < volunteers.length; i++){
volunteers[i].checked = true ;
document.getElementById('Submit').disabled=f
alse;
} else{ volunteers =
document.getElementsByName("deployment[]")
);

for (i = 0; i < volunteers.length; i++){
volunteers[i].checked = false;
document.getElementById('Submit').disabled=t
rue;
}
} }function addRow(tableID) {
var table =
document.getElementById(tableID);
var rowCount = table.rows.length;
var othersCount =
document.getElementById("attendees").length
- 1;
if(rowCount < othersCount){
var row = table.insertRow(rowCount);
var colCount = table.rows[0].cells.length;
for(var i=0; i<colCount; i++) {
var newcell = row.insertCell(i);
newcell.innerHTML =
table.rows[0].cells[i].innerHTML;
switch(newcell.childNodes[0].type) {case
"text": newcell.childNodes[0].value = "";
break;
case
"checkbox":newcell.childNodes[0].checked =
false; break; case "select-one":
newcell.childNodes[0].selectedIndex =
0;break;}}}
function deleteRow(tableID) {
try {var table =
document.getElementById(tableID);
var rowCount = table.rows.length;
for(var i=0; i<rowCount; i++) {
var row = table.rows[i];
var chkbox = row.cells[0].childNodes[0];
if(null != chkbox && true == chkbox.checked)
{
if(rowCount <= 1) {
alert("Cannot delete all the rows.");break;
}
table.deleteRow(i);
rowCount--;i--;}}}
}catch(e) {
    alert(e);
}
}

function addColumn(tblId, phase) {
    var colCount =
document.getElementById(tblId).rows[0].cells.l
ength;
    if(colCount == 7){
        var tblHeadObj =
document.getElementById(tblId).tHead;
        //var phase = colCount
        - 6 + 1; // 6 original columns (minus training1)
        + the new cell
        for (var h=0; h<tblHeadObj.rows.length; h++)
{
}
}
}

```

```

var newTH =
tblHeadObj.rows[h].insertCell(colCount-3);
newTH.innerHTML = '<center>Training (Phase
' + phase +')<center>'; }
var tblBodyObj =
document.getElementById(tblId).tBodies[0];
for (var i=0;
i<tblBodyObj.rows.length; i++) {var newCell =
tblBodyObj.rows[i].insertCell(colCount-3);
var id = 'training' + phase; var name =
'training' + phase + '[]';
var onClk = 'onChange =
"enDisTraining(train,deploy,this,name)"';
val =
tblBodyObj.rows[i].cells[3].childNodes[0].value;
newCell.innerHTML = '<center><input
type="checkbox" value=' + val + ' ' + onClk +
'id="' + id +'" name="' + name + '" CHECKED
/></center>';
}element1 =
document.getElementsByName("deploy[]");
for(i = 0; i < element1.length; i++){
element1[i].style.display='none';
element1[i].childNodes[0].checked = true; }
document.getElementById("pat").style.display =
"none";document.getElementById("del").style.display =
"block";
document.getElementById("add").style.display =
"none";document.getElementById("pat").value =
"";
document.getElementById("leg").innerHTML =
'Training Phase ' + phase;
document.getElementById("volCount").value =
element1.length-1;//minus the
headerdocument.getElementById("countDisplay").inn
erHTML = " : " +
document.getElementById("volCount").value;
document.getElementById("process").value =
'Training Phase ' + phase;
} //else, there is more than one phase
}
function deleteColumn(tblId) {
var allRows =
document.getElementById(tblId).rows;
var colCount =
document.getElementById(tblId).rows[0].cells.l
ength;
for (var i=0; i<allRows.length;
i++) {
if
(allRows[i].cells.length > 6) {
allRows[i].deleteCell(colCount-4);
}
}
}

document.getElementById("add").style.display =
"block";

document.getElementById("del").style.display =
"none";

document.getElementById("pat").style.display =
"block";
element1 =
document.getElementsByName("deploy[]");
for(i = 0; i < element1.length;
i++){
element1[i].style.display='table-cell';
}

document.getElementById("volCount").value =
element1.length-1;//minus the header

document.getElementById("countDisplay").inn
erHTML = " : " +
document.getElementById("volCount").value;

document.getElementById("process").innerHT
ML = "Deployment";

document.getElementById("leg").innerHTML =
'Deployment';
}
function
enDisTraining(displayed,toDisplay,checkedBox,
name){
name = name || '';
switch(displayed){
case 'orient': var
checkB =
document.getElementsByName("orientation[]")
;
var type = 'Orientation';
break;
}
}

```

```

        case 'train': var
checkB =
document.getElementsByName("training[]");

        var type = 'Training';
                break;
        case 'deploy': var
checkB =
document.getElementsByName("deployment[]");

        var type = 'Deployment';
                break;
        case 'feed': var
checkB =
document.getElementsByName("feedback[]");

        var type = 'Feedback';
                break;
        case 'debrief': var
checkB =
document.getElementsByName("debriefing[]");

        var type = 'Debriefing';
                break;
        default: var checkB =
document.getElementsByName(name);

        var
type = " Training Phase " +
name.substring(8,9) + " ";
    }
    if(checkbox.checked){

document.getElementById("volCount").value+
+;
} else{

document.getElementById("volCount").value--;
}

document.getElementById("countDisplay").inn
erHTML = " : " +
document.getElementById("volCount").value;

document.getElementById("leg").innerHTML =
type;
/*

```

```

element1 =
document.getElementsByName(displayed +
"[]");
element2 =
document.getElementsByName(toDisplay +
"[]");
if(noChecked) {
    //alert("no checked");
    for(i = 0; i <
element2.length; i++){
        element2[i].style.display='none';
    }
} else{
    //alert("checked");
    for(i = 0; i <
element2.length; i++){
        element2[i].style.display='table-cell';
    }
}
function checkSelected(sel){
    var x =
document.getElementsByName("attendees[]");
    var xCount = x.length;
    if(sel.value != ""){
        for(var i=0; i<xCount;
i++) {
            for(var j=i+1;
j<xCount; j++) {
                if(x[i].value == x[j].value && x[j] != ""){
                    alert("Please specify a volunteer only
once.");
                    return;
                }
            }
        }
    }
    document.getElementById("volCount").value+
+;
}

```

```
document.getElementById("countDisplay").innerHTML = " : " +  
document.getElementById("volCount").value;  
}else{  
  
if(document.getElementById("volCount").value  
!= 0) {  
  
document.getElementById("volCount").value--;  
  
document.getElementById("countDisplay").innerHTML = " : " +  
document.getElementById("volCount").value;  
}  
}  
}  
}  
function submitForm(){  
var noChecked = true;  
checkB =  
document.getElementsByTagName("input");  
for (var i=0; i<checkB.length;  
i++) {  
if(checkB[i].type ==  
"checkbox"){  
if  
(checkB[i].checked == true) {  
  
noChecked = false;  
}  
}  
}  
  
if(document.getElementsByName("deploy[]")  
[0].style.display != "none"){  
patients =  
document.getElementsByName('patients[]');  
for(i = 0; i<  
patients.length; i++){  
  
if(patients[i].value == "") {  
  
alert("Please input number of patients  
catered.");  
return;  
}  
}  
}
```

```
var x =  
document.getElementsByName("attendees[]");  
var xCount = x.length;  
for(var i=0; i<xCount;  
i++) {  
  
    for(var j=i+1;  
j<xCount; j++) {  
  
        if(x[i].value == x[j].value){  
  
            alert("Please specify a volunteer only  
once.");  
  
            return;  
        }  
    }  
    if(x[i].value !=  
"") noChecked = false;  
    }  
    if(noChecked){  
        alert("No volunteer was  
selected.");  
        return;  
    }else{  
        accomplishment =  
document.form1.accomplishment.value;  
venue =  
document.form1.venue.value;  
if(accomplishment ==  
"" || venue == ""){  
        alert("Please  
input the accomplishment and venue.");  
        return;  
    }  
    month1 =  
document.getElementById("month1[0]").value;  
month2 =  
document.getElementById("month2[0]").value;  
day1 =  
document.getElementById("day1[0]").value;  
day2 =  
document.getElementById("day2[0]").value;  
if(month1 == "" ||  
month2 == "" || month1 == "---" || month2 ==  
"---" || day1 == "" || day2 == ""){  
        alert("Please  
check accomplishment date.");  
        return;  
    }  
}
```

```

                if(month1.length == 1)
month1 = '0' + month1;
                if(month2.length == 1)
month2 = '0' + month2;
                if(day1.length == 1)
day1 = '0' + day1;
                if(day2.length == 1)
day2 = '0' + day2;
                var sDate =
document.getElementById("year1[0]").value +
'-' + month1 + '-' + day1;
                var eDate =
document.getElementById("year2[0]").value +
'-' + month2 + '-' + day2;
                if(sDate>eDate){
                    alert("End date
should be after start date!");
                    return;
                }
                //alert("submit");
                document.form1.action
= "acc_ervp_script_edited.php";

                document.form1.submit();
            }
        }
    function
populateDays(year,month,day){
    year =
document.getElementById(year).value;
    month =
document.getElementById(month).value;
    if((year % 4 == 0) && (year %
100 != 0 || year % 400 == 0)){
        //leap year
        days_in_month =
Array(31,29,31,30,31,30,31,31,30,31,30,31);
    } else{
        days_in_month =
Array(31,28,31,30,31,30,31,31,30,31,30,31);
    }
    if(month == undefined ||
month == '---') {} // do nothing
    else{

        document.getElementById(day).length
= 0;
        for(i = 0; i <
days_in_month[month-1]; i++){
            document.getElementById(day).length++;
    }
}
}

```

```

        document.getElementById(day)
[i].value = i+1;

        document.getElementById(day)[i].text
= i+1;
    }
}
</script>
<fieldset id="ERVP" class="ERVP">

<!-- //already included on event
creation
ERVP Level: &lt;select id="ervplevel"
type="text" name="ervplevel"&gt;

&lt;option value='1'&gt;1&lt;sup&gt;st&lt;/sup&gt;
Level&lt;/option&gt;

&lt;option value='2'&gt;2&lt;sup&gt;nd&lt;/sup&gt;
Level&lt;/option&gt;

&lt;option value='3'&gt;3&lt;sup&gt;rd&lt;/sup&gt;
Level&lt;/option&gt;
&lt;/select&gt;
--&gt;

&lt;?php
$levResult =
mysql_query("SELECT Level FROM
jos_accomplishments_ervp WHERE
Event_ID='$eventID'");
$levelRow =
mysql_fetch_array($levResult);
$level =
$levelRow['Level'];
$result2 =
mysql_query("SELECT
Task_ID,Description,Status FROM jos_task
WHERE Event_ID='$eventID' AND ERVP='1'");

$ctr = 0;
$arr = array();
while ($row2 =
mysql_fetch_array($result2)){
    $id =
$row2['Task_ID'];

    if($row2['Status'] == 1){

        $arr[$ctr] = $row2['Description'];
    }
}
</pre>

```



```

/*
 */
} else{
    $orientation =
'style="display:table-cell"';
        $query =
("SELECT Vol_ID,Status FROM jos_membership
WHERE Event_ID='$eventID' AND Status!
='0'");
        $legend =
"Orientation";
        echo '<input
type="hidden" id="process" name="process"
value="Orientation">';
    }
}
<?php
if($deployment !=
'style="display:none") {
    echo '
<div id="apDiv">
<div id="pat"
name="pat">
    <table class="acc">';
    $resulting =
mysql_query("SELECT * FROM
jos_accomplishments_ervp WHERE
Event_ID='$eventID' ORDER BY Level");
    while($row =
mysql_fetch_array($resulting)){
        echo '<tr><td
class="twoColumns1">Patients Catered by
ERVP Level '.$row['Level'].':</td>
<td
class="twoColumns2"><input id="level"
type="hidden" name="level[]" value="".
$row['Level'].'">
        <input
id="patients" type="text"
name="patients[]"></td></tr>';
    }
}
echo
'</table></div><br>';

$res =
mysql_query("SELECT Description FROM
jos_task WHERE Event_ID='$eventID' AND
ERVP='1' AND Description LIKE 'Training Phase
%'" );

```

```

$phase = "1";
if(mysql_num_rows($res) != 0){
    $phaseRes =
mysql_fetch_array($res);
    $max =
max($phaseRes);
    $phase =
substr($max, -1); //after 15th character (start =
1, not 0)
}
$phase++;
//echo max("Training
Phase2","Training Phase3","Training
Phase4","Training Phase1","Training Phase");
max is 4

echo '
<div id="add"
name="add" align="right">
    <input
type="button" style="width:200;" value="Add
Training Phase"
onclick="addColumn('\\volunteers\\',\\'.
$phase.'\\') />
</div>
</div>
<div id="del"
name="del" style="display:none"
align="right">
    <input
type="button" style="width:200;"
value="Delete Training Phase"
onclick="deleteColumn('\\volunteers\\') />
</div>';
}
$result = mysql_query($query);
$volCount =
mysql_num_rows($result);
$count = $volCount;
?>
    <input type="hidden"
id="volCount" name="volCount" value="<?
php echo $volCount;?>"/>
    Volunteer Count <span
id="countDisplay" name="countDisplay">>: <?
php echo $volCount;?></span>
    <table name="volunteers"
id="volunteers" class="sideHeaderTable"
border=1>
        <thead>
        <tr>
```

```

        <td align = center
class = "style1"><center>Assigned
Volunteers</center></td>
        <td align = center
class =
"style1"><center>Status</center></td>
        <td align = center
name="orient[]" id="orient" <?php echo
$orientation;?
>><center>Orientation</center></td>
        <td align = center
name="train[]" id="train" <?php echo
$training;?
>><center>Training</center></td>
        <td align = center
name="deploy[]" id="deploy" <?php echo
$deployment;?
>><center>Deployment</center></td>
        <td align = center
name="feed[]" id="feed" <?php echo
$feedback;?>><center>Feedback
Session</center></td>
        <td align = center
name="debrief[]" id="debrief" <?php echo
$debriefing;?
>><center>Debriefing</center></td>
        </tr>
        </thead>
        <tbody>
        <?php
            //echo
mysql_num_rows($result);
            //echo $query;

            $ctr = 0;
            while($row =
mysql_fetch_array($result)){
                $volID =
$row['Vol_ID'];
                $nameResult =
mysql_query("SELECT
lastname,firstname,middlename FROM
jos_comprofiler WHERE id='$volID'");
                $name =
mysql_fetch_array($nameResult);
                $vol_name =
$name['lastname'].', '.$name['firstname'].' .
$name['middlename'];

                if($row['Status']==0) $status =
"Denied"; else{ if($row['Status']>0) $status =
"Confirmed";else $status = "Pending";};

                //onChange="enDisTraining('orient','train')"
                echo '<tr>
                    <td
class="nameColumn">'.++$ctr.") ".
$vol_name.</td>
                    <td
align = "center"><input type="text"
readonly="1" value="'.$status.'"></td>
                    <td
name="orient[]" id="orient" align = "center" '.
$orientation.'><input type="checkbox"
id="orientation" name="orientation[]"
onChange="enDisTraining('orient','train',this"
) value="'.$.volID.'" CHECKED/></td>
                    <td
name="train[]" id="train" align = "center" '.
$training.'><input type="checkbox"
id="training" name="training[]"
onChange="enDisTraining('train','deploy',this"
) value="'.$.volID.'" CHECKED/></td>
                    <td
name="deploy[]" id="deploy" align = "center" '.
$deployment.'><input type="checkbox"
id="deployment" name="deployment[]"
onChange="enDisTraining('deploy','feed',this"
) value="'.$.volID.'" CHECKED/></td>
                    <td
name="feed[]" id="feed" align = "center" '.
$feedback.'><input type="checkbox"
id="feedback" name="feedback[]"
onChange="enDisTraining('feed','debrief',this"
) value="'.$.volID.'" CHECKED/></td>
                    <td
name="debrief[]" id="debrief" align = "center" '.
$debriefing.'><input type="checkbox"
id="debriefing" name="debriefing[]"
onChange="enDisTraining('debrief','debrief',this"
) value="'.$.volID.'" CHECKED/></td>
                </tr>';
            }
        ?>
        </tbody>
        </table>
        <center>
        <div
id="pageNavPosition"></div>
        </center>
        <br>
        <?php
            $innerquery = "SELECT
Vol_ID FROM jos_ervp_level WHERE
ERVP_Level='\$level'";

```

```

        $query = ("SELECT
Vol_ID FROM jos_membership WHERE
Event_ID='$eventID'");
$volunteersRes =
mysql_query("SELECT
id,lastname,firstname,middlename FROM
jos_comprofiler WHERE id IN ($innerquery) AND
id NOT IN($query) ORDER BY
lastname,firstname,middlename");

if(mysql_num_rows($volunteersRes) != 0 && $deployment != 'style="display:none"'){
    if($level==1)
    $levelWord = "1<sup>st</sup>";
    else{ if($level==2) $levelWord =
"2<sup>nd</sup>";else $levelWord =
"3<sup>rd</sup>";}
    ?>
    <br>
    <table cellpadding="7"
cellspacing="0" id="volCom2"
name="volComSecond" align="center" >
    <tr class="bordered">
        <td
width="26"></td>
        <td
width="200" align="center"><?php echo
$levelWord;?> Level ERVP
Attendees</span></td>
        <td width="42"
align="center"><input type="button"
name="addrow" id="addrow" value="Add"
onclick="javascript:addRow('volComSecond')"/></td>
        <td width="72"
align="center"><input type="button"
name="deleterow" id="deleterow"
value="Delete"
onclick="javascript:deleteRow('volComSecond'
)"/></td>
    </tr>
    </table>

    <table border="0"
cellpadding="0" cellspacing="0"
id="volComSecond" name="volComSecond"
align="center">
    <tr>
        <td width="26"><INPUT
type="checkbox" name="chk"/></td>
        <td width="100"><center>
<select
id="attendees" name="attendees[]"
onChange="checkSelected(this)">
<option></option>
<?php
while($row =
mysql_fetch_array($volunteersRes)){
    $vol_name = $row['lastname']. ', '
    $row['firstname']. '$.row['middlename'];
    echo '<option value='.$row['id'].'>'.
    $vol_name.'</option>';
}
?>
</select>
<center></td>
<td width="42">&ampnbsp</td>
<td width="72">&ampnbsp</td>
</tr>
</table>
<br>
<br>
<?php
}
?>
<fieldset
style="border:0px; margin-left:auto; margin-
right:auto;">
    <p style="margin-left:
3em;">Accomplishment:
    <?
    if($legend=="Deployment Session"){?><span
class="hasTip" title="Note! :: For the
DEPLOYMENT stage, you might want to
EXCLUDE the volunteer and patient count as it
will be generated automatically by the system
after submission.">
        
        <?php } ?>
        <textarea
id="accomplishment"
name="accomplishment[]" rows="4"
cols="75"></textarea><br> </p>
    <table class="uniformTable">
        <tr height="115">

```

```

<td width="250">
<p>Venue: &nbsp;<input id="venue" type="text" name="venue"><br></p>

    Partner: <input id="partner" type="text" name="partner"><br> <br>
</td>

<td width="350" >
<span style="float:left">
    Accomplishment Date:
        <br>
        <div id="wholeYear" style="display:block">
            <p style="margin-left: 3em;">
                Start: <!--YEAR-->
                <select id="year1[0]" name="year1[]" onChange="populateDays('year1[0]','month1[0]','day1[0]')">
                    <?php
                        $year = date("Y", time());
                        $year -= 15;
                        for($i = 0; $i < 15; $i++) {
                            echo '<option value="'.$year.'>' . $year . '</option>';
                            $year++;
                        }
                    <?>
                </select>
                &nbsp;&nbsp;&nbsp;
                <!--MONTH-->
                <select id="month1[0]" name="month1[]" onChange="populateDays('year1[0]','month1[0]','day1[0]')">
                    <option>---</select>
        </p>
        <p style="margin-left: 3em;">
            End:&nbsp; <!--YEAR-->
            <select id="year2[0]" name="year2[]" onChange="populateDays('year2[0]','month2[0]','day2[0]')">
                <?php
                    $year = date("Y", time());
                    $year -= 15;
                    for($i = 0; $i < 15; $i++) {
                        echo '<option value="'.$year.'>' . $year . '</option>';
                        $year++;
                    }
                <?>
            </select>
            &nbsp;&nbsp;&nbsp;
            <!--MONTH-->
            <select id="month2[0]" name="month2[]" onChange="populateDays('year2[0]','month2[0]','day2[0]')">
                <option>---

```



```

        $result2 =
mysql_query("SELECT
Task_ID,Description,Status FROM jos_task
WHERE Event_ID='".$eventID' AND ERVP='1'");
        $ctr = 0;
        $arr = array();
        while ($row2 =
mysql_fetch_array($result2)){
        $id =
$row2['Task_ID'];

        if($row2['Status'] == 1){
            $arr[$ctr] = $row2['Description'];
            $ctr+
+;
        }
        $idType =
$row2['Description'].".ID";
        echo '<input
type="hidden" name="'.$idType.'" id="'.$
$idType.'" value="'.$id.'">';
        }
        $orientation =
$training = $deployment = $feedback =
$debriefing = 'style="display:none"';
        if(in_array('Orientation',
$arr)){
            if(in_array('Training',$arr)){
                $result3 = mysql_query("SELECT state
FROM jos_events WHERE id='".$eventID"");
                $row3
= mysql_fetch_array($result3);
                if($row3['state'] == '-1'){
                    if(in_array('Feedback',$arr)){
                        $debriefing =
'style="display:table-cell"';
                        $query = ("SELECT
Vol_ID,Status FROM jos_membership WHERE
Event_ID='".$eventID' AND Status!='0'");
                        $legend = "Debriefing";
                        echo '<input type="hidden"
id="process" name="process"
value="Debriefing">';
                    }
                    $feedback =
'style="display:table-cell"';
                    $query = ("SELECT Vol_ID,Status FROM
jos_membership WHERE Event_ID='".$eventID'
AND Status!=0");
                    $legend = "Feedback Session";
                    echo '<input type="hidden"
id="process" name="process"
value="Feedback">';
                }
                $max = max($arr);
                $phase = ($max.length > 8)?
substr($max, 15,1): ""; //greater than
training(8chars)
                $deployment = 'style="display:table-
cell"';
                $query = ("SELECT Vol_ID,Status FROM
jos_membership WHERE Event_ID='".$eventID'
AND Status!=0");
                $legend = "Deployment";
                echo '<input type="hidden"
id="process" name="process"
value="Deployment">';
            }
            if($max > 8){
                $training = 'style="display:table-cell"';
                $query
= ("SELECT Vol_ID,Status FROM
jos_membership WHERE Event_ID='".$eventID'
AND Status!=0");
                $legend = "Training";
                echo
'<input type="hidden" id="process"
name="process" value="Training">';
            }
        }
    }
}

```

```

        /*
        */
    } else{
        $orientation =
'style="display:table-cell"';
        $query =
("SELECT Vol_ID,Status FROM jos_membership
WHERE Event_ID='$eventID' AND Status!
='0'");
        $legend =
"Orientation";
        echo '<input
type="hidden" id="process" name="process"
value="Orientation">';
    }
    if($deployment != 'style="display:none"')
        echo '<p><div id="pat"
name="pat">Patients Catered: <input
id="patients" type="text"
name="patients"></div></p><br>';
    ?>

    <br>
    Volunteers Involved<span
id="volunteers" name="volunteers">:
</span>

<?php
    if($deployment != 'style="display:none"){
        $res =
mysql_query("SELECT Description FROM
jos_task WHERE Event_ID='$eventID' AND
ERVP='1' AND Description LIKE 'Training Phase
%');");
        $phase = "1";

        if(mysql_num_rows($res) > 0){
            $phaseRes =
mysql_fetch_array($res);
            $max =
max($phaseRes);
            $phase =
substr($max, 15, 1); //after 15th character
(start = 1, not 0)
        }
        $phase++;
        //echo max("Training
Phase2","Training Phase3","Training
Phase4","Training Phase1","Training Phase");
max is 4
        echo '

```

```

<div id="add"
name="add" align="right">
    <input
type="button" value="Add Training Phase"
onclick="addColumn('attendance',''.
$phase.'\')" />
</div>
<div id="del"
name="del" style="display:none"
align="right">
    <input
type="button" value="Delete Training Phase"
onclick="deleteColumn('attendance')" />
</div>';

?>

<table name="attendance"
id="attendance" border="1" align="center">
    <thead>
        <tr>
            <td align = center
class = "style1"><center>Assigned
Volunteers</center></td>
            <td align = center
class =
"style1"><center>Status</center></td>
            <td align = center
name="orient[]" id="orient" <?php echo
$orientation;?
>><center>Orientation</center></td>
            <td align = center
name="train[]" id="train" <?php echo
$training;?
>><center>Training</center></td>
            <td align = center
name="deploy[]" id="deploy" <?php echo
$deployment;?
>><center>Deployment</center></td>
            <td align = center
name="feed[]" id="feed" <?php echo
$feedback;?>><center>Feedback
Session</center></td>
            <td align = center
name="debrief[]" id="debrief" <?php echo
$debriefing;?
>><center>Debriefing</center></td>
        </tr>
    </thead>
    <tbody>
        <?php
            //echo
mysql_num_rows($result);

```

```

        $result =
mysql_query($query);
        $count =
mysql_num_rows($result);
        while($row =
mysql_fetch_array($result)){
            $volID =
$row['Vol_ID'];
            $nameResult =
mysql_query("SELECT
lastname,firstname,middlename FROM
jos_comprofiler WHERE id='$volID'");
            $name =
mysql_fetch_array($nameResult);
            $vol_name =
$name['lastname'].'.'.$name['firstname'].''.
$name['middlename'];

if($row['Status']==0) $status =
"Denied"; else{ if($row['Status']>0) $status =
"Confirmed";else $status = "Pending";};

//onClick="enDi
sTraining('orient','train')"
echo '<tr>
        <td>'.
$vol_name.'</td>
        <td
align = "center"><input type="text"
readonly="1" value="'. $status.'"></td>
        <td
name="orient[]" id="orient" align = "center" '.
$orientation.'><input type="checkbox"
id="orientation" name="orientation[]"
onClick="enDisTraining('orient','train',this)"
value="'. $volID.'" /></td>
        <td
name="train[]" id="train" align = "center" '.
$training.'><input type="checkbox"
id="training" name="training[]"
onClick="enDisTraining('train','deploy',this)"
value="'. $volID.'" /></td>
        <td
name="deploy[]" id="deploy" align = "center" '.
$deployment.'><input type="checkbox"
id="deployment" name="deployment[]"
onClick="enDisTraining('deploy','feed',this)"
value="'. $volID.'" /></td>
        <td
name="feed[]" id="feed" align = "center" '.
$feedback.'><input type="checkbox"
id="feedback" name="feedback[]"

```

```

onClick="enDisTraining('feed','debrief',this)"
value="'. $volID.'" /></td>
        <td
name="debrief[]" id="debrief" align = "center" '.
$debriefing.'><input type="checkbox"
id="debriefing" name="debriefing[]"
onClick="enDisTraining('debrief','debrief',this)"
value="'. $volID.'" /></td>
    </tr>';
}
?>
</tbody>
</table>
<br>
<br>
<?php
    $innerquery = "SELECT
Vol_ID FROM jos_ervp_level WHERE
ERVP_Level='$.level'";
    $query = ("SELECT
Vol_ID FROM jos_membership WHERE
Event_ID='$.eventID'");
    $volunteersRes =
mysql_query("SELECT
id,lastname,firstname,middlename FROM
jos_comprofiler WHERE id IN ($innerquery) AND
id NOT IN($query) ORDER BY
lastname,firstname,middlename");

if(mysql_num_rows($volunteersRes) != 0 && $deployment != 'style="display:none"'){
    if($level==1)
        $levelWord = "1st";
    else{ if($level==2) $levelWord =
"2nd";else $levelWord =
"3rd";};

    ?>
    <br>
    <table border="0"
cellpadding="7" cellspacing="0" id="volCom2"
name="volComSecond" align="center">
        <tr>
        <td
width="26"></td>
        <td
width="200" align="center"><span
class="aria"><?php echo $levelWord;?> Level
ERVP Attendees</span></td>
        <td width="42"
align="center"><input type="button"
name="addrow" id="addrow" value="Add"

```

```

onclick="javascript:addRow('volComSecond')"/
></td>
acc_ervp_script.php
<?php

include "j_connection.php";
$eventID = $_POST['eventID'];
$userID = $_POST['userID'];
//$_level = $_POST['ervplevel'];
$patients = $_POST['patients'];
$orientation = $_POST['orientation'];
$training = $_POST['training'];
$deployed = $_POST['deployment'];
$feedback = $_POST['feedback'];
$debriefing = $_POST['debriefing'];
$attendees = $_POST['attendees'];
$process = $_POST['process'];

//accomplishment
$partner = $_POST['partner'][0];
$venue = $_POST['venue'][0];
$accomplishment =
$_POST['accomplishment'][0];
$y1 = $_POST['year1'][0];
$m1 = (strlen($_POST['month1'][0])
== 1)? '0' . $_POST['month1'][0]:
$_POST['month1'][0];
$d1 = (strlen($_POST['day1'][0]) ==
1)? '0' . $_POST['day1'][0]: $_POST['day1'][0];
$y2 = $_POST['year2'][0];
$m2 = (strlen($_POST['month2'][0])
== 1)? '0' . $_POST['month2'][0]:
$_POST['month2'][0];
$d2 = (strlen($_POST['day2'][0]) ==
1)? '0' . $_POST['day2'][0]: $_POST['day2'][0];
$startDate = $y1 . '-' . $m1 . '-' . $d1;
$endDate = $y2 . '-' . $m2 . '-' . $d2;
echo $startDate . $endDate . $userID;

$staff = array(); $i = 0;
$r = mysql_query("SELECT Vol_ID
FROM jos_staff");
while($row = mysql_fetch_array($r)){
    $staff[$i++] = $row['Vol_ID'];
}

//set orientation attendance
if(isset($orientation)){
    foreach($orientation as $a =>
$b){
    $result = mysql_query("SELECT Vol_ID FROM
jos_ervp_attendance WHERE
Event_ID='$eventID' AND
Vol_ID='$b'");
    if(mysql_num_rows($result) == 0) {
        $query = "INSERT INTO jos_ervp_attendance
(Event_ID, Vol_ID, Orientation)
VALUES('$eventID', '$b', '1')";
    } else {
        $query = "UPDATE jos_ervp_attendance SET
Orientation='1', More_trainings=''
WHERE Event_ID='$eventID' AND Vol_ID='$b'";
    }
    mysql_query($query, $link) or die ("UPDATE error:" .mysql_error());
    //set as eligible for training
    mysql_query("UPDATE jos_membership SET Status='-1'
WHERE Event_ID='$eventID' AND Vol_ID='$b'");
}
$oriented = join(',', $orientation);
$query = ("UPDATE jos_ervp_attendance SET Orientation='0'
WHERE Event_ID='$eventID' AND Vol_ID NOT
IN ($oriented)");
mysql_query($query, $link) or die ("UPDATE error:" .mysql_error());
$taskID =
$_POST['OrientationID'];
//save accomplishment
$query = "UPDATE jos_task
SET
Partner='$partner', Accomplishment='$accomplishment', Status='1',
publish_up='$startDate', publish_down='$endDate',
MonthOnly='0', Location='$venue' WHERE
Task_ID='$taskID'";
mysql_query($query, $link) or die ("UPDATE error:" .mysql_error());
//make volunteers who did not attend orientation as not among choices for training
mysql_query("DELETE FROM jos_membership WHERE Event_ID='$eventID'
AND Vol_ID NOT IN ($oriented)");

}

//set training attendance
if(isset($training)){
    foreach($training as $a => $b){
    $result =
mysql_query("SELECT Vol_ID FROM
jos_ervp_attendance WHERE
Event_ID='$eventID' AND
Vol_ID='$b'");
}
}

```

```

jos_ervp_attendance WHERE
Event_ID='$eventID' AND Vol_ID='$b"');

        if(mysql_num_rows($result) == 0)
$query = "INSERT INTO jos_ervp_attendance
(Event_ID,Vol_ID,Training)
VALUES('$eventID','$b','1')";
        else $query =
("UPDATE jos_ervp_attendance SET
Training='1',More_trainings=' WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
        mysql_query($query,
$link) or die ("UPDATE error:" .mysql_error());
        //set as eligible for
deployment
        mysql_query("UPDATE
jos_membership SET Status='-1' WHERE
Event_ID='$eventID' AND Vol_ID='$b");
    }
    $training = join(',',$training);
    $query = ("UPDATE
jos_ervp_attendance SET Training='0' WHERE
Event_ID='$eventID' AND Vol_ID NOT IN
($training)");
    mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());
    $taskID = $_POST['TrainingID'];
    //save accomplishment
    $query = "UPDATE jos_task
SET
Partner='$partner',Accomplishment='$accomp
lishment',Status='1',
publish_up='$startDate',publish_down='$endD
ate',MonthOnly='0',Location='$venue' WHERE
Task_ID='$taskID'";
    mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());
    //make volunteers who did not
attend orientation as not among choices for
training
    mysql_query("DELETE FROM
jos_membership WHERE Event_ID='$eventID'
AND Vol_ID NOT IN ($training)");
}

//set feedback attendance
if(isset($feedback)){
    foreach($feedback as $a =>
$b){
        $result =
mysql_query("SELECT Vol_ID FROM

```

```

jos_ervp_attendance WHERE
Event_ID='$eventID' AND Vol_ID='$b"');

        if(mysql_num_rows($result) == 0)
$query = "INSERT INTO jos_ervp_attendance
(Event_ID,Vol_ID,Feedback)
VALUES('$eventID','$b','1')";
        else $query =
("UPDATE jos_ervp_attendance SET
Feedback='1',More_trainings=' WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
        mysql_query($query,
$link) or die ("UPDATE error:" .mysql_error());
        mysql_query("UPDATE
jos_membership SET Status=-1' WHERE
Event_ID='$eventID' AND Vol_ID='$b");
    }
    $feedback = join(',',$feedback);
    $query = ("UPDATE
jos_ervp_attendance SET Feedback='0' WHERE
Event_ID='$eventID' AND Vol_ID NOT IN
($feedback)");
    mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());
    $taskID =
$_POST['FeedbackID'];
    //save accomplishment
    $query = "UPDATE jos_task
SET
Partner='$partner',Accomplishment='$accomp
lishment',Status='1',
publish_up='$startDate',publish_down='$endD
ate',MonthOnly='0',Location='$venue' WHERE
Task_ID='$taskID'";
    mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());
    mysql_query("UPDATE
jos_membership SET Status='0' WHERE
Event_ID='$eventID' AND Vol_ID NOT IN
($feedback)");
}
/* removed because everytime new
task is accomplished, previous will be deleted
else{
    $query = ("UPDATE
jos_ervp_attendance SET Feedback=-1'
WHERE Event_ID='$eventID'");
    mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());
}
*/

```

```

//set debriefing attendance
if(isset($debriefing)){
    foreach($debriefing as $a =>
$b){
        $result =
mysql_query("SELECT Vol_ID FROM
jos_ervp_attendance WHERE
Event_ID='$eventID' AND Vol_ID='$b'");

        if(mysql_num_rows($result) == 0)
$query = "INSERT INTO jos_ervp_attendance
(Event_ID,Vol_ID,Debriefing)
VALUES('$eventID','$b','1')";
        else $query =
("UPDATE jos_ervp_attendance SET
Debriefing='1',More_trainings=' WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
        mysql_query($query,
$link) or die ("UPDATE error:" .mysql_error());
        mysql_query("UPDATE
jos_membership SET Status=-1' WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
    }
    $debriefing = join(',',$debriefing);
    $query = ("UPDATE
jos_ervp_attendance SET Debriefing='0'
WHERE Event_ID='$eventID' AND Vol_ID NOT
IN ($debriefing)");
    mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());
    $taskID =
$_POST['DebriefingID'];
    //save accomplishment
    $query = "UPDATE jos_task
SET
Partner='$partner',Accomplishment='$accomp
lishment',Status='1',

publish_up='$startDate',publish_down='$endD
ate',MonthOnly='0',Location='$venue' WHERE
Task_ID='$taskID'";
    mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());
    mysql_query("UPDATE
jos_membership SET Status='0' WHERE
Event_ID='$eventID' AND Vol_ID NOT IN
($debriefing)");
}
$pos = strpos ($process,"Training
Phase");
if($pos ){
    $query = ("UPDATE
jos_ervp_attendance SET More_trainings='
WHERE Event_ID='$eventID'");
    mysql_query($query,$link) or die
("UPDATE error:" .mysql_error());
    $ctr = 2;
    while(isset($_POST['training'].$ctr)){
        $trainingTemp =
$_POST['training'].$ctr;
        $title = "Training Phase " . $ctr;
        //save on
        echo count($trainingTemp);
        foreach($trainingTemp as $a
=> $b){
            $result =
mysql_query("SELECT Vol_ID FROM
jos_ervp_attendance WHERE
Event_ID='$eventID' AND Vol_ID='$b'");

            if(mysql_num_rows($result) == 0)
$query = "INSERT INTO jos_ervp_attendance
(Event_ID,Vol_ID,More_trainings)
VALUES('$eventID','$b','1')";
            else $query =
("UPDATE jos_ervp_attendance SET
More_trainings=concat(IF(More_trainings='
,C
ONCAT(More_trainings,'|'),'1') WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
            mysql_query($query,
$link) or die ("UPDATE error:" .mysql_error());
            mysql_query("UPDATE
jos_membership SET Status=-1' WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
        }
        $trainingTemp = join(',',$trainingTemp);
        $query = ("UPDATE
jos_ervp_attendance SET
More_trainings=concat(IF(More_trainings='
,C
ONCAT(More_trainings,'|'),'0') WHERE
Event_ID='$eventID' AND Vol_ID NOT IN
($trainingTemp')");
        mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());
        $ctr++;
        $query = "INSERT INTO
jos_task
(Task_ID,Event_ID,Description,catid,User_ID,Par
tner,Accomplishment,
Status,publish_up,publish_down,MonthOnly,Loc
ation,ERVP)

```

```

VALUES('$eventID','$title','55','$userID','$partner',
'$accomplishment','1','$startDate','$endDate',
'0','$venue','1');");
mysql_query($query,$link) or
die ("UPDATE error:".mysql_error());
mysql_query("UPDATE
jos_membership SET Status='0' WHERE
Event_ID='$eventID' AND Vol_ID NOT IN
($trainingTemp)");
}

switch($process){
    case 'Deployment':
        //insert breakdown of
additional volunteers
foreach($attendees as
$a => $b) {
    echo "here";
    if($b != ""){
        mysql_query("INSERT INTO
jos_ervp_attendance
(Event_ID,Vol_ID,Orientation,Training,Deployment)
VALUES('$eventID','$b','0','0','1')");
        mysql_query("INSERT INTO
jos_membership (Vol_ID,Event_ID,Status=-1')
VALUES('$eventID','$b')");
    }
}
case 'Orientation':
case 'Training':
case 'Feedback':
case 'Debriefing': break;
default:
    $phase =
substr($process,15,1);
    echo "phase;".$phase;
    if($phase == '2')
$moreTrainings = "1";
    else{
        $moreTrainings
= '0';
        $phase--;
        while($phase >
'2'){
            $moreTrainings .= "|0";
            $phase--;
        }
}
$moreTrainings .= "|1";
}

//insert breakdown of
additional volunteers
foreach($attendees as
$a => $b) {
    echo "here2";
    if($b != ""){
        mysql_query("INSERT INTO
jos_ervp_attendance
(Event_ID,Vol_ID,Orientation,Training,More_trainings)
VALUES('$eventID','$b','0','0','$moreTrainings')");
        mysql_query("INSERT INTO
jos_membership (Vol_ID,Event_ID,Status=-1')
VALUES('$eventID','$b')");
    }
}
if(isset($deployed)){
    echo "deployed:".count($deployed);
    $res = mysql_query("SELECT Level
FROM jos_accomplishments_ervp WHERE
Event_ID='$eventID'");
    $levResult = mysql_fetch_array($res);
    $level = $levResult['Level'];
    $volResult = mysql_query("SELECT
Vol_ID FROM jos_ervp_level");
    $ctr1 = 0;
    while($row =
mysql_fetch_array($volResult)){
        $ervs[$ctr1] = $row['Vol_ID'];
        $ctr1++;
        echo "ervs";
    }
    //insert patients
    $query = "UPDATE
jos_accomplishments_ervp SET
Patients='$patients' WHERE
Event_ID='$eventID'";
    mysql_query($query,$link) or die
("INSERT error:".mysql_error());
    //save as archive
    $query = "UPDATE jos_events SET
state=-1 WHERE id='$eventID'";
}

```

```

        mysql_query($query,$link) or die
        ("UPDATE error:" .mysql_error());

        //update status of membership (from
possible pending to confirmed), and register
level of volunteer
        foreach($deployed as $a => $b){
                $result = mysql_query("SELECT
Vol_ID FROM jos_ervp_attendance WHERE
Event_ID='".$eventID' AND Vol_ID='".$b"'");
                if(mysql_num_rows($result) ==
0) $query = "INSERT INTO jos_ervp_attendance
(Event_ID,Vol_ID,Deployment)
VALUES('$eventID','$b','1')";
                else $query = ("UPDATE
jos_ervp_attendance SET Deployment='1'
WHERE Event_ID='".$eventID' AND
Vol_ID='".$b"'");
                mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());

                if(!in_array($b,$ervs)) {
                        echo "<br>in ervp
level<br>";
                        $query = "INSERT INTO
jos_ervp_level (Vol_ID,ERVP_level)
VALUES('$b','$level')";
                }
                else {
                        $query = ("UPDATE
jos_ervp_level SET ERVP_level='".$level' WHERE
Vol_ID='".$b"'");
                }
                mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());

                mysql_query("UPDATE
jos_membership SET Status=-1' WHERE
Vol_ID='".$b' AND Event_ID='".$eventID"'");
        }
        $deployedVols = implode(',',$deployed);
        $query = ("UPDATE jos_membership
SET Status='0' WHERE Vol_ID NOT IN
($deployedVols) AND Event_ID='".$eventID"'");
        mysql_query($query,$link) or die
        ("INSERT error:" .mysql_error());
    }
?>

```

acc_ervp_script_edited.php

```

<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
<?php
        include "j_connection.php";
        include "get_header.php";
        $eventID = $_POST['eventID'];
        $userID = $_POST['userID'];
        //level = $_POST['ervplevel'];
        $patients = $_POST['patients'];
        $level = $_POST['level'];
        $orientation = $_POST['orientation'];
        $training = $_POST['training'];
        $deployed = $_POST['deployment'];
        $feedback = $_POST['feedback'];
        $debriefing = $_POST['debriefing'];
        $process = $_POST['process'];

        //accomplishment
        $partner = $_POST['partner'];
        $venue = $_POST['venue'];
        $accomplishment =
$_POST['accomplishment'][0];
        $y1 = $_POST['year1'][0];
        $m1 = (strlen($_POST['month1'][0])
== 1)? '0' . $_POST['month1'][0]:
$_POST['month1'][0];
        $d1 = (strlen($_POST['day1'][0]) ==
1)? '0' . $_POST['day1'][0]: $_POST['day1'][0];
        $y2 = $_POST['year2'][0];
        $m2 = (strlen($_POST['month2'][0])
== 1)? '0' . $_POST['month2'][0]:
$_POST['month2'][0];
        $d2 = (strlen($_POST['day2'][0]) ==
1)? '0' . $_POST['day2'][0]: $_POST['day2'][0];
        $startDate = $y1.'-'.$m1.'-'.$d1;
        $endDate = $y2.'-'.$m2.'-'.$d2;
        echo $startDate.$endDate.$userID;

        //set orientation attendance
        //if(isset($orientation)){
        if($process == "Orientation"){
                foreach($orientation as $a =>
$b){
                        $result =
mysql_query("SELECT Vol_ID FROM
jos_ervp_attendance WHERE
Event_ID='".$eventID' AND Vol_ID='".$b"'");
                        $result2 =
mysql_query("SELECT Vol_ID FROM
jos_membership WHERE Event_ID='".$eventID'
AND Vol_ID='".$b"'");

                        if(mysql_num_rows($result) == 0)

```

```

$query = "INSERT INTO jos_ervp_attendance
(Event_ID,Vol_ID,Orientation)
VALUES('$eventID','$b','1')";
else $query = "UPDATE
jos_ervp_attendance SET
Orientation='1',More_trainings=' WHERE
Event_ID='$eventID' AND Vol_ID='$b'";
mysql_query($query,
$link) or die ("UPDATE error on setting
orientation to 1:" .mysql_error());

if(mysql_num_rows($result2) == 0)
$query = "INSERT INTO jos_membership
(Event_ID,Vol_ID,Status)
VALUES('$eventID','$b','1')";
else $query = "UPDATE
jos_membership SET Status='1' WHERE
Event_ID='$eventID' AND Vol_ID='$b'";
mysql_query($query,
$link) or die ("UPDATE error on updating
membership:" .mysql_error());
}
$oriented = join(',',$orientation);
$query = ("UPDATE
jos_ervp_attendance SET Orientation='0'
WHERE Event_ID='$eventID' AND Vol_ID NOT
IN ($oriented)");
mysql_query($query,$link) or
die ("UPDATE error on changing orientation to
0:" .mysql_error());
$query = "UPDATE
jos_membership SET Status='0' WHERE
Event_ID='$eventID' AND Vol_ID NOT IN
($oriented)";
mysql_query($query,$link) or
die ("UPDATE error on setting membership
status to 0:" .mysql_error());
$taskID =
$_POST['OrientationID'];
//save accomplishment
$query = "UPDATE jos_task
SET
Partner='$partner',Accomplishment='$accomp
lishment',Status='1',


publish_up='$startDate',publish_down='$endD
ate',MonthOnly='0',Location='$venue',Report_
user_ID='$userID' WHERE Task_ID='$taskID'";
mysql_query($query,$link) or
die ("UPDATE error on adding orientation
accomplishment:" .mysql_error());


//update number of deployed
volunteers
$committed =
count($orientation);
//query = ("UPDATE
jos_events SET
Committed_vol='$committed',Pending_vol='0'
WHERE id='$eventID'");
//mysql_query($query,$link) or
die ("UPDATE error on editing committed
volunteers:" .mysql_error());
}

//set training attendance
//if(isset($training)){
if($process == "Training"){
foreach($training as $a => $b)
{
$result =
mysql_query("SELECT Vol_ID FROM
jos_ervp_attendance WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
$result2 =
mysql_query("SELECT Vol_ID FROM
jos_membership WHERE Event_ID='$eventID'
AND Vol_ID='$b'");

if(mysql_num_rows($result) == 0 &&
$b!=0) $query = "INSERT INTO
jos_ervp_attendance
(Event_ID,Vol_ID,Training,More_trainings)
VALUES('$eventID','$b','1','')";
else $query =
("UPDATE jos_ervp_attendance SET
Training='1',More_trainings=' WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
mysql_query($query,
$link) or die ("UPDATE error on setting
training:" .mysql_error());


if(mysql_num_rows($result2) == 0 &&
$b!=0) $query = "INSERT INTO
jos_membership (Event_ID,Vol_ID,Status)
VALUES('$eventID','$b','1')";
else $query = "UPDATE
jos_membership SET Status='1' WHERE
Event_ID='$eventID' AND Vol_ID='$b'";
mysql_query($query,
$link) or die ("UPDATE error on setting
membership to 1:" .mysql_error());
}
//trained = join(',',$training);
$trained = join(',',$training);

```

```

                $query = ("UPDATE
jos_ervp_attendance SET
Training='0',More_trainings=' WHERE
Event_ID='$eventID' AND Vol_ID NOT IN
($trained)");
                mysql_query($query,$link) or
die ("UPDATE error on setting training to 0:" .
mysql_error());
                mysql_query("UPDATE
jos_membership SET Status='0' WHERE
Event_ID='$eventID' AND Vol_ID NOT IN
($trained)");
                $taskID = $_POST['TrainingID'];
//save accomplishment
$query = "UPDATE jos_task
SET
Partner='$partner[0]',Accomplishment='$acco
mplishment[0]',Status='1',
publish_up='$startDate',publish_down='$endD
ate',MonthOnly='0',Location='$venue[0]',Repo
rt_user_ID='$userID' WHERE
Task_ID='$taskID'";
                mysql_query($query,$link) or
die ("UPDATE error on adding training
accomplishment:" .mysql_error());
                $committed = count($training);
//$/query = ("UPDATE
jos_events SET
Committed_vol='$committed',Pending_vol='0'
WHERE id='$eventID'");
                //mysql_query($query,$link) or
die ("UPDATE error on editing committed
volunteers:" .mysql_error());
}

//set feedback attendance
//if(isset($feedback)){
if($process == "Feedback"){
foreach($feedback as $a =>
$b){
                $result =
mysql_query("SELECT Vol_ID FROM
jos_ervp_attendance WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
if(mysql_num_rows($result) == 0)
$query = "INSERT INTO jos_ervp_attendance
(Event_ID,Vol_ID,Feedback)
VALUES('$eventID','$b','1')";
else $query =
("UPDATE jos_ervp_attendance SET
Feedback='1',More_trainings=' WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
mysql_query($query,$link) or
die ("UPDATE error on setting feedback to 1:" .
mysql_error());
}
$feedback = join(',',$feedback);
$query = ("UPDATE
jos_ervp_attendance SET Feedback='0' WHERE
Event_ID='$eventID' AND Vol_ID NOT IN
($feedback)");
mysql_query($query,$link) or
die ("UPDATE error on setting feedback to
0:" .mysql_error());
$taskID =
$_POST['FeedbackID'];
//save accomplishment
$query = "UPDATE jos_task
SET
Partner='$partner',Accomplishment='$accomp
lishment',Status='1',
publish_up='$startDate',publish_down='$endD
ate',MonthOnly='0',Location='$venue',Report_
user_ID='$userID' WHERE Task_ID='$taskID'";
mysql_query($query,$link) or
die ("UPDATE error on adding feedback
accomplishment:" .mysql_error());
}
/* removed because everytime new
task is accomplished, previous will be deleted
else{
                $query = ("UPDATE
jos_ervp_attendance SET Feedback=-1'
WHERE Event_ID='$eventID'");
mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());
}
*/
//set debriefing attendance
//if(isset($debriefing)){
if($process == "Debriefing"){
foreach($debriefing as $a =>
$b){
                $result =
mysql_query("SELECT Vol_ID FROM
jos_ervp_attendance WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
if(mysql_num_rows($result) == 0)
$query = "INSERT INTO jos_ervp_attendance
(Event_ID,Vol_ID,Feedback)
VALUES('$eventID','$b','1')";
}
}

```

```

(Event_ID,Vol_ID,Debriefing)
VALUES('$eventID','$b','1')");
else $query =
("UPDATE jos_ervp_attendance SET
Debriefing='1',More_trainings=" WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
mysql_query($query,
$link) or die ("UPDATE error on setting
debriefing to 1:" .mysql_error());
}
$debriefing = join(',',$debriefing);
$query = ("UPDATE
jos_ervp_attendance SET Debriefing='0'
WHERE Event_ID='$eventID' AND Vol_ID NOT
IN ($debriefing)");
mysql_query($query,$link) or
die ("UPDATE error on setting debriefing to
0:" .mysql_error());
$taskID =
$_POST['DebriefingID'];
//save accomplishment
$query = "UPDATE jos_task
SET
Partner='$partner',Accomplishment='$accomp
lishment',Status='1',
publish_up='$startDate',publish_down='$endDate',MonthOnly='0',Location='$venue',Report_
user_ID='$userID' WHERE Task_ID='$taskID'";
mysql_query($query,$link) or
die ("UPDATE error on adding debriefing
accomplishment:" .mysql_error());
}

$query = ("UPDATE
jos_ervp_attendance SET More_trainings="
WHERE Event_ID='$eventID'");
mysql_query($query,$link) or die
("UPDATE error on updating more
trainings:" .mysql_error());
$pos = strpos ($process,"Training
Phase");
if($pos > '-1'){ //if process contains
"Training Phase"
$cstr = substr($process, -1);
$trainingTemp =
$_POST['training'].$cstr];
$title = "Training Phase " . $ctr;
//save on
echo "<br>trainingtemp
count:". count($trainingTemp);
foreach($trainingTemp as $a
=> $b){
$result =
mysql_query("SELECT Vol_ID FROM
jos_ervp_attendance WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
$result2 =
mysql_query("SELECT Vol_ID FROM
jos_membership WHERE Event_ID='$eventID'
AND Vol_ID='$b'");
if(mysql_num_rows($result) == 0)
$query = "INSERT INTO jos_ervp_attendance
(Event_ID,Vol_ID,More_trainings)
VALUES('$eventID','$b','1')";
else $query =
("UPDATE jos_ervp_attendance SET
More_trainings=concat(IF(More_trainings='',"C
ONCAT(More_trainings,'|'),'1') WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
mysql_query($query,
$link) or die ("UPDATE error on setting more
trainings attendance:" .mysql_error());

if(mysql_num_rows($result2) == 0)
$query = "INSERT INTO jos_membership
(Event_ID,Vol_ID,Status)
VALUES('$eventID','$b','1')";
else $query = "UPDATE
jos_membership SET Status='1' WHERE
Event_ID='$eventID' AND Vol_ID='$b'";
mysql_query($query,
$link) or die ("UPDATE error on setting
membership to 1:" .mysql_error());
}
//$/trainingTemp = join(',',$trainingTemp);
$trainingTemp2 =
join(',',$array_keys($trainingTemp));
echo "<br>trainingtemp:" .
$trainingTemp2;
$instruction = "Conduct further
trainings.";
$query = ("UPDATE
jos_ervp_attendance SET
More_trainings=concat(IF(More_trainings='',"C
ONCAT(More_trainings,'|'),'0') WHERE
Event_ID='$eventID' AND Vol_ID NOT IN
($trainingTemp2"));
mysql_query($query,$link) or
die ("UPDATE error on setting more trainings to
0:" .mysql_error());

```

```

        mysql_query("UPDATE
jos_membership SET Deployed='0' WHERE
Event_ID='$eventID' AND Vol_ID NOT IN
($trainingTemp2)");
        $query = "INSERT INTO
jos_task
(Task_ID,Event_ID,Description,Instruction,catid,
User_ID,Partner,Accomplishment,
Status,publish_up,publish_down,MonthOnly,Loc
ation,ERVP,Report_user_ID)

VALUES('$eventID','$title','$instruction','55','$
userID','$partner','$accomplishment','1','$start
Date','$endDate','0','$venue','1','$userID')";
        mysql_query($query,$link) or
die ("UPDATE error adding more training as
task with accomplishment:" .mysql_error());
    }

//if deployment
//if(isset($deployed)){
if($process == "Deployment"){
    $result = mysql_query("SELECT
Vol_ID FROM jos_ervp_level");
    $ervs = array();
    $i = 0;
    while($volResult =
mysql_fetch_array($result)){
        $ervs[$i++] =
$volResult;
    }

    for($i = 0;$i <count($patients);
$i++){
        $query = "UPDATE
jos_accomplishments_ervp SET
Patients='$patients[$i]' WHERE Event_ID =
'$eventID' AND Level='$level[$i]'";
        mysql_query($query,
$link) or die ("UPDATE error on inserting
number of patients:" .mysql_error());
    }

    //save as archive
    $query = "UPDATE jos_events
SET state=-1 WHERE id='$eventID'";
    mysql_query($query,$link) or
die ("UPDATE error on achiving event:"
.mysql_error());
}

//update status of membership
//EDIT: set deployed to 0
instead of changing membership status
foreach($deployed as $a =>
$b){
    //for($i=0; $i <
count($deployed) ; $i++){
        //$b = $deployed[$i];
        $query = ("UPDATE
jos_membership SET Deployed='1' WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
        mysql_query($query,
$link) or die ("UPDATE error on setting
membership to 0:" .mysql_error());

        //insert into
ervp_attendance
$result =
mysql_query("SELECT Vol_ID FROM
jos_ervp_attendance WHERE
Event_ID='$eventID' AND Vol_ID='$b'");
if(mysql_num_rows($result) == 0 &&
$b!=0) $query = "INSERT INTO
jos_ervp_attendance
(Event_ID,Vol_ID,Deployment)
VALUES('$eventID','$b','1')";
else $query =
("UPDATE jos_ervp_attendance SET
Deployment='1' WHERE Event_ID='$eventID'
AND Vol_ID='$b'");
        mysql_query($query,
$link) or die ("UPDATE error on setting
deployment to 1:" .mysql_error());

        if(in_array($b,$ervs))
$query = "INSERT INTO jos_ervp_level
(Vol_ID,ERVP_Level) VALUES('$b','$level')";
else $query =
("UPDATE jos_ervp_level SET
ERVP_Level='$level' WHERE Vol_ID='$b'");
        mysql_query($query,
$link) or die ("UPDATE error on adding ERVP
level:" .mysql_error());
    }
    $deployed2 = join(',',$deployed);
    $query = ("UPDATE
jos_membership SET Deployed='0' WHERE

```

```

Event_ID='$_eventID' AND Vol_ID NOT IN
($deployed2 ");
        mysql_query($query,$link) or
die ("UPDATE error on setting deployed to
0:" .mysql_error());
```

?>

//append other info	</td>
\$query = "INSERT INTO	</tr>
jos_extra_reports	<tr>
(Event_ID,Extra_report,Reporter)	<td
VALUES('\$_eventID','\$accomplishment','\$userna	class="twoColumns1"><label
me');	for="extraReport">Other Info</label></td>
mysql_query(\$query,	<td
\$link) or die ("INSERT extra reports error:"	class="twoColumns2"><textarea
.mysql_error());	id="extraReport" name="extraReport"><?php
}	echo \$extraReports;?></textarea></td>
\$result = mysql_query("SELECT title	</tr>
FROM jos_events WHERE id='\$_eventID'");	<tr class="padded">
\$row = mysql_fetch_array(\$result);	<td
\$title = \$row['title'];	class="twoColumns1"><label
mysql_close(\$link);	for="fname">Volunteers Deployed
if((\$process != "Debriefing") &&	</label></td>
(\$process != "Feedback") && (\$process !=	<td
"Deployment")){	class="twoColumns2">
\$isErvp2Tasks = "true";	<table
} else{	name="volunteers" id="volunteers"
\$isErvp2Tasks = "false";	class="acc">
}	<thead>
?>	<td
<div< td=""> <td>class="headers">Name</td></td> </div<>	class="headers">Name</td>
id="pageNavPosition"></div>	<td
</center>	class="headers">Status</td>
</fieldset>	<td
<center>	class=""><input type="checkbox"
<input type="hidden" id="ToDo" name="ToDo"	onClick="javascript:checkAll(this)"
value="addAcc" />	name="checkAllVol" id="checkAllVol"/></td>
<input type="button" name="Submit"	</thead>
id="Submit" <?php echo (\$count==0	<?php
\$noCommunity)?'disabled="disabled':'';?>	\$result = mysql_query("SELECT *
value="Submit"	FROM jos_membership WHERE
onClick="javascript:submitForm()">	Event_ID='\$_eventID' AND Status!='0'"');
<?php	</echo mysql_num_rows(\$result);
}	\$ctr = 0;
}	\$count = mysql_num_rows(\$result);
	if(\$count == 0){
	echo '<tr><td

```

colspan="3">>*** No associated volunteers.
***</td></tr>';

} else{

    while($row =
mysql_fetch_array($result)){
        $volID = $row['Vol_ID'];

        $nameResult =
mysql_query("SELECT
lastname,firstname,middlename FROM
jos_comprofiler WHERE id='$volID'");

        $name =
mysql_fetch_array($nameResult);

        $vol_name =
str_replace('ñ', '&ntilde;', $name['lastname'].',
'$name['firstname'].'.$name['middlename']);

        if($row['Status']==0)
$status = "Denied"; else{ if($row['Status']>0)
$status = "Confirmed";else $status =
"Pending";};

        $checked =
($row['Deployed'] == "1")? "CHECKED": "";

        echo '<tbody>

            <td
class="names">'.++$ctr.") ".
$vol_name.'</td>

            <td
class="centered"><input type="text"
readonly="1" value="'.$status.'"></td>

            <td align =
"center"><input type="checkbox"
id="deployment" name="deployment[]"
value="'.$volID.'" '.$checked.'/></td>

        </tbody>';

    }

}

?>

```

113

```

        //if only count is given
        $institutionCount =
$_POST['institutionCount'];
    } else{
        //breakdown of participants is
provided
        $attendees =
$_POST['attendees'];
        $school = $_POST['school'];
        $institutionCount =
count($school);
    }
    $extraReport = $_POST['extraReport'];
    $staff = array(); $i = 0;
    $r = mysql_query("SELECT Vol_ID
FROM jos_staff");
    while($row = mysql_fetch_array($r)){
        $staff[$i++] = $row['Vol_ID'];
    }

    if($ToDo == "addAcc"){
        //save as archive
        $query = "UPDATE jos_events
SET state='1' WHERE id='$eventID'";
        mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());
        //insert breakdown of
attendees
        foreach($attendees as $a =>
$b) {
            $query = "INSERT INTO
jos_beneficiaries
(Event_ID,Num_of_attendees,Institution)
VALUES('$eventID','$attendees[$a]','$school[$
a]')";
            mysql_query($query,
$link) or die ("INSERT error:" .mysql_error());
        }
        //set all to declined first
        $query = ("UPDATE
jos_membership SET Deployed='0' WHERE
Event_ID='$eventID' AND Vol_ID NOT
IN($deployedArr)");
        mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());
        //set to confirmed to those
applicable
        for($i=0; $i <
count($deployed) ; $i++){
            $isStaff =
(in_array($deployed[$i], $staff))?1:0;
            $query = ("UPDATE
jos_membership SET
Deployed='1',Is_staff='$isStaff' WHERE
Vol_ID='$deployed[$i]' AND
Event_ID='$eventID'");
            mysql_query($query,
$link) or die ("INSERT error:" .mysql_error());
        }
        //update tutorial
accomplishments
        $query = "INSERT INTO
jos_accomplishments_tut
(Event_ID,Program,Term,Academic_year)
VALUES('$eventID','$program','$term','$acadYe
ar')";
        mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());
        //update tutorials table
        $query = ("UPDATE jos_eap
SET
School='$schoolnames',Subject='$subject',Nu
mber_participant_institutions='$institutionCou
nt',Count_type='$countType',Num_tutees='$tu
tees' WHERE Event_ID='$eventID'");
        mysql_query($query,$link) or
die ("UPDATE count type error:" .
mysql_error());
        //add extra report
        $query = "INSERT INTO
jos_extra_reports
(Event_ID,Extra_report,Reporter)
VALUES('$eventID','$extraReport','$username')
";
        mysql_query($query,
$link) or die ("INSERT extra reports error:" .
mysql_error());
    } else{
        //edit
        //delete first then insert to
beneficiaries
        $query = "DELETE FROM
jos_beneficiaries WHERE Event_ID='$eventID'";
        mysql_query($query,$link) or
die ("DELETE error:" .mysql_error());
        //insert breakdown of
attendees
    }
}

```

```

        foreach($attendees as $a =>
$b) {
                $query = "INSERT INTO
jos_beneficiaries
(Event_ID,Num_of_attendees,Institution)
VALUES('$eventID','$attendees[$a]','$school[$a]');
                mysql_query($query,
$link) or die ("INSERT error:" .mysql_error());
            }

            //set to others as declined
            $query = ("UPDATE
jos_membership SET Deployed='0' WHERE
Event_ID='$eventID' AND Vol_ID NOT
IN($deployedArr)");
            mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());

            //set to confirmed to those
applicable
            for($i=0; $i <
count($deployed) ; $i++){
                $query = ("UPDATE
jos_membership SET Deployed='1' WHERE
Vol_ID='$deployed[$i]' AND
Event_ID='$eventID'");
                mysql_query($query,
$link) or die ("INSERT error:" .mysql_error());
            }

            //update tutorial
accomplishments
            $query = "UPDATE
jos_accomplishments_tut SET
Program='$program',Term='$term',Academic_
year='$acadYear' WHERE
Event_ID='$eventID'";
            mysql_query($query,$link) or
die ("UPDATE error:" .mysql_error());

            //update tutorial table
            $query = ("UPDATE jos_eap
SET
School='$schoolnames',Subject='$subject',Nu
mber_participant_institutions='$institutionCou
nt',Count_type='$countType',Num_tutees='$tu
tees' WHERE Event_ID='$eventID'");
            mysql_query($query,$link) or
die ("UPDATE count type error:"
.mysql_error());

            //update teachers devt

```

```

                $query = ("UPDATE
jos_extra_reports SET
Extra_report='$extraReport',
Date_modified=NOW(),Modifier='$username'
WHERE Event_ID='$eventID'");
            mysql_query($query,$link) or
die ("UPDATE user_report error:"
.mysql_error());
        }

        $result = mysql_query("SELECT title
FROM jos_events WHERE id='$eventID'");
        $row = mysql_fetch_array($result);
        $title = $row['title'];
        mysql_close($link);
    ?>

<h3 class="pageTitle">Save Accomplishments
[ <?php echo $title?> ] </h3>
<hr width="630px" color="#006600"/>
<hr width="500px" color="#009900"/>

<div align="center">

<h3>Please wait! Processing...</h3>
</div>
<form action="" id="form1" name="form1"
method="POST" target="_parent">
    <input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?>" />
    <input type="hidden" id="userID"
name="userID" value="<?php echo $userID;?
>" />
    <input type="hidden"
id="isErvp2Tasks" name="isErvp2Tasks"
value="false"/>
    <input type="hidden" id="ToDo"
name="ToDo" value="<?php echo $ToDo;?
>" />
</form>
<script>
    function redirect(){
        //parent.window.location.repla
e("<?php echo $_header;?>/index.php?
option=com_wrapper&view=wrapper&Itemid=
129&param3=<?php echo $eventID;?>");
        document.form1.action = "<?
php echo $_header; ?>/index.php?
option=com_events&task=notifyReport";
        document.form1.submit();
    }
    redirect();

```

```

</script> acknowledge_request.php
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />

<?php
    include "get_header.php";
    include "j_connection.php";
?>
<script>
    function submit(eventID){
        document.form1.action = "<?
php echo $_header; ?>/index.php?
option=com_events&task=notifyApproveReque
st&Itemid="+ eventID +"&Status=1";
        document.form1.submit();
    }
</script>
<?php

    $eventID = $_POST['eventID'];
    $category = $_POST['category'];
    $userID = $_POST['userID'];
    $comments = $_POST['comments'];

    $query = "UPDATE jos_events SET
State='1',modified_by='$userID',modified=NO
W(),access='1' WHERE id='$eventID'";
    mysql_query($query) or die ("UPDATE
error:" .mysql_error());

    $query = "UPDATE jos_request SET
Status='Acknowledged',Date_processed=NOW(
),Comments='$comments' WHERE
Event_ID='$eventID'";
    mysql_query($query) or die ("UPDATE
error:" .mysql_error());

    mysql_close($link);

?>
<h3 class="pageTitle">View Event
Request</h3>
    <hr width="630px"
color="#006600"/>
    <hr width="500px"
color="#009900"/>
    <br>
    <br>
<div style="color:#4BA123; text-
align:center;">
    
<h3>

```

```

Please wait! Processing...
</h3>
</div>
<form action="" id="form1" name="form1"
method="POST" target="_parent">
    <input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?>"/>
</form>

<script>
    submit(<?php echo $eventID;?>);
</script> add_membership.php
<?php

    session_start();
    include "j_connection.php";

    $eventID = $_GET['eventID'];
    $vol_ID = $_GET['volunteer'];
    //echo $eventID." ".$vol_ID;

    //add new entry on membership table
    $query = ("INSERT INTO
jos_membership (Event_ID, Vol_ID, Status)
VALUES('$eventID', '$vol_ID', '-1')");
    mysql_query($query,$link) or die
("INSERT error:" .mysql_error());

    //update number of pending volunteers
    $query = ("SELECT * FROM
jos_membership WHERE Event_ID='$eventID'
AND Status=-1");
    $result = mysql_query($query);
    $newCount =
mysql_num_rows($result);
    echo "real num of pending".
$newCount."<br>";
    $query = "UPDATE jos_events SET
Pending_vol='$newCount' WHERE
id='$eventID' ";
    mysql_query($query) or die ("UPDATE
error:" .mysql_error());

    //echo "Successfully added .";
    mysql_close($link);
    include "j_manage_volunteer.php";

    // 0 is false, non-zero is true, negative
    is pending
?> add_miscellaneous_tasks.php
<script type="text/javascript"
src="js/paging.js"></script>

```

```

<link rel="stylesheet"
href="css/vol_pagination.css"
type="text/css" />
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
    function addPreference(programPref){
        //alert("hello!");
        //var programPref =
document.taskForm.preference;
        var noChecked = true;
        for (var i=0;
i<programPref.length; i++) {
            if (programPref[i].checked == true) {
                noChecked = false;
                //alert("has checked
item");
            }
            if(noChecked) {
                alert("There is no
program selected.");
                return;
            }else{
                document.form1.action
= "add_program_preferenceScript.php";
                document.form1.submit();
                //alert("Already submitted
form");
            }
            //alert("Done");
        }
    }
</script>
</head>

<body>
    <hr width="630px"
color="#006600"/>
    <hr width="500px"
color="#009900"/>

    <?php
        include
"check_preferencesScript.php";
    ?>

        <form id="form1" name="form1"
action="" method="POST" style="margin-
left:1em;">
            <p>Select Program
Preference/s: </p>
            <p style="margin-left:1em;">
<br>    <input
type="checkbox" id="preference"
name="preference[]" <?php echo
$checked[0];?> value="Tutorials" />Tutorials
<br>    <input
type="checkbox" id="preference"
name="preference[]" <?php echo
$checked[1];?> value="Teachers
Development" />Teachers' Development
<br>    <input
type="checkbox" id="preference"
name="preference[]" <?php echo
$checked[2];?> value="Gurong
Pahinungod" />Gurong Pahinungod
<br>    <input
type="checkbox" id="preference"
name="preference[]" <?php echo
$checked[3];?> value="Health Mission"
/>Health Mission
<br>    <input
type="checkbox" id="preference"
name="preference[]" <?php echo
$checked[4];?> value="Health Training"
/>Health Training
<br>    <input
type="checkbox" id="preference"
name="preference[]" <?php echo
$checked[5];?> value="Health Education"
/>Health Education
<br>    <input
type="checkbox" id="preference"
name="preference[]" <?php echo
$checked[6];?> value="Emergency Room
Volunteers" />Emergency Room Volunteers
<br>    <input
type="checkbox" id="preference"
name="preference[]" <?php echo
$checked[7];?> value="Program for the Street
Children" />Program for the Street Children
<br>    <input
type="checkbox" id="preference"
name="preference[]" <?php echo
$checked[8];?> value="Summer Immersion
Service Program" />Summer Immersion
Service Program
<br>    <input
type="checkbox" id="preference"
name="preference[]" <?php echo
$checked[9];?> value="Advocacy Program"
/>Advocacy Program
            </p>
            <br>
            <br>

```

```

        <input type="submit"
name="" value="Submit"
onCLick="addPreference(preference)"/>
        <button type='button'
class='button' name=""
onCLick="checkAll(preference)"> Check
All</button>
        <button type='button'
class='button' name=""
onCLick="uncheckAll(preference)"> Uncheck
All</button>
        <input type="hidden"
value=<?php echo $_GET['param2'];?>
id="user" name="user"/>
    </form>
</body>
</html>
add_program_preferenceScript.php
<?php

$pref = $_POST['preference'];
$volunteer = $_POST['user'];
include "j_connection.php";
$query = "SELECT * FROM
jos_preferred_program WHERE Vol_ID =
'$volunteer'";
$result = mysql_query($query);
$storedCount =
mysql_num_rows($result);
$storedPref = array();
//echo "storedCount".
$storedCount."<br>";
for($i=0; $i<$storedCount; $i++) {
    $row =
@mysql_fetch_array($result);
    $storedPref[$i] =
$row['Preferred_prog'];
    //echo "there's something like
it<br>";
    //echo
$row['Preferred_prog']."<br>";
}

$added = 0;
//echo "Preferences:
".count($pref)."<br>";
for($i=0; $i < count($pref) ; $i++){
    //echo $pref[$i]."<br>";
    //echo $pref[$i]."<br>";
    if(!in_array($pref[$i],
$storedPref)){
        $query = ("INSERT
INTO jos_preferred_program (Vol_ID,
Preferred_prog) VALUES('$volunteer',
'$pref[$i]')");
        mysql_query($query,
$link) or die ("INSERT error:" .mysql_error());
        $added++;
    }
}

$programs = array("Tutorials",
"Teachers Development", "Gurong
Pahinungod", "Health Mission", "Health
Training", "Health Education", "Emergency
Room Volunteer",
"Program for the Street
Children", "Summer Immersion Service
Program", "Advocacy Program");
for($i=0; $i<count($programs); $i++){
    if(in_array($programs[$i],
$storedPref) && !in_array($programs[$i],
$pref)){
        $query = "DELETE from
jos_preferred_program WHERE Preferred_prog
 ='$programs[$i]'";
        mysql_query($query)
or die ("DELETE error:" .mysql_error());
    }
}
if($added > 0) echo "Successfully
added your request";
else echo "Successfully added your
request";
mysql_close($link);
?> addCompanyScript.php
<?
session_start();
include "j_connection.php";
$rep = $_POST['id'];
$org = $_POST['orgname'];
$type = $_POST['orgtype'];
$bene = $_POST['beneficiary'];
$office = $_POST['officeAddress'];
$cono = $_POST['telNo'];
$faxNo = $_POST['faxNumber'];
$email = $_POST['emailAd'];
$position = $_POST['position'];
$isHeadOffice =
($_POST['isHeadOffice'])? true:false;
if($isHeadOffice){
    $ho = $hocono = $hofaxno =
$HOemail = "";
}else{
    $ho = $_POST['HO'];
}

```

```

$_POST['HOcontactNumber'];
$_POST['HOfaxNumber'];
$HOemail =
$_POST['HOemailAd'];
}

//Fields:Org_ID, Org_name, Sec_reg_no,
Org_type, Tel_no, Fax_no, Email,
Office_address,
//HO_address,HO_tel_no, HO_fax_no,
HO_email, Date_created, Beneficiary)
$result = mysql_query("SELECT Org_ID
FROM jos_organization WHERE
Org_name='".$org"");
if(mysql_num_rows($result)>0) {
    //if already existing, queue
rep's name
$row =
mysql_fetch_assoc($result);
$orgID = $row['Org_ID'];
$query = ("INSERT INTO
jos_party_membership (Rep_ID, Org_ID, Status,
Position)
VALUES('$rep', '$orgID',
'Pending','$position')");
mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());
echo '<b>There already exists
a profile for the company you entered.</b>
You will instead be queued as another contact
person for the said company.';
} else{
    $query = ("INSERT INTO
jos_organization (Org_ID, Org_name,
Sec_reg_no, Org_type, Tel_no, Fax_no, Email,
Office_address, HO_address,HO_tel_no,
HO_fax_no, HO_email, Date_created,
Beneficiary, Status, HeadOffice)
VALUES('', '$org', '',
'$type', '$cono', '$faxNo', '$email', '$office',
'$ho', '$hocono', '$hofaxno', '$HOemail',
now(), '$bene', 'Pending', '$isHeadOffice')");
mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());
if($rep != ""){
    $query = ("INSERT
INTO jos_party_membership (Rep_ID, Org_ID,
Status, Position)
VALUES('$rep',
LAST INSERT ID(), 'Approved', '$position')");
}
}

```

```
mysql_query($query,
$link) or die ("INSERT error:".mysql_error());
}
echo "Successfully added ";
$org.".";
}
mysql_close($link);

//repID = userid of representative
?> ajaxpagefetcher.js
*****
* Ajax Page Fetcher- by JavaScript Kit
(www.javascriptkit.com)
*****/




var ajaxpagefetcher={

loadingmessage: "Loading Page, please
wait...",


exfilesadded: "",

connect:function(containerid, pageurl,
bustcache, jsfiles, cssfiles){

    var page_request = false
    var bustcacheparameter=""
        if (window.XMLHttpRequest) // if
Mozilla, IE7, Safari etc
            page_request = new
XMLHttpRequest()
        else if (window.ActiveXObject){ // if IE6
or below
            try {
                page_request = new
ActiveXObject("Msxml2.XMLHTTP")
            }
            catch (e){
                try{
                    page_request = new
ActiveXObject("Microsoft.XMLHTTP")
                }
                catch (e){}
            }
        }
        else
            return false
    var
ajaxfriendlyurl=pageurl.replace(/^http:\\\\[ ^\\\\]+\\\\i, "http://" + window.location.hostname + "/");
page_request.onreadystatechange=function()
{ajaxpagefetcher.loadpage(page_request,
containerid, pageurl, jsfiles, cssfiles)}
        if (bustcache) //if bust caching of
external page
} } } }
```

```

        bustcacheparameter=(ajaxfriendlyurl.indexOf(
        "?")!=-1)? "&" + new Date().getTime() : "?" + new
        Date().getTime()

        document.getElementById(containerid).innerHTML
        TML=ajaxpagefetcher.loadingmessage
        //Display "fetching page message"
            page_request.open('GET',
        ajaxfriendlyurl+bustcacheparameter, true)
            page_request.send(null)
        },

        loadpage:function(page_request, containerid,
        pageurl, jsfiles, cssfiles){
            if (page_request.readyState == 4 &&
        (page_request.status==200 ||

        window.location.href.indexOf("http")==-1)) {

            document.getElementById(containerid).innerHTML
            TML=page_request.responseText
                for (var i=0; i<jsfiles.length; i+
            +)

                this.loadjscssfile(jsfiles[i], "js")
                    for (var i=0; i<cssfiles.length;
            i++)

                this.loadjscssfile(cssfiles[i], "css")
                    this.pageloadaction(pageurl)
//invoke custom "onpageload" event
                }
            },

            createjscssfile:function(filename, filetype){
                if (filetype=="js"){ //if filename is a
        external JavaScript file
                        var
        fileref=document.createElement('script')

        fileref.setAttribute("type","text/javascript")
                        fileref.setAttribute("src",
        filename)
                }
                else if (filetype=="css"){ //if filename
        is an external CSS file
                        var
        fileref=document.createElement("link")
                        fileref.setAttribute("rel",
        "stylesheet")
                }
            }

            loadjscssfile:function(filename, filetype){ //load
        or replace (if already exists) external .js and
        .css files
                if
        (this.exfilesadded.indexOf("[ "+filename+" ]") ==
        -1){ //if desired file to load hasnt already
        been loaded
                    var
        newelement=this.createjscssfile(filename,
        filetype)

                    document.getElementsByTagName("head")
        [0].appendChild(newelement)

                    this.exfilesadded+="[ "+filename+" ]"
//remember this file as being added
                }
                else{ //if file has been loaded already
        (replace/ refresh it)
                    var targetelement=(filetype=="js")?
        "script" : (filetype=="css")? "link" : "none"
//determine element type to create nodelist
        using
                    var targetattr=(filetype=="js")? "src" :
        (filetype=="css")? "href" : "none" //determine
        corresponding attribute to test for
                    var
        allsuspects=document.getElementsByTagName(targetelement)
                    for (var i=allsuspects.length; i>=0; i--)
{ //search backwards within nodelist for
        matching elements to remove
                    if (allsuspects[i] &&
        allsuspects[i].getAttribute(targetattr)!=null &&
        allsuspects[i].getAttribute(targetattr).indexOf(fi
        lename)!=-1){
                        var
        newelement=this.createjscssfile(filename,
        filetype)

                        allsuspects[i].parentNode.replaceChild(newel
        ement, allsuspects[i])
                    }
                }
            }
        }
    }
}

```

```

        }
    },
}

pageloadaction:function(pageurl){
    this.onpageload(pageurl) //call
customize onpageload() function when an ajax
page is fetched/ loaded
},

onpageload:function(pageurl){
//do nothing by default
},

load:function(containerid, pageurl, bustcache,
jsfiles, cssfiles){
    var jsfiles=(typeof jsfiles=="undefined"
|| jsfiles=="")? [] : jsfiles
    var cssfiles=(typeof
cssfiles=="undefined" || cssfiles=="")? [] :
cssfiles
    this.connect(containerid, pageurl,
bustcache, jsfiles, cssfiles)
}

} //End object

//Sample usage:
//1) ajaxpagefetcher.load("mydiv",
"content.htm", true)
//2) ajaxpagefetcher.load("mydiv2",
"content.htm", true, ["external.js"])
//3) ajaxpagefetcher.load("mydiv2",
"content.htm", true, ["external.js"],
["external.css"])
//4) ajaxpagefetcher.load("mydiv2",
"content.htm", true, ["external.js",
"external2.js"])
//5) ajaxpagefetcher.load("mydiv2",
"content.htm", true, "", ["external.css",
"external2.css"])
all_my_invitations.php
<html>
<head>
    <link rel="stylesheet"
href="css/uniform.css" type="text/css" />
    <?php include "get_header.php";?>
    <script type="text/javascript">
        function approve(volunteer) {
            var nochecked = true;
            for (var i=0;
i<volunteer.length; i++) {
                if (volunteer[i].checked
== true) {
                    nochecked =
false;
                    break;
                    //alert("has
checked item");
                }
            }
            if(nochanged){
                alert("Please
select event.");
                return;
            }else{
                document.form1.todo.value =
"Joining";
                document.form1.action =
"manage_memberships_editScript.php";
                document.form1.submit();
            }
        }
        function reject(volunteer){
            var nochecked = true;
            for (var i=0;
i<volunteer.length; i++) {
                if (volunteer[i].checked
== true) {
                    nochecked =
false;
                    break;
                    //alert("has
checked item");
                }
            }
            if(nochanged){
                alert("Please
select volunteer.");
                return;
            } else{
                document.form1.todo.value = "Not
Joining";
                document.form1.action =
"manage_memberships_editScript.php";
                document.form1.submit();
            }
        }
        function sendBack(){

```

```

        parent.document.location.href = "<?
php echo $_header;?>/index.php?
option=com_wrapper&view=wrapper&Itemid=
74";
    }
</script>
</head>
<body>
<?php
    include "get_header.php";
    include "j_connection.php";
    include "CommonFunctions.php";
    $userID = $_GET['param2'];
?>

    <h3 class="pageTitle">Manage My
Invitations</h3>
    <hr width="630px"
color="#006600"/>
    <hr width="500px"
color="#009900"/>
    <br>
    <br>
<form id="form1" name="form1" action=""
method="POST">
<table class="uniformTable" border="1"
name="signups" id="signups">
<tr>
    <td class="headers"></td>
    <td class="headers">Event</td>
    <td class="headers">Date</td>
    <td class="headers">Status</td>
    <td class="headers">Reject
Comment</td>
</tr>
<?php
    $check = '<span class="hasTip"
title="Joining"></span>';
    $x = '<span class="hasTip" title="Not
joining"></span>';
    $pending = '<span class="hasTip"
title="Pending"></span>';

    //$/result = mysql_query( "SELECT
Status,Event_ID,Remarks FROM
jos_membership WHERE Vol_ID='$userID'" );
        $result = mysql_query( "SELECT
a.Status,a.Event_ID,a.Remarks,b.title,b.publish
_up,b.publish_down,b.alldayevent,b.adresse_inf
o
        FROM jos_membership as a
LEFT JOIN jos_events as b ON a.Event_ID=b.id
        WHERE a.Vol_ID='$userID' AND
b.publish_down>NOW()" );
        if( mysql_num_rows($result) == 0){
            echo '<td colspan="5"
class="paddedButtons"> *** No pending
invitations. *** </td>';
        } else{
            $index = 0;
            while( $row =
mysql_fetch_array($result) ){
                $eventID =
$row['Event_ID'];
                $status =
($row['Status']=='0')? $x:(($row['Status']>0)?
$x:$check);
                $check:$pending;
                $title = '<a href="'.
$_header.'/_getComEventParams( $eventID ).'
" target="_blank">'.$row['title'].'" </a>';
                $date =
CommonFunctions::showDateTimeCompressed
($row['publish_up'],$row['publish_down'],
$row['alldayevent']);
                $location =
$row['adresse_info'];
            }
        }
    ?>
    <tr>
        <td>
            <input
type="checkbox" name="eventID[]"
id="eventID" value="<?php echo $eventID; ?
">">
        </td>
        <td><?php
echo $title;?></td><td><?php echo $date;?>
        </td><td><?php echo $status;?></td>
        <td><textarea
id="comment"
name="comment[]"></textarea></td>
            </tr>
            <?php
        }
        echo '<tr><td colspan="5"
class="paddedButtons">
            <button
onClick="javascript:approve(eventID)"'

```

```

style="background-color:#CFC;">Set as
Joining</button>
                <button
onClick="javascript:reject(eventID)"
style="background-color:#FCC;">Set as Not
Joining</button>
            </td></tr>';
        }
    ?>

</table>
<input type="hidden" value=<?php echo
$_GET['param2']; ?>" name="userID"
id="userID">
<input type="hidden" value="" name="ToDo"
id="ToDo">

</form>
<table class="uniformTable">
<tr><td><button
onClick="javascript:sendBack()">Back</button>
></td></tr>
</table>

</body>
</html>
<?php
    function
_getComEventParams( $eventID ){
        //get event title
        $query = "SELECT publish_up
        FROM
        jos_events
        WHERE id =
        '$eventID'
        ";
        $result = mysql_query($query);
        $row =
        mysql_fetch_array($result);
        $date = $row['publish_up'];
        $mon = substr($date, 5, 2);
        $year = substr($date, 0, 4);
        $day = substr($date, 8, 2);

        // sample: index.php?
option=com_events&task=view_detail&agid=3
&jevtype=jevent&year=2011&month=09&day
=30&Itemid=53
        $link = "index.php?
option=com_events&task=view_detail&agid=". $eventID."&jevtype=jevent&year=". $year."&month=". $mon ."&day=". $day ."&Itemid=53";

```

```
        return $link;
    }
    function _getProfileLink( $userID ){
        return "/index.php?";
option=com_comprofiler&task=userProfile&use
r=".$userID."&Itemid=121";
    }
?>all_siugnups.php
<html>
<head>
    <link rel="stylesheet"
href="css/uniform.css" type="text/css" />
    <script type="text/javascript">
        function approve(volunteer) {
            var nochecked = true;
            for (var i=0;
i<volunteer.length; i++) {
                if (volunteer[i].checked
== true) {
                    nochecked =
false;
                    break;
                    //alert("has
checked item");
                }
            }
            if(nocheked){
                alert("Please
select volunteer.");
            }else{
                document.form1.todo.value =
"Acknowledged";
                document.form1.action =
"manage_signup_pendingsScript.php";
                document.form1.submit();
            }
        }
        function reject(volunteer){
            var nochecked = true;
            for (var i=0;
i<volunteer.length; i++) {
                if (volunteer[i].checked
== true) {
                    nochecked =
false;
                    break;
                    //alert("has
checked item");
                }
            }
        }
    }
}
```

```

        if(nochecked){
            alert("Please
select volunteer.");
        } else{

            document.form1.todo.value =
"Denied";
            //document.form1.prefe
2.value = new Array("a","b","c","d");
            //document.form1.actio
n = "test.php";

            document.form1.action =
"manage_signup_pendingsScript.php";
            document.form1.submit();
        }
    }
</script>
</head>
<body>
<?php
    include "get_header.php";
    include "j_connection.php";
?>

    <h3 class="pageTitle">Pending Sign-
ups</h3>
    <hr width="630px"
color="#006600"/>
    <hr width="500px"
color="#009900"/>
    <br>
    <br>
<form id="form1" name="form1" action=""
method="POST">
<table class="uniformTable" border="1"
name="signups" id="signups">
<tr>
    <td class="headers"></td>
    <td class="headers">Name</td>
    <td class="headers">Event</td>
    <td class="headers">Date</td>
    <td class="headers">Reject
Comment</td>
</tr>
<?php
    $result = mysql_query("SELECT
Vol_ID,Event_ID,Date_queued FROM
jos_sign_ups WHERE Status = 'Pending' ORDER
BY Event_ID, Date_queued");
        if( mysql_num_rows($result) == 0){
            echo '<td colspan="5" class="paddedButtons"> *** No pending sign-
ups. *** </td>';
        } else{
            $index = 0;
            while( $row =
mysql_fetch_array($result )){
                $volID = $row['Vol_ID'];
                $date =
$row['Date_queued'];
                $eventID =
$row['Event_ID'];
                $temp =
mysql_query("SELECT a.firstname,
a.lastname,a.avatar,a.avatarapproved,b.title
FROM jos_comprofiler as a JOIN jos_events as b
ON a.id ='$volID' AND
b.id='$eventID'");
                $tempRow =
mysql_fetch_array($temp);
                $name =
$tempRow['firstname'] . " " .
$tempRow['lastname'];
                $nameLink = '<a
href="'.$_header._getProfileLink( $volID ).'"
target="_blank">'.$name .'</a>';
                $title = '<a href="'.
$_header._getComEventParams( $eventID ).'"
target="_blank">'.$tempRow['title']. "</a>";
                if($tempRow['avatar']
== NULL){
                    $avatar =
'empty';
                } else{
                    $avatar =
($tempRow['avatarapproved'] == 0)?
"pendingAvatar":$tempRow['avatar'];
                }
            ?>
            <tr>
                <td>
<input
type="checkbox" value="<?php echo $index+& ?>" name="signup[]" id="signup">
<input
type="hidden" value="<?php echo $eventID; ?>" name="eventID[]" id="eventID">
<input
type="hidden" value="<?php echo $volID; ?>" name="volID[]" id="volID">
                </td>

```

```

        <td
style="text-align:left;vertical-
align:middle;margin-left:1em;">
        <?php
            switch($avatar)
{
            case
'pendingAvatar': //pending
                echo '<img class="imageResize"
src="".
$_header.'/components/com_comprofiler/plugin
/templates/default/images/avatar/pending_n.pn
g" alt="'.$name.'" align="left">';
                break;
            case
'empty': //no picture
                echo '<img class="imageResize"
src="".
$_header.'/components/com_comprofiler/plugin
/templates/default/images/avatar/nophoto_n.pn
g" alt="'.$name.'" align="left">';
                break;
            default:
                echo '';
}
        echo " ".
$nameLink.'</td><td>'.$title.'</td><td>'.
$date.'</td>
        <td><textarea
id="comment"
name="comment[]"></textarea></td>;
        echo '</tr>';
    ?>
    <?php
}
        echo '<tr><td colspan="5"
class="paddedButtons">
            <button
onClick="javascript:approve(signup)">Approve
</button>
            <button
onClick="javascript:reject(signup)">Reject<b
utton>

```

```

        </td></tr>';
    }
    ?>
</table>
<input type="hidden" value="<?php echo
$_GET['param2']; ?>" name="userID"
id="userID">
<input type="hidden" value="" name="ToDo"
id="ToDo">

</form>
</body>
</html>
<?php
    function
_getComEventParams( $eventID ){
        //get event title
        $query = "SELECT publish_up
        FROM
jos_events
        WHERE id =
'$eventID'
        ";
        $result = mysql_query($query);
        $row =
mysql_fetch_array($result);
        $date = $row['publish_up'];
        $mon = substr($date, 5, 2);
        $year = substr($date, 0, 4);
        $day = substr($date, 8, 2);

        // sample: index.php?
option=com_events&task=view_detail&agid=3
&jevtype=jevent&year=2011&month=09&day
=30&Itemid=53
        $link = "index.php?
option=com_events&task=view_detail&agid=".
$eventID."&jevtype=jevent&year=".
$year."&month=".$mon."&day=".
$day."&Itemid=53";
        return $link;
    }
    function _getProfileLink( $userID ){
        return "/index.php?
option=com_comprofiler&task=userProfile&use
r=".$userID."&Itemid=121";
    }
?> approve_request_admin.php
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
<?php
    include "get_header.php";

```

```

        include "j_connection.php";
?>

<script>
    function submit(eventID){
        document.form1.action = "<?
php echo $_header; ?>/index.php?
option=com_events&task=notifyApproveReque
st&Itemid="+ eventID +"&Status=1";
        document.form1.submit();
    }
</script>
<?php
    $eventID = $_GET['eventID'];
    $category = $_GET['category'];
    $userID = $_GET['userID'];

    $query = "UPDATE jos_events SET
access=0,modified_by='$userID',modified=NO
W() WHERE id='$eventID'";
    mysql_query($query) or die ("UPDATE
error:" .mysql_error());

    $query = "UPDATE jos_request SET
Status='Approved',Date_processed=NOW()
WHERE Event_ID='$eventID'";
    mysql_query($query) or die ("UPDATE
error:" .mysql_error());

    //fetch title
    $query = "SELECT title FROM
jos_events WHERE id    = $eventID";
    $result = mysql_query($query);
    $row = mysql_fetch_array($result);
    $title = $row['title'];

    mysql_close($link);
    //header("Location:
j_manage_tasks.php?eventID=".
$eventID."&param2=".$userID);
?>
<h3 class="pageTitle">Manage Tasks [ <?php
echo $title;?> ] </h3>
<hr width="630px" color="#006600"/>
<hr width="500px" color="#009900"/>
<div style="color:#4BA123; text-
align:center;">

<h3>
Please wait! Processing...
</h3>
</div>

<form action="" id="form1" name="form1"
method="POST" target="_parent">
    <input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?>"/>
</form>
<script>
    submit();
</script> approvePublic_request_admin.php
<?php
    include "get_header.php";
    include "j_connection.php";
?>
<script>
    function submit(eventID){
        document.form1.action = "<?
php echo $_header; ?>/index.php?
option=com_events&task=notifyApproveReque
st&Itemid="+ eventID +"&Status=1";
        document.form1.submit();
    }
</script>
<?php
    $eventID = $_GET['id'];
    $category = $_GET['category'];
    $userID = $_GET['userID'];

    $query = "UPDATE jos_events SET
State='1',modified_by='$userID',modified=NO
W() WHERE id='$eventID'";
    mysql_query($query) or die ("UPDATE
error:" .mysql_error());

    $query = "UPDATE jos_request SET
State='Acknowledged',Date_processed=NOW()
WHERE id='$eventID'";
    mysql_query($query) or die ("UPDATE
error:" .mysql_error());

    mysql_close($link);
?>
<form action="" id="form1" name="form1"
method="POST" target="_parent">
    <input type="hidden" id="username"
name="username" value="<?php echo
$username;?>"/>
</form>
<script>
    submit(<?php echo $eventID;?>);
</script> assign_article.php
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />

```

```

<?php
include "j_connection.php";
include "get_header.php";

$eventID = $_GET['param3'];
//echo "eventID $eventID";
$result = mysql_query( "SELECT
title,catid FROM jos_events WHERE
id='$eventID'");
$row = mysql_fetch_assoc($result);
$catid = $row['catid'];
$title = $row['title'];
?>

<script type="text/javascript">
function editArticle(id){
    //parent.window.location.replace
("<?php echo $_header;?>/index.php?
view=article&id=64%3As&task=edit&ret=aH
R0cDovL2xvY2FsaG9zdC9wYWhpbnVuZ29kX2N
iL2luZGV4LnBocD9vcHRpb249Y29tX2NvbnRlbn
Qmdmlldz1hcnRpY2xlJmlkPTY0&option=com_c
ontent");
}
function assignArticle(id){

    document.articles.articleID.value = id;
    document.articles.action =
"assign_articleScript.php";
    document.articles.submit();
}

function createNew(id){

    parent.window.location.replace("<?php
echo $_header;?>/index.php?
option=com_content&submit&view=article&layo
ut=bycategory"&+id);
}
function sendBack(){

    parent.window.location.replace("<?php
echo $_header;?>/index.php?
option=com_wrapper&view=wrapper&Itemid=
152");
}

</script>

<h3 class="pageTitle">Assign Article to
Archived Event [ <?php echo $title;?> ]</h3>
<hr width="630px" color="#006600"/>
<hr width="500px" color="#009900"/>

```

<table class="sideHeaderTable" > <tr class="bordered"> <td colspan="2" style="text-align: center;">Articles</td>	Articles	
--	----------	--

```

        AND a.id NOT IN (SELECT
article_id FROM jos_archive_article)
");
/*
Tutorials      58
Teachers' Development
59
Gurong Pahinungod
60
Health Missions 61
Health Education/
Health Training 62
Emergency Room
Volunteers     63
Summer Immersion
Service Program 64
Program for Street
Children       79
Advocacy Program
80
*/
if(mysql_num_rows($result) == 0){
?>
<tr class="bordered">
<td colspan="2"
class="centered">*** No article was found for
the category of the event. ***</td>
</tr>
<?php
}else{
$editArticle = '<span
class="hasTip" title="Edit to publish article">
![Tooltip](../images/M_images/edit_unpublished.png
)

```

$link2 = " ".
$statusIndicator;
//id =55;
?>
<tr class="bordered">
<td class="padded">
<?php echo $link1.$title.$link2;?></td>
<td width="5%">
<button type="button" class="button"
onClick="javascript:assignArticle('<?php echo
$id;?>')"> Assign</button></td>
</tr>
<?php
}
?>
<tr class="bordered">
<td
class="paddedButtons" colspan="2">
<button type="button"
class="button"
onClick="javascript:createNew('<?php echo
$menuID;?>')">New Article</button>
<button type="button"
class="button"
onClick="javascript:sendBack()">Cancel</but
on>
</td>
</tr>
</table>
<form name="articles" id="articles"
method="POST" action="">
<input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?>">
<input type="hidden" id="articleID"
name="articleID" value="">
</form> assign_articleScript.php
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
<?php
include "j_connection.php";
include "get_header.php";
//fetch parameters
$articleID = $_POST['articleID'];
$eventID = $_POST['eventID'];
$result = mysql_query("SELECT
catid,created_by FROM jos_content WHERE
id='$articleID'");
$row = mysql_fetch_assoc($result);
$catid = $row['catid'];
$created_by = $row['created_by'];

```


```

```

//check saved article
$result = mysql_query("SELECT
Event_ID FROM jos_archive_article WHERE
Event_ID='$eventID'");
if(mysql_num_rows($result) == 0){
    $query = ("INSERT INTO
jos_archive_article (created_by, article_id,
Event_ID, catid)
VALUES('$created_by',
'$articleID', '$eventID','$catid')");
    mysql_query($query,$link) or
die ("INSERT error:".mysql_error());
} else{
    $query = ("UPDATE
jos_archive_article
SET
created_by='$created_by',article_id='$articleID'
,'Event_ID='$eventID',catid='$catid'
WHERE
Event_ID='$eventID'");
    mysql_query($query,$link) or
die ("UPDATE error:".mysql_error());
}

$result = mysql_query( "SELECT title
FROM jos_events WHERE id='$eventID'");
$row = mysql_fetch_assoc($result);
$title = $row['title'];

mysql_close($link);
?>
<h3 class="pageTitle">Assign Article to
Archived Event [ <?php echo $title;?> ] </h3>
<hr width="630px" color="#006600"/>
<hr width="500px" color="#009900"/>
<br>
<div align="center">

<h3 >Please wait! Processing...</h3>
</div>

<script>
    function redirect(){

        parent.window.location.replace("<?php
echo $_header;?>/index.php?
option=com_wrapper&view=wrapper&Itemid=
152");
    }
    redirect();
</script> assign_staffScript.php

```

```

<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
<?php
    //RULE: chairperson can only be a
    chairperson, other staff can be a coordinator to
    one and only one category
    /*other position = non-coordinator,
    non-chairperson

    //assume correct group id from db was
    passed
    include "j_connection.php";
    include "get_header.php";
    $userID = $_POST['user_id'];
    $group = $_POST['group'];
    //== Coordinator if coordinator also
    $category = $_POST['category'];
    //echo $userID.' '.$group.' '.
    $category.'!';
    $toReplace = $_POST['toReplace'];
    $nonChair =
array("Volunteer"=>"0","University Extension
Specialist I"=>"1","Administrative Officer
IV"=>"2","University Research Associate
I"=>"3","Coordinator"=>"4","Administrative
Officer II"=>"5","Director"=>"6");
    //echo $userID.$group.$toReplace.
    $category."<br>";

    if($toReplace != ""){
        //demote to being volunteer
        except if has another position
            //get aro_id
            $result = mysql_query("SELECT
id FROM jos_core_acl_aros WHERE
value='toReplace'");
            $row =
mysql_fetch_assoc($result);
            $aro_id = $row['id'];

        if($group == "Chairperson"){
            //if chairperson, then he has
            only one position and can be demoted
                $usertype =
"Volunteer";                //set usertype
                $new_group_id = 31;
                //set as
                volunteer
            } else{
                //other position* +
                coordinators

```

```

$result =
mysql_query("SELECT Position,Remarks FROM
jos_staff WHERE Vol_ID='$toReplace'");

if(mysql_num_rows($result) == 0){
    //has no other position and can
be demoted
= 31;                                $new_group_id
volunteer

$usertype =                                //set usertype
"Volunteer";                            } else{
                                            $larger = '0';
                                            $remarks = "";
                                            while($row =
mysql_fetch_assoc($result)){
                                                $larger
= max($larger,$nonChair[$row['Position']]);
                                                $remarks = $row['Remarks']; //get
the category
                                            }
                                            //echo "may
posisyon<br>";
                                            switch($larger)
{
    case
'6':      break;//already a director, so usertype
must still be set as director and not coordinator
    case
'5':      break;//already a super administrator,
administrative officer 2, no need to demote too
    case
'4': //a coordinator

switch($remarks){

    case 'Tutorials':
        $new_group_id = '38';$usertype =
"Coordinator - Tutorials";break; //tutorials

    case 'Advocacy
Program':
        $new_group_id = '46';$usertype =
"Coordinator - Advocacy";break;
        //advocacy

    case 'Program
for the Street Children': $new_group_id = '45';
$usertype = "Coordinator - Program for the

```

```
Street Children";break; //program for the street
children

case 'Summer
Immersion Service Program':$new_group_id =
'44';$usertype = "Coordinator - SISP";break;
//sisp

case
'Emergency Room Volunteers':
    $new_group_id = '43';$usertype =
"Coordinator - ERVP";break;    //ervp

case 'Teachers
Development':           $new_group_id
= '39';$usertype = "Coordinator - TDP";break;
//tdp

case 'Health
Training':
    $new_group_id = '42';$usertype =
"Coordinator - Health
Training/Education";break;    //health
training/education

case 'Health
Mission':
    $new_group_id = '41';$usertype =
"Coordinator - Health Missions";break; //health
missions

case 'Gurong
Pahinungod':
    $new_group_id = '40';$usertype =
"Coordinator - GP";break;      //gp

}break;

case
'3': $new_group_id = "36";$usertype =
"University Research Associate I";break;
case
'2': $new_group_id = "35";$usertype =
"Administrative Officer IV";break;
case
'1': $new_group_id = "34";$usertype =
"University Extension Specialist I";break;
case
'0': $new_group_id = "31";$usertype =
"Volunteer";break;
}

}
```

```

        //echo "setting<br>";
        //echo $aro_id." ".
$new_group_id." ".$toReplace." ".$usertype." ".
$category."<br>";

        //set acl
        $query = "UPDATE
jos_core_acl_groups_aro_map SET
group_id='".$new_group_id' WHERE
aro_id='".$aro_id."'";
        mysql_query($query) or die
("UPDATE error on saving new group id of
toReplace:" .mysql_error());

        //set usertype
        $query = "UPDATE jos_users
SET usertype='".$usertype' WHERE
id='".$toReplace."'";
        mysql_query($query) or die
("UPDATE error of saving user type of
toReplace:" .mysql_error());

        $query = "DELETE from
jos_staff WHERE Vol_ID ='$toReplace' AND
Position='".$group' AND Remarks='".$category."'";
        mysql_query($query) or die
("DELETE error:" .mysql_error());
        //echo "bingo!";
    }

//---- SAVE NEW STAFF ----//

        //get aro_id2
        $result = mysql_query("SELECT
id FROM jos_core_acl_aro WHERE
value='".$userID"'");
        $row =
mysql_fetch_assoc($result);
        $aro_id2 = $row['id'];

        //echo "aro id:".
$aro_id2."<br>";
        //echo "aro id:".
$aro_id2."<br>";

        //check if there are other
positions
        $result = mysql_query("SELECT
Position,Remarks FROM jos_staff WHERE
Vol_ID='".$userID"'");
        if(mysql_num_rows($result) ==
0){
            //has no other position
            //echo "here".<br>;
            save($group,
$aro_id2,$userID,$category);
        } else{
            //there is another position
            $row =
mysql_fetch_assoc($result);
            //echo "position".
$row['Position'];
            if($nonChair[$group] >
$nonChair[$row['Position']] ){
                //if the new
position is greater than the old, save new
                save($group,
$aro_id2,$userID,$category);
            }
            //add id to
            jos_noixacl_multigroups
            $query =
"INSERT INTO jos_noixacl_multigroups
(id_user,id_group) VALUES ('".$userID','25')";
            //for it to be greater than the saved
one, it must be a SA

            mysql_query($query) or die ("INSERT
error:" .mysql_error());

            //echo "save
new";
        } else{
            $arr =
getGroupID($row['Position'],$row['Remarks']);
            $group_id =
$arr['group_id'];
            //echo
"<br>group_id:".$group_id;
            //add id to
            jos_noixacl_multigroups
            $query =
"INSERT INTO jos_noixacl_multigroups
(id_user,id_group) VALUES
('".$userID','".$group_id"')";

            mysql_query($query) or die ("INSERT
error:" .mysql_error());
        }
    }

        //insert into jos_staff
        $query = "INSERT INTO
jos_staff (Vol_ID,Position,Remarks) VALUES
('".$userID."','".$group."','".$category"')";
        mysql_query($query) or die
("INSERT error:" .mysql_error());
}

```

```

        mysql_close($link);
        //echo "fineyshed";
        //header('Location:
j_manage_staff.php');
?>
<h3 class="pageTitle">Manage Staff</h3>
<hr width="630px" color="#006600"/>
<hr width="500px" color="#009900"/>
<br>
<div align="center">

<h3 >Please wait! Processing...</h3>
</div>

<script>
    function redirect(){

        parent.window.location.replace("<?php
echo $_header;?>/index.php?
option=com_wrapper&view=wrapper&Itemid=
171");
    }
    redirect();
</script>

<?php

    function save($group,$aro_id2,$userID,
$category){
        //echo $group." ".$aro_id2." ".
$(userID)." ".$category."<br>";
        $arr = getGroupID($group,
$category);
        $group_id = $arr['group_id'];
        $usertype = $arr['usertype'];
        //echo "<br>gwup".$group_id."".
$usertype;
        //set acl
        $query = "UPDATE
jos_core_acl_groups_aro_map SET
group_id='".$group_id' WHERE
aro_id='".$aro_id2."'";
        mysql_query($query) or die
("UPDATE error:" .mysql_error());

        //set usertype
        $query = "UPDATE jos_users
SET usertype='".$usertype' WHERE
id='".$userID."'";
        mysql_query($query) or die
("UPDATE error:" .mysql_error());
    }
}

```

```

        function getGroupID($group,$category)
{
    //get group_id
    $result = mysql_query("SELECT
id FROM jos_core_acl_aro_groups WHERE
value='".$group"'");
    $row =
mysql_fetch_assoc($result);
    if(mysql_num_rows($result) != 0) {
        $group_id = $row['id'];
        $usertype = $group;
    }else{
        switch($group){
            case 'Director' :
            case
'Administrative Officer II' : $group_id = "25";
$usertype = 'Super Administrator';break;

            //case
'Coordinator' : //{$group_id = "Coordinator";
//is now 37
            default:
                switch($category){

                    case 'Tutorials':
                        $group_id = '38';
$usertype = "Coordinator - Tutorials";break;
//tutorials

                    case 'Advocacy Program':
                        $group_id = '46';
$usertype = "Coordinator - Advocacy";break;
//advocacy

                    case 'Program for the Street Children':
                        $group_id = '45';$usertype =
"Coordinator - Program for the Street
Children";break; //program for the street
children

                    case 'Summer Immersion Service
Program':$group_id = '44';$usertype =
"Coordinator - SISP";break; //sisp

                    case 'Emergency Room Volunteers':
                        $group_id = '43';$usertype =
"Coordinator - ERVP";break; //ervp

                    case 'Teachers Development':
                        $group_id = '39';$usertype =
"Coordinator - TDP";break; //tdp
                }
            }
        }
    }
}

```

```

        case 'Health Training':
            $group_id = '42';
        $usertype = "Coordinator - Health
Training/Education";break;      //health
training/education

        case 'Health Mission':
            $group_id = '41';
        $usertype = "Coordinator - Health
Missions";break;      //health missions

        case 'Gurong Pahinungod':
            $group_id = '40';
        $usertype = "Coordinator - GP";break; //gp
            }
            break;
        }
    }
    return
array("group_id"=>$group_id,"usertype"=>$u
sertype);
}
?>
assign_volunteer.php

<!-- $Id: example2.html,v 1.8 2006/04/10
05:05:28 pat Exp $ -->
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML
4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html lang="en">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=ISO-8859-1">
<script
src="js/filter_by_profession_signups.js"></scri
pt>
<title>Advanced Tabber Example</title>
<link rel="stylesheet"
href="css/uniform.css" type="text/css" />

<!-- pagination -->
<link rel="stylesheet"
href="css/vol_pagination.css"
type="text/css" />
<script type="text/javascript"
src="js/paging.js"></script>
<!-- pagination -->
<?php
    include "get_header.php";
    include "j_connection.php";
    $eventID = $_GET['param3'];
    $userID = $_GET['param2'];
        //echo "EventID".$eventID."userid".
$userID;
?>

<script type="text/javascript">
    function inviteMore(){
        //window.location.replace
        ("assign_volunteer.php?eventID=<?php echo
$eventID;?>&category=<?php echo
$category;?>&userID=<?php echo $userID;?
>");
        parent.document.location =
"<?php echo $_header; ?>/index.php?
option=com_wrapper&view=wrapper&Itemid=
244&param3=<?php echo $eventID;?>";
    }
    function manageInvited(){
        //window.location.replace
        ("assign_volunteer.php?eventID=<?php echo
$eventID;?>&category=<?php echo
$category;?>&userID=<?php echo $userID;?
>");
        parent.document.location =
"<?php echo $_header; ?>/index.php?
option=com_wrapper&view=wrapper&Itemid=
250&param3=<?php echo $eventID;?>";
    }
    function manageSignups(){
        //window.location.replace
        ("assign_volunteer.php?eventID=<?php echo
$eventID;?>&category=<?php echo
$category;?>&userID=<?php echo $userID;?
>");
        parent.document.location =
"<?php echo $_header; ?>/index.php?
option=com_wrapper&view=wrapper&Itemid=
251&param3=<?php echo $eventID;?>";
    }
    function tickedBox(volunteer,event){
        alert("Event:" + event + "
Volunteer:" + volunteer);
        document.location.href =
"add_membership.php?eventID=" + event +
"&volunteer=" + volunteer;
    }
</script>

</head>
<body>
<?php

```

```

$result = mysql_query( "SELECT catid
FROM jos_events WHERE id='$eventID'");
$row = mysql_fetch_assoc($result);
$category = $row['catid'];
//$_catid = $_GET['category'];
echo '<input type="hidden" value="'. $eventID.'" name="eventID" id="eventID" />';
echo '<input type="hidden" value="'. $catid.'" name="catid" id="catid" />';
$participantQuery =
mysql_query( "SELECT title,participants FROM
jos_events WHERE id='$eventID'");
$catitRow =
mysql_fetch_array($participantQuery);
$participants =
$catitRow['participants'];
$title = $catitRow['title'];

// 0 is false, non-zero is true, negative
is pending
$toFetch =
"lastname,middlename,firstname,id";
$membershipConfirmed =
mysql_query( "SELECT ".$toFetch.",'mem' as
fromtable FROM jos_comprofiler WHERE id
IN(SELECT Vol_ID FROM jos_membership
WHERE Event_ID='$eventID' and Status=1)
ORDER BY lastname,firstname");
$membershipPending =
mysql_query( "SELECT ".$toFetch." FROM
jos_comprofiler WHERE id IN(SELECT Vol_ID
FROM jos_membership WHERE
Event_ID='$eventID' AND Status=-1) ORDER
BY lastname,firstname");
$membershipDenied =
mysql_query( "SELECT ".$toFetch." FROM
jos_comprofiler WHERE id IN(SELECT Vol_ID
FROM jos_membership WHERE
Event_ID='$eventID' and Status=0) ORDER BY
lastname,firstname");
$pSignups = mysql_query("SELECT
Vol_ID FROM jos_sign_ups WHERE
Event_ID='$eventID' and Status='Pending'");

$cSignups = mysql_query( "SELECT ".
$toFetch.",'signup' as fromtable FROM
jos_comprofiler
WHERE id IN(SELECT Vol_ID
FROM jos_sign_ups WHERE
Event_ID='$eventID' and
Status='Acknowledged')
AND id NOT IN (SELECT
Vol_ID FROM jos_membership WHERE
Event_ID='$eventID')") ORDER BY
lastname,firstname");
$cStaffsQ = mysql_query("SELECT
COUNT(DISTINCT Vol_ID) FROM jos_staff
WHERE Vol_ID IN(SELECT Vol_ID FROM
jos_membership WHERE Event_ID='$eventID'
and Status=1)");
$pStaffsQ = mysql_query("SELECT
COUNT(DISTINCT Vol_ID) FROM jos_staff
WHERE Vol_ID IN(SELECT Vol_ID FROM
jos_membership WHERE Event_ID='$eventID'
AND Status=-1)");
$dStaffsQ = mysql_query("SELECT
COUNT(DISTINCT Vol_ID) FROM jos_staff
WHERE Vol_ID IN(SELECT Vol_ID FROM
jos_membership WHERE Event_ID='$eventID'
and Status=0)");
$sStaffsQ = mysql_query("SELECT
COUNT(DISTINCT Vol_ID) FROM jos_staff
WHERE Vol_ID IN(SELECT Vol_ID FROM
jos_sign_ups WHERE Event_ID='$eventID' and
Status='Pending')");
$scStaffsQ = mysql_query("SELECT
COUNT(DISTINCT Vol_ID) FROM jos_staff
WHERE Vol_ID IN(SELECT Vol_ID FROM
jos_sign_ups WHERE Event_ID='$eventID' and
Status='Acknowledged')");
$scStaffs =
mysql_fetch_assoc($scStaffsQ);
$sStaffs =
mysql_fetch_assoc($sStaffsQ);
$cStaffs =
mysql_fetch_assoc($cStaffsQ);
$pStaffs =
mysql_fetch_assoc($pStaffsQ);
$dStaffs =
mysql_fetch_assoc($dStaffsQ);

$invitedConfirmed =
mysql_num_rows($membershipConfirmed);
$signupConfirmed =
mysql_num_rows($cSignups);
$totalConfirmed = $invitedConfirmed
+ $signupConfirmed;
$totalConfirmed = $invitedConfirmed
+ mysql_num_rows($cSignups);
$totalStaff =
$cStaffs['COUNT(DISTINCT Vol_ID)'] +
$scStaffs['COUNT(DISTINCT Vol_ID)'];

?>
<h3 class="pageTitle">Manage
Volunteers [ <?php echo $title;?> ]</h3>

```

```

<hr width="630px"
color="#006600"/>
<hr width="500px"
color="#009900"/>


&ampnbsp</td>
<td>Invited : </td>
<td><?php echo
$invitedConfirmed . '(
$cStaffs['COUNT(DISTINCT Vol_ID)'] . ' staff/s )';?
></td>
</tr>
<tr class="bordered">
<td>&ampnbsp</td>
<td
class="invited">Signed-up : </td>
<td
class="number"><?php echo
$signupConfirmed. '('.
$scStaffs['COUNT(DISTINCT Vol_ID)'] .
'staff/s');?></td>
</tr>
<tr class="bordered">
<td
class="twoColumns1d">Pending
Invitations</td>
<td colspan="2"
class="twoColumns2d"><?php echo
mysql_num_rows($membershipPending) . '(
$pStaffs['COUNT(DISTINCT Vol_ID)'] . ' staff/s)';?
></td>
</tr>
<tr class="bordered">
<td
class="twoColumns1d">Pending Sign-
ups</td>
<td colspan="2"
class="twoColumns2d"><?php echo
mysql_num_rows($pSignups) . '(
$sStaffs['COUNT(DISTINCT Vol_ID)'] . ' staff/s)';?
></td>
</tr>
<tr class="bordered">
<td
class="twoColumns1d">Rejected
Invitations</td>
<td colspan="2"
class="twoColumns2d"><?php echo
mysql_num_rows($membershipDenied) . '(
$dStaffs['COUNT(DISTINCT Vol_ID)'] . ' staff/s)';?
></td>
</tr>
<?php
if($catid != 48){
$hm = false;
$professionCol_1 = $professionCol_2 =
"";;
$cols = "2";
} else{
//health mission
$result =
mysql_query("SELECT * FROM
jos_volunteer_composition WHERE
Event_ID='$eventID' ORDER BY Profession");
$rowspan =
mysql_num_rows($result);
?>
<tr
class="bordered">
<td
class="twoColumns1d" rowspan=<?php echo
$rowspan;?>>Composition</td>
<?php
while($row =
mysql_fetch_array($result)){
echo
'<td align = "left">'.$row['Profession'].'
</td>';
echo
'<td align = "center">'.


```

```

$row['No_of_volunteers'].'</td>';

echo
'</tr><tr class="bordered">';
}
$hm = true;

$professionCol_1 = '<td align = center
class = "style1"
width="30%"><center>Profession</center><
/td>';
$cols = "3";
}

?>
</table>
</div>
<?php
//copy result to array
$cMem = $sMem = Array();
$i = 0;
while($row =
@mysql_fetch_array($membershipConfirmed
)){
    $cMem[$i] = $row;
    $i++;
}
$k = 0;
while($row =
@mysql_fetch_array($cSignups)){
    $sMem[$k] = $row;
    $k++;
}
if($sMem != ""){
    $committeds =
array_merge($cMem, $sMem);
    sort($committeds);
} else{
    $committeds = $cMem;
}
if($committeds != ""){
    $ccMem =
count($committeds);
} else{
    $ccMem = 0;
}
?>
<div id="column2">
<?php
//display volunteers who confirmed
attending
if($ccMem > 0) {
    $confirmed = '<table
id="confirmed" border = 1
class="sideHeaderTable2">

```

echo

```

        <thead>
            <td align = center width =
"40%"><center></center></td>
            <td align = center width =
"60%"><center><strong>Confirmed
Participants</strong></center></td>
        '. $professionCol_1.'

        </thead>';
} else {
    $confirmed = '<table
id="confirmed" border = 1
class="sideHeaderTable2">

```

\$confirmed =

```

        <thead>
            <td align = center class =
"style1"><center></center></td>
            <td align = center class =
"style1"><center>Confirmed
Participants</center></td>
        '. $professionCol_1.'

        </thead>
        <tr
class="bordered">
            <td colspan='
$cols.' align="center">No volunteer has
confirmed participation yet.</td>
        </tr>';
    }
    for($j = 0; $j < $ccMem; $j++) {
        $vol_name = $committeds[$j]
['lastname']. ' .' . $committeds[$j]['firstname']. ' .
$committeds[$j]['middlename'];
        $volunteer = $committeds[$j]
['id'];
        $result =
mysql_query( "SELECT Status FROM
jos_membership WHERE Event_ID='$eventID'
AND Vol_ID='$volunteer'");
        $stat =
mysql_fetch_assoc($result);
        if($stat['Status'] == 0) $status =
"Denied"; else{ if($stat['Status'] > 0) $status =
"Confirmed"; else $status = "Pending";};
        if($hm) {

```

```

        $temp1 =
mysql_query("SELECT Profession,Other FROM
jos_profession WHERE Vol_ID = '$volunteer'
ORDER BY Profession");
$professionCol_2 =
'<td align = center><center>';
$professions = "";
while($row1 =
mysql_fetch_array($temp1)) {
    if($row1['Profession'] == 'Other') {
        $professions .= $row1['Other']. '<br>';
    } else {
        $professions .=
$row1['Profession']. '<br>';
    }
}
$professions;
$professionCol_2 .=
'</center></td>';
}
if($committeds[$j]['fromtable']
== 'mem') {
    $pic = '<center></center>';
} else {
    $pic = '<center></center>';
}
$confirmed .= '<tr
class="bordered">
 ```  <div id="confirmedNav" align="center"></div> <script type="text/javascript"><!-- var pager1 = new Pager('confirmed', <?php echo $volunteerPerTable;?>); pager1.init();  pager1.showPageNav('pager1', 'confirmedNav');  pager1.showPage(1); //--></script> </div> </div> <br style="clear:both"> <br><br><br> <center> <!--<button type="button" class="button" value="Requirements" onClick="location.href='form_sisp_summary.ph p?eventID=<?php echo $eventID;? >'">Requirements </button> --> <button type="button" class="button" onClick="javascript:inviteMore()">Invite More Volunteers </button> <button type="button" class="button" onClick="javascript:manageInvited()">View Invitations</button> <button type="button" class="button" onClick="javascript:manageSignups()">Manag e Sign-ups</button> <button type="button" class="button" onClick="location.href='j_manage_tasks.php? param3=<?php echo $eventID;? >&param2=<?php echo $userID;?>'">Back </button> </center> </div>  </body> </html> <!-- NOTE: can filter via profession, just uncomment 99-128--> Autosuggest.php <?php     include "j_connection.php";      $db = new mysqli($dbHost, $dbUser, $dbPassword,$dbName);     // $link = new mysqli('DB_HOST', 'USERNAME' , 'PASSWORD', 'DATABASE_NAME');  ``` |
```

```

if(!$db) {
 echo 'Could not connect to the
database.';
} else {

 if(isset($_POST['queryString']))
 {
 $queryString = $db-
>real_escape_string($_POST['queryString']);
 $eventID =
$_POST['eventID'];

 if(strlen($queryString)
>0) {

 $query = $db-
>query("SELECT
Location,Gen_comment,A_date_start,A_date_en
d,Loc_ID FROM jos_location WHERE Location
LIKE '%$queryString%'"
AND
Loc_ID NOT IN (SELECT Loc_ID FROM
jos_location_membership WHERE
Event_ID='$eventID') LIMIT 5");
 if($query) {
 echo '';
 while
($result = $query ->fetch_object()) {

 $params = ("".addSlashes($result-
>Location)."",".addSlashes($result-
>Gen_comment)."",".addSlashes($result-
>A_date_start)."",".addSlashes($result-
>A_date_end)."",".addSlashes($result-
>Loc_ID)."");
 echo '<li
onClick="fill'.$params.';">'.$result-
>Location.'';
 }
 echo '';
 } else {
 echo
'OOPS we had a problem :(';
 }
 } else {
 // do nothing
 }
 } else {
 echo 'There should be
no direct access to this script!';
 }
}

```

```

?> CalendarPopup.js
//=====
=====

/* SOURCE FILE: AnchorPosition.js */
function getAnchorPosition(anchorname){var
useWindow=false;var coordinates=new
Object();var x=0,y=0;var use_gebi=false,
use_css=false,
use_layers=false;if(document.getElementById)
{use_gebi=true;}else if(document.all)
{use_css=true;}else if(document.layers)
{use_layers=true;}if(use_gebi &&
document.all)
{x=AnchorPosition_getPageOffsetLeft(docume
nt.all[anchorname]);y=AnchorPosition_getPage
OffsetTop(document.all[anchorname]);}else
if(use_gebi){var
o=document.getElementById(anchorname);x=
AnchorPosition_getPageOffsetLeft(o);y=Anchor
Position_getPageOffsetTop(o);}else if(use_css)
{x=AnchorPosition_getPageOffsetLeft(docume
nt.all[anchorname]);y=AnchorPosition_getPage
OffsetTop(document.all[anchorname]);}else
if(use_layers){var found=0;for(var
i=0;i<document.anchors.length;i++)
{if(document.anchors[i].name==anchorname)
{found=1;break;}}if(found==0)
{coordinates.x=0;coordinates.y=0;return
coordinates;}x=document.anchors[i].x;y=docu
ment.anchors[i].y;}else{coordinates.x=0;coord
inates.y=0;return
coordinates;}coordinates.x=x;coordinates.y=y;
return coordinates;}
function
getAnchorWindowPosition(anchorname){var
coordinates=getAnchorPosition(anchorname);v
ar x=0;var y=0;if(document.getElementById)
{if(isNaN(window.screenX)){x=coordinates.x-
document.body.scrollLeft+window.screenLeft;y
=coordinates.y-
document.body.scrollTop+window.screenTop;}e
lse{x=coordinates.x+window.screenX+
(window.outerWidth-window.innerWidth)-
window.pageXOffset;y=coordinates.y+window.
screenY+(window.outerHeight-24-
window.innerHeight)-window.pageYOffset;} }e
lse if(document.all)
{x=coordinates.x-
document.body.scrollLeft+window.screenLeft;y
=coordinates.y-

```

```

document.body.scrollTop+window.screenTop;}

else if(document.layers)

{x=coordinates.x+window.screenX+

(window.outerWidth-window.innerWidth)-

window.pageYOffset;y=coordinates.y+window.

screenY+(window.outerHeight-24-

window.innerHeight)-

window.pageYOffset;}coordinates.x=x;coordin

ates.y=y;return coordinates;}

function AnchorPosition_getPageOffsetLeft(el)

{var

ol=el.offsetLeft;while((el=el.offsetParent) !=

null){ol += el.offsetLeft;}return ol;}

function

AnchorPosition_getWindowOffsetLeft(el){return

AnchorPosition_getPageOffsetLeft(el)-

document.body.scrollLeft;}

function AnchorPosition_getPageOffsetTop(el)

{var

ot=el.offsetTop;while((el=el.offsetParent) !=

null){ot += el.offsetTop;}return ot;}

function

AnchorPosition_getWindowOffsetTop(el){return

AnchorPosition_getPageOffsetTop(el)-

document.body.scrollTop;}

/* SOURCE FILE: date.js */

var MONTH_NAMES=new

Array('January','February','March','April','May','J

une','July','August','September','October','Nove

mber','December','Jan','Feb','Mar','Apr','May','Ju

n','Jul','Aug','Sep','Oct','Nov','Dec');var

DAY_NAMES=new

Array('Sunday','Monday','Tuesday','Wednesday

','Thursday','Friday','Saturday','Sun','Mon','Tue',

'Wed','Thu','Fri','Sat');

function LZ(x){return(x<0||x>9?"0":x)+x}

function isDate(val,format){var

date=getDateFromFormat(val,format);if(date==

=0){return false;}return true;}

function

compareDates(date1,dateformat1,date2,datefo

rmat2){var

d1=getDateFromFormat(date1,dateformat1);v

ar

d2=getDateFromFormat(date2,dateformat2);if(

d1==0 || d2==0){return -1;}else if(d1 > d2)

{return 1;}return 0;}

function formatDate(date,format)

{format=format+"";var result="";var

i_format=0;var c="";var token="";var

y=date.getYear()+"";var M=date.getMonth()

+1;var d=date.getDate();var

```

```

E=date.getDay();var H=date.getHours();var

m=date.getMinutes();var

s=date.getSeconds();var

yyyy,yy,MMM,MM,dd,hh,h,mm,ss,ampm,HH,H,K

K,Kkk,k;var value=new Object();if(y.length <

4){y=""+(y-

0+1900);}value["y"]="" + y;value["yyyy"] = y;val

ue["yy"] = y.substring(2,4);value["M"] = M;value[

"MM"] = LZ(M);value["MMM"] = MONTH_NAMES[

M-

1];value["NNN"] = MONTH_NAMES[M+11];value[

"d"] = d;value["dd"] = LZ(d);value["E"] = DAY_NA

MES[E+7];value["EE"] = DAY_NAMES[E];value["

H"] = H;value["HH"] = LZ(H);if(H == 0)

{value["h"] = 12;}else if(H > 12){value["h"] = H-

12;}else{value["h"] = H;}value["hh"] = LZ(value[

"h"]);if(H > 11){value["K"] = H-

12;}else{value["K"] = H;}value["k"] = H+1;value

["KK"] = LZ(value["K"]);value["kk"] = LZ(value["k"]);

;if(H > 11)

{value["a"] = "PM";}else{value["a"] = "AM";}valu

e["m"] = m;value["mm"] = LZ(m);value["s"] = s;va

lue["ss"] = LZ(s);while(i_format < format.length)

{c = format.charAt(i_format);token = "";

while((format.charAt(i_format) == c) &&(i_format <

format.length)){token +=

format.charAt(i_format++);}}if(value[token] !=

null){result = result +

value[token];}else{result = result +

token;}}return result;}

function _isInteger(val){var

digits="1234567890";for(var i=0;i <

val.length;i++)

{if(digits.indexOf(val.charAt(i)) == -1){return

false;}}}return true;}

function _getInt(str,i,minlength,maxlength)

{for(var x=maxlength;x>=minlength;x--){var

token=str.substring(i,i+x);if(token.length <

minlength){return null;}if(_isInteger(token))

{return token;}}return null;}

function getDateFromFormat(val,format)

{val=val+"";format=format+"";var i_val=0;var

i_format=0;var c="";var token="";var

token2="";var x,y;var now=new Date();var

year=now.getYear();var

month=now.getMonth()+1;var date=1;var

hh=now.getHours();var

mm=now.getMinutes();var

ss=now.getSeconds();var

ampm="";while(i_format < format.length)

{c=format.charAt(i_format);token = "";

while((format.charAt(i_format) == c) &&(i_format <

format.length)){token +=

```

```

format.charAt(i_format++);}if(token=="yyyy"
|| token=="yy" || token=="y")
{if(token=="yyyy"){x=4;y=4;}if(token=="yy")
{x=2;y=2;}if(token=="y")
{x=2;y=4;}year=_getInt(val,i_val,x,y);if(year=
=null){return 0;}i_val +=
year.length;if(year.length==2){if(year > 70)
{year=1900+(year-0);}else{year=2000+
(year-0);}}else if(token=="MMM"||
token=="NNN"){month=0;for(var
i=0;i<MONTH_NAMES.length;i++){var
month_name=MONTH_NAMES[i];if(val.substring(
i_val,i_val+month_name.length).toLowerCase()
==month_name.toLowerCase())
{if(token=="MMM"||(token=="NNN"&&i>11))
{month=i+1;if(month>12){month -= 12;}i_val
+= month_name.length;break;}}if((month <
1)||((month>12)){return 0;}}else
if(token=="EE"||token=="E"){for(var
i=0;i<DAY_NAMES.length;i++){var
day_name=DAY_NAMES[i];if(val.substring(i_val,
i_val+day_name.length).toLowerCase()==day_
name.toLowerCase()){i_val +=
day_name.length;break;}}else
if(token=="MM"||token=="M")
{month=_getInt(val,i_val,token.length,2);if(mo
nth==null||(month<1)||((month>12)){return
0;}i_val+=month.length;}else
if(token=="dd"||token=="d")
{date=_getInt(val,i_val,token.length,2);if(date
==null||(date<1)||((date>31)){return
0;}i_val+=date.length;}else if(token=="hh"||
token=="h")
{hh=_getInt(val,i_val,token.length,2);if(hh==n
ull||(hh<1)||((hh>12)){return
0;}i_val+=hh.length;}else if(token=="HH"||
token=="H")
{hh=_getInt(val,i_val,token.length,2);if(hh==n
ull||(hh<0)||((hh>23)){return
0;}i_val+=hh.length;}else if(token=="KK"||
token=="K")
{hh=_getInt(val,i_val,token.length,2);if(hh==n
ull||(hh<0)||((hh>11)){return
0;}i_val+=hh.length;}else if(token=="kk"||
token=="k")
{hh=_getInt(val,i_val,token.length,2);if(hh==n
ull||(hh<1)||((hh>24)){return
0;}i_val+=hh.length;hh--;}else
if(token=="mm"||token=="m")
{mm=_getInt(val,i_val,token.length,2);if(mm=
=null||(mm<0)||((mm>59)){return
0;}i_val+=mm.length;}else if(token=="ss"||
token=="s")

```

```

{ss=_getInt(val,i_val,token.length,2);if(ss==nu
ll||(ss<0)||((ss>59)){return
0;}i_val+=ss.length;}else if(token=="a")
{if(val.substring(i_val,i_val+2).toLowerCase()=
="am"){ampm="AM";}else
if(val.substring(i_val,i_val+2).toLowerCase()==
="pm"){ampm="PM";}else{return
0;}i_val+=2;}else{if(val.substring(i_val,i_val+t
oken.length)!=token){return
0;}else{i_val+=token.length;}}if(i_val != val.length){return 0;}if(month==2){if(((year
%4==0)&&(year%100 != 0)) ||(year
%400==0)){if(date > 29){return
0;}}else{if(date > 28){return
0;}} }if((month==4)||((month==6)||
(month==9)||((month==11)){if(date > 30)
{return 0;}}if(hh<12 && ampm=="PM")
{hh=hh-0+12;}else if(hh>11 &&
ampm=="AM"){hh-=12;}var newdate=new
Date(year,month-1,date, hh, mm, ss);return
newdate.getTime();}

function parseDate(val){var
preferEuro=(arguments.length==2)?
arguments[1]:false;generalFormats=new
Array('y-M-d','MMM d, y','MMM d, y','y-MMM-
d','d-MMM-y','MMM d');monthFirst=new
Array('M/d/y','M-d-y','M.d.y','MMM-d','M/d','M-
d');dateFirst =new Array('d/M/y','d-M-
y','d.M.y','d-MMM','d/M','d-M');var
checkList=new
Array('generalFormats',preferEuro?'dateFirst':'
monthFirst',preferEuro?'monthFirst':'dateFirst');
var d=null;for(var i=0;i<checkList.length;i++)
{var l=window[checkList[i]];for(var
j=0;j<l.length;j++)
{d=getDateFromFormat(val,l[j]);if(d!=0)
{return new Date(d);}}}return null;}
```

```

/* SOURCE FILE: PopupWindow.js */
function
PopupWindow_getXYPosition(anchorname){var
coordinates;if(this.type == "WINDOW")
{coordinates =
getAnchorWindowPosition(anchorname);}else{
coordinates =
getAnchorPosition(anchorname);this.x =
coordinates.x;this.y = coordinates.y;}
function PopupWindow_setSize(width,height)
{this.width = width;this.height = height;}
function PopupWindow_populate(contents)
{this.contents = contents;this.populated =
false;}
```

```

function PopupWindow_setUrl(url){this.url =
url;}
function
PopupWindow_setWindowProperties(props)
{this.windowProperties = props;}
function PopupWindow_refresh()
{if(this.divName != null){if(this.use_gebi)
{document.getElementById(this.divName).inne
rHTML = this.contents;}else if(this.use_css)
{document.all[this.divName].innerHTML =
this.contents;}else if(this.use_layers){var d =
document.layers[this.divName];d.document.op
en();d.document.writeln(this.contents);d.docu
ment.close();}}else{if(this.popupWindow !=
null && !this.popupWindow.closed){if(this.url!
="")
{this.popupWindow.location.href=this.url;}else
{this.popupWindow.document.open();this.popu
pWindow.document.writeln(this.contents);this.
popupWindow.document.close();}this.popupWi
ndow.focus();}}}
function
PopupWindow_showPopup(anchorname)
{this.getXYPosition(anchorname);this.x +=
this.offsetX;this.y += this.offsetY;if(!
this.populated &&(this.contents != ""))
{this.populated =
true;this.refresh();}if(this.divName != null)
{if(this.use_gebi)
{document.getElementById(this.divName).styl
e.left = this.x +
"px";document.getElementById(this.divName).
style.top = this.y +
"px";document.getElementById(this.divName).
style.visibility = "visible";}else if(this.use_css)
{document.all[this.divName].style.left =
this.x;document.all[this.divName].style.top =
this.y;document.all[this.divName].style.visibilit
y = "visible";}else if(this.use_layers)
{document.layers[this.divName].left =
this.x;document.layers[this.divName].top =
this.y;document.layers[this.divName].visibility
= "visible";} }else{if(this.popupWindow == null
|| this.popupWindow.closed){if(this.x<0)
{this.x=0;}if(this.y<0){this.y=0;}if(screen &
screen.availHeight){if((this.y + this.height) >
screen.availHeight){this.y = screen.availHeight
- this.height;} }if(screen && screen.availWidth)
{if((this.x + this.width) > screen.availWidth)
{this.x = screen.availWidth - this.width;} }var
avoidAboutBlank = window.opera ||
(document.layers && !
navigator.mimeTypes['*']) || navigator.vendor
== 'KDE' ||(document.childNodes && !
document.all && !
navigator.taintEnabled);this.popupWindow =
window.open(avoidAboutBlank?"":"about:blank
","window_"+anchorname,this.windowPropertie
s+",width='"+this.width+"',height='"+this.heig
ht+"',screenX='"+this.x+"',left='"+this.x+"',screen
Y='"+this.y+"',top='"+this.y+"');}this.refresh();
}}
function PopupWindow_hidePopup()
{if(this.divName != null){if(this.use_gebi)
{document.getElementById(this.divName).styl
e.visibility = "hidden";}else if(this.use_css)
{document.all[this.divName].style.visibility =
"hidden";}else if(this.use_layers)
{document.layers[this.divName].visibility =
"hidden";} }else{if(this.popupWindow && !
this.popupWindow.closed)
{this.popupWindow.close();}this.popupWindow
= null;}}
function PopupWindow_isClicked(e)
{if(this.divName != null){if(this.use_layers)
{var clickX = e.pageX;var clickY = e.pageY;var
t = document.layers[this.divName];if((clickX >
t.left) &&(clickX < t.left+t.clip.width) &&(clickY
> t.top) &&(clickY < t.top+t.clip.height))
{return true;}else{return false;} }else
{if(document.all){var t =
window.event.srcElement;while(t.parentEleme
nt != null){if(t.id==this.divName){return
true;}t = t.parentElement;}return false;}else
{if(this.use_gebi && e){var t =
e.originalTarget;while(t.parentNode != null)
{if(t.id==this.divName){return true;}t =
t.parentNode;}return false;}return
false;}}
function PopupWindow_hidelfNotClicked(e)
{if(this.autoHideEnabled && !this.isClicked(e))
{this.hidePopup();}}
function PopupWindow_autoHide()
{this.autoHideEnabled = true;}
function PopupWindow_hidePopupWindows(e)
{for(var i=0;i<popupWindowObjects.length;i+
+){if(popupWindowObjects[i] != null){var p =
popupWindowObjects[i];p.hidelfNotClicked(e);}
}}
function PopupWindow_attachListener()
{if(document.layers)
{document.captureEvents(Event.MOUSEUP);}w
indow.popupWindowOldEventListerner =
document.onmouseup;if(window.popupWindow
OldEventListerner != null)
{document.onmouseup = new
}

```

```

Function("window.popupWindowOldEventListen
er();PopupWindow_hidePopupWindows();};els
e{document.onmouseup =
PopupWindow_hidePopupWindows; }
function PopupWindow(){if(
window.popupWindowIndex)
{window.popupWindowIndex = 0;}if(!
window.popupWindowObjects)
{window.popupWindowObjects = new
Array();}if(!window.listenerAttached)
{window.listenerAttached =
true;PopupWindow_attachListener();}this.index
= popupWindowIndex+
+;popupWindowObjects[this.index] =
this;this.divName = null;this.popupWindow =
null;this.width=0;this.height=0;this.populated
= false;this.visible =
false;this.autoHideEnabled =
false;this.contents =
"";this.url="";this.windowProperties="toolbar=
no,location=no,status=no,menubar=no,scrollb
ars=auto,resizable,alwaysRaised,dependent,titl
ebar=no";if(arguments.length>0)
{this.type="DIV";this.divName =
arguments[0];}else{this.type="WINDOW";}this
.use_gebi = false;this.use_css =
false;this.use_layers =
false;if(document.getElementById)
{this.use_gebi = true;}else if(document.all)
{this.use_css = true;}else if(document.layers)
{this.use_layers = true;}else{this.type =
"WINDOW";}this.offsetX = 0;this.offsetY =
0;this.getXYPosition =
PopupWindow_getXYPosition;this.populate =
PopupWindow_populate;this.setUrl =
PopupWindow_setUrl;this.setWindowProperties
=
PopupWindow_setWindowProperties;this.refres
h = PopupWindow_refresh;this.showPopup =
PopupWindow_showPopup;this.hidePopup =
PopupWindow_hidePopup;this.setSize =
PopupWindow_setSize;this.isClicked =
PopupWindow_isClicked;this.autoHide =
PopupWindow_autoHide;this.hidelfNotClicked =
PopupWindow_hidelfNotClicked;}

/* SOURCE FILE: CalendarPopup.js */
function CP_stop(e) { if (e &&
e.stopPropagation) { e.stopPropagation(); } }
function CalendarPopup(){var
c;if(arguments.length>0){c = new
PopupWindow(arguments[0]);}else{c = new

```

```

PopupWindow();c.setSize(150,175);}c.offsetX
= -152;c.offsetY =
25;c.autoHide();c.monthNames = new
Array("January","February","March","April","Ma
y","June","July","August","September","October"
,"November","December");c.monthAbbreviations =
new
Array("Jan","Feb","Mar","Apr","May","Jun","Jul",
"Aug","Sep","Oct","Nov","Dec");c.dayHeaders
= new
Array("S","M","T","W","T","F","S");c.returnFunc
tion =
"CP_tmpReturnFunction";c.returnMonthFunction =
"CP_tmpReturnMonthFunction";c.returnQuarter
Function =
"CP_tmpReturnQuarterFunction";c.returnYearF
unction =
"CP_tmpReturnYearFunction";c.weekStartDay
= 0;c.isShowYearNavigation =
false;c.displayType =
"date";c.disabledWeekDays = new
Object();c.disabledDatesExpression =
"";c.yearSelectStartOffset = 2;c.currentDate =
null;c.todayText="Today";c.cssPrefix="";
c.isSh
owNavigationDropdowns=false;c.isShowYearN
avigationInput=false>window.CP_calendarObjec
t = null;window.CP_targetInput =
null;window.CPDateFormat =
"MM/dd/yyyy";c.copyMonthNamesToWindow =
CP_copyMonthNamesToWindow;c.setReturnFun
ction =
CP_setReturnFunction;c.setReturnMonthFunction =
CP_setReturnMonthFunction;c.setReturnQuarte
rFunction =
CP_setReturnQuarterFunction;c.setReturnYearF
unction =
CP_setReturnYearFunction;c.setMonthNames =
CP_setMonthNames;c.setMonthAbbreviations =
CP_setMonthAbbreviations;c.setDayHeaders =
CP_setDayHeaders;c.setWeekStartDay =
CP_setWeekStartDay;c.setDisplayType =
CP_setDisplayType;c.setDisabledWeekDays =
CP_setDisabledWeekDays;c.addDisabledDates
=
CP_addDisabledDates;c.setYearSelectStartOff
set =
CP_setYearSelectStartOffset;c.setTodayText =
CP_setTodayText;c.showYearNavigation =
CP_showYearNavigation;c.showCalendar =
CP_showCalendar;c.hideCalendar =
CP_hideCalendar;c.getStyles =

```

```

getCalendarStyles;c.refreshCalendar =
CP_refreshCalendar;c.getCalendar =
CP_getCalendar;c.select =
CP_select;c.setCssPrefix =
CP_setCssPrefix;c.showNavigationDropdowns =
CP_showNavigationDropdowns;c.showYearNavigationInput =
CP_showYearNavigationInput;c.copyMonthNamesToWindow();return c;
function CP_copyMonthNamesToWindow()
{if(typeof(window.MONTH_NAMES)!="undefined" && window.MONTH_NAMES!=null){window.MONTH_NAMES = new Array();for(var i=0;i<this.monthNames.length;i++)
{window.MONTH_NAMES[window.MONTH NAMES.length] = this.monthNames[i];}for(var i=0;i<this.monthAbbreviations.length;i++)
{window.MONTH_NAMES[window.MONTH NAMES.length] = this.monthAbbreviations[i];}}
function CP_tmpReturnFunction(y,m,d)
{if(window.CP_targetInput!=null){var dt = new Date(y,m-1,d,0,0,0);if(window.CP_calendarObject!=null)
{window.CP_calendarObject.copyMonthNamesToWindow();}window.CP_targetInput.value = formatDate(dt>window.CPDateFormat);}else{alert('Use setReturnFunction() to define which function will get the clicked results!');}}
function CP_tmpReturnMonthFunction(y,m)
{alert('Use setReturnMonthFunction() to define which function will get the clicked results!\nYou clicked: year=' + y + ', month=' + m);}
function CP_tmpReturnQuarterFunction(y,q)
{alert('Use setReturnQuarterFunction() to define which function will get the clicked results!\nYou clicked: year=' + y + ', quarter=' + q);}
function CP_tmpReturnYearFunction(y)
{alert('Use setReturnYearFunction() to define which function will get the clicked results!\nYou clicked: year=' + y);}
function CP_setReturnFunction(name)
{this.returnFunction = name;}
function CP_setReturnMonthFunction(name)
{this.returnMonthFunction = name;}
function CP_setReturnQuarterFunction(name)
{this.returnQuarterFunction = name;}
function CP_setReturnYearFunction(name)
{this.returnYearFunction = name;}
function CP_setMonthNames(){for(var i=0;i<arguments.length;i++)
{this.monthNames[i] =
arguments[i];}this.copyMonthNamesToWindow();}
function CP_setMonthAbbreviations(){for(var i=0;i<arguments.length;i++)
{this.monthAbbreviations[i] =
arguments[i];}this.copyMonthNamesToWindow();}
function CP_setDayHeaders(){for(var i=0;i<arguments.length;i++)
{this.dayHeaders[i] = arguments[i];}}
function CP_setWeekStartDay(day)
{this.weekStartDay = day;}
function CP_showYearNavigation()
{this.isShowYearNavigation
=(arguments.length>0)?arguments[0]:true;}
function CP_setDisplayType(type){if(type!="date"&&type!="week-end"&&type!="month"&&type!="quarter"&&type!="year")
{alert("Invalid display type! Must be one of: date, week-end, month, quarter, year");return false;}this.displayType=type;}
function CP_setYearSelectStartOffset(num)
{this.yearSelectStartOffset=num;}
function CP_setDisabledWeekDays()
{this.disabledWeekDays = new Object();for(var i=0;i<arguments.length;i++)
{this.disabledWeekDays[arguments[i]] = true;}}
function CP_addDisabledDates(start, end)
{if(arguments.length==1)
{end=start;}if(start==null && end==null)
{return;}if(this.disabledDatesExpression!="")
{this.disabledDatesExpression+= "||";}if(start==null){start =
parseDate(start);start="" + start.getFullYear()
+ LZ(start.getMonth())
+ LZ(start.getDate());}if(end!=null)
{end=parseDate(end);end="" + end.getFullYear()
+ LZ(end.getMonth())
+ LZ(end.getDate());}if(start==null)
{this.disabledDatesExpression+=(ds<= + end + "");}else if(end ==null)
{this.disabledDatesExpression+=(ds>= + start +");}else{this.disabledDatesExpression+=(ds>= + start + "&&ds<= + end + ");}}
function CP_setTodayText(text){this.todayText = text;}
function CP_setCssPrefix(val){this.cssPrefix = val;}
function CP_showNavigationDropdowns()
{this.isShowNavigationDropdowns
=(arguments.length>0)?arguments[0]:true;}
```

```

function CP_showYearNavigationInput()
{this.isShowYearNavigationInput
=(arguments.length>0)?arguments[0]:true;}
function CP_hideCalendar()
{if(arguments.length > 0)
{window.popupWindowObjects[arguments[0]].hidePopup();}else{this.hidePopup();}}
function CP_refreshCalendar(index){var
calObject =
window.popupWindowObjects[index];if(argume
nts.length>1)
{calObject.populate(calObject.getCalendar(arg
uments[1],arguments[2],arguments[3],argume
nts[4],arguments[5]));}else{calObject.populate
(calObject.getCalendar());}calObject.refresh();}
}
function CP_showCalendar(anchorname)
{if(arguments.length>1)
{if(arguments[1]==null||arguments[1]=="")

{this.currentDate=new
Date();}else{this.currentDate=new
Date(parseDate(arguments[1]));}}}}this.populat
e(this.getCalendar());this.showPopup(anchorna
me);}
function CP_select(inputobj, linkname, format)
{var selectedDate=(arguments.length>3)?
arguments[3]:null;if(!
window.getDateFromFormat)
{alert("calendar.select: To use this method you
must also include 'date.js' for date
formatting");return;}if(this.displayType!
="date"&&this.displayType!="week-end")
{alert("calendar.select: This function can only
be used with displayType 'date' or 'week-
end');return;}if(inputobj.type!="text" &&
inputobj.type!="hidden" && inputobj.type!
="textarea"){alert("calendar.select: Input
object passed is not a valid form input
object");window.CP_targetInput=null;return;}if(
inputobj.disabled)
{return;}window.CP_targetInput =
inputobj;window.CP_calendarObject =
this;this.currentDate=null;var
time=0;if(selectedDate!=null){time =
getDateFromFormat(selectedDate,format)}else
if(inputobj.value!=""){time =
getDateFromFormat(inputobj.value,format);}if(
selectedDate!=null || inputobj.value!="")
{if(time==0)
{this.currentDate=null;}else{this.currentDate
=new Date(time);}}window.CPDateFormat =
format;this.showCalendar(linkname);}

```

```

function getCalendarStyles(){var result =
"";var p = "";if(this!=null &&
typeof(this.cssPrefix)!="undefined" &&
this.cssPrefix!=null && this.cssPrefix!="")
{p=this.cssPrefix;}result +=

"<STYLE>\n";result +=
".+"+p+"cpYearNavigation, ." +p+"cpMonthNavig
ation{background-color:#C0C0C0;text-
align:center;vertical-align:center;text-
decoration:none;color:#000000;font-
weight:bold;}\n";result +=
".+"+p+"cpDayColumnHeader, ." +p+"cpYearNa
vigation, ." +p+"cpMonthNavigation, ." +p+"cpCu
rrentMonthDate, ." +p+"cpCurrentMonthDateDis
abled, ." +p+"cpOtherMonthDate, ." +p+"cpOthe
rMonthDateDisabled, ." +p+"cpCurrentDate, ." +
p+"cpCurrentDateDisabled, ." +p+"cpTodayText
, ." +p+"cpTodayTextDisabled, ." +p+"cpText{fo
nt-family:arial;font-size:8pt;}\n";result +=
"TD." +p+"cpDayColumnHeader{text-
align:right;border:solid thin #C0C0C0;border-
width:0px 0px 1px 0px;}\n";result +=
".+"+p+"cpCurrentMonthDate, ." +p+"cpOtherM
onthDate, ." +p+"cpCurrentDate{text-
align:right;text-decoration:none;}\n";result +=
".+"+p+"cpCurrentMonthDateDisabled, ." +p+"c
pOtherMonthDateDisabled, ." +p+"cpCurrentDa
teDisabled{color:#D0D0D0;text-
align:right;text-decoration:line-
through;}\n";result +=
".+"+p+"cpCurrentMonthDate,
.cpCurrentDate{color:#000000;}\n";result +=
".+"+p+"cpOtherMonthDate{color:#808080;}\n
";result +=
"TD." +p+"cpCurrentDate{color:white;backgrou
nd-color: #C0C0C0;border-
width:1px;border:solid thin
#800000;}\n";result +=
"TD." +p+"cpCurrentDateDisabled{border-
width:1px;border:solid thin
#FFAAAAA;}\n";result +=
"TD." +p+"cpTodayText,
TD." +p+"cpTodayTextDisabled{border:solid
thin #C0C0C0;border-width:1px 0px 0px
0px;}\n";result += "A." +p+"cpTodayText,
SPAN." +p+"cpTodayTextDisabled{height:20px
;}\n";result +=
"A." +p+"cpTodayText{color:black;}\n";result
+=
".+"+p+"cpTodayTextDisabled{color:#D0D0D0;
}\n";result += ".+"+p+"cpBorder{border:solid
thin #808080;}\n";result +=
"</STYLE>\n";return result;}

```

```

function CP_getCalendar(){var now = new
Date();if(this.type == "WINDOW"){var
windowref = "window.opener.;" }else{var
windowref = "";}var result = "";if(this.type ==
"WINDOW"){result +=
"<HTML><HEAD><TITLE>Calendar</TITLE>" +
this.getStyles() + "</HEAD><BODY>
MARGINWIDTH=0 MARGINHEIGHT=0
TOPMARGIN=0 RIGHTMARGIN=0
LEFTMARGIN=0>\n";result +=
'<CENTER><TABLE WIDTH=100% BORDER=0
BORDERWIDTH=0 CELLSPACING=0
CELLPADDING=0>\n';}else{result += '<TABLE
CLASS="'+this.cssPrefix+'cpBorder"
WIDTH=144 BORDER=1 BORDERWIDTH=1
CELLSPACING=0 CELLPADDING=1>\n';result
+= '<TR><TD ALIGN=CENTER>\n';result +=
'<CENTER>\n';}if(this.displayType=="date" ||
this.displayType=="week-end")
{if(this.currentDate==null){this.currentDate =
now;}if(arguments.length > 0){var month =
arguments[0];}else{var month =
this.currentDate.getMonth()
+1;}if(arguments.length > 1 &&
arguments[1]>0 && arguments[1]-
0==arguments[1]){var year =
arguments[1];}else{var year =
this.currentDate.getFullYear();}var
daysinmonth= new
Array(0,31,28,31,30,31,30,31,31,30,31,30,31);if
((year%4 == 0)&&(year%100 != 0) ||(year
%400 == 0)){daysinmonth[2] = 29;}var
current_month = new Date(year,month-
1,1);var display_year = year;var display_month
= month;var display_date = 1;var weekday=
current_month.getDay();var offset = 0;offset
=(weekday >= this.weekStartDay) ? weekday-
this.weekStartDay : 7-
this.weekStartDay+weekday ;if(offset > 0)
{display_month--;if(display_month < 1)
{display_month =
12;display_year--;}display_date =
daysinmonth[display_month]-offset+1;}var
next_month = month+1;var next_month_year
= year;if(next_month > 12)
{next_month=1;next_month_year++;}var
last_month = month-1;var last_month_year
= year;if(last_month < 1)
{last_month=12;last_month_year--;}var
date_class;if(this.type!="WINDOW"){result +=
"<TABLE WIDTH=144 BORDER=0
BORDERWIDTH=0 CELLSPACING=0
CELLPADDING=0>";}result += '<TR>\n';var

```

```

refresh = windowref+'CP_refreshCalendar';var
refreshLink = 'javascript:' +
refresh;if(this.isShowNavigationDropdowns)
{result += '<TD
CLASS="'+this.cssPrefix+'cpMonthNavigation"
WIDTH="78" COLSPAN="3"><select
CLASS="'+this.cssPrefix+'cpMonthNavigation"
name="cpMonth"
onmouseup="CP_stop(event)"
onChange="'+refresh+'('+this.index+',this.options[this.selectedIndex].value-0,'+(year-
0)+");>';for(var
monthCounter=1;monthCounter<=12;monthC
ounter++){var selected
=(monthCounter==month) ? 'SELECTED' :
"';result += '<option
value="'+monthCounter+'"
'+selected+'>' +this.monthNames[monthCount
er-1]+'';}result +=
'</select></TD>';result += '<TD
CLASS="'+this.cssPrefix+'cpYearNavigation"
WIDTH="10">&nbsp</TD>';result += '<TD
CLASS="'+this.cssPrefix+'cpYearNavigation"
WIDTH="56" COLSPAN="3"><select
CLASS="'+this.cssPrefix+'cpYearNavigation"
name="cpYear" onmouseup="CP_stop(event)"
onChange="'+refresh+'('+this.index+','+mont
h+,this.options[this.selectedIndex].value-
0);>';for(var yearCounter=year-
this.yearSelectStartOffset;yearCounter<=year
+this.yearSelectStartOffset;yearCounter++)
{var selected =(yearCounter==year) ?
'SELECTED' : " ";result += '<option
value="'+yearCounter+'"
'+selected+'>' +yearCounter+'';res
ult +=
'</select></TD>';}else{if(this.isShowYearNavi
gation){result += '<TD
CLASS="'+this.cssPrefix+'cpMonthNavigation"
WIDTH="10"><A
CLASS="'+this.cssPrefix+'cpMonthNavigation"
HREF="'+refreshLink+'('+this.index+','+last_
month+','+last_month_year+');></T
D>';result += '<TD
CLASS="'+this.cssPrefix+'cpMonthNavigation"
WIDTH="58"><SPAN
CLASS="'+this.cssPrefix+'cpMonthNavigation"
>' +this.monthNames[month-
1]+'</TD>';result += '<TD
CLASS="'+this.cssPrefix+'cpMonthNavigation"
WIDTH="10"><A
CLASS="'+this.cssPrefix+'cpMonthNavigation"
HREF="'+refreshLink+'('+this.index+','+next_
```

```

month','+next_month_year');"">>></TD>;result += '<TD
CLASS="'+this.cssPrefix+'cpMonthNavigation"
WIDTH="10"> </TD>;result += '<TD
CLASS="'+this.cssPrefix+'cpYearNavigation"
WIDTH="10"><A
CLASS="'+this.cssPrefix+'cpYearNavigation"
HREF="'+refreshLink+'('+this.index+','+month
+','+(year-
1)+');"">><</TD>;if(this.isShowYearNavi
gationInput){result += '<TD
CLASS="'+this.cssPrefix+'cpYearNavigation"
WIDTH="36"><INPUT NAME="cpYear"
CLASS="'+this.cssPrefix+'cpYearNavigation"
SIZE="4" MAXLENGTH="4" VALUE="'+year+'"'
onBlur="'+refresh+'('+this.index+','+month+','
this.value-0);"></TD>;}else{result += '<TD
CLASS="'+this.cssPrefix+'cpYearNavigation"
WIDTH="36">'
+year+'</TD>;}result += '<TD
CLASS="'+this.cssPrefix+'cpYearNavigation"
WIDTH="10"><A
CLASS="'+this.cssPrefix+'cpYearNavigation"
HREF="'+refreshLink+'('+this.index+','+month
+','
+(year+1)+');"">>></TD>;}else{result
+= '<TD
CLASS="'+this.cssPrefix+'cpMonthNavigation"
WIDTH="22"><A
CLASS="'+this.cssPrefix+'cpMonthNavigation"
HREF="'+refreshLink+'('+this.index+','+last_
month+','+last_month_year+');"">><<
</TD>\n';result += '<TD
CLASS="'+this.cssPrefix+'cpMonthNavigation"
WIDTH="100"><SPAN
CLASS="'+this.cssPrefix+'cpMonthNavigation"
>' +this.monthNames[month-1] +
'+year+'</TD>\n';result += '<TD
CLASS="'+this.cssPrefix+'cpMonthNavigation"
WIDTH="22"><A
CLASS="'+this.cssPrefix+'cpMonthNavigation"
HREF="'+refreshLink+'('+this.index+','+next_
month+','+next_month_year+');"">>>></TD>\n';}result +=
'</TR></TABLE>\n';result += '<TABLE
WIDTH=120 BORDER=0 CELLSPACING=0
CELLPADDING=1 ALIGN=CENTER>\n';result
+= '<TR>\n';for(var j=0;j<7;j++){result +=
'<TD
CLASS="'+this.cssPrefix+'cpDayColumnHeader"
WIDTH="14%"><SPAN
CLASS="'+this.cssPrefix+'cpDayColumnHeader
">' +this.dayHeaders[(this.weekStartDay+j)
%7]+'</TD>\n';}result += '</TR>\n';for(var
row=1;row<=6;row++){result +=
'<TR>\n';for(var col=1;col<=7;col++){var
disabled=false;if(this.disabledDatesExpression!
="""){var
ds=""'+display_year+LZ(display_month)
+LZ(display_date);eval("disabled=""+this.disa
bledDatesExpression+"");}var dateClass =
"";if((display_month ==
this.currentDate.getMonth()+1
&&(display_date==this.currentDate.getDate())
&&(display_year==this.currentDate.getFullYea
r())){dateClass = "cpCurrentDate";}else
if(display_month == month){dateClass =
"cpCurrentMonthDate";}else{dateClass =
"cpOtherMonthDate";}if(disabled ||
this.disabledWeekDays[col-1]){result += '
<TD
CLASS="'+this.cssPrefix+dateClass+'"><SPAN
CLASS="'+this.cssPrefix+dateClass+'Disabled"
>' +display_date+'</TD>\n';}else{var
selected_date = display_date;var
selected_month = display_month;var
selected_year =
display_year;if(this.displayType=="week-end")
{var d = new
Date(selected_year,selected_month-
1,selected_date,0,0,0,0);d.setDate(d.getDate()
+(7-col));selected_year =
d.getYear();if(selected_year < 1000)
{selected_year += 1900;}selected_month =
d.getMonth()+1;selected_date =
d.getDate();}result += ' <TD
CLASS="'+this.cssPrefix+dateClass+'"><A
HREF="javascript:' +windowref+this.returnFunc
tion+'('+selected_year+','+selected_month+','
+selected_date+')'+windowref+'CP_hideCalen
dar("'+this.index+'\")"
CLASS="'+this.cssPrefix+dateClass+'">' +displ
ay_date+'</TD>\n';}display_date+
+;if(display_date >
daysinmonth[display_month])
{display_date=1;display_month+
+;}if(display_month > 12)
{display_month=1;display_year++;}result
+= '</TR>';}var current_weekday =
now.getDay() -
this.weekStartDay;if(current_weekday < 0)
{current_weekday += 7;}result +=
'<TR>\n';result += ' <TD COLSPAN=7
ALIGN=CENTER
CLASS="'+this.cssPrefix+'cpTodayText">\n';if(

```

```

this.disabledDatesExpression!="")}{var
ds="" +now.getFullYear() +LZ(now.getMonth()
+1) +LZ(now.getDate());eval("disabled="+"this
.disabledDatesExpression+");}if(disabled |||
this.disabledWeekDays[current_weekday+1])
{result += '<SPAN'
CLASS="" +this.cssPrefix+'cpTodayTextDisable
d">' +this.todayText+'\n';}else{result
+= '<A'
CLASS="" +this.cssPrefix+'cpTodayText"
HREF="javascript:' +windowref+this.returnFunc
tion+'(' +now.getFullYear() +',' +
(now.getMonth()+1) +',' +now.getDate()
+'')'+windowref+'CP_hideCalendar(' +this.in
dex+')";' +this.todayText+'\n';}result
+= '
\n';result += '

</TD></TR></TABLE></CENTER></TD></TR>
</TABLE>\n';}if(this.displayType=="month" ||
this.displayType=="quarter" ||
this.displayType=="year"){if(arguments.length
> 0){var year =
arguments[0];}else{if(this.displayType=="ye
ar"){var year = now.getFullYear()-
this.yearSelectStartOffset;}else{var year =
now.getFullYear();}}if(this.displayType!="year"
&& this.isShowYearNavigation){result +=
"<TABLE WIDTH=144 BORDER=0
BORDERWIDTH=0 CELLSPACING=0
CELLPADDING=0>";result += '<TR>\n';result
+= '<TD'
CLASS="" +this.cssPrefix+'cpYearNavigation"
WIDTH="22"><A
CLASS="" +this.cssPrefix+'cpYearNavigation"
HREF="javascript:' +windowref+'CP_refreshCal
endar(' +this.index+',' +(year-
1)+');"><< /></TD>\n';result += '
<TD
CLASS="" +this.cssPrefix+'cpYearNavigation"
WIDTH="100">' +year+'</TD>\n';result += '
<TD
CLASS="" +this.cssPrefix+'cpYearNavigation"
WIDTH="22"><A
CLASS="" +this.cssPrefix+'cpYearNavigation"
HREF="javascript:' +windowref+'CP_refreshCal
endar(' +this.index+',' +
(year+1)+');">>></TD>\n';result
+=
'</TR></TABLE>\n';} }if(this.displayType=="m
onth"){result += '<TABLE WIDTH=120
BORDER=0 CELLSPACING=1 CELLPADDING=0
ALIGN= CENTER>\n';for(var i=0;i<4;i++)
{result += '<TR>';for(var j=0;j<3;j++){var
monthindex =((i*3)+j);result += '<TD
WIDTH=33% ALIGN= CENTER><A
CLASS="" +this.cssPrefix+'cpText"
HREF="javascript:' +windowref+this.returnMon
thFunction+'(' +year+',' +
(monthindex+1)+')'+windowref+'CP_hideCale
ndar(' +this.index+')";' +
CLASS="" +date_class+">>' +this.monthAbbrevi
ations[monthindex]+ '</TD>';}result +=
'</TR>';}result +=

'</TABLE></CENTER></TD></TR></TABLE>\n';
}if(this.displayType=="quarter"){result +=
'
<TABLE WIDTH=120 BORDER=1
CELLSPACING=0 CELLPADDING=0
ALIGN= CENTER>\n';for(var i=0;i<2;i++)
{result += '<TR>';for(var j=0;j<2;j++){var
quarter =((i*2)+j+1);result += '<TD
WIDTH=50% ALIGN= CENTER>
<A
CLASS="" +this.cssPrefix+'cpText"
HREF="javascript:' +windowref+this.returnQuar
terFunction+'(' +year+',' +quarter+');'+windowr
ef+'CP_hideCalendar(' +this.index+')";' +
CLASS="" +date_class+">>Q'+quarter+'<
BR>
</TD>';}result += '</TR>';}result
+=

'</TABLE></CENTER></TD></TR></TABLE>\n';
}if(this.displayType=="year"){var
yearColumnSize = 4;result += "<TABLE
WIDTH=144 BORDER=0 BORDERWIDTH=0
CELLSPACING=0 CELLPADDING=0>";result +=
'<TR>\n';result += '<TD'
CLASS="" +this.cssPrefix+'cpYearNavigation"
WIDTH="50%"><A
CLASS="" +this.cssPrefix+'cpYearNavigation"
HREF="javascript:' +windowref+'CP_refreshCal
endar(' +this.index+',' +(year-
(yearColumnSize*2))
+');"><< /></TD>\n';result += '<TD
CLASS="" +this.cssPrefix+'cpYearNavigation"
WIDTH="50%"><A
CLASS="" +this.cssPrefix+'cpYearNavigation"
HREF="javascript:' +windowref+'CP_refreshCal
endar(' +this.index+',' +(year+
(yearColumnSize*2))
+');">>></TD>\n';result += '<TD
CLASS="" +this.cssPrefix+'cpYearNavigation"
WIDTH=120 BORDER=0 CELLSPACING=1
CELLPADDING=0 ALIGN= CENTER>\n';for(var
i=0;i<yearColumnSize;i++){for(var j=0;j<2;j+
+){var currentyear = year+(j*yearColumnSize)
+i;result += '<TD WIDTH=50%
ALIGN= CENTER><A
CLASS="" +this.cssPrefix+'cpText"
HREF="javascript:' +windowref+this.returnYear

```

```

Function+'('+currentyear+');'+windowref+'CP_
hideCalendar(\"'+this.index+'\");'
CLASS="'+date_class+'">' + currentyear + '</TD>';}result += '</TR>';}result +=
'</TABLE></CENTER></TD></TR></TABLE>\n';
}if(this.type == "WINDOW"){result +=
"</BODY></HTML>\n";}return result;}
cancel_event_admin.php
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
<?php
 include "get_header.php";
 include "j_connection.php";
 $source = $_POST['source'];
?>
<script>
 function submit(eventID){
 <?php //if($source == "panel")
?>
 //document.form1.actio
n = "<?php echo $_header; ?>/index.php?
option=com_events&task=rejectRequestFromP
anel&Itemid="+ eventID;
 <?php //}else{?
 document.form1.action
= "<?php echo $_header; ?>/index.php?
option=com_events&task=rejectRequest&Item
id="+ eventID;
 <?php //} ?>
 document.form1.submit();
}
</script>
<?php
 $eventID = $_POST['eventID'];
 $category = $_POST['category'];
 $userID = $_POST['userID'];
 $comments = $_POST['comments'];

 //fetch title
 $query = "SELECT title FROM
jos_events WHERE id = $eventID";
 $result = mysql_query($query);
 $row = mysql_fetch_array($result);
 $title = "[".$row['title']."] ";

 $query = "UPDATE jos_events SET
state=0,access=1,modified_by='{$userID}',modi
fied=NOW() WHERE id='$eventID'";
 mysql_query($query) or die ("UPDATE
error:" .mysql_error());

 $query = "UPDATE jos_request SET
Status='Cancelled',Date_processed=NOW(),Co

```

```

mments='$comments' WHERE
Event_ID='$eventID'";
 mysql_query($query) or die ("UPDATE
error:" .mysql_error()));

 mysql_close($link);
 $heading = ($source ==
"tasks")?"Manage Tasks ".$title:
($source=="panel"||
$source=="details")?"Cancel Event ".
$title:"View Event Request"; // $source ==
tasks if from manage tasks, panel if from
admin panel,details id from event page,nothing
if from requests

?>
<h3 class="pageTitle"><?php echo $heading?
></h3>
<hr width="630px"
color="#006600"/>
<hr width="500px"
color="#009900"/>

<div style="color:#4BA123; text-
align:center;">

<h3>
Please wait! Processing...
</h3>
</div>
<form action="" id="form1" name="form1"
method="POST" target="_parent">
 <input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?"/>
 <input type="hidden" id="comments"
name="comments" value="<?php echo
$comments;?"/>
 <input type="hidden" id="userID"
name="userID" value="<?php echo $userID;?
"/>
 <input type="hidden" id="source"
name="source" value="<?php echo $source;?
"/>
 <input type="hidden" id="ToDo"
name="ToDo" value="<?php echo "cancel";?"/>
/>
</form>
<script>
 submit(<?php echo $eventID;?>);

```

```

</script> cancel_view.php
<div id="rejectDiv" name="rejectDiv">
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
<?php
 include "get_header.php";
 include "j_connection.php";

 $param3 = $_GET['param3'];
 $arr = explode("-",$param3);
 $eventID = $arr[0];
 $source = $arr[1];
 //fetch title
 $query = "SELECT title FROM
jos_events WHERE id = $eventID";
 $result = mysql_query($query);
 $row = mysql_fetch_array($result);
 $title = "[".$row['title']."]";
?
><script type="text/javascript">

 function cancelRequest(){
 var comments =
document.reject.comments.value;
 if(comments == ""){
 alert("Please
enter the reason for cancelling this event.");
 }else{
 //alert("cancel
request");
 //window.docu
ment.self.close();

 document.reject.action =
"cancel_event_admin.php";

 document.reject.submit();
 }
 /*
 var comments =
document.reject.comments.value;
 var eventID =
document.reject.eventID.value;
 var userID =
document.reject.userID.value;
 alert(eventID+
"+userID);
 */
 }
 function sendBack(){
 eventID =
document.getElementById('eventID').value;
 parent.document.location.href = "<?
php echo $_header;?>/index.php?
option=com_events&task=view_detail&agid="
+eventID;
 }
</script>
<h3 class="pageTitle">Cancel Event
<?php echo $title?></h3>
<hr width="630px"
color="#006600"/>
<hr width="500px"
color="#009900"/>

<fieldset>

<legend>Request
processing</legend>
<form
id="reject" name="reject" method="POST"
action="">
<table
class="sideHeaderTable2">
<tr
class="bordered">
<td
class="twoColumns1"><label>Comment:
</label></td>
<td
class="twoColumns2">
<textarea id="comments"
name="comments" onfocus="this.value='';
this.onfocus=null" cols="50%"
rows="5em"></textarea>

 * i.e. reason for cancelling the
event. If this event is requested, this will
appear on representative's requests page.
</td>
</tr>
<tr>
<td
colspan="2" class="paddedButtons">
<input
type="button" onClick="cancelRequest('<?php
echo $eventID;?>',<?php echo $category;?>',
'<?php echo $userID;?>')" value="Cancel
Event"/>
</td>
</tr>

```



```

mysql_query($query);
$result =
if(!$result) {
 $skip =
true;
die
("UPDATE error:" .mysql_error());
}

}
$query = ("UPDATE
jos_comprofiler SET approved='1' WHERE
id='$userID'");
break;
case 'unapprove':
$query = ("UPDATE
jos_comprofiler SET approved='0' WHERE
id='$userID'");
$result =
mysql_query($query);
if(!$result) {
 $skip = true;
die ("UPDATE
error:" .mysql_error());
}
$query = ("UPDATE
jos_comprofiler SET approved='0' WHERE
id='$userID'");
break;
default: $query = "";
}
if(!$skip) {
$result = mysql_query($query);
if(!$result) {
die ("UPDATE error:" .
.mysql_error());
} else{
if($ToDo == 'block' ||
$ToDo == 'unblock'){
$pastTense =
$ToDo.'ed';
} else{
$pastTense =
$ToDo.'d';
}
echo "Successfully ".
$pastTense."!

";
}
echo $skip .$.skip;
/*
mysql_close($link);
*/
?>
</body>

```

```

</html>
<?php
include "j_connection.php";
include "get_header.php";

//get variables
$wrapperID = $_GET['wrapper_id'];
$userID = $_GET['user_id'];
$param3 = $_GET['param3'];

//get user type
$request = "SELECT usertype from
jos_users WHERE id='$userID'";
$result = mysql_query($request);
$row = mysql_fetch_assoc($result);
$usertype=$row['usertype'];

//check if allowed to view the wrapper
$request = "SELECT id from
jos_noixacl_rules WHERE
aro_value='$usertype' AND
axo_value='$wrapperID'";
$result = mysql_query($request);
$count = mysql_num_rows($result);

//return url if allowed, else return
empty string
$param3Add = ($param3 != "")?"¶m3=$param3:";;
if($count != 0) echo
$_header.'/index.php?
option=com_wrapper&view=wrapper&Itemid='
.$wrapperID."¶m3=$param3";
else ";
?> check_coordinators.php
<?php
//called by staff_assignment.php,
returns null if has other positions else return id
//called if assigning to other positions
other than coordinator and chairperson
//RULE: chairperson can only be a
chairperson, other staff can be a coordinator to
one and only one category

include "j_connection.php";

$userID = $_GET['userID'];
$result = mysql_query("SELECT
Position FROM jos_staff WHERE Vol_ID
='userID'");
$count = mysql_num_rows($result);
if($count > 0){ //if already
assigned

```

```

 if($count == 1){ //if
assigned to only one position
 $row =
mysql_fetch_array($result);
 if($row['Position'] ==
'Coordinator'){
 echo $userID;
 //person is assigned as only as
coordinator - allowed;
 } else{
 echo "";
 //person is assigned to another
position*- not allowed
 }
 } else{
 echo "";
 //person is assigned to maximum
number(2) already, must be as other* and as
coordinator - not allowed
 }
} else{
 echo $userID;
//the person is not assigned to a
position - allow
}
//NOTE: if here is opposite of
check_position_duplicate
/* other/another position refers to non-
coordinator and non-chairperson
?> check_location.php
<?php
 include "j_connection.php";
 if(isset($_GET['location'])) {
 $location = $_GET['location'];
 if($location == ""){
 return 'Blank';
 } else{
 $result =
mysql_query("SELECT location FROM
jos_location WHERE location='$location'");
 if(mysql_num_rows($result) == 0){
 $isUnique =
'Yes';
 } else{
 $isUnique =
'No';
 }
 echo $isUnique;
 }
?> check_multiple_loc.php
<?php

```

```

include "j_connection.php";
$isAllowed = $_GET['allowMult'];
$eventID = $_GET['eventID'];
$userID = $_GET['userID'];
$category = $_GET['category'];
if($isAllowed == "Allow"){
 $result = mysql_query("SELECT
Multiple_loc FROM jos_allow_multiple_locations
WHERE Event_ID='$eventID'");
 if(mysql_num_rows($result) <
1)
 mysql_query("INSERT
INTO jos_allow_multiple_locations (Event_ID,
Multiple_loc) Values('$eventID','')");
 } else {
 mysql_query("DELETE FROM
jos_allow_multiple_locations WHERE
Event_ID='$eventID'");
 }
mysql_close($link);
header("Location:
j_manage_location.php?eventID=".
$eventID."&userID=".$userID."&category=".
$category);
?> <?php
 include "j_connection.php";
 include "get_header.php";

 $orgname = $_POST['org_name'];
// $orgname = "Quirino General High
School";
 if($orgname == ""){
 $isUnique = "Blank";
 } else{
 $result = mysql_query("SELECT
* FROM jos_organization WHERE
Org_name='$orgname'");
 if(mysql_num_rows ($result) !=
0){
 //there is an existing
 profile for the said organization/there is an
 organization of the same name
 $isUnique = 'No';
 $isUnique .= '?';
 $row =
mysql_fetch_array($result);
 //Organization_type,Incorporation_date,
 Tel_no,Fax_no,Email,Office_address,HO_addres
 s,HO_tel_no,HO_fax_no,HO_email,Beneficiary
 $isUnique .=
$row['Org_type'].'?';
 }
 }
?> <?php

```

```

$row['Incorporation_date'].?'.

$row['Beneficiary'].?'.

$row['Office_address'].?'. $row['Tel_no'];

 $isUnique .= '?'.

$row['Fax_no'].?'. $row['Email'];

 $isUnique .= '?'.

$row['HO_address'].?'. $row['HO_tel_no'].?'.

$row['HO_fax_no'].?'. $row['HO_email'];

} else{
 //unique
 $isUnique = 'Yes';

}
echo $isUnique;
?> check_other_position.php
<?php
 //called by staff_assignment.php,
returns null if has other positions else return id
 //called if assigning for coordinator
position
 //allowed having other positions other
than being a chairperson

 include "j_connection.php";

 $userID = $_GET['userID'];
 $result = mysql_query("SELECT
Position FROM jos_staff WHERE Vol_ID
='\$userID'");
 $count = mysql_num_rows($result);
 if($count > 0){ //if already
assigned
 if($count == 1){ //if
assigned to only one position
 $row =
mysql_fetch_array($result);
 if($row['Position'] ==
'Chairperson' || ($row['Position'] ==
"Coordinator")){
 echo ";
 //person is assigned as only as
chairperson - not allowed
 } else{
 echo $userID;
 //person is assigned to another
position*- allowed;
 }
 } else{
 echo ";
 //person is assigned to maximum
number(2) already, must be as other* and as
coordinator - not allowed
 }
 }
}
} else{
 echo $userID;
 //the person is not assigned to a
position - allow
}
//NOTE: if here is opposite of
check_position_duplicate
?>check_position_duplicate.php
<?php
 //called by staff_assignment.php,
returns null if has other positions else return id
 //this is to be called for assigning
chairpersons

 include "j_connection.php";

 $userID = $_GET['userID'];
 $result = mysql_query("SELECT Vol_ID
FROM jos_staff WHERE Vol_ID ='\$userID'");
 $count = mysql_num_rows($result);
 if($count != 0){
 echo "; //NOT allowed - person
is assigned to another position
 } else{
 echo $userID; //allowed -
person is NOT assigned to another position
 }
?> check_preferencesScript.php
<?php

 $volunteer = $_GET['param2'];
 //echo $volunteer."
";
 include "j_connection.php";
 $query = "SELECT * FROM
jos_preferred_program WHERE Vol_ID =
'\$volunteer'";
 $result = mysql_query($query);
 $storedCount =
mysql_num_rows($result);
 $storedPref = array();
 //echo "storedCount".
$storedCount."
";
 for($i=0; $i<$storedCount; $i++) {
 $row =
@mysql_fetch_array($result);
 $storedPref[$i] =
$row['Preferred_prog'];
 //echo $storedPref[$i]."
";
 }
 $programs = array("Tutorials",
"Teachers Development", "Gurong"

```

```

Pahinungod", "Health Mission", "Health
Training", "Health Education", "Emergency
Room Volunteers",
 "Program for the Street
Children", "Summer Immersion Service
Program", "Advocacy Program");

$checked = array();
for($i=0; $i < count($programs) ; $i+
+){
 if(in_array($programs[$i],
$storedPref)){
 $checked[$i] =
"checked";
 } else $checked[$i] = "";
}
mysql_close($link);
?> check_username.php <?php
 include "j_connection.php";
 if(isset($_POST['user_name'])) {
 $username =
$_POST['user_name'];
 if($username == ""){
 return 'Blank';
 } else{
 $result =
mysql_query("SELECT username FROM
jos_users WHERE username='$username'");

 if(mysql_num_rows($result) == 0){
 $isUnique =
'Yes';
 } else{
 $isUnique =
'No';
 }
 echo $isUnique;
 }
 if(isset($_POST['email'])){
 $email = $_POST['email'];
 if($email == ""){
 return 'Blank';
 } else{
 $result =
mysql_query("SELECT email FROM jos_users
WHERE email='$email'");

 if(mysql_num_rows($result) == 0){
 $isUnique =
'Yes';
 } else{
 $isUnique =
'No';
 }
 }
 }
}
if(!filter_var($email,
FILTER_VALIDATE_EMAIL)) {
 $isUnique =
'Invalid';
}
echo $isUnique;
?> check_volunteerSummary.php
<?php

include "j_connection.php";
$query = ("SELECT participants FROM
jos_events WHERE id='$eventID'");
$result = mysql_query($query);
$row = mysql_fetch_array($result);
$team = $row['participants'];
$query = ("SELECT
Status,COUNT(Status) FROM jos_membership
WHERE Event_ID='$eventID' GROUP BY Status
ORDER BY Status DESC");
$result = mysql_query($query);
while($row =
mysql_fetch_array($result)){
 switch($row['Status']){
 case '1': $committed =
$row['COUNT(Status)'];
 break;
 case '-1': $pending =
$row['COUNT(Status)'];
 break;
 default: break; //
 }
}
$cSignups = mysql_query("SELECT
Vol_ID FROM jos_sign_ups WHERE
Event_ID='$eventID' and
Status='Acknowledged'");
$signupConfirms =
mysql_num_rows($cSignups);
$committed += $signupConfirms;
$query = ("SELECT COUNT(Vol_ID)
FROM jos_sign_ups WHERE
Event_ID='$eventID' and Status='Pending'");
$result = mysql_query($query);
$row = mysql_fetch_array($result);
$signups = $row['COUNT(Vol_ID)'];
if($team == '') $team = '-';
if($committed == '') $committed = '-';

```

```

 if($pending == '') $pending = '-';
 if($signups == '' || $signups == 0)
$signups = '-';
 mysql_close($link);

?> clsMsDocGenerator.php <?php
/**
 * Class clsMsDocGenerator
 * Compile MSWord DOC similar files
 *
*
=====
=====
=====
=====
=====
* Usage Example:
*
* $doc = new clsMsDocGenerator();
* $doc->addParagraph('this is the first
paragraph');
* $doc->addParagraph('this is the paragraph
in justified style', array('text-align' =>
'justify'));
* $doc->output();
*
*
=====
=====
=====
=====
=====
* @autor Max S. Ferreira mxspan-
sources[at]yahoo[dot]com[dot]br
* @version 0.4 29.01.2006
*
*
=====
=====
=====
=====
=====
* Changes:
*
* version 0.4
* added: insert images is now possible
(thanks to Ron Wilson)
* added: document default font is now
changeable
* added: now can save document otherwise
show
* fixed: session page type and session page
orientation is now working correctly
* fixed: session page margins is now working
correctly
* version 0.3
*
*
=====
=====
=====
=====
=====
* fixed: bugs in table styles
* added: output document name is now
changeable
* added: document lang or charset is now
changeable
* version 0.2
* added: table resources
* version 0.1
* start of project
*
*
=====
=====
=====
=====
=====
* TO-DO
* - to improve formatting style (is complex)
* - to improve documentation (is a hard work)
* - to convert all, to make a code more
dynamic
* - add more resources
*
*
=====
=====
=====
=====
=====
* License: GNU General Public License
*
* Copyright (c) 2005 Max S. Ferreira. All rights
reserved.
*
* clsMsDocGenerator is free software; you can
redistribute it and/or
* modify it under the terms of the GNU
General Public License
* as published by the Free Software
Foundation; either version 2
* of the License, or (at your option) any later
version.
*
* clsMsDocGenerator is distributed in the hope
that it will be useful,
* but WITHOUT ANY WARRANTY; without even
the implied warranty of
* MERCHANTABILITY or FITNESS FOR A
PARTICULAR PURPOSE. See the
* GNU General Public License for more details.
*
* You should have received a copy of the GNU
General Public License
* along with this program; if not, write to the
Free Software

```

```

* Foundation, Inc., 59 Temple Place - Suite
330, Boston, MA 02111-1307,
* USA.
*
*/
error_reporting(E_ALL);

class clsMsDocGenerator{
 var $appName = 'MsDocGenerator';
 var $appVersion = '0.4';
 var $isDebugging = false;

 var $leftMargin;
 var $rightMargin;
 var $topMargin;
 var $bottomMargin;
 var $pageOrientation;
 var $pageType;

 var $documentLang;
 var $documentCharset;
 var $fontFamily;
 var $fontSize;

 var $documentBuffer;
 var $formatBuffer;
 var $cssFile;
 var $lastSessionNumber;
 var $lastPageNumber;
 var $atualPageWidth;
 var $atualPageHeight;

 var $tableIsOpen;
 var $tableLastRow;
 var $tableBorderAlt;
 var $tablePaddingAltRight;
 var $tablePaddingAltLeft;
 var $tableBorderInsideH;
 var $tableBorderInsideV;

 var $numImages;

 /**
 * constructor
 clsMsDocGenerator(const $pageOrientation =
'PORTRAIT', const $pageType = 'A4', string
$cssFile = "", int $topMargin = 3.0, int
$rightMargin = 2.5, int $bottomMargin = 3.0,
int $leftMargin = 2.5)

 * @param $pageOrientation: The
orientation of the pages of the initial session,
'PORTRAIT' or 'LANDSCAPE'
 * @param $pageType: The initial type
of the paper of the pages of the session
 * @param $cssFile: extra file with
formating configurations, in css file format
 * @param $topMargin: top margin of
the document
 * @param $rightMargin: right margin
of the document
 * @param $bottomMargin: bottom
margin of the document
 * @param $leftMargin: left margin of
the document
 */
 function
clsMsDocGenerator($pageOrientation =
'PORTRAIT', $pageType = 'A4', $cssFile = '',
$topMargin = 3.0, $rightMargin = 2.5,
$bottomMargin = 3.0, $leftMargin = 2.5){
 $this->documentBuffer = "";
 $this->formatBuffer = "";
 $this->cssFile = $cssFile;
 $this->lastSessionNumber = 0;
 $this->lastPageNumber = 0;
 $this->atualPageWidth = 0;
 $this->atualPageHeight = 0;

 $this->tableIsOpen = false;
 $this->tableLastRow = 0;
 $this->tableBorderAlt = 0.5;
 $this->tablePaddingAltRight =
5.4; $this->tablePaddingAltLeft =
5.4; $this->tableBorderInsideH =
0.5; $this->tableBorderInsideV =
0.5;

 $this->documentLang = 'PT-
BR';
 $this->documentCharset =
'windows-1252';
 $this->fontFamily = 'Arial';
 $this->fontSize = '12';

 $this->pageOrientation =
$pageOrientation;
 $this->pageType =
$pageType;
}

```

```

 $this->topMargin =
$topMargin;
 $this->rightMargin =
$rightMargin;
 $this->bottomMargin =
$bottomMargin;
 $this->leftMargin =
$leftMargin;

 $this->numImages = 0;

 $this->newSession($this-
>pageOrientation, $this->pageType, $this-
>topMargin, $this->rightMargin, $this-
>bottomMargin, $this->leftMargin);
 $this->newPage();
 }//end clsMsDocGenerator()

/**
 * public int newSession(const
$pageOrientation = NULL, const $pageType =
NULL, int $topMargin = NULL, int $rightMargin
= NULL, int $bottomMargin = NULL, int
$leftMargin = NULL)
 * @param $pageOrientation: The
orientation of the pages of the this session,
'PORTRAIT' or 'LANDSCAPE'
 * @param $pageType: The type of the
paper of the pages of the this session
 * @param $topMargin: top margin of
the this session
 * @param $rightMargin: right margin
of the this session
 * @param $bottomMargin: bottom
margin of the this session
 * @param $leftMargin: left margin of
the this session
 * @return int: the number of the new
session
*/
function newSession($pageOrientation
= NULL, $pageType = NULL, $topMargin =
NULL, $rightMargin = NULL, $bottomMargin =
NULL, $leftMargin = NULL){
 //don't setted now? then use
document start values
 $pageOrientation =
$pageOrientation === NULL ? $this-
>pageOrientation : $pageOrientation;
 $pageType = $pageType ===
NULL ? $this->pageType : $pageType;
 $topMargin = $topMargin ===
NULL ? $this->topMargin : $topMargin;
 $rightMargin = $rightMargin
== NULL ? $this->rightMargin : $rightMargin;
 $bottomMargin =
$bottomMargin === NULL ? $this-
>bottomMargin : $bottomMargin;
 $leftMargin = $leftMargin ===
NULL ? $this->leftMargin : $leftMargin;

 $this->lastSessionNumber++;

 if($this->lastSessionNumber !=
1){
 $this->endSession();
 $this->documentBuffer
.= "<br clear=\"all\" style=\"page-break-
before: always; mso-break-type: section-
break\">\n";
 }

 switch($pageOrientation){
 case 'PORTRAIT' :
 switch($pageType){
 case
'A4' :
 $this->atualPageWidth = A4_WIDTH *
One_Cent;
 $this->atualPageHeight = A4_HEIGHT *
One_Cent;
 break;
 case
'A5' :
 $this->atualPageWidth = A5_WIDTH *
One_Cent;
 $this->atualPageHeight = A5_HEIGHT *
One_Cent;
 break;
 case
'LETTER' :
 $this->atualPageWidth =
LETTER_WIDTH * One_Cent;
 $this->atualPageHeight =
LETTER_HEIGHT * One_Cent;
 break;
 }
 }
}

```

```

 case
'OFFICE' :
 $this->atualPageWidth =
OFFICE_WIDTH * One_Cent;

 $this->atualPageHeight =
OFFICE_HEIGHT * One_Cent;

 break;
default:
die("ERROR: PAGE TYPE ($pageType) IS
NOT DEFINED");
}

$msoPageOrientation = 'portrait';
break;
case 'LANDSCAPE' :
switch($pageType){
 case
'A4' :
 $this->atualPageWidth = A4_HEIGHT *
One_Cent;

 $this->atualPageHeight = A4_WIDTH *
One_Cent;

 break;
 case
'A5' :
 $this->atualPageWidth = A5_HEIGHT *
One_Cent;

 $this->atualPageHeight = A5_WIDTH *
One_Cent;

 break;
 case
'LETTER' :
 $this->atualPageWidth =
LETTER_HEIGHT * One_Cent;

 $this->atualPageHeight =
LETTER_WIDTH * One_Cent;

 break;
 case
'OFFICE' :

```

```

 $this->atualPageWidth =
OFFICE_HEIGHT * One_Cent;

 $this->atualPageHeight =
OFFICE_WIDTH * One_Cent;

 break;
default:
die("ERROR: PAGE TYPE ($pageType) IS
NOT DEFINED");
}

$msoPageOrientation = 'landscape';
break;
default :
die("ERROR:
INVALID PAGE ORIENTATION
($pageOrientation)");
}

$pageSize = "{$this-
>atualPageWidth}pt {$this-
>atualPageHeight}pt";
$pageMargins =
"{$topMargin}cm {$rightMargin}cm
{$bottomMargin}cm {$leftMargin}cm";

$sessionName = "Section" .
$this->lastSessionNumber;

$this->formatBuffer .= "@page
$sessionName\n";
$this->formatBuffer .= "
{size: $pageSize;\n";
$this->formatBuffer .= " mso-
page-orientation: $msoPageOrientation;\n";
$this->formatBuffer .= "
margin: $pageMargins;\n";
$this->formatBuffer .= " mso-
header-margin: 36pt;\n";
$this->formatBuffer .= " mso-
footer-margin: 36pt;\n";
$this->formatBuffer .= " mso-
paper-source: 0;}\n";
$this->formatBuffer .= "div.
$sessionName\n";
$this->formatBuffer .= "
{page: $sessionName;}\n\n";

$this->documentBuffer .=
"<div class=\"$sessionName\">\n";

```

```

 return $this-
>lastSessionNumber;
 }//end newSession()

 /**
 * public int newPage(void)
 * @return int: the number of the new
page
 */
function newPage(){
 $this->lastPageNumber++;
 if($this->lastPageNumber != 1)
 $this->documentBuffer
.= "<br clear=\"all\" style=\"page-break-
before: always;\">";
 return $this->lastPageNumber;
 }//end newPage()

 /**
 * public void output(string $fileName
= "", string $saveInPath = "")
 * @param $fileName: the file name of
document
 * @param $saveInPath: if not empty
will be the path to save document otherwise
show
 */
function output($fileName = "",
$saveInPath = ""){
 $this->endSession();

 $outputCode = "";
 $outputCode .= "<html
xmlns:o=\"urn:schemas-microsoft-
com:office:office\"\n";
 $outputCode .= "
xmlns:w=\"urn:schemas-microsoft-
com:office:word\"\n";
 $outputCode .= "
xmlns=\"http://www.w3.org/TR/REC-
html40\"\>\n";

 $outputCode .= $this-
>getHeader();

 $outputCode .= $this-
>getBody();

 $outputCode .= "</html>\n";

 $fileName = $fileName != " ?
$fileName : basename($_SERVER['PHP_SELF'],
'.php') . '.doc';

```

```

if($saveInPath == ""){
 if($this->isDebugging){
 echo
nl2br(htmlentities($outputCode));
 }else{
 header("Content-Type:
application/msword; charset=$this-
>documentCharset\"");
}

header("Content-Disposition:
attachment; filename=\"$fileName\"");
echo
$outputCode;
}

}elseif(substr($saveInPath,-
1) <> "/"){
 $saveInPath =
$saveInPath."/";

 file_put_contents($saveInPath .
$fileName, $outputCode);
}

}//end output()

function outputHTML(){
 $this->endSession();
 $outputCode = "<html>";
 $outputCode .= $this-
>getHeader();

 $outputCode .= $this-
>getBody();

 $outputCode .= "</html>\n";
 echo $outputCode;
}

/**
 * public void setDocumentLang(string
$lang)
 * @param $lang: document lang
 */
function setDocumentLang($lang){
 $this->documentLang = $lang;
} //end setDocumentLang()

/**
 * public void
setDocumentCharset(string $charset)

```

```

 * @param $charset: document charset
 */
 function
setDocumentCharset($charset){
 $this->documentCharset =
$charset;
} //end setDocumentCharset()

 /**
 * public void setFontFamily(string
$fontFamily)
 * @param $fontFamily: default
document font family
 */
 function setFontFamily($fontFamily){
 $this->fontFamily =
$fontFamily;
} //end setFontFamily()

 /**
 * public void setFontSize(string
$fontSize)
 * @param $fontSize: default document
font Size
 */
 function setFontSize($fontSize){
 $this->fontSize = $fontSize;
} //end setFontSize()

 /**
 * public void addParagraph(string
$content, array $inlineStyle = NULL, string
$className = 'normalText')
 * @param $content: content of the
paragraph
 * @param $inlineStyle: array of css
block properties
 * #param $className: class name of
any class defined in extra format file
 */
 function addParagraph($content,
$inlineStyle = NULL, $className =
'normalText'){
 $style = '';
 if(is_array($inlineStyle)){
 foreach($inlineStyle as
$key => $value)
 $style .=
"$key: $value;";
 }
 $this->documentBuffer .= "<p
class=\"$className\"". ($style != " ? "
style=\"$style\" : ") . ">".($content == " ?
'<o:p></o:p>' : $content).".</p>\n";
} //end addParagraph()

 /**
 * void bufferImage(string $imagePath,
int $width, int $height, string $title = "")
 * @param $imagePath: url of the
image
 * @param $width: width to show
image in pixels
 * @param $height: height to show
image in pixels
 */
 function bufferImage($imagePath,
$width, $height, $title = ""){
 $this->numImages++;
 $buffer = "<!--[if gte vml 1]>\"";
 if($this->numImages == 1){
 $buffer .=
"<v:shapetype id=\"_x0000_t75\""
"coordsize=\"21600,21600\""
"o:spt=\"75\""
"o:preferrelative=\"t\""
"path=\"m@4@5l@4@11@9@11@9@5xe\""
"filled=\"f\""
"stroked=\"f\">"
<v:stroke
joinstyle=\"miter\"/>
<v:formulas>
<v:f eqn=\"if lineDrawn
pixelLineWidth 0\"/>
<v:f eqn=\"sum @0 1
0\"/>
<v:f eqn=\"sum 0 0
@1\"/>
<v:f eqn=\"prod @2 1
2\"/>
<v:f eqn=\"prod @3
21600 pixelWidth\"/>
<v:f eqn=\"prod @3
21600 pixelHeight\"/>
<v:f eqn=\"sum @0 0
1\"/>
<v:f eqn=\"prod @6 1
2\"/>
<v:f eqn=\"prod @7
21600 pixelWidth\"/>
<v:f eqn=\"sum @8
21600 0\"/>
<v:f eqn=\"prod @7
21600 pixelHeight\"/>
} //end bufferImage()
}

```

```

<v:f eqn=\"sum @10
21600 0\"/>
</v:formulas>
<v:path o:extrusionok=\"f\"
gradientshapeok=\"t\"
o:connecttype=\"rect\"/>
<o:lock v:ext=\"edit\"
aspectratio=\"t\"/>
</v:shapetype>;
}
$buffer .= "<v:shape
id=\"$_x0000_i102{$this->numImages}\"
type=\"$#_x0000_t75\" style='width:".$this->pixelsToPoints($width)."pt;
height:".$this->pixelsToPoints($height)."pt'>
<v:imagedata
src=\"$imagePath\"/>
o:title=\"$accessibilityIssues\"/>
</v:shape><![endif]--><![if !
vml]><img width=\"$width\"
height=\"$height\" src=\"$imagePath\"/>
v:shapes=\"$_x0000_i102{$this->numImages}\">><![endif]>";
return $buffer;
} //end bufferImage()

/**
 * void addImage(string $imagePath,
int $width, int $height, string $title = ""){
 * @param $imagePath: url of the
image
 * @param $width: width to show
image in pixels
 * @param $height: height to show
image in pixels
 */
function addImage($imagePath,
$width, $height, $title = ""){
$this->documentBuffer.=
$this->bufferImage($imagePath, $width,
$height, $title);
} //end addImage()

/**
 * public void startTable(array
$inlineStyle = NULL, string $className =
'normalTable')
 * @param $inlineStyle: array of css
table properties, property => value
 * @param $className: class name of
any class defined, may be in extra format file
*/
function startTable($inlineStyle =
NULL, $className = 'normalTable'){
$style = "";
if(is_array($inlineStyle)){
foreach($inlineStyle as
$key => $value)
$style .=
"$key: $value; ";
}
$this->documentBuffer .=
"<table class=\"$className\" style=\"$style\""
border="0" cellspacing="0"
cellpadding="0">\n";
}

$this->tableIsOpen = true;
} //end startTable()

/**
 * public int addTableRow(array $cells,
array $aligns = NULL, array $vAligns = NULL,
array $inlineStyle = NULL, array $classesName =
NULL)
 * @param $cells: array with content of
cells of the row
 * @param $aligns: array with align cell
constants in html style, a item for each cell
item
 * @param $vAligns: array with vertical
align cell constants in html style, a item for
each cell item
 * @param $inlineStyle: array of css
block properties, property => value
 * @param $classesName: array with
class name of any class defined in extra format
file, a item for each cell item
*/
function addTableRow($cells, $aligns =
NULL, $vAligns = NULL, $inlineStyle = NULL,
$classesName = NULL){
if(! $this->tableIsOpen)
die('ERROR: TABLE IS
NOT STARTED');

if(is_array($classesName) &&
count($classesName) != count($cells))
die('ERROR: COUNT OF
CLASSES IS DIFFERENT OF COUNT OF CELLS');
if(is_array($aligns) &&
count($aligns) != count($cells))
die('ERROR: COUNT OF
ALIGNS IS DIFFERENT OF COUNT OF CELLS');
if(is_array($vAligns) &&
count($vAligns) != count($cells))

```

```

 die('ERROR: COUNT OF
VALIGNS IS DIFERENT OF COUNT OF CELLS');

 $style = '';
 if(is_array($inlineStyle)){
 foreach($inlineStyle as
$key => $value)
 $style .=
"$key: $value;";
 }

 $tableWidth = $this->atualPageWidth;// - ($this->leftMargin *
One_Cent + $this->rightMargin * One_Cent);
 //$/tableWidth -=
(BORDER_ALT*2 + PADDING_ALT_RIGHT +
PADDING_ALT_LEFT + BORDER_INSIDEH*2 +
BORDER_INSIDEV*2);
 $cellWidth =
floor($tableWidth / count($cells));

 $this->documentBuffer .= "<tr
style=\"mso-yfti-irow: $this->tableLastRow\">\n";
 for($i = 0; $i < count($cells);
$i++){
 $align =
is_array($aligns) ? $aligns[$i] : 'left';
 $vAlign =
is_array($vAligns) ? $vAligns[$i] : 'top';
 $classAttr =
is_array($classesName) ? "
class=\"$classesName[$i]\" : ";
 $this->documentBuffer
.= "<td width=\"$cellWidth\" align=\"$align\""
valign=\"$vAlign\""
style=\"$style\"{$classAttr}>$cells[$i]</td>\n";
 }
 $this->documentBuffer .=
"</tr>\n";

 $this->tableLastRow++;
 return $this->tableLastRow;
 } //end addTableRow()

 /**
 * public void endTable(void)
 */
 function endTable(){
 if(! $this->tableIsOpen)
 die('ERROR: TABLE IS
NOT STARTED');

 $this->documentBuffer .=
"</table>\n";

 $this->tableIsOpen = false;
 $this->tableLastRow = 0;
 } //end endTable()

 * begin private functions

 /**
 * private void endSession(void)
 */
 function endSession(){
 $this->documentBuffer .=
"</div>\n";
 } //end newSession()

 /**
 * private float endSession(int $pixels)
 * @param $pixels: number of pixels to
convert
 */
 function pixelsToPoints($pixels){
 $points = 0.75 *
floatval($pixels);
 return
number_format($points,2);
 } //end pixelsToPoints()

 /**
 * private void
 */
 function prepareDefaultHeader(void)
 {
 $this->formatBuffer .=
"p.normalText, li.normalText,
div.normalText{\n";
 $this->formatBuffer .= " mso-
style-parent: \"\";\n";
 $this->formatBuffer .= "
margin: 0cm;\n";
 $this->formatBuffer .= "
margin-bottom: 6pt;\n";
 }
}

```

```

 $this->formatBuffer .= " mso-
pagination: widow-orphan;\n";
 $this->formatBuffer .= " font-
size: {$this->fontSize}pt;\n";
 $this->formatBuffer .= " font-
family: \"{$this->fontFamily}\";\n";
 $this->formatBuffer .= " mso-
fareast-font-family: \"{$this->fontFamily}\\";\n";
 $this->formatBuffer .= " }\n\n";

 $this->formatBuffer .=
"table.normalTable{\n";
 $this->formatBuffer .= " mso-
style-name: \"Tabela com grade\";\n";
 $this->formatBuffer .= " mso-
tstyle-rowband-size: 0;\n";
 $this->formatBuffer .= " mso-
tstyle-colband-size: 0;\n";
 $this->formatBuffer .= "
border-collapse: collapse;\n";
 $this->formatBuffer .= " mso-
border-alt: solid windowtext {$this-
>tableBorderAlt}pt;\n";
 $this->formatBuffer .= " mso-
yfti-tbllook: 480;\n";
 $this->formatBuffer .= " mso-
padding-alt: 0cm {$this-
>tablePaddingAltRight}pt 0cm {$this-
>tablePaddingAltLeft}pt;\n";
 $this->formatBuffer .= " mso-
border-insideh: {$this->tableBorderInsideH}pt
solid windowtext;\n";
 $this->formatBuffer .= " mso-
border-insidev: {$this->tableBorderInsideV}pt
solid windowtext;\n";
 $this->formatBuffer .= " mso-
para-margin: 0cm;\n";
 $this->formatBuffer .= " mso-
para-margin-bottom: .0001pt;\n";
 $this->formatBuffer .= " mso-
pagination: widow-orphan;\n";
 $this->formatBuffer .= " font-
size: {$this->fontSize}pt;\n";
 $this->formatBuffer .= " font-
family: \"{$this->fontFamily}\";\n";
 $this->formatBuffer .= " }\n";
 $this->formatBuffer .=
"table.normalTable td{\n";
 $this->formatBuffer .= "
border: solid windowtext 1.0pt;\n";
 $this->formatBuffer .= "
border-left: none;\n";

 $this->formatBuffer .= " mso-
border-left-alt: solid windowtext .5pt;\n";
 $this->formatBuffer .= " mso-
border-alt: solid windowtext .5pt;\n";
 $this->formatBuffer .= "
padding: 0cm 5.4pt 0cm 5.4pt;\n";
 $this->formatBuffer .= " }\n\n";

 $this->formatBuffer .=
"table.tableWithoutGrid{\n";
 $this->formatBuffer .= " mso-
style-name: \"Tabela sem grade\";\n";
 $this->formatBuffer .= " mso-
tstyle-rowband-size: 0;\n";
 $this->formatBuffer .= " mso-
tstyle-colband-size: 0;\n";
 $this->formatBuffer .= "
border-collapse: collapse;\n";
 $this->formatBuffer .= "
border: none;\n";
 $this->formatBuffer .= " mso-
border-alt: none;\n";
 $this->formatBuffer .= " mso-
yfti-tbllook: 480;\n";
 $this->formatBuffer .= " mso-
padding-alt: 0cm {$this-
>tablePaddingAltRight}pt 0cm {$this-
>tablePaddingAltLeft}pt;\n";
 $this->formatBuffer .= " mso-
border-insideh: {$this->tableBorderInsideH}pt
solid windowtext;\n";
 $this->formatBuffer .= " mso-
border-insidev: {$this->tableBorderInsideV}pt
solid windowtext;\n";
 $this->formatBuffer .= " mso-
para-margin: 0cm;\n";
 $this->formatBuffer .= " mso-
para-margin-bottom: .0001pt;\n";
 $this->formatBuffer .= " mso-
pagination: widow-orphan;\n";
 $this->formatBuffer .= " font-
size: {$this->fontSize}pt;\n";
 $this->formatBuffer .= " font-
family: \"{$this->fontFamily}\\";\n";
 $this->formatBuffer .= " }\n\n";

 if($this->cssFile != ""){
 if(file_exists($this-
>cssFile))
 $this-
>formatBuffer .= file_get_contents($this-
>cssFile);
 }

```

```

} //end prepareDefaultHeader()

<**
 * private string getHeader(void)
 */
function getHeader(){
 $header = "";
 $header .= "<head>\n";
 $header .= "<meta http-
equiv=\"Content-Type\" content=\"text/html;
charset=$this->documentCharset\">\n";
 $header .= "<meta
name=\"ProgId\""
content="Word.Document">\n";
 $header .= "<meta
name=\"Generator\" content=\"$this-
>appName $this->appVersion\">\n";
 $header .= "<meta
name=\"Originator\" content=\"$this-
>appName $this->appVersion\">\n";
 $header .= "<!--[if !mso]>\n";
 $header .= "<style>\n";
 $header .= "v\:*"
{behavior:url(#default#VML);}\n";
 $header .= "o\:*"
{behavior:url(#default#VML);}\n";
 $header .= "w\:*"
{behavior:url(#default#VML);}\n";
 $header .= ".shape
{behavior:url(#default#VML);}\n";
 $header .= "</style>\n";
 $header .= "<![endif]-->\n";

 $header .= "<style>\n";
 $header .= "<!--\n";
 $header .= /* Style Definitions
*/\n";
}

$this-
>prepareDefaultHeader();

$header .= $this-
>formatBuffer ."\n";

$header .= "-->\n";
$header .= "</style>\n";
$header .= "</head>\n";

return $header;
} //end getHeader()

<**
 * private string getBody(void)
*/
function getBody(){
 $body = "";
 $body .= "<body lang=\"$this-
>documentLang\" style=\"tab-interval:
35.4pt\">\n";

 $body .= $this-
>documentBuffer . "\n";

 $body .= "</body>\n";

 return $body;
} //end getBody()
} //end class clsMsDocGenerator

/
***** *****
* constant definition

define('One_Cent', 28.35);//1cm = 28.35pt

//paper sizes in cm
define('A4_WIDTH', 21.0);
define('A4_HEIGHT', 29.7);
define('A5_WIDTH', 14.8);
define('A5_HEIGHT', 21.0);
define('LETTER_WIDTH', 21.59);
define('LETTER_HEIGHT', 27.94);
define('OFFICE_WIDTH', 21.59);
define('OFFICE_HEIGHT', 35.56);

/
***** *****
* functions definition

if(! function_exists('file_get_contents')){
 function file_get_contents($filename,
$useIncludePath = "", $context = ""){
 if(empty($useIncludePath)){
 return implode("",file($filename));
 }elseif(empty($content)){
 return implode("",file($filename,
$useIncludePath));
 }else{
}
}

```

```

 return implode("",file($filename,
$useIncludePath, $content));
 }
}//end file_get_contents()
}//end if

if(! function_exists('file_put_contents')){
 function file_put_contents($filename, $data){
 $file = fopen($filename, 'wb');
 $return = fwrite($file, $data);
 fclose($file);
 return $return;
 }
}//end file_put_contents()
} //end if
?> CommonFunctions.php
<?php

CLASS CommonFunctions{

/*
 * @param $sText : text containing
characters to be converted
*/
public function
replaceCharacters($sText){
 $cChars = array('ñ','Ñ','ó','Ó');
 $cReplacements =
array('ñ','Ñ','ó','Ó');
 $sNewText =
str_replace($cChars, $cReplacements , $sText);
 return $sNewText;
}

/* public array
showDateTime(datetime $a,datetime $b)
 * @param $a : The start date of the
range to be converted
 * @param $b: The end date of the
range to be converted
 * @param $alldayevent: If time is
specified or not
 * @param separator : default is null,
can accept
 to separate time and date
*/
public function showDateTime($a, $b,
$alldayevent,$separator = ""){
 //get month
 $mon1 = substr($a, 5, 2);
 $mon2 = substr($b, 5, 2);

 //get year
 $year1 = substr($a, 0, 4);
 $year2 = substr($b, 0, 4);

 //get date
 $date1 = substr($a, 8, 2);
 $date2 = substr($b, 8, 2);

 //year1 will be " if year1=year2
 if($year1 != $year2) $year = ",
". $year1;

 //save date
 if($mon1 == $mon2){
 if($date1 == $date2){
 //same day
 $range =
date("F d",strtotime($a)) .', '. $year2;
 } else{
 $range =
date("F d",strtotime($a)) .$year. date(" - F
d",strtotime($b)) .', '. $year2;
 }
 } else{
 $range =
date("F d",strtotime($a)) .$year. date(" - F
d",strtotime($b)) .', '. $year2;
 }

 if($alldayevent){
 //no arranged time so
disregard time indicated
 //do nothing
 } else{
 $range .= " at
.date("g:ia -
",strtotime($a)).date("g:ia",strtotime($b));
 }
 return $range;
}

/* public array
showDateTimeCompressed(datetime
$a,datetime $b)
 * @param $a : The start date of the
range to be converted
 * @param $b: The end date of the
range to be converted
 * @param $alldayevent: If time is
specified or not
 * @param separator : default is null,
can accept
 to separate time and date
 * gets date range except almost
exactly like showDateTime, just in 3-lettered
month form
*/
}

```

```

 public function
showDateTimeCompressed($a, $b,
$alldayevent,$separator = ""){
 //get month
 $mon1 = substr($a, 5, 2);
 $mon2 = substr($b, 5, 2);

 //get year
 $year1 = substr($a, 0, 4);
 $year2 = substr($b, 0, 4);

 //get date
 $date1 = substr($a, 8, 2);
 $date2 = substr($b, 8, 2);

 //year1 will be "" if year1=year2
 if($year1 != $year2) $year = ",
". $year1;

 //save date
 if($mon1 == $mon2){
 if($date1 == $date2){
 //same day
 $range =
date("M d",strtotime($a)) .', '. $year2;
 } else{
 $range =
date("M d",strtotime($a)) .$year. date(" -
d",strtotime($b)) .', '. $year2;
 }
 } else{
 $range =
date("M d",strtotime($a)) .$year. date(" - M
d",strtotime($b)) .', '. $year2;
 }

 if($alldayevent){
 //no arranged time so
 disregard time indicated
 //do nothing
 } else{
 $range .= $separator."
at ".date("g:ia -
",strtotime($a)).date("g:ia",strtotime($b));
 }
 return $range;
}

/***
 * public array getDisplayDate(date $a,
date $b, int $year, int $month = "")
 * @param $a: The start date of the
range to be converted
 * @param $b: The end date of the
range to be converted
 * @param $year: The constricting year
 * @param $month: The constricting
month
 * @param $showYear: Tells to show or
hide year on final output (true or false)
 * @return array: [0] The converted
date, [1] if "" (or within desired range), + (if
continuing) or ++ (if to be continued)
 * //this assumes that passed range
already matches desired range, and just needs
trimming
 */

```

```

//public function getDisplayDate($a,$b,
$year){
 public function getDisplayDate($a,$b,
$year,$month = "",$showYear = false){
 $ret = array(",");

 //get month
 $mon1 = substr($a, 5, 2);
 $mon2 = substr($b, 5, 2);

 //get year
 $y1 = substr($a, 0, 4);
 $y2 = substr($b, 0, 4);

 //get date
 $date1 = substr($a, 8, 2);
 $date2 = substr($b, 8, 2);

 $displayYear1 = "";
 $displayYear2 = "";

 //fit to desired year
 if($y1 != $y2) {
 //cut present range to
 fit range of year, e.g. year=2010, dec'09-jun'10
 <--> jan'10-jun'10+ or dec'10-sep'12 <-->
 dec'10-dec'10++
 if($y1 == $year){
 //range starts
 from year and ends on a diff year(i.e. next
 year)
 $date2 = '31';
 $mon2 = '12';
 $y2 = $year;
 $ret[1] = "++";
 } else{
 if($y2 ==
$year){

```



```

 $ret[0] =
CommonFunctions::_getRange($date1,$date2,
$mon1,$mon2,$year,$ret[1],$showYear);
 }
}
return $ret;
}

/**
 * private string _getRange(int $date1,
int $date2, date $a, date $b, boolean
showYear)
 * @param $date1: The start day of the
range to be converted
 * @param $date2: The end day of the
range to be converted
 * @param $month1: The start day of
the range to be converted
 * @param $month1: The end day of
the range to be converted
 * @param $showYear: Tells to show or
hide year on final output (true or false)
 * @ret string: display date
 * //this assumes that passed range has
year restriction thus receiving only one year
*/
public function
_getRange($date1,$date2,$month1,$month2,$
year,$sup,$showYear){
 if($month1 == $month2) {
 if($date1 == $date2){
 //same day
 $range =
date("F d",mktime(0, 0, 0, $month1, $date1));
 if($showYear)
 $range .= ', '.$year;
 if($sup == '+')
 $range .= '<sup>+'.mktime(0, 0, 0, $month1, $date1).date("F
d",mktime(0, 0, 0, $month1, $date1)).date("F
d",mktime(0, 0, 0, $month1, $date1));
 if($showYear)
 $range .= ', '.$year;
 } else {
 if($sup == '++')
 $range .= '<sup>++'.mktime(0, 0, 0, $month1, $date1).date("F
d",mktime(0, 0, 0, $month1, $date1)).date("F
d",mktime(0, 0, 0, $month1, $date1));
 if($showYear)
 $range .= ', '.$year;
 }
 } else{
 $range =
date("F d",mktime(0, 0, 0, $month1, $date1)) .
date("-d",mktime(0, 0, 0, $month2, $date2));
 if($showYear)
 $range .= ', '.$year;
 if($sup == '+')
 $range .= '<sup>+'.mktime(0, 0, 0, $month1, $date1).date("F
d",mktime(0, 0, 0, $month1, $date1)).date("F
d",mktime(0, 0, 0, $month2, $date2));
 if($sup == '++')
 $range .= '<sup>++'.mktime(0, 0, 0, $month1, $date1).date("F
d",mktime(0, 0, 0, $month1, $date1)).date("F
d",mktime(0, 0, 0, $month2, $date2));
 }
}
}

/**
 * private string _getRange(int $date1,
int $date2, date $a, date $b, boolean
showYear)
 * @param $date1: The start day of the
range to be converted
 * @param $date2: The end day of the
range to be converted
 * @param $month1: The start day of
the range to be converted
 * @param $month1: The end day of
the range to be converted
 * @param $showYear: Tells to show or
hide year on final output (true or false)
 * @param $year2: Year of publish
down
 * @ret string: display date
*/
public function
_getArchivedEventRange($date1,$date2,$mont
h1,$month2,$year,$sup,$showYear,$year2){
 if($year != $year2){
 $range = date("F d, Y -
",
mktime(0,0,0,$month1,$date1,$year)).date("F
d, Y", mktime(0,0,0,$month2,$date2,$year2));
 return $range;
 }else{
 if($month1 ==
$month2) {
 if($date1 ==
$date2){
 //same
day

```

```

 $range
= date("F d",mktime(0, 0, 0, $month1,
$date1));
 if($showYear) $range .= ', '.$year;
 if($sup
== '+'){ $range .= '^{+'.}';
} else{
 if($sup == '++') $range .= '^{+'.}';
}
} else{
 $range
= date("M d",mktime(0, 0, 0, $month1,
$date1)) . date("-d",mktime(0, 0, 0, $month2,
$date2));
 if($showYear) $range .= ', '.$year;
 if($sup
== '+'){ $range .= '^{+'.}';
} else{
 if($sup == '++') $range .= '^{+'.}';
}
} else {
 $range =
date("F d",mktime(0, 0, 0, $month1,
$date1,$year)) . date(" - F d",mktime(0, 0, 0,
$month2, $date2,$year2));
 if($showYear)
$range .= ', '.$year;
 if($sup == '+')
{ $range .= '^{+'.}';
} else{
 if($sup
== '++') $range .= '⁺⁺';
}
} else
return $range;
}

}

/***
 * reccurtype AS rType,reccurday AS
rDay, reccurweekdays AS rWDay, reccurweeks
AS rWeek
*/
/*
public function processRType($rType,
$rDay, $rWDay, $rWeek){
switch($rType){
 case '0' : //do nothing,
assumed that will not be passed here either
break;
 case '1' : //1* per week
if($rDay == '-1'){
//by day number
 $interval = "Every "._getDay($rDay);
 $arr =
explode($rWeek);
 $interval . = (sizeof($arr) == 1)? "week ".$arr[0] : " weeks ".implode(',', $arr);
} else{
}
break;
}
}

public function _getDay($date){
 $days = array("0"=>"Sunday",
"1"=>"Monday", "2"=>"Tuesday",
"3"=>"Wednesday", "4"=>"Thursday",
"5"=>"Friday", "6"=>"Saturday");
 return $days[$date];
}
*/
?> dashboard_administrator.php
<html>
<head>
<link rel="stylesheet"
href="css/dashboard.css" type="text/css" />
<script type="text/javascript"
src="js/changePage.js"></script>
</head>
<body>
<?php include "get_header.php"?>
<h2><?php echo $name." (" . $username. ") "?>
</h2>

<!-- FIRST DIV-->
<div class="content">
<div id="left">
<div id="object1">
 <div id="avatar">
 <?php
switch($avatar){
 case
'pendingAvatar': //pending
echo
'<img class="imageResize" src="".

```

```

$_header.'/components/com_comprofiler/plugin
/templates/default/images/avatar/pending_n.pn
g" alt="'.$name.'" class="cbFullPict">>';

 break;
 case
'empty': //no picture
 echo
'!['.$name.']('.
$_header.'/components/com_comprofiler/plugin
/templates/default/images/avatar/nophoto_n.pn
g)>';

 break;
 default:
 echo
'>';
}
?>

</div>
<a
href="javascript:changePage(<?php echo
$userId;?>,196)" target="_parent">My
Account Details

<a href="<?php echo
$_header;?>/index.php?
option=com_comprofiler&Itemid=121"
target=_parent">My Public Profile

<a
href="javascript:changePage(<?php echo
$userId;?>,181)" target=_parent">Edit
Account Details
</div>
</div>
<!-- SECOND DIV-->
<div id="right">
<div id="object3">
 <div class="heading">
 <hr class="hoorah">
 <label>Personal
 </label>
 <hr class="hoorah">
 </div>

 <a
href="javascript:changePage(<?php echo
$userId;?>,184)" target=_parent">My Events

</pre>

<?php echo
($eventCount == 0)?'' : [<a
href="javascript:changePage('.$userId.',180)"
target=_parent">'.$eventCount.'
pending] ;?>

 <span class="hasTip"
title="My Events :: Events that you are
attending.">

 <?php echo " ".
$allEvents." Events ";?>

<div class="heading">
<hr class="hoorah">
<label>Administrative
 </label>
 <hr class="hoorah">
 </div>

 <a
href="javascript:changePage(<?php echo
$userId;?>,171)" target=_parent">Manage
Staff

 <a
href="javascript:changePage(<?php echo
$userId;?>,152)" target=_parent">View
Archives

 <a
href="javascript:changePage(<?php echo
$userId;?>,167)" target=_parent">Manage
Downloads

 <a
href="javascript:changePage(<?php echo
$userId;?>,170)" target=_parent">Manage
Miscellaneous Tasks

 <hr>


```

```


 <a href="javascript:changePage(<?php echo $userID;?>,172)" target="_parent">Manage Users

 <?php $reqLine = ($userCount == 1 || $userCount == 0)? $userCount.' User': $userCount.' Users'; ?>
 <?php echo " ".$reqLine." ";?>

 <a href="javascript:changePage(<?php echo $userID;?>,202)" target="_parent">NEW VOLUNTEER -
 <a href="javascript:changePage(<?php echo $userID;?>,203)" target="_parent">NEW REPRESENTATIVE

 <?php
 $query = "SELECT c.id FROM jos_comprofiler as c WHERE c.approved=0 AND c.confirmed=1";
 $result = mysql_query($query);
 if(mysql_num_rows($result) != 0) {
 ?>
 - <a href="<?php echo $header?>/index.php?option=com_comprofiler&task=pendingapprovaluser" target="_parent">Pending Users
 <?php
 }
 $query = "SELECT reportid FROM jos_comprofiler_userreports WHERE reportedstatus=0";
 $result = mysql_query($query);
 if(mysql_num_rows($result) != 0) {
 ?>
 - <a href="<?php echo $header?>/index.php?option=com_comprofiler&task=moderatereports" target="_parent">Pending Reports
 <?php
 }
 }
 $query = "SELECT id FROM jos_comprofiler WHERE avatarapproved=0 AND approved=1 AND confirmed=1 AND banned=0";
 $result = mysql_query($query);
 if(mysql_num_rows($result) != 0) {
 ?>
 - <a href="<?php echo $header?>/index.php?option=com_comprofiler&task=moderateimages" target="_parent">Pending Images
 <?php
 }

<hr>

 <a href="javascript:changePage(<?php echo $userID;?>,136)" target="_parent">Manage Organizations

 <?php $reqLine = ($allOrgs == 1 || $allOrgs == 0)? $allOrgs.' Organization': $allOrgs.' Organizations'; ?>
 <?php echo " ".$reqLine." ";?>
 <?php $reqLine2 = ($pendingOrgs == 1 || $pendingOrgs == 0)? "(

```

```

" . $pendingOrgs.' Pending Profile': " , ".
$pendingOrgs.' Pending Profiles'; ?>
 <?php echo
($pendingOrgs == 0)?:"" .
$reqLine2."";?>
 <?php echo
($pendingContactP == 0)?:" , ".
$pendingContactP." Pending
Contacts";?>

 <a
 href="javascript:changePage(<?php echo
$userId;?>,204)" target="_parent">NEW
PROFILE

 <hr>

 <a
 href="javascript:changePage(<?php echo
$userId;?>,126)" target="_parent">Manage
Requests
 <span
 class="hasTip" title="Request :: A submitted
request by a third-party organization stating
interest in partnership for an event.">

 <?php $reqLine =
($allRequests == 1 || $allRequests == 0)?
$allRequests.' Request': $allRequests.'
Requests'; ?>
 <?php echo
" ".$reqLine."";?>
 <?php echo
($allPendingRequests == 0)?:" , ".
$allPendingRequests." Pending ";?>
 <div
 id="box">
 <b
 class="btop">
 <a
 href="javascript:changePage(<?php echo
$userId;?>,97)" target="_parent">NEW
REQUEST
 <b
 class="bbot">
 </div>

 <hr>

 <a href="<?php echo
$_header?>/index.php?
option=com_events&task=admin"
target=_parent">Manage Events
 <!--
http://localhost/pahinungod_cb/index.php?
option=com_events&task=admin&year=2011
&month=04&day=05&Itemid=0-->
 <span class="hasTip"
title="Events :: Ongoing and upcoming
events.">

 <?php
if($pendingRecommendations > 0){
 echo
'<a href="javascript:changePage('.
$userId.',216)" target=_parent">Awaiting
Recommendations';
}
if($pendingSignups >
0){
 if($pendingRecommendations) echo ' -
';
 echo '<a
 href="javascript:changePage('. $userId.',245)"
 target=_parent">Pending Sign-ups - ';
 } else echo ' - ';
}
?>
 <a href="<?php echo
$_header?>/index.php?
option=com_events&task=add&Itemid=104"
target=_parent">Add Event

 <hr>
 <!--

 <a
 href="javascript:changePage(<?php echo
$userId;?>,126)" target=_parent">Manage
Proposals

```

```

 <span class="hasTip"
title="Proposals :: A submitted event proposal
by a Pahinungod member.">

<hr>
-->
</div>
<br class="balancer"/>
</div>

<div class="content">
<?php
 $userID = $id;// to match var in
match_preference.php
 //include "match_preference.php";
?>
</div>
</body>
</html>
</body>
</html> dashboard_index.php
<script type="text/javascript"
src="js/changePage.js"></script>
<script type="text/javascript" src="js/jquery-
1.4.2.min.js"></script>
<script type="text/javascript"
src="js/subscribe.js"></script>
<?php $userID = $_GET['param2'];?>
<?php
 include "j_connection.php";
 include "get_header.php";
 $id = $_GET['param2'];

 $result = mysql_query("SELECT
banned FROM jos_comprofiler WHERE
id='$id'");
 $row = mysql_fetch_array($result);

?>
 <input type="hidden" name="userID"
id="userID" value="<?php echo $id;?>" />
 <?php
 if($row['banned'] == '1'){
 //if profile is banned
 ?>

```

```


 <h2 style="color:#4BA123;text-
align:center;">This profile is banned.
Redirecting...</h2>
 <script>
 function sendPage(){

 parent.window.location = "<?php echo
$_header;?>" + "/index.php?
option=com_comprofiler&Itemid=121";
 }
 sendPage();
 </script>
 <?php
 } else{
 $result = mysql_query("SELECT
usertype FROM jos_users WHERE id='$id'");
 $row =
mysql_fetch_array($result);
 $isChairperson = $isVolunteer
= $isCoordinator = $isAdmin = false;
 if($row['usertype'] ==
"Representative"){
 $isRepresentative =
true;
 //echo "asdasfsdfas";
 } else{
 if($row['usertype'] ==
"Chairperson"){
 $isChairperson
= true;
 //echo "kkk";
 } else{
 if($row['usertype'] == "Volunteer"){
 $isVolunteer = true;
 //echo
"asdasfsdfas"."1";
 }
 $isChairperson
= $isRepresentative = false;
 $result =
mysql_query("SELECT Vol_ID,Position,Remarks
FROM jos_staff WHERE Vol_ID='$id'");
 $numRow =
mysql_num_rows($result);
 if($numRow !=

0){
 //user
to visit is a staff

```



```

 include
 break;
"dashboard_chairperson.php";
 } else{
 case
 'empty': //no picture
 echo
 '<img src="".
$_header./components/com_comprofiler/plugin
/templates/default/images/avatar/nophoto_n.pn
g" alt="'.$name.'" class="cbFullPict">';
 }
 }
 }
 }
}
break;
default:
echo
'';
}
?>

</div>
<a
href="javascript:changePage(<?php echo
$userId;?>,196)" target="_parent">My
Account Details

<a href="javascript:sendto('?
php echo $_header;?>/index.php?
option=com_comprofiler&Itemid=121')"
target="_parent">My Public Profile

<a
href="javascript:changePage(<?php echo
$userId;?>,181)" target="_parent">Edit
Account Details
</div>
</div>
<!-- SECOND DIV-->
<div id="right">
<div id="object3">
<div class="heading">
<hr class="hoorah">
<label>Affiliation
Management</label>
<hr class="hoorah">
</div>
<div id="object4">

<a
href="javascript:changePage(<?php echo
$userId;?>,134)" target="_parent">My
Organization
<span class="hasTip"
title="My Organization :: Third-party
organization(s) that you represent.">
</pre>

```

```


 <?php echo
($eventCount == 0)??" :" [<a
href="javascript:changePage('.$userID.',180)"
target="_parent">".$eventCount.'
pending] ;?>

 <?php echo " ".$approvedCount."
Organizations ";?>
 <?php echo
($pendingCount == 0)?:" , ".$pendingCount."
Pending ";?>
 <div
id="box">
 <b
class="btop">
 <a
href="javascript:changePage(<?php echo
$ userID;?>,132)" target="_parent">NEW
ORGANIZATION
 <b
class="bbot">
 </div>

 <hr
class="hoorah">
 <?php
 //if($approvedCount){
 ?>

 <a
href="javascript:changePage(<?php echo
$ userID;?>,71)" target="_parent">My
Requested Events
 <span
class="hasTip" title="My Requested Events ::

Request for events you want to materialize in
partnership with Pahinungod.">

 <?php $reqLine
= ($requestsCount == 1 || $requestsCount ==
0)? $requestsCount.' Request':
$requestsCount.' Requests'; ?>
 <?php echo " ".$reqLine." ";?>
 <?php echo
($pendingRequests == 0)?:" , ".$pendingRequests."
Pending ";?>
 <div
id="box">
 <b
class="btop">
 <a
href="javascript:changePage(<?php echo
$ userID;?>,70)" target="_parent">NEW
REQUEST
 <b
class="bbot">
 </div>

 <?php
 //}
 ?>
 <hr
class="hoorah">

 <a
href="javascript:changePage(<?php echo
$ userID;?>,183)" target="_parent">My
Program Preferences
 <span
class="hasTip" title="My Program
Preferences :: Program categories you are
interested in. You will receive notifications
when new programs from your selected
categories are posted.">

 <hr
class="hoorah">
 </div>
 <br style="clear:both;"/>
 </div>
<!-- UPCOMING PROGRAMS -->

```

```

<?php
 $userID = $id;// to match var in
match_preference.php
 include "match_preference.php";
?>

</body>
</html>
dashboard_volunteer.php
<html>
<head>
 <link rel="stylesheet"
href="css/dashboard.css" type="text/css" />
</head>
<body>
<?php include "get_header.php"?>

<h2><?php echo $name." (".$username.") "?>
</h2>

<!-- FIRST DIV-->
<div id="content">
 <div id="left">
 <div id="object1">
 <div id="avatar">
 <?php
 switch($avatar){
 case
'pendingAvatar': //pending
 echo
 '<img src="".
$_header.'/components/com_comprofiler/plugin
/templates/default/images/avatar/pending_n.pn
g" alt="'.$name.'" class="cbFullPict">';

 break;
 case
'empty': //no picture
 echo
 '<img src="".
$_header.'/components/com_comprofiler/plugin
/templates/default/images/avatar/nophoto_n.pn
g" alt="'.$name.'" class="cbFullPict">';

 break;
 default:
 echo
 '';
 }
 ?>

 </div>
 <a href="javascript:changePage(<?php echo
$ userID;?>,196)" target="_parent">My
Account Details

 <a href="<?php echo
$_header;?>/index.php?
option=com_comprofiler&Itemid=121"
target="_parent">My Public Profile

 <a
href="javascript:changePage(<?php echo
$ userID;?>,181)" target="_parent">Edit
Account Details
 </div>
 <!-- SECOND DIV-->
 <div id="right">
 <div id="object3">
 <div class="heading">
 <hr class="hoorah">
 <label>Settings</label>
 <hr class="hoorah">
 </div>

 <a
href="javascript:changePage(<?php echo
$ userID;?>,74)" target="_parent">My Events

 <?php echo
($eventCount == 0)?'' : [<a href="".
$_header.'/index.php?
option=com_wrapper&view=wrapper&Itemid=
180" target="_parent">'.$eventCount.'.
pending] ;?>
 <span
class="hasTip" title="My Events :: Events that
you signed-up for or was invited to.">

 <?php echo " ".$allEvents." Events
" ;?>

 </div>
 </div>
 </div>
</div>

```

```


 <a href="javascript:changePage(<?php echo $userID;?>,145)" target="_parent">My Organizations
 <?php echo ($eventCount == 0)?:" ['.$eventCount.' pending] ";?>

 <?php echo " ".$approvedCount." Organizations ";?>
 <?php echo ($pendingCount == 0)?:" , ".$pendingCount." Pending ";?>
 <div id="box">
 <b class="btop">
 <a href="javascript:changePage(<?php echo $userID;?>,146)" target="_parent">NEW REQUEST
 <b class="bbot">
 </div>
 <b class="btop">
 <a href="javascript:changePage(<?php echo $userID;?>,144)" target="_parent">NEW ORGANIZATION
 <b class="bbot">
 <div>

 <?php //if($approvedCount){ ?>

 <a href="javascript:changePage(<?php echo $userID;?>,148)" target="_parent">My Requested Events

 <?php $reqLine = ($requestsCount == 1 || $requestsCount == 0)? $requestsCount.' Request': $requestsCount.' Requests'; ?>
 <?php echo " ".$reqLine." ";?>
 <?php echo ($pendingRequests == 0)?:" , ".$pendingRequests." Pending ";?>
 <div id="box">

 <a href="javascript:changePage(<?php echo $userID;?>,146)" target="_parent">NEW REQUEST

 <div>

 <?php //}>

 <?php //}>
 </div>
 <hr>

 <a href="javascript:changePage(<?php echo $userID;?>,183)" target="_parent">My Program Preferences

 <hr>
 </div>

 <?php //}>

 <?php //}>


```

```

 </div>
 </div>
 <br style="clear:both;" />
</div>

<!-- UPCOMING PROGRAMS -->

<?php
 //echo "dashboard volunteer:".$id;
 $userID = $id;// to match var in
match_preference.php
 include "match_preference.php";
?>

</body>
</html> delete_organization_admin.php
<?php

 session_start();
 $id = $_GET['id'];
 include "j_connection.php";

 $query = "DELETE from
jos_organization WHERE Org_ID ='$id'";
 mysql_query($query) or die ("DELETE
error:" .mysql_error());
 $query = "DELETE from
jos_party_membership WHERE Org_ID ='$id'";
 mysql_query($query) or die ("DELETE
error:" .mysql_error());

 mysql_close($link);
 echo "Successfully deleted the entry.";
 //checked
?> delete_organization_contactReqScript.php
<?php

 session_start();
 $orgID = $_GET['orgID'];
 $repID = $_GET['repID'];
 include "j_connection.php";

 $query = "DELETE from
jos_party_membership WHERE Org_ID
 ='$orgID' AND Rep_ID=' $repID'";
 mysql_query($query) or die ("DELETE
error:" .mysql_error());

 mysql_close($link);
 echo "Successfully deleted the entry.";
?>
delete_organization_repScript.php

<?php
 session_start();
 $id = $_GET['id'];
 include "j_connection.php";

 echo $id;
 $query = "DELETE from
jos_organization WHERE Org_ID ='$id'";
 mysql_query($query) or die ("DELETE
error:" .mysql_error());
 $query = "DELETE from
jos_party_membership WHERE Org_ID ='$id'";
 mysql_query($query) or die ("DELETE
error:" .mysql_error());

 mysql_close($link);
 echo "Successfully deleted the entry.";
 //checked
?>
delete_request_admin.php
<?php
 include "get_header.php";
 include "j_connection.php";
?>
<script>
 function submit(eventID){
 document.form1.action = "<?
 php echo $_header; ?>/index.php?
 option=com_events&task=deleteRequest";
 document.form1.submit();
 }
</script>
<?php
 $eventID = $_POST['eventID'];
 $category = $_POST['category'];
 $subject = $_POST['subject'];
 $userID = $_POST['userID'];
 $message = $_POST['message'];

 echo "Successfully deleted request!";
 mysql_close($link);
?>
<form action="" id="form1" name="form1"
method="POST" target="_parent">
 <input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?>"/>
 <input type="hidden" id="category"
name="category" value="<?php echo
$category;?>"/>

```

```

 <input type="hidden" id="userID"
name="userID" value="<?php echo $userID;?>"/>
 <input type="hidden" id="message"
name="message" value="<?php echo
$message;?>"/>
 <input type="hidden" id="subject"
name="subject" value="<?php echo
$subject;?>"/>
</form>
<script>
 submit('<?php echo $eventID;?>');
</script> <link rel="stylesheet"
href="css/uniform.css" type="text/css" />
<?php
 include "get_header.php";
 include "j_connection.php";
?>
<script>
 function submit(eventID){
 document.form1.action = "<?
php echo $_header; ?>/index.php?
option=com_events&task=rejectRequest&Item
id="+ eventID +"&Status=0";
 document.form1.submit();
 }
</script>
<?php
 $eventID = 2;
 $eventID = $_POST['eventID'];
 $category = $_POST['category'];
 $userID = $_POST['userID'];
 $comments = $_POST['comments'];

 $query = "UPDATE jos_events SET
modified_by='$_userID',modified=NOW(),access
='1' WHERE id='$_eventID'";
 mysql_query($query) or die ("UPDATE
error:" .mysql_error());

 $query = "UPDATE jos_request SET
Status='Rejected',Date_processed=NOW(),Co
mments='$_comments' WHERE
Event_ID='$_eventID'";
 mysql_query($query) or die ("UPDATE
error:" .mysql_error());

 mysql_close($link);

?>
<h3 class="pageTitle">View Event
Request</h3>

```

```

<hr width="630px"
color="#006600"/>
<hr width="500px"
color="#009900"/>

<div style="color:#4BA123; text-
align:center;">

<h3>
Please wait! Processing...
</h3>
</div>
<form action="" id="form1" name="form1"
method="POST" target="_parent">
 <input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?>"/>
 <input type="hidden" id="comments"
name="comments" value="<?php echo
$comments;?>"/>
 <input type="hidden" id="userID"
name="userID" value="<?php echo $userID;?>"/>
 <input type="hidden" id="ToDo"
name="ToDo" value="<?php echo "reject";?>
"/>
</form>
<script>
 submit('<?php echo $eventID;?>');
</script> doc_annual_report.php
<?php
 $year = $_GET['year'];
 $month = "";

require_once('clsMsDocGenerator.php');
 include 'sample_union.php';

/* SET PAGE HEADER */

 $title = '<center>University of the Philippines
Manila
';
 $title .= 'Ugnayan ng
Pahinungód

';
 $title .= 'Program
Accomplishment for the Year '.
$year.'</center>';
 $doc = new clsMsDocGenerator();

```

```

require_once('css/annual_report.php'); //all
frequently used styles and variables are here
$doc->addParagraph($title);

$doc->addParagraph("
");
$doc->addParagraph("
");

/* ----- */

/* ADD TABLE FOR EACH PACKAGE */
$doc->addParagraph('Educational Assistance
Program');
$doc->addParagraph('<p>The
Educational Assistance Program seeks to
improve the quality of public educational
system in terms of skill enhancement and
manpower augmentation. Under this cluster
are the Gurong Pahinungód Program, Teachers
Development Program, and Tutorial Service
Program.</p>');

$legend = '';

$doc->addParagraph('<u>Gurong Pahinungód
Program</u>');
$doc->addParagraph('<p>Summary:
</p>');
foreach ($STAT_GP as $key => $value)
{
 $doc->addParagraph($key.' : '.
$value, $summary);
}
$doc->addParagraph('</p>');
$doc->addParagraph('<p>In '.$year.',

the highlights of the program are:</p>');
$doc->addParagraph('
');

if(!empty($GP)) {
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
 for($i = 0; $i < $ctrl1; $i++){
 $doc-
>addTableRow($GP[$i], NULL, NULL,
$rowTextAlign);
 }
 $doc->endTable();
 $legend = '';
 if($leg1[0]) $legend .= "+

Continued Event ";
}

if($leg1[1]) $legend .= "
+
+ Still to be continued Event ";
$doc->addParagraph($legend,
$s_legend);
//$doc-
>addParagraph("<p>There were ".
$STAT_GP['Batches Deployed']."' batches
deployed.</p>");

} else{
 $doc->addParagraph("*** NO
EVENTS ***",$noEvents);
}

$doc->addParagraph('
');
$doc->addParagraph('<u>Teachers
Development Program</u>');
$doc->addParagraph('<p>Summary:
</p>');
foreach ($STAT_TDP as $key =>
$value){
 $doc->addParagraph($key.' : '.
$value, $summary);
}
$doc->addParagraph('<p>In '.$year.',

the highlights of the program are:</p>');
$doc->addParagraph('
');

if(!empty($TDP)) {
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
 for($i = 0; $i < $ctr2; $i++){
 $doc-
>addTableRow($TDP[$i], NULL, NULL,
$rowTextAlign);
 }
 $doc->endTable();
 if($leg2[0]) $doc-
>addParagraph("+ Continuation ",$s_legend);
 if($leg2[1]) $doc-
>addParagraph("
++ + Still ongoing",
$s_legend);
 //$/doc-
>addParagraph("<p>There were a total of ".
$STAT_TDP['Attendees']."' teachers from ".
$STAT_TDP['Partner Schools']."' schools that
benefited from the event.</p>");

} else{
 $doc->addParagraph("*** NO
EVENTS ***",$noEvents);
}

```

```

}

$doc->addParagraph('
');
$doc->addParagraph('<u>Tutorial Service
Program</u>');
$doc->addParagraph('<p>Summary:
</p>');
foreach ($STAT_TUT as $key =>
$value){
 $doc->addParagraph($key.' : '. $value, $summary);
}
$doc->addParagraph('<p>In '.$year.', the highlights of the program are:</p>');
$doc->addParagraph('
');

if(!empty($TUT)) {
 $doc->startTable();
 $doc->addTableRow($header, $aligns, $valigns, array('font-weight' => 'bold'));
 for($i = 0; $i < $ctr3; $i++){
 $doc-
>addTableRow($TUT[$i], NULL, NULL, $rowTextAlign);
 }
 $doc->endTable();
 if($leg3[0]) $doc-
>addParagraph("+ Continuation ",$s_legend);
 if($leg3[1]) $doc-
>addParagraph("
++ + Still ongoing",
$s_legend);
 //$/doc-
>addParagraph("<p>There were a total of ".
$STAT_TUT['Assisted Children']."' children from ".
$STAT_TUT['Partner Institutions']."' institutions that benefited from the event.</p>");
} else{
 $doc->addParagraph("''' NO EVENTS '''",$noEvents);
}
$doc->addParagraph('
');
$doc->addParagraph('
');
$doc->addParagraph('Community Health Program');
$doc->addParagraph('<p>The Community Health Program provides direct assistance and sharing of knowledge to help in alleviating the existing health concerns of communities that lack medical facilities and expertise. Health mission, Health Training,

```

Health Education and Emergency Room Volunteers are the sub-programs of the Community Health Program.</p>');

\$doc->addParagraph('<br>');

\$doc->addParagraph('<span
class="cName"><u><b>Health Mission</b></u></span>');
\$doc->addParagraph('<p>Summary:
</p>');
\$total = \$med + \$dent + \$majS + \$minS;
\$hmReport = " Medical Missions : ".\$med;
\$hmReport .= "<br>." Dental Missions : ".\$dent;
\$hmReport .= "<br>." Major Surgical Missions : ".\$majS;
\$hmReport .= "<br>." Minor Surgical Missions : ".\$minS;
\$hmReport .=
"<br>." \_\_\_\_\_<br>";
\$hmReport .= "With a TOTAL of ".
\$STAT\_HM['Total Health Missions Deployed']."' missions for ".\$total." beneficiaries.";
\$doc->addParagraph(\$hmReport, \$hmReportAlign);

\$doc->addParagraph('<p>In '.\$year.', the highlights of the program are:</p>');
\$doc->addParagraph('<br>');

if(!empty(\$HM)) {
 \$doc->startTable();
 \$doc->addTableRow(\$header, \$aligns, \$valigns, array('font-weight' => 'bold'));
 for(\$i = 0; \$i < \$ctr4; \$i++){
 \$doc-
>addTableRow(\$HM[\$i], NULL, NULL, \$rowTextAlign);
 }
 \$doc->endTable();
 if(\$leg4[0]) \$doc-
>addParagraph("+ Continuation ",\$s\_legend);
 if(\$leg4[1]) \$doc-
>addParagraph("<br>++ + Still ongoing",
\$s\_legend);
} else{
 \$doc->addParagraph("''' NO EVENTS '''",\$noEvents);
}

```

$doc->addParagraph('
');
$doc->addParagraph('<u>Health Education and
Health Training</u>');
$doc->addParagraph('<p>Summary:
</p>');
foreach ($STAT_HT as $key => $value)
{
 $doc->addParagraph($key.' :'.
$value, $summary);
}
$doc->addParagraph('<p>In '.$year.',

the highlights of the program are:</p>');
$doc->addParagraph('
');
if(!empty($HT)) {
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
 for($i = 0; $i < $ctr5; $i++){
 $doc-
>addTableRow($HT[$i], NULL, NULL,
$rowTextAlign);
 }
 $doc->endTable();
 if($leg5[0]) $doc-
>addParagraph(" + Continuation ",$s_legend);
 if($leg5[1]) $doc-
>addParagraph("
++ + Still ongoing",
$s_legend);
 // $doc-
>addParagraph("<p>There were a total of ".
$STAT_HT['Participants']."' participants that
benefited from the event.</p>");
} else{
 $doc->addParagraph(" *** NO
EVENTS ***,$noEvents);
}

$doc->addParagraph('
');
$doc->addParagraph('<u>Emergency Room
Volunteers (ERVP)</u>');
$doc->addParagraph('<p>Summary:
</p>');
foreach ($STAT_ERVP as $key =>
$value){
 $doc->addParagraph($key.' :'.
$value, $summary);
}
$doc->addParagraph('<p>In '.$year.',

the highlights of the program are:</p>');
$doc->addParagraph('
');

if(!empty($ERVP)) {
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
 for($i = 0; $i < $ctr6; $i++){
 $doc-
>addTableRow($ERVP[$i], NULL, NULL,
$rowTextAlign);
 }
 $doc->endTable();
 if($leg7[0]) $doc-
>addParagraph(" + Continuation ",$s_legend);
 if($leg7[1]) $doc-
>addParagraph("
++ + Still ongoing",
$s_legend);

} else{
 $doc->addParagraph(" *** NO
EVENTS ***,$noEvents);
}

$doc->addParagraph('
');
$doc->addParagraph('<u>Community Social
Welfare Program</u>');
$doc->addParagraph('<p>The
Community Social Welfare Program aims to
promote the interest and welfare of
marginalized sectors of the society and
enlighten the volunteers with some realities of
life.</p>');

$doc->addParagraph('
');
$doc->addParagraph('<u>Summer Immersion
Service Program (SISP)</u>');
$doc->addParagraph('<p>In '.$year.',

the highlights of the program are:</p>');
$doc->addParagraph('
');

if(!empty($SISP)) {
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
 for($i = 0; $i < $ctr7; $i++){
 $doc-
>addTableRow($SISP[$i], NULL, NULL,
$rowTextAlign);
 }
}

```

```

 $doc->endTable();
 if($leg7[0]) $doc-
>addParagraph(" + Continuation ",$s_legend);
 if($leg7[1]) $doc-
>addParagraph("
++ + Still ongoing",
$s_legend);

 }else{
 $doc->addParagraph(" *** NO
EVENTS ***",$noEvents);
 }

 $doc->addParagraph('
');
 $doc->addParagraph('<u>Program for the
Street Children</u>');
 $doc->addParagraph('<p>Summary:
</p>');
 foreach ($STAT_SK as $key => $value)
{
 $doc->addParagraph($key.' : '..
$value, $summary);
}
 $doc->addParagraph('<p>In '.$year.',

the highlights of the program are:</p>');
 $doc->addParagraph('
');

 if(!empty($SK)) {
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
 for($i = 0; $i < $ctr8; $i++){
 $doc-
>addTableRow($SK[$i], NULL, NULL,
$rowTextAlign);
 }
 $doc->endTable();
 if($leg8[0]) $doc-
>addParagraph(" + Continuation ",$s_legend);
 if($leg8[1]) $doc-
>addParagraph("
++ + Still ongoing",
$s_legend);
 // $doc-
>addParagraph("<p>There were a total of ".
$STAT_SK['Beneficiaries']." children from ".
$STAT_SK['Partner Institution']."' institutions
that benefited from the event.</p>");
 }else{
 $doc->addParagraph(" *** NO
EVENTS ***",$noEvents);
 }
}

```

```

 $doc->addParagraph('
');
 $doc->addParagraph('Advocacy
Program');
 //if($STAT_API['Beneficiaries'] != "" ||
$STAT_API['Partner Institution'] != "") $doc-
>addParagraph("<p>There were a total of ".
$STAT_API['Beneficiaries']." children from ".
$STAT_API['Partner Institution']."' institutions
that benefited from the event.</p>");
 if($STAT_AP['Beneficiaries'] != "" ||
$STAT_AP['Partner Institution'] != "") {
 $doc-
>addParagraph('<p>Summary: </p>');
 foreach ($STAT_AP as $key =>
$value){
 $doc-
>addParagraph($key.' : '.$value, $summary);
 }
 }
 $doc->addParagraph('<p>This
program promotes and campaigns for
volunteerism within the University and in some
concerned sectors of the society. It has several
publications that inform, encourage and inspire
others to get involved with volunteer work.
Every quarter, the office releases its newsletter
entitled "Ang Pahinungód". Other publications
are "Volunteerism in Action," book series and
"Annual Report."</p>');
 if(!empty($AP)) {
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
 for($i = 0; $i < $ctr9; $i++){
 $doc-
>addTableRow($AP[$i], NULL, NULL,
$rowTextAlign);
 }
 $doc->endTable();
 if($leg9[0]) $doc-
>addParagraph(" + Continuation ",$s_legend);
 if($leg9[1]) $doc-
>addParagraph("
++ + Still ongoing",
$s_legend);
 } else{
 $doc->addParagraph(" *** NO
EVENTS ***",$noEvents);
 }
 }

```

```

 $doc->addParagraph('ADMINISTRATIVE AND
OTHER CONCERNS');
 if(!empty($AAOC)) {
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
 for($i = 0; $i < $ctr10; $i++){

 $doc-
>addTableRow($AAOC[$i], $rowAlign, NULL,
$rowTextAlign);
 }
 $doc->endTable();
 } else{
 $doc->addParagraph("**** NO
EVENTS ****,$noEvents);
 }

/* ----- */
/* **** OUTPUT LEGEND ***** */
$legend = "";
if($leg10[0]) $legend .= "+Continued Event ";
if($leg10[1]) $legend .= "
++ Still to be continued Event ";
$doc->addParagraph($legend,
$s_legend);

/* ----- */
/* ----- */

$doc->output();
?> doc_monthly_report.php <?php

$year = $_GET['year'];
$month = $_GET['month'];

require_once('clsMsDocGenerator.php');
 include 'sample_union.php';
/* SET PAGE HEADER */

$title = '<center>University of the Philippines
Manila
';
$title .= 'Ugnayan ng
Pahinungód

';
$title .= 'Accomplishment Report for the
month of '.date("F", mktime(0, 0, 0, $month,
1)).' '.$year.'</center>';
$doc = new clsMsDocGenerator();

```

```

require_once('css/monthly_report.php'); //all
frequently used styles and variables are here
$doc->addParagraph($title);

$doc->addParagraph("
");
$doc->addParagraph("
");

/* ----- */

/* ADD TABLE FOR EACH PACKAGE */
$doc->addParagraph('A. EDUCATIONAL
ASSISTANCE PROGRAM');
$doc->addParagraph('The Educational
Assistance Program seeks to improve the
quality of public educational system in terms of
skill enhancement and manpower
augmentation.', $regular);
if(!empty($GP) || !empty($TDP) || !
empty($TUT)){
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
}
if(!empty($GP)) {
 $doc->endTable();
 $doc-
>startTable(array('frames'=>'vsides'));
 $doc-
>addTableRow(array('Gurong Pahinungód
(GP)'), array('center'), NULL, array('font-weight'
=> 'bold'),3);
 $doc->endTable();
 $doc->startTable();
 for($i = 0; $i < $ctr1; $i++){

 $doc-
>addTableRow($GP[$i], $rowAlign, NULL,
$rowTextAlign);
 }
}
if(!empty($TDP)) {
 $doc->endTable();
 $doc-
>startTable(array('frames'=>'vsides'));
 $doc-
>addTableRow(array('Teachers\' Development
Program (TDP)'), array('center'), NULL,
array('font-weight' => 'bold'),3);
 $doc->endTable();
 $doc->startTable();
}

```

```

 for($i = 0; $i < $ctr2; $i++){
 $doc-
>addTableRow($TDP[$i], $rowAlign, NULL,
$rowTextAlign);
 }
 }
 if(!empty($TUT)) {
 $doc->endTable();
 $doc-
>startTable(array('frames'=>'vsides'));
 $doc-
>addTableRow(array('Tutorial Service
Program'), array('center'), NULL, array('font-
weight' => 'bold'),3);
 $doc->endTable();
 $doc->startTable();
 for($i = 0; $i < $ctr3; $i++){
 $doc-
>addTableRow($TUT[$i], $rowAlign, NULL,
$rowTextAlign);
 }
 }
 if(!empty($GP) || !empty($TDP) || !
empty($TUT)){
 $doc->endTable();
 }else{
 $doc->addParagraph("*** NO
EVENTS ***",$noEvents);
 }
 $doc->addParagraph("
");

 $doc->addParagraph('B. COMMUNITY
HEALTH PROGRAM');
 $doc->addParagraph('The Community
Health Program provides direct assistance and
sharing of knowledge to help in alleviating the
existing health concerns of communities that
lack medical facilities and expertise.',,$regular);
 if(!empty($HM) || !empty($HT) || !
empty($ERVP)){
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
 }
 if(!empty($HM) || !empty($HT)) {

 $doc->endTable();
 $doc-
>startTable(array('frames'=>'vsides'));

```

```

 $doc-
>addTableRow(array('Health Mission/Health
Training/ Health Education'), array('center'),
NULL, array('font-weight' => 'bold'),3);
 $doc->endTable();
 $doc->startTable();
 for($i = 0; $i < $ctr4; $i++){
 $doc-
>addTableRow($HM[$i], $rowAlign, NULL,
$rowTextAlign);
 }
 for($i = 0; $i < $ctr5; $i++){
 $doc-
>addTableRow($HT[$i], $rowAlign, NULL,
$rowTextAlign);
 }
 if(!empty($ERVP)) {
 $doc->endTable();
 $doc-
>startTable(array('frames'=>'vsides'));
 $doc-
>addTableRow(array('Emergency Room
Volunteers'), array('center'), NULL, array('font-
weight' => 'bold'),3);
 $doc->endTable();
 $doc->startTable();
 for($i = 0; $i < $ctr6; $i++){
 $doc-
>addTableRow($ERVP[$i], $rowAlign, NULL,
$rowTextAlign);
 }
 }
 if(!empty($HM) || !empty($HT) || !
empty($ERVP)){
 $doc->endTable();
 }else{
 $doc->addParagraph("*** NO
EVENTS ***",$noEvents);
 }
 $doc->addParagraph("
");

 $doc->addParagraph('C. COMMUNITY SOCIAL
WELFARE PROGRAM');
 $doc->addParagraph('The Community
Social Welfare Program aims to promote the
interest and welfare of marginalized sectors of
the society and enlighten the volunteers with
some realities of life.',,$regular);

```

```

if(!empty($SISP) || !empty($SK)){
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
}
if(!empty($SISP)) {
 $doc->endTable();
 $doc-
>startTable(array('frames'=>'vsides'));
 $doc-
>addTableRow(array('Summer Immersion
Service Program (SISP)'), array('center'), NULL,
array('font-weight' => 'bold'),3);
 $doc->endTable();
 $doc->startTable();
 for($i = 0; $i < $ctr7; $i++){
 $doc-
>addTableRow($SISP[$i], $rowAlign, NULL,
$rowTextAlign);
 }
 if(!empty($SK)) {
 $doc->endTable();
 $doc-
>startTable(array('frames'=>'vsides'));
 $doc-
>addTableRow(array('Program for the Street
Children'), array('center'), NULL, array('font-
weight' => 'bold'),3);
 $doc->endTable();
 $doc->startTable();
 for($i = 0; $i < $ctr8; $i++){
 $doc-
>addTableRow($SK[$i], $rowAlign, NULL,
$rowTextAlign);
 }
 }
 if(!empty($SISP) || !empty($SK)){
 $doc->endTable();
 }else{
 $doc->addParagraph("*** NO
EVENTS ***",$noEvents);
 }
 $doc->addParagraph("
");

 $doc->addParagraph('D. ADVOCACY
PROGRAM');
}

```

\$doc->addParagraph('This program promotes and campaigns for volunteerism within the University and in some concerned sectors of the society. It has several publications that inform, encourage and inspire others to get involved with volunteer work. Every quarter, the office releases its newsletter entitled "Ang Pahinungód". Other publications are "Volunteerism in Action," book series and "Annual Report."',\$regular);

```

if(!empty($AP)) {
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
 $doc->endTable();
 $doc-
>startTable(array('frames'=>'vsides'));
 $doc-
>addTableRow(array('Advocacy Program'),
array('center'), NULL, array('font-weight' =>
'bold'),3);
 $doc->endTable();
 $doc->startTable();
 for($i = 0; $i < $ctr9; $i++){
 $doc-
>addTableRow($AP[$i], $rowAlign, NULL,
$rowTextAlign);
 }
 $doc->endTable();
} else{
 $doc->addParagraph("*** NO
EVENTS ***",$noEvents);
}

$doc->addParagraph('ADMINISTRATIVE AND
OTHER CONCERNS');
if(!empty($AAOC)) {
 $doc->startTable();
 $doc->addTableRow($header,
$aligns, $valigns, array('font-weight' =>
'bold'));
 for($i = 0; $i < $ctr10; $i++){
 $doc-
>addTableRow($AAOC[$i], $rowAlign, NULL,
$rowTextAlign);
 }
 $doc->endTable();
} else{

```

```

 $doc->addParagraph("*** NO
EVENTS ***",$noEvents);
 }

/* ----- */
/* **** OUTPUT LEGEND **** */
 $legend = '';
 if($plus) $legend .= "+"
Continued Event ";
 if($plus2) $legend .= "
++"
Still to be continued Event ";
 $doc->addParagraph($legend,
$s_legend);

/* ----- */

$doc->output();
// $doc->outputHTML();
?> edit_affiliation_approveScript.php
<?php
 include "j_connection.php";
 $orgID = $_GET['orgID'];
 $repID = $_GET['repID'];
 $query = "UPDATE
jos_party_membership SET Status='Approved'
WHERE Org_ID='$orgID' AND
Rep_ID='$repID'";
 $result = mysql_query($query)
 if(!$result) {
 die ("UPDATE error:"
.mysql_error());
 } else{
 echo "Successfully updated!";
 }
 mysql_close($link);
?>
edit_affiliation_deleteScript.php
<?php

 session_start();
 $orgID = $_GET['orgID'];
 $repID = $_GET['repID'];
 include "j_connection.php";

 $query = "DELETE from
jos_party_membership WHERE Org_ID
 ='$orgID' AND Rep_ID='$repID'";
 mysql_query($query) or die ("DELETE
error:" .mysql_error());

 mysql_close($link);
 echo "Successfully deleted the entry.";
?>

edit_more_contactScript.php
<?php
 include "j_connection.php";
 $orgID = $_GET['orgID'];
 $repID = $_GET['repID'];
 $query = "UPDATE
jos_party_membership SET Status='Approved'
WHERE Org_ID='$orgID' AND
Rep_ID='$repID'";
 mysql_query($query) or die ("UPDATE
error:" .mysql_error());
 mysql_close($link);
 header("Location :
add_organization_rep.php");
?>
edit_organization.php
<?php
 session_start();
 //$_SESSION['username'] =
$_GET['param1'];
 //$_SESSION['id'] =
$_GET['param2'];
 include "get_header.php";
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML
1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtml">
<head>
 <link rel="stylesheet"
href="css/uniform.css" type="text/css" />
 <meta http-equiv="Content-Type"
content="text/html; charset=utf-8" />
 <title>Edit Organization Profile</title>
 <script language="javascript"
type="text/javascript">
 function update(){
 name =
document.form1.orgname.value;
 position =
document.form1.position.value;
 office =
document.form1.officeAddress.value;
 cNum =
document.form1.telNo.value;
 email =
document.form1.emailAd.value;
 isHeadOffice =
document.form1.isHeadOffice.checked;
 }
 </script>
</head>
<body>
 <form name="form1" method="post">
 <table border="1">
 <tr>
 <td>Organization Name:</td>
 <td><input type="text" name="orgname" value="</td>
 <tr>
 <td>Position:</td>
 <td><input type="text" name="position" value="</td>
 <tr>
 <td>Office Address:</td>
 <td><input type="text" name="officeAddress" value="</td>
 <tr>
 <td>Telephone Number:</td>
 <td><input type="text" name="telNo" value="</td>
 <tr>
 <td>Email Address:</td>
 <td><input type="text" name="emailAd" value="</td>
 <tr>
 <td colspan="2" style="text-align: center;">
 <input type="checkbox" name="isHeadOffice" checked="checked" value="1" /> Is Head Office
 </td>
 </tr>
 </table>
 <input type="submit" value="Update" />
 </form>
</body>
</html>

```

```

 if((name=="")||
(office=="")||(position=="")||(cNum=="")||
(email=="")){
 alert("Please fill in the necessary
values.");
 return;
}
if(!
isHeadOffice){
 HO =
document.form1.HO.value;

 HOcontactNumber =
document.form1.HOcontactNumber.value;

 HOemailAd =
document.form1.HOemailAd.value;
 if((HO
== "") || (HOcontactNumber == "") ||
(HOemailAd == "")){

 alert("Please fill up necessary
information.");
 return;
 }
}

document.form1.action =
"edit_organization_script.php";
document.form1.submit();
}

function
showProfile(id,accessor){
 alert(id);
 alert(accessor);
//document.location =
"profile_index.php?param2=" + id +
"&accessor=" + accessor;

parent.document.location = "<?php
echo "http://".$_base;?>" + "/index.php?
option=com_comprofiler&task=userProfile&use
r=" + id + "&Itemid=122";
}

function
toggleHeadOffice(checked){
 if(checked){
 if((name=="")||
(office=="")||(position=="")||(cNum=="")||
(email=="")){
 document.getElementById("headOfficeDiv").sty
le.display = "none";
 } else{
 document.getElementById("headOfficeDiv").sty
le.display = "inline";
 }
 }
}

</script>
</head>

<body>
<?php
 include "j_connection.php";

 $orgID = $_GET['orgID'];
 $repID = $_GET['repID'];
 $result =
mysql_query("SELECT *
 FROM jos_organization as a
LEFT JOIN jos_party_membership as b ON
a.Org_ID=b.Org_ID WHERE a.Org_ID='$orgID'
AND b.Rep_ID='$repID'");
 $row =
@mysql_fetch_array($result);
 //will return only one
entry since id is primary key
 $org =
$row['Org_name'];
 $type =
$row['Org_type'];
 $incDate =
$row['Incorporation_date'];
 $telNo =
$row['Tel_no'];
 $email = $row['Email'];
 $address =
$row['Office_address'];
 $fax = $row['Fax_no'];
 $bene =
$row['Beneficiary'];
 $HO =
$row['HO_address'];
 $HOemail =
$row['HO_email'];
 $HOTel_no =
$row['HO_tel_no'];
 $HOfax_no =
$row['HO_fax_no'];
 $remarks =
$row['Remarks'];
}

```

```

 $position =
 <td>
 $row['Position'];
 <td>

 $isHeadOffice =
 $row['HeadOffice'];
 ?>

 </br>
 <form action="" method="post"
name="form1" id="form1">
 <input name="repID" type="hidden"
id="repID" value=<?php echo $repID; ?>" />
 <input name="orgID" type="hidden"
id="orgID" value=<?php echo $orgID; ?>" />
<div id="apDiv">
 <fieldset class="step">
 <legend>Organization
Details</legend>
 <table class="acc">
 <tr>
 <td>
 class="registrationCol1"><label
for="orgname">Name of
Organization</label></td>
 <td>
 class="registrationCol2"><input
name="orgname" type="text" id="orgname"
value=<?php echo $org; ?>" /> *</td>
 </tr>
 <tr>
 <td>
 class="registrationCol1"><label
for="position">Position in
Organization</label></td>
 <td>
 class="registrationCol2"><input
name="position" type="text" id="position"
value=<?php echo $position; ?>" /> *</td>
 </tr>
 <tr>
 <td>
 class="registrationCol1"><label
for="orgtype">Type of
Organization</label></td>
 <td>
 class="registrationCol2"><input
name="orgtype" type="text" id="orgtype"
value=<?php echo $type; ?>" /> </td>
 </tr>
 <tr>
 <td>
 class="registrationCol1"><label
for="incDate">Incorporation
Date</label></td>
 <td>
 $position =
 <td>
 class="registrationCol2"><input
name="incDate" type="text" id="incDate"
maxlength="15" value=<?php echo $incDate;
?>" />
 </td>
 </tr>
 <tr>
 <td>
 class="registrationCol1"><label
for="beneficiary">Beneficiary</label></td>
 <td>
 class="registrationCol2"><input
name="beneficiary" type="text"
id="beneficiary" value=<?php echo $bene; ?>" /></td>
 </tr>
 <tr>
 <td>
 class="registrationCol1"><label
for="officeAddress">Office Address
</label></td>
 <td>
 class="registrationCol2"><input
name="officeAddress" type="password"
id="officeAddress"> *</td>-->
 <td>
 class="registrationCol2"><textarea
name="officeAddress" type="text"
id="officeAddress"><?php echo $address; ?>
</textarea> *</td>
 </tr>
 <tr>
 <td>
 class="registrationCol1"><label
for="telNo">Contact Number </label></td>
 <td>
 class="registrationCol2"><input
name="telNo" placeholder="e.g. 824-4564"
type="tel" id="telNo" value=<?php echo
$telNo; ?>" /> *</td>
 </tr>
 <tr>
 <td>
 class="registrationCol1"><label
for="faxNumber">Fax Number </label></td>
 <td>
 class="registrationCol2"><input
name="faxNumber" placeholder="e.g. 824-
4564" type="tel" id="faxNumber" value=<?
php echo $fax; ?>" /></td>
 </tr>

```

```

<tr>
 <td>
 class="registrationCol1"><label
 for="emailAd">Email Address </label></td>
 <td>
 class="registrationCol2"><input
 name="emailAd" placeholder="e.g.
 email@info.net" type="email" id="emailAd"
 value="<?php echo $email; ?>">
 *</td>
 </tr>
 <tr>

 <td> </td>
 <td>
 class="registrationCol2"><input
 type="checkbox" id="isHeadOffice"
 name="isHeadOffice"
 onChange="toggleHeadOffice(this.checked)"
 <?php echo ($isHeadOffice =='1')?
 "CHECKED":""?>/><label
 for="isHeadOffice">This is the head
 office.</label></td>
 </tr>
 </table>
 </fieldset>

 <div id="headOfficeDiv"
 style="display:<?php echo ($isHeadOffice ==
 '1')?"none":"inline"?>">
 <fieldset class="step">
 <legend>Head
 Office</legend>
 <table class="acc">
 <tr>
 <td>
 class="registrationCol1"><label
 for="HO">Head Office</label></td>
 <!--<td
 class="registrationCol2"><input name="HO"
 type="text" id="HO"> *</td>-->
 <td>
 class="registrationCol2"><textarea
 name="HO" type="text" id="HO"><?php echo
 $HO; ?></textarea> *</td>
 </tr>
 <tr>
 <td>
 class="registrationCol1"><label
 for="HOcontactNumber">Contact
 Number</label> </td>
 <td>
 class="registrationCol2"><input

```

name="HOcontactNumber" placeholder="e.g.
824-4564" type="tel" id="HOcontactNumber"
value="<?php echo \$HOTel\_no; ?>"> \*</td>
</tr>
<tr>

<td>
class="registrationCol1"><label
for="HOfaxNumber">Fax Number
</label></td>
<td>
class="registrationCol2"><span><input
name="HOfaxNumber" placeholder="e.g. 824-
4564" type="tel" id="HOfaxNumber"
value="<?php echo \$HOfax\_no; ?
"></span></td>
</tr>
<tr>

<td>
class="registrationCol1"><label
for="HOemailAd">Email</label></td>
<td>
class="registrationCol2"><input
name="HOemailAd" placeholder="e.g.
email@info.net" type="email" id="HOemailAd"
value="<?php echo \$HOemail; ?>"
AUTOCOMPLETE="off"> \*</td>
</tr>
</table>
</fieldset>
</div>
</div>
<div class="bottomDiv">
 <div class="rightLinks">
 <label> \*required
 fields</label>
 </div>
 <div class="paddedbuttons">
 <button type='button' class='button'
 value="update"
 onClick="javascript:update()">Update
 </button>
 <button type='button' class='button'
 value="back" onClick="history.go(-1);return
 true;">Back </button>
 </div>
</form>
</body>
</html> edit\_organization\_admin.php
<?
 session\_start();
?>

```

<html>
<head><title>Edit Organization</title>
 <link rel="stylesheet"
 href="css/uniform.css" type="text/css" />
 <script language="javascript"
 type="text/javascript">
 var http = false;

 function getHTTPObject(){
 if(window.ActiveXObject)
 return new
 ActiveXObject("Microsoft.XMLHTTP");
 else if
 (window.XMLHttpRequest)
 return new
 XMLHttpRequest();
 else{
 alert ("Sorry,
your browser does not support AJAX.");
 return null;
 }
 }

 function replace(id) {
 //http =
 getHTTPObject();
 var loc =
 "edit_organization_admin.php?id=" + id;
 window.location.replace(loc);
 /*
 http.open("GET",
 "test.php", true);

 http.onreadystatechange=function() {
 if(http.readyState ==
 4) {

 document.getElementById('foo').innerHTML =
 http.responseText;
 }
 http.send(null);
 }/*
 }

 function getConfirmation(org,
rep){
 if (confirm("Do you
really want to delete this affiliation?")) {

 document.location.href =

```

```

 "delete_organization_contactReqScript.php?
 orgID=" + org + "&repID=" + rep;
 }
}

function updateDB(){
 org =
 document.orgForm.orgname.value;
 office =
 document.orgForm.officeAddress.value;
 contact =
 document.orgForm.telNo.value;
 email =
 document.orgForm.emailAd.value;
 isHeadOffice =
 document.orgForm.isHeadOffice.value;
 if((org == "")||(office
 == "")||(contact=="")||(email=="")){
 alert("Please fill
 up necessary information.");
 return;
 }
 if(!isHeadOffice){
 HO =
 document.orgForm.HO.value;
 HOcontactNumber =
 document.orgForm.HOcontactNumber.value;
 HOemailAd =
 document.orgForm.HOemailAd.value;
 if((HO == "") ||
 (HOcontactNumber == "") || (HOemailAd ==
 "")){
 alert("Please fill up necessary
 information.");
 return;
 }
 }
 document.orgForm.action =
 "edit_organization_admin_script.php";
 document.orgForm.submit();
}
function
toggleHeadOffice(checked){
 if(checked){

 document.getElementById("headOfficeDiv").sty
 le.display = "none";
 } else{

```

```

document.getElementById("headOfficeDiv").style.display = "inline";
}
}
</script>
</head>
<body>
<?php
 include
"j_connection.php";
 $orgID = $_GET['id'];
 $result = mysql_query(
"SELECT * FROM jos_organization WHERE
Org_ID='".$orgID"");
 $row =
mysql_fetch_array($result);
 $org =
$row['Org_name'];
 $type =
(trim($row['Org_type']) == "")?" ":
$row['Org_type'];
 $bene =
(trim($row['Beneficiary']) == "")?" ":
$row['Beneficiary'];
 $HO =
(trim($row['HO_address']) == "")?" ":
$row['HO_address'];
 $HOtel_no =
(trim($row['HO_tel_no']) == "")?" ":
$row['HO_tel_no'];
 $HOfax_no =
(trim($row['HO_fax_no']) == "")?" ":
$row['HO_tel_no'];
 $HOemail =
(trim($row['HO_email']) == "")?" ":
$row['HO_email'];
 $address =
(trim($row['Office_address']) == "")?" ":
$row['Office_address'];
 $telNo =
(trim($row['Tel_no']) == "")?" ":
$row['Tel_no'];
 $faxNo =
(trim($row['Fax_no']) == "")?" ":
$row['Tel_no'];
 $email =
(trim($row['Email']) == "")?" ":
$row['Email'];
 $date =
(trim($row['Incorporation_date']) ==
")?" :$row['Incorporation_date'];
}

$remarks =
(trim($row['Remarks']) == "")?" ":
$row['Remarks'];

$isHeadOffice =
$row['HeadOffice'];

echo '<form id="orgForm"
name="orgForm" method="POST">';
?>
<h3 class="pageTitle">Edit
Organization[<?php echo $org;?>]</h3>
<hr width="630px"
color="#006600"/>
<hr width="500px"
color="#009900"/>

<div id="apDiv">
<fieldset class="step">
<legend>Organization
Details</legend>
<table class="acc">
<tr>
<td
class="registrationCol1"><label
for="orgname">Name of
Organization</label></td>
<td
class="registrationCol2"><input
name="orgname" type="text" id="orgname"
value=<?php echo $org; ?>" />*</td>
</tr>
<tr>
<td
class="registrationCol1"><label
for="orgtype">Type of
Organization</label></td>
<td
class="registrationCol2"><input
name="orgtype" type="text" id="orgtype"
value=<?php echo $type; ?>" /></td>
</tr>
<tr>
<td
class="registrationCol1"><label
for="beneficiary">Beneficiary</label></td>
<td
class="registrationCol2"><input
name="beneficiary" type="text"
id="beneficiary" value=<?php echo $bene; ?>" /></td>
</tr>

```

```

<tr>
 <td>
 class="registrationCol1"><label
 for="officeAddress">Office Address
 </label></td>
 <!--<td
 class="registrationCol2"><input
 name="officeAddress" type="password"
 id="officeAddress"> *</td>-->
 <td>
 class="registrationCol2"><textarea
 name="officeAddress" type="text"
 id="officeAddress"><?php echo $address; ?
 ></textarea> *</td>
 </tr>
 <tr>
 <td>
 class="registrationCol1"><label
 for="telNo">Contact Number </label></td>
 <td>
 class="registrationCol2"><input
 name="telNo" placeholder="e.g. 824-4564"
 type="tel" id="telNo" value="<?php echo
 $telNo; ?>"> *</td>
 </tr>
 <tr>
 <td>
 class="registrationCol1"><label
 for="faxNumber">Fax Number </label></td>
 <td>
 class="registrationCol2"><input
 name="faxNumber" placeholder="e.g. 824-
 4564" type="tel" id="faxNumber" value="<?
 php echo $faxNo; ?>"></td>
 </tr>
 <tr>
 <td>
 class="registrationCol1"><label
 for="emailAd">Email Address </label></td>
 <td>
 class="registrationCol2"><input
 name="emailAd" placeholder="e.g.
 email@info.net" type="email" id="emailAd"
 value="<?php echo $email; ?>">
 *</td>
 </tr>
 <tr>
 <td>
 class="registrationCol1"> Contact Person/s:
 </td>
 <td>
 class="registrationCol2">
 <?php

```

```

 $temp =
mysql_query("SELECT * FROM jos_comprofiler
WHERE id IN (SELECT Rep_ID FROM
jos_party_membership WHERE
Org_ID='$orgID') ORDER BY lastname");
while ($reps =
@mysql_fetch_array($temp)) {
//get status
$repID =
$reps['id'];
$query =
"SELECT Rep_ID,Status FROM
jos_party_membership WHERE Org_ID='$orgID'
AND Rep_ID='$repID'";
$statGetResult
= mysql_query($query);
$statgetRow =
mysql_fetch_array($statGetResult);
//print
$name =
$reps['lastname'].', '.$reps['firstname']. " ".
$reps['middlename'];
$str =
"\\"location.href='edit_affiliation_approveScript.
php?orgID=$orgID&repID=$repID'\"";
if($statgetRow['Status'] == 'Pending')
{
 $name .= ' (Pending)';
 echo
$name.' <button name="approve"
id="approve" onClick='.$str.'>Approve
Affiliation</button>
<button name="remove" id="remove"
onClick="javascript:getConfirmation('.
$orgID.', '.$repID.')">Reject
Affiliation</button>
';
} else {
 echo
$name.' <button name="remove"
id="remove"
onClick="javascript:getConfirmation('.
$orgID.', '.$repID.')">Remove
Affiliation</button>
';
}
echo '</td></tr>';
?>
<tr>

```

```

 <td
class="registrationCol1"><label
for="remarks">Remarks </label></td>
 <!--<td
class="registrationCol2"><input
name="officeAddress" type="password"
id="officeAddress"> *</td>-->
 <td
class="registrationCol2"><textarea
name="remarks" type="text"
id="remarks"><?php echo $remarks; ?
></textarea></td>
 </tr>
 <tr>

 <td> </td>
 <td
class="registrationCol2"><input
type="checkbox" id="isHeadOffice"
name="isHeadOffice"
onChange="toggleHeadOffice(this.checked)"
<?php echo ($isHeadOffice =='1')?
"CHECKED":""?>/><label
for="isHeadOffice">This is the head
office.</label></td>
 </tr>
 </table>
 </fieldset>

 <div id="headOfficeDiv"
style="display:<?php echo
($isHeadOffice)?'"none":'"inline"'?>">
 <fieldset class="step">
 <legend>Head
Office</legend>
 <table class="acc">
 <tr>
 <td
class="registrationCol1"><label
for="HO">Head Office</label></td>
 <!--<td
class="registrationCol2"><input name="HO"
type="text" id="HO"> *</td>-->
 <td
class="registrationCol2"><textarea
name="HO" type="text" id="HO"><?php echo
$HO; ?></textarea> *</td>
 </tr>
 <tr>
 <td
class="registrationCol1"><label
for="HOcontactNumber">Contact
Number</label> </td>
 <td
class="registrationCol2"><input
name="HOcontactNumber" placeholder="e.g.
824-4564" type="tel" id="HOcontactNumber"
value="<?php echo $HOTel_no; ?>"*</td>
 </tr>
 <tr>
 <td
class="registrationCol1"><label
for="HOfaxNumber">Fax Number
</label></td>
 <td
class="registrationCol2"><input
name="HOfaxNumber" placeholder="e.g. 824-
4564" type="tel" id="HOfaxNumber"
value="<?php echo $HOfax_no; ?
>"*</td>
 </tr>
 <tr>
 <td
class="registrationCol1"><label
for="HOemailAd">Email</label></td>
 <td
class="registrationCol2"><input
name="HOemailAd" placeholder="e.g.
email@info.net" type="email" id="HOemailAd"
value="<?php echo $HOemail; ?>"*
AUTOCOMPLETE="off">*</td>
 </tr>
 </table>
 </fieldset>
 </div>
 </div>
 <div class="bottomDiv">
 <div class="rightLinks">
 <label> *required
fields</label>
 </div>

 <center>
 <input type="hidden"
value="<?php echo $orgID; ?>" id="orgID"
name="orgID" />
 <button type='button' onClick
="javascript:updateDB()">Save</button>
 <?php
 $orgHome =
"\\"location.href='manage_organization.php'\"";
 ?>

```

```

 <button type='button'
value="back" onClick=<?php echo $orgHome?
>>Back </button>
 </center>
 </form>
</body>
edit_organization_admin_approveScript.php

<?php
 include "j_connection.php";
 include "get_header.php";
 $orgID = $_GET['id'];
 $query = "UPDATE jos_organization
SET Status='Approved' WHERE
Org_ID='$orgID'";
 mysql_query($query) or die ("UPDATE
error:" .mysql_error());

 $query = "UPDATE
jos_party_membership SET Status='Approved'
WHERE Org_ID='$orgID'";
 mysql_query($query) or die ("UPDATE
error:" .mysql_error());

 //check for other pending organization
profiles
 $result = mysql_query("SELECT *
FROM jos_organization WHERE
Status='Pending'");

 mysql_close($link);
?>
<h3 class="pageTitle"Manage Organizations
</h3>
<hr width="630px" color="#006600"/>
<hr width="500px" color="#009900"/>

<div align="center">

<h3 >Please wait! Processing...</h3>
</div>
<form action="" id="form1" name="form1"
method="POST" target="_parent">
 <input type="hidden" id="eventID"
name="eventID" value=<?php echo
$eventID;?>" />
 <input type="hidden" id="userID"
name="userID" value=<?php echo $userID;?
>" />
</form>
<script>
 //alert("er");

```

```

 //parent.window.location.href = "<?php
echo $_header;?>/index.php?
option=com_wrapper&view=wrapper&Itemid=
74";
 document.form1.action = "<?php echo
$_header; ?>/index.php?
option=com_events&task=approveOrganizatio
n&Itemid=<?php echo $orgID;?>";
 document.form1.submit();
</script>
edit_organization_admin_restoreScript.php
<?php
 include "j_connection.php";
 $orgID = $_GET['id'];
 $query = "UPDATE jos_organization
SET Status='Approved' WHERE
Org_ID='$orgID'";
 mysql_query($query) or die ("UPDATE
error:" .mysql_error());
 echo "Successfully updated ".$org;
 mysql_close($link);
?>
edit_organization_admin_script.php
<?
 session_start();
 include "j_connection.php";

 $id = $_POST['orgID'];
 $org =
 $_POST['orgname'];
 $type =
 $_POST['orgtype'];
 $bene =
 $_POST['beneficiary'];
 $office =
 $_POST['officeAddress'];
 $contactNo =
 $_POST['telNo'];
 $faxNo =
 $_POST['faxNumber'];
 $remarks =
 $_POST['remarks'];
 $email =
 $_POST['emailAd'];
 //date =
 $_POST['date'];
 $isHeadOffice =
 ($_POST['isHeadOffice'])? true:false;
 if($isHeadOffice){
 $ho = $hocono
 = $hofaxno = $HOemail = "";
 }else{

```

```

$_POST['HO'];
$_POST['HOcontactNumber'];
$_POST['HOfaxNumber'];
$_POST['HOemailAd'];
}

//Fields:Org_ID,
Org_name, Sec_reg_no, Org_type, Tel_no,
Fax_no, Email, Office_address,
//HO_address,HO_tel_no, HO_fax_no, HO_email,
Date_created, Beneficiary)
$query = "UPDATE
jos_organization SET Org_name='".$org',
Org_type='".$type',Tel_no='".$contactNo',
Fax_no='".$faxNo',Email='".$email',
Office_address='".$office',HO_address='".$ho',HO
_fax_no='".$hofaxno', HO_tel_no='".$hocono',
HO_email='".$HOemail', Beneficiary='".$bene',
Remarks='".$remarks',HeadOffice='".$isHeadOffic
e' WHERE Org_ID='".$id."'";
mysql_query($query)
or die ("UPDATE error:" .mysql_error());
mysql_close($link);
header("Location:
view_an_organization_admin.php?orgID=".$id);
?>
edit_organization_requestDeletion.php
<?php
include "j_connection.php";
$orgID = $_GET['id'];
$query = "UPDATE jos_organization
SET Status='Delete' WHERE Org_ID='".$orgID."'";
mysql_query($query) or die ("UPDATE
error:" .mysql_error());
echo "Successfully queued ".$org." for
deletion. You will be notified if the
administrator has already deleted this
organization.";
mysql_close($link);
?>
edit_organization_script.php
?>

session_start();
//$rep = $_SESSION['id'];
$orgID = $_POST['orgID'];
$repID = $_POST['repID'];
$org = $_POST['orgname'];
$type = $_POST['orgtype'];
$ho =
$hocono =
$hofaxno =
$HOemail =
$bene = $_POST['beneficiary'];
$office = $_POST['officeAddress'];
$cono = $_POST['telNo'];
$faxno = $_POST['faxNumber'];
$email = $_POST['emailAd'];
$position = $_POST['position'];
$isHeadOffice =
$_POST['isHeadOffice'];
if($isHeadOffice){
$ho = $hocono = $hofaxno =
$HOemail = "";
}else{
$ho = $_POST['HO'];
$hocono =
$_POST['HOcontactNumber'];
$hofaxno =
$_POST['HOfaxNumber'];
$HOemail =
$_POST['HOemailAd'];
}
include "j_connection.php";

//Fields:Org_ID, Org_name, Sec_reg_no,
Org_type, Tel_no, Fax_no, Email,
Office_address,
//HO_address,HO_tel_no, HO_fax_no, HO_email,
Date_created, Beneficiary)

$query = "UPDATE jos_organization
SET Tel_no='".$cono',
Email='".$email',Org_type='".$type',
Office_address='".$office',Fax_no='".$faxno',
HO_tel_no='".$hocono',HO_fax_no='".$hofaxno',H
O_address='".$ho', HO_email='".$HOemail',
Beneficiary='".$bene',HeadOffice='".$isHeadOffic
e' WHERE Org_ID='".$orgID."'";
mysql_query($query) or die ("UPDATE
error:" .mysql_error());
$query = "UPDATE
jos_party_membership SET Position='".$position'
WHERE Org_ID='".$orgID' AND Rep_ID
='".$repID."'";
mysql_query($query) or die ("UPDATE
error:" .mysql_error());
mysql_close($link);
header("Location:
view_an_organization.php?orgID=".
$orgID."&repID=".$repID);
?> edit_profile.php
<html>
<head>

```

```

 <script type="text/javascript"
src="js/tabber.js"></script>
<link rel="stylesheet"
href="css/tabber.css" TYPE="text/css"
MEDIA="screen">
<!--<link rel="stylesheet"
href="css/volunteer.css" type="text/css" />-->
<script language="javascript">
 function setField(volType){
 if(volType ==
"Professional"){

document.getElementById("professionDiv").styl
e.display = "inline";

document.getElementById("studentDiv").style.
display = "none";
} else{

document.getElementById("studentDiv").style.
display = "inline";

document.getElementById("professionDiv").styl
e.display = "none";
}

function setAlumnus(alumnus){
 if(alumnus == "Yes"){

document.getElementById("alumnusDiv").style
.display = "inline";
} else{

document.getElementById("alumnusDiv").style
.display = "none";
}

function populateDays(month){
 //alert(month);
 year =
document.editProf.year.value;
 if(month == undefined)
month = document.editProf.month.value;
 if((year % 4 == 0) &&
(year % 100 != 0 || year % 400 == 0)){
 //leap year
days_in_month
= Array(31,29,31,30,31,30,31,31,30,31,30,31);
} else{
days_in_month
= Array(31,28,31,30,31,30,31,31,30,31,30,31);
}
if(month == undefined
|| month == '--') {}//alert("undefined");
else{
document.editProf.days.length = 0;
for(i = 0; i <
days_in_month[month-1]; i++){
document.editProf.days.length++;

document.editProf.days[i].value = i+1;
document.editProf.days[i].text = i+1;

}
}
function saveChanges(){
fname =
document.editProf.fname.value;
mname =
document.editProf.mname.value;
lname =
document.editProf.lname.value;

cstat =
document.editProf.cstat.value;
gender =
document.editProf.gender.value;
mobile =
document.editProf.mobile.value;
email =
document.editProf.email.value;

cAddr =
document.editProf.cAddr.value;
cNum =
document.editProf.cNum.value;
crel =
document.editProf.crel.value;
cfname =
document.editProf.cfname.value;
cmname =
document.editProf.cmname.value;
cname =
document.editProf cname.value;
}

```

```

 presA =
document.editProf.presA.value;
 permA =
document.editProf.permA.value;

 pass =
document.editProf.passw.value;
 repass =
document.editProf.repassw.value;
 if((pass != "")&&(repass
!= pass)){
 alert("Password
do not match!");
 return;
 }
 if(mname == "" ||
lname == "" || fname == "" || crel == "" ||
cNum == "" || cAddr == "" || cfname == "" ||
cmname == "" || cname == ""
 || cstat == "" ||
gender == "" || mobile == "" || email == "" ||
permA == "" || presA == ""){
 alert("Please fill
up all the required information!");
 return;
 }
 else{
 //alert("Saving"
);

 document.editProf.action =
"edit_volunteer_profileScript.php";

 document.editProf.submit();
 }
 function checkAll(programPref)
{
 for (i = 0; i <
programPref.length; i++){
 programPref[i].checked = true ;
 }

 function
uncheckAll(programPref) {
 for (i = 0; i <
programPref.length; i++)
 programPref[i].checked = false ;
 }
</script>

```

```

</head>
<body>
<?php include "fetch_volunteer_info.php";?>
<form id="editProf" name="editProf"
method="POST" action="">
<!-- tabs -->
<div class="tabber" id="tab1">
 <div class="tabbertab" title="Account
Info" >
 <table>
 <tbody>
 <tr>
 <td
class="col1">First name</td>
 <td
class="col2"><input type="text"
name="fname" id="fname" value="<?php
echo $fname;?>" size="25"/> *</td>
 </tr>
 <tr>
 <td
class="col1">Middle name</td>
 <td
class="col2"><input type="text"
name="mname" id="mname" value="<?php
echo $mname;?>" size="25"/> *</td>
 </tr>
 <tr>
 <td
class="col1">Last name</td>
 <td
class="col2"><input type="text"
name="lname" id="lname" value="<?php
echo $lname;?>" size="25"/> *</td>
 </tr>
 <tr>
 <td
class="col1">Username</td>
 <td
class="col2"><input type="text"
name="username" id="username" value="<?
php echo $username;?>" disabled="1"
size="25"></td>
 </tr>
 <tr>
 <td
class="col1">Email</td>
 <td
class="col2"><input type="text"
name="email" id="email" value="<?php echo
$email;?>" size="25"/> *</td>
 </tr>
 <tr>

```

```

 <td
class="col1">Password</td>
 <td
class="col2"><input type="password"
name="passw" placeholder="leave blank to
retain" id="passw" value="" size="25"/></td>
 </tr>
 <tr>
 <td
class="col1">Retype password</td>
 <td
class="col2"><input type="password"
name="repassw" placeholder="leave blank to
retain" id="repassw" value=""
size="25"/></td>
 </tr>
 </tbody>
 </table>
</div>
<div class="tabbertab"
title="Personal Info" >
 <table>
 <tbody>
 <tr>
 <td
class="col1">Nickname</td>
 <td
class="col2"><input type="text"
name="nickname" id="nickname" value=<?
php echo $nickname;?>"></td>
 </tr>
 <tr>
 <td
class="col1">Blood type</td>
 <td
class="col2"><input type="text"
name="btype" id="btype" value=<?php echo
$btype;?>"></td>
 </tr>
 <tr>
 <td
class="col1">Civil status </td>
 <td
class="col2"><input type="text"
name="cstat" id="cstat" value=<?php echo
$cstat;?>"></td>
 </tr>
 <tr>
 <td
class="col1">Gender </td>
 <td class="col2">
 <select
name="gender" id="gender">
 <option value="Male" <?php echo
($gender == 'Male')? "SELECTED": "";?
>>Male</option>
 <option value="Female" <?php echo
($gender == 'Female')? "SELECTED": "";?
>>Female</option>
 </select>
 * </td>
 </tr>
 <tr>
 <td
class="col1">Telephone number</td>
 <td
class="col2"><input type="text"
name="telno" id="telno" value=<?php echo
$telno;?>"></td>
 </tr>
 <tr>
 <td
class="col1">Mobile phone number </td>
 <td
class="col2"><input type="text"
name="mobile" id="mobile" value=<?php
echo $cp;?>"><*></td>
 </tr>
 <tr>
 <td
class="col1">Birthday </td>
 <td class="col2">
 Year: <select
class="bdate" id="year" name="year"
onChange="populateDays()">
 <?php
 $date
= explode(' ', $bdy);
 $trueYear = $date[2];
 $year
= date("Y", time());
 $year
= $year - 15;
 for($i =
0; $i < 50; $i++){
 $match = ($date[2] == $year)?
"SELECTED": "";
 echo '<option value="'. $year .'">' .
$match.'>' . $year . '</option>';
 }
 </select>
 </td>
 </tr>
 </tbody>
</table>

```

```

$year--;
}
}

$months = array('January'=>'1',
'February'=>"2", 'March'=>"3", 'April'=>"4",
'May'=>"5", 'June'=>"6",
'July'=>"7", 'August'=>"8",
'September'=>"9", 'October'=>"10",
'November'=>"11", 'December'=>"12");

$monthNum = $months[$date[0]];

$days_in_month =
Array(31,28,31,30,31,30,31,31,30,31,30,31);
?>

</select>

Month: <select
id="month" class="bdate" name="month"
onChange="populateDays(this.selectedIndex +
1)">
<?php
for($i =
1; $i < 13 ; $i++){
$match = ($monthNum ==
$i)? "SELECTED": "";
echo '<option value="'. $i.'>'.
$match.'>'.date("F", mktime(0, 0, 0, $i,
1)).'</option>';
}
?>

</select>
Day:
<select id="days" class="bdate"
name="days">
<?php
for($i = 1; $i <
$days_in_month[$monthNum]+1 ; $i++){
$match = ($date[1] ==
$i)? "SELECTED": "";
echo '<option value="'. $i.'>'.
$match.'>'.date("F", mktime(0, 0, 0, $i,
1)).'</option>';
}
?>

</select>
?>
</td>
</tr>
<tr>
<td
class="col1">Religion</td>
<td
class="col2"><input type="text" name="rel"
id="rel" value=<?php echo $rel;?>/></td>
</tr>
<tr>
<td
class="col1">Present address </td>
<td
class="col2"><textarea name="presA"
type="text" id="presA"><?php echo $presA;?
</textarea>*</td>
</tr>
<tr>
<td
class="col1">Permanent address </td>
<td
class="col2"><textarea name="permA"
type="text" id="permA"><?php echo
$permA;?></textarea>*</td>
</tr>
<tr>
<td
class="col1">Are you a professional or a
student?</td>
<td
class="col2"><input type="radio"
id="volType" name="volType"
value="Professional" <?php echo ($volType
== 'Professional')?"CHECKED":""?>
onChange="setField(this.value)"/> Professional
<input type="radio"
id="volType" name="volType"
value="Student" <?php echo ($volType ==
'Student')?"CHECKED":""?>
onChange="setField(this.value)"/> Student

</td>
</tr>
</tbody>

```

```

 </table>
 <!--<fieldset id="professionField"
class="volType" style="display:<?php //echo
($volType == "Professional")?"inline":"none"?
"> -->
 <div id="professionDiv"
style="display:<?php echo ($volType ==
"Professional")?"inline":"none"?>">

 <fieldset id="professionField"
class="volType">
 <legend> Professional
 </legend>
 <table class="acc">
 <tbody>
 <tr>
 <td
class="col1">Profession</td>
 <td>
 <div id="content" class="col2">
 <div id="left">
 <div id="object1">
 <input type="checkbox"
id="profession1" name="profession[]"
value="Physician" <?php echo
(in_array('Professional',
$profession))?"CHECKED":"";?>/><label
for="profession1">Physician</label>

 <input type="checkbox"
id="profession2" name="profession[]"
value="Surgeon" <?php echo
(in_array('Surgeon',
$profession))?"CHECKED":"";?>/><label
for="profession2">Surgeon</label>

 <input type="checkbox"
id="profession5" name="profession[]"
value="Dentist" <?php echo
(in_array('Dentist',
$profession))?"CHECKED":"";?>/><label
for="profession5">Dentist</label>

 </div>
 </div>
 <div id="right">

```

```

<div id="object3">
 <input type="checkbox"
id="profession3" name="profession[]"
value="Nurse" <?php echo (in_array('Nurse',
$profession))?"CHECKED":"";?>/><label
for="profession3">Nurse</label>

 <input type="checkbox"
id="profession4" name="profession[]"
value="Faculty Member" <?php echo
(in_array('Faculty Member',
$profession))?"CHECKED":"";?>/><label
for="profession4">Faculty Member</label>

 <input type="checkbox"
id="profession6" name="profession[]"
value="Employee" <?php echo
(in_array('Employee',
$profession))?"CHECKED":"";?>/><label
for="profession6">Employee</label>


```

```

</div>
</div>
<div id="grr">
 <input type="checkbox"
id="profession7" name="profession[]"
value="Other" <?php echo (in_array('Other',
$profession))?"CHECKED":"";?>/><label
for="profession7">Other</label>
 <input width="10%" type="text" id="otherProf" name="otherProf"
value="<?php echo (in_array('Other',
$profession))?$other:"";?>"/>

```

```

</div>
</div>
<br id="clearer"/>
</td>
</tr>
<tr>
 <td
class="col1">PRC License Number </td>

```

```

 <td
class="col2"><input type="text" name="prc"
id="prc" value="<?php echo $prc;?>"></td>
 </tr>
 <tr>
 <td
class="col1">Department/ Ward / Office </td>
 <td
class="col2"><input type="text"
name="department" id="department"
value="<?php echo $dept;?>"
size="50"></td>
 </tr>
 <tr>
 <td
class="col1">Unit/ College / Company</td>
 <td
class="col2"><input type="text" name="unit"
id="unit" value="<?php echo $unit;?>"
size="50"></td>
 </tr>
 <tr>
 <td
class="col1">Office Contact Number</td>
 <td
class="col2"><input type="text"
name="officeNo" id="officeNo" value="<?php
echo $officeNum;?>" size="50"></td>
 </tr>
 </tbody>
 </table>
 </fieldset>

 </div>
 <div id="studentDiv"
style="display:<?php echo ($volType ==
"Student")?"inline":"none"?>">

 <!--<fieldset id="studentField"
class="volType" style="display:<?php //echo
($volType == "Student")?"inline":"none"?>">
-->
 <fieldset id="studentField"
class="volType">
 <legend> Student
 </legend>
 <table>
 <tbody>
 <tr>
 <td
class="col1"> Student Number </td>
 <td
class="col2"><input type="text"

```

```

name="studNum" id="studNum" value="<?php
echo $studNum;?>"></td>
 </tr>
 <tr>
 <td
class="col1"> School </td>
 <td
class="col2"><input type="text"
name="school" id="school" value="<?php
echo $school;?>" size="50"></td>
 </tr>
 <tr>
 <td
class="col1"> College </td>
 <td
class="col2"><input type="text"
name="college" id="college" value="<?php
echo $college;?>" size="50"></td>
 </tr>
 <tr>
 <td
class="col1"> Course </td>
 <td
class="col2"><input type="text"
name="course" id="course" value="<?php
echo $course;?>" size="50"></td>
 </tr>
 <tr>
 <td
class="col1"> Year Level </td>
 <td
class="col2"><input type="text"
name="yearlevel" id="yearlevel" value="<?
php echo $yearlevel;?>" size="50"></td>
 </tr>
 </tbody>
 </table>
 </fieldset>


```

```

</div>
<table>
 <tr>
 <td
class="col1">Are you an alumnus of U.P.?
 </td>
 <td
class="col2">
 <input
type="radio" id="alumnus" name="alumnus"
value="Yes" <?php echo ($alumnus ==
'Yes')?"CHECKED":""?>
onchange="setAlumnus(this.value)" /> Yes


```

```

<input
type="radio" id="alumnus" name="alumnus"
value="No" <?php echo ($alumnus ==
'No')?"CHECKED":""?>
onChange="setAlumnus(this.value)" /> No
</tr>
</td>
</tr>
</table>

<div id="alumnusDiv"
style="display:<?php echo ($alumnus ==
"Yes")?"inline":"none"?>">
<table>
<tr>
<td
class="col1">Campus/College:</td>
<td
class="col2"><input name="campus"
type="text" id="campus" size="35" value="<?
php echo $campus;?>"></td>
</tr>
<tr>
<td class="col1">Year
Graduated: </td>
<td
class="col2"><input name="graduation"
type="text" id="graduation" size="8"
value="<?php echo $yearGraduated;?>"></td>
</tr>
</table>
</div>
</div>
<div class="tabbertab"
title="Membership and Organization" >

MEMBERSHIPS AND
ORGANIZATION

<table border=1>
<tbody>
<!-- Results table
headers -->
<tr>
<td><center>Name
of Organization</center></td>
<td><center>Position</center></td>
<td><center>Type of
Organization</center></td>
</tr>
<!-- Results table
table headers -->
<tr>
<td><center>Program</center></td>
<td><center>Date</center></td>
</tr>
<?php
for($i = 1; $i ++
?>
<tr>
<td><input
type="text" name="program<?php echo $i;?>" id="program<?php echo $i;?>" value="<?
php echo $volWork[$i]['Program_name'];?>" size="70"/></td>
<td><input
type="text" name="date<?php echo $i;?>">
```

```

id="date<?php echo $i;?>" value="<?php
echo $volWork[$i]['Date'];?>"
size="25"/></td>
 </tr>
 <?php
 }

 ?>
 </tbody>
 </table>
</div>
<div class="tabbertab" title="Program
Preferences" >
 <table class="pref">
 <tbody>
 <tr>
 <td
colspan="3"> A. EDUCATIONAL
ASSISTANCE PROGRAM</td>
 </tr>
 <tr>
 <td></td>
 <td><label
for="preference1">Tutorials</label></td>
 <td><input
type="checkbox" id="preference1"
name="preference[]" <?php echo
$checked[0];?> value="Tutorials" /></td>
 </tr>
 <tr>
 <td></td>
 <td><label
for="preference2">Teachers'
Development</label></td>
 <td><input
type="checkbox" id="preference2"
name="preference[]" <?php echo
$checked[1];?> value="Teachers
Development" /></td>
 </tr>
 <tr>
 <td></td>
 <td><label
for="preference3">Gurong
Pahinungod</label></td>
 <td><input
type="checkbox" id="preference3"
name="preference[]" <?php echo
$checked[2];?> value="Gurong
Pahinungod" /></td>
 </tr>
 <tr>
 <td
colspan="3"> </td>
 </tr>
 <tr>
 <td
colspan="3">B. COMMUNITY HEALTH
PROGRAMS</td>
 </tr>
 <tr>
 <td></td>
 <td><label
for="preference4">Health
Mission</label></td>
 <td><input
type="checkbox" id="preference4"
name="preference[]" <?php echo
$checked[3];?> value="Health Mission"
/></td>
 </tr>
 <tr>
 <td></td>
 <td><label
for="preference5">Health
Training</label></td>
 <td><input
type="checkbox" id="preference5"
name="preference[]" <?php echo
$checked[4];?> value="Health Training"
/></td>
 </tr>
 <tr>
 <td></td>
 <td><label
for="preference6">Health
Education</label></td>
 <td><input
type="checkbox" id="preference6"
name="preference[]" <?php echo
$checked[5];?> value="Health Education"
/></td>
 </tr>
 <tr>
 <td></td>
 <td><label
for="preference7">Emergency Room
Volunteer</label></td>
 <td><input
type="checkbox" id="preference7"
name="preference[]" <?php echo
$checked[6];?> value="Emergency Room
Volunteers" /></td>
 </tr>
 <tr>
 <td
colspan="3"> </td>
 </tr>

```

```

 </tr>
 <tr>
 <td
colspan="3">C. COMMUNITY SOCIAL
WELFARE PROGRAM </td>
 </tr>
 <tr>
 <td></td>
 <td><label
for="preference8">Program for the Street
Children</label></td>
 <td><input
type="checkbox" id="preference8"
name="preference[]" <?php echo
$checked[7];?> value="Program for the Street
Children" /></td>
 </tr>
 <tr>
 <td></td>
 <td><label
for="preference9">Summer Immersion Service
Program</label></td>
 <td><input
type="checkbox" id="preference9"
name="preference[]" <?php echo
$checked[8];?> value="Summer Immersion
Service Program" /></td>
 </tr>
 <tr>
 <td
colspan="3">&nbs

</td>
 </tr>
 <tr>
 <td><label
for="preference10">D. Advocacy
Program</label></td>
 <td></td>
 <td><input
type="checkbox" id="preference10"
name="preference[]" <?php echo
$checked[9];?> value="Advocacy Program"
/></td>
 </tr>
 </tbody>
 </table>

 <!--
 <center>
 <button type='button'
class='button' name="">
 onCLick="checkAll('preference[]')> Check
All</button>
 <button type='button'
class='button' name="">
 onCLick="uncheckAll('preference[]')> Uncheck All</button>
 </center>
 -->
 </div>
 <div class="tabbertab" title="Contact
Person" >
 <table>
 <tbody>
 <tr>
 <td
class="col1">First Name * </td>
 <td
class="col2"><input type="text"
name="cfname" id="cfname" value="<?php
echo $cfname;?>"></td>
 </tr>
 <tr>
 <td
class="col1">Middle Name * </td>
 <td
class="col2"><input type="text"
name="cmname" id="cmname" value="<?php
echo $cmname;?>"></td>
 </tr>
 <tr>
 <td
class="col1">Last Name * </td>
 <td
class="col2"><input type="text"
name="clname" id="clname" value="<?php
echo $clname;?>"></td>
 </tr>
 <tr>
 <td
class="col1">Relationship * </td>
 <td
class="col2"><input type="text" name="crel"
id="crel" value="<?php echo $crel;?
"></td>
 </tr>
 <tr>
 <td
class="col1">Contact Number * </td>
 <td
class="col2"><input type="text"
name="cNum" id="cNum" value="<?php echo
$cNum;?>"></td>
 </tr>
 <tr>


```

```

 <td
class="col1">Address * </td>
 <td
class="col2"><input type="text"
name="cAddr" id="cAddr" value=<?php echo
$cAddr;?>/></td>
 </tr>
 </tbody>
</table>
</div>
</div>

<center>
<button type="button" class="button"
value="Requirements"
onClick="saveChanges()">Update</button>
<button type="button" value="back"
onClick="history.go(-1);return
true;">Back</button>
</center>
<input type="hidden" value=<?php echo
$id;?> id="user" name="user" />
</form>
</body>
</html> edit_representative_profileScript.php
<?php
 include "j_connection.php";

 $id = $_POST['user'];

 $lname = $_POST['lname'];
 $mname = $_POST['mname'];
 $fname = $_POST['fname'];
 $email = $_POST['email'];
 $username = $_POST['username'];
 $password = $_POST['passw'];
 $cp = $_POST['mobile'];
 $telno = $_POST['telno'];
 $presA = $_POST['presA'];
 $permA = $_POST['permA'];

 $query = "UPDATE jos_comprofiler
 SET lastname='$lname',
 middlename='$mname', firstname='$fname',
 cb_mobilenumber='$cp',
 cb_telephone='$telno',
 cb_presentaddress='$presA',
 cb_permanentaddress='$permA',lastupdatedat
 e=NOW() WHERE id='$id'";
 mysql_query($query) or die ("UPDATE
error:" .mysql_error());
}
if($password == "") $query = "UPDATE
jos_users SET email='$email' WHERE id='$id'";
else{
 //encrypt
 include "newHelper.php";
 $salt =
genRandomPassword(32);
 $crypt =
getEncryptedPassword($password, $salt);
 $password = $crypt . ':' . $salt;
 $query = "UPDATE jos_users
SET email='$email',password='$password'
WHERE id='$id'";
}

mysql_query($query) or die ("UPDATE
error:" .mysql_error());

mysql_close($link);
header("Location:
profileRepresentative_view.php?param2=". $id);
?> <?php
 include "j_connection.php";
 include "get_header.php";

$id = $_POST['user'];
$lname = $_POST['lname'];
$mname = $_POST['mname'];
$fname = $_POST['fname'];
$fullname = $fname." ".$mname." ".
$lname;

$email = $_POST['email'];
$username = $_POST['username'];
$password = $_POST['passw'];

nickname = $_POST['nickname'];
$cp = $_POST['mobile'];
/*$months = array('1'=>'January',
'2'=>'February', '3'=>'March', '4'=>'April',
'5'=>'May', '6'=>'June',
'7'=>'July', '8'=>'August', '9'=>'September',
'10'=>'October', '11'=>'November',
'12'=>'December');
$bday = $months[$_POST['month']]." ".
$_POST['days'].", ".$_POST['year'];
*/
$bday = $_POST['month']. " ".
$_POST['days'].", ".$_POST['year'];
$cstat = $_POST['cstat'];
$gender = $_POST['gender'];

```

```

$btype = $_POST['btype'];
$telno = $_POST['telno'];
$rel = $_POST['rel'];
$presA = $_POST['presA'];
$permA = $_POST['permA'];
$affiliation = $_POST['upaffiliation'];
$volType = $_POST['volType'];
$skill = $_POST['cb_specialskill'];
$hobbies = $_POST['cb_hobbies'];
$cfname = $_POST['cfname'];
$cmname = $_POST['cmname'];
$cname = $_POST['cname'];
$crel = $_POST['crel'];
$cAddr = $_POST['cAddr'];
$cNum = $_POST['cNum'];

if($volType == "Professional"){
 $profession =
$_POST['profession'];
 $prc = $_POST['prc'];
 $dept = $_POST['department'];

 $unit = $_POST['unit'];
 $officeNum =
$_POST['officeNo'];
 $studNum = $school =
$college = $course = $year = "";
} else{
 $studNum =
$_POST['studNum'];
 $school = $_POST['school'];

 $college = $_POST['college'];
 $course = $_POST['course'];

 $year = $_POST['yearlevel'];
 $prc = $dept = $unit =
$officeNum = "";
}

//alumnus
$alumnus = $_POST['alumnus'];

if($alumnus == "Yes") {
 $campus = $_POST['campus'];

 $yearGraduated =
$_POST['graduation'];
} else{
 $campus = $yearGraduated =
"";
}
}

$query = "UPDATE jos_comprofiler
SET lastname='$lname',
middlename='$mname', firstname='$fname',
cb_nickname='$nickname',
cb_mobilenumber='$cp',
cb_telephone='$telno',
cb_birthday='$bdy',
cb_civilstat='$cstat', cb_gender='$gender',
cb_bloodtype='$btype', cb_religion='$rel',
cb_presentaddress='$presA',
cb_volunteertype='$volType', cb_prclicenseno=
'$prc', cb_department='$dept', cb_companynam
e='$unit', cb_officecontactno='$officeNum',
cb_studentno='$studNum', cb_school='$school',
, cb_college='$college', cb_course='$course', cb_
yearlevel='$year', lastupdatedate=NOW(),
cb_permanentaddress='$permA',
cb_upaddiliation=$affiliation,
cb_specialskill=$skill, cb_hobbies=$hobbies,
cb_alumnus=$alumnus, cb_campus=$campus
', cb_graduation=$yearGraduated',
cb_cffirstname=$cfname,
cb_middlename=$cmname,
cb_clastname=$cname,
cb_relationship=$crel, cb_caddress=$cAddr,
cb_ccontactno=$cNum'
WHERE id='$id'";
mysql_query($query) or die ("UPDATE
error:" .mysql_error()));

if($password == "") $query = "UPDATE
jos_users SET email='$email',
name='$fullname' WHERE id='$id'";
else {
 //encrypt
 include "newHelper.php";
 $salt =
genRandomPassword(32);
 $crypt =
getCryptedPassword($password, $salt);
 $password = $crypt . ':' . $salt;
 $query = "UPDATE jos_users
SET
email='$email', password='$password', name='
$fullname' WHERE id='$id'";
}
mysql_query($query) or die ("UPDATE
error:" .mysql_error()));

```

```

 $query = "DELETE from
jos_v_organization WHERE Vol_ID ='$id'";
 mysql_query($query) or die ("DELETE
error:" .mysql_error());

 //delete existing professions
 $query = "DELETE from jos_profession
WHERE Vol_ID ='$id'";
 mysql_query($query) or die ("DELETE
error:" .mysql_error());

 /*
 //single profession
 $query = "INSERT INTO jos_profession
(Vol_ID,Profession)
 VALUES('$id',
'$profession')";
 mysql_query($query,$link) or die
("INSERT error:" .mysql_error());
 */

 //insert multiple professions into
jos_profession
 for($i=0; $i < count($profession) ; $i+
+){
 $query = ("INSERT INTO
jos_profession (Vol_ID, Profession)
VALUES('$id', '$profession[$i]')");
 mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());
 if($profession[$i] == 'Other'){
 $query = ("UPDATE
jos_profession SET Other='$otherProf' WHERE
Vol_ID='$id' and Profession='Other'");
 mysql_query($query,
$link) or die ("UPDATE error:" .mysql_error());
 }
 }

 //membership and org
 for($i = 1; $i<4; $i++){
 $name = $_POST['org'].$i];
 $pos = $_POST['pos'].$i];
 $type = $_POST['type'].$i];
 if($name != ""){
 $query = "INSERT INTO
jos_v_organization
(Vol_ID,Organization,Position,Type_of_org)
 VALUES('$id', '$name',
'$pos', '$type')";
 mysql_query($query,
$link) or die ("INSERT error:" .mysql_error());
 }
 }

 $query = "UPDATE
jos_v_organization SET
Organization='$name',Position='$pos',Type_of
_org='$type' WHERE Vol_ID='$id'";
 mysql_query($query)
or die ("UPDATE error:" .mysql_error());
 }

 $query = "DELETE from
jos_volunteer_work WHERE Vol_ID ='$id'";
 mysql_query($query) or die ("DELETE
error:" .mysql_error());

 //volunteer work
 for($i = 1; $i<3; $i++){
 $program = $_POST['program'.
$i];
 $date = $_POST['date'.$i];
 if($program != ""){
 $query = "INSERT INTO
jos_volunteer_work
(Vol_ID,Program_name,Date)
 VALUES('$id',
'$program', '$date')";
 mysql_query($query,
$link) or die ("INSERT error:" .mysql_error());
 }
 }

 $pref = $_POST['preference'];
 $query = "SELECT * FROM
jos_preferred_program WHERE Vol_ID = '$id'";
 $result = mysql_query($query);
 $storedCount =
mysql_num_rows($result);
 $storedPref = array();
 for($i=0; $i<$storedCount; $i++) {
 $row =
@mysql_fetch_array($result);
 $storedPref[$i] =
$row['Preferred_prog'];
 }
 for($i=0; $i < count($pref) ; $i++){
 if(!in_array($pref[$i],
$storedPref)){
 $query = ("INSERT
INTO jos_preferred_program (Vol_ID,
Preferred_prog) VALUES('$id', '$pref[$i]')");
 mysql_query($query,
$link) or die ("INSERT error:" .mysql_error());
 $added++;
 }
 }
 }
}

```

```

 }

 $programs = array("Tutorials",
"Teachers Development", "Gurong
Pahinungod", "Health Mission", "Health
Training", "Health Education", "Emergency
Room Volunteer",
"Program for the Street
Children", "Summer Immersion Service
Program", "Advocacy Program");
 for($i=0; $i<count($programs); $i++){
 if(in_array($programs[$i],
$storedPref) && !in_array($programs[$i],
$pref)){
 $query = "DELETE from
jos_preferred_program WHERE Preferred_prog
 ='$programs[$i]'";
 mysql_query($query)
or die ("DELETE error:".mysql_error());
 }
 }
 mysql_close($link);
 $prevpage = $_POST['prevpage'];

 //header("Location: ".$prevpage.".php?
param2=".$id);
?>
<script>
 function redirect(){
 //parent.window.locatio
n.replace("<?php echo $_header;?
/index.php?
option=com_wrapper&view=wrapper&Itemid=
196"); //not saved in history
 parent.window.location
= "<?php echo $_header;?>/index.php?
option=com_wrapper&view=wrapper&Itemid=
196";
 }
 redirect();
</script>
fetch_archive_accomplishment.php
<?php
 //set date
 $a = $rowow['publish_up'];
 $b = $rowow['publish_down'];
 $alldayevent = $rowow['alldayevent'];
 $range =
CommonFunctions::showDateTime($a, $b,
$alldayevent);
 //CommonFunctions::_getRange($date1
,$date2,$mon1,$mon2,$year,$ret[1],
$showYear);

 //$/range =
CommonFunctions::_getArchivedEventRange(s
ubstr($a, 8, 2),substr($b, 8, 2),substr($a, 5,
2),substr($b, 5, 2),substr($a, 0,
4),",true,substr($b, 0, 4));

 //check if multiple location
 $allowMultRes = mysql_query("SELECT
Event_ID FROM jos_allow_multiple_locations
WHERE Event_ID = '$eventID'");

 if(mysql_num_rows($allowMultRes) >
0) {
 $locations = "";
 //multiple locations
 $resultLM =
mysql_query("SELECT Loc_ID,Activity FROM
jos_location_membership WHERE
Event_ID='$eventID' AND Status='1'");
 $resultL =
mysql_query("SELECT Location,Loc_ID FROM
jos_location WHERE Loc_ID IN (SELECT Loc_ID
from jos_location_membership WHERE
Event_ID='$eventID' AND Status='1') ORDER
BY Location");
 $loc[] = array();
 while($resLM =
mysql_fetch_array($resultLM)){
 $id = $resLM['Loc_ID'];
 $loc[$id] =
$resLM['Activity'];
 }
 while ($resL =
mysql_fetch_array($resultL)){
 $id = $resL['Loc_ID'];
 $locations .= ($loc[$id]
== "")? "": $loc[$id].": ";
 $locations .=
$resL['Location']."
";
 }
 $rowow['adresse_info'] =
$locations;
 }
 //check if requested
 $rResult = mysql_query("SELECT id
FROM jos_events WHERE id='$eventID' AND
Admin_in_rep_of!=''");
 $isRequested =
(mysql_num_rows($rResult) != 0)?true:false;
 if($isRequested){
 //if requested, fetch requester
company
 $result = mysql_query("SELECT
Org_name FROM jos_organization WHERE

```

```

Org_ID IN (SELECT Org_ID FROM jos_request
WHERE Event_ID='$eventID');");
 $res =
mysql_fetch_array($result);
 $requester = $res['Org_name'];
 }

switch($catid){
 case '44':
//Gurong Pahinungod
 //batch and AY
 $accResult =
mysql_query("SELECT * FROM
jos_accomplishments_gp WHERE
Event_ID='$eventID'");
 $accGp =
mysql_fetch_array($accResult);
 $batch =
$accGp['Batch'];
 $accomplishment =
'GP Batch '.$batch.' was deployed for
Academic Year '.$accGp['Academic_year'];
 $result =
mysql_query("SELECT School,Subject FROM
jos_eap WHERE Event_ID='$eventID'");
 $res =
mysql_fetch_assoc($result);
 $accomplishment .= "
in partnership with ".$res['School'].'. ';
 $accomplishment .=
"The subjects handled by the ".(($single)?"GP
were ":"GPs were ").$res['Subject'].'."';
 //volunteers
 $accResult =
mysql_query("SELECT name FROM jos_users
WHERE id IN(SELECT Vol_ID FROM
jos_batch_membership WHERE Batch='$batch'
ORDER BY
name");
 $gpCount =
mysql_num_rows($accResult);
 $single = false;
if($gpCount == 1) {

 $accomplishment .= "The volunteer
deployed was ";
 $single = true;
} else{

 $accomplishment .= "The ".
$gpCount ." GPs deployed were:";

$accomplishment .= "";
}
}

$accomplishment .= "
";
while($row1 =
mysql_fetch_array($accResult)){
 if(!$single)
$accomplishment .= "".str_replace('ñ',
'ñ', $row1['name'])."";
 else
$accomplishment .= str_replace('ñ', 'ñ',
$row1['name']).". ";
}
$accomplishment .=
"";

// show legend
if($rangeArr[1] == "+")
{
 $plus = true;
 $leg1[0] =
true;
}
if($rangeArr[1] == "+")
{
 $plus2 = true;
 $leg1[1] =
true;
}
//save as table row for
report
//$$GP[$ctr1][]
= $range . "
" .rowow['venue'];
//$$GP[$ctr1][]
= $accomplishment;
break;
case '46':
//Teachers' Development
//volunteers
$accResult =
mysql_query("SELECT Vol_ID FROM
jos_membership WHERE Event_ID='$eventID'
AND Deployed='1'");
$totalCount =
mysql_num_rows($accResult);
$ctr = 0; $resu
= array();
while($row =
mysql_fetch_array($accResult)) {
 $resu[$ctr] = $row['Vol_ID'];
 $ctr+
+;
}
$staffQ =
mysql_query("SELECT DISTINCT Vol_ID FROM

```

```

jos_membership WHERE Event_ID='$eventID'
AND Deployed='1' AND Is_staff=1");
$staff =
mysql_num_rows($staffQ);
$tdpCount =
$totalCount - $staff;
$volunteerLine
= ($tdpCount == 1)?'1 volunteer':
((($tdpCount == 0)?''$.tdpCount.'.
volunteers');
$staffLine =
($tdpCount != 0 && $staff != 0)? " and ":".
$staffLine .=
($staff != 0)? ''$.staff . " Pahinungód
staff ': '';
$accomplishment .= ($isRequested)?
"In partnership with ".
$requester.",the ":"The ";
$accomplishment .= 'activity had '.
$volunteerLine.$staffLine.' deployed, who
trained the participants on ';
//fetch
information
$parResult =
mysql_query("SELECT
Subject_area,Number_of_participants,Number_
participant_institutions,Count_type,Participant_
type FROM jos_teachers_devt WHERE
Event_ID='$eventID'");
$participants =
mysql_fetch_array($parResult);
$accomplishment .=
$participants['Subject_area'].'.';
$teachers =
$participants['Number_of_participants'];
$schools =
$participants['Number_participant_institutions'];
$parType =
$participants['Participant_type'];
$single =
($schools == 1)?true:false;
if($participants['Count_type'] ==
'count'){
mysql_query("SELECT
Attendees,School FROM jos_tdp_attendees
WHERE Event_ID='$eventID'");
$schoolResult = mysql_query ("SELECT
Attendees,School FROM jos_tdp_attendees
WHERE Event_ID='$eventID'");
$accomplishment .= 'It was
participated by ' .
$participants['Number_of_participants']. " ".
$parType.' from '$.schools.' different
schools.';
$accomplishment .= 'The breakdown of
participants is as follows: ';
while($row2 =
mysql_fetch_array($schoolResult)) {
$accomplishment .= ''.
$row2['School'].('.$row2['Attendees'].')';
}
$accomplishment .= '';
}
// show legend
if($rangeArr[1] == '+'){
}

```

```

$plus = true;
$leg2[0] = true;
} else {

if($rangeArr[1] == "++") {

$plus2 = true;
$leg2[1] = true;
}

}
//save
as table row for report
//
$TDP[$ctr2][] = $range . "
" .
$rowow['adresse_info'];
//
$TDP[$ctr2][] = $accomplishment;
break;
case '43':
//Tutorials
// volunteers
$accResult =
mysql_query("SELECT Vol_ID FROM
jos_membership WHERE Event_ID='$eventID'
AND Deployed='1'");
//
totalCount =
mysql_num_rows($accResult);
$ctr = 0; $resu
= array();
while($row =
mysql_fetch_array($accResult)) {

$resu[$ctr] = $row['Vol_ID'];
$ctr+
+;
}
$staffQ =
mysql_query("SELECT DISTINCT Vol_ID FROM
jos_membership WHERE Event_ID='$eventID'
AND Deployed='1' AND Is_staff=1");
$staff =
mysql_num_rows($staffQ);
$tutCount =
totalCount - $staff;
$volunteerLine
= ($tutCount == 1)?'1 volunteer':
(($tutCount == 0)?'':'.$tutCount.' volunteers');
}

}
//save
$staffLine =
($tutCount != 0 && $staff != 0)? " and ":"";
$staffLine .=
($staff != 0)? ''.$staff . " Pahinungód
staff ":"';

//program, term
and AY
$accResult =
mysql_query("SELECT
Term,Academic_year,Program FROM
jos_accomplishments_tut WHERE
Event_ID='$eventID'");
$acc =
mysql_fetch_array($accResult);
$program =
$acc['Program'];
$acadYear =
$acc['Academic_year'];
$term =
$acc['Term'];
if($program !=
"" && $acc['Academic_year'] != "") {
$accomplishment = 'Under the program '.
$program.', '.$volunteerLine.$staffLine.' were
deployed for '.$term.' A.Y. ';
$acc['Academic_year'].!';
}
else{
if($acc['Academic_year'] != "") {
$accomplishment = 'Under the program '.
$program.$volunteerLine.$staffLine.' were
deployed for '.$term.' A.Y. ';
$acc['Academic_year'].!';
}
}

//save # of
attendees
$queryRes =
mysql_query("SELECT
School,Subject,Number_participant_institutions
,Count_type,Num_tutees FROM jos_eap WHERE
Event_ID='$eventID'");
$tutRes =
mysql_fetch_array($queryRes);
$children =
$tutRes['Num_tutees'];

if($tutRes['Count_type'] == 'count'){
//if total
number of beneficiaries and not breakdown is
available
}

```

```

 $single
= ($tutRes['Number_participant_institutions']
== 1)?true:false;

 if($single){

 $institution = $tutRes['School']."' was
assisted.";
 } else{

 $institution = "".
$tutRes['Number_participant_institutions']."'.
institutions were assisted - ".
$tutRes['School']."' ";
 }

 $accomplishment .= ''.$children. '.
children from '.$institution;

 $accomplishment .= "They were taught
about the following subjects : ".
$tutRes['Subject']."'.
";
} else{
 //break
down is available

 $parResult = mysql_query ("SELECT *
FROM jos_beneficiaries WHERE
Event_ID='".$eventID"');

 $institutions =
mysql_num_rows($parResult);
 $single
= false;

 if($institutions == 1) $single = true;
 $tutTemp = "";

 while($participants =
mysql_fetch_array($parResult)){

 if($single) {

 $accomplishment .= ''.
$children. ' children from '.
$participants['Institution']."' were assisted. ';

 $accomplishment .= "They
were taught about the following subjects : ".
$tutRes['Subject']."'.
";
 }
 }
}
}

 $institutions = 1;
 }

 else $tutTemp .= "".
$participants['Institution']."' ('.
$participants['Num_of_attendees']."'")";
}
if(!
$single){

 $accomplishment .= ''.$children. '.
children from '.$institutions.'.
institutions were assisted. ';

 $accomplishment .= "They were taught
about the following subjects : ".
$tutRes['Subject']."'.
";
}

$accomplishment .= 'The breakdown is
as follows: ';

$accomplishment .= $tutTemp;

$accomplishment .= '';
}

// show legend
if($rangeArr[1]
== '+'){
 $plus =
true;

 $leg3[0] = true;
} else {
 if($rangeArr[1] == "++"){
 $plus2 = true;
 $leg3[1] = true;
 }
}
//save as table
row for report
//$/TUT[$ctr3][
= $range . "
".$row['venue'];
//$/TUT[$ctr3][
= $accomplishment;
break;
}

```

```

 case '55': //EMERGENCY ROOM
VOLUNTEERS
//volunteers

$orientResult = mysql_query("SELECT
Vol_ID FROM jos_ervp_attendance WHERE
Event_ID='".$eventID' AND Orientation='1'");

$orCount =
mysql_num_rows($orientResult);

$trainResult = mysql_query("SELECT
Vol_ID FROM jos_ervp_attendance WHERE
Event_ID='".$eventID' AND Training='1'");

$trainCount =
mysql_num_rows($trainResult);

$feedResult = mysql_query("SELECT
Vol_ID FROM jos_ervp_attendance WHERE
Event_ID='".$eventID' AND Feedback='1'");

$feedCount =
mysql_num_rows($feedResult);

$debriefResult = mysql_query("SELECT
Vol_ID FROM jos_ervp_attendance WHERE
Event_ID='".$eventID' AND Debriefing='1'");

$deCount =
mysql_num_rows($debriefResult);

//fetch
and count training phases attendees

$moreTrainings =
mysql_query("SELECT Vol_ID,More_trainings
FROM jos_ervp_attendance WHERE
Event_ID='".$eventID' AND More_trainings!="");

$mTrainAttendance = array();
$i = 0;

while($row1 =
mysql_fetch_array($moreTrainings)){

$mTrainAttendance[$i]['id'] =
$row1['Vol_ID'];

$mTrainAttendance[$i]['mt'] =
$row1['More_trainings'];
}

if(!empty($mTrainAttendance)){
 $len = explode('|',
 $mTrainAttendance[0]['mt']);

 $arr = array();

 for($i = 0; $i<count($len); $i++){
 $arr[$i] = 0;
 }

 $j = 0;

 foreach($mTrainAttendance as $block)
 {
 $exploded = explode('|',
 $block['mt']);

 for($i = 0;
 $i<count($exploded); $i++){
 if($exploded[$i] == '1')
 ++$arr[$i];
 }
 }
}

$accomplishment = $orCount.' volunteers were oriented and ';

$accomplishment .= ($orCount ==
$trainCount)? "trained. ":"$trainCount." were trained. ';

if(!empty($mTrainAttendance) && count($arr) > 1) {
 $phases = count($arr) + 1;

 $accomplishment .= "The training

```

```
consisted of ".$phases." phases. Attendance
breakdown is as follows :;

$accomplishment .= "Phase 1
: ".$trainCount."";

for($i=0;$i<count($arr);$i++){

 $phase = $i+2;

 $accomplishment .=
Phase ".$phase." : ".$arr[$i]." ";

}

$accomplishment .= " ";

}

$accResult = mysql_query("SELECT
Vol_ID FROM jos_ervp_attendance WHERE
Event_ID='".$eventID' AND Deployment='1'");

$ervpCount =
mysql_num_rows($accResult);

$levelResult = mysql_query("SELECT
Level,Patients FROM
jos_accomplishments_ervp WHERE
Event_ID='".$eventID"');

if(mysql_num_rows($levelResult) ==
'1'){

 $levelRes =
mysql_fetch_array($levelResult);

 $level = $levelRes['Level'];

 $department =
$levelRes['Departments'];

 switch($level){

 case '1': $level =
'1st Level ERVP'; break;

 case '2': $level =
'2nd Level ERVP'; break;
 }
}
```

```

 case '3': $level =
'3rd Level ERVP'; break;

 default : $level.' Level ERVP';

 }

 $volToPatient .= 'A total of '.
$ervpCount.' '.$level.' volunteers were
deployed to '.$department;

 $volToPatient .= ($levelRes['Patients']
== "")? '' : " catering to approximately ".
$levelRes['Patients']."' patients. ";
} else{

 $patientsSum = 0;

 $volToPatient = "";

 while($levelRes =
mysql_fetch_array($levelResult)){

 $patients =
$levelRes['Patients'];

 $patientsSum += $patients;

 $level = $levelRes['Level'];

 $department =
$levelRes['Departments'];

 switch($level){

 case '1': $level =
'1st Level ERVP'; break;

 case '2': $level =
'2nd Level ERVP'; break;

 case '3': $level =
'3rd Level ERVP'; break;

 default : $level.' Level
ERVP';

 }

 $volToPatient .= "".$level.
- ".$patients;
}

```

```

$volToPatient .=
($department != "")? " patients from ".
$department.": " patients";
}

$volToPatient .= "";

$start = 'A total of '.$ervpCount.' volunteers were deployed catering to
approximately '.$patientsSum.' patients.';

$volToPatient = $start.$volToPatient;
}

$accomplishment .= $volToPatient;

if($feedCount != 0){

 accomplishment .= $feedCount.' of
the volunteers attended the feedback';

 if($deCount != 0{

 accomplishment .=
($feedCount == $deCount)? ' and debriefing
sessions.': ' session and '.$deCount.' attended
the debriefing session.';

 } else{

 accomplishment .= "
session.";

 }
}

$ERVP[$ctr6][] = $range . "
 .
$row['venue'];
$ERVP[$ctr6][] = $row['title'];
$ERVP[$ctr6][] = $accomplishment;
$accomplishment.='
';
case '48': break;
//Health
Mission
//volunteers
$accResult =
mysql_query("SELECT Vol_ID FROM
jos_membership WHERE Event_ID='".$eventID'
AND Deployed='1'");
$totalCount =
mysql_num_rows($accResult);
$ctr = 0; $resu
= array();
while($row =
mysql_fetch_array($accResult)) {

 $resu[$ctr] = $row['Vol_ID'];
 $ctr+
+;
}
$staffQ =
mysql_query("SELECT DISTINCT Vol_ID FROM
jos_membership WHERE Event_ID='".$eventID'
AND Deployed='1' AND Is_staff=1");
$staff =
mysql_num_rows($staffQ);
$hmCount =
totalCount - $staff;
$volunteerLine
= ($hmCount == 1)?1 volunteer:
(($hmCount == 0)?"".$hmCount.' volunteers");

$staffLine =
($hmCount != 0 && $staff != 0)? " and ":"";
$staffLine .=
($staff != 0)? "".$staff . "
Pahinungód staff members":
"";

$accomplishment .= ($isRequested)?
"In partnership with ".$requester.", and with ":"With ";

$accomplishment .= 'the help of '.
$volunteerLine.$staffLine.', ';
//fetch
accomplishments
$accResult =
mysql_query("SELECT * FROM
jos_accomplishments_hm WHERE
Event_ID='".$eventID"");
$cases =
mysql_fetch_array($accResult);
$m = $d =
$mas = $mis = false;
$med = $dent
= $majS = $minS = 0;
if($cases['Medical_cases']) $m = true;

```

```

if($cases['Dental_cases']) $d = true;

if($cases['Major_surgical']) $mas =
true;

if($cases['Minor_surgical']) $mis =
true;
 if($m) {
 $med
= $cases['Medical_cases'];

$accomplishment .= ''.$med.'
medical ';

$accomplishment .= ($d)?'and ':' patients were seen. ';
 }
 if($d) {
 $dent
= $cases['Dental_cases'];

$accomplishment .= ''.
$cases['Dental_cases'].' dental patients
were seen. ';
 }
 if($mas) {
 $majS
= $cases['Major_surgical'];

$accomplishment .= "Also, ";

$accomplishment .= ''.
$cases['Major_surgical'].' major surgical ';

$accomplishment .= ($mis)? ' and ': ' cases were done. The breakdown is as follow:
';
 }
 if($mis){
 $minS
= $cases['Minor_surgical'];

$accomplishment .= ($mas)? ":Also, ";

$accomplishment .= ''.
$cases['Minor_surgical'].' minor surgical cases were done.';

$accomplishment .= 'The breakdown of is as follow:';
}
}

if($mas || $mis)
{
//fetch
surgical breakdown

$accResult = mysql_query("SELECT *
FROM jos_major_surgical WHERE
Event_ID='".$eventID"'");

$caseCount =
mysql_num_rows($accResult);

while($row1 =
mysql_fetch_array($accResult)) {

$accomplishment .= ' '. $row1['Case_name']. '(
$row1['Case_num']).';
}

$accomplishment .= '';
}

// show legend
if($rangeArr[1] == '+'){
 $plus =
true;

$leg4[0] = true;
} else {
 if($rangeArr[1] == "++"){
 $plus2 = true;
 $leg4[1] = true;
 }
}

//save as table
row for report
//$/HM[$ctr4][]
= $range . "
 ". $row['venue'];
$HM[$ctr4][] =
$accomplishment;
break;
case '49': //Health
Training
//volunteers
$accResult =
mysql_query("SELECT Vol_ID FROM
jos_membership WHERE Event_ID='".$eventID'
AND Deployed='1'"");
}

```

```

 $totalCount =
mysql_num_rows($accResult);
 $ctr = 0; $resu
= array();
 while($row =
mysql_fetch_array($accResult)) {
 $resu[$ctr] = $row['Vol_ID'];
 $ctr+
+;
 }
 $staffQ =
mysql_query("SELECT DISTINCT Vol_ID FROM
jos_membership WHERE Event_ID='$eventID'
AND Deployed='1' AND Is_staff=1");
 $staff =
mysql_num_rows($staffQ);
 $htCount =
$totalCount - $staff;
 $volunteerLine
= ($htCount == 1)?'1 volunteer':
(($htCount == 0)?'':' . $htCount .
' volunteers ');
 $staffLine =
($htCount != 0 && $staff != 0)? " and ":"";
 $staffLine .=
($staff != 0)? "". $staff . "
Pahinungód staff members":
'';
$accomplishment .= ($isRequested)?
"In partnership with ".$requester.", a
": "A ";
$accomplishment .= 'total of '.
$volunteerLine.$staffLine;
 //fetch
$accomplishments
$accResult =
mysql_query("SELECT
Num_of_participants,Subject,Participant_type
FROM jos_health_training WHERE
Event_ID='$eventID'");
 $participants =
mysql_fetch_array($accResult);

$accomplishment .= 'taught '.
$participants['Num_of_participants']. ''.
$participants['Participant_type']. ' that
attended the activity. ';

$accomplishment .=
($participants['Subject'])? 'They were taught
about the following : '.
$participants['Subject']. '
 ';
// show legend
if($rangeArr[1]
== '+'){
 $plus =
true;
 $leg5[0] = true;
} else {
 if($rangeArr[1] == "++"){
 $plus2 = true;
 $leg5[1] = true;
 }
}
//HT[$ctr5][]
= $range . "
 ". $row['venue'];
//HT[$ctr5][]
= $accomplishment;
break;
case '51':
//Summer Immersion Service Program
//volunteers
$accResult =
mysql_query("SELECT Vol_ID FROM
jos_membership WHERE Event_ID='$eventID'
AND Deployed='1'");
 $sispCount =
mysql_num_rows($accResult);
 if($sispCount >
1){$locResult = mysql_query("SELECT Loc_ID
FROM jos_location_membership WHERE
Event_ID='$eventID' AND Status='1'");
 $locCount =
mysql_num_rows($locResult);
 $accomplishment .= ''.
$sispCount.' volunteers were deployed to
the ';
 $accomplishment .= ($locCount > 1)?
''. $locCount. ' communities.
': 'community. ';
 $accomplishment .= "Among them were ";
} else{$justOne = true; }$ctr = $sispCount;
while($row1 = mysql_fetch_array($accResult))
{
$ctr--;$volID = $row1['Vol_ID'];
$nameResult = mysql_query("SELECT
firstname,lastname,middlename FROM
jos_comprofiler WHERE id='$volID'");

```

```

$name = mysql_fetch_array($nameResult);
$accomplishment .= str_replace('ñ', 'ñ',
$name['firstname']).' '.str_replace('ñ',
'ñ', $name['lastname']);
if($sispCount > 1 && $ctr == 1) {
$accomplishment .= ' and ';
} else{if($sispCount > 1 && $ctr > 1)
$accomplishment .= ', ';} if($justOne){
$accomplishment .= ' was deployed to the
community as an SISP volunteer. ';
} else{$accomplishment .= '.
'; }
// show legendif($rangeArr[1] == '+'){ $plus =
true;
$leg7[0] = true; } else {
 if($rangeArr[1] == "++") {
 $plus2 = true; $leg7[1]
= true;}
//save as table row for report//SISP[$ctr7][] =
$range . "
". $row['venue'];
//SISP[$ctr7][] = $accomplishment;break;
case '52': //Program for the Street Children
//save # of attendees
$children = 0;
\$parResult = mysql_query ("SELECT * FROM
jos_beneficiaries WHERE
Event_ID='".$eventID"");
$bCount = mysql_num_rows($parResult);
$skTemp = "";
\if($bCount > 1){
for($i= 0; $i <$bCount; $i++) {
 $participants =
mysql_fetch_array($parResult);

 $children +=
$participants['Num_of_attendees'];

 $skTemp .= "".
$participants['Institution']. ' (' .
$participants['Num_of_attendees'].")";
 }

 $institutions =
mysql_num_rows($parResult);

 $accomplishment = ''.$children. '
children from '.$institutions.'
different institutions participated the event. ';

 $accomplishment .= 'The breakdown is
as follows: ';
}
$accomplishment .= $skTemp;

$accomplishment .= '';
} else{

$participants =
mysql_fetch_array($parResult);

$children =
$participants['Num_of_attendees'];

$institutions = 1;

$accomplishment = ''.
$participants['Num_of_attendees']."'
children from ".$participants['Institution']."'.
participated the event. ";
}

//volunteers
$accResult =
mysql_query("SELECT Vol_ID FROM
jos_membership WHERE Event_ID='".$eventID'
AND Deployed='1'");
$totalCount =
mysql_num_rows($accResult);
$ctr = 0; $resu
= array();
while($row =
mysql_fetch_array($accResult)) {

$resu[$ctr] = $row['Vol_ID'];
$ctr+
+;
}
$staffQ =
mysql_query("SELECT DISTINCT Vol_ID FROM
jos_membership WHERE Event_ID='".$eventID'
AND Deployed='1' AND Is_staff=1");
$staff =
mysql_num_rows($staffQ);
$skCount =
totalCount - $staff;
$volunteerLine
= ($skCount == 1)?1 volunteer':
(($skCount == 0)?'':'$.skCount.''
volunteers');
$staffLine =
($skCount != 0 && $staff != 0)? " and ":"";
$staffLine .=
($staff != 0)? ''.$staff .' " Pahinungód
staff ":"';

}

```

```

$accomplishment .= 'A total of '.

$volunteerLine.$staffLine.' assisted on the

activity.
';

// show legend

if($rangeArr[1]

== '+') {

$plus =

true;

$leg8[0] = true;

} else {

if($rangeArr[1] == "++") {

$plus2 = true;

$leg8[1] = true;

}

}

//save as table

row for report

$SK[$ctr8][] =

$range . "
 " . $row['venue'];

$SK[$ctr8][] =

$accomplishment;

break;

case '57': //Advocacy

//volunteers

$accResult =

mysql_query("SELECT Vol_ID FROM

jos_membership WHERE Event_ID='$eventID'

AND Deployed='1'");

$totalCount =

mysql_num_rows($accResult);

$ctr = 0; $resu

= array();

while($row =

mysql_fetch_array($accResult)) {

$resu[$ctr] = $row['Vol_ID'];

$ctr+

+;

}

$staffQ =

mysql_query("SELECT DISTINCT Vol_ID FROM

jos_membership WHERE Event_ID='$eventID'

AND Deployed='1' AND Is_staff=1");

$staff =

mysql_num_rows($staffQ);

$apCount =

$totalCount - $staff;

$volunteerLine

= ($apCount == 1)?'1 volunteer':

((($apCount == 0)?'' . $apCount .'

volunteers');

$staffLine =

($apCount != 0 && $staff != 0)? " and ":"";

$staffLine .=

($staff != 0)? '' . $staff . " Pahinungód

staff ': '';

$accomplishment = $volunteerLine.

$staffLine." from Pahinungód were

present in the event.
 ";

/*

//save # of

attendees

$children = 0;

$parResult =

mysql_query ("SELECT * FROM jos_beneficiaries

WHERE Event_ID='$eventID'");

$bCount =

mysql_num_rows($parResult);

$apTemp = "";

if($bCount > 1)

{

for($i=

0; $i <$bCount; $i++) {

$participants =

mysql_fetch_array($parResult);

$children +=

$participants['Num_of_attendees'];

$apTemp .= "".

$participants['Institution']. ' ('.

$participants['Num_of_attendees'].")";

}

$institutions =

mysql_num_rows($parResult);

$accomplishment .= '' . $children . '

participants from ' . $institutions . '

different institutions also took part on the

event. ';

$accomplishment .= 'The breakdown is

as follows: ';

$accomplishment .= $apTemp;

```

```

$accomplishment .= '';
} else{

 $participants =
mysql_fetch_array($parResult);

 $children =
$participants['Num_of_attendees'];

 $institutions = 1;

 $accomplishment .= ''.
$children." attendees from ".
$participants['Institution']."' also took part on
the event. ";
}

/*
// show legend
if($rangeArr[1]
== '+'){
 $plus =
true;

 $leg9[0] = true;
} else {

 if($rangeArr[1] == "++") {
 $plus2 = true;

 $leg9[1] = true;
 }
}

//save as table
row for report
 //AP[$ctr9][] =
$range . "
" . $row['venue'];
 //AP[$ctr9][] =
$accomplishment;
 break;
}
$result = mysql_query("SELECT
Extra_report FROM jos_extra_reports WHERE
Event_ID='".$eventID"');
$row = mysql_fetch_array($result);
$accomplishment .= "
". $row['Extra_report'];
?> fetch_archive_article.php
<?php
 include "j_connection.php";
$orgID = $_GET['orgID'];
//get unique values on subquery
$result = mysql_query("SELECT
id,lastname,firstname,middlename
FROM jos_comprofiler
WHERE id IN (SELECT DISTINCT Rep_ID
FROM jos_party_membership WHERE
Org_ID='".$orgID')
ORDER BY
lastname,firstname,middlename");
echo '<option value = ""></option>';
while ($row =
mysql_fetch_array($result)){
 $id = $row['id'];
 $rep = $row['lastname'].', '.
$row['firstname'].'.'.$row['middlename'];
 echo '<option value = "'.
$id.'">'.$rep.'</option>';
}
//WHERE id IN (SELECT DISTINCT
Rep_ID FROM jos_party_membership WHERE
Org_ID='".$orgID') ==> not necessary though,
since orgID is given
?>
fetch_dashboard_info.php
<?php
 include "j_connection.php";

//name, username, email, register date,
last visit date
 $result1 = mysql_query("SELECT
middlename,firstname,lastname FROM
jos_comprofiler WHERE id='".$id"');
 $result2 = mysql_query("SELECT
email,username,registerDate,lastvisitDate
FROM jos_users WHERE id='".$id"');
 $row1 = mysql_fetch_array($result1);
 $row2 = mysql_fetch_array($result2);
 $name = $row1['firstname'] . " ".
$row1['middlename'] . " " . $row1['lastname'] ;
 $email = $row2['email'];
 $username = $row2['username'];
 $registerDate = $row2['registerDate'];
 $lastvisitDate = $row2['lastvisitDate'];

//last updated
 $result = mysql_query("SELECT
lastupdatedate,avatar,avatarapproved FROM
jos_comprofiler WHERE id='".$id"');
 $row = mysql_fetch_array($result);

```

```

$lastupdatedate =
$row['lastupdatedate'];
if($row['avatar'] == NULL){
 $avatar = 'empty';
} else{
 $avatar =
($row['avatarapproved'] == 0)?
"pendingAvatar":$row['avatar'];
}

//position
$result = mysql_query("SELECT *
FROM jos_staff WHERE Vol_ID='$id'");
$position = array();
if(mysql_num_rows($result) == 0)
$position[0] = "Volunteer";
else{
 $i = 0;
 while($row_1 =
mysql_fetch_array($result)){
 $position[$i] =
$row_1['Position'];
 $position[$i] .=
($row_1['Remarks'] != "")? " - ".
$row_1['Remarks'] : "";
 $i++;
 }
}

$result = mysql_query("SELECT *
FROM jos_staff WHERE Vol_ID='$id'");
$position = array();
$result = mysql_query("SELECT
title,publish_up,publish_down FROM jos_events
WHERE id NOT IN (SELECT Event_ID FROM
jos_recommendation) ORDER BY publish_up,
publish_down");
$pendingRecommendations =
mysql_num_rows($result);

//fetch pending signups
$query = "SELECT Event_ID
 FROM jos_sign_ups
 WHERE Status='Pending'";
$result = mysql_query($query);
$pendingSignups =
mysql_num_rows($result);

//fetch membership to
upcoming/ongoing events
$eventQuery = "SELECT
catid,id,title,publish_up, publish_down, Status
FROM jos_events join
jos_membership
 ON jos_events.id =
jos_membership.Event_ID
 WHERE
jos_membership.Vol_ID='$id'
 ORDER BY publish_up";

$programs =
mysql_query($eventQuery);
$eventCount = 0;
$allEvents = 0;
$today = strtotime("now");
while($row =
mysql_fetch_array($programs)){
 $startString =
strtotime($row['publish_up']);
 $end =
strtotime($row['publish_down']);
 if(($end>$today)||(
$end==$today)){
 if($row['Status'] == 1)
{$allEvents++;}
 if($row['Status'] == 0)
{$eventCount++;}
 }
}

//fetch companies
$result = mysql_query("SELECT Org_ID
FROM jos_party_membership WHERE
Rep_ID='$id'");
$approvedCount =
mysql_num_rows($result);
$result = mysql_query("SELECT Org_ID
FROM jos_party_membership WHERE
Rep_ID='$id' AND Status='Pending'");
$pendingCount =
mysql_num_rows($result);

//fetch requested events of this user
$pendingRequests = $requestsCount =
0;
$result = mysql_query("SELECT
a.id,a.title,a.publish_up,a.publish_down,b.Status,
b.Comments,b.Org_ID
 FROM jos_events as a LEFT
JOIN jos_request as b ON a.id=b.Event_ID
 WHERE
a.Admin_in_rep_of='$id'
 ORDER BY a.publish_up,
a.publish_down");
$requestsCount =
mysql_num_rows($result);

```

```

 while ($row =
mysql_fetch_array($result)){
 if($row['Status'] == "Pending")
$pendingRequests++;
}
//echo "pendings".$requestsCount.
$pendingRequests;

//fetch all requests, regardless of who
requested it
$year = date("Y");
//result = mysql_query("SELECT *
FROM jos_events where `publish_up` LIKE
'$date%' and `unspecified`=0 and `state`=0
and (Admin_in_rep_of != " OR Admin_in_rep_of
IS NOT NULL) ORDER BY
publish_up,publish_down");
$result = mysql_query("SELECT *
FROM jos_events where (Admin_in_rep_of != "
OR Admin_in_rep_of IS NOT NULL) ORDER BY
publish_up,publish_down");
$allRequests =
mysql_num_rows($result);
$result = mysql_query("SELECT *
FROM jos_request where Status = 'Pending'");
//echo "allrequests:".
$allRequests."datex".$date;
$allPendingRequests =
mysql_num_rows($result); //for the meantime

//fetch users
$result = mysql_query("SELECT
id,name,username,block, usertype, email,
lastvisitDate FROM jos_users");
$userCount =
mysql_num_rows($result);

//fetch all organizations
$result = mysql_query("SELECT Org_ID
FROM jos_organization");
$allOrgs = mysql_num_rows($result);
$result = mysql_query("SELECT Org_ID
FROM jos_organization WHERE
Status='Pending'");
$pendingOrgs =
mysql_num_rows($result);
$result = mysql_query("SELECT Org_ID
FROM jos_party_membership WHERE
Status='Pending'");
$pendingContactP =
mysql_num_rows($result);
?>
fetch_single_sisp_reqs.php

```

```

<?php
include "j_connection.php";
$volID = $_GET['volID'];
$date = array();
$remarks = array();
$status = array();

$volResult = mysql_query("SELECT *
FROM jos_sisp_reqt WHERE Vol_ID='".$volID "'");
if(mysql_num_rows($volResult) == 0){
 $query = ("INSERT
INTO jos_sisp_reqt (Vol_ID) VALUES('$volID')");
 // the rest will be load default
 mysql_query($query,
$link) or die ("INSERT error:".mysql_error());

$req =
mysql_fetch_assoc($volResult);
$date= array();
for($i = 1; $i < 13; $i+
+){
 $date[$i] =
'0000-00-00 00:00:00';
 $remarks[$i] =
'&nbs';
 $status[$i]='0';
}
echo "created new";
}else{
 echo "already here";
 $i = $j = $k= 1;
 $req =
mysql_fetch_assoc($volResult);
 $date[$i++] =
$req['Date_submitted_1'];
 $date[$i++] =
$req['Date_submitted_2'];
 $date[$i++] =
$req['Date_submitted_3'];
 $date[$i++] =
$req['Date_submitted_4'];
 $date[$i++] =
$req['Date_submitted_5'];
 $date[$i++] =
$req['Date_submitted_6'];
 $date[$i++] =
$req['Date_submitted_7'];
 $date[$i++] =
$req['Date_submitted_8'];
 $date[$i++] =
$req['Date_submitted_9'];
 $date[$i++] =
$req['Date_submitted_10'];
}

```

```

 $date[$i++] =
$req['Date_submitted_11'];
 $date[$i++] =
$req['Date_submitted_12'];
 $remarks[$j++] =
$req['Remarks_1'];
 $remarks[$j++] =
$req['Remarks_2'];
 $remarks[$j++] =
$req['Remarks_3'];
 $remarks[$j++] =
$req['Remarks_4'];
 $remarks[$j++] =
$req['Remarks_5'];
 $remarks[$j++] =
$req['Remarks_6'];
 $remarks[$j++] =
$req['Remarks_7'];
 $remarks[$j++] =
$req['Remarks_8'];
 $remarks[$j++] =
$req['Remarks_9'];
 $remarks[$j++] =
$req['Remarks_10'];
 $remarks[$j++] =
$req['Remarks_11'];
 $remarks[$j++] =
$req['Remarks_12'];
 $status[$k++] =
$req['Accomplished_app_form'];
 $status[$k++] =
$req['ID_picture'];
 $status[$k++] =
$req['Essay'];
 $status[$k++] =
$req['Parents_consent'];
 $status[$k++] =
$req['Psych_test'];
 $status[$k++] =
$req['Group_interview'];
 $status[$k++] =
$req['Team_building_sessions'];
 $status[$k++] =
$req['Health_service_clearance'];
 $status[$k++] =
$req['Pre_deployment_training'];
 $status[$k++] =
$req['Memorandum_of_agreement'];
 $status[$k++] =
$req['Accident_insurance'];
 $status[$k] =
$req['Debriefing'];
 }

 ?> fetch_staff.php
 <?php
 include "j_connection.php";
 $chairpersons = array();
 $coordinators = array();
 $admin_officer_2 = array();
 $univ_ext_spec_1 = array();
 $univ_res_assoc_1 = array();
 $admin_officer_4 = array();
 $director = array();
 $director['name'] = '<center>---</center>';
 $i = $j = $k = $l = 0;
 $result = mysql_query ("SELECT *
 FROM jos_staff");
 while($row =
 mysql_fetch_array($result)){
 $id = $row['Vol_ID'];
 $names = mysql_query
 ("SELECT name FROM jos_users WHERE
 id='$id'");
 $namesResult =
 mysql_fetch_assoc($names);
 $name = str_replace('ñ',
 'ñ', $namesResult['name']);
 switch($row['Position']){
 case 'Chairperson':
 $chairpersons[$row['Remarks']]
 ['name'] = $name;
 $chairpersons[$row['Remarks']]['id'] =
 $id;
 break;
 case 'Coordinator':
 $coordinators[$row['Remarks']]
 ['name'] = str_replace('ñ',
 'ñ', $namesResult['name']);
 $coordinators[$row['Remarks']]['id'] =
 $id;
 break;
 case 'University
 Extension Specialist I':
 $univ_ext_spec_1[$i]['name'] =
 str_replace('ñ',
 'ñ', $namesResult['name']);
 $univ_ext_spec_1[$i]['id'] = $id;
 $i++;
 }
 }

```

```

 break;
 case 'University
Research Associate I':
 $univ_res_assoc_1[$j]['name'] =
str_replace('ñ', 'ñ',
$nameResult['name']);

 $univ_res_assoc_1[$j]['id'] = $id;
 $j++;
 break;
 case 'Administrative
Officer II':
 $admin_officer_2[$k]['name'] =
str_replace('ñ', 'ñ',
$nameResult['name']);

 $admin_officer_2[$k]['id'] = $id;
 $k++;
 break;
 case 'Administrative
Officer IV':
 $admin_officer_4[$l]['name'] =
str_replace('ñ', 'ñ',
$nameResult['name']);

 $admin_officer_4[$l]['id'] = $id;
 $l++;
 break;
 case 'Director':
 $director['name'] = $name;
 $director['id'] =
$id;
 break;
 }

 if($coordinators['Tutorials'] == "")
$coordinators['Tutorials']['name'] =
"<center>---</center>";
 if($coordinators['Teachers
Development'] == ") $coordinators['Teachers
Development']['name'] = "<center>---
</center>";
 if($coordinators['Gurong Pahinungod'] ==
") $coordinators['Gurong Pahinungod']
['name'] = "<center>---</center>";

 //there's only one chair for educational
assistance, set it to all other EAPs but get value
from TDP only
 //if($coordinators['Teachers
Development'] == ") $coordinators['Teachers
Development']['name'] = "<center>---
</center>";
 if($coordinators['Health Mission'] == ")
$coordinators['Health Mission']['name'] =
"<center>---</center>";
 if($coordinators['Health Training'] ==
") $coordinators['Health Training']['name'] =
"<center>---</center>";
 if($coordinators['Emergency Room
Volunteers'] == ") $coordinators['Emergency
Room Volunteers']['name'] = "<center>---
</center>";
 if($coordinators['Summer Immersion
Service Program'] == ")
$coordinators['Summer Immersion Service
Program']['name'] = "<center>---</center>";
 if($coordinators['Program for the Street
Children'] == ") $coordinators['Program for the
Street Children']['name'] = "<center>---
</center>";
 if($coordinators['Advocacy Program'] ==
") $coordinators['Advocacy Program']
['name'] = "<center>---</center>";

 if($chairpersons['Tutorials'] == ")
$chairpersons['Tutorials']['name'] =
"<center>---</center>";
 if($chairpersons['Teachers
Development'] == ") $chairpersons['Teachers
Development']['name'] = "<center>---
</center>";
 if($chairpersons['Gurong Pahinungod'] ==
") $chairpersons['Gurong Pahinungod']
['name'] = "<center>---</center>";
 if($chairpersons['Health Mission'] == ")
$chairpersons['Health Mission']['name'] =
"<center>---</center>";
 if($chairpersons['Health Training'] ==
") $chairpersons['Health Training']['name'] =
"<center>---</center>";
 if($chairpersons['Emergency Room
Volunteers'] == ") $chairpersons['Emergency
Room Volunteers']['name'] = "<center>---
</center>";
 if($chairpersons['Summer Immersion
Service Program'] == ")
$chairpersons['Summer Immersion Service
Program']['name'] = "<center>---</center>";
```

```

 if($chairpersons['Program for the
Street Children'] == "") $chairpersons['Program
for the Street Children']['name'] = "<center>---</center>";
 if($chairpersons['Advocacy Program']
== "") $chairpersons['Advocacy Program']
['name'] = "<center>---</center>";

 if(empty($admin_officer_2))
$admin_officer_2[0]['name'] =
'<center>---</center>';

 if(empty($univ_ext_spec_1))
$univ_ext_spec_1[0]['name'] =
'<center>---</center>';

 if(empty($univ_res_assoc_1))
$univ_res_assoc_1[0]['name'] = '<center>---</center>';

 if(empty($admin_officer_4))
$admin_officer_4[0]['name'] =
'<center>---</center>';
?> fetch_users.php
<?php
 include "j_connection.php";

 $users = array();
 $i = 0;
 $isEmpty = false;
 $result = mysql_query("SELECT
u.id,u.username,u.block, u.usertype, u.email,
u.lastvisitDate, c.firstname, c.lastname,
c.approved, c.confirmed
FROM jos_users as u
LEFT JOIN jos_comprofiler as c ON u.id = c.id
WHERE c.approved != 2
ORDER BY lastname,
firstname");

 if(mysql_num_rows($result) == 0){
 $isEmpty = true;
 } else{
 while($row =
mysql_fetch_array($result)){
 $users[$i]['id'] =
$row['id'];
 $fullname =
$row['lastname'] . ", " . $row['firstname'];
 $users[$i]['name'] =
str_replace('ñ', 'á', $fullname);
 $users[$i]['username'] =
str_replace('ñ', 'á', $row['username']);
 $users[$i]['approved'] =
$row['approved'];
 $users[$i]['confirmed'] =
$row['confirmed'];
 $users[$i]['block'] =
$row['block'];
 $users[$i]['usertype'] =
$row['usertype'];
 $users[$i]['email'] =
$row['email'];
 $users[$i]
['lastvisitDate'] = $row['lastvisitDate'];
 $i++;
 }
 }
?>
fetch_vol_reqs.php
<?php
//imported by form_sisp_summary.php
//assumes that these will be asked only
once per volunteer during his entire
membership
 include "j_connection.php";
 $eventID = $_GET['eventID'];

 $reqResult = array();
 $i = 0;
 $result = mysql_query("SELECT
name,id FROM jos_users WHERE id IN(SELECT
Vol_ID FROM jos_membership WHERE
Event_ID='$eventID' AND Status=1)");
 $isEmpty = (mysql_num_rows($result)
== 0)? true: false;
 while($row =
mysql_fetch_array($result)){
 $id = $row['id'];
 $reqResult[$i]['id'] = $id;
 $reqResult[$i]['name'] =
$row['name'];
 $volResult =
mysql_query("SELECT * FROM jos_sisp_reqt
WHERE Vol_ID='$id'");
 if(mysql_num_rows($volResult)
== 0){
 $query = ("INSERT
INTO jos_sisp_reqt (Vol_ID) VALUES('$id')");
 // the rest will load default
 mysql_query($query,
$link) or die ("INSERT error:" .mysql_error());
 $req =
mysql_fetch_assoc($volResult);
 }
 }
}

```

```

 $reqResult[$i]
['Accomplished_app_form'] = "0";
 $reqResult[$i]
['ID_picture'] = "0";
 $reqResult[$i]['Essay']
= "0";
 $reqResult[$i]
['Parents_consent'] = "0";
 $reqResult[$i]
['Psych_test'] = "0";
 $reqResult[$i]
['Group_interview'] = "0";
 $reqResult[$i]
['Team_building_sessions'] = "0";
 $reqResult[$i]
['Health_service_clearance'] = "0";
 $reqResult[$i]
['Pre_deployment_training'] = "0";
 $reqResult[$i]
['Memorandum_of_agreement'] = "0";
 $reqResult[$i]
['Accident_insurance'] = "0";
 $reqResult[$i]
['Debriefing'] = "0";
 $reqResult[$i]
['Community_assigned'] = $reqResult[$i]
['Volunteer_assigned'] = "";
} else{
 $req =
mysql_fetch_assoc($volResult);
 $reqResult[$i]
['Accomplished_app_form'] =
$req['Accomplished_app_form'];
 $reqResult[$i]
['ID_picture'] = $req['ID_picture'];
 $reqResult[$i]['Essay']
= $req['Essay'];
 $reqResult[$i]
['Parents_consent'] = $req['Parents_consent'];
 $reqResult[$i]
['Psych_test'] = $req['Psych_test'];
 $reqResult[$i]
['Group_interview'] = $req['Group_interview'];
 $reqResult[$i]
['Team_building_sessions'] =
$req['Team_building_sessions'];
 $reqResult[$i]
['Health_service_clearance'] =
$req['Health_service_clearance'];
 $reqResult[$i]
['Pre_deployment_training'] =
$req['Pre_deployment_training'];

```

```

 $reqResult[$i]
['Memorandum_of_agreement'] =
$req['Memorandum_of_agreement'];
 $reqResult[$i]
['Accident_insurance'] =
$req['Accident_insurance'];
 $reqResult[$i]
['Debriefing'] = $req['Debriefing'];
 $reqResult[$i]
['Community_assigned'] =
$req['Community_assigned'];
 $reqResult[$i]
['Volunteer_assigned'] =
$req['Volunteer_assigned'];
}
$i++;
}
?> fetch_volunteer_info.php
<?php
 include "j_connection.php";
 //called by profilers, menu id of
menutab on comprofiler too
 if($_GET['param3'] == ""){
 if($_GET['param2'] != "") $id =
$_GET['param2'];
 else{
 $id =
$_POST['param2'];
 }
 } else{
 $id = $_GET['param3'];
 }

 $result = mysql_query("SELECT *
FROM jos_users WHERE id='$id'");
 $row = mysql_fetch_array($result);
 $email = $row['email'];
 $username = $row['username'];
 $usertype = $row['usertype'];

 $result = mysql_query("SELECT *
FROM jos_comprofiler WHERE id='$id'");
 $row = mysql_fetch_array($result);
 if($usertype == 'Representative') {
 $lname = str_replace('ñ',
'ñ', $row['lastname']);
 $mname = str_replace('ñ',
'ñ', $row['middlename']);
 $fname = str_replace('ñ',
'ñ', $row['firstname']);
 $cp =
$row['cb_mobilenumbers'];
 $telno = $row['cb_telephone'];

```

```

 $presA = str_replace('ñ',
'ñ', $row['cb_presentaddress']);
 $permA = str_replace('ñ',
'ñ', $row['cb_permanentaddress']);

 } else{
 $result = mysql_query("SELECT
* FROM jos_staff WHERE Vol_ID='".$id"");
 $position = array();
 if(mysql_num_rows($result) ==
0) $position[0] = "Volunteer";
 else{
 $i = 0;
 while($row_1 =
mysql_fetch_array($result)){
 $position[$i] =
$row_1['Position'];
 $position[$i] .=
($row_1['Remarks'] != "")? " - ".
$row_1['Remarks'] : "";
 $i++;
 }
 $lname = str_replace('ñ',
'ñ', $row['lastname']);
 $mname = str_replace('ñ',
'ñ', $row['middlename']);
 $fname = str_replace('ñ',
'ñ', $row['firstname']);
 $nickname = str_replace('ñ',
'ñ', $row['cb_nickname']);
 $cp =
$row['cb_mobilenumbers'];
 $bdyTemp = explode(' ',
$row['cb_birthday']);
 $months = array('January',
'February', 'March', 'April', 'May', 'June', 'July',
'August', 'September', 'October', 'November',
'December');
 $bdy = $months[--$bdyTemp[0]]. ".$bdyTemp[1].
$bdyTemp[2];
 $cstat = $row['cb_civilstat'];
 $gender = $row['cb_gender'];
 $btype = $row['cb_bloodtype'];
 $rel = $row['cb_religion'];
 $telno = $row['cb_telephone'];
 $presA = str_replace('ñ',
'ñ', $row['cb_presentaddress']);
 $permA = str_replace('ñ',
'ñ', $row['cb_permanentaddress']);
 $affiliation =
$row['cb_upaddiliation'];

```

```

 $volType =
$row['cb_volunteertype'];
 $skills = $row['cb_specialskill'];
 $hobbies = $row['cb_hobbies'];
 $hobbies =
$row['cb_volunteertype'];
 $cfname = str_replace('ñ',
'ñ', $row['cb_firstname']);
 $cmname = str_replace('ñ',
'ñ', $row['cb_middlename']);
 $clname = str_replace('ñ',
'ñ', $row['cb_clastname']);
 $crel = $row['cb_relationship'];
 $cAddr = str_replace('ñ',
'ñ', $row['cb_caddress']);
 $cNum =
$row['cb_ccontactno'];

 if($volType == "Professional"){
 $prc =
$row['cb_prlicenseno'];
 $dept =
$row['cb_department'];
 $unit = str_replace('ñ',
'ñ', $row['cb_companyname']);
 $officeNum =
$row['cb_officecontactno'];
 } else{
 $studNum =
$row['cb_studentno'];
 $school =
str_replace('ñ', 'ñ', $row['cb_school']);
 $college =
$row['cb_college'];
 $course =
$row['cb_course'];
 $yearlevel =
$row['cb_yearlevel'];
 }

 //alumnus
 $alumnus =
$row['cb_alumnus'];
 $campus = $row['cb_campus'];

 $yearGraduated =
$row['cb_graduation'];

 $result = mysql_query("SELECT
* FROM jos_v_organization WHERE
Vol_ID='".$id"");
 $v_org = array();
 $i = 1;

```

```

 while($row =
mysql_fetch_array($result)){
 $v_org[$i]
['Organization'] = $row['Organization'];
 $v_org[$i]['Position'] =
$row['Position'];
 $v_org[$i]
['Type_of_org'] = $row['Type_of_org'];
 $i++;
 }

 $result = mysql_query("SELECT
Profession, Other FROM jos_profession WHERE
Vol_ID='$id'");
 $profession = array();
 $i = 0;
 while($row =
mysql_fetch_array($result)){
 $profession[$i] =
$row['Profession'];
 if($row['Profession'] ==
'Other'){
 $other =
$row['Other'];
 $profession[$i]
= $row['Other'];
 }
 $i++;
 }

 $result = mysql_query("SELECT
* FROM jos_volunteer_work WHERE
Vol_ID='$id'");
 $j = 1;
 while($row =
mysql_fetch_array($result)){
 $volWork[$j]
['Program_name'] = $row['Program_name'];
 $volWork[$j]['Date'] =
$row['Date'];
 $j++;
 }

 $result = mysql_query("SELECT
* FROM jos_preferred_program WHERE Vol_ID
= '$id'");
 $storedCount =
mysql_num_rows($result);
 $storedPref = array();
 //echo "storedCount".
$storedCount."
";
 for($i=0; $i<$storedCount; $i+
+) {
 $row =
@mysql_fetch_array($result);
 $storedPref[$i] =
$row['Preferred_prog'];
 //echo
$storedPref[$i]."
";
 }
 $programs = array("Tutorials",
"Teachers Development", "Gurong
Pahinungod", "Health Mission", "Health
Training", "Health Education", "Emergency
Room Volunteers",
"Program for the Street
Children", "Summer Immersion Service
Program", "Advocacy Program");

 $checked = array();
 for($i=0; $i <
count($programs) ; $i++){
 if(in_array($programs[$i], $storedPref))
{
 $checked[$i] =
"checked";
 } else $checked[$i] =
"";

 }
 $result = mysql_query("SELECT
Org_type,Org_name,Org_ID,Status FROM
jos_organization WHERE Org_ID IN (SELECT
Org_ID FROM jos_party_membership WHERE
Rep_ID='$id' AND (Status='Approved' OR
Status='Pending')) ORDER BY Org_name");
 $queryResult =
mysql_query("SELECT * FROM
jos_party_membership WHERE Rep_ID='$id'
AND (Status='Pending' OR
Status='Approved')");
 $companies = array();
 $posArray = array();
 $j = 0;

 while($row_1 =
mysql_fetch_assoc($queryResult)){
 $posArray[$row_1['Org_ID']]['Position']
= $row_1['Position'];

 $posArray[$row_1['Org_ID']]['Status'] =
$row_1['Status'];
 }
 }
}

```

```

 while($row =
@mysql_fetch_array($result)){
 $companies[$j]
['Organization'] = $row['Org_name'];
 $companies[$j]
['Position'] = $posArray[$row['Org_ID']]
['Position'];

 if($posArray[$row['Org_ID']]['Status'] !
= $row['Status']) $companies[$j]['Status'] =
$posArray[$row['Org_ID']]['Status'];
 else $companies[$j]
['Status'] = $row['Status'];
 $companies[$j]
['Type_of_org'] = $row['Type_of_org'];
 $j++;
 }

//images on program preference table
 $check = '';
 //$/x ='<center></center>';
 $x = '';
 mysql_close($link);
?> fetchContactPersons.php
<?php
 include "j_connection.php";
 $orgID = $_GET['orgID'];

 //get unique values on subquery
 $result = mysql_query("SELECT
id,lastname,firstname,middlename
FROM jos_comprofiler
WHERE id IN (SELECT DISTINCT Rep_ID
FROM jos_party_membership WHERE
Org_ID='$orgID' AND Status='Approved')
ORDER BY
lastname,firstname,middlename");
 echo '<option value = ""></option>';
 while ($row =
mysql_fetch_array($result)){
 $id = $row['id'];
 $rep = $row['lastname'].',' .
$row['firstname'].'.'.$row['middlename'];
 echo '<option value = "'. $id.'">'.$rep.'</option>';
 }
}

//WHERE id IN (SELECT DISTINCT
Rep_ID FROM jos_party_membership WHERE
Org_ID='$orgID' ==> not necessary though,
since orgID is given
?> filter_by_profession.php
<?php
 include "j_connection.php";
 $eventID = $_GET['eventID'];
 $pro_ference = $_GET['proference'];
 $program = $_GET['program'];
 $catid = $_GET['catid'];

 if($pro_ference != "All") $additional = "
AND Vol_ID IN (SELECT Vol_ID FROM
jos_profession WHERE
Profession='$pro_ference')";
 //assumes that entered id's in the
jos_preferred_program table are id's of
volunteers only
 $volunteer = mysql_query("SELECT *
FROM jos_comprofiler WHERE id IN(SELECT
Vol_ID FROM jos_preferred_program
WHERE
Preferred_prog='$program'
 AND Vol_ID NOT IN
(SELECT Vol_ID FROM jos_membership WHERE
Event_ID='$eventID')".$additional.)
 ORDER BY
lastname,firstname");

 $professionCol_1 = $professionCol_2 =
"";

 if($catid == 48){
 $hm = true;
 $professionCol_1 =
'<td
class="headers">Profession</center></td>';
 $cols = "3";
 } else{
 $professionCol_1 =
$professionCol_2 = "";
 $cols = "2";
 }
 echo '<table id="results"
class="sideHeaderTable3" border = 1 align =
center>
<tr>
<td
class="headers nameHeading">".Volunteers
Preferring
 ".$program.'</td>
'.
$professionCol_1.'

```

```

<td colspan='.
class="headers">'.'Assign Volunteer</td>
</tr>';
$volCount = 0;
while($row =
mysql_fetch_array($volunteer)){
 $volCount++;
 $vol_name = str_replace('ñ',
'ñ', $row['lastname'].', ';
$row['firstname'].'.$row['middlename']);

 $id = $row['id'];
 if($hm) {
 $temp1 =
mysql_query("SELECT Profession,Other FROM
jos_profession WHERE Vol_ID = '$id' ORDER BY
Profession");
 $professionCol_2 =
'<td align = center><center>';
 $professions = "";
 while($row1 =
mysql_fetch_array($temp1)){
 if($row1['Profession'] == 'Other'){
 $professions .= $row1['Other'].'

';
 } else{
 $professions .=
$row1['Profession'].'

';
 }
 $professionCol_2 .=
$professions;
 $professionCol_2 .=
'</center></td>';
 }
 echo '<tr>
<td
class="names">'.$vol_name.'</td>
'.
$professionCol_2.'
<td
align = "center"><input name="status[]" id="status" type="checkbox" value="'.$.id.'" .
$status.'/></td>
';
 $professionCol_1 = $professionCol_2 =
"";;
 if($hm){
 </tr>';
}
if($volCount == 0) {
echo '<tr>
</td colspan='.
$cols.' align="center">No entry.</td>
</tr>';
}
echo '</table>';
?>
<div id="confirmedNav"
align="center"></div>
<script
type="text/javascript"><!--
alert("hello");
//--></script>
filter_by_profession_signup.php
<?php
 include "j_connection.php";
 $eventID = $_GET['eventID'];
 $pro_ference = $_GET['proference'];
 $catid = $_GET['catid'];
 $hm = ($catid == 48) ? true:false;

 if($pro_ference != "All") $additional = "
AND id IN (SELECT Vol_ID FROM jos_profession
WHERE Profession='".$pro_ference')";
 $toFetch =
"id,lastname,firstname,middlename";
 //assumes that entered id's in the
jos_preferred_program table are id's of
volunteers only
 $membershipConfirmed =
mysql_query("SELECT ".$toFetch." as
fromtable FROM jos_comprofiler WHERE id
IN(SELECT Vol_ID FROM jos_membership
WHERE Event_ID='".$eventID' and Status=1) ".
$additional." ORDER BY lastname,firstname");
 $cSignups = mysql_query("SELECT ".
$toFetch." FROM jos_comprofiler
WHERE id IN(SELECT Vol_ID
FROM jos_sign_ups WHERE
Event_ID='".$eventID' and
Status='Acknowledged')
 AND id NOT IN (SELECT
Vol_ID FROM jos_membership WHERE
Event_ID='".$eventID')
 AND ".$additional."
ORDER BY
lastname,firstname");

 $professionCol_1 = $professionCol_2 =
"";;
 if($hm){

```

```

 $professionCol_1 = '<td align
= center class = "style1"
width="30%"><center>Profession</center><
/&td>';
 }
//copy result to array

$cMem = $sMem = array();
$i = 0;
while($row =
@mysql_fetch_array($membershipConfirmed))
{
 $cMem[$i] = $row;
 $i++;
}
$k = 0;
while($row =
@mysql_fetch_array($cSignups)){
 $sMem[$k] = $row;
 $k++;
}
if($sMem != ""){
 $committeds =
array_merge($cMem, $sMem);
 sort($committeds);
} else{
 $committeds = $cMem;
}
$ccMem = count($committeds);
//display volunteers who confirmed
attending
if($ccMem > 0) {
 $confirmed = '<table
id="confirmed" width = 400 border = 1 align =
center>

<thead>

 <td align = center width =
"25%"><center></center></td>

 <td align = center width =
"60%"><center>Confirmed
Participants</center></td>

 '.$professionCol_1.'

 </thead>';
} else {
 $confirmed = '<table
id="confirmed" width = 400 border = 1 align =
center>

```

```

 <thead>

 <td align = center width =
"25%"><center></center></td>

 <td align = center width =
"60%"><center>Confirmed
Participants</center></td>

 '.$professionCol_1.'

 </thead>
 <tr>
 <td colspan=3
align="center">No entry.</td>
 </tr>';
 }
 for($j = 0; $j < $ccMem; $j++) {
 $vol_name = $committeds[$j]
['lastname']. ' .' . $committeds[$j]['firstname']. ' .
$committeds[$j]['middlename'];
 $vol_name = str_replace('ñ',
'ñ', $vol_name);
 $volunteer = $committeds[$j]
['id'];
 if($hm) {
 $temp1 =
mysql_query("SELECT Profession,Other FROM
jos_profession WHERE Vol_ID = '$volunteer'
ORDER BY Profession");
 $professionCol_2 =
'<td align = center><center>';
 $professions = "";
 while($row1 =
mysql_fetch_array($temp1)){
 if($row1['Profession'] == 'Other'){
 $professions .= $row1['Other']. '
';
 } else{
 $professions .=
$row1['Profession']. '
';
 }
 }
 $professionCol_2 .=
$professions;
 $professionCol_2 .=
'</center></td>';
 }
 if($committeds[$j]['fromtable']
== 'mem'){

```

```

 $pic = '<center></center>';
 } else{
 $pic = '<center></center>';
 }
$confirmed .= '<tr>
 ' . $pic . '</td> <td align="center"'. $vol_name .'</td> '. $professionCol_2 .' </tr>'; } $confirmed .= '</table>'; echo $confirmed; ?> <div id="confirmedNav" align="center"></div> <script type="text/javascript"><!-- var pager1 = new Pager('confirmed', <?php echo $filter_by_usertype;?>); pager1.init(); pager1.showPageNav('pager1', 'confirmedNav'); pager1.showPage(1); //--></script> filter_by_usertype.php <?php include "j_connection.php"; $filter = $_GET['filter']; $q = $_GET['q']; $i=0; switch($filter){ case 'All': if($q != "") { //search field has input $result = mysql_query("SELECT u.id,c.firstname, c.lastname,u.username,u.block, u.usertype, u.email, u.lastvisitDate, c.approved, c.confirmed FROM jos_users as u LEFT JOIN jos_comprofiler as c ON u.id = c.id WHERE c.firstname LIKE '%{$q}%' OR c.lastname LIKE '%{$q}%'" ORDER BY c.lastname,c.firstname"); } else{ $result = mysql_query("SELECT u.id,c.firstname, c.lastname,u.username,u.block, u.usertype, u.email, u.lastvisitDate, c.approved, c.confirmed FROM jos_users as u LEFT JOIN jos_comprofiler as c ON u.id = c.id ORDER BY c.lastname,c.firstname"); } break; case 'Staff': if($q != ""){ //search field has input $result = mysql_query("SELECT u.id,c.firstname, c.lastname,u.block, u.username, u.usertype, u.email, u.lastvisitDate, c.approved, c.confirmed FROM jos_users as u LEFT JOIN jos_comprofiler as c ON u.id = c.id WHERE u.id IN(SELECT DISTINCT Vol_ID FROM jos_staff) AND (c.firstname LIKE '%{$q}%' OR c.lastname LIKE '%{$q}%'" ORDER BY c.lastname,c.firstname"); } else{ $result = mysql_query("SELECT u.id,c.firstname, c.lastname,u.block, u.username, u.usertype, u.email, u.lastvisitDate, c.approved, c.confirmed FROM jos_users as u LEFT JOIN jos_comprofiler as c ON u.id = c.id WHERE u.id IN(SELECT DISTINCT Vol_ID FROM jos_staff) ORDER BY c.lastname,c.firstname"); } break; case 'Volunteer': if($q != ""){ //search field has input $result = mysql_query("SELECT u.id,c.firstname, c.lastname,u.username,u.block, u.usertype, u.email, u.lastvisitDate, c.approved, c.confirmed FROM jos_users as u LEFT JOIN jos_comprofiler as c ON u.id = c.id WHERE u.id IN(SELECT DISTINCT Vol_ID FROM jos_staff) ORDER BY c.lastname,c.firstname"); } break; case 'User': if($q != ""){ //search field has input $result = mysql_query("SELECT u.id,c.firstname, c.lastname,u.username,u.block, u.usertype, u.email, u.lastvisitDate, c.approved, c.confirmed FROM jos_users as u LEFT JOIN jos_comprofiler as c ON u.id = c.id WHERE u.id IN(SELECT DISTINCT Vol_ID FROM jos_staff) ORDER BY c.lastname,c.firstname"); } break; } } |
```

```

 if($q != ''){ //search
field has input
 $result =
mysql_query("SELECT u.id,c.firstname,
c.lastname,u.username,u.block, u.usertype,
u.email, u.lastvisitDate, c.approved,
c.confirmed
 FROM jos_users
as u LEFT JOIN jos_comprofiler as c ON u.id =
c.id
 WHERE
u.usertype='Volunteer'
 AND
(c.firstname LIKE '%{$q}%' OR c.lastname LIKE
'%{$q}%')
 ORDER BY
c.lastname,c.firstname");
 } else{
 $result =
mysql_query("SELECT u.id,c.firstname,
c.lastname,u.username,u.block, u.usertype,
u.email, u.lastvisitDate, c.approved,
c.confirmed
 FROM jos_users
as u LEFT JOIN jos_comprofiler as c ON u.id =
c.id WHERE u.usertype='Volunteer' ORDER BY
c.lastname,c.firstname");
 }
 break;
 case 'Representative':
 if($q != ''){ //search
field has input
 $result =
mysql_query("SELECT u.id,c.firstname,
c.lastname,u.username,u.block, u.usertype,
u.email, u.lastvisitDate, c.approved,
c.confirmed
 FROM jos_users
as u LEFT JOIN jos_comprofiler as c ON u.id =
c.id
 WHERE u.id
IN(SELECT DISTINCT Rep_ID FROM
jos_party_membership)
 AND
(c.firstname LIKE '%{$q}%' OR c.lastname LIKE
'%{$q}%')
 ORDER BY
c.lastname,c.firstname");
 } else{
 $result =
mysql_query("SELECT u.id,c.firstname,
c.lastname,u.username,u.block, u.usertype,
u.email, u.lastvisitDate, c.approved,
c.confirmed
 FROM jos_users
as u LEFT JOIN jos_comprofiler as c ON u.id =
c.id
 WHERE u.id
IN(SELECT DISTINCT Rep_ID FROM
jos_party_membership)
 AND
usertype='Representative' ORDER BY
c.lastname,c.firstname");
 }
 break;
 }
 }
 if(mysql_num_rows($result) != 0)
 $isEmpty = false;
}

```

```

 else $isEmpty = true;
 while($row =
mysql_fetch_array($result)){
 $users[$i]['id'] = $row['id'];
 $fullname = $row['lastname'] .
", " . $row['firstname'];
 $users[$i]['name'] =
str_replace('ñ', 'ñ', $fullname);
 $users[$i]['username'] =
str_replace('ñ', 'ñ', $row['username']);
 $users[$i]['approved'] =
$row['approved'];
 $users[$i]['confirmed'] =
$row['confirmed'];
 $users[$i]['block'] =
$row['block'];
 $users[$i]['usertype'] =
$row['usertype'];
 $users[$i]['email'] =
$row['email'];
 $users[$i]['lastvisitDate'] =
$row['lastvisitDate'];
 $i++;
 }
 include "user_management_div.php";
 >> generate_reports.php
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
<!-- pagination -->
 <link rel="stylesheet"
href="css/vol_pagination.css"
type="text/css" />
 <script type="text/javascript"
src="js/paging.js"></script>
<!-- pagination -->

<script type="text/javascript">
 function toggleDivs(reportType){
 if(reportType == "annual"){

document.getElementById('div1').style.display
="";

document.getElementById('div2').style.display
="none";
 //alert("here1");
 } else{

document.getElementById('div1').style.display
="none";

```

```

document.getElementById('div2').style.display
="";
 //alert("here");
 }
 }
 function checkYear(){
 year =
document.annualreport.year.value;
 //document.report.action =
"pdf_report_year.php";
 //document.report.submit();
 document.annualreport.action
= "doc_annual_report.php?year=" + year;

 document.annualreport.submit();
 }
 function checkMonth(){
 year =
document.monthlyreport.year.value;
 month =
document.monthlyreport.month.value;
 if(month == "" || month ==
"--") {
 alert("Please select
month");
 return;
 }else{
 params = "?year=" +
year + "&month=" + month;

 document.monthlyreport.action =
"doc_monthly_report.php";

 document.monthlyreport.submit();
 }
 }
 function populateDays(month){
 //alert(month);
 year =
document.monthlyreport.year.value;
 if(month == undefined) month
= document.monthlyreport.month.value;
 if((year % 4 == 0) && (year %
100 != 0 || year % 400 == 0)){
 //leap year
 days_in_month =
Array(31,29,31,30,31,30,31,31,30,31,30,31);
 } else{
 days_in_month =
Array(31,28,31,30,31,30,31,31,30,31,30,31);
 }
 }

```

```

 if(month == undefined ||
month == '--') {
 //alert("undefined");
 }
 else{
 document.monthlyreport.days.length =
0;
 for(i = 0; i <
days_in_month[month-1]; i++){
 document.monthlyreport.days.length+
+;
 document.monthlyreport.days[i].value
= i+1;
 document.monthlyreport.days[i].text =
i+1;
 }
 }

```

</script>

<h3 class="pageTitle">Publications and Attachments</h3>

<hr width="630px" color="#006600"/>

<hr width="500px" color="#009900"/>

<br><br>

Article	Filename	Created	Last Modified	State

```

<?php
 include "j_connection.php";
 include "get_header.php";
 //fetch attachments to articles from
publications section
 $result = mysql_query("SELECT a.id as
id1,a.title,a.state,a.created,a.modified as
modified1,a.catid,a.alias,b.filename,b.id as
id2,b.modification_date as modified2 FROM
jos_content as a LEFT JOIN jos_attachments as
b ON a.id=b.parent_id WHERE b.id!=" OR
a.sectionid='10'");

```

```

$check ='<center></center>';
$x = '<center></center>';
if(mysql_num_rows($result) != 0){
 while($row =
mysql_fetch_array($result)){
 $state = ($row['state'])??
$check :$x;
 $id = $row['id1'];
 $id2 = $row['id2'];
 $catid = $row['catid'];
 $alias = $row['alias'];
 $modified =
(max($row['modified1'],$row['modified2']))?
$row['modified1']: $row['modified2'];
 $link = $_header."/index.php?
option=com_content&view=article&id=".$id;
 $link2 = $_header."/index.php?
option=com_attachments&task=download&id
=".$id2;
 $title = "<a href='".$link."'"
target='_blank'>".$row['title']."'";
 $filename =
($id2=='')?'<center> --- </center>':
$row['filename']."' <a href='".$link2."'"
target='_blank'><img
src='images/download_trans.gif' height='17'
width='17'>'";
 ?>
 <tr>
 <td
style="width:20%;padding:.5em;text-
align:left;vertical-align:top;"><?php echo
$title;?></td>
 <td class="nameColumn"><?php echo
$filename;?></td>
 <td class="width:15%;"><?php echo
$row['created'];?></td>
 <td class="width:15%;"><?php echo
$modified;?></td>
 <td class=""><?php echo $state;?>
 </td>
 </tr>
 <?php
 }
} else{
?>
 <tr>

```

```

 <td colspan="5">*** No article
for publication found. ***</td>
 </tr>
<?php
 }
?>
</table>

 <div id="confirmedNav"
align="center"></div>
 <script
type="text/javascript"><!--
 var pager1 =
new Pager('attachments',20);
 pager1.init();

 pager1.showPageNav('pager1',
'confirmedNav');

 pager1.showPage(1);
 //--></script>
 </div>

<h3 class="pageTitle">Report
Generation</h3>
<hr width="630px" color="#006600"/>
<hr width="500px" color="#009900"/>

<div style="margin-left:auto;margin-
right:auto;width:50%;border: 1px #ECE9D8
solid; ">

Annual
Report
<div id="div1" name="div1"
style="display:none;padding:1em;;text-
align:center;" >
<form name="annualreport"
id="annualreport">
Year: <select id="year" name="year"
onChange="populateDays()">
 <?php
 $year = date("Y", time());
 $year -= 15;
 for($i = 0; $i < 15; $i++) {
 echo '<option value="'.
$year.'>'.$year.'</option>';
 $year++;
 }
 >
 echo '<option value="'.
$year.'>'.$year.'</option>';
 ?>
 </select>

 Month: <select id="month" name="month"
onChange="populateDays(this.selectedIndex)">
 <option>---</option>
 <?php
 for($i = 1; $i < 13 ; $i++) {
 echo '<option value="'.
$i.'">'.date("F", mktime(0, 0, 0, $i,
1)).'</option>';
 }
 ?>
 </select>

 <span class="hasTip" title="Download Annual
Report">
 <a href='javascript:checkYear()'
target='_blank'><img
src='images/download_trans.gif' height='17'
width='17'>

</form>
</div>

Month
ly Report
<div id="div2" name="div2"
style="display:none;padding:1em;text-
align:center;" >
<form name="monthlyreport"
id="monthlyreport">
Year: <select id="year" name="year"
onChange="populateDays()">
 <?php
 $year = date("Y", time());
 $year -= 15;
 for($i = 0; $i < 15; $i++) {
 echo '<option value="'.
$year.'>'.$year.'</option>';
 $year++;
 }
 >
 echo '<option value="'.
$year.'>'.$year.'</option>';
 ?>
 </select>

 <?php
 for($i = 1; $i < 13 ; $i++) {
 echo '<option value="'.
$i.'">'.date("F", mktime(0, 0, 0, $i,
1)).'</option>';
 }
 ?>
 </select>

 <span class="hasTip" title="Download Monthly
Report">
 <a href='javascript:checkYear()'
target='_blank'><img
src='images/download_trans.gif' height='17'
width='17'>

</form>
</div>

```

```

<!--
Day:
 <select id="days" name="days">
 </select>
-->

<span class="hasTip" title="Download Monthly
Report">
 <a href='javascript:checkMonth()'
target='_blank'><img
src='images/download_trans.gif' height='17'
width='17'>

</div>

</div>

</form> get_header.php
<?php
 $root_dir_arr = explode('/',
$_SERVER['PHP_SELF']);
 //echo $_SERVER['PHP_SELF'];
 //echo count($root_dir_arr);
 if(count($root_dir_arr) > 4){
 $base =
$_SERVER['HTTP_HOST']."/".$root_dir_arr[1]."/".
$root_dir_arr[2];
 $rootFolder = "/".
$root_dir_arr[2];
 } else {
 $base =
$_SERVER['HTTP_HOST']."/".$root_dir_arr[1];
 $rootFolder = "/".
$root_dir_arr[1];
 }
 $header = "http://".$base;
 //echo $header;
 //echo $rootFolder;
 if(isset($_GET['echoheader'])) echo
$header;
?> hm_extension.php

 <?php
 $result = mysql_query("SELECT
* FROM jos_health_mission WHERE
Event_ID='$eventID'");
 $row =
mysql_fetch_assoc($result);
 $patients =
(trim($row['No_of_patients']) == "")?" ":
$row['No_of_patients'];

 $pop =
(trim($row['Area_population']) == "")?" ":
$row['Area_population'];
 $healthprob =
(trim($row['Health_problem']) == "")?" ":
$row['Health_problem'];
 $date_submitted =
strtotime($row['Date_submitted']);
 $date_submitted = date("F j, Y
", $date_submitted);
 $assistance =
$row['Assistance'];
 $expectation =
$row['Expectation'];
 $orgID = $row['Org_ID'];

 // get third party's name
 $result = mysql_query("SELECT
Org_name FROM jos_organization WHERE
Org_ID='".$orgID"");
 $row =
mysql_fetch_assoc($result);

 $thirdparty =
$row['Org_name'];
 ?>
 <tr class="bordered">
 <td
class="twoColumns1">Requesting Party</td>
 <td class="twoColumns2"> <?
php echo $thirdparty;?>
 </td>
 </tr>
 <tr class="bordered">
 <td
class="twoColumns1">Representative</td>
 <td class="twoColumns2"> <?
php echo $representative;?>
 </td>
 </tr>
 <tr class="bordered">
 <td
class="twoColumns1">Category</td>
 <td class="twoColumns2"> <?
php echo $category;?>
 </td>
 </tr>
 <tr class="bordered">
 <td
class="twoColumns1">Location</td>
 <td class="twoColumns2"><?
php echo $location;?>
 </td>
 </tr>

```

```

<tr class="bordered">
 <td
class="twoColumns1">Target Date</td>
 <td class="twoColumns2"><?
php echo $date;?>
 </td>
</tr>
<tr class="bordered">
 <td
class="twoColumns1">Estimated Number of
Patients to be Seen</td>
 <td class="twoColumns2"><?
php echo $patients;?>
 </td>
</tr>
<tr class="bordered">
 <td
class="twoColumns1">Area Population</td>
 <td class="twoColumns2"><?
php echo $pop;?>
 </td>
</tr>
<tr class="bordered">
 <td
class="twoColumns1">Particular Health
Problem to the Area</td>
 <td class="twoColumns2"><?
php echo $healthprob;?>
 </td>
</tr>
<tr class="bordered">
 <td
class="twoColumns1">Volunteer
Composition</td>
 <td class="twoColumns2">
<?php
$result =
mysql_query("SELECT * FROM
jos_volunteer_composition WHERE
Event_ID='$eventID' ORDER BY Profession");
while($row =
mysql_fetch_array($result)){
echo
$row['No_of_volunteers'].' .
$row['Profession'].'
';
}
?>
 </td>
</tr>
<tr class="bordered">
 <td
class="twoColumns1">Date Submitted</td>

```

```

 <td class="twoColumns2"><?
php echo $date_submitted;?>
 </td> </tr>
 hp_request_event.php
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML
1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=utf-8" />
<title>Request a Teachers' Development
Program</title>

<style type="text/css">
<!--
#apDiv6 table tr td .style1 {
 font-family: Arial, Helvetica, sans-serif;
 font-size: 12px;
}
#apDiv6 table tr .style1 {
 font-family: Arial, Helvetica, sans-serif;
 font-size: 12px;
}
-->
</style>
</head>

<body>

<?php
//check if user is registered
?>
<div id=backable>
<a
href="javascript:ajaxpagefetcher.load('backabl
e', 'pagefetcher.php', false)" id="whoWeAre"
class="top_link"> Back

<table width="443" border="0">
<tr>
<td width="145">Location:</td>
<td width="288"><label>
<input name="Location" type="text"
id="Location" size="45" />
</label></td>
</tr>
```

```

<tr>
 <td height="41" class="style1">Desired
Topic:</td>
 <td><label>
 <input name="Topic" type="text"
id="Topic" size="45" />
 </label></td>
 </tr>
 <tr>
 <td height="41" class="style1">Estimated
number of participants:</td>
 <td><label>
 <input name="Participants" type="text"
id="Participants" size="45" />
 </label></td>
 </tr>
 <tr>
 <td height="41"
class="style1">Date:</td>
 <td><label>
 <input name="Date" type="text"
id="Date" size="45" />
 </label></td>
 </tr>
 <tr>
 <td height="41" class="style1"></td>
 <td align="left"><label>
 <input type="submit" name="Submit"
id="Submit" value="Submit Request" />
 </label></td>
 </tr>
 </table>
 </div>
</body>
</html> ht_extension.php

<?php
 $result = mysql_query("SELECT
* FROM jos_health_training WHERE
Event_ID='$eventID'");
 $row =
mysql_fetch_assoc($result);
 $subject =
trim($row['Subject']);
 $participants =
trim($row['Num_of_participants']);
 $pType =
trim($row['Participant_type']);
 $date_submitted =
strtotime($row['Date_submitted']);
 $date_submitted = date("F j, Y
", $date_submitted);

$assistance =
$row['Assistance'];
$expectation =
$row['Expectation'];
$orgID = $row['Org_ID'];

// get third party's name
$result = mysql_query("SELECT
Org_name FROM jos_organization WHERE
Org_ID='$orgID'");
$row =
mysql_fetch_assoc($result);

$thirdparty =
$row['Org_name'];
?>
<tr class="bordered">
 <td
class="twoColumns1">Requesting Party</td>
 <td class="twoColumns2"> <?
php echo $thirdparty;?>
 </td>
</tr>
<tr class="bordered">
 <td
class="twoColumns1">Representative</td>
 <td class="twoColumns2"> <?
php echo $representative;?>
 </td>
</tr>
<tr class="bordered">
 <td
class="twoColumns1">Category</td>
 <td class="twoColumns2"> <?
php echo $category;?>
 </td>
</tr>
<tr class="bordered">
 <td
class="twoColumns1">Location</td>
 <td class="twoColumns2"> <?
php echo $location;?>
 </td>
</tr>
<tr class="bordered">
 <td
class="twoColumns1">Target Date</td>
 <td class="twoColumns2"> <?
php echo $date;?>
 </td>
</tr>
<tr class="bordered">
 <td
class="twoColumns1">Subject</td>

```

```

 <td class="twoColumns2"><?
php echo $subject;?>
 </td>
 </tr>
 <tr class="bordered">
 <td
class="twoColumns1">Estimated Number of
Participants</td>
 <td class="twoColumns2"><?
php echo $participants;?>
 </td>
 </tr>
 <tr class="bordered">
 <td
class="twoColumns1">Type of
Participants</td>
 <td class="twoColumns2"><?
php echo $pType;?>
 </td>
 </tr>
 <tr class="bordered">
 <td
class="twoColumns1">Date Submitted</td>
 <td class="twoColumns2"><?
php echo $date_submitted;?>
 </td>
 </tr> instant_search.php
<?php
if(!empty($_GET['q'])) {
 $eventID = $_GET['eventID'];
 $catid = $_GET['catid'];
 search($eventID,$catid);
}

function search($eventID,$catid) {
 include "j_connection.php";

 $q = mysql_real_escape_string($_GET['q'],
$link);

 $sql = mysql_query ("SELECT id,
firstname, middlename, lastname,
IFNULL(Event_ID,'no') as aMember
 FROM (SELECT firstname, middlename,
lastname,id FROM jos_comprofiler
 WHERE lastname LIKE '%{$q}%' OR
firstname LIKE '%{$q}%' OR middlename LIKE
'%{$q}%') as a
 LEFT JOIN (SELECT
Vol_ID,Event_ID FROM jos_membership WHERE
Event_ID='$eventID') as b
 ON a.id = b.Vol_ID
 ORDER BY lastname, firstname,
middlename
");

//Create an array with the results
$results=array();
while($v = mysql_fetch_object($sql)){
 $volID = $v->id;
 $name = str_replace('ñ',
'ñ', $v->lastname.', '.$v->firstname.' .
$v->middlename);
 if($catid == 48){
 $temp1 =
mysql_query("SELECT Profession FROM
jos_profession WHERE Vol_ID = '$volID' ORDER
BY Profession");

$professions = array();
$i = 0;
while($row1 =
mysql_fetch_array($temp1)){

$professions[$i] = $row1['Profession'];
$i++;
}
$results[] = array(
'title'=>$name,
'aMember'=>$
v->aMember,
'eventID'=>$ev
entID,
'id'=>$volID,
'professions'=>
implode(", ", $professions)
);

} else{
 $results[] = array(
'title'=>$name,
'aMember'=>$v-
>aMember,
'eventID'=>$eventID,
'id'=>$volID
);
}

//using JSON to encode the array
echo json_encode($results);
}
//bug: if fullname was typed, it will not be
found, fname/mname/lname only
?> instant_search_staff.php

```

```

<?php
if(!empty($_GET['q'])) {
 search();
} else {
 include "j_connection.php";

 $members = mysql_query("SELECT
firstname, lastname, middlename, id FROM
jos_comprofiler WHERE
 id IN (SELECT id FROM
jos_users WHERE usertype != 'Representative'
and block='0')
 AND approved='1'
 ORDER BY lastname, firstname,
middlename");

 //Create an array with the results
 $results=array();
 while($v = mysql_fetch_object($members)){
 $volid = $v->id;
 $name = str_replace('ñ',
'ñ', $v->lastname.', '.$v->firstname.' .
$v->middlename);
 $results[] = array(
 'name'=>$name,
 'id'=>$volid,
 }
 'accessor'=>$_GET['userID']
);
}

//using JSON to encode the array
echo json_encode($results);
}

function search() {
 include "j_connection.php";

 $q = mysql_real_escape_string($_GET['q'],
$link);

 $sql = mysql_query ("SELECT
firstname, lastname, middlename, id FROM
jos_comprofiler
 WHERE id IN(SELECT id FROM
jos_users WHERE (name LIKE '%{$q}%') AND
usertype != 'Representative' and block='0'
ORDER BY name)
 AND approved='1'");

 //Create an array with the results
 $results=array();
 while($v = mysql_fetch_object($sql)){
 $volid = $v->id;
 $name = str_replace('ñ',
'ñ', $v->lastname.', '.$v->firstname.' .
$v->middlename);
 $results[] = array(
 'name'=>$name,
 'id'=>$volid,
 }

 'accessor'=>$_GET['userID']
);
}

//using JSON to encode the array
echo json_encode($results);
}

if(!empty($_GET['q'])) {
 search();
} else {
 include "j_connection.php";
 $filter = $_GET['filter'];

 if(!empty($_GET['q'])) {
 search($filter);
 } else {
 switch($filter){
 case 'All':
 $result =
mysql_query("SELECT
id,name,username,block, usertype, email,
lastvisitDate FROM jos_users ORDER BY
name");
 break;
 case 'Staff':
 $result =
mysql_query("SELECT
id,name,username,block, usertype, email,
lastvisitDate FROM jos_users
 WHERE id
IN(SELECT DISTINCT Vol_ID FROM jos_staff)
ORDER BY name");
 break;
 case 'Volunteer':
 $result =
mysql_query("SELECT
id,name,username,block, usertype, email,
lastvisitDate FROM jos_users WHERE
usertype='Volunteer' ORDER BY name");
 break;
 case 'Representative':
 $result =
mysql_query("SELECT
id,name,username,block, usertype, email,
lastvisitDate FROM jos_users WHERE
usertype='Representative' ORDER BY name");
 break;
 }
 }
}

```

```

 $result =
mysql_query("SELECT
id,name,username,block, usertype, email,
lastvisitDate FROM jos_users
 WHERE id
IN(SELECT DISTINCT Rep_ID FROM
jos_party_membership) ORDER BY name");
 break;
 case 'RepOnly':
 $result =
mysql_query("SELECT
id,name,username,block, usertype, email,
lastvisitDate FROM jos_users
 WHERE id
IN(SELECT DISTINCT Rep_ID FROM
jos_party_membership)
 AND
usertype='Representative' ORDER BY name");
 break;
 }

 //Create an array with the results
$results=array();
while($v = mysql_fetch_object($result)){
 $volID = $v->id;
 $name = str_replace('ñ',
'ñ', $v->name);
 $username = str_replace('ñ',
'ñ', $v->username);
 $dateFormatted = ($v-
>lastvisitDate == '0000-00-00 00:00:00')?
'Never': date("M t,Y h:i:s", strtotime($v-
>lastvisitDate));
 $results[] = array(
 'name'=>$name,
 'username'=>$username,
 'id'=>$volID,
 'block'=>$v->block,
 'usertype'=>$v-
>usertype,
 'email'=>$v->email,
 'lastvisitDate'=>$dateFormatted
);
}

//using JSON to encode the array
echo json_encode($results);
}

function search() {
 $q = mysql_real_escape_string($_GET['q'],
$link);

 switch($filter){
 case 'All':
 $result =
mysql_query("SELECT
id,name,username,block, usertype, email,
lastvisitDate FROM jos_users WHERE name
LIKE '%{$q}%'"
 ORDER BY name");
 break;
 case 'Staff':
 $result =
mysql_query("SELECT
id,name,username,block, usertype, email,
lastvisitDate FROM jos_users
 WHERE id
IN(SELECT DISTINCT Vol_ID FROM jos_staff)
AND name LIKE '%{$q}%' ORDER BY name");
 break;
 case 'Volunteer':
 $result =
mysql_query("SELECT
id,name,username,block, usertype, email,
lastvisitDate FROM jos_users
 WHERE
usertype='Volunteer' AND name LIKE '%{$q}%
%' ORDER BY name");
 break;
 case 'Representative':
 $result =
mysql_query("SELECT
id,name,username,block, usertype, email,
lastvisitDate FROM jos_users
 WHERE id
IN(SELECT DISTINCT Rep_ID FROM
jos_party_membership) AND name LIKE '%{$q}%
%' ORDER BY name");
 break;
 case 'RepOnly':
 $result =
mysql_query("SELECT
id,name,username,block, usertype, email,
lastvisitDate FROM jos_users
 WHERE id
IN(SELECT DISTINCT Rep_ID FROM
jos_party_membership)
 AND
usertype='Representative' AND name LIKE '%
{$q}%' ORDER BY name");
 break;
 }
}

```

```

//Create an array with the results
$results=array();
while($v = mysql_fetch_object($result)){
 $volID = $v->id;
 $name = str_replace('ñ',
'ñ', $v->name);
 $username = str_replace('ñ',
'ñ', $v->username);
 $results[] = array(
 'name'=>$name,
 'username'=>$username,
 'id'=>$volID,
 'block'=>$v->block,
 'usertype'=>$v-
>usertype,
 'email'=>$v->email,
 'lastvisitDate'=>$v-
>lastvisitDate,); } //using JSON to encode the
array
echo json_encode($results);}
//bug: if fullname was typed, it will not be
found, fname/mname/lname only ?>
invite_volunteersScript.php
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
<?php
 include "get_header.php";
 include "j_connection.php";

 $eventID = $_POST['eventID'];
 $userID = $_POST['userID'];
 $volunteers = $_POST['status'];
 //$_vol_choices = $_POST['vol_choices'];
 //$_vol_choicesArr = explode(',',

$vol_choices);
 //$_$vol_ID = $_GET['volunteer'];

 //add new entry on membership table
 for($i=0; $i < count($volunteers) ; $i+
+){
 $query = ("INSERT INTO
jos_membership (Event_ID, Vol_ID, Status)
VALUES('$eventID', '$volunteers[$i]', '-1')");
 mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());
 /*
 $profession =
$vol_choicesArr[$volunteers[$i]];
 $query = ("INSERT INTO
jos_volunteer_function (Event_ID, Vol_ID, Role)
VALUES('$eventID', '$volunteers[$i]', '$profession')");

 mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());
 */
}
}
mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());
/*
}
}

//note: pending and committed
volunteers fields of jos_events is already
deleted
//header('Location:
j_invite_more_volunteers.php?eventID='.
$eventID.'&proference=All');
// 0 is false, non-zero is true, negative
is pending

$result = mysql_query("SELECT title
FROM jos_events WHERE id='$eventID'");
$row = mysql_fetch_array($result);

?>
<h3 class="pageTitle">Invite More Volunteers
[<?php echo $row['title'];?>] </h3>
<hr width="630px" color="#006600"/>
<hr width="500px" color="#009900"/>

<div align="center">

<h3 >Please wait! Processing...</h3>
</div>
<form action="" id="form1" name="form1"
method="POST" target="_parent">
 <input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?>" />
 <input type="hidden" id="userID"
name="userID" value="<?php echo $userID;?
" />
 <input type="hidden" id="volunteers"
name="volunteers" value="<?php echo
implode(',',$volunteers);?>" />
 <input type="hidden" id="isAdded"
name="isAdded" value="<?php echo "true";?
" />
</form>
<script>
 function redirect(){
 //parent.window.location.replace("<?php echo $_header;?>/index.php?
option=com_wrapper&view=wrapper&Itemid=
129¶m3=<?php echo $eventID;?>");
 document.form1.action = "<?
php echo $_header; ?>/index.php?
option=com_events&task=notifyInvites";
 document.form1.submit();
 }
</script>

```

```

 }
 redirect();
 </script> j_addl_task.php
 <?php

$db = JFactory::getDBO();
$query = "SELECT * FROM #__task WHERE
Event_ID = $row->id";
$db->setQuery($query);
$task = $db->loadObjectList();

//iterate through the sponsors
jimport('joomla.filter.output');

 for ($i=0, $n=count($task); $i
< $n; $i++) {
 $task =& $task[$i];
 $status = ($task-
>Status == 0)?'Not yet done':'Done';
 echo '
 '.$task-
>Description.'

 Status: '.$status.'

 ';
 }
 ?>

<form action="" id="addTaskForm">
 <div><input name="addTask"
type="button" value="Add Task"
align="right"></div>
</form>
j_addloc_Script.php
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
<?php
 //session_start();
 include "j_connection.php";
 include "get_header.php";

 $locID = $_POST['locChoice'];
 $loc = $_POST['location'];
 $eventID = $_POST['eventID'];
 $userID = $_POST['userID'];
 $catid = $_POST['catid'];
 $activity = $_POST['activity'];
 $evaluators = $POST['evaluators'];

```

```

 $genComment =
$_POST['genComment'];
 $choice = $_POST['evaluate'];

 $result = mysql_query("SELECT Loc_ID
FROM jos_location WHERE Location='".$loc"");
 $isSaved = ($loc=="") ||
mysql_num_rows($result) != 0)? true:false;
 if(mysql_num_rows($result) != 0) {
 $row =
mysql_fetch_array($result);
 $locID = $row['Loc_ID'];
 }

 if($locID != "" && $isSaved){
 if($choice != ""){
 $evaluation =
$_POST['evaluation'];
 $status =
$_POST['status'];
 $y1 = $_POST['year1'];
 $m1 =
$_POST['month1'];
 $d1 = $_POST['day1'];
 $y2 = $_POST['year2'];
 $m2 =
$_POST['month2'];
 $d2 = $_POST['day2'];
 $startDate = $y1.'-'.
$m1.'-'.$d1;
 $endDate = $y2.'-'.
$m2.'-'.$d2;
 mysql_query("UPDATE
jos_location SET
Gen_comment='".$genComment',A_date_start=
$startDate,A_date_end='".$endDate' WHERE
Loc_ID='".$locID"'");

 mysql_query("INSERT
INTO jos_location_membership
(Loc_ID,Event_ID,catid>Status,Evaluation,Activit
y,Evaluators)
VALUES('$locID','$eventID','$catid','$status','$e
valuation','$activity','$evaluators')");

 }

 if($status==1){

 //save to events table if
 status is approved
 if($allowMult == "Yes"){

 //if multiple
 location is allowed

```



```

 if($status==1){
 //save to
 events table if status is approved
 if($allowMult
 == "Yes"){
 //if
 multiple location is allowed
 $result
 = mysql_query("SELECT Location FROM
jos_location WHERE Loc_ID='".$locid"");
 $loc =
mysql_fetch_assoc($result);
 $result
 = mysql_query("SELECT adresse_info FROM
jos_events WHERE id='".$eventID"'");
 $loc2 =
mysql_fetch_assoc($result);

 $locArray = explode ('|',
$loc2['adresse_info']);
 if($loc !
= $loc['Location']){
 //if location name was edited and in
jos_events
 $temp = array(0=>$loc['Location']);

 $newArr =
array_merge(array_diff($locArray,$temp));

 $newLoc = implode('|',$newArr).'|.
$loc;

 $query = "UPDATE jos_events SET
adresse_info='".$newLoc' WHERE
id='".$eventID"'";

 mysql_query($query) or die ("UPDATE
error:" .mysql_error());
 } else{
 if(in_array($loc,$locArray)) {} //already
in db
 else{
 $query = "UPDATE jos_events
SET adresse_info=concat(adresse_info,'|$loc')
WHERE id='".$eventID"'";

 mysql_query($query) or die
("UPDATE error:" .mysql_error());
 }
 }
 }
 }
}
} else{
//single
location only
$query
= "UPDATE jos_events SET adresse_info='".$loc'
WHERE id='".$eventID"'";

mysql_query($query) or die ("UPDATE
error:" .mysql_error());
}
}
mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());
mysql_query("INSERT INTO
jos_location_membership
(Loc_ID,Event_ID,catid>Status,Evaluation,Activit
y,Evaluators)
VALUES(LAST_INSERT_ID(),'".$eventID."','".$catid."','".$
status."','".$evaluation."','".$activity."','".$evaluators')."");
}

//fetch title
$query = "SELECT title FROM
jos_events WHERE id = $eventID";
$result = mysql_query($query);
$row = mysql_fetch_array($result);
$title = $row['title'];

mysql_close($link);
//header("Location:
j_manage_tasks.php?eventID=".
$eventID."¶m2=".$userID);
?>
<h3 class="pageTitle">Add Location [<?php
echo $loc;?>] </h3>
<hr width="630px" color="#006600"/>
<hr width="500px" color="#009900"/>

<div align="center">

<h3 >Please wait! Processing...</h3>
</div>
<form action="" id="form1" name="form1"
method="POST" target="_parent">
<input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?>" />

```

```

<input type="hidden" id="userID"
name="userID" value="<?php echo $userID;?>" />
 <input type="hidden" id="location"
name="location" value="<?php echo $loc;?>" />
 <input type="hidden"
id="hasEvaluation" name="hasEvaluation"
value="<?php echo ($choice!
=="")?"true":"false";?>" />
 <input type="hidden" id="isAdded"
name="isAdded" value="<?php echo "true";?>" />
 </form>
<script>
 function redirect(){
 //parent.window.location.replace("<?php echo $_header;?>/index.php?
option=com_wrapper&view=wrapper&Itemid=129¶m3=<?php echo $eventID;?>");
 document.form1.action = "<?
php echo $_header; ?>/index.php?
option=com_events&task=notifyNewLocation";
 document.form1.submit();
 }
 redirect();
</script> j_connection.php
<?php
 //connect to database
 $dbName = "pdms_cb";
 $dbHost = "localhost";
 $dbUser = "root";
 $dbPassword = "";
 $link = @mysql_connect($dbHost,
$dbUser, $dbPassword);
 if(!$link){
 die("Couldn't connect to
MySQL: ".mysql_error());
 }
 @mysql_select_db($dbName)
 or die("Couldn't open
$dbName: ".mysql_error());
?>
j_edit_estimated_costScript.php
<?php
 $cost = $_POST['cost'];
 $eventID = $_POST['eventID'];
 $category = $_POST['catid'];
 $userID = $_POST['userID'];
 include "j_connection.php";
 include "get_header.php";
$query = "UPDATE jos_events SET
Estimated_cost='$cost' WHERE id='$eventID'";
mysql_query($query) or die("UPDATE
error".mysql_error());
mysql_close($link);

//
header("Location:j_funding_manage.php?
eventID=".$eventID."&category=". $category."&userID=".$userID);
//echo $headerURL;
?>
<script>
 parent.window.location = "<?php echo
$_header;?>/index.php?
option=com_wrapper&view=wrapper&Itemid=241¶m3=<?php echo $eventID;?>";
</script>
j_edit_loc2.php
<html>
<head>
<title>Edit Location</title>
<link rel="stylesheet"
href="css/uniform.css" type="text/css" />
<script type="text/javascript"
src="js/jquery-1.4.2.min.js"></script>
<script type="text/javascript"
src="js/allow_disallow.js"></script>

<script language="javascript"
type="text/javascript">
 function suggest(inputString){
 if(inputString.length
== 0) {
 $('#suggestions').fadeOut();
 } else {
 $('#location').addClass('load');
 $.post("autosuggest.php",
{queryString: ""+inputString+""},

function(data){
 if(data.length >0) {
 $('#suggestions').fadeIn();
 $('#suggestionsList').html(data);
 $('#location').removeClass('load');
 }
});
```

```

 }
 }
 function
fill(location,genComment,start,end) {
 var year1 =
start.substring(0,4);
 var month1 =
start.substring(5,7);
 var day1 =
start.substring(8,10);
 var year2 =
end.substring(0,4);
 var month2=
end.substring(5,7);
 var day2 =
end.substring(8,10);
 //start date
 $#
('#year1').val(parseInt(year1));
 $
('#month1').val(parseInt(month1));

 populateDays('year1','month1','day1');
 $
('#day1').val(parseInt(day1));
 //end date
 $
('#year2').val(parseInt(year2));
 $
('#month2').val(parseInt(month2));

 populateDays('year2','month2','day2');
 $
('#day2').val(parseInt(day2));
 $
('#location').val(location);
 $
('#genComment').val(genComment);
 setTimeout("$
('#suggestions').fadeOut();", 600);
}

function update(){
 //alert("Here!");
 var error = "";
 var location =
document.locForm.location.value;
 var genComment =
document.locForm.genComment.value;
 var eval =
document.locForm.evaluation.value;
 var evaluators =
document.locForm.evaluators.value;
}

if((eval == "") || (location== ""))
|| (evaluators == "") || (genComment ==")){
 error += "Please
complete the evaluation form.";
}
error += checkDuplicates();

var allowMult =
document.getElementById("allowMult").value;
if(allowMult == "Yes"){
 var activity =
document.locForm.activity.value;

 if(activity == ""){
 error +=
"\nPlease input activity for this location.";
 }
}
//alert(error);
var month1 =
document.getElementById("month1").value;
var month2 =
document.getElementById("month2").value;
if(month1 == undefined ||
month2 == undefined || month1 == '---' ||
month2 == '---'){
 error += "\nPlease
check month.";
}
var day1 =
document.getElementById("day1").value;
var day2 =
document.getElementById("day2").value;
if(month1.length == 1)
month1 = '0' + month1;
if(month2.length == 1)
month2 = '0' + month2;
if(day1.length == 1) day1 =
'0' + day1;
if(day2.length == 1) day2 =
'0' + day2;
var sDate =
document.getElementById("year1").value + '-'
+ month1 + '-' + day1;
var eDate =
document.getElementById("year2").value + '-'
+ month2 + '-' + day2;
if(sDate>eDate){
 error += "\nEnd date
should be after start date!";
}
if(error != ""){
 alert(error);
}else{

```

```

 document.locForm.action =
"j_editLocationScript.php";

 document.locForm.submit();
 }
}

function
loadDB(year,month,day,selDate){
 year =
document.getElementById(year).value;
 month =
document.getElementById(month).value;
 if((year % 4 == 0) && (year %
100 != 0 || year % 400 == 0)){
 //leap year
 days_in_month =
Array(31,29,31,30,31,30,31,31,30,31,30,31);
 } else{
 days_in_month =
Array(31,28,31,30,31,30,31,31,30,31,30,31);
 }
 if(month == undefined ||
month == '--') {} // do nothing
else{

 document.getElementById(day).length
= 0;
 for(i = 0; i <
days_in_month[month-1]; i++){
 document.getElementById(day).length++;
 document.getElementById(day)[i].value =
i+1;

 document.getElementById(day)[i].text
= i+1;

 }
 if(selDate > 9)
document.getElementById(day).value =
selDate;
 else
document.getElementById(day).value =
parseInt(selDate);
 }
}

function
populateDays(year,month,day){
 year =
document.getElementById(year).value;

```

```

 month =
document.getElementById(month).value;
 if((year % 4 == 0) && (year %
100 != 0 || year % 400 == 0)){
 //leap year
 days_in_month =
Array(31,29,31,30,31,30,31,31,30,31,30,31);
 } else{
 days_in_month =
Array(31,28,31,30,31,30,31,31,30,31,30,31);
 }
 if(month == undefined ||
month == '--') {} // do nothing
else{
 document.getElementById(day).length
= 0;
 for(i = 0; i <
days_in_month[month-1]; i++){
 document.getElementById(day).length++;
 document.getElementById(day)[i].value =
i+1;

 document.getElementById(day)[i].text
= i+1;

 }
 if(selDate > 9)
document.getElementById(day).value =
selDate;
 else
document.getElementById(day).value =
parseInt(selDate);
 }
}

function
addActivity(){
 //only criteria is is 'multiple
locations allowed'

if(document.getElementById("allowMult").value
== "Yes"){

document.getElementById("activity1").style.dis
play = "";
} else{

document.getElementById("activity1").style.dis
play = "none";
}

document.locForm.activity.value = "";
}
}

</script>
</head>
<?php

```

```

 $y1 = substr($_GET['sDate'], 0,
4);
 $m1 = substr($_GET['sDate'],
5, 2);

 $d1 = substr($_GET['sDate'], 8,
2);
 $y2 = substr($_GET['eDate'], 0,
4);

 $m2 = substr($_GET['eDate'],
5, 2);

 $d2 = substr($_GET['eDate'], 8,
2);

 $allowMult =
($_GET['allowMult'] != "")? "Yes": "No";
//previously checked or "
//echo $allowMult.
$_GET['numApproved'];
//echo $_GET['safety'];

?>
<body
onLoad="loadDB('year1','month1','day1','<?
php echo $d1?>');
loadDB('year2','month2','day2','<?php echo
$d2?>'); addActivity()>

<h3 class="pageTitle">Edit Location
Evaluation [<?php echo $_GET['loc'];?>]
</h3>

<hr width="630px"
color="#006600"/>
<hr width="500px"
color="#009900"/>

<form name="locForm" id="locForm"
action="" method="POST">
<div name="apDiv" id="apDiv">
 <table
class="sideHeaderTable" >
 <tr class="bordered">
 <td
class="twoColumns1">Location:</td>
 <td
class="twoColumns2"><input type="text"
id="location" name="location" value="<?php
echo $_GET['loc'];?>"/>
 <div
class="suggestionsBox" id="suggestions"
style="display: none;">
 </div
class="suggestionList" id="suggestionsList">
 </div>
 </tr>
</table>
</div>
<?php
$replace_table = array("
" =>
"\n", "\\" => "", '\'' => "'");
?>
<tr
class="bordered">
 <td
class="twoColumns1">General Comment

:</td>
 <td class="twoColumns2">
<textarea name="genComment"
id="genComment" ><?php echo
strr($_GET['genComment'], $replace_table);?></textarea>
 </td>
</tr>
<tr
class="bordered">
 <td
class="twoColumns1">Evaluation

:</td>
 <td class="twoColumns2">
<textarea name="evaluation"
id="evaluation" ><?php echo
strr($_GET['evaluation'], $replace_table);?></textarea>
 </td>
</tr>

```

```

 </tr>
 <tr
class="bordered">
 <td
class="twoColumns1">Evaluators:</td>
 <td class="twoColumns2">

 <textarea name="evaluators"
id="evaluators" ><?php echo
strr($_GET['evaluators'], $replace_table);?
</textarea>
 </td>
 </tr>
 <?php
 $eventID =
$_GET['eventID'];
 $locid =
$_GET['locid'];
 $select =
($_GET['status']>0)?"selected":"";
 include
"j_connection.php";
 $activity =
($_GET['activity'] == "")? "<: $ _GET['activity']";
 ?>
 <tr
class="bordered">
 <td
class="twoColumns1">Status:</td>
 <td
class="twoColumns2">

 <select id="status" name="status"
onChange="addActivity()">
 <?php
 if(($allowMult == "Yes") ||
($allowMult == "No" &&
$_GET['numApproved'] == 0)) {
 echo '<option
value="1" '.$select.'>Approved</option>';
 } else{
 if(($allowMult == "No")
&& ($_GET['numApproved'] == 1)){
 $result =
mysql_query("SELECT Loc_ID FROM
jos_location_membership WHERE
Event_ID='$eventID' AND Status='1'");
 }
 }
 <?php
 $row =
mysql_fetch_assoc($result);
 if($row['Loc_ID'] == $locid) {
 echo
'<option value="1" '.
$select.'>Approved</option>';
 }
 }
 ?>
 <option value="0" <?php echo
($_GET['status']==0)?"selected":""; ?
>>Reject</option>
 <option value="-1" <?php echo
($_GET['status']<0)?"selected":""; ?
>>Pending</option>
 </select>
 </td>
 </tr>
 <tr class="bordered"
name="activity1" id="activity1"
style="display:none">
 <td
class="twoColumns1">Activity on
Location:</td>
 <td
class="twoColumns2">
 <input
name="activity" type="text" id="activity"
value="<?php echo $activity;?>"/>
 </td>
 </tr>
 <!--
 <tr class="bordered">
 <td
colspan="2" class="padded"><u>Summary :</u></td>
 </tr>
 <tr class="bordered">
 <td
class="twoColumns1">Safety:</td>
 <td class="twoColumns2">

```

```

<input type="radio" id="safety"
name="safety[]" value="1" <?php echo
($_GET['safety']>0)?"CHECKED:"; ?
/>Safe

<input type="radio" id="safety"
name="safety[]" value="0" <?php echo
($_GET['safety']==0)?"CHECKED:"; ?
/>Unsafe

<input type="radio" id="safety"
name="safety[]" value="-1" <?php echo
($_GET['safety']<0)?"CHECKED:"; ?
/>Pending
</td>
</tr>
<tr class="bordered">
<td
class="twoColumns1">Accessibility:</td>
<td
class="twoColumns2">
<input type="radio" id="accessibility"
name="accessibility" value="1" <?php echo
($_GET['accessibility']>0)?"checked:"; ?
/>Accessible

<input type="radio" id="accessibility"
name="accessibility" value="0" <?php echo
($_GET['accessibility']==0)?"checked:"; ?
/>Not Accessible

<input type="radio" id="accessibility"
name="accessibility" value="-1" <?php echo
($_GET['accessibility']<0)?"checked:"; ?
/>Pending
</td>
</tr>
<tr class="bordered">
<td class="twoColumns1">Need
of Service:</td>
<td class="twoColumns2">
<input type="radio" id="nos"
name="nos" value="1" <?php echo
($_GET['nos']>0)?"checked:"; ?>/>In
need

<input type="radio" id="nos"
name="nos" value="0" <?php echo
($_GET['nos']==0)?"checked:"; ?>/>Not
much

<input type="radio" id="nos"
name="nos" value="-1" <?php echo
($_GET['nos']<0)?"checked:"; ?>/>Pending
</td>
</tr>
-->
<tr class="bordered">
<td
colspan="2" class="padded"><u>Evaluation
Period</u></td>
</tr>
<tr class="bordered">
<td
class="twoColumns1">Start Date of Evaluation
<?php echo $y1;?></td>
<td
class="twoColumns2">
<select
class="evalDate" id="year1" name="year1"
onChange="populateDays('year1','month1','da
y1')">
<?php
$year = date("Y", time());
for($i = 0; $i < 16; $i++) {
 if($year == $y1) $selected =
'SELECTED';
 echo '<option value="'. $year .'"'
 .'$selected.' '>'. $year . '</option>';
 $year--;
 $selected="";
}
?>
</select>
&nbsp&nbsp
<!--
MONTH-->
<select
class="evalDate" id="month1"
name="month1"
onChange="populateDays('year1','month1','da
y1')">

```

```

<option>---</option>
<?php
 echo '<option value="'.$year.''.
 '$selected.'>'.$year.'</option>';
 $year--;
 $selected="";
?>

for($i = 1; $i < 13 ; $i++){
 if($i == $m1) $selected =
} 'SELECTED';
 echo '<option value="'.$i.'" '.
$selected.'>'.date("F", mktime(0, 0, 0, $i,
1)).'</option>';
 $selected = "";
}
?>
</select>
&nbsp&nbsp
<!-- DAY-->
<select class="evalDate" id="day1"
name="day1">
</select>
</td>
</tr>
<tr class="bordered">
<td
class="twoColumns1">End Date of
Evaluation</td>
<td
class="twoColumns2">
<!-- YEAR-->
<select
class="evalDate" id="year2" name="year2"
onChange="populateDays('year2','month2','da
y2')">
<?php
 $year = date("Y", time());
 for($i = 0; $i < 16; $i++){
 if($year == $y2) $selected =
} 'SELECTED';
 echo '<option value="'.$i.'" '.
$selected.'>'.date("F", mktime(0, 0, 0, $i,
1)).'</option>';
 $selected = "";
}
?>
</select>
&nbsp&nbsp
<!-- DAY-->
<select
class="evalDate" id="day2" name="day2">
</select>
</td>
</tr>
<tr
colspan="2" class="paddedButtons">

```

```

 <input type="hidden"
name="eventID" id="eventID" value="<?php
echo $eventID; ?>"/>
 <input type="hidden" name="locid"
id="locid" value="<?php echo $locid; ?>"/>
 <input type="hidden"
name="allowMult" id="allowMult" value="<?
php echo $allowMult;?>"/>
 <input type="hidden"
name="userID" id="userID" value="<?php
echo $_GET['userID'];?>"/>
 <button type='button' onClick =
"javascript:update();">Submit</button>
 <button type='button'
onClick="history.go(-1);return true;">Back
</button>
 </td>
 </tr>
 </table>
 </div>
 </form>
</body> j_editLocationScript.php
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
<?php
 include "j_connection.php";
 include "get_header.php";

 $eventID = $_POST['eventID'];
 $userID = $_POST['userID'];
 $locid = $_POST['locid'];
 $location= $_POST['location'];
 $safety= $_POST['safety'];
 $accessibility = $_POST['accessibility'];
 $nos= $_POST['nos'];
 $genComment=
$_POST['genComment'];
 $evaluation= $_POST['evaluation'];
 $evaluators= $_POST['evaluators'];
 $allowMult= $_POST['allowMult'];
 $status= $_POST['status'];
 $y1 = $_POST['year1'];
 $m1 = $_POST['month1'];
 $d1 = $_POST['day1'];
 $y2 = $_POST['year2'];
 $m2 = $_POST['month2'];
 $d2 = $_POST['day2'];
 $activity = $_POST['activity'];
 $startDate = $y1.'-'.$m1.'-'.$d1;
 $endDate = $y2.'-'.$m2.'-'.$d2;

 if($status==1){
 //save to events table if
 status is approved
 if($allowMult == "Yes")
{
 //if multiple
 location is allowed
 $result =
mysql_query("SELECT Location FROM
jos_location WHERE Loc_ID='$locid'");
 $loc =
mysql_fetch_assoc($result);
 $result =
mysql_query("SELECT adresse_info FROM
jos_events WHERE id='$eventID'");
 $loc2 =
mysql_fetch_assoc($result);
 $locArray =
explode ('|',$loc2['adresse_info']);
 if($location !=
$loc['Location']){
 //if
 location name was edited and in jos_events
 $temp
= array(0=>$loc['Location']);

 $newArr =
array_merge(array_diff($locArray,$temp));

 $newLoc = implode('|',$newArr).'|'.
$location;
 $query
= "UPDATE jos_events SET
adresse_info='$newLoc' WHERE
id='$eventID'";

 mysql_query($query) or die ("UPDATE
error:" .mysql_error());
 } else{
 if(in_array($location,$locArray)) {}
//already in db
 } else{
 $query = "UPDATE jos_events SET
adresse_info=concat(adresse_info,'|$location')
WHERE id='$eventID'";

 mysql_query($query) or die ("UPDATE
error:" .mysql_error());
 }
 }
 } else{

```

```

 //single location
only
 $query =
"UPDATE jos_events SET
adresse_info='$location' WHERE
id='$eventID'";

 mysql_query($query) or die ("UPDATE
error:" .mysql_error());
 }
} else {
 //check if previously
approved
 $result =
mysql_query("SELECT Status FROM
jos_location_membership WHERE
Loc_ID='$locid' AND Event_ID='$eventID'");

 $row =
mysql_fetch_assoc($result);
 if($row['Status'] == 1){
 $query =
"UPDATE jos_events SET adresse_info="
WHERE id='$eventID'";

 mysql_query($query) or die ("UPDATE
error:" .mysql_error());
 }
 //echo $location.$locid.
$eventID.$safety.$accessibility.$nos.$remarks.
$status.
';
 $query = "UPDATE jos_location SET
Location='$location', Safety='$safety' ,
Accessibility='$accessibility',
Need_of_service='$nos',Gen_comment='$genC
omment', A_date_start='$startDate',
A_date_end='$endDate'
WHERE
Loc_ID='$locid'";
 mysql_query($query) or die
("UPDATE error:" .mysql_error());

 //location membership
 $query= "UPDATE
jos_location_membership SET
Status='$status',Evaluation='$evaluation',Activ
ity='$activity',Evaluators='$evaluators' WHERE
Loc_ID = '$locid' AND Event_ID = '$eventID'";
 mysql_query($query) or die
("UPDATE error:" .mysql_error());

```

```

 //echo "Successfully updated ".
$location.".";
 //fetch title
 $query = "SELECT title FROM
jos_events WHERE id = $eventID";
 $result = mysql_query($query);
 $row = mysql_fetch_array($result);
 $title = $row['title'];

 mysql_close($link);
 //header("Location:
j_manage_tasks.php?eventID=".
$eventID."¶m2=".$userID);
 ?>
<h3 class="pageTitle">Edit Location [<?php
echo $location;?>] </h3>
<hr width="630px" color="#006600"/>
<hr width="500px" color="#009900"/>

<div align="center">

<h3 >Please wait! Processing...</h3>
</div>
<form action="" id="form1" name="form1"
method="POST" target="_parent">
 <input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?>" />
 <input type="hidden" id="userID"
name="userID" value="<?php echo $userID;?
>" />
 <input type="hidden" id="location"
name="location" value="<?php echo $loc;?
>" />
 <input type="hidden"
id="hasEvaluation" name="hasEvaluation"
value="<?php echo ($choice!
="")?"true":"false";?>" />
 <input type="hidden" id="isAdded"
name="isAdded" value="<?php echo "edit";?
>" />
</form>
<script>
 function redirect(){
 //parent.window.location.replac
e("<?php echo $_header;?>/index.php?
option=com_wrapper&view=wrapper&Itemid=
129¶m3=<?php echo $eventID;?>");
 document.form1.action = "<?
php echo $_header; ?>/index.php?
option=com_events&task=notifyNewLocation";
 document.form1.submit();

```

```

 $query = "SELECT name FROM
jos_events_categories WHERE id =
'$category'";
 $result = mysql_query($query);
 $row = mysql_fetch_assoc($result);
 $cat_name = $row['name'];

 //query = "SELECT Accumulated
FROM jos_events WHERE id = '$eventID'";
 //$result = mysql_query($query);
 //$row = mysql_fetch_assoc($result);
 //echo "Total in table:".
$row['Accumulated'];
 $total = $row['Accumulated'];
 $total = $total + $amount;
 $query = "UPDATE jos_events SET
Accumulated='$total' WHERE id='$eventID'";
 mysql_query($query) or die
("UPDATE error:" .mysql_error());

 //echo "here".$cat_name;
/*
 if(($cat_name == "Gurong
Pahinungod")||($cat_name == "Tutorials")) {
 //if an EAP event
 $query = "SELECT
Accumulated FROM jos_eap WHERE Event_ID =
'$eventID'";
 $result = mysql_query($query);
 $row =
mysql_fetch_assoc($result);
 $total = $row['Accumulated'];
 $total = $total + $amount;
 $query = "UPDATE jos_eap SET
Accumulated='$total' WHERE
Event_ID='$eventID'";
 mysql_query($query) or die
("UPDATE error:" .mysql_error());

 } else {
 if(($cat_name == "Summer
Immersion Service Program")||($cat_name ==
"Program for the Street Children")){
 $query = "SELECT
Accumulated FROM jos_cswp WHERE Event_ID =
'$eventID'";
 $result =
mysql_query($query);
 $row =
mysql_fetch_assoc($result);
 $total =
$row['Accumulated'];
 }
 }
 }

 $origAmount = $amount;

 $result = mysql_query("SELECT
catid,Accumulated FROM jos_events WHERE
id='$eventID'");
 $row = mysql_fetch_assoc($result);
 $category = $row['catid'];

/*
//$/category = $row->catid;

```

```

 $total = $total +
$amount;
 $query = "UPDATE
jos_cswp SET Accumulated='".$total' WHERE
Event_ID='".$eventID."'";
 mysql_query($query)
or die ("UPDATE error:" .mysql_error());
 }
}
*/
$query = ("SELECT * FROM jos_funding
WHERE Event_ID='".$eventID' AND
Sponsor='".$source"');
$result = mysql_query($query,$link);
if(mysql_num_rows($result)>0){
 $row =
mysql_fetch_array($result);
 $prevAmount =
$row['Amount'];
 $amount = $prevAmount +
$amount;
 $query = "UPDATE jos_funding
SET Amount='".$amount' WHERE
Event_ID='".$eventID' AND Sponsor='".$source"';
 mysql_query($query) or die
("UPDATE error:" .mysql_error());
 mysql_close($link);
} else{
 $query = ("INSERT INTO
jos_funding (Event_ID, Sponsor, Amount)
VALUES('$eventID', '$source', '$amount')");
 mysql_query($query,$link) or
die ("INSERT error:" .mysql_error());
 //echo "Successfully added new
funding from: ".$source;
 mysql_close($link);
}
//echo "True";
//headerURL =
"Location:j_funding_manage.php?eventID=".
$eventID."&category=".$category."&userID=".
$userID;
//header($headerURL);
?>
<div style="color:#4BA123; text-
align:center;">

<h3>
Please wait! Processing...
</h3>
</div>

```

```

<form action="" id="form1" name="form1"
method="POST" target="_parent">
 <input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?>"/>
 <input type="hidden" id="source"
name="source" value="<?php echo $source;?
"/>
 <input type="hidden" id="amount"
name="amount" value="<?php echo
$origAmount;?>"/>
 <input type="hidden" id="updater"
name="updater" value="<?php echo $userID;?
"/>
 <input type="hidden" id="isAdded"
name="isAdded" value="true"/>
</form>
<script>
 submit();
</script> <?php
 include "get_header.php";
 include "j_connection.php";
?>
<script>
 function submit(){
 eventID =
document.form1.eventID.value;
 document.form1.action = "<?
php echo $_header; ?>/index.php?
option=com_events&task=notifyFundingUpdat
e";
 document.form1.submit();
 }
</script>
<?php

//session_start();
$eventID = $_GET['eventID'];
$sponsor = $_GET['sponsor'];
$userID = $_GET['userID'];
//echo $sponsor.$eventID;

$result = mysql_query("SELECT
catid,Accumulated FROM jos_events WHERE
id='".$eventID"");
$row = mysql_fetch_assoc($result);
$category = $row['catid'];
$accumulated = $row['Accumulated'];
$result = mysql_query("SELECT
Amount FROM jos_funding WHERE
Event_ID='".$eventID' AND
Sponsor='".$sponsor"');
$row = mysql_fetch_assoc($result);

```

```

$amountToBeDeducted =
$row['Amount'];
$accumulated = $accumulated -
$amountToBeDeducted ;
$query = "UPDATE jos_events SET
Accumulated='$accumulated' WHERE
id='$eventID'";
mysql_query($query) or die
("UPDATE error:" .mysql_error());}

/*
//$/category = $row->catid;
$query = "SELECT name FROM
jos_events_categories WHERE id =
'$category'";
$result = mysql_query($query);
$row = mysql_fetch_assoc($result);
$cat_name = $row['name'];
echo $cat_name;
if(($cat_name == "Gurong
Pahinungod")||($cat_name == "Tutorials")) {
//if an EAP event

$query = "SELECT
Accumulated FROM jos_eap WHERE Event_ID =
'$eventID'";
$result = mysql_query($query);
$row =
mysql_fetch_assoc($result);
$total = $row['Accumulated'];
$total = $total - $amount;
$query = "UPDATE jos_eap SET
Accumulated='$total' WHERE
Event_ID='$eventID'";
mysql_query($query) or die
("UPDATE error:" .mysql_error());}

} else {
if(($cat_name == "Summer
Immersion Service Program")||($cat_name ==
"Program for the Street Children")){
$query = "SELECT
Accumulated FROM jos_cswp WHERE Event_ID
= '$eventID'";
$result =
mysql_query($query);
$row =
mysql_fetch_assoc($result);
$total =
$row['Accumulated'];
$total = $total -
$amount;
}
}
}

$query = "UPDATE
jos_cswp SET Accumulated='$total' WHERE
Event_ID='$eventID'";
mysql_query($query)
or die ("UPDATE error:" .mysql_error());
}

}

*/
}

$query = "DELETE FROM jos_funding
WHERE Event_ID ='$eventID' AND
Sponsor='$sponsor'";
mysql_query($query) or die ("DELETE
error:" .mysql_error());
mysql_close($link);
//header("Location:j_funding_manage.p
hp?eventID=".$eventID."&category=".
$category."&userID=".$userID);
//include "j_funding_manage.php";

?>
<div style="color:#4BA123; text-
align:center;">

<h3>
Please wait! Processing...
</h3>
</div>
<form action="" id="form1" name="form1"
method="POST" target="_parent">
<input type="hidden" id="eventID"
name="eventID" value="<?php echo
$eventID;?>"/>
<input type="hidden" id="source"
name="source" value="<?php echo
$sponsor;?>"/>
<input type="hidden" id="amount"
name="amount" value="<?php echo
$amountToBeDeducted;?>"/>
<input type="hidden" id="updater"
name="updater" value="<?php echo $userID;?
"/>
<input type="hidden" id="isAdded"
name="isAdded" value="false"/>
</form>
<script>
submit();
</script> j_funding_editCostScript.php
<?
//search for category then fetch estiamted cost
from respective table
$eventID = $_POST['eventID'];

```

```

$cost = $_POST['cost'];

include "j_connection.php";

$result = mysql_query("SELECT catid
FROM jos_events WHERE id='$event_ID'");
$row = mysql_fetch_assoc($result);
$category = $row['catid'];

$query = "SELECT name FROM
jos_events_categories WHERE id = $category";
$result = mysql_query($query);
$row = mysql_fetch_assoc($result);
$cat_name = $row['name'];

if(($cat_name == "Gurong
Pahinungod")||($cat_name == "Tutorials")) {
 //if an EAP event

 $query = "UPDATE jos_eap SET
Estimated_cost='$cost' WHERE
Event_ID='$eventID'";
 mysql_query($query) or die
("UPDATE error:" .mysql_error());
 echo "Successfully updated cost";
 mysql_close($link);
} else {
 if(($cat_name == "Summer
Immersion Service Program")||($cat_name ==
"Program for the Street Children")){
 $query = "UPDATE
jos_cswp SET Estimated_cost='$cost' WHERE
Event_ID='$eventID'";
 mysql_query($query)
or die ("UPDATE error:" .mysql_error());
 echo "Successfully
updated cost";
 mysql_close($link);
}
 include "j_manage_funding.php";
?> j_funding_manage.php
<link rel="stylesheet" href="css/uniform.css"
type="text/css" />
<script language="javascript"
type="text/javascript"
src="js/json.js"></script>
<script language="javascript">

function changeCost(){
 cost =
document estimate.cost.value;
 if(cost == 0) {

alert("Please input
cost.");
return;
} else{
 if(isNaN(cost)){
 //if not a
number
 alert("Input
value is not a number.");
 } else{
 //document.esti
mate.action = "j_funding_editCostScript.php";
 document.estimate.action =
"j_edit_estimated_costScript.php";
 document.estimate.submit();
 }
}
function addOfficeFunding (){
 //alert(document.getElementBy
Id('office').value);

document.getElementById('office').checked =
true;
 amount =
document.estimate.officeAmount.value;
 if(amount == ""){
 alert("Please fill in
necessary information.");
 return;
 } else{
 if(isNaN(amount)){
 //if not a
number
 alert("Input
value is not a number.");
 } else{
 document.estimate.action =
"j_funding_add.php?";
 document.estimate.submit();
 }
 }
}

function addFunding(){
 amount =
document.estimate.sponsorAmount.value;
 sponsor =
document.estimate.sponsor.value;
}

```

```

 if((amount == "") || (sponsor
== "")) {
 alert("Please fill in
necessary information.");
 return;
 } else{
 if(isNaN(amount)){
 //if not a
 number
 alert("Input
value is not a number.");
 } else{

 document.estimate.action =
 "j_funding_add.php?";

 document.estimate.submit();
 }
 }
 }

 function getConfirmation(sponsor) {
 if (confirm("Do you really want
to delete this record?")) {
 event =
document.estimate.eventID.value;
 userID =
document.estimate.userID.value;
 //alert(userID);
 //alert(event);
 document.location.href
= "j_funding_delete.php?sponsor=" + sponsor
+ "&eventID=" + event + "&userID=" +
userID;
 }
 }

 function toggleSponsors(tableID){
 sponsored =
document.getElementById('sponsored').checke
d;

 if(sponsored){

 toggleSponsorTable(true);
 } else{
 var isSponsored =
document.getElementById('isSponsored').value
;
 if(isSponsored){
 alert("There
are still sponsorship records detected.");
 }
 }
 }

 document.getElementById('sponsored').checke
d = true;
}

 toggleSponsorTable(true);
 } else{
 toggleSponsorTable(false);
 }
}

function toggleSponsorTable(display){
 if(display){

 document.getElementById('sponsorFields').styl
e.display = "";
 //alert("here1");
 } else{

 document.getElementById('sponsorFields').styl
e.display ="none";
 //alert("here");
 }
}

function toggleOffice(){
 officeFunded =
document.getElementById('office').checked;

 if(officeFunded){

 toggleOfficeTable(true);
 } else{
 var isOfficeFunded =
document.getElementById('officeFunded').valu
e;
 if(isOfficeFunded){
 alert("Funding
record from office still exists.");
 }
 }
}

document.getElementById('office').checked =
true;

 toggleOfficeTable(true);
 } else{
 toggleOfficeTable(false);
 }
}

function toggleOfficeTable(display){
 if(display){


```

```

document.getElementById('officeFunding').style.display = "";
 //alert("here1");
} else{
}

document.getElementById('officeFunding').style.display = "none";
 //alert("here");
}

}
</script>
<?php
 //include
"j_manage_funding.php";
 include "j_connection.php";
 //eventId = $_GET['eventId'];
$eventId = $_GET['param3'];
$category = $_GET['category'];
$userID = $_GET['param2'];

$sponsors =
mysql_query("SELECT * FROM jos_funding
WHERE Event_ID = '$eventId' AND Sponsor!
='Ugnayan ng Pahinungod Manila'");
$isSponsored =
(mysql_num_rows($sponsors) != 0)? true:false;
$officeQuery =
mysql_query("SELECT * FROM jos_funding
WHERE Event_ID = '$eventId' and
Sponsor='Ugnayan ng Pahinungod Manila'");
$officeFunded =
(mysql_num_rows($officeQuery) >0)?
true:false;

$query = "SELECT
Accumulated,Estimated_cost FROM jos_events
WHERE id = '$eventId'";
$result = mysql_query($query);
while($row =
mysql_fetch_array($result)){
 $total =
$row['Accumulated'];
 $estDisplay =
($row['Estimated_cost'] != "")? "Php ";
$row['Estimated_cost']: " - ";
 $est =
$row['Estimated_cost'];
 $diff = $est - $total;
}
if($total == "0") {
}

$fundingStatus =
"<strong style='color:red;'>No available
funds";
$total = "";
} else {
 if($est<=$total)
{$fundingStatus = "<strong
style='color:green;'>Sufficient";}
 else {$fundingStatus =
"<strong style='color:red;'>Still needs : Php ".
$diff.'";}
}

$total = ($total == 0 ||
$total == "")? "": "Total : PhP ".$total;
}

<?>
<h3
class="pageTitle">Estimated cost: <?php echo
$estDisplay;?></h3>
<hr width="630px"
color="#006600"/>
<hr width="500px"
color="#009900"/>

<form id="estimate"
name="estimate" action="" method="POST">
<table
class="sideHeaderTable" border=1>
<tr>
<th
colspan="2" class="headers">
 SOURCE OF FUNDS
</th>
</tr>
<tr>
<td
width="10%"> &nbsp </td>
<td>
<td><input type="checkbox"
name="office" id="office" value="office"
onChange="toggleOffice()" <?php
if($officeFunded) echo "CHECKED";?>/><label
for="office">Office of Pahinungod</label>
</td>
</tr>
<tr
id="officeFunding" style="display:<?php if(
$officeFunded) echo "none";?>;"
class="padded">
 &nbsp </td>

```

```

 <td>
 <label
for="officeAmount">
Amount :</label><input type="text"
id="officeAmount" name="officeAmount"
size="10"/>
 <input
type="button" id="addTask"
onClick='addOfficeFunding()' value="Add
Funding"/>
 </td>
 </tr>
 <tr>
 <td
width="10%"> </td>
 <td>
<input type="checkbox" name="sponsored"
id="sponsored" value="sponsored"
onChange="toggleSponsors('funding')" <?php
if($isSponsored) echo "CHECKED"; ?> />

 <label
for="sponsored">Sponsors</label> </td>
 </tr>
 <tr
name="sponsorFields" id="sponsorFields"
class="padded">
 <td>
 </td>
 <td>
<label
for="sponsor">
Sponsor: </label> <input type="text"
id="sponsor" name="sponsor"
size="30"/>

 <label
for="sponsorAmount">
 Amount
:</label><input type="text"
id="sponsorAmount" name="sponsorAmount"
size="10"/>
 <input
type="button" id="addTask"
onClick='addFunding()' value="Add Funding"/>
 </td>
 </tr>
 </table>

 <input type="hidden"
id="eventID" name="eventID" value="<?php
echo $eventID;?>" />

```

```

 <input type="hidden"
id="catid" name="catid" value="<?php echo
$category;?>" />
 <input type="hidden"
id="isSponsored" name="isSponsored"
value="<?php echo $isSponsored;?>" />
 <input type="hidden"
id="officeFunded" name="officeFunded"
value="<?php echo $officeFunded;?>" />
 <input type="hidden"
id="userID" name="userID" value="<?php
echo $userID;?>" />

 <?php
$html .= '<table
class="sideHeaderTable" id="funding">';
$html .= '<tr>';
$html .= '<th
class="headers">SOURCE</th>';
$html .= '<th
class="headers">AMOUNT</th>';
$html .= '</tr>';

//iterate through the sponsors
//jimport('joomla.filter.output');
$resultFunding =
mysql_query("SELECT * FROM jos_funding
WHERE Event_ID = '$eventID'");
while($row =
mysql_fetch_array($resultFunding)){
$html .= '<tr>';

$html .= '<td>'.
$row['Sponsor'].</td>';
$html .= '<td
align="left">Php '.$row['Amount'].</td>';

$html .= '<td width
="10%"><center> <button type="button"
class="button"
onClick="javascript:getConfirmation(\"'.
$row['Sponsor'].'\")"> Delete
</button></center></td>';
$html .= '</tr>';
}
/*
$diff = $est - $total;
if($total == 0) $total = "No
listed record.";
```

```

else {
 if($est<=$total) $val = "Sufficient";
 else $val =
"Still needs : ".$diff;

```

```

 }*/ //include
$html .= '</table>'; "j_manage_funding.php";
$html .= '<hr>'; include "j_connection.php";
$html .= '<table' //$/eventID = $_GET['eventID'];
id="funding2">'; $eventID = $_GET['param3'];
 $category = $_GET['category'];
 $userID = $_GET['param2'];

 $html .= '<tr>';
 $html .= '<th class="title" width="500">';
$fundingStatus.'</th>'; $sponsors =
 $html .= '<th class="title" align="center">'.$total.'</th>';
 $html .= '</tr>';
 $html .= '</table>';

 echo $html;
?> $isSponsored =
 <?php
 if($isSponsored) echo
 '<script>toggleSponsorTable(true);</script>';

 else echo
 '<script>toggleSponsorTable(false);</script>';

 if($officeFunded) echo
 '<script>toggleOfficeTable(true);</script>';

 else echo
 '<script>toggleOfficeTable(false);</script>';
 ?>

 <center>

 <input type="text" id="cost" name="cost" size="10"/>
 <input type="button" id="manageAddTask" onClick='changeCost()' value="Edit Estimated Cost"/>
 <button type='button' class='button' value="back" onClick="location.href='j_manage_tasks.php?param3=<?php echo $eventID;?>¶m2=<?php echo $userID;?>'>Back
 </button>
 </center>
 </form>
 j_funding_pubView.php
<link rel="stylesheet" href="css/uniform.css" type="text/css" />
<?php
 $query = "SELECT * FROM jos_events WHERE id = '$eventID'";
 $result = mysql_query($query);
 while($row = mysql_fetch_array($result)){
 $total =
 $row['Accumulated'];
 $est =
 $row['Estimated_cost'];
 $diff = $est - $total;
 }
 if($total == "0") {
 $fundingStatus =
 "<strong style='color:red;'>No available funds";
 $total = "";
 } else {
 if($est <= $total)
 {$fundingStatus = "<strong
 style='color:green;'>Sufficient";}
 else {$fundingStatus =
 "<strong style='color:red;'>Still needs : PhP ".
 $diff.''};

 $total = ($total == 0 ||
 $total == "")? "": "Total : PhP ".$total;
 }
 ?>
 <h3 class="pageTitle">Estimated cost: PhP <?
 php echo $est;?></h3>
 <hr width="630px"
 color="#006600"/>

```

```

 <hr width="500px"
color="#009900"/>

<?php
 $html .= '<table
class="sideHeaderTable" id="funding">';
 $html .= '<tr>';
 $html .= '<th
class="headers">SOURCE</th>';
 $html .= '<th
class="headers">AMOUNT</th>';
 $html .= '</tr>';

 //iterate through the sponsors
 //jimport('joomla.filter.output');
 $resultFunding =
mysql_query("SELECT * FROM jos_funding
WHERE Event_ID = '$eventID'");
 while($row =
mysql_fetch_array($resultFunding)){
 $html .= '<tr>';
 $html .= '<td>'.
$row['Sponsor'].'</td>';
 $html .= '<td
align="left">Php '.$row['Amount'].'</td>';

 $html .= '<td width
="10%"><center> <button type="button"
class="button"
onClick="javascript:getConfirmation(\"'.
$row['Sponsor'].\")"> Delete
</button></center></td>';
 $html .= '</tr>';
 }
 /*
 $diff = $est - $total;
 if($total == 0) $total = "No
listed record.";
 else {
 if($est<=$total) $val = "Sufficient";
 else $val =
"Still needs : ".$diff;
 }*/
 $html .= '</table>';
 $html .= '<hr>';
 $html .= '<table
id="funding2">';
 $html .= '<tr>';
 $html .= '<th class="title"
width="500">'.
$fundingStatus.'</th>';

```

```

 $html .= '<th class="title"
align="center">'.$total.'</th>';
 $html .= '</tr>';
 $html .= '</table>';

echo $html;
?>

<center>

<button type='button'
class='button' value="back"
onClick="location.href='j_manage_tasks.php?
param3=<?php echo $eventID;?
param2=<?php echo $userID;?>'">Back
</button>
</center>
recommendation_fetch.php
<?php
 include "j_connection.php";
 if((isset($_GET['eventID'])) &&
(isset($_GET['userID']))) {
 $eventID = $_GET['eventID'];
 $userID = $_GET['userID'];
 }

 $isEmpty = true;
 $result = mysql_query("SELECT title
FROM jos_events WHERE id='$eventID'");
 $row = mysql_fetch_array($result);
 $title = $row['title'];
 $result = mysql_query("SELECT *
FROM jos_recommendation WHERE
Event_ID='$eventID'");
 if(mysql_num_rows($result) != 0){
 $isEmpty = false;
 $row =
mysql_fetch_array($result);
 $recommendation =
$row['Recommendation'];
 $uploader =
$row['Uploader_username'];
 $uploader_ID =
$row['Uploader'];
 $modifier =
$row['Modifier_username'];
 $date_created =
$row['Date_created'];
 $date_modified =
$row['Date_modified'];
 } else{

```

```

 $uploader_ID = $userID;
 $result = mysql_query("SELECT
username FROM jos_users WHERE
id='$userID'");
 $row =
mysql_fetch_array($result);
 $uploader = $row['username'];
}
?> recommendation_show.php
<html>
<head>
 <link rel="stylesheet"
href="css/uniform.css" type="text/css" />
 <script language="javascript"
type="text/javascript" >
 function createNew(eventID){

 document.form1.action
= "recommendation_upload.php";

 document.form1.submit();
 }
 </script>
</head>
<body>

<?php
include "recommendation_fetch.php";
?>

<form name="form1" id="form1"
method="GET" action="">
<input type="hidden" name="eventID"
id="eventID" value="<?php echo $eventID;?>" />
<input type="hidden" name="userID"
id="userID" value="<?php echo $userID;?>" />
</form>

<?php
 if(!isEmpty){
?>
 <table border=1
class="sideHeaderTable">
 <tr class="bordered">
 <td
class="twoColumns1">Recommendation :
</td>
 <td
class="twoColumns2"><?php echo
nl2br($recommendation);?></td>
 </tr>

```

```

 <tr class="bordered">
 <td
class="colorlessField">Date created : </td>
 <td style="padding-
left:.5em;"><?php echo date("M d, Y h:i:s a",
strtotime($date_created)) . " (by : ".$uploader.
") ";?></td>
 </tr>
 <?php
 if($date_modified !=
'0000-00-00 00:00:00'){
 ?>
 <tr class="bordered">
 <td
class="colorlessField">Date last modified :
</td>
 <td style="padding-
left:.5em;"><?php echo ($date_modified ==
'0000-00-00 00:00:00')? "Not yet modified":date("M d, Y h:i:s a",
strtotime($date_modified))
. " (by : ".$modifier.
") ";?></td>
 </tr>
 <?php
 }
 $result =
mysql_query("SELECT Vol_ID FROM jos_staff
WHERE Position = 'Director' OR Position =
'Administrative Officer II'");

 $canEditRecommendation =
(mysql_num_rows($result) != 0)?true:false;
 if($canEditRecommendation){
 ?>
 <tr class="bordered">
 <td colspan="2"
class="paddedButtons">
 <button
type="button" onClick="createNew()">Edit
</button>
 <!-- <button
type="button"
onClick="location.href='j_manage_tasks.php?
param3=<?php //echo $eventID;?
¶m2=<?php //echo $userID;?>'>Back
</button> -->
 </td>
 </tr>
 <?php
 }
 ?>

```

```

</table>

-- phpMyAdmin SQL Dump
-- version 2.11.3
-- http://www.phpmyadmin.net
--
-- Host: localhost
-- Generation Time: Apr 09, 2012 at 04:13 PM
-- Server version: 5.0.51
-- PHP Version: 5.2.5

SET SQL_MODE="NO_AUTO_VALUE_ON_ZERO";
--
-- Database: `pdms_cb`
--

-- Table structure for table `bak_banner`
--
CREATE TABLE `bak_banner` (
 `bid` int(11) NOT NULL auto_increment,
 `cid` int(11) NOT NULL default '0',
 `type` varchar(30) NOT NULL default 'banner',
 `name` varchar(255) NOT NULL default '',
 `alias` varchar(255) NOT NULL default '',
 `imptotal` int(11) NOT NULL default '0',
 `impmade` int(11) NOT NULL default '0',
 `clicks` int(11) NOT NULL default '0',
 `imageurl` varchar(100) NOT NULL default '',
 `clickurl` varchar(200) NOT NULL default '',
 `date` datetime default NULL,
 `showBanner` tinyint(1) NOT NULL default '0',
 `checked_out` tinyint(1) NOT NULL default '0',
 `checked_out_time` datetime NOT NULL
 default '0000-00-00 00:00:00',
 `editor` varchar(50) default NULL,
 `custombannercode` text,
 `catid` int(10) unsigned NOT NULL default '0',
 `description` text NOT NULL,
 `sticky` tinyint(1) unsigned NOT NULL default '0',
 `ordering` int(11) NOT NULL default '0',
 `publish_up` datetime NOT NULL default
 '0000-00-00 00:00:00',
 `publish_down` datetime NOT NULL default
 '0000-00-00 00:00:00',
 `tags` text NOT NULL,
 `params` text NOT NULL,
 PRIMARY KEY (`bid`),
 KEY `viewbanner` (`showBanner`),
 KEY `idx_banner_catid` (`catid`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1 ;

-- Dumping data for table `bak_banner`
--

-- Table structure for table `bak_bannerclient`
--
CREATE TABLE `bak_bannerclient` (
 `cid` int(11) NOT NULL auto_increment,
 `name` varchar(255) NOT NULL default '',
 `contact` varchar(255) NOT NULL default '',
 `email` varchar(255) NOT NULL default '',
 `extrainfo` text NOT NULL,
 `checked_out` tinyint(1) NOT NULL default '0',
 `checked_out_time` time default NULL,
 `editor` varchar(50) default NULL,
 PRIMARY KEY (`cid`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1 ;

-- Dumping data for table `bak_bannerclient`
--

-- Table structure for table `bak_bannertrack`
--
CREATE TABLE `bak_bannertrack` (
 `track_date` date NOT NULL,
 `track_type` int(10) unsigned NOT NULL,
 `banner_id` int(10) unsigned NOT NULL
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `bak_bannertrack`
--

-- Table structure for table `bak_categories`
--
CREATE TABLE `bak_categories` (
 `id` int(11) NOT NULL auto_increment,
 `parent_id` int(11) NOT NULL default '0',
 `title` varchar(255) NOT NULL default '',
 `name` varchar(255) NOT NULL default '',
 `alias` varchar(255) NOT NULL default '',
 `image` varchar(255) NOT NULL default '',
 `section` varchar(50) NOT NULL default '',
 `image_position` varchar(30) NOT NULL
 default '',
 `description` text NOT NULL,
 `published` tinyint(1) NOT NULL default '0',
 `checked_out` int(11) unsigned NOT NULL
 default '0',
 `checked_out_time` datetime NOT NULL
 default '0000-00-00 00:00:00',
 `editor` varchar(50) default NULL,
 `ordering` int(11) NOT NULL default '0',
 `access` tinyint(3) unsigned NOT NULL
 default '0',
 `count` int(11) NOT NULL default '0',
 `params` text NOT NULL,
 PRIMARY KEY (`id`),
 KEY `cat_idx` (`section`, `published`, `access`),
 KEY `cat_idx` (`section`, `published`, `access`)
)

```

```

KEY `idx_access` (`access`),
KEY `idx_checkout` (`checked_out`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1 ;

--
-- Dumping data for table `bak_categories`
--

-- Table structure for table `bak_components`
--

CREATE TABLE `bak_components` (
 `id` int(11) NOT NULL auto_increment,
 `name` varchar(50) NOT NULL default '',
 `link` varchar(255) NOT NULL default '',
 `menuid` int(11) unsigned NOT NULL default '0',
 `parent` int(11) unsigned NOT NULL default '0',
 `admin_menu_link` varchar(255) NOT NULL default '',
 `admin_menu_alt` varchar(255) NOT NULL default '',
 `option` varchar(50) NOT NULL default '',
 `ordering` int(11) NOT NULL default '0',
 `admin_menu_img` varchar(255) NOT NULL default '',
 `iscore` tinyint(4) NOT NULL default '0',
 `params` text NOT NULL,
 `enabled` tinyint(4) NOT NULL default '1',
 PRIMARY KEY (`id`),
 KEY `parent_option` (`parent`, `option`(32))
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=34 ;

--
-- Dumping data for table `bak_components`
--

INSERT INTO `bak_components`(`id`, `name`,
`link`, `menuid`, `parent`, `admin_menu_link`,
`admin_menu_alt`, `option`, `ordering`,
`admin_menu_img`, `iscore`, `params`,
`enabled`) VALUES
(1, 'Banners', "", 0, 0, "Banner Management",
'com_banners', 0,
'js/ThemeOffice/component.png', 0,
'track_impressions=0\ntrack_clicks=0\n>tag_prefix=\n\n', 1),
(2, 'Banners', "", 0, 1, 'option=com_banners',
'Active Banners', 'com_banners', 1,
'js/ThemeOffice/edit.png', 0, "", 1),
(3, 'Clients', "", 0, 1,
'option=com_banners&c=client', 'Manage Clients',
'com_banners', 2,
'js/ThemeOffice/categories.png', 0, "", 1),
(4, 'Web Links', 'option=com_weblinks', 0, 0, "",
'Manage Weblinks', 'com_weblinks', 0,
'js/ThemeOffice/component.png', 0,

```

```

'show_comp_description=1\ncomp_description
=\nshow_link_hits=1\nshow_link_description=1
\nshow_other_cats=1\nshow_headings=1\nshow_
page_title=1\nlink_target=0\nlink_icons=\n\n
n', 1),
(5, 'Links', "", 0, 4, 'option=com_weblinks', 'View
existing weblinks', 'com_weblinks', 1,
'js/ThemeOffice/edit.png', 0, "", 1),
(6, 'Categories', "", 0, 4,
'option=com_categories§ion=com_weblink
s', 'Manage weblink categories', "", 2,
'js/ThemeOffice/categories.png', 0, "", 1),
(7, 'Contacts', 'option=com_contact', 0, 0, "",
'Edit contact details', 'com_contact', 0,
'js/ThemeOffice/component.png', 1,
'contact_icons=0\nicon_address=\nicon_email
=\nicon_telephone=\nicon_fax=\nicon_misc=\n
show_headings=1\nshow_position=1\nshow_e
mail=0\nshow_telephone=1\nshow_mobile=1\n
show_fax=1\nbannedEmail=\nbannedSubject
=\nbannedText=\nsession=1\ncustomReply=0
\n\n', 1),
(8, 'Contacts', "", 0, 7, 'option=com_contact',
'Edit contact details', 'com_contact', 0,
'js/ThemeOffice/edit.png', 1, "", 1),
(9, 'Categories', "", 0, 7,
'option=com_categories§ion=com_contact
_details', 'Manage contact categories', "", 2,
'js/ThemeOffice/categories.png', 1,
'contact_icons=0\nicon_address=\nicon_email
=\nicon_telephone=\nicon_fax=\nicon_misc=\n
show_headings=1\nshow_position=1\nshow_e
mail=0\nshow_telephone=1\nshow_mobile=1\n
show_fax=1\nbannedEmail=\nbannedSubject
=\nbannedText=\nsession=1\ncustomReply=0
\n\n', 1),
(10, 'Polls', 'option=com_poll', 0, 0,
'option=com_poll', 'Manage Polls', 'com_poll', 0,
'js/ThemeOffice/component.png', 0, "", 1),
(11, 'News Feeds', 'option=com_newsfeeds', 0,
0, "", 'News Feeds Management',
'com_newsfeeds', 0,
'js/ThemeOffice/component.png', 0, "", 1),
(12, 'Feeds', "", 0, 11, 'option=com_newsfeeds',
'Manage News Feeds', 'com_newsfeeds', 1,
'js/ThemeOffice/edit.png', 0,
'show_headings=1\nshow_name=1\nshow_arti
cles=1\nshow_link=1\nshow_cat_descripion=1
\nshow_cat_items=1\nshow_feed_image=1\nsh
ow_feed_descripion=1\nshow_item_descriptio
n=1\nfeed_word_count=0\n\n', 1),
(13, 'Categories', "", 0, 11,
'option=com_categories§ion=com_newsfe
eds', 'Manage Categories', "", 2,
'js/ThemeOffice/categories.png', 0, "", 1),
(14, 'User', 'option=com_user', 0, 0, "", "",
'com_user', 0, "", 1, "", 1),
(15, 'Search', 'option=com_search', 0, 0,
'option=com_search', 'Search Statistics',
'com_search', 0,

```

```

'js/ThemeOffice/component.png', 1,
'enabled=0\n\n', 1),
(16, 'Categories', "", 0, 1,
'option=com_categories§ion=com_banner'
,'Categories', "", 3, "", 1, "", 1),
(17, 'Wrapper', 'option=com_wrapper', 0, 0, "",
'Wrapper', 'com_wrapper', 0, "", 1, "", 1),
(18, 'Mail To', "", 0, 0, "", 'com_mailto', 0, "", 1,
", 1),
(19, 'Media Manager', "", 0, 0,
'option=com_media', 'Media Manager',
'com_media', 0, "", 1,
'upload_extensions=bmp,csv,doc,epg,gif,ico,jp
g,odg,odp,ods,odt,pdf,png,ppt,swf,txt,xcf,xls,B
MP,CSV,DOC,EPG,GIF,ICO,JPG,ODG,ODP,ODS,O
DT,PDF,PNG,PPT,SWF,TXT,XCF,XLS\nupload_ma
xsize=10000000\nfile_path=images\\image_p
ath=images/stories\\nrestrict_uploads=1\\nhec
k_mime=1\\nimage_extensions=bmp,gif,jpg,pn
g\\nignore_extensions=\\nupload_mime=image/j
peg,image/gif,image/png,image/bmp,applicatio
n/x-shockwave-
flash,application/msword,application/excel,appli
cation/pdf,application/powerpoint,text/plain,ap
plication/x-
zip\\nupload_mime_illegal=text/html', 1),
(20, 'Articles', 'option=com_content', 0, 0, "",",
'com_content', 0, "", 1,
'show_noauth=0\\nshow_title=1\\nlink_titles=0\\n
show_intro=1\\nshow_section=0\\nlink_section=
0\\nshow_category=0\\nlink_category=0\\nshow_
author=1\\nshow_create_date=1\\nshow_modify_
date=1\\nshow_item_navigation=0\\nshow_rea
dmore=1\\nshow_vote=0\\nshow_icons=1\\nsho
w_pdf_icon=1\\nshow_print_icon=1\\nshow_email_
icon=1\\nshow_hits=1\\nfeed_summary=0\\n\\n
", 1),
(21, 'Configuration Manager', "", 0, 0, "",
'Configuration', 'com_config', 0, "", 1, "", 1),
(22, 'Installation Manager', "", 0, 0, "", 'Installer',
'com_installer', 0, "", 1, "", 1),
(23, 'Language Manager', "", 0, 0, "",
'Languages', 'com_languages', 0, "", 1, "", 1),
(24, 'Mass mail', "", 0, 0, "", 'Mass Mail',
'com_massmail', 0, "", 1,
'mailSubjectPrefix=\\nmailBodySuffix=\\n\\n', 1),
(25, 'Menu Editor', "", 0, 0, "", 'Menu Editor',
'com_menus', 0, "", 1, "", 1),
(27, 'Messaging', "", 0, 0, "", 'Messages',
'com_messages', 0, "", 1, "", 1),
(28, 'Modules Manager', "", 0, 0, "", 'Modules',
'com_modules', 0, "", 1, "", 1),
(29, 'Plugin Manager', "", 0, 0, "", 'Plugins',
'com_plugins', 0, "", 1, "", 1),
(30, 'Template Manager', "", 0, 0, "", 'Templates',
'com_templates', 0, "", 1, "", 1),
(31, 'User Manager', "", 0, 0, "", 'Users',
'com_users', 0, "", 1,
'allowUserRegistration=1\\nnew_usertype=Regi
stered\\nuseractivation=1\\nfrontend_userparam
s=1\\n\\n', 1),
(32, 'Cache Manager', "", 0, 0, "", 'Cache',
'com_cache', 0, "", 1, "", 1),
(33, 'Control Panel', "", 0, 0, "", 'Control Panel',
'com_cpanel', 0, "", 1, "", 1);

-- Table structure for table
`bak_contact_details`

CREATE TABLE `bak_contact_details` (
`id` int(11) NOT NULL auto_increment,
`name` varchar(255) NOT NULL default '',
`alias` varchar(255) NOT NULL default '',
`con_position` varchar(255) default NULL,
`address` text,
`suburb` varchar(100) default NULL,
`state` varchar(100) default NULL,
`country` varchar(100) default NULL,
`postcode` varchar(100) default NULL,
`telephone` varchar(255) default NULL,
`fax` varchar(255) default NULL,
`misc` mediumtext,
`image` varchar(255) default NULL,
`imagepos` varchar(20) default NULL,
`email_to` varchar(255) default NULL,
`default_con` tinyint(1) unsigned NOT NULL
default '0',
`published` tinyint(1) unsigned NOT NULL
default '0',
`checked_out` int(11) unsigned NOT NULL
default '0',
`checked_out_time` datetime NOT NULL
default '0000-00-00 00:00:00',
`ordering` int(11) NOT NULL default '0',
`params` text NOT NULL,
`user_id` int(11) NOT NULL default '0',
`catid` int(11) NOT NULL default '0',
`access` tinyint(3) unsigned NOT NULL
default '0',
`mobile` varchar(255) NOT NULL default '',
`webpage` varchar(255) NOT NULL default '',
PRIMARY KEY ('id'),
KEY `catid` ('catid')
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1 ;

-- Dumping data for table `bak_contact_details`

-- Table structure for table `bak_content`

CREATE TABLE `bak_content` (

```

```

`id` int(11) unsigned NOT NULL
auto_increment,
`title` varchar(255) NOT NULL default '',
`alias` varchar(255) NOT NULL default '',
`title_alias` varchar(255) NOT NULL default '',
`introtext` mediumtext NOT NULL,
`fulltext` mediumtext NOT NULL,
`state` tinyint(3) NOT NULL default '0',
`sectionid` int(11) unsigned NOT NULL default
'0',
`mask` int(11) unsigned NOT NULL default '0',
`catid` int(11) unsigned NOT NULL default '0',
`created` datetime NOT NULL default '0000-
00-00 00:00:00',
`created_by` int(11) unsigned NOT NULL
default '0',
`created_by_alias` varchar(255) NOT NULL
default '',
`modified` datetime NOT NULL default '0000-
00-00 00:00:00',
`modified_by` int(11) unsigned NOT NULL
default '0',
`checked_out` int(11) unsigned NOT NULL
default '0',
`checked_out_time` datetime NOT NULL
default '0000-00-00 00:00:00',
`publish_up` datetime NOT NULL default
'0000-00-00 00:00:00',
`publish_down` datetime NOT NULL default
'0000-00-00 00:00:00',
`images` text NOT NULL,
`urls` text NOT NULL,
`attribs` text NOT NULL,
`version` int(11) unsigned NOT NULL default
'1',
`parentid` int(11) unsigned NOT NULL default
'0',
`ordering` int(11) NOT NULL default '0',
`metakey` text NOT NULL,
`metadesc` text NOT NULL,
`access` int(11) unsigned NOT NULL default
'0',
`hits` int(11) unsigned NOT NULL default '0',
`metadata` text NOT NULL,
PRIMARY KEY (`id`),
KEY `idx_section` (`sectionid`),
KEY `idx_access` (`access`),
KEY `idx_checkout` (`checked_out`),
KEY `idx_state` (`state`),
KEY `idx_catid` (`catid`),
KEY `idx_createdby` (`created_by`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1 ;

--
-- Dumping data for table `bak_content`
--

--
-- Table structure for table
`bak_content_frontpage`
--

CREATE TABLE `bak_content_frontpage` (
 `content_id` int(11) NOT NULL default '0',
 `ordering` int(11) NOT NULL default '0',
 PRIMARY KEY (`content_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `bak_content_frontpage`
--

--
-- Table structure for table
`bak_content_rating`
--

CREATE TABLE `bak_content_rating` (
 `content_id` int(11) NOT NULL default '0',
 `rating_sum` int(11) unsigned NOT NULL
default '0',
 `rating_count` int(11) unsigned NOT NULL
default '0',
 `lastip` varchar(50) NOT NULL default '',
 PRIMARY KEY (`content_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `bak_content_rating`
--

--
-- Table structure for table `bak_core_acl_aros`
--

CREATE TABLE `bak_core_acl_aros` (
 `id` int(11) NOT NULL auto_increment,
 `section_value` varchar(240) NOT NULL
default '0',
 `value` varchar(240) NOT NULL default '',
 `order_value` int(11) NOT NULL default '0',
 `name` varchar(255) NOT NULL default '',
 `hidden` int(11) NOT NULL default '0',
 PRIMARY KEY (`id`),
 UNIQUE KEY `jos_section_value_value_aros`(
 `section_value` (100), `value` (100)),
 KEY `jos_gacl_hidden_aros` (`hidden`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1 ;

--

```

```

-- Dumping data for table `bak_core_acl_aros`

--

--

-- Table structure for table

`bak_core_acl_aros`

--

--

CREATE TABLE `bak_core_acl_aros` (

`id` int(11) NOT NULL auto_increment,

`parent_id` int(11) NOT NULL default '0',

`name` varchar(255) NOT NULL default "",

`lft` int(11) NOT NULL default '0',

`rgt` int(11) NOT NULL default '0',

`value` varchar(255) NOT NULL default "",

PRIMARY KEY (`id`),

KEY `jos_gacl_parent_id_aros`(`parent_id`),

KEY `jos_gacl_lft_rgt_aros`(`lft`, `rgt`)

) ENGINE=MyISAM DEFAULT CHARSET=utf8

AUTO_INCREMENT=31 ;

--

-- Dumping data for table

`bak_core_acl_aros`

--

--

INSERT INTO `bak_core_acl_aros`(`id`,

`parent_id`, `name`, `lft`, `rgt`, `value`)

VALUES

(17, 0, 'ROOT', 1, 22, 'ROOT'),

(28, 17, 'USERS', 2, 21, 'USERS'),

(29, 28, 'Public Frontend', 3, 12, 'Public

Frontend'),

(18, 29, 'Registered', 4, 11, 'Registered'),

(19, 18, 'Author', 5, 10, 'Author'),

(20, 19, 'Editor', 6, 9, 'Editor'),

(21, 20, 'Publisher', 7, 8, 'Publisher'),

(30, 28, 'Public Backend', 13, 20, 'Public

Backend'),

(23, 30, 'Manager', 14, 19, 'Manager'),

(24, 23, 'Administrator', 15, 18,

'Administrator'),

(25, 24, 'Super Administrator', 16, 17, 'Super

Administrator');

--

-- Table structure for table

`bak_core_acl_aros_map`

--

--

CREATE TABLE `bak_core_acl_aros_map` (

`acl_id` int(11) NOT NULL default '0',

`section_value` varchar(230) NOT NULL

default '0',

`value` varchar(100) NOT NULL,

PRIMARY KEY

(`acl_id`, `section_value`, `value`)

) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--

--

--

-- Dumping data for table

`bak_core_acl_aros_map`

--

--

--

-- Table structure for table

`bak_core_acl_sections`

--

--

CREATE TABLE `bak_core_acl_sections` (

`id` int(11) NOT NULL auto_increment,

`value` varchar(230) NOT NULL default "",

`order_value` int(11) NOT NULL default '0',

`name` varchar(230) NOT NULL default "",

`hidden` int(11) NOT NULL default '0',

PRIMARY KEY (`id`),

UNIQUE KEY `jos_gacl_value_aros_sections`

(`value`),

KEY `jos_gacl_hidden_aros_sections`(`hidden`)

) ENGINE=MyISAM DEFAULT CHARSET=utf8

AUTO_INCREMENT=11 ;

--

-- Dumping data for table

`bak_core_acl_sections`

--

--

INSERT INTO `bak_core_acl_sections`(`id`,

`value`, `order_value`, `name`, `hidden`)

VALUES

(10, 'users', 1, 'Users', 0);

--

-- Table structure for table

`bak_core_acl_groups_aros_map`

--

--

CREATE TABLE

`bak_core_acl_groups_aros_map` (

`group_id` int(11) NOT NULL default '0',

`section_value` varchar(240) NOT NULL

default "",

`aro_id` int(11) NOT NULL default '0',

UNIQUE KEY

`group_id_aro_id_aros_map`

(`group_id`, `section_value`, `aro_id`)

) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
```

```
-- Dumping data for table
`bak_core_acl_groups_aro_map`
--

-- Table structure for table
`bak_core_log_items`

CREATE TABLE `bak_core_log_items` (
 `time_stamp` date NOT NULL default '0000-00-00',
 `item_table` varchar(50) NOT NULL default '',
 `item_id` int(11) unsigned NOT NULL default '0',
 `hits` int(11) unsigned NOT NULL default '0'
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `bak_core_log_items`

-- Table structure for table
`bak_core_log_searches`

CREATE TABLE `bak_core_log_searches` (
 `search_term` varchar(128) NOT NULL default '',
 `hits` int(11) unsigned NOT NULL default '0'
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table
`bak_core_log_searches`

-- Table structure for table `bak_groups`

CREATE TABLE `bak_groups` (
 `id` tinyint(3) unsigned NOT NULL default '0',
 `name` varchar(50) NOT NULL default '',
 PRIMARY KEY (`id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `bak_groups`

INSERT INTO `bak_groups` (`id`, `name`)
VALUES
(0, 'Public'),
(1, 'Registered'),
(2, 'Special');

-- Table structure for table `bak_menu`

CREATE TABLE `bak_menu` (
 `id` int(11) NOT NULL auto_increment,
 `menutype` varchar(75) default NULL,
 `name` varchar(255) default NULL,
 `alias` varchar(255) NOT NULL default '',
 `link` text,
 `type` varchar(50) NOT NULL default '',
 `published` tinyint(1) NOT NULL default '0',
 `parent` int(11) unsigned NOT NULL default '0',
 `componentid` int(11) unsigned NOT NULL default '0',
 `sublevel` int(11) default '0',
 `ordering` int(11) default '0',
 `checked_out` int(11) unsigned NOT NULL default '0',
 `checked_out_time` datetime NOT NULL default '0000-00-00 00:00:00',
 `pollid` int(11) NOT NULL default '0',
 `browserNav` tinyint(4) default '0',
 `access` tinyint(3) unsigned NOT NULL default '0',
 `utaccess` tinyint(3) unsigned NOT NULL default '0',
 `params` text NOT NULL,
 `lft` int(11) unsigned NOT NULL default '0',
 `rgt` int(11) unsigned NOT NULL default '0',
 `home` int(1) unsigned NOT NULL default '0',
 PRIMARY KEY (`id`),
 KEY `componentid`(`componentid`),
 KEY `menutype`(`menutype`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8 AUTO_INCREMENT=2 ;

-- Dumping data for table `bak_menu`

INSERT INTO `bak_menu` (`id`, `menutype`, `name`, `alias`, `link`, `type`, `published`, `parent`, `componentid`, `sublevel`, `ordering`, `checked_out`, `checked_out_time`, `pollid`, `browserNav`, `access`, `utaccess`, `params`, `lft`, `rgt`, `home`) VALUES
(1, 'mainmenu', 'Home', 'home', 'index.php?option=com_content&view=frontpage');
```

```

'component', 1, 0, 20, 0, 1, 0, '0000-00-00
00:00:00', 0, 0, 0, 3,
'num_leading_articles=1\nnum_intro_articles=
4\nnum_columns=2\nnum_links=4\norderby_pr
i=\norderby_sec=front\nshow_pagination=2\ns
how_pagination_results=1\nshow_feed_link=1\
nshow_noauth=\nshow_title=\nlink_titles=\nsh
ow_intro=\nshow_section=\nlink_section=\nsh
ow_category=\nlink_category=\nshow_author=
\nshow_create_date=\nshow_modify_date=\nsh
ow_item_navigation=\nshow_readmore=\nsho
w_vote=\nshow_icons=\nshow_pdf_icon=\nsho
w_print_icon=\nshow_email_icon=\nshow_hits
=\nfeed_summary=\npage_title=\nshow_page_
title=1\npageclass_sfx=\nmenu_image=-
1\nsecure=0\n\n', 0, 0, 1);

-- Table structure for table `bak_menu_types`

CREATE TABLE `bak_menu_types` (
 `id` int(10) unsigned NOT NULL
auto_increment,
 `menutype` varchar(75) NOT NULL default "",
 `title` varchar(255) NOT NULL default "",
 `description` varchar(255) NOT NULL default
",
 PRIMARY KEY (`id`),
 UNIQUE KEY `menutype` (`menutype`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=2 ;

-- Dumping data for table `bak_menu_types`
--

INSERT INTO `bak_menu_types` (`id`,
`menutype`, `title`, `description`) VALUES
(1, 'mainmenu', 'Main Menu', 'The main menu
for the site');

-- Table structure for table `bak_messages`

CREATE TABLE `bak_messages` (
 `message_id` int(10) unsigned NOT NULL
auto_increment,
 `user_id_from` int(10) unsigned NOT NULL
default '0',
 `user_id_to` int(10) unsigned NOT NULL
default '0',
 `folder_id` int(10) unsigned NOT NULL default
'0',
 `date_time` datetime NOT NULL default
'0000-00-00 00:00:00',
 `state` int(11) NOT NULL default '0',
 `priority` int(1) unsigned NOT NULL default
'0',
 `subject` text NOT NULL,
 `message` text NOT NULL,
 PRIMARY KEY (`message_id`),
 KEY `useridto_state` (`user_id_to`,`state`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1 ;

-- Dumping data for table `bak_messages`

-- Table structure for table `bak_messages_cfg`

CREATE TABLE `bak_messages_cfg` (
 `user_id` int(10) unsigned NOT NULL default
'0',
 `cfg_name` varchar(100) NOT NULL default "",
 `cfg_value` varchar(255) NOT NULL default "",
 UNIQUE KEY `idx_user_var_name`(`user_id`, `cfg_name`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `bak_messages_cfg`

-- Table structure for table `bak_migration_backlinks`

CREATE TABLE `bak_migration_backlinks` (
 `itemid` int(11) NOT NULL,
 `name` varchar(100) NOT NULL,
 `url` text NOT NULL,
 `sefurl` text NOT NULL,
 `newurl` text NOT NULL,
 PRIMARY KEY (`itemid`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `bak_migration_backlinks`

-- Table structure for table `bak_modules`


```

```

--

CREATE TABLE `bak_modules` (
 `id` int(11) NOT NULL auto_increment,
 `title` text NOT NULL,
 `content` text NOT NULL,
 `ordering` int(11) NOT NULL default '0',
 `position` varchar(50) default NULL,
 `checked_out` int(11) unsigned NOT NULL
default '0',
 `checked_out_time` datetime NOT NULL
default '0000-00-00 00:00:00',
 `published` tinyint(1) NOT NULL default '0',
 `module` varchar(50) default NULL,
 `numnews` int(11) NOT NULL default '0',
 `access` tinyint(3) unsigned NOT NULL
default '0',
 `showtitle` tinyint(3) unsigned NOT NULL
default '1',
 `params` text NOT NULL,
 `iscore` tinyint(4) NOT NULL default '0',
 `client_id` tinyint(4) NOT NULL default '0',
 `control` text NOT NULL,
 PRIMARY KEY (`id`),
 KEY `published` (`published`,`access`),
 KEY `newsfeeds` (`module`,`published`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=16 ;

--

-- Dumping data for table `bak_modules`
--

INSERT INTO `bak_modules`(`id`, `title`,
`content`, `ordering`, `position`,
`checked_out`, `checked_out_time`,
`published`, `module`, `numnews`, `access`,
`showtitle`, `params`, `iscore`, `client_id`,
`control`) VALUES
(1, 'Main Menu', "", 1, 'left', 0, '0000-00-00
00:00:00', 1, 'mod_mainmenu', 0, 0, 1,
'menutype=mainmenu\nmoduleclass_sfx=_me
nu\n', 1, 0, ""),
(2, 'Login', "", 1, 'login', 0, '0000-00-00
00:00:00', 1, 'mod_login', 0, 0, 1, "", 1, 1, ""),
(3, 'Popular', "", 3, 'cpanel', 0, '0000-00-00
00:00:00', 1, 'mod_popular', 0, 2, 1, "", 0, 1, ""),
(4, 'Recent added Articles', "", 4, 'cpanel', 0,
'0000-00-00 00:00:00', 1, 'mod_latest', 0, 2, 1,
'ordering=c_dsc\nuser_id=0\ncache=0\n\n', 0,
1, ""),
(5, 'Menu Stats', "", 5, 'cpanel', 0, '0000-00-00
00:00:00', 1, 'mod_stats', 0, 2, 1, "", 0, 1, ""),
(6, 'Unread Messages', "", 1, 'header', 0, '0000-
00-00 00:00:00', 1, 'mod_unread', 0, 2, 1, "", 1,
1, ""),
(7, 'Online Users', "", 2, 'header', 0, '0000-00-00
00:00:00', 1, 'mod_online', 0, 2, 1, "", 1, 1, ""),
(8, 'Toolbar', "", 1, 'toolbar', 0, '0000-00-00
00:00:00', 1, 'mod_toolbar', 0, 2, 1, "", 1, 1, ""),

(9, 'Quick Icons', "", 1, 'icon', 0, '0000-00-00
00:00:00', 1, 'mod_quickicon', 0, 2, 1, "", 1, 1,
"),
(10, 'Logged in Users', "", 2, 'cpanel', 0, '0000-
00-00 00:00:00', 1, 'mod_logged', 0, 2, 1, "", 0,
1, ""),
(11, 'Footer', "", 0, 'footer', 0, '0000-00-00
00:00:00', 1, 'mod_footer', 0, 0, 1, "", 1, 1, ""),
(12, 'Admin Menu', "", 1, 'menu', 0, '0000-00-00
00:00:00', 1, 'mod_menu', 0, 2, 1, "", 0, 1, ""),
(13, 'Admin SubMenu', "", 1, 'submenu', 0,
'0000-00-00 00:00:00', 1, 'mod_submenu', 0, 2,
1, "", 0, 1, ""),
(14, 'User Status', "", 1, 'status', 0, '0000-00-00
00:00:00', 1, 'mod_status', 0, 2, 1, "", 0, 1, ""),
(15, 'Title', "", 1, 'title', 0, '0000-00-00
00:00:00', 1, 'mod_title', 0, 2, 1, "", 0, 1, "");

-- Table structure for table
`bak_modules_menu`

CREATE TABLE `bak_modules_menu` (
 `moduleid` int(11) NOT NULL default '0',
 `menuid` int(11) NOT NULL default '0',
 PRIMARY KEY (`moduleid`, `menuid`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--

-- Dumping data for table `bak_modules_menu`
--

INSERT INTO `bak_modules_menu`(`moduleid`, `menuid`)
VALUES
(1, 0);

-- Table structure for table `bak_newsfeeds`

CREATE TABLE `bak_newsfeeds` (
 `catid` int(11) NOT NULL default '0',
 `id` int(11) NOT NULL auto_increment,
 `name` text NOT NULL,
 `alias` varchar(255) NOT NULL default "",
 `link` text NOT NULL,
 `filename` varchar(200) default NULL,
 `published` tinyint(1) NOT NULL default '0',
 `numarticles` int(11) unsigned NOT NULL
default '1',
 `cache_time` int(11) unsigned NOT NULL
default '3600',
 `checked_out` tinyint(3) unsigned NOT NULL
default '0',
 `checked_out_time` datetime NOT NULL
default '0000-00-00 00:00:00',

```

```

`ordering` int(11) NOT NULL default '0',
`rtl` tinyint(4) NOT NULL default '0',
PRIMARY KEY (`id`),
KEY `published` (`published`),
KEY `catid` (`catid`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1 ;

--
-- Dumping data for table `bak_newsfeeds`
--

--
-- Table structure for table `bak_plugins`

CREATE TABLE `bak_plugins` (
`id` int(11) NOT NULL auto_increment,
`name` varchar(100) NOT NULL default '',
`element` varchar(100) NOT NULL default '',
`folder` varchar(100) NOT NULL default '',
`access` tinyint(3) unsigned NOT NULL
default '0',
`ordering` int(11) NOT NULL default '0',
`published` tinyint(3) NOT NULL default '0',
`iscore` tinyint(3) NOT NULL default '0',
`client_id` tinyint(3) NOT NULL default '0',
`checked_out` int(11) unsigned NOT NULL
default '0',
`checked_out_time` datetime NOT NULL
default '0000-00-00 00:00:00',
`params` text NOT NULL,
PRIMARY KEY (`id`),
KEY `idx_folder`(`published`, `client_id`, `access`, `folder`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=34 ;

--
-- Dumping data for table `bak_plugins`
--

INSERT INTO `bak_plugins`(`id`, `name`,
`element`, `folder`, `access`, `ordering`,
`published`, `iscore`, `client_id`,
`checked_out`, `checked_out_time`, `params`)
VALUES
(1, 'Authentication - Joomla', 'joomla',
'authentication', 0, 1, 1, 1, 0, 0, '0000-00-00
00:00:00', ''),
(2, 'Authentication - LDAP', 'ldap',
'authentication', 0, 2, 0, 1, 0, 0, '0000-00-00
00:00:00',
'host=\nport=389\nuse_ldapV3=0\nnegotiate_t
ls=0\nno_referrals=0\nauth_method=bind\nba
se_dn=\nsearch_string=\nusers_dn=\nusername
e=\npassword=\nldap_fullname=fullName\nlida
p_email=mail\nldap_uid=uid\n\n'),

```

```

(3, 'Authentication - GMail', 'gmail',
'authentication', 0, 4, 0, 0, 0, 0, '0000-00-00
00:00:00', ''),
(4, 'Authentication - OpenID', 'openid',
'authentication', 0, 3, 0, 0, 0, 0, '0000-00-00
00:00:00', ''),
(5, 'User - Joomla!', 'joomla', 'user', 0, 0, 1, 0, 0,
0, '0000-00-00 00:00:00', 'autoregister=1\n\n\n'),
(6, 'Search - Content', 'content', 'search', 0, 1,
1, 1, 0, 0, '0000-00-00 00:00:00',
'search_limit=50\nsearch_content=1\nsearch_u
ncategorised=1\nsearch_archived=1\n\n\n'),
(7, 'Search - Contacts', 'contacts', 'search', 0, 3,
1, 1, 0, 0, '0000-00-00 00:00:00',
'search_limit=50\n\n\n'),
(8, 'Search - Categories', 'categories', 'search',
0, 4, 1, 0, 0, '0000-00-00 00:00:00',
'search_limit=50\n\n\n'),
(9, 'Search - Sections', 'sections', 'search', 0, 5,
1, 0, 0, 0, '0000-00-00 00:00:00',
'search_limit=50\n\n\n'),
(10, 'Search - Newsfeeds', 'newsfeeds',
'search', 0, 6, 1, 0, 0, '0000-00-00 00:00:00',
'search_limit=50\n\n\n'),
(11, 'Search - Weblinks', 'weblinks', 'search', 0,
2, 1, 1, 0, 0, '0000-00-00 00:00:00',
'search_limit=50\n\n\n'),
(12, 'Content - Pagebreak', 'pagebreak',
'content', 0, 10000, 1, 1, 0, 0, '0000-00-00
00:00:00',
'enabled=1\ntitle=1\nmultipage_toc=1\nshowa
ll=1\n\n\n'),
(13, 'Content - Rating', 'vote', 'content', 0, 4, 1,
1, 0, 0, '0000-00-00 00:00:00', ''),
(14, 'Content - Email Cloaking', 'emailcloak',
'content', 0, 5, 1, 0, 0, '0000-00-00
00:00:00', 'mode=1\n\n\n'),
(15, 'Content - Code Hightlighter (GeSHi)', 'geshi',
'content', 0, 5, 0, 0, 0, 0, '0000-00-00
00:00:00', ''),
(16, 'Content - Load Module', 'loadmodule',
'content', 0, 6, 1, 0, 0, 0, '0000-00-00
00:00:00', 'enabled=1\nstyle=0\n\n\n'),
(17, 'Content - Page Navigation', 'pagenavigation',
'content', 0, 2, 1, 1, 0, 0,
'0000-00-00 00:00:00', 'position=1\n\n\n'),
(18, 'Editor - No Editor', 'none', 'editors', 0, 0, 1,
1, 0, 0, '0000-00-00 00:00:00', ''),
(19, 'Editor - TinyMCE', 'tinymce', 'editors', 0, 0,
1, 1, 0, 0, '0000-00-00 00:00:00',
'mode=advanced\nskin=0\ncompressed=0\ncl
eanup_startup=0\ncleanup_save=2\nentity_en
coding=raw\nlang_mode=0\nlang_code=en\nnt
ext_direction=ltr\ncontent_css=1\ncontent_css
_custom=\nrelative_urls=1\nnewlines=0\ninval
id_elements=applet\nextended_elements=nto
olbar=top\ntoolbar_align=left\nhtml_height=5
50\nhtml_width=750\nelement_path=1\nfonts
=1\npaste=1\nsearchreplace=1\ninsertdate=1
\nformat_date=%Y-%m-
%d\ninserttime=1\nformat_time=%H:%M:

```

```

%$ncolors=1\ntable=1\nsmilies=1\nmedia=1\
nhr=1\ndirectionality=1\nfullscreen=1\nstyle=
1\nlayer=1\nxhtmlxtras=1\nvisualchars=1\nno
nbreaking=1\ntemplate=0\nadvimage=1\nadvl
ink=1\nautosave=1\ncontextmenu=1\ninlinep
opups=1\nsafer=1\ncustom_plugin=\ncustom_
button=\n\n'),
(20, 'Editor - XStandard Lite 2.0', 'xstandard',
'editors', 0, 0, 0, 1, 0, 0, '0000-00-00 00:00:00',
"),
(21, 'Editor Button - Image', 'image', 'editors-
xtd', 0, 0, 1, 0, 0, 0, '0000-00-00 00:00:00', ""),
(22, 'Editor Button - Pagebreak', 'pagebreak',
'editors-xtd', 0, 0, 1, 0, 0, 0, '0000-00-00
00:00:00', ""),
(23, 'Editor Button - Readmore', 'readmore',
'editors-xtd', 0, 0, 1, 0, 0, 0, '0000-00-00
00:00:00', ""),
(24, 'XML-RPC - Joomla', 'joomla', 'xmlrpc', 0, 7,
0, 1, 0, 0, '0000-00-00 00:00:00', ""),
(25, 'XML-RPC - Blogger API', 'blogger',
'xmlrpc', 0, 7, 0, 1, 0, 0, '0000-00-00 00:00:00',
'catid=1\nsectionid=0\n\n'),
(27, 'System - SEF', 'sef', 'system', 0, 1, 1, 0, 0,
0, '0000-00-00 00:00:00', ""),
(28, 'System - Debug', 'debug', 'system', 0, 2,
1, 0, 0, 0, '0000-00-00 00:00:00',
'queries=1\nmemory=1\nlanguage=1\n\n'),
(29, 'System - Legacy', 'legacy', 'system', 0, 3,
0, 1, 0, 0, '0000-00-00 00:00:00',
'route=0\n\n'),
(30, 'System - Cache', 'cache', 'system', 0, 4, 0,
1, 0, 0, '0000-00-00 00:00:00',
'browsercache=0\n cachetime=15\n\n'),
(31, 'System - Log', 'log', 'system', 0, 5, 0, 1, 0,
0, '0000-00-00 00:00:00', ""),
(32, 'System - Remember Me', 'remember',
'system', 0, 6, 1, 1, 0, 0, '0000-00-00 00:00:00',
"),
(33, 'System - Backlink', 'backlink', 'system', 0,
7, 0, 1, 0, 0, '0000-00-00 00:00:00', "");

-- -----
-- Table structure for table `bak_polls`

CREATE TABLE `bak_polls` (
 `id` int(11) unsigned NOT NULL
auto_increment,
 `title` varchar(255) NOT NULL default '',
 `alias` varchar(255) NOT NULL default '',
 `voters` int(9) NOT NULL default '0',
 `checked_out` int(11) NOT NULL default '0',
 `checked_out_time` datetime NOT NULL
default '0000-00-00 00:00:00',
 `published` tinyint(1) NOT NULL default '0',
 `access` int(11) NOT NULL default '0',
 `lag` int(11) NOT NULL default '0',
 PRIMARY KEY (`id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1 ;

--
-- Dumping data for table `bak_polls`
--

--
-- Table structure for table `bak_poll_data`

CREATE TABLE `bak_poll_data` (
 `id` int(11) NOT NULL auto_increment,
 `pollid` int(11) NOT NULL default '0',
 `text` text NOT NULL,
 `hits` int(11) NOT NULL default '0',
 PRIMARY KEY (`id`),
 KEY `pollid` (`pollid`, `text`(1))
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1 ;

--
-- Dumping data for table `bak_poll_data`
--

--
-- Table structure for table `bak_poll_date`

CREATE TABLE `bak_poll_date` (
 `id` bigint(20) NOT NULL auto_increment,
 `date` datetime NOT NULL default '0000-00-
00 00:00:00',
 `vote_id` int(11) NOT NULL default '0',
 `poll_id` int(11) NOT NULL default '0',
 PRIMARY KEY (`id`),
 KEY `poll_id` (`poll_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1 ;

--
-- Dumping data for table `bak_poll_date`
--

--
-- Table structure for table `bak_poll_menu`

CREATE TABLE `bak_poll_menu` (
 `pollid` int(11) NOT NULL default '0',
 `menuid` int(11) NOT NULL default '0',
 PRIMARY KEY (`pollid`, `menuid`)
)

```

```

) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `bak_poll_menu`
--

--
-- Table structure for table `bak_sections`

CREATE TABLE `bak_sections` (
 `id` int(11) NOT NULL auto_increment,
 `title` varchar(255) NOT NULL default '',
 `name` varchar(255) NOT NULL default '',
 `alias` varchar(255) NOT NULL default '',
 `image` text NOT NULL,
 `scope` varchar(50) NOT NULL default '',
 `image_position` varchar(30) NOT NULL
 default '',
 `description` text NOT NULL,
 `published` tinyint(1) NOT NULL default '0',
 `checked_out` int(11) unsigned NOT NULL
 default '0',
 `checked_out_time` datetime NOT NULL
 default '0000-00-00 00:00:00',
 `ordering` int(11) NOT NULL default '0',
 `access` tinyint(3) unsigned NOT NULL
 default '0',
 `count` int(11) NOT NULL default '0',
 `params` text NOT NULL,
 PRIMARY KEY (`id`),
 KEY `idx_scope`(`scope`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1 ;

--
-- Dumping data for table `bak_sections`
--

--
-- Table structure for table `bak_session`

CREATE TABLE `bak_session` (
 `username` varchar(150) default '',
 `time` varchar(14) default '',
 `session_id` varchar(200) NOT NULL default
 '0',
 `guest` tinyint(4) default '1',
 `userid` int(11) default '0',
 `usertype` varchar(50) default '',
 `gid` tinyint(3) unsigned NOT NULL default
 '0',
 `client_id` tinyint(3) unsigned NOT NULL
 default '0',
 `data` longtext,
 PRIMARY KEY (`session_id`(64)),
 KEY `whosonline`(`guest`, `usertype`),
 KEY `userid`(`userid`),
 KEY `time`(`time`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `bak_session`
--

--
-- Table structure for table `bak_stats_agents`

CREATE TABLE `bak_stats_agents` (
 `agent` varchar(255) NOT NULL default '',
 `type` tinyint(1) unsigned NOT NULL default
 '0',
 `hits` int(11) unsigned NOT NULL default '1'
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `bak_stats_agents`
--

--
-- Table structure for table `bak_templates_menu`

CREATE TABLE `bak_templates_menu` (
 `template` varchar(255) NOT NULL default '',
 `menuid` int(11) NOT NULL default '0',
 `client_id` tinyint(4) NOT NULL default '0',
 PRIMARY KEY
 (`menuid`, `client_id`, `template`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `bak_templates_menu`
--

--
-- Insert data into `bak_templates_menu` table
--

INSERT INTO `bak_templates_menu`(`template`, `menuid`, `client_id`) VALUES
('rhuk_milkyway', 0, 0),
('khepri', 0, 1);

--
-- Table structure for table `bak_users`


```

```

CREATE TABLE `bak_users` (
 `id` int(11) NOT NULL auto_increment,
 `name` varchar(255) NOT NULL default '',
 `username` varchar(150) NOT NULL default '',
 `email` varchar(100) NOT NULL default '',
 `password` varchar(100) NOT NULL default '',
 `usertype` varchar(25) NOT NULL default '',
 `block` tinyint(4) NOT NULL default '0',
 `sendEmail` tinyint(4) default '0',
 `gid` tinyint(3) unsigned NOT NULL default
'1',
 `registerDate` datetime NOT NULL default
'0000-00-00 00:00:00',
 `lastvisitDate` datetime NOT NULL default
'0000-00-00 00:00:00',
 `activation` varchar(100) NOT NULL default '',
 `params` text NOT NULL,
 PRIMARY KEY (`id`),
 KEY `usertype`(`usertype`),
 KEY `idx_name`(`name`),
 KEY `gid_block`(`gid`, `block`),
 KEY `username`(`username`),
 KEY `email`(`email`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1;

--
-- Dumping data for table `bak_users`
--

--
-- Table structure for table `bak_weblinks`
--

CREATE TABLE `bak_weblinks` (
 `id` int(11) unsigned NOT NULL
auto_increment,
 `catid` int(11) NOT NULL default '0',
 `sid` int(11) NOT NULL default '0',
 `title` varchar(250) NOT NULL default '',
 `alias` varchar(255) NOT NULL default '',
 `url` varchar(250) NOT NULL default '',
 `description` text NOT NULL,
 `date` datetime NOT NULL default '0000-00-00 00:00:00',
 `hits` int(11) NOT NULL default '0',
 `published` tinyint(1) NOT NULL default '0',
 `checked_out` int(11) NOT NULL default '0',
 `checked_out_time` datetime NOT NULL
default '0000-00-00 00:00:00',
 `ordering` int(11) NOT NULL default '0',
 `archived` tinyint(1) NOT NULL default '0',
 `approved` tinyint(1) NOT NULL default '1',
 `params` text NOT NULL,
 PRIMARY KEY (`id`),
 KEY `catid`(`catid`, `published`, `archived`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1;

--
-- Dumping data for table `bak_weblinks`
--

--
-- Table structure for table `jos_accomplishments_ervp`
--

CREATE TABLE `jos_accomplishments_ervp` (
 `Event_ID` int(11) NOT NULL,
 `Level` varchar(1) NOT NULL,
 `Patients` int(11) NOT NULL,
 `Departments` text NOT NULL,
 PRIMARY KEY (`Event_ID`, `Level`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `jos_accomplishments_ervp`
--

--
-- Insert data into `jos_accomplishments_ervp` table
--

INSERT INTO `jos_accomplishments_ervp`(`Event_ID`, `Level`, `Patients`, `Departments`) VALUES
(25, '1', 0, 'Operations Department'),
(25, '2', 0, 'Orthopedic Surgery Department'),
(44, '1', 1000, ''),
(50, '2', 450, ''),
(50, '1', 250, ''),
(51, '1', 250, ''),
(52, '3', 700, ''),
(53, '1', 0, ''),
(52, '1', 500, 'Oncology Department'),
(52, '2', 200, 'Orthopedic Department'),
(64, '2', 0, 'Ophthalmology'),
(64, '1', 0, 'Gynecology');

--
-- Table structure for table `jos_accomplishments_gp`
--

CREATE TABLE `jos_accomplishments_gp` (
 `Event_ID` int(11) NOT NULL,
 `Academic_year` varchar(9) NOT NULL,
 `Batch` int(11) NOT NULL,
 PRIMARY KEY (`Event_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `jos_accomplishments_gp`
--


```

```

INSERT INTO `jos_accomplishments_gp`
(`Event_ID`, `Academic_year`, `Batch`)
VALUES
(21, '2005-2006', 9),
(41, '2011-2012', 1);

--

-- Table structure for table

`jos_accomplishments_hm`

--

CREATE TABLE `jos_accomplishments_hm` (
`Event_ID` int(11) NOT NULL,
`Medical_cases` int(11) NOT NULL,
`Dental_cases` int(11) NOT NULL,
`Minor_surgical` int(11) NOT NULL,
`Major_surgical` int(11) NOT NULL,
PRIMARY KEY (`Event_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--

-- Dumping data for table

`jos_accomplishments_hm`

--

INSERT INTO `jos_accomplishments_hm`

(`Event_ID`, `Medical_cases`, `Dental_cases`,

`Minor_surgical`, `Major_surgical`) VALUES
(20, 0, 63, 0, 0),
(35, 0, 23, 0, 0),
(45, 2200, 500, 25, 1);

--

-- Table structure for table

`jos_accomplishments_sisp`

--

CREATE TABLE `jos_accomplishments_sisp` (
`Event_ID` int(11) NOT NULL,
`Vol_ID` int(11) NOT NULL,
`Loc_ID` int(11) NOT NULL
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--

-- Dumping data for table

`jos_accomplishments_sisp`

--

INSERT INTO `jos_accomplishments_sisp`
(`Event_ID`, `Vol_ID`, `Loc_ID`) VALUES
(12, 124, 9),
(12, 122, 9),
(47, 136, 1),
(47, 122, 1),
(47, 62, 1),
(47, 62, 1),
(47, 133, 1),
(47, 134, 1),
(47, 138, 1),
(47, 132, 1),
(47, 137, 1),
(47, 139, 1),
(47, 123, 1);

--

-- Table structure for table

`jos_accomplishments_tut`

--

CREATE TABLE `jos_accomplishments_tut` (
`Event_ID` int(11) NOT NULL,
`Program` varchar(40) NOT NULL,
`Term` varchar(25) default NULL,
`Academic_year` varchar(20) NOT NULL,
PRIMARY KEY (`Event_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--

-- Dumping data for table

`jos_accomplishments_tut`

--

INSERT INTO `jos_accomplishments_tut`
(`Event_ID`, `Program`, `Term`,

`Academic_year`) VALUES
(23, 'Service', 'Summer', '2005-2006');

--

-- Table structure for table

`jos_allow_multiple_locations`

--

CREATE TABLE `jos_allow_multiple_locations` (
`Event_ID` int(11) NOT NULL,
`Multiple_loc` varchar(255) NOT NULL,
PRIMARY KEY (`Event_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--

-- Dumping data for table

`jos_allow_multiple_locations`

--

INSERT INTO `jos_allow_multiple_locations`
(`Event_ID`, `Multiple_loc`) VALUES
(1, ''),
(2, ''),
(20, ''),
(13, ''),
(6, ''),
(5, ''),
(3, ''),
(54, ''),
(65, '');

```

```

-- Table structure for table `jos_archive_article`
--

CREATE TABLE `jos_archive_article` (
 `created_by` int(11) NOT NULL,
 `article_id` int(11) NOT NULL COMMENT 'from
jos_content',
 `Event_ID` int(11) NOT NULL COMMENT 'from
jos_events',
 `catid` int(11) NOT NULL,
 PRIMARY KEY (`article_id`,`Event_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `jos_archive_article`
--

INSERT INTO `jos_archive_article`(`created_by`, `article_id`, `Event_ID`, `catid`)
VALUES
(62, 73, 21, 60),
(62, 66, 22, 59),
(62, 68, 20, 61),
(62, 70, 12, 62),
(62, 74, 46, 62);

-- Table structure for table `jos_attachments`
--

CREATE TABLE `jos_attachments` (
 `id` int(11) NOT NULL auto_increment,
 `filename` varchar(80) NOT NULL,
 `filename_sys` varchar(255) NOT NULL,
 `file_type` varchar(128) NOT NULL,
 `file_size` int(11) unsigned NOT NULL,
 `url` text NOT NULL,
 `uri_type` enum('file','url') default 'file',
 `url_valid` tinyint(1) unsigned NOT NULL
default '0',
 `display_name` varchar(80) NOT NULL default
"",
 `description` varchar(255) NOT NULL default
"",
 `icon_filename` varchar(20) NOT NULL,
 `uploader_id` int(11) NOT NULL,
 `published` tinyint(1) unsigned NOT NULL
default '0',
 `user_field_1` varchar(100) NOT NULL default
"",
 `user_field_2` varchar(100) NOT NULL default
"",
 `user_field_3` varchar(100) NOT NULL default
"",
 `parent_type` varchar(100) NOT NULL default
'com_content',
 `parent_entity` varchar(100) NOT NULL
default 'ARTICLE',
 `parent_id` int(11) unsigned default NULL,
 `create_date` datetime default NULL,
 `modification_date` datetime default NULL,
 `download_count` int(11) unsigned default
'0',
 PRIMARY KEY (`id`),
 KEY `attachment_parent_id_index`(`parent_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=14 ;

--
-- Dumping data for table `jos_attachments`
--

INSERT INTO `jos_attachments`(`id`, `filename`, `filename_sys`, `file_type`, `file_size`, `url`, `uri_type`, `url_valid`, `display_name`, `description`, `icon_filename`, `uploader_id`, `published`, `user_field_1`, `user_field_2`, `user_field_3`, `parent_type`, `parent_entity`, `parent_id`, `create_date`, `modification_date`, `download_count`)
VALUES
(12, 'ERVP Module 2.doc', 'C:\\xampp\\htdocs\\pahinungod_cb\\attachments\\article\\62\\ERVP Module 2.doc', 'application/msword', 26624, 'attachments/article/62/ERVP Module 2.doc', 'file', 0, "", "word.gif", 62, 1, "", "", 'com_content', 'ARTICLE', 62, '2011-11-20 08:50:19', '2011-11-20 08:50:19', 0),
(11, 'ERVP Module 1.doc', 'C:\\xampp\\htdocs\\pahinungod_cb\\attachments\\article\\62\\ERVP Module 1.doc', 'application/msword', 26624, 'attachments/article/62/ERVP Module 1.doc', 'file', 0, "", "word.gif", 62, 1, "", "", 'com_content', 'ARTICLE', 62, '2011-11-20 08:50:03', '2011-11-20 08:50:03', 0),
(10, 'Volunteer Guide.doc', 'C:\\xampp\\htdocs\\pahinungod_cb\\attachments\\article\\55\\Volunteer Guide.doc', 'application/msword', 26624, 'attachments/article/55/Volunteer Guide.doc', 'file', 0, "", "word.gif", 62, 1, "", "", 'com_content', 'ARTICLE', 55, '2011-11-20 08:46:35', '2011-11-20 08:46:35', 1),
(13, 'Volunteerism In Action Vol. 6.pdf', 'C:\\xampp\\htdocs\\pahinungod_cb\\attachments\\article\\63\\Volunteerism In Action Vol. 6.pdf', 'application/pdf', 79571, 'attachments/article/63/Volunteerism In Action Vol. 6.pdf', 'file', 0, "", "pdf.gif", 62, 1, "", "", 'com_content', 'ARTICLE', 63, '2011-11-20 08:51:58', '2011-11-20 08:51:58', 1);

```

```

-- Table structure for table `jos_banner`
--

CREATE TABLE `jos_banner` (
 `bid` int(11) NOT NULL auto_increment,
 `cid` int(11) NOT NULL default '0',
 `type` varchar(30) NOT NULL default
'banner',
 `name` varchar(255) NOT NULL default '',
 `alias` varchar(255) NOT NULL default '',
 `imptotal` int(11) NOT NULL default '0',
 `impmade` int(11) NOT NULL default '0',
 `clicks` int(11) NOT NULL default '0',
 `imageurl` varchar(100) NOT NULL default '',
 `clickurl` varchar(200) NOT NULL default '',
 `date` datetime default NULL,
 `showBanner` tinyint(1) NOT NULL default '0',
 `checked_out` tinyint(1) NOT NULL default '0',
 `checked_out_time` datetime NOT NULL
default '0000-00-00 00:00:00',
 `editor` varchar(50) default NULL,
 `custombannercode` text,
 `catid` int(10) unsigned NOT NULL default '0',
 `description` text NOT NULL,
 `sticky` tinyint(1) unsigned NOT NULL default
'0',
 `ordering` int(11) NOT NULL default '0',
 `publish_up` datetime NOT NULL default
'0000-00-00 00:00:00',
 `publish_down` datetime NOT NULL default
'0000-00-00 00:00:00',
 `tags` text NOT NULL,
 `params` text NOT NULL,
PRIMARY KEY (`bid`),
KEY `viewbanner` (`showBanner`),
KEY `idx_banner_catid` (`catid`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=9 ;

--
-- Dumping data for table `jos_banner`
--

INSERT INTO `jos_banner`(`bid`, `cid`, `type`,
`name`, `alias`, `imptotal`, `impmade`,
`clicks`, `imageurl`, `clickurl`, `date`,
`showBanner`, `checked_out`,
`checked_out_time`, `editor`,
`custombannercode`, `catid`, `description`,
`sticky`, `ordering`, `publish_up`,
`publish_down`, `tags`, `params`) VALUES
(1, 1, 'banner', 'OSM 1', 'osm-1', 0, 43, 0,
'osmbanner1.png',
'http://www.opensourcematters.org', '2004-07-
07 15:31:29', 1, 0, '0000-00-00 00:00:00', "", "",
13, "0, 1, '0000-00-00 00:00:00', '0000-00-00
00:00:00', "", "");

(2, 1, 'banner', 'OSM 2', 'osm-2', 0, 49, 0,
'osmbanner2.png',
'http://www.opensourcematters.org', '2004-07-
07 15:31:29', 1, 0, '0000-00-00 00:00:00', "", "",
13, "0, 2, '0000-00-00 00:00:00', '0000-00-00
00:00:00', "", ""),
(3, 1, "", 'Joomla!', 'joomla', 0, 72, 0, "",
'http://www.joomla.org', '2006-05-29 14:21:28',
1, 0, '0000-00-00 00:00:00', "", '<a
href="{CLICKURL}"'
target="_blank">{NAME}\r\n
\r\nJoo
mла! The most popular and widely used Open
Source CMS Project in the world.', 14, "", 0, 1,
'0000-00-00 00:00:00', '0000-00-00 00:00:00',
", ""),
(4, 1, "", 'JoomlaCode', 'joomlacode', 0, 72, 0, "",
'http://joomlacode.org', '2006-05-29 14:19:26',
1, 0, '0000-00-00 00:00:00', "", '<a
href="{CLICKURL}"'
target="_blank">{NAME}\r\n
\r\nJoo
mлаCode, development and distribution made
easy.', 14, "", 0, 2, '0000-00-00 00:00:00',
'0000-00-00 00:00:00', "", ""),
(5, 1, "", 'Joomla! Extensions', 'joomla-
extensions', 0, 67, 0, "",
'http://extensions.joomla.org', '2006-05-29
14:23:21', 1, 0, '0000-00-00 00:00:00', "", '<a
href="{CLICKURL}"'
target="_blank">{NAME}\r\n
\r\nJoo
mла! Components, Modules, Plugins and
Languages by the bucket load.', 14, "", 0, 3,
'0000-00-00 00:00:00', '0000-00-00 00:00:00',
", ""),
(6, 1, "", 'Joomla! Shop', 'joomla-shop', 0, 67, 0,
", 'http://shop.joomla.org', '2006-05-29
14:23:21', 1, 0, '0000-00-00 00:00:00', "", '<a
href="{CLICKURL}"'
target="_blank">{NAME}\r\n
\r\nFor
all your Joomla! merchandise.', 14, "", 0, 4,
'0000-00-00 00:00:00', '0000-00-00 00:00:00',
", ""),
(7, 1, "", 'Joomla! Promo Shop', 'joomla-promo-
shop', 0, 259, 2, 'shop-ad.jpg',
'http://shop.joomla.org', '2007-09-19 17:26:24',
1, 0, '0000-00-00 00:00:00', "", 33, "0, 3,
'0000-00-00 00:00:00', '0000-00-00 00:00:00',
", ""),
(8, 1, "", 'Joomla! Promo Books', 'joomla-promo-
books', 0, 231, 1, 'shop-ad-books.jpg',
'http://shop.joomla.org/amazoncom-
bookstores.html', '2007-09-19 17:28:01', 1, 0,
'0000-00-00 00:00:00', "", 33, "0, 4, '0000-
00-00 00:00:00', '0000-00-00 00:00:00", "",);

-- Table structure for table `jos_bannerclient`
--

CREATE TABLE `jos_bannerclient` (

```

```

`cid` int(11) NOT NULL auto_increment,
`name` varchar(255) NOT NULL default '',
`contact` varchar(255) NOT NULL default '',
`email` varchar(255) NOT NULL default '',
`extrainfo` text NOT NULL,
`checked_out` tinyint(1) NOT NULL default '0',
`checked_out_time` time default NULL,
`editor` varchar(50) default NULL,
PRIMARY KEY (`cid`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=2 ;

--
-- Dumping data for table `jos_bannerclient`
--

INSERT INTO `jos_bannerclient` (`cid`, `name`,
`contact`, `email`, `extrainfo`, `checked_out`,
`checked_out_time`, `editor`) VALUES
(1, 'Open Source Matters', 'Administrator',
'admin@opensourcematters.org', "", 0,
'00:00:00', NULL);

--
-- Table structure for table `jos_bannertrack`
--

CREATE TABLE `jos_bannertrack` (
`track_date` date NOT NULL,
`track_type` int(10) unsigned NOT NULL,
`banner_id` int(10) unsigned NOT NULL
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `jos_bannertrack`
--

--
-- Table structure for table
`jos_batch_membership`
--

CREATE TABLE `jos_batch_membership` (
`Batch` int(11) NOT NULL,
`Vol_ID` int(11) NOT NULL,
PRIMARY KEY (`Batch`,`Vol_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table
`jos_batch_membership`
--

INSERT INTO `jos_batch_membership`(`Batch`, `Vol_ID`) VALUES
(1, 122),
(1, 136),
(9, 159),
(9, 166);

--
-- Table structure for table `jos_beneficiaries`
--

CREATE TABLE `jos_beneficiaries` (
`Event_ID` int(11) NOT NULL,
`Institution` varchar(50) NOT NULL,
`Num_of_attendees` int(11) NOT NULL,
PRIMARY KEY (`Institution`,`Event_ID`,`Num_of_attendees`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `jos_beneficiaries`
--

INSERT INTO `jos_beneficiaries` (`Event_ID`,
`Institution`, `Num_of_attendees`) VALUES
(29, "", 0),
(28, 'Bahay Ampunan', 27),
(26, 'Bahay Tuluyan', 7),
(61, 'Child Hope Asia', 70),
(61, 'Families and Children for Empowerment
and Developm', 30),
(48, 'Hospicio de San Jose', 25),
(65, 'Mari Jose Orphanage', 12),
(70, 'Mari Jose Orphanage', 15),
(48, 'Sisters of Mary Convent', 25);

--
-- Table structure for table `jos_categories`
--

CREATE TABLE `jos_categories` (
`id` int(11) NOT NULL auto_increment,
`parent_id` int(11) NOT NULL default '0',
`title` varchar(255) NOT NULL default '',
`name` varchar(255) NOT NULL default '',
`alias` varchar(255) NOT NULL default '',
`image` varchar(255) NOT NULL default '',
`section` varchar(50) NOT NULL default '',
`image_position` varchar(30) NOT NULL
default '',
`description` text NOT NULL,
`published` tinyint(1) NOT NULL default '0',
`checked_out` int(11) unsigned NOT NULL
default '0',
`checked_out_time` datetime NOT NULL
default '0000-00-00 00:00:00',
`editor` varchar(50) default NULL,
`ordering` int(11) NOT NULL default '0',
`access` tinyint(3) unsigned NOT NULL
default '0',

```

```

`count` int(11) NOT NULL default '0',
`params` text NOT NULL,
PRIMARY KEY (`id`),
KEY `cat_idx`(`section`),
KEY `idx_access`(`access`),
KEY `idx_checkout`(`checked_out`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=81 ;

--
-- Dumping data for table `jos_categories`
--

INSERT INTO `jos_categories` (`id`,
`parent_id`, `title`, `name`, `alias`, `image`,
`section`, `image_position`, `description`,
`published`, `checked_out`,
`checked_out_time`, `editor`, `ordering`,
`access`, `count`, `params`) VALUES
(1, 0, 'Latest', "", 'latest-news',
'taking_notes.jpg', '1', 'left', 'The latest news
from the Joomla! Team', 1, 0, '0000-00-00
00:00:00', "", 1, 0, 1, ""),
(2, 0, 'Joomla! Specific Links', "", 'joomla-
specific-links', 'clock.jpg', 'com_weblinks', 'left',
'A selection of links that are all related to the
Joomla! Project.', 1, 0, '0000-00-00 00:00:00',
NULL, 1, 0, 0, ""),
(3, 0, 'Newsflash', "", 'newsflash', "", '1', 'left',
", 1, 0, '0000-00-00 00:00:00', "", 2, 0, 0, ""),
(4, 0, 'Joomla!', "", 'joomla', "", 'com_newsfeeds',
'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 2, 0,
0, ""),
(5, 0, 'Free and Open Source Software', "", 'free-
and-open-source-software', "",
'com_newsfeeds', 'left', 'Read the latest news
about free and open source software from
some of its leading advocates.', 1, 0, '0000-00-
00 00:00:00', NULL, 3, 0, 0, ""),
(6, 0, 'Related Projects', "", 'related-projects', "",
'com_newsfeeds', 'left', 'Joomla builds on and
collaborates with many other free and open
source projects. Keep up with the latest news
from some of them.', 1, 0, '0000-00-00
00:00:00', NULL, 4, 0, 0, ""),
(12, 0, 'Contacts', "", 'contacts', "",
'com_contact_details', 'left', 'Contact Details for
this Web site', 1, 0, '0000-00-00 00:00:00',
NULL, 0, 0, 0, ""),
(13, 0, 'Joomla', "", 'joomla', "", 'com_banner',
'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 0, 0,
0, ""),
(14, 0, 'Text Ads', "", 'text-ads', "", 'com_banner',
'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 0, 0,
0, ""),
(15, 0, 'Features', "", 'features', "",
'com_content', 'left', "", 0, 0, '0000-00-00
00:00:00', NULL, 6, 0, 0, ""),
(17, 0, 'Benefits', "", 'benefits', "", 'com_content',
'left', "", 0, 0, '0000-00-00 00:00:00', NULL, 4, 0,
0, ""),
(18, 0, 'Platforms', "", 'platforms', "",
'com_content', 'left', "", 0, 0, '0000-00-00
00:00:00', NULL, 3, 0, 0, ""),
(19, 0, 'Other Resources', "", 'other-resources',
", 'com_weblinks', 'left', "", 1, 0, '0000-00-00
00:00:00', NULL, 2, 0, 0, ""),
(29, 0, 'The CMS', "", 'the-cms', "", '4', 'left',
'Information about the software behind Joomla!

', 1, 0, '0000-00-00 00:00:00', NULL, 2,
0, 0, ""),
(28, 0, 'Current Users', "", 'current-users', "", '3',
'left', 'Questions that users migrating to
Joomla! 1.5 are likely to raise
', 1, 0,
'0000-00-00 00:00:00', NULL, 2, 0, 0, ""),
(25, 0, 'The Project', "", 'the-project', "", '4', 'left',
'General facts about Joomla!
', 1, 0,
'0000-00-00 00:00:00', NULL, 1, 0, 0, ""),
(27, 0, 'New to Joomla!', "", 'new-to-joomla', "", '3',
'left', 'Questions for new users of Joomla!',",
1, 0, '0000-00-00 00:00:00', NULL, 3, 0, 0, ""),
(30, 0, 'The Community', "", 'the-community', "", '4',
'left', 'About the millions of Joomla! users
and Web sites
', 1, 0, '0000-00-00
00:00:00', NULL, 3, 0, 0, ""),
(31, 0, 'General', "", 'general', "", '3', 'left',
'General questions about the Joomla! CMS', 1,
0, '0000-00-00 00:00:00', NULL, 1, 0, 0, ""),
(32, 0, 'Languages', "", 'languages', "", '3', 'left',
'Questions related to localisation and
languages', 1, 0, '0000-00-00 00:00:00', NULL,
4, 0, 0, ""),
(33, 0, 'Joomla! Promo', "", 'joomla-promo', "", 'com_banner',
'left', "", 1, 0, '0000-00-00
00:00:00', NULL, 1, 0, 0, ""),
(44, 41, 'Gurong Pahinungod', 'Gurong
Pahinungod', 'gurong-pahinungod', "", 'com_events',
'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 8, 0, 0, ""),
(43, 41, 'Tutorials', 'Tutorials', 'tutorials', "", 'com_events',
'left', "", 1, 0, '0000-00-00
00:00:00', NULL, 9, 0, -3, ""),
(41, 0, 'Educational Assistance Program',
'Educational Assistance Program', 'educational-
assistance-program', "", 'com_events', 'left', "", 0, 0,
'0000-00-00 00:00:00', NULL, 10, 0, 4, ""),
(46, 41, 'Teachers Development Program',
'Teachers Development Program', 'teachers-
development-program', "", 'com_events', 'left',
", 1, 0, '0000-00-00 00:00:00', NULL, 7, 0, 8, ""),
(48, 0, 'Health Mission', 'Health Mission',
'health-mission', "", 'com_events', 'left', "", 1, 0,
'0000-00-00 00:00:00', NULL, 6, 0, -2, ""),
(49, 0, 'Health Training', 'Health Training',
'health-training', "", 'com_events', 'left', "", 1, 0,
'0000-00-00 00:00:00', NULL, 5, 0, 0, ""),
(55, 0, 'Emergency Room Volunteers',
'Emergency Room Volunteers', 'emergency-

```

room-volunteers', "", 'com\_events', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 2, 0, -1, ""), (51, 0, 'Summer Immersion Service Program', 'Summer Immersion Service Program', 'summer-immersion-service-program', "", 'com\_events', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 4, 0, -9, ""), (52, 0, 'Program for the Street Children', 'Program for the Street Children', 'program-for-the-street-children', "", 'com\_events', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 3, 0, 0, ""), (65, 0, 'Menu Links', "", 'menu-links', "", '9', 'left', "", 1, 62, '2011-04-01 19:11:40', NULL, 5, 0, 0, ""), (58, 0, 'Tutorials', "", 'tutorials', "", '11', 'left', '

We tutor pupils at risk of failing from public elementary schools. We also seek to improve English and Filipino Language proficiency of students.

', 1, 0, '0000-00-00 00:00:00', NULL, 4, 0, 0, ""), (57, 0, 'Advocacy Program', 'Advocacy Program', 'advocacy-program', "", 'com\_events', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 1, 0, 0, ""), (59, 0, 'Teachers' Development', "", 'teachers-development', "", '11', 'left', '

We conduct programs that aims to enhance the competencies of teachers through knowledge sharing. We also aim to uplift the level of high school education in underrepresented provinces.

', 1, 0, '0000-00-00 00:00:00', NULL, 5, 0, 0, ""), (60, 0, 'Gurong Pahinungod', "", 'gurong-pahinungod', "", '11', 'left', '

Volunteers serve as regular teachers in underserved schools for one year.

', 1, 0, '0000-00-00 00:00:00', NULL, 6, 0, 0, ""), (61, 0, 'Health Missions', "", 'health-missions', "", '11', 'left', '

We provide medical, surgical and dental services to remote underserved areas, bringing health care to remote communities.

', 1, 0, '0000-00-00 00:00:00', NULL, 1, 0, 0, ""), (62, 0, 'Health Education/ Health Training', "", 'health-education-health-training', "", '11', 'left', '

We conduct seminar workshops on Basic Life Support (BLS), First Aid, Trauma Prevention and Management as well as preventive medicine interventions.

', 1, 0, '0000-00-00 00:00:00', NULL, 4, 0, 0, ""), (63, 0, 'Emergency Room Volunteers', "", 'emergency-room-volunteers', "", '11', 'left', '

We provide assistance to Philippine General Hospital - Emergency Room Staff and trainings to E.R. volunteers. We also aim to uplift patient care in PGH-ER.

', 1, 0, '0000-00-00 00:00:00', NULL, 4, 0, 0, ""), (64, 0, 'Summer Immersion Service Program', 'Summer Immersion Service Program', 'summer-immersion-service-program', "", '11', 'left', '

We deploy volunteers to rural

communities. We aim to enhance and broaden our volunteer's perspective in life and promote social awareness through community immersion.

(51, 0, 'Summer Immersion Service Program', 'Summer Immersion Service Program', 'summer-immersion-service-program', "", 'com\_events', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 4, 0, 0, ""), (66, 0, 'Default', 'Default', "", "com\_jevents", 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 0, 0, 0, ""), (67, 0, 'Educational Assistance Program', 'Educational Assistance Program', 'educational-assistance-program', "", 'com\_jevents', 'left', "", 0, 0, '0000-00-00 00:00:00', NULL, 10, 0, 0, ""), (68, 67, 'Gurong Pahinungod', 'Gurong Pahinungod', 'gurong-pahinungod', "", 'com\_jevents', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 8, 0, 0, ""), (69, 67, 'Tutorials', 'Tutorials', 'tutorials', "", 'com\_jevents', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 9, 0, 0, ""), (70, 67, 'Teachers Development Program', 'Teachers Development Program', 'teachers-development-program', "", 'com\_jevents', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 7, 0, 0, ""), (71, 0, 'Emergency Room Volunteers', 'Emergency Room Volunteers', 'emergency-room-volunteers', "", 'com\_jevents', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 2, 0, 0, ""), (72, 0, 'Health Mission', 'Health Mission', 'health-mission', "", 'com\_jevents', 'left', "", 1, 0, '0000-00-00 00:00:01', NULL, 6, 0, 0, ""), (73, 0, 'Health Training', 'Health Training', 'health-training', "", 'com\_jevents', 'left', "", 1, 0, '0000-00-00 00:00:01', NULL, 5, 0, 0, ""), (74, 0, 'Summer Immersion Service Program', 'Summer Immersion Service Program', 'summer-immersion-service-program', "", 'com\_jevents', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 4, 0, 0, ""), (75, 0, 'Program for the Street Children', 'Program for the Street Children', 'program-for-the-street-children', "", 'com\_jevents', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 3, 0, 0, ""), (76, 0, 'Advocacy Program', 'Advocacy Program', 'advocacy-program', "", 'com\_jevents', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 1, 0, 0, ""), (77, 0, 'Volunteer's Experiences', "", 'volunteers-experiences', "", '9', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 5, 0, 0, ""), (78, 0, 'Volunteerism In Action', "", 'volunteerism-in-action', "", '10', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 5, 0, 0, ""), (79, 0, 'Program for Street Children', "", 'program-for-street-children', "", '11', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 5, 0, 0, ""), (80, 0, 'Advocacy Program', "", 'advocacy-program', "", '11', 'left', "", 1, 0, '0000-00-00 00:00:00', NULL, 1, 0, 0, "");

```

-- Table structure for table `jos_components`
--

CREATE TABLE `jos_components` (
 `id` int(11) NOT NULL auto_increment,
 `name` varchar(50) NOT NULL default '',
 `link` varchar(255) NOT NULL default '',
 `menuid` int(11) unsigned NOT NULL default '0',
 `parent` int(11) unsigned NOT NULL default '0',
 `admin_menu_link` varchar(255) NOT NULL default '',
 `admin_menu_alt` varchar(255) NOT NULL default '',
 `option` varchar(50) NOT NULL default '',
 `ordering` int(11) NOT NULL default '0',
 `admin_menu_img` varchar(255) NOT NULL default '',
 `iscore` tinyint(4) NOT NULL default '0',
 `params` text NOT NULL,
 `enabled` tinyint(4) NOT NULL default '1',
 PRIMARY KEY (`id`),
 KEY `parent_option` (`parent`, `option`(32))
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=81 ;

-- Dumping data for table `jos_components`
--

INSERT INTO `jos_components` (`id`, `name`, `link`, `menuid`, `parent`, `admin_menu_link`, `admin_menu_alt`, `option`, `ordering`, `admin_menu_img`, `iscore`, `params`, `enabled`) VALUES
(1, 'Banners', '', 0, 0, '', 'Banner Management', 'com_banners', 0,
'js/ThemeOffice/component.png', 0,
'track_impressions=0\ntrack_clicks=0\n>tag_prefix=\n\n', 1),
(2, 'Banners', '', 0, 1, 'option=com_banners', 'Active Banners', 'com_banners', 1,
'js/ThemeOffice/edit.png', 0, "", 1),
(3, 'Clients', '', 0, 1,
'option=com_banners&c=client', 'Manage Clients', 'com_banners', 2,
'js/ThemeOffice/categories.png', 0, "", 1),
(4, 'Web Links', 'option=com_weblinks', 0, 0, "",
'Manage Weblinks', 'com_weblinks', 0,
'js/ThemeOffice/component.png', 0,
'show_comp_description=1\ncomp_description=\nshow_link_hits=1\nshow_link_description=1\nshow_other_cats=1\nshow_headings=1\nshow_page_title=1\nlink_target=0\nlink_icons=\n', 1),
(5, 'Links', '', 0, 4, 'option=com_weblinks', 'View existing weblinks', 'com_weblinks', 1,
'js/ThemeOffice/edit.png', 0, "", 1),
(6, 'Categories', "", 0, 4,
'option=com_categories§ion=com_weblink
s', 'Manage weblink categories', "", 2,
'js/ThemeOffice/categories.png', 0, "", 1),
(7, 'Contacts', 'option=com_contact', 0, 0, "",
'Edit contact details', 'com_contact', 0,
'js/ThemeOffice/component.png', 1,
'contact_icons=0\nicon_address=\nicon_email
=\nicon_telephone=\nicon_mobile=\nicon_fax=
\nicon_misc=\nshow_headings=1\nshow_positi
on=1\nshow_email=0\nshow_telephone=1\nsho
w_mobile=1\nshow_fax=1\nallow_vcard=0\nb
anned_email=\nbanned_subject=\nbanned_tx
t=\nvalidate_session=1\ncustom_reply=0\n\n', 1),
(8, 'Contacts', "", 0, 7, 'option=com_contact',
'Edit contact details', 'com_contact', 0,
'js/ThemeOffice/edit.png', 1, "", 1),
(9, 'Categories', "", 0, 7,
'option=com_categories§ion=com_contact
_details', 'Manage contact categories', "", 2,
'js/ThemeOffice/categories.png', 1,
'contact_icons=0\nicon_address=\nicon_email
=\nicon_telephone=\nicon_fax=\nicon_misc=\n
show_headings=1\nshow_position=1\nshow_e
mail=0\nshow_telephone=1\nshow_mobile=1\n
show_fax=1\nbannedEmail=\nbannedSubject
=\nbannedText=\nsession=1\ncustomReply=0
\n\n', 1),
(10, 'Polls', 'option=com_poll', 0, 0,
'option=com_poll', 'Manage Polls', 'com_poll', 0,
'js/ThemeOffice/component.png', 0, "", 1),
(11, 'News Feeds', 'option=com_newsfeeds', 0,
0, "", 'News Feeds Management',
'com_newsfeeds', 0,
'js/ThemeOffice/component.png', 0, "", 1),
(12, 'Feeds', "", 0, 11, 'option=com_newsfeeds',
'Manage News Feeds', 'com_newsfeeds', 1,
'js/ThemeOffice/edit.png', 0,
'show_headings=1\nshow_name=1\nshow_arti
cles=1\nshow_link=1\nshow_cat_description=1
\nshow_cat_items=1\nshow_feed_image=1\nsho
w_feed_description=1\nshow_item_descriptio
n=1\nfeed_word_count=0\n\n', 1),
(13, 'Categories', "", 0, 11,
'option=com_categories§ion=com_newsfe
eds', 'Manage Categories', "", 2,
'js/ThemeOffice/categories.png', 0, "", 1),
(14, 'User', 'option=com_user', 0, 0, "", "",
'com_user', 0, "", 1),
(15, 'Search', 'option=com_search', 0, 0,
'option=com_search', 'Search Statistics',
'com_search', 0,
'js/ThemeOffice/component.png', 1,
'enabled=0\n\n', 1),
(16, 'Categories', "", 0, 1,
'option=com_categories§ion=com_banner'
, 'Categories', "", 3, "", 1),
(17, 'Wrapper', 'option=com_wrapper', 0, 0, "",
'Wrapper', 'com_wrapper', 0, "", 1),

```

```

(18, 'Mail To', "", 0, 0, "", 'com_mailto', 0, "", 1,
", 1),
(19, 'Media Manager', "", 0, 0,
'option=com_media', 'Media Manager',
'com_media', 0, "", 1,
'upload_extensions=bmp,csv,doc,epg,gif,ico,jp
g,odg,odp,ods,odt,pdf,png,ppt,swf,txt,xcf,xls,B
MP,CSV,DOC,EPG,GIF,ICO,JPG,ODG,ODP,ODS,O
DT,PDF,PNG,PPT,SWF,TXT,XCF,XLS\nupload_ma
xsize=10000000\nfile_path=images\\image_p
ath=images/stories\\restrict_uploads=1\\allow
ed_media_usergroup=3\\check_mime=1\\ima
ge_extensions=bmp,gif,jpg,png\\ignore_extens
ions=\\upload_mime=image/jpeg,image/gif,im
age/png,image/bmp,application/x-shockwave-
flash,application/msword,application/excel,appl
ication/pdf,application/powerpoint,text/plain,ap
plication/x-
zip\\upload_mime_illegal=text/html\\enable_fl
ash=0\\n\\n', 1),
(20, 'Articles', 'option=com_content', 0, 0, "", ",
'com_content', 0, "", 1,
'show_noauth=0\\nshow_title=1\\nlink_titles=0\\n
show_intro=1\\nshow_section=0\\nlink_section=
0\\nshow_category=0\\nlink_category=0\\nshow_
author=1\\nshow_create_date=0\\nshow_modify_
date=1\\nshow_item_navigation=0\\nshow_rea
dmore=1\\nshow_vote=0\\nshow_icons=0\\nsho
w_pdf_icon=0\\nshow_print_icon=0\\nshow_email
_icon=0\\nshow_hits=1\\nfeed_summary=0\\nfil
ter_groups=29|18|19|20|21|31|32|34|30|23|24|
33\\nfilter_type=BL\\nfilter_tags=\\nfilter_attritbu
tes=\\n\\n', 1),
(21, 'Configuration Manager', "", 0, 0, "",
'Configuration', 'com_config', 0, "", 1, "", 1),
(22, 'Installation Manager', "", 0, 0, "", 'Installer',
'com_installer', 0, "", 1, "", 1),
(23, 'Language Manager', "", 0, 0, "",
'Languages', 'com_languages', 0, "", 1, "", 1),
(24, 'Mass mail', "", 0, 0, "", 'Mass Mail',
'com_messmail', 0, "", 1,
'mailSubjectPrefix=\\nmailBodySuffix=\\n\\n', 1),
(25, 'Menu Editor', "", 0, 0, "", 'Menu Editor',
'com_menus', 0, "", 1, "", 1),
(27, 'Messaging', "", 0, 0, "", 'Messages',
'com_messages', 0, "", 1, "", 1),
(28, 'Modules Manager', "", 0, 0, "", 'Modules',
'com_modules', 0, "", 1, "", 1),
(29, 'Plugin Manager', "", 0, 0, "", 'Plugins',
'com_plugins', 0, "", 1, "", 1),
(30, 'Template Manager', "", 0, 0, "", 'Templates',
'com_templates', 0, "", 1, "", 1),
(31, 'User Manager', "", 0, 0, "", 'Users',
'com_users', 0, "", 1,
'allowUserRegistration=1\\nnew_usertype=Regi
stered\\nuseractivation=1\\nfrontend_userparam
s=1\\n\\n', 1),
(32, 'Cache Manager', "", 0, 0, "", 'Cache',
'com_cache', 0, "", 1, "", 1),
(33, 'Control Panel', "", 0, 0, "", 'Control Panel',
'com_cpanel', 0, "", 1, "", 1),
(34, 'JEvents', 'option=com_events', 0, 0,
'option=com_events', 'JEvents', 'com_events',
0, 'js/ThemeOffice/component.png', 0, "", 1),
(35, 'JEvents', "", 0, 34, 'option=com_events',
'JEvents', 'com_events', 0,
'js/ThemeOffice/component.png', 0, "", 1),
(48, 'noixACL', 'option=com_noixacl', 0, 0,
'option=com_noixacl', 'noixACL', 'com_noixacl',
0, 'js/ThemeOffice/component.png', 0, "", 1),
(49, 'Manage Groups', "", 0, 48,
'option=com_noixacl&controller=groups',
'Manage Groups', 'com_noixacl', 0,
'js/ThemeOffice/component.png', 0, "", 1),
(50, 'Manage Users', "", 0, 48,
'option=com_noixacl&controller=aclusers',
'Manage Users', 'com_noixacl', 1,
'js/ThemeOffice/component.png', 0, "", 1),
(51, 'Adapters', "", 0, 48,
'option=com_noixacl&controller=adapters',
'Adapters', 'com_noixacl', 2,
'js/ThemeOffice/component.png', 0, "", 1),
(52, 'About', "", 0, 48,
'option=com_noixacl&controller=noixacl',
'About', 'com_noixacl', 3,
'js/ThemeOffice/component.png', 0, "", 1),
(73, 'Tools', "", 0, 53,
'option=com_comprofiler&task=tools', 'Tools',
'com_comprofiler', 5,
'js/ThemeOffice/component.png', 0, "", 1),
(72, 'Plugin Management', "", 0, 53,
'option=com_comprofiler&task=showPlugins',
'Plugin Management', 'com_comprofiler', 4,
'js/ThemeOffice/plugin.png', 0, "", 1),
(71, 'List Management', "", 0, 53,
'option=com_comprofiler&task=showLists',
'List Management', 'com_comprofiler', 3,
'js/ThemeOffice/static.png', 0, "", 1),
(70, 'Field Management', "", 0, 53,
'option=com_comprofiler&task=showField',
'Field Management', 'com_comprofiler', 2,
'js/ThemeOffice/content.png', 0, "", 1),
(69, 'Tab Management', "", 0, 53,
'option=com_comprofiler&task=showTab', 'Tab
Management', 'com_comprofiler', 1,
'js/ThemeOffice/article.png', 0, "", 1),
(68, 'User Management', "", 0, 53,
'option=com_comprofiler&task=showusers',
'User Management', 'com_comprofiler', 0,
'js/ThemeOffice/user.png', 0, "", 1),
(53, 'Community Builder',
'option=com_comprofiler', 0, 0,
'option=com_comprofiler', 'Community
Builder', 'com_comprofiler', 0,
'js/ThemeOffice/component.png', 0, "", 1),
(62, 'JCE', 'option=com_jce', 0, 0,
'option=com_jce', 'JCE', 'com_jce', 0,
'components/com_jce/img/logo.png', 0,
'\\npackage=1', 1),
(63, 'JCE MENU CPANEL', "", 0, 62,
'option=com_jce', 'JCE MENU CPANEL',
'com_jce', 0,

```

```

'templates/khepri/images/menu/icon-16-
cpanel.png', 0, "", 1),
(64, 'JCE MENU CONFIG', "", 0, 62,
'option=com_jce&type=config', 'JCE MENU
CONFIG', 'com_jce', 1,
'templates/khepri/images/menu/icon-16-
config.png', 0, "", 1),
(65, 'JCE MENU GROUPS', "", 0, 62,
'option=com_jce&type=group', 'JCE MENU
GROUPS', 'com_jce', 2,
'templates/khepri/images/menu/icon-16-
user.png', 0, "", 1),
(66, 'JCE MENU PLUGINS', "", 0, 62,
'option=com_jce&type=plugin', 'JCE MENU
PLUGINS', 'com_jce', 3,
'templates/khepri/images/menu/icon-16-
plugin.png', 0, "", 1),
(67, 'JCE MENU INSTALL', "", 0, 62,
'option=com_jce&type=install', 'JCE MENU
INSTALL', 'com_jce', 4,
'templates/khepri/images/menu/icon-16-
install.png', 0, "", 1),
(74, 'Configuration', "", 0, 53,
'option=com_comprofiler&task=showconfig',
'Configuration', 'com_comprofiler', 6,
'js/ThemeOffice/config.png', 0, "", 1),
(78, 'ContentSubmit',
'option=com_contentsubmit', 0, 0,
'ContentSubmit', 'com_contentsubmit', 0,
'./media/com_contentsubmit/images/contentsu
bmit_16.png', 0, "", 1),
(80, 'Attachments', 'option=com_attachments',
0, 0, 'option=com_attachments', 'Attachments',
'com_attachments', 0,
'components/com_attachments/attachments.p
ng', 0,
'who_can_see=anyone\nwho_can_add=editor\n
publish_default=1\nauto_publish_warning=\nsh
ow_column_titles=0\nshow_description=0\nsho
w_uploader=0\nshow_file_size=0\nshow_downl
oads=0\nshow_modification_date=0\nmod_dat
e_format=%x %H:
%`M\nsort_order=filename\nuser_field_1_name
=\nuser_field_2_name=\nuser_field_3_name=\n
nmax_filename_length=0\nattachments_place
ment=end\nattachments_table_style=customA
ttachments\nregister_url=index.php?
option=com_user&task=register\nfile_link_ope
n_mode=in_same_window\nattachments_subdi
r=attachments\nattachments_titles=Download
\nhide_attachments_for=all_but_article_views\n
link_check_timeout=10\nsuperimpose_url_link_i
cons=1\nsuppress_obsolete_attachments=0\ns
ecure=1\nsecure_list_attachments=1\ndownlo
ad_mode=attachment\n\n', 1);

-- Table structure for table `jos_comprofiler`
```

```

CREATE TABLE `jos_comprofiler` (
 `id` int(11) NOT NULL default '0',
 `user_id` int(11) NOT NULL default '0',
 `firstname` varchar(100) default NULL,
 `middlename` varchar(100) default NULL,
 `lastname` varchar(100) default NULL,
 `hits` int(11) NOT NULL default '0',
 `message_last_sent` datetime NOT NULL
 default '0000-00-00 00:00:00',
 `message_number_sent` int(11) NOT NULL
 default '0',
 `avatar` varchar(255) default NULL,
 `avatarapproved` tinyint(4) NOT NULL default
 '1',
 `approved` tinyint(4) NOT NULL default '1',
 `confirmed` tinyint(4) NOT NULL default '1',
 `lastupdatedate` datetime NOT NULL default
 '0000-00-00 00:00:00',
 `registeripaddr` varchar(50) NOT NULL
 default '',
 `cbactivation` varchar(50) NOT NULL default
 '',
 `banned` tinyint(4) NOT NULL default '0',
 `banneddate` datetime default NULL,
 `unbanneddate` datetime default NULL,
 `bannedby` int(11) default NULL,
 `unbannedby` int(11) default NULL,
 `bannedreason` mediumtext,
 `acceptedterms` tinyint(1) NOT NULL default
 '0',
 `cb_usertype` varchar(255) default NULL,
 `cb_mobilenumber` varchar(255) default
 NULL,
 `cb_nickname` varchar(255) default NULL,
 `cb_birthday` varchar(255) default NULL,
 `cb_civilstat` mediumtext,
 `cb_gender` varchar(255) default NULL,
 `cb_bloodtype` varchar(255) default NULL,
 `cb_religion` varchar(255) default NULL,
 `cb_presentaddress` varchar(255) default
 NULL,
 `cb_permanentaddress` varchar(255) default
 NULL,
 `cb_upaddiliation` varchar(255) default NULL,
 `cb_specialskill` mediumtext,
 `cb_hobbies` mediumtext,
 `cb_volunteertype` varchar(255) default
 NULL,
 `cb_orgname` varchar(255) default NULL,
 `cb_position` varchar(255) default NULL,
 `cb_orgtype` varchar(255) default NULL,
 `cb_programname` varchar(255) default
 NULL,
 `cb_prclicenseno` varchar(255) default NULL,
 `cb_department` varchar(255) default NULL,
 `cb_officecontactno` varchar(255) default
 NULL,
 `cb_companyname` varchar(255) default
 NULL,
 `cb_profession` mediumtext,
```

```

`cb_otherprofession` varchar(255) default
NULL,
`cb_studentno` varchar(255) default NULL,
`cb_course` varchar(255) default NULL,
`cb_college` varchar(255) default NULL,
`cb_yearlevel` varchar(255) default NULL,
`cb_school` varchar(255) default NULL,
`cb_proofofenrolment` varchar(255) default
NULL,
`cb_proofofenrolmentapproved` tinyint(4)
NOT NULL default '1',
`cb_cfirstname` varchar(255) default NULL,
`cb_middlename` varchar(255) default NULL,
`cb_relationship` varchar(255) default NULL,
`cb_ccontactno` varchar(255) default NULL,
`cb_caddress` varchar(255) default NULL,
`cb_adminposition` varchar(255) default
NULL,
`cb_alumnus` varchar(255) default NULL,
`cb_campus` varchar(255) default NULL,
`cb_graduation` varchar(255) default NULL,
`cb_clastname` varchar(255) default NULL,
`cb_telephone` varchar(255) default NULL,
PRIMARY KEY (`id`),
UNIQUE KEY `user_id`(`user_id`),
KEY `apprconfbanid`(`approved`, `confirmed`, `banned`, `id`),
KEY `avatappr_apr_conf_ban_avatar`(`avatarapproved`, `approved`, `confirmed`, `ba
nned`, `avatar`),
KEY `lastupdatedate`(`lastupdatedate`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `jos_comprofiler`
--

INSERT INTO `jos_comprofiler`(`id`, `user_id`, `firstname`, `middlename`, `lastname`, `hits`, `message_last_sent`, `message_number_sent`, `avatar`, `avatarapproved`, `approved`, `confirmed`, `lastupdatedate`, `registeripaddr`, `cbactivation`, `banned`, `banneddate`, `unbanneddate`, `bannedby`, `unbannedby`, `bannedreason`, `acceptedterms`, `cb_usertype`, `cb_mobilenumber`, `cb_nickname`, `cb_birthday`, `cb_civilstat`, `cb_gender`, `cb_bloodtype`, `cb_religion`, `cb_presentaddress`, `cb_permanentaddress`, `cb_upaddiliation`, `cb_specialskill`, `cb_hobbies`, `cb_volunteertype`, `cb_orgname`, `cb_position`, `cb_orgtype`, `cb_programname`, `cb_prlicenseno`, `cb_department`, `cb_officecontactno`, `cb_companyname`, `cb_profession`, `cb_otherprofession`, `cb_studentno`, `cb_course`, `cb_college`, `cb_yearlevel`, `cb_school`, `cb_proofofenrolment`, `cb_proofofenrolmentapproved`, `cb_cfirstname`, `cb_middlename`, `cb_relationship`, `cb_ccontactno`, `cb_caddress`, `cb_adminposition`, `cb_alumnus`, `cb_campus`, `cb_graduation`, `cb_clastname`, `cb_telephone`) VALUES
(62, 62, 'Dioana', 'Andres', 'Ramos', 10, '2012-04-03 05:21:32', 1, 'gallery/butterfly.gif', 1, 1, 1, '2012-03-29 14:20:06', "", "", 0, NULL, NULL, NULL, NULL, NULL, 0, NULL, '09052325718', 'lyyo', '2 28, 1997', 'Single', 'Female', 'A', 'JIL Christian', 'Zapote, Las PiÃ±as', 'Nagsaulay, San Juan, Batangas', "", "", "Student", NULL, NULL, NULL, NULL, "", "", "", NULL, NULL, '2006-25635', 'B.S. Computer Science', 'College of Arts and Sciences', '5th', 'University of the Philippines Manila', NULL, 1, 'Rochelle', 'Robledo', 'sister', '846-3447', 'Pulanglupa, Las PiÃ±as', NULL, 'Yes', "", "Andes", ""), (125, 125, 'Angelica Joy', 'Gatmaitan', 'Nacisvalencia', 0, '0000-00-00 00:00:00', 0, NULL, 1, 1, 1, '0000-00-00 00:00:00', '127.0.0.1', "", 0, NULL, NULL, NULL, NULL, 0, 'Volunteer', '09052325718', 'angel', '18, 1996', 'Single', 'Female', 'B', "", 'Calit calit', San Juan, Batangas, 'No', NULL, "", 'Student', "", NULL, NULL, "", "", "", NULL, NULL, '2005-00963', 'B.S. Industrial Pharmacy', 'College of Pharmacy', '4th', 'University of the Philippines Manila', NULL, 1, 'Joan', 'Gatmaitan', 'sibling', '09052325718', 'Calit calit', San Juan, Batangas, NULL, 'No', "", "", 'Nacisvalencia', ""), (124, 124, 'Shalom', 'Ditan', 'Menorca', 1, '2011-03-26 10:10:03', 1, '124_4d81ed8d57bd2.jpg', 1, 1, 1, '2011-09-07 12:30:30', '127.0.0.1', "", 0, NULL, NULL, NULL, NULL, NULL, 0, 'Volunteer', '09052325718', 'shalom', '7 3, 1996', 'Single', 'Female', 'A', "", 'Maraykit', San Juan, Batangas, 'Maraykit', San Juan, Batangas, 'No', NULL, "", 'Student', "", NULL, NULL, "", "", "", NULL, NULL, '2005-15003', 'B.S. Computer Science', 'College of Arts and Sciences', '4th', 'University of the Philippines Manila', NULL, 1, 'Jovelyn', 'Ditan', 'parent', '09052325718', 'Maraykit', San Juan, Batangas, NULL, 'No', "", "", 'Menorca', ""), (123, 123, 'Yvethie Angela', 'Arminiano', 'Javier', 0, '0000-00-00 00:00:00', 0, '123_4e675de08ce67.jpg', 1, 1, 1, '2011-09-07 12:30:30', '127.0.0.1', "", 0, NULL, NULL, NULL, NULL, NULL, 0, 'Volunteer', '09052325718', 'yvet', '4 17, 1996', 'Single', 'Female', 'B', "", 'Sico 1st', San Juan, Batangas, 'Sico 1st', San Juan, Batangas, 'No', NULL, "", 'Student', "", NULL, NULL, "", "", "", NULL, NULL, '2006-20000', 'B.S. Nursing', 'College of Arts and Sciences', '1', 'University of the Philippines Manila', NULL, 1, 'Liberty', 'Arminiano', 'parent', '09052325718', 'Sico 1st', San Juan, Batangas, NULL, 'No', "", "", 'Javier', ""), (122, 122, 'Francisco', 'Dumael', 'Castilo', 3, '0000-00-00 00:00:00', 0, NULL, 1, 1, 1, '0000-

```

00-00 00:00:00', '127.0.0.1', "", 0, NULL, NULL,  
 NULL, NULL, NULL, 0, 'Volunteer',  
 '09052325718', 'Francis', '9 20, 1985', 'Single',  
 'Male', 'O', "", 'Laiya-Aplaya, San Juan,  
 Batangas', 'Laiya-Aplaya, San Juan, Batangas',  
 'No', NULL, "", 'Professional', "", NULL, NULL, "",  
 'UI Department', '871-9632', 'Underground  
 Logic', NULL, NULL, "", "", "", NULL, 1, 'Fe  
 Marie', 'Castilo', 'sibling', '846-3447', 'Laiya-  
 Aplaya, San Juan, Batangas', NULL, 'Yes', 'UP  
 Diliman', '2006', 'Gaitan', ""),  
 (126, 126, 'Marie Denrose', 'Coronel', 'Nicolas',  
 0, '0000-00-00 00:00:00', 0, NULL, 1, 1, 1,  
 '0000-00-00 00:00:00', '127.0.0.1', "", 0, NULL,  
 NULL, NULL, NULL, 0, 'Volunteer',  
 '09052325718', 'denrose', '6 22, 1995', 'Single',  
 'Female', 'A', "", 'Calicanto, San Juan, Batangas',  
 'Calicanto, San Juan, Batangas', 'Yes', NULL, "",  
 'Professional', "", NULL, NULL, "",  
 'Ophthalmology Department', '888-2236',  
 'Philippine General Hospital', NULL, NULL, "",  
 "", "", NULL, 1, 'Denie', 'Coronel', 'sibling',  
 '09052325718', 'Calicanto, San Juan,  
 Batangas', NULL, 'Yes', 'University of the  
 Philippines Manila', '2006', 'Nicolas', ""),  
 (127, 127, 'Lorraine Olive', 'Sarmiento',  
 'Mendoza', 2, '0000-00-00 00:00:00', 0,  
 '127\_4e675cedbc138.jpg', 1, 1, 1, '2012-03-31  
 13:55:13', '127.0.0.1', "", 0, NULL, NULL, NULL,  
 NULL, NULL, 0, 'Volunteer', '09052325718', "",  
 '10 12, 1997', 'Single', 'Female', 'A', "", 'Mojica  
 St., Poblacion, San Juan, Batangas', 'Mojica St.,  
 Poblacion, San Juan, Batangas', "", "",  
 'Professional', "", NULL, NULL, "", 'OB-Gyne  
 Section', '865-9656', 'Philippine General  
 Hospital', NULL, NULL, "", "", "", NULL, 1,  
 'Cholita', 'Sarmiento', 'parent', '456-5685',  
 'Mojica St., Poblacion, San Juan, Batangas',  
 NULL, 'Yes', 'University of the Philippines  
 Manila', '2002', 'Mendoza', ""),  
 (128, 128, 'Celestina Marie', 'Perez', 'Custodio',  
 8, '0000-00-00 00:00:00', 0, NULL, 1, 1, 1,  
 '0000-00-00 00:00:00', '127.0.0.1', "", 0, NULL,  
 NULL, NULL, NULL, 0, 'Volunteer',  
 '09052325718', "", '9 5, 1995', 'Single',  
 'Female', 'B', "", 'Putting Buhangin, San Juan,  
 Batangas', 'Putting Buhangin, San Juan,  
 Batangas', 'No', NULL, "", 'Professional', "", NULL,  
 NULL, "", "", 'OB-Gyne Section', '865-9656',  
 'Philippine General Hospital', NULL, NULL, "",  
 "", "", NULL, 1, 'Linette', 'Perez', 'parent', '566-  
 6535', 'Putting Buhangin, San Juan, Batangas',  
 NULL, 'No', "", 'Custodio', ""),  
 (129, 129, 'Bea Marie', 'Senado', 'Cabatay', 2,  
 '0000-00-00 00:00:00', 0, NULL, 1, 1, 1, '0000-  
 00-00 00:00:00', '127.0.0.1', "", 0, NULL, NULL,  
 NULL, NULL, NULL, 0, 'Volunteer',  
 '09052325718', "", '3 11, 1995', 'Single',  
 'Female', 'O', "", 'Sico 1st, San Juan, Batangas',  
 'Sico 1st, San Juan, Batangas', 'Yes', NULL, "",  
 'Professional', "", NULL, NULL, "", "Children\\'s"

Ward', '496-9658', 'Philippine General Hospital',  
 NULL, NULL, "", "", "", NULL, 1, 'Marita',  
 'Senado', 'parent', '845-4582', 'Sico 1st, San  
 Juan, Batangas', NULL, 'Yes', 'University of the  
 Philippines Manila', '2003', 'Cabatay', "",  
 (182, 182, 'Eden', 'Amistral', 'Cueto', 1, '0000-  
 00-00 00:00:00', 0, NULL, 1, 1, 1, '0000-00-00  
 00:00:00', '127.0.0.1', "", 0, NULL, NULL, NULL,  
 NULL, NULL, 0, 'Volunteer', '09052325718', "",  
 '1 29, 1981', 'Single', 'Female', 'I', "", 'Calitcalit,  
 San Juan, Batangas', 'Tabuk, Kalinga', 'Yes',  
 NULL, "", 'Professional', "", NULL, NULL, "",  
 'Children\\'s Ward', '663-6532', 'Philippine  
 General Hospital', NULL, NULL, "", "", "",  
 NULL, 1, 'Jaquelyn', 'Amistral', 'parent', '446-  
 8965', 'Calitcalit, San Juan, Batangas', NULL,  
 'No', "", "Cueto", ""),  
 (183, 183, 'Emmanuel', 'Amparo', 'Lat', 2,  
 '0000-00-00 00:00:00', 0, NULL, 1, 1, 1, '0000-  
 00-00 00:00:00', '127.0.0.1', "", 0, NULL, NULL,  
 NULL, NULL, 0, 'Representative',  
 '09211234567', NULL, NULL, NULL, NULL,  
 NULL, NULL, '17 Arcadian Avenue,Suite 103,  
 Paramus, NJ 07652', '17 Arcadian Avenue,Suite  
 103, Paramus, NJ 07652', NULL, NULL, NULL,  
 NULL, NULL, NULL, NULL, NULL, NULL, NULL,  
 NULL, NULL, NULL, NULL, NULL, NULL, NULL,  
 NULL, NULL, NULL, NULL, NULL, NULL, NULL, "",  
 (184, 184, 'Juan Marcelito', 'Ciangpao',  
 'Dinares', 0, '0000-00-00 00:00:00', 0, NULL, 1,  
 2, 1, '0000-00-00 00:00:00', '127.0.0.1',  
 'regba51ec160f053a0ca2fd0238f0af54a40c134  
 cf0', 0, NULL, NULL, NULL, NULL, NULL, 0,  
 'Volunteer', '09211234567', 'Marcel', '8 3,  
 1976', 'Married', 'Male', 'O', 'Roman Catholic',  
 'Brgy. Talon Uno, Las PiÃ±as City', 'Brgy.  
 Talon Uno, Las PiÃ±as City', 'Yes', NULL,  
 'sketching', 'Professional', "", NULL, NULL, "",  
 'Children\\'s Ward', '469-6325', 'Philippine  
 General Hospital', NULL, NULL, "", "", "",  
 NULL, 1, 'Marbeth', 'Ong', 'spouse',  
 '09056325162', 'Brgy. Talon Uno, Las PiÃ±as  
 City', NULL, 'No', "", "Dinares", ""),  
 (185, 185, 'Gaston', 'Madriaga', 'Consuelo', 0,  
 '0000-00-00 00:00:00', 0, NULL, 1, 0, 0, '0000-  
 00-00 00:00:00', '127.0.0.1',  
 'rega400367a3e9eaa885dbe77fb0801c6af0c13  
 4cf1', 0, NULL, NULL, NULL, NULL, NULL, 0,  
 'Representative', '09296325632', NULL, NULL,  
 NULL, NULL, NULL, NULL, 'Brgy. Elias Aldana,  
 Las PiÃ±as City', 'Brgy. Ticalan, San Juan,  
 Batangas', NULL, NULL, NULL, NULL, NULL,  
 NULL, NULL, NULL, NULL, NULL, NULL, NULL,  
 NULL, 1, NULL, NULL, NULL, NULL, NULL, NULL,  
 NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL,  
 NULL, NULL, NULL, NULL, NULL, '446-6325'),  
 (186, 186, 'Zenaida', 'Mandatillo', 'Pascua', 1,  
 '0000-00-00 00:00:00', 0, NULL, 1, 1, 1, '0000-  
 00-00 00:00:00', '127.0.0.1', "", 0, NULL, NULL,  
 NULL, NULL, 0, 'Representative',

```

'09213366526', NULL, NULL, NULL, NULL,
NULL, NULL, "", "", NULL, NULL, NULL, NULL,
NULL, NULL, NULL, NULL, NULL, NULL, NULL,
NULL, NULL, NULL, NULL, NULL, NULL, NULL,
NULL, NULL, 1, NULL, NULL, NULL, NULL, NULL,
NULL, NULL, NULL, NULL, NULL, ""),
(187, 187, 'Marcel', 'Kalaw', 'Jose', 0, '0000-00-
00 00:00:00', 0, NULL, 1, 1, 1, '2011-05-09
23:26:51', '127.0.0.1', "", 0, NULL, NULL, NULL,
NULL, NULL, 0, 'Volunteer', '09052325718',
'Marcel', '2 28, 1996', 'Single', 'Male', 'O', "",
'Poracay, Porac, Pampanga', 'Poracay, Porac,
Pampanga', "", "", "Professional", "", NULL,
NULL, "", "Orthodontics Department", '446-
5622', 'Philippine General Hospital', NULL,
NULL, "", "", "", NULL, 1, 'Dionisia', 'Kalaw',
'sibling', '845-6523', 'Poracay, Porac,
Pampanga', NULL, 'No', "", "Jose", ""),
(188, 188, 'Kiernan', 'Jusa', 'Kirem', 0, '0000-00-
00 00:00:00', 0, NULL, 1, 1, 1, '0000-00-00
00:00:00', '127.0.0.1', "", 0, NULL, NULL, NULL,
NULL, NULL, 0, 'Volunteer', '09052325718', "",
'1 1, 1992', 'Single', 'Male', '-', "", 'Poracay,
Porac, Pampanga', 'Poracay, Porac, Pampanga',
'No', NULL, "", 'Professional', "", NULL, NULL, "", ,
'Emergency Room', '996-5555', 'Philippine
General Hospital', NULL, NULL, "", "", "", ,
NULL, 1, 'Cory', 'Jusa', 'aunt', '975-6656',
'Poracay, Porac, Pampanga', NULL, 'No', "", ,
'Kawili', ""),
(189, 189, 'Apollonio', 'Rivera', 'Lastisimo', 0,
'0000-00-00 00:00:00', 0, NULL, 1, 1, 1, '0000-
00-00 00:00:00', '127.0.0.1', "", 0, NULL, NULL,
NULL, NULL, NULL, 0, 'Representative',
'09095623565', NULL, NULL, NULL, NULL,
NULL, NULL, 'Poracay, Porac, Pampanga',
'Poracay, Porac, Pampanga', NULL, NULL, NULL,
NULL, NULL, NULL, NULL, NULL, NULL, NULL,
NULL, NULL, NULL, 1, NULL, NULL, NULL, NULL,
NULL, NULL, NULL, NULL, NULL, NULL, NULL, ""),
(191, 191, 'Sample', 'Sample', 'Volunteer', 0,
'0000-00-00 00:00:00', 0, NULL, 1, 0, 0, '0000-
00-00 00:00:00', '127.0.0.1',
'reg4174bed03f791a3791a163e613dc21300c1
34cf7', 0, NULL, NULL, NULL, NULL, NULL, 0,
'Volunteer', '639092348909', 'sample
volunteer', '1 1, 2012', 'single', 'Female', '-', "",
'Ermita, Manila', 'Ermita, Manila', 'Yes', NULL, "",
'Student', "", NULL, NULL, "", "", "", "", NULL,
NULL, '2000-10922', 'BS Computer Science',
'College of Arts and Sciences', '2nd', 'University
of the Philippines Manila', NULL, 1, 'Sample ',
'Contact', 'parent', '444-2093', 'Ermita, Manila',
NULL, 'No', "", "", 'Person', ""),
(192, 192, 'Sample', 'Pahinungod', 'Volunteer
2', 0, '0000-00-00 00:00:00', 0, NULL, 1, 0, 0,
'0000-00-00 00:00:00', "", "", 0, NULL, NULL,
NULL, NULL, NULL, 0, 'Volunteer',
'639197895034', 'sample v', '1 1, 1990',
'single', 'Male', 'O', "", 'Bel-air, Makati', 'Bel-air,

```

---

```

Makati', 'No', NULL, "", 'Professional', "", NULL,
NULL, "", "Bel-air, Makati", '493-0987', '328
Design Plaza', NULL, NULL, "", "", "", NULL, 1,
'Sample', 'Siatong', 'parent', '334-0958',
'Marikina City', NULL, 'Yes', 'Department of
Science/CAS', '2012', 'Contact', ""),
(193, 193, 'Sample', 'Roi', 'Representative', 0,
'0000-00-00 00:00:00', 0, NULL, 1, 0, 0, '0000-
00-00 00:00:00', '127.0.0.1',
'reg8eb611b4c66c68ef8d8a171bd91077ea0c1
34c89', 0, NULL, NULL, NULL, NULL, NULL, 0,
'Representative', '639329900947', NULL, NULL,
NULL, NULL, NULL, 'San Dionisio, Cavite',
'San Dionisio, Cavite', NULL, NULL, NULL, NULL,
NULL, NULL, NULL, NULL, NULL, NULL, NULL,
NULL, NULL, 1, NULL, NULL, NULL, NULL, NULL,
NULL, NULL, NULL, NULL, NULL, NULL, NULL, NULL,
NULL, NULL, NULL, NULL, NULL, NULL, NULL, ""),
(194, 194, 'Allen', 'Maniego', 'Lacierda', 0,
'0000-00-00 00:00:00', 0, NULL, 1, 0, 0, '0000-
00-00 00:00:00', '127.0.0.1',
'regdf4fba875b8514f0501f69ae58b0dd420c13
4c8a', 0, NULL, NULL, NULL, NULL, NULL, 0,
'Volunteer', '639197895034', 'indi', '1 1, 2012',
'single', 'Male', 'O', "", 'manila', 'manila', 'No',
NULL, "", 'Student', "", NULL, NULL, "", "", "", ,
NULL, NULL, '2007-09890', 'BS CS', 'CAS', '1st',
'UP Manila', NULL, 1, 'Dana', 'Viel', 'wife',
'manila', 'manila', NULL, 'No', "", "Lacierda",
"),
(195, 195, 'Dana', 'Jose', 'Marquez', 0, '0000-
00-00 00:00:00', 0, NULL, 1, 0, 0, '0000-00-00
00:00:00', '127.0.0.1',
'regfb59d5a1a37da1805fb879dcd27216690c1
34c8b', 0, NULL, NULL, NULL, NULL, NULL, 0,
'Representative', '639098789890', NULL, NULL,
NULL, NULL, NULL, 'Manila', 'Manila',
NULL, NULL, NULL, NULL, NULL, NULL, NULL,
NULL, NULL, NULL, NULL, NULL, NULL, NULL,
NULL, NULL, NULL, NULL, NULL, 1, NULL,
NULL, NULL, NULL, NULL, NULL, NULL, NULL,
NULL, NULL, NULL, NULL, NULL, NULL, NULL, ""),

```

---

```

-- Table structure for table
`jos_comprofiler_fields`

CREATE TABLE `jos_comprofiler_fields` (
 `fieldid` int(11) NOT NULL auto_increment,
 `name` varchar(50) NOT NULL default "",
 `tablecolumns` text NOT NULL,
 `table` varchar(50) NOT NULL default
`#___comprofiler`,
 `title` varchar(255) NOT NULL default "",
 `description` mediumtext NOT NULL,
 `type` varchar(50) NOT NULL default "",
 `maxlength` int(11) default NULL,
 `size` int(11) default NULL,

```

```

`required` tinyint(4) default '0',
`tabid` int(11) default NULL,
`ordering` int(11) default NULL,
`cols` int(11) default NULL,
`rows` int(11) default NULL,
`value` varchar(50) default NULL,
`default` mediumtext,
`published` tinyint(1) NOT NULL default '1',
`registration` tinyint(1) NOT NULL default '0',
`profile` tinyint(1) NOT NULL default '1',
`displaytitle` tinyint(1) NOT NULL default '1',
`readonly` tinyint(1) NOT NULL default '0',
`searchable` tinyint(1) NOT NULL default '0',
`calculated` tinyint(1) NOT NULL default '0',
`sys` tinyint(4) NOT NULL default '0',
`pluginid` int(11) NOT NULL default '0',
`params` mediumtext,
PRIMARY KEY (`fieldid`),
KEY `tabid_pub_prof_order`(`tabid`, `published`, `profile`, `ordering`),
KEY `readonly_published_tabid`(`readonly`, `published`, `tabid`),
KEY `registration_published_order`(`registration`, `published`, `ordering`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=96 ;

--
-- Dumping data for table
`jos_comprofiler_fields`
--

INSERT INTO `jos_comprofiler_fields`(`fieldid`,
`name`, `tablecolumns`, `table`, `title`,
`description`, `type`, `maxlength`, `size`,
`required`, `tabid`, `ordering`, `cols`, `rows`,
`value`, `default`, `published`, `registration`,
`profile`, `displaytitle`, `readonly`,
`searchable`, `calculated`, `sys`, `pluginid`,
`params`) VALUES
(41, 'name', 'name', '#_users', '_UE_NAME',
'_UE_REGWARN_NAME', 'predefined', NULL,
NULL, 1, 11, -51, NULL, NULL, NULL, NULL, 0, 1,
0, 1, 0, 1, 1, 1, NULL),
(26, 'onlinestatus', "#_comprofiler",
'_UE_ONLINESTATUS', "", 'status', NULL, NULL,
0, 21, -21, NULL, NULL, NULL, NULL, 1, 0, 1, 1,
0, 0, 1, 1, 1, NULL),
(27, 'lastvisitDate', 'lastvisitDate', '#_users',
'_UE_LASTONLINE', "", 'datetime', NULL, NULL,
0, 21, -19, NULL, NULL, NULL, NULL, 1, 0, 1, 1,
1, 0, 1, 1, 1, 'field_display_by=2'),
(28, 'registerDate', 'registerDate', '#_users',
'_UE_MEMBERSINCE', "", 'datetime', NULL, NULL,
0, 21, -20, NULL, NULL, NULL, NULL, 1, 0, 1, 1,
1, 0, 1, 1, 1, 'field_display_by=2'),
(29, 'avatar', 'avatar', 'avatarapproved',
'#_comprofiler', '_UE_IMAGE', "", 'image', NULL,
NULL, 0, 20, 1, NULL, NULL, NULL, NULL, 1, 0,
1, 0, 0, 1, 1, 1, NULL),
(42, 'username', 'username', '#_users',
'_UE_UNAME', '_UE_VALID_UNAME',
'predefined', NULL, NULL, 1, 11, -47, NULL,
NULL, NULL, NULL, 1, 1, 0, 1, 0, 1, 1, 1, 1,
NULL),
(45, 'formatname', "#_comprofiler",
'_UE_FORMATNAME', "", 'formatname', NULL,
NULL, 0, 11, -52, NULL, NULL, NULL, NULL, 1, 0,
0, 0, 1, 0, 1, 1, 1, NULL),
(46, 'firstname', 'firstname', '#_comprofiler',
'_UE_YOUR_FNAME', '_UE_REGWARN_FNAME',
'predefined', NULL, NULL, 1, 11, -50, NULL,
NULL, NULL, NULL, 1, 1, 0, 1, 0, 1, 1, 1, 1,
NULL),
(47, 'middlename', 'middlename',
'#_comprofiler', '_UE_YOUR_MNAME',
'_UE_REGWARN_MNAME', 'predefined', NULL,
NULL, 0, 11, -49, NULL, NULL, NULL, NULL, 1, 1,
0, 1, 0, 1, 1, 1, 1, NULL),
(48, 'lastname', 'lastname', '#_comprofiler',
'_UE_YOUR_LNAME', '_UE_REGWARN_LNAME',
'predefined', NULL, NULL, 1, 11, -48, NULL,
NULL, NULL, NULL, 1, 1, 0, 1, 0, 1, 1, 1, 1,
NULL),
(49, 'lastupdatedate', 'lastupdatedate',
'#_comprofiler', '_UE_LASTUPDATEDON',
'', 'datetime', NULL, NULL, 0, 21, -18, NULL, NULL,
NULL, NULL, 1, 0, 1, 1, 1, 0, 1, 1, 1,
'field_display_by=2'),
(50, 'email', 'email', '#_users', '_UE_EMAIL',
'<p>_UE_REGWARN_MAIL</p>',
'primaryemailaddress', 0, 0, 1, 21, 1, 0, 0,
NULL, 1, 1, 1, 1, 0, 0, 1, 1, 1,
'fieldValidateExpression=\npregexp=/^.*$/\npr
egexprror=Not a valid
input\nfieldValidateForbiddenList_register=http
://https://mailto://.
[url],<a,,/fieldValidateForbiddenList_p
rofile='),
(25, 'hits', 'hits', '#_comprofiler', '_UE_HITS',
'_UE_HITS_DESC', 'counter', NULL, NULL, 0, 21,
-22, NULL, NULL, NULL, NULL, 1, 0, 1, 1, 1, 0,
1, 1, NULL),
(51, 'password', 'password', '#_users',
'_UE_PASS', '_UE_VALID_PASS', 'password', 50,
NULL, 1, 11, -46, NULL, NULL, NULL, NULL, 1, 1,
0, 1, 0, 0, 1, 1, 1, NULL),
(52, 'params', 'params', '#_users',
'_UE_USERPARAMS', "", 'userparams', NULL,
NULL, 0, 11, -31, NULL, NULL, NULL, NULL, 1, 0,
0, 1, 0, 0, 1, 1, 1, NULL),
(24, 'connections', "#_comprofiler",
'_UE_CONNECTION', "", 'connections', NULL,
NULL, 0, 21, -17, NULL, NULL, NULL, NULL, 1, 0,
1, 1, 0, 1, 1, 1, 1, NULL),
(23, 'forumrank', "#_comprofiler",
'_UE_FORUM_FORUMRANKING', "", 'forumstats',
NULL, NULL, 0, 21, -16, NULL, NULL, NULL,
NULL, 1, 0, 1, 1, 0, 1, 1, 4, NULL),
(22, 'forumposts', "#_comprofiler",
'_UE_FORUM_TOTALPOSTS', "", 'forumstats',

```

```

NULL, NULL, 0, 21, -15, NULL, NULL, NULL,
NULL, 1, 0, 1, 1, 1, 0, 1, 1, 4, NULL),
(21, 'forumkarma', "", '#_comprofiler',
'_UE_FORUM_KARMA', "", 'forumstats', NULL,
NULL, 0, 21, -14, NULL, NULL, NULL, NULL, 1, 0,
1, 1, 1, 0, 1, 1, 4, NULL),
(55, 'cb_usertype', 'cb_usertype',
'#_comprofiler', 'Usertype', '<p>Choose
representative if you want to represent a third
party organization. Be a volunteer if you want
to be a member of Pahinungod.</p>', 'select',
0, 0, 0, 11, -30, 0, 0, NULL, ", 1, 1, 0, 1, 1, 0,
0, 0, 1, ""),
(56, 'cb_mobilenumbers', 'cb_mobilenumbers',
'#_comprofiler', 'Mobile Number', "", 'text', 13,
13, 0, 11, -29, 0, 0, NULL, ", 1, 1, 0, 1, 0, 0, 0,
0, 1,
'fieldMinLength=0\nfieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\nfieldValidateForbiddenList_register=http
:https://mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(57, 'cb_nickname', 'cb_nickname',
'#_comprofiler', 'Nickname', "", 'text', 0, 0, 0,
24, 1, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\nfieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\nfieldValidateForbiddenList_register=http
:https://mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(58, 'cb_birthday', 'cb_birthday',
'#_comprofiler', 'birthdate', "", 'text', 0, 0, 0,
24, 2, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\nfieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\nfieldValidateForbiddenList_register=http
:https://mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(59, 'cb_civilstat', 'cb_civilstat',
'#_comprofiler', 'Civil Status', "", 'textarea', 0,
0, 0, 24, 5, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\nfieldValidateForbiddenList_
register=http:https://mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(60, 'cb_gender', 'cb_gender', '#_comprofiler',
'Gender', "", 'radio', 0, 0, 0, 24, 3, 0, 0, NULL, ",
1, 1, 1, 1, 0, 0, 0, 0, 1, ""),
(61, 'cb_bloodtype', 'cb_bloodtype',
'#_comprofiler', 'Blood Type', "", 'select', 0, 0,
0, 24, 10, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
"),
(62, 'cb_religion', 'cb_religion', '#_comprofiler',
'Religion', "", 'text', 0, 0, 0, 24, 9, 0, 0, NULL, ",
1, 1, 1, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\nfieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\nfieldValidateForbiddenList_register=http
:https://mailto://.

```

```

:https://mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(63, 'cb_presentaddress', 'cb_presentaddress',
'#_comprofiler', 'Present Address', "", 'text', 0,
0, 0, 11, -28, 0, 0, NULL, ", 1, 1, 0, 1, 0, 0, 0, 0,
1,
'fieldMinLength=0\nfieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\nfieldValidateForbiddenList_register=http
:https://mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(64, 'cb_permanentaddress', 'cb_permanentaddress',
'#_comprofiler', 'Permanent Address', "", 'text', 0, 0, 0, 11, -27,
0, 0, NULL, ", 1, 1, 0, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\nfieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\nfieldValidateForbiddenList_register=http
:https://mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(65, 'cb_upaddiliation', 'cb_upaddiliation',
'#_comprofiler', 'Affiliated to UP', "", 'radio', 0,
0, 0, 24, 4, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
"),
(66, 'cb_specialskill', 'cb_specialskill',
'#_comprofiler', 'Special Skill', "", 'textarea', 0,
0, 0, 24, 8, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\nfieldValidateForbiddenList_
register=http:https://mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(67, 'cb_hobbies', 'cb_hobbies',
'#_comprofiler', 'Hobbies', "", 'textarea', 0, 0,
0, 24, 7, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\nfieldValidateForbiddenList_
register=http:https://mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(68, 'cb_volunteertype', 'cb_volunteertype',
'#_comprofiler', 'Volunteer Type', "", 'radio', 0,
0, 0, 24, 6, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
"),
(69, 'cb_orgname', 'cb_orgname',
'#_comprofiler', 'Name of Organization', "",
'text', 0, 0, 0, 25, 1, 0, 0, NULL, ", 1, 1, 1, 1, 0,
0, 0, 0, 1,
'fieldMinLength=0\nfieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\nfieldValidateForbiddenList_register=http
:https://mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(70, 'cb_position', 'cb_position',
'#_comprofiler', 'Position', "", 'text', 0, 0, 0, 25,
2, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\nfieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\nfieldValidateForbiddenList_register=http
:https://mailto://.

```

```

:,https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(71, 'cb_orgtype', 'cb_orgtype',
'#__comprofiler', 'Type of Organization',",
'text', 0, 0, 0, 25, 3, 0, 0, NULL, ", 1, 1, 1, 1, 0,
0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexprror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(72, 'cb_programname', 'cb_programname',
'#__comprofiler', 'Name of Volunteer Program
You Joined in', ", 'text', 0, 0, 0, 26, 1, 0, 0,
NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexprror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(73, 'cb_prlicenseno', 'cb_prlicenseno',
'#__comprofiler', 'PRC License Number',",
'text', 0, 0, 0, 27, 1, 0, 0, NULL, ", 1, 1, 1, 1, 0,
0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexprror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(74, 'cb_department', 'cb_department',
'#__comprofiler', 'Department', ", 'text', 0, 0, 0,
27, 2, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexprror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(75, 'cb_officecontactno', 'cb_officecontactno',
'#__comprofiler', 'Office Contact Number',",
'text', 0, 0, 0, 27, 3, 0, 0, NULL, ", 1, 1, 1, 1, 0,
0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexprror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(76, 'cb_companynamne', 'cb_companynamne',
'#__comprofiler', 'Company Name', ", 'text', 0,
0, 0, 27, 4, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexprror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(77, 'cb_profession', 'cb_profession',
'#__comprofiler', 'Profession/s', ", 'multiselect',
0, 0, 0, 27, 5, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0,
1,
'field_display_style=0\field_display_class='),
(78, 'cb_otherprofession', 'cb_otherprofession',
'#__comprofiler', 'Other Profession', ", 'text', 0,
0, 0, 27, 6, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexprror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(79, 'cb_studentno', 'cb_studentno',
'#__comprofiler', 'Student Number', ", 'text', 0,
0, 0, 28, 1, 0, 0, NULL, ", 1, 1, 0, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexprror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(80, 'cb_course', 'cb_course', '#__comprofiler',
'Course', ", 'text', 0, 0, 0, 28, 5, 0, 0, NULL, ", 1,
1, 0, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexprror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(81, 'cb_college', 'cb_college', '#__comprofiler',
'College', ", 'text', 0, 0, 0, 28, 2, 0, 0, NULL, ",
1, 1, 0, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexprror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(82, 'cb_yearlevel', 'cb_yearlevel',
'#__comprofiler', 'Year Level', ", 'text', 0, 0, 0,
28, 6, 0, 0, NULL, ", 1, 1, 0, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexprror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(83, 'cb_school', 'cb_school', '#__comprofiler',
'School', ", 'text', 0, 0, 1, 28, 3, 0, 0, NULL, ", 1,
0, 0, 1, 0, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexprror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(84, 'cb_proofofenrolment',
'cb_proofofenrolment,cb_proofofenrolmentappr

```

```

oved', '#_comprofiler', 'Proof of Enrolment', '',
'image', 0, 0, 0, 28, 4, 0, 0, NULL, ", 1, 1, 0, 1,
0, 0, 0, 1,
'avatarHeight=\navatarWidth=\navatarSize=\n
thumbHeight=\nthumbWidth='),
(85, 'cb_cfirstname', 'cb_cfirstname',
'#_comprofiler', 'First Name', "", 'text', 0, 0, 0,
29, 1, 0, 0, NULL, ", 1, 1, 0, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(86, 'cb_middlename', 'cb_middlename',
'#_comprofiler', 'Middle Name', "", 'text', 0, 0,
0, 29, 2, 0, 0, NULL, ", 1, 1, 0, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(87, 'cb_relationship', 'cb_relationship',
'#_comprofiler', 'Relationship', "", 'text', 0, 0, 0,
29, 3, 0, 0, NULL, ", 1, 1, 0, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(88, 'cb_ccontactno', 'cb_ccontactno',
'#_comprofiler', 'Contact Number', "", 'text', 0,
0, 0, 29, 4, 0, 0, NULL, ", 1, 1, 0, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(89, 'cb_caddress', 'cb_caddress',
'#_comprofiler', 'Address', "", 'text', 0, 0, 0, 29,
5, 0, 0, NULL, ", 1, 1, 0, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(90, 'cb_adminposition', 'cb_adminposition',
'#_comprofiler', 'Administrative Position', "",
'text', 0, 30, 0, 20, 2, 0, 0, NULL, ", 1, 1, 1, 1, 0,
0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(91, 'cb_alumnus', 'cb_alumnus',
'#_comprofiler', 'UP Alumnus', "", 'radio', 0, 0,
0, 24, 11, 2, 1, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
"),
(92, 'cb_campus', 'cb_campus',
'#_comprofiler', 'Campus', "", 'text', 0, 30, 0,
24, 12, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(93, 'cb_graduation', 'cb_graduation',
'#_comprofiler', 'Year of Graduation', "", 'text',
0, 0, 0, 24, 13, 0, 0, NULL, ", 1, 1, 1, 1, 0, 0, 0,
0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(94, 'cb_clastname', 'cb_clastname',
'#_comprofiler', 'Last Name', "", 'text', 0, 0, 0,
29, 6, 0, 0, NULL, ", 1, 1, 0, 1, 0, 0, 0, 0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(95, 'cb_telephone', 'cb_telephone',
'#_comprofiler', 'Telephone Number', "", 'text',
0, 0, 0, 11, -26, 0, 0, NULL, ", 1, 1, 0, 1, 0, 0, 0,
0, 1,
'fieldMinLength=0\fieldValidateExpression=\n
pregexp=/^.*$/\npregexperror=Not a valid
input\fieldValidateForbiddenList_register=http
:https:,mailto://.
[url],<a,,&#nfieldValidateForbiddenList_p
rofile='),
(20, 'forumsignature', "", '#_comprofiler',
'_UE_F_B_SIGNATURE', "", 'forumsettings', NULL,
NULL, 0, 13, 3, 60, 5, NULL, NULL, 1, 0, 0, 1, 0,
0, 0, 1, 4, NULL),
(19, 'forumview', "", '#_comprofiler',
'_UE_F_B_VIEWTYPE_TITLE', "", 'forumsettings',
NULL, NULL, 1, 13, 2, NULL, NULL, NULL, 'flat',
1, 0, 0, 1, 0, 0, 0, 1, 4, NULL),
(18, 'forumorder', "", '#_comprofiler',
'_UE_F_B_ORDERING_TITLE', "", 'forumsettings',
NULL, NULL, 1, 13, 1, NULL, NULL, NULL, '0', 1,
0, 0, 1, 0, 0, 0, 1, 4, NULL);

--

-- Table structure for table

`jos_comprofiler_field_values`

--
```

```

CREATE TABLE `jos_comprofiler_field_values` (
 `fieldvalueid` int(11) NOT NULL
auto_increment,
 `fieldid` int(11) NOT NULL default '0',
 `fieldtitle` varchar(255) NOT NULL default '',
 `ordering` int(11) NOT NULL default '0',
 `sys` tinyint(4) NOT NULL default '0',
 PRIMARY KEY (`fieldvalueid`),
 KEY `fieldid_ordering` (`fieldid`,`ordering`),
 KEY `fieldtitle_id` (`fieldtitle`,`fieldid`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=58 ;

--
-- Dumping data for table
`jos_comprofiler_field_values`
--

INSERT INTO `jos_comprofiler_field_values`(`fieldvalueid`, `fieldid`, `fieldtitle`, `ordering`, `sys`) VALUES
(55, 55, 'Super Administrator', 4, 0),
(54, 55, 'Administrator', 3, 0),
(53, 55, 'Representative', 2, 0),
(52, 55, 'Volunteer', 1, 0),
(24, 60, 'Male', 1, 0),
(25, 60, 'Female', 2, 0),
(39, 61, 'O', 4, 0),
(38, 61, 'AB', 3, 0),
(37, 61, 'B', 2, 0),
(36, 61, 'A', 1, 0),
(30, 65, 'Yes', 1, 0),
(31, 65, 'No', 2, 0),
(35, 68, 'Professional', 2, 0),
(34, 68, 'Student', 1, 0),
(40, 77, 'Physician', 1, 0),
(41, 77, 'Pediatrician', 2, 0),
(42, 77, 'Surgeon', 3, 0),
(43, 77, 'Anesthesiologist', 4, 0),
(44, 77, 'OB-Gyne', 5, 0),
(45, 77, 'Anesthesia Technician', 6, 0),
(46, 77, 'Pharmacist', 7, 0),
(47, 77, 'Nurse', 8, 0),
(48, 77, 'Dentist', 9, 0),
(49, 77, 'Faculty Member', 10, 0),
(50, 77, 'Employee', 11, 0),
(51, 77, 'Other', 12, 0),
(56, 91, 'Yes', 1, 0),
(57, 91, 'No', 2, 0);

--
-- Table structure for table
`jos_comprofiler_lists`
--

CREATE TABLE `jos_comprofiler_lists` (
 `listid` int(11) NOT NULL auto_increment,
 `title` varchar(255) NOT NULL default '',
 `description` mediumtext,
 `published` tinyint(1) NOT NULL default '0',
 `default` tinyint(1) NOT NULL default '0',
 `usergroupids` varchar(255) default NULL,
 `useraccessgroupid` int(9) NOT NULL default
'18',
 `sortfields` varchar(255) default NULL,
 `filterfields` mediumtext,
 `ordering` int(11) NOT NULL default '0',
 `col1title` varchar(255) default NULL,
 `col1enabled` tinyint(1) NOT NULL default '0',
 `col1fields` mediumtext,
 `col2title` varchar(255) default NULL,
 `col2enabled` tinyint(1) NOT NULL default '0',
 `col1captions` tinyint(1) NOT NULL default '0',
 `col2fields` mediumtext,
 `col2captions` tinyint(1) NOT NULL default '0',
 `col3title` varchar(255) default NULL,
 `col3enabled` tinyint(1) NOT NULL default '0',
 `col3fields` mediumtext,
 `col3captions` tinyint(1) NOT NULL default '0',
 `col4title` varchar(255) default NULL,
 `col4enabled` tinyint(1) NOT NULL default '0',
 `col4fields` mediumtext,
 `col4captions` tinyint(1) NOT NULL default '0',
 `params` mediumtext,
 PRIMARY KEY (`listid`),
 KEY `pub_ordering` (`published`,`ordering`),
 KEY `default_published`(`default`, `published`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=7 ;

--
-- Dumping data for table
`jos_comprofiler_lists`
--

INSERT INTO `jos_comprofiler_lists`(`listid`, `title`, `description`, `published`, `default`, `usergroupids`, `useraccessgroupid`, `sortfields`, `filterfields`, `ordering`, `col1title`, `col1enabled`, `col1fields`, `col2title`, `col2enabled`, `col1captions`, `col2fields`, `col2captions`, `col3title`, `col3enabled`, `col3fields`, `col3captions`, `col4title`, `col4enabled`, `col4fields`, `col4captions`, `params`) VALUES
(4, 'Volunteers', "", 1, 0, '31, 36, 30, 23', 18, "name ASC", "", 1, 'Image', 0, '29', 'Username', 1, 0, '45', 0, 'Other Info', 1, '26|*|28|*|27', 0, "", 0, NULL, 0,
'list_search=1\nlist_compare_types=0\nlist_limit=10\nlist_paging=1\nhotlink_protection=0'), (5, 'All Members', "", 1, 1, '29, 18, 19, 20, 21, 31, 32, 30, 23, 24, 25, 33, 34', 23, "name ASC", "", 0, 'Image', 1, '29', 'Username', 1, 0, '48|*|47|*|46|*|42', 0, 'Other Info', 1, '26|*|28', 0, "", 0, NULL, 0,
'list_search=2\nlist_compare_types=0\nlist_limit=10\nlist_paging=1\nhotlink_protection=0'),

```

```

(6, 'Representatives', "", 1, 0, '32', 18, `name` ASC, `s(``cb_usertype`` = "Representative")', 2, 'Image', 1, '29', 'Username', 1, 0, '45', 0, 'Other Info', 1, '26|*|28', 0, "", 0, NULL, 0, 'list_search=1\nlist_compare_types=0\nlist_limit=10\nlist_paging=1\nhotlink_protection=0');

-- Table structure for table `jos_comprofiler_members`
--

CREATE TABLE `jos_comprofiler_members` (
 `referenceid` int(11) NOT NULL default '0',
 `memberid` int(11) NOT NULL default '0',
 `accepted` tinyint(1) NOT NULL default '1',
 `pending` tinyint(1) NOT NULL default '0',
 `membersince` date NOT NULL default '0000-00-00',
 `reason` mediumtext,
 `description` varchar(255) default NULL,
 `type` mediumtext,
 PRIMARY KEY (`referenceid`,`memberid`),
 KEY `pamr`(`pending`, `accepted`, `memberid`, `referenceid`),
 KEY `aprm`(`accepted`, `pending`, `referenceid`, `memberid`),
 KEY `membrefid`(`memberid`, `referenceid`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `jos_comprofiler_members`
--

-- Table structure for table `jos_comprofiler_plugin`
--

CREATE TABLE `jos_comprofiler_plugin` (
 `id` int(11) NOT NULL auto_increment,
 `name` varchar(100) NOT NULL default "",
 `element` varchar(100) NOT NULL default "",
 `type` varchar(100) default "",
 `folder` varchar(100) default "",
 `backend_menu` varchar(255) NOT NULL default "",
 `access` tinyint(3) unsigned NOT NULL default '0',
 `ordering` int(11) NOT NULL default '0',
 `published` tinyint(3) NOT NULL default '0',
 `iscore` tinyint(3) NOT NULL default '0',
 `client_id` tinyint(3) NOT NULL default '0',
 `checked_out` int(11) unsigned NOT NULL default '0',
 `checked_out_time` datetime NOT NULL default '0000-00-00 00:00:00',
 `params` text NOT NULL,
 PRIMARY KEY (`id`),
 KEY `idx_folder`(`published`, `client_id`, `access`, `folder`),
 KEY `type_pub_order`(`type`, `published`, `ordering`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=503 ;

--
-- Dumping data for table `jos_comprofiler_plugin`
--

INSERT INTO `jos_comprofiler_plugin` (`id`, `name`, `element`, `type`, `folder`, `backend_menu`, `access`, `ordering`, `published`, `iscore`, `client_id`, `checked_out`, `checked_out_time`, `params`)
VALUES
(1, 'CB Core', 'cb.core', 'user', 'plug_cbcore', "", 0, 1, 1, 0, 0, '0000-00-00 00:00:00', ""),
(2, 'CB Connections', 'cb.connections', 'user', 'plug_cbconnections', "", 0, 3, 1, 1, 0, 0, '0000-00-00 00:00:00', ""),
(3, 'Content Author', 'cb.authortab', 'user', 'plug_cbmamboauthortab', "", 0, 4, 1, 1, 0, 0, '0000-00-00 00:00:00', ""),
(4, 'Forum integration', 'cb.simpleboardtab', 'user', 'plug_cbsimpleboardtab', "", 0, 5, 0, 1, 0, 0, '0000-00-00 00:00:00',
'forumType=0\nstatDisplay=1\nTemplateRank =/template/default/images/english\nstatRanking=g=1\nstatRankingText=_UE_FORUM_FORUMRANKING\nstatRankingImg=1\nstatPosts=1\nstatPostsText=_UE_FORUM_TOTALPOSTS\nstatKarma=1\nstatKarmaText=_UE_FORUM_KARMA'),
(5, 'Mamblog Blog', 'cb.mamblogtab', 'user', 'plug_cbmamblogtab', "", 0, 6, 0, 1, 0, 0, '0000-00-00 00:00:00', ""),
(6, 'YaNC Newsletters', 'yanc', 'user', 'plug_yancintegration', "", 0, 7, 0, 1, 0, 0, '0000-00-00 00:00:00', ""),
(7, 'Default', 'default', 'templates', 'default', "", 0, 1, 1, 0, 0, '0000-00-00 00:00:00', ""),
(8, 'WinClassic', 'winclassic', 'templates', 'winclassic', "", 0, 2, 1, 0, 0, '0000-00-00 00:00:00', ""),
(9, 'WebFX', 'webfx', 'templates', 'webfx', "", 0, 3, 1, 0, 0, '0000-00-00 00:00:00', ""),
(10, 'OSX', 'osx', 'templates', 'osx', "", 0, 4, 1, 1, 0, 0, '0000-00-00 00:00:00', ""),
(11, 'Luna', 'luna', 'templates', 'luna', "", 0, 5, 1, 1, 0, 0, '0000-00-00 00:00:00', ""),
(12, 'Dark', 'dark', 'templates', 'dark', "", 0, 6, 1, 1, 0, 0, '0000-00-00 00:00:00', "")
);

```

```

(13, 'Default language (English)',

'default_language', 'language',

'default_language', "", 0, -1, 1, 1, 0, 0, '0000-00-

00 00:00:00', ""),

(14, 'CB Menu', 'cb.menu', 'user',

'plug_cbmenu', "", 0, 2, 1, 1, 0, 62, '2011-02-07

13:04:00',

'menuFormat=menuBar\nstatusFormat=menuL

ist'),

(15, 'Private Message System',

'pms.mypmspro', 'user', 'plug_pms_mypmspro',

", 0, 8, 0, 1, 0, 0, '0000-00-00 00:00:00',

'pmsType=1\npmsMenuText=_UE_PM_USER\np

msMenuDesc=_UE_MENU_PM_USER_DESC\npm

sMenuInboxText=_UE_PM_INBOX\npmsMenuIn

boxDesc=_UE_MENU_PM_INBOX_DESC\npmsMe

nuOutboxText=_UE_PM_OUTBOX\npmsMenuOu

tboxDesc=_UE_MENU_PM_OUTBOX_DESC\npms

MenuTrashboxText=_UE_PM_TRASHBOX\npms

MenuTrashboxDesc=_UE_MENU_PM_TRASHBO

X_DESC\npmsMenuOptionsText=_UE_PM_OPTI

ONS\npmsMenuOptionsDesc=_UE_MENU_PM_O

PTIONS_DESC\npmsUserDeleteOption=1\npms

UserFunction=1'),

(500, 'JLSGroupSelector', 'cb.jls_regroup',

'user', 'plug_jlsgroupselector', "", 0, 9, 1, 0, 0, 0,

'0000-00-00 00:00:00', 'jlsrg_enable=1'),

(501, 'CB Registration Form',

'registration_form', 'user',

'plug_cbregistrationform', "", 0, 10, 1, 0, 0, 0,

'0000-00-00 00:00:00',

'rfFormsFields=representative:firstname,middl

ename,lastname,email,username,password,cb_

mobilenumber,cb_presentaddress,cb_perma

nentaddress,cb_orgname,cb_position,cb_orgtype,

cb_usertype'),

(502, 'CB Menu Page Tab', 'menupage', 'user',

'plug_cbmenupagetab', "", 0, 11, 1, 0, 0, 62,

'2011-02-23 02:20:51', "");
```

---

```

--

-- Table structure for table

`jos_comprofiler_sessions`

--
```

```

CREATE TABLE `jos_comprofiler_sessions` (

`username` varchar(50) NOT NULL default "",

`userid` int(11) unsigned NOT NULL default

'0',

`ui` tinyint(4) NOT NULL default '0',

`incoming_ip` varchar(39) NOT NULL default

'',

`client_ip` varchar(39) NOT NULL default "",

`session_id` varchar(33) NOT NULL default "",

`session_data` mediumtext NOT NULL,

`expiry_time` int(14) unsigned NOT NULL

default '0',

PRIMARY KEY (`session_id`),

KEY `expiry_time` (`expiry_time`),
```

```

KEY `userid` (`userid`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;
```

```

--

-- Dumping data for table

`jos_comprofiler_sessions`

--
```

---

```

--

-- Table structure for table

`jos_comprofiler_tabs`

--
```

```

CREATE TABLE `jos_comprofiler_tabs` (
`tabid` int(11) NOT NULL auto_increment,
`title` varchar(50) NOT NULL default "",

`description` text,

`ordering` int(11) NOT NULL default '0',
`ordering_register` int(11) NOT NULL default

'10',
`width` varchar(10) NOT NULL default '5',
`enabled` tinyint(1) NOT NULL default '1',
`pluginclass` varchar(255) default NULL,
`pluginid` int(11) default NULL,
`fields` tinyint(1) NOT NULL default '1',
`params` mediumtext,

`sys` tinyint(4) NOT NULL default '0',
`displaytype` varchar(255) NOT NULL default

"",
`position` varchar(255) NOT NULL default "",

`useraccessgroupid` int(9) NOT NULL default

'-2',
PRIMARY KEY (`tabid`),
KEY `enabled_position_ordering`(`enabled`, `position`, `ordering`),
KEY `orderreg_enabled_pos_order`(`enabled`, `ordering_register`, `position`, `orde

ring`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8

AUTO_INCREMENT=31 ;
```

```

--

-- Dumping data for table

`jos_comprofiler_tabs`

--
```

```

INSERT INTO `jos_comprofiler_tabs`(`tabid`,

`title`, `description`, `ordering`,

`ordering_register`, `width`, `enabled`,

`pluginclass`, `pluginid`, `fields`, `params`,

`sys`, `displaytype`, `position`,

`useraccessgroupid`) VALUES

(11, '_UE_CONTACT_INFO_HEADER', "", -4, 10,

'1', 1, 'getContactTab', 1, 1, NULL, 2, 'tab',

'cb_tabmain', -2),

(12, '_UE_AUTHORTAB', "", -3, 10, '1', 0,

'getAuthorTab', 3, 0, NULL, 1, 'tab',

'cb_tabmain', -2),
```

```

(13, '_UE_FORUMTAB', "", -2, 10, '1', 0,
'getForumTab', 4, 1, NULL, 1, 'tab',
'cb_tabmain', -2),
(14, '_UE_BLOGTAB', "", -1, 10, '1', 0,
'getBlogTab', 5, 0, NULL, 1, 'tab', 'cb_tabmain',
-2),
(15, '_UE_CONNECTION', "", 99, 10, '1', 0,
'getConnectionTab', 2, 0, NULL, 1, 'tab',
'cb_tabmain', -2),
(16, '_UE_NEWSLETTER_HEADER',
'_UE_NEWSLETTER_INTRODCUTION', 99, 10, '1',
1, 'getNewslettersTab', 6, 0, NULL, 1, 'tab',
'cb_tabmain', -2),
(17, '_UE_MENU', "", -10, 10, '1', 1,
' getMenuTab', 14, 0,
'firstMenuName=\nfirstSubMenuName=Edit
Profile\nfirstSubMenuHref=\nsecondSubMenuN
ame=\nsecondSubMenuHref=', 1, 'html',
'cb_head', -2),
(18, '_UE_CONNECTIONPATHS', "", -9, 10, '1', 0,
'getConnectionPathsTab', 2, 0, NULL, 1, 'html',
'cb_head', -2),
(19, '_UE_PROFILE_PAGE_TITLE', "", -8, 10, '1', 1,
'getPageTitleTab', 1, 0, NULL, 1, 'html',
'cb_head', -2),
(20, '_UE_PORTRAIT', "", -7, 10, '1', 1,
'getPortraitTab', 1, 1, NULL, 1, 'html',
'cb_middle', -2),
(21, '_UE_USER_STATUS', "", -6, 10, '.5', 1,
'getStatusTab', 14, 1, NULL, 1, 'html', 'cb_right',
-2),
(22, '_UE_PMSTAB', "", -5, 10, '.5', 1,
'getmypmsproTab', 15, 0,
'showTitle=1\nshowSubject=1\nwidth=30\nhei
ght=5', 1, 'overlibsticky', 'cb_right', -2),
(23, 'More Info', "", 100, 10, '.5', 1, NULL, NULL,
1, "", 0, 'tab', 'cb_tabmain', 33),
(24, 'More Information', "", 101, 10, '.5', 0,
NULL, NULL, 1, "", 0, 'tab', 'cb_tabmain', 31),
(25, 'Membership and Affiliation', "", 102, 10,
'.5', 0, NULL, NULL, 1, "", 0, 'tab', 'cb_tabmain',
31),
(26, 'Volunteer Work', "", 103, 10, '.5', 0, NULL,
NULL, 1, "", 0, 'tab', 'cb_tabmain', 31),
(27, 'Profession Info', "", 104, 10, '.5', 0, NULL,
NULL, 1, "", 0, 'tab', 'cb_tabmain', 31),
(28, 'Student Info', "", 0, 10, '.5', 0, NULL, NULL,
1, "", 0, 'tab', 'cb_tabmain', 31),
(29, 'Contact Person', "", 0, 10, '.5', 0, NULL,
NULL, 1, "", 0, 'tab', 'cb_tabmain', 31),
(30, 'MenuPage', '<p>This tab displays a menu
item page in a CB tab.</p>', 105, 10, '.5', 1,
'getMenuPageTab', 502, 0, 'menu_id=228', 0,
'html', 'cb_tabmain', 23);

-- Table structure for table
`jos_comprofiler_userreports`
--
```

```

CREATE TABLE `jos_comprofiler_userreports` (
 `reportid` int(11) NOT NULL auto_increment,
 `reporteduser` int(11) NOT NULL default '0',
 `reportedbyuser` int(11) NOT NULL default
'0',
 `reportedondate` date NOT NULL default
'0000-00-00',
 `reportexplaination` text NOT NULL,
 `reportedstatus` tinyint(4) NOT NULL default
'0',
 PRIMARY KEY (`reportid`),
 KEY `status_user_date`(`reportedstatus`, `reporteduser`, `reportedond
ate`),
 KEY `reportedbyuser_ondate`(`reportedbyuser`, `reportedondate`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=15 ;

--
-- Dumping data for table
`jos_comprofiler_userreports`
--

INSERT INTO `jos_comprofiler_userreports`(`reportid`, `reporteduser`, `reportedbyuser`, `reportedondate`, `reportexplaination`, `reportedstatus`) VALUES
(11, 128, 62, '2011-03-15', 'dfg', 1),
(12, 128, 62, '2011-04-01', 'User has been
abusing privileges on website management.', 1),
(13, 128, 164, '2011-04-01', 'User has been
abusing privileges in managing the website. ', 1),
(14, 136, 62, '2011-12-15', 'User was abusing
privileges on system.', 1);

-- Table structure for table
`jos_comprofiler_views`
--
```

```

CREATE TABLE `jos_comprofiler_views` (
 `viewer_id` int(11) NOT NULL default '0',
 `profile_id` int(11) NOT NULL default '0',
 `lastip` varchar(50) NOT NULL default '',
 `lastview` datetime NOT NULL default '0000-00-00 00:00:00',
 `viewscount` int(11) NOT NULL default '0',
 `vote` tinyint(3) default NULL,
 `lastvote` datetime NOT NULL default '0000-00-00 00:00:00',
 PRIMARY KEY(`viewer_id`, `profile_id`, `lastip`),
 KEY `lastview`(`lastview`),
 KEY `profile_id_lastview`(`profile_id`, `lastview`, `viewer_id`)
```

```

) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `jos_comprofiler_views`
--

--
-- Table structure for table `jos_contact_details`
--

CREATE TABLE `jos_contact_details` (
 `id` int(11) NOT NULL auto_increment,
 `name` varchar(255) NOT NULL default '',
 `alias` varchar(255) NOT NULL default '',
 `con_position` varchar(255) default NULL,
 `address` text,
 `suburb` varchar(100) default NULL,
 `state` varchar(100) default NULL,
 `country` varchar(100) default NULL,
 `postcode` varchar(100) default NULL,
 `telephone` varchar(255) default NULL,
 `fax` varchar(255) default NULL,
 `misc` mediumtext,
 `image` varchar(255) default NULL,
 `imagepos` varchar(20) default NULL,
 `email_to` varchar(255) default NULL,
 `default_con` tinyint(1) unsigned NOT NULL
 default '0',
 `published` tinyint(1) unsigned NOT NULL
 default '0',
 `checked_out` int(11) unsigned NOT NULL
 default '0',
 `checked_out_time` datetime NOT NULL
 default '0000-00-00 00:00:00',
 `ordering` int(11) NOT NULL default '0',
 `params` text NOT NULL,
 `user_id` int(11) NOT NULL default '0',
 `catid` int(11) NOT NULL default '0',
 `access` tinyint(3) unsigned NOT NULL
 default '0',
 `mobile` varchar(255) NOT NULL default '',
 `webpage` varchar(255) NOT NULL default '',
 PRIMARY KEY (`id`),
 KEY `catid` (`catid`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=2 ;

--
-- Dumping data for table `jos_contact_details`
--

INSERT INTO `jos_contact_details`(`id`,
 `name`, `alias`, `con_position`, `address`,
 `suburb`, `state`, `country`, `postcode`,
 `telephone`, `fax`, `misc`, `image`,
 `imagepos`, `email_to`, `default_con`,
 `published`, `checked_out`,

`checked_out_time`, `ordering`, `params`,
 `user_id`, `catid`, `access`, `mobile`,
 `webpage`) VALUES
(1, 'Name', 'name', 'Position', 'Street', 'Suburb',
 'State', 'Country', 'Zip Code', 'Telephone', 'Fax',
 'Miscellaneous info', 'powered_by.png', 'top',
 'email@email.com', 1, 1, 0, '0000-00-00
 00:00:00', 1,
 'show_name=1\r\nshow_position=1\r\nshow_e
 mail=0\r\nshow_street_address=1\r\nshow_sub
 urb=1\r\nshow_state=1\r\nshow_postcode=1\r
 nshow_country=1\r\nshow_telephone=1\r\nsho
 w_mobile=1\r\nshow_fax=1\r\nshow_webpage
 =1\r\nshow_misc=1\r\nshow_image=1\r\nallow
 _vcard=0\r\ncontact_icons=0\r\nicon_address=
 \r\nicon_email=\r\nicon_telephone=\r\nicon_fax
 =\r\nicon_misc=\r\nshow_email_form=1\r\nem
 ail_description=1\r\nshow_email_copy=1\r\nba
 nned_email=\r\nbanned_subject=\r\nbanned_t
 ext', 0, 12, 0, ", ");

--
-- Table structure for table `jos_content`
--

CREATE TABLE `jos_content` (
 `id` int(11) unsigned NOT NULL
 auto_increment,
 `title` varchar(255) NOT NULL default '',
 `alias` varchar(255) NOT NULL default '',
 `title_alias` varchar(255) NOT NULL default '',
 `introtext` mediumtext NOT NULL,
 `fulltext` mediumtext NOT NULL,
 `state` tinyint(3) NOT NULL default '0',
 `sectionid` int(11) unsigned NOT NULL default
 '0',
 `mask` int(11) unsigned NOT NULL default '0',
 `catid` int(11) unsigned NOT NULL default '0',
 `created` datetime NOT NULL default '0000-
 00-00 00:00:00',
 `created_by` int(11) unsigned NOT NULL
 default '0',
 `created_by_alias` varchar(255) NOT NULL
 default '',
 `modified` datetime NOT NULL default '0000-
 00-00 00:00:00',
 `modified_by` int(11) unsigned NOT NULL
 default '0',
 `checked_out` int(11) unsigned NOT NULL
 default '0',
 `checked_out_time` datetime NOT NULL
 default '0000-00-00 00:00:00',
 `publish_up` datetime NOT NULL default
 '0000-00-00 00:00:00',
 `publish_down` datetime NOT NULL default
 '0000-00-00 00:00:00',
 `images` text NOT NULL,
 `urls` text NOT NULL,
 `attribs` text NOT NULL,

```

```

`version` int(11) unsigned NOT NULL default
'1',
`parentid` int(11) unsigned NOT NULL default
'0',
`ordering` int(11) NOT NULL default '0',
`metakey` text NOT NULL,
`metadesc` text NOT NULL,
`access` int(11) unsigned NOT NULL default
'0',
`hits` int(11) unsigned NOT NULL default '0',
`metadata` text NOT NULL,
PRIMARY KEY (`id`),
KEY `idx_section` (`sectionid`),
KEY `idx_access` (`access`),
KEY `idx_checkout` (`checked_out`),
KEY `idx_state` (`state`),
KEY `idx_catid` (`catid`),
KEY `idx_createdby` (`created_by`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=79 ;

--
-- Dumping data for table `jos_content`
--

INSERT INTO `jos_content` (`id`, `title`, `alias`, `title_alias`, `introtext`, `fulltext`, `state`, `sectionid`, `mask`, `catid`, `created`, `created_by`, `created_by_alias`, `modified`, `modified_by`, `checked_out`, `checked_out_time`, `publish_up`, `publish_down`, `images`, `urls`, `attribs`, `version`, `parentid`, `ordering`, `metakey`, `metadesc`, `access`, `hits`, `metadata`)
VALUES
(27, 'The Joomla! Community', 'the-joomla-community', '', '<p>Got a question? With more than 210,000 members, the Joomla! Discussion Forums at forum.joomla.org are a great resource for both new and experienced users. Ask your toughest questions the community is waiting to see what you''ll do with your Joomla! site.</p><p>Do you want to show off your new Joomla! Web site? Visit the Site ShowcaseÂ section of our forum.</p><p>Do you want to contribute?</p><p>If you think working with Joomla is fun, wait until you start working on it. We''re passionate about helping Joomla users become contributors. There are many ways you can help Joomla''s development:</p>
Submit news about Joomla. We syndicate Joomla-related news on JoomlaConnect^{T M}. If you have Joomla news that you would like to share with the community, find out how to get connectedÂ here.
Report bugs and request features in our trackers. Please read Reporting Bugs, for details on how we like our bug reports served upSubmit patches for new and/or fixed behaviour. Please read Submitting Patches, for details on how to submit a patch.Join the developer forums and share your ideas for how to improve Joomla. We''re always open to suggestions, although we''re likely to be sceptical of large-scale suggestions without some code to back it up.Join any of the Joomla Working Groups and bring your personal expertise to the Joomla community.Â <p>These are just a few ways you can contribute. SeeÂ Contribute to JoomlaÂ for many more ways.</p>', 1, 4, 0, 30, '2008-08-12 16:50:48', 62, 0, '2008-08-12 16:50:48', 62, 0, '0000-00-00 00:00:00', '2006-10-11 02:00:00', '0000-00-00 00:00:00', '', '',
'show_title=\nlink_titles=\nshow_intro=\nshow_section=\nlink_section=\nshow_category=\nlink_category=\nshow_vote=\nshow_author=\nshow_create_date=\nshow_modify_date=\nshow_pdf_icon=\nshow_print_icon=\nshow_email_icon=\nlanguage=\nkeyref=\nreadmore=', 12, 0, 2, 0, 53, 'robots=\nauthor='),
(28, 'How do I install Joomla! 1.5?', 'how-do-i-install-joomla-15', '<p>Installing of Joomla! 1.5 is pretty easy. We assume you have set-up your Web site, and it is accessible with your browser.

Download Joomla! 1.5, unzip it and upload/copy the files into the

```

[JoomlaConnect<sup>T M</sup>](http://news.joomla.org "JoomlaConnect"). If you have Joomla news that you would like to share with the community, find out how to get connectedÂ [here](http://community.joomla.org/connect.html "JoomlaConnect").

<li>Report bugs and request features in our [trackers](http://joomlancode.org/gf/project/joomla/tracker/ "Joomla! developement trackers"). Please read [Reporting Bugs](http://docs.joomla.org/Filing_bugs_and_is_sues "Reporting Bugs"), for details on how we like our bug reports served up</li><li>Submit patches for new and/or fixed behaviour. Please read [Submitting Patches](http://docs.joomla.org/Patch_submission_guidelines "Submitting Patches"), for details on how to submit a patch.</li><li>Join the [developer forums](http://forum.joomla.org/viewforum.php?f=509 "Joomla! development forums")</a> and share your ideas for how to improve Joomla. We're always open to suggestions, although we're likely to be sceptical of large-scale suggestions without some code to back it up.</li><li>Join any of the [Joomla Working Groups](http://www.joomla.org/about-joomla/the-project/working-groups.html "Joomla! working groups")</a> and bring your personal expertise to the Joomla community.Â </li></ul><p>These are just a few ways you can contribute. SeeÂ [Contribute to Joomla](http://www.joomla.org/about-joomla/contribute-to-joomla.html "Contribute")</a>Â for many more ways.</p>', 1, 4, 0, 30, '2008-08-12 16:50:48', 62, 0, '2008-08-12 16:50:48', 62, 0, '0000-00-00 00:00:00', '2006-10-11 02:00:00', '0000-00-00 00:00:00', '', '',
'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 12, 0, 2, 0, 53, 'robots=\nauthor='),
(28, 'How do I install Joomla! 1.5?', 'how-do-i-install-joomla-15', '<p>Installing of Joomla! 1.5 is pretty easy. We assume you have set-up your Web site, and it is accessible with your browser.<br /><br />Download Joomla! 1.5, unzip it and upload/copy the files into the

directory you Web site points to, fire up your browser and enter your Web site address and the installation will start. </p><p>For full details on the installation processes check out the <a href="http://help.joomla.org/content/category/48/268/302" target="\_blank" title="Joomla! 1.5 Installation Manual">Installation Manual</a> on the <a href="http://help.joomla.org" target="\_blank" title="Joomla! Help Site">Joomla! Help Site</a> where you will also find download instructions for a PDF version too. </p>, ", 1, 3, 0, 31, '2008-08-11 01:10:59', 62, "", '2008-08-11 01:10:59', 62, 0, '0000-00-00 00:00:00', '2006-10-10 06:00:00', '0000-00-00 00:00:00', "", ", 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 5, 0, 3, "", 0, 5, 'robots=\nauthor='), (29, 'What is the purpose of the collation selection in the installation screen?', 'what-is-the-purpose-of-the-collation-selection-in-the-installation-screen', "", 'The collation option determines the way ordering in the database is done. In languages that use special characters, for instance the German umlaut, the database collation determines the sorting order. If you don''t know which collation you need, select the "utf8\_general\_ci" as most languages use this. The other collations listed are exceptions in regards to the general collation. If your language is not listed in the list of collations it most likely means that "utf8\_general\_ci" is suitable.', ", 0, 3, 0, 32, '2008-08-11 03:11:38', 62, "", '2008-08-11 03:11:38', 62, 0, '0000-00-00 00:00:00', '2006-10-10 08:00:00', '0000-00-00 00:00:00', "", ", 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=', 4, 0, 4, "", 0, 6, 'robots=\nauthor='), (30, 'What languages are supported by Joomla! 1.5?', 'what-languages-are-supported-by-joomla-15', "", 'Within the Installer you will find a wide collection of languages. The installer currently supports the following languages: Arabic, Bulgarian, Bengali, Czech, Danish, German, Greek, English, Spanish, Finnish, French, Hebrew, Devanagari(India), Croatian(Croatia), Magyar (Hungary), Italian, Malay, Norwegian bokmal, Dutch, Portuguese(Brasil), Portugues(Portugal), Romanian, Russian, Serbian, Svenska, Thai and more are being added all the time.<br />By

default the English language is installed for the Back and Front-ends. You can download additional language files from the <a href="http://extensions.joomla.org" target="\_blank" title="Joomla! Extensions Directory">Joomla! Extensions Directory</a>. ', ", 0, 3, 0, 32, '2008-08-11 01:12:18', 62, "", '2008-08-11 01:12:18', 62, 0, '0000-00-00 00:00:00', '2006-10-10 06:00:00', '0000-00-00 00:00:00', "", ", 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 5, 0, 2, "", 0, 8, 'robots=\nauthor='), (31, 'Is it useful to install the sample data?', 'is-it-useful-to-install-the-sample-data', "", 'Well you are reading it right now! This depends on what you want to achieve. If you are new to Joomla! and have no clue how it all fits together, just install the sample data. If you don''t like the English sample data because you - for instance - speak Chinese, then leave it out.', ", 0, 3, 0, 27, '2008-08-11 09:12:55', 62, "", '2008-08-11 09:12:55', 62, 0, '0000-00-00 00:00:00', '2006-10-10 10:00:00', '0000-00-00 00:00:00', "", ", 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 6, 0, 3, "", 0, 3, 'robots=\nauthor='), (32, 'Where is the Static Content Item?', 'where-is-the-static-content', "", '<p>In Joomla! versions prior to 1.5 there were separate processes for creating a Static Content Item and normal Content Items. The processes have been combined now and whilst both content types are still around they are renamed as Articles for Content Items and Uncategorized Articles for Static Content Items. </p><p>If you want to create a static item, create a new Article in the same way as for standard content and rather than relating this to a particular Section and Category just select <span style="font-style: italic">Uncategorized</span> as the option in the Section and Category drop down lists.</p>', ", 1, 3, 0, 28, '2008-08-10 23:13:33', 62, 0, '0000-00-00 00:00:00', '2006-10-10 04:00:00', '0000-00-00 00:00:00', "", ", 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 5, 0, 2, "", 0, 8, 'robots=\nauthor=')

n=\nlanguage=\nkeyref=\nreadmore=', 6, 0, 6, "", 0, 5, 'robots=\nauthor='),  
 (33, 'What is an Uncategorized Article?', 'what-is-uncategorised-article', "", 'Most Articles will be assigned to a Section and Category. In many cases, you might not know where you want it to appear so put the Article in the <em>Uncategorized </em>Section/Category. The Articles marked as <em>Uncategorized </em>are handled as static content.', "", 1, 3, 0, 31, '2008-08-11 15:14:11', 62, "", '2008-08-11 15:14:11', 62, 0, '0000-00-00 00:00:00', '2006-10-10 12:00:00', '0000-00-00 00:00:00', "",  
 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 8, 0, 2, "", 0, 6, 'robots=\nauthor='),  
 (34, 'Does the PDF icon render pictures and special characters?', 'does-the-pdf-icon-render-pictures-and-special-characters', "", 'Yes! Prior to Joomla! 1.5, only the text values of an Article and only for ISO-8859-1 encoding was allowed in the PDF rendition. With the new PDF library in place, the complete Article including images is rendered and applied to the PDF. The PDF generator also handles the UTF-8 texts and can handle any character sets from any language. The appropriate fonts must be installed but this is done automatically during a language pack installation.', "", 0, 3, 0, 32, '2008-08-11 17:14:57', 62, "", '2008-08-11 17:14:57', 62, 0, '0000-00-00 00:00:00', '2006-10-10 14:00:00', '0000-00-00 00:00:00', "",  
 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 7, 0, 3, "", 0, 6, 'robots=\nauthor='),  
 (35, 'Is it possible to change A Menu Item's Type?', 'is-it-possible-to-change-the-types-of-menu-entries', "", '<p>You indeed can change the Menu Item's Type to whatever you want, even after they have been created.  
 </p><p>If, for instance, you want to change the Blog Section of a Menu link, go to the Control Panel-&gt;Menus Menu-&gt; [menuname]-&gt;Menu Item Manager and edit the Menu Item. Select the <strong>Change Type</strong> button and choose the new style of Menu Item Type from the available list. Thereafter, alter the Details and Parameters to reconfigure the display for the new selection as you require it.</p>', "", 1, 3, 0, 31, '2008-08-10 23:15:36', 62, "", '2008-08-10 23:15:36', 62, 0, '0000-00-00 00:00:00', '2006-10-10

04:00:00', '0000-00-00 00:00:00', "",  
 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 6, 0, 1, "", 0, 18, 'robots=\nauthor='),  
 (36, 'Where did the Installers go?', 'where-did-the-installer-go', "", 'The improved Installer can be found under the Extensions Menu. With versions prior to Joomla! 1.5 you needed to select a specific Extension type when you wanted to install it and use the Installer associated with it, with Joomla! 1.5 you just select the Extension you want to upload, and click on install. The Installer will do all the hard work for you.', "", 1, 3, 0, 28, '2008-08-10 23:16:20', 62, "", '2008-08-10 23:16:20', 62, 0, '0000-00-00 00:00:00', '2006-10-10 04:00:00', '0000-00-00 00:00:00', "",  
 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 6, 0, 1, "", 0, 4, 'robots=\nauthor='),  
 (37, 'Where did the Mambots go?', 'where-did-the-mambots-go', "", '<p>Mambots have been renamed as Plugins. </p><p>Mambots were introduced in Mambo and offered possibilities to add plug-in logic to your site mainly for the purpose of manipulating content. In Joomla! 1.5, Plugins will now have much broader capabilities than Mambots. Plugins are able to extend functionality at the framework layer as well.</p>', "", 1, 3, 0, 28, '2008-08-11 09:17:00', 62, "", '2008-08-11 09:17:00', 62, 0, '0000-00-00 00:00:00', '2006-10-10 10:00:00', '0000-00-00 00:00:00', "",  
 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 6, 0, 5, "", 0, 4, 'robots=\nauthor='),  
 (38, 'I installed with my own language, but the Back-end is still in English', 'i-installed-with-my-own-language-but-the-back-end-is-still-in-english', "", '<p>A lot of different languages are available for the Back-end, but by default this language may not be installed. If you want a translated Back-end, get your language pack and install it using the Extension Installer. After this, go to the Extensions Menu, select Language Manager and make your language the default one. Your Back-end will be translated immediately.</p><p>Users who have access rights to the Back-end may choose

the language they prefer in their Personal Details parameters. This is of also true for the Front-end language.

A good place to find where to download your languages and localised versions of Joomla! is <a href="http://extensions.joomla.org/index.php?option=com\_mtree&task=listcats&cat\_id=1837&Itemid=35" target="\_blank" title="Translations for Joomla!">Translations for Joomla!</a> on JED.

'", 0, 3, 0, 32, '2008-08-11 17:18:14', 62, "", '2008-08-11 17:18:14', 62, 0, '0000-00-00 00:00:00', '2006-10-10 14:00:00', '0000-00-00 00:00:00', "", "show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 7, 0, 1, "", 0, 8, 'robots=\nauthor='), (39, 'How do I remove an Article?', 'how-do-i-remove-an-article', "", '<p>To completely remove an Article, select the Articles that you want to delete and move them to the Trash. Next, open the Article Trash in the Content Menu and select the Articles you want to delete. After deleting an Article, it is no longer available as it has been deleted from the database and it is not possible to undo this operation. </p>', "", 0, 3, 0, 27, '2008-08-11 09:19:01', 62, "", '2008-08-11 09:19:01', 62, 0, '0000-00-00 00:00:00', '2006-10-10 10:00:00', '0000-00-00 00:00:00', "", "show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 6, 0, 2, "", 0, 4, 'robots=\nauthor='), (40, 'What is the difference between Archiving and Trashing an Article? ', 'what-is-the-difference-between-archiving-and-trashing-an-article', "", '<p>When you <em>Archive </em>an Article, the content is put into a state which removes it from your site as published content. The Article is still available from within the Control Panel and can be <em>retrieved </em>for editing or republishing purposes. Trashed Articles are just one step from being permanently deleted but are still available until you Remove them from the Trash Manager. You should use Archive if you consider an Article important, but not current. Trash should be used when you want to delete the content entirely from your site and from future search results. </p>', "", 0, 3, 0, 27, '2008-08-11 05:19:43', 62, "", '2008-08-11 05:19:43', 62, 0, '0000-00-00 00:00:00', '2006-10-10 06:00:00', '0000-00-00 00:00:00', "", "show\_title=\nlink\_titles=\nshow\_intro=\nshow\_

section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 8, 0, 1, "", 0, 5, 'robots=\nauthor='), (41, 'Newsflash 5', 'newsflash-5', "", 'Joomla! 1.5 - "Experience the Freedom"!. It has never been easier to create your own dynamic Web site. Manage all your content from the best CMS admin interface and in virtually any language you speak.', "", 0, 1, 0, 3, '2008-08-12 00:17:31', 62, "", '2008-08-12 00:17:31', 62, 0, '0000-00-00 00:00:00', '2006-10-11 06:00:00', '0000-00-00 00:00:00', "", "show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=", 5, 0, 2, "", 0, 4, 'robots=\nauthor='), (42, 'Newsflash 4', 'newsflash-4', "", 'Yesterday all servers in the U.S. went out on strike in a bid to get more RAM and better CPUs. A spokesman said that the need for better RAM was due to some fool increasing the front-side bus speed. In future, buses will be told to slow down in residential motherboards.', "", 0, 1, 0, 3, '2008-08-12 00:25:50', 62, "", '2008-08-12 00:25:50', 62, 0, '0000-00-00 00:00:00', '2006-10-11 06:00:00', '0000-00-00 00:00:00', "", "show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=", 5, 0, 1, "", 0, 5, 'robots=\nauthor='), (43, 'Example Pages and Menu Links', 'example-pages-and-menu-links', "", '<p>This page is an example of content that is <em>Uncategorized</em>; that is, it does not belong to any Section or Category. You will see there is a new Menu in the left column. It shows links to the same content presented in 4 different page layouts.</p><ul><li>Section Blog</li><li>Section Table</li><li>Blog Category</li><li>Category Table</li></ul><p>Follow the links in the <strong>Example Pages</strong> Menu to see some of the options available to you to present all the different types of content included within the default installation of Joomla!.</p><p>This includes Components and individual Articles. These links or Menu Item Types (to give them their proper name) are all controlled from within the <strong><font face="courier new,courier">Menu Manager-&gt;[menuname]-&gt;Menu Items Manager</font></strong>.

</p>', "", 1, 0, 0, 0, '2008-08-12 09:26:52', 62, "", '2008-08-12 09:26:52', 62, 0, '0000-00-00 00:00:00', '2006-10-11 10:00:00', '0000-00-00 00:00:00', "", ", 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 7, 0, 7, 'Uncategorized, Uncategorized, Example Pages and Menu Links', "", 0, 44, 'robots=\nauthor='),  
 (44, 'Joomla! Security Strike Team', 'joomla-security-strike-team', "", '<p>The Joomla! Project has assembled a top-notch team of experts to form the new Joomla! Security Strike Team. This new team will solely focus on investigating and resolving security issues. Instead of working in relative secrecy, the JSST will have a strong public-facing presence at the <a href="http://developer.joomla.org/security.html" target="\_blank" title="Joomla! Security Center">Joomla! Security Center</a>. </p>', '<p>The new JSST will call the new <a href="http://developer.joomla.org/security.html" target="\_blank" title="Joomla! Security Center">Joomla! Security Center</a> their home base. The Security Center provides a public presence for <a href="http://developer.joomla.org/security/news.html" target="\_blank" title="Joomla! Security News">security issues</a> and a platform for the JSST to <a href="http://developer.joomla.org/security/articles-tutorials.html" target="\_blank" title="Joomla! Security Articles">help the general public better understand security</a> and how it relates to Joomla!. The Security Center also offers users a clearer understanding of how security issues are handled. There's also a <a href="http://feeds.joomla.org/JoomlaSecurityNews" target="\_blank" title="Joomla! Security News Feed">news feed</a>, which provides subscribers an up-to-the-minute notification of security issues as they arise.</p>', 0, 1, 0, 1, '2007-07-07 09:54:06', 62, "", '2007-07-07 09:54:06', 62, 0, '0000-00-00 00:00:00', '2004-07-06 22:00:00', '0000-00-00 00:00:00', "", ", 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 1, 0, 3, "", 0, 0, 'robots=\nauthor='),  
 (45, 'Joomla! Community Portal', 'joomla-community-portal', "", '<p>The <a href="http://community.joomla.org/'

target="\_blank" title="Joomla! Community Portal">Joomla! Community Portal</a> is now online. There, you will find a constant source of information about the activities of contributors powering the Joomla! Project. Learn about <a href="http://community.joomla.org/events.html" target="\_blank" title="Joomla! Events">Joomla! Events</a> worldwide, and see if there is a <a href="http://community.joomla.org/user-groups.html" target="\_blank" title="Joomla! User Groups">Joomla! User Group</a> nearby.</p><p>The <a href="http://community.joomla.org/magazine.html" target="\_blank" title="Joomla! Community Magazine">Joomla! Community Magazine</a> promises an interesting overview of feature articles, community accomplishments, learning topics, and project updates each month. Also, check out <a href="http://community.joomla.org/connect.html" target="\_blank" title="JoomlaConnect">JoomlaConnect#0153 ;</a>. This aggregated RSS feed brings together Joomla! news from all over the world in your language. Get the latest and greatest by clicking <a href="http://community.joomla.org/connect.html" target="\_blank" title="JoomlaConnect">here</a>. </p>', 0, 1, 0, 1, '2007-07-07 09:54:06', 62, "", '2007-07-07 09:54:06', 62, 0, '0000-00-00 00:00:00', '2004-07-06 22:00:00', '0000-00-00 00:00:00', "", ", 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 2, 0, 2, "", 0, 5, 'robots=\nauthor='),  
 (46, 'Home Page', 'home-page', "", '<p align="center"><span style="font-family: Copperplate Gothic Bold; color: black; font-size: xx-large;">Ugnayan ng Pahinungod</span></p>\r\n<p align="center" style="text-align: -webkit-auto;">Â </p>\r\n<p align="center">Â </p>\r\n<p style="text-align: justify; line-height: 150%;"><strong><span style="color: black; font-size: medium;">About PahinungÃ³d</span></strong></p>\r\n<p style="text-align: justify; line-height: 150%;">Â </p>\r\n<p style="text-align: justify; line-height: 150%; padding-left: 30px;"><span style="color: black;">Inaugurated in 1994, Ugnayan ng PahinungÃ³d's mission is to make the University a more caring academic community that is bound together by a commitment to the empowerment of people and selfless service to

the underserved, depressed and deprived communities. The name was derived from the Cebuano term Pahinungâd, the Filipino translation of "oblation" or offering of one's self to a higher cause, while the word Ugnayan recognizes the linkage of the University and its volunteers to the communities.</span></p>\r\n<p style="text-align: justify; line-height: 150%;"><span style="color: black;"><br /></span></p>\r\n<p style="text-align: justify; line-height: 150%; padding-left: 30px;"><span style="color: black;"> With the continuous service of Pahinungâd programs, the University reaffirms its mission that it has never been simply a formal teaching and learning institution, but "one that has a social and moral responsibility to get involved in the life of the nation through the willing service of its faculty, students, alumni and employees, as well as, the units and organizations they represent, in areas of greatest needs."</span></p>\r\n<p style="text-align: justify; line-height: 150%;"><span style="color: black;"><br /></span></p>\r\n<p style="line-height: 150%; align="left"><strong><span style="color: black; font-size: medium;">Pahinungâd logo</span></strong></p>\r\n<a rel="SqueezeBox" href="index.php?option=com\_content&view=article&id=73:article-8&catid=80:advocacy-program&Itemid=240" title="logo" class="modal">\r\n<p style="text-align: center; line-height: 150%;" align="left"></p>\r\n<p style="line-height: 150%;" align="left">Â </p>\r\n</a> <!--<a rel="lightbox" href="index.php?option=com\_content&view=article&id=70:article-6&catid=62:health-education-health-training&Itemid=240" class="modal" link name </a> <a class="modal" rel="{handler: "iframe", size: {x: 570, y: 200}}" href="http://www.DOMAIN.com/index.php?option=com\_finder&view=search&Itemid=10&tmpl=component" >two</a>-->\r\n<p style="text-align: justify; line-height: 150%; padding-left: 30px;"><span style="color: black;">The logo captures the initials of the University of the Philippines that is U.P. The colors blue, white and the mixture of yellow and red orange are inspired by the Philippine Flag giving acknowledgment to the university's commitment to the service of the nation. The blue represents the seed of growth sprouting from within that describes the multi-dimension of lives being touched by thousands of volunteers. The red-orange to yellow is

prominently placed on the left to emphasize the glowing spirit of selfless service to the underserved sectors. It is like the sun that nurtures the seed. The curvilinear, circular form that opens upright represents the common interest that binds the volunteers altogether in making a difference.</span></p>', "", 1, 0, 0, 0, '2006-03-08 07:31:33', 62, "", '2012-03-28 11:01:17', 62, 0, '0000-00-00 00:00:00', '2006-03-08 07:31:33', '0000-00-00 00:00:00', "", "", 'show\_title=0\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=0\nshow\_create\_date=0\nshow\_modify\_date=\nshow\_pdf\_icon=0\nshow\_print\_icon=0\nshow\_email\_icon=0\nlanguage=\nkeyref=\nreadmore =', 45, 0, 6, "", 0, 77, 'robots=\nauthor=',
 (47, 'Sample PHP', 'sample-php', "", '<script type="text/javascript">// <![CDATA[<r>function update(){<r>\n\nalert("reached this");<r>\n var location =\ndocument.ht\_req.location.value;\n\n<r>\n var subject =\ndocument.ht\_req.subject.value;\n\n<r>\n var participants =\ndocument.ht\_req.participants.value;<r>\n var startDate =\ndocument.ht\_req.startDate.value;<r>\n var endDate = document.ht\_req.endDate.value;\n\n<r>\*/<r>\n\nif((location == "")||(subject == "")||\n(participants == "")||(startDate == "")||\n(endDate == "")){<r>\n\nalert("Please fill in the necessary\ninformation.");<r>\n\nreturn;<r> } <r>\*</r>\n\ndocument.ht\_req.action =\n"j\_saveRequest.php";<r>\n\ndocument.ht\_req.submit();<r>}<r>]]></script>\r\n<div id="backable"><a class="top\_link"\nhref="javascript:ajaxpagefetcher.load('backable', 'j\_request\_event\_index.php', false)">\nBack</a></div>\r\n<div><br />&lt;?php\n<br /> \$user =&amp;\nJFactory::getUser();<br /> \$userid=\$uer-&gt;id;<br /> \$username=\$user-&gt;username;<br />?&gt; <br /> <form\nid="ht\_req"> <r>\n<table style="height: 247px;"\nborder="0"\nwidth="429"><r>\n<tbody><r>\n<tr><r>\n<td\nclass="style1"\n

```

width="136">Location:</td>|r|n<td
width="283"><label> <input id="location"
name="Location" size="45" type="text" />
</label></td>|r|n</tr>|r|n<tr>|r|n<td
class="style1"
height="41">Subject:</td>|r|n<td><label>
<input id="subject" name="School" size="45"
type="text" />
</label></td>|r|n</tr>|r|n<tr>|r|n<td
class="style1" height="41">Estimated number
of participants:</td>|r|n<td><label> <input
id="participants" name="Participants"
size="45" type="text" />
</label></td>|r|n</tr>|r|n<tr>|r|n<td
class="style1" height="41">Desired start
date:</td>|r|n<td><input id="startDate"
name="startDate" size="45" type="text"
/></td>|r|n</tr>|r|n<tr>|r|n<td
class="style1" height="41">Desired end
date:</td>|r|n<td><input id="endDate"
name="endDate" size="45" type="text"
/></td>|r|n</tr>|r|n<tr>|r|n<td
class="style1" height="41"></td>|r|n<td
align="right">|r|n<p><label>
</label></p>|r|n<div><input id="Submit"
onclick="javascript:update()" name="Submit"
type="button" value="Submit Request" />
<input id="name" name="name"
type="hidden" value="<?php echo
$username;?>" /><input id="id"
name="name" type="hidden" value="<?php
echo $userid;?>">
/></div>|r|n</td>|r|n</tr>|r|n</tbody>|r|n</t
able>|r|n<ul id="mainlevel">|r|n <a
class="mainlevel"
href="agila.upm.edu.ph/~ddemesa/pahinungo
d/index.php?
option=com_wrapper&view=wrapper&am
p;Itemid=70">Request an Event
|r|n|r|n</form><form>
</form><form>
</form></div>', ", 0,
0, 0, 0, '2010-04-01 10:01:14', 62, "", '2010-11-
15 02:52:41', 62, 0, '0000-00-00 00:00:00',
'2010-04-01 10:01:14', '0000-00-00 00:00:00',
", ",
'show_title=\nlink_titles=\nshow_intro=\nsho
w_section=\nlink_section=\nshow_category=\nlin
k_category=\nshow_vote=\nshow_author=\nsh
ow_create_date=\nshow_modify_date=\nsh
ow_pdf_icon=\nshow_print_icon=\nshow_email_ico
n=\nlanguage=\nkeyref=\nreadmore=', 8,
0, 9, ", 0, 35, 'robots=\nauthor='),
(48, 'What We Do?', 'what-we-do', ", '<p
align="center"><span style="font-family:
Copperplate Gothic Bold; color: black; font-size:
xx-large;">WHAT WE DO</p>|r|n<p
align="center">Â </p>|r|n<p
align="center"><span style="font-family:
Copperplate Gothic Bold; color: black; font-size:
xx-large;">
</p>|r|n<p
style="text-align: justify; line-height:
150%;"><span style="color: black;
font-size: medium;">About
Pahinungâ³d</p>|r|n<p
style="text-align: justify; line-height:
150%;">Â </p>|r|n<p style="text-align:
justify; line-height: 150%; padding-left:
30px;">The
Ugnayan ng Pahinungâ³d/ Oblation Corps is a
program of the University that institutionalizes
volunteerism among UP constituents through
the rendering of free services to communities
in greatest need. It enjoins faculty, students,
alumni, and employees of UP to share their
skills and talents with our less privileged
countrymen. It seeks to put flesh and blood to
the term Iskolar ng Bayan. Established in 1994
under the administration of then UP President
Emil Q. Javier, the Ugnayan ng Pahinungâ³d is
presently existing in most autonomous units of
the University of the Philippines. In UP Manila,
it is currently under the directorship of Dr.
Frederico Cruz.</p>|r|n<p
style="text-align: justify; line-height: 150%;
padding-left: 30px;"><span style="color:
black;">
</p>|r|n<p
style="text-align: justify; line-height: 150%;
padding-left: 30px;"><span style="color:
black;">Among those who have taken the rein
of leadership of the volunteer program were
Dr. Eric S.M. Talens, Prof. Fatima Alvarez-
Castillo, Dr. Mario de Villa, Dr. Carmencita
Padilla, Dr. Juan Pablo NaÃ±agas, and Dr.
Froilan Inocencio.</p>, ", 1, 9, 0, 65,
'2010-05-20 04:55:21', 62, "", '2011-02-11
13:01:09', 62, 0, '0000-00-00 00:00:00',
'2010-05-20 04:55:21', '0000-00-00 00:00:00', ", ",
'show_title=0\nlink_titles=\nshow_intro=\nsho
w_section=\nlink_section=\nshow_category=\nlin
k_category=\nshow_vote=\nshow_author=0\nsh
ow_create_date=\nshow_modify_date=\nsh
ow_pdf_icon=\nshow_print_icon=\nshow_email_ico
n=\nlanguage=\nkeyref=\nreadmore=', 8,
0, 9, ", 0, 35, 'robots=\nauthor='),
(49, 'Why We Do It?', 'why-we-do-it', ", '<p
align="center"><span style="font-family:
Copperplate Gothic Bold; color: black; font-size:
xx-large;">WHY WE DO IT</p>|r|n<p
align="center">Â </p>|r|n<p
align="center"><span style="font-family:
Copperplate Gothic Bold; color: black; font-size:
xx-large;">
</p>|r|n<p
style="text-align: justify; line-height: 150%;
padding-left: 30px;"><span style="color:
black;">
 Most of the volunteers, when asked
about why they join the program, answered
they want to give back to the country what
they received from the country. As Iskolar ng
Bayan whose education was subsidized by the
taxes of the people, a volunteer feels that the
least they could do is reach out to the

```

communities and offer their services. In the end, the volunteers believed that it was still them who gained more after repeatedly joining the activities of PahinungÃ³d. The enriching experience of being a volunteer taught them more knowledge and realizations. It gained them new-found friends. It gave them a sense of satisfaction and fulfillment in knowing that once in their life, they have touched another life.

PahinungÃ³d as a program was created in line with UP Manilaâ€™s objectives. As part of UP Manilaâ€™s agenda of being a socially responsible academic community, among others, PahinungÃ³d has its service programs to directly address the immediate and not-so-immediate needs of the deprived communities and marginalized sectors of the society. The University is aware that volunteer work already existed even before PahinungÃ³d was established. One of the reasons why PahinungÃ³d was created is to help better facilitate other organizations in its community outreach projects and institutionalize volunteerism in the University. It aims to fan the flame of volunteerism and provides an opportunity for selfless service.

Vision

U.P. in the service of the underserved communities of the nation through volunteerism.

Mission

Prepare

and nurture a corps of volunteers committed to provide leadership in the undertaking and implementation of community-oriented programs complementary to the Teaching, Research and Extension functions of the University.

The Educational Assistance Program seeks to improve the quality of public educational system in terms of skill enhancement and manpower augmentation. Under this are the following sub-programs -

Tutorial Services, Gurong Pahinung<sup>Ã³</sup>d, and Teachers" Development Program.</p>\r\n<ul style="padding-left: 30px; text-align: justify;"><li style="font-size: 14px; line-height: normal;"><br /></li></ul>\r\n<ul style="padding-left: 30px; text-align: justify;">\r\n- Tutorial Services Program** deploys the volunteers to public elementary schools within Metro Manila to conduct one-on-one tutorial sessions to elementary students who are at risk of failing. They also hold story-telling sessions for their tutees in order to help them improve their reading and listening skills.

**Gurong Pahinungod** deploys volunteer UP alumni (usually fresh graduates) to impart new methods of effective teaching; help public school students to pass UPCAT for even distribution of slots to all parts of the country; and help the community with educational and social welfare projects. It has been observed that a lot of public school teachers are teaching subjects that they did not specialize in. Also, the student-teacher ratio in public schools is very high. These are problems that cause poor learning process because the students are not closely monitored and teachers have limited knowledge on the subjects they are teaching. It is for these reasons that the Teachers" Development Program was created. Volunteers are deployed to underserved areas for a year with a monthly stipend of P5,000.00 and medical insurance. They are also monitored by Pahinung<sup>Ã³</sup>d staff and UP faculty. For the non-EDUC graduate, their tuition fee will be subsidized if they enroll in Continuing Professional Education.

The **Teachers" Development Program** sends faculty volunteers of the University to underserved areas to share academic knowledge and teaching skills in Math, Biology, Chemistry, Physics, English and History. This also allows the University to open its resources to the underrepresented areas, hoping to help them train the future leaders of the

country.</li>\r\n</ul>\r\n</blockquote>', "", 1, 9, 0, 65, '2010-05-20 04:59:52', 62, "", '2011-03-31 09:04:09', 62, 0, '0000-00-00 00:00:00', '2010-05-20 04:59:52', '0000-00-00 00:00:00', "", "", "show\_title=0\link\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=0\show\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore', 8, 0, 7, "", 0, 40, 'robots=\nauthor='), (60, 'asd', 'asd', "", '<p>asd</p>', "", 0, 0, 0, 0, '2011-03-31 11:27:56', 136, "", '0000-00-00 00:00:00', '2011-03-31 11:27:31', '0000-00-00 00:00:00', "", "", 1, 0, 2, "", 0, 0, ""), (64, 'Pahinungod Reaches Out to the Natives', 'as', "", '<p style="text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; margin-bottom: 14px; margin-left: 0px; color: #000000; font-family: Arial, Helvetica, sans; padding: 0px;"><strong>Lorem ipsum dolor sit amet</strong>, consectetur adipiscing elit. Mauris dignissim est vel sapien iaculis accumsan. Donec eu nunc nisl. Praesent et orci sollicitudin felis vehicula consequat ac eu arcu. Proin laoreet iaculis arcu quis aliquet. In gravida, dui quis feugiat fringilla, odio lacus varius erat, vel malesuada lacus velit vel arcu. Pellentesque interdum nulla a turpis luctus vel ultrices magna cursus. Nunc vel risus massa, a elementum enim. Aliquam sed nulla eu sem luctus aliquam. Suspendisse eget nisl vel arcu fermentum adipiscing. Mauris vitae mi erat. Vivamus sagittis, nisl sit amet fringilla rutrum, nulla felis consectetur purus, sit amet ullamcorper ante augue sed dui. Nulla facilisi. Nam risus massa, adipiscing vel dignissim imperdiet, vehicula vitae nibh. Suspendisse suscipit leo eu lacus aliquam pharetra et ac tellus. Quisque lacinia libero sit amet ligula semper eget dapibus nisi semper. Nam malesuada, lorem ut porta rhoncus, augue lacus ullamcorper sem, sed porta ante mauris in quam.</p>\r\n<p style="text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; margin-bottom: 14px; margin-left: 0px; color: #000000; font-family: Arial, Helvetica, sans; padding: 0px;">Phasellus ac tellus velit, sed gravida nulla. Sed id arcu libero, sed tristique tortor. Etiam fermentum ultrices nisi, at dictum velit porta quis. In hac habitasse platea dictumst. Fusce blandit commodo sem, et faucibus lectus scelerisque ut. Donec ultricies suscipit congue. Fusce posuere nibh nec erat imperdiet aliquet. Duis sodales congue diam, vitae malesuada nisl feugiat in. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. In hac habitasse platea dictumst. Aliquam sem

libero, egestas in molestie ac, volutpat ut magna. Maecenas dolor mi, adipiscing at sodales non, consectetur sit amet urna. Mauris mauris eros, commodo ac imperdier mollis, sodales non enim. Quisque justo tellus, varius ut aliquet quis, vehicula sit amet lacus. Vestibulum ut odio nibh, id cursus nisl. Ut a nibh augue, a dictum diam.

Nullam sollicitudin sollicitudin erat ac imperdier. Vivamus non nisi augue. Curabitur diam sapien, elementum vel laoreet dignissim, adipiscing vel elit. Phasellus nec sem quis turpis hendrerit sollicitudin. Sed enim lectus, suscipit ut mattis in, auctor in libero. Cras sit amet nisi id justo suscipit iaculis.

Pellentesque molestie dictum porta. Donec eu felis purus, id pulvinar sem. Morbi fermentum neque non orci varius varius. Fusce cursus massa vel ligula ornare condimentum a ac arcu.

Vivamus porta, odio sit amet rutrum euismod, quam risus aliquam tellus, nec luctus metus nunc quis felis. Integer in urna a nunc aliquet ultricies. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aliquam justo nisi, imperdier vitae tempor quis, viverra eu lacus. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Nunc eu massa nulla. Phasellus porttitor sodales sem at semper. Duis et mauris non nulla tempus vehicula id ac lacus. Nam lobortis vehicula felis, eget venenatis ante viverra et. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.

Pellentesque eu volutpat neque.

Quisque tortor justo, volutpat a auctor eu, consectetur sed dolor. Morbi imperdier tristique erat, faucibus tempor risus lacinia ullamcorper. Fusce aliquam feugiat felis ut malesuada. Cras id scelerisque erat. Morbi enim enim, tempor non accumsan eget, dignissim vitae nunc. Donec tempus laoreet venenatis. Suspendisse eros est, aliquet et semper a, pharetra id neque. Integer nec ante eget diam pellentesque consequat.

/br>, ", 1, 11, 0, 60, '2011-05-21 07:40:51', 62, ", '2011-12-15 04:07:13', 62, 0, '0000-00-00 00:00:00', '2011-05-21 00:00:00', '0000-00-00 00:00:00', "", "", "3, 0, 2, "", 0, 10, ")

(65, 'Tutorials Finished!', 'article-1', ", '

"Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.</p>`

Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.</p>', ", 1, 11, 0, 58, '2011-05-28 02:26:44', 62, '', '2011-10-22 08:37:02', 62, 0, '0000-00-00 00:00:00', '2011-05-28 02:26:44', '0000-00-00 00:00:00', "", "", 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_

ow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_ico  
 n=\nlanguage=\nkeyref=\nreadmore=', 2, 0,  
 2, "", 0, 0, 'robots=\nauthor='),  
 (66, 'TDP Success!', 'article-2', "", '

'>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.</p>\r\n< p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">'>Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.</p>', 1, 11, 0, 59, '2011-05-28 02:31:17', 62, '', '2011-10-22 06:27:01', 62, 0, '0000-00-00 00:00:00', '2011-05-28 02:31:17',

'0000-00-00 00:00:00', "", "",  
 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_ico  
 n=\nlanguage=\nkeyref=\nreadmore=', 2, 0,  
 1, "", 0, 0, 'robots=\nauthor='),  
 (67, 'Publications Now Out!', 'article-3', "", '

'></p>\r\n< p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">'>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.</p>\r\n< p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">'>Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus

porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.</p> ", 1, 11, 0, 80, '2011-05-28 02:31:48', 62, ", '2011-10-22 08:42:23', 62, 0, '0000-00-00 00:00:00', '2011-05-28 02:31:48', '0000-00-00 00:00:00', ", ", 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_ico n=\nlanguage=\nkeyref=\nreadmore=', 4, 0, 1, ", ", 0, 0, 'robots=\nauthor='), (68, 'Health Missions Reach Farther', 'article-4', ", '

>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.</p>\r\n< p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">>Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et

scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.</p> ", 1, 11, 0, 61, '2011-05-28 02:32:48', 62, ", '2011-10-22 08:44:33', 62, 0, '0000-00-00 00:00:00', '2011-05-28 02:32:48', '0000-00-00 00:00:00', ", ", 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_ico n=\nlanguage=\nkeyref=\nreadmore=', 2, 0, 2, ", ", 0, 2, 'robots=\nauthor='), (69, 'ERPV Next Batch', 'article-5', ", '

></p>\r\n< p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.</p>\r\n< p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">>Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque

dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.

</p><br>

' , 1, 11, 0, 63, '2011-05-28 02:33:14', 62, '' , '2011-10-22 08:40:54', 62, 62, '2011-12-15 04:58:12', '2011-05-28 02:33:14', '0000-00-00 00:00:00', '' , '' ,

'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=' , 3, 0, 2, '' , 0, 1, 'robots=\nauthor='), (70, 'Health Training 101', 'article-6', '' ,

'<p></p>

\r\n< p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; font-size: 11px; line-height: 14px; margin-right: 0px; text-align: justify; padding: 0px;">Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.

</p>\r\n', '\r\n< p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor

dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.

</p>, 1, 11, 0, 62, '2011-05-28 02:33:43', 62, '' , '2011-10-22 08:54:26', 62, 0, '0000-00-00 00:00:00', '2011-05-28 02:33:43', '0000-00-00 00:00:00', '' , '' ,

'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=' , 3, 0, 1, '' , 0, 6, 'robots=\nauthor='), (71, 'Summer Immersion', 'article-7', '' ,

'<p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.

</p>\r\n', '\r\n< p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor

14px; margin-right: 0px; padding: 0px;">>Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.</p>', 1, 11, 0, 64, '2011-05-28 02:34:06', 62, '', '2011-10-22 08:52:53', 62, 0, '0000-00-00 00:00:00', '2011-05-28 02:34:06', '0000-00-00 00:00:00', "", "show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 3, 0, 1, "", 0, 3, 'robots=\nauthor='), (72, 'Program for the Street Kids', 'article-7', "", '

>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum

viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.</p>\r\n', '\r\n< p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">>Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.</p>', 1, 11, 0, 79, '2011-05-28 02:34:36', 62, '', '2011-10-22 08:52:16', 62, 0, '0000-00-00 00:00:00', '2011-05-28 02:34:36', '0000-00-00 00:00:00', "", "show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 3, 0, 1, "", 0, 7, 'robots=\nauthor='), (73, 'Gurong Pahinungod', 'article-8', "", '<p></p>\r\n< p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor

commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at  
lorem.</p>\r\n', '\r\n< p style="margin-top: 0px; margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.</p>\r\n< div>< span style="font-size: 11px; line-height: 14px;"><br /></span></div>', 1, 11, 0, 60, '2011-05-28 02:34:59', 62, '', '2011-10-22 08:51:39', 62, 62, '2011-10-22 09:07:58', '2011-05-28 02:34:59', '0000-00-00 00:00:00', "", "", 'show\_title=\nlink\_titles=\nshow\_intro=\nshow\_section=\nlink\_section=\nshow\_category=\nlink\_k\_category=\nshow\_vote=\nshow\_author=\nshow\_create\_date=\nshow\_modify\_date=\nshow\_pdf\_icon=\nshow\_print\_icon=\nshow\_email\_icon=\nlanguage=\nkeyref=\nreadmore=', 3, 0, 1, "", 0, 21, 'robots=\nauthor='), (74, 'Health Trainers on the Road', 'asd', "", '<p></p>\r\n< p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam ut velit mauris, vitae elementum sem. Pellentesque rutrum, ligula vel facilisis molestie, nulla leo mollis erat, vel fermentum nunc risus ac velit. Nam fringilla hendrerit sapien, non elementum mauris varius in. Mauris sit amet nibh libero, vel malesuada mi. Quisque tempus dolor vel

mauris convallis molestie. Nam ut tincidunt quam. In lectus tellus, varius sit amet faucibus a, dignissim a justo.</p>\r\n< p>Aenean placerat sodales condimentum. Sed in ultrices lacus. Vivamus condimentum viverra augue, vel rutrum purus imperdiet sit amet. Mauris nunc diam, dictum ut pharetra eu, fringilla sollicitudin lectus. Donec adipiscing quam nec nibh egestas in sollicitudin est porta. Sed fringilla ante eu arcu elementum eu commodo urna interdum. Nam et odio eget purus elementum aliquet.</p>\r\n', '\r\n< p>Â </p>\r\n< p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam ut velit mauris, vitae elementum sem. Pellentesque rutrum, ligula vel facilisis molestie, nulla leo mollis erat, vel fermentum nunc risus ac velit. Nam fringilla hendrerit sapien, non elementum mauris varius in. Mauris sit amet nibh libero, vel malesuada mi. Quisque tempus dolor vel mauris convallis molestie. Nam ut tincidunt quam. In lectus tellus, varius sit amet faucibus a, dignissim a justo.</p>\r\n< p>Aenean placerat sodales condimentum. Sed in ultrices lacus. Vivamus condimentum viverra augue, vel rutrum purus imperdiet sit amet. Mauris nunc diam, dictum ut pharetra eu, fringilla sollicitudin lectus. Donec adipiscing quam nec nibh egestas in sollicitudin est porta. Sed fringilla ante eu arcu elementum eu commodo urna interdum. Nam et odio eget purus elementum aliquet.</p>\r\n< p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nam ut velit mauris, vitae elementum sem. Pellentesque rutrum, ligula vel facilisis molestie, nulla leo mollis erat, vel fermentum nunc risus ac velit. Nam fringilla hendrerit sapien, non elementum mauris varius in. Mauris sit amet nibh libero, vel malesuada mi. Quisque tempus dolor vel mauris convallis molestie. Nam ut tincidunt quam. In lectus tellus, varius sit amet faucibus a, dignissim a justo.<br />Aenean placerat sodales condimentum. Sed in ultrices lacus. Vivamus condimentum viverra augue, vel rutrum purus imperdiet sit amet. Mauris nunc diam, dictum ut pharetra eu, fringilla sollicitudin lectus. Donec adipiscing quam nec nibh egestas in sollicitudin est porta. Sed fringilla ante eu arcu elementum eu commodo urna interdum. Nam et odio eget purus elementum aliquet.</p>\r\n< p>Â </p>', 1, 11, 0, 62, '2011-10-22 02:23:18', 62, 0, '2012-03-28 06:07:09', 62, 0, '0000-00-00 00:00:00', '2011-10-22 00:00:00', '0000-00-00 00:00:00', "", "", 6, 0, 2, "", 0, 8, ""), (76, 'asd', 'asd', "asd", 1, 0, 0, 0, '2011-12-15 04:46:32', 62, "", '0000-00-00 00:00:00', 0, 0, '0000-00-00 00:00:00', '2011-12-15 00:00:00', '0000-00-00 00:00:00', "", "", 1, 0, 1, "", 0, 0, "")

```

(78, 'sample', 'sample', "", 'sample', "", 1, 11, 0,
61, '2012-03-27 21:04:59', 62, "", '0000-00-00
00:00:00', 0, 62, '2012-03-27 21:05:22', '2012-
03-27 21:04:59', '0000-00-00 00:00:00', "", "",
'show_title=\nlink_titles=\nshow_intro=\nshow_
section=\nlink_section=\nshow_category=\nlin
k_category=\nshow_vote=\nshow_author=\nsh
ow_create_date=\nshow_modify_date=\nshow_
pdf_icon=\nshow_print_icon=\nshow_email_ico
n=\nlanguage=\nkeyref=\nreadmore=', 1, 0,
1, "", 0, 2, 'robots=\nauthor=');

-- Table structure for table
`jos_contentsubmit_config`
--

CREATE TABLE `jos_contentsubmit_config` (
 `id` int(11) NOT NULL auto_increment,
 `title` varchar(255) NOT NULL,
 `value` varchar(255) NOT NULL,
 PRIMARY KEY (`id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=1;

-- Dumping data for table
`jos_contentsubmit_config`
--

-- Table structure for table
`jos_content_frontpage`
--

CREATE TABLE `jos_content_frontpage` (
 `content_id` int(11) NOT NULL default '0',
 `ordering` int(11) NOT NULL default '0',
 PRIMARY KEY (`content_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table
`jos_content_frontpage`
--

INSERT INTO `jos_content_frontpage`(`content_id`, `ordering`) VALUES
(46, 1);

-- Table structure for table `jos_content_rating`
--

CREATE TABLE `jos_content_rating` (
 `content_id` int(11) NOT NULL default '0',
 `rating_sum` int(11) unsigned NOT NULL
default '0',
 `rating_count` int(11) unsigned NOT NULL
default '0',
 `lastip` varchar(50) NOT NULL default '',
 PRIMARY KEY (`content_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `jos_content_rating`
--

-- Table structure for table `jos_core_acl_ar
`

CREATE TABLE `jos_core_acl_ar
` (
 `id` int(11) NOT NULL auto_increment,
 `section_value` varchar(240) NOT NULL
default '0',
 `value` varchar(240) NOT NULL default '',
 `order_value` int(11) NOT NULL default '0',
 `name` varchar(255) NOT NULL default '',
 `hidden` int(11) NOT NULL default '0',
 PRIMARY KEY (`id`),
 UNIQUE KEY `jos_section_value_ar
`(`section_value`(100),`value`(100)),
 KEY `jos_gacl_hidden_ar
`(`hidden`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=126;

-- Dumping data for table `jos_core_acl_ar
`

INSERT INTO `jos_core_acl_ar
`(`id`,
`section_value`, `value`, `order_value`,
`name`, `hidden`) VALUES
(10, 'users', '62', 0, 'admin', 0),
(51, 'users', '122', 0, 'Francisco Dumael
Castilo', 0),
(52, 'users', '123', 0, 'Yvethie Angela Arminiano
Javier', 0),
(53, 'users', '124', 0, 'Shalom Ditan Menorca',
0),
(54, 'users', '125', 0, 'Angelica Joy Gatmaitan
Nacisvalencia', 0),
(55, 'users', '126', 0, 'Marie Denrose Coronel
Nicolas', 0),
(56, 'users', '127', 0, 'Lorraine Sarmiento
Mendoza', 0),
(57, 'users', '128', 0, 'Celestina Marie Perez
Custodio', 0),
(58, 'users', '129', 0, 'Bea Marie Senado
Cabatay', 0),

```

(59, 'users', '130', 0, 'Paul Bart Anthony Moraleja Sabile', 0),  
(60, 'users', '131', 0, 'Justin Marlo Nessa Namuco', 0),  
(61, 'users', '132', 0, 'Dyxther Praile Gaddi', 0),  
(62, 'users', '133', 0, 'Marigres Limbo Dumael', 0),  
(63, 'users', '134', 0, 'Chona Ilao Esguerra', 0),  
(64, 'users', '135', 0, 'Jobert Villagonzalo Villamor', 0),  
(65, 'users', '136', 0, 'Mavourneen Tisico Aguilal', 0),  
(66, 'users', '137', 0, 'Mariglo Untalan Gonzales', 0),  
(67, 'users', '138', 0, 'Romeo Alas Esmena Jr.', 0),  
(68, 'users', '139', 0, 'Joel Sabile Gutierrez', 0),  
(69, 'users', '140', 0, 'Maria Charmaine Gonzalo Banog', 0),  
(70, 'users', '141', 0, 'Hazel Batay Coronel', 0),  
(71, 'users', '142', 0, 'Jennylyn Briones Carandang', 0),  
(72, 'users', '143', 0, 'Kristia Saedee Libao Limbo', 0),  
(73, 'users', '144', 0, 'NiÃ±a Dimaculangan Dinglasan', 0),  
(74, 'users', '145', 0, 'Ronabeth Briones Bayani', 0),  
(75, 'users', '146', 0, 'Andrew King Laraya Endaya', 0),  
(76, 'users', '147', 0, 'Dan Andrew Fenol IbaÃ±ez', 0),  
(77, 'users', '148', 0, 'Eddie Ramos Umali', 0),  
(78, 'users', '149', 0, 'Adrian Celis Dalao', 0),  
(79, 'users', '150', 0, 'Maridel Sasuya Sadsad', 0),  
(80, 'users', '151', 0, 'Katrina May Montero Manalo', 0),  
(81, 'users', '152', 0, 'Aiza Tuliao Vergara', 0),  
(82, 'users', '153', 0, 'Saira Magarto Montermoso', 0),  
(83, 'users', '154', 0, 'Kenneth Marlon Coronel Carolino', 0),  
(84, 'users', '155', 0, 'Glenn Hortal Dolor', 0),  
(85, 'users', '156', 0, 'Elmer Blancio Del Carmen', 0),  
(86, 'users', '157', 0, 'Ryan Panganiban Quierez', 0),  
(87, 'users', '158', 0, 'Ma. Pamela May Dumael Anca', 0),  
(88, 'users', '159', 0, 'Jaquelyn Gonzales Frias', 0),  
(89, 'users', '160', 0, 'Jack Allan Lindon Calusa', 0),  
(90, 'users', '161', 0, 'Chonalyn Espina Virtusio', 0),  
(91, 'users', '162', 0, 'Manilyn Gaytan Zarcal', 0),  
(92, 'users', '163', 0, 'Rolan Perez Cabug-os', 0),

(93, 'users', '164', 0, 'Maylord Manlangit De Chavez', 0),  
(94, 'users', '165', 0, 'Angelica Sasuya Manalo', 0),  
(95, 'users', '166', 0, 'Rizza Umali Sedaria', 0),  
(96, 'users', '167', 0, 'Julia Montez Montelibano', 0),  
(97, 'users', '168', 0, 'Jose Romualdez Quirino', 0),  
(98, 'users', '169', 0, 'Josefina Carungao Carungao', 0),  
(99, 'users', '170', 0, 'Jessica Manimtim Palma', 0),  
(100, 'users', '171', 0, 'Lyda Laylo Poyos', 0),  
(101, 'users', '172', 0, 'Fatima dela Cruz San Jose', 0),  
(102, 'users', '173', 0, 'Mary Jane dela Fuente Sumlao', 0),  
(103, 'users', '174', 0, 'Caroline Sanchez Cordero', 0),  
(104, 'users', '175', 0, 'Christina Lacerna Sanchez', 0),  
(105, 'users', '176', 0, 'Lorena Pahig Yap', 0),  
(106, 'users', '177', 0, 'Joselito Lumapat Lariosa', 0),  
(107, 'users', '178', 0, 'Randie Hernandez Carolino', 0),  
(108, 'users', '179', 0, 'Ghenlyn Umali Sasuya', 0),  
(109, 'users', '180', 0, 'Olivia Maye De Chavez Cordero', 0),  
(110, 'users', '181', 0, 'Ronald Anthony Caraballo Cubos', 0),  
(111, 'users', '182', 0, 'Eden Amistral Cueto', 0),  
(112, 'users', '183', 0, 'Emmanuel Amparo Lat', 0),  
(113, 'users', '0', 0, 'Public User', 0),  
(114, 'users', '184', 0, 'Juan Marcelito Ciangpao Dinares', 0),  
(115, 'users', '185', 0, 'Gaston Madriaga Consuelo', 0),  
(116, 'users', '186', 0, 'Zenaida Mandatillo Pascua', 0),  
(117, 'users', '187', 0, 'Marcel Kalaw Jose', 0),  
(118, 'users', '188', 0, 'Kiernan Jusa Kirem', 0),  
(119, 'users', '189', 0, 'Apollonio Rivera Lastimoso', 0),  
(120, 'users', '190', 0, 'author', 0),  
(121, 'users', '191', 0, 'Sample Sample Volunteer', 0),  
(122, 'users', '192', 0, 'Sample Pahinungod Volunteer 2', 0),  
(123, 'users', '193', 0, 'Sample Roi Representative', 0),  
(124, 'users', '194', 0, 'Allen Maniego Lacierda', 0),  
(125, 'users', '195', 0, 'Dana Jose Marquez', 0);  
-- -----  
--

```

-- Table structure for table
`jos_core_acl_aro_groups`
--

CREATE TABLE `jos_core_acl_aro_groups` (
 `id` int(11) NOT NULL auto_increment,
 `parent_id` int(11) NOT NULL default '0',
 `name` varchar(255) NOT NULL default '',
 `lft` int(11) NOT NULL default '0',
 `rgt` int(11) NOT NULL default '0',
 `value` varchar(255) NOT NULL default '',
 PRIMARY KEY (`id`),
 KEY `jos_gacl_parent_id_aro_groups`(`parent_id`),
 KEY `jos_gacl_lft_rgt_aro_groups`(`lft`, `rgt`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=47 ;

--
-- Dumping data for table
`jos_core_acl_aro_groups`
--

INSERT INTO `jos_core_acl_aro_groups`(`id`, `parent_id`, `name`, `lft`, `rgt`, `value`)
VALUES
(17, 0, 'ROOT', 1, 52, 'ROOT'),
(28, 17, 'USERS', 2, 51, 'USERS'),
(29, 28, 'Public Frontend', 3, 26, 'Public
Frontend'),
(18, 29, 'Registered', 4, 25, 'Registered'),
(19, 18, 'Author', 5, 16, 'Author'),
(20, 19, 'Editor', 6, 15, 'Editor'),
(21, 20, 'Publisher', 7, 8, 'Publisher'),
(30, 28, 'Public Backend', 27, 50, 'Public
Backend'),
(23, 30, 'Manager', 28, 49, 'Manager'),
(24, 23, 'Administrator', 29, 34,
'Administrator'),
(25, 24, 'Super Administrator', 30, 31, 'Super
Administrator'),
(31, 18, 'Volunteer', 17, 18, 'Volunteer'),
(32, 18, 'Representative', 19, 20,
'Representative'),
(33, 24, 'Chairperson', 32, 33, 'Chairperson'),
(34, 18, 'University Extension Specialist I', 21,
22, 'University Extension Specialist I'),
(35, 18, 'Administrative Officer IV', 23, 24,
'Administrative Officer IV'),
(36, 20, 'University Research Associate I', 9, 10,
'University Research Associate I'),
(38, 23, 'Coordinator - Tutorials', 35, 36,
'Coordinator - Tutorials'),
(39, 23, 'Coordinator - TDP', 37, 38,
'Coordinator - TDP'),
(40, 23, 'Coordinator - GP', 39, 40, 'Coordinator
- GP'),
(41, 20, 'Coordinator - Health Missions', 11, 12,
'Coordinator - Health Missions'),
(42, 23, 'Coordinator - Health
Training/Education', 41, 42, 'Coordinator -
Health Training/Education'),
(43, 23, 'Coordinator - ERVP', 43, 44,
'Coordinator - ERVP'),
(44, 23, 'Coordinator - SISP', 45, 46,
'Coordinator - SISP'),
(45, 20, 'Coordinator - Program for the Street
Children', 13, 14, 'Coordinator - Program for the
Street Children'),
(46, 23, 'Coordinator - Advocacy', 47, 48,
'Coordinator - Advocacy');

--
-- Table structure for table
`jos_core_acl_aro_sections`
--

CREATE TABLE `jos_core_acl_aro_sections` (
 `id` int(11) NOT NULL auto_increment,
 `value` varchar(230) NOT NULL default '',
 `order_value` int(11) NOT NULL default '0',
 `name` varchar(230) NOT NULL default '',
 `hidden` int(11) NOT NULL default '0',
 PRIMARY KEY (`id`),
 UNIQUE KEY `jos_gacl_value_aro_sections`(`value`),
 KEY `jos_gacl_hidden_aro_sections`(`hidden`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=11 ;

--
-- Dumping data for table
`jos_core_acl_aro_sections`
--

INSERT INTO `jos_core_acl_aro_sections`(`id`, `value`, `order_value`, `name`, `hidden`)
VALUES
(10, 'users', 1, 'Users', 0);

--
-- Table structure for table
`jos_core_acl_groups_aro_map`
--

CREATE TABLE `jos_core_acl_groups_aro_map`(
 `group_id` int(11) NOT NULL default '0',
 `section_value` varchar(240) NOT NULL
default '',
 `aro_id` int(11) NOT NULL default '0',
 UNIQUE KEY
`group_id_aro_id_groups_aro_map`(`group_id`, `section_value`, `aro_id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

```

```

-- Dumping data for table `jos_core_acl_groups_aro_map`
-- INSERT INTO `jos_core_acl_groups_aro_map`(`group_id`, `section_value`, `aro_id`) VALUES
(0, "58),
(19, "120),
(25, "10),
(25, "51),
(29, "113),
(31, "52),
(31, "54),
(31, "55),
(31, "56),
(31, "57),
(31, "59),
(31, "60),
(31, "62),
(31, "63),
(31, "64),
(31, "66),
(31, "67),
(31, "68),
(31, "70),
(31, "72),
(31, "73),
(31, "76),
(31, "77),
(31, "81),
(31, "83),
(31, "84),
(31, "85),
(31, "86),
(31, "88),
(31, "90),
(31, "93),
(31, "94),
(31, "107),
(31, "114),
(31, "117),
(31, "118),
(31, "121),
(31, "122),
(31, "124),
(32, "96),
(32, "97),
(32, "98),
(32, "99),
(32, "100),
(32, "101),
(32, "102),
(32, "103),
(32, "104),
(32, "105),
(32, "106),
(32, "108),
(32, "109),
(32, "110),
(32, "112),
(32, "115),
(32, "116),
(32, "119),
(32, "123),
(32, "125),
(33, "71),
(33, "78),
(33, "79),
(33, "80),
(33, "82),
(33, "87),
(33, "92),
(34, "65),
(34, "69),
(35, "95),
(36, "75),
(38, "74),
(39, "111),
(42, "61),
(42, "89),
(45, "53),
(46, "91);

-- Table structure for table `jos_core_log_items`

-- CREATE TABLE `jos_core_log_items` (
 `time_stamp` date NOT NULL default '0000-00-00',
 `item_table` varchar(50) NOT NULL default '',
 `item_id` int(11) unsigned NOT NULL default '0',
 `hits` int(11) unsigned NOT NULL default '0'
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `jos_core_log_items`

-- -----

-- Table structure for table `jos_core_log_searches`

-- CREATE TABLE `jos_core_log_searches` (
 `search_term` varchar(128) NOT NULL default '',
 `hits` int(11) unsigned NOT NULL default '0'
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `jos_core_log_searches`

--
```

```

-- Table structure for table `jos_cswp`
--

CREATE TABLE `jos_cswp` (
 `Event_ID` int(11) NOT NULL,
 `Estimated_cost` int(11) NOT NULL,
 `Service` enum('Program for the Street Children','Summer Immersion') NOT NULL,
 `Accumulated` int(11) default NULL,
 PRIMARY KEY (`Event_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `jos_cswp`
--

-- Table structure for table `jos_eap`
--

CREATE TABLE `jos_eap` (
 `Event_ID` int(11) NOT NULL,
 `Subject` varchar(30) NOT NULL,
 `School` text NOT NULL,
 `Service` enum('Tutorials','Gurong Pahinungod') NOT NULL,
 `Estimated_cost` int(11) NOT NULL,
 `Accumulated` int(11) default NULL,
 `School_year` varchar(15) NOT NULL,
 `Number_participant_institutions` int(11) NOT NULL,
 `Count_type` enum('count','breakdown') NOT NULL,
 `Num_tutees` int(11) NOT NULL,
 PRIMARY KEY (`Event_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `jos_eap`
--

INSERT INTO `jos_eap`(`Event_ID`, `Subject`, `School`, `Service`, `Estimated_cost`, `Accumulated`, `School_year`, `Number_participant_institutions`, `Count_type`, `Num_tutees`) VALUES
(1, 'Mathematics', 'Quirino National High School', 'Gurong Pahinungod', 0, NULL, '2005-2006', 0, 'count', 0),
(13, 'Mathematics', 'F.D. Peñalosa Elementary School', 'Gurong Pahinungod', 0, NULL, '2005-2006', 0, 'count', 0),
(21, 'Heograpiya, Kasaysayan at Sini', 'F.D. Penalosa Elementary School and Palanas National High School', 'Gurong Pahinungod', 0, NULL, '2005-2006', 0, 'count', 0),
(23, 'English, Math, Science', 'Sun for All Children, YWCA, Asilo de San Vicente de Paul', 'Tutorials', 0, NULL, '2005-2006', 3, 'count', 68),
(41, 'Mathematics', 'Boac Central Elementary School', 'Gurong Pahinungod', 0, NULL, '2011-2012', 0, 'count', 0),
(42, 'Science, Mathematics', 'Agot Elementary School', 'Tutorials', 0, NULL, 0, 'count', 250),
(54, 'Mathematics', 'Looc East National High School', 'Gurong Pahinungod', 0, NULL, '2011-2012', 0, 'count', 0),
(55, 'all of the pupil's current sub', 'Celedonio Salvador Elementary School', 'Tutorials', 0, NULL, 0, 'count', 200),
(66, 'Math, General Science', 'Merce Elementary School', 'Tutorials', 0, NULL, 0, 'count', 150);

-- Table structure for table `jos_ervp_attendance`
--

CREATE TABLE `jos_ervp_attendance` (
 `Event_ID` int(11) NOT NULL,
 `Vol_ID` int(11) NOT NULL,
 `Orientation` enum('-1','0','1') NOT NULL,
 `Training` enum('-1','0','1') NOT NULL,
 `More_trainings` varchar(15) NOT NULL,
 `Deployment` int(11) NOT NULL,
 `Feedback` enum('-1','0','1') NOT NULL,
 `Debriefing` enum('-1','0','1') NOT NULL,
 PRIMARY KEY (`Event_ID`, `Vol_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `jos_ervp_attendance`
--

INSERT INTO `jos_ervp_attendance`(`Event_ID`, `Vol_ID`, `Orientation`, `Training`, `More_trainings`, `Deployment`, `Feedback`, `Debriefing`) VALUES
(25, 62, '1', '0', "", 1, '1', '1'),
(25, 129, '1', '0', "", 1, '0', '0'),
(25, 134, '1', '0', "", 1, '0', '0'),
(25, 135, '1', '0', "", 1, '0', '0'),
(25, 136, '1', '0', "", 1, '0', '0'),
(25, 139, '1', '0', "", 1, '0', '0'),
(25, 142, '1', '0', "", 1, '0', '0'),
(25, 145, '1', '0', "", 0, '0', '0'),
(25, 152, '1', '0', "", 0, '0', '0'),
(25, 154, '1', '0', "", 0, '0', '0'),
(25, 155, '1', '0', "", 0, '0', '0'),

```

```

(25, 157, '1', '0', "", 0, '0', '0'),
(25, 161, '1', '0', "", 0, '0', '0'),
(25, 184, '1', '0', "", 0, '0', '0'),
(25, 0, '-1', '1', "", 0, '0', '0'),
(53, 62, '1', '0', "", 0, '-1', '-1'),
(53, 122, '1', '0', "", 0, '-1', '-1'),
(53, 128, '1', '0', "", 0, '-1', '-1'),
(53, 129, '1', '0', "", 0, '-1', '-1'),
(53, 133, '1', '0', "", 0, '-1', '-1'),
(53, 134, '1', '0', "", 0, '-1', '-1'),
(53, 136, '1', '0', "", 0, '-1', '-1'),
(53, 140, '1', '0', "", 0, '-1', '-1'),
(53, 141, '1', '0', "", 0, '-1', '-1'),
(53, 142, '1', '0', "", 0, '-1', '-1'),
(53, 144, '1', '0', "", 0, '-1', '-1'),
(53, 145, '1', '0', "", 0, '-1', '-1'),
(53, 146, '1', '0', "", 0, '-1', '-1'),
(53, 149, '1', '0', "", 0, '-1', '-1'),
(53, 154, '1', '0', "", 0, '-1', '-1'),
(53, 155, '1', '0', "", 0, '-1', '-1'),
(53, 156, '1', '0', "", 0, '-1', '-1'),
(53, 160, '1', '0', "", 0, '-1', '-1'),
(53, 163, '1', '0', "", 0, '-1', '-1'),
(53, 184, '1', '0', "", 0, '-1', '-1'),
(53, 0, '-1', '1', "", 0, '-1', '-1'),
(52, 62, '1', '0', "", 1, '-1', '-1'),
(52, 122, '1', '0', "", 1, '-1', '-1'),
(52, 128, '1', '0', "", 1, '-1', '-1'),
(52, 129, '1', '0', "", 1, '-1', '-1'),
(52, 133, '1', '0', "", 1, '-1', '-1'),
(52, 134, '1', '0', "", 1, '-1', '-1'),
(52, 136, '1', '0', "", 1, '-1', '-1'),
(52, 140, '1', '0', "", 1, '-1', '-1'),
(52, 141, '1', '0', "", 1, '-1', '-1'),
(52, 142, '1', '0', "", 1, '-1', '-1'),
(52, 144, '1', '0', "", 1, '-1', '-1'),
(50, 151, '1', '1', "", 1, '1', '-1'),
(50, 152, '1', '1', "", 1, '1', '-1'),
(50, 155, '1', '1', "", 1, '1', '-1'),
(50, 156, '1', '1', "", 1, '1', '-1'),
(50, 157, '1', '1', "", 1, '1', '-1'),
(50, 161, '1', '1', "", 1, '1', '-1'),
(50, 184, '1', '1', "", 1, '1', '-1'),
(50, 188, '1', '1', "", 1, '1', '-1'),
(44, 122, '1', '1', "", 1, '1', '1'),
(44, 128, '1', '1', "", 1, '1', '1'),
(44, 130, '1', '1', "", 1, '1', '1'),
(44, 132, '1', '1', "", 1, '1', '1'),
(44, 133, '1', '1', "", 1, '1', '0'),
(44, 134, '1', '1', "", 1, '1', '0'),
(44, 135, '1', '1', "", 1, '1', '0'),
(44, 138, '1', '1', "", 1, '1', '0'),
(44, 141, '1', '1', "", 1, '1', '1'),
(44, 144, '1', '1', "", 1, '1', '1'),
(44, 146, '1', '1', "", 1, '1', '1'),
(44, 149, '1', '1', "", 1, '1', '1'),
(44, 150, '1', '1', "", 1, '1', '1'),
(44, 152, '1', '1', "", 1, '1', '1'),
(44, 154, '1', '1', "", 1, '1', '0'),
(44, 155, '1', '1', "", 1, '0', '0'),
(44, 156, '1', '1', "", 1, '0', '0'),
(44, 161, '1', '1', "", 1, '0', '0'),
(44, 184, '1', '1', "", 1, '0', '1');

-- Table structure for table `jos_ervp_level`

CREATE TABLE `jos_ervp_level` (
 `Vol_ID` int(11) NOT NULL,
 `ERVP_Level` enum('1','2','3') NOT NULL,
 PRIMARY KEY (`Vol_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `jos_ervp_level`

-- Table structure for table `jos_events`

CREATE TABLE `jos_events` (
 `id` int(12) NOT NULL auto_increment,
 `sid` int(11) NOT NULL default '0',
 `catid` int(11) NOT NULL default '1',
 `title` varchar(100) NOT NULL default '',
 `content` longtext NOT NULL,
 `adresse_info` varchar(120) NOT NULL default '',
 `contact_info` varchar(120) NOT NULL default '',
 `extra_info` text NOT NULL,
 `color_bar` varchar(8) NOT NULL default '',
 `useCatColor` tinyint(1) NOT NULL default '0',
 `state` tinyint(3) NOT NULL default '0',
 `mask` varchar(11) NOT NULL default '0',
 `created` datetime NOT NULL default '0000-00-00 00:00:00',
 `created_by` int(11) unsigned NOT NULL default '0',
 `created_by_alias` varchar(100) NOT NULL default '',
 `modified` datetime NOT NULL default '0000-00-00 00:00:00',
 `modified_by` int(11) unsigned NOT NULL default '0',
 `checked_out` int(11) unsigned NOT NULL default '0',
 `checked_out_time` datetime NOT NULL default '0000-00-00 00:00:00',
 `publish_up` datetime NOT NULL default '0000-00-00 00:00:00',
 `publish_down` datetime NOT NULL default '0000-00-00 00:00:00',
 `images` text NOT NULL,
 `reccurtype` tinyint(1) NOT NULL default '0',
)

```

```

`reccurday` varchar(4) NOT NULL default '',
`recurrweekdays` varchar(20) NOT NULL
default '',
`recurrweeks` varchar(10) NOT NULL default
`,
`approved` tinyint(1) NOT NULL default '1',
`ordering` int(11) NOT NULL default '0',
`archived` tinyint(1) NOT NULL default '0',
`access` int(11) unsigned NOT NULL default
'0',
`hits` int(11) NOT NULL default '0',
`alldayevent` tinyint(1) NOT NULL default '0',
`participants` text NOT NULL,
`Estimated_cost` text,
`unspecified` int(1) NOT NULL,
`has_report` int(1) NOT NULL,
`faculty` text NOT NULL,
`etype` enum('Health Training','Teachers
Development Program','Health
Mission','Tutorial','Gurong
Pahinungod','Summer Immersion Service
Program','Program for the Street Children')
NOT NULL,
`date` date NOT NULL,
`Accumulated` int(11) default NULL,
`Admin_in_rep_of` varchar(40) default NULL
COMMENT 'on requests input by admin',
`Started` enum('False','True') NOT NULL,
`Multiple_loc` varchar(255) NOT NULL,
`migrated` tinyint(3) NOT NULL default '0',
`Can_afford` tinyint(1) NOT NULL,
PRIMARY KEY (`id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=71 ;

--
```

```

-- Dumping data for table `jos_events`
--
```

```

INSERT INTO `jos_events`(`id`, `sid`, `catid`,
`title`, `content`, `adresse_info`,
`contact_info`, `extra_info`, `color_bar`,
`useCatColor`, `state`, `mask`, `created`,
`created_by`, `created_by_alias`, `modified`,
`modified_by`, `checked_out`,
`checked_out_time`, `publish_up`,
`publish_down`, `images`, `reccurtype`,
`reccurday`, `recurrweekdays`,
`recurrweeks`, `approved`, `ordering`,
`archived`, `access`, `hits`, `alldayevent`,
`participants`, `Estimated_cost`, `unspecified`,
`has_report`, `faculty`, `etype`, `date`,
`Accumulated`, `Admin_in_rep_of`, `Started`,
`Multiple_loc`, `migrated`, `Can_afford`)
VALUES
(1, 0, 44, 'Gurong Pahinungod Goes to Quirino',
'

', 'text-align:
```

justify; font-size: 11px; line-height: 14px; margin-top: 0px; margin-right: 0px; margin-bottom: 14px; margin-left: 0px; padding: 0px;">Â </p>\r\n<p style="text-align: justify; font-size: 11px; line-height: 14px; margin-top: 0px; margin-right: 0px; margin-bottom: 14px; margin-left: 0px; padding: 0px;">"Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.

</p>\r\n<p style="text-align: justify; font-size: 11px; line-height: 14px; margin-top: 0px; margin-right: 0px; margin-bottom: 14px; margin-left: 0px; padding: 0px;">"Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.

</p>', 'Brgy. Barualte, San Juan, Batangas', ' ', '#FF6666', 1, 0, '0', '2011-03-26 19:18:49', 62, 'admin', '2011-09-17 22:13:45', 62, 0, '0000-00-00 00:00:00', '2011-06-26 00:01:00', '2011-06-26 00:01:00', " , 0, " , " , 1, 0, 0, 1, 279, 1, '3', '25000', 0, 0, " , 'Health Training', '0000-00-00', 61, NULL, 'False', " , 0, 0),

(2, 0, 49, 'Life Support - Health Training ', "", '|  
Brgy. Agbannawag, Tabuk, Kalinga', "",",  
'#3366FF', 1, 0, '0', '2011-03-30 05:31:45', 62,  
'admin', '2011-09-15 19:59:04', 62, 0, '0000-  
00-00 00:00:00', '2011-06-08 08:00:00', '2011-  
06-08 05:00:00', "", 0, "", "", 1, 0, 0, 1, 51, 0,  
'5', "", 0, 0, "", 'Health Training', '0000-00-00',  
NULL, '167', 'False', "", 0, 0),  
(26, 0, 52, 'Program for the Street Children',  
'', "", ", 'Some Australian  
Volunteers will be joining the volunteers from  
Pahinungod. There will be a show to be held on  
the Little Theater.', "", 0, -1, '0', '2011-04-14  
05:30:40', 62, 'admin', '0000-00-00 00:00:00',  
0, 0, '0000-00-00 00:00:00', '2006-01-28  
08:00:00', '2006-01-28 17:00:00', "", 0, "", "",  
1, 0, 0, 0, 7, 0, '6', '2500', 0, 0, "", 'Health  
Training', '0000-00-00', 2500, NULL, 'False', "",  
0, 0),  
(27, 0, 57, 'Exhibit : Volunteerism', "", "", "", "",  
0, 1, '0', '2011-04-14 05:34:14', 62, 'admin',  
'2011-04-14 05:35:25', 62, 0, '0000-00-00  
00:00:00', '2006-09-11 08:00:00', '2006-09-21  
17:00:00', "", 0, "", "", 1, 0, 0, 1, 8, 0, '5',  
'2500', 0, 0, "", 'Health Training', '0000-00-00',  
NULL, NULL, 'False', "", 0, 0),  
(28, 0, 52, 'Program for the Street Children 2',  
, "", "", "", 0, 1, '0', '2011-04-23 16:59:50', 62,  
'admin', '2011-04-23 17:22:49', 62, 0, '0000-  
00-00 00:00:00', '2011-06-23 08:00:00', '2011-  
06-23 17:00:00', "", 0, "", "", 1, 0, 0, 0, 28, 0,  
'10', '2500', 0, 0, "", 'Health Training', '0000-00-  
00', NULL, NULL, 'False', "", 0, 0),  
(29, 0, 57, '13th Anniversary of Ugnayan ng  
Pahinungod', "", "", "Instead of compiling  
written compositions of volunteers, visual  
presentations of their experiences were made  
into a photo folio titled VIA 7: A Visual  
Experience which will be shown on the  
celebration of the anniversary.", "", 0, -1, '0',  
'2011-04-23 17:24:03', 62, 'admin', '2011-04-  
23 17:26:51', 62, 0, '0000-00-00 00:00:00',  
'2011-04-23 08:00:00', '2011-04-23 17:00:00',  
", 0, "", "", 1, 0, 0, 0, 5, 0, '30', '1500', 0, 0, "",  
'Health Training', '0000-00-00', NULL, NULL,  
'False', "", 0, 0),  
(30, 0, 48, 'Medical-Dental Health Mission', "",  
'San Fernando, Pampanga', "", "#99FFFF", 1,  
0, '0', '2011-08-25 23:47:01', 167,  
'j.montelibano', '2011-09-17 22:34:26', 62, 0,  
'0000-00-00 00:00:00', '2011-11-18 08:00:00',  
'2011-11-20 05:00:00', "", 0, "", "", 1, 0, 0, 1, 1,  
0, '15', NULL, 0, 0, "", 'Health Mission', '0000-00-  
00', NULL, '167', 'False', "", 0, 0),  
(31, 0, 48, 'Medical-Dental-Surgical Health  
Mission', "", 'Pagadian City, Zamboanga Del  
Sur', "", "#99FFFF", 1, 0, '0', '2011-08-26

16:04:20', 167, 'j.montelibano', '0000-00-00  
00:00:00', 0, 0, '0000-00-00 00:00:00', '2011-  
10-28 08:00:00', '2011-10-31 05:00:00', "", 0, "",  
", "", 1, 0, 0, 0, 0, '15', NULL, 0, 0, "", 'Health  
Mission', '0000-00-00', NULL, '167', 'False', "", 0,  
0),  
(32, 0, 48, 'Dental Health Mission', "", 'Brgy.  
Pangi, Ipil, Zamboanga Sibugay', "", "",  
'#99FFFF', 1, 0, '0', '2011-08-26 16:57:55', 167,  
'j.montelibano', '2011-09-17 22:20:20', 62, 0,  
'0000-00-00 00:00:00', '2011-09-30 08:00:00',  
'2011-09-30 05:00:00', "", 0, "", "", 1, 0, 0, 1, 0,  
0, '10', NULL, 0, 0, "", 'Health Mission', '0000-00-  
00', NULL, '167', 'False', "", 0, 0),  
(33, 0, 48, 'Dental Health Mission', '

<br  
/></p>\r\n

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit. Sed nunc metus,  
consectetur in rutrum non, ornare ut eros.  
Phasellus quis ornare odio. Aliquam ultrices  
laoreet velit, at accumsan urna eleifend eget.  
Morbi pulvinar bibendum nisl eget fringilla.  
Quisque faucibus tempor semper. Lorem ipsum  
dolor sit amet, consectetur adipiscing elit.  
Mauris dignissim ante at enim aliquam ac  
mattis felis condimentum. Vestibulum ante  
ipsum primis in faucibus orci luctus et ultrices  
posuere cubilia Curae; Integer viverra, odio ut  
tempor commodo, felis tellus ullamcorper  
lorem, eu hendrerit erat felis non neque. Proin  
euismod lobortis rutrum. Aliquam erat volutpat.  
Quisque fringilla bibendum mollis. Nulla  
tempor, felis porttitor bibendum viverra, diam  
elit semper nisl, ac vehicula velit mauris at  
lorem.</p>', 'Brgy. Sagayad, San Fernando, La  
Union', "", "#99FFFF", 1, 0, '0', '2011-08-26  
17:10:49', 167, 'j.montelibano', '2011-09-17  
22:12:06', 62, 0, '0000-00-00 00:00:00', '2011-  
10-21 08:00:00', '2011-10-22 05:00:00', "", 0, "",  
", "", 1, 0, 0, 1, 59, 0, '8', '20000', 0, 0, "",  
'Health Mission', '0000-00-00', NULL, '167',  
'False', "", 0, 0),  
(34, 0, 48, 'Dental Health Mission', "",  
'Tuguegarao, Cagayan', "", "#99FFFF", 1, 0,  
'0', '2011-08-26 17:24:45', 167, 'j.montelibano',  
'2011-09-15 21:31:25', 62, 0, '0000-00-00  
00:00:00', '2011-10-15 08:00:00', '2011-10-15  
05:00:00', "", 0, "", "", 1, 0, 0, 1, 1, 0, '5', NULL,  
0, 0, "", 'Health Mission', '0000-00-00', NULL,  
'167', 'False', "", 0, 0),  
(35, 0, 48, 'Dental Health Mission', "", 'Brgy.  
Taga, Tuguegarao, Cagayan', "", "", 1, -1, '0',  
'2011-08-26 18:45:24', 62, 0, '0000-00-00 00:00:00',  
'2011-10-28 08:00:00', '2011-10-28 05:00:00',

", 0, "", "1, 0, 0, 1, 11, 0, '12', '23', 0, 0, "", "0000-00-00', NULL, '170', 'False', "", 0, 0), (36, 0, 48, 'Medical Health Mission', "", 'Brgy. Taga, Tuguegarao, Cagayan', "", "", "1, 0, '0', '2011-08-26 19:56:01', 62, 'admin', '0000-00-00 00:00:00', 0, 0, '0000-00-00 00:00:00', '2011-11-04 08:00:00', '2011-11-06 05:00:00', "", 0, "", "1, 0, 0, 0, 0, 0, '15', NULL, 0, 0, "", "0000-00-00', NULL, '170', 'False', "", 0, 0), (37, 0, 0, 'Teachers Development Program', "", 'Muntinlupa Science High School, Muntinlupa', "", "", "1, 0, '0', '2011-08-27 18:31:51', 170, 'jess', '0000-00-00 00:00:00', 0, 0, '0000-00-00 00:00:00', '2011-08-31 08:00:00', '2011-08-31 05:00:00', "", 0, "", "1, 0, 0, 0, 0, 0, '10', NULL, 0, 0, "", '0000-00-00', NULL, '170', 'False', "", 0, 0), (55, 0, 43, 'NSTP-LTS Tutorial 3', '<p></p>\r\n<p style="margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.</p>\r\n<p style="margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac

tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.</p>, "", "", "0, 1, '0', '2011-10-13 13:47:02', 62, 'admin', '0000-00-00 00:00:00', 0, 0, '0000-00-00 00:00:00', '2011-11-04 00:01:00', "", 0, "", "1, 0, 0, 0, 5, 1, '100', '0', 0, 0, "", 'Health Training', '0000-00-00', NULL, NULL, 'False', "", 0, 0);  
 INSERT INTO `jos\_events` (`id`, `sid`, `catid`, `title`, `content`, `adresse\_info`, `contact\_info`, `extra\_info`, `color\_bar`, `useCatColor`, `state`, `mask`, `created`, `created\_by`, `created\_by\_alias`, `modified`, `modified\_by`, `checked\_out`, `checked\_out\_time`, `publish\_up`, `publish\_down`, `images`, `reccurtype`, `reccurday`, `reccurweekdays`, `reccurweeks`, `approved`, `ordering`, `archived`, `access`, `hits`, `alldayevent`, `participants`, `Estimated\_cost`, `unspecified`, `has\_report`, `faculty`, `etype`, `date`, `Accumulated`, `Admin\_in\_rep\_of`, `Started`, `Multiple\_loc`, `migrated`, `Can\_afford`)  
 VALUES  
 (57, 0, 48, 'Medical/ Dental/ Ophtha. Surgical Mission', '<p></p>\r\n<p style="text-align: justify; padding-left: 30px;">Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac

eros posuere sit amet bibendum lorem  
mollis.</p>`

`>Â`

`>Â`

`>Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.</p>`

`>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.</p>`

`>Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo

eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.</p>`  
'Brgy. Siba-O, Calabanga, Camarines Sur', "", "", "0, 1, '0', '2011-10-19 16:40:39', 62, 'admin', '0000-00-00 00:00:00', 0, 0, '0000-00-00 00:00:00', '2011-05-07 00:01:00', '2011-05-07 00:01:00', ", 0, "", "", 1, 0, 0, 0, 6, 1, '2', '4000', 0, 0, "", 'Health Training', '0000-00-00', NULL, NULL, 'False', ", 0, 0),  
(61, 0, 52, 'Help Kids Grow with a Play', '<p style="margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed nunc metus, consectetur in rutrum non, ornare ut eros. Phasellus quis ornare odio. Aliquam ultricies laoreet velit, at accumsan urna eleifend eget. Morbi pulvinar bibendum nisl eget fringilla. Quisque faucibus tempor semper. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Mauris dignissim ante at enim aliquam ac mattis felis condimentum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Integer viverra, odio ut tempor commodo, felis tellus ullamcorper lorem, eu hendrerit erat felis non neque. Proin euismod lobortis rutrum. Aliquam erat volutpat. Quisque fringilla bibendum mollis. Nulla tempor, felis porttitor bibendum viverra, diam elit semper nisl, ac vehicula velit mauris at lorem.</p>`  
<p style="margin-bottom: 14px; margin-left: 0px; text-align: justify; font-size: 11px; line-height: 14px; margin-right: 0px; padding: 0px;">Maecenas viverra iaculis leo, eget porttitor felis cursus at. Curabitur in fermentum felis. Sed molestie erat vitae dolor dapibus a accumsan purus ullamcorper. Morbi pretium quam eu mi sagittis pretium. Maecenas vestibulum elit vel nunc consequat consequat. Suspendisse mi mi, venenatis rutrum tincidunt eu, tempor quis orci. Curabitur ultrices justo a ligula tincidunt non adipiscing lectus tincidunt. Sed et nisl iaculis arcu convallis tempus. Quisque dignissim commodo eros ac commodo. Praesent mi mi, aliquam sed pharetra vitae, sollicitudin vitae dui. Quisque nulla enim, cursus dapibus bibendum vitae, ornare in dui. Curabitur mollis mi sed metus

tempor et scelerisque felis dictum. Donec non risus metus, eu pellentesque erat. Duis in urna sed est gravida tristique. Etiam nec rhoncus est. Nunc in libero nisl. In tristique, orci faucibus porta luctus, enim arcu eleifend urna, eu luctus elit sapien at risus. Vivamus luctus lorem vel sapien accumsan vitae molestie odio vestibulum. Pellentesque consectetur felis ac eros posuere sit amet bibendum lorem mollis.</p>', 'Taft Ave.,Ermita, Manila', "", "", 0, 1, '0', '2011-10-19 16:44:41', 62, 'admin', '0000-00-00 00:00:00', 0, 0, '0000-00-00 00:00:00', '2011-10-07 09:00:00', '2011-10-07 17:00:00', "", 0, "", "", 1, 0, 0, 0, 6, 0, '10', '5000', 0, 0, "Health Training", '0000-00-00', NULL, NULL, 'False', "", 0, 0), (66, 0, 43, 'Sample Tutorial', '', "", "", 0, 1, '0', '2012-04-02 23:50:56', 62, 'admin', '0000-00-00 00:00:00', 0, 0, '0000-00-00 00:00:00', '2012-05-18 00:01:00', '2012-05-20 00:01:00', "", 0, "", "", 1, 0, 0, 0, 0, 1, '20', '2050', 0, 0, "Health Training", '0000-00-00', NULL, NULL, 'False', "", 0, 0), (67, 0, 51, 'Sample SISP', '', "", "", 0, 1, '0', '2012-04-02 23:56:52', 62, 'admin', '0000-00-00 00:00:00', 0, 0, '0000-00-00 00:00:00', '2012-04-18 00:01:00', '2012-05-02 00:01:00', "", 0, "", "", 1, 0, 0, 0, 1, 1, '10', '3000', 0, 0, "Health Training", '0000-00-00', NULL, NULL, 'False', "", 0, 0), (68, 0, 48, 'Sample Health Mission', '', "", "", 0, 1, '0', '2012-04-03 00:00:52', 62, 'admin', '0000-00-00 00:00:00', 0, 0, '0000-00-00 00:00:00', '2012-04-02 08:00:00', '2012-04-02 17:00:00', "", 0, "", "", 1, 0, 0, 0, 0, '100', '15000', 0, 0, "Health Training", '0000-00-00', NULL, NULL, 'False', "", 0, 0), (69, 0, 48, 'Dental Health Mission', "", 'Maboloc, San Jose, Maranao del Norte', "", "#99FFFF", 1, 0, '0', '2012-04-03 08:17:11', 183, 'emmanuel.lat', '2012-04-03 16:52:04', 62, 0, '0000-00-00 00:00:00', '2012-05-24 08:00:00', '2012-05-25 05:00:00', "", 0, "", "", 1, 0, 0, 1, 0, 0, '10', NULL, 0, 0, "Health Mission", '0000-00-00', NULL, '183', 'False', "", 0, 0),

(70, 0, 52, 'Sample Program for the Kids in Palawan', '', 'Puerto Princesa, Palawan', "", "", 0, -1, '0', '2012-04-03 08:47:16', 62, 'admin', '0000-00-00 00:00:00', 0, 0, '0000-00-00 00:00:00', '2012-04-03 08:00:00', '2012-04-03 17:00:00', "", 0, "", "", 1, 0, 0, 0, 4, 0, '15', '2000', 0, 0, "Health Training", '0000-00-00', 2000, NULL, 'False', "", 0, 0);

---

--  
-- Table structure for table `jos\_events\_categories`

CREATE TABLE `jos\_events\_categories` ( `id` int(12) NOT NULL default '0', `color` varchar(8) NOT NULL default "", `name` varchar(35) NOT NULL, `Main\_cat` enum('True','False') NOT NULL COMMENT 'true = main category, false = package name only', `migrated` tinyint(3) NOT NULL default '0', `newid` int(12) NOT NULL default '0', PRIMARY KEY (`id`) ) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--  
-- Dumping data for table `jos\_events\_categories`  
--

INSERT INTO `jos\_events\_categories`(`id`, `color`, `name`, `Main\_cat`, `migrated`, `newid`) VALUES (41, '#FFFFFF', 'Educational Assistance', 'False', 1, 67), (44, '#FF6666', 'Gurong Pahinungod', 'True', 1, 68), (43, '#CCCCCC', 'Tutorials', 'True', 1, 69), (46, '#66FF99', 'Teachers Development', 'True', 1, 70), (55, '#CC0000', 'Emergency Room Volunteers', 'True', 1, 71), (48, '#99FFFF', 'Health Mission', 'True', 1, 72), (49, '#3366FF', 'Health Training', 'True', 1, 73), (51, '#CC6600', 'Summer Immersion Service Program', 'True', 1, 74), (52, '#CC66CC', 'Program for the Street Children', 'True', 1, 75), (57, '#663366', 'Advocacy Program', 'True', 1, 76);

---

```

-- Table structure for table `jos_extra_reports`
--

CREATE TABLE `jos_extra_reports` (
 `Event_ID` int(11) NOT NULL,
 `Extra_report` text NOT NULL,
 `Date_submitted` timestamp NOT NULL
 default CURRENT_TIMESTAMP,
 `Reporter` varchar(50) NOT NULL,
 `Date_modified` datetime NOT NULL,
 `Modifier` varchar(50) NOT NULL,
 PRIMARY KEY (`Event_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `jos_extra_reports`
--

INSERT INTO `jos_extra_reports` (`Event_ID`, `Extra_report`, `Date_submitted`, `Reporter`, `Date_modified`, `Modifier`) VALUES
(22, 'This event was implemented with the assistance of Cong. Junie Cua.', '2011-04-19 01:18:47', 'Dioanaros de Mesa', '2011-04-19 02:12:20', ''),
(23, 'Before the students started tutoring the street children, they were first oriented about the institutions and their programs. They were slowly exposed to each other (tutors-tutees). First, Pahinungod allowed for an informal interaction so that they can build rapport with each other.', '2011-04-19 03:12:41', 'Dioanaros de Mesa', '2011-05-07 17:14:19', 'Dioanaros de Mesa'),
(21, 'This was in coordination with DepEd.', '2011-04-19 03:36:43', '', '2011-04-19 03:37:21', ''),
(24, 'This was conducted alongside the health mission.', '2011-04-23 22:39:01', 'Dioanaros de Mesa', '0000-00-00 00:00:00', ''),
(20, '', '2011-04-23 23:08:48', 'Dioanaros de Mesa', '2011-04-23 23:48:03', 'Dioanaros de Mesa'),
(12, 'This is an extra report.', '2011-04-24 00:07:01', 'Dioanaros de Mesa', '2011-04-24 00:09:39', 'Dioanaros de Mesa'),
(49, 'Thirteen volunteers were able to attend the launch of the newest book published by the office.', '2011-10-12 01:01:47', 'Dioanaros de Mesa', '0000-00-00 00:00:00', ''),
(44, 'The volunteers served at the emergency room of Philippine General Hospital. A few volunteers with more experience was asked to assist in the Intensive Care Unit.', '2011-10-19 15:41:12', 'Diana Andres Ramos', '0000-00-00 00:00:00', ''),
(65, 'Sample Now', '2012-04-03 15:11:53', 'Shalom Menorca', '0000-00-00 00:00:00', ''),

(70, 'Was successfully deployed.', '2012-04-03 17:09:47', 'Dioana Ramos', '0000-00-00 00:00:00', '');

-- Table structure for table `jos_funding`

CREATE TABLE `jos_funding` (
 `Event_ID` int(11) NOT NULL,
 `Sponsor` varchar(50) NOT NULL,
 `Amount` int(11) NOT NULL,
 PRIMARY KEY (`Event_ID`, `Sponsor`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `jos_funding`

INSERT INTO `jos_funding` (`Event_ID`, `Sponsor`, `Amount`) VALUES
(21, 'Ugnayan ng Pahinungod Manila', 2500),
(22, 'Ugnayan ng Pahinungod Manila', 12500),
(23, 'Ugnayan ng Pahinungod Manila', 1000),
(20, 'Unilever Philippines', 20000),
(26, 'Australian volunteers', 2500),
(5, 'Ugnayan ng Pahinungod Manila', 2501),
(5, 'San Juan Nepomuceno Parish Church', 3000),
(1, 'San Juan Nepomuceno', 57),
(1, 'San Juan Municipal', 4),
(3, 'San Juan Nepomuceno Church', 2500),
(3, 'Ugnayan ng Pahinungod Manila', 1800),
(3, 'Aguirre Foundation Inc.', 200),
(54, 'Ugnayan ng Pahinungod Manila', 2000),
(64, 'Ugnayan ng Pahinungod Manila', 2100),
(70, 'Ugnayan ng Pahinungod Manila', 2000);

-- Table structure for table `jos_groups`

CREATE TABLE `jos_groups` (
 `id` tinyint(3) unsigned NOT NULL default '0',
 `name` varchar(50) NOT NULL default '',
 PRIMARY KEY (`id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `jos_groups`

INSERT INTO `jos_groups` (`id`, `name`) VALUES
(0, 'Public'),
(1, 'Registered'),
(2, 'Special');


```

```

-- Table structure for table `jos_health_mission`
--

CREATE TABLE `jos_health_mission` (
 `Event_ID` int(11) NOT NULL,
 `Date_submitted` timestamp NOT NULL
 default CURRENT_TIMESTAMP on update CURRENT_TIMESTAMP,
 `Status` enum('0','1','2','3') default NULL,
 `No_of_patients` int(11) NOT NULL,
 `Area_population` int(11) default NULL,
 `Health_problem` varchar(30) default NULL,
 `Service` enum('Medical','Dental','Medical-Dental','Surgical','Medical-Surgical','Dental-Surgical','Medical-Dental-Surgical') NOT NULL,
 `Org_ID` int(11) NOT NULL,
 `Assistance` text NOT NULL,
 `Expectation` text NOT NULL,
 PRIMARY KEY (`Event_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `jos_health_mission`
--

INSERT INTO `jos_health_mission` (`Event_ID`, `Date_submitted`, `Status`, `No_of_patients`, `Area_population`, `Health_problem`, `Service`, `Org_ID`, `Assistance`, `Expectation`) VALUES
(3, '2011-03-31 00:38:57', '0', 1000, 7500, 'mysterious disease', 'Medical-Dental-Surgical', 1, 'medical supplies', 'professional and medical assistance'),
(4, '2011-03-31 11:53:34', '0', 250, 500, "", 'Dental', 3, 'We can provide food and lodging for the whole stay of the volunteers.', 'We wish to ask for professional assistance on checking the dental health of our pupils.'),
(7, '2011-04-01 00:59:21', '0', 0, 0, 'a', 'Dental', 14, 'aa', 'a'),
(8, '2011-04-01 01:48:42', '0', 500, 7500, "", 'Surgical', 10, 'We can provide food and place to stay for volunteers. We will also be in-charge for the medical supplies.', 'We ask for professional assistance to conduct physical examination to natives of the said underserved community.'),
(9, '2011-04-01 02:05:49', '0', 150, 5200, "", 'Dental', 14, 'We can provide food and a place to stay for the duration of the mission.', 'We want to ask for professional dental assistance to our native Kalingas in the .'),
(10, '2011-04-01 02:29:02', '0', 250, 2500, "", 'Medical-Dental', 8, 'We can provide transportation, food and a place to stay for the volunteers.', 'We ask for professional help on

```

helping out our community by improving dental and medical health of our constituents. Our limited budget is sufficient to provide medical supply for use of 100 patients only. We humbly ask your office to assist in providin'), (11, '2011-04-01 02:33:40', '0', 250, 2500, "", 'Medical-Dental', 8, 'We can provide transportation, food and a place to stay for the volunteers.', 'We ask for professional help on helping out our community by improving dental and medical health of our constituents. Our limited budget is sufficient to provide medical supply for use of 100 patients only. We humbly ask your office to assist in providin'), (14, '2011-04-02 10:22:07', '0', 200, 1100, "", 'Medical-Dental-Surgical', 1, 'We will provide the medicines, and medical and surgical supplies and equipment that may be needed. We will also be providing board and lodging for the volunteers during their stay.', 'We would like to conduct a mission in our province but we are little in number in comparison with the number of patients that are needing our assistance. We want to increase our manpower to be able to serve more patients.'), (15, '2011-04-02 11:01:30', '0', 300, 1350, "", 'Medical-Dental', 17, 'We can provide the volunteers medicines and medical equipments that they might need. Board and lodging will also be shouldered by us.', 'In one of our mountaineering trips, we discovered this village that we think needs medical and dental assistance. We are no medical professionals so we are humbly asking for your assistance with this.'), (19, '2011-04-02 12:57:48', '0', 1500, 2500, "", 'Surgical', 14, 'We can provide for the medical supplies that the volunteers will be needing.', 'We are in need of additional assistance as the number of patients that needs service in this are far exceeds our office's capacity.'), (20, '2011-04-02 13:52:54', '0', 100, 500, "", 'Dental', 16, 'medicines. food. transportation.', 'dental check-up'), (30, '2011-08-25 23:47:01', '0', 200, 1500, 'Dengue outbreak', 'Medical-Dental', 1, 'Food for the volunteers', 'We would like the office to provide free medical consultation for our less fortunate kababayan.'), (31, '2011-08-26 16:04:20', '0', 350, 3500, "", 'Medical-Dental-Surgical', 1, 'We can coordinate with respective people to arrange a venue for the mission.', 'Provision of medical, dental and surgical expertise (i.e. general medical and dental check-up, surgical operations, etc.')), (32, '2011-08-26 16:57:55', '0', 200, 4000, "", 'Dental', 1, 'We can prepare the venue for the mission.', 'Dental check-up for the natives.'),

```

(33, '2011-08-26 17:10:49', '0', 250, 2000, "", 'Dental', 1, 'Venue preparation', 'Dental check-up for the patients'),
(34, '2011-08-26 17:24:45', '0', 100, 2470, "", 'Dental', 1, 'Place to stay for the volunteers.\r\nVenue for the mission.', 'Dental check-up for the patients.'),
(35, '2011-08-26 18:45:24', '0', 200, 3789, "", 'Dental', 3, 'Venue preparation.', 'Dental check-up.'),
(36, '2011-08-26 19:56:01', '0', 1000, 1020, "", 'Medical', 3, 'Venue preparation.', 'Medical check-up for all the pupils of the remote public school.'),
(40, '2011-08-31 11:51:45', '0', 700, 3200, 'Dengue Outbreak', 'Medical', 3, 'Venue.', 'Medical check-up.'),
(45, '2011-09-30 11:07:20', NULL, 2500, 10000, "", 'Medical-Dental-Surgical', 0, "", ""),
(57, '2011-10-19 12:12:21', NULL, 3000, 7000, "", 'Medical-Dental-Surgical', 0, "", ""),
(58, '2011-10-19 15:53:56', NULL, 500, 0, "", 'Medical', 0, "", ""),
(68, '2012-04-03 00:00:52', NULL, 300, 7000, "", 'Medical-Dental', 0, "", ""),
(69, '2012-04-03 08:17:11', '0', 300, 1500, "", 'Dental', 15, 'Venue of the mission.', 'Professionals and medicines.');

-- Table structure for table `jos_jce_groups`
--

CREATE TABLE `jos_health_training` (
 `Event_ID` int(11) NOT NULL,
 `Date_submitted` timestamp NOT NULL default CURRENT_TIMESTAMP on update CURRENT_TIMESTAMP,
 `Subject` varchar(257) NOT NULL,
 `Num_of_participants` int(11) NOT NULL,
 `Org_ID` int(11) NOT NULL,
 `Participant_type` varchar(100) NOT NULL,
 `Assistance` text NOT NULL,
 `Expectation` text NOT NULL,
 PRIMARY KEY (`Event_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

-- Dumping data for table `jos_health_training`
--

INSERT INTO `jos_health_training` (`Event_ID`, `Date_submitted`, `Subject`, `Num_of_participants`, `Org_ID`, `Participant_type`, `Assistance`, `Expectation`) VALUES
(2, '2011-03-30 05:31:45', 'Life Support', 200, 1, 'Clinic Nurses', "", "");

(17, '2011-04-02 12:40:28', 'CPR', 100, 8, 'barangay clinic workers', 'We can coordinate with hospitals and or schools to find an appropriate venue for the training and to promote the activity too.', 'We would like to have our clinic workers equipped with more advanced knowledge about life saving skills. '),
(18, '2011-04-02 12:48:50', 'CPR', 100, 7, 'barangay clinic workers', 'We can coordinate with hospitals and or schools to find an appropriate venue for the training and to promote the activity too.', 'We would like to have our clinic workers equipped with more advanced knowledge about life saving skills. '),
(24, '2011-04-14 05:11:09', 'How to take care of those who have coughs, colds, fever, dog', 60, 0, 'locals', "", ""),
(46, '2011-09-30 11:10:14', 'latest epidemic diseases, their symptoms and appropriate pre', 75, 0, 'barangay clinic nurses', "", ""),
(59, '2011-10-19 16:32:18', 'Basic life-saving skills and knowledge on first aid treatment', 20, 0, 'health workers and educators', "", "");

-- Table structure for table `jos_jce_groups`
--

CREATE TABLE `jos_jce_groups` (
 `id` int(11) NOT NULL auto_increment,
 `name` varchar(255) NOT NULL,
 `description` varchar(255) NOT NULL,
 `users` text NOT NULL,
 `types` varchar(255) NOT NULL,
 `components` text NOT NULL,
 `rows` text NOT NULL,
 `plugins` varchar(255) NOT NULL,
 `published` tinyint(3) NOT NULL,
 `ordering` int(11) NOT NULL,
 `checked_out` tinyint(3) NOT NULL,
 `checked_out_time` datetime NOT NULL,
 `params` text NOT NULL,
 PRIMARY KEY (`id`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=4 ;

-- Dumping data for table `jos_jce_groups`
--

INSERT INTO `jos_jce_groups`(`id`, `name`, `description`, `users`, `types`, `components`, `rows`, `plugins`, `published`, `ordering`, `checked_out`, `checked_out_time`, `params`)
VALUES
(1, 'Default', 'Default group for all users with edit access', "", '18,19,20,21,23,24,25', "", '5,6,7,8,9,10,11,12,13,14,15,16,17,18;19,20,21,22,23,24,25,26,27,29,30,31,34,46;35,36,37,38

```

```

,39,40,41,42,43,44,45;47,48,49,50,51,52,53,55
,56',
'1,2,3,4,5,19,20,35,36,37,38,39,40,47,48,49,50
,51,52,53,55,56', 1, 1, 0, '0000-00-00
00:00:00',
'editor_width=\neditor_height=\neditor_theme_
advanced_toolbar_location=top\neditor_theme_
advanced_toolbar_align=center\neditor_skin=
default\neditor_skin_variant=default\neditor_inl
inepopups_skin=clearlooks2\nadvcode_toggle=
1\nadvcode_editor_state=1\nadvcode_toggle_t
ext=[show/hide]\neditor_relative_urls=1\nedito
r_invalid_elements=\neditor_extended_element
s=\neditor_event_elements=a,img\ncode_allow_
javascript=0\ncode_allow_css=0\ncode_allow_
php=0\ncode_cdata=1\neditor_allow_iframes=
0\neditor_allow_applet=0\neditor_theme_adva
nced_blockformats=p,div,h1,h2,h3,h4,h5,h6,bl
ockquote,dt,dd,code,samp,pre\neditor_theme_
advanced_fonts_add=\neditor_theme_advance
d_fonts_remove=\neditor_theme_advanced_fon
t_sizes=8pt,10pt,12pt,14pt,18pt,24pt,36pt\ned
itor_theme_advanced_default_foreground_color
=#000000\neditor_theme_advanced_default_b
ackground_color=#FFFF00\neditor_dir=images
/stories\neditor_restrict_dir=administrator,cach
e,components,includes,language,libraries,logs,
media,modules,plugins,templates,xmlrpc\nedit
or_max_size=1024\neditor_upload_conflict=\ne
ditor_preview_height=550\neditor_preview_wid
th=750\neditor_custom_colors=\nbrowser_dir=
\nbrowser_max_size=\nbrowser_extensions=x
ml+xml;html=htm,html;word=doc,docx;power
point=ppt;excel=xls;text=txt,rtf;image=gif,jpe
g,jpg,png;acrobat=pdf;archive=zip,tar,gz;flash
=swf;winrar=rar;quicktime=mov,mp4,qt;windo
wsmedia=wmv,asx,asf,avi;audio=wav,mp3,aiff
;openoffice=odt,odg,odp,ods,odf\nbrowser_ext
ensions_viewable=html,htm,doc,docx,ppt,rtf,xl
s,txt,gif,jpeg,jpg,png,pdf,swf,mov,mpeg,mpg,a
vi,asf,asx,dcr,flv,wmv,wav,mp3\nbrowser_uplo
ad=1\nbrowser_upload_conflict=\nbrowser_fold
er_new=0\nbrowser_folder_delete=1\nbrowser_
folder_rename=1\nbrowser_file_delete=1\bnr
owser_file_rename=1\nbrowser_file_move=1\bn
media_use_script=0\media_strict=0\media_h
tml5=1\media_version_flash=10,0,32,18\me
dia_version_windowsmedia=5,1,52,701\media_
version_quicktime=6,0,2,0\media_version_re
almedia=7,0,0,0\media_version_shockwave=
11,0,0,458\npaste_dialog_width=450\npaste_di
alog_height=400\npaste_html=1\npaste_text=
1\npaste_use_dialog=0\npaste_strip_class_at
tributes=all\npaste_remove_spans=0\npaste_re
move_styles=0\npaste_retain_style_properties
=\npaste_remove_empty_paragraphs=1\npast
e_remove_styles_if_webkit=0\nimgmanager_dir
=\nimgmanager_max_size=\nimgmanager_ext
ensions=image/jpeg,jpg,png,gif,bmp\nimgma
nager_margin_top=default\nimgmanager_marg
in_right=default\nimgmanager_margin_bottom

```

```

=default\nimgmanager_margin_left=default\ni
mgmanager_border=1\nimgmanager_border_w
idth=default\nimgmanager_border_style=defa
ult\nimgmanager_border_color=#000000\nimg
manager_align=default\nimgmanager_upload=
1\nimgmanager_upload_conflict=\nimgmanag
er_folder_new=1\nimgmanager_folder_delete=1
\nimgmanager_folder_rename=1\nimgmanager_
file_delete=1\nimgmanager_file_rename=1\ni
mgmanager_file_move=1\nadvlink_target=def
ault\nadvlink_content=1\nadvlink_static=1\nad
vlink_contacts=1\nadvlink_weblinks=1\nadvlin
k_menu=1\nspellchecker_engine=googlespell\
spellchecker_languages=English=en\nspellch
ecker_pspell_mode=PSPELL_FAST\nspellchecke
r_pspell_spelling=\nspellchecker_pspell_jargon
=\nspellchecker_pspell_encoding=\nspellcheck
er_pspell_dictionary=plugins/editors/jce/tiny_m
ce/plugins/spellchecker/dictionary.pws\nspellch
ecker_pspellshell_aspell=/usr/bin/aspell\nspellc
hecker_pspellshell_tmp=/tmp\n\n'),
(2, 'Front End', 'Sample Group for Authors,
Editors, Publishers', "", '19,20,21', "",
'5,6,7,8,9,12,13,14,15,16,17,18,26,27;19,20,24
,25,29,30,34,41,42,43,45,46,48,49;23,31,37,38
,40,44,47,50,51,52,53,55,56',
'5,19,20,48,49,1,3,37,38,40,47,50,51,52,53,55,
56', 0, 2, 0, '0000-00-00 00:00:00', ""),
(3, 'PDMS Customized', 'Customized for users
of PDMS, volunteers and representatives not
included', "",
'33,34,35,36,38,39,40,41,42,43,44,45,46', "", "",
", 1, 0, 62, '2011-10-22 02:14:56',
'editor_width=\neditor_height=\neditor_theme_
advanced_toolbar_location=top\neditor_theme_
advanced_toolbar_align=center\neditor_skin=
default\neditor_skin_variant=default\neditor_inl
inepopups_skin=clearlooks2\nadvcode_toggle=
1\nadvcode_editor_state=1\nadvcode_toggle_t
ext=[show/hide]\neditor_relative_urls=1\nedito
r_invalid_elements=\neditor_extended_element
s=\neditor_event_elements=a,img\ncode_allow_
javascript=0\ncode_allow_css=1\ncode_allow_
php=0\ncode_cdata=1\neditor_allow_iframes=
0\neditor_allow_applet=0\neditor_theme_adva
nced_blockformats=p,div,h1,h2,h3,h4,h5,h6,bl
ockquote,dt,dd,code,samp,pre\neditor_theme_
advanced_fonts_add=\neditor_theme_advance
d_fonts_remove=\neditor_theme_advanced_fon
t_sizes=8pt,10pt,12pt,14pt,18pt,24pt,36pt\ned
itor_theme_advanced_default_foreground_color
=#000000\neditor_theme_advanced_default_b
ackground_color=#FFFF00\neditor_dir=images
/stories\neditor_restrict_dir=administrator,cach
e,components,includes,language,libraries,logs,
media,modules,plugins,templates,xmlrpc\nedit
or_max_size=1024\neditor_upload_conflict=\ne
ditor_preview_height=550\neditor_preview_wid
th=750\neditor_custom_colors=\n\n');
```

---

```

--
-- Table structure for table `jos_jce_plugins`
--

CREATE TABLE `jos_jce_plugins` (
 `id` int(11) NOT NULL auto_increment,
 `title` varchar(255) NOT NULL,
 `name` varchar(255) NOT NULL,
 `type` varchar(255) NOT NULL,
 `icon` varchar(255) NOT NULL,
 `layout` varchar(255) NOT NULL,
 `row` int(11) NOT NULL,
 `ordering` int(11) NOT NULL,
 `published` tinyint(3) NOT NULL,
 `editable` tinyint(3) NOT NULL,
 `iscore` tinyint(3) NOT NULL,
 `elements` varchar(255) NOT NULL,
 `checked_out` int(11) NOT NULL,
 `checked_out_time` datetime NOT NULL,
 PRIMARY KEY (`id`),
 UNIQUE KEY `plugin` (`name`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=57 ;

--
-- Dumping data for table `jos_jce_plugins`
--

INSERT INTO `jos_jce_plugins` (`id`, `title`, `name`, `type`, `icon`, `layout`, `row`, `ordering`, `published`, `editable`, `iscore`, `elements`, `checked_out`, `checked_out_time`) VALUES
(1, 'Context Menu', 'contextmenu', 'plugin', "", "0, 0, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(2, 'File Browser', 'browser', 'plugin', "", "0, 0, 1, 1, "0, '0000-00-00 00:00:00'),
(3, 'Inline Popups', 'inlinepopups', 'plugin', "", "0, 0, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(4, 'Media Support', 'media', 'plugin', "", "0, 0, 1, 1, "0, '0000-00-00 00:00:00'),
(5, 'Help', 'help', 'plugin', 'help', 'help', 1, 1, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(6, 'New Document', 'newdocument', 'command', 'newdocument', 'newdocument', 1, 2, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(7, 'Bold', 'bold', 'command', 'bold', 'bold', 1, 3, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(8, 'Italic', 'italic', 'command', 'italic', 'italic', 1, 4, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(9, 'Underline', 'underline', 'command', 'underline', 'underline', 1, 5, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(10, 'Font Select', 'fontselect', 'command', 'fontselect', 'fontselect', 1, 6, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(11, 'Font Size Select', 'fontsizeselect', 'command', 'fontsizeselect', 'fontsizeselect', 1, 7, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(12, 'Style Select', 'styleselect', 'command', 'styleselect', 'styleselect', 1, 8, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(13, 'StrikeThrough', 'strikethrough', 'command', 'strikethrough', 'strikethrough', 1, 9, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(14, 'Justify Full', 'full', 'command', 'justifyfull', 'justifyfull', 1, 10, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(15, 'Justify Center', 'center', 'command', 'justifycenter', 'justifycenter', 1, 11, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(16, 'Justify Left', 'left', 'command', 'justifyleft', 'justifyleft', 1, 12, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(17, 'Justify Right', 'right', 'command', 'justifyright', 'justifyright', 1, 13, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(18, 'Format Select', 'formatselect', 'command', 'formatselect', 'formatselect', 1, 14, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(19, 'Paste', 'paste', 'plugin', 'cut,copy,paste', 'paste', 2, 1, 1, 1, "0, '0000-00-00 00:00:00'),
(20, 'Search Replace', 'searchreplace', 'plugin', 'search,replace', 'searchreplace', 2, 2, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(21, 'Font ForeColour', 'forecolor', 'command', 'forecolor', 'forecolor', 2, 3, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(22, 'Font BackColour', 'backcolor', 'command', 'backcolor', 'backcolor', 2, 4, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(23, 'Unlink', 'unlink', 'command', 'unlink', 'unlink', 2, 5, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(24, 'Indent', 'indent', 'command', 'indent', 'indent', 2, 6, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(25, 'Outdent', 'outdent', 'command', 'outdent', 'outdent', 2, 7, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(26, 'Undo', 'undo', 'command', 'undo', 'undo', 2, 8, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(27, 'Redo', 'redo', 'command', 'redo', 'redo', 2, 9, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(28, 'HTML', 'html', 'command', 'code', 'code', 2, 10, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(43, 'Superscript', 'sup', 'command', 'sup', 'sup', 3, 9, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(44, 'Visual Aid', 'visualaid', 'command', 'visualaid', 'visualaid', 3, 10, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(45, 'Character Map', 'charmap', 'command', 'charmap', 'charmap', 3, 11, 1, 0, 1, "0, '0000-00-00 00:00:00'),
(46, 'Remove Format', 'removeformat', 'command', 'removeformat', 'removeformat', 2, 1, 0, 1, "0, '0000-00-00 00:00:00'),

```

```

(47, 'Styles', 'style', 'plugin', 'styleprops',
'style', 4, 1, 1, 0, 1, "", 0, '0000-00-00
00:00:00'),
(48, 'Non-Breaking', 'nonbreaking', 'plugin',
'nonbreaking', 'nonbreaking', 4, 2, 1, 0, 1, "", 0,
'0000-00-00 00:00:00'),
(49, 'Visual Characters', 'visualchars', 'plugin',
'ventualchars', 'visualchars', 4, 3, 1, 0, 1, "", 0,
'0000-00-00 00:00:00'),
(50, 'XHTML Xtras', 'xhtmlxtras', 'plugin',
'cite,abbr,acronym,del,ins,attribs', 'xhtmlxtras',
4, 4, 1, 0, 1, "", 0, '0000-00-00 00:00:00'),
(51, 'Image Manager', 'imgmanager', 'plugin',
'imgmanager', 'imgmanager', 4, 5, 1, 1, 1, "", 0,
'0000-00-00 00:00:00'),
(52, 'Advanced Link', 'advlink', 'plugin',
'advlink', 'advlink', 4, 6, 1, 1, 1, "", 0, '0000-00-
00 00:00:00'),
(53, 'Spell Checker', 'spellchecker', 'plugin',
'spellchecker', 'spellchecker', 4, 7, 1, 1, 1, "", 0,
'0000-00-00 00:00:00'),
(54, 'Layers', 'layer', 'plugin',
'insertlayer,moveforward,movebackward,absol
ute', 'layer', 4, 8, 1, 0, 1, "", 0, '0000-00-00
00:00:00'),
(55, 'Advanced Code Editor', 'advcode', 'plugin',
'advcode', 'advcode', 4, 9, 1, 0, 1, "", 0, '0000-
00-00 00:00:00'),
(56, 'Article Breaks', 'article', 'plugin',
'readmore,pagebreak', 'article', 4, 10, 1, 0, 1, "",
0, '0000-00-00 00:00:00');

```

---



---



---

```

-- Table structure for table `jos_jxtended`

--

CREATE TABLE `jos_jxtended` (
 `id` int(10) NOT NULL auto_increment,
 `extension` varchar(100) NOT NULL
 COMMENT 'The extension',
 `version` varchar(16) NOT NULL COMMENT
 'Version number',
 `installed_date` timestamp NOT NULL default
 CURRENT_TIMESTAMP on update
 CURRENT_TIMESTAMP COMMENT 'Date-time
modified or installed',
 `log` mediumtext,
 PRIMARY KEY USING BTREE (`id`),
 KEY `idx_extension` (`extension`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
COMMENT='JXtended product version history'
AUTO_INCREMENT=1 ;

```

```

-- Dumping data for table `jos_jxtended`
--
```

---



---



---

```

-- Table structure for table `jos_location`

--

CREATE TABLE `jos_location` (
 `Loc_ID` int(11) NOT NULL auto_increment,
 `Location` varchar(50) NOT NULL,
 `Safety` tinyint(1) default NULL,
 `Accessibility` tinyint(1) default NULL,
 `Need_of_service` tinyint(1) default NULL,
 `Gen_comment` varchar(255) default NULL,
 `A_date_start` date default NULL,
 `A_date_end` date default NULL,
 PRIMARY KEY (`Loc_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8
AUTO_INCREMENT=49 ;

--

-- Dumping data for table `jos_location`

--

INSERT INTO `jos_location` (`Loc_ID`,
`Location`, `Safety`, `Accessibility`,
`Need_of_service`, `Gen_comment`,
`A_date_start`, `A_date_end`) VALUES
(1, 'Brgy. Barualte, San Juan, Batangas', 0, 0, 0,
'The location is 30 minutes away from the
highway. There are only 7 teachers and only
one is teaching Mathematics. School will
greatly benefit if assistance will be provided on
this aspect.', '2012-04-04', '2012-04-04'),
(4, 'Hilongos, Leyte', -1, -1, -1, "", NULL, NULL),
(5, 'San Isidro, Palanan, Masbate', 0, 0, 0,
'The
location was fairly accessible. From the main
road, it can be reached within 20 minutes using
a vehicle improvised by the locals.', '2011-09-
29', '2011-09-30'),
(42, 'Merced St. Barangay 678, Paco, Manila',
-1, -1, -1, "", NULL, NULL),
(6, 'Brgy. Poblacion, Tacurong City, Sultan
Kudarat', -1, -1, -1, "", NULL, NULL),
(7, 'Antonio St., Pamplona, Las Pinas', -1, -1, -1,
", NULL, NULL),
(8, 'Brgy. Guilayon, Tabuk, Kalinga', -1, -1, -1,
", NULL, NULL),
(9, 'Brgy. Agbannawag, Tabuk, Kalinga', 0, 0, 0,
'The area has a little less than the average
population for a barangay. The natives'' main
source of income is weaving baskets for the
females and fishing for the males. The
people living there says they generally have a
peaceful lives.', '2011-03-15', '2011-03-16'),
(10, 'Brgy. Gosi Norte, Tuguegarao, Cagayan',
0, 0, 0, 'Lorem ipsum dolor sit amet,
consectetur adipiscing elit. Sed nunc metus,
consectetur in rutrum non, ornare ut eros.
Phasellus quis ornare odio. Aliquam ultricies
laoreet velit, at accumsan urna eleifend eget.
```

Morbi pulvinar bibendum nisl eget fringilla. ', '2011-01-01', '2011-01-01'),  
 (12, 'Sabangan, Mountain Province', -1, -1, -1,  
 "", NULL, NULL),  
 (13, 'Sitio Mampueng, Olongapo City,  
 Zambales', -1, -1, -1, 'as', '1996-12-01', '1996-  
 12-01'),  
 (14, 'Tacurong City, Sultan Kudarat', -1, -1, -1,  
 "", NULL, NULL),  
 (15, 'Antipolo, Rizal', -1, -1, -1, "", NULL, NULL),  
 (16, 'Lubang Island, Occidental Mindoro', -1, -1,  
 -1, "", NULL, NULL),  
 (18, 'Brgy. Pila, Laguna', 0, 1, 1, 'Location can  
 only be reached by foot. It will take about 30 to  
 reach the closest barangay.', '2011-03-30',  
 '2011-03-31'),  
 (19, 'Malaking Ilog, San Pascual, Burias Island,  
 Masbate', -1, -1, -1, "", NULL, NULL),  
 (20, 'Cabarroguis, Quirino', 0, 1, 1, 'Lorem  
 ipsum dolor sit amet, consectetur adipiscing  
 elit. Sed nunc metus, consectetur in rutrum  
 non, ornare ut eros. Phasellus quis ornare odio.  
 Aliquam ultricies laoreet velit, at accumsan  
 urna eleifend eget. Morbi pulvinar bibendum  
 nisl eget fringilla. Q', '2011-08-01', '2011-08-  
 01'),  
 (27, 'San Fernando, Pampanga', -1, -1, -1, "",  
 '0000-00-00', '0000-00-00'),  
 (28, 'Pagadian City, Zamboanga Del Sur', -1, -1,  
 -1, "", NULL, NULL),  
 (29, 'Brgy. Pangil, Ipil, Zamboanga Sibugay', -1,  
 -1, -1, "", NULL, NULL),  
 (30, 'Brgy. Sagayad, San Fernando, La Union',  
 -1, -1, -1, "", NULL, NULL),  
 (31, 'Tuguegarao, Cagayan', -1, -1, -1, "", NULL,  
 NULL),  
 (32, 'Brgy. Taga, Tuguegarao, Cagayan', -1, -1,  
 -1, "", NULL, NULL),  
 (33, 'Brgy. Taga, Tuguegarao, Cagayan', -1, -1,  
 -1, "", NULL, NULL),  
 (34, 'Muntinlupa Science High School,  
 Muntinlupa', -1, -1, -1, "", NULL, NULL),  
 (38, 'Brgy. Pila, Laguna', -1, -1, -1, "", NULL,  
 NULL),  
 (37, 'Brgy. Guiasan, Magallanes, Agusan Del  
 Norte', -1, -1, -1, "", NULL, NULL),  
 (40, 'Philippine General Hospital', 0, 0, 0,  
 'sample', '2011-10-01', '2011-10-07'),  
 (41, 'Balikyas, Looc, Occidental Mindoro', 0, 0,  
 0, 'The location settled deep within the  
 barangay and reaching the school requires a  
 30-minute walk from the main road. The town  
 is generally crime-free but is frequently visited  
 by typhoons.', '2011-10-01', '2011-10-02'),  
 (43, 'Taft Ave., Ermita, Manila', 0, 0, 0,  
 'Volunteers and non-volunteers alike will be  
 able to attend events if within this vicinity.',  
 '2011-01-17', '2011-01-17'),  
 (46, 'Brgy. Siba-O, Calabanga, Camarines Sur',  
 0, 0, 0, 'The location is not very well developed

despite its proximity to the city. ', '2011-02-17',  
 '2011-02-18'),  
 (47, 'Maboloc, San Jose, Maranao del Norte', -1,  
 -1, -1, "", NULL, NULL),  
 (48, 'Puerto Princesa, Palawan', 0, 0, 0, 'Good.',  
 '2012-03-01', '2012-03-01');

---

--  
 -- Table structure for table  
 `jos\_location\_membership`  
 --

```

CREATE TABLE `jos_location_membership` (
 `Loc_ID` int(11) NOT NULL,
 `Event_ID` int(11) NOT NULL,
 `catid` int(11) NOT NULL,
 `Status` enum('-1','0','1') NOT NULL,
 `Evaluation` varchar(255) default NULL,
 `Activity` varchar(70) NOT NULL,
 `Evaluators` text NOT NULL,
 PRIMARY KEY (`Loc_ID`, `Event_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

```

--  
 -- Dumping data for table  
 `jos\_location\_membership`  
 --

```

INSERT INTO `jos_location_membership`
(`Loc_ID`, `Event_ID`, `catid`, `Status`,
`Evaluation`, `Activity`, `Evaluators`) VALUES
(1, 1, 44, '1', 'eval', "", ""),
(9, 2, 0, '-1', "", "", ""),
(5, 3, 0, '-1', "", "", ""),
(5, 4, 48, '-1', NULL, "", ""),
(6, 6, 0, '-1', NULL, "", ""),
(7, 7, 0, '-1', NULL, "", ""),
(8, 8, 0, '-1', NULL, "", ""),
(9, 9, 0, '1', 'This location is a suitable venue

for the immersion of our volunteers.', "", ""),
(10, 10, 0, '-1', NULL, "", ""),
(12, 14, 0, '-1', NULL, "", ""),
(13, 15, 0, '-1', NULL, "", ""),
(14, 16, 0, '-1', NULL, "", ""),
(15, 17, 49, '-1', NULL, "", ""),
(16, 18, 49, '-1', NULL, "", ""),
(18, 20, 0, '1', 'Though this village is separated

to most others, the resources therein is enough

for a decent daily living of a family. This is a

great venue for the mission.', "", ""),
(1, 20, 0, '-1', "", "", ""),
(10, 13, 0, '0', 'Vestibulum ante ipsum primis in

faucibus orci luctus et ultrices posuere cubilia

Curae; Integer viverra, odio ut tempor

commodo, felis tellus ullamcorper lorem, eu

hendrerit erat felis non neque.', '', 'Ms. Hannah

Lorma and Ms. Josephine Katyaw'),

```

```

(9, 12, 0, '1', 'The evaluators found the place
conducive for socio-civic learning thus is a very
good venue.', "", 'Ms. Jean Buela'),
(19, 21, 0, '-1', "", "", ""),
(20, 22, 0, '1', 'The school was generally okay.', "
", 'Pahinungod staff Jean Morante and Karen
Alputan'),
(13, 13, 0, '-1', "", "", ""),
(27, 30, 48, '-1', NULL, "", ""),
(28, 31, 48, '-1', NULL, "", ""),
(29, 32, 48, '-1', NULL, "", ""),
(30, 33, 48, '-1', NULL, "", ""),
(31, 34, 48, '-1', NULL, "", ""),
(32, 35, 0, '-1', NULL, "", ""),
(33, 36, 0, '-1', NULL, "", ""),
(34, 37, 0, '-1', NULL, "", ""),
(34, 38, 0, '-1', NULL, "", ""),
(34, 39, 0, '-1', NULL, "", ""),
(37, 40, 0, '-1', NULL, "", ""),
(16, 3, 0, '-1', "", "", ""),
(18, 3, 0, '-1', "", "", ""),
(1, 41, 44, '1', 'Location is safe and fairly
accessible.', "", 'Miss Jennylyn Jara and Jose
Magundi'),
(29, 3, 0, '-1', "", "", ""),
(9, 3, 0, '-1', "", "", ""),
(10, 3, 0, '-1', "", "", ""),
(1, 47, 0, '1', 'Good.', "", 'Miss Joana Jacob-San
Juan'),
(5, 42, 0, '1', 'Quisque faucibus tempor semper.
Lorem ipsum dolor sit amet, consectetur
adipiscing elit. Mauris dignissim ante at enim
aliquam ac mattis felis condimentum.
Vestibulum ante.', "", 'Mr. Adrian Dalao, Ms.
Hazel Coronel, Ms. Olivia Mae Cordero.'),
(40, 44, 0, '-1', 'sample', "", 'sample person'),
(41, 54, 0, '1', 'According to the assessment
results, it was determined that the school in
the town is in need of Mathematics teachers.',
'Math teacher deployment', 'Miss Jean Gumla
and Dr. Jess Jacinto.'),
(5, 54, 0, '1', 'It was determined in the
evaluation that the school is in need of
teachers in Mathematics.', 'Math teacher
deployment', 'Miss Ramona Sayson, Miss Kara
Lumibao and Mr. Marcel Argumen.'),
(42, 55, 0, '-1', "", "", ""),
(20, 56, 0, '1', 'Vestibulum ante ipsum primis
in faucibus orci luctus et ultrices posuere
cubilia Curae; Integer viverra, odio ut tempor
commodo, felis tellus ullamcorper lorem, eu
hendrerit erat felis non neque. Proin euismod
lobortis rutrum. Aliquam erat volutpat. Quis', ",
'Pahinungod Staff Jean Moran, and Karla
Almonte'),
(43, 62, 0, '1', 'The location is very appropriate
to the event.', "", 'Miss Poly Molino'),
(43, 61, 0, '1', 'Appropriate.', "", 'Miss Jeny
Lotto'),
(0, 60, 0, '1', 'Volunteers will be exposed to the
real "buhay sa bukid".', "", 'Johnson Libato'),
(46, 60, 0, '1', 'Appropriate for volunteer
immersion.', "", 'Yda Perez'),
(1, 27, 0, '-1', "", "", ""),
(1, 65, 0, '1', 'This is a sample evaluation', "
", 'Ms. And Mr. Umali'),
(47, 69, 48, '-1', NULL, "", ""),
(48, 70, 0, '1', 'Appropriate for the event.', "
", 'Ms. Jacky Manabe');

-- Table structure for table `jos_major_surgical`
--

CREATE TABLE `jos_major_surgical` (
 `Event_ID` int(11) NOT NULL,
 `Case_num` int(11) NOT NULL,
 `Case_name` varchar(50) NOT NULL,
 PRIMARY KEY(`Event_ID`, `Case_num`, `Case_name`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `jos_major_surgical`
--

INSERT INTO `jos_major_surgical` (`Event_ID`,
`Case_num`, `Case_name`) VALUES
(20, 0, ""),
(35, 0, ""),
(45, 1, 'heart surgery');

-- Table structure for table `jos_membership`
--

CREATE TABLE `jos_membership` (
 `Event_ID` int(11) NOT NULL,
 `Vol_ID` int(11) NOT NULL,
 `Status` tinyint(1) NOT NULL,
 `Deployed` tinyint(1) NOT NULL COMMENT '1
for deployed, 0 for not',
 `Date_modified` timestamp NOT NULL default CURRENT_TIMESTAMP,
 `Is_staff` tinyint(1) NOT NULL,
 `Remarks` text,
 PRIMARY KEY (`Event_ID`, `Vol_ID`)
) ENGINE=MyISAM DEFAULT CHARSET=utf8;

--
-- Dumping data for table `jos_membership`
--

INSERT INTO `jos_membership` (`Event_ID`,
`Vol_ID`, `Status`, `Deployed`,
`Date_modified`, `Is_staff`, `Remarks`)
VALUES
(20, 163, 1, 1, '2011-04-02 19:35:02', 0, NULL),

```

(20, 160, 1, 1, '2011-04-02 19:35:02', 0, NULL),  
(20, 142, 1, 1, '2011-04-02 19:35:02', 0, NULL),  
(20, 135, 0, 1, '2011-04-02 19:35:10', 0, NULL),  
(20, 161, 1, 1, '2011-04-02 19:35:11', 0, NULL),  
(0, 136, 1, 0, '2011-04-02 20:43:29', 0, NULL),  
(0, 140, -1, 0, '2011-04-02 20:43:29', 0, NULL),  
(0, 145, -1, 0, '2011-04-02 20:43:29', 0, NULL),  
(5, 131, -1, 0, '2011-04-03 19:59:19', 0,  
'Remarks to send along email notification to  
volunteer'),  
(5, 126, -1, 0, '2011-04-03 19:59:19', 0, NULL),  
(5, 130, -1, 0, '2011-04-03 19:59:23', 0, NULL),

(5, 166, -1, 0, '2011-04-03 19:59:23', 0,  
'Remarks to send along email notification to  
volunteer'),  
(5, 152, 0, 0, '2011-04-03 19:59:23', 0, NULL),  
(12, 122, 1, 0, '2011-04-05 15:40:02', 0, NULL),  
(21, 159, 1, 0, '2011-04-07 18:35:32', 0, NULL),  
(21, 166, 0, 0, '2011-04-07 18:35:32', 0, NULL),  
(22, 166, 1, 1, '2011-04-14 12:42:00', 0, NULL),  
(22, 152, 1, 1, '2011-04-14 12:42:00', 0, NULL),  
(70, 122, -1, 1, '2012-04-03 17:02:09', 1,  
NULL);

## **CHAPTER XI**

### **ACKNOWLEDGEMENT**

Finally! I am glad that at last I have finished this final task to mark the end of my academic years in the university. But I did not get here through my sole effort and I would like to take this opportunity to thank all the people that has helped me along the way.

First of all, I would like to thank my adviser, Sir Aldrich Co, for being so patient with me. I know I am not the best advisee one can have but the willingness to help was still the same, even after all the failures on my part. For all the time, effort, and most importantly for the patience that you have extended to me, I will always be grateful. To Dr. Vincent Magboo, Ms. Avegail Carpio, Ms. Sheila Magboo, Ms. Perl Gasmen, Sir Bryan Chua and Sir Geoff Solano, thank you for being so considerate during my presentation. I would also like to thank the advices and support that Sir Chua and Sir Solano has given me in the early days of this work's development. Thank you to Jereign, Eunice the Joomla tutorials in the early development days of this thesis. Also to Arvin for sending me Adel's mail tutorial. And yeah, Adel! Thanks for the tutorial! It has helped me a lot!

To my church friends, Tina, Eunice, Ate Karen and especially Kuya Jun and Hannah, thank you for the moral support that you have given me. For a shoulder to cry on and but most importantly for the prayers. Wish the same blessings for you all!

Also, to my college barkada, Jereign Medel Travilla, Mary Antoniette Real, Jayson Sedano and Minabelle Gutierrez, thank you for just being there through the rough times and for always never failing to create good times when we get to talk together. To the lapsers, Franz, Jobu, Jedz, and Izza, haha, thank you for giving me the will and inspiration. To Ms. Maria Asumpta Marasigan,

thank you for the support, for the love, for being there everytime I need a friend, for the friendship. And I just have to mention her again, Mina, thanks for the support, tips and motivation that you gave me. I don't think the last days of this requirement would be the same without you. Naks!

To my family, thank you my titas and titos for the constant reminder to finish this. To daddy, my mom, kulit, thank you for bearing with me during my hiatus and moody days. I am very grateful that I have you as my family! And to my lolo and lola, thank you for all the help and good words and the love. I love you all!

One of the things that were brought about by this requirement was that I was able to get closer to more people, forging bonds I never knew could be any stronger. Lastly, to my Almighty Father, thank you for the experience and for sending me these people.