

I. INTRODUCTION

A. Background of the Study

Nowadays several high schools, and most especially universities, all over the Philippines use electronic registration systems or online enrollment systems so that they could provide an efficient service considering the number of students that they have and also because it makes enrollment an easier task to accomplish. A web application is the most popular and common form of enrollment system today because of its various advantages. Not only is it accessible to everyone as long as internet connection is available, but also it relieves the hassle of having to install the system in hundreds or even thousands of client computers. Also, web applications are platform independent, which means that the system will be able to run and perform as specified regardless of the operating system the client has. All the user needs is a standard web browser and internet connection.

Web application is adapted in this study because the aim of this system is to allow parents, guardians, faculty members, clerks, and administrators to have 24-hour access of the proposed system from anywhere, at anytime, through any client computer without actually having to install or distribute it each time that they wish to use it. The system

also wishes to eliminate the need to fall in line and personally go to the school just to process the enrollment of the students.

Southernside Montessori School, more commonly known for its acronym SMS, is a private non-sectarian school in the Philippines. It was founded by Nelia Barlis in 1988. A school that once started as a small pre-school with a small faculty dramatically expanded through the years. Now this institution offers Pre-School education up to High-School education. SMS houses a lot of students with about 100 faculty, maintenance, security, and administration staff. Students live not only from nearby subdivisions and villages within Muntinlupa but also from other municipalities like Las Piñas, Sucat, and San Pedro, Laguna. Currently, its campus is located along Katihan Street corner Camella Homes IV at Barangay Poblacion, Muntinlupa City. [1]

For the past years, since SMS was first established, they have used the manual enrollment system. The issuance of receipt after the parents have paid the tuition and other fees, no matter what mode of payment they chose, was the only part that was somehow computerized.

The enrollment period usually lasts for one week. The order of enrollees is classified by the first letter of the students' surname. [2] Parents or guardians personally go to the school to enroll which is why some working parents or guardians either take a day off or half day from their work to process the enrollment of their children. They

experienced falling in line for a few hours and filling up long registration forms repetitively.

If manual enrollment system is to be continued it will take them at least a week to process all the students' records. So having an electronic enrollment system will be a great solution to the hassles and problems of manual enrollment systems.

B. Statement of the Problem

At present, Southernside Montessori School doesn't have an online registration system that takes advantage of the benefits of technology. What they have is a manual system that does not only take some time to process but is also tedious and tiring to accomplish. Especially for parents who have more than one child enrolled in the school as well as for full time working parents.

One of the problems with the manual system that they have was filling-up of official documents and forms. Since most of the students' records are still on papers, every year all the parents or guardians of the enrollees, old or new students, need to fill-up multiple registration forms for the record and copy of the registrar's office, clinic, cashier, and for the parents themselves in order to process the enrollment. This could cause data redundancy and could possibly complicate the enrollment process.

Since filling out of the forms is time consuming, another problem arises. Parents or guardians were sometimes forced to take a day-off just to process the enrollment of their children because they have to personally go to the school to fill-out long forms and fall in line.

Another problem is that every time that the parents will pay the tuition fees of their children (for those who chose semestral, quarterly, and monthly mode of payments), they need to bring their copy of the registration form. A problem that could arise is when the cashier's record and the parent's record do not match. That is why, a central repository of the student's records is essential to avoid such problem in the future. This way, both the cashier and the parents will be viewing only one record which will be updated immediately after the payment has been made.

As technology improves daily, schools, and not only business establishments, should also benefit from the advantages that could be brought about by the automation of their processes.

C. Objectives of the Study

A. General Objective

E-nrollSYS aims to improve enrollment procedures that will decrease working time. It also seeks to improve the file management of Registrar's Office for the easy retrieval of the student records as well as to help them in monitoring student records and

transactions. The system also wants to decrease data redundancy because this could be the source of inconsistent records/files.

B. Specific Objective

E-rollSYS is an Electronic Enrollment System that has five users, the parents or guardians of the students, the registration clerks, the faculty, students, and the system administrator. It has the following functionalities:

- 1) Parents or guardians are the primary users of this system. E-rollSYS enables the parents or guardians of the students to:
 - a) View the latest enrollment status of their children.
 - b) Input other information needed for student's record like the parents'/guardians' details and students' medical records.
 - c) View the list of subjects and schedules of their children.
 - d) View grades of their children after every quarter.
- 2) Registration clerks will be the secondary user of the system. They have control over the information of the students. The system permits the school clerks to:
 - a) View students' record.
 - b) Approve or disapprove the registration of a student based on their enrollment status.
 - c) Print out a final student list that will be forwarded to the teachers for the sectioning process.
 - d) Print the registration form of students in excel file.
 - e) View/Generate academic achievers.

- f) Create class schedules of sections.
 - g) Add/Edit students of a section.
 - h) Create a student and sibling directories in excel file.
 - i) Add users or accounts.
 - j) Enable/Disable accounts.
 - k) View user account details.
- 3) Faculty could do the following:
- a) Upload grades and remarks to the students after every quarter.
 - b) View the ranking of the students, per section and over-all.
 - c) Mark students who pre-registered for the following school year.
- 4) Students would be allowed to do the following:
- a) View their periodical grades after every quarter.
 - b) View the comments of their adviser about their performance each quarter.
 - c) View the schedule of their instructors.
 - d) View their class schedule.
- 5) The cashier will be able to:
- a) Produce Annual, Semestral, Quarterly, and Monthly Payments Report
 - b) Assess tuition fees and record payments
 - c) Update tuition fee list.
 - d) Update discount factors for scholarships.

D. Significance of the Project

Every year, filling up registration forms and submission of student's records of over 3000 students is the primary reason why enrollment period in Southernside Montessori School takes about a week to finish. E-nrollSYS is built to help the school with regards to their enrollment transactions.

In coming up with this kind of system, enrollment period will be reduced from a week to one or two days. This system makes transactions like viewing of student's enrollment status, recording payments made, retrieving student records, etc. easier and faster to accomplish not only for the parents or guardians but also to the teachers and school officials.

The main beneficiary of this system is Southernside Montessori School. SMS would be adapting a new innovation of technology through this web-based registration system that will enable them to work with optimum performance. This system will compensate the problems and flaws that they may have encountered in the past. The staff wouldn't be having a hard time in preparing the registration forms and producing reports for the administration anytime that they might need it because the system will be supplying this for them.

The burden of filling up lengthy and multiple registration forms by parents or guardians for the students will definitely be avoided because they do not need to

accomplish multiple copies of the forms because all the information that a particular office or department needs will be automatically forwarded to them.

On the following years that the students will enroll, only the new students need to go through filling up registration forms. Old students only need to update the data on their records if there are some changes that they need to make if not, enrollment will be much easier and faster for them. If the old students' records reflect that they do not have any unpaid balances anymore, all that's left to do is pay the tuition fee directly to the cashier.

Parents and guardians wouldn't have to take a day-off to process the enrollment of their children. They could easily enroll their children online at the comfort of their offices or even at home and only go to the school to settle and pay the tuition fees. No more falling in line for hours. A faster transaction is what the system could provide.

Since there is already a central repository for the students' records, then retrieving any needed information would be easier for everyone. Discrepancies that could occur with the manual system could be avoided with this system. As soon as the data of the students was submitted to the system, E-nrollSYS will automatically provide the offices the information that they need from the registration forms. Teachers will need to maintain just one record for the grades of the students.

E. Scope and Limitations

The proposed online registration system for Southernside Montessori School has nothing to do with any existing website of the school. The proposed website will only be used for enrollment purposes. These are the following limitations of E-nrollSYS:

- 1) Online payment is not part of the automation because as of the moment the school accepts checks and cash payments only which is directly paid at the cashier's office. This means that parents or guardians would still need to go to the school to pay the tuition fees. The school offers payment options such as annually, semestral, quarterly, and monthly mode of payment. It could be an optional adjustment to the system in the future if the school settled some matters regarding their payment options.
- 2) The proposed system wouldn't generate the official receipt. The system only records the payments made.
- 3) The system only needs the computed/final grade of the students to be uploaded for viewing purposes.
- 4) Fees other than tuition fee like miscellaneous fee, graduation fee, confirmation fee, first communion fee, school service, JS prom fee, fieldtrips, uniforms, and books will not be included in the computation and printing of registration form.

F. Assumptions

Listed below are the assumptions made for E-nrollSYS:

- 1) The school registrar will also be the system administrator because she's the one who creates, enables, and disables user accounts in the system. She knows who should be given accounts and access to the records in the system.
- 2) Excel files that will be uploaded to the system follows the required format.

II. REVIEW OF RELATED LITERATURE

One of the most important steps in the development of this system and in conducting any research project is the review of related literature. This chapter enables the readers to familiarize themselves to the case study. Previous and related studies would give the readers and future researchers an idea on how the proposed system works. Studies and previous works presented in this chapter were chosen to provide information for the readers.

At present, various online enrollment/registration systems are being used by a number of schools, colleges and universities. These institutions utilize the advantages brought about by the automation of their manual systems. The systems were either developed in-house or are outsourced from different software companies. Some were focused mainly on the registration process, while other systems include other functionalities which were useful for students. The interface of the systems vary, some were made to be more appealing and well thought of than others. But what's important is the systems deliver what is expected of them, a fast, accessible, efficient, and stress-free enrollment, as well as an effective student records archive.

Centralised Online Registration System (CORS) (<http://www.nus.edu.sg/cors/>) is used by the National University of Singapore. CORS is designed for students to register

for their modules; with the exception of students from Yong Loo Lin School of Medicine and Faculty of Dentistry, who should refer to their department for module registration instructions [5]. Students need to use CORS to register their General, Minor, Breath, GEM, and SS modules during the registration period because it is built to ease students' registration processes.

NUSNetid and password is needed to be able to log-on and access CORS. After logging in, the students would be able to view and enlist the modules across faculties that they prefer. From the points that the students accumulated over time, the system allows students to bid for subjects that they prefer through an online bidding system. Module selection and module allocation are the critical registration processes not only for the students but also for the University which is why CORS ensures that allocation processes are neutral and fair. It also allows optimal planning and management of resources of the teaching departments. Students could also submit their appeals for module related matters [5].

CORS helps students practice responsibility over their decisions because the bidding system requires careful consideration of their priorities. Each decision that they make will have a great impact on their future choices. The bidding system could teach the students how to make decisions and appreciate the consequences as well as the need to weigh their options.

YOUNG NAM UNIVERSITY'S Education & Administration System for Youngnam (EASY) (<http://enter.yu.ac.kr/>) is another good example of an online student registration system. Youngnam University is one of the premier private universities in South Korea with a student body of 35,000, which is why online course registration presented a challenge [6]. At first, they encountered some problems regarding the client-server system that they implemented. Students still need to come to campus during semester breaks to use a university workstation and enroll. To allow students to register even at their own homes, the IT staff added a Web system to handle some of the load however due to heavy usage screen displays are slow and web server crashes are experienced. Even with the course of limiting the number of simultaneous users the response time was 40 seconds which is too long for students.

And so, Youngnam University turned to Fujitsu Korea to solve the problems that they're having. And as a solution, an upgraded EASY system was implemented using the stability and high-performance capabilities of the Interstage Application Server, running on Fujitsu PrimePower servers. And as a result, after the re-launch on June 2003, noticeable change in the system's performance is seen. Lee Byeong-wan, Youngnam Information Systems of Youngnam University said, "We processed 70 percent of all requests (34,000) during the five minutes after opening. And our system response time was consistently less than five seconds." Everyone was pleased with the new system. "As a field worker, who knows very well how difficult the registration work was before, I am glad to finish registration successfully—this year was very different from the past." (Section Chief Kim Jin-ho, 2003) [6]

Massey University in New Zealand also encourages students, especially their international students, to enroll online due to a lot of benefits. Through their online portal, students could experience the convenience of enrolling at a time to suit, 24 hours x 7 days per week [7]. The system was made to be generally easier and faster to accomplish compared to postal enrollment because they could even enroll from overseas without missing deadlines or worrying about postage times and postage costs. Enrollment could be done at their own speed without any pressure. The best part is they can be certain that Massey received the enrollment.

Students could do the following thru Massey University's portal (<http://enrol.massey.ac.nz/>): enroll for the programs, minors, majors, endorsements, specializations, and papers they want to study, make changes to their enrollment such as adding and withdrawing papers, and changing a program or major, update personal details, view the timetable combinations based on enrolment choices, calculate and pay fees, and check details without having to personally talk/see someone from Massey [7].

Students who wish to study in Aragon, Burlingame, Capuchino, Hillsdale, Mills, Peninsula, San Mateo, Adult School and Middle College which belongs to San Mateo Union High School District should process their new student enrollment online through San Mateo Union High School District's portal (<https://secure.infosnap.com/family/message.aspx?code=actionprivate>). Given that the residency of their families has been verified, they will be provided with a "SNAP CODE"

which they will use to access the on-line enrollment form. After they completed the on-line enrollment, the Attendance and Welfare Department will verify submission and issue a school of assignment [8]. Once a student is verified, they receive a post card indicating the student's assigned school.

A student who accomplished their enrollment forms on-line and whose residency have already been verified will have an advantage during the priority enrollment window. They will be eligible to do the following on-line: receive priority assignment to school of residence, apply for a sibling transfer to another school in the District, and apply for an Intra-District transfer to a non-resident school within the District [8].

The main goal of online registration and information systems is to make processes easier to accomplish not only for the students but also for the registration, administration staff and faculty. This is what Adventist University of the Philippines On-line Information System (AOLIS) delivered in the year 2000. After a total of 11 months of development, the system was finally installed and used by the students and staff of the University. From that time on departments and colleges, students and teachers, the accounting and registrar's office got a reduction and speedup of work, giving AOLIS an exponentiation of duty and responsibility [9].

AOLIS has proven to be a very helpful tool during the enrollment period of the University. It solved major problems encountered in the past which are slow processing

of transactions, too much paper work, tedious enrollment procedures, and inaccessibility or unavailability of data that were needed immediately.

AOLIS wasn't only limited to enrollment and reports generation. It has other services which are very useful for the students and University staff. AOLIS Personal which enables students (parents, and sponsors) to check their statement, grades, and cafeteria balance and history from the internet, Student Schedule which helps students locate each other, Teacher Schedule which helps other people locate instructors in their classes, and Guidance Department System which stores tests scores and generates graphed printout of personality and capability test results are some of the services that the system boasts [9].

Ateneo Integrated Student Information System (AISIS) (<http://aisisonline.ateneo.edu>) is another example of an online registration system that is being implemented in big institutions. AISIS is a portal not only for Ateneo undergraduate students, but also for the University's faculty, and staff. Through the AISIS Online, officially enrolled Ateneo students may view pertinent school information including their IPS, grades, class schedules and the like [10]. They could also enlist their subjects and print their assessment forms at home through AISIS. Payment of their tuition fees could also be done online. On the other hand, Ateneo faculty and staff that could access AISIS could access their class schedules and submit grades even when they are outside the campus.

Enlistment updates and other important announcements are also posted on the home page of AISIS. Various tutorials, FAQs, and guides on how to use the online information system were also included so as to help students that might have questions on how to use the system [10].

De La Salle University (DLSU) is proud to be the first University in the Philippines to offer online enrollment to its students through My.Lasalle Portal (<https://my.dlsu.edu.ph/>). For De La Salle University students and faculty members, My.LaSalle (MLS) serves as a personal conduit to all campus information, and a personal assistant in carrying out university-related transactions within DLSU [11].

All DLSU students except freshmen, transferees, and returnees can enroll anywhere within their scheduled period through MLS web page using their MLS account. They could enlist on their preferred course and section provided that it is still open. Actual enrollment count per section and course could be done in real-time. No more lining up in the Registrar's Office would be required. This portal also provide students information about course schedule, account balance, grades for the term, schedules of final exams, and course card distribution. Undergraduate students can encode their extra-curricular activities through MLS. Not only that, they can also check their e-mails even from an Internet café without the need to actually dial up to the DLSU servers. Dropping of subjects and application for graduation could also be processed online [12].

Faculty members can submit final grades and request for change of grade online even in the comforts of their own homes. They could also compare the course load assigned to them and those in the records of the Office of the University Registrar through MLS. Like the students, they could also send and view e-mails using their MLS account [12]. Truly, MLS is a great help not only for the students but also for the faculty members of DLSU.

Another example of a full featured web-based application being used by colleges in the Philippines is Colegio de San Juan de Letran's DotLetran Student Portal (<http://dot.lettran.edu/>). DotLetran is an in-house web application developed by Letran IT Center which allows easy management of administrative and student data online. Jan Dizon, web master of ITC said "Online enrollment aims to lessen the steps in enrollment and give the students freedom to choose their subjects and schedule." [13] Statistics show that 90% of Letran students have easily completed the enrollment process through DotLetran as compared to the old system.

It incorporate features such as: full student/course details, grades inquiry, subject offering, PDF printable application forms, school schedules and activities, short messaging system (SMS), PDF printable multiple custom report card options, multimedia course delivery/ management, custom searches, reports and statistics, student personal calendar, curriculum checklist, subjects taken, on-line grades, enrollment, adjustment, change of grade, subject withdrawal, account balance inquiry, and more. The system also

has auto-advising capability because it is equipped with pre-requisites, overload, conflict, and clearance checkers [14].

Important academic and administrative school information could simply be accessed through DotLetran. This allows students to make knowledge-driven decisions. Only students with activated accounts and Dot-PINs could access the system. Students are thankful for DotLetran because obviously, the enrollment system now is better and faster compared to previous systems.

iEnroll (<http://www.ue.edu.ph/iEnroll/login.html>) is University of the East's Online Admissions/Registration System. Through iEnroll, the Office of Admissions examines, processes, and encodes the entrance credentials of freshmen applicants, transferees, degree-holders, and cross-registrants seeking admission to the University [15]. Also, student records such as student's name and number, GWA, CET, and other essential information related to registration/admission could be easily facilitated.

Using their student number, access code, and birth date, upperclassmen that don't have outstanding accounts, no records of scholastic delinquencies and/or administrative case, those who were not dismissed or issued transfer credential could select the subjects that they need to enroll using a curriculum template. They could also choose the mode of payment that they prefer, and immediately print a temporary registration card from wherever they may be. Foreign students could also use the web-based enrollment system as long as they have been given clearance by the DRRM and Office of Admissions.

Once subjects are enrolled thru iEnroll and a temporary registration card has been printed, adding and deleting of subjects are no longer allowed. The subject/s that were selected by the students will be reserved to them for three days and they must pay the down payment or full payment at the bank or at UE within two (2) days to avoid expiration of reserved subject/s. Admission/Registration of freshmen applicants, transferees, degree-holders, and cross registrants to UE was definitely made simpler, easier, and faster [15].

In Bacolod City, the University of Negros Occidental-Recoletos has experienced an enhanced enrollment system and academic record keeping thru Academic Information Management System (AIMS) (<http://enrollment.uno-r.edu.ph/students/>). AIMS is a software created by Pinnacle Asia for UNO-R for easy access of students to the school and school academic records [16].

AIMS systematized and consolidated inputs from the college registrar with the accounting office. It made records of both offices analogous with each other. “We were able to solve the loopholes in the past where millions of pesos cannot be counted because their inputs cannot be recorded.” (Bro. Jaazeal D. Jakosalem, 2007) [16]

Students, as well as their parents, can view their academic records on-line. Enrollment procedures and processing time has been greatly reduced to only 30 minutes with corresponding accounts due within 5 days. They could also read school

announcements and notices online. Faculty members could post course/lecture materials for their students. They could also encode grades through AIMS. Alumni may request and receive their transcript of records online. No doubt, AIMS greatly improved the school's information technology infrastructure [16].

III. THEORETICAL FRAMEWORK

- **Brief History of Southernside Montessori School**

Southernside Montessori School is a non-sectarian institution duly recognized by the Department of Education. It was established under the pioneering spirit of Mrs. Nelia A. Barlis who is inspired by the philosophy of Dr. Maria Montessori and her dream of giving the people of Muntinlupa an affordable but high standard of education. [1]

Southernside Montessori School is committed to provide an education that will lead a student to be a creative social factor in the building up of our society. Being a Filipino school, it inculcates the search for a new knowledge which is relevant to the realities. It aims to develop the learner to acquire skills which are necessary in the service for national development. Founded in 1988 with initial enrollment of 58 students and 3 staff, Southernside Montessori School now has a population of 2,287 students for School Year 2005-2006 with more than 100 teaching and non-teaching personnel. [3]

It has produced 5 students awarded with the distinction of Most Outstanding Students of Muntinlupa, some of whom are still enjoying scholarship grants from the City Government of Muntinlupa. A great number of students qualified in Philippine

Science, Manila Science and Muntinlupa Science High School. High School graduates passed the entrance tests of various prestigious schools like University of the Philippines, Ateneo University, De La Salle University, University of Santo Tomas, San Beda College, St. Scholastic College, and others. [3]

From its former site (extension of the residential house of Mr. and Mrs. Danilo Barlis at Katihan), SMS now occupies close to one-hectare lot with modern facilities. All classrooms are air-conditioned. There are ample spaces for the students to play or they can sit at the bench under the trees enjoying fresh air. [3]

Facilities includes the following: Playroom for pre-school students, Mini-library for young readers, Nutrition and Food Technology Laboratory-Lecture room, Practical Arts Room, Biology, Chemistry, and Computer Laboratories, Drafting Room, Gymnasium, Library, Audio Visual Room, Students Lounge, Speech Laboratory, Canteen and Garden. [3]

- **Enrollment Process of Southernside Montessori School**

Since the school has been established up to this present day SMS has been using forms that are to be filled up by the parents/guardians of the students so that the school can have a copy of the students' records and keep track of the transactions for the whole year. But as the population of the school grows, the current system is proven to be no longer efficient and convenient. [2]

A. Steps to follow prior to enrollment

New students or transferees, whether pre-school, elementary, or high school, will be accepted for enrollment in SMS if they will be able to accomplish the following:

- 1) Submit the requirements to the Registrar's Office:
 - a. Photocopy of Live Birth Certificate and Baptismal Certificate
(Presentation of the original is required)
 - b. Form 138 for Grades II to High School (Certified True Copy of the Latest Grades)
 - c. Pre-school Credential for Grade I
 - d. Letter of recommendation from the Principal or Guidance Counselor for Grades IV to High School
 - e. Two (2) "1 x 1" I.D. Picture
- 2) Pay the Admission Test Fee at the Cashiers Office.
- 3) Proceed to the Guidance and Testing Center to secure Application Form and schedule of examination and interview.
- 4) Pass the admission test and interview on the given date.

Admission Test Result and Interview will be the basis of the pupils' acceptance and placement in SMS.

B. Enrollment procedures

Before enrollment period which falls between the months April-May, a pre-registration period during the last week of December to the last day of January is

held for old students. Those who wishes to enroll the following year and wants to avail a sure slot will be paying Php 500 as a reservation fee. Those who paid for the reservation fee will have a Php 100 discount on tuition fee given that the student will be enrolled not later than May or else no discount will be given. [2]

1) For new students

- a. Secure enrollment slip from the Guidance Counselor
- b. Proceed to the Registrar's office and submit the Original copy of Form 138 (Report Card) for Grades II to High School
- c. Fill up the registration form
- d. Present the registration card to assessment area
- e. Pay at the cashier's office
- f. Return to Registrar's office to get request form for Form 137 from the previous school attended

2) For old students

- a) Submit enrolment slip (for early enrolment) or Report card (regular enrollment) to the Registrar's Office
- b) Fill-up the registration form
- c) Pay tuition fees at the Cashier's Office
- d) Return to the Registrar's Office for finalization of enrollment

The students may choose to avail of early enrollment after securing enrollment slip and good behavioral record from the Guidance Counselor and submit them to the Registrar's Office. [1]

C. Scholarships or Discounts on Tuition Fees and Miscellaneous Fees

Scholarships or discounts on tuition fees and miscellaneous fees are also offered to deserving and outstanding students of SMS. Other fees such as books, uniforms, school service, field trip, JS Prom, Graduation fee, Confirmation, and First Communion are not discounted. [2]

This privilege will be given to incoming freshmen students who are elementary graduates of SMS (Scholar A), incoming freshmen students coming from other schools (Scholar B), band members, students with 2 or more siblings also enrolled in SMS, and students with parents who are faculty members or office staff of SMS. [2]

1) Scholar A

Incoming first year students who belong to the top 3 of the batch who graduated from elementary in SMS is in the Scholar A bracket. Scholar A students will be paying only a fraction of their tuition fee.

- 1st honor - Php 1,000 plus miscellaneous and other fees.
- 2nd honor - Php 2,000 plus miscellaneous and other fees.
- 3rd honor - Php 2,500 plus miscellaneous and other fees.

2) Scholar B

Incoming first year students who graduated with honors from their respective schools will be receiving discounts from their tuition fee.

- 1st honor - 100% free of tuition fee, but will be paying for miscellaneous and other fees.
- 2nd honor - 50% discount on tuition fee, but will be paying for miscellaneous and other fees.
- 3rd honor - 30% discount on tuition fee, but will be paying for miscellaneous and other fees.

Scholar B students with parents who have an annual Income Tax Return (ITR) of Php 50,000 and below will be receiving an additional 50% discount on their miscellaneous fees.

On the following year, when the students are on their second year in SMS, only the Scholar B students who belong to the top 3 of the batch will continue to receive discounts on their tuition fees. [2]

3) Band Members

The City of Muntinlupa also has its own band that performs during festivals, special events or occasions, and concerts held mainly within the city. Members come from various schools, universities, and colleges within Muntinlupa. Band members who are studying in SMS will only be paying Php 2,000 for their tuition fee plus miscellaneous and other fees.

Once admitted in SMS, they will automatically be awarded with the reduced fee for as long as they are member of the band. [1]

4) Students with 2 or more siblings in SMS

For students who have other siblings enrolled in SMS, they will be given respective discounts on their tuition fees. [1]

- If the student to be enrolled is the 3rd child, 50% discount on tuition fee will be given.
- If the student is the 4th child, he/she will be granted 100% free of tuition fee.
- Miscellaneous and other fees will be paid in both cases.

5) Students with parent/s who are employees of SMS. These are the faculty members, security personnel, maintenance, registration clerks, cashier, and administration staff.

Students whose parent/s is an employee of SMS will be receiving discounts on tuition fees based on the number of years their parents had served in the institution. [1]

- 1 year of service - 15% discount in tuition fee of 1 child
- 2 years of service - 25% discount in tuition fee of 1 child
- 3-4 years of service - 35% discount in tuition fee of 1 child
- 5-6 years of service - 50% discount in tuition fee of 1 child
- 7-9 years of service - 100% free of tuition fee of 1 child

- 10 years and above - 100% free of tuition fee of 2 children

D. Pre-Registration of Students

Students who would still be enrolling in SMS the following academic year could avail of the pre-registration. Pre-registering will ensure them a slot for the coming school year. The pre-registration period is between the last day of December up to the last day of January wherein they would pay Php 500 for this.

Those who pre-registered and will enroll within the regular enrollment period, April to May, will be given a Php 100 discount on their tuition fee. Otherwise, they wouldn't be given any discount even if they pre-registered. [2]

E. Payment

They will be allowed to choose the mode of payment that is most convenient for them. There are four modes that they could choose from: Annual, Semestral, Quarterly, or Monthly. The cut-off of payments is every 10th of the month, whichever mode of payment they will chose. If ever they failed to pay their balances on or before the cut-off period, an additional 2% surcharge/penalty will be added to the amount payable. [2]

As of the moment, payments will only be accepted in cash or check. In cases where SMS experiences a bouncing check from a payment made by the student, then they will require the payment to be made in cash only. [2]

F. Obtaining Form 137

Students who wish to obtain a copy of their Form 137 need to go to the Registrar's Office where a requisition form will be issued. A Php 50 fee will be paid for the request of printing of Form 137. It will be issued and ready for pick-up after 3 working days. [2]

G. Sectioning of Students

Students who belong to the top 20 of the batch will automatically belong to the cream/star section, a few aspiring students will be added to complete the required number of students per section. The rest of the remaining students will be chosen by would be class advisers to form other sections. Their grades or standing doesn't matter at this point because the sectioning process is not standing-based. In cases where a new student is outstanding from his/her previous school, the pupil wouldn't automatically be placed in the cream section. [2]

- **Information System**

A computer-based system with the purpose of providing information to users in one or more organizations is an information system. It is an integrated set of components for collecting, storing, processing, and communicating information. It includes data processing and office automation applications as well as many expert system applications [17]. Business firms, other organizations, and individuals depend on information systems for accomplishing tasks such as managing their operations,

competing in the marketplace, supplying services, and augmenting personal lives. Information systems sped up the pace of daily activities, affected the structure and mix of organizations, altered the type of products bought, and influenced the nature of work.

An information system is made up of computer hardware and software, databases, telecommunications systems, human resources, and procedures. Magnetic disks, input-output devices, and telecommunications gear make up the hardware of information systems. Computer software is either system software or application software. System software, also known as the operating system, manages the hardware, files, and other system resources and provides a systematic and consistent means for controlling the computer. Whereas application software is programs designed to handle specialized tasks like general-purpose spreadsheet and word processing programs. A database is a collection of interrelated data organized so that individual records or groups of records can be retrieved whenever needed. Telecommunications are used to connect, or network, computer systems and transmit information. Qualified people are important components of any information system which is why technical personnel and workers in an organization must be trained to utilize the capabilities of information systems. Procedures for using, operating, and maintaining an information system are part of its documentation.

Various types of information systems are available to support operations, knowledge work, and management in organizations. Types of information systems

include Professional Support Systems, Offices Information Systems, Knowledge Management Systems, Management Reporting Systems, Decision Support Systems, and Executive Information Systems [18].

- **Database Management System**

Database Management System (DBMS) is a suite of software applications or programs that enable users to store, modify, and extract information from a database. This allows users to operate all functions within the database without having to know what other users are accessing in the same database [19]. It operates on a database server or mainframe system to manage structured data, accept queries from users, and more importantly to respond to queries. Typical features of a DBMS includes: (1) a way to accept, store, and structure data input as records, tables, or objects which will be used for future retrieval; (2) helps users correlate data by providing query languages for searching; sorting, reporting, and other "decision support" activities; (3) allowing access of multiple users built with security feature that prevents accessing and/or modifying certain types of information; (4) data integrity setting which prevents users from simultaneous access and modification of the same data; and (5) a data dictionary describing the structure of the database, related files, and record information [20].

There are five main types of DBMS namely: relational, multi-dimensional, text retrieval system or “free form”, object oriented, and hybrid. The relational database is the most popular type implemented and uses standard query language (SQL) to

retrieve and update information from the database. Data is stored and organized in tables expressed as rows and columns. A multi-dimensional database represents data in multiple dimensions (rand). This model could analyze large amounts of data and produce results with very fast response times. On the other hand, free form database has no structure but its main advantages are the search and retrieve functions. It is best to be used in retrieving data from a large amount of text or report because it can be used to index the whole text to be searched. Object Oriented Database Management System (OODBMS) has the capability of storing and retrieving objects other than mere data - numbers, words etc. It can handle images, graphics, videos and other objects. A hybrid database combines the features of two types of DBMS models. By combining key features of two DBMS it could use the advantage of two databases in managing data [21].

- **Structured Query Language**

Structured Query Language (SQL) is a very powerful and often complex technology allowing users to: describe the data they wish to see, define the data, and manipulate that data in a relational database management system (RDBMS), but is easier to use than traditional computer programming languages. It is widely used by many database software systems, including MySQL, SQL Server™, Postgre SQL, and the Oracle® Database. SQL supports not only texts but also other types of data including digital and multimedia formats such as graphics, audio, and video. [22].

SQL has many uses. It can be used to: execute queries against a database, retrieve data from a database, insert, update, delete records in a database, create and change the structure of the databases, create, modify, or delete tables or other objects within the database, create stored procedures in a database, create views in a database, and set permissions on tables, procedures, and views. Among the most common examples are SQL INSERT - to input data into database tables, SQL SELECT - to get selected data from tables, and SQL UPDATE - to make alterations to existing database tables and records [23].

- **Client-Server Tier**

Client-server architecture is a “network architecture” wherein each computer on the network will be classified as either a server computer, which functions as the "brains" of the organization, or client computers, which are commonly called workstations [24]. The server part is a large-capacity computer that commonly contains data files and applications that can be accessed across the network. A server is dedicated to do a task such as managing disk drives as file servers, printers as print servers, or direct network traffic as network servers. Clients are smaller computers that users use to perform their computer-based responsibilities and run applications [25]. The client is usually a browser such as Internet Explorer, Mozilla or other popular browsers. They interact with the server using protocols which help accurate data transfer through requests from a browser and responses from the server. The web makes use of a connection-less protocol. This means that after every client-server interaction the connection between the two is lost.

There are 3 models of client-server inter-communication namely: Model #1 - Static HTML pages, Model #2 - CGI Scripts, and Model #3 - Server side scripting technologies [26]. An important characteristic of client-server systems is scalability. They can either be scaled horizontally or vertically. Adding or removing a client workstation with only a slight performance impact is called horizontal scaling. On the other hand, migrating to a larger and faster server machine or multi-servers is called vertical scaling [27].

IV. DESIGN AND IMPLEMENTATION

A. Entity Relationship Diagram

E-nrollSYS is implemented using HTML. Server side scripting is implemented in PHP while MYSQL will be handling the Database Queries. Figure 1 shows the ERD for the system.




Figure 1. Entity Relationship Diagram of E-nrollSYS

The attributes of the different entities are shown in the following figures below:

| student | |
|-----------|--|
| PK | <u>StudNum</u> |
| | S Lname S Fname SMname G uardianNum SecID S Address S Contact L evelID S Sex S Birthday S Religion S Citizenship SiblingsNum S cholarType PrevSchool PrevSchoolAdd Doctor DoctorAdd AllergyHist AllergyMed AsthmaHist AsthmaMed OperationHist SpecialCondMed Rank S iblingPos P reRegFlag P aymentMode S tatus GWA |

| employee | |
|-----------|--|
| PK | <u>EmployeeNum</u> |
| | E Lname E Fname EMname T ype D epartment E Address E Contact E Birthday E Birthplace E Religion E Citizenship E Sex M aritalStat SpouseName E Years EEducA ESchoolA Adviser_Section Beneficiary |

Figure 2. Attributes of student and employee

| subject | |
|-----------|--|
| PK | <u>SubCode</u> |
| | S ubName SubDescription L evelID S choolYear Room S ubUnits |

| section | |
|-----------|---|
| PK | <u>SecID</u> |
| | S ecName L evelID SchedID F acultyNum S choolYear |

Figure 3.

| guardian | |
|----------|---|
| PK | <u>GuardianNum</u> |
| | GFname GMname GFEducA GMEducA GFSchoolA GMSchoolA GFOccupation GMOccupation GFBusAdd GMBusAdd GFTelNo GMTelNo GHAddress GContact |

Attributes of subject and section

| enrollment | |
|------------|--|
| PK | <u>EnrollID</u> |
| | StudentID PaymentMode TuitionID Payment OR Number PaymentDate Paid_Flag |

Figure 4. Attributes of guardian and enrollment

| grade | |
|-------|---|
| PK | <u>GradeID</u> |
| | StudentID SubCode Quarter SchoolYear Grade Comments |

| schedule | |
|----------|---|
| PK | <u>counter</u> |
| | sched_id time_id subj_id faculty |

Figure 5. Attributes of grade and schedule

| tuition | |
|---------|------------------|
| PK | <u>TuitionID</u> |
| | Amount |

| user | |
|------|----------------------------|
| PK | <u>Username</u> |
| | Password Type Status |

| timeslot | |
|----------|--|
| PK | <u>TimeID</u> |
| | LevelID TStart TEnd TDay |

Figure 6. Attributes of tuition, user, and timeslot

| discount | | payment_scheme | |
|-----------|-----------------------------|----------------|------------------------------|
| PK | <u>discount_type</u> | PK | <u>payment_scheme</u> |
| | discount_factor | | payment_factor |

Figure 7. Attributes of discount and payment_scheme

D. Data Dictionary

The database schema for E-rollSYS contains the following tables and their respective fields:

The *users* table contains account information of the users.

| Field | Description | Type |
|------------------------|---|---|
| <u>Username</u> | Unique identifier of the user. Student No., Faculty No., or Guardian No. | varchar(10) not null (PK) |
| Password | Alphanumeric combination that will prove one's identity | varchar(10) not null |
| Type | User type or privilege given to an account. It can be either: Student, Registration Clerk, Faculty, Parent/Guardian, or Cashier | Enum ('S', 'RC', 'F', 'G', or 'C') not null |
| Status | Unique identifier of the status of account. Either enabled or disabled. | Enum ('1' or '0') not null |

The *student* table contains necessary information about the students.

| Field | Description | Type |
|---------------------------|---|---------------------------|
| SLname | Student's Last name | varchar(50) not null |
| SFname | Student's First name | varchar(100) not null |
| SMname | Student's Middle name | varchar(50) |
| <u>StudNum</u> | Student number. Unique identifier of a student. | varchar(10) (PK) not null |
| <u>GuardianNum</u> | Guardian number. Unique identifier of | varchar(10) (FK: |

| | | |
|-----------------------|---|---|
| | a guardian/parent. | References <i>guardian table</i>) |
| SecID | Section where the student belongs. | varchar(10) (FK: References <i>section table</i>) |
| SAddress | Home address of the student | varchar(255) not null |
| SContact | Student's contact number | varchar(15) not null |
| LevelID | Grade/Year level where the student belongs. | Enum ('JC', 'JACI', 'JACII', 'AC', 'GI', 'GII', 'GIII', 'GIV', 'GV', 'GVI', 'HI', 'HII', 'HIII', or 'HIV') not null |
| SSex | Student's Sex. Either Male or Female | Enum ('M' or 'F') not null |
| SBirthday | Student's date of birth | date(mm-dd-yyyy) not null |
| SBirthplace | Student's place of birth | varchar(100) not null |
| SReligion | Student's religion | varchar(50) not null |
| SCitizenship | Student's citizenship | varchar(50) not null |
| SiblingsNum | Number of siblings currently enrolled in SMS | integer |
| ScholarType | Type of scholarship the student has | Enum ('SA1', 'SA2', 'SA3', 'SB', 'BM', or 'N') |
| PrevSchool | School last attended by the student | varchar(100) |
| PrevSchoolAdd | Address of last school attended | varchar(255) |
| Doctor | Doctor to be notified in case of emergency | varchar(100) |
| DocAdd | Address of doctor | varchar(255) |
| DocContact | Contact number of doctor | varchar(15) |
| AllergyHist | History of allergy of the student | varchar(255) |
| AllergyMed | Medication for allergy | varchar(255) |
| AsthmaHist | History of asthma of the student | varchar(255) |
| AsthmaMed | Medication for asthma | varchar(255) |
| OperationHist | History of any operation | varchar(255) |
| SpecialCondMed | Special condition the child suffers or special medication needed | varchar(255) |
| Rank | Standing of the student | integer |
| SiblingPos | This identifies the student's position if he/she has other siblings enrolled in SMS | integer |
| PreRegFlag | Identifies if the student pre-registered for the following school year. | Enum ('1' or '0') |
| PaymentMode | Mode of payment that is preferred for the tuition fee. Either annual, semestral, monthly, or quarterly. | Enum ('A', 'S', 'M', or 'Q') |
| Status | Determines if the enrollment was approved, denied, pending or whether the student is graduating or not. | enum('A', 'D', 'G', 'NG', or 'P') |

| | | |
|------------|--|-------|
| GWA | General weighted average of the student. | float |
|------------|--|-------|

The *employee* table contains essential information about the employees of SMS.

| Field | Description | Type |
|---------------------------|---|--|
| ELname | Employee's Last name | varchar(50) not null |
| EFname | Employee's First name | varchar(50) not null |
| EMname | Employee's Middle name | varchar(100) |
| <u>EmployeeNum</u> | Employee number. Unique identifier of an employee. | varchar(10) (PK) |
| Type | Type of employee. Whether security, maintenance, faculty, registration clerk, cashier, or administration staff. | Enum ('S', 'M', 'F', 'R', 'C', or 'A') |
| Department | Specifies if the employee belongs to pre-school, grade school, high school, or administration department. | Enum ('P', 'G', 'H', or 'A') |
| EAddress | Home address of the employee | varchar(100) not null |
| EContact | Employee's contact number | varchar(15) not null |
| EBirthday | Employee's date of birth | date(mm-dd-yyyy) |
| EBirthplace | Employee's place of birth | varchar(100) |
| EReligion | Employee's religion | varchar(50) |
| ECitizenship | Employee's citizenship | varchar(50) |
| ESex | Employee's Sex. Either Male or Female | Enum ('M' or 'F') |
| MaritalStat | Marital status of the employee. Either Single, Married, Divorced, or Widowed | Enum ('S', 'M', 'D' or 'W') |
| SpouseName | Name of spouse | varchar(100) |
| EYears | Years of service in SMS | integer not null |
| EEduca | Employee's educational attainment | varchar(100) not null |
| ESchoolA | School attended by the employee | varchar(100) not null |
| Adviser_Section | Contains the advisory section of the faculty members | varchar(10) |
| Beneficiary | Identifies the student who will benefit the discount given to SMS employees | varchar(10) |

The *guardian* table contains information about the parents/guardians of the students.

| Field | Description | Type |
|---------------|--------------------|-----------------------|
| GFname | Father's name | varchar(100) not null |
| GMname | Mother's name | varchar(100) not null |

| | | |
|---------------------------|--|-----------------------|
| <u>GuardianNum</u> | Guardian number. Unique identifier of a guardian/parent. | varchar(10) (PK) |
| GFEducA | Father's educational attainment | varchar(100) |
| GMEducA | Mother's educational attainment | varchar(100) |
| GFSchoolA | School attended by the father | varchar(100) |
| GMSchoolA | School attended by the mother | varchar(100) |
| GFOccupation | Occupation of father | varchar(100) |
| GMOccupation | Occupation of mother | varchar(100) |
| GFBusAdd | Father's business address | varchar(255) |
| GMBusAdd | Mother's business address | varchar(255) |
| GFTelNo | Father's telephone number | varchar(15) |
| GMTelNo | Mother's telephone number | varchar(15) |
| GHAddress | Home address of the guardian | varchar(255) not null |
| GContact | Guardian's home contact number | varchar(15) |

The *tuition* table contains tuition fees.

| Field | Description | Type |
|-------------------------|--|---|
| <u>TuitionID</u> | Grade/Year level where tuition fee is applicable. As well as the scholarship classification. | Enum ('PSJC', 'PSJACI', 'PSJACII', 'PSAC', 'PSGSI', 'GSII', 'GSIII', 'GSIV', 'GSV', 'GSVI', 'HIS', 'HSII', 'HSIII', 'HSIV', 'SA', or 'BM') (PK) |
| Amount | Amount of tuition fee | integer |

The *subject* table contains information about a subject.

| Field | Description | Type |
|-----------------------|---|---|
| <u>SubCode</u> | Subject ID. Unique identifier of a subject. | varchar(10) (PK) |
| SubName | Name of subject | varchar(20) |
| SubDescription | Description of subject | varchar(100) |
| LevelID | Grade/Year level to which the subject is being offered. | Enum('JC', 'JACI', 'JACII', 'AC', 'GI', 'GII', 'GIII', 'GIV', 'GV', 'GVI', 'HI', 'HII', 'HIII', or 'HIV') |
| SchoolYear | School year when the subject is being offered. | varchar(10) |
| Room | Room assignment | varchar(15) |
| SubUnits | Units credited for the subject | float |

The *timeslot* table contains time slots available for subjects.

| Field | Description | Type |
|----------------------|---|---|
| <u>TimeID</u> | Time slot ID code | varchar(10) (PK) |
| LevelID | Specifies the grade/year level this specific timeslot is available for. | Enum('JC', 'JACI', 'JACII', 'AC', 'GI', 'GII', 'GIII', 'GIV', 'GV', 'GVI', 'HI', 'HII', 'HIII', or 'HIV') |
| TStart | Start period | varchar(5) |
| TEnd | End period | varchar(5) |
| TDay | Contains the day | varchar(10) |

The *section* table contains the class schedule of sections.

| Field | Description | Type |
|--------------------------|--|--|
| <u>SecID</u> | Section ID. Unique identifier of a section. | varchar(25) (PK) |
| SecName | Name assigned to a section | varchar(20) not null |
| LevelID | Grade/Year level where the section belongs. | Enum ('JC', 'JACI', 'JACII', 'AC', 'GI', 'GII', 'GIII', 'GIV', 'GV', 'GVI', 'HI', 'HII', 'HIII', or 'HIV') |
| <u>SchedID</u> | Schedule ID. Unique identifier of the class schedule of a section. | varchar(20) (FK: References <i>schedule table</i>) |
| <u>FacultyNum</u> | Faculty number. Unique identifier of a faculty member that handles a specific subject. | varchar(10) (FK: References <i>employee table</i>) |
| SchoolYear | School year the subject was offered | varchar(10) |

The *schedule* table contains composite keys from 4 different tables: subject, faculty, section, and timeslot.

| Field | Description | Type |
|------------------------|---|--|
| <u>counter</u> | Section ID. Unique identifier of a section. | auto-increment (PK) |
| <u>sched_id</u> | Schedule ID. Identifier of a section's schedule | varchar(20) (FK: References <i>section table</i>) |
| <u>faculty</u> | Faculty number. Unique identifier of a | varchar(10) (FK: |

| | | |
|-------------------|--|--|
| | faculty member that handles a specific subject. | References <i>employee table</i>) |
| subject_id | Subject ID. Unique identifier of the subject a class will be taking. | varchar(10) (FK: References <i>subject table</i>) |
| SchoolYear | School year the subject was offered | varchar(10) |

The *grade* table contains the grades of the students in their subjects.

| Field | Description | Type |
|-------------------|---|--|
| GradeID | Specific ID of each grade given | integer (PK) |
| StudentID | Student number. Unique identifier of a student. | varchar(10) (FK: References <i>student table</i>) |
| SubCode | Subject ID. Unique identifier of a subject. | varchar(10) (FK: References <i>section table</i>) |
| Quarter | Quarter the grade was given | Enum ('1st', '2nd', '3rd' or '4th') |
| SchoolYear | School year the subject was offered | varchar(10) |
| Grade | Grade to be given | integer |
| Comments | Short comment on the student's performance | varchar(255) |

The *enrollment* table contains information about payments of tuition fee.

| Field | Description | Type |
|--------------------|---|---|
| EnrollID | Enrollment ID of each transaction | integer (PK) |
| StudentID | Student number. Unique identifier of a student. | varchar(10) (FK: References <i>student table</i>) |
| PaymentMode | Mode of payment that is preferred for the tuition fee. Either annual, semestral, monthly, or quarterly. | Enum ('A', 'S', 'M', or 'Q') |
| TuitionID | Grade/Year level where tuition fee is applicable. As well as the scholarship classification. | Enum ('PSJC', 'PSJACI', 'PSJACII', 'PSAC', 'PSGSI', 'GSII', 'GSIII', 'GSIV', 'GSV', 'GSVI', 'HIS', 'HSII', 'HSIII', 'HSIV', 'SA1', 'SA2', 'SA3', 'SB' or 'BM') (FK: References <i>tuition table</i>) |
| Payment | Amount Paid | integer |
| ORNum | Records the OR number upon payment | varchar(20) |
| PaymentDate | Date of payment | date(mm-dd-yyyy) |

| | | |
|------------------|---|--------------------|
| Paid_Flag | Identifies if the balance is paid or unpaid | Enum ('P' or 'NP') |
|------------------|---|--------------------|

The *discount* table contains the discounts or scholarship factors that are available. These are necessary for the assessment of fees.

| Field | Description | Type |
|-----------------------------|---|-----------------|
| <u>discount_type</u> | Identifier of the types of discount available | varchar(5) (PK) |
| discount_factor | Discount factor that will be used for assessing tuition fees. | float |

The *payment_scheme* table contains the interest that the fees will gain depending on the payment scheme they will choose.

| Field | Description | Type |
|------------------------------|--|-----------------|
| <u>payment_scheme</u> | Identifier of the payment schemes available. | varchar(1) (PK) |
| payment_factor | Factor that will be used in computing adjustments with Semestral, Quarterly, and Monthly schemes | float |

C. Context Diagram

Figure 8 shows the context diagram of E-nrollSYS. It has five external entities - the parent or guardian of the students, students, registration clerk, faculty members, cashier. Parents or guardians of the student will supply the student's information, while the system will provide the registration form and the status of the student. They would also be able to view the schedule and grades of their children. Students will be allowed to view their class schedule, grades, teacher's schedule, and comments on their performance. Cashier would supply the details needed for the assessment of fees like the discounts that would be given for scholars. They could also update the tuition fees of any year level and produce reports like Annual, Quarterly, Semestral, and Monthly Payments

Report. Registration clerks could create class schedules and sections, as well as add students to their respective sections. The school registrar will also be the system administrator because the only concern of the system administrator for E-nrollSYS is with the management of user accounts, and definitely, the registrar would know who should be given accounts and access to the records in the system. On the other hand, teachers could upload grades and comments of students. E-nrollSYS will supply the teaching load, class list, and grade sheet.




Figure 8. Context Diagram of E-nrollSYS

D. Data Flow Diagram

Figure 9 shows the top-level data-flow diagram of E-nrollSYS. It has 6 major processes namely log-in, enroll, manage class schedule, manage grades, generate reports, and manage user accounts.




Figure 9. Data Flow Diagram of E-nrollSYS

Figure 10 shows the sub-explosion of Process 1 – Log-in. All type of users will be able to use this module. It has 3 subprocesses – change password, update profile, and validate user account.




Figure 10. Sub-explosion of Log-in

Figure 11 shows the sub-explosion of Process 2 – Enroll. Parents and guardians, as well as the registration clerk will be using this module. It has 4 subprocesses – fill-out registration form, assessment of fees, update assessment details, and view registration form.




Figure 11. Sub-explosion of Enroll

Figure 12 shows the sub-explosion of Process 3 – Manage Class Schedule. The faculty members will be the only users allowed to use this module. It has 3 subprocesses – create sections, update sections, and view class schedule.




Figure 12. Sub-explosion of Manage Class Schedule

Figure 13 shows the sub-explosion of Process 4 – Manage Grades. Like the previous module, faculty members are the only users allowed to use this module. It has 3 subprocesses – input grades, update grades, and view grades.




Figure 13. Sub-explosion of Manage Grades

Figure 14 shows the sub-explosion of Process 5 – Generate Reports. This module will be used by the registration clerk only. Inputs will come from the database and outputs will be relevant for their records. It has 8 subprocesses – generate form 137, generate promotion report, generate list of academic achievers, generate official enrollment list, generate statistical reports, generate siblings directory, generate student directory, and generate financial reports.




Figure 14. Sub-explosion of Generate Reports

Figure 15 shows the sub-explosion of Process 6 – Manage User Accounts. Only the system administrator will be the one using this module. It has 3 subprocesses – add user account, view user account details, and enable/disable account.




Figure 15. Sub-explosion of Manage User Accounts

E. Technical Architecture

The system will follow the client-server architecture. The database will be stored in the server and not on a separate computer. The client side is required to have an internet connection and a browser installed on the client computer to be able to use the system.

Hardware Requirements for the Server

- Pentium Processor 600 MHz minimum (1 GHz recommended)
- 256 MB of RAM recommended
- Up to 1.3 GB of Hard Disk space may be needed

- Screen Resolution 800x600 with 256 colors minimum (recommended 1024x768 in 16-bit high color)

Hardware Requirement for the User/Client

- PC with Pentium III or 500 MHz with 32-bit RAM or higher
- Screen Resolution 800x600 with 256 colors minimum (recommended 1024x768 in 16-bit high color)

V. RESULTS




Figure 16. Log-in Screen

Figure 16 shows the login screen of the system. Upon viewing the website, the users are automatically prompted to login into the system.



Figure 17. Registrar's Screen



Figure 18. Cashier's Screen



Figure 19. Faculty's Screen



Figure 20. Guardian's Screen



Figure 21. Student's Screen

Figure 17 to 21 show the screens that will be shown upon logging in. Figure 17 shows the screen available to the registration clerks; Figure 18 shows the screen available to the cashier; Figure 19 shows the screen available to the faculty; Figure 20 shows the

screen available to the guardian/parent; and Figure 21 shows the screen available to the student. From this page they can access the different functions each type of user is allowed to do.

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 3001-00045. Today is Monday, April 4, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

View Student Record

Search: | BACK |

| Name | Student Number | Level | Section | Status | Rank | GWA |
|-------------------------|----------------|-------------------------|------------|------------|------|--------|
| Kathleen M. Mendoza | 2005-21776 | Fourth Year High School | Eucalyptus | Graduating | 1 | 91.765 |
| Andrew T. Evans | 2005-19273 | Fourth Year High School | Ebony | Graduating | 2 | 90.882 |
| Tanya Ashley S. Lindain | 2005-21445 | Fourth Year High School | Ebony | Graduating | 12 | 0 |
| Avegail . Carpio | 2005-67892 | Fourth Year High School | Ebony | Graduating | 11 | 0 |
| Erica V. Go | 2005-78495 | Fourth Year High School | Ebony | Graduating | 10 | 0 |
| Manuel A. Enriquez | 2005-83990 | Fourth Year High School | Eucalyptus | Graduating | 9 | 89.471 |
| Lisa M. Castro | 2005-88823 | Fourth Year High School | Eucalyptus | Graduating | 7 | 89.894 |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 22. Search Student Records Screen

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 3001-00045. Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

User's Profile

*Complete profile of 2005-21776, Kathleen M. Mendoza. | BACK |

Academic Competencies

Grade/Year Level: Fourth Year High School
 Section: Eucalyptus
 Scholar Type: N/A
 Rank: 1
 Status: Graduating
 General Weighted Average: 91.765
 Previous School: De La Salle Zobel
 School's Address: Ayala Alabang

Personal Details

Name: Mendoza, Kathleen M.
 Parent/Guardian: Arnelito M. Mendoza, Miraflor M. Mendoza
 Address: #75 Boracay Drive Camella Homes 4, Muntinlupa City, 1776
 Contact Number: 8093156
 Sex: Female

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 23. View Student Records Screen

Figure 22 and Figure 23 show the screens that will be shown when the View Student Record icon is clicked. Figure 22 shows the screen where the registration clerks could perform search functions by lastname, student number, grade/year level, or section and the system will output available records. Figure 23 shows the student's record when their name from the previous page is clicked.




Figure 24. Print Registration Form Screen

Figure 24 shows the screen that will be shown when the Print Registration Form icon is clicked. This screen is where the registration clerks could perform search functions by lastname, student number, grade/year level, or section and the system will output available records with links that could download excel file format of the registration form shown in Figure 25. Figure 26 shows the sample excel registration file produced.




Figure 25. Download Registration Form Screen

The form is for Southern Side Montessori School, located at 4500 S. 17th St., Suite 100, Miami, FL 33146. The school year is 2010-2011. The form is a 'PARENT'S COPY' and includes fields for the parent's name (Mendoza, Kathleen), address, and phone number. It also includes a section for 'MODE OF PAYMENT' with options for Annual, Semi-Annual, Quarterly, and Monthly. The 'PAYMENTS' section includes a table for amounts and O.R. No. for each month from July to February. The 'AGREEMENT' section includes a statement of agreement to pay the total fees for the child's enrollment as per arrangement of payments indicated on or before the specified date of payment. Failure to remit payments on time means an additional surcharge of 2% monthly. The form is signed by Arnelto M. Mendoza, Mire for M. Mendoza, on 03/31/2011.

Figure 26. Sample Registration Form File Produced



Figure 27. Student Directories Screen

Figure 27 shows the sub-page for viewing the different types of directories that are produced by the system like student directory by level, sibling directory, and student list which will be used for sectioning purposes.




Figure 28. Student Directory Screen

H5 Batangas City

| | A | B | C | D | E | F | G | H | I | J |
|---|------------------------------|----------------|------------|-----|---|-------------|------------|----------------------------|-------------|----------------|
| 1 | Name | Student Number | Section | Sex | Address | Contact No. | Birthday | Birthplace | Citizenship | Religion |
| 2 | Carpio, Avegail | 2005-67892 | Acacia | F | #75 Boracay Drive Camella Homes 4 Muntinlupa City | 8788374 | 1989-08-26 | Manila | Filipino | Catholic |
| 3 | Evans, Andrew Tolentino | 2005-19273 | Eucalyptus | M | Blk 6 Lot 3 Hillsborough, West Service Road, Alabang, Muntinlupa City | 8308492 | 1992-05-07 | New Jersey, USA | American | Roman Catholic |
| 4 | Lindain, Tanya Ashley Santos | 2005-21445 | Acacia | F | #899 Molave st. Josephine Village, Paranaque City | 8096632 | 0000-00-00 | San Jose City, Nueva Ecija | Filipino | Roman Catholic |
| 5 | Mendoza, Kathleen Miral | 2005-21776 | Eucalyptus | F | #75 Boracay Drive Camella Homes 4 Muntinlupa City | 8093156 | 1989-02-13 | Batangas City | Filipino | Roman Catholic |
| 6 | | | | | | | | | | |
| 7 | | | | | | | | | | |
| 8 | | | | | | | | | | |

Fourth Year

Ready 100%

Figure 29. Sample Student Directory File Produced

Figure 28 shows the screen that will be shown when the View Student Directory icon is clicked. This enables the registration clerk to produce a directory by year level and save it in an excel file. Figure 29 shows the sample student directory excel file produced by the system.



Figure 30. Sibling Directory Screen




Figure 31. Sample Sibling Directory File Produced

Figure 30 shows the screen that will be shown when the View Sibling Directory icon is clicked. This enables the registration clerk to produce a directory of siblings studying in SMS and save it in an excel file like the image shown in Figure 31.




Figure 32. Generate Student List Screen

Figure 33. Sample Student List Excel File Produced

Figure 31 shows the screen that will be shown when the Generate Student List icon is clicked. This enables the registration clerk to generate the list of students per grade/year level and save it in an excel file as seen in Figure 33. This is forwarded to the faculties and used for sectioning purposes.



Figure 32. Manage Sections Screen

Figure 32 shows the sub-page for managing sections. The registration clerks can do: a) the creation of sections; b) creation of their class schedules; c) editing section details; d) view created schedules and the students on that section; and e) add and remove students from a section.




Figure 33. Create Section Screen




Figure 34. Create Schedule Screen

Figure 33 shows the screen where the registration clerk could create a new section while Figure 34 shows where the class schedule of a section could be created.



Figure 35. Edit Section Details Screen

Figure 35 shows the screen where-in the registration clerks can edit section details, like section name and adviser, and delete a section.




Figure 36. Add Students Screen




Figure 37. Add Students Screen

Figure 36 and Figure 37 shows where the registration clerks can add new students to a section by uploading an excel file containing student numbers.




Figure 38. Remove Students Screen




Figure 39. Remove Students Screen

Also the clerks can remove students from a section by checking the boxes across the students' names as in Figure 38 and Figure 39.




Figure 40. View Schedule and Students Screen

Figure 40 shows the screen that will be shown when the View Schedule and Students icon is clicked. Here clerks can view schedule and students who are members of a particular section.




Figure 41. Manage User Accounts Screen

Figure 41 shows the sub-page where-in the registration clerks manage the user accounts of the system. From this page the registrar can do the following: a) add new user accounts and b) view their account details.




Figure 42. Add User Account Screen

Figure 42 shows the page where-in the registration clerks can add new user accounts to the system. A new user may be a student, guardian, or employee. A parent/guardian account should be created first before a student account can be added.




Figure 43. Update Ranking Screen-A

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 3001-00045. Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Academic Achievers by Grade/Year Level

Grade/Year Level: - Level - Show Students | BACK |

**Academic Achievers from Fourth Year High School
School Year 2010-2011**

| Name | Student Number | Section | Standing | GWA |
|------------------------------|----------------|------------|----------|--------|
| Mendoza, Kathleen Miral | 2005-21776 | Eucalyptus | 1 | 91.765 |
| Evans, Andrew Tolentino | 2005-19273 | Eucalyptus | 2 | 90.882 |
| Razon, Katrina Gonzaga | 2008-28464 | Eucalyptus | 3 | 90.2 |
| Mendoza, Katherine Miral | 2005-14263 | Eucalyptus | 4 | 90.024 |
| Pereyra, Olivia Mendoza | 2005-29215 | Acacia | 5 | 90 |
| Misajon, Enola Gay Milendrez | 2005-76012 | Eucalyptus | 6 | 90 |
| Castro, Lisa Maligalig | 2005-88823 | Eucalyptus | 7 | 89.894 |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 44. Update Ranking Screen-B

Figure 43 shows the screen that will be shown when the Update Student Ranking icon is clicked. Here the clerks can trigger the update and automatically view the top 10 achievers based on the overall ranking per grade/year level, Figure 44.

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 3001-00045. Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Update Enrollment Status

Search: - Select Category - Proceed | BACK |

| Name | Student Number | Section | Level | Status | Approve | Disapprove |
|-------------------------|----------------|---------------------|-------------|---------|-----------------------|-----------------------|
| Kathleen M. Mendoza | 2005-21776 | Eucalyptus2010-2011 | Fourth Year | Pending | <input type="radio"/> | <input type="radio"/> |
| Andrew T. Evans | 2005-19273 | Eucalyptus2010-2011 | Fourth Year | Pending | <input type="radio"/> | <input type="radio"/> |
| Tanya Ashley S. Lindain | 2005-21445 | Eucalyptus2010-2011 | Fourth Year | Pending | <input type="radio"/> | <input type="radio"/> |
| Avegail . Carpio | 2005-67892 | Eucalyptus2010-2011 | Fourth Year | Pending | <input type="radio"/> | <input type="radio"/> |
| Erica V. Go | 2005-78495 | Eucalyptus2010-2011 | Fourth Year | Pending | <input type="radio"/> | <input type="radio"/> |

Update Status of Students

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 45. Update Enrollment Status Screen

Figure 45 shows the screen that will be shown when the Update Enrollment Status icon is clicked. Registration clerks can perform search functions and mark enrollment of students as approve, disapprove, or pending. Only pending accounts are shown after actions, such as approval or disapproval, were made.




Figure 46. Mark Non-Graduating Students Screen

Figure 46 shows the screen that will be shown when the Mark Non-Graduating Students icon is clicked. The registration clerks have the option of marking students as non-graduating depending on issues such as unpaid balances, failing grades, etc.




Figure 47. List Graduating Students Screen-A




Figure 48. List Graduating Students Screen-B

Figure 47 shows the screen that will be shown when the List Graduating Students icon is clicked. It shows details like student number, section, and student ranking of graduating students. Excel file can be generated as in Figure 48.

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 3001-00045. Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Academic Achievers by Grade/Year Level

Grade/Year Level: Show Students | BACK |

**Academic Achievers from Fourth Year High School
School Year 2010-2011**

| Name | Student Number | Section | Standing | GWA |
|------------------------------|----------------|------------|----------|--------|
| Mendoza, Kathleen Miral | 2005-21776 | Eucalyptus | 1 | 91.765 |
| Evans, Andrew Tolentino | 2005-19273 | Eucalyptus | 2 | 90.882 |
| Razon, Katrina Gonzaga | 2008-28464 | Eucalyptus | 3 | 90.2 |
| Mendoza, Katherine Miral | 2005-14263 | Eucalyptus | 4 | 90.024 |
| Pereyra, Olivia Mendoza | 2005-29215 | Acacia | 5 | 90 |
| Misajon, Enola Gay Milendrez | 2005-76012 | Eucalyptus | 6 | 90 |
| Castro, Lisa Maligalig | 2005-88823 | Eucalyptus | 7 | 89.894 |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 49. View Academic Achievers by Level Screen

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 3001-00045. Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Academic Achievers by Section

Grade/Year Level: Section: Show Achievers | BACK |

**Academic Achievers from Fourth Year Eucalyptus
School Year 2010-2011**

| Name | Student Number | Section | Standing | GWA |
|------------------------------|----------------|------------|----------|--------|
| Mendoza, Kathleen Miral | 2005-21776 | Eucalyptus | 1 | 91.765 |
| Evans, Andrew Tolentino | 2005-19273 | Eucalyptus | 2 | 90.882 |
| Razon, Katrina Gonzaga | 2008-28464 | Eucalyptus | 3 | 90.2 |
| Mendoza, Katherine Miral | 2005-14263 | Eucalyptus | 4 | 90.024 |
| Misajon, Enola Gay Milendrez | 2005-76012 | Eucalyptus | 5 | 90 |
| Castro, Lisa Maligalig | 2005-88823 | Eucalyptus | 6 | 89.894 |
| Enriquez, Manuel Avila | 2005-83990 | Eucalyptus | 7 | 89.471 |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 50. View Academic Achievers by Section Screen

Figure 49 and Figure 50 shows the screens that will be shown when the View Academic Achievers icon is clicked. It shows details like student number, section, and student ranking of the top 10 students per grade/year level.

Next, the cashier's different modules will be discussed. See Figure 18 for the Cashier's Corner.




Figure 51. Record Payment Screen-A




Figure 52. Record Payment Screen-B




Figure 53 Record Payment Screen-C

Figure 51, 52, and 53 shows the screen that will be shown when the Record Payment icon is clicked. This shows the assessment based on the tuition fee list and scholarship/discount a student may receive, if applicable. It shows the amount expected on a particular payment period.



Figure 54. Update Fees Screen

Figure 54 shows the screen that will be shown when the Update Fees icon is clicked. Here the cashier can record adjustments on tuition fees per grade/year level.




Figure 55. Update Dicounts Screen

Figure 55 shows the screen that will be shown when the Update Discounts icon is clicked. Here the cashier can record adjustments on discount rates given to different types of discounts like scholarships, employee discounts, and academic excellence discounts.

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 4009-00013. Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Financial Reports
Choose Category: - Category - Generate Report | BACK |

MONTHLY PAYMENTS REPORT SCHOOL YEAR 2010-2011

| Grade/Year Level | Number of Students | Amount |
|--------------------------------|--------------------|---------------|
| Pre-school Department: | | |
| TOTAL AMOUNT: PHP 0.00 | | |
| TOTAL STUDENTS: 0 | | |
| Gradeschool Department: | | |
| GVI | 2 | PHP 21,065.00 |
| TOTAL AMOUNT: PHP 21,065.00 | | |
| TOTAL STUDENTS: 2 | | |
| HighSchool Department: | | |
| HII | 1 | PHP 11,873.40 |
| HIII | 1 | PHP 12,033.45 |
| IIIV | 2 | PHP 6,212.75 |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 56. Monthly Payments Report Screen

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 4009-00013. Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Financial Reports
Choose Category: - Category - Generate Report | BACK |

QUARTERLY PAYMENTS REPORT SCHOOL YEAR 2010-2011

| Grade/Year Level | Number of Students | Amount |
|--------------------------------|--------------------|---------------|
| Pre-school Department: | | |
| JC | 1 | PHP 0.00 |
| TOTAL AMOUNT: PHP 0 | | |
| TOTAL STUDENTS: 1 | | |
| Gradeschool Department: | | |
| GIII | 2 | PHP 19,740.44 |
| GIV | 3 | PHP 9,870.22 |
| GV | 3 | PHP 10,124.88 |
| GVI | 3 | PHP 10,245.25 |
| TOTAL AMOUNT: PHP 49,980.79 | | |
| TOTAL STUDENTS: 11 | | |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best Viewed using Google Chrome.

Figure 57. Quarterly Payments Report Screen

Figure 56 to Figure 57 show the screen that will be shown when the Financial Reports icon is clicked. Figure 56 is the report of enrollees who availed the monthly payment scheme while Figure 57 a report on those who chose quarterly payment scheme.

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 4009-00013. Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Financial Reports
Choose Category: - Category - | BACK |

**SEMESTRAL PAYMENTS REPORT
SCHOOL YEAR 2010-2011**

| Grade/Year Level | Number of Students | Amount |
|--------------------------------|--------------------|---------------|
| Pre-school Department: | | |
| TOTAL AMOUNT: PHP 0.00 | | |
| TOTAL STUDENTS: 0 | | |
| Gradeschool Department: | | |
| TOTAL AMOUNT: PHP 0.00 | | |
| TOTAL STUDENTS: 0 | | |
| HighSchool Department: | | |
| HIII | 1 | PHP 11,486.48 |
| HIV | 1 | PHP 23,719.60 |
| TOTAL AMOUNT: PHP 35,206.08 | | |
| TOTAL STUDENTS: 2 | | |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 58. Semestral Payments Report Screen

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 4009-00013. Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Financial Reports
Choose Category: - Category - | BACK |

**ANNUAL PAYMENTS REPORT
SCHOOL YEAR 2010-2011**

| Grade/Year Level | Number of Students | Amount |
|---------------------------------|--------------------|---------------|
| Pre-school Department: | | |
| JC | 2 | PHP 16,549.00 |
| TOTAL AMOUNT: PHP 16549 | | |
| TOTAL STUDENTS: 2 | | |
| Gradeschool Department: | | |
| GIII | 2 | PHP 19,740.44 |
| GIV | 3 | PHP 9,870.22 |
| GV | 3 | PHP 10,124.88 |
| GVI | 5 | PHP 31,310.25 |
| TOTAL AMOUNT: PHP 71045.7890625 | | |
| TOTAL STUDENTS: 13 | | |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 59. Annual Payments Report Screen

Figure 58 to Figure 59 show the screen that will be shown when the Financial Reports icon is clicked. Figure 58 is the report of enrollees who availed the semestral payment scheme while Figure 59 a report on those who chose annual payment scheme.

Next are the functionalities a faculty is allowed to do. See Figure 19 for the Faculty's Corner.




Figure 60. Upload Grades Screen




Figure 61. Upload Grades Screen

Figure 60 shows the screen that will be shown when the Upload Grades icon is clicked. Faculty members can upload the grade sheet of a section for a particular subject through an excel file. Figure 61 shows the summary of the upload grades module.

The screenshot shows the E-nrollSYS interface for Southernside Montessori School. The main content area is titled "Compute General Weighted Average of Students" and includes a dropdown menu for "Quarter" set to "1st Quarter" and a "Compute GWA" button. Below this, the page displays the "General Weighted Average of Array for 1st Quarter School Year 2010-2011" in a table format.

| Name | Student Number | GWA |
|----------------------|----------------|--------|
| Kathleen M. Mendoza | 2005-21776 | 91.765 |
| Manuel A. Enriquez | 2005-83990 | 89.471 |
| Lisa M. Castro | 2005-88823 | 89.894 |
| Olivia M. Pereyra | 2005-29215 | 90 |
| Juan M. Alvarez | 2005-49788 | 89.682 |
| Enola Gay M. Misajon | 2005-76012 | 90 |
| Katrina G. Razon | 2008-28464 | 90.2 |
| Katherine M. Mendoza | 2005-14263 | 90.024 |

Figure 62. Compute GWA Screen

Figure 62 shows the screen that will be shown when the Compute GWA icon is clicked. This can be done every quarter. The General Weighted Average (GWA) of students will only be computed if their grades for the different subjects in a particular quarter are complete.




Figure 63. Mark Pre-Registered Students Screen

Figure 63 shows the screen that will be shown when the Mark Pre-Registered Students icon is clicked. This is done to assess how many students will possibly enroll in SMS the following school year.




Figure 64. View Student Ranking Screen-A

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 1234-56789 Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Academic Achievers by Section

Grade/Year Level: - Level - Section: - Section - Show Achievers | BACK |

**Academic Achievers from Fourth Year Eucalyptus
School Year 2010-2011**

| Name | Student Number | Section | Standing | GWA |
|------------------------------|----------------|------------|----------|--------|
| Mendoza, Kathleen Miral | 2005-21776 | Eucalyptus | 1 | 91.765 |
| Evans, Andrew Tolentino | 2005-19273 | Eucalyptus | 2 | 90.882 |
| Razon, Katrina Gonzaga | 2008-28464 | Eucalyptus | 3 | 90.2 |
| Mendoza, Katherine Miral | 2005-14263 | Eucalyptus | 4 | 90.024 |
| Misajon, Enola Gay Milendrez | 2005-76012 | Eucalyptus | 5 | 90 |
| Castro, Lisa Maligalig | 2005-88823 | Eucalyptus | 6 | 89.894 |
| Enriquez, Manuel Avila | 2005-83990 | Eucalyptus | 7 | 89.471 |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 65. View Student Ranking Screen-B

Figure 64 and Figure 65 show the screens that will be shown when the View Ranking of Students icon is clicked. Teachers can view the overall grade/year level ranking of students or any particular section.

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 1234-56789 Today is Friday, April 1, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Your Schedule for School Year 2010-2011

| Time | Room | Year & Section | Subject |
|-------------------------|-----------|----------------|-------------------|
| 11:00am-11:45am, TTh | Home Room | HIV Eucalyptus | Basic Programming |
| 08:20am-09:05am, MTWThF | Home Room | HIV Acacia | Makabayan IV |
| 03:45pm-04:30pm, F | Gymnasium | HIV Acacia | C.A.T |
| 11:00am-11:45am, TTh | Home Room | HIV Ebony | Basic Programming |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 66. View Schedule Screen

Figure 66 shows the screen that will be shown when the View Schedule icon is clicked. It shows the schedule of the instructor containing the time, room, section, and subject the instructor is teaching.

Parents can do the following: a) update their information as well as their children's; b) view the enrollment status of their children; c) view student's grades and remarks, both by quarter and overall.

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

| Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 0103-38493. Today is Friday, April 1, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Parents/Guardian Information and Enrollment Details
*Required fields to be filled-out.

| | FATHER | MOTHER |
|-------------------------|--------------------|---------------------|
| *Name: | Amelito M. Mendoza | Miraflor M. Mendoza |
| Educational Attainment: | BS Architecture | BS Accountancy |
| School Attended: | FEU | PUP |
| Occupation: | Office Employee | Office Employee |
| Business Address: | San Jose, Batangas | |
| *Contact No.: | 09179647691 | 09273504452 |

IN CASE OF EMERGENCY NOTIFY US AT:

*Home Address: #75 Boracay Drive Camella Homes 4 Muntinlupa City

*Tel. No.: 8093156

AGREEMENT:
I hereby agree to pay this school the total fees for my child's enrollment as per assessment of payments indicated.

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 67. Update Guardian's Information Screen



Figure 68. Update Student's Information Screen

Figure 67 and 68 shows the screens when the Update Guardian's and Student's icons are clicked. These pages enable the guardian to change important information such as address and contact number on the records of their children.




Figure 69. View Status of Enrollment Screen

Figure 69 shows the screen that will be shown when the View Enrollment Status icon is clicked. It shows details such as grade/year level, section, payment mode, as well as breakdown of payments made.

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Logged in as 0105-38493. Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

View Student's Grades and Remarks

Student: - Select Student - Quarter: 1st Quarter Proceed | VIEW ALL | EXIT

**Grades of Kathleen M. Mendoza for 1st Quarter
School Year 2010-2011**

Grade/Year Level: Fourth Year High School
Section: Eucalyptus

| Subject | Grade | Remarks | Units |
|-----------------------------|-------|--------------|-------|
| Physics | 95 | Excellent | 1.2 |
| Basic Accounting Principles | 90 | Satisfactory | 0.5 |
| Basic Programming | 92 | Satisfactory | 0.5 |
| Makabayan IV | 90 | Satisfactory | 1.2 |
| Drafting | 91 | Satisfactory | 0.5 |
| English IV | 91 | Satisfactory | 1.2 |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 70. View Grades and Remarks Screen (Per Quarter)

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Logged in as 0105-38493. Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

View Student's Grades and Remarks

Student: - Select Student - Proceed | EXIT

| Subject | 1st | 2nd | 3rd | 4th | Average |
|-----------------------------|--------|--------|--------|--------|---------|
| Basic Programming | 92 | 92 | 90 | 94 | 92.000 |
| Intermediate Algebra | 92 | 91 | 90 | 92 | 91.250 |
| Physics | 95 | 92 | 93 | 93 | 93.250 |
| Filipino IV | 92 | 91 | 92 | 94 | 92.250 |
| Basic Accounting Principles | 90 | 92 | 92 | 93 | 91.750 |
| Makabayan IV | 90 | 92 | 91 | 95 | 92.000 |
| Drafting | 91 | 93 | 94 | 94 | 93.000 |
| English IV | 91 | 93 | 92 | 94 | 92.500 |
| C.A.T | 91 | 92 | 90 | 94 | 91.750 |
| P.E. IV | 92 | 93 | 90 | 94 | 92.250 |
| GWA | 91.765 | 91.976 | 91.482 | 93.659 | 93.659 |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 71. View Grades and Remarks Screen (All Quarters)

Figure 70 and Figure 71 shows the screen that will be shown when the View Grades and Comments icon is clicked. It shows the grades and remarks of teachers on their children depending on the quarter they choose on Figure 70 and all the available grades on Figure 71.




Figure 72. View Class Schedule Screen

Figure 72 shows the screen that will be shown when the View Class Schedule icon is clicked. It shows the class schedule of their children. It contains details such as days and time, subject, room assignment, and faculty in charge.

Below are the things a student can do with his/her account: a) view grades and remarks; b) view class schedule; c) view schedule of instructors.

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 0105-38493. Today is Tuesday, April 5, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

View Student's Grades and Comments

Student: [- Select Student -] Quarter: 1st Quarter [Proceed] | VIEW ALL | EXIT |

| | | | |
|-----------------------------|---------------|--------------|------------|
| Physics | 95 | Excellent | 1.2 |
| Basic Accounting Principles | 90 | Satisfactory | 0.5 |
| Basic Programming | 92 | Satisfactory | 0.5 |
| Makabayan IV | 90 | Satisfactory | 1.2 |
| Drafting | 91 | Satisfactory | 0.5 |
| English IV | 91 | Satisfactory | 1.2 |
| C.A.T | 91 | Satisfactory | 0.5 |
| P.E. IV | 92 | Satisfactory | 0.5 |
| Intermediate Algebra | 92 | Satisfactory | 1.2 |
| Filipino IV | 92 | Satisfactory | 1.2 |
| GWA | 91.765 | | 8.5 |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 73. View Grades and Remarks Screen

Figure 73 shows the screen that will be shown when the View Grades and Remarks icon is clicked. It shows the grades of the students on their subjects as well as their GWA depending on the quarter they choose.

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 2005-21776. Today is Friday, April 1, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Class Schedule
*This is your class schedule for the current school year. | EXIT |

| Time | Room | Subject | Faculty |
|-------------------------|-----------|-----------------------------|------------------------|
| 07:30am-08:15am, MTWThF | Home Room | Makabayan IV | Eleanor De Castro |
| 08:20am-09:05am, MTWThF | Home Room | Physics | Josephine Bustamante |
| 09:10am-09:55am, MTWThF | Home Room | Intermediate Algebra | Arnold Reyes |
| 10:10am-10:55am, MTWThF | RH-205 | Filipino IV | Felipe Garcia |
| 11:00am-11:45am, MWF | Gymnasium | P.E. IV | Jacqueline Gonzales |
| 11:00am-11:45am, TTh | Home Room | Basic Programming | Rachelle So |
| 12:30pm-01:15pm, MTWThF | Home Room | Basic Accounting Principles | Manuel Obre |
| 01:20pm-02:20pm, MTWThF | TLE Room | Drafting | Augusto Philip Montero |
| 02:35pm-03:30pm, MTWThF | Home Room | English IV | Carmela Rose Aguda |
| 03:45pm-04:30pm, F | Gymnasium | C.A.T | Augusto Philip Montero |

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 74. View Class Schedule Screen

Figure 74 shows the screen that will be shown when the View Schedule icon is clicked. It shows their class schedule for the whole school year. It contains details such as days and time, subject, room assignment, and faculty in charge.



Figure 75. View Instructor's Schedule Screen

Figure 75 shows the screen that will be shown when the View Instructor's Schedule icon is clicked. It shows the schedule of their instructors for the whole school year. It contains details such as days and time, subject, room assignment, and faculty in charge. This can be used as basis for consultation hours with the instructor.

The Figures 76 to 78 are the common pages of each type of user account. These are the change password, view profile, and update essential information screens.




Figure 76. Change Password Screen

Figure 76 shows the screen that will be shown when the Change Password icon is clicked. Each user of the system may opt to change their password. Temporary passwords are given once accounts are made.




Figure 77. View Profile Screen

Figure 77 shows the screen that will be shown when the View Profile icon is clicked. Each user of the system may view their complete profile which consist of their personal details and other additional information that the system needs.

E-nrollSYS
Southernside Montessori School
Electronic Enrollment System

Home | About E-nrollSYS | Contact | Help | Log-out |

Logged in as 4009-00013. Today is Friday, April 1, 2011

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

Update Essential Information

IMPORTANT: Print name in accordance with your birth certificate/ACR *Required fields to be filled-out.

PERSONAL INFORMATION:

*Family Name: Lorica *Given Name: Evangeline
Maternal Name: Banaag *Tel. No.: 09156366277
*Home Address: #189 Ocampo Compound, National Road, Tunasan, Muntinlupa City
*Date of Birth: 1981-03-04 *Years of Service: 10
*Place of Birth: San Pedro, Laguna *Sex: Male Female
*Religion: Roman Catholic *Citizenship: Filipino
*Marital Status: Single Married Divorced Widowed
If married, name of spouse: Rolando Lorica

EDUCATIONAL BACKGROUND:

Educational Attainment: BS Business Administration
School Attended: San Beda, Alabang

OTHER INFORMATION:

E-nrollSYS created by Kathleen M. Mendoza
All rights reserved. Best viewed using Google Chrome.

Figure 78. Update Essential Information Screen

Figure 78 shows the screen that will be shown when the Update Essential Information icon is clicked. Each user of the system may update or edit details found in their complete profile, except for student accounts. Changing student information if needed is the guardian's/parent's task.

VI. DISCUSSION

E-nrollSYS is an enrollment system and student information system combined. It takes care of enrollment processes as well as retrieval and storage of essential data about students.

By gathering sufficient information through research, interview, and company visitation, the proponent was able to develop a system that would help Southernside Montessori School for their enrollment process as well as their student records. The system also helped SMS from the risks and errors that are involved with the institution's existing manual enrollment system. The development of an online enrollment system requires an understanding and an analysis of the existing system; the problems, requirements, and specifications that the institution laid out. It also required ample amount of preparation that involves conducting interviews and company visits, obtaining necessary information through research, and coming up with a resolution for the requirements of the company.

The proposed system includes the transactions done in the Cashier's Office and the Registrar's Office, namely: payment and assessment of fees, class scheduling, generating directories and class lists, and selection of subject/schedule of the students. Also included in the system are Faculty Department transactions like: uploading grades

and comments, computing the GWA of students, ranking the students, and producing achievers list.

The registration clerks act as system administrator because they are the ones creating accounts in the system. Newly admitted students together with their guardians will be given new accounts with different access levels. After the issuance of username and temporary password they could access the online portal right away. Usernames of users are permanent because it corresponds to their employee number, guardian number and student number.

When creating user accounts, parent's/guardian's account is more important than the student's. Without this, creation of student's account will not be allowed. Registration clerks will be the ones encoding primary information about the users like name, address, contact number, birthday, etc. Other details will be supplied by the users themselves. In a student's case, their guardian/parent will be the one responsible for updating information.

E-nrollSYS offers search boxes to pages where searching records among a large number of stored records are needed. The main search box can filter searches in 4 categories, student number, last name, grade/year level, and section. Another filter for the user account details is available. This time, categories are the different types of users and last name is accepted in the search box. This will aid the user in searching for students and users records.

The system accepts excel file formats for transactions that require files for processing like adding students into a section and uploading grades and comments. Excel files are also produced whenever an output is needed like student directories, sibling directories, registration forms, etc. Excel file is chosen because it is a very familiar format for the users. They wouldn't need any other applications or reader because once MS Office, Open Office, or the likes is installed they could open the file easily.

Computation of GWA and ranking the students are also available in this system. Grades that are uploaded (in an excel file for the whole section) should be the final grade for each subject and GWA is only computed when the students have grades for all the subjects being taken. GWA per quarter is computed as: a) get the product of the subject grade multiplied by the number of units for all subjects of the students (varying number of subjects depending on the grade/year level). b) Get the total of the products and divide it with the total number of units. Final grade is the sum of the average of all the subjects from 1st to 4th quarter divided by the total number of subjects. [4]

Those who are considered full scholar are students with the following scholarship types: a) scholar B1; b) 4th child enrolled in SMS; c) beneficiary of an employee who has 7-9 years of service; and d) beneficiary of employee who served for at least 10 years in SMS. Although no payment is required, the cashier should record the payment by entering 0 in the record payment module as to record the transaction/enrollment made.

Ranking may be viewed by section or by grade/year level. The rank depends on the GWA computed and stored at a given time by triggering the processes from the teacher and registrar's pages which is why, it is necessary to check and update every quarter to make sure that the most recent standing and GWA is reflected in the database.

VII. CONCLUSION

In conclusion, E-nrollSYS reduces the problems of the current manual enrollment and student record keeping system of Southernside Montessori School. It makes retrieval of information easier compared with the old student records that take time to sort. It serves as a repository of important information like payment transactions, student records, grades, etc. This reduces the risk of data redundancy or inconsistent records.

Parents are allowed to view their child's academic performance, class schedule, and update essential information on their child's student record without going to the school personally. Registration clerks are the super users of the system because much of the activities in this system are being done by them. Creating class schedules and assigning advisers, as well as including students to that section are done faster giving them more extra time to attend to other tasks. Generating student directories for the institution can be done with just a few clicks of the mouse. The faculty's load of computing for a number of grades will be reduced. Cashiers can record transactions and generate financial reports right away.

The advantages of having automated enrollment system and student information database clearly benefit its users. E-nrollSYS provides fast and accurate answer to any student record related queries.

VIII. RECOMMENDATION

The system may be expanded by working on the connection with the receipt printer that the school currently uses. That way, they will completely deviate with the old system and use just one system which is E-nrollSYS. It will be more convenient for the registration clerks and cashiers.

A module that updates the subject list offered per grade/year level is also an additional expansion that should be implemented because as of the moment, a static set of subjects available is the basis of this system. This will allow the system to accommodate changes in the curriculum in the future.

Printing a certified true copy of grades of the students may also be done in the future since the system keeps the grades of the students. This will shorten the processing time of the said transaction.

IX. BIBLIOGRAPHY

- [1] Argana, R. (2009, July 20). School Director, Southernside Montessori School.
Interview.
- [2] Guanlao, N. (2009, July 20). School Registrar, Southernside Montessori School.
Interview.
- [3] Southernside Montessori School. (n.d.). SMS Brochure. Southernside Montessori
School: author.
- [4] Salva, C. (2009, September 12) Guidance Counselor, Southernside Montessori
School. Interview.
- [5] National University of Singapore. (n.d.). *CORS in a Nutshell*. Retrieved November 5,
2009 from National University of Singapore: <http://www.nus.edu.sg/cors/>
- [6] Fujitsu. (n.d.). *Youngnam University Builds Robust New Online Registration System*.
Retrieved November 5, 2009 from Fujitsu:
[http://www.fujitsu.com/global/casestudies/
INTSTG_Youngnam_University.html](http://www.fujitsu.com/global/casestudies/INTSTG_Youngnam_University.html)

- [7] National Student Relations. (n.d.). *Benefits of enrolling online*. Retrieved November 5, 2009 from National Student Relations, Massey University:
<http://enrol.massey.ac.nz/massey/admission/enrolment/webenrol/introduction.cfm>
- [8] San Mateo Union High School District. (n.d.). *Enrollment Information for Incoming Ninth Grade Students and Students New to the District*. Retrieved November 5, 2009 from Enrollment, San Mateo Union High School District:
<http://smuhsd.ca.schoolloop.com/enrollment>
- [9] Winelfred Pasamba. (2004). *AOLIS Report 2004*. Retrieved November 5, 2009 from Adventist University of the Philippines: <http://www.aup.edu.ph/aolis/>
- [10] Ateneo Integrated Student Information System. (2006, December 18). *AISIS Online FAQs*. Retrieved November 5, 2009 from Ateneo Integrated Student Information System , Ateneo de Manila University:
<http://aisisonline.ateneo.edu/cmsadmin/aisispost.php?ID=6&postdate=2006-12-18>
- [11] My.Lasalle University Portal. (2001). *About My.Lasalle*. Retrieved November 5, 2009 from De La Salle University-Manila: <https://my.dlsu.edu.ph/about.asp>

- [12] My.Lasalle University Portal. (2001). *My.Lasalle Features*. Retrieved November 5, 2009 from De La Salle University-Manila: <https://my.dlsu.edu.ph/features.asp>
- [13] Aldrin Sacristan. (2006, October) Online Enrollment Held. *Letran News*. Retrieved November 6, 2009 from Colegio de San Juan de Letran: <http://www.lettran.edu/newsarticle.php?newsID=466&newsCategID=9>
- [14] Letran Information Technology Center. (2006). *What is DotLetran Student Portal?*. Retrieved November 6, 2009 from Letran Information Technology Center, Colegio de San Juan de Letran: <http://dot.lettran.edu/aboutdot.asp>
- [15] Office of Admissions. (n.d.). *General Functions*. Retrieved November 6, 2009 from Office of Admissions, University of the East-Caloocan: <http://www.ue.edu.ph/caloocon/?page=academic&link=admission>
- [16] University of Negros Occidental-Recoletos. (2007, July 19). *AIMS enhances enrollment system of UNO-R Bacolod*. Retrieved November 6, 2009 from University of Negros Occidental-Recoletos: http://www.uno-r.edu.ph/index.php?option=com_content&Itemid=1&task=view&id=85

- [17] John Daintith. (2004). Information System. *A Dictionary of Computing*. Retrieved November 6, 2009 from Encyclopedia.com:
<http://www.encyclopedia.com/doc/1O11-informationsystem.html>
- [18] Encyclopædia Britannica. (2010). *Information System*. Retrieved November 7, 2009 from Encyclopædia Britannica Online:
<http://www.britannica.com/EBchecked/topic/287895/information-system>
- [19] David White. (2010, January 14). *What is a Database Management System?*. Retrieved November 7, 2009 from WiseGeek: <http://www.wisegeek.com/what-is-a-database-management-system.htm>
- [20] Tom Sheldon. (2001). *DBMS (Database Management System)*. Retrieved November 7, 2009 from Linktionary.com: <http://www.linktionary.com/d/dbms.html>
- [21] Network Dictionary. (n.d.). *Database and Database Management System (DBMS)*. Retrieved November 7, 2009 from Network Dictionary:
<http://www.networkdictionary.com/software/dbms.php>
- [22] Contel Bradford. (n.d.). *What Is Structured Query Language?*. Retrieved November 8, 2009 from WiseGeek: <http://www.wisegeek.com/what-is-structured-query-language.htm>

- [23] W3Schools. (n.d.). *Introduction to SQL*. Retrieved November 8, 2009 from W3Schools: http://www.w3schools.com/sql/sql_intro.asp
- [24] David White. (2010, February 17). *What is Client-Server Architecture?*. Retrieved November 8, 2009 from WiseGeek: <http://www.wisegeek.com/what-is-client-server-architecture.htm>
- [25] Webopedia Computer Dictionary. (2006, June 7). *What is client/server architecture?*. Retrieved November 8, 2009 from Webopedia Computer Dictionary: http://www.webopedia.com/TERM/c/client_server_architecture.html
- [26] Web Developers Notes. (n.d.). *The Client Server Architecture*. Retrieved November 8, 2009 from Web Developers Notes: http://www.webdevelopersnotes.com/basics/client_server_architecture.php3
- [27] Lloyd Taylor. (1998, August 17). *Client/Server Frequently Asked Questions*. Retrieved November 8, 2009 from FAQs: <http://www.faqs.org/faqs/client-server-faq/>

CHAPTER X
APPENDIX
FORMS USED BY SMS

SOUTHERNSIDE MONTESSORI SCHOOL

Camella Homes IV, Poblacion

City of Muntinlupa

SY 200__-200__

Student No. _____

REGISTRAR'S COPY

IMPORTANT: Print name in accordance with your birth certificate/ACR

() New () Old Grade/Year: _____ Section: _____

Family Name _____ Given Name _____ Maternal Name _____

Home Address: _____ Tel. No. _____

Date of Birth _____ Place of Birth: _____

Religion: _____ Citizenship: _____ Sex: _____

PARENTS/GUARDIAN INFORMATION

| | FATHER | MOTHER |
|-------------------------|--------|--------|
| Name: | _____ | _____ |
| Educational Attainment: | _____ | _____ |
| School Attended | _____ | _____ |
| Occupation: | _____ | _____ |
| Business Address: | _____ | _____ |
| Tel. No. | _____ | _____ |

BROTHER/SISTER(S) AT SMS

| | |
|-------|------------------|
| _____ | GRADE/YEAR _____ |
| _____ | GRADE/YEAR _____ |
| _____ | GRADE/YEAR _____ |

IN CASE OF EMERGENCY NOTIFY: _____
Address: _____ Tel. No. _____

FOR NEW STUDENTS:
School last attended: _____
Address: _____
Grade/ Year: _____

Printed Name of Parent/Guardian _____ Signature _____ Date _____

Registrar's Copy of Registration Form

SOUTHERNSIDE MONTESSORI SCHOOL

Camella Homes IV, Poblacion

City of Muntinlupa

SY 200__-200__

Student No.

CLINIC'S COPY

New Old Grade/Year: _____ Section: _____

Family Name Given Name Maternal Name

Parent's/Guardian Address:

Home _____ Tel. No. _____

Office _____ Tel. No. _____

Doctor to be notified in case of emergency _____
Address: _____ Tel. No. _____

Any known history of allergy? Yes No
If yes, Medication for allergy: _____

Any known history of asthma? Yes No
If yes, Medication for asthma: _____

Any operation? (specify) _____
Is there any special condition your child suffers or any special
medication your child needs? (specify)

In case of Emergency Notify: _____
Address: _____ Tel. No. _____

Signature of Parent/Guardian: _____

Clinic's Copy of the Registration Form

SOUTHERNSIDE MONTESSORI SCHOOL
 Camella Homes IV, Poblacion
 City of Muntinlupa
 SY 200__-200__

Student No. _____

PARENT'S COPY

() New () Old Grade/Year: _____ Section: _____

Family Name Given Name Maternal Name
 Address: _____ Tel. No. _____

MODE OF PAYMENT:

() Annual () Quarterly
 () Semestral () Monthly

PAYMENTS

| | Amounts | O.R. No. | Date |
|------------------|---------|----------|-------|
| Upon Enrolment | _____ | _____ | _____ |
| Semestral (Oct) | _____ | _____ | _____ |
| Quarterly | _____ | _____ | _____ |
| (Aug, Nov, Feb.) | _____ | _____ | _____ |
| Monthly | _____ | _____ | _____ |
| (July- Feb.) | _____ | _____ | _____ |

Printed Name of Parent/Guardian Signature Date

NOTE: PLS. BRING THIS CARD WHEN PAYING TUITION FEES

Parent's Copy of Registration Form (front)

Monthly:

| | | | |
|-----------|-------|-------|-------|
| July | _____ | _____ | _____ |
| August | _____ | _____ | _____ |
| September | _____ | _____ | _____ |
| October | _____ | _____ | _____ |
| November | _____ | _____ | _____ |
| December | _____ | _____ | _____ |
| January | _____ | _____ | _____ |
| February | _____ | _____ | _____ |

AGREEMENT:

I hereby agree to pay to this school to the total fees for my child's enrolment as per arrangement of payments indicated on or before the specified date of payment. Failure to remit payments on time means an additional surcharge of 2% monthly.

Printed Name of Parent/Guardian Signature Date

Parent's Copy of Registration Form (back)

SOUTHERNSIDE MONTESSORI SCHOOL

Camella Homes IV, Poblacion
City of Muntinlupa

SY 200__-200__

Student No. _____

CASHIER'S COPY

() New () Old Grade/Year: _____ Section: _____

Family Name Given Name Maternal Name

Address: _____ Tel. No. _____

MODE OF PAYMENT:

- () Annual () Quarterly
() Semestral () Monthly

PAYMENTS

| | Amounts | O.R. No | Date |
|----------------------|---------|---------|-------|
| Upon Enrolment | _____ | _____ | _____ |
| Subsequent Payments: | | | |
| Semestral: | _____ | _____ | _____ |
| Quarterly: | _____ | _____ | _____ |
| Second Qtr. : | _____ | _____ | _____ |
| Third Qtr. : | _____ | _____ | _____ |
| Fourth Qtr. : | _____ | _____ | _____ |

Cashier's Copy of the Registration Form (front)

Monthly:

| | | | |
|-----------|-------|-------|-------|
| July | _____ | _____ | _____ |
| August | _____ | _____ | _____ |
| September | _____ | _____ | _____ |
| October | _____ | _____ | _____ |
| November | _____ | _____ | _____ |
| December | _____ | _____ | _____ |
| January | _____ | _____ | _____ |
| February | _____ | _____ | _____ |

AGREEMENT:

I hereby agree to pay to this school to the total fees for my child's enrolment as per arrangement of payments indicated on or before the specified date of payment. Failure to remit payments on time means an additional surcharge of 2% monthly.

Printed Name of Parent/Guardian Signature Date

Cashier's Copy of the Registration Form (back)

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

SCHOOL YEAR: _____

SIBLINGS DIRECTORY

| NAME | STUDENT. NO. | GRADE/YEAR | PARENT/GUARDIAN | BIRTHDAY | ADDRESS |
|------|--------------|------------|-----------------|----------|---------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Siblings Directory of SMS

SOUTHERNSIDE MONTESSORI SCHOOL
Camella Homes IV, Poblacion
City of Muntinlupa

SCHOOL YEAR: _____

GRADE/YEAR: _____

STUDENT DIRECTORY

| NAME | STUDENT. NO. | SECTION | SEX | ADDRESS | TEL. NO. | BIRTHDAY | BIRTHPLACE | CITIZENSHIP | RELIGION |
|------|--------------|---------|-----|---------|----------|----------|------------|-------------|----------|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

Student Directory of SMS

SOURCE CODES

includefile.inc

```
<?php
$User="root";
$pass="";
$db="e-nrollsys";

$link = mysql_connect( "localhost", $User, $pass );
if ( ! $link ) {
    die( "Couldn't connect to MySQL:
".mysql_error() );
}
mysql_select_db( $db )
    or die ( "Couldn't open $db:
".mysql_error() );
?>
```

E-nrollSYS.css

```
td {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 10px;
    font-weight: normal;
    color: #CCCCCC;
    text-decoration: none;
}
h1 {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 13px;
    color: #333333;
    text-decoration: none;
}
.content {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 10px;
    font-weight: normal;
    color: #333333;
    text-decoration: none;
}
body {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 10px;
    font-weight: normal;
    color: #CCCCCC;
    text-decoration: none;
}
a:link {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 10px;
    font-weight: normal;
    color: #CCCCCC;
    text-decoration: none;
}
a:visited {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 10px;
    font-weight: normal;
    color: #CCCCCC;
    text-decoration: none;
}
a:hover {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 10px;
    font-weight: normal;
    color: #CCCCCC;
    text-decoration: underline;
}
a:active {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 10px;
    font-weight: normal;
    color: #CCCCCC;
    text-decoration: underline;
}
.topMenu {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 10px;
    font-weight: normal;
    color: #CCCCCC;
    text-decoration: none;
}
.topMenu a:link {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 10px;
    font-weight: normal;
    color: #CCCCCC;
    text-decoration: none;
}
.topMenu a:visited {
    font-family: Verdana, Arial, Helvetica, sans-serif;
```

```
font-size: 10px;
font-weight: normal;
color: #CCCCCC;
text-decoration: none;
}
.topMenu a:hover {
    font-family: Verdana, Arial, Helvetica, sans-serif;
    font-size: 10px;
    font-weight: normal;
    color: #FFFFFF;
    text-decoration: underline;
}
}
```

AboutE-nrollSYS.php

```
<?php
session_start(); //start up PHP Session
$username = $_SESSION['username'];

print "
<html>
<head>
    <title><<title>
    <meta http-equiv='Content-Type' content='text/html; charset=iso-
8859-1'>
    <link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
    <table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
        <tr>
            <td width='160' height='100' alt='></td>
            <td><img src='images/t1-1.jpg'
width='380' height='100' alt='></td>
            <td><img src='images/t1-3.jpg'
width='360' height='100' alt='></td>
        </tr>
    </table>
    <div id='header'>
    <table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
        <tr>
            <td width='160' height='23' alt='></td>
            <td><img src='images/t2-1.gif'
width='40' height='23' alt='></td>
            <td width='700' height='23'
align='center' bgcolor=#333333' class='topMenu'> ?>
                <?if($username!="") { ?>
                    | <a href='E-
nrollSYSHome.php'>Home</a>
                    | <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
                    | <a href='ContactE-
nrollSYS.php'>Contact</a>
                    | <a href='E-
nrollSYSHelp.php'>Help</a>
                    | <a
href='UserLogin.php?logout=1'>Log-out</a> |</td>
                <?>
                else{ ?>
                    | <a href='E-
nrollSYSHome.php'>Home</a>
                    | <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
                    | <a href='ContactE-
nrollSYS.php'>Contact</a>
                    | <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
                <?>
                print "</tr>
    </table>
    </div>
    <table bgcolor=#FFFFFF' width='900' border='0' align='center'
cellpadding='0' cellspacing='0'>
        <tr>
            <td width='181' align='left'
valign='top'>
                <table width='181'
border='0' cellspacing='0' cellpadding='0'>
                    align='left' valign='top'>
                        <td width='160' height='28' bgcolor=#990000'></td>
                        <td width='21' rowspan='2' background='images/t4-2.gif'>
```

```

<table width=21' border=0' cellspacing=0' cellpadding=0'>
    <tr><td height=23' align=left' valign=top><img
src='images/t4-1.gif' width=21' height=23'></td></tr>
    <tr><td height=495' align=left'
valign='bottom'><img src='images/t4-4.gif' width=21' height=22'
alt='></td></tr>
    <tr><td align=left' valign=top><img
src='images/t4-5.gif' width=21' height=41' alt='></td></tr>
</table></td>
</tr>
align='left' valign='top'>
    <td height=400' bgcolor=#990000' style='padding-left: 15px;
padding-right:10px; padding-top: 10px'> ?>
    <?if($_GET['logout']!=1){
        include('includefile.inc');
        $user_type = "SELECT Type,Status FROM user
WHERE username='$username'";
        $row = mysql_fetch_row(mysql_query
($user_type));
        $usertype=$row[0];
        $status=$row[1];
        if(($usertype=='Student')&&($status=='1')){
            ?>
            <a href='E-
nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
            <a href='AboutE-
nrollsYS.php'><font size=2><b>About E-nrollsYS</b></font></a><br><br>
            <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
            <a href='StudentsCorner.php'><font
size=2><b>Student's Corner</b></font></a><br>
            <?
        }
        else if(($usertype=='Guardian')&&($status=='1')){
            ?>
            <a href='E-
nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
            <a href='AboutE-
nrollsYS.php'><font size=2><b>About E-nrollsYS</b></font></a><br><br>
            <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
            <a
href='GuardiansCorner.php'><font size=2><b>Guardian's
Corner</b></font></a><br>
            <?
        }
        else if(($usertype=='Faculty')&&($status=='1')){
            ?>
            <a href='E-
nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
            <a href='AboutE-
nrollsYS.php'><font size=2><b>About E-nrollsYS</b></font></a><br><br>
            <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
            <a href='FacultysCorner.php'><font
size=2><b>Faculty's Corner</b></font></a><br>

```

```

<?
    }
    else if(($usertype=='Registration
Clerk')&&($status=='1')){
        ?>
        <a href='E-
nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
        <a href='AboutE-
nrollsYS.php'><font size=2><b>About E-nrollsYS</b></font></a><br><br>
        <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
        <a
href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br>
        <?
    }
    else if(($usertype=='Cashier')&&($status=='1')){
        ?>
        <a href='E-
nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
        <a href='AboutE-
nrollsYS.php'><font size=2><b>About E-nrollsYS</b></font></a><br><br>
        <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
        <a href='CashiersCorner.php'><font
size=2><b>Cashier's Corner</b></font></a><br>
        <?
    }
    else if(($usertype=='School
Administrator')&&($status=='1')){
        ?>
        <a href='E-
nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
        <a href='AboutE-
nrollsYS.php'><font size=2><b>About E-nrollsYS</b></font></a><br><br>
        <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
        <a
href='AdministratorsCorner.php'><font size=2><b>Administrator's
Corner</b></font></a><br>
        <?
    }
    else{
        ?>
        <a href='E-
nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
        <a href='AboutE-
nrollsYS.php'><font size=2><b>About E-nrollsYS</b></font></a><br><br>
        <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
        <a href='UserLogin.php'><font
size=2><b>Login Account</b></font></a><br>
        <?
    }
} //closes else
} //closes if
else{

```



```

        <td width='181' align='left'
valign='top'>
        <table width='181'
border='0' cellspacing='0' cellpadding='0'>
        <tr
align='left' valign='top'>
        <td width='160' height='28' bgcolor='#990000'></td>
        <td width='21' rowspan='2' background='images/t4-2.gif'>
        <table width='21' border='0' cellspacing='0' cellpadding='0'>
        <tr><td height='23' align='left' valign='top'><img
src='images/t4-1.gif' width='21' height='23'></td></tr>
        <tr><td height='495' align='left'
valign='bottom'><img src='images/t4-4.gif' width='21' height='22'
alt=''></td></tr>
        <tr><td align='left' valign='top'><img
src='images/t4-5.gif' width='21' height='41' alt=''></td></tr>
        </table></td>
        </tr>
align='left' valign='top'>
        <td height='400' bgcolor='#990000' style='padding-left: 15px;
padding-right:10px; padding-top: 10px'; ?>
        <?if($_GET['logout']!=1){
                include('includefile.inc');
                $user_type = "SELECT type,status FROM user
WHERE username='$username'";
                $row = mysql_fetch_row(mysql_query
($user_type));
                $usertype=$row[0];
                $status=$row[1];
                if(($usertype=='Student')&&($status=='1')){
                        ?>
                        <a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
                        <a href='AboutE-
nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
                        <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
                        <a href='StudentsCorner.php'><font
size=2><b>Student's Corner</b></font></a><br>
                        <?
                }
                else if(($usertype=='Guardian')&&($status=='1')){
                        ?>
                        <a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
                        <a href='AboutE-
nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
                        <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
                        <a href='GuardiansCorner.php'><font size=2><b>Guardian's
Corner</b></font></a><br>
                        <?
                }
                else if(($usertype=='Faculty')&&($status=='1')){
                        ?>

```

```

        <a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
        <a href='AboutE-
nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
        <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
        <a href='FacultyCorner.php'><font
size=2><b>Faculty's Corner</b></font></a><br>
        <?
        }
        else if(($usertype=='Registration
Clerk')&&($status=='1')){
                ?>
                <a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
                <a href='AboutE-
nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
                <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
                <a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br>
                <?
        }
        else if(($usertype=='Cashier')&&($status=='1')){
                ?>
                <a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
                <a href='AboutE-
nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
                <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
                <a href='CashiersCorner.php'><font
size=2><b>Cashier's Corner</b></font></a><br>
                <?
        }
        else if(($usertype=='School
Administrator')&&($status=='1')){
                ?>
                <a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
                <a href='AboutE-
nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
                <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
                <a href='AdministratorsCorner.php'><font size=2><b>Administrator's
Corner</b></font></a><br>
                <?
        }
        else{
                ?>
                <a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
                <a href='AboutE-
nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
                <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>

```



```

        <td width=700' height=23' align=center'
        bgcolor=#333333' class=topMenu">; ?>
        <?if($registrarno!=""){ ?>
        |<a href=E-
        nrollSYSHome.php>Home</a>
        |<a href=AboutE-
        nrollSYS.php>About E-nrollSYS</a>
        |<a href=ContactE-
        nrollSYS.php>Contact</a>
        |<a href=E-
        nrollSYSHelp.php>Help</a>
        |<a
        href=UserLogin.php?logout=1>Log-out</a> |</td>
        <?>
        else{ ?>
        |<a href=E-
        nrollSYSHome.php>Home</a>
        |<a href=AboutE-
        nrollSYS.php>About E-nrollSYS</a>
        |<a href=ContactE-
        nrollSYS.php>Contact</a>
        |<a href=E-
        nrollSYSHelp.php>Help</a> |</td>
        <?>
        print "</tr>
        </table>
        <table width=900' border=0' align=center' cellpadding=0'
        cellspacing=0'>
        <tr>
        <td width=181' align=left'
        valign=top'>
        <table width=181'
        border=0' cellspacing=0' cellpadding=0'>
        <tr align=left'
        valign=top'>
        <td width=160'
        height=28' bgcolor=#990000'></td>
        <td width=21'
        rowspan=2' background=images/t4-2.gif'>
        <table
        width=21' border=0' cellspacing=0' cellpadding=0'>
        <tr><td height=23' align=left' valign=top'><img src=images/t4-
        1.gif' width=21' height=23'></td></tr>
        <tr><td height=495' align=left' valign=bottom'><img
        src=images/t4-4.gif' width=21' height=22' alt="></td></tr>
        <tr><td align=left' valign=top'><img src=images/t4-5.gif'
        width=21' height=41' alt="></td></tr>
        </table></td>
        <tr>
        <td align=left'
        valign=top'>
        <td height=400'
        bgcolor=#990000' style=padding-left: 15px; padding-right:10px; padding-top:
        10px'>
        <a
        href=E-nrollSYSHome.php'><font size=2'><b>Home</b></font></a><br><br>
        <a href=AboutE-nrollSYS.php'><font
        size=2'><b>About E-nrollSYS</b></font></a><br><br>
        </td>
        <tr>
        </table>
        </td>
        <td width=598' align=left' valign=top'>
        <table bgcolor=#FFFFFF'
        width=598' border=0' cellspacing=0' cellpadding=0'>
        <tr>
        <td>;
        => "JAC I",
        "JACI"
        if($registrarno!=""){
        print "<br><table
        width=700'><tr><td align=left'><font color=black'><b>Logged in as
        </b></font>","<font color=maroon'><b>."$registrarno.</b></font></td>
        <td
        => "AC",
        "AC"
        align=right'><font color=black'><b>Today is ", "<font
        color=maroon'><b>".date("l, F j,
        Y")."</b></font></td></tr></table>;";
        => "GI",
        "GI"
        }//closes if
        => "Grade One",
        "GI"
        else{
        => "Grade Two",
        "GII"
        print "<br><table
        width=700'><tr><td align=left'></td>

```

```

=> "Grade Three",
=> "Grade Four",
=> "Grade Five",
=> "Grade Six",
=> "First Year",
=> "Second Year",
=> "Third Year",
=> "Fourth Year");

"GIII"
"GIV"
"GV"
"GVI"
"HI"
"HII"
"HIII"
"HIV"

for($x = 0; $x < $countoccur;
Sx++){
    $studsearch[$x] =
    $stud[0];
} //closes for

// reading the contents of the excel
file

for($y = 2,$count = $y-2; $y <
$rows, $count < $rows-1; $y++, $count++){
    $student = $excel-
>sheets[0]['cells'][$y][1];

$levelquery =
"SELECT LevelID FROM student WHERE StudNum=$student";
$getlevelid =
mysql_query($levelquery, $link);
$leveldetail =
mysql_fetch_row($getlevelid);
echo "$student,
$leveldetail[0], $level<br>";
//counts how many
students in the excel file belong to the grade/year level

if($leveldetail[0]=="$level"){
    $studnum[$count] = $excel->sheets[0]['cells'][$y][1];
} //closes if

$query1 = "SELECT StudNum
FROM student WHERE SecID='$section' AND LevelID='$level'";
$searchinstance =
mysql_query($query1, $link);
else{
    $stud =
    $notstudentlevel++;
    $countoccur =
} //closes else

$studnum = array();
} //closes for

$studsearch = array();
echo "rows: $rows<br>";
if($countoccur<=45){ //45 students
    max per section
    for($i = 0; $i < $rows;
    $i++){
        //students who already belong to the
        section

```



```

= 0; $j <= $countoccur; $j++){
for($j
} //closes if

$query2 = "SELECT SecID FROM student WHERE
StudNum=$studnum[$i] AND LevelID=$level";

$getsecid = mysql_query($query2, $link);
else{

$secid = mysql_fetch_row($getsecid);
continue;

$checkcount = mysql_numrows($getsecid);
} //closes else

} //closes else

} //closes for

if($studnum[$i] != $studsearch[$j]){
} //closes for

if($secid[0] == ""){

$query3 = "UPDATE student SET
SecID=$section WHERE StudNum=$studnum[$i]";
echo
"<br><br><center><fieldset style='width: 400px; height:90px; padding-left:
20px; padding-right: 20px; align='left'>

$updatequery =
mysql_query($query3, $link)
src='icons/Information.png' align='left' width=90' height=90' alt='><br>
<img

or die ( "UPDATE error: ".mysql_error() );
color='maroon' size=2'><b><center>REPORT:<br>$success successfully added
student/s.<br>
<font

$success++;
Snotstudentlevel student/s misplaced in $getyearlabel.<br>$withrecords student/s
already under $secname.</center></b></font>

} //closes if
</fieldset></center><br><br>";

} //closes if

else{

continue;
else{

} //closes else
echo
"<br><br><center><fieldset style='width: 400px; height:60px; padding-left:
20px; padding-right: 20px; align='left'>
<img

} //closes if
src='icons/Warning.png' align='left' width=60' height=60' alt='><br>
<img

} //closes if
color='maroon' size=2'><b><center>ERROR: Section is already full. Please
check the details you provided.</center></b></font>

else{
</fieldset></center><br><br>";

} //closes else

if($secid[0] == $section){
} //closes if

$withrecords++;

```

```

else{
    echo
    "<br><br><br><center><fieldset style='width: 400px; height:50px; padding-left: 20px; padding-right: 20px; align='left'>
        <img
        src='icons/Warning.png' align='left' width='50' height='50' alt='><br>
        <font color='maroon'
        size='2'><br><center>ERROR: Section does not exist. Please re-check the
        details.</center></b></font>
    </fieldset></center><br><br>";
}
} //closes else
} //closes if
print "</div>
</form>
</tr>
</table>
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center'
bgcolor='#333333'> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</tr>
</table>
</body>
</html>
";
?>

```

AddUser.php

```

<?php
session_start(); //start up PHP Session
$registrarno = $_SESSION['username'];

include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrarno'";
$getdetails = mysql_query($query1, $link);
$details = mysql_fetch_row($getdetails);

if(($details[0]!='Registration Clerk')&&($details[1]!='0')){
header('Location: UserLogin.php');
}

if(isset($_POST['submitstudent'])&&($_GET['logout']!=1)){

if($_POST['studentno']!=NULL&&($_POST['guardianno']!=NULL)&&($_POST['level']!=NULL)&&($_POST['scholartype']!=NULL)&&($_POST['fname']!=NULL)&&($_POST['gname']!=NULL)&&($_POST['address']!=NULL)
&&($_POST['telno']!=NULL)&&($_POST['sex']!=NULL)&&($_POST['birthday_month']!=NULL)&&($_POST['birthday_day']!=NULL)&&($_POST['birthday_year']!=NULL)&&($_POST['birthplace']!=NULL)
&&($_POST['religion']!=NULL)&&($_POST['citizenship']!=NULL)&&($_POST['username']!=NULL)&&($_POST['password']!=NULL)){
include("includefile.inc");

$_SESSION['newuser'] = $_POST['studentno'];
$_SESSION['newtype'] = "Student";

$guardianno = mysql_real_escape_string($_POST['guardianno']);
$studentno = mysql_real_escape_string($_POST['studentno']);
$level = $_POST['level'];
$scholartype = $_POST['scholartype'];

```

```

$fname =
mysql_real_escape_string($_POST['fname']);
$gname =
mysql_real_escape_string($_POST['gname']);
$mname =
mysql_real_escape_string($_POST['mname']);
$address =
mysql_real_escape_string($_POST['address']);
$telno =
mysql_real_escape_string($_POST['telno']);
$sex = $_POST['sex'];
$birthday_month = $_POST['birthday_month'];
$birthday_day = $_POST['birthday_day'];
$birthday_year = $_POST['birthday_year'];
$birthday = $birthday_year."-".$birthday_month."-".
$birthday_day;
$birthplace =
mysql_real_escape_string($_POST['birthplace']);
$religion =
mysql_real_escape_string($_POST['religion']);
$citizenship =
mysql_real_escape_string($_POST['citizenship']);
$prevschool =
mysql_real_escape_string($_POST['prevschool']);
$prevschooladd =
mysql_real_escape_string($_POST['prevschooladd']);
$doctor =
mysql_real_escape_string($_POST['doctor']);
$docadd =
mysql_real_escape_string($_POST['docadd']);
$doccontact =
mysql_real_escape_string($_POST['doccontact']);
$allergyhist = $_POST['allergyhist'];
$allergymed =
mysql_real_escape_string($_POST['allergymed']);
$asthmahist = $_POST['asthmahist'];
$asthamed =
mysql_real_escape_string($_POST['asthamed']);
$operationhist =
mysql_real_escape_string($_POST['operationhist']);
$specialcondmed =
mysql_real_escape_string($_POST['specialcondmed']);
$siblingsnum =
mysql_real_escape_string($_POST['siblingsnum']);
$siblingpos =
mysql_real_escape_string($_POST['siblingpos']);
$paymode = $_POST['paymode'];
$username = mysql_real_escape_string($_POST['username']);
$password = sha1($_POST['password']);

$numrows=0;
$numrows2=0;
$numrows3=0;
$searchstudno = mysql_query("SELECT StudNum
FROM student WHERE StudNum = '$studentno'");
$numrows = mysql_numrows($searchstudno);
$searchevent = mysql_query("SELECT StudNum
FROM stud_parent_event_flag WHERE StudNum = '$studentno' AND
GuardianNum = '$guardianno'");
$numrows2 = mysql_numrows($searchevent);
$searchuser = mysql_query("SELECT Type FROM user WHERE Username = '$studentno'");
$numrows3 = mysql_numrows($searchuser);
$searchguardian = mysql_query("SELECT Type FROM user WHERE
Username = '$guardianno'");
$numrows4 = mysql_numrows($searchguardian);

if(($numrows==0)&&($numrows2==0)&&($numrows3==0)&&($numrows4!=0)
){
if($studentno==$username){
$addstudent = "INSERT INTO
student (GuardianNum,StudNum,SLname,$fname,$mname,$address,$contact,LeveIID,$sex,$birthday,$birthplace,$religion,$citizenship,$scholarType,PrevSchool,PrevSchoolAdd,Doctor,DocAdd,DocContact,AllergyHist,
AllergyMed,AsthmaHist,AsthmaMed,OperationHist,SpecialCondMed,SiblingsNum,SiblingPos,PaymentMode,Status) VALUES
('$guardianno','$studentno','$fname','$gname','$mname','$address','$telno','$level','$sex','$birthday',
'$birthplace','$religion','$citizenship','$scholartype','$prevschool','$prevschooladd',
'$doctor','$docadd','$doccontact','$allergyhist','$allergymed','$asthmahist','$asthamed','$operationhist','$specialcondmed',
'$siblingsnum','$siblingpos','$paymode','$P')";
mysql_query($addstudent, $link)
or die ("INSERT error: ".mysql_error() );

$addeventaccount = "INSERT INTO
stud_parent_event_flag(StudNum,GuardianNum) VALUES
('$studentno','$guardianno'");
mysql_query($addeventaccount, $link)
or die ("INSERT error: ".mysql_error() );

```

```

    $adduseraccount = "INSERT INTO user(Username,Password,Type,Status)
VALUES ('$username','$password','Student','1')";
    mysql_query($adduseraccount, $link)
    or die ("INSERT error: ".mysql_error());

    header('Location: ViewProfile2.php');

    mysql_close();
} //closes if
else{
    print "<br><br><center><fieldset style='width: 400px; height:70px;
padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'><tr><td><img src='icons/Warning.png' align='left'
width='65' height='65' alt='></td>
<td><center><font color='maroon' size='2'><b>PLEASE CHECK IF
THE STUDENT NUMBER MATCHES THE
USERNAME.</b></font></center>
</td></tr></table></fieldset></center><br><br>";
} //closes else
} //closes if

else{
    print "<br><br><center><fieldset style='width: 400px; height:110px;
padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'><tr><td><img src='icons/Warning.png'
align='left' width='110' height='110' alt='></td>
<td><center><font color='maroon' size='2'><b>INFORMATION OF
$studentno ALREADY EXISTS.
<br><br>PLEASE MAKE SURE YOU ENTERED THE CORRECT
STUDENT NUMBER.</b></font></center></td>
</tr></table></fieldset></center><br><br>";
} //closes else
} //closes if

else{
    print "<br><br><center><fieldset style='width:
400px; height:70px; padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'><tr><td><img src='icons/Warning.png' align='left'
width='65' height='65' alt='></td>
<td><center><font color='maroon' size='2'><b>PLEASE CHECK IF THE
IMPORTANT FIELDS ARE COMPLETELY FILLED
OUT.</b></font></center>
</td></tr></table></fieldset></center><br><br>";
} //closes else
} //closes if

else if(isset($_POST['submitguardian'])&&($_GET['logout']!=1)){
    if($_POST['guardiano']!=NULL)&&($_POST['gfname']!=NULL
    L)&&($_POST['gmname']!=NULL)&&($_POST['gtelno']!=NULL)&&($_POST['g
    mtelno']!=NULL)&&($_POST['homeaddress']!=NULL)&&($_POST['homeno']!=NULL
    L)){
        include("includefile.inc");

        $_SESSION['newuser'] = $_POST['guardiano'];
        $_SESSION['newtype'] = "Guardian";

        $guardiano = mysql_real_escape_string($_POST['guardiano']);
        $gfname = mysql_real_escape_string($_POST['gfname']);
        $gmname =
        mysql_real_escape_string($_POST['gmname']);
        $gfeduca =
        mysql_real_escape_string($_POST['gfeduca']);
        $gmeduca =
        mysql_real_escape_string($_POST['gmeduca']);
        $gfschoola =
        mysql_real_escape_string($_POST['gfschoola']);
        $gmschoola =
        mysql_real_escape_string($_POST['gmschoola']);
        $gfoccupation =
        mysql_real_escape_string($_POST['gfoccupation']);
        $gmoccupation =
        mysql_real_escape_string($_POST['gmoccupation']);
        $gfbusadd =
        mysql_real_escape_string($_POST['gfbusadd']);
        $gmbusadd =
        mysql_real_escape_string($_POST['gmbusadd']);
        $gtelno =
        mysql_real_escape_string($_POST['gtelno']);
        $gmtelno =
        mysql_real_escape_string($_POST['gmtelno']);
        $homeaddress =
        mysql_real_escape_string($_POST['homeaddress']);
        $shomeno =
        mysql_real_escape_string($_POST['shomeno']);
        $username = mysql_real_escape_string($_POST['username']);
        $password = sha1($_POST['password']);

        $numrows = 0;
        $numrows = 0;
        $searchguardian = mysql_query("SELECT GFname,GMname FROM guardian
        WHERE GuardianNum = '$guardiano'");
        $numrows = mysql_numrows($searchguardian);

```

```

        $searchuser = mysql_query("SELECT Type FROM user WHERE Username =
'$guardiano'");
        $numrows2 = mysql_numrows($searchuser);

        if(($numrows==0)&&($numrows2==0)){
            if($guardiano==$username){
                $addguardian = "INSERT INTO
guardian(GuardianNum,GFname,GMname,GFeducA,GMeducA,GFSchoolA,G
MSchoolA,GFoccupation,GMoccupation,GFBusAdd,GMBusAdd,GFTelNo,GM
TelNo,GHAddress,GContact)
VALUES
('$guardiano','$gfname','$gmname','$gfeduca','$gmeduca','$gfschoola','$gmschoo
la','$gfoccupation','$gmoccupation','$gfbusadd','$gmbusadd','$gtelno','$gmtelno',
'$homeaddress','$shomeno')";
                mysql_query($addguardian, $link)
                or die ("INSERT error: ".mysql_error());

                $adduseraccount = "INSERT INTO user(Username,Password,Type,Status)
VALUES ('$username','$password','Guardian','1')";
                mysql_query($adduseraccount, $link)
                or die ("INSERT error: ".mysql_error());

                mysql_close();

                print "<br><br><center><fieldset style='width: 340px; height:70px;
padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'><tr><td><img src='icons/UploadSuccess.png'
align='left' width='65' height='65' alt='></td>
<td><center><font color='maroon' size='2'><b>STORING
INFORMATION SUCCESSFUL.</b></font></center></td>
</tr></table></fieldset></center><br><br>";
            } //closes if

            else{
                print "<br><br><center><fieldset style='width: 400px; height:70px;
padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'><tr><td><img src='icons/Warning.png' align='left'
width='65' height='65' alt='></td>
<td><center><font color='maroon' size='2'><b>PLEASE CHECK IF
THE GUARDIAN NUMBER MATCHES THE
USERNAME.</b></font></center>
</td></tr></table></fieldset></center><br><br>";
            } //closes else

            } //closes if

            else{
                print "<br><br><center><fieldset
style='width: 340px; height:70px; padding-left: 20px; padding-right: 20px;
align='left'>
<table size='390'><tr><td><img src='icons/Warning.png' align='left'
width='65' height='65' alt='></td>
<td><center><font color='maroon' size='2'><b>INFORMATION
ALREADY EXISTING IN THE DATABASE.</b></font></center></td>
</tr></table></fieldset></center><br><br>";
            } //closes else

            } //closes if

            else{
                print "<br><br><center><fieldset style='width:
340px; height:70px; padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'><tr><td><img src='icons/Warning.png' align='left'
width='65' height='65' alt='></td>
<td><center><font color='maroon' size='2'><b>PLEASE CHECK IF THE
IMPORTANT FIELDS ARE COMPLETELY FILLED
OUT.</b></font></center></td>
</tr></table></fieldset></center><br><br>";
            } //closes else

            } //closes if

            else if(isset($_POST['submitemployee'])&&($_GET['logout']!=1)){
                if($_POST['department']!=NULL)&&($_POST['fname']!=NULL)&&($_POST['
                gname']!=NULL)&&($_POST['address']!=NULL)&&($_POST['telno']!=NULL)
                &&($_POST['birthday_month']!=NULL)&&($_POST['birthday_day']!=NULL)

                &&($_POST['birthday_year']!=NULL)&&($_POST['birthplace']!=NULL)&&($_
                POST['sex']!=NULL)&&($_POST['religion']!=NULL)&&($_POST['citizenship']
                !=NULL)&&($_POST['yearssofservice']!=NULL)&&($_POST['maritalstat']!=NU
                LL)
                &&($_POST['educattain']!=NULL)&&($_POST['gradschool']!=NULL)){
                    include("includefile.inc");

                    $_SESSION['newuser'] = $_POST['employeeeno'];
                    $_SESSION['newtype'] = $_POST['employeetype'];

                    $employeeeno = mysql_real_escape_string($_POST['employeeeno']);
                    $department = $_POST['department'];
                    $employeetype = $_POST['employeetype'];
                    $fname = mysql_real_escape_string($_POST['fname']);
                    $gname = mysql_real_escape_string($_POST['gname']);
                    $mname = mysql_real_escape_string($_POST['mname']);
                    $address = mysql_real_escape_string($_POST['address']);

```

```
$telno = mysql_real_escape_string($_POST['telno']);
$birthday_month = $_POST['birthday_month'];
$birthday_day = $_POST['birthday_day'];
$birthday_year = $_POST['birthday_year'];
$birthday = $birthday_year."-".$birthday_month."-".$birthday_day;
$years_of_service = mysql_real_escape_string($_POST['years_of_service']);
$birthplace = mysql_real_escape_string($_POST['birthplace']);
$sex = $_POST['sex'];
$religion = mysql_real_escape_string($_POST['religion']);
$citizenship = mysql_real_escape_string($_POST['citizenship']);
$maritalstat = $_POST['maritalstat'];
$spouse = mysql_real_escape_string($_POST['spouse']);
$educattain = mysql_real_escape_string($_POST['educattain']);
$gradschool = mysql_real_escape_string($_POST['gradschool']);
$beneficiary = mysql_real_escape_string($_POST['beneficiary']);
$username = mysql_real_escape_string($_POST['username']);
$password = sha1($_POST['password']);

$numrows=0;
$searchemployee = mysql_query("SELECT EmployeeNum FROM employee
WHERE EmployeeNum = '$employee' && Type = '$employeetype'");
$numrows = mysql_numrows($searchemployee);
$searchuser = mysql_query("SELECT Type FROM user WHERE Username = '$employee'");
$numrows2 = mysql_numrows($searchuser);

if(($numrows==0)&&($numrows2==0)){
    $saddemployee = "INSERT INTO
employee(EFname,EMname,ELname,EmployeeNum,Type,Department,EAddress
,EContact,EBirthday,EBirthplace,EReligion,ECitizenship,ESex,MaritalStat,Spous
eName,EYears,EEduca,ESchoolA,Beneficiary)
VALUES
('$name','$mname','$fname','$employee','$employeetype','$department','$addre
ss','$telno','$birthday','$birthplace','$religion','$citizenship','$sex','$maritalstat','$sp
ouse','$years_of_service','$educattain','$gradschool','$beneficiary)";
    mysql_query($saddemployee, $link)
    or die ("INSERT error: ".mysql_error());

    $sadduseraccount = "INSERT INTO user(Username,Password,Type,Status)
VALUES ('$username','$password','$employeetype','1')";
    mysql_query($sadduseraccount, $link)
    or die ("INSERT error: ".mysql_error());

    mysql_close();
} //closes if
} //closes else if
?>
<html>
<head>
<title></title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
<link href="stylesheet/E-nrollSYS.css" rel="stylesheet"
type="text/css">
</head>
<body bgcolor="#CCCCCC" leftmargin="0" topmargin="0" marginwidth="0"
marginheight="0">

<table width="900" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
<td align="center" colspan="2" rowspan="4"></td>
<td align="center" colspan="2" rowspan="4"></td>
<td align="center" colspan="2" rowspan="4"></td>
</tr>
<tr>
<td colspan="6"></td>
</tr>
<tr>
<td colspan="6"></td>
</tr>
<tr>
<td colspan="6"></td>
</tr>
<table width="900" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
<td align="center" colspan="2" rowspan="4"></td>
<td align="center" colspan="2" rowspan="4"></td>
<td align="center" colspan="2" rowspan="4"><div style="width: 700px; height: 23px; align="center"
background-color=#333333" class="topMenu">
<?php if($registrarno != "") { ?>
| <a href="E-nrollSYSHome.php">Home</a>
| <a href="AboutE-nrollSYS.php">About E-nrollSYS</a>
| <a href="ContactE-nrollSYS.php">Contact</a>
| <a href="E-nrollSYSHelp.php">Help</a>
| <a href="UserLogin.php?logout=1">Log-out</a> |</td>
<?php } else { ?>
| <a href="E-nrollSYSHome.php">Home</a>
| <a href="AboutE-nrollSYS.php">About E-nrollSYS</a>
| <a href="ContactE-nrollSYS.php">Contact</a>
| <a href="E-nrollSYSHelp.php">Help</a> |</td>
<?php } ?>
</tr>
</table>
</table>
```

```
<table width="900" border="0" align="center" cellpadding="0"
cellspacing="0">
<tr>
<td align="center" colspan="2" rowspan="4"></td>
<td align="center" colspan="2" rowspan="4"></td>
<td align="center" colspan="2" rowspan="4"></td>
<td align="center" colspan="2" rowspan="4"></td>
<td align="center" colspan="2" rowspan="4"></td>
</tr>
<tr>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
</tr>
<tr>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
</tr>
<tr>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
<td align="center" colspan="2" rowspan="2"></td>
</tr>
</table>
</table>
<table border="0" align="center" cellpadding="0" cellspacing="0">
<tr>
<td align="center" colspan="2"><?php if ($registrarno != "") { ?>
<br><table border="0" align="left" cellpadding="0" cellspacing="0">
<tr>
<td align="center" colspan="2"><b>Logged in as </b></td>
<td align="right" colspan="2"><b>Today is </b></td>
</tr>
<tr>
<td align="center" colspan="2"><?php echo $registrarno?></td>
<td align="right" colspan="2"><b>Today is </b></td>
</tr>
</table>
</tr>
<tr>
<td align="center" colspan="2"><?php } ?>
</td>
<td align="right" colspan="2"><b>Today is </b></td>
</tr>
<tr>
<td align="center" colspan="2"><?php } ?>
</td>
<td align="right" colspan="2"><b>Today is </b></td>
</tr>
</table>
</tr>
<tr>
<td align="center" colspan="2"><b>SOUTHERNSIDE MONTESSORI
SCHOOL</b> <b>Camella Homes IV, Poblacion</b> <b>City of
Muntinlupa</b></td>
<td align="center" colspan="2"><div style="width: 600px; height: 400px; align="top">
<form name="addUser" action="AddUser.php" method="post">
<br>
<fieldset style="width: 680px; height: 45px; align="left">
<legend><b>Add User
Account</b></legend>
<table border="0" width="670">
<tr>
<td align="center" colspan="2"><b>Select
Category:</b></td>
<td align="center" colspan="2"><select name="category">
<option value=""> Category </option>
<option value="S"> Student </option>
<option value="G"> Guardian </option>
<option value="E"> Employee </option>
</select></td>
<td align="center" colspan="2"><input type="submit" name="regforms"
value="Proceed" /></td>
</tr>
<tr>
<td align="right" colspan="2"><a href="ManageUserAccounts.php"><b>
BACK </b></a></td>
<td align="center" colspan="2"></td>
</tr>
</table>
</div>
<div style="width: 719px; height: 360px; overflow: scroll;">
<?php if(isset($_POST['regforms'])&& $_GET['logout']!=1){
```



```

else{
    print "<br><br><fieldset style='width: 400px; height:70px;
padding-left: 20px; padding-right: 20px; align='left'>
    <table size='390'><tr><td><img src='icons/Warning.png'
align='left' width='65' height='65' alt='></td>
    <td><font color='maroon' size='2'><b><center>ERROR: New
Password and Confirm Password do not match.
    <br><center>Please try
again.</center></b></font></td>
    </tr></table></fieldset>";
}
} //closes if
else{
    print
"<br><br><fieldset style='width: 400px; height:70px; padding-left: 20px;
padding-right: 20px; align='left'>
    <table size='390'><tr><td><img src='icons/Warning.png'
align='left' width='65' height='65' alt='></td>
    <td><font color='maroon' size='2'><b><center>ERROR:
Important fields empty.</center></b></font></td>
    </tr></table></fieldset>";
} //closes else
} //closes if
print "</td>
</tr>
</table>
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center'
bgcolor=#333333> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</td>
</tr>
</table>
</body>
</html>
";
?>
ComputeGWA.php
<?php
session_start(); //start up PHP Session
$facultyno = $_SESSION['username'];
include("includefile.inc");
$query1 = "SELECT Type,Status FROM user WHERE Username='$facultyno'";
$getdetails = mysql_query($query1, $link);
$rowdetails = mysql_fetch_row($getdetails);
if(($rowdetails[0]!='Faculty')&&($rowdetails[1]!='0')){
    header('Location: UserLogin.php');
}
$year = date(Y);
$month = date(n);
if($month<6){
    $year1 = $year-1;
    $year2 = $year;
}
else{
    $year1 = $year;
    $year2 = $year+1;
}
$year = "$year1", ".", "$year2";
print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
    <tr>
        <td>
            <table border='0' align='center' cellpadding='0'
            cellspacing='0'>
                <tr>
                    <td><img src='images/t1-1.jpg' width='160'
                    height='100' alt='></td>
                    <td><img src='images/t1-2.gif' width='380'
                    height='100' alt='></td>
                    <td><img src='images/t1-3.jpg' width='360'
                    height='100' alt='></td>
                </tr>
                </table>
                <table width='900' border='0' align='center' cellpadding='0'
                cellspacing='0'>
                    <tr>
                        <td><img src='images/t2-1.gif' width='160'
                        height='23' alt='></td>
                        <td><img src='images/t2-2.gif' width='40'
                        height='23' alt='></td>
                        <td width='700' height='23' align='center'
                        bgcolor=#333333' class='topMenu'>; ?>
                            <?if($facultyno!="")?>
                                | <a href='E-nrollsYSHome.php'>Home</a>
                                | <a href='AboutE-
                                nrollsYS.php'>About E-nrollsYS</a>
                                | <a href='ContactE-
                                nrollsYS.php'>Contact</a>
                                | <a href='E-
                                nrollsYSHelp.php'>Help</a>
                                | <a
                                href='UserLogin.php?logout=1'>Log-out</a> |</td>
                            <?>
                            else{ ?>
                                | <a href='E-nrollsYSHome.php'>Home</a>
                                | <a href='AboutE-
                                nrollsYS.php'>About E-nrollsYS</a>
                                | <a href='ContactE-
                                nrollsYS.php'>Contact</a>
                                | <a href='E-
                                nrollsYSHelp.php'>Help</a> |</td>
                            <?>
                        </tr>
                    </table>
                </table>
                <table width='900' border='0' align='center' cellpadding='0'
                cellspacing='0'>
                    <tr>
                        <td align='left'
                        valign='top'>
                            <table width='181'
                            border='0' cellspacing='0' cellpadding='0'>
                                <tr align='left'
                                valign='top'>
                                    <td width='160'
                                    height='28' bgcolor=#990000></td>
                                    <td width='21'
                                    rowspan='2' background='images/t4-2.gif'>
                                </tr>
                                <tr align='left'
                                valign='top'>
                                    <td align='left'
                                    height='495' align='left' valign='bottom'><img
                                    src='images/t4-4.gif' width='21' height='22' alt='></td></tr>
                                <tr align='left'
                                valign='top'><img src='images/t4-5.gif'
                                width='21' height='41' alt='></td></tr>
                                </table></td>
                        <td align='left'
                        valign='top'>
                            <table border='0' align='center' cellpadding='0'
                            cellspacing='0'>
                                <tr>
                                    <td align='left'
                                    height='400'
                                    bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top:
                                    10px'>
                                        <a
                                        href='E-nrollsYSHome.php'><font size='2'><b>Home</b></font></a><br><br>
                                        <a href='AboutE-nrollsYS.php'><font size='2'><b>About E-
                                        nrollsYS</b></font></a><br><br>
                                        <a href='FacultysCorner.php'><font size='2'><b>Faculty's
                                        Corner</b></font></a><br><br>
                                    </td>
                                </tr>
                            </table>
                        </td>
                    </tr>
                </table>
                <table border='0' align='left'
                valign='top'>
                    <tr align='left'
                    valign='top'>
                        <td width='598' align='left' valign='top'>
                            <table bgcolor=#FFFFFF'
                            width='719' border='0' cellspacing='0' cellpadding='0'>
                                <tr>
                                    <td>;
                                </tr>
                            </table>
                        </td>
                        <td>
                            <table border='0' align='center' cellpadding='0'
                            cellspacing='0'>
                                <tr>
                                    <td align='center'>
                                        <table width='700'><tr><td align='left'><font
                                        color='black'><b>Logged in as </b></font>"; <font
                                        color='maroon'><b>"; $facultyno.</b></font></td>
                                    </tr>
                                </table>
                            </table>
                        </td>
                    </tr>
                </table>
            </table>
        </td>
    </tr>
</table>

```

```

<td align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y")."</b></font></b></font></td></tr></table>;
    //closes if
    else{
        print "<br><table width=700'><tr><td
align='left'></td>
        <td align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y")."</b></font></b></font></td></tr></table>;
    //closes else
    print "</td>
    </tr>
    </td>
align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br>Camella Homes IV, Poblacion<br>City of
Muntinlupa</b></font></td></tr>
    </tr>
    <td
width='598' height='400' valign='top'>
    </td>
    </form
name='computestudentsgrades' action='ComputeGWA.php' method='post'>
    <br><fieldset style='width: 680px; height: 45px; align='left'>
    <legend><font color='maroon' size='2'><b>Compute General
Weighted Average of Students</b></font></legend>
    <table width='670' height='1'>
    <tr><td width='200'><font color='black'><b>Quarter: <select
name='quarter'>
    <option value='1st'>1st Quarter</option> <option
value='2nd'>2nd Quarter</option>
    <option value='3rd'>3rd Quarter</option> <option
value='4th'>4th Quarter</option>
    </select></b></font></td>
    <td width='70'><input type='submit' name='getgrades'
value='Compute GWA' /></td>
    <td align='right'><a href='FacultyCorner.php'><font
color='black'><b>| BACK |</b></font></a></td>
    </tr></table></fieldset>
    <div style='width: 719px; height: 360px; overflow: scroll;'>?>
    <?
    if(isset($_POST['getgrades'])&&
$_GET['logout']!=1){
    include("includefile.inc");
    // Retrieve section handled by employee
    $completecounter = 0;
    $incompletecounter = 0;
    $qtr = $_POST['quarter'];
    $query1 = "SELECT a.Adviser_Section.b.SecName,b.LevelID
    FROM employee AS a,section AS b
    WHERE a.EmployeeNum='$facultyyno' AND
    a.Adviser_Section=b.SecID";
    $section = mysql_query($query1,$link);
    $getsection = mysql_fetch_row($section);
    $subjects = array("JC" => 5,
    "JACT" => 5,
    "JACTI" => 5,
    "AC" => 5,
    "GI" => 9,
    "GII" => 9,
    "GIII" => 9,
    "GIV" => 11,
    "GV" => 11,
    "GVI" => 11,
    "HI" => 10,
    "HII" => 10,
    "HIII" => 10,
    "HIV" => 10);
    $subjnum = $subjects[$getsection[2]];
    // Retrieve student numbers of students enrolled on the section
    $query2 = "SELECT StudNum FROM student WHERE
    SecID='&#36;getsection[0]'";
    $liststudents = mysql_query($query2, $link);
    $count = mysql_numrows($liststudents);
    // If there are students
    if($count!=0){
    // While there are students
    while($student = mysql_fetch_row($liststudents)) {
    $query3 = "SELECT
    b.SubName,a.Grade,a.Comments,b.SubUnits
    FROM grade AS a,subject AS b
    WHERE a.StudentID=$student[0]' AND a.Quarter='&#36;qtr'
    AND a.SubCode=b.SubCode AND a.SchoolYear='&#36;year";

```

```

$queryResult3 = mysql_query($query3,$link);
$countoccur = mysql_numrows($queryResult3);
// Check completion of grades. If not complete, do not proceed
if($countoccur == $subjnum){
    $completecounter++;
    $total = 0;
    $divisor = 0;
    while($result2 = mysql_fetch_row($queryResult3)) {
    $gradedecimal = number_format($result2[1], 3);
    $unitdecimal = number_format($result2[3], 3);
    $total = $total + ($gradedecimal * $unitdecimal);
    $divisordecimal = number_format($result2[3], 3);
    $divisor = $divisor + $divisordecimal;
    $GWA = $total/$divisor;
    $GWAdecimal = number_format($GWA, 3);
    // Update student GWA
    $updateGWA="UPDATE student SET
    GWA='&#36;GWAdecimal' where StudNum='&#36;student[0]'";
    mysql_query($updateGWA,$link)
    or die ("UPDATE error: ".mysql_error());
    //closes while
    //closes if
    else{
    $incompletecounter++;
    //closes else
    //closes while
    if($incompletecounter>0){
    echo "<br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px;'>
    <table size='390'><tr><td><img src='icons/Warning.png'
align='left' width='65' height='65' alt='&#36;'></td>
    <td><font color='maroon' size='2'><b><center>ERROR:
    $incompletecounter students with incomplete grades.</center></b></font></td>
    </tr></table></fieldset></center><br><br>";
    //closes if
    else{
    echo "<br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px; align='left'>
    <table size='390'><tr><td><img src='icons/Warning.png'
align='left' width='65' height='65' alt='&#36;'></td>
    <td><font color='maroon' size='2'><b><center>General
    Weighted Average of $getsection[1] successfully
    computed.</center></b></font></td>
    </tr></table></fieldset></center><br><br>";
    $query4 = "SELECT
    SLname,SFname,SMname,StudNum,GWA FROM student WHERE
    SecID='&#36;getsection[0]'";
    $queryResult4 = mysql_query($query4,$link);
    $res_count = mysql_num_rows($queryResult4);
    $col = mysql_num_fields($queryResult4);
    $alias = array("SLname" => "Name",
    "StudNum" => "Student Number",
    "GWA" => "GWA");
    if($res_count!=0){
    print "<table width='550' align='center'>
    <tr><th><center><font color='black'>General Weighted
    Average of $getsection[1] for $qtr Quarter<br>School Year
    $syear</font></center></th></tr>
    </table><br><br>";
    print "<table width='550' border='1' cellpadding='5'
    align='center'><tr>";
    for($column_num = 0; $column_num < $col;
    $column_num++) {
    if($column_num==0){
    print "<th><font color='maroon'>Name</font></th><";
    $column_num = 2;
    }
    else{
    $field_name = mysql_field_name($queryResult4,
    $column_num);
    $label = $alias[$field_name];
    print "<th><font width='50'
    color='maroon'>$label</font></th><";
    }
    //closes for
    print "<tr>\n";
    while($row = mysql_fetch_row($queryResult4)) {
    print "<tr valign='top'>";
    for($column_num = 0; $column_num < $col;
    $column_num++) {
    if($column_num==0){
    $initial = substr($row[2],0,1);
    $name = "$row[1] $initial. $row[0]";
    print "<td><font color='black'
    size='2'>$name</font></td>\n";
    $column_num = 2;
    }
    }

```

```

        else{
            print "<td><font width=50' color='black'
size=2>Srow[$column_num]</font></td>\n";
        }
    } //closes for
    print "</tr>\n";
} //closes while
print "</table><br><br>";
} //closes if
} //closes else
} //closes if

else{ // If no students found
echo "<br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px; align='left'>
<table size=390><tr><td><img src='icons/Warning.png'
align='left' width='65' height='65' alt='></td>
<td><font color='maroon' size=2><b><center>ERROR:
Students' grades not available.
You may not be able to access their grades or the grades are
not yet available.</center></b></font></td>
</tr></table></fieldset></center><br><br>";
} //closes else*/
} //closes if

print "</div>
</form>
</td>
</tr>
</table>

<table width=719' height=41'
border=0' cellpadding=0' cellspacing=0>
<tr>
<td align='center'
bgcolor=#333333> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>

</tr>
</table>
</body>
</html>
";
?>

```

ContactE-nrollsYS.php

```

<?php
session_start(); //start up PHP Session
Suserame = $_SESSION['username'];

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-
8859-1'>
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='center'
width=160' height=100' alt='></td>
<td align='center'
width=380' height=100' alt='></td>
<td align='center'
width=360' height=100' alt='></td>
</tr>
</table>
<div id='header'>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='center'
width=160' height=23' alt='></td>
<td align='center'
width=40' height=23' alt='></td>
<td align='center' bgcolor=#333333' class='topMenu'>"; ?>
<?if($userame!="") { ?>
| <a href='E-
nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a>

```

```

| <a href='UserLogin.php'>Log-
out</a> |</td>
<?>
else{ ?>
| <a href='E-
nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
</div>
<table bgcolor=#FFFFFF' width=900' border=0' align='center'
cellpadding=0' cellspacing=0'>
<tr>
<td align='left'
width=181' align='left'
valign='top'>
<table width=181'
border=0' cellspacing=0' cellpadding=0'>
<tr>
<td align='left' valign='top'>
<td width=160' height=28' bgcolor=#990000'></td>
<td width=21' rowspan=2' background='images/t4-2.gif'>
<table width=21' border=0' cellspacing=0' cellpadding=0'>
<tr><td height=23' align='left' valign='top'><img
src='images/t4-1.gif' width=21' height=23'></td></tr>
<tr><td height=495' align='left'
valign='bottom'><img src='images/t4-4.gif' width=21' height=22'
alt='></td></tr>
<tr><td align='left' valign='top'><img
src='images/t4-5.gif' width=21' height=41' alt='></td></tr>
</table></td>
</tr>
</table>
align='left' valign='top'>
<td height=400' bgcolor=#990000' style='padding-left: 15px;
padding-right:10px; padding-top: 10px'>"; ?>
<?if($_GET['logout']!=1){
include('includefile.inc');
$Suser_type = "SELECT type,status FROM user
WHERE username='$Suserame'";
$Srow = mysql_fetch_row(mysql_query
($Suser_type));
$Suser_type=$Srow[0];
$Sstatus=$row[1];
if(($Suser_type=='Student')&&($Sstatus=='1')){
?>
<a href='E-
nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-
nrollsYS.php'><font size=2><b>About E-nrollsYS</b></font></a><br><br>
<a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
<a href='StudentsCorner.php'><font
size=2><b>Student's Corner</b></font></a><br><br>
<?>
}
else if(($Suser_type=='Guardian')&&($Sstatus=='1')){
?>
<a href='E-
nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>

```



```

        Supdateinstructor = "UPDATE employee SET
Adviser_Section='Secid' WHERE EmployeeNum='Sadviser'";
mysql_query($updateinstructor, $link)
or die ("UPDATE error: ".mysql_error() );

        echo "<center><br><br><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'><tr><td><img src='icons/Info.png' align='left'
width='65' height='65' alt='></td>
<td><font color='maroon' size=3><b><center>Section
successfully created.</center></b></font></td>
</tr></table></fieldset><center><br><br><br>

        <table width='400' cellpadding='5' align='center'>
<tr><td nowrap><font color='maroon' size=2><b>Section
Details:</b></font></td></tr>";

$query1 = mysql_query("SELECT SecName, LevelID, FacultyNum, SchoolYear
FROM section WHERE SecID='Secid'");

$count = mysql_num_fields($query1);

$alias = array("SecName" => "Section",
"LevelID" => "Grade/Year Level",
"FacultyNum" => "Adviser",
"SchoolYear" => "School Year");

while($section = mysql_fetch_row($query1)){
for($column_num = 0; $column_num < $count; $column_num++) {
$field_name = mysql_field_name($query1, $column_num);
print "<tr valign='top'>";
print "<td nowrap><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td></tr>";

if($column_num==1){
$getyearlevel = $yearlevels[$section[$column_num]];

print "<td nowrap><font color='black'
size=2><b>$getyearlevel</b></font></td></tr>";
}

else if($column_num==2){
$faculty = mysql_query("SELECT ELname,EFname,EMname FROM employee
WHERE EmployeeNum='Ssection[$column_num]'");
$getfacultyname = mysql_fetch_row($faculty);

$initial = substr($getfacultyname[2],0,1);
$facultyname = "$getfacultyname[0], $getfacultyname[1] $initial.";

print "<td nowrap><font color='black'
size=2><b>$facultyname</b></font></td></tr>";
}

else{
print "<td nowrap><font color='black'
size=2><b>$section[$column_num]</b></font></td></tr>";
}

print "</tr>";

```

```

} //closes for
} //closes while
echo "</table><br><br><br><table width='710' cellpadding='5'
align='center'>
<tr><td align='right'><a href='ManageSections.php'><font
color='black'><b> DONE |</b></font></a></td></tr>
</table>";
mysql_close();

} //closes if
else{
        echo "<br><br><fieldset style='width: 400px; height:70px;
padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'><tr><td><img src='icons/Warning.png'
align='left' width='65' height='65' alt='></td>
<td><font color='maroon' size=2><b><center>ERROR:
Section already exists. Please re-check the details.</center></b></font></td>
</tr></table></fieldset><br><br><br>
<table width='710' cellpadding='5' align='center'>
<tr><td align='right'><a href='CreateSection.php'><font
color='black'><b> BACK |</b></font></a></td></tr></table>";

} //closes else
} //closes if
} //closes if
else{
        $searchteachers = "SELECT
ELname,EFname,EMname,EmployeeNum FROM employee WHERE Type='F'
AND Department IN ('P','G','H')";
$queryresult = mysql_query($searchteachers, $link);

        print "<fieldset
style='width: 500px; height:230px; padding-top: 20px; padding-left: 20px;
padding-right: 20px; align='left'>
<legend><font color='maroon'
size=2><b>Add Section</b></font></legend>
<table width='500' height='1'>
<tr><td width='150'><font color='black'><b>NEW SECTION
DETAILS:</b></font></td></tr>
<tr><td width='150'><font
color='black'><b>SECTION NAME: </b></font></td><td><input type='text'
name='name' size='20' align='left' value='Ssecname'/></td></tr>
<tr><td width='150'><font
color='black'><b>GRADE/YEAR LEVEL: </b></font></td><td><select
name='level'><option>- Level -</option>
<option value='JC'>JC</option> <option
value='JACI'>JAC I</option> <option value='JACII'>JAC II</option> <option
value='AC'>AC</option> <option value='GI'>GRADE I</option>
<option value='GII'>GRADE II</option> <option
value='GIII'>GRADE III</option> <option value='GIV'>GRADE IV</option>
<option value='GV'>GRADE V</option> <option value='GVI'>GRADE
VI</option>
<option value='HI'>1ST YEAR</option> <option
value='HII'>2ND YEAR</option> <option value='HIII'>3RD YEAR</option>
<option value='HIV'>4TH YEAR</option></select></td></tr>
<tr><td width='150'><font
color='black'><b>ADVISER:</b></font></td><td><select
name='adviser'><option>- Instructors -</option>";
while($row = mysql_fetch_row($queryresult)) {
        $initial = substr($row[2],0,1);
        $name = "$row[1] $initial. $row[0]";
        print "<option value=$row[3]>$name</option>";
} //closes while
print "</select></td></tr>

        <tr><td><font
color='black'><b>SCHOOL YEAR:</b></font>

```

```

        <td><input type='text'
name='schoolyear' size='20' align='left' value='$schoolyear'/></b></font></td>

        <td><font color='maroon'
width='100'><b> *Note: Use the format xxxx-xxxx. ex: 2010-
2011</b></font></td>
    </tr></table>

```

```

        <br><br><table width='500'
height='1'>
    <tr><td><input type='submit' name='submit' value='Add Section'
style='vertical-align:bottom' /> <input type='reset' value='Clear' /></td>
    <td align='right'><a href='ManageSections.php'><font
color='black'><b> DONE </b></font></a></td></tr></table></fieldset>;

```

```

        //closes else
        print "</td>
    </tr>
    </table>

```

```

    <table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
    <tr>
        <td align='center'
bgcolor='#333333'> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
    </tr>
    </table>
    </tr>
    </table>
</body>
</html>
?>

```

EditSectionDetails.php

```

<?php
session_start(); //start up PHP Session
$registrarno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE
Username='$registrarno'";
$getdetails = mysql_query($query1, $link);
$details = mysql_fetch_row($getdetails);

if(($details[0]!='Registration Clerk')&&($details[1]!='0')){
    header('Location: UserLogin.php');
}

//table schedule contains composite keys schedid, timeslotid, subjid; 1 schedid =
1 section
$year = date(Y);
$month = date(n);

if ($month < 6) {
    $syear1 = $year - 1;
    $syear2 = $year;
} else {
    $syear1 = $year;
    $syear2 = $year + 1;
}

$year="$syear1"."-".$syear2";

$yearlevels = array("JC" => "Junior Casa",
    "JACI" => "Junior Advanced Casa I",
    "JACII" => "Junior Advanced Casa II",
    "AC" => "Advanced Casa",
    "G1" => "Grade One",
    "GII" => "Grade Two",
    "GIII" => "Grade Three",
    "GIV" => "Grade Four",
    "GV" => "Grade Five",
    "GVI" => "Grade Six",
    "HI" => "First Year High School",
    "HII" => "Second Year High School",
    "HIII" => "Third Year High School",
    "HIV" => "Fourth Year High School");

?>

<html>
<head>
<title>E-nrollSYS Edit Section Details</title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<script type='text/javascript'>

// Initialize AJAX request
function initAjaxCall() {

```

```

// code for IE7+, Firefox, Chrome, Opera, Safari
if (window.XMLHttpRequest) {
    xmlhttp = new XMLHttpRequest();
} else { // code for IE6, IE5
    xmlhttp = new ActiveXObject("Microsoft.XMLHTTP");
}

// AJAX request to retrieve section
function getSection(yearLevel) {
// If there is no selected year level, do not display anything on sectionPane
if (yearLevel == "") {
    document.getElementById("sectionPane").innerHTML = "";
    return;
}

initAjaxCall();

// Set function callback
xmlhttp.onreadystatechange = function() {
    if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
        document.getElementById("sectionPane").innerHTML =
xmlhttp.responseText;
    }
}

// Set php and send request
xmlhttp.open("GET","manageClassSchedHandler.php?q="+yearLevel+"&reqTyp
e=getSection",true);
xmlhttp.send();

function getSchedule() {
    $section = document.getElementById("sectionPane").value;
    $yearLevel = document.getElementById("yearLevel").value;
// If there is no selected section, do nothing/alert user and clear contents on the
table
if ($yearLevel == "" || $section == "") {
// TODO Task here
    document.getElementById("scheduleTable").innerHTML = "";
    return;
}

initAjaxCall();

// Set function callback
xmlhttp.onreadystatechange = function() {
    if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
        document.getElementById("scheduleTable").innerHTML =
xmlhttp.responseText;
    }
}

// Set php and send request
xmlhttp.open("GET","EditSectionDetailsHandler.php?section="+$section+"&yea
rLevel="+$yearLevel+"&reqType=getSchedule",true);
xmlhttp.send();
}

</script>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
    <font color='red'><?php print "$studentno"; ?></font>

    <!-- BANNER -->
    <table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
        <tr>
            <td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
            <td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
            <td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>
        </tr>
    </table>

    <!-- NAVLINK -->
    <table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
        <tr>
            <td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
            <td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
            <td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'>
                <?php if($registrarno!="") { ?>
                    <a href='E-

```

```

nrollSYS.php>About E-nrollSYS</a> |<a href='AboutE-
</td>
nrollSYS.php>Contact</a> |<a href='ContactE-
</tr>
nrollSYSHelp.php>Help</a> |<a href='E-
</td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
href='UserLogin.php?logout=1'>Log-out</a> |</td> SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td>
<?php } else { ?> |<a href='E-nrollSYSHome.php'>Home</a>
</tr>
nrollSYS.php>About E-nrollSYS</a> |<a href='AboutE-
</tr>
nrollSYS.php>Contact</a> |<a href='ContactE-
height='400' valign='top'>
nrollSYSHelp.php>Help</a> |<a href='E-
name='manageclasssched' action='EditSectionDetails.php' method='post'>
</tr>
</table>
</td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
</table>
<!-- MID SECTION -->
<table width=900 border=0 align=center cellpadding=0 cellspacing=0'>
<tr>
<!-- SIDEPANEL -->
<td width=181 align='left'
valign='top'>
<table width=181'
border=0 cellspacing=0 cellpadding=0'>
<tr align='left'
valign='top'>
<td width=160'
height=28 bgcolor=#990000'></td>
<td width=21'
rowspan=2 background='images/t4-2.gif'>
<td align='center' cellpadding=0'>
<tr><td height=23 align='left' valign='top'><img src='images/t4-
1.gif' width=21' height=23'></td></tr>
<tr><td height=495 align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
</table>
</td>
<tr align='left' valign='top'>
<td height=400 bgcolor=#990000'
style='padding-left: 15px; padding-right:10px; padding-top: 10px'>
<a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font
size=2><b>About E-nrollSYS</b></font></a><br><br>
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
<? if($beneficiary[0]!="") { ?>
<a href='GuardiansCorner.php'><font size=2><b>Guardian's
Corner</b></font></a><br><br>
<? } ?>
</td>
</tr>
</table>
</td>
<!-- MAIN BODY -->
<td width=598 bgcolor=#FFFFFF align='left'
valign='top'>
<table width=719' border=0'
cellspacing=0 cellpadding=0'>
<tr>
<td>
<?php if ($registrarno != "") { ?>
<br><table width=700'><tr><td align='left'><font
color='black'><b>Logged in as </b></font>
<font color='maroon'><b><?php echo $registrarno?></b></font></td>
<td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")?></b></font></b></font></td></tr></table>
<?php } else { ?>
<br><table width=700'><tr><td align='left'></td>
<td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")?></b></font></b></font></td></tr></table>
<br>
<td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")?></b></font></b></font></td></tr></table>
<br>
<?php } ?>
</td>
</tr>
</table>
</td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td>
</tr>
height='400' valign='top'>
name='manageclasssched' action='EditSectionDetails.php' method='post'>
</tr>
</table>
<!-- FIELD -->
<fieldset style='width: 680px; height: 45px;' align='left'>
<legend><font color='maroon' size=2'><b>Edit
Section</b></font></legend>
<table width=670 height=1'>
<tr><td width=215'><font color='black'><b>Grade/Year
Level:</b></font>
<!-- YEAR LEVEL SELECTION -->
<select name='yearlevel' id='yearLevel'
onchange='getSection(this.value)'>
<option>- Level -</option>
<option value='JC'>JC</option>
<option value='JAC I'>JAC I</option>
<option value='JAC II'>JAC II</option>
<option value='AC'>AC</option>
<option value='GI'>GRADE I</option>
<option value='GII'>GRADE II</option>
<option value='GIII'>GRADE III</option>
<option value='GIV'>GRADE IV</option>
<option value='GV'>GRADE V</option>
<option value='GVI'>GRADE VI</option>
<option value='HI'>1ST YEAR</option>
<option value='HII'>2ND YEAR</option>
<option value='HIII'>3RD YEAR</option>
<option value='HIV'>4TH YEAR</option>
</select></td>
<!-- SECTION -->
<td width=160'><font color='black'><b>Section:</b></font>
<select name='sections' id='sectionPane'>
<option value=''>- Section -</option>
</select></td>
<td width=100'><input type='submit' name='editdetails' value='Edit
Details' /></td>
<td width=90'><input type='submit' name='delete' value='Delete
Section' /></td>
<td align='right'><a href='ManageSections.php'><font
color='black'><b>BACK </b></font></a></td>
</tr></table>
</fieldset>
<div id='scheduleTable' style='width: 719px; height: 360px; overflow:
scroll;'><br><br>
<?php
// If the button performed 'submit' action is named 'delete'
if(isset($_POST['delete']) && $_GET['logout'] != 1) {
include("includefile.inc");
$sectionname = $_POST['sections'];
$secid = $sectionname.$year;
$deletesection = "DELETE FROM section WHERE
SecID='$secid'";
mysql_query($deletesection, $link)
or die ("DELETE error: ".mysql_error() );
$clearstudents = "UPDATE student SET SecID=" WHERE
SecID='$secid'";
mysql_query($clearstudents, $link)
or die ("DELETE error: ".mysql_error() );
mysql_close();
echo "<br><br><center><fieldset style='width: 400px; height:70px;
padding-left: 20px; padding-right: 20px;' align='left'>
<img src='icons/Info.png' align='left' width=65' height=65'
alt='><br>
<font color='maroon' size=3'><b><center>Section successfully
deleted from the database.</center></b></font>
</fieldset></center>";
} //closes if
// If the button performed 'submit' action is named 'editdetails'
else if(isset($_POST['editdetails']) && $_GET['logout'] != 1) {
include("includefile.inc");
$sectionname = $_POST['sections'];

```

```

        $secid = $sectionname.$year;

        $searchteachers = "SELECT
ELname,EFname,EMname,EmployeeNum FROM employee WHERE Type='F'
AND Department IN ('P','G','H')";
        $queryresult = mysql_query($searchteachers, $link);
        $query1 = mysql_query("SELECT SchedID,LevelID,SchoolYear
FROM section WHERE SecID='$secid'");
        $solsid = mysql_fetch_row($query1);
        $ylevel = $yearlevels[$solsid[1]];

        echo "<input type='hidden' name='prevsecid' value='$secid'><input
type='hidden' name='prevyear' value='$solsid[2]'>";

        print "<center><fieldset style='width: 500px; height:230px;
padding-top: 20px; padding-left: 20px; padding-right: 20px;' align='left'>
<legend><font color='maroon' size=2'><b>Edit
Section</b></font></legend>
<table width=500' height=1'>
<tr><td><font color='black'><b>EDIT SECTION DETAILS
OF:</b></font>< font color='maroon'
size=2'><b>$sectionname</b></font></td></tr></table>
<table width=500' height=1'>
<tr><td width=150'><font color='black'><b>SECTION
NAME: </b></font></td><td><input type='text' name='name' size=20'
align='left' value='$secname'/></td></tr>
<tr><td width=150'><font color='black'><b>GRADE/YEAR
LEVEL: </b></font></td><td><input type='text' name='level' size=20'
align='left' value='$ylevel' readonly=readonly/></td></tr>
<tr><td width=150'><font
color='black'><b>ADVISER:</b></font></td><td><select
name='adviser'><option>- Instructors -</option>;
while($row = mysql_fetch_row($queryresult)) {
    $initial = substr($row[2],0,1);
    $name = "$row[1] $initial, $row[0]";
    print "<option value=$row[3]>$name</option>";
}
</select></td></tr>
<tr><td><font color='black'><b>SCHOOL YEAR:</b></td>
<td><input type='text' name='schoolyear' size=20' align='left'
value='$solsid[2]' readonly=readonly/></b></font></td>
<td><font color='maroon' width=100'><b> *Note: Use the
format xxxx-xxxx. ex: 2010-2011</b></font></td>
</tr></table>
<br><br><table width=500' height=1'>
<tr><td><input type='submit' name='updatedetails' value='Edit
Section' style='vertical-align:bottom' /> <input type='reset' value='Clear' /></td>
</tr></table></fieldset></center>";
    }
}

// If the button performed 'submit' action is named 'updatedetails'
else if(isset($_POST['updatedetails'])&& $_GET['logout']!=1){
    $oldsecid = $_POST['prevsecid'];
    $oldyear = $_POST['prevyear'];

    if($_POST['name']!=NULL&&($_POST['adviser']!=NULL)){
        include("includefile.inc");

        $newsecname = mysql_real_escape_string($_POST['name']);
        $newadviser = $_POST['adviser'];
        $cutsecname = substr("$newsecname",0,3);
        $newsecid = $newsecname.$oldyear;

        if($oldsecid==$newsecid){
            $updatatesamesec = "UPDATE section SET SecID='$newsecid',
SecName='$newsecname', FacultyNum='$newadviser'
WHERE SecID='$oldsecid'";
            mysql_query($updatatesamesec, $link)
            or die ("UPDATE error: ".mysql_error());

            echo "<br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px;' align='left'>
<img src='icons/Info.png' align='left' width=65' height=65'
alt='><br>
<font color='maroon' size=3'><b><center>Details of
$newsecname successfully updated.</center></b></font>
</fieldset></center><br><br><br>
<table width=400' cellpadding=5' align='center'>
<tr><td nowrap><font color='maroon' size=2'><b>Updated
Details:</b></font></td></tr>";

            $query1 = mysql_query("SELECT SecName, LevelID,
FacultyNum, SchoolYear FROM section WHERE SecID='$newsecid'");
            $count = mysql_num_fields($query1);
            $alias = array("SecName" => "Section",
"LevelID" => "Grade/Year Level",
"FacultyNum" => "Adviser",
"SchoolYear" => "School Year");

            while($ditedsection = mysql_fetch_row($query1)){
                for($column_num = 0; $column_num < $count;
                $column_num++){
                    $field_name = mysql_field_name($query1, $column_num);
                    print "<tr valign='top'>";
                    print "<td nowrap><font color='maroon'
size=2'><b>$alias[$field_name]</b></font></td></tr>";

                    if($column_num==1){
                        $getyearlevel = $yearlevels[$ditedsection[$column_num]];

                        print "<td nowrap><font color='black'
size=2'><b>$getyearlevel</b></font></td></tr>";
                    }
                    else if($column_num==2){
                        $faculty = mysql_query("SELECT
ELname,EFname,EMname FROM employee WHERE
EmployeeNum=$ditedsection[$column_num]");
                        $getfacultyname = mysql_fetch_row($faculty);

                        $initial = substr($getfacultyname[2],0,1);
                        $facultyname = "$getfacultyname[0], $getfacultyname[1]
                        $initial.";

                        print "<td nowrap><font color='black'
size=2'><b>$facultyname</b></font></td></tr>";
                    }
                }
            }
        }
    }
}

```

```

    }
    else{
        print "<td nowrap><font color='black'
size='2'><b>Seditsection[§column_num]</b></font></td><n";
    }
    print "</tr>";
    //closes for
    //closes while
    echo "</table>";
    //closes if

    else{
        echo "<br><br><center><fieldset style='width: 400px;
height:50px; padding-left: 20px; padding-right: 20px;' align='left'>
<img src='icons/Warning.png' align='left' width='50'
height='50' alt='><br>
<font color='maroon' size='2'><b><center>ERROR: Please
re-check the details entered.</center></b></font>
</fieldset></center>";
    }
    //closes else
    //closes else
    //closes if
    //closes else if
    ?>
</div>

</td>
</tr>
</table>

<!-- FOOTER -->
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center'
bgcolor='#333333'> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</td>
</tr>
</table>
</body>
</html>

```

EditSectionDetailsHandler.php

```

<?php
$reqType=$_GET["reqType"];
include("includefile.inc");

// If the ajax request is for getSection
if ($reqType == 'getSection') {
    $q=$_GET["q"];
    $sql = "SELECT SecID,SecName,FacultyNum FROM section WHERE
LevelID = '". $q ."'";
    $result = mysql_query($sql, $link);

    echo "<option value='> Section </option>";
    while($row=mysql_fetch_row($result)){
        echo "<option value='$row[1]>$row[1]</option>";
    }

    mysql_close($link);
    ?>

<?php } ?>
EmployeesForm.php
<?php
session_start(); //start up PHP Session
$registrano = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrano'";
$getdetails = mysql_query($query1, $link);
$getdetails = mysql_fetch_row($getdetails);

/*if(($getdetails[0]!='Registration Clerk')&&($getdetails[1]!='0')){
    header('Location: UserLogin.php');
}*/

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>

```

```

<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
<td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>
</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
<td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'>; ?>
<?if($registrano!="") { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a
href='UserLogin.php?logout=1'>Log-out</a> |</td>
<?>
else { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td width='181' align='left'
valign='top'>
<table width='181'
border='0' cellspacing='0' cellpadding='0'>
<tr align='left'
valign='top'>
<td width='160'
height='28' bgcolor='#990000'></td>
<td width='21'
rowspan='2' background='images/t4-2.gif'>
<table
width='21' border='0' cellspacing='0' cellpadding='0'>
<tr><td height='23' align='left' valign='top'><img src='images/t4-
1.gif' width='21' height='23'></td></tr>
<tr><td height='495' align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt='></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'>
<td height='400'
bgcolor='#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a
href='E-nrollSYSmain.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
</td>
<td width='598' align='left' valign='top'>
<table bgcolor='#FFFFFF'
width='598' border='0' cellspacing='0' cellpadding='0'>
<tr>
<td>;

```



```

                <center><font color='maroon' size=2><b>SUBMITTED
EXISTING INFORMATION<br>OR
<br><b>CIMPORANT FIELDS ARE NOT COMPLETELY
FILLED OUT.</b></font></center>
                </fieldset></center><br>";
                //closes else
                //closes elseif
    print
" </div>
    </form>
    </tr>
    </table>
    <table width=719' height=41'
border=0' cellpadding=0' cellspacing=0'>
    <tr>
        <td align='center'
bgcolor=#333333'> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
    </tr>
    </table>
    </tr>
    </table>
</body>
</html>
";
?>

```

```

E-nrollSYSHelp.php
<?php
session_start(); //start up PHP Session
$username = $_SESSION['username'];

print "
<html>
<head>
    <title></title>
    <meta http-equiv='Content-Type' content='text/html; charset=iso-
8859-1'>
    <link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
    <table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
        <tr>
            <td align='center'
width=160' height=100' alt='></td>
            <td align='center'
width=380' height=100' alt='></td>
            <td align='center'
width=360' height=100' alt='></td>
        </tr>
    </table>
    <div id='header'>
    <table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
        <tr>
            <td align='center'
width=160' height=23' alt='></td>
            <td align='center'
width=40' height=23' alt='></td>
            <td align='center' bgcolor=#333333' class='topMenu'> ?>
                <?if($username!="") { ?>
                    | <a href='E-
nrollSYSHome.php'>Home</a>
                    | <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
                    | <a href='ContactE-
nrollSYS.php'>Contact</a>
                    | <a href='E-
nrollSYSHelp.php'>Help</a>
                    | <a href='UserLogin.php'>Log-
out</a> | </td>
                <?>
                else { ?>
                    | <a href='E-
nrollSYSHome.php'>Home</a>
                    | <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
                    | <a href='ContactE-
nrollSYS.php'>Contact</a>
                    | <a href='E-
nrollSYSHelp.php'>Help</a> | </td>
                <?>
            </tr>
        </table>
    </div>
    <table bgcolor=#FFFFFF' width=900' border=0' align='center'
cellpadding=0' cellspacing=0'>

```

```

                <tr>
                    <td height=400' bgcolor=#990000' style='padding-left: 15px;
padding-right: 10px; padding-top: 10px'> ?>
                <?if($_GET['logout']!=1){
                    include('includefile.inc');
                    $user_type = "SELECT type,status FROM user
WHERE username='$username'";
                    $row = mysql_fetch_row(mysql_query
($user_type));
                    $usertype=$row[0];
                    $status=$row[1];
                    if(($usertype=='Student')&&($status=='1')){
                        ?>
                        <a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
                        <a href='AboutE-
nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
                        <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
                        <a href='StudentsCorner.php'><font
size=2><b>Student's Corner</b></font></a><br>
                        <?>
                    }
                    else if(($usertype=='Guardian')&&($status=='1')){
                        ?>
                        <a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
                        <a href='AboutE-
nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
                        <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
                        <a
href='GuardiansCorner.php'><font size=2><b>Guardian's
Corner</b></font></a><br>
                        <?>
                    }
                }
                else if(($usertype=='Faculty')&&($status=='1')){
                    ?>
                }
            </tr>
        </table>
    </div>
    <table bgcolor=#FFFFFF' width=900' border=0' align='center'
cellpadding=0' cellspacing=0'>

```

```

                <tr>
                    <td width=181' align='left'
valign='top'>
                <table width=181'
border=0' cellspacing=0' cellpadding=0'>
                    <tr>
                        <td align='left' valign='top'>
                            <td width=160' height=28' bgcolor=#990000'></td>
                            <td width=21' rowspan=2' background='images/t4-2.gif'>
                                <table width=21' border=0' cellspacing=0' cellpadding=0'>
                                    <tr><td height=23' align='left' valign='top'><img
src=images/t4-1.gif' width=21' height=23'></td></tr>
                                    <tr><td height=495' align='left'
valign='bottom'><img src='images/t4-4.gif' width=21' height=22'
alt='></td></tr>
                                <tr><td align='left' valign='top'><img
src=images/t4-5.gif' width=21' height=41' alt='></td></tr>
                                </table></td>
                    </tr>
                </table>
                <tr>
                    <td align='left' valign='top'>
                        <td height=400' bgcolor=#990000' style='padding-left: 15px;
padding-right: 10px; padding-top: 10px'> ?>
                    <?if($_GET['logout']!=1){
                        include('includefile.inc');
                        $user_type = "SELECT type,status FROM user
WHERE username='$username'";
                        $row = mysql_fetch_row(mysql_query
($user_type));
                        $usertype=$row[0];
                        $status=$row[1];
                        if(($usertype=='Student')&&($status=='1')){
                            ?>
                            <a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
                            <a href='AboutE-
nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
                            <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
                            <a href='StudentsCorner.php'><font
size=2><b>Student's Corner</b></font></a><br>
                            <?>
                        }
                        else if(($usertype=='Guardian')&&($status=='1')){
                            ?>
                            <a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
                            <a href='AboutE-
nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
                            <a href='AcadCalendar.php'><font
size=2><b>Academic Calendar</b></font></a><br><br>
                            <a
href='GuardiansCorner.php'><font size=2><b>Guardian's
Corner</b></font></a><br>
                            <?>
                        }
                    }
                }
                else if(($usertype=='Faculty')&&($status=='1')){
                    ?>
                }
            </tr>
        </table>
    </div>
    <table bgcolor=#FFFFFF' width=900' border=0' align='center'
cellpadding=0' cellspacing=0'>

```



```

$rowcount = mysql_numrows($details);
$yearlevels = array("AC" => "Advanced Casa",
"GTI" => "Grade Six",
"HIV" => "Fourth Year");
$getylevel = $yearlevels[$getyearlevel];

if($rowcount!=0){
    $colcount=0;
    $getstudentsinfo = "SELECT
SLname,SFname,SMname,StudNum,SecID,Rank
FROM student WHERE LevelID = '$getyearlevel' AND Status =
'G' ORDER BY SLname";
    $graduatingstudents =
mysql_query($getstudentsinfo, $link);
    $colcount =
mysql_num_fields($graduatingstudents);
    $alias = array("SLname" => "Lname",
"SFname" => "Fname",
"SMname" => "Mname",
"StudNum" => "Student Number",
"SecID" => "Section",
"Rank" => "Standing");

    $excel = new Spreadsheet_Excel_Writer(); // create
empty file
    $excel-
>send($getyearlevel,'graduatingstudents.xls'); // send client headers
    $sheet =& $excel->addWorksheet($getylevel); //
add worksheet

    $format_title =& $excel->addFormat();
    $format_title->setBold();

    $format_achiever =& $excel->addFormat();
    $format_achiever->setBold();
    $format_achiever->setColor('red');

    // add data to worksheet
    for($col = 0, $col2 = 0; $col <= $colcount, $col2 <
$colcount; $col++, $col2++){
        if($col==0){
            $sheet->write(0, $col,
'Name',$format_title);
            $col2 = 2;
        }
        else{
            $field_name =
mysql_field_name($graduatingstudents, $col2);
            $sheet->write(0, $col,
$alias[$field_name],$format_title);
        }
    } //closes for

    $limit = $colcount-2;
    for($row = 1; $row <= $rowcount; $row++){
        $rowdetail =
mysql_fetch_row($graduatingstudents);
        for($column = 0, $column2 = 0;
$column <= $limit, $column2 < $colcount; $column++, $column2++) {
            $getsecname =
mysql_query("SELECT SecName from section WHERE SecID =
'$rowdetail[4]'");
            $secname =
mysql_fetch_row($getsecname);

            if($column==0){
                $name
= "$rowdetail[0]."." $rowdetail[1] $rowdetail[2]";
                $sheet-
>write($row, $column, $name);
                $column2 = 2;
            }
            else if($column==2){
                $sheet-
>write($row, $column, $secname[0]);
            }
            else if($column==3){
                $standing = $rowdetail[5];

                if($standing<=10){
                    $sheet->write($row, $column, $standing, $format_achiever);
                }
                else{
                    $sheet->write($row, $column, $standing);
                }
            }
        }
    }
}

} //closes for
} //closes if
} //closes else if

else if(isset($_POST['siblingexcel'])&& $_GET['logout']!=1){
    include("includefile.inc");
    include("Spreadsheet/Excel/Writer.php");

    $rowcount = 0;
    $getstudents = "SELECT StudNum FROM student";
    $details = mysql_query($getstudents, $link);
    $rowcount = mysql_num_rows($details);

    if($rowcount!=0){
        $colcount=0;
        $getstudentsinfo = "SELECT
SLname,SFname,SMname,StudNum,LevelID,SecID,SSex,SAddress,SContact,SB
irthday,SBirthplace,SCitizenship,SReligion
FROM student ORDER BY SLname,SMname";
        $siblingdirdetails = mysql_query($getstudentsinfo,
$link);
        $colcount = mysql_num_fields($siblingdirdetails);
        $alias = array("SLname" => "Lname",
"SFname" => "Fname",
"SMname" => "Mname",
"StudNum" => "Student Number",
"LevelID" => "Grade/Year Level",
"SecID" => "Section",
"SSex" => "Sex",
"SAddress" => "Address",
"SContact" => "Contact No.",
"SBirthday" => "Birthday",
"SBirthplace" => "Birthplace",
"SCitizenship" => "Citizenship",
"SReligion" => "Religion");

        $excel = new Spreadsheet_Excel_Writer(); // create
empty file
        $excel->send('siblingdirectory.xls'); // send client
headers
        $sheet =& $excel->addWorksheet('Siblings'); // add
worksheet

        $format_title =& $excel->addFormat();
        $format_title->setBold();

        // add data to worksheet
        for($col = 0, $col2 = 0; $col <= $colcount, $col2 <
$colcount; $col++, $col2++){
            if($col==0){
                $sheet->write(0, $col,
'Name',$format_title);
                $col2 = 2;
            }
            else{
                $field_name =
mysql_field_name($siblingdirdetails, $col2);
                $sheet->write(0, $col,
$alias[$field_name], $format_title);
            }
        } //closes for

        $limit = $colcount-2;
        for($row = 1; $row <= $rowcount; $row++){
            $rowdetails =
mysql_fetch_row($siblingdirdetails);
            for($column = 0, $column2 = 0;
$column <= $limit, $column2 < $colcount; $column++, $column2++) {
                if($column==0){
                    $name
= "$rowdetails[0]."." $rowdetails[1] $rowdetails[2]";
                }
            }
        }
    }
}

```

```

>write($row, $column, $name);
    $column2 = 2;
    }
    else if($column==2){
        $getyearlevel = $yearlevels[$rowdetails[$column2]];
        $sheet->write($row, $column, $getyearlevel);
    }
    else if($column==3){
        $getsecname = mysql_query("SELECT SecName from section WHERE
        SecID = '$rowdetails[5]'");
        $secname = mysql_fetch_row($getsecname);
    }
    $sheet->write($row, $column, $secname[0]);
    }
    else{
        $sheet->write($row, $column, $rowdetails[$column2]);
    }
}
} //closes for
} //closes for
} // save file to disk
if ($excel->close() === true) {
    echo 'Spreadsheet successfully
saved!';
}
else {
    echo 'ERROR: Could not save
spreadsheet.';
}
} //closes if
} //closes else if
else if(isset($_POST['studentlist']) && $_GET['logout']!=1){
    include("includefile.inc");
    include("Spreadsheet/Excel/Writer.php");

    $level = $_POST['level'];

    $getstudentsinfo = "SELECT
    SLname,SFname,SMname,StudNum,SSex,ScholarType,Rank,Status,GWA
    FROM student WHERE LevelID='$level' ORDER BY Rank";
    $details = mysql_query($getstudentsinfo, $link);
    $rowcount = mysql_num_rows($details);
    $colcount = mysql_num_fields($details);
    $getyearlevel = $yearlevels[$level];
    $salias = array("SLname" => "Name",
    "SFname" => "Name",
    "SMname" => "Name",
    "StudNum" => "Student Number",
    "SSex" => "Sex",
    "ScholarType" => "Scholar Type",
    "Rank" => "Rank",
    "Status" => "Status",
    "GWA" => "GWA");
    $scholar = array("SA" => "Scholar A",
    "SB" => "Scholar B",
    "BM" => "Band Member",
    "N" => "N/A");
    $status = array("A" => "Approved",
    "D" => "Disapproved",
    "E" => "Enrolled",
    "NE" => "Not Enrolled",
    "G" => "Graduating",
    "NG" => "Continuing.");

    if($rowcount!=0){
        $excel = new Spreadsheet_Excel_Writer(); // create
empty file
        $excel->send($level.'leveldirectory.xls'); // send
client headers
        $sheet =& $excel->addWorksheet($getyearlevel);
// add worksheet

        $format_title =& $excel->addFormat();
        $format_title->setBold();

        // add data to worksheet

        for($col = 0, $col2 = 0; $col <= $colcount, $col2 <
        $colcount; $col++, $col2++){
            if($col==0){
                $sheet->write(0, $col,
                'Name',$format_title);
                $col2 = 2;
            }
            else{
                $field_name =
                mysql_field_name($details, $col2);
                $salias[$field_name], $format_title);
            }
        } //closes for
    } // save file to disk
    if ($excel->close() === true) {
        echo 'Spreadsheet successfully
saved!';
    }
    else {
        echo 'ERROR: Could not save
spreadsheet.';
    }
} //closes if
} //closes else if
?>

FacultyCorner.php

<?php
session_start(); //start up PHP Session
$facultyno = $_SESSION['username'];

include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$facultyno'";
$getdetails = mysql_query($query1, $link);
$details = mysql_fetch_row($getdetails);

if(($details[0]!='Faculty') && ($details[1]!='0')){
    header('Location: UserLogin.php');
}

print "
<html>
<head>
<title></title>

```

```
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC leftmargin=0 topmargin=0 marginwidth=0
marginheight=0'>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
<td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>
</tr>
</table>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
<td width=700' height=23' align=center'
bgcolor=#333333' class='topMenu'>; ?>
<?php if($faculty!=""){?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a href='UserLogin.php'>Log-
out</a> |</td>
</tr>
</table>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='center' colspan=2><?php
else{?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<td align='center' colspan=2><?php
print "</tr>
</table>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='top'>
<table width=181' align='left'
border=0' cellspacing=0' cellpadding=0'>
<tr align='left'
valign='top'>
<td align='left'
width=160'
height=28' bgcolor=#990000'></td>
<td align='center'
width=21'
rowspan=2' background='images/t4-2.gif'>
</td>
</tr>
<tr align='center'
width=21' border=0' cellspacing=0' cellpadding=0'>
<td align='left' valign='top'><img src='images/t4-1.gif' width=21' height=23'></td>
<td align='center' height=495' align='left' valign='bottom'><img src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
<tr align='left' valign='top'><img src='images/t4-5.gif' width=21' height=41' alt='></td></tr>
</table></td>
<td align='left'
width=400'
bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top:10px'>
<a href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>
</td>
</tr>
</table>
<table align='left'
width=598' align='left' valign='top'>
<table bgcolor=#FFFFFF'
width=719' border=0' cellspacing=0' cellpadding=0'>
<tr>
<td align='center' colspan=2><?php
if($faculty!=""){
print "<br><table
width=700'<tr><td align='left'><font color='black'><b>Logged in as
</b></font>". "<font color='maroon'><b>". $facultyno.</b></font></td>
align='right'><font color='black'><b>Today is ". "<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes if
else{
print "<br><table
width=700'<tr><td align='left'></td>
align='right'><font color='black'><b>Today is ". "<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
<tr>
<td align='center' colspan=2><table width=459'
height=488' valign='top' style='padding-top: 50px; padding-left: 40px;'>
<fieldset style='width: 600px; height: 340px; padding-top: 40px'
align='center'>
<legend><font color='maroon'
size=2'><b>Faculty's Corner</b></font></legend>
<table width=400'
height=150' align='center'>
<tr><td align='center'><a href='UploadGrades.php'><img
src='icons/UploadGrades.png' align='left' width=130' height=130'
alt='></a></td>
<td align='center'><a href='ComputeGWA.php'><img
src='icons/ComputeGWA.png' align='left' width=130' height=130'
alt='></a></td>
<td align='center'><a href='MarkPreReg.php'><img
src='icons/MarkPreReg.png' align='left' width=130' height=130' alt='></a></td>
<td align='center'><a href='ViewStudentRank.php'><img
src='icons/ViewStudentRank.png' align='left' width=130' height=130'
alt='></a></td>
<td align='center'><a href='UpdateEmployeeInfo.php'><img
src='icons/UpdateInfo.png' align='left' width=130' height=130' alt='></a></td>
<td align='center'><a href='ViewProfile.php'><img
src='icons/ViewProfile.png' align='left' width=130' height=130' alt='></a></td>
<td align='center'><a href='ViewMySched.php'><img
src='icons/ViewSched.png' align='left' width=130' height=130' alt='></a></td>
<td align='center'><a href='ChangePassword.php'><img
src='icons/ChangePassword.png' align='left' width=130' height=130'
alt='></a></td>
</tr>
</table>
</fieldset>
</td>
</tr>
</table>
border=0' cellpadding=0' cellspacing=0'>
<tr>
<td align='center' colspan=2>E-nrollSYS created by Kathleen M. Mendoza <br> All rights reserved. Best viewed using Google Chrome.</td>
</tr>
</table>";
</td>";
```



```

</td>
</tr>
</table>
</body>
</html>
";
?>

FacultyForm.php

<?php
session_start(); //start up PHP Session
$facultyno = $_SESSION['username'];

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCC leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align=right' colspan=2'>
<img src='images/t1-1.jpg' width=160'
height=100' alt='></td>
<td align=right' colspan=2'>
<img src='images/t1-2.gif' width=380'
height=100' alt='></td>
<td align=right' colspan=2'>
<img src='images/t1-3.jpg' width=360'
height=100' alt='></td>
</tr>
</table>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align=right' colspan=2'>
<img src='images/t2-1.gif' width=160'
height=23' alt='></td>
<td align=right' colspan=2'>
<img src='images/t2-2.gif' width=40'
height=23' alt='></td>
<td align=right' colspan=2'>
<table border=700' height=23' align=center'
bgcolor=#333333' class=topMenu>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-nrollSYS.php'>About Us</a>
| <a href='ContactE-nrollSYS.php'>Contact Us</a>
| <a href='UserLogin.php?logout=1'>Log-out</a>
|</td>
</tr>
</table>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align=right' colspan=2'>
<table border=181' align='left'
width=181'
border=0' cellspacing=0' cellpadding=0'>
<tr align='left'
width=160'
height=28' bgcolor=#990000'></td>
<td align='left'
width=21'
rowspan=2' background='images/t4-2.gif'>
<table border=21' border=0' cellspacing=0' cellpadding=0'>
<tr><td align='left' valign='top'><img src='images/t4-
1.gif' width=21' height=23'></td></tr>
<tr><td align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
</table></td>
<td align='left'
width=459' height=400' valign='top'>
<form name='regform' action='FacultyForm.php' method='post'>
<div style=width: 719px; height: 436px; overflow:
scroll;'>?>
<? if(isset($_POST['submit'])&&
$_GET['logout']=1){
if($_POST['fname']!=NULL)&&($_POST['gname']!=NULL)&&($_
_POST['address']!=NULL)&&($_POST['telno']!=NULL)&&($_POST['birthday

</td>
</tr>
</table>

```



```

$sheet->write(14, 4, 'Tel.No.: "'.$scontactno");
$sheet->setMerge(17, 0, 17, 4);
$sheet->write(17, 0, 'MODE OF PAYMENT:');
if($paymode=='A'){
    $sheet->write(19, 0, '(x) Annual');
    $sheet->write(19, 3, '(x) Quarterly');
    $sheet->write(20, 0, '(x) Semestral');
    $sheet->write(20, 3, '(x) Monthly');
}
else if($paymode=='Q'){
    $sheet->write(19, 0, '(x) Annual');
    $sheet->write(19, 3, '(x) Quarterly');
    $sheet->write(20, 0, '(x) Semestral');
    $sheet->write(20, 3, '(x) Monthly');
}
else if($paymode=='S'){
    $sheet->write(19, 0, '(x) Annual');
    $sheet->write(19, 3, '(x) Quarterly');
    $sheet->write(20, 0, '(x) Semestral');
    $sheet->write(20, 3, '(x) Monthly');
}
else{
    $sheet->write(19, 0, '(x) Annual');
    $sheet->write(19, 3, '(x) Quarterly');
    $sheet->write(20, 0, '(x) Semestral');
    $sheet->write(20, 3, '(x) Monthly');
}
$sheet->setMerge(23, 0, 23, 4);
$sheet->write(23, 0, 'PAYMENTS', $format_title);
$sheet->write(25, 2, 'Amounts');
$sheet->write(25, 3, 'O.R. No. ');
$sheet->write(25, 4, 'Date');
$sheet->setMerge(26, 0, 26, 1);
$sheet->write(26, 0, 'Upon Enrollment');
$sheet->setMerge(27, 0, 27, 1);
$sheet->write(27, 0, 'Semestral (Oct.)');
$sheet->setMerge(28, 0, 28, 1);
$sheet->write(28, 0, 'Quarterly');
$sheet->setMerge(29, 0, 29, 1);
$sheet->write(29, 0, '(Aug. Nov. Feb.)');
$sheet->setMerge(30, 0, 30, 1);
$sheet->write(30, 0, 'Monthly');
$sheet->setMerge(31, 0, 31, 1);
$sheet->write(31, 0, '(July-Feb.)');
$sheet->setMerge(33, 0, 33, 1);
$sheet->write(33, 0, 'Monthly');
$sheet->setMerge(35, 0, 35, 1);
$sheet->write(35, 0, 'July');
$sheet->setMerge(36, 0, 36, 1);
$sheet->write(36, 0, 'August');
$sheet->setMerge(37, 0, 37, 1);
$sheet->write(37, 0, 'September');
$sheet->setMerge(38, 0, 38, 1);
$sheet->write(38, 0, 'October');
$sheet->setMerge(39, 0, 39, 1);
$sheet->write(39, 0, 'November');
$sheet->setMerge(40, 0, 40, 1);
$sheet->write(40, 0, 'December');
$sheet->setMerge(41, 0, 41, 1);
$sheet->write(41, 0, 'January');
$sheet->setMerge(42, 0, 42, 1);
$sheet->write(42, 0, 'February');
$sheet->setMerge(44, 0, 44, 4);
$sheet->write(44, 0, 'AGREEMENT:');
$sheet->setMerge(46, 0, 46, 4);
$sheet->write(46, 0, "message", $format_message);
$sheet->setMerge(48, 0, 48, 2);
$sheet->write(48, 0, "Sguardianname");
$sheet->write(48, 4, "Sdate");
$sheet->setMerge(49, 0, 49, 2);
$sheet->write(49, 0, 'Printed Name of Parent/Guardian');
$sheet->write(49, 3, 'Signature');
$sheet->write(49, 4, 'Date');

// save file to disk
if ($excel->close() === true) {
    echo 'Spreadsheet successfully saved!';
}
else {
    echo 'ERROR: Could not save spreadsheet.';
}
} //closes if
} //closes if
?>

```

FinancialReports.php

```

<?php
session_start(); //start up PHP Session
$cashierno = $_SESSION['username'];
include("includefile.inc");

```

```

$query1 = "SELECT Type,Status FROM user WHERE Username='$cashierno'";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);

```

```

if(($row[0]!='Cashier')&&($row[1]!='0')){
    header('Location: UserLogin.php');
}

```

```

$year = date(Y);
$month = date(n);

```

```

if ($month < 6) {
    $year1 = $year - 1;
    $year2 = $year;
}
else {
    $year1 = $year;
    $year2 = $year + 1;
}

```

```

$year = "$year1"."-".$year2";

```

```

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<font color='red'>$studentno</font>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
<td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>
</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
<td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'>; ?>
<?if($cashierno!="") { ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a>
| <a href='UserLogin.php'>Log-
out</a> |</td>
<?>
else { ?>
| <a href='E-
nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td width='181' align='left'
valign='top'>
border='0' cellspacing='0' cellpadding='0'>
valign='top'>
height='28' bgcolor='#990000'></td>
<td width='21'
rowspan='2' background='images/t4-2.gif'>
width='21' border='0' cellspacing='0' cellpadding='0'>
</table>

```

```

<tr><td height=23' align=left valign=top><img src=images/t4-1.gif width=21' height=23></td></tr>
<tr><td height=495' align=left valign=bottom><img src=images/t4-4.gif width=21' height=22' alt=></td></tr>
<tr><td align=left valign=top><img src=images/t4-5.gif width=21' height=41' alt=></td></tr>
</table></td>
</tr>
<tr align=left
valign=top>
<td height=400' bgcolor=#990000' style=padding-left: 15px; padding-right:10px; padding-top: 10px>
<a href=E-nrollSYSHome.php><font size=2><b>Home</b></font></a><br><br>
<a href=AboutE-nrollSYS.php><font size=2><b>About E-nrollSYS</b></font></a><br><br>
<a href=CashiersCorner.php><font size=2><b>Cashier's Corner</b></font></a><br><br>
</td>
</tr>
</table>
</td>
<td bgcolor=#FFFFFF' width=598' align=left' valign=top>
<table width=598' border=0' cellspacing=0' cellpadding=0>
<tr>
<td>;
if($cashierno!=""){
print "<br><table width=700><tr><td align=left><font color=black><b>Logged in as </b></font>".<font color=maroon><b>".Scashierno.</b></font></td>
<td align=right><font color=black><b>Today is ".<font color=maroon><b>.date("l, F j, Y").</b></font></td></tr></table>";
}
}
else{
print "<br><table width=700><tr><td align=left></td>
<td align=right><font color=black><b>Today is ".<font color=maroon><b>.date("l, F j, Y").</b></font></td></tr></table>";
}
}
}
print "</td>
</tr>
</table>
</td>
<td align=center><br><font color=black><b>SOUTHERNSIDE MONTESSORI SCHOOL</b><br> Camella Homes IV, Poblacion<br> City of Muntinlupa</b></font></td></tr>
</table>
</td>
<td width=600' height=400' valign=top>
<form name=financialreports' action=FinancialReports.php' method=post>
<br><fieldset style=width: 680px; height: 45px; align=left>
<legend><font color=maroon' size=2><b>Financial Reports</b></font></legend>
<table width=670>
<tr><td width=310><font color=black><b>Choose Category:</b></font>
<select name=category> <option value=">- Category </option>
<option value=A>Annual Payments Report</option>
<option value=S>Semestral Payments Report</option>
<option value=Q>Quarterly Payments Report</option>
<option value=M>Monthly Payments Report</option>
</select></td>
<td width=150><input type=submit' name=genreport' value=Generate Report' /></td>
<td align=right><a href=CashiersCorner.php><font color=black><b>| BACK |</b></font></a></td>
</tr></table></fieldset>
<div style=width: 719px; height: 360px; overflow: scroll;>;
if(isset($_POST[genreport])&&($_GET[logout]!="")){
if($_POST[category]='A'){

```

```

echo "<br><br><center><font color=black' size=3><b>ANNUAL PAYMENTS REPORT</b><br><b>SCHOOL YEAR $year</b></font></center><br><br>";
//start for ANNUAL
//PRE-SCHOOL
$totalcount=0;
$totalsum=0;
$query="select levelid,count(1) from student where levelid in (JC',JACI',JACII',AC') group by levelid";
$getcount=mysql_query($query, $link);
echo "<table width=550' align=center border=1'>
<tr><th><font color=maroon>Grade/Year Level</font></th>
<th><font color=maroon>Number of Students</font></th>
<th><font color=maroon>Amount</font></th></tr>
<tr><td colspan=3><font color=maroon' size=2><b>Pre-school Department:</b></font></td></tr>";
while($LvlCount=mysql_fetch_row($getcount)){
echo "<tr>";
$query2="select sum(payment) from enrollment where studentid in (select studnum from student where levelid=$LvlCount[0])";
$getamt=mysql_query($query2, $link);
$sumAmount=mysql_fetch_row($getamt);
echo "<td><font color=black' size=2>". $LvlCount[0].</font></td>
<td align=center><font color=black' size=2>". $LvlCount[1].</font></td>
<td align=center><font color=black' size=2>PHP
.number_format($sumAmount[0],2).</font></td>";
$totalsum=$totalsum+$sumAmount[0];
$totalcount=$totalcount+$LvlCount[1];
echo "</tr>";
}
echo "<tr><td colspan=3><font color=black' size=2><b>TOTAL AMOUNT: PHP ". $totalsum.</font></td></tr>
<tr><td colspan=3><font color=black' size=2><b>TOTAL STUDENTS: ". $totalcount.</font></td></tr>";
//ELEMENTARY
$totalcount=0;
$totalsum=0;
$query="select levelid,count(1) from student where levelid in (GI',GII',GIII',GIV',GV',GVI) group by levelid";
$getcount=mysql_query($query, $link);
echo "<tr><td colspan=3><font color=maroon' size=2><b>Gradeschool Department:</b></font></td></tr>";
while($LvlCount=mysql_fetch_row($getcount)){
echo "<tr>";
$query2="select sum(payment) from enrollment where studentid in (select studnum from student where levelid=$LvlCount[0])";
$getamt=mysql_query($query2, $link);
$sumAmount=mysql_fetch_row($getamt);
echo "<td><font color=black' size=2>". $LvlCount[0].</font></td>
<td align=center><font color=black' size=2>PHP
.number_format($sumAmount[0],2).</font></td>";
$totalsum=$totalsum+$sumAmount[0];
$totalcount=$totalcount+$LvlCount[1];
echo "</tr>";
}
echo "<tr><td colspan=3><font color=black' size=2><b>TOTAL AMOUNT: PHP ". $totalsum.</font></td></tr>
<tr><td colspan=3><font color=black' size=2><b>TOTAL STUDENTS: ". $totalcount.</font></td></tr>";
//HIGHSCHOOL
$totalcount=0;
$totalsum=0;
$query="select levelid,count(1) from student where levelid in (HI',HII',HIII',HIV) group by levelid";
$getcount=mysql_query($query, $link);
echo "<tr><td colspan=3><font color=maroon' size=2><b>HighSchool Department:</b></font></td></tr>";
while($LvlCount=mysql_fetch_row($getcount)){
echo "<tr>";
$query2="select sum(payment) from enrollment where studentid in (select studnum from student where levelid=$LvlCount[0])";
$getamt=mysql_query($query2, $link);
$sumAmount=mysql_fetch_row($getamt);
echo "<td><font color=black' size=2>". $LvlCount[0].</font></td>
<td align=center><font color=black' size=2>PHP
.number_format($sumAmount[0],2).</font></td>";
$totalsum=$totalsum+$sumAmount[0];
$totalcount=$totalcount+$LvlCount[1];
echo "</tr>";
}
echo "<tr><td colspan=3><font color=black' size=2><b>TOTAL AMOUNT: PHP ". $totalsum.</font></td></tr>
<tr><td colspan=3><font color=black' size=2><b>TOTAL STUDENTS: ". $totalcount.</font></td></tr>";
echo "</table><br><br>";
//end for ANNUAL

```



```

        <td align='center'><font color='black'
size=2>".$Lv1Count[1]."</font></td>
        <td align='center'><font color='black' size=2>PHP
".number_format($SumAmount[0],2)."</font><br>";
        $totalsum=$totalsum+$SumAmount[0];
        $totalcount=$totalcount+$Lv1Count[1];
        echo "</tr>";
    }
    echo "<tr><td colspan='3'><font color='black' size=2>TOTAL
AMOUNT: PHP ".number_format($totalsum,2)."</font></td></tr>
<tr><td colspan='3'><font color='black' size=2>TOTAL
STUDENTS: ".Stotalcount."</font></td></tr>";
    echo "</table><br><br>";
    //end for SEMESTRAL
} //closes else if

else{
    echo "<br><br><center><font color='black' size=3'><b>MONTHLY
PAYMENTS REPORT<br>-SCHOOL YEAR
$year</b></font></center><br><br>";

    //start for MONTHLY
    //PRE-SCHOOL
    $totalcount=0;
    $totalsum=0;
    $query="select levelid,count(1) from student where levelid in
(JC,'JACI','JACII','AC') and paymentmode='M' group by levelid";
    $getcount=mysql_query($query, $link);
    echo "<table width='550' align='center' border='1'>
<tr><th><font color='maroon'>Grade/Year Level</font></th>
<th><font color='maroon'>Number of Students</font></th>
<th><font color='maroon'>Amount</font></th></tr>
<tr><td colspan='3'><font color='maroon' size=2'><b>Pre-school
Department:</b></font></td></tr>";
    while($Lv1Count=mysql_fetch_row($getcount)){
        echo "<tr>";
        $query2="select sum(payment) from enrollment where studentid in
(select studnum from student where levelid=$Lv1Count[0]) and
paymentmode='M'";
        $getamt=mysql_query($query2, $link);
        $sumAmount=mysql_fetch_row($getamt);
        echo "<td><font color='black' size=2'>".$Lv1Count[0]."</font></td>
<td align='center'><font color='black'
size=2'>".$Lv1Count[1]."</font></td>
        <td align='center'><font color='black' size=2>PHP
".number_format($SumAmount[0],2)."</font><br>";
        $totalsum=$totalsum+$SumAmount[0];
        $totalcount=$totalcount+$Lv1Count[1];
        echo "</tr>";
    }
    echo "<tr><td colspan='3'><font color='black' size=2'>TOTAL
AMOUNT: PHP ".number_format($totalsum,2)."</font></td></tr>
<tr><td colspan='3'><font color='black' size=2'>TOTAL
STUDENTS: ".Stotalcount."</font></td></tr>";

    //ELEMENTARY
    $totalcount=0;
    $totalsum=0;
    $query="select levelid,count(1) from student where levelid in
(GI,'GII','GIII','GIV','GV','GVI) and paymentmode='M' group by levelid";
    $getcount=mysql_query($query, $link);
    echo "<tr><td colspan='3'><font color='maroon'
size=2'><b>Gradeschool Department:</b></font></td></tr>";
    while($Lv1Count=mysql_fetch_row($getcount)){
        echo "<tr>";
        $query2="select sum(payment) from enrollment where studentid in
(select studnum from student where levelid=$Lv1Count[0]) and
paymentmode='M'";
        $getamt=mysql_query($query2, $link);
        $sumAmount=mysql_fetch_row($getamt);
        echo "<td><font color='black' size=2'>".$Lv1Count[0]."</font></td>
<td align='center'><font color='black'
size=2'>".$Lv1Count[1]."</font></td>
        <td align='center'><font color='black' size=2>PHP
".number_format($SumAmount[0],2)."</font><br>";
        $totalsum=$totalsum+$SumAmount[0];
        $totalcount=$totalcount+$Lv1Count[1];
        echo "</tr>";
    }
    echo "<tr><td colspan='3'><font color='black' size=2'>TOTAL
AMOUNT: PHP ".number_format($totalsum,2)."</font></td></tr>
<tr><td colspan='3'><font color='black' size=2'>TOTAL
STUDENTS: ".Stotalcount."</font></td></tr>";

    //HIGHSCHOOL
    $totalcount=0;
    $totalsum=0;
    $query="select levelid,count(1) from student where levelid in
(HI,'HII','HIII','HIV) and paymentmode='M' group by levelid";
    $getcount=mysql_query($query, $link);
    echo "<tr><td colspan='3'><font color='maroon'
size=2'><b>HighSchool Department:</b></font></td></tr>";
    while($Lv1Count=mysql_fetch_row($getcount)){

```

```

        echo "<tr>";
        $query2="select sum(payment) from enrollment where studentid in
(select studnum from student where levelid=$Lv1Count[0]) and
paymentmode='M'";
        $getamt=mysql_query($query2, $link);
        $sumAmount=mysql_fetch_row($getamt);
        echo "<td><font color='black' size=2'>".$Lv1Count[0]."</font></td>
<td align='center'><font color='black'
size=2'>".$Lv1Count[1]."</font></td>
        <td align='center'><font color='black' size=2>PHP
".number_format($SumAmount[0],2)."</font><br>";
        $totalsum=$totalsum+$SumAmount[0];
        $totalcount=$totalcount+$Lv1Count[1];
        echo "</tr>";
    }
    echo "<tr><td colspan='3'><font color='black' size=2'>TOTAL
AMOUNT: PHP ".number_format($totalsum,2)."</font></td></tr>
<tr><td colspan='3'><font color='black' size=2'>TOTAL
STUDENTS: ".Stotalcount."</font></td></tr>";
    echo "</table><br><br>";
    //end for MONTHLY
} //closes else
} //closes if
    print "</div>
</td>
</tr>
</table>
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'
        <tr>
            <td align='center'
                <tr>
                    <td>
                        </table>
                    </td>
                </tr>
            </table>
        </body>
    </html>
    ?>

```

GeneralViewSchedule.php

```

<?php
session_start(); //start up PHP Session
$registrano = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE
Username=$registrano";
$getdetails = mysql_query($query1, $link);
$details = mysql_fetch_row($getdetails);

if(($details[0]!='Registration Clerk')&&($details[1]!='0')){
    header('Location: UserLogin.php');
}

//table schedule contains composite keys schedid, timeslotid, subjid; 1 schedid =
1 section
$year = date(Y);
$month = date(m);

if ($month < 6) {
    $year1 = $year - 1;
    $year2 = $year;
} else {
    $year1 = $year;
    $year2 = $year + 1;
}

$year="$year1"."-".$year2";

$yearlevels = array("JC" => "Junior Casa",
    "JACI" => "Junior Advanced Casa I",
    "JACII" => "Junior Advanced Casa II",
    "AC" => "Advanced Casa",
    "GI" => "Grade One",
    "GII" => "Grade Two",
    "GIII" => "Grade Three",
    "GIV" => "Grade Four",
    "GV" => "Grade Five",
    "GVI" => "Grade Six",
    "HI" => "First Year High School",
    "HII" => "Second Year High School",
    "HIII" => "Third Year High School",
    "HIV" => "Fourth Year High School");

?>
</html>
</head>

```



```

<title>E-nrollsYS Edit Section Details</title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<script type='text/javascript'>
// Initialize AJAX request
function initAjaxCall() {
// code for IE7+, Firefox, Chrome, Opera, Safari
if (window.XMLHttpRequest) {
xmlhttp = new XMLHttpRequest();
} else { // code for IE6, IE5
xmlhttp = new ActiveXObject("Microsoft.XMLHTTP");
}
}
// AJAX request to retrieve section
function getSection(yearLevel) {
// If there is no selected year level, do not display anything on sectionPane
if (yearLevel == "") {
document.getElementById("sectionPane").innerHTML = "";
return;
}
initAjaxCall();
// Set function callback
xmlhttp.onreadystatechange = function() {
if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
document.getElementById("sectionPane").innerHTML =
xmlhttp.responseText;
}
}
// Set php and send request
xmlhttp.open("GET", "manageClassSchedHandler.php?q="+yearLevel+"&reqType
e=getSection",true);
xmlhttp.send();
}
function getSchedule() {
$section = document.getElementById("sectionPane").value;
$yearLevel = document.getElementById("yearLevel").value;
// If there is no selected section, do nothing/alert user and clear contents on the
table
if ($yearLevel == "" || $section == "") {
// TODO Task here
document.getElementById("scheduleTable").innerHTML = "";
return;
}
initAjaxCall();
// Set function callback
xmlhttp.onreadystatechange = function() {
if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
document.getElementById("scheduleTable").innerHTML =
xmlhttp.responseText;
}
}
// Set php and send request
xmlhttp.open("GET", "GeneralViewScheduleHandler.php?section="+$section+"&
yearLevel="+$yearLevel+"&reqType=getSchedule",true);
xmlhttp.send();
}
</script>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<font color='red'><?php print "$studentno"; ?></font>
<!-- BANNER -->
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
<td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>
</tr>
</table>
<!-- NAVLINK -->
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
<td width='700' height='23' align='center'
bgcolor=#333333' class='topMenu'>
<?php if($registrarno!="") { ?>
|<a href='E-
nrollsYSHome.php'>Home</a>
|<a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
|<a href='ContactE-
nrollsYS.php'>Contact</a>
|<a href='E-
nrollsYSHelp.php'>Help</a>
|<a
href='UserLogin.php?logout=1'>Log-out</a>|</td>
<?php } else { ?>
|<a href='E-nrollsYSHome.php'>Home</a>
|<a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
|<a href='ContactE-
nrollsYS.php'>Contact</a>
|<a href='E-
nrollsYSHelp.php'>Help</a>|</td>
<?php } ?>
</tr>
</table>
<!-- MID SECTION -->
<table width='900' border='0' align='center' cellpadding='0' cellspacing='0'>
<tr>
<!-- SIDE PANEL -->
<td width='181' align='left'
valign='top'>
<table width='181'
border='0' cellspacing='0' cellpadding='0'>
<tr align='left'
valign='top'>
<td width='160'
height='28' bgcolor=#990000'></td>
<td width='21'
rowspan='2' background='images/t4-2.gif'>
<table
width='21' border='0' cellspacing='0' cellpadding='0'>
<tr><td height='23' align='left' valign='top'><img src='images/t4-
1.gif' width='21' height='23'></td></tr>
<tr><td height='495' align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt='></td></tr>
</table>
</tr>
<tr align='left' valign='top'>
<td height='400' bgcolor=#990000'
style='padding-left: 15px; padding-right:10px; padding-top: 10px'>
<a href='E-
nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollsYS.php'><font
size=2><b>About E-nrollsYS</b></font></a><br><br>
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
<? if($beneficiary[0]!="") { ?>
<a href='GuardiansCorner.php'><font size=2><b>Guardian's
Corner</b></font></a><br><br>
<? } ?>
</td>
</tr>
</table>
</td>
<!-- MAIN BODY -->
<td width='598' bgcolor=#FFFFFF' align='left'
valign='top'>
<table width='719' border='0'
cellspacing='0' cellpadding='0'>
<tr>
<td>
<?php if ($registrarno != "") { ?>
<br><table width='700'><tr><td align='left'><font
color='black'><b>Logged in as </b></font>
<font color='maroon'><b><?php echo $registrarno?></b></font></td>
<td align='right'><font

```

```
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j, Y")?></b></font></b></font></td></tr></table>
<?php } else { ?>
<br><table width='700'><tr><tr><td align='left'></td>
<td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j, Y")?></b></font></b></font></td></tr></table>
<br>
<?php } ?>
</td>
</tr>
<tr>
<td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br>Camella Homes IV, Poblacion<br>City of
Muntinlupa</b></font></td>
</tr>
<tr>
<td width='600'
height='400' valign='top'>
name='manageclassshed' action='GeneralViewSchedule.php' method='post'>
<form
<!-- FIELD -->
<fieldset style='width: 680px; height: 45px; align='left'>
<legend><font color='maroon' size='2'><b>View
Schedule</b></font></legend>
<table width='670' height='1'>
<tr><td width='215'><font color='black'><b>Grade/Year
Level:</b></font>
<!-- YEAR LEVEL SELECTION -->
<select name='yearlevel' id='yearLevel'
onchange='getSection(this.value)'>
<option><b>Level </b></option>
<option value='JC'>JC</option>
<option value='JACI'>JAC I</option>
<option value='JACII'>JAC II</option>
<option value='AC'>AC</option>
<option value='GI'>GRADE I</option>
<option value='GII'>GRADE II</option>
<option value='GIII'>GRADE III</option>
<option value='GIV'>GRADE IV</option>
<option value='GV'>GRADE V</option>
<option value='GVI'>GRADE VI</option>
<option value='HI'>1ST YEAR</option>
<option value='HII'>2ND YEAR</option>
<option value='HIII'>3RD YEAR</option>
<option value='HIV'>4TH YEAR</option>
</select></td>
<!-- SECTION -->
<td width='160'><font color='black'><b>Section:</b></font>
<select name='sections' id='sectionPane'>
<option value=''> Section </option>
</select></td>
<td width='110'><input type='checkbox' name='viewstudents'
value='yes' /><font color='black'><b>View Students</b>
<td width='100'><input type='submit' name='viewsched' value='View
Schedule' /></td>
<td align='right'><a href='ManageSections.php'><font
color='black'><b> BACK </b></font></a></td>
</tr></table>
</fieldset>
<div id='scheduleTable' style='width: 719px; height: 360px; overflow:
scroll;'><br><br>
<?php
// If the button performed 'submit' action is named 'delete'
if(isset($_POST['viewsched']) && $_GET['logout'] != 1){
include("includefile.inc");
$section = mysql_real_escape_string($_POST['sections']);
$query2 = mysql_query("SELECT
ScheduleID,SecName,LevelID,secid FROM section WHERE SecName='$section'");
$schedid = mysql_fetch_row($query2);
$getsched = "SELECT DISTINCT
e.SecName,d.TStart,d.TEnd,d.TDay,b.Room,b.SubName,c.ELname,c.EMname,c.
EFname
FROM schedule AS a,subject AS b,employee AS
c,timeslot AS d,section AS e
WHERE a.sched_id='$schedid[0]' AND
a.sched_id=e.ScheduleID AND b.SubCode=a.subj_id AND d.TimeID=a.time_id
AND c.EmployeeNum=a.faculty
ORDER BY a.counter";
$schedquery = mysql_query($getsched,$link);
$colcount = mysql_num_fields($schedquery);
$rowcount = mysql_num_rows($schedquery);
$initial = substr($studsec[3],0,1);
$name = "$studsec[2] ".$initial.".".$studsec[1];
```

```
//echo $rowcount;
if($rowcount!=0){
print "<table width='500' align='center'>
<tr><th><center><font color='black'>Schedule of
$Scheduled[1]<br>$Scheduled[2] $Scheduled[1] - School Year
$Year</font></center></th></tr>
</table>";
print "<br><br><table width='700' border='1' cellpadding='5'
align='center'><tr>";
for($column_num = 1; $column_num < $colcount;
$column_num++) {
if($column_num==1){
print "<th width='200'><font
color='maroon'>Time</font></th>";
$column_num = 3;
}
else if($column_num==5){
print "<th><font color='maroon'>Subject</font></th>";
}
else if($column_num==6){
print "<th><font color='maroon'>Faculty</font></th>";
$column_num = 8;
}
else{
$field_name = mysql_field_name($schedquery,
$column_num);
print "<th><font color='maroon'>$field_name</font></th>";
}
}
}
//closes for
print "</tr>\n";
while($row = mysql_fetch_row($schedquery)){
print "<tr valign='top'>";
for($column_num = 1; $column_num < $colcount;
$column_num++) {
if($column_num==1){
$timeslot = "$row[1]". "-" . "$row[2], $row[3]";
print "<td width='200'><font color='black'
size='2'>$timeslot</font></td>\n";
$column_num = 3;
}
else if($column_num==5){
print "<td><font color='black'
size='2'>$row[5]</font></td>";
}
else if($column_num==6){
$faculty = "$row[8] $row[6]";
print "<td><font color='black'
size='2'>$faculty</font></td>\n";
$column_num = 8;
}
else{
print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
}
}
}
//closes for
print "</tr>\n";
}
//closes while
print "</table><br><br>";
if(isset($_POST['viewstudents'])){
$queryGetStudent="select studnum, concat(SLName,
'SFNAME','SMNAME) from student where secid='$Scheduled[3]";
$getStudent=mysql_query($queryGetStudent);
$countstud = mysql_num_rows($getStudent);
if($countstud!=0){
print "<br><br><table width='500' align='center'>
<tr><th><center><font color='black'>List of Students
Under $Scheduled[1]<br>School Year $Year</font></center></th></tr>
</table><br><br><table width='500' border='1'
cellpadding='5' align='center'>";
while($student=mysql_fetch_row($getStudent)){
print "<tr valign='top'>";
print "<td><font color='black'
size='2'>$student[0]</font></td>\n";
print "<td><font color='black'
size='2'>$student[1]</font></td>\n";
print "</tr>\n";
}
}
//closes while
print "</table><br><br>";
}
//closes if
}
//closes if
}
}
else{
print "<br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px;' align='left'>
<table size='390'>
<tr><td><img src='icons/Warning.png' align='left'
width='65' height='65' alt='></td>
```

```

        <td><font color='maroon' size='2'><b><center>ERROR:
Student's schedule not found. Please re-check the details
supplied.</b></font></td>
        </tr></table>
        </fieldset></center><br><br>";
    } //closes else
    } //closes if
    ?>
</div>
        </form>
    </td>
</tr>
</table>
<!-- FOOTER -->
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'
        <tr>
            <td align='center'
                bgcolor='#333333'> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
                reserved. Best viewed using Google Chrome.</td>
            </tr>
        </table>
    </td>
</tr>
</table>
</body>
</html>

```

GeneralViewScheduleHandler.php

```

<?php
$reqType=$_GET["reqType"];
include("includefile.inc");

// If the ajax request is for getSection
if ($reqType == 'getSection') {
    $q=$_GET["q"];
    $sql = "SELECT SecID,SecName,FacultyNum FROM section WHERE
    LevelID = '". $q. "'";
    $result = mysql_query($sql, $link);

    echo "<option value='>- Section </option>";
    while($row=mysql_fetch_row($result)){
        echo "<option value=$row[1]>$row[1]</option>";
    }

    mysql_close($link);
    ?>
</php ?>

```

GraduatingStudents.php

```

<?php
session_start(); //start up PHP Session
$registrarno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrarno'";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);

if (($row[0]!='Registration Clerk')&&($row[1]!='0')){
    header('Location: UserLogin.php');
}

?>
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'
    <link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<script type='text/javascript'>
// Initialize AJAX request
function initAjaxCall() {
// code for IE7+, Firefox, Chrome, Opera, Safari
if (window.XMLHttpRequest) {
    xmlhttp = new XMLHttpRequest();
} else { // code for IE6, IE5
    xmlhttp = new ActiveXObject("Microsoft.XMLHTTP");
}
}

```

```

// Clears the body and hides the 2nd button
function clearAll() {
    document.getElementById("savetoexcel").style.display = 'none';
    document.getElementById("gradStudentsBody").innerHTML =
'&nbsp;';
}

function displayGradStudents() {
    yearlevel = document.getElementById("yearlevel").value;
    if (yearlevel == "") {
        return;
    }

    initAjaxCall();

// Set function callback
xmlhttp.onreadystatechange = function() {
    if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
        document.getElementById("gradStudentsBody").innerHTML =
xmlhttp.responseText;
        generate =
document.getElementById("generate").value;
        if (generate == 'true') {
            document.getElementById("savetoexcel").style.display = 'inline';
        }
    }
}

// Set php and send request
xmlhttp.open("GET","GraduatingStudentsHandler.php?yearlevel="+yearlevel,true);
xmlhttp.send();
</script>
<body bgcolor='#CCCCCC' left margin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<!-- BANNER -->
<table width='900' border='0' align='center' cellpadding='0' cellspacing='0'>
<tr>
<td><img src='images/t1-1.jpg' width='160' height='100' alt='></td>
<td><img src='images/t1-2.gif' width='380' height='100' alt='></td>
<td><img src='images/t1-3.jpg' width='360' height='100' alt='></td>
</tr>
</table>
<!-- NAVLINK -->
<table width='900' border='0' align='center' cellpadding='0' cellspacing='0'>
<tr>
<td><img src='images/t2-1.gif' width='160' height='23' alt='></td>
<td><img src='images/t2-2.gif' width='40' height='23' alt='></td>
<td width='700' height='23' align='center' bgcolor='#333333'
class='topMenu'>
<?php if($registrarno!="") { ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-nrollsYS.php'>Contact</a>
| <a href='E-nrollsYSHelp.php'>Help</a>
| <a href='UserLogin.php?logout=1'>Log-out</a> |</td>
<?php } else { ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-nrollsYS.php'>Contact</a>
| <a href='E-nrollsYSHelp.php'>Help</a> |</td>
<? ?>
</tr>
</table>
<!-- BODY -->
<table width='900' border='0' align='center' cellpadding='0' cellspacing='0'>
<tr>
<td colspan='2' rowspan='2' style="vertical-align: top;">
<table width='181' align='left'
border='0' cellspacing='0' cellpadding='0'>
<tr align='left'
valign='top'>
<td width='160'
height='28' bgcolor='#990000'></td>
<td width='21'
rowspan='2' background='images/t4-2.gif'>
<table
width='21' border='0' cellspacing='0' cellpadding='0'>
<tr><td height='23' align='left' valign='top'><img src='images/t4-1.gif' width='21' height='23'></td></tr>
<tr><td height='495' align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22'></td></tr>

```

```

<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt='></td></tr>
</table>
</td>
</tr>
<tr align='left'
valign='top'>
<td height='400'
bgcolor='#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a
href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
</td>
</tr>
<!-- MAIN BODY -->
<td width='598' bgcolor='#FFFFFF' align='left'
valign='top'>
<table width='719' border='0'
cellspacing='0' cellpadding='0'>
<tr>
<td>
<?php if ($registrano != "") { ?>
<br><table width='700'><tr><td align='left'><font
color='black'><b>Logged in as </b></font>
<font color='maroon'><b><?php echo $registrano?></b></font></td>
<td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")?></b></font></b></font></td></tr></table>
<?php } else { ?>
<br><table width='700'><tr><td align='left'></td>
<td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")?></b></font></b></font></td></tr></table>
<br>
<?php } ?>
</td>
</tr>
</table>
</td>
<td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL</b><br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td>
</tr>
</table>
</td>
<td width='600'
height='400' valign='top'>
<form name='viewgradstudents' id='mainForm'
action='ExcelDirectory.php' method='post'>
<br>
<fieldset style='width: 680px; height: 45px;' align='left'>
<legend><font color='maroon' size=2><b>Graduating
Students</b></font></legend>
<table width='670' height='1'>
<tr>
<td width='230'><font color='black'><b>Grade/Year
Level:</b></font>
<select name='yearlevel' id='yearlevel' onchange='clearAll()>
<option value=''>- Level </option>
<option value='AC'>AC</option>
<option value='GV1'>GRADE VI</option>
<option value='HIV'>4TH YEAR</option>
</select></td>
<td width='150'><input type='button' name='display' value='Diplay
Graduating Students' onclick='displayGradStudents()'/></td>
<td width='150'><input type='submit' name='savetoexcel'
id='savetoexcel' style='display:none;' value='Generate Excel File' /></td>
<td align='right'><a href='UpdateStudentStatus.php'><font
color='black'><b>| BACK </b></font></a></td>
</tr>
</table>
</fieldset>
<div id='gradStudentsBody' style='width: 719px; height: 360px;
overflow: scroll;'>
</div>
</form>
</td>
</tr>
</table>

```

```

<!-- FOOTER -->
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center'
bgcolor='#333333'> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</tr>
</td>
</tr>
</table>
</body>
</html>

```

GraduatingStudentsHandler.php

```

<?php
session_start(); //start up PHP Session
$registrano = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrano'";
$query1 = mysql_query($query1, $link);
$row1 = mysql_fetch_row($query1);

if($row1[0]!='Registration Clerk')&&($row1[1]!='0'){
header('Location: UserLogin.php');
}

?>

<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<script type='text/javascript'>

// Initialize AJAX request
function initAJaxCall() {
// code for IE7+, Firefox, Chrome, Opera, Safari
if (window.XMLHttpRequest) {
xmlhttp = new XMLHttpRequest();
} else { // code for IE6, IE5
xmlhttp = new ActiveXObject("Microsoft.XMLHTTP");
}

// Clears the body and hides the 2nd button
function clearAll() {
document.getElementById("savetoexcel").style.display = 'none';
document.getElementById("gradStudentsBody").innerHTML =
'&nbsp;';
}

function displayGradStudents() {
yearlevel = document.getElementById("yearlevel").value;
if (yearlevel == "") {
return;
}

initAJaxCall();

// Set function callback
xmlhttp.onreadystatechange = function() {
if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
document.getElementById("gradStudentsBody").innerHTML =
xmlhttp.responseText;
generate =
document.getElementById("generate").value;
if (generate == 'true') {

document.getElementById("savetoexcel").style.display = 'inline';
}
}
}

// Set php and send request
xmlhttp.open("GET", "GraduatingStudentsHandler.php?yearlevel="+yearlevel,true);
xmlhttp.send();
}
</script>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<!-- BANNER -->
<table width='900' border='0' align='center' cellpadding='0' cellspacing='0'>

```

```
<tr>
<td><img src='images/t1-1.jpg' width='160' height='100' alt=''></td>
<td><img src='images/t1-2.gif' width='380' height='100' alt=''></td>
<td><img src='images/t1-3.jpg' width='360' height='100' alt=''></td>
</tr>
</table>

<!-- NAVLINK -->
<table width='900' border='0' align='center' cellpadding='0' cellspacing='0'>
<tr>
<td><img src='images/t2-1.gif' width='160' height='23' alt=''></td>
<td><img src='images/t2-2.gif' width='40' height='23' alt=''></td>
<td width='700' height='23' align='center' bgcolor='#333333'
class='topMenu'>
<?php if($registrarno!="") { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-nrollSYS.php'>Contact</a>
| <a href='E-nrollSYSHelp.php'>Help</a>
| <a href='UserLogin.php?logout=1'>Log-out</a> |</td>
<?php } else { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-nrollSYS.php'>Contact</a>
| <a href='E-nrollSYSHelp.php'>Help</a> |</td>
<? } ?>
</tr>
</table>

<!-- BODY -->
<table width='900' border='0' align='center' cellpadding='0' cellspacing='0'>
<tr>
<td align='left'
width='181' align='left'
valign='top'
border='0' cellspacing='0' cellpadding='0'>
<tr align='left'
valign='top'
height='28' bgcolor='#990000'></td>
<td align='left'
width='160'
height='21' rowspan='2' background='images/t4-2.gif'
border='0' cellspacing='0' cellpadding='0'>
<tr><td height='23' align='left' valign='top'><img src='images/t4-
1.gif' width='21' height='23'></td></tr>
<tr><td height='495' align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22' alt=''></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt=''></td></tr>
</table>
</td>
<tr align='left'
valign='top'
height='400'
bgcolor='#990000' style='padding-left: 15px; padding-right: 10px; padding-top:
10px'>
<a href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
</td>
</tr>
</table>

<!-- MAIN BODY -->
<td align='left'
width='598' bgcolor='#FFFFFF' align='left'
valign='top'
cellspacing='0' cellpadding='0'>
<tr>
<td>
<?php if ($registrarno != "") { ?>
<br><table width='700'><tr><td align='left'><font
color='black'><b>Logged in as </b></font>
<font color='maroon'><b><?php echo $registrarno?></b></font></td>
<td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")?></b></font></b></font></td></tr></table>
<?php } else { ?>
<br><table width='700'><tr><td align='left'></td>
<td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")?></b></font></b></font></td></tr></table>
<?php } else { ?>
<br><table width='700'><tr><td align='left'></td>
<td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")?></b></font></b></font></td></tr></table>

align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL</b><br>Camella Homes IV, Poblacion<br>City of
Muntinlupa</b></font></td>
</tr>
<tr>
<td align='left'
width='600'
height='400' valign='top'
action='ExcelDirectory.php' method='post'>
<form name='viewgradstudents' id='mainForm'
<br><fieldset style='width: 680px; height: 45px; align='left'>
<legend><font color='maroon' size='2'><b>Graduating
Students</b></font></legend>
<table width='670' height='1'>
<tr>
<td width='230'><font color='black'><b>Grade/Year
Level:</b></font>
<select name='yearlevel' id='yearlevel' onchange='clearAll()>
<option value='->- Level -</option>
<option value='AC'>AC</option>
<option value='GVI'>GRADE VI</option>
<option value='HIV'>4TH YEAR</option>
</select></td>
<td width='150'><input type='button' name='display' value='Display
Graduating Students' onclick='displayGradStudents()'></td>
<td width='150'><input type='submit' name='savetoexcel'
id='savetoexcel' style='display:none;' value='Generate Excel File' /></td>
<td align='right'><a href='UpdateStudentStatus.php'><font
color='black'><b>BACK </b></font></a></td>
</tr>
</table>
</fieldset>
<div id='gradStudentsBody' style='width: 719px; height: 360px;
overflow: scroll;'>
</div>
</form>
</td>
</tr>
</table>

<!-- FOOTER -->
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center'
bgcolor='#333333'>E-nrollSYS created by Kathleen M. Mendoza <br>All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</tr>
</table>
</body>
</html>

GuardiansCorner.php
<?php
session_start(); //start up PHP Session
$guardiano = $_SESSION['username'];

include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE
Username=$guardiano";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);

/*if($row[0]!='Guardian')&&($row[1]!='0'){
header('Location: UserLogin.php');
}*/

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'
</meta>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
```



```

?>
GuardiansForm.php
<?php
session_start(); //start up PHP Session
$username = $_SESSION['username'];

include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$username'";
$getdetails = mysql_query($query1, $link);
$getdetails = mysql_fetch_row($getdetails);

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC leftmargin=0 topmargin=0 marginwidth=0
marginheight=0>
<table width=900 border=0 align=center cellpadding=0
cellspacing=0>
<tr>
<td><img src='images/t1-1.jpg' width=160'
height=100 alt='></td>
<td><img src='images/t1-2.gif' width=380'
height=100 alt='></td>
<td><img src='images/t1-3.jpg' width=360'
height=100 alt='></td>
</tr>
</table>
<table width=900 border=0 align=center cellpadding=0
cellspacing=0>
<tr>
<td><img src='images/t2-1.gif' width=160'
height=23 alt='></td>
<td><img src='images/t2-2.gif' width=40'
height=23 alt='></td>
<td width=700 height=23 align=center
bgcolor=#333333 class=topMenu>"; ?>
<?if($username!="") { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a
href='UserLogin.php?logout=1'>Log-out</a> |</td>
<?>
else { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width=900 border=0 align=center cellpadding=0
cellspacing=0>
<tr>
<td width=181 align='left'
valign='top'>
<table width=181'
border=0' cellspacing=0' cellpadding=0'>
<tr align='left'
valign='top'>
<td width=160'
height=28' bgcolor=#990000></td>
<td width=21'
rowspan=2' background='images/t4-2.gif'>
<table
width=21' border=0' cellspacing=0' cellpadding=0'>
<tr><td height=23' align='left' valign='top'><img src='images/t4-
1.gif' width=21' height=23'></td></tr>
<tr><td height=495' align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
</table></td>
</tr>
valign='top'>
<td height=400'
bgcolor=#990000 style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>;
if(($details[0]=='Guardian')&&($details[1]==1)){
print "<a href='GuardiansCorner.php'><font size=2><b>Guardian's
Corner</b></font></a><br><br>;
}
else if(($details[0]=='Registration Clerk')&&($details[1]==1)){
print "<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>;
}
print "</td>
</tr>
</table>
</td>
<td width=598' align='left' valign='top'>
<table bgcolor=#FFFFFF'
width=719' border=0' cellspacing=0' cellpadding=0'>
<tr>
<td>;
if($username!=""){
print "<br><table
width=700'<tr><td align='left'><font color='black'><b>Logged in as
</b></font>,".<font color='maroon'><b>". $username.</b></font></td>
<td
align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y")."</b></font></td></tr></table>;
} //closes if
else{
print "<br><table
width=700'<tr><td align='left'></td>
<td
align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y")."</b></font></td></tr></table>;
} //closes else
print "</td>
</tr>
<td
align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
<tr>
<td
width=459' height=440' valign='top'>
<div style='width: 719px; height: 430px; overflow: scroll;'>;?>
<?php
if(isset($_POST['submit'])&&
$_GET['logout']!=1){
if(($_POST['gfname']!=NULL)&&($_POST['gmname']!=NULL)||
($_POST['gftelno']!=NULL)&&($_POST['gmtelno']!=NULL)||($_POST['homead
dress']!=NULL)||($_POST['homeno']!=NULL)){
include("includefile.inc");
$gfname = mysql_real_escape_string($_POST['gfname']);
$gmname = mysql_real_escape_string($_POST['gmname']);
$gfeduca = mysql_real_escape_string($_POST['gfeduca']);
$gmeduca = mysql_real_escape_string($_POST['gmeduca']);

```



```

        <tr><td><font color='black'><b>School Attended: </td><td><input
type='text' name='gfschoola' size='30' align='left' value='/'></td>
        <td><input type='text' name='gmschoola' size='30' align='left'
value='/'></td></tr>
        <tr><td><font color='black'><b>Occupation: </td><td><input
type='text' name='gfoccupation' size='30' align='left' value='/'></td>
        <td><input type='text' name='gmoccupation' size='30' align='left'
value='/'></td></tr>
        <tr><td><font color='black'><b>Business Address: </td><td><input
type='text' name='gfbusadd' size='30' align='left' value='/'></td>
        <td><input type='text' name='gmbusadd' size='30' align='left'
value='/'></td></tr>
        <tr><td><font color='black'><b>*Contact No.: </td><td><input
type='text' name='gftelno' size='30' align='left' value='/'></td>
        <td><input type='text' name='gmtelno' size='30' align='left' value='/'>
</td></tr></table><br><br>
        <table width='680'><tr>
        <td><font color='maroon'><b>IN CASE OF EMERGENCY NOTIFY
US AT:</td></tr>
        <tr><td><font color='black'><b>*Home Address: </td><td><input
type='text' name='homeaddress' size='60' align='left' value='/'></td>
        <tr><td><font color='black'><b>*Tel. No.: </td><td><input
type='text' name='homeno' size='15' align='left' value='/'></td><td></tr>
        </tr></table><br><br>
        <table width='680'><tr>
        <td><font
color='maroon'><b>AGREEMENT:</td></tr>
        <tr><td><font color='black'><b>I hereby agree to pay this school to
the total fees for my child/s enrolment as per arrangement of payments indicated
on or before the specified date of payment. Failure to remit payments
on time means an additional surcharge of 2% monthly.</td>
        </tr></table><br><br>
        <table width='680'><tr>
        <td><center><input type='submit' name='submit' value='Submit
Information' /></td></tr>
        <tr><td align='right'><a href='RegistrationForm.php'><font
color='black'><b>| ADD STUDENT INFORMATION |</td></tr>
        <tr><td align='center'><? if(($details[0]=='Guardian')&&($details[1]=='1')){
        print "<a href='GuardiansCorner.php'><font color='black'><b>|
DONE |</td></tr>
        <tr><td align='center'><? else if(($details[0]=='Registration Clerk')&&($details[1]=='1')){
        print "<a href='ManageUserAccounts.php'><font color='black'><b>|
DONE |</td></tr>
        <tr><td align='center'></tr>
        </table>
        </div>
        </td>
        </table>
        <table width='719'
height='41' border='0' cellpadding='0' cellspacing='0'>
        <tr>
        <td align='center' bgcolor='#333333'> E-nrollSYS
created by Kathleen M. Mendoza <br> All rights reserved. Best viewed using
Google Chrome.</td>
        </tr>
        </table>
        </tr>
        </table>
        </table>
        </body>
</html>
";
?>

```

ManageClassSched.php

```

<?php
session_start(); //start up PHP Session
$registrarno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE
Username=$registrarno";
$getdetails = mysql_query($query1, $link);
$details = mysql_fetch_row($getdetails);

if(($details[0]!='Registration Clerk')&&($details[1]!='0')){
    header('Location: UserLogin.php');
}

//table schedule contains composite keys schedid, timeslotid, subjid; 1 schedid =
1 section
$year = date(Y);
$month = date(n);

if ($month < 6) {
    $year1 = $year - 1;
    $year2 = $year;
} else {

```

```

    $year1 = $year;
    $year2 = $year + 1;
}

$year = "$year1"."-".$year2";
?>

<html>
<head>
<title>E-nrollSYS Manage Class Schedule</title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<script type='text/javascript">

// Initialize AJAX request
function initAjaxCall() {
// code for IE7+, Firefox, Chrome, Opera, Safari
if (window.XMLHttpRequest) {
    xmlhttp = new XMLHttpRequest();
} else { // code for IE6, IE5
    xmlhttp = new ActiveXObject("Microsoft.XMLHTTP");
}
}

// AJAX request to retrieve section
function getSection(yearLevel) {
// If there is no selected year level, do not display anything on sectionPane
if (yearLevel == "") {
    document.getElementById("sectionPane").innerHTML = "";
    return;
}

initAjaxCall();

// Set function callback
xmlhttp.onreadystatechange = function() {
    if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
        document.getElementById("sectionPane").innerHTML =
xmlhttp.responseText;
    }
}

// Set php and send request
xmlhttp.open("GET","ManageClassSchedHandler.php?q="+yearLevel+"&reqType=
getSection",true);
xmlhttp.send();
}

function getSchedule() {
    $section = document.getElementById("sectionPane").value;
    $yearLevel = document.getElementById("yearLevel").value;
    // If there is no selected section, do nothing/alert user and clear contents on the
table
    if ($yearLevel == "" || $section == "") {
        // TODO Task here
        document.getElementById("scheduleTable").innerHTML = "";
        return;
    }

    initAjaxCall();

    // Set function callback
    xmlhttp.onreadystatechange = function() {
        if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
            document.getElementById("scheduleTable").innerHTML =
xmlhttp.responseText;
        }
    }

    // Set php and send request
    xmlhttp.open("GET","manageClassSchedHandler.php?section="+$section+"&yearLevel="+$yearLevel+"&reqType=getSchedule",true);
    xmlhttp.send();
}

</script>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<font color='red'><?php print "$studentno"; ?></font>

<!-- BANNER -->
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
        <tr>
        <td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
        <td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>

```

```

height='100' alt=""></td>
<table>
<tr>
<td><img src='images/t1-3.jpg' width='360'
color='black'><b>Logged in as </b></font>
<font color='maroon'><b><?php echo $registrarno?></b></font></td>
</tr>
</table>
<!-- NAVLINK -->
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt=""></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt=""></td>
<td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'>
<?php if($registrarno!="") { ?>
| <a href='E-
nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a
href='UserLogin.php?logout=1'>Log-out</a>|</td>
<?php } else { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>|</td>
<?php } ?>
</tr>
</table>
<!-- MID SECTION -->
<table width='900' border='0' align='center' cellpadding='0' cellspacing='0'>
<tr>
<!-- SIDEPANEL -->
<td width='181' align='left'
valign='top'>
<table width='181'
border='0' cellspacing='0' cellpadding='0'>
<tr align='left'
valign='top'>
<td width='160'
height='28' bgcolor='#990000'></td>
<td width='21'
rowspan='2' background='images/t4-2.gif'>
<table
width='21' border='0' cellspacing='0' cellpadding='0'>
<tr><td height='23' align='left' valign='top'><img src='images/t4-
1.gif' width='21' height='23'></td></tr>
<tr><td height='495' align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22' alt=""></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt=""></td></tr>
</table>
</td>
<td align='left' valign='top'>
<td height='400' bgcolor='#990000'
style=padding-left: 15px; padding-right:10px; padding-top: 10px>
<a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font
size=2><b>About E-nrollSYS</b></font></a><br><br>
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
</td>
<!-- MAIN BODY -->
<td bgcolor='#FFFFFF' width='598' align='left'
valign='top'>
<table width='598' border='0'
cellspacing='0' cellpadding='0'>
<tr>
<td>
<?php if ($registrarno != "") { ?>
<br><table width='700'><tr><td align='left'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")?></b></font></b></font></td></tr></table>
<?php } else { ?>
<br><table width='700'><tr><td align='left'></td>
</tr>
</table>
<td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")?></b></font></b></font></td></tr></table>
<br>
<?php } ?>
</td>
</tr>
</table>
align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br>Camella Homes IV, Poblacion<br>City of
Muntinlupa</b></font></td>
</tr>
</table>
height='400' valign='top'>
<form
name='manageclasssched' action='ManageClassSched.php' method='post'>
<br>
<!-- FIELD -->
<fieldset style='width: 680px; height: 45px; align='left'>
<legend><font color='maroon' size=2><b>Manage Class
Schedule</b></font></legend>
<table width='670' height='1'>
<tr><td width='230'><font color='black'><b>Grade/Year
Level:</b></font>
<!-- YEAR LEVEL SELECTION -->
<select name='yearlevel' id='yearLevel'
onchange='getSection(this.value)'>
<option> Level </option>
<option value='JC'>JC</option>
<option value='JAC I'>JAC I</option>
<option value='JAC II'>JAC II</option>
<option value='AC'>AC</option>
<option value='GI'>GRADE I</option>
<option value='GII'>GRADE II</option>
<option value='GIII'>GRADE III</option>
<option value='GIV'>GRADE IV</option>
<option value='GV'>GRADE V</option>
<option value='GVI'>GRADE VI</option>
<option value='HI'>1ST YEAR</option>
<option value='HII'>2ND YEAR</option>
<option value='HIII'>3RD YEAR</option>
<option value='HIV'>4TH YEAR</option>
</select></td>
<!-- SECTION -->
<td width='190'><font color='black'><b>Section:</b></font>
<select name='sections' id='sectionPane'>
<option value="">-- Section </option>
</select></td>
<td width='50'><input type='button' name='level' value='Proceed'
onclick='getSchedule()' /></td>
<td align='right'><a href='ManageSections.php'><font
color='black'><b>BACK</b></font></a></td>
</tr></table>
</fieldset>
<div
id='scheduleTable' style='width: 719px; height: 360px; overflow: scroll;'><br>
<?>
// If the button performed 'submit' action is named 'checksched'
if(isset($_POST['checksched']) && $_GET['logout'] != 1) {
include("includefile.inc");
$smax = $_POST['max_num'];
$smsection = $_POST['section1'];
$flist = $_POST['faculty'];

```

```

    $prefinalsubj = array();

    $prefinaltime = array();
    $prefinalfaculty = array();

    $recordsubj = array();

    $recordtime = array();
    $recordfaculty = array();

    for($count = 0; $count < $max; $count++){

        $recordsubj[$count] = $_POST['subject'.$count];

        $findprefinalsubj = mysql_query("SELECT SubName FROM
subject WHERE SubCode = '$recordsubj[$count]'");

        $result = mysql_fetch_row($findprefinalsubj);

        $prefinalsubj[$count] = $result[0];

        $recordtime[$count] = $_POST['time'.$count];

        $findprefinaltime = mysql_query("SELECT TStart,TEnd,TDay
FROM timeslot WHERE TimeID = '$recordtime[$count]'");

        $result2 = mysql_fetch_row($findprefinaltime);

        $prefinaltime[$count] = "$result2[0]". "-". "$result2[1],
$result2[2]";
        $recordfaculty[$count] = $_POST['faculty'.$count];

        $findprefinalfaculty = mysql_query("SELECT
EFname,ELname,EMname FROM employee WHERE EmployeeNum
= '$recordfaculty[$count]'");

        $result3 = mysql_fetch_row($findprefinalfaculty);
        $initial = substr($result3[2],0,1);

        $prefinalfaculty[$count] = "$result3[1] $initial. $result3[0]";

    } //closes for

    $single_subj = implode(",",$recordsubj);

    $single_time = implode(",",$recordtime);
    $single_faculty = implode(",",$recordfaculty);

    print
    "<br><table align='center'>
    <tr><th><center><font color='black'>Preview Schedule of
    $remsection<br>School Year $year</font></center></th></tr>
    </table><br><br>
    <table border='1' width='600' align='center'>
    <tr><th><font color='maroon'><b>Subjects</b></font></th>

    <th><font color='maroon'><b>Timeslot, Day</b></font></th>
    <th><font
    color='maroon'><b>Instructors</b></font></th></tr>";

    for($count1 = 0; $count1 < $max; $count1++){

        print "<tr><td><font color='black'
        size='2'><b>$prefinalsubj[$count1]</b></font></td>
        <td><font color='black'
        size='2'><b>$prefinaltime[$count1]</b></font></td>
        <td><font color='black'
        size='2'><b>$prefinalfaculty[$count1]</b></font></td></tr>";

        } //closes for

    </table><input type='hidden' name='maxcount' value='$max'><input
    type='hidden' name='holdsection' value='$remsection'>
    <input type='hidden' name='si_faculty'
    value='$single_faculty'><input type='hidden' name='si_subj'
    value='$single_subj'>
    <input type='hidden' name='si_time'
    value='$single_time'><br><br>
    <table align = 'center'><tr><td><input type='submit'
    name='approvesched' value='Approve Schedule' /><br><br>

    </td></tr></table>";

    } //closes if

    // Else if the button
    performed 'submit' action is named 'approvesched'
    else if
    (isset($_POST['approvesched']) && $_GET['logout'] != 1) {

        include("includefile.inc");

        $limit
        = $_POST['maxcount'];

        $secname = $_POST['holdsection'];

        $expl_subj = explode(",",$_POST['si_subj'],$limit);

        $expl_time = explode(",",$_POST['si_time'],$limit);

        $expl_faculty = explode(",",$_POST['si_faculty'],$limit);

        $s_id =
        $secname.$year;

        $cutsecname = substr("$secname",0,3);

        $schedid = $cutsecname.$year;

        $checkschedtable = "SELECT time_id FROM schedule WHERE
        sched_id='$schedid'";

        $checkschedquery = mysql_query($checkschedtable,$link);

        $countrows = mysql_numrows($checkschedquery);

        // If no data retrieved from the database

        if
        ($countrows != 0) {

            echo "<br><br><br><center><fieldset style='width: 400px;
            height:50px; padding-left: 20px; padding-right: 20px;' align='left'>
            <img src='icons/Warning.png' align='left' width='50' height='50'
            alt='><br>
            <font color='maroon' size='2'><b><center>ERROR: Schedule
            for $secname already exists. Please re-check section name and year
            level.</center></b></font>
            </fieldset></center><br><br>";
        }
    }

```

```

} else
{
    Supdatesectioncmd = "UPDATE section SET SchedID=$Schedid'
WHERE SecID=$s_id";

    mysql_query(Supdatesectioncmd,$link)

    or die ( "UPDATE error:

.mysql_error() );

    for($count2 = 0; $count2 < $limit; $count2++){

        Supdateschedcmd = "INSERT INTO schedule
(sched_id,time_id,subj_id,faculty) VALUES
('$Schedid','$expl_time[$count2]','$expl_subj[$count2]','$expl_faculty[$count2])
";

        mysql_query(Supdateschedcmd,$link)

        or die ( "UPDATE
error: ".mysql_error() );

    } //closes for

    print "<br><br><center><fieldset style='width: 400px;
height:50px; padding-left: 20px; padding-right: 20px; align='left'>
<img src='icons/UploadSuccess.png' align='left' width='50'
height='50' alt='<br>

<font color='maroon' size='2'><b><center>Update of schedule
of $Secname successful.</center></b></font>

</fieldset></center><br><br>";

    Query1 = mysql_query("SELECT SchedID,SecName,LevelID
FROM section WHERE SecID=$s_id");
    $Schedid = mysql_fetch_row($Query1);
    $getsched = "SELECT DISTINCT
e.SecName,d.TStart,d.TEnd,d.TDay,b.Room,b.SubName,c.ELname,c.EMname,c.
Efname
FROM schedule AS a,subject AS b,employee AS c,timeslot
AS d,section AS e
WHERE a.sched_id='$Schedid[0]' AND
a.sched_id=e.SchedID AND b.SubCode=a.subj_id AND d.TimeID=a.time_id
AND c.EmployeeNum=a.faculty
ORDER BY a.counter";
    $schedquery = mysql_query($getsched,$link);
    $colcount = mysql_num_fields($schedquery);
    $rowcount = mysql_num_rows($schedquery);

    if($rowcount!=0){
    print "<table width='500' align='center'>
<tr><th><center><font color='black'>Schedule of $Schedid[2]
$Schedid[1]<br>School Year $year</font></center></th></tr>
</table>";
    print "<br><br><table width='700' border='1' align='center'><tr>";
    for($column_num = 1; $column_num < $colcount;
$column_num++){
        if($column_num==1){
            print "<th width='200'><font
color='maroon'>Time</font></th>";
            $column_num = 3;
        }
        else if($column_num==5){
            print "<th><font color='maroon'>Subject</font></th>";
        }
        else if($column_num==6){
            print "<th><font color='maroon'>Faculty</font></th>";
            $column_num = 8;
        }
    }

    else{
        $field_name = mysql_field_name($schedquery, $column_num);
        print "<th><font color='maroon'>$field_name</font></th>";
    }
} //closes for
print "</tr></tr>";
while($row = mysql_fetch_row($schedquery)){
    print "<tr valign='top'>";
    for($column_num = 1; $column_num < $colcount;
$column_num++){
        if($column_num==1){
            $timeslot = "Srow[1]". "- ". "Srow[2], Srow[3]";
            print "<td width='200'><font color='black'
size='2'>$timeslot</font></td></tr>";
            $column_num = 3;
        }
        else if($column_num==5){
            print "<td><font color='black' size='2'>$row[5]</font></td>";
        }
        else if($column_num==6){
            $faculty = "Srow[8] Srow[6]";
            print "<td><font color='black'
size='2'>$faculty</font></td></tr>";
            $column_num = 8;
        }
        else{
            print "<td><font color='black'
size='2'>$row[$column_num]</font></td></tr>";
        }
    } //closes for
    print "</tr></tr>";
} //closes while
print "</table><br><br>";
} //closes if

?>
</div>
</form>
</tr>
</table>
<!-- FOOTER -->
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'
<tr>
<td align='center'
bgcolor=#333333> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</tr>
</td>
</table>
</body>
</html>

```

ManageClassSchedHandler.php

```

<?php
$reqType=$_GET["reqType"];
include("includefile.inc");

// If the ajax request is for getSection
if ($reqType == 'getSection') {
    $q=$_GET["q"];
    $sql1 = "SELECT SecID,SecName,FacultyNum FROM section WHERE
LevelID = '$q.'";
    $result = mysql_query($sql1, $link);

    echo "<option value='>- Section -</option>";
    while($row=mysql_fetch_row($result)){
        echo "<option value=$row[1]>$row[1]</option>";
    }

    // Else if the ajax request is for getSchedule
} else if ($reqType == 'getSchedule') {
    $section=$_GET["section"];
    $yearLevel=$_GET["yearLevel"];
    displaySched($section, $yearLevel, $link);
}

mysql_close($link);
?>

```

```

<?php
// If the button performed 'submit' action is named 'level'
function displaySched($section, $yearlevel, $link) {

//table schedule contains composite keys schedid, timeslotid, subjid; 1 schedid =
1 section
$year = date(Y);
$month = date(n);

if ($month < 6) {
    $year1 = $year - 1;
    $year2 = $year;
} else {
    $year1 = $year;
    $year2 = $year + 1;
}

$year = "$year1"."-".$year2";
$cutsecname = substr("$section",0,3);
$schedid = $cutsecname.$year;
$checkschedtable = "SELECT time_id FROM schedule WHERE
sched_id='$schedid'";
$checkschedquery = mysql_query($checkschedtable,$link);
$countrows = mysql_numrows($checkschedquery);
$subjects = array("JC" => 5,
    "JACI" => 5,
    "JACII" => 5,
    "AC" => 5,
    "GI" => 9,
    "GII" => 9,
    "GIII" => 9,
    "GIV" => 11,
    "GV" => 11,
    "GVI" => 11,
    "HI" => 10,
    "HII" => 10,
    "HIII" => 10,
    "HIV" => 10);
$subject = $subjects[$yearlevel];
$yearlevels = array("JC" => "Junior Casa",
    "JACI" => "Junior Advanced Casa I",
    "JACII" => "Junior Advanced Casa II",
    "AC" => "Advanced Casa",
    "GI" => "Grade One",
    "GII" => "Grade Two",
    "GIII" => "Grade Three",
    "GIV" => "Grade Four",
    "GV" => "Grade Five",
    "GVI" => "Grade Six",
    "HI" => "First Year",
    "HII" => "Second Year",
    "HIII" => "Third Year",
    "HIV" => "Fourth Year");
$getyearlevel = $yearlevels[$yearlevel];

//If no data retrieved from the database
if ($countrows != 0) {
    echo "<br><br><br>
    <center>
    <fieldset style='width: 400px; height:50px; padding-left: 20px; padding-
right: 20px; align='left'>
    <img src='icons/Warning.png' align='left' width='50' height='50' alt='>
    <br>
    <font color='maroon' size='2'><b>
    <center>ERROR: Schedule for $section section already exists. Please
re-check the details.</center>
    </b></font>
    </fieldset>
    </center>";
} else {
    $slevsubj = "SELECT SubCode,SubName FROM subject WHERE
LevelID=$yearlevel' AND SchoolYear=$year' ORDER BY SubName";
    $slevtime = "SELECT TimeID,TStart,TEnd,TDay FROM timeslot WHERE
LevelID=$yearlevel' ORDER BY TStart";
    $sinstructors = "SELECT EName,EFname,EMname,EmployeeNum FROM
employee WHERE Type='F' AND Department IN ('G','H')";
    $subjquery = mysql_query($slevsubj,$link);
    $timequery = mysql_query($slevtime,$link);
    $facultyquery = mysql_query($sinstructors,$link);
    $stimecount = mysql_numrows($timequery);
    $sfacultycount = mysql_numrows($facultyquery);
    $subid = array();
    $subarray = array();
    $stimeid = array();
    $stimearray = array();
    $sfacultyid = array();
    $sfacultyarray = array();

    for ($sub = 0; $sub < $subcount; $sub++) {
        $col1 = mysql_fetch_row($subjquery);
        $subid[$sub] = $col1[0];
        $subarray[$sub] = $col1[1];

```

```

        $faculty[$sub] = $col1[2];
    } //closes for

    for ($stime = 0; $stime < $stimecount; $stime++) {
        $col2 = mysql_fetch_row($timequery);
        $stimeid[$stime] = $col2[0];
        $stimearray[$stime] = "$col2[1]"."-".$col2[2], $col2[3]";
    } //closes for

    for ($steacher = 0; $steacher < $sfacultycount; $steacher++) {
        $col3 = mysql_fetch_row($facultyquery);
        $sfacultyid[$steacher] = $col3[3];
        $sinitial = substr($col3[2],0,1);
        $sfacultyarray[$steacher] = "$col3[1] $initial. $col3[0]";
    } //closes for
}
?>

<!-- OUTPUT LABEL -->
<br><table align='center'>
<tr>
<th>
<center>
<font color='black'>
    Schedule of <?php print "$getyearlevel $section"; ?>
<br>
    School Year <?php print "$year"; ?>
</font>
</center>
</th>
</tr>
</table>

<br><br>

<!-- TABLE OF SUBJECTS AND TIMESLOTS -->
<table border='1' width='600' align='center'>
<!-- HEADERS -->
<tr>
<th><font color='maroon'><b>Subjects</b></font></th>
<th><font color='maroon'><b>Timeslot, Day/s</b></font></th>
<th><font color='maroon'><b>Instructors</b></font></th>
</tr>

<!-- TABLE ROW -->
<?php for($row_num = 0; $row_num < $subjectcount; $row_num++) { ?>
<tr>
<td>
<select name='<?php echo "subject$row_num"; ?>'>
<option> Subject </option>
<?php for($sub_num = 0; $sub_num < $subcount; $sub_num++) { ?>
<option value='<?php echo $subid[$sub_num] ?>'><?php echo
$subarray[$sub_num] ?></option>
<?php } ?>
</select>
</td>
<td>
<select name='<?php echo "time$row_num"; ?>'>
<option> Time, Day </option>
<?php for($stime_num = 0; $stime_num < $stimecount; $stime_num++) { ?>
<option value='<?php echo $stimeid[$stime_num] ?>'><?php echo
$stimearray[$stime_num] ?></option>
<?php } ?>
</select>
</td>
<td>
<select name='<?php echo "faculty$row_num"; ?>'>
<option> Instructor </option>
<?php for($faculty_num = 0; $faculty_num < $sfacultycount;
$faculty_num++) { ?>
<option value='<?php echo $sfacultyid[$faculty_num] ?>'><?php echo
$sfacultyarray[$faculty_num] ?></option>
<?php } ?>
</select>
</td>
</tr>
<?php } ?>
</table>

<input type='hidden' name='max_num' value='<?php echo "$subcount"; ?>'>
<input type='hidden' name='section1' value='<?php echo "$section"; ?>'>
<input type='hidden' name='faculty' value='<?php echo "$sfacultycount"; ?>'>
<br><br>

<table align = 'center'>
<tr>
<td>
<center><input type='submit' name='checksched' value='Preview Schedule' />
<br><br>
</td>
</tr>
</table>

```



```

        </fieldset></td></tr>
    </table></form>";
} // closes if
for($j = 0; $j <= $countoccur; $j++){
    // If the button performed 'submit' action is named 'getstudents'
    else if(isset($_POST['getstudents']) && $_GET['logout']!=1){
        include("includefile.inc");
        include("C:\xampp\php\PEAR\Spreadsheet\Excel\reader.php");

        $query2 = "SELECT
        SecID FROM student WHERE StudNum='$_studnum[$j]' AND LevelID='$_level'";

        $getsecid =
        mysql_query($query2, $link);

        $secid =
        mysql_fetch_row($getsecid);

        $countcheck =
        mysql_numrows($getsecid);

        if($secid[0]=="") || ($secid[0]==NULL){
            $query3 =
            "UPDATE student SET SecID='$_section' WHERE StudNum='$_studnum[$j]'";

            $updatequery =
            mysql_query($query3, $link)
            or die ("UPDATE error:
            ".mysql_error());

            $success++;
        } // closes if

        else{
            continue;
        } // closes else

    } // closes for

    $getlevelid = mysql_query($levelquery, $link);
    $levelquery = "SELECT LevelID FROM student
    WHERE StudNum='$_student'";

    $getlevelid = mysql_query($levelquery, $link);
    $leveldetail = mysql_fetch_row($getlevelid);

    // closes for

    // sorts the students if they belong to the grade/year level

    if($leveldetail[0]==$_level){
        $studnum[$count] = $_student;

    } // closes if

    else{
        $notstudentlevel++;
    } // closes else

} // closes for

if($countoccur <= 45) { // 45 students max per section
    for($i = 0; $i < $rows; $i++){
        echo "<br><br><center><fieldset
        style='width: 400px; height: 90px; padding-left: 20px; padding-right: 20px;
        align='left'>
        <table size='390'>
        <tr><td><img src='icons/Information.png' align='left'
        width='90' height='90' alt='><td>
        <td><font color='maroon'
        size='2'><b>REPORT:<br>$_success successfully added student/s.<br>
        $notstudentlevel student/s
        misplaced in $_getyearlabel.</b></font></td>
        </tr></table>
        </fieldset></center><br><br>";

        $getstudentlist = "SELECT SLname, SFname, SMname, StudNum
        from student WHERE SecID='$_section'";
        $querylist = mysql_query($getstudentlist);
        $colcount = mysql_num_fields($querylist);

        print "<table width='500' align='center' border='1'>
        <tr><th colspan='2'><font color='maroon'>Students of
        $_getsecname</font></th></tr>
        <tr><th><font color='maroon'>Name</font></th>
        <th><font color='maroon'>Student
        Number</font></th></tr>";
        while($row = mysql_fetch_row($querylist)){
            print "<tr align='center' valign='top'>";
        }
    }
}

```

```

        for($column_num = 0; $column_num < $colcount;
        $column_num++) {
            if($column_num==0){
                $sname = "$row[0]." $row[1] $row[2]";
                print "<td nowrap><font color='black'
size='2'>$sname</font></td>\n";
                $column_num = 2;
            } //closes if
            else{
                print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
            } //closes else
            //closes for
            print "</tr>\n";
        } //closes while
        print "</table><br><br>";
    } //closes if

    else{
        echo "<br><br><center><fieldset style='width:
400px; height:70px; padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'>
<tr><td><img src='icons/Warning.png' align='left' width='65'
height='65' alt='></td>

                <td><font color='maroon'
size='2'><b><center>ERROR: Section is already full. Please check the details
you provided.</b></font></td>
            </tr></table>

                </fieldset></center><br><br>";
    } //closes else
} //closes if
} //closes if

else if(isset($_POST['deletestudents']) && $_GET['logout'] != 1){
    include("includefile.inc");

    $slevel = $_POST['yearlevel'];
    $ssectionname = $_POST['sections'];
    $ssecid = $ssectionname.$syear;
    $slevelname = $yearlabels[$slevel];

    $query1 = "SELECT SLname,SFname,SMname,StudNum FROM
student WHERE SecID='$ssecid'";
    $students = mysql_query($query1, $link);
    $colcount = mysql_num_fields($students);
    $rowcount = mysql_numrows($students);

    if($rowcount!=0){
        print "<br><table width='700'>
<tr><th><center><font color='black'>Students Under
$levelname $sectionname<br>School Year $year</font></center></th></tr>
<tr><td align='left'><br><font color='maroon'
size='2'><b>*Check the student's accounts that will be removed.</b></font>
</td></tr></table><br><br>
<table border='1' width='600' align='center'><tr>";
        for($column_num = 0; $column_num < $colcount;
        $column_num++) {
            $field_name = mysql_field_name($students, $column_num);

            if($column_num==0){
                print "<th><font color='black'>$alias[$field_name]</font></th>";
                $column_num = 2;
            }
            else if($column_num==3){
                print "<th><font color='black'>$alias[$field_name]</font></th>";
                print "<th><font color='black'>Delete</font></th>";
            }
            else{
                print "<th><font color='black'>$alias[$field_name]</font></th>";
            }
        } //closes for
        print "</tr>\n";

        $count_students=0;
        while($row = mysql_fetch_row($students)) {
            print "<tr align='center' valign='top'>";
            for($column_num = 0; $column_num < $colcount;
            $column_num++) {
                if($column_num==0){
                    $sname = "$row[0]." $row[1] $row[2]";
                    print "<td nowrap><font color='black'
size='2'>$sname</font></td>\n";
                    $column_num = 2;
                } //closes if
                else if($column_num==3){
                    print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                    ?>
                    <th><input type='checkbox' name='activate'<?echo
                    $count_students?' value='<?echo $row[3]?></th>
                    <input type='hidden' name='hidden'<?echo $count_students?'>
                    value='<?echo $row[3]?>
                    <?php
                    } //closes else if
                    else{
                        print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                    } //closes else
                    } //closes for
                    print "</tr>\n";
                    $count_students++;
                } //closes while
                print "</table><br><br>";
                ?><input type='hidden' name='max_num' value='<?echo
                $count_students?'>
                <input type='hidden' name='secname' value='<?echo
                $sectionname?'>
                <input type='hidden' name='levelid' value='<?echo $level?'>
                <table width='700'>
                <tr><td><center><input type='submit' name='removestudents'
                value='Remove Students From This Section' /></center>
                </td></tr></table><br><br><br>
                <?php
                } //closes if
            }
            else{
                echo "<br><br><center><fieldset style='width: 400px; height:70px;
padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'>
<tr><td><img src='icons/Warning.png' align='left' width='65'
height='65' alt='></td>

                <td><font color='maroon'
size='2'><b><center>ERROR: No students found. Please check the details you
provided.</b></font></td>
            </tr></table>

                </fieldset></center><br><br>";
            } //closes else
        } //closes else if

        else if(isset($_POST['removestudents']) && $_GET['logout'] != 1){
            include("includefile.inc");

            $smax = $_POST['max_num'];
            $ssection = $_POST['secname'];
            $slevel = $_POST['levelid'];
            $slevelname = $yearlabels[$slevel];
            $ssecode = $ssection.$syear;

            for($count = 0; $count < $smax; $count++){

                if($_POST['activate'].$count!=""){
                    $updatesectioncmd = "UPDATE student SET SecID=' where
                    StudNum='$_POST['activate'].$count.'";
                    //echo $updatecmd;
                    mysql_query($updatesectioncmd,$link)
                    or die ("UPDATE error: ".mysql_error());
                } //closes if
            } //closes for

            print "<br><br><center><fieldset style='width: 400px; height:70px;
padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'>
<tr><td><img src='icons/UploadSuccess.png' align='left'
width='65' height='65' alt='></td>
<td><font color='maroon' size='2'><b>Removed the student/s
from $levelname $section.</b></font></td>
</tr></table>
</fieldset></center><br><br>";

            $query1 = "SELECT SLname,SFname,SMname,StudNum FROM
student WHERE SecID='$ssecode'";
            $students = mysql_query($query1, $link);
            $colcount = mysql_num_fields($students);
            $rowcount = mysql_numrows($students);

            if($rowcount!=0){
                print "<br><table width='700'>

```

```

        <tr><th><center><font color='black'>Students Under
$levelname $section<br>School Year $year</font></center></th></tr>
        </table>
        <tr><td align='left'><font color='maroon'
size='2'><b>*Check the student's accounts that will be removed.</b></font>
        </td></tr></table><br><br>
        <table border='1' width='600' align='center'><tr>;
        for($column_num = 0; $column_num < $colcount;
$column_num++) {
            $field_name = mysql_field_name($students, $column_num);

            if($column_num==0){
                print "<th><font color='black'>$alias[$field_name]</font></th>";
                $column_num = 2;
            }
            else if($column_num==3){
                print "<th><font color='black'>$alias[$field_name]</font></th>";
                print "<th><font color='black'>Delete</font></th>";
            }
            else{
                print "<th><font color='black'>$alias[$field_name]</font></th>";
            }
        }//closes for
        print "</tr>\n";

        $count_students=0;
        while($row = mysql_fetch_row($students)) {
            print "<tr align='center' valign='top'>";
            for($column_num = 0; $column_num < $colcount;
$column_num++) {
                if($column_num==0){
                    $name = "$row[0].". $row[1] $row[2]";
                    print "<td nowrap><font color='black'
size='2'>$name</font></td>\n";
                    $column_num = 2;
                }//closes if
                else if($column_num==3){
                    print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                    ?>
                    <th><input type='checkbox' name='activate'<?echo
$count_students?>' value=<?echo $row[3]?></th>
                    <input type='hidden' name='hidden'<?echo $count_students?>'
value=<?echo $row[3]?>
                    <?php
                    }//closes else if
                    else{
                        print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                    }//closes else
                }//closes for
                print "</tr>\n";
                $count_students++;
            }//closes while
            print "</table>
            <br><br><input type='hidden' name='max_num' value='<?echo
$count_students;?>
            <input type='hidden' name='section' value='<?echo $secid;?>
            <table width='700'
            <tr><td><center><input type='submit' name='removestudents'
value='Remove Students From This Section' /></center>
            </td></tr></table><br><br>";
        }//closes if
        else{
            echo "<br><br><center><fieldset style='width: 400px; height:70px;
padding-left: 20px; padding-right: 20px; align='left'
            <table size='390'>
            <tr><td><img src='icons/Warning.png' align='left' width='65'
height='65' alt='></td>

            <td><font color='maroon'
size='2'><b><center>ERROR: No students found. Please check the details you
provided.</b></font></td>
            </tr></table></fieldset></center><br><br>";
        }//closes else
    }//closes else if
?>
    </div>

    </form>

    </tr>
    </table>

    <!-- FOOTER -->
    <table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
        <tr>
            <td align='center'
bgcolor='#333333'> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>

```

ManageUserAccounts.php

```

<?php
session_start(); //start up PHP Session
$registrarno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrarno'";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);

if($row[0]!='Registration Clerk')&&($row[1]!='0'){
    header('Location: UserLogin.php');
}

print "
<html>
<head>
    <title></title>
    <meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'
    <link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
    <table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
        <tr>
            <td width='160' height='100' alt='></td>
            <td width='380' height='100' alt='></td>
            <td width='360' height='100' alt='></td>
        </tr>
        <table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
            <tr>
                <td width='160' height='23' alt='></td>
                <td width='40' height='23' alt='></td>
                <td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'>; ?>
                <?if($registrarno!="") { ?>
                    | <a href='E-nrollsYSHome.php'>Home</a>
                    | <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
                    | <a href='ContactE-
nrollsYS.php'>Contact</a>
                    | <a href='E-
nrollsYSHelp.php'>Help</a>
                    | <a href='UserLogin.php'>Log-
out</a> |</td>
                <?>
            } else { ?>
                | <a href='E-nrollsYSHome.php'>Home</a>
                | <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
                | <a href='ContactE-
nrollsYS.php'>Contact</a>
                | <a href='E-
nrollsYSHelp.php'>Help</a> |</td>
            <?>
        }
    }
    </table>
    <table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
        <tr>
            <td width='181' align='left'
valign='top'>
            <table width='181'
border='0' cellspacing='0' cellpadding='0'>
                <tr align='left'
valign='top'>
                    <td width='160'
height='28' bgcolor='#990000'></td>
                    <td width='21'
rowspan='2' background='images/t4-2.gif'>
                    <table
width='21' border='0' cellspacing='0' cellpadding='0'>

```



```

nrollSYS.php>Contact</a>                |<a href='ContactE-                                </tr>
nrollSYSHelp.php>Help</a>                |<a href='E-                                <td
href='UserLogin.php?logout=1>Log-out</a> |<a                                <br><font color='black'><b>SOUTHERNSIDE MONTESSORI
<?>                                      <?>                                SCHOOL<br> Camella Homes IV, Poblacion<br> City of
else { ?>                                Muntinlupa<b></font></td></tr>
|<a href='E-nrollSYSHome.php'>Home</a>   |<a href='AboutE-                                <br>
nrollSYS.php>About E-nrollSYS</a>        |<a href='ContactE-                                <td
nrollSYS.php>Contact</a>                |<a href='E-                                <form name='viewuserdetails' action='ManageUsers.php'
nrollSYSHelp.php>Help</a>                |<?>                                      <br><fieldset style='width: 680px; height: 35px;'
print "<br>"</tr>                                align='left'>
</table>                                <legend><font color='maroon' size=2><b>Status of
<table width='900' border='0' align='center' cellpadding='0' Users</b></font></legend>
cellspacing='0'>                                <table width='670' height='1'>
<tr>                                        <tr><td><font color='black' width='50'><b>VIEW BY:
<td width='181' align='left'                                 <b></font></td>
valign='top'>                                <td width='500'><font color='maroon'><b>|<a
border='0' cellspacing='0' cellpadding='0'>            href='ManageUsers.php?type=Student'><font
<tr align='left'                                color='maroon'><b>STUDENTS</b></font></a>
valign='top'>                                |<a href='ManageUsers.php?type=Guardian'><font
height='28' bgcolor='#990000'></td>            color='maroon'><b>GUARDIANS</b></font></a>
rowspan='2' background='images/t4-2.gif'>          |<a href='ManageUsers.php?type=Faculty'><font
width='21' border='0' cellspacing='0' cellpadding='0'> <b>'</font></a>
<tr align='right'><a href='ManageUserAccounts.php'><font
    <td align='right'><a href='ManageUserAccounts.php'><font
    color='black'><b>BACK</b></font></a></td>
    </tr></table></fieldset>
<tr><td height='23' align='left' valign='top'><img src='images/t4-1.gif' width='21' height='23'></td></tr>
<tr><td height='495' align='left' valign='bottom'><img src='images/t4-4.gif' width='21' height='22' alt=''></td></tr>
<tr align='left' valign='top'><img src='images/t4-5.gif' width='21' height='41' alt=''></td></tr>
</table></td>
</tr>
valign='top'>                                <tr align='left'
<td height='400'                                <td height='400'
 bgcolor='#990000' style='padding-left: 15px; padding-right: 10px; padding-top: 10px>
 href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><a href='AboutE-nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><a href='RegistrarsCorner.php'><font size=2><b>Registrar's Corner</b></font></a><br></td>
    for($count=0;$count < $ _POST['max_num'];$count++){
    //echo activate.$count;
    if($ _POST['activate'].$count!=''){
    $updatecmd="UPDATE user SET Status='1' where
    username='".$ _POST['activate'].$count."'";
    mysql_query($updatecmd,$link)
    or die ("UPDATE error: ".mysql_error());
    }//closes if
    else{
    $updatecmd="UPDATE user SET Status='0' where
    username='".$ _POST['hidden'].$count."'";
    mysql_query($updatecmd,$link)
    or die ("UPDATE error: ".mysql_error());
    }//closes else
    }//closes for
    print "<br><br><center><fieldset style='width: 340px; height: 80px;' align='left'>
    <img src='icons/UploadSuccess.png' align='left' width='80' height='80' alt=''><br><br>
    <center><font color='maroon' size='2'><b>UPDATING
    USER ACCOUNTS SUCCESSFUL.</b></font></center>
    </fieldset></center><br><br>";
    }//closes if $page_name = "ViewUserDetails.php";
    $usertype = $ _GET['type'];
    include('includefile.inc');
    $page_name = "ManageUsers.php";
    $start = $ _GET['start'];// To take care global variable if OFF
    if(strlen($start) > 0 and !is_numeric($start)){
    echo "Data Error";
    exit;
    }
    $eu = ($start - 0);
    $limit = 10; // No of records to be shown per page.
    $var = $eu + $limit;
    $back = $eu - $limit;
    </table></td>
print "</td>

```

```

$next = $eu + $limit;

// WE have to find out the number of records in our table. We will
use this to break the pages

if($usertype=='Student' || $usertype=='Guardian' || $usertype=='Faculty' || $usertype==
=Cashier || $usertype==Registration Clerk){
    $query = mysql_query("SELECT * FROM user WHERE
Type=$usertype");
    $num = mysql_num_rows($query);

    $viewuseraccounts = "SELECT Username,Type,Status FROM
user WHERE Type=$usertype' ORDER BY Username ASC LIMIT $eu, $limit";
    $details = mysql_query($viewuseraccounts, $link);
    $colcount = mysql_num_fields($details);
} //closes if

else{
    $query = mysql_query("SELECT * FROM user");
    $num = mysql_num_rows($query);

    $viewuseraccounts = "SELECT Username,Type,Status FROM
user ORDER BY Username ASC LIMIT $eu, $limit";
    $details = mysql_query($viewuseraccounts, $link);
    $colcount = mysql_num_fields($details);
} //closes else

        print "<table
width='600' align='center'>
        <tr><th><center><font color='black'>List of Available Users
of E-nrollSYS</center></th></tr>
        </table><br>
        <table width='600' align='center' cellpadding='5' border='1'>
        <tr>;
        for($column_num = 0; $column_num < $colcount+1;
$column_num++) {
        if($column_num==0){
        $field_name = mysql_field_name($details, $column_num);
        print "<th><font color='maroon'>$field_name</font></th>";
        print "<th><font color='maroon'>Name</font></th>";
        } //closes if
        else if ($column_num+1==4){
        print "<th><font color='maroon'>Update</font></th>";
        }
        else{
        $field_name = mysql_field_name($details, $column_num);
        print "<th><font color='maroon'>$field_name</font></th>";
        }
        } //closes for
        print "<tr>\n";
        $count_users=0;
        while($row = mysql_fetch_row($details) ) {
        print "<tr align='center' valign='top'>";
        for($column_num = 0, $column2 = 0; $column_num <
$colcount, $column2 < $colcount+2; $column_num++, $column2++) {
        if($column2==0){
        if($row[1]=='Student'){
        $studentsname = mysql_query("SELECT
SLname,SFname,SMname FROM student WHERE StudNum=$row[0]");
        $student = mysql_fetch_row($studentsname);
        $initial = substr($student[2],0,1);
        $name = "$student[0].". $student[1] $initial[2]";

        print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
        print "<td><font color='black'
size=2>$name</font></td>\n";
        $column2 = 1;
        }
        else if($row[1]=='Guardian'){
        $guardiansname = mysql_query("SELECT
GFname,GMname FROM guardian WHERE GuardianNum=$row[0]");
        $guardian = mysql_fetch_row($guardiansname);
        $name = "$guardian[0], $guardian[1]";

        print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
        print "<td><font color='black'
size=2>$name</font></td>\n";
        $column2 = 1;
        }
        else{
        $employeesname = mysql_query("SELECT
ELname,EFname,EMname FROM employee WHERE
EmployeeNum=$row[0]");
        $employee = mysql_fetch_row($employeesname);
        $initial = substr($employee[2],0,1);
        $name = "$employee[0].". $employee[1] $initial[2]";

```

```

        print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
        print "<td><font color='black'
size=2>$name</font></td>\n";
        $column2 = 1;
        } //closes if
        else if($column2==3){

        if($row[2]=='1'){
        print "<td><font color='black'
size=2>Enabled</font></td>\n";
        } //closes if
        else{
        print "<td><font color='maroon'
size=2>Disabled</font></td>\n";
        } //closes else
        } //closes else if
        else if ($column2+1==5){
        //echo activate.$count_users;
        if($row[2]=='1'){
        ?>
        <th><input type=checkbox name=activate<?echo
$count_users?> value=<?echo $row[0]?> checked</th>
        <input type=hidden name=hidden<?echo $count_users?>
value=<?echo $row[0]?>
        <?php
        } //closes if
        else{
        ?>
        <th><input type=checkbox name=activate<?echo
$count_users?> value=<?echo $row[0]?></th>
        <input type=hidden name=hidden<?echo $count_users?>
value=<?echo $row[0]?>
        <?php
        } //closes else
        } //closes else if
        else{
        print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
        } //closes else
        } //closes for
        print "<tr>\n";
        $count_users++;
        } //closes while
        print "</table>";

        //Let us display bottom links if sufficient records are there for
paging
        if($num > $limit ){
        //Start the bottom links with Prev and next link with page
numbers
        echo "<br><br><table align = 'center' width=50%><tr><td
align='left' width=30%>";
        //if our variable $back is equal to 0 or more then only we will
display the link to move back.
        if($back >=0) {
        print "<a href=$page_name?start=$back><font color='black'
face='Verdana' size=2>PREV</font></a>";
        }
        //Let us display the page links at center. We will not display the
current page as a link.
        echo "<td align=center width=30%>";
        $i=0;
        $l=1;
        for($i = 0; $i < $num; $i = $i+$limit){
        if($i < $eu){
        echo "<a href=$page_name?start=$i><font color='black'
face='Verdana' size=2>$i</font></a> ";
        }
        else {
        echo "<font face='Verdana' size=4' color=red>$i</font>";
        } //Current page is not displayed as link and given font color
red
        $l = $l+1;
        } //closes if

        echo "<td align='right' width=30%>";
        // If we are not in the last page then Next link will be displayed.
        if($var < $num) {
        print "<a href=$page_name?start=$next><font color='black'
face='Verdana' size=2>NEXT</font></a>";
        echo "</td></tr></table>";
        } // end of if checking sufficient records are there to display
bottom navigational link.
        mysql_close(); ?><br><br>

        <input type='hidden'
name='max_num' value=<?echo $count_users?>>

```



```

    }
  }
  else if($Scolumn_num+1)==7){
    if($Srow[5]==G){
      ?>
      <th><input type=checkbox name=activate<?echo
      $count_users?>' value='<?echo $row[3]?>' checked></th>
      <input type=hidden name=hidden<?echo
      $count_users?>' value='<?echo $row[3]?>'>
      <?
      //closes if
      else{
        ?>
        <th><input type=checkbox name=activate<?echo
        $count_users?>' value='<?echo $row[3]?>'></th>
        <input type=hidden name=hidden<?echo
        $count_users?>' value='<?echo $row[3]?>'>
        <?
        //closes else
        }
        else{
          print "ctd nowrap><font color=black'
          size=2>$row[$Scolumn_num]</font></td></td>\n";
        }
        //closes else
        //closes for
        print "</tr>\n";
        $count_users++;
      }
    }
  }
  //closes while
  print "</table>";

  //Let us display bottom links if sufficient records are there for
  paging
  if($num > $limit){
    //Start the bottom links with Prev and next link with page
    numbers
    //echo "dkjksjdjfd";
    echo "<br><br><table align = 'center'
    width=50%><tr><td align=left width=30%>";
    //if our variable $back is equal to 0 or more then only we
    will display the link to move back.
    if($back >=0) {
      print "<a
      href='$page_name?start=$back&next=1&yearlevel=$getyearlevel'><font
      color=black' face=Verdana' size=2>PREV</font></a>";
    }
    //Let us display the page links at center. We will not
    display the current page as a link.
    echo "</td><td align=center width=30%>";
    $i=0;
    $l=1;
    for($i = 0; $i < $num; $i = $i+$limit){
      if($i <> $eu){
        echo "<a
        href='$page_name?start=$i&next=1&yearlevel=$getyearlevel'><font
        color=black' face=Verdana' size=2>$i</font></a> ";
      }
      else {
        echo "<font face=Verdana' size=4'
        color=red>$l</font>";
      }
    }
    //Current page is not displayed as link and given
    font color red
    $l = $l+1;
    //closes for
    echo "</td><td align=right' width=30%>";
    // If we are not in the last page then Next link will be
    displayed.
    if($var < $num) {
      print "<a
      href='$page_name?start=$next&next=1&yearlevel=$getyearlevel'><font
      color=black' face=Verdana' size=2>NEXT</font></a>";
    }
    echo "</td></tr></table>";
  }
  // end of if checking sufficient records are there to display
  bottom navigational link.
  mysql_close();?>

  <input type='hidden' name='max_num' value='<?echo
  $count_users?>'><br><br>
  <center><input type='submit' name='graduatingstud'
  value='Update Status of Students' /></center><?
  //closes if
  else{
    print "<br><br><center><fieldset style=width: 400px;
    height:70px; padding-left: 20px; padding-right: 20px; align=left'
    <table size=390><tr><td><img src=icons/Warning.png'
    align='left' width=65' height=65' alt='></td>
    <td><center><font color='maroon' size=2><b>NO
    RECORDS OF STUDENTS GRADUATING IN THIS
    BATCH.</b></font></center></td>
    </tr></table></fieldset></center><br>";
  }
}
//closes else

```

```

    //closes if
  }
  //closes else if
  ?>
  <? print "<br><br>
  </div>
  </form>
  </td>
  </tr>
  </table>
  <table width=719' height=41'
  border=0' cellpadding=0' cellspacing=0'>
  <tr>
  <td align=center bgcolor=#333333> E-nrollSYS created by
  Kathleen M. Mendoza <br> All rights reserved. Best viewed using Google
  Chrome.</td>
  </tr>
  </table>
  </td>
  </tr>
  </table>
  </body>
  </html>
  ";
  ?>

```

MarkPreReg.php

```

<?php
session_start(); //start up PHP Session
$facultyno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$facultyno'";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);

if(($row[0]!='Faculty')&&($row[1]!='0')){
  header("Location: UserLogin.php");
}

$yearlevel = $_POST['yearlevel'];
$section = $_POST['section'];
$yearlevels = array("JC" => "Junior Casa",
  "JACI" => "Junior Advanced Casa I",
  "JACII" => "Junior Advanced Casa
  II",
  "AC" => "Advanced Casa",
  "GI" => "Grade One",
  "GII" => "Grade Two",
  "GIII" => "Grade Three",
  "GIV" => "Grade Four",
  "GV" => "Grade Five",
  "GVI" => "Grade Six",
  "HI" => "First Year",
  "HII" => "Second Year",
  "HIII" => "Third Year");

$aliases = array("SLname" => "Name",
  "SFname" => "Name",
  "SMname" => "Name",
  "StudNum" => "Student Number",
  "GFname" => "Parents/Guardians",
  "GMname" => "Parents/Guardians",
  "PreRegFlag" => "Pre-Reg. Status");
$year = date(Y);
$month = date(n);

if($month<6){
  $syear1 = $year-1;
  $syear2 = $year;
}
else{
  $syear1 = $year;
  $syear2 = $year+1;
}
$year = "$syear1"."-".$syear2";
print "

```

```

<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<script type='text/javascript'>
// Initialize AJAX request
function initAjaxCall() {
// code for IE7+, Firefox, Chrome, Opera, Safari
if (window.XMLHttpRequest) {
xmlhttp = new XMLHttpRequest();
} else { // code for IE6, IE5
xmlhttp = new ActiveXObject("Microsoft.XMLHTTP");
}
}

// Load section combobox
// 1st parameter: year
// 2nd parameter: true if onload, false if onchage of year
combobox
function loadSection(yearlevel, isOnLoad) {
// If no yearlevel is selected, do not continue
if (yearlevel == "") {
return;
}
initAjaxCall();

// Set function callback
xmlhttp.onreadystatechange = function() {
if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
document.getElementById('sectionCB').innerHTML =
xmlhttp.responseText;
if (isOnLoad) {
document.getElementById('sectionCB').value =
'$section';
}
}

// Set php and send request
xmlhttp.open('GET','AjaxSectionCombobox.php?yearlevel='+yearlevel,true);
xmlhttp.send();

// Initialize values onload of page
function initValues() {
if ('$yearlevel' != "") {
document.getElementById('yearlevelCB').value = '$yearlevel';
loadSection('$yearlevel', true);
}
}
</script>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0' onload='initValues()'>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align=center' colspan=2' height=100' alt='></td>
<td align=center' colspan=2' height=100' alt='></td>
<td align=center' colspan=2' height=100' alt='></td>
</tr>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align=center' colspan=2' height=23' alt='></td>
<td align=center' colspan=2' height=23' alt='></td>
<td align=center' colspan=2' height=23' alt='></td>
<td align=center' colspan=2' height=23' alt='></td>
</tr>
<table border=0' align=center' cellpadding=0'>
|  |  |
| --- | --- |
|  | |

```

```

| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a> |</td>
<tr>
<td align='center' colspan=2'>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='left' width=181'>
<table width=181'
border=0' cellspacing=0' cellpadding=0'>
<tr align='left'
valign='top'>
<td align='left' width=160'
height=28' bgcolor=#990000'></td>
<td align='left' width=21'
rowspan=2' background='images/t4-2.gif'>
</table>
<tr align='left'
valign='top'>
<td align='left' width=21'
height=23'><img src='images/t4-1.gif' width=21' height=23'></td>
<td align='left' width=21'
height=22' alt='></td>
<td align='left' width=21'
height=41' alt='></td>
</tr>
</table>
<tr align='left'
valign='top'>
<td align='left' width=400'
bgcolor=#990000' style=padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a href='E-nrollsYSHome.php'><font
size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollsYS.php'><font size=2><b>About E-
nrollsYS</b></font></a><br><br>
<a href='FacultysCorner.php'><font size=2><b>Faculty's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
<td align='left' width=598'>
<table bgcolor=#FFFFFF'
width=598' border=0' cellspacing=0' cellpadding=0'>
<tr>
<td align='left' width=700'>
if($facultyno!=""){
print "<br><table
width=700'<tr><td align='left'<font color='black'><b>Logged in as
</b></font>."<font color='maroon'><b>". $facultyno.</b></font></td>
align='right'<font color='black'><b>Today is ".<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
}
}
}
else{
print "<br><table
width=700'<tr><td align='left'</td>
align='right'<font color='black'><b>Today is ".<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
}
}
print "</td>
</tr>
<td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br>Camella Homes IV, Poblacion<br>City of
Muntinlupa</b></font></td>
</tr>
<td align='center' width=598' height=400' valign='top'>

```



```

"SFname" => "Name",
"SMname" => "Name",
"StudNum" => "Student Number",
"LevelID" => "Level",
"SecID" => "Section",
"Status" => "Status",
"Rank" => "Rank",
"GWA" => "GWA");
$yearlevels = array("JC" => "JC",
"JAC I" => "JAC I",
"JAC II" => "JAC II",
"Advanced Casa" => "AC",
"Grade One" => "GI",
"Grade Two" => "GII",
"Grade Three" => "GIII",
"Grade Four" => "GIV",
"Grade Five" => "GV",
"Grade Six" => "GVI",
"First Year" => "HI",
"Second Year" => "HII",
"Third Year" => "HIII",
"Fourth Year" => "HIV");
$saliallevels = array("JC" => "Junior Casa",
"JAC I" => "Junior Advanced Casa I",
"JAC II" => "Junior Advanced Casa II",
"AC" => "Advanced Casa",
"GI" => "Grade One",
"GII" => "Grade Two",
"GIII" => "Grade Three",
"GIV" => "Grade Four",
"GV" => "Grade Five",
"GVI" => "Grade Six",
"HI" => "First Year High School",
"HII" => "Second Year High School",
"HIII" => "Third Year High School",
"HIV" => "Fourth Year High School");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrarno'";
$getdetails = mysql_query($query1, $link);
$getdetails = mysql_fetch_row($getdetails);

if(($details[0]!="Registration Clerk")&&($details[1]!="0")){
header('Location: UserLogin.php');
}
print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<font color='red'>$guardianno</font>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td align='center' colspan='2'>
<img alt='></td>
height='100' alt='></td>
<td align='center' colspan='2'>
<img alt='></td>
height='100' alt='></td>
<td align='center' colspan='2'>
<img alt='></td>
height='100' alt='></td>
</tr>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td align='center' colspan='2'>
<img alt='></td>
height='23' alt='></td>
<td align='center' colspan='2'>
<img alt='></td>
height='23' alt='></td>
<td align='center' colspan='2'>
<td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'; ?>
<?if($registrarno!="") ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a href='UserLogin.php?logout=1'>Log-out</a> |</td>
<?>
else { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>

```

```

| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td align='left'
width='181'>
<table width='181'
border='0' cellspacing='0' cellpadding='0'>
<tr align='left'
valign='top'>
<td align='left'
width='160'
height='28' bgcolor='#990000'>
<td align='left'
width='21'
rowspan='2' background='images/t4-2.gif'>
<table
width='21' border='0' cellspacing='0' cellpadding='0'>
<tr>
<td align='left' valign='top'><img src='images/t4-
1.gif' width='21' height='23'></td></tr>
<tr>
<td align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22' alt='></td></tr>
<tr>
<td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt='></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'>
<td align='left'
width='400'
height='400'
bgcolor='#990000' style='padding-left: 15px; padding-right: 10px; padding-top:
10px'>
<a href='E-nrollSYSHome.php'>Home</a><br>
<a href='AboutE-nrollSYS.php'>About E-
nrollSYS</a><br>
<a href='RegistrarsCorner.php'>Registrar's
Corner</a></td>
</tr>
</table>
<td align='left'
width='598'>
<table align='left' valign='top'>
<table align='left' valign='top'>
<table align='left' valign='top'>
width='719' border='0' cellspacing='0' cellpadding='0'>
<tr>
<td>";
if($registrarno!=""){
print "<br><table
width='700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>,".<font color='maroon'><b>". $registrarno.</b></font></td>
<td align='right'><font color='black'><b>Today is ".<font color='maroon'><b>". date("l, F j,
Y")."</b></font></td></tr></table>";
} //closes if
else{
print "<br><table
width='700'><tr><td align='left'>
<td align='right'><font color='black'><b>Today is ".<font color='maroon'><b>". date("l, F j,
Y")."</b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
<td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
<tr>
<td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
width='600' height='400' valign='top'>
<form name='viewstudentrecord' action='PrintRegForm.php'
method='post'>

```

```

align='left'>
    <br><fieldset style='width: 680px; height: 45px;'
    <legend><font color='maroon' size='2'><b>Print Registration
Form</b></font></legend>
    <table width='670' height='1'>
    <tr><td width='210'><font color='black'><b>Search: <select
name='filter'><option>- Select Category </option>

        <option value='StudNum'>Student
Number</option> <option value='SLname'>Lastname</option>
        <option value='LevelID'>Year/Grade Level</option> <option
value='SecID'>Section</option>
        </select></b></font></td>
        <td width='190'><input type='text' name='searchitem' size='20'
align='left' value='/'></td>
        <td width='150'><input type='submit' name='query' value='Proceed'
/></td>
        <td align='right'><a href='RegistrarsCorner.php'><font
color='black'><b>BACK </b></font></a></td>
    </tr></table></fieldset>

    <div style='width: 719px; height: 360px; overflow:
scroll;'>?; ?>
    <? if (isset($_POST['query'])&& $_GET['logout']!=1){
if($_POST['filter']=='StudNum')&&($_POST['searchitem']!=NULL){
    include("includefile.inc");

    $studentid = mysql_real_escape_string($_POST['searchitem']);
    $query1 = "SELECT
SLname,SFname,SMname,StudNum,LevelID,SecID,Status FROM student
WHERE StudNum='$studentid'";
    $queryResult1 = mysql_query($query1, $link);
    $colcount = mysql_num_fields($queryResult1);
    $rowcount = mysql_numrows($queryResult1);

    if($rowcount!=0){
        print "<br><br><center><table border='1' width='700'><tr>";
        for($column_num = 0; $column_num < $colcount;
$column_num++) {
            $field_name = mysql_field_name($queryResult1,
$column_num);

            if($column_num==0){
                print "<th><font
color='black'>$alias[$field_name]</font></th>";
                $column_num = 2;
            }
            else if($column_num==4){
                print "<th><font
color='black'>$alias[$field_name]</font></th>";
                $column_num = 5;
                $field_name = mysql_field_name($queryResult1,
$column_num);
                print "<th><font
color='black'>$alias[$field_name]</font></th>";
            }
            else{
                print "<th><font
color='black'>$alias[$field_name]</font></th>";
            }
        }
        //closes for
        print "</tr>\n";

        $count_students=0;
        while($row = mysql_fetch_row($queryResult1)) {
            print "<tr align='center' valign='top'>";
            for($column_num = 0; $column_num < $colcount;
$column_num++) {
                if($column_num==0){
                    $name = "$row[0]."." $row[1] $row[2]";
                    print "<td nowrap><a
href='FilesToExcel.php?studno=$studentid'><font color='black'
size='2'>$name</font></a></td>\n";
                    $column_num = 2;
                }
                //closes if
                else if($column_num==4){
                    $aliasyear = $aliaslevels[$row[4]];
                    $section = mysql_query("SELECT SecName FROM
section WHERE SecID='$row[5]'");
                    $secname = mysql_fetch_row($section);
                    print "<td><font color='black'
size='2'>$aliasyear</font></td>";
                    print "<td><font color='black'
size='2'>$secname[0]</font></td>";
                    $column_num = 5;
                }
                //closes else if
                else if($column_num==6){
                    $key = $row[6];
                    print "<td nowrap><font color='black'
size='2'>$aliasstatus[$key]</font></td>\n";
                }
                //closes else if
                else{
                    print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                }
                //closes for
                print "</tr>\n";
                $count_students++;
            }
            //closes while
            print "<br><br>";
        }
        //closes if
        else
            if(($POST['filter']=='SLname')&&($_POST['searchitem']!=NULL)){
                include("includefile.inc");

                $slastname = mysql_real_escape_string($_POST['searchitem']);
                $query1 = "SELECT
SFname,SMname,StudNum,LevelID,SecID,Status FROM student WHERE
SLname='$slastname'";
                $queryResult1 = mysql_query($query1, $link);
                $colcount = mysql_num_fields($queryResult1);
                $rowcount = mysql_numrows($queryResult1);

                if($rowcount!=0){
                    print "<br><br><center><table border='1' width='700'><tr>";
                    for($column_num = 0; $column_num < $colcount;
$column_num++) {
                        $field_name = mysql_field_name($queryResult1,
$column_num);

                        if($column_num==0){
                            print "<th><font
color='black'>$alias[$field_name]</font></th>";
                            $column_num = 1;
                        }
                        else if($column_num==3){
                            print "<th><font
color='black'>$alias[$field_name]</font></th>";
                            $column_num = 4;
                            $field_name = mysql_field_name($queryResult1,
$column_num);
                            print "<th><font
color='black'>$alias[$field_name]</font></th>";
                        }
                        else{
                            print "<th><font
color='black'>$alias[$field_name]</font></th>";
                        }
                    }
                    //closes for
                    print "</tr>\n";

                    $count_students=0;
                    while($row = mysql_fetch_row($queryResult1)) {
                        print "<tr align='center' valign='top'>";
                        for($column_num = 0; $column_num < $colcount;
$column_num++) {
                            if($column_num==0){
                                $initial = substr($row[1],0,1);
                                $name = "$row[0] $initial. $lastname";
                                print "<td nowrap><a
href='FilesToExcel.php?studno=$row[2]'><font color='black'
size='2'>$name</font></a></td>\n";
                                $column_num = 1;
                            }
                            //closes if
                            else if($column_num==3){
                                $aliasyear = $aliaslevels[$row[3]];
                                $section = mysql_query("SELECT SecName FROM
section WHERE SecID='$row[4]'");
                                $secname = mysql_fetch_row($section);
                                print "<td><font color='black'
size='2'>$aliasyear</font></td>";
                                print "<td><font color='black'
size='2'>$secname[0]</font></td>";
                                $column_num = 4;
                            }
                            else if($column_num==5){
                                $key = $row[5];
                                print "<td nowrap><font color='black'
size='2'>$aliasstatus[$key]</font></td>\n";
                            }
                            else{
                                print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                            }
                            //closes else
                            //closes for
                            print "</tr>\n";
                            $count_students++;
                        }
                        //closes while
                        print "<br><br>";
                    }
                    //closes if
                    //closes else if
                }
            }
        }
    }
}

```

```

else
if($_POST['filter']=='LevelID')&&($_POST['searchitem']!=NULL){
    include("includefile.inc");

    $level = mysql_real_escape_string($_POST['searchitem']);
    $levelid = $yearlevels[$level];
    $query2 = "SELECT
SLname,SFname,SMname,StudNum,SecID,Status FROM student WHERE
LevelID=$levelid";
    $queryResult2 = mysql_query($query2, $link);
    $colcount = mysql_num_fields($queryResult2);
    $rowcount = mysql_numrows($queryResult2);

    if($rowcount!=0){
        print "<br><br><center><table border='1' width='700'><tr>";
        for($column_num = 0; $column_num < $colcount;
$column_num++) {
            $field_name = mysql_field_name($queryResult2,
$column_num);

            if($column_num==0){
                print "<th><font
color='black'>Salias[$field_name]</font></th>";
                $column_num = 2;
            }
            else if($column_num==4){
                print "<th><font color='black'>Level</font></th>";
                $field_name = mysql_field_name($queryResult2,
$column_num);
                print "<th><font
color='black'>Salias[$field_name]</font></th>";
            }
            else{
                print "<th><font
color='black'>Salias[$field_name]</font></th>";
            }
            //closes for
            print "</tr>\n";

            $count_students=0;
            while($row = mysql_fetch_row($queryResult2)) {
                print "<tr align='center' valign='top'>";
                for($column_num = 0; $column_num < $colcount;
$column_num++) {
                    if($column_num==0){
                        $initial = substr($row[2],0,1);
                        $name = "Srow[1] $initial. Srow[0]";
                        print "<td nowrap><a
href='FilesToExcel.php?studno=$row[3]'><font color='black'
size='2'>$name</font></a></td>\n";
                        $column_num = 2;
                    }
                    //closes if
                    else if($column_num==4){
                        print "<td><font color='black'
size='2'>Saliaslevels[$levelid]</font></td>";
                        $section = mysql_query("SELECT SecName FROM
section WHERE SecID=$row[4]");
                        $secname = mysql_fetch_row($section);
                        print "<td><font color='black'
size='2'>$secname[0]</font></td>";
                    }
                    else if($column_num==5){
                        $key = $row[5];
                        print "<td nowrap><font color='black'
size='2'>Saliasstatus[$key]</font></td>\n";
                    }
                    else{
                        print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                    }
                    //closes else
                }
                //closes for
                print "</tr>\n";
                $count_students++;
            }
            //closes while
            print "<table><br><br>";
            //closes if
        }
        //closes else if
    }
    else
if($_POST['filter']=='SecID')&&($_POST['searchitem']!=NULL){
    include("includefile.inc");

    $section = mysql_real_escape_string($_POST['searchitem']);
    $query1 = "SELECT SecID FROM section WHERE
SecName=$section";
    $queryResult1 = mysql_query($query1, $link);
    $sectionid = mysql_fetch_row($queryResult1);
    $query2 = "SELECT
SLname,SFname,SMname,StudNum,LevelID,Status FROM student WHERE
SecID=$sectionid[0]";
    $queryResult2 = mysql_query($query2, $link);

    $colcount = mysql_num_fields($queryResult2);
    $rowcount = mysql_numrows($queryResult2);

    if($rowcount!=0){
        print "<br><br><center><table border='1' width='700'><tr>";
        for($column_num = 0; $column_num < $colcount;
$column_num++) {
            $field_name = mysql_field_name($queryResult2,
$column_num);

            if($column_num==0){
                print "<th><font
color='black'>Salias[$field_name]</font></th>";
                $column_num = 2;
            }
            else if($column_num==4){
                print "<th><font color='black'>Section</font></th>";
            }
            else{
                print "<th><font
color='black'>Salias[$field_name]</font></th>";
            }
            //closes for
            print "</tr>\n";

            $count_students=0;
            while($row = mysql_fetch_row($queryResult2)) {
                print "<tr align='center' valign='top'>";
                for($column_num = 0; $column_num < $colcount;
$column_num++) {
                    if($column_num==0){
                        $initial = substr($row[2],0,1);
                        $name = "Srow[1] $initial. Srow[0]";
                        print "<td nowrap><a
href='FilesToExcel.php?studno=$row[3]'><font color='black'
size='2'>$name</font></a></td>\n";
                        $column_num = 2;
                    }
                    //closes if
                    else if($column_num==4){
                        $aliasyear = $aliaslevels[$row[4]];
                        print "<td><font color='black'
size='2'>Saliasyear</font></td>";
                    }
                    else if($column_num==5){
                        $key = $row[5];
                        print "<td nowrap><font color='black'
size='2'>Saliasstatus[$key]</font></td>\n";
                    }
                    else{
                        print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                    }
                    //closes else
                }
                //closes for
                print "</tr>\n";
                $count_students++;
            }
            //closes while
            print "<table><br><br>";
            //closes if
        }
        //closes else if
    }
    else{
        echo "ERROR!";
    }
    //closes else
}
print "</div>
</form>
</tr>
</table>
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center' bgcolor='#333333'> E-nrollSYS created by
Kathleen M. Mendoza <br> All rights reserved. Best viewed using Google
Chrome.</td>
</tr>
</table>
</tr>
</table>
</td>
</body>
</html>
";
?>

```


RecordPayment.php

```
<?php
session_start(); //start up PHP Session
$cashierno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$cashierno'";
$getdetails = mysql_query($query1, $link);
$rowdetails = mysql_fetch_row($getdetails);

if(($rowdetails[0] != 'Cashier') && ($rowdetails[1] != '0')){
    header('Location: UserLogin.php');
}

$aliaslevel = array("JC" => "PSJC",
    "JACI" => "PSJACI",
    "JACII" => "PSJACII",
    "AC" => "PSAC",
    "GI" => "GSI",
    "GII" => "GSII",
    "GIII" => "GSIII",
    "GIV" => "GSIV",
    "GV" => "GSV",
    "GVI" => "GSVI",
    "HI" => "HSI",
    "HII" => "HSII",
    "HIII" => "HSIII",
    "HIV" => "HSIV");
$aliaspaymode = array("A" => "Annual",
    "S" => "Semestral",
    "Q" => "Quarterly",
    "M" => "Monthly");
$alias scholar = array("N" => "N/A",
    "SA1" => "Scholar A1",
    "SA2" => "Scholar A2",
    "SA3" => "Scholar A3",
    "SB" => "Scholar B",
    "BM" => "Band Member");

$day = date(d);
$year = date(Y);
$month = date(n);

if($month < 6){
    $year1 = $year - 1;
    $year2 = $year;
}
else{
    $year1 = $year;
    $year2 = $year + 1;
}
$year = "$year1", ".", "$year2";

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC leftmargin=0 topmargin=0 marginwidth=0
marginheight=0>
<font color=red>$guardianno</font>
<table width=900 border=0 align=center cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t1-1.jpg' width=160'
height=100 alt='></td>
<td><img src='images/t1-2.gif' width=380'
height=100 alt='></td>
<td><img src='images/t1-3.jpg' width=360'
height=100 alt='></td>
</tr>
</table>
<table width=900 border=0 align=center cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t2-1.gif' width=160'
height=23 alt='></td>
<td><img src='images/t2-2.gif' width=40'
height=23 alt='></td>
<td width=700 height=23 align=center'
bgcolor=#333333 class=topMenu>; ?>
<?if($cashierno!="")?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
</table>
<table width=900 border=0 align=center cellpadding=0'
cellspacing=0'>
<tr>
<td width=181 align=left'
valign=top'>
<table width=181'
border=0 cellspacing=0 cellpadding=0'>
<tr align=left'
valign=top'>
<td width=160'
height=28 bgcolor=#990000></td>
<td width=21'
rowspan=2 background='images/t4-2.gif'>
<table
width=21 border=0 cellspacing=0 cellpadding=0'>
<tr><td height=23 align=left valign=top><img src='images/t4-
1.gif' width=21 height=23></td></tr>
<tr><td height=495 align=left valign=bottom><img
src='images/t4-4.gif' width=21 height=22 alt='></td></tr>
<tr><td align=left valign=top><img src='images/t4-5.gif'
width=21 height=41 alt='></td></tr>
</table></td>
</tr>
<tr align=left'
valign=top'>
<td height=400'
bgcolor=#990000 style=padding-left: 15px; padding-right:10px; padding-top:
10px>
<a
href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>
<a href='CashiersCorner.php'><font size=2><b>Cashier's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
</td>
<td width=598 align=left valign=top'>
<table bgcolor=#FFFFFF'
width=719 border=0 cellspacing=0 cellpadding=0'>
<tr>
<td>;
if($cashierno!=""){
print "<br><table
width=700'><tr><td align=left'><font color='black'><b>Logged in as
</b></font>","<font color='maroon'><b>". $cashierno. </b></font></td>
align=right'><font color='black'><b>Today is ". <font
color='maroon'><b>.date("l, F j,
Y"). </b></font></td></tr></table>";
} //closes if
else{
print "<br><table
width=700'><tr><td align=left'><td
align=right'><font color='black'><b>Today is ". <font
color='maroon'><b>.date("l, F j,
Y"). </b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
<tr>
<td align=center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
```

```
| <a href='UserLogin.php'>Log-
out</a> </td>
<?>
else{ ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> </td>
<?>
print "</tr>
</table>
<table width=900 border=0 align=center cellpadding=0'
cellspacing=0'>
<tr>
<td width=181 align=left'
valign=top'>
<table width=181'
border=0 cellspacing=0 cellpadding=0'>
<tr align=left'
valign=top'>
<td width=160'
height=28 bgcolor=#990000></td>
<td width=21'
rowspan=2 background='images/t4-2.gif'>
<table
width=21 border=0 cellspacing=0 cellpadding=0'>
<tr><td height=23 align=left valign=top><img src='images/t4-
1.gif' width=21 height=23></td></tr>
<tr><td height=495 align=left valign=bottom><img
src='images/t4-4.gif' width=21 height=22 alt='></td></tr>
<tr><td align=left valign=top><img src='images/t4-5.gif'
width=21 height=41 alt='></td></tr>
</table></td>
</tr>
<tr align=left'
valign=top'>
<td height=400'
bgcolor=#990000 style=padding-left: 15px; padding-right:10px; padding-top:
10px>
<a
href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>
<a href='CashiersCorner.php'><font size=2><b>Cashier's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
</td>
<td width=598 align=left valign=top'>
<table bgcolor=#FFFFFF'
width=719 border=0 cellspacing=0 cellpadding=0'>
<tr>
<td>;
if($cashierno!=""){
print "<br><table
width=700'><tr><td align=left'><font color='black'><b>Logged in as
</b></font>","<font color='maroon'><b>". $cashierno. </b></font></td>
align=right'><font color='black'><b>Today is ". <font
color='maroon'><b>.date("l, F j,
Y"). </b></font></td></tr></table>";
} //closes if
else{
print "<br><table
width=700'><tr><td align=left'><td
align=right'><font color='black'><b>Today is ". <font
color='maroon'><b>.date("l, F j,
Y"). </b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
<tr>
<td align=center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
```

```

SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
<tr>
<td
width='600' height='440' valign='top'>
<form name='recordpayment' action='RecordPayment.php'
method='post'>
<div style='width: 719px; height: 430px; overflow:
scroll;'>"; ?>
<?php
if($_GET['studno']!="")&& ($_GET['logout']!=1){
include("includefile.inc");

$studentno = $_GET['studno'];

$query1 = mysql_query("SELECT
SLname,SFname,SMname,LevelID,ScholarType,PaymentMode,Rank,SiblingPos
FROM student WHERE StudNum='$studentno'");
$countoccur = mysql_numrows($query1);
$studentdetail = mysql_fetch_row($query1);

if($countoccur==1){
$getlevel = $aliaslevel[$studentdetail[3]];
$paymode = $aliaspaymode[$studentdetail[5]];
$scholarlytype = $alias scholar[$studentdetail[4]];
$initial = substr($studentdetail[2],0,1);
$name = "$studentdetail[0].". "$studentdetail[1] $initial.";
$message = "";

$query2 = mysql_query("SELECT Amount FROM tuition
WHERE TuitionID='$getlevel'");
$tuitionamt = mysql_fetch_row($query2);

$query3 = mysql_query("SELECT EnrollID FROM
enrollment WHERE StudentID='$studentno'");
//scholar A
if($studentdetail[4]=='SA'){
if($studentdetail[6]==1){
$fulltuitionamt=1000;
}
if($studentdetail[6]==2){
$fulltuitionamt=2000;
}
else{
$fulltuitionamt=2500;
}
}
//Band Member
else if($studentdetail[4]=='BM'){
$fulltuitionamt=2000;
}
}
//Scholar B
else if($studentdetail[4]=='SB'){
if($studentdetail[6]==1){
$getDiscountFact = mysql_query("SELECT
discount_factor FROM discount WHERE discount_type='B1'");
}
else if($studentdetail[6]==2){
$getDiscountFact = mysql_query("SELECT
discount_factor FROM discount WHERE discount_type='B2'");
}
else{
$getDiscountFact = mysql_query("SELECT
discount_factor FROM discount WHERE discount_type='B3'");
}
$discountfact = mysql_fetch_row($getDiscountFact);
$fulltuitionamt=$tuitionamt[0]-
($tuitionamt[0]*$discountfact[0]);
}
//Sibling Discount and Employee Discount
else{
//employee
$EyearsQuery=mysql_query("SELECT eyears FROM
employee WHERE Beneficiary like '%$studentno%'");
$confirmBenef = mysql_num_rows($EyearsQuery);
if($confirmBenef!=0){
$Eyears=mysql_fetch_row($EyearsQuery);
if($Eyears[0]==1){
$getDiscountFact = mysql_query("SELECT
discount_factor FROM discount WHERE discount_type='E1'");
}
else if($Eyears[0]<3){
$getDiscountFact = mysql_query("SELECT
discount_factor FROM discount WHERE discount_type='E2'");
}
else if($Eyears[0]<5){
$getDiscountFact = mysql_query("SELECT
discount_factor FROM discount WHERE discount_type='E3'");
}
}
else if($Eyears[0]<7){

```

```

$getDiscountFact = mysql_query("SELECT
discount_factor FROM discount WHERE discount_type='E4'");
}
else if($Eyears[0]<10){
$getDiscountFact = mysql_query("SELECT
discount_factor FROM discount WHERE discount_type='E5'");
}
else{
$getDiscountFact = mysql_query("SELECT
discount_factor FROM discount WHERE discount_type='E6'");
}
$discountfact = mysql_fetch_row($getDiscountFact);
$fulltuitionamt=$tuitionamt[0]-
($tuitionamt[0]*$discountfact[0]);
//echo $fulltuitionamt."employee";
}
//sibling
else{
if($studentdetail[7]==3){
$getDiscountFact = mysql_query("SELECT
discount_factor FROM discount WHERE discount_type='S1'");
$discountfact = mysql_fetch_row($getDiscountFact);
}
else if($studentdetail[7]==4){
$getDiscountFact = mysql_query("SELECT
discount_factor FROM discount WHERE discount_type='S2'");
$discountfact = mysql_fetch_row($getDiscountFact);
}
else{
$discountfact[0]=0;
}
$fulltuitionamt=$tuitionamt[0]-
($tuitionamt[0]*$discountfact[0]);
//echo $fulltuitionamt;
}
}

$numpayment=0;
if($studentdetail[5]=='S'){
$numpayment=2;
$getPaymentFact = mysql_query("SELECT payment_factor
FROM payment_scheme WHERE payment_scheme='S'");
$paymentFactor=mysql_fetch_row($getPaymentFact);

$fulltuitionamt2=$fulltuitionamt+($fulltuitionamt*$paymentFactor[0]);
$fulltuitionamt3=($fulltuitionamt2)/2;
$fulltuitionamt5=($fulltuitionamt3);
//echo "Your Semi-Annual Fee is: $fulltuitionamt3<br>";
$month1=($month-6)+1;
if($month1 <= 0){
if($month1 >= -1){
$month1=1;
}
}
else{
$month1=$month1+12;
if($month1>9){
$month1=9;
}
}
}
if($month1<5){
$payperiod=1;
}
else{
$payperiod=2;
}
}
//closes if

else if($studentdetail[5]=='Q'){
$numpayment=4;
$getPaymentFact = mysql_query("SELECT payment_factor
FROM payment_scheme WHERE payment_scheme='Q'");
$paymentFactor=mysql_fetch_row($getPaymentFact);

$fulltuitionamt2=$fulltuitionamt+($fulltuitionamt*$paymentFactor[0]);
$fulltuitionamt3=($fulltuitionamt2)/2;
$fulltuitionamt5=($fulltuitionamt3)/3;
//echo "Your Quarterly Fee is: $fulltuitionamt5<br>";

$month1=($month-6)+1;
if($month1 <= 0){
if($month1 >= -1){
$month1=1;
}
}
else{
$month1=$month1+12;
if($month1>9){
$month1=9;
}
}
}
}
}

```



```

    }
}
} //closes if
else{
    print "<br><br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px; align='left'>
    <table size='390'><tr><td><img src='icons/Warning.png'
align='left' width='65' height='65' alt='></td>
    <td><font color='maroon' size='2'><b><center>ERROR:
No record of student found in the database.</b></font></td>
    </tr></table></fieldset></center>";
} //closes else
} //closes if
/*else{
    print "<br><br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px; align='left'>
    <table size='390'><tr><td><img src='icons/Warning.png'
align='left' width='65' height='65' alt='></td>
    <td><font color='maroon' size='2'><b><center>ERROR:
Please provide a student number to continue.</b></font></td>
    </tr></table></fieldset></center>";
} //closes else
*/

if(isset($_POST['recordpay']) && $_GET['logout']!=1){
    if($_POST['amount']!="&&$_POST['ornum']!="){
        include("includefile.inc");
        $tobepayed=$_POST['tobepayed'];
        $datenow = date("Y-m-d : H:i:s",time());
        //echo $datenow;
        $payamount = mysql_real_escape_string($_POST['amount']);
        //echo $payamount;
        $deciamount = number_format($payamount, 2);
        $payform = $_POST['paymentform'];
        $ornumber = mysql_real_escape_string($_POST['ornum']);
        $student = $_POST['studno'];

        $query1 = mysql_query("SELECT
SLname,SFname,SMname,LevelID,PaymentMode,ScholarType FROM student
WHERE StudNum= '$student'");
        $detail = mysql_fetch_row($query1);
        $initial = substr($detail[2],0,1);
        $name = "$detail[1] $initial. $detail[0]";
        $getlevel = $aliaslevel[$detail[3]];
        $getpaymode = $aliaspaymode[$detail[4]];
        $getscholar = $aliascholar[$detail[5]];
        //echo $tobepayed;
        //echo $deciamount;
        if($tobepayed==$deciamount){
            $query2 = "INSERT INTO enrollment
(StudentID,PaymentMode,TuitionID,Payment,ORNum,PaymentDate,Paid_Flag)
VALUES
('$student','$detail[4]','$getlevel','$payamount','$ornumber','$datenow','P')";
            $paymentquery = mysql_query($query2, $link)
            or die ("INSERT error: ".mysql_error());
            print "<br><br><table width='700'>
            <tr><td><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px; align='left'>
            <table size='390'><tr><td><img
src='icons/UploadSuccess.png' align='left' width='65' height='65' alt='></td>
            <td><font color='maroon' size='2'><b>Payment for
Sname successfully recorded.</b></font></td>
            </tr></table></fieldset></center></td></tr></table><br>";

            $query3 = "SELECT
Payment,ORNum,PaymentDate,Paid_Flag FROM enrollment WHERE
StudentID='$student'";
            $paymenttable = mysql_query($query3);
            $colcount = mysql_num_fields($paymenttable);

            print "<br><table width='600' align='center'>
            <tr><th><center><font color='black'>$getpaymode
Payment Details for Sname</font></center></th></tr>
            </table><br><table width='600' align='center'
cellpadding='5' border='1'><tr>";
            for($column_num = 0; $column_num < $colcount;
$column_num++) {
                $field_name = mysql_field_name($paymenttable,
$column_num);
                print "<th><font
color='maroon'>$field_name</font></th>";
            } //closes for
            print "</tr><n>";
            while($row = mysql_fetch_row($paymenttable)) {
                print "<tr align='center' valign='top'>";

```

```

        for($column_num = 0; $column_num < $colcount;
$column_num++){
            if($column_num==0){
                print "<td><font color='black' size='2'>Php
Srow[$column_num]</font></td><n>";
            }
            else if($column_num==3){
                if($row[3]=='P'){
                    print "<td><font color='black'
size='2'>Paid</font></td><n>";
                }
                else{
                    print "<td><font color='black' size='2'>Not
Paid</font></td><n>";
                }
            }
            else{
                print "<td><font color='black'
size='2'>$row[$column_num]</font></td><n>";
            }
        } //closes for
        print "</tr><n>";
    } //closes while
    print "</table><br><br><br>";
} //closes if

else{
    print "<br><br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px; align='left'>
    <table size='390'><tr><td><img src='icons/Warning.png'
align='left' width='65' height='65' alt='></td>
    <td><font color='maroon' size='2'><b><center>ERROR:
Kindly provide the exact amount to be paid.</b></font></td>
    </tr></table></fieldset></center>";
} //closes else
} //closes if
} //closes else if

        print "</div>
    </td>
</tr>
</table>
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center' bgcolor='#333333'> E-nrollSYS created by
Kathleen M. Mendoza <br> All rights reserved. Best viewed using Google
Chrome.</td>
</tr>
</table>
</tr>
</td>
</table>
</body>
</html>
";
?>

RegistrarsCorner.php

<?php
session_start(); //start up PHP Session
$registrarno = $_SESSION['username'];

include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrarno'";
$getdetails = mysql_query($query1, $link);
$details = mysql_fetch_row($getdetails);

if(($details[0]!='Registration Clerk') && ($details[1]!='0')){
    header('Location: UserLogin.php');
}

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<table width='900' border='0' align='center' cellpadding='0' cellspacing='0'>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>

```



```

</table>
</body>
</html>
";
?>

```

RegistrationForm.php

```

<?php
session_start(); //start up PHP Session
$username = $_SESSION['username'];

include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$username'";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCC leftmargin=0 topmargin=0 marginwidth=0
marginheight=0>
<table width=900 border=0 align=center cellpadding=0
cellspacing=0>
<tr>
<td><img src='images/t1-1.jpg' width=160
height=100 alt='></td>
<td><img src='images/t1-2.gif' width=380
height=100 alt='></td>
<td><img src='images/t1-3.jpg' width=360
height=100 alt='></td>
</tr>
</table>
<table width=900 border=0 align=center cellpadding=0
cellspacing=0>
<tr>
<td><img src='images/t2-1.gif' width=160
height=23 alt='></td>
<td><img src='images/t2-2.gif' width=40
height=23 alt='></td>
<td width=700 height=23 align=center
bgcolor=#333333 class=topMenu>"; ?>
<?if($username!="")?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a
href='UserLogin.php?logout=1'>Log-out</a> |</td>
<?>
else{ ?>
| <a href='E-
nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width=900 border=0 align=center cellpadding=0
cellspacing=0>
<tr>
<td align=top>
<table width=181
border=0 cellspacing=0 cellpadding=0>
<tr align=left
valign=top>
<td width=160
height=28 bgcolor=#990000></td>
<td width=21
rowspan=2 background=images/t4-4.gif>
</table>
</td>
<td align=left valign=top><img src='images/t4-
1.gif' width=21 height=23></td></tr>

```

```

<tr><td height=495 align=left valign=bottom><img
src=images/t4-4.gif width=21 height=22' alt='></td></tr>
<tr><td align=left valign=top><img src=images/t4-5.gif
width=21 height=41 alt='></td></tr>
</table></td>
</tr>
<tr align=left
valign=top>
<td height=400
bgcolor=#990000 style=padding-left: 15px; padding-right:10px; padding-top:
10px>
<a href='E-nrollSYSHome.php'><font size=2><b>Home</b></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></a><br><br>";
if(($details[0]==Guardian)&&($details[1]==1)){
print "<a href='GuardiansCorner.php'><font size=2><b>Guardian's
Corner</b></a><br><br>";
}
else if(($details[0]==Registration Clerk)&&($details[1]==1)){
print "<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></a><br><br>";
}
print "</td>
</tr>
</table>
<td width=598 align=left valign=top>
<table bgcolor=#FFFFFF
width=598 border=0 cellspacing=0 cellpadding=0>
<tr>
<td>";
if($username!=""){
print "<br><table
width=700><tr><td align=left><font color=black><b>Logged in as
</b></font>,".<font color=maroon><b>". $username.</b></font></td>
<td align=right><font color=black><b>Today is ".<font
color=maroon><b>.date("l, F j,
Y")."</b></font></td></tr></table>";
} //closes if
else{
print "<br><table
width=700><tr><td align=left></td>
<td align=right><font color=black><b>Today is ".<font
color=maroon><b>.date("l, F j,
Y")."</b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
<td align=center><br><font color=black><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
</td>
<td width=459 height=440 valign=top>
<form name='regform' action='RegistrationForm.php'
method='post'>
<div style='width: 719px; height: 430px; overflow:
scroll;'>";
if(isset($_POST['submit'])&& $_GET['logout']!=1){
if($_POST['studentno']!=NULL&&($_POST['level']!=NULL)&&
($_POST['scholartype']!=NULL)&&($_POST['fname']!=NULL)&&($_POST['
gname']!=NULL)&&($_POST['address']!=NULL)&&($_POST['telno']!=NULL)
&&($_POST['sex']!=NULL)&&($_POST['birthday_month']!=NULL)
&&($_POST['birthday_day']!=NULL)&&($_POST['birthday_year
']!=NULL)&&($_POST['birthplace']!=NULL)&&($_POST['religion']!=NULL)&&
&&($_POST['citizenship']!=NULL)){

```

```

include("includefile.inc");

$guardianno = ($_POST['guardiannum']);

$studentno = mysql_real_escape_string($_POST['studentno']);

$level = $_POST['level'];

$scholartype = $_POST['scholartype'];

$fname = mysql_real_escape_string($_POST['fname']);

$gname = mysql_real_escape_string($_POST['gname']);

$mname = mysql_real_escape_string($_POST['mname']);

$address = mysql_real_escape_string($_POST['address']);

$telno = mysql_real_escape_string($_POST['telno']);

$sex = $_POST['sex'];

$birthday_month = $_POST['birthday_month'];

$birthday_day = $_POST['birthday_day'];

$birthday_year = $_POST['birthday_year'];

$birthday = $birthday_year."-".$birthday_month."-".
$birthday_day;

$birthplace = mysql_real_escape_string($_POST['birthplace']);

$religion = mysql_real_escape_string($_POST['religion']);

$citizenship = mysql_real_escape_string($_POST['citizenship']);

$prevschool = mysql_real_escape_string($_POST['prevschool']);

$prevschooladd =
mysql_real_escape_string($_POST['prevschooladd']);

$doctor = mysql_real_escape_string($_POST['doctor']);

$docadd = mysql_real_escape_string($_POST['docadd']);

$doccontact = mysql_real_escape_string($_POST['doccontact']);

$allergyhist = $_POST['allergyhist'];

$allergymed = mysql_real_escape_string($_POST['allergymed']);

$sasthmahist = $_POST['asthmahist'];

$sasthmamed = mysql_real_escape_string($_POST['asthmamed']);

$operationhist =
mysql_real_escape_string($_POST['operationhist']);

$specialcondmed =
mysql_real_escape_string($_POST['specialcondmed']);

$siblingsnum =
mysql_real_escape_string($_POST['siblingsnum']);

$siblingpos = mysql_real_escape_string($_POST['siblingpos']);

$paymode = $_POST['paymode'];

$numrows=0;

$searchstudno = mysql_query("SELECT StudNum FROM student
WHERE StudNum = '$studentno'");

$numrows = mysql_numrows($searchstudno);

$searchevent = mysql_query("SELECT StudNum FROM
stud_parent_event_flag WHERE StudNum = '$studentno' AND GuardianNum =
'$guardianno'");

$numrows2 = mysql_numrows($searchevent);
$searchuser = mysql_query("SELECT Type FROM user WHERE
Username = '$studentno'");
$numrows3 = mysql_numrows($searchuser);

if(($numrows==0)&&($numrows2==0)&&($numrows3==0)){

    $addstudent = "INSERT INTO
student(GuardianNum,StudNum,SLname,$fname,$mname,$address,$contactL
eveIID,$sex,$birthday,$birthplace,$religion,$citizenship,ScholarType,PrevSch
ool,PrevSchoolAdd,Doctor,DocAdd,DocContact,AllergyHist,
AllergyMed,AsthmaHist,AsthmaMed,OperationHist,SpecialCondMed,SiblingsNu
m,SiblingPos,PaymentMode) VALUES
('$guardianno','$studentno','$fname','$gname','$mname','$address','$telno','$level',
'$sex','$birthday',
'$birthplace','$religion','$citizenship','$scholartype','$prevschool','$prevschooladd',
'$doctor','$docadd','$doccontact','$allergyhist','$allergymed','$asthmahist','$asthma
med','$operationhist','$specialcondmed',
'$siblingsnum','$siblingpos','$paymode')";

    mysql_query($addstudent, $link)

    or die ( "INSERT error:
".mysql_error() );

    $addeventaccount = "INSERT INTO
stud_parent_event_flag(StudNum,GuardianNum) VALUES
('$studentno','$guardianno')";

    mysql_query($addeventaccount, $link)

    or die ( "INSERT error:
".mysql_error() );

    mysql_close();

    print "<br><br><center><fieldset style='width:
340px; height:70px; padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'><tr><td><img
src='icons/UploadSuccess.png' align='left' width='65' height='65' alt='></td>
<td><center><font color='maroon'
size='2'><b>ENROLLMENT OF $studentno
SUCCESSFUL.</b></font><center></td>
</tr></table></fieldset></center><br><br>";

```



```

"Grade Three" => "GIII",
"Grade Four" => "GIV",
"Grade Five" => "GV",
"Grade Six" => "GVI",
"First Year" => "HI",
"Second Year" => "HII",
"Third Year" => "HIII",
"Fourth Year" => "HIV");
Saliaslevels = array("JC" => "Junior Casa",
"JACI" => "Junior Advanced Casa I",
"JACII" => "Junior Advanced Casa II",
"AC" => "Advanced Casa",
"GI" => "Grade One",
"GII" => "Grade Two",
"GIII" => "Grade Three",
"GIV" => "Grade Four",
"GV" => "Grade Five",
"GVI" => "Grade Six",
"HI" => "First Year High School",
"HII" => "Second Year High School",
"HIII" => "Third Year High School",
"HIV" => "Fourth Year High School");

$query1 = "SELECT Type,Status FROM user WHERE Username='$cashierno'";
$gedetails = mysql_query($query1, $link);
$details = mysql_fetch_row($gedetails);

if(($details[0]!='Cashier')&&($details[1]!='0')){
header('Location: UserLogin.php');
}
print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<font color=red>$guardiano</font>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align=right' width=160'
height=100' alt='></td>
<td align=left' width=380'
height=100' alt='></td>
<td align=left' width=360'
height=100' alt='></td>
</tr>
</table>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align=right' width=160'
height=23' alt='></td>
<td align=left' width=40'
height=23' alt='></td>
<td align=center'
width=700' height=23' align=center'
bgcolor=#333333' class=topMenu'> ?>
<?if($cashierno!="") { ?>
| <a href=E-nrollSYSHome.php>Home</a>
| <a href=AboutE-
nrollSYS.php>About E-nrollSYS</a>
| <a href=ContactE-
nrollSYS.php>Contact</a>
| <a href=E-
nrollSYSHelp.php>Help</a>
| <a
href=UserLogin.php?logout=1>Log-out</a> |</td>
<?>
else { ?>
| <a href=E-nrollSYSHome.php>Home</a>
| <a href=AboutE-
nrollSYS.php>About E-nrollSYS</a>
| <a href=ContactE-
nrollSYS.php>Contact</a>
| <a href=E-
nrollSYSHelp.php>Help</a> |</td>
<?>
print "</tr>
</table>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align=left'
width=181' align='left'
valign='top'>
<table width=181'
border=0' cellspacing=0' cellpadding=0'>
<tr align='left'
valign='top'>

```

```

<td width=160'
height=28' bgcolor=#990000'></td>
<td width=21'
rowspan=2' background='images/t4-2.gif'>
<table
width=21' border=0' cellspacing=0' cellpadding=0'>
<tr><td height=23' align='left' valign='top'><img src='images/t4-
1.gif' width=21' height=23'></td></tr>
<tr><td height=495' align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22'></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'>
<td height=400'
bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a
href=E-nrollSYSHome.php'><font size=2'><b>Home</b></font></a><br><br>
<a href=AboutE-nrollSYS.php'><font size=2'><b>About E-
nrollSYS</b></font></a><br><br>
<a href=CashiersCorner.php'><font size=2'><b>Cashier's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
</td>
<td width=598' align='left' valign='top'>
<table bgcolor=#FFFFFF'
width=719' border=0' cellspacing=0' cellpadding=0'>
<tr>
<td>;
if($cashierno!=""){
print "<br><table
width=700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>". "<font color='maroon'><b>". $cashierno. "<b></font></td>
<td
align='right'><font color='black'><b>Today is ". "<font
color='maroon'><b>".date("l, F j,
Y"). "<b></font></b></font></td></tr></table>";
} //closes if
else{
print "<br><table
width=700'><tr><td align='left'></td>
<td
align='right'><font color='black'><b>Today is ". "<font
color='maroon'><b>".date("l, F j,
Y"). "<b></font></b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
</table>
<td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
<tr>
<td
width=600' height=400' valign='top'>
<form name='viewstudentrecord'
action='SearchToRecordPayment.php' method='post'>
<br><fieldset style='width: 680px; height: 45px;'
align='left'>
<legend><font color='maroon' size=2'><b>Record Student's
Payment</b></font></legend>
<table width=670' height=1'>
<tr><td width=210'><font color='black'><b>Search: <select
name='filter'><option>- Select Category -</option>
<option value='StudNum'>Student
Number</option> <option value='SLname'>Lastname</option>
<option value='LevelID'>Year/Grade Level</option> <option
value='SecID'>Section</option>
</select></b></font></td>

```

```

        <td width=190><input type='text' name='searchitem' size=20'
align='left' value='/'></td>
        <td width=150><input type='submit' name='query' value='Proceed'
/></td>
        <td align='right'><a href='CashiersCorner.php'><font
color='black'><b> BACK </b></font></a></td>
</tr></table></fields>

        <div style='width: 719px; height: 360px; overflow:
scroll;'>"; ?>
        <? if(isset($_POST['query'])&& $_GET['logout']!=1){

if($_POST['filter']=='StudNum')&&($_POST['searchitem']!=NULL){
    include("includefile.inc");

    $studentid = mysql_real_escape_string($_POST['searchitem']);
    $query1 = "SELECT
SLname,SFname,SMname,StudNum,Status,LevelID,SecID FROM student
WHERE StudNum=$studentid' AND Status IN ('A','G','NG','P')";
    $queryResult1 = mysql_query($query1, $link);
    $colcount = mysql_num_fields($queryResult1);
    $rowcount = mysql_numrows($queryResult1);

    if($rowcount!=0){
        print "<br><br><center><table border='1' width='700'><tr>";
        for($column_num = 0; $column_num < $colcount;
$column_num++) {
            $field_name = mysql_field_name($queryResult1,
$column_num);

            if($column_num==0){
                print "<th><font
color='black'>$alias[$field_name]</font></th>";
                $column_num = 2;
            }
            else if($column_num==5){
                print "<th><font
color='black'>$alias[$field_name]</font></th>";
                $column_num = 6;
                $field_name = mysql_field_name($queryResult1,
$column_num);
                print "<th><font
color='black'>$alias[$field_name]</font></th>";
            }
            else{
                print "<th><font
color='black'>$alias[$field_name]</font></th>";
            }
        }
        //closes for
        print "<tr>\n";

        $count_students=0;
        while($row = mysql_fetch_row($queryResult1)) {
            print "<tr align='center' valign='top'>";
            for($column_num = 0; $column_num < $colcount;
$column_num++) {
                if($column_num==0){
                    $name = "$row[0].". $row[1] $row[2]";
                    print "<td nowrap><a
href='RecordPayment.php?studno=$studentid'><font color='black'
size='2'>$name</font></a></td>\n";
                    $column_num = 2;
                }
                //closes if
                else if($column_num==4){
                    $key = $row[4];
                    print "<td nowrap><font color='black'
size='2'>$aliasstatus[$key]</font></td>\n";
                }
                else if($column_num==5){
                    $aliasyear = $aliaslevels[$row[5]];
                    $section = mysql_query("SELECT SecName FROM
section WHERE SecID=$row[6]");
                    $secname = mysql_fetch_row($section);
                    print "<td><font color='black'
size='2'>$aliasyear</font></td>";
                    print "<td><font color='black'
size='2'>$secname[0]</font></td>";
                    $column_num = 6;
                }
                else{
                    print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                }
                //closes else
                //closes for
                print "<tr>\n";
                $count_students++;
            }
        }
        //closes while
        print "</table><br><br>";
        //closes if
        //closes if

    else
if($_POST['filter']=='SLname')&&($_POST['searchitem']!=NULL){
        include("includefile.inc");

        $lastname = mysql_real_escape_string($_POST['searchitem']);
        $query1 = "SELECT
SFname,SMname,StudNum,Status,LevelID,SecID FROM student WHERE
SLname=$lastname' AND Status IN ('A','G','NG','P')";
        //echo $query1;
        $queryResult1 = mysql_query($query1, $link);
        $colcount = mysql_num_fields($queryResult1);
        $rowcount = mysql_numrows($queryResult1);

        if($rowcount!=0){
            print "<br><br><center><table border='1' width='700'><tr>";
            for($column_num = 0; $column_num < $colcount;
$column_num++) {
                $field_name = mysql_field_name($queryResult1,
$column_num);

                if($column_num==0){
                    print "<th><font
color='black'>$alias[$field_name]</font></th>";
                    $column_num = 1;
                }
                else if($column_num==4){
                    print "<th><font
color='black'>$alias[$field_name]</font></th>";
                    $column_num = 5;
                    $field_name = mysql_field_name($queryResult1,
$column_num);
                    print "<th><font
color='black'>$alias[$field_name]</font></th>";
                }
                else{
                    print "<th><font
color='black'>$alias[$field_name]</font></th>";
                }
            }
            //closes for
            print "<tr>\n";

            $count_students=0;
            while($row = mysql_fetch_row($queryResult1)) {
                print "<tr align='center' valign='top'>";
                for($column_num = 0; $column_num < $colcount;
$column_num++) {
                    if($column_num==0){
                        $initial = substr($row[1],0,1);
                        $name = "$row[0] $initial. $lastname";
                        print "<td nowrap><a
href='RecordPayment.php?studno=$row[2]'><font color='black'
size='2'>$name</font></a></td>\n";
                        $column_num = 1;
                    }
                    //closes if
                    else if($column_num==3){
                        $key = $row[3];
                        print "<td nowrap><font color='black'
size='2'>$aliasstatus[$key]</font></td>\n";
                    }
                    else if($column_num==4){
                        $aliasyear = $aliaslevels[$row[4]];
                        $section = mysql_query("SELECT SecName FROM
section WHERE SecID=$row[5]");
                        $secname = mysql_fetch_row($section);
                        print "<td><font color='black'
size='2'>$aliasyear</font></td>";
                        print "<td><font color='black'
size='2'>$secname[0]</font></td>";
                        $column_num = 5;
                    }
                    else{
                        print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                    }
                    //closes else
                    //closes for
                    print "<tr>\n";
                    $count_students++;
                }
            }
            //closes while
            print "</table><br><br>";
            //closes if
            //closes else if

            else
if($_POST['filter']=='LevelID')&&($_POST['searchitem']!=NULL){
                include("includefile.inc");

                $level = mysql_real_escape_string($_POST['searchitem']);
                $levelid = $yearlevels[$level];
                $query2 = "SELECT
SLname,SFname,SMname,StudNum,Status,LevelID,SecID FROM student
WHERE LevelID=$levelid' AND Status IN ('A','G','NG','P')";
                $queryResult2 = mysql_query($query2, $link);
                $colcount = mysql_num_fields($queryResult2);
                $rowcount = mysql_numrows($queryResult2);
            }
        }
    }
}

```

```

        if($rowcount!=0){
            print "<br><br><center><table border='1' width='700'><tr>";
            for($column_num = 0; $column_num < $colcount;
        }
        $column_num++) {
            $field_name = mysql_field_name($queryResult2,
        }
        $column_num);
            if($column_num==0){
                print "<th><font
            color='black'>Salias[$field_name]</font></th>";
                $column_num = 2;
            }
            else if($column_num==5){
                print "<th><font
            color='black'>Salias[$field_name]</font></th>";
                $column_num = 6;
                $field_name = mysql_field_name($queryResult2,
        }
        $column_num);
            print "<th><font
            color='black'>Salias[$field_name]</font></th>";
        }
        else{
            print "<th><font
            color='black'>Salias[$field_name]</font></th>";
        }
        }//closes for
        print "</tr>\n";

        $count_students=0;
        while($row = mysql_fetch_row($queryResult2)) {
            print "<tr align='center' valign='top'>";
            for($column_num = 0; $column_num < $colcount;
        }
        $column_num++) {
            if($column_num==0){
                $initial = substr($row[2],0,1);
                $name = "$row[1] $initial. $row[0]";
                print "<td nowrap><a
            href='RecordPayment.php?studno=$row[3]'><font color='black'
            size='2'>$name</font></a></td>\n";
                $column_num = 2;
            }//closes if
            else if($column_num==4){
                $key = $row[4];
                print "<td nowrap><font color='black'
            size='2'>Saliasstatus[$key]</font></td>\n";
            }
            else if($column_num==5){
                $saliasyear = $saliaslevels[$row[5]];
                $section = mysql_query("SELECT SecName FROM
            section WHERE SecID='$row[6]'");
                $secname = mysql_fetch_row($section);
                print "<td><font color='black'
            size='2'>Saliasyear</font></td>";
                print "<td><font color='black'
            size='2'>$secname[0]</font></td>";
                $column_num = 6;
            }
            else{
                print "<td nowrap><font color='black'
            size='2'>$row[$column_num]</font></td>\n";
            }//closes else
        }//closes for
        print "</tr>\n";
        $count_students++;
    }//closes while
    print "</table><br><br>";
}//closes if
}//closes else if

else
if(($_POST['filter']=='SecID')&&($_POST['searchitem']!=NULL)){
    include("includefile.inc");

    $section = mysql_real_escape_string($_POST['searchitem']);
    $query1 = "SELECT SecID FROM section WHERE
    SecName='$section'";
    $queryResult1 = mysql_query($query1, $link);
    $sectionid = mysql_fetch_row($queryResult1);
    $query2 = "SELECT
    SLname,SFname,SMname,StudNum,Status,LevelID,SecID FROM student
    WHERE SecID=$sectionid[0] AND Status IN ('A','G','NG','P')";
    $queryResult2 = mysql_query($query2, $link);
    $colcount = mysql_num_fields($queryResult2);
    $rowcount = mysql_num_rows($queryResult2);

    if($rowcount!=0){
        print "<br><br><center><table border='1' width='700'><tr>";
        for($column_num = 0; $column_num < $colcount;
    }
    $column_num++) {
        $field_name = mysql_field_name($queryResult2,
    }
    $column_num);

        if($column_num==0){
            print "<th><font
            color='black'>Salias[$field_name]</font></th>";
            $column_num = 2;
        }
        else if($column_num==5){
            print "<th><font
            color='black'>Salias[$field_name]</font></th>";
            $column_num = 6;
            $field_name = mysql_field_name($queryResult2,
        }
        $column_num);
        print "<th><font
            color='black'>Salias[$field_name]</font></th>";
        }
        else{
            print "<th><font
            color='black'>Salias[$field_name]</font></th>";
        }
        }//closes for
        print "</tr>\n";

        $count_students=0;
        while($row = mysql_fetch_row($queryResult2)) {
            print "<tr align='center' valign='top'>";
            for($column_num = 0; $column_num < $colcount;
        }
        $column_num++) {
            if($column_num==0){
                $initial = substr($row[2],0,1);
                $name = "$row[1] $initial. $row[0]";
                print "<td nowrap><a
            href='RecordPayment.php?studno=$row[3]'><font color='black'
            size='2'>$name</font></a></td>\n";
                $column_num = 2;
            }//closes if
            else if($column_num==4){
                $key = $row[4];
                print "<td nowrap><font color='black'
            size='2'>Saliasstatus[$key]</font></td>\n";
            }
            else if($column_num==5){
                $saliasyear = $saliaslevels[$row[5]];
                $section = mysql_query("SELECT SecName FROM
            section WHERE SecID='$row[6]'");
                $secname = mysql_fetch_row($section);
                print "<td><font color='black'
            size='2'>Saliasyear</font></td>";
                print "<td><font color='black'
            size='2'>$secname[0]</font></td>";
                $column_num = 6;
            }
            else{
                print "<td nowrap><font color='black'
            size='2'>$row[$column_num]</font></td>\n";
            }//closes else
        }//closes for
        print "</tr>\n";
        $count_students++;
    }//closes while
    print "</table><br><br>";
}//closes if
}//closes else if

else{
    echo "ERROR!";
}//closes else
}//closes if
print "</div>
</form>
</tr>
</table>
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center' bgcolor=#333333> E-nrollSYS created by
Kathleen M. Mendoza <br> All rights reserved. Best viewed using Google
Chrome.</td>
</tr>
</table>
</table>
</tr>
</td>
</table>
</body>
</html>
?";
}

SiblingDir.php
<?php
session_start(); //start up PHP Session

```

```

$registrarno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrarno'";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);

if(($row[0]!='Registration Clerk')&&($row[1]!='0')){
    header('Location: UserLogin.php');
}

$year = date(Y);
$month = date(n);

if($month<6){
    $year1 = $year-1;
    $year2 = $year;
}
else{
    $year1 = $year;
    $year2 = $year+1;
}

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t1-1.jpg' width=160'
height=100' alt='></td>
<td><img src='images/t1-2.gif' width=380'
height=100' alt='></td>
<td><img src='images/t1-3.jpg' width=360'
height=100' alt='></td>
</tr>
</table>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t2-1.gif' width=160'
height=23' alt='></td>
<td><img src='images/t2-2.gif' width=40'
height=23' alt='></td>
<td width=700' height=23' align=center'
bgcolor=#333333' class=topMenu'> ?;
<?if($registrarno!="") { ?>
| <a href=E-nrollSYSHome.php>Home</a>
| <a href='AboutE-
nrollSYS.php>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php>Contact</a>
| <a href='E-
nrollSYSHelp.php>Help</a>
| <a
href='UserLogin.php?logout=1'>Log-out</a> |</td>
<?>
| <a href='E-nrollSYSHome.php>Home</a>
| <a href='AboutE-
nrollSYS.php>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php>Contact</a>
| <a href='E-
nrollSYSHelp.php>Help</a> |</td>
<?>
print "</tr>
</table>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align=top'>
<table width=181'
border=0' cellspacing=0' cellpadding=0'>
<tr align=left'>
<td width=160'
height=28' bgcolor=#990000'></td>
<td width=21'
rowspan=2' background=images/t4-2.gif'>
width=21' border=0' cellspacing=0' cellpadding=0'>
<tr><td height=23' align=left' valign=top'><img src=images/t4-1.gif width=21' height=23'></td></tr>
<tr><td height=495' align=left' valign=bottom'><img
src=images/t4-4.gif width=21' height=22' alt='></td></tr>
<tr><td align=left' valign=top'><img src=images/t4-5.gif
width=21' height=41' alt='></td></tr>
</table></td>
<tr align=left'>
<td height=400'
bgcolor=#990000' style=padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a href='E-nrollSYSHome.php'><font size=2'><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2'><b>About E-
nrollSYS</b></font></a><br><br>
<a href='RegistrarsCorner.php'><font size=2'><b>Registrar's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
</td>
<td width=598' align=left' valign=top'>
<table bgcolor=#FFFFFF'
width=719' border=0' cellspacing=0' cellpadding=0'>
<tr>
<td>;
if($registrarno!=""){
print "<br><table
width=700'<tr><td align=left'><font color=black'><b>Logged in as
</b></font>,".<font color=maroon'><b>". $registrarno.</b></font></td>
<td align=right'><font color=black'><b>Today is ".<font
color=maroon'><b>".date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes if
else{
print "<br><table
width=700'<tr><td align=left'></td>
<td align=right'><font color=black'><b>Today is ".<font
color=maroon'><b>".date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
<tr>
<td align=center'><br><font color=black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br>Camella Homes IV, Poblacion<br>City of
Muntinlupa</b></font></td></tr>
<tr>
<td
width=600' height=400' valign=top'>
<form name='viewgrades' action='ExcelDirectory.php'
method=post'>
<br><fieldset style='width: 680px; height: 45px;'
align=left'>
<legend><font color='maroon' size=2'><b>Sibling
Directory</b></font></legend>
<table width=670' height=1'>
<tr><td width=460'><font color='maroon' size=2'><b>*Shows
information of siblings enrolled arranged by surnames.</b></font><td>
<td width=100'><input type='submit' name='siblingexcel'
value='Generate Excel File' /></td>
<td align=right'><a href='StudentDirectories.php'><font
color=black'><b> BACK |</b></font></a></td>
</tr></table></fieldset>
<div style='width: 719px; height: 360px; overflow:
scroll;'><br>; ?;
<?>
include("includefile.inc");

```

```

$page_name = "SiblingDir.php";
$start = $_GET['start']; // To take care global variable if OFF

if(strlen($start) > 0 and !is_numeric($start)){
    echo "Data Error";
    exit;
}

$eu = ($start - 0);
$limit = 10; // No of records to be shown per page.
$var = $eu + $limit;
$back = $eu - $limit;
$next = $eu + $limit;

$count = 0;
$getstudents = "SELECT StudNum FROM student";
$details = mysql_query($getstudents, $link);
$count = mysql_num_rows($details);

if($count!=0){
    $colcount=0;
    $getstudentsinfo = "SELECT
SLname,SFname,SMname,GuardianNum,LevelID,SecID,SSex,SAddress,SConta
ct,SBirthday,SBirthplace,SCitizenship,SReligion
FROM student WHERE SiblingsNum!=0 ORDER BY
SLname,SMname LIMIT $eu, $limit";
    $getstudentsinfo2 = "SELECT
SLname,SFname,SMname,GuardianNum,LevelID,SecID,SSex,SAddress,SConta
ct,SBirthday,SBirthplace,SCitizenship,SReligion
FROM student WHERE SiblingsNum!=0 ORDER BY
SLname,SMname";
    $siblingdirdetails = mysql_query($getstudentsinfo, $link);
    $siblingdirdetails2 = mysql_query($getstudentsinfo2, $link);
    $count2 = mysql_num_rows($siblingdirdetails2);
    $colcount = mysql_num_fields($siblingdirdetails);
    $alias = array("SLname" => "Lname",
    "SFname" => "Fname",
    "SMname" => "Mname",
    "StudNum" => "Student Number",
    "GuardianNum" => "Parents/Guardians",
    "LevelID" => "Grade/Year Level",
    "SecID" => "Section",
    "SSex" => "Sex",
    "SAddress" => "Address",
    "SContact" => "Contact No.",
    "SBirthday" => "Birthday (YYYY-MM-DD)",
    "SBirthplace" => "Birthplace",
    "SCitizenship" => "Citizenship",
    "SReligion" => "Religion");
    $yearlevels = array("JC" => "Junior Casa",
    "JACI" => "Junior Advanced Casa I",
    "JACII" => "Junior Advanced Casa II",
    "AC" => "Advanced Casa",
    "GI" => "Grade One",
    "GII" => "Grade Two",
    "GIII" => "Grade Three",
    "GIV" => "Grade Four",
    "GV" => "Grade Five",
    "GVI" => "Grade Six",
    "HI" => "First Year High School",
    "HII" => "Second Year High School",
    "HIII" => "Third Year High School",
    "HIV" => "Fourth Year High School");

    print "<table width='1300' align='center'>
    <tr><th><center><font color='black'>Students of School
    Year $year1 - $year2</font></center></th></tr>
    </table><br><br>
    <table width='1300' border='1' cellpadding='5'
    align='center'>
    <tr>;
    for($column_num = 0; $column_num < $colcount;
    $column_num++) {
        if($column_num==0){
            print "<th><font color='black'>Name</font></th>";
            $column_num = 2;
        }
        else{
            $field_name = mysql_field_name($siblingdirdetails,
            $column_num);
            print "<th><font
            color='black'>$alias[$field_name]</font></th>";
        }
    }
    //closes for

    while($row = mysql_fetch_row($siblingdirdetails)) {
        print "<tr valign='top'>;
        for($column_num = 0; $column_num < $colcount;
        $column_num++) {
            if($column_num==0){
                $name = "$row[0]."." $row[1] $row[2]";

```

```

        print "<td nowrap><font color='black'
        size=2>$name</font></td>\n";
        $column_num = 2;
    }
    else if($column_num==3){
        $getguardian = mysql_query("SELECT GFname,GMname
        from guardian WHERE GuardianNum = '$row[$column_num]'");
        $fetchdetails = mysql_fetch_row($getguardian);
        print "<td nowrap><font color='black'
        size=2>$fetchdetails[0], $fetchdetails[1]</font></td>\n";
    }
    else if($column_num==4){
        $getyearlevel = $yearlevels[$row[$column_num]];
        print "<td nowrap><font color='black'
        size=2>$getyearlevel</font></td>\n";
    }
    else if($column_num==5){
        $getsecname = mysql_query("SELECT SecName from
        section WHERE SecID = '$row[$column_num]'");
        $secname = mysql_fetch_row($getsecname);
        print "<td nowrap><font color='black'
        size=2>$secname[0]</font></td>\n";
    }
    else{
        print "<td nowrap><font color='black'
        size=2>$row[$column_num]</font></td>\n";
    }
}
//closes for
print "</tr>";
//closes while
//print "</tr>\n";
print "</table>";
//closes if
else{
    print "<br><br><center><fieldset style='width: 370px; height:
    110px; align='left'>
    <img src='icons/Warning.png' align='left' width='110'
    height='110' alt='<br><br><br>
    <br><center><font color='maroon' size=2><b>NO
    RECORDS OF STUDENTS FOUND.</b></font></center>
    </fieldset></center><br>";
}
//closes else

echo "<br><br><br><table align = 'center'
width='1300'><tr><td>;
if($count2 > $limit) { //Let us display bottom links if sufficient
records are there for paging
//Start the bottom links with Prev and next link with page
numbers
echo "<table align = 'center' width='50%'><tr><td align='left'
width='30%'>;
//if our variable $back is equal to 0 or more then only we will
display the link to move back.
if($back >=0) {
    print "<a href='$page_name?start=$back'><font color='black'
    face='Verdana' size=2>PREV</font></a>";
}
//Let us display the page links at center. We will not display the
current page as a link.
echo "<td align=center width='30%'>;
$si=0;
$sl=1;
for($si = 0; $si < $count2; $si = $si+$limit){
    if($si <= $eu){
        echo "<a href='$page_name?start=$si'><font color='black'
        face='Verdana' size=2>$sl</font></a> ";
    }
    else {
        echo "<font face='Verdana' size='4' color=red>$sl</font>";
    }
    //Current page is not displayed as link and given font color
red

    $sl = $sl+1;
}

echo "<td align='right' width='30%'>;
// If we are not in the last page then Next link will be displayed.
if($var < $count2) {
    print "<a href='$page_name?start=$next'><font color='black'
    face='Verdana' size=2>NEXT</font></a>";
    echo "</td></tr></table>";
}
}
// end of if checking sufficient records are there to display
bottom navigational link.
echo "</td></tr></table>";

print "</div>

</form>
</tr>
</table>
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>

```

```

<td align="center" bgcolor=#333333> E-nrollsYS created by
Kathleen M. Mendoza <br> All rights reserved. Best viewed using Google
Chrome.</td>
</table>
</body>
</html>
?>

```

StudentDirectories.php

```

<?php
session_start(); //start up PHP Session
$registrano = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrano'";
$getdetails = mysql_query($query1, $link);
$getdetails = mysql_fetch_row($getdetails);

if(($getdetails[0]!='Registration Clerk')&&($getdetails[1]!='0')){
header('Location: UserLogin.php');
}

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t1-1.jpg' width=160'
height=100' alt='></td>
<td><img src='images/t1-2.gif' width=380'
height=100' alt='></td>
<td><img src='images/t1-3.jpg' width=360'
height=100' alt='></td>
</tr>
</table>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t2-1.gif' width=160'
height=23' alt='></td>
<td><img src='images/t2-2.gif' width=40'
height=23' alt='></td>
<td width=700' height=23' align=center'
bgcolor=#333333' class=topMenu>; ?>
<?if($registrano!="") { ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a>
| <a href='UserLogin.php'>Log-
out</a> |</td>
<?>
else { ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a> |</td>
<?>
}
print "</tr>
</table>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td width=181' align='left'
valign='top'>
border=0' cellspacing=0' cellpadding=0'>
valign='top'>

```

```

height=28' bgcolor=#990000'></td>
width=21' border=0' cellspacing=0' cellpadding=0'>
<tr><td height=23' align='left' valign='top'><img src='images/t4-
1.gif' width=21' height=23'></td></tr>
<tr><td height=495' align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'>
<td height=400'
bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a href='E-nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollsYS.php'><font size=2><b>About E-
nrollsYS</b></font></a><br><br>
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
<td width=598' align='left' valign='top'>
<table bgcolor=#FFFFFF'
width=719' border=0' cellspacing=0' cellpadding=0'>
<tr>
<td>;
if($registrano!=""){
print "<br><table
width=700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>".<font color='maroon'><b>". $registrano.</b></font></td>
<td
align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes if
else{
print "<br><table
width=700'><tr><td align='left'>
<td
align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
<tr>
<td width=459'
height=488' valign='top' style='padding-top: 50px; padding-left: 40px;'>
<fieldset style='width: 600px; height: 250px; padding-top: 40px;'
align='center'>
<legend> <font color='maroon' size=2><b>Student
Directories</b></font></legend>
<table width=300'
height=150' align='center'>
<tr><td align='center'><a href='StudentDirectory.php'><img
src='icons/ViewDirectorybyLevel.png' align='left' width=130' height=130'
alt='></a></td>
<td align='center'><a href='SiblingDir.php'><img
src='icons/SiblingDir.png' align='left' width=130' height=130' alt='></a></td>
<td align='center'><a href='StudentList.php'><img
src='icons/StudentList.png' align='left' width=130' height=130' alt='></a></td>
</tr>
</table>

```



```

                <a href='E-nrollSYSHome.php'><font
size=2><b>Home</b></font></a><br><br>
                <a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>
                <a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
                </td>
            </tr>
        </table>
        </td>
    </tr>
    <!-- MAIN CONTENT -->
    <td width='598' bgcolor='#FFFFFF' align='left' valign='top'>
        <table width='719' border='0' cellspacing='0' cellpadding='0'>
            <tr>
                <td>
                    <?php if ($registrarno != "") { ?>
                    <br><table width='700'><tr><td align='left'><font
color='black'><b>Logged in as </b></font>
                    <font color='maroon'><b><?php echo $registrarno?></b></font></td>
                    <td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")?></b></font></b></font></td></tr></table>
                    <?php } else { ?>
                    <br><table width='700'><tr><td align='left'></td>
                    <td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")?></b></font></b></font></td></tr></table>
                    <br>
                    <?php } ?>
                </td>
            </tr>
            <tr>
                <td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br>Camella Homes IV, Poblacion<br>City of
Muntinlupa</b></font></td>
            </tr>
            <tr>
                <td width='600' height='400' valign='top'>
                    <form name='viewgrades' id='mainForm' action='ExcelDirectory.php'
method='post'>
                    <br>
                    <fieldset style='width: 680px; height: 45px; align='left'>
                    <legend><font color='maroon' size=2><b>Student
Directory</b></font></legend>
                    <table width='670'>
                        <tr><td width='230'><font color='black'><b>Grade/Year
Level:</b></font>
                        <select name='level' id='level' onchange='clearAll()'>
                            <option value='-> Level </option>
                            <option value='JC'>JC</option>
                            <option value='JACI'>JAC I</option>
                            <option value='JACII'>JAC II</option>
                            <option value='AC'>AC</option>
                            <option value='GI'>GRADE I</option>
                            <option value='GII'>GRADE II</option>
                            <option value='GIII'>GRADE III</option>
                            <option value='GIV'>GRADE IV</option>
                            <option value='GV'>GRADE V</option>
                            <option value='GVI'>GRADE VI</option>
                            <option value='HI'>1ST YEAR</option>
                            <option value='HII'>2ND YEAR</option>
                            <option value='HIII'>3RD YEAR</option>
                            <option value='HIV'>4TH YEAR</option>
                        </select></td>
                        <td width='150'><input type='button' name='studdir' value='Display
Directory' onclick='displayDirectory()'></td>
                        <td width='150'><input type='submit' name='genexcel' id='genexcel'
style='display:none; value='Generate Excel File' /></td>
                        <td align='right'><a href='StudentDirectories.php'><font
color='black'><b> BACK </b></font></a></td>
                    </tr></table>
                    </fieldset>
                    <div id='directoryBody' style='width: 719px; height: 360px; overflow:
scroll;'>
                    </div>
                </td>
            </tr>
        </table>
    </td>
    <!-- FOOTER -->
    <table width='719' height='41' border='0' cellpadding='0'
cellspacing='0'>
        <tr>
            <td align='center'
bgcolor='#333333'> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
        </tr>
    </table>

```

```

        </table>
    </td>
</tr>
</table>
</body>
</html>

StudentDirectoryHandler.php
<?Year = date(Y);
$month = date(n);

if($month<6){
    $year1 = $year-1;
    $year2 = $year;
}
else{
    $year1 = $year;
    $year2 = $year+1;
}

if(($GET['logout']!=1)||($GET['next']==1)||($GET['yearlevel']!=?)) {
include("includefile.inc");

$match=0;
if($GET['yearlevel']==?){
    $yearlevel = $GET['level'];
}
else{
    $yearlevel = $GET['yearlevel'];
}
$getstudents = "SELECT StudNum FROM student WHERE LevelID =
'$yearlevel'";
$detsails = mysql_query($getstudents, $link);
$match = mysql_numrows($detsails);
$yearlevels = array("JC" => "Junior Casa Students",
    "JACI" => "Junior Advanced Casa I Students",
    "JACII" => "Junior Advanced Casa II Students",
    "AC" => "Advanced Casa Students",
    "GI" => "Grade One Students",
    "GII" => "Grade Two Students",
    "GIII" => "Grade Three Students",
    "GIV" => "Grade Four Students",
    "GV" => "Grade Five Students",
    "GVI" => "Grade Six Students",
    "HI" => "First Year High School Students",
    "HII" => "Second Year High School Students",
    "HIII" => "Third Year High School Students",
    "HIV" => "Fourth Year High School Students");
$setyearlevel = $yearlevels[$yearlevel];

if($match!=0){
    $colcount=0;
    $getstudentsinfo = "SELECT
SLname,SFname,SMname,StudNum,GuardianNum,SecID,SSex,SAddress,SCont
act,SBirthday,SBirthplace,SCitizenship,SReligion
FROM student WHERE LevelID = '$yearlevel' ORDER BY
SLname";
    $detsails = mysql_query($getstudentsinfo, $link);
    $num = mysql_num_rows($detsails);
    $studentdirdetails = mysql_query($getstudentsinfo, $link);
    $colcount = mysql_num_fields($studentdirdetails);
    $salias = array("SLname" => "Lname",
        "SFname" => "Fname",
        "SMname" => "Mname",
        "StudNum" => "Student Number",
        "GuardianNum" => "Parents/Guardian",
        "SecID" => "Section",
        "SSex" => "Sex",
        "SAddress" => "Address",
        "SContact" => "Contact No.",
        "SBirthday" => "Birthday (YYYY-MM-DD)",
        "SBirthplace" => "Birthplace",
        "SCitizenship" => "Citizenship",
        "SReligion" => "Religion");

    print "<br><table width='1300'>
        <tr><th><center><font color='black'>$setyearlevel<br>School Year
Syear1 - $year2</font></th></tr>
        </table><br><br>
        <table width='1300' border='1' cellpadding='5' align='center'><tr>;
        $count_users=0;
        for($column_num = 0; $column_num < $colcount; $column_num++) {
            if($column_num==0){
                print "<th><font color='black'>Name</font></th>";
                $column_num = 2;
            }
            else{
                $field_name = mysql_field_name($studentdirdetails, $column_num);
                print "<th><font color='black'>$salias[$field_name]</font></th>";
            }
        }
    </table>

```

```

}
} //closes for
print "<tr>\n";
while($row = mysql_fetch_row($studentirdetails)) {
print "<tr valign=top>";
for($column_num = 0; $column_num < $colcount; $column_num++) {
$setsecname = mysql_query("SELECT SecName FROM section WHERE
SecID = '$row[5]'");
$secname = mysql_fetch_row($setsecname);

if($column_num==0){
$name = "$row[0]"; $row[1] $row[2]";
print "<td nowrap><font color='black' size=2>$name</font></td>\n";
$column_num = 2;
}
else if($column_num==4){
$getguardian = mysql_query("SELECT GFname,GMname from
guardian WHERE GuardianNum = '$row[$column_num]'");
$getdetails = mysql_fetch_row($getguardian);
print "<td nowrap><font color='black' size=2>$getdetails[0],
$getdetails[1]</font></td>\n";
}
else if($column_num==5){
print "<td nowrap><font color='black'
size=2>$secname[0]</font></td>\n";
}
else{
print "<td nowrap><font color='black'
size=2>$row[$column_num]</font></td>\n";
}
} //closes for
print "</tr>\n";
} //closes while
$count_users++;
print "<table><br><br><input type='hidden' name='generate' id='generate'
value=true>";
//echo "</td><tr><table><br><br>";
} //closes if
}

else{
print "<br><br><center><fieldset style=width:
400px; height:70px; padding-left: 20px; padding-right: 20px; align=left>
<table size=390><tr><td><img src='icons/Warning.png' align=left'
width=65' height=65' alt='></td>
<td><center><font color='maroon' size=2><b>NO RECORDS OF
STUDENTS FOUND.</b></font></center>
</td></tr></table></fieldset></center><br><input type='hidden'
name='generate' id='generate' value=false>";
} //closes else
mysql_close($link);
} //closes if
?>

StudentList.php
<?php
session_start(); //start up PHP Session
$registrarno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrarno'";
$getdetails = mysql_query($query1, $link);
$getdetails = mysql_fetch_row($getdetails);

if(($getdetails[0]!="Registration Clerk")&&($getdetails[1]!="0")){
header('Location: UserLogin.php');
}

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<font color='red'>$studentno</font>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t1-1.jpg' width=160'
height=100' alt='></td>
<td><img src='images/t1-2.gif' width=380'
height=100' alt='></td>
<td><img src='images/t1-3.jpg' width=360'
height=100' alt='></td>
</tr>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t2-1.gif' width=160'
height=23' alt='></td>
<td><img src='images/t2-2.gif' width=40'
height=23' alt='></td>
<td width=700' height=23' align='center'
bgcolor=#333333' class='topMenu'>; ?>
<?if($registrarno!="") { ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a>
| <a
href='UserLogin.php?logout=1'>Log-out</a> </td>
<?>
else { ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a> </td>
<?>
print "</tr>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td width=181' align='left'
valign='top'>
<table width=181'
border=0' cellspacing=0' cellpadding=0'>
<tr align='left'
valign='top'>
<td width=160'
height=28' bgcolor=#990000></td>
<td width=21'
rowspan=2' background='images/t4-2.gif'>
<table
width=21' border=0' cellspacing=0' cellpadding=0'>
<tr><td height=23' align='left' valign='top'><img src='images/t4-
1.gif' width=21' height=23'></td></tr>
<tr><td height=495' align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'>
<td height=400'
bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a
href='E-nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollsYS.php'><font size=2><b>About E-
nrollsYS</b></font></a><br><br>
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
<td bgcolor=#FFFFFF' width=598' align='left'
valign='top'>
<table width=598' border=0'
cellspacing=0' cellpadding=0'>
<tr>
<td>;
</td>
</tr>
</table>
<table width=598' border=0'
cellspacing=0' cellpadding=0'>
<tr>
<td>;
</td>
</tr>
</table>
<tr><td align='left'><font color='black'><b>Logged in as
<b></font>"; <font color='maroon'><b>"; $registrarno.</b></font></td>
<td
align='right'><font color='black'><b>Today is "; <font
color='maroon'><b>".date("l, F j,
Y").</b></font></td></tr></table>;
} //closes if
else{

```

```

        print "<br><table
width='700'><tr><td align='left'></td>
                                <td
align='right'><font color='black'><b>Today is ",date("l, F j,
Y").",</b></font></td></tr></table>";
                                //closes else
        print "</td>
                                </tr>
                                </td>
align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
                                </tr>
                                <td
width='459' height='400' valign='top'>
                                <form name='studentlist' action='ExcelDirectory.php'
method='post'>
                                <br><fieldset style='width: 680px; height: 45px;'
align='left'>
                                <legend><font color='maroon' size='2'><b>Generate Student
List</b></font></legend>
                                <table width='670' height='1'>
                                <tr><td width='230'>
                                <font color='black'><b>Grade/Year Level: <select
name='level'><option>- Level </option>
                                <option value='JC'>JC</option> <option value='JACI'>JAC
I</option> <option value='JACII'>JAC II</option> <option
value='AC'>AC</option> <option value='GI'>GRADE I</option>
                                <option value='GII'>GRADE II</option> <option
value='GIII'>GRADE III</option> <option value='GIV'>GRADE IV</option>
                                <option value='GV'>GRADE V</option> <option value='GVI'>GRADE
VI</option>
                                <option value='HI'>1ST YEAR</option> <option value='HII'>2ND
YEAR</option> <option value='HIII'>3RD YEAR</option> <option
value='HIV'>4TH YEAR</option></select></td>
                                <td width='150'><input type='submit' name='studentlist'
value='Generate Excel File' /></td>
                                <td align='right'><a href='StudentDirectories.php'><font
color='black'><b> BACK |</b></font></a></td>
                                </tr></table>
                                </fieldset>
                                <div style='width: 719px; height: 360px; overflow:
scroll;'>
                                <br><br><center><fieldset style='width: 500px;
height:120px; padding-left: 20px; padding-right: 20px; align='left'>
                                <img src='icons/Information.png'
align='left' width='100' height='100' alt=''><br>
                                <center><font color='maroon'
size='2'><b>IMPORTANT: The file generated by this module only contains the
following information about the students: Name, Student Number,
                                Sex, Scholar Type, Rank, GWA, and
Status.<br><br>This will be used for sectioning
purposes.</center></b></font><br><br>
                                </fieldset></center><br>
                                </div>
                                <form>
                                <td>
                                </tr>
                                </table>
                                <table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
                                <tr>
                                <td align='center'
bgcolor='#333333'> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
                                </tr>
                                </table>
                                </td>
                                </tr>
                                </table>
                                </body>
                                </html>
                                ";
                                ?>
StudentsCorner.php
<?php

```

```

session_start(); //start up PHP Session
$studentno = $_SESSION['username'];

include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$studentno'";
$getdetails = mysql_query($query1, $link);
$getdetails = mysql_fetch_row($getdetails);

if(($getdetails[0]!='Student')&&($getdetails[1]!='0')){
    header('Location: UserLogin.php');
}

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
                                <tr>
                                <td><img src='images/t1-1.jpg' width='160'
height='100' alt=''></td>
                                <td><img src='images/t1-2.gif' width='380'
height='100' alt=''></td>
                                <td><img src='images/t1-3.jpg' width='360'
height='100' alt=''></td>
                                </tr>
                                </table>
                                <table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
                                <tr>
                                <td><img src='images/t2-1.gif' width='160'
height='23' alt=''></td>
                                <td><img src='images/t2-2.gif' width='40'
height='23' alt=''></td>
                                <td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'>?>
                                <?if($studentno!="") { ?>
                                | <a href='E-nrollsYSHome.php'>Home</a>
                                | <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
                                | <a href='ContactE-
nrollsYS.php'>Contact</a>
                                | <a href='E-
nrollsYSHelp.php'>Help</a>
                                | <a
href='UserLogin.php?logout=1'>Log-out</a> |</td>
                                <?>
                                else { ?>
                                | <a href='E-
nrollsYSHome.php'>Home</a>
                                | <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
                                | <a href='ContactE-
nrollsYS.php'>Contact</a>
                                | <a href='E-
nrollsYSHelp.php'>Help</a> |</td>
                                <?>
                                print "</tr>
                                </table>
                                <table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
                                <tr>
                                <td width='181' align='left'
valign='top'>
                                <table width='181'
border='0' cellspacing='0' cellpadding='0'>
                                <tr align='left'
valign='top'>
                                <td width='160'
height='28' bgcolor='#990000'></td>
                                <td width='21'
rowspan='2' background='images/t4-2.gif'>
                                <table
width='21' border='0' cellspacing='0' cellpadding='0'>
                                <tr><td height='23' align='left' valign='top'><img src='images/t4-
1.gif' width='21' height='23'></td></tr>
                                <tr><td height='495' align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22' alt=''></td></tr>
                                <tr><td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt=''></td></tr>
                                </table></td>
                                </tr>

```

```

        <tr align='left'
        <td height='400'
        bgcolor='#990000' style='padding-left: 15px; padding-right:10px; padding-top:
        10px>
        <a href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
        <a href='AboutE-nrollSYS.php'><font
        size=2><b>About E-nrollSYS</b></font></a><br><br>
    </td>
    </tr>
</table>
<td align='left' valign='top'>
<table bgcolor='#FFFFFF'
width='719' border='0' cellspacing='0' cellpadding='0'
<tr>
<td>;
    if($studentno!=""){
        print "<br><table
width='700'<tr><td align='left'<font color='black'><b>Logged in as
</b></font>","<font color='maroon'><b>". $studentno.</b></font></td>
        <td
        align='right'><font color='black'><b>Today is ",<font
        color='maroon'><b>".date("l, F j,
        Y")."</b></font></td></tr></table>";
        //closes if
        else{
            print "<br><table
width='700'<tr><td align='left'</td>
        <td
        align='right'><font color='black'><b>Today is ",<font
        color='maroon'><b>".date("l, F j,
        Y")."</b></font></td></tr></table>";
        //closes else
        print "</td>
    </tr>
    <tr>
    <td width='459'
    height='488' valign='top' style='padding-top: 50px; padding-left: 40px;>
    <fieldset style='width: 600px; height: 330px; padding-top: 40px;'
    align='center'>
        <legend> <font color='maroon'
        size='2'><b>Student's Corner</b></font></legend>
        <table width='400'
        height='150' align='center'>
            <tr><td align='center'><a href='ViewOwnGrades.php'><img
            src='icons/ViewGrades.png' align='left' width='130' height='130' alt=''></a></td>
            <td align='center'><a href='ViewClassSched.php'><img
            src='icons/ViewClassSched.png' align='left'
            width='130' height='130' alt=''></a></td>
            <td align='center'><a href='ViewTeacherSched.php'><img
            src='icons/ViewInstructorSched.png' align='left' width='130' height='130'
            alt=''></a></td>
        </tr>
        </table>
        <table align='center'><a href='ViewProfile.php'><img
        src='icons/ViewProfile.png' align='left' width='130' height='130' alt=''></a></td>
        <td align='center'><a href='ChangePassword.php'><img
        src='icons/ChangePassword.png' align='left' width='130' height='130'
        alt=''></a></td>
        </tr>
    </table>
</td>
</fieldset>
</td>

```

```

    </tr>
</table>
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center' bgcolor=#333333'>E-nrollSYS created by Kathleen
M. Mendoza <br> All rights reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</td>
</tr>
</table>
</body>
</html>
";
?>
<?php
session_start(); //start up PHP Session
$cashierno = $_SESSION['username'];
include("includefile.inc");
$query1 = "SELECT Type,Status FROM user WHERE Username='$cashierno'";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);
if(($row[0]!='Cashier')&&($row[1]!='0')){
    header('Location: UserLogin.php');
}
print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<font color='red'>$studentno</font>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height='100' alt=''></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt=''></td>
<td><img src='images/t1-3.jpg' width='360'
height='100' alt=''></td>
</tr>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt=''></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt=''></td>
<td width='700' height='23' align='center'
bgcolor=#333333' class='topMenu';?>
<?if($cashierno!="")?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a href='UserLogin.php'>Log-
out</a> |</td>
<?>
else{?>
| <a href='E-
nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td align='top'>
<table width='181' align='left'
border='0' cellspacing='0' cellpadding='0'>

```

```

valign='top'
height='28' bgcolor=#990000'></td>
rowspan='2' background='images/t4-2.gif'
width='21' border='0' cellspacing='0' cellpadding='0'
<tr><td height='23' align='left' valign='top'><img src='images/t4-1.gif' width='21' height='23'></td></tr>
<tr><td height='495' align='left' valign='bottom'><img src='images/t4-4.gif' width='21' height='22' alt=''></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif' width='21' height='41' alt=''></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'
<td height='400'
bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top: 10px'>
<a href='E-nrollSYSHome.php'><font size=2><b>Home</b></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-nrollSYS</b></a><br><br>
<a href='CashiersCorner.php'><font size=2><b>Cashier's Corner</b></a><br><br>
</td>
</tr>
</table>
<td bgcolor=#FFFFFF width='598' align='left'
valign='top'
<table width='598' border='0'
cellspacing='0' cellpadding='0'
<tr>
<td>;
if($cashierno!=""){
print "<br><table
width='700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>","<font color='maroon'><b>". $cashierno.</b></font></td>
align='right'><font color='black'><b>Today is ","<font color='maroon'><b>".date("l, F j, Y")."</b></font></td></tr></table>";
}
}
else{
print "<br><table
width='700'><tr><td align='left'><td
align='right'><font color='black'><b>Today is ","<font color='maroon'><b>".date("l, F j, Y")."</b></font></td></tr></table>";
}
}
}
print "</td>
</tr>
</table>
align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI SCHOOL<br>Camella Homes IV, Poblacion<br>City of Muntinlupa</b></font></td></tr>
width='459' height='400' valign='top'>
<form name='unpaidaccounts' action='UnpaidAccounts.php' method='post'>
<br><fieldset style='width: 680px; height: 45px;'
align='left'>
<legend><font color='maroon' size=2><b>Unpaid Accounts</b></font></legend>
<input type='text' value='Name' />
<input type='text' value='Address' />
<input type='text' value='City' />
<input type='text' value='State' />
<input type='text' value='Zip' />
<input type='text' value='Phone' />
<input type='text' value='Email' />
<input type='text' value='Password' />
<input type='text' value='Confirm Password' />
<input type='submit' value='Generate PDF Copy of Grades' />
</fieldset>
</form>
</td>
</tr>
</table>
</div>
</body>
</html>
";
?>

```

```

<input type='submit' name='printpdfgrades' value='Generate PDF Copy of Grades' />
</input>
</div>
</table>
</tr>
</table>
</div>
</table>
</tr>
</table>
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center' bgcolor=#333333'>E-nrollSYS created by Kathleen M. Mendoza <br> All rights reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</table>
</body>
</html>
";
?>
UpdateDiscountFactor.php
<?php
session_start(); //start up PHP Session
$cashierno = $_SESSION['username'];
include("includefile.inc");
$query1 = "SELECT Type,Status FROM user WHERE Username='$cashierno'";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);
if(($row[0]!='Cashier')&&($row[1]!='0')){
header("Location: UserLogin.php");
}
$aliasdiscountid = array("B1" => "Scholar B1",
"B2" => "Scholar B2",
"B3" => "Scholar B3",
"S1" => "Sibling 1",
"S2" => "Sibling 2",
"E1" => "1 Year of Service",
"E2" => "2 Year of Service",
"E3" => "3-4 Year of Service",
"E4" => "5-6 Year of Service",
"E5" => "7-9 Year of Service",
"E6" => "10 Year of Service");
$day = date(d);
$year = date(Y);
$month = date(n);
if($month<6){
$year1 = $year-1;
$year2 = $year;
}
else{
$year1 = $year;
$year2 = $year+1;
}
$year = "$year1"."-".$year2";
print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1' />
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet' type='text/css' />
</head>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0' marginheight=0'>
<font color='red'>$guardiano</font>
<table width=900' border=0' align='center' cellpadding=0' cellspacing=0'>
<tr>

```

```

height='100' alt=""/></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt=""/></td>
<td><img src='images/t1-3.jpg' width='360'
height='100' alt=""/></td>
</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt=""/></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt=""/></td>
<td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'>; ?>
<?if($cashierno!="")?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a href='UserLogin.php'>Log-
out</a> |</td>
<?>
else { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td width='181' align='left'
valign='top'>
<table width='181'
border='0' cellspacing='0' cellpadding='0'>
<tr align='left'
valign='top'>
<td width='160'
height='28' bgcolor='#990000'></td>
<td width='21'
rowspan='2' background='images/t4-2.gif'>
<table width='21' border='0' cellspacing='0' cellpadding='0'>
<tr>
<td height='23' align='left' valign='top'><img src='images/t4-
1.gif' width='21' height='23'></td></tr>
<tr>
<td height='495' align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22' alt=""/></td></tr>
<tr>
<td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt=""/></td></tr>
</table></td>
<td align='left'
valign='top'>
<td height='400'
bgcolor='#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>
<a href='CashiersCorner.php'><font size=2><b>Cashier's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
</td>
<td width='598' align='left' valign='top'>
<table bgcolor='#FFFFFF'
width='719' border='0' cellspacing='0' cellpadding='0'>
<tr>
<td>;
</td>
</tr>
<tr>
<td>
if($cashierno!=""){
print "<br><table
width='700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>","<font color='maroon'><b>". $cashierno.</b></font></td>

```

```

        </fieldset></center><br><br><br>";?>
        <input type='hidden' name='category' value='<?echo
Scategory;?>
        <?> //closes if
    } //closes else if
    else if (isset($_POST['updatediscout']) && $_GET['logout']!=1) {
        include("includefile.inc");

        $disc = $_POST['amount'];
        $convert = $disc*0.01;
        $getdisc = $_POST['category'];
        $deciamt = number_format($convert, 2);

        $query2 = "UPDATE discount SET discount_factor=$deciamt'
WHERE discount_type=$getdiscid";
        $recordfee = mysql_query($query2, $link)
        or die ("INSERT error: ".mysql_error());

        print "<br><br><table width=700>
        <tr><td><center><fieldset style=width: 400px;
height:70px; padding-left: 20px; padding-right: 20px;>
        <table size=390><tr><td><img
src='icons/UploadSuccess.png' align='left' width='65' height='65' alt='></td>
        <td><font color='maroon' size=2><b><center>Discount
successfully updated.</center></b></center></td>
        </tr></table></fieldset></center></td></tr></table><br><br>";

        $query3 = mysql_query("SELECT * FROM discount ORDER
BY discount_type");
        $colcount = mysql_num_fields($query3);

        print "<center><table border='1' width=400><tr>";
        for($column_num = 0; $column_num < $colcount;
$column_num++) {
            if($column_num==0){
                print "<th><font color='maroon'>Category</font></th>";
            }
            else{
                print "<th><font color='maroon'>Discount</font></th>";
            }
        } //closes for
        print "</tr>\n";

        while($row = mysql_fetch_row($query3)){
            print "<tr align='center' valign='top'>";
            for($column_num = 0; $column_num < $colcount;
$column_num++) {
                if($column_num==0){
                    $key = $row[0];
                    $label = $aliasdiscountid[$key];
                    print "<td><font color='black'
size=2>$label</font></td>";
                } //closes if
                else{
                    $percent = ($row[$column_num])*100;
                    print "<td nowrap><font color='black'
size=2>$percent%</font></td>\n";
                } //closes else
            } //closes for
            print "</tr>\n";
        } //closes while
        print "</table><br><br>";
    } //closes else if

        print "</div>
        </tr>
        </table>
        <table width=719' height=41'
border=0' cellpadding=0' cellspacing=0'>
        <tr>
        <td align='center' bgcolor=#333333> E-nrollSYS created by
Kathleen M. Mendoza <br> All rights reserved. Best viewed using Google
Chrome.</td>
        </tr>
        </table>
        </body>
        </html>
        ";
        ?>
UpdateEmployeeInfo.php
<?php
session_start(); //start up PHP Session
$employeeno = $_SESSION['username'];

```

```

include("includefile.inc");

Suserstat = "SELECT Status,Type FROM user WHERE
Username='Semployeeno' AND Status=1";
$checkstat = mysql_query($userstat, $link);
$numrows = mysql_numrows($checkstat);
$getdetails = mysql_fetch_row($checkstat);
$userid = $getdetails[0];
$usertype = $getdetails[1];

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
        <table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
            <tr>
                <td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
                <td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
                <td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>
            </tr>
        </table>
        <table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
            <tr>
                <td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
                <td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
                <td width=700' height=23' align='center'
bgcolor=#333333' class='topMenu'>"; ?>
                <?if ($employeeno!="") && ($numrows!=0) { ?>
                    | <a href='E-nrollSYSHome.php'>Home</a>
                    | <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
                    | <a href='ContactE-
nrollSYS.php'>Contact</a>
                    | <a href='E-
nrollSYSHelp.php'>Help</a>
                    | <a
href='UserLogin.php?logout=1'>Log-out</a> |</td>
                <?>
                else { ?>
                    | <a href='E-nrollSYSHome.php'>Home</a>
                    | <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
                    | <a href='ContactE-
nrollSYS.php'>Contact</a>
                    | <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
                <?>
                print "</tr>
        </table>
        <table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
            <tr>
                <td width='181' align='left'
valign='top'>
                <table width=181'
border=0' cellspacing=0' cellpadding=0'>
                <tr align='left'
valign='top'>
                <td width='160'
height=28' bgcolor=#990000></td>
                <td width='21'
rowspan=2' background='images/t4-2.gif'>
                <table
width=21' border=0' cellspacing=0' cellpadding=0'>
                <tr><td height=23' align='left' valign='top'><img src='images/t4-
1.gif' width=21' height=23></td></tr>
                <tr><td height=495' align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
                <tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
                </table></td>
                </tr>
                <tr align='left'
valign='top'>

```



```

                <td width=700 height=23 align=center
bgcolor=#333333 class=topMenu>; ?>
                <?if($Registrarno!="") { ?>
                | <a href=E-nrollSYSHome.php>Home</a>
                | <a href=AboutE-
nrollSYS.php>About E-nrollSYS</a>
                | <a href=ContactE-
nrollSYS.php>Contact</a>
                | <a href=E-
nrollSYSHelp.php>Help</a>
                | <a
href=UserLogin.php?logout=1>Log-out</a> </td>
                <?>
                else { ?>
                | <a href=E-nrollSYSHome.php>Home</a>
nrollSYS.php>About E-nrollSYS</a>
                | <a href=AboutE-
nrollSYS.php>Contact</a>
                | <a href=E-
nrollSYSHelp.php>Help</a> | </td>
                <?>
                print "</tr>
</table>
                <table width=900 border=0 align=center cellpadding=0'
cellspacing=0'>
                <tr>
                <td width=181 align=left'
                valign=top'>
                <table width=181'
                border=0' cellspacing=0' cellpadding=0'>
                <tr align=left'
                valign=top'>
                <td width=160'
                height=28' bgcolor=#990000></td>
                <td width=21'
                rowspan=2' background='images/t4-2.gif'>
                <table
                width=21' border=0' cellspacing=0' cellpadding=0'>
                <tr><td height=23 align=left' valign=top><img src=images/t4-
1.gif width=21' height=23></td></tr>
                <tr><td height=495' align=left' valign=bottom><img
src=images/t4-4.gif width=21' height=22' alt='></td></tr>
                <tr><td align=left' valign=top><img src=images/t4-5.gif'
width=21' height=41' alt='></td></tr>
                </table></td>
                <tr>
                <td align=left'
                valign=top'>
                <tr align=left'
                <td height=400'
                bgcolor=#990000 style=padding-left: 15px; padding-right:10px; padding-top:
10px>
                <a
href=E-nrollSYSHome.php><font size=2><b>Home</b></font></a><br><br>
                <a href=AboutE-nrollSYS.php><font size=2><b>About E-
nrollSYS</b></font></a><br><br>
                <a href=RegistrarsCorner.php><font size=2><b>Registrar's
Corner</b></font></a><br><br>
                </td>
                </tr>
                </table>
                </td>
                <td width=598 align=left' valign=top'>
                <table bgcolor=#FFFFFF'
                width=719' border=0' cellspacing=0' cellpadding=0'>
                <tr>
                <td>;
                </td>
                if($Registrarno!=""){
                print "<br><table
                width=700'<tr><td align=left'<font color=black'><b>Logged in as
</b></font>","<font color=maroon'><b>". $Registrarno.</b></font></td>
                <td
                align=right'<font color=black'><b>Today is ".<font
color=maroon'><b>".date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
                </td>
                </tr>
                </table>
                </td>
                <td align=right'<font color=black'><b>Today is ".<font

```

```

                color=maroon'><b>".date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
                </td>
                </tr>
                </table>
                </td>
                <td align=center'><br><font color=black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br>Camella Homes IV, Poblacion<br>City of
Muntinlupa</b></font></td></tr>
                </td>
                width=600' height=400' valign=top'>
                <form name=viewstudentrecord' action=UpdateEnrollStatus.php'
method=post'>
                <br><fieldset style=width: 680px; height: 45px;'
                align=left'>
                <legend'<font color=maroon' size=2'><b>Update Enrollment
Status</b></font></legend>
                <table width=670' height=1'>
                <tr><td width=210'<font color=black'><b>Search: <select
name=filter'><option>- Select Category -</option>
                <option value=StudNum'>Student
Number</option> <option value=SLname'>Lastname</option>
                <option value=LevelID'>Year/Grade Level</option> <option
value=SecID'>Section</option>
                </select></b></font></td>
                <td width=190'<input type=text' name=searchitem' size=20'
                align=left' value='></td>
                <td width=150'<input type=submit' name=query' value=Proceed'
                /></td>
                <td align=right'><a href=UpdateStudentStatus.php'<font
color=black'><b> BACK </b></font></a></td>
                </tr></table></fieldset>
                <div style=width: 719px; height: 360px; overflow:
                scroll;'>;?>
                <? if(isset($_POST[query])&& $_GET[logout]!="" ){
                if($_POST[filter]'==StudNum)&&($_POST[searchitem]'==NULL){
                include("includefile.inc");
                $studentid = $_POST[searchitem];
                $query1 = "SELECT
                SLname,SFname,SMname,SecID,LevelID,Status FROM student WHERE
                upper(StudNum) like '% $studentid%' and status='P'";
                $queryResult1 = mysql_query($query1, $link);
                $scolcount = mysql_num_fields($queryResult1);
                $srowcount = mysql_numrows($queryResult1);
                $saliasstatus = array("A" => "Enrolled",
                "D" => "Not Enrolled",
                "G" => "Graduating",
                "NG" => "Not Graduating",
                "P" => "Pending");
                $salias = array("SLname" => "Name",
                "SFname" => "Name",
                "SMname" => "Name",
                "SecID" => "Section",
                "LevelID" => "Level",
                "Status" => "Status");
                if($srowcount!=0){
                print "<br><br><center><table border=1' width=600'><tr>";
                for($column_num = 0; $column_num < $scolcount;
                $column_num++) {
                $field_name = mysql_field_name($queryResult1,
                $column_num);
                if($column_num==0){
                print "<th><font
                color=black'>$salias[$field_name]</font></th>";
                $column_num = 2;
                }
                else if($column_num==5){
                print "<th><font
                color=black'>$salias[$field_name]</font></th>
                <th><font color=black'>Approve</font></th>
                <th><font color=black'>Disapprove</font></th>";
                }
                else{
                print "<th><font
                color=black'>$salias[$field_name]</font></th>";
                }
                </tr></table>";
                }
                </tr></table>";
                $scount_students=0;

```

```

while($row = mysql_fetch_row($queryResult1)) {
    print "<tr align='center' valign='top'>";
    for($column_num = 0; $column_num < $colcount;
    $column_num++) {
        if($column_num==0){
            $name = "$row[0]."; $row[1] $row[2]";
            print "<td nowrap><font color='black'
size='2'>$name</font></td></tr>";
            $column_num = 2;
        } //closes if
        else if($column_num==5){
            if($row[5]=='A'){
                $key = $row[$column_num];
                print "<td><font color='black'
size='2'>$aliasstatus[$key]</font></td></tr>";
            }
            <th width='110'><input type='radio
name='approve'<?echo $count_students?' value='<?echo $studentid?'
checked></th>
            <input type='hidden name='hidden'<?echo
$count_students?' value='<?echo $studentid?'>>
            <th width='110'><input type='radio
name='disapprove'<?echo $count_students?' value='<?echo $studentid?'>></th>
            <input type='hidden name='hidden'<?echo
$count_students?' value='<?echo $studentid?'>>
            <?php
            } //closes else if
            else {
                $key = $row[$column_num];
                print "<td><font color='black'
size='2'>$aliasstatus[$key]</font></td></tr>";
            }
            <th width='110'><input type='radio
name='approve'<?echo $count_students?' value='<?echo $studentid?'>></th>
            <input type='hidden name='hidden'<?echo
$count_students?' value='<?echo $studentid?'>>
            <th width='110'><input type='radio
name='disapprove'<?echo $count_students?' value='<?echo $studentid?'>></th>
            <input type='hidden name='hidden'<?echo
$count_students?' value='<?echo $studentid?'>>
            <?php
            } //closes else
            } //closes else if
            else {
                print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td></tr>";
            }
        } //closes for
        print "</tr></tr>";
        $count_students++;
    } //closes while
    print "</table><br><br><input type='hidden'
name='markstudent' value='$studentid'>
    <input type='hidden' name='max_num'
value='$count_students'>
    <center><input type='submit' name='updatestudstatus'
value='Update Status of Student' /></center>";
    } //closes if
    else {
        echo "<br><br><center><fieldset style='width: 400px;
height: 70px; padding-left: 20px; padding-right: 20px; align='left'>
        <table size='390'>
        <tr><td><img src='icons/Warning.png' align='left'
width='65' height='65' alt='></td>
        <td><font color='maroon' size=2><b><center>ERROR:
No students with pending status found. Please check the details you
provided.</b></font></td>
        </tr></table>
        </fieldset></center><br><br>";
    } //closes else
    } //closes if
    else
    if($_POST['filter']=='SLname')&&($_POST['searchitem']!=NULL){
        include("includefile.inc");
        $lastname = $_POST['searchitem'];
        $query1 = "SELECT
SFname,SMname,StudNum,SecID,LevelID,Status FROM student WHERE
upper(SLname) like '%$lastname%' and status='P'";
        $queryResult1 = mysql_query($query1, $link);
        $colcount = mysql_num_fields($queryResult1);
        $rowcount = mysql_numrows($queryResult1);
        $aliasstatus = array("A" => "Enrolled",
        "D" => "Not Enrolled",
        "G" => "Graduating",
        "NG" => "Not Graduating",
        "P" => "Pending");
        $alias = array("SFname" => "Name",
        "SMname" => "Name",
        "StudNum" => "Student Number",
        "SecID" => "Section",

```

```

"LevelID" => "Level",
>Status" => "Status");
    if($rowcount!=0){
        print "<br><br><center><table border='1' width='700'><tr>";
        for($column_num = 0; $column_num < $colcount;
        $column_num++) {
            $field_name = mysql_field_name($queryResult1,
            $column_num);
            if($column_num==0){
                print "<th><font
color='black'>$alias[$field_name]</font></th>";
                $column_num = 1;
            }
            else if($column_num==5){
                print "<th><font
color='black'>$alias[$field_name]</font></th>
                <th><font color='black'>Approve</font></th>
                <th><font color='black'>Disapprove</font></th>";
            }
            else {
                print "<th><font
color='black'>$alias[$field_name]</font></th>";
            }
        } //closes for
        print "</tr></tr>";
        $count_students=0;
        while($row = mysql_fetch_row($queryResult1)) {
            print "<tr align='center' valign='top'>";
            for($column_num = 0; $column_num < $colcount;
            $column_num++) {
                if($column_num==0){
                    $initial = substr($row[1],0,1);
                    $name = "$row[0] $initial, $lastname";
                    print "<td nowrap><font color='black'
size='2'>$name</font></td></tr>";
                    $column_num = 1;
                } //closes if
                else if($column_num==3){
                    $searchsection = mysql_query("SELECT SecName
FROM section WHERE SecID='$row[3]'");
                    $getsecname = mysql_fetch_row($searchsection);
                    print "<td><font color='black'
size='2'>$getsecname[0]</font></td></tr>";
                } //closes else if
                else if($column_num==5){
                    if($row[5]=='A'){
                        $key = $row[$column_num];
                        print "<td><font color='black'
size='2'>$aliasstatus[$key]</font></td></tr>";
                    }
                    <th width='110'><input type='radio
name='approve'<?echo $count_students?' value='<?echo $row[2]'>
checked></th>
                    <input type='hidden name='hidden'<?echo
$count_students?' value='<?echo $row[2]'>>
                    <th width='110'><input type='radio
name='disapprove'<?echo $count_students?' value='<?echo $row[2]'>></th>
                    <input type='hidden name='hidden'<?echo
$count_students?' value='<?echo $row[2]'>>
                    <?php
                    } //closes else if
                    else {
                        $key = $row[$column_num];
                        print "<td><font color='black'
size='2'>$aliasstatus[$key]</font></td></tr>";
                    }
                    <th width='110'><input type='radio
name='approve'<?echo $count_students?' value='<?echo $row[2]'>></th>
                    <input type='hidden name='hidden'<?echo
$count_students?' value='<?echo $row[2]'>>
                    <th width='110'><input type='radio
name='disapprove'<?echo $count_students?' value='<?echo $row[2]'>></th>
                    <input type='hidden name='hidden'<?echo
$count_students?' value='<?echo $row[2]'>>
                    <?php
                    } //closes else
                    } //closes else if
                    else {
                        print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td></tr>";
                    } //closes else
                } //closes for
                print "</tr></tr>";
                $count_students++;
            } //closes while
            print "</table><br><br><input type='hidden'
name='markSLname' value='$lastname'>
            <input type='hidden' name='max_num'
value='$count_students'><input type='hidden' name='queryresult1'
value='$queryResult1'>

```

```

        <center><input type='submit' name='updatestudstatus'
value='Update Status of Students' /></center>";
    //closes if

    else{
        echo "<br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px;' align='left'>
<table size=390>
<tr><td><img src= 'icons/Warning.png' align='left'
width='65' height='65' alt='></td>
<td><font color='maroon' size=2><b><center>ERROR:
No students with pending status found. Please check the details you
provided.</b></font></td>
</tr></table>
</fieldset></center><br><br>";
    //closes else
    //closes else if

    else
    if(($_POST['filter']== 'LevelID')&&($_POST['searchitem']!=NULL)){
        include("includefile.inc");

        $level = $_POST['searchitem'];
        $yearlevels = array("JC" => "JC",
        "JAC I" => "JACI",
        "JAC II" => "JACII",
        "AC" => "AC",
        "Grade One" => "GI",
        "Grade Two" => "GII",
        "Grade Three" => "GIII",
        "Grade Four" => "GIV",
        "Grade Five" => "GVI",
        "Grade Six" => "GVI",
        "First Year" => "HI",
        "Second Year" => "HII",
        "Third Year" => "HIII",
        "Fourth Year" => "HIV");
        $levelid = $yearlevels[$level];
        $query2 = "SELECT
SLname,SFname,SMname,StudNum,SecID,Status FROM student WHERE
LevelID='$levelid' and status='P'";
        $queryResult2 = mysql_query($query2, $link);
        $colcount = mysql_num_fields($queryResult2);
        $rowcount = mysql_numrows($queryResult2);
        $aliasstatus = array("A" => "Enrolled",
        "D" => "Not Enrolled",
        "G" => "Graduating",
        "NG" => "Not Graduating",
        "P" => "Pending");
        $alias = array("SLname" => "Name",
        "SFname" => "Name",
        "SMname" => "Name",
        "StudNum" => "Student Number",
        "SecID" => "Section",
        "Status" => "Status");

        if($rowcount!=0){
            print "<br><br><center><table border='1' width='700'><tr>";
            for($column_num = 0; $column_num < $colcount;
$column_num++) {
                $field_name = mysql_field_name($queryResult2,
$column_num);

                if($column_num==0){
                    print "<th><font
color='black'>$alias[$field_name]</font></th>";
                    $column_num = 2;
                }
                else if($column_num==5){
                    print "<th><font color='black'>Level</font></th>
<th><font
color='black'>$alias[$field_name]</font></th>
<th><font color='black'>Approve</font></th>
<th><font color='black'>Disapprove</font></th>";
                }
                else{
                    print "<th><font
color='black'>$alias[$field_name]</font></th>";
                }
            //closes for
            print "</tr><n";

            $count_students=0;
            while($row = mysql_fetch_row($queryResult2)) {
                print "<tr align='center' valign='top'>";
                for($column_num = 0; $column_num < $colcount;
$column_num++) {
                    if($column_num==0){
                        $initial = substr($row[2],0,1);
                        $name = "$row[1] $initial. $row[0]";
                        print "<td nowrap><font color='black'
size=2>$name</font></td><n";
                        $column_num = 2;
                    }
                }
            }
        }
    }
}

```

```

    //closes if
    else if($column_num==5){
        if($row[4]== 'A'){
            $key = $row[$column_num];
            print "<td><font color='black'
size=2>$level</font></td><n
            <td><font color='black'
size=2>$aliasstatus[$key]</font></td><n";
            ?>
            <th width='110'><input type=radio
name='approve'<?echo $count_students?' value='<?echo $row[3]?>'
checked></th>
            <input type=hidden name='hidden'<?echo
$count_students?' value='<?echo $row[3]?>'>
            <th width='110'><input type=radio
name='disapprove'<?echo $count_students?' value='<?echo $row[3]?>'></th>
            <input type=hidden name='hidden'<?echo
$count_students?' value='<?echo $row[3]?>'>
            <?php
            //closes else if
            else{
                $key = $row[$column_num];
                print "<td><font color='black'
size=2>$level</font></td><n
                <td><font color='black'
size=2>$aliasstatus[$key]</font></td><n";
                ?>
                <th width='110'><input type=radio
name='approve'<?echo $count_students?' value='<?echo $row[3]?>'></th>
                <input type=hidden name='hidden'<?echo
$count_students?' value='<?echo $row[3]?>'>
                <th width='110'><input type=radio
name='disapprove'<?echo $count_students?' value='<?echo $row[3]?>'></th>
                <input type=hidden name='hidden'<?echo
$count_students?' value='<?echo $row[3]?>'>
                <?php
                //closes else
                //closes else if
                else{
                    print "<td nowrap><font color='black'
size=2>$row[$column_num]</font></td><n";
                    //closes else
                    //closes for
                    print "</tr><n";
                    $count_students++;
                }
            //closes while
            print "<table><br><br><input type='hidden'
name='markLevel' value='$level'>
            <input type='hidden' name='max_num'
value='$count_students'>
            <center><input type='submit' name='updatestudstatus'
value='Update Status of Students' /></center>";
            //closes if

            else{
                echo "<br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px;' align='left'>
<table size=390>
<tr><td><img src= 'icons/Warning.png' align='left'
width='65' height='65' alt='></td>
<td><font color='maroon' size=2><b><center>ERROR:
No students with pending status found. Please check the details you
provided.</b></font></td>
</tr></table>
</fieldset></center><br><br>";
            //closes else
            //closes else if

            else
            if(($_POST['filter']== 'SecID')&&($_POST['searchitem']!=NULL)){
                include("includefile.inc");

                $section = $_POST['searchitem'];
                $query1 = "SELECT SecID FROM section WHERE
upper(SecName) like '%$section%'";
                $queryResult1 = mysql_query($query1, $link);
                $sectionid = mysql_fetch_row($queryResult1);
                $query2 = "SELECT
SLname,SFname,SMname,StudNum,Status FROM student WHERE
SecID='$sectionid[0]' and status='P'";
                //echo $query2;
                $queryResult2 = mysql_query($query2, $link);
                $colcount = mysql_num_fields($queryResult2);
                $rowcount = mysql_numrows($queryResult2);
                $aliasstatus = array("A" => "Enrolled",
                "D" => "Not Enrolled",
                "G" => "Graduating",
                "NG" => "Not Graduating",
                "P" => "Pending");
                $alias = array("SLname" => "Name",
                "SFname" => "Name",
                "SMname" => "Name",
                "StudNum" => "Student Number",

```

```

        "Status" => "Status");

    if($rowcount!=0){
        print "<br><br><center><table border='1' width='700'><tr>";
        for($column_num = 0; $column_num < $colcount;
        $column_num++) {
            $field_name = mysql_field_name($queryResult2,
            $column_num);

            if($column_num==0){
                print "<th><font
                color='black'>$alias[$field_name]</font></th>";
                $column_num = 2;
            }
            else if($column_num==4){
                print "<th><font
                color='black'>$alias[$field_name]</font></th>
                <th><font color='black'>Approve</font></th>
                <th><font color='black'>Disapprove</font></th>";
            }
            else{
                print "<th><font
                color='black'>$alias[$field_name]</font></th>";
            }
        }
        $count_students=0;
        while($row = mysql_fetch_row($queryResult2)) {
            print "<tr align='center' valign='top'>";
            for($column_num = 0; $column_num < $colcount;
            $column_num++) {
                if($column_num==0){
                    $initial = substr($row[2],0,1);
                    $name = "$row[1] $initial. $row[0]";
                    print "<td nowrap><font color='black'
                    size='2'>$name</font></td><n'";
                    $column_num = 2;
                }
                else if($column_num==4){
                    if($row[4]=='A'){
                        $key = $row[$column_num];
                        print "<td><font color='black'
                        size='2'>$aliasstatus[$key]</font></td><n'";
                    }
                    <th width='110'><input type=radio
                    name='approve'><echo $count_students?'> value=<?echo $row[3]?></th>
                    <input type=hidden name='hidden'><echo
                    $count_students?'> value=<?echo $row[3]?>
                    <th width='110'><input type=radio
                    name='disapprove'><echo $count_students?'> value=<?echo $row[3]?></th>
                    <input type=hidden name='hidden'><echo
                    $count_students?'> value=<?echo $row[3]?>
                    <?php
                    }</closes else if
                    else{
                        $key = $row[$column_num];
                        print "<td><font color='black'
                        size='2'>$aliasstatus[$key]</font></td><n'";
                    }
                    <th width='110'><input type=radio
                    name='approve'><echo $count_students?'> value=<?echo $row[3]?></th>
                    <input type=hidden name='hidden'><echo
                    $count_students?'> value=<?echo $row[3]?>
                    <th width='110'><input type=radio
                    name='disapprove'><echo $count_students?'> value=<?echo $row[3]?></th>
                    <input type=hidden name='hidden'><echo
                    $count_students?'> value=<?echo $row[3]?>
                    <?php
                    }</closes else
                    }</closes else if
                    else{
                        print "<td nowrap><font color='black'
                        size='2'>$row[$column_num]</font></td><n'";
                    }
                }
                $count_students++;
            }
        }
        print "<table><br><br><input type='hidden'
        name='markSection' value='$section'>
        <input type='hidden' name='max_num'
        value='$count_students'>
        <center><input type='submit' name='updatestudstatus'
        value='Update Status of Students' /></center>";
    }
    }
    else{
        echo "<br><br><center><fieldset style='width: 400px;
        height:70px; padding-left: 20px; padding-right: 20px; align='left'>
        <table size=390>

```

```

        <tr><td><img src='icons/Warning.png' align='left'
        width='65' height='65' alt='></td>
        <td><font color='maroon' size=2'><b><center>ERROR:
        No students with pending status found. Please check the details you
        provided.</b></font></td>
        </tr></table>
        </fieldset></center><br><br>";
    }
    }
    else if(isset($_POST['updatestudstatus'])&& $_GET['logout']!=1){
        if($_POST['markstudent']!=){
            include("includefile.inc");

            for($count=0;$count < $_POST['max_num'];$count++){
                if(isset($_POST['approve.$count'])){
                    echo $_POST['approve.$count'];
                    $updatecmd="UPDATE student SET Status='A' where
                    StudNum='".$_POST['approve.$count]."'";
                    mysql_query($updatecmd,$link)
                    or die ("UPDATE error: ".mysql_error());
                }
                else if(isset($_POST['disapprove.$count'])){
                    echo $_POST['disapprove.$count'];
                    $updatecmd="UPDATE student SET Status='D' where
                    StudNum='".$_POST['disapprove.$count]."'";
                    mysql_query($updatecmd,$link)
                    or die ("UPDATE error: ".mysql_error());
                }
                else{
                    $updatecmd="UPDATE student SET Status='P' where
                    StudNum='".$_POST['hidden.$count]."'";
                    mysql_query($updatecmd,$link)
                    or die ("UPDATE error: ".mysql_error());
                }
            }
            print "<br><br><center><fieldset style='width: 400px;
            height:70px; padding-left: 20px; padding-right: 20px; align='left'>
            <table size=390><tr><td><img
            src='icons/UploadSuccess.png' align='left' width='65' height='65' alt='></td>
            <td><center><font color='maroon
            size=2'><b>UPDATING ENROLLMENT STATUS OF STUDENT
            SUCCESSFUL.</b></font></center></tr>
            </tr></table></fieldset></center><br><br>";
        }
    }
    else if($_POST['markSLname']!=){
        include("includefile.inc");
        //echo "here";
        for($count=0;$count < $_POST['max_num'];$count++){
            if($_POST['approve.$count']!=){
                $updatecmd="UPDATE student SET Status='A' where
                StudNum='".$_POST['approve.$count]."'";
                mysql_query($updatecmd,$link)
                or die ("UPDATE error: ".mysql_error());
            }
            else if($_POST['disapprove.$count']!=){
                $updatecmd="UPDATE student SET Status='D' where
                StudNum='".$_POST['disapprove.$count]."'";
                mysql_query($updatecmd,$link)
                or die ("UPDATE error: ".mysql_error());
            }
            else{
                $updatecmd="UPDATE student SET Status='P' where
                StudNum='".$_POST['hidden.$count]."'";
                mysql_query($updatecmd,$link)
                or die ("UPDATE error: ".mysql_error());
            }
        }
        print "<br><br><center><fieldset style='width: 400px;
        height:70px; padding-left: 20px; padding-right: 20px; align='left'>
        <table size=390><tr><td><img
        src='icons/UploadSuccess.png' align='left' width='65' height='65' alt='></td>
        <td><center><font color='maroon
        size=2'><b>UPDATING ENROLLMENT STATUS OF STUDENT
        SUCCESSFUL.</b></font></center></tr>
        </tr></table></fieldset></center><br><br>";
    }
    }
    else if($_POST['markLevel']!=){
        include("includefile.inc");

        for($count=0;$count < $_POST['max_num'];$count++){
            if($_POST['approve.$count']!=){
                $updatecmd="UPDATE student SET Status='A' where
                StudNum='".$_POST['approve.$count]."'";
                mysql_query($updatecmd,$link)
                or die ("UPDATE error: ".mysql_error());
            }
        }
    }
}

```

```

else if($_POST['disapprove.$count!=""]){
    $updatecmd="UPDATE student SET Status='D' where
StudNum="$_POST['disapprove.$count].";";
    mysql_query($updatecmd,$link)
    or die ("UPDATE error: ".mysql_error());
} //closes if
else{
    $updatecmd="UPDATE student SET Status='P' where
StudNum="$_POST['hidden.$count].";";
    mysql_query($updatecmd,$link)
    or die ("UPDATE error: ".mysql_error());
} //closes else
} //closes for

print "<br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'><tr><td><img
src='icons/UploadSuccess.png' align='left' width='65' height='65' alt='></td>
<td><center><font color='maroon'
size='2'><b>UPDATING ENROLLMENT STATUS OF STUDENT
SUCCESSFUL.</b></font></center></tr>
</td></table></fieldset></center><br><br>";
} //closes else if

else if($_POST['markSection']!=""){
    include("includefile.inc");

    for($count=0;$count < $_POST['max_num'];$count++){
        if($_POST['approve.$count']!=""){
            $updatecmd="UPDATE student SET Status='A' where
StudNum="$_POST['approve.$count].";";
            mysql_query($updatecmd,$link)
            or die ("UPDATE error: ".mysql_error());
        } //closes if
        else if($_POST['disapprove.$count']!=""){
            $updatecmd="UPDATE student SET Status='D' where
StudNum="$_POST['disapprove.$count].";";
            mysql_query($updatecmd,$link)
            or die ("UPDATE error: ".mysql_error());
        } //closes if
        else{
            $updatecmd="UPDATE student SET Status='P' where
StudNum="$_POST['hidden.$count].";";
            mysql_query($updatecmd,$link)
            or die ("UPDATE error: ".mysql_error());
        } //closes else
    } //closes for

    print "<br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'><tr><td><img
src='icons/UploadSuccess.png' align='left' width='65' height='65' alt='></td>
<td><center><font color='maroon'
size='2'><b>UPDATING ENROLLMENT STATUS OF STUDENT
SUCCESSFUL.</b></font></center></tr>
</td></table></fieldset></center><br><br>";
} //closes else if
} //closes else
print "</div>
</form>
</tr>
</table>
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center' bgcolor='#333333'> E-nrollsYS created by
Kathleen M. Mendoza <br> All rights reserved. Best viewed using Google
Chrome.</td>
</tr>
</table>
</td>
</table>
</tr>
</table>
</body>
</html>
";
?>

UpdateGuardianInfo.php
<?php
session_start(); //start up PHP Session
$guardiano = $_SESSION['username'];

include("includefile.inc");

$query = "SELECT Type,Status FROM user WHERE Username='$guardiano'";
$getdetails = mysql_query($query,$link);
$getdetails = mysql_fetch_row($getdetails);

if(($getdetails[0]!='Guardian')&&($getdetails[1]!='0')){
    header('Location: UserLogin.php');
}

```

```

}

$query1 = "SELECT SLname,SFname,SMname,StudNum FROM student
WHERE GuardianNum='$guardiano'";
$getchild = mysql_query($query1,$link);
$scountchild = mysql_numrows($getchild);

$yearlevels = array("JC" => "Junior Casa",
"JACI" => "Junior Advanced Casa I",
"JACII" => "Junior Advanced Casa II",
"AC" => "Advanced Casa",
"GI" => "Grade One",
"GII" => "Grade Two",
"GIII" => "Grade Three",
"GIV" => "Grade Four",
"GV" => "Grade Five",
"GVI" => "Grade Six",
"HI" => "First Year High School",
"HIII" => "Second Year High School",
"HIIII" => "Third Year High School",
"HIIV" => "Fourth Year High School");

$scholartype = array("N" => "N/A",
"SA" => "Scholar A",
"SB" => "Scholar B",
"BM" => "Band Member");

print "
<html>
<head>
<title>Update Essential Information</title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
<td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>
</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
<td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'>?>
<?if($guardiano!="")?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a>
| <a href='UserLogin.php'>Log-
out</a> |</td>
</tr>
<?>
else{ ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td align='left'
valign='top'>
border='0' cellspacing='0' cellpadding='0'>
<tr align='left'
valign='top'>
height='28' bgcolor='#990000'></td>
<td width='21'
rowspan='2' background='images/t4-2.gif'>
<table
width='21' border='0' cellspacing='0' cellpadding='0'>

```

```
<tr><td height=23' align=left' valign=top><img src=images/t4-1.gif width=21' height=23'></td></tr>
<tr><td height=495' align=left' valign=bottom><img src=images/t4-4.gif width=21' height=22' alt=></td></tr>
<tr><td align=left' valign=top><img src=images/t4-5.gif width=21' height=41' alt=></td></tr>
</table></td>
</tr>
<tr align=left'
valign=top'
<td height=400'
bgcolor=#990000' style=padding-left: 15px; padding-right:10px; padding-top: 10px>
<a href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
<a href='GuardiansCorner.php'><font size=2><b>Guardian's Corner</b></font></a><br><br>
</td>
</tr>
</table>
<td width=598' align=left' valign=top>
<table bgcolor=#FFFFFF'
width=598' border=0' cellspacing=0' cellpadding=0>
<tr>
<td>;
if($guardiano!=""){
print "<br><table
width=700'<tr><td align=left'<font color=black><b>Logged in as
</b></font>,".<font color=maroon><b>". $guardiano.</b></font></td>
align=right'<font color=black><b>Today is ".<font color=maroon><b>.date("l, F j, Y")."</b></font></td></tr></table>";
}
}
else{
print "<br><table
width=700'<tr><td align=left'<td
align=right'<font color=black><b>Today is ".<font color=maroon><b>.date("l, F j, Y")."</b></font></td></tr></table>";
}
}
print "</td>
</tr>
<td
align=center'<br><font color=black><b>SOUTHERNSIDE MONTESSORI SCHOOL<br> Camella Homes IV, Poblacion<br> City of Muntinlupa</b></font></td></tr>
width=459' height=440' valign=top>
<form name=updateinfo' action=UpdateGuardianInfo.php' method=post>
<div style=width: 719px; height: 430px; overflow: scroll;>;
if(isset($_POST['saveguardinfo'])&& $_GET['logout']!=1){
if($_POST['gfname']!=NULL&&($_POST['gmname']!=NULL)&&($_POST['gftelno']!=NULL)&&($_POST['gmtelno']!=NULL)&&($_POST['homeaddress']!=NULL)&&($_POST['homeno']!=NULL)){
include("includefile.inc");
$gfname = mysql_real_escape_string($_POST['gfname']);
$gmname = mysql_real_escape_string($_POST['gmname']);
$gfeduca = mysql_real_escape_string($_POST['gfeduca']);
$gmeduca = mysql_real_escape_string($_POST['gmeduca']);
$gfschoola = mysql_real_escape_string($_POST['gfschoola']);
$gmschoola = mysql_real_escape_string($_POST['gmschoola']);
$gfoccupation =
mysql_real_escape_string($_POST['gfoccupation']);
$gmoccupation =
mysql_real_escape_string($_POST['gmoccupation']);
$gfbusadd = mysql_real_escape_string($_POST['gfbusadd']);
$gmbsadd = mysql_real_escape_string($_POST['gmbsadd']);
```

```
$gftelno = mysql_real_escape_string($_POST['gftelno']);
$gmtelno = mysql_real_escape_string($_POST['gmtelno']);
$homeaddress =
mysql_real_escape_string($_POST['homeaddress']);
$shomeno = mysql_real_escape_string($_POST['homeno']);
Supdateguardinfo = "UPDATE guardian SET
GFname=$gfname',GMname=$gmname',GFeducA=$gfeduca',GMEducA=$gm
educa',GFSchoolA=$gfschoola',GMSchoolA=$gmschoola',GFOccupation=$gfo
ccupation',
GMOccupation=$gmoccupation',GFBusAdd=$gfbusadd',GMBusAdd=$gmbsa
dd',GFTelNo=$gftelno',GMTelNo=$gmtelno',GHAddress=$homeaddress',GCon
tact=$shomeno'
WHERE GuardianNum = '$guardiano";
mysql_query($updateguardinfo, $link)
or die ("UPDATE error: ".mysql_error());
mysql_close();
print "<br><br><center><fieldset style=width: 400px;
height:70px; padding-left: 20px; padding-right: 20px;' align=left'>
<table size=390'>
<tr><td><img src=icons/UploadSuccess.png' align=left'
width=65' height=65' alt=></td>
<td><font color=maroon' size=2><b>UPDATING
INFORMATION IN THE DATABASE SUCCESSFUL.</b></font></td>
</tr></table></fieldset></center><br><br>
<br><fieldset style=width: 680px; height: 500px;'
align=left'>
<legend><font color=maroon' size=2'><b>Parents/Guardian
Information and Enrollment Details</b></font></legend>
<table width=680'><tr>
<td><font color=maroon><b>*Required fields to be filled-
out.</b></font>
</td></tr></table><br>
<table width=680'><tr>
<td align=center'<font
color=black'><b>FATHER</b></font></td><td align=center'<font
color=black'><b>MOTHER</b></font></td></tr>
<tr><td><font color=black'><b>*Name: </b></td><td><input
type=text' name=gfname' size=30' align=left' value=$gfname'></td>
<td><input type=text' name=gmname' size=30' align=left'
value=$gmname'></b></font></td></tr>
<tr><td><font color=black'><b>Educational Attainment:
</b></td><td><input type=text' name=gfeduca' size=30' align=left'
value=$gfeduca'></td>
<td><input type=text' name=gmeduca' size=30' align=left'
value=$gmeduca'></b></font></td></tr>
<tr><td><font color=black'><b>School Attended:
</b></td><td><input type=text' name=gfschoola' size=30' align=left'
value=$gfschoola'></td>
<td><input type=text' name=gmschoola' size=30'
align=left' value=$gmschoola'></b></font></td></tr>
<tr><td><font color=black'><b>Occupation:
</b></td><td><input type=text' name=gfoccupation' size=30' align=left'
value=$gfoccupation'></td>
<td><input type=text' name=gmoccupation' size=30'
align=left' value=$gmoccupation'></b></font></td></tr>
<tr><td><font color=black'><b>Business Address:
</b></td><td><input type=text' name=gfbusadd' size=30' align=left'
value=$gfbusadd'></td>
<td><input type=text' name=gmbsadd' size=30' align=left'
value=$gmbsadd'></b></font></td></tr>
<tr><td><font color=black'><b>*Contact No.:
</b></td><td><input type=text' name=gftelno' size=30' align=left'
value=$gftelno'></td>
<td><input type=text' name=gmtelno' size=30' align=left'
value=$gmtelno'></b></font></td></tr></table><br><br>
<table width=680'><tr>
<td><font color=maroon><b>IN CASE OF EMERGENCY
NOTIFY US AT:</b></font></td></tr>
<tr><td><font color=black'><b>*Home Address:
</b></td><td><input type=text' name=homeaddress' size=60' align=left'
value=$homeaddress'></td></tr>
<tr><td><font color=black'><b>*Tel. No.: </b></td><td><input
type=text' name=homeno' size=15' align=left'
value=$homeno'></b></font></td></tr>
</table><br><br>
<table width=680'><tr>
<td align=left'<font
color=maroon><b>AGREEMENT:</b></font></td></tr>
<tr><td align=left'<font color=black'><b>I hereby agree to pay this
school to the total fees for my child/s enrolment as per arrangement of payments
indicated
on or before the specified date of payment. Failure to remit
payments on time means an additional surcharge of 2%
monthly.</b></font></td>
</tr></table><br><br>
<table width=680'><tr>
<td align=right'<input type=submit' name=saveguardinfo'
value=Update Information' /></td></tr>
</table></fieldset>";
```



```

//closes if
else{
print "<br><br><center><fieldset style='width: 400px;
height:110px; padding-left: 20px; padding-right: 20px; align='left'>
<table size='390'><tr><td><img src='icons/Warning.png'
align='left' width='110' height='110' alt='></td>
<td><center><font color='maroon' size='2'><b>PLEASE
CHECK IF THE IMPORTANT FIELDS ARE COMPLETELY FILLED
OUT.</b></font></td>
</tr></table></fieldset></center><br>";
//closes else
//closes else if

else{
include("includefile.inc");

$searchguardian = "SELECT
GFname,GMname,GFEduca,GMEduca,GFSchoolA,GMSchoolA,GFOccupation
,GMOccupation,GFBusAdd,GMBusAdd,GFTelNo,GMTelNo,GHAddress,GCont
act
FROM guardian WHERE GuardianNum =
'$guardiano";
Sdetails = mysql_query($searchguardian, $link);

while($srow = mysql_fetch_assoc($sdetails)){
$gfname = $row["GFname"];
$gmname = $row["GMname"];
$gfeduca = $row["GFEduca"];
$gmeduca = $row["GMEduca"];
$gfschoola = $row["GFSchoolA"];
$gmschoola = $row["GMSchoolA"];
$gfoccupation = $row["GFOccupation"];
$gmoccupation = $row["GMOccupation"];
$gfbusadd = $row["GFBusAdd"];
$gmbusadd = $row["GMBusAdd"];
$gftelno = $row["GFTelNo"];
$gmtelno = $row["GMTelNo"];
$homeaddress = $row["GHAddress"];
$shomeno = $row["GContact"];
}
mysql_close();

print "<form name='regform' action='GuardiansForm.php'
method='post'>
<br><fieldset style='width: 680px; height: 500px; align='left'>
<legend<font color='maroon' size='2'><b>Parents/Guardian
Information and Enrollment Details</b></font></legend>
<table width='680'><tr>
<td><font color='maroon'><b>*Required fields to be filled-
out.</b></font>
</td></tr></table><br>
<table width='680'><tr>
<td><td align='center'><font
color='black'><b>FATHER</b></font></td><td align='center'><font
color='black'><b>MOTHER</b></font></td></tr>
<tr><td><font color='black'><b>*Name: </td><td><input
type='text' name='gfname' size='30' align='left' value='$gfname'/></td>
<td><input type='text' name='gmname' size='30' align='left'
value='$gmname'/></td></tr>
<tr><td><font color='black'><b>Educational Attainment:
</td><td><input type='text' name='gfeduca' size='30' align='left'
value='$gfeduca'/></td>
<td><input type='text' name='gmeduca' size='30' align='left'
value='$gmeduca'/></td></tr>
<tr><td><font color='black'><b>School Attended:
</td><td><input type='text' name='gfschoola' size='30' align='left'
value='$gfschoola'/></td>
<td><input type='text' name='gmschoola' size='30' align='left'
value='$gmschoola'/></td></tr>
<tr><td><font color='black'><b>Occupation:
</td><td><input type='text' name='gfoccupation' size='30' align='left'
value='$gfoccupation'/></td>
<td><input type='text' name='gmoccupation' size='30'
align='left' value='$gmoccupation'/></td></tr>
<tr><td><font color='black'><b>Business Address:
</td><td><input type='text' name='gfbusadd' size='30' align='left'
value='$gfbusadd'/></td>
<td><input type='text' name='gmbusadd' size='30' align='left'
value='$gmbusadd'/></td></tr>
<tr><td><font color='black'><b>*Contact No.:
</td><td><input type='text' name='gftelno' size='30' align='left'
value='$gftelno'/></td>
<td><input type='text' name='gmtelno' size='30' align='left'
value='$gmtelno'/>
</td></tr></table><br><br>
<table width='680'><tr>
<td><font color='maroon'><b>IN CASE OF EMERGENCY
NOTIFY US AT:</b></font></td></tr>
<tr><td><font color='black'><b>*Home Address:
</td><td><input type='text' name='homeaddress' size='60' align='left'
value='$homeaddress'/></td></tr>

```

```

</tr><td><font color='black'><b>*Tel. No.: </td><td><input
type='text' name='homeno' size='15' align='left'
value='$homeno'/></td></tr></table><br><br>
<table width='680'><tr>
<td><td><font
color='maroon'><b>AGREEMENT:</b></font></td></tr>
<tr><td><font color='black'><b>I hereby agree to pay this
school to the total fees for my child/s enrolment as per arrangement of payments
indicated
on or before the specified date of payment. Failure to remit
payments on time means an additional surcharge of 2%
monthly.</b></font></td>
</tr></table><br><br>
<table width='680'><tr>
<td><center><input type='submit' name='saveguardinfo'
value='Update Information' /></center>
</td></tr></table></fieldset>";
}
//closes else
print "</div>
</form>
</td>
</tr>
</table>
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center'
bgcolor='#333333'> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</td>
</tr>
</table>
</body>
</html>
";
?>

```

UpdateStudentStatus.php

```

<?php
session_start(); //start up PHP Session
$registrarno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrarno'";
$getdetails = mysql_query($query1, $link);
$sdetails = mysql_fetch_row($getdetails);

if(($sdetails[0]!='Registration Clerk')&&($sdetails[1]!='0')){
header('Location: UserLogin.php');
}

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
<td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>
</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
<td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'> ?>
<?if($registrarno!="") { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>

```

```

nrollSYSHelp.php>Help</a> | <a href=E-
out</a> |</td> | <a href='UserLogin.php'>Log-
<?> <td width=459'
else { ?> height=488' valign='top' style='padding-top: 50px; padding-left: 40px;'>
| <a href='E-nrollSYSHome.php'>Home</a> <fieldset style='width: 600px; height: 330px; padding-top: 40px;'
| <a href='AboutE- align='center'>
| <a href='ContactE- <legend> <font color='maroon' size=2><b>Update Student
nrollSYS.php>About E-nrollSYS</a> Status</b></font></legend>
nrollSYS.php>Contact</a> | <a href='ContactE- height=150' align='center'>
nrollSYSHelp.php>Help</a> |</td> | <a href=E- <tr><td align='center'><a href='UpdateStudentRanking.php'><img
<?> src='icons/UpdateStudentRanking.png' align='left' width=130' height=130'
print "</tr> alt="></a></td>
</table> <td align='center'><a href='UpdateEnrollStatus.php'><img
src='icons/UpdateEnrollStatus.png' align='left' width=130' height=130'
cellspacing=0' alt="></a></td>
<tr> <td align='center'><a href='MarkGraduatingStudents.php'><img
src='icons/MarkGraduatingStudents.png' align='left' width=130' height=130'
valign='top'> <td width=181' align='left' alt="></a></td>
border=0' cellspacing=0' cellpadding=0'> <table width=181' </tr>
valign='top'> <tr align='left' <td align='center'><a href='GraduatingStudents.php'><img
src='icons/GraduatingStudents.png' align='left' width=130' height=130'
height=28' bgcolor=#990000'></td> <td width=160' alt="></a></td>
rowspan=2' background='images/t4-2.gif'> <tr> <td width=21' </tr>
width=21' border=0' cellspacing=0' cellpadding=0'> <table </table>
<tr><td height=23' align='left' valign='top'><img src='images/t4-1.gif' width=21' height=23'></td></tr>
<tr><td height=495' align='left' valign='bottom'><img src='images/t4-4.gif' width=21' height=22' alt="></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif' width=21' height=41' alt="></td></tr>
</table></td>
valign='top'> <tr align='left' <td align='center'><a href='RegistrarsCorner.php'><font color='black'><b>| BACK |</b></font></a>
bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top: </td>
10px'> <tr align='left' <td align='center'><a href='RegistrarsCorner.php'><font color='black'><b>| BACK |</b></font></a>
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br> </td>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E- </td>
nrollSYS</b></font></a><br><br> <table bgcolor=#FFFFFF'
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's width=719' border=0' cellspacing=0' cellpadding=0'
Corner</b></font></a><br><br> <tr> <td align='center'>
</td> </table> </td>
<td width=598' align='left' valign='top'> </fieldset>
width=719' border=0' cellspacing=0' cellpadding=0' <table border=0' cellpadding=0' cellspacing=0'>
<td>; <tr> <td align='center'
if($registrarno!="") { <td align='center'
print "<br><table width=700'><tr><td align='left'><font color='black'><b>Logged in as
width=700'><tr><td align='left'><td align='right'><font color='black'><b>Today is ", <b></b></font></td>
color='maroon'><b>".date("l, F j, Y").", <b></b></font></td></tr></table>; </td>
} //closes if </td>
else { </table>
print "<br><table width=700'><tr><td align='left'><td align='right'><font color='black'><b>Today is ", <b></b></font></td>
color='maroon'><b>".date("l, F j, Y").", <b></b></font></td></tr></table>; </td>
} //closes else </td>
print "</td> </tr>
</tr> </tr>

```

```

$query1 = "SELECT SLname,SFname,SMname,StudNum FROM student
WHERE GuardianNum='$Guardianno'";
$getchild = mysql_query($query1, $link);
$scoutchild = mysql_numrows($getchild);

$yearlevels = array("JC" => "Junior Casa",
"JACI" => "Junior Advanced Casa I",
"JACII" => "Junior Advanced Casa II",
"AC" => "Advanced Casa",
"GI" => "Grade One",
"GII" => "Grade Two",
"GIII" => "Grade Three",
"GIV" => "Grade Four",
"GV" => "Grade Five",
"GVI" => "Grade Six",
"HI" => "First Year High School",
"HII" => "Second Year High School",
"HIII" => "Third Year High School",
"HIV" => "Fourth Year High School");
$scholartype = array("N" => "N/A",
"SA" => "Scholar A",
"SB" => "Scholar B",
"BM" => "Band Member");

print "
<html>
<head>
<title>Update Essential Information</title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCC leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='center' width=160'
height=100' alt='></td>
<td align='center' width=380'
height=100' alt='></td>
<td align='center' width=360'
height=100' alt='></td>
</tr>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='center' width=160'
height=23' alt='></td>
<td align='center' width=40'
height=23' alt='></td>
<td align='center' width=700' height=23' align='center'
bgcolor=#333333' class='topMenu'>; >
<?if($Guardianno!="") { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a href='UserLogin.php'>Log-
out</a> |</td>
<?>
else { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='left'
width=181' align='left'
border=0' cellspacing=0' cellpadding=0'>
<tr align='left'
width=181'
height=28' bgcolor=#990000'></td>
<td align='left'
width=21'
rowspan=2' background='images/t4-2.gif'>
width=21' border=0' cellspacing=0' cellpadding=0'>

```

```

<tr><td height=23' align='left' valign='top'><img src='images/t4-
1.gif' width=21' height=23'></td></tr>
<tr><td height=495' align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'>
<td height=400'
bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a href='E-nrollSYSHome.php'><font size=2'><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2'><b>About E-
nrollSYS</b></font></a><br><br>
<a href='GuardiansCorner.php'><font size=2'><b>Guardian's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
<td width=598' align='left' valign='top'>
<table bgcolor=#FFFFFF'
width=598' border=0' cellspacing=0' cellpadding=0'>
<tr>
<td>;
if($Guardianno!=""){
print "<br><table
width=700'<tr><td align='left'<font color='black'><b>Logged in as
</b></font>,".<font color='maroon'><b>,".$Guardianno.</b></font></td>
align='right'<font color='black'><b>Today is " ,.<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes if
else{
print "<br><table
width=700'<tr><td align='left'</td>
align='right'><font color='black'><b>Today is " ,.<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
<td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL</b><br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
</table>
width=459' height=400' valign='top'>
<form name='updateinfo' action='UpdateStudInfo.php'
method='post'>
<br><fieldset style='width: 680px; height: 45px;'
align='left'>
<legend><font color='maroon' size=2'><b>Update Essential
Information</b></font></legend>
<table width=670' height=1'>
<tr><td width=60'<font
color='maroon'><b>Student/s:</b></font></td>
<td width=180'><select name='studnumber'><option>- Select
Student -</option>;>?>
<? if($Scoutchild!=0){
while($child = mysql_fetch_row($getchild)) {
$initial = substr($child[2],0,1);
$name = "$child[1] $initial. $child[0]";
print "<option value='$child[3]'>$name</option>";
} //closes while
} //closes if
print "</select></b></font></td>

```

```

<td width=50><input type='submit' name='student' value='Proceed'
/></td>
<td align='right'><a href='GuardiansCorner.php'><font
color='black'><b>EXIT |</b></font></a></td></tr>
</tr></table></fieldset>
<div style='width: 719px; height: 360px; overflow: scroll;'>;
if (isset($_POST['student'])&& $_GET['logout']!=1){
if($_POST['studnumber']!=){
include("includefile.inc");

$smatch=0;
$studnum = $_POST['studnumber'];
$smatchguardian = "SELECT StudNum FROM student WHERE
StudNum = '$studnum' AND GuardianNum = '$guardiano'";
$detsails = mysql_query($smatchguardian, $link);
$smatch = mysql_numrows($detsails);

if($smatch!=0){
$searchstud = "SELECT
SLname,SFname,SMname,SAddress,SContact,LevelID,SSex,SBirthday,SBirthpla
ce,SReligion,SCitizenship,ScholarType,PrevSchool,PrevSchoolAdd,

Doctor,DocAdd,DocContact,AllergyHist,AllergyMed,AsthmaHist,AsthmaMed,O
perationHist,SpecialCondMed,SiblingsNum,SiblingPos,PaymentMode
FROM student WHERE StudNum = '$studnum' AND
GuardianNum = '$guardiano'";
$searchstuddetails = mysql_query($searchstud, $link);

while($row = mysql_fetch_assoc($searchstuddetails)){
$level = $row['LevelID'];
$label = $yearlevels[$level];
$scholar = $row["ScholarType"];
$scholarship = $scholartype[$scholar];
$name = $row["SLname"];
$fname = $row["SFname"];
$smname = $row["SMname"];
$address = $row["SAddress"];
$telno = $row["SContact"];
$sex = $row["SSex"];
$birthday = $row["SBirthday"];
$birthplace = $row["SBirthplace"];
$religion = $row["SReligion"];
$scitizenship = $row["SCitizenship"];
$prevschool = $row["PrevSchool"];
$prevschooladd = $row["PrevSchoolAdd"];
$doctor = $row["Doctor"];
$docadd = $row["DocAdd"];
$doccontact = $row["DocContact"];
$allergyhist = $row["allergyhist"];
$allergymed = $row["AllergyMed"];
$asthmahist = $_POST['asthmahist'];
$asthmamed = $row["AsthmaMed"];
$operationhist = $row["OperationHist"];
$specialcondmed = $row["SpecialCondMed"];
$siblingsnum = $row["SiblingsNum"];
$siblingpos = $row["SiblingPos"];
$paymode = $row["PaymentMode"];
}

mysql_close();

?><input type='hidden' name='studentnum' value='<?echo
$studnum;?>>
<input type='hidden' name='studentsex' value='<?echo
$sex;?>>
<input type='hidden' name='studpaymode' value='<?echo
$paymode;?>>
<?

print "<br><fieldset style='width: 680px; height: 650px;
align='left'>
<br><font color='maroon'><b>IMPORTANT: Print name in
accordance with your birth certificate/ACR
<br><input type='text' name='name' size='20' align='left' value='$name'
readonly='readonly'>
<br><input type='text' name='fname' size='20' align='left' value='$fname'
readonly='readonly'>
<br><input type='text' name='gname' size='20' align='left' value='$gname'
size='30' align='left' value='$name' readonly='readonly'>

<br><b>Material
Name:<br><input type='text' name='mname'
size='20' align='left' value='$mname' readonly='readonly'>

<br><b>*Home Address: <input type='text' name='address'
size='89' align='left' value='$address'>
<br><b>*Date of Birth: <input type='text' name='birthday'
size='15' align='left' value='$birthday' readonly='readonly'>
<br><b>*Place of Birth:
<input type='text' name='birthplace' size='30' align='left' value='$birthplace'
readonly='readonly'>
<br><b>*Religion: <input type='text' name='religion' size='20'
align='left' value='$religion'>
<br><b>*Citizenship: <input type='text' name='citizenship' size='20'
align='left' value='$citizenship'>
<br><b>*Sex: "; ?>
<input type='radio' name='sex' value='M' checked='checked'
disabled'> Male <input type='radio' name='sex' value='F' disabled'> Female
<?>
else{ ?>
<input type='radio' name='sex' value='M' disabled'> Male
<input type='radio' name='sex' value='F' checked='checked' disabled'> Female
<?> print "
<br>School last attended: <input type='text' name='prevschool'
size='50' align='left' value='$prevschool'>
<br>Address of School: <input type='text' name='prevschooladd' size='85' align='left'
value='$prevschooladd'></b></font>
<br><br><br><font color='maroon'><b>HEALTH
INFORMATION:</b></font>
<br><font color='black'><b>Doctor to be notified in case of
emergency:<br><input type='text' name='doctor' size='30' align='left'
value='$doctor'>
<br>Address: <input type='text' name='docadd' size='63'
align='left' value='$docadd'> <br><b>Tel. No.: <input type='text' name='doccontact' size='15' align='left'
value='$doccontact'>
<br>Any known history of allergy?<br><select
name='allergyhist'> <option value='Y'>Yes</option> <option
value='N'>No</option> </select>
<br>Any known history of asthma? <select
name='asthmahist'> <option value='Y'>Yes</option> <option
value='N'>No</option> </select>
<br>If yes,
medication for allergy: <input type='text' name='allergymed' size='32' align='left'
value='$allergymed'>
<br>Any known history of asthma? <select
name='asthmamed'> <option value='Y'>Yes</option> <option
value='N'>No</option> </select>
<br>If yes,
medication for asthma: <input type='text' name='asthmamed' size='32' align='left'
value='$asthmamed'>
<br>Any operation? (specify) <input type='text'
name='operationhist' size='66' align='left' value='$operationhist'>
<br>Is there any special condition your child suffers or any
special medication your child needs? (specify)
<br><input type='text' name='specialcondmed' size='90'
align='left' value='$specialcondmed'></b></font>
<br><br><br><font color='maroon'><b>OTHER
INFORMATION:</b></font>
<br><font color='black'><b>No. of siblings in SMS: <input
type='text' name='siblingsnum' size='5' align='left' value='$siblingsnum'>
<br><b>PAYMENT
DETAILS:</b></font>
<br><font color='black'><b>Mode of Payment: "; ?>
<input type='radio' name='paymode' value='A'
checked='checked' disabled'> Annual <input type='radio' name='paymode'
value='Q' disabled'> Quarterly
<input type='radio' name='paymode' value='S' disabled'>
Semestral <input type='radio' name='paymode' value='M' disabled'> Monthly
<b></font>
<?>
elseif($paymode=='Q'){ ?>
<input type='radio' name='paymode' value='A' disabled'>
Annual <input type='radio' name='paymode' value='Q' checked='checked'
disabled'> Quarterly
<input type='radio' name='paymode' value='S' disabled'>
Semestral <input type='radio' name='paymode' value='M' disabled'> Monthly
<b></font>
<?>
elseif($paymode=='S'){ ?>
<input type='radio' name='paymode' value='A' disabled'>
Annual <input type='radio' name='paymode' value='Q' disabled'> Quarterly

```



```

        <input type='radio' name='paymode' value='A' disabled/>
Annual <input type='radio' name='paymode' value='Q' checked='checked'
disabled/> Quarterly
        <input type='radio' name='paymode' value='S' disabled/>
Semestral <input type='radio' name='paymode' value='M' disabled/> Monthly
<b></font>
    <?>
    elseif($paymode=='S'){ ?>
        <input type='radio' name='paymode' value='A' disabled/>
Annual <input type='radio' name='paymode' value='Q' disabled/> Quarterly
        <input type='radio' name='paymode' value='S'
checked='checked' disabled/> Semestral <input type='radio' name='paymode'
value='M' disabled/> Monthly <b></font>
    <?>
    else{ ?>
        <input type='radio' name='paymode' value='A' disabled/>
Annual <input type='radio' name='paymode' value='Q' disabled/> Quarterly
        <input type='radio' name='paymode' value='S' disabled/>
Semestral <input type='radio' name='paymode' value='M' checked='checked'
disabled/> Monthly <b></font>
    <?>
    print "
<br><br><br><br><center><input type='submit'
name='savestudinfo' value='Update Information' /></center>
</fieldset>";
} //closes if

else{
    print "<br><br><center><fieldset style='width: 400px;
height: 110px; padding-left: 20px; padding-right: 20px;' align='left'>
<table size='390'><tr><td><img src='icons/Warning.png'
align='left' width='110' height='110' alt='></td>
<td><font color='maroon' size='2'><b>PLEASE CHECK IF
THE IMPORTANT FIELDS ARE COMPLETELY FILLED
OUT.</b></font></td>
</tr></table></fieldset></center><br>";
} //closes else
} //closes elseif

        print "</div>

        </form>

        </tr>
        </table>

        <table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
        <tr>
        <td align='center'
bgcolor='#333333'> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
        </tr>
        </table>

        </table>
</body>
</html>
";
?>

UpdateTuitionFees.php
<?php
session_start(); //start up PHP Session
$cashierno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$cashierno'";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);

if(($row[0]!='Cashier')&&($row[1]!='0')){
    header('Location: UserLogin.php');
}

$aliaslevelid = array("JC" => "PSJC",
    "JACI" => "PSJACI",
    "JACII" => "PSJACII",
    "AC" => "PSAC",
    "GI" => "PSGI",
    "GII" => "PSGII",
    "GIII" => "PSGIII",
    "GIV" => "PSGIV",
    "GV" => "PSGV",
    "GVI" => "PSGVI",
    "HI" => "PSHI",
    "HII" => "PSHII",
    "HIII" => "PSHIII",
    "HIV" => "PSHIV",
    "SA" => "PSA",
    "BM" => "PSBM");
$reverselevelid = array("PSJC" => "JC",
    "PSJACI" => "JACI",
    "PSJACII" => "JACII",
    "PSAC" => "AC",
    "PSGI" => "GI",
    "PSGII" => "GII",
    "PSGIII" => "GIII",
    "PSGIV" => "GIV",
    "PSGV" => "GV",
    "PSGVI" => "GVI",
    "PSHI" => "HI",
    "PSHII" => "HII",
    "PSHIII" => "HIII",
    "PSHIV" => "HIV",
    "PSA1" => "SA1",
    "PSA2" => "SA2",
    "PSA3" => "SA3",
    "PSBM" => "BM");

$yearlevels = array("JC" => "Junior Casa",
    "JACI" => "Junior Advanced Casa I",
    "JACII" => "Junior Advanced Casa II",
    "AC" => "Advanced Casa",
    "GI" => "Grade One",
    "GII" => "Grade Two",
    "GIII" => "Grade Three",
    "GIV" => "Grade Four",
    "GV" => "Grade Five",
    "GVI" => "Grade Six",
    "HI" => "First Year High School",
    "HII" => "Second Year High School",
    "HIII" => "Third Year High School",
    "HIV" => "Fourth Year High School",
    "SA1" => "Scholar A1",
    "SA2" => "Scholar A2",
    "SA3" => "Scholar A3",
    "BM" => "Band Member");

$day = date(d);
$year = date(Y);
$month = date(n);

if($month<6){
    $year1 = $year-1;
    $year2 = $year;
}
else{
    $year1 = $year;
    $year2 = $year+1;
}
$year = "$year1"."-".$year2";

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<font color='red'>$guardiano</font>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
        <tr>
        <td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
        <td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
        <td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>
        </tr>
        </table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
        <tr>
        <td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
        <td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
        <td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'> ?>
        <?if($cashierno!='') { ?>
        | <a href='E-nrollSYSHome.php'>Home</a>
        | <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
        | <a href='AboutE-
nrollSYS.php'>Contact</a>
        | <a href='E-
nrollSYSHelp.php'>Help</a>
        | <a href='UserLogin.php'>Log-
out</a> |</td>
        <?>
        else{ ?>
        | <a href='E-nrollSYSHome.php'>Home</a>

```



```

<tr><td><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px;'>
<table size='390'><tr><td><img
src='icons/UploadSuccess.png' align='left' width='65' height='65' alt=''></td>
<td><font color='maroon' size=2><b><center>Tuition
Fee for $getlabel successfully updated.</center></b></font></td>
</tr></table></fieldset></center></td></tr></table><br><br>";

BY Amount");
$query3 = mysql_query("SELECT * FROM tuition ORDER
BY Amount");
$colcount = mysql_num_fields($query3);

print "<center><table border='1' width='400'><tr>";
for($column_num = 0; $column_num < $colcount;
$column_num++) {
if($column_num==0){
print "<th><font color='maroon'>Grade/Year
Level</font></th>";
}
else{
print "<th><font color='maroon'>Amount</font></th>";
}
} //closes for
print "</tr><br>";

while($row = mysql_fetch_row($query3)){
print "<tr align='center' valign='top'>";
for($column_num = 0; $column_num < $colcount;
$column_num++) {
if($column_num==0){
$key = $row[0];
$labelid = $reverselevelid[$key];
$label = $yearlevels[$labelid];
print "<td><font color='black'
size=2>$label</font></td>";
} //closes if
else{
print "<td nowrap><font color='black' size=2>PHP
$row[$column_num]</font></td><br>";
} //closes else
} //closes for
print "</tr><br>";
} //closes while
print "</table><br><br>";
} //closes else if

print "</div>
</form>
</tr>
</table>
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center' bgcolor='#333333'> E-nrollsYS created by
Kathleen M. Mendoza <br> All rights reserved. Best viewed using Google
Chrome.</td>
</tr>
</table>
</tr>
</table>
</body>
</html>
";
?>

```

UpdateStudentRanking.php

```

<?php
session_start(); //start up PHP Session
$username = $_SESSION['username'];
$_SESSION['guardian'] = $username;
$_SESSION['yearlevel'] = $yearlevel;

include("includefile.inc");

$userstat = "SELECT Status,Type FROM user WHERE Username='$username'
AND Status='1'";
$checkstat = mysql_query($userstat, $link);
$numrows = mysql_numrows($checkstat);
$getdetails = mysql_fetch_row($checkstat);
$userstatus = $getdetails[0];
$userstype = $getdetails[1];

$query1 = "SELECT SLname,SFname,SMname,StudNum FROM student
WHERE GuardianNum='$username'";
$getchild = mysql_query($query1, $link);
$countchild = mysql_numrows($getchild);

if(isset($_POST['getlevel'])&& $_GET['logout']!=1){
if($_POST['level']!=NULL){

```

```

include("includefile.inc");

$yearlevel = $_POST['level'];
//echo "<font color='black'>$yearlevel</font>";

// Retrieve students on a year level in order
$query = "SELECT StudNum, GWA FROM student WHERE LevelID =
'$yearlevel' ORDER BY GWA DESC";
$rankedstudents = mysql_query($query,$link);
$count = mysql_numrows($rankedstudents);

if($count!=0){
// Update the ranks of students
for ($i = 1; $i <= $count; $i++) {
$data = mysql_fetch_row($rankedstudents);
$updateGWA = "UPDATE student SET Rank = '$i' WHERE StudNum =
'$data[0]'";
mysql_query($updateGWA, $link)
or die ("UPDATE error: ".mysql_error());
} //closes for

header('Location: ViewAchieversByYear.php');
} //closes if
else{
} //closes else
} //closes if
} //closes if

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height='100' alt=''></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt=''></td>
<td><img src='images/t1-3.jpg' width='360'
height='100' alt=''></td>
</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt=''></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt=''></td>
<td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'>"; ?>
<?if($username!="") { ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a>
| <a
href='UserLogin.php?logout=1'>Log-out</a> </td>
<?>
else { ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a> </td>
<?>
print "</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td width='181' align='left'
valign='top'>
border='0' cellspacing='0' cellpadding='0'>
<tr align='left'
valign='top'>
<td width='160'
height='28' bgcolor='#990000'></td>

```



```

        <td width='21'
rowspan='2' background='images/t4-2.gif'
width='21' border='0' cellspacing='0' cellpadding='0'>
        <tr><td height='23' align='left' valign='top'><img src='images/t4-
1.gif' width='21' height='23'></td></tr>
        <tr><td height='495' align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22' alt=''></td></tr>
        <tr><td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt=''></td></tr>
        </table></td>
        <tr>
        <tr align='left'
valign='top'>
        <td height='400'
bgcolor='#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
        <a
href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
        <a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>';?>
        <?if ($SuserType=='Guardian')&&($SuserStatus=='1')?>
        <a href='GuardiansCorner.php'><font size=2><b>Guardian's
Corner</b></font></a><br><br>
        <?//closes if
        else if ($SuserType=='Registration Clerk')&&($SuserStatus=='1')?>
        <a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
        <?//closes else if
        print "</td>
        </table>
        </td>
        <td width='598' align='left' valign='top'>
        <table bgcolor='#FFFFFF'
width='719' border='0' cellspacing='0' cellpadding='0'>
        <tr>
        <td>;
        if($Susername!=""){
        print "<br><table
width='700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>",".<font color='maroon'><b>". $Susername.</b></font></td>
        <td
align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y")."</b></font></td></tr></table>";
        //closes if
        else{
        print "<br><table
width='700'><tr><td align='left'></td>
        <td
align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y")."</b></font></td></tr></table>";
        //closes else
        print "</td>
        </tr>
        </table>
        <td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br>Camella Homes IV, Poblacion<br>City of
Muntinlupa</b></font></td></tr>
        <tr>
        <td
width='600' height='440' valign='top'>
        <form name='getstudentregdetails'
action='UpdateStudentRanking.php' method='post'>
        <br><br><br><br><br><center><fieldset
style=width: 500px; height: 140px; align='left'>
        <legend><font color='maroon' size='2'><b>Update Student
Ranking</b></font></legend>
        <br><table width='500' height='1'>
        <tr><td><font color='maroon' size='2'><b>*Note: This updates the
ranks of the students per grade/year level.</b></font></td></tr>
        </table>
        <br><table width='500' height='1'><tr><td width='150'><font
color='black'><b>Grade/Year Level: </b></font>

```

```

        <select name='level'><option value=''>- Level -</option>
        <option value='JC'>JC</option>
        <option value='JACI'>JAC I</option>
        <option value='JACII'>JAC II</option>
        <option value='AC'>AC</option>
        <option value='GI'>GRADE I</option>
        <option value='GII'>GRADE II</option>
        <option value='GIII'>GRADE III</option>
        <option value='GIV'>GRADE IV</option>
        <option value='GV'>GRADE V</option>
        <option value='GVI'>GRADE VI</option>
        <option value='HI'>1ST YEAR</option>
        <option value='HII'>2ND YEAR</option>
        <option value='HIII'>3RD YEAR</option>
        <option value='HIV'>4TH YEAR</option>
        </select></td>
        <td width='150'><input type='submit' name='getlevel'
value='Proceed' /></td></tr></table>
        <br><br><table width='480' height='1'>
        <tr><td align='right'><a href='UpdateStudentStatus.php'><font
color='black'><b>BACK </b></font></a></td>
        </tr></table></fieldset></center>
        </form>
        </td>
        </table>
        <table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
        <tr>
        <td align='center' bgcolor='#333333'> E-nrollSYS
created by Kathleen M. Mendoza <br> All rights reserved. Best viewed using
Google Chrome.</td>
        </tr>
        </table>
        </td>
        </table>
        </tr>
        </table>
        </body>
        </html>
        ";
        ?>
UserLogin.php
<?php
session_start(); //start up PHP Session
$_SESSION['username'] = $_POST['username'];
print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-
8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
";
?>
<script language="javascript">
<!--//
        function delayer0(){
            window.location = "StudentsCorner.php";
        }
        function delayer1(){
            window.location = "GuardiansCorner.php";
        }
        function delayer2(){
            window.location = "FacultyCorner.php";
        }
        function delayer3(){
            window.location = "RegistrarsCorner.php";
        }
        function delayer4(){
            window.location = "CashiersCorner.php";
        }
        function delayer5(){
            window.location = "AdministratorsCorner.php";
        }
        function logout(){
            window.location = "UserLogin.php";
        }
        //-->
</script>
<?
print "</head>";
if(isset($_POST['LOGIN'])){
    include('includefile.inc');
    // Compute hash value
    $passwordHash = sha1($_POST['password']);
    $Suser_type = "SELECT type,status FROM user WHERE
username='".$_POST['username']."' AND password='$passwordHash'";

```



```

height='100' alt='></td>
height='100' alt='></td>
</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
<td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'> ?>
<?if($facultyno!="") { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a href='UserLogin.php'>Log-
out</a> |</td>
<?>
else { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td width='181' align='left'
valign='top'>
<table width='181'
border='0' cellspacing='0' cellpadding='0'>
<tr align='left'
valign='top'>
<td width='160'
height='28' bgcolor='#990000'></td>
<td width='21'
rowspan='2' background='images/t4-2.gif'>
<table
width='21' border='0' cellspacing='0' cellpadding='0'>
<tr><td height='23' align='left' valign='top'><img src='images/t4-
1.gif' width='21' height='23'></td></tr>
<tr><td height='495' align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt='></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'>
<td height='400'
bgcolor='#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a
href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>
<a href='FacultyCorner.php'><font size=2><b>Faculty's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
</td>
<td width='598' align='left' valign='top'>
<table bgcolor='#FFFFFF'
width='598' border='0' cellspacing='0' cellpadding='0'>
<tr>
<td>;
</td>
if($facultyno!="") {
print "<br><table
width='700'<tr><td align='left'<font color='black'><b>Logged in as
</b></font>","<font color='maroon'><b>". $facultyno.</b></font></td>
</td>

```

```

align='right'<font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes if
else {
print "<br><table
width='700'<tr><td align='left'</td>
<td
align='right'<font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
<td
align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
</td>
width='598' height='400' valign='top'>
<form name='getstudentlist' enctype='multipart/form-data'
action='UploadGrades.php' method='post'>
<br><fieldset style='width: 680px; height: 105px;'
align='left'>
<legend><font color='maroon' size=2><b>Upload
Grades</b></font></legend>
<table width='670' height='1'>
<tr><td align='center'><b>*NOTE: Be sure that the excel
file you'll upload matches the subject in the Subj. Code field.</b></td>
<td align='right'><a href='FacultyCorner.php'><font
color='black'><b>] BACK [</b></font></a></td>
</tr></table>
<br><table width='670' height='1'>
<tr><td width='190'<font color='black'><b>
Quarter:<select name='quarter'>
<option value='> Quarter </option>
<option value='1'>1st Quarter</option>
<option value='2'>2nd Quarter</option>
<option value='3'>3rd Quarter</option>
<option value='4'>4th Quarter</option>
</select></b></font></td>
<td width='190'<font color='black'><b>Grade/Year:<select
name='level' onchange='initDependencies(this, value)'>
<option value='> Level </option>
<option value='JC'>JC</option>
<option value='JACI'>JAC I</option>
<option value='JACII'>JAC II</option>
<option value='AC'>AC</option>
<option value='GI'>GRADE I</option>
<option value='GII'>GRADE II</option>
<option value='GIII'>GRADE III</option>
<option value='GIV'>GRADE IV</option>
<option value='GV'>GRADE V</option>
<option value='GVI'>GRADE VI</option>
<option value='HI'>1ST YEAR</option>
<option value='HII'>2ND YEAR</option>
<option value='HIII'>3RD YEAR</option>
<option value='HIV'>4TH YEAR</option>
</select></b></font></td>
<td width='190'<font color='black'><b>Sec. Name:<select
name='section' id='section'>
<option value='> Section </option>
</select></b></font></td>
</tr></table>
<table width='670' height='1'>
<tr><td width='300'<font color='black'><b>
Subject: <select name='subcode' id='subcode'>
<option value='> Subject </option>
</select></b></font></td>
<td width='350'<font color='black'><b>Choose file: <input
name='gradefile' type='file' /></b></font></td>
<td align='right'><input type='submit' name='getstudents'
value='Proceed' /></td>
</tr></table>
</fieldset>
<div style='width: 719px; height: 300px; overflow:
scroll;'><br>";?>
<?
if(isset($_POST['getstudents'])&&
$_GET['logout']!=1) {
//echo "d2";

```

```

if($_POST['section']!=NULL)&&($_POST['level']!=NULL)&&($_POST['subcode']!=NULL){
    include("includefile.inc");
    include("C:xampp/php/PEAR/Spreadsheet/Excel/reader.php");

    $section = $_POST['section'];
    $subject = $_POST['subcode'];
    $level = $_POST['level'];
    $qtr = $_POST['quarter'];
    $year = "$$year1"."."."$year2";

    $file = $_FILES['gradefile']['tmp_name'];
    $quarterslist = array("1" => "1st",
        "2" => "2nd",
        "3" => "3rd",
        "4" => "4th");
    $getquarter = $quarterslist[$qtr];

    // initialize reader object
    $excel = new Spreadsheet_Excel_Reader();

    // read spreadsheet data
    $excel->read($file);

    $query1 = "SELECT SecID FROM section WHERE
    SecName='$section' AND LevelID='$level' AND SchoolYear='$year'";
    $query2 = "SELECT SubName FROM subject WHERE
    SubCode='$subject' AND SchoolYear='$year'";
    $searchsecid = mysql_query($query1,$link);
    $searchsubname = mysql_query($query2,$link);
    $secid = mysql_fetch_row($searchsecid);
    $subname = mysql_fetch_row($searchsubname);
    $numrows1 = mysql_numrows($searchsecid);
    $numrows2 = mysql_numrows($searchsubname);
    $finalcount = 0;

    if($numrows1!=0&&$numrows2!=0){
        $studnum = array();
        $grade = array();
        $comment = array();
        $misplacedstud = 0; //counts misplaced students
        $count = 0;
        $rows = $excel->sheets[$qtr-1]['numRows'];
        $struerow = $rows-1;

        // reading the contents of the excel file
        for($y=2, $count = $y-2; $y <= $struerow, $count <
        $struerow; $y++, $count++){
            $student = $excel->sheets[$qtr-1]['cells'][$y][1];

            //check if student belongs in the section
            $query3 = "SELECT S$ex FROM student WHERE
            StudNum='$student' AND SecID='$secid[0]'";
            $searchstud = mysql_query($query3,$link);
            $totalrows = mysql_numrows($searchstud);

            if($totalrows==1){
                $studnum[$count] = $excel->sheets[$qtr-1]['cells'][$y][1];
                $grade[$count] = $excel->sheets[$qtr-1]['cells'][$y][2];
                $comment[$count] = $excel->sheets[$qtr-1]['cells'][$y][3];
            }//closes if

            else{
                $misplacedstud++;
            }//closes else
        }//closes for

        $finalcount = $struerow - $misplacedstud;

        $occurcount = 0;
        if($misplacedstud==0){
            for($index=0; $index < $finalcount; $index++){
                $query4 = "SELECT GradeID FROM grade WHERE
                StudentID='$studnum[$index]' AND SubCode='$subject' AND
                Quarter='$getquarter'";
                $searchinstance = mysql_query($query4, $link);
                $countoccur = mysql_numrows($searchinstance);

                if($countoccur==0){
                    $query5 = "INSERT INTO grade
                    (StudentID,SubCode,Quarter,SchoolYear,Grade,Comments)
                    VALUES
                    ('$studnum[$index]','$subject','$getquarter','$year','$grade[$index]','$comment[$index]')";
                    $gradequery = mysql_query($query5, $link)
                    or die ("INSERT error: ".mysql_error());
                }//closes if

                else{
                    $occurcount++;
                }//closes else
            }//closes for

            if($occurcount==0){
                echo "<br><center><fieldset style='width: 400px;
                height:70px; padding-left: 20px; padding-right: 20px; align='left'>
                <table size=390><tr><td><img
                src='icons/UploadSuccess.png' align='left' width='65' height='65' alt='></td>
                <td><font color='maroon'
                size=2><b><center>$subname[0] grades of $section for $getquarter Quarter
                successfully uploaded.</center></b></font>
                </td></tr></table></fieldset></center><br><br>";
                $searchstud = mysql_query("SELECT StudNum FROM
                student WHERE SecID='$secid[0]'");

                print "<table width=400' align='center' border='1'><tr><th
                colspan=2><font color='maroon'>$subname[0] Grades of
                $section<br>$getquarter Quarter</font></th></tr>
                <tr><th><font
                color='maroon'>Name</font></th><th><font
                color='maroon'>Grade</font></th></tr>";
                while($getstudents = mysql_fetch_row($searchstud)){
                    print "<tr valign='top'>";
                    $getgrades = "SELECT
                    a.SLname,a.SFname,a.SMname,b.Grade
                    FROM student AS a,grade AS b
                    WHERE a.StudNum=$getstudents[0]' AND
                    a.StudNum=b.StudentID AND b.Quarter=$getquarter' AND
                    b.SubCode='$subject'";
                    $studgrades = mysql_query($getgrades);
                    $getstudgrades = mysql_fetch_row($studgrades);
                    $initial = substr($getstudgrades[2],0,1);
                    $name = "$getstudgrades[1] $initial. $getstudgrades[0]";
                    print "<td><font color='black'
                    size=2>$name</font></td>
                    <td><font color='black'
                    size=2><center>$getstudgrades[3]</center></font></td>";
                    print "</tr>";
                }//closes while
                print "</table><br><br>";
            }//closes if

            else{
                echo "<br><center><fieldset style='width: 400px;
                height:70px; padding-left: 20px; padding-right: 20px; align='left'>
                <table size=390><tr><td><img
                src='icons/Warning.png' align='left' width='65' height='65' alt='></td>
                <td><font color='maroon'
                size=2><b><center>ERROR: $subname[0] grades of $section for $getquarter
                Quarter already exist for $occurcount students.</center></b></font>
                </td></tr></table></fieldset></center><br><br>";
            }//closes else

            else{
                echo "<br><center><fieldset style='width: 400px;
                height:70px; padding-left: 20px; padding-right: 20px; align='left'>
                <table size=390><tr><td><img
                src='icons/Warning.png' align='left' width='65' height='65' alt='></td>
                <td><font color='maroon' size=2><b><center>ERROR:
                Please re-check the file. It contains $misplacedstud student/s who does not belong
                to $section.</center></b></font>
                </td></tr></table></fieldset></center><br><br>";
            }//closes else

            else{
                echo "<br><center><fieldset style='width: 400px;
                height:70px; padding-left: 20px; padding-right: 20px; align='left'>
                <table size=390><tr><td><img
                src='icons/Warning.png' align='left' width='65' height='65' alt='></td>
                <td><font color='maroon' size=2><b><center>ERROR:
                Section/subject does not exist. Please re-check the details.</center></b></font>
                </td></tr></table></fieldset></center><br><br>";
            }//closes else

            }//closes if
        }//closes if
        else{
            print "<br><center><fieldset style='width: 600px; height:300px;
            padding-left: 20px; padding-right: 20px; align='left'>
            <img src='icons/Information.png' align='left' width='90'
            height='90' alt='><br>
            <center><font color='maroon' size=2><b>IMPORTANT:
            The format of the excel file should look like this:<br>
            Each quarter on a separate sheet with Student Number on
            column A, grades on B, comments on C.</center></b></font><br><br>
            <center><img src='images/sample.jpg' width='500'
            height='200' alt='></center>
            </fieldset></center><br>";
        }//closes else
    }

    print "</div>";
}

```

```
</form>
</tr>
</table>
<table width=719' height=41'
border=0' cellpadding=0' cellspacing=0>
<tr>
<td align=right'
bgcolor=#333333'> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</body>
</html>
";
?>
```

ViewAchievers.php

```
<?php
session_start(); //start up PHP Session
$registrano = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrano'";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);

if($row[0]!="Registration Clerk")&&($row[1]!="0"){
header('Location: UserLogin.php');
}

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='center'
height=100' alt='></td>
<td align='center'
height=100' alt='></td>
<td align='center'
height=100' alt='></td>
</tr>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='center'
height=23' alt='></td>
<td align='center'
height=23' alt='></td>
<td align='center'
width=700' height=23' align='center'
bgcolor=#333333' class='topMenu'> ?>
<?if($registrano!="") { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a href='UserLogin.php'>Log-
out</a> |</td>
<?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='center'
width=181' align='left'
valign='top'>
```

```
<table width='181'
border=0' cellspacing=0' cellpadding=0'>
<tr align='left'
valign='top'>
<td width='160'
height='28' bgcolor=#990000'></td>
<td width='21'
rowspan='2' background='images/t4-2.gif'>
</td>
</tr>
<tr align='left'
valign='top'>
<td align='center'
width='21' border=0' cellspacing=0' cellpadding=0'>
<tr><td height='23' align='left' valign='top'><img src='images/t4-
1.gif' width='21' height='23'></td></tr>
<tr><td height='495' align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt='></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'>
<td height='400'
bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a
href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
</td>
<td width='598' align='left' valign='top'>
<table bgcolor=#FFFFFF'
width='719' border=0' cellspacing=0' cellpadding=0'>
<tr>
<td>";
if($registrano!=""){
print "<br><table
width=700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>,".<font color='maroon'><b>". $registrano.</b></font></td>
<td align='right'><font color='black'><b>Today is ",.<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes if
else {
print "<br><table
width=700'><tr><td align='left'></td>
<td align='right'><font color='black'><b>Today is ",.<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
<tr>
<td width='459'
height='488' valign='top' style='padding-top: 50px; padding-left: 40px;'>
<fieldset style='width: 600px; height: 250px; padding-top: 40px;
align='center'>
<legend> <font color='maroon' size=2'><b>View Academic
Achievers</b></font></legend>
</table width=300'
height='150' align='center'>
<tr><td align='center'><a href='ViewAchieversByYear.php'><img
src='icons/ViewAchieversByLevel.png' align='left' width='130' height='130'
alt='></a></td>
<td align='center'><a href='ViewAchieversBySection.php'><img
src='icons/ViewAchieversBySection.png' align='left' width='130' height='130'
alt='></a></td>
</tr>
```



```

FROM student WHERE LevelID = '$ylevel' AND
Rank <= '10' ORDER BY Rank";
$getachievers = mysql_query($getstudentsinfo, $link);
$colcount = mysql_num_fields($getachievers);

print "<table width='700' align='center'>
<tr><th><center><font color='black'>Academic Achievers
from $yearlabel<br>School Year $year</font></center></th></tr>
</table><br><br>";
print "<table width='600' border='1' cellpadding='5'
align='center'><tr>";
for($column_num = 0; $column_num < $colcount;
$column_num++) {
$field_name = mysql_field_name($getachievers,
$column_num);
if($column_num==0){
print "<th><font
color='black'>$alias[$field_name]</font></th>";
$column_num = 2;
}
else{
print "<th><font
color='black'>$alias[$field_name]</font></th>";
}
} //closes for

while($row = mysql_fetch_row($getachievers)) {
print "<tr align='center' valign='top'>";
for($column_num = 0; $column_num < $colcount;
$column_num++) {
if($column_num==0){
$name = "$row[0]."; $row[1] $row[2];
print "<td nowrap><font color='black'
size='2'>$name</font></td>\n";
$column_num = 2;
}
else if($column_num==4){
$section = mysql_query("SELECT SecName FROM
section WHERE SecID='$row[$column_num]");
$getsection = mysql_fetch_row($section);
print "<td nowrap><font color='black'
size='2'>$getsection[0]</font></td>\n";
}
else if($column_num==5){
$standing = $row[5];
print "<td nowrap><font color='maroon'
size='2'><b>$standing</b></font></td>\n";
}
else{
print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
}
} //closes for
} //closes while
print "</tr>\n</table><br><br>";

} //closes if
} //closes else

print "</div>

</form>

</tr>
</table>

<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>

<tr>

<td align='center' bgcolor='#333333'> E-nrollSYS created by
Kathleen M. Mendoza <br> All rights reserved. Best viewed using Google
Chrome.</td>

</tr>

</table>

</td>

</table>

</tr>

</table>

</body>
</html>
";
?>

```

ViewAchieversBySection.php

```

<?php
session_start(); //start up PHP Session
$username = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$username'";
$getdetails = mysql_query($query1, $link);
$details = mysql_fetch_row($getdetails);
//echo "$details[0]";

```

```

/*if(($details[0]!='Registration
Clerk')||($details[0]!='Faculty')&&($details[1]!='0')){
header('Location: UserLogin.php');
}*/

//table schedule contains composite keys schedid, timeslotid, subjid; 1 schedid =
1 section
$year = date(Y);
$month = date(n);

if ($month < 6) {
$year1 = $year - 1;
$year2 = $year;
} else {
$year1 = $year;
$year2 = $year + 1;
}

$year = "$year1.".".".$year2";

$yearlevels = array("JC" => "JC",
"JACI" => "JAC I",
"JACII" => "JAC II",
"AC" => "AC",
"GI" => "Grade One",
"GII" => "Grade Two",
"GIII" => "Grade Three",
"GIV" => "Grade Four",
"GV" => "Grade Five",
"GVI" => "Grade Six",
"HI" => "First Year",
"HII" => "Second Year",
"HIII" => "Third Year",
"HIV" => "Fourth Year");
$yearlabel = $yearlevels[$ylevel];
$alias = array("SLname" => "Name",
"SFname" => "Name",
"SMname" => "Name",
"StudNum" => "Student Number",
"SecID" => "Section",
"Rank" => "Standing",
"GWA" => "GWA");

?>

<html>
<head>
<title>E-nrollSYS Edit Section Details</title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<script type='text/javascript'>

// Initialize AJAX request
function initAjaxCall() {
// code for IE7+, Firefox, Chrome, Opera, Safari
if (window.XMLHttpRequest) {
xmlhttp = new XMLHttpRequest();
} else { // code for IE6, IE5
xmlhttp = new ActiveXObject("Microsoft.XMLHTTP");
}
}

// AJAX request to retrieve section
function getSection(yearLevel) {
// If there is no selected year level, do not display anything on sectionPane
if (yearLevel == "") {
document.getElementById("sectionPane").innerHTML = "";
return;
}
}

initAjaxCall();

// Set function callback
xmlhttp.onreadystatechange = function() {
if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
document.getElementById("sectionPane").innerHTML =
xmlhttp.responseText;
}
}

// Set php and send request
xmlhttp.open("GET","manageClassSchedHandler.php?q="+yearLevel+"&reqTyp
e=getSection",true);
xmlhttp.send();
}

function getSchedule() {
$section = document.getElementById("sectionPane").value;
$yearLevel = document.getElementById("yearLevel").value;

```

```

// If there is no selected section, do nothing/alert user and clear contents on the
table
if ($yearLevel == "" || $section == "") {
// TODO Task here
document.getElementById("scheduleTable").innerHTML = "";
return;
}

initAjaxCall();

// Set function callback
xmlhttp.onreadystatechange = function() {
if (xmlhttp.readyState == 4 && xmlhttp.status == 200) {
document.getElementById("scheduleTable").innerHTML =
xmlhttp.responseText;
}
}

// Set php and send request
xmlhttp.open("GET", "ViewAchieversBySectionHandler.php?section="+$section
+"&yearLevel="+$yearLevel+"&reqType=getSchedule", true);
xmlhttp.send();
}
</script>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0>
<font color='red'><?php print "$studentno"; ?></font>

<!-- BANNER -->
<table width='900' border=0' align='center' cellpadding=0'
cellspacing=0>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
<td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>
</tr>
</table>

<!-- NAVLINK -->
<table width='900' border=0' align='center' cellpadding=0'
cellspacing=0>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
<td width=700' height=23' align='center'
bgcolor=#333333' class='topMenu'>
<?php if($username!="") { ?>
| <a href='E-
nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
href='UserLogin.php?logout=1'>Log-out</a> |</td>
<?php } else { ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<?php } ?>
</tr>
</table>

<!-- MID SECTION -->
<table width='900' border=0' align='center' cellpadding=0' cellspacing=0'>
<tr>
<!-- SIDEPANEL -->
<td width='181' align='left'
valign='top'>
border=0' cellspacing=0' cellpadding=0'>
valign='top'>
height='28' bgcolor=#990000'></td>
rowspan=2' background='images/t4-2.gif'>
width='21' border=0' cellspacing=0' cellpadding=0'>

```

```

<tr><td height=23' align='left' valign='top'><img src='images/t4-
1.gif' width=21' height=23'></td></tr>
<tr><td height=495' align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
</table>
<tr>
<tr align='left' valign='top'>
<td height=400' bgcolor=#990000'
style='padding-left: 15px; padding-right:10px; padding-top: 10px'>
<a href='E-
nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font
size=2><b>About E-nrollSYS</b></font></a><br><br>
<? if($details[0]=='Registration Clerk'){ ?>
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
<? }
else{ ?>
<a href='FacultysCorner.php'><font size=2><b>Faculty's
Corner</b></font></a><br><br>
<? } ?>
</td>
</tr>
</table>
<!-- MAIN BODY -->
<td width='598' bgcolor=#FFFFFF' align='left'
valign='top'>
<table width='719' border=0'
cellspacing=0' cellpadding=0'>
<tr>
<td>
<?php if ($username != "") { ?>
<br><table width=700'><tr><td align='left'><font
color='black'><b>Logged in as </b></font>
<font color='maroon'><b><?php echo $username?></b></font></td>
<td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")></b></font></b></font></td></tr></table>
<?php } else { ?>
<br><table width=700'><tr><td align='left'></td>
<td align='right'><font
color='black'><b>Today is <font color='maroon'><b><?php echo date("l, F j,
Y")></b></font></b></font></td></tr></table>
<br>
<?php } ?>
</td>
<td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL</b><br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td>
</tr>
<tr>
<td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL</b><br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td>
<td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL</b><br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td>
</tr>
</table>
<form
name='manageclasssched' action='ViewAchieversBySection.php' method='post'>
<br>
<!-- FIELD -->
<fieldset style='width: 680px; height: 45px;' align='left'>
<legend><font color='maroon' size=2><b>Academic Achievers by
Section</b></font></legend>
<table width=670' height=1'>
<tr><td width=215'><font color='black'><b>Grade/Year
Level:</b></font>
<!-- YEAR LEVEL SELECTION -->
<select name='yearlevel' id='yearLevel'
onchange='getSection(this.value)'>
<option><b>Level </b></option>
<option value='JC'>JC</option>
<option value='JAC I'>JAC I</option>
<option value='JAC II'>JAC II</option>
<option value='AC'>AC</option>
<option value='GI'>GRADE I</option>
<option value='GII'>GRADE II</option>
<option value='GIII'>GRADE III</option>

```



```

$getchild = mysql_query($query1, $link);
$scoutchild = mysql_numrows($getchild);

$yearlevels = array("JC" => "Junior Casa",
                    "JACI" => "Junior Advanced Casa I",
                    "JACII" => "Junior Advanced Casa II",
                    "AC" => "Advanced Casa",
                    "GI" => "Grade One",
                    "GII" => "Grade Two",
                    "GIII" => "Grade Three",
                    "GIV" => "Grade Four",
                    "GV" => "Grade Five",
                    "GVI" => "Grade Six",
                    "HI" => "First Year High School",
                    "HII" => "Second Year High School",
                    "HIII" => "Third Year High School",
                    "HIV" => "Fourth Year High School");
$scholartype = array("N" => "N/A",
                    "SA" => "Scholar A",
                    "SB" => "Scholar B",
                    "BM" => "Band Member");

print "
<html>
<head>
<title>Update Essential Information</title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<table width=900' border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='center' width=160'
height=100' alt='></td>
<td align='center' width=380'
height=100' alt='></td>
<td align='center' width=360'
height=100' alt='></td>
</tr>
<table border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='center' width=160'
height=23' alt='></td>
<td align='center' width=40'
height=23' alt='></td>
<td align='center' width=700' height=23' align='center'
bgcolor=#333333' class='topMenu'; ?>
<?if($guardiano!="") ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a href='UserLogin.php'>Log-
out</a> |</td>
<?>
else{ ?>
| <a href='E-nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table border=0' align=center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='left' width=181'
valign='top'
border=0' cellspacing=0' cellpadding=0'>
<tr align='left'
valign='top'>
<td align='left' width=160'
height=28' bgcolor=#990000'></td>
<td align='left' width=21'
rowspan=2' background='images/t4-2.gif'>
<table border=0' cellspacing=0' cellpadding=0'>
<tr>
<td align='left' height=495' width=21' height=22'><img
src='images/t4-4.gif' width=21' height=22'></td></tr>
<tr>
<td align='left' height=41' width=21' height=41'><img
src='images/t4-5.gif' width=21' height=41' alt='></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'>
<td align='left' height=400'
bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a href='E-nrollSYSHome.php'><font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-
nrollSYS</b></font></a><br><br>
<a href='GuardiansCorner.php'><font size=2><b>Guardian's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
</table>
<table border=0' align='left' valign='top'>
<table border=0' align='left' cellpadding=0'>
<tr>
<td>;
if($guardiano!=""){
print "<br><table
width=700'<tr><td align='left'<font color='black'><b>Logged in as
<b></font>".<font color='maroon'><b>". $guardiano.</b></font></td>
<td
align='right'<font color='black'><b>Today is ".<font
color='maroon'><b>.date("l, F j,
Y").</b></font></td></tr></table>;
} //closes if
else{
print "<br><table
width=700'<tr><td align='left'</td>
<td
align='right'<font color='black'><b>Today is ".<font
color='maroon'><b>.date("l, F j,
Y").</b></font></td></tr></table>;
} //closes else
print "</td>
</tr>
<td
align='center'<br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
<tr>
<td
width=459' height=440' valign='top'>
<form name='updateinfo' action='UpdateGuardianInfo.php'
method='post'>
<div style='width: 719px; height: 430px; overflow: scroll;'>;
if(isset($_POST['saveguardinfo'])&& $_GET['logout']!=1){
if($_POST['gfname']!=NULL)&&($_POST['gmname']!=NULL)&&($_POST['g
ftelno']!=NULL)&&($_POST['gmtelno']!=NULL)&&($_POST['homeaddress']!=
NULL)&&($_POST['homeno']!=NULL){
include("includefile.inc");
$gfname = mysql_real_escape_string($_POST['gfname']);
$gmname = mysql_real_escape_string($_POST['gmname']);
$gfeduca = mysql_real_escape_string($_POST['gfeduca']);
$gmeduca = mysql_real_escape_string($_POST['gmeduca']);
$gfschoola = mysql_real_escape_string($_POST['gfschoola']);
$gmschoola = mysql_real_escape_string($_POST['gmschoola']);
$gfoccupation =
mysql_real_escape_string($_POST['gfoccupation']);
$gmoccupation =
mysql_real_escape_string($_POST['gmoccupation']);
$gfbusadd = mysql_real_escape_string($_POST['gfbusadd']);
$gmbsadd = mysql_real_escape_string($_POST['gmbsadd']);
$gftelno = mysql_real_escape_string($_POST['gftelno']);
$gmtelno = mysql_real_escape_string($_POST['gmtelno']);

```

```

Shomeaddress =
mysql_real_escape_string($_POST['homeaddress']);
Shomeno = mysql_real_escape_string($_POST['homeno']);

$supdateguardinfo = "UPDATE guardian SET
GFname=$gfname,GMname=$gmname,GFeduca=$gfeduca,GMEduca=$gmduca,
GFschoolA=$gfschoolA,GMSchoolA=$gmschoolA,GFOccupation=$gfo
ccupation',

GMOccupation=$gmoccupation,GFBusAdd=$gfbusadd,GMBusAdd=$gmbusa
dd',GFTelNo=$gftelno,GMTelNo=$gmtelno,GHAddress=$homeaddress',GCon
tact=$shomeno'

WHERE GuardianNum = $guardianno";
mysql_query($supdateguardinfo, $link)
or die ("UPDATE error: ".mysql_error());
mysql_close();

print "<br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px;' align='left'>
<table size='390'>
<tr><td align='center'><img src='icons/UploadSuccess.png' align='left'
width='65' height='65' alt='></td>
<td align='center'><font color='maroon' size='2'><b>UPDATING
INFORMATION IN THE DATABASE SUCCESSFUL.</b></font></td>
</tr></table></fieldset></center><br><br>
align='left'>
<legend><font color='maroon' size='2'><b>Parents/Guardian
Information and Enrollment Details</b></font></legend>
<table width='680'><tr>
<td align='center'><font color='maroon'><b>*Required fields to be filled-
out.</b></font>
</td></tr></table><br>
<table width='680'><tr>
<td align='center'><font color='black'><b>FATHER</b></font></td><td align='center'><font
color='black'><b>MOTHER</b></font></td></tr>
<tr><td align='center'><font color='black'><b>*Name: </td><td align='center'><input
type='text' name='gfname' size='30' align='left' value=$gfname/></td>
<td align='center'><input type='text' name='gmname' size='30' align='left'
value=$gmname/></td></tr>
<tr><td align='center'><font color='black'><b>Educational Attainment:
</td><td align='center'><input type='text' name='gfeduca' size='30' align='left'
value=$gfeduca/></td>
<td align='center'><input type='text' name='gmeduca' size='30' align='left'
value=$gmeduca/></td></tr>
<tr><td align='center'><font color='black'><b>School Attended:
</td><td align='center'><input type='text' name='gfschoola' size='30' align='left'
value=$gfschoola/></td>
<td align='center'><input type='text' name='gmschoola' size='30'
align='left' value=$gmschoola/></td></tr>
<tr><td align='center'><font color='black'><b>Occupation:
</td><td align='center'><input type='text' name='gfoccupation' size='30' align='left'
value=$gmoccupation/></td>
<td align='center'><input type='text' name='gmoccupation' size='30'
align='left' value=$gmoccupation/></td></tr>
<tr><td align='center'><font color='black'><b>Business Address:
</td><td align='center'><input type='text' name='gfbusadd' size='30' align='left'
value=$gfbusadd/></td>
<td align='center'><input type='text' name='gmbusadd' size='30' align='left'
value=$gmbusadd/></td></tr>
<tr><td align='center'><font color='black'><b>*Contact No.:
</td><td align='center'><input type='text' name='gftelno' size='30' align='left'
value=$gftelno/></td>
<td align='center'><input type='text' name='gmtelno' size='30' align='left'
value=$gmtelno/>
</td></tr></table><br><br>
<table width='680'><tr>
<td align='center'><font color='maroon'><b>IN CASE OF EMERGENCY
NOTIFY US AT:</b></font></td></tr>
<tr><td align='center'><font color='black'><b>*Home Address:
</td><td align='center'><input type='text' name='homeaddress' size='60' align='left'
value=$homeaddress/></td></tr>
<tr><td align='center'><font color='black'><b>*Tel. No.: </td><td align='center'><input
type='text' name='homeno' size='15' align='left'
value=$homeno/></td></tr>
</tr></table><br><br>
<table width='680'><tr>
<td align='center'><font color='maroon'><b>AGREEMENT:</b></font></td></tr>
<tr><td align='center'><font color='black'><b>I hereby agree to pay this
school to the total fees for my child/s enrolment as per arrangement of payments
indicated
on or before the specified date of payment. Failure to remit
payments on time means an additional surcharge of 2%
monthly.</b></font></td>
</tr></table><br><br>
<table width='680'><tr>
<td align='center'><input type='submit' name='saveguardinfo'
value='Update Information' /></td></tr>
</table></fieldset>";
} //closes if

```

```

else{
print "<br><br><center><fieldset style='width: 400px;
height:110px; padding-left: 20px; padding-right: 20px;' align='left'>
<table size='390'><tr><td align='center'><img src='icons/Warning.png'
width='110' height='110' alt='></td>
<td align='center'><font color='maroon' size='2'><b>PLEASE
CHECK IF THE IMPORTANT FIELDS ARE COMPLETELY FILLED
OUT.</b></font></td>
</tr></table></fieldset></center><br>";
} //closes else
} //closes else if

else{
include("includefile.inc");

$searchguardian = "SELECT
GFname,GMname,GFeduca,GMEduca,GFSchoolA,GMSchoolA,GFOccupation
,GMOccupation,GFBusAdd,GMBusAdd,GFTelNo,GMTelNo,GHAddress,GCont
act
FROM guardian WHERE GuardianNum =
'$guardianno';
$details = mysql_query($searchguardian, $link);

while($row = mysql_fetch_assoc($details)){
$gfname = $row["GFname"];
$gmname = $row["GMname"];
$gfeduca = $row["GFeduca"];
$gmeduca = $row["GMEduca"];
$gfschoola = $row["GFSchoolA"];
$gmschoola = $row["GMSchoolA"];
$gfoccupation = $row["GFOccupation"];
$gmoccupation = $row["GMOccupation"];
$gfbusadd = $row["GFBusAdd"];
$gmbusadd = $row["GMBusAdd"];
$gftelno = $row["GFTelNo"];
$gmtelno = $row["GMTelNo"];
$homeaddress = $row["GHAddress"];
$shomeno = $row["GContact"];
} //closes while

mysql_close();

print "<form name='regform' action='GuardiansForm.php'
method='post'>
<br><fieldset style='width: 680px; height: 500px;' align='left'>
<legend><font color='maroon' size='2'><b>Parents/Guardian
Information and Enrollment Details</b></font></legend>
<table width='680'><tr>
<td align='center'><font color='maroon'><b>*Required fields to be filled-
out.</b></font>
</td></tr></table><br>
<table width='680'><tr>
<td align='center'><font color='black'><b>FATHER</b></font></td><td align='center'><font
color='black'><b>MOTHER</b></font></td></tr>
<tr><td align='center'><font color='black'><b>*Name: </td><td align='center'><input
type='text' name='gfname' size='30' align='left' value=$gfname/></td>
<td align='center'><input type='text' name='gmname' size='30' align='left'
value=$gmname/></td></tr>
<tr><td align='center'><font color='black'><b>Educational Attainment:
</td><td align='center'><input type='text' name='gfeduca' size='30' align='left'
value=$gfeduca/></td>
<td align='center'><input type='text' name='gmeduca' size='30' align='left'
value=$gmeduca/></td></tr>
<tr><td align='center'><font color='black'><b>School Attended:
</td><td align='center'><input type='text' name='gfschoola' size='30' align='left'
value=$gfschoola/></td>
<td align='center'><input type='text' name='gmschoola' size='30' align='left'
value=$gmschoola/></td></tr>
<tr><td align='center'><font color='black'><b>Occupation:
</td><td align='center'><input type='text' name='gfoccupation' size='30' align='left'
value=$gfoccupation/></td>
<td align='center'><input type='text' name='gmoccupation' size='30'
align='left' value=$gmoccupation/></td></tr>
<tr><td align='center'><font color='black'><b>Business Address:
</td><td align='center'><input type='text' name='gfbusadd' size='30' align='left'
value=$gfbusadd/></td>
<td align='center'><input type='text' name='gmbusadd' size='30' align='left'
value=$gmbusadd/></td></tr>
<tr><td align='center'><font color='black'><b>*Contact No.:
</td><td align='center'><input type='text' name='gftelno' size='30' align='left'
value=$gftelno/></td>
<td align='center'><input type='text' name='gmtelno' size='30' align='left'
value=$gmtelno/>
</td></tr></table><br><br>
<table width='680'><tr>
<td align='center'><font color='maroon'><b>IN CASE OF EMERGENCY
NOTIFY US AT:</b></font></td></tr>
<tr><td align='center'><font color='black'><b>*Home Address:
</td><td align='center'><input type='text' name='homeaddress' size='60' align='left'
value=$homeaddress/></td></tr>
<tr><td align='center'><font color='black'><b>*Business Address:
</td><td align='center'><input type='text' name='gfbusadd' size='30' align='left'
value=$gfbusadd/></td>
<td align='center'><input type='text' name='gmbusadd' size='30' align='left'
value=$gmbusadd/></td></tr>
<tr><td align='center'><font color='black'><b>*Contact No.:
</td><td align='center'><input type='text' name='gftelno' size='30' align='left'
value=$gftelno/></td>
<td align='center'><input type='text' name='gmtelno' size='30' align='left'
value=$gmtelno/>
</td></tr></table><br><br>
<table width='680'><tr>
<td align='center'><font color='maroon'><b>IN CASE OF EMERGENCY
NOTIFY US AT:</b></font></td></tr>
<tr><td align='center'><font color='black'><b>*Home Address:
</td><td align='center'><input type='text' name='homeaddress' size='60' align='left'
value=$homeaddress/></td></tr>

```

```

        <tr><td><font color='black'><b>*Tel. No.: </td><td><input
type='text' name='homeno' size='15' align='left'
value='Shomeno' /></b></font></td></tr>
        </tr></table><br><br>
        <table width='680'><tr>
        <tr><td><font
color='maroon'><b>AGREEMENT:</b></font></td></tr>
        <tr><td><font color='black'><b>I hereby agree to pay this
school to the total fees for my child/s enrolment as per arrangement of payments
indicated
        on or before the specified date of payment. Failure to remit
payments on time means an additional surcharge of 2%
monthly.</b></font></td>
        </tr></table><br><br>
        <table width='680'><tr>
        <td><center><input type='submit' name='saveguardinfo'
value='Update Information' /></center>
        </td></tr></table></fieldset>;
    } //closes else

        print "</div>

        </form>
        </td>
        </tr>
        </table>
        <table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
        <tr>
        <td align='center'
bgcolor='#333333'> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
        </tr>
        </table>
        </td>
        </tr>
    </table>
</body>
</html>
";
?

```

ViewOwnGrades.php

```

<?php
session_start(); //start up PHP Session
$studentno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$studentno'";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);

if(($row[0]!='Student')&&($row[1]!='0')){
    header('Location: UserLogin.php');
}

$year = date(Y);
$month = date(n);

if($month<6){
    $year1 = $year-1;
    $year2 = $year;
}
else{
    $year1 = $year;
    $year2 = $year+1;
}

$yearlevels = array("JC" => "Junior Casa",
    "JACI" => "Junior Advanced Casa I",
    "JACII" => "Junior Advanced Casa II",
    "AC" => "Advanced Casa",
    "G1" => "Grade One",
    "G2" => "Grade Two",
    "G3" => "Grade Three",
    "G4" => "Grade Four",
    "G5" => "Grade Five",
    "G6" => "Grade Six",
    "H1" => "First Year High School",
    "H2" => "Second Year High School",
    "H3" => "Third Year High School",
    "H4" => "Fourth Year High School");

//check the permission to access/view grades. should have attended the PTC
viewing first.

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>

```

```

        <link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
    </head>
    <body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
        <table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
        <tr>
        <td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
        <td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
        <td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>
        </tr>
        </table>
        <table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
        <tr>
        <td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
        <td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
        <td width='700' height='23' align='center'
bgcolor='#333333' class='topMenu'>; ?>
        <?if($studentno!='') ?>
        | <a href='E-nrollsYSHome.php'>Home</a>
        | <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
        | <a href='ContactE-
nrollsYS.php'>Contact</a>
        | <a href='E-
nrollsYSHelp.php'>Help</a>
        | <a href='UserLogin.php'>Log-
out</a> |</td>
        <?>
        else{ ?>
        | <a href='E-nrollsYSHome.php'>Home</a>
        | <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
        | <a href='ContactE-
nrollsYS.php'>Contact</a>
        | <a href='E-
nrollsYSHelp.php'>Help</a> |</td>
        <?>
        print "</tr>
        </table>
        <table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
        <tr>
        <td align='top'>
        <table width='181'
border='0' cellspacing='0' cellpadding='0'>
        <tr align='left'
valign='top'>
        <td width='160'
height='28' bgcolor='#990000'></td>
        <td width='21'
rowspan='2' background='images/t4-2.gif'>
        <table
width='21' border='0' cellspacing='0' cellpadding='0'>
        <tr><td height='23' align='left' valign='top'><img src='images/t4-
1.gif' width='21' height='23'></td></tr>
        <tr><td height='495' align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22' alt='></td></tr>
        <tr><td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt='></td></tr>
        </table></td>
        </tr>
        <tr align='left'
valign='top'>
        <td height='400'
bgcolor='#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
        <a
href='E-nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
        <a href='AboutE-nrollsYS.php'><font size=2><b>About E-
nrollsYS</b></font></a><br><br>
        <a href='StudentsCorner.php'><font size=2><b>Student's
Corner</b></font></a><br><br>
        </td>
        </tr>
        </table>
        </td>
        <td width='598' align='left' valign='top'>
        <table bgcolor='#FFFFFF'
width='719' border='0' cellspacing='0' cellpadding='0'>

```

```

        <td>";
                if($studentno!=""){
                        print "<br><table
width='700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>".<font color='maroon'><b>". $studentno.</b></font></td>
                                <td
                                align='right'><font color='black'><b>Today is ".<font
                                color='maroon'><b>".date("l, F j,
                                Y").</b></font></td></tr></table>";
                                //closes if
                                else{
                                        print "<br><table
width='700'><tr><td align='left'><td
                                <td
                                align='right'><font color='black'><b>Today is ".<font
                                color='maroon'><b>".date("l, F j,
                                Y").</b></font></td></tr></table>";
                                //closes else
                                print "</td>
                                </tr>
                                <td
                                align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
                                SCHOOL<br> Camella Homes IV, Poblacion<br> City of
                                Muntinlupa</b></font></td></tr>
                                <tr>
                                <td
                                width='600' height='400' valign='top'>
                                <form name='viewgrades' action='ViewOwnGrades.php'
                                method='post'>
                                        <br><fieldset style='width: 680px; height: 45px;'
                                align='left'>
                                        <legend><font color='maroon' size='2'><b>View Grades and
                                Remarks</b></font></legend>
                                        <table width='670' height='1'>
                                        <tr><td width='210'><font color='black'><b>Quarter:
                                </b></font><select name='quarter'>
                                        <option value='1st'>1st Quarter</option> <option
                                value='2nd'>2nd Quarter</option>
                                        <option value='3rd'>3rd Quarter</option> <option
                                value='4th'>4th Quarter</option>
                                        </select></td>
                                        <td width='100'><input type='submit' name='studentgrades'
                                value='Get Grades and Comments' /></td>
                                        <td align='right'><a href='StudentsCorner.php'><font
                                color='black'><b> EXIT |</b></font></a></td>
                                        </tr></table></fieldset>
                                <div style='width: 719px; height: 360px; overflow:
                                scroll;'>?>
                                <?
                                if(isset($_POST['studentgrades'])&&
                                $_GET['logout']!=1){
                                        include("includefile.inc");
                                        $qtr = $_POST['quarter'];
                                        $syear = "$syear1".".".$syear2";
                                        $query1 = "SELECT
                                b.SubName,a.Grade,a.Comments,b.SubUnits
                                FROM grade AS a,subject AS b
                                WHERE a.StudentID=' $studentno' AND a.Quarter=' $qtr'
                                AND a.SubCode=b.SubCode AND a.SchoolYear=' $syear";
                                        $grades = mysql_query($query1,$link);
                                        $countoccur = mysql_numrows($grades);
                                        $scolcount = mysql_num_fields($grades);
                                        $query2 = "SELECT SLname,$Fname,SMname,LevelID,SecID
                                FROM student WHERE StudNum=' $studentno";
                                        $details = mysql_query($query2,$link);
                                        $getdetails = mysql_fetch_row($details);
                                        $count = mysql_numrows($details);
                                        $initial = substr($getdetails[2],0,1);
                                        $name = "$getdetails[1] ".$initial."." $getdetails[0]";
                                        $section = mysql_query("SELECT SecName FROM section
                                WHERE SecID=' $getdetails[4]");
                                        $secname = mysql_fetch_row($section);
                                        $yearlabel = $yearlevels[$getdetails[3]];
                                        $subjects = array("JC" => 5,
                                "JACT" => 5,
                                "JACII" => 5,
                                "AC" => 5,
                                "GI" => 9,
                                "GII" => 9,
                                "GIII" => 9,
                                "GIV" => 11,
                                "GV" => 11,
                                "GVI" => 11,
                                "HI" => 10,
                                "HII" => 10,
                                "HIII" => 10,
                                "HIV" => 10);
                                        $subjnum = $subjects[$getdetails[3]];
                                        if($countoccur!=0){
                                                print "<br><br><table width='600' align='center'>
                                <tr><th><center><font color='black'>Grades of $name for
                                $qtr Quarter<br>School Year $syear</font></center></th></tr>
                                </table><br><br>
                                <table width='500' align='center'>
                                <tr><td><font color='maroon' size='2'><b>Grade/Year
                                Level: </font><font color='black' size='2'>$yearlabel</b></font></td></tr>
                                <tr><td><font color='maroon' size='2'><b>Section:
                                </font><font color='black' size='2'>$secname[0]</b></font></td></tr>
                                </tr></table><br><br>";
                                                print "<table width='600' border='1' cellpadding='5'
                                align='center'><tr>";
                                                for($column_num = 0; $column_num < $scolcount;
                                $column_num++) {
                                                        if($column_num==0){
                                                                print "<th><font color='maroon'>Subject</font></th>";
                                                                //closes if
                                                                else if($column_num==3){
                                                                        print "<th><font color='maroon'>Units</font></th>";
                                                                        //closes if
                                                                        else{
                                                                                $field_name = mysql_field_name($grades, $column_num);
                                                                                print "<th><font color='maroon'>$field_name</font></th>";
                                                                                //closes else
                                                                                //closes for
                                                                                print "</tr>\n";
                                                                                while($row = mysql_fetch_row($grades)) {
                                                                                        print "<tr valign='top'>";
                                                                                        for($column_num = 0; $column_num < $scolcount;
                                                                                $column_num++) {
                                                                                                if($column_num==1){
                                                                                                        print "<td><font color='black'
                                                                                size='2'><center>$row[$column_num]</center></td>\n";
                                                                                                }
                                                                                                else{
                                                                                                        print "<td><font color='black'
                                                                                size='2'>$row[$column_num]</font></td>\n";
                                                                                                }
                                                                                                //closes for
                                                                                                print "</tr>\n";
                                                                                                if($countoccur == $subjnum){
                                                                                                        $gradedecimal = number_format($row[1], 3);
                                                                                                        $unitdecimal = number_format($row[3], 3);
                                                                                                        $total = $total + ($gradedecimal * $unitdecimal);
                                                                                                        $divisordecimal = number_format($row[3], 3);
                                                                                                        $divisor = $divisor + $divisordecimal;
                                                                                                        $GWA = $total/$divisor;
                                                                                                        $GWAdecimal = number_format($GWA, 3);
                                                                                                //closes if
                                                                                                //closes while
                                                                                                print "<tr><td><font color='maroon'
                                                                                size='2'><b>GWA</b></font></td>\n
                                                                                                <td><font color='maroon'
                                                                                size='2'><center><b>$GWAdecimal</b></center></td></td></td>
                                                                                                <td><font color='maroon'
                                                                                size='2'><b>$divisor</b></td></tr>";
                                                                                                print "</table><br><br>";
                                                                                                //closes if
                                                                                                else{
                                                                                                        echo "<br><br><center><fieldset style='width: 400px;
                                                                                height:70px; padding-left: 20px; padding-right: 20px; align='left'>
                                                                                                <table size='390'><tr><td><img src='icons/Warning.png'
                                                                                align='left' width='65' height='65' alt='></td>
                                                                                                <td><font color='maroon' size='2'><b><center>ERROR:
                                                                                Grades not found. You might not have the permission to view your
                                                                                grades.</center></b></font></td>
                                                                                                </tr></table></fieldset></center><br><br>";
                                                                                                //closes else
                                                                                                //closes if
                                                                                                print "</div>
                                </form>
                                </td>
                                </tr>
                                </table>

```



```
<table width=719 height=41'
border=0 cellpadding=0 cellspacing=0>
<tr>
<td align='center'
bgcolor=#333333> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</body>
</html>
?>
```

ViewProfile2.php

```
<?php
session_start(); //start up PHP Session
$username = $_SESSION['username'];

include("includefile.inc");

$userstat = "SELECT Status,Type FROM user WHERE Username='{$username}'
AND Status='1'";
$checkstat = mysql_query($userstat, $link);
$numrows = mysql_numrows($checkstat);
$getdetails = mysql_fetch_row($checkstat);
$userstatus = $getdetails[0];
$userstype = $getdetails[1];

$newusername = $_SESSION['newuser'];
$newuserstype = $_SESSION['newtype'];
$yearlevels = array("JC" => "Junior Casa",
"JACI" => "Junior Advanced Casa I",
"JACII" => "Junior Advanced Casa II",
"AC" => "Advanced Casa",
"GI" => "Grade One",
"GII" => "Grade Two",
"GIII" => "Grade Three",
"GIV" => "Grade Four",
"GV" => "Grade Five",
"GVI" => "Grade Six",
"HI" => "First Year High School",
"HII" => "Second Year High School",
"HIII" => "Third Year High School",
"HIV" => "Fourth Year High School");
$aliasstatus = array("A" => "Approved",
"D" => "Disapproved",
"G" => "Graduating",
"NG" => "Not Graduating",
"P" => "Pending");
$aliascholar = array("SA1" => "Scholar A1",
"SA2" => "Scholar A2",
"SA3" => "Scholar A3",
"SB" => "Scholar B",
"BM" => "Band Member",
"N" => "N/A");

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC leftmargin=0 topmargin=0 marginwidth=0
marginheight=0>
<table width=900 border=0 align=center cellpadding=0'
cellspacing=0>
<tr>
<td align='center'
height=100 alt='></td>
<td align='center'
height=100 alt='></td>
<td align='center'
height=100 alt='></td>
</tr>
<table width=900 border=0 align=center cellpadding=0'
cellspacing=0>
<tr>
<td align='center'
height=23 alt='></td>
<td align='center'
height=23 alt='></td>
<td align='center'
width=700 height=23 align='center'
bgcolor=#333333 class='topMenu'> ?>
<?if( ($username!="") && ($numrows!=0) )?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
```

```
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a>
| <a
href='UserLogin.php?logout=1'>Log-out</a> |</td>
<?>
else{ ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width=900 border=0 align='center' cellpadding=0'
cellspacing=0>
<tr>
<td width=181 align='left'
valign='top'>
<table width=181'
border=0 cellspacing=0 cellpadding=0>
<tr align='left'
valign='top'>
<td width=160'
height=28 bgcolor=#990000></td>
<td width=21'
rowspan=2 background='images/t4-2.gif'>
<table
width=21 border=0 cellspacing=0 cellpadding=0>
<tr><td height=23 align='left' valign='top'><img src='images/t4-
1.gif' width=21 height=23></td></tr>
<tr><td height=495 align='left' valign='bottom'><img
src='images/t4-4.gif' width=21 height=22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21 height=41 alt='></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'>
<td height=400'
bgcolor=#990000 style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a
href='E-nrollsYSHome.php'><font size=2><b>Home</b></a><br><br>
<a href='AboutE-nrollsYS.php'><font size=2><b>About E-
nrollsYS</b></a><br><br>;
if( ($userstype=='Student') && ($userstatus=='1') ) {
print "<a href='StudentsCorner.php'><font size=2><b>Student's
Corner</b></a><br><br>";
}
else if( ($userstype=='Guardian') && ($userstatus=='1') ) {
print "<a href='GuardiansCorner.php'><font size=2><b>Guardian's
Corner</b></a><br><br>";
}
else if( ($userstype=='Faculty') && ($userstatus=='1') ) {
print "<a href='FacultysCorner.php'><font size=2><b>Faculty's
Corner</b></a><br><br>";
}
else if( ($userstype=='Registration Clerk') && ($userstatus=='1') ) {
print "<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></a><br><br>";
}
else if( ($userstype=='Cashier') && ($userstatus=='1') ) {
print "<a href='CashiersCorner.php'><font size=2><b>Cashier's
Corner</b></a><br><br>";
}
else if( ($userstype=='School Administrator') && ($userstatus=='1') ) {
print "<a href='SchoolAdminsCorner.php'><font size=2><b>School
Admin's Corner</b></a><br><br>";
}
print "</td>
</tr>
</table>
<td>
<table width=598 border=0'
valign='top'>
<table width=598 border=0'
cellspacing=0 cellpadding=0'>
<tr>
<td>;
if( ($username!="") && ($numrows!=0) ) {
print "<br><table
```

```

width=700"><tr><td align="left"><font color="black"><b>Logged in as
</b></font>".<font color="maroon"><b>".</b></font></td>
<td align="right"><font color="black"><b>Today is ".</font
color="maroon"><b>".date("l, F j,
Y").</b></font></td></tr></table>";
} //closes if
else {
print "<br><table
width=700"><tr><td align="left"><td>
<td align="right"><font color="black"><b>Today is ".</font
color="maroon"><b>".date("l, F j,
Y").</b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
<tr>
<td align="center"><br><font color="black"><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br>Camella Homes IV, Poblacion<br>City of
Muntinlupa</b></font></td></tr>
</tr>
<td align="center" width="600" height="440" valign="top">
<form name="printowngrades" action="PrintOwnGrade.php"
method="post">
<div style="width: 719px; height: 425px; overflow: scroll;">
if($newusertype=="Student"){
include("includefile.inc");
Sacadrecords = "SELECT
LevelID,SecID,ScholarType,Rank,Status,GWA,PrevSchool,PrevSchoolAdd
FROM student WHERE StudNum = $student";
$personalinfo = "SELECT
SLname,SFname,SMname,GuardianNum,SAddress,SContact,SSex,SBirthday,SB
irthplace,SReligion,
SCitizenship,SiblingsNum
FROM student WHERE StudNum = $newusername";
$medicalinfo = "SELECT
Doctor,DocAdd,DocContact,AllergyHist,AllergyMed,AsthmaHist,AsthmaMed,O
perationHist,SpecialCondMed
FROM student WHERE StudNum = $newusername";
Sacadsdetails = mysql_query($sacadsrecords, $link);
$personaldetails = mysql_query($personalinfo, $link);
$medicaldetails =
mysql_query($medicalinfo, $link);
$colacad = mysql_num_fields($sacadsdetails);
$colpersonal =
mysql_num_fields($personaldetails);
$colmedical = mysql_num_fields($medicaldetails);
$alias = array("SLname" => "Name", "SFname" =>
"Name", "SMname" => "Name",
"StudNum" => "Student Number", "GuardianNum" =>
"Parent/Guardian", "SecID" => "Section",
"SAddress" => "Address", "SContact" => "Contact
Number", "LevelID" => "Grade/Year Level",
"SSex" => "Sex", "SBirthday" => "Birthday (YYYY-MM-
DD)", "SBirthplace" => "Birthplace",
"SReligion" => "Religion", "SCitizenship" =>
"Citizenship", "SiblingsNum" => "Siblings",
"ScholarType" => "Scholar Type", "PrevSchool" =>
"Previous School", "PrevSchoolAdd" => "School's Address",
"Doctor" => "Doctor", "DocAdd" => "Doctor's
Address", "DocContact" => "Contact Number",
"AllergyHist" => "Allergy History", "AllergyMed" =>
"Medication/s", "AsthmaHist" => "Asthma History",
"AsthmaMed" => "Medication/s", "OperationHist" =>
"Operation History", "SpecialCondMed" => "Special Medication Condition",
"Rank" => "Rank", "PaymentMode" => "Mode of
Payment", "Status" => "Status", "GWA" => "General Weighted Average");
print "<br><table width="600" align="center">
<td align="center" width="333" height="33" colspan="3"><b>Academic
Competencies</b></td></tr></table>";
while($row = mysql_fetch_row($sacadsdetails)){
for($column = 0; $column < $colacad; $column++) {
print "<tr valign="top">";
$field_name = mysql_field_name($sacadsdetails, $column);
print "<td align="center" width="240" height="33" colspan="3"><b>
$alias{$field_name}</b></td></tr>";
if($column==0){
$yearlevel = $yearlevels[$row[0]];
print "<td align="center" width="333" height="33" colspan="3"><b>
$yearlevel</td></tr>";
} //closes if
else if($column==1){
$getsectionname = mysql_query("SELECT SecName FROM
section WHERE SecID = $row[1]");
$sectionname = mysql_fetch_row($getsectionname);
print "<td align="center" width="333" height="33" colspan="3"><b>
$sectionname[0]</td></tr>";
} //closes else if
else if($column==2){
$scholarlytype = $alias{$scholar[$row[$column]]};
print "<td align="center" width="360" height="33" colspan="3"><b>
$scholarlytype</td></tr>";
} //closes else if
else if($column==4){
$status = $alias{$status[$row[$column]]};
print "<td align="center" width="360" height="33" colspan="3"><b>
$status</td></tr>";
} //closes else if
else {
print "<td align="center" width="360" height="33" colspan="3"><b>
$row[$column]</td></tr>";
} //closes else
print "</tr>";
} //closes for
} //closes while
print "</table><br><br><table width="600" align="center">
<td align="center" width="333" height="33" colspan="3"><b>Personal
Details</b></td></tr></table>";
while($row = mysql_fetch_row($personaldetails)){
for($column = 0; $column < $colpersonal; $column++) {
print "<tr valign="top">";
$field_name = mysql_field_name($personaldetails, $column);
print "<td align="center" width="240" height="33" colspan="3"><b>
$alias{$field_name}</b></td></tr>";
if($column==0){
$initial = substr($row[2],0,1);
$name = "$row[0], $row[1] $initial";
print "<td align="center" width="333" height="33" colspan="3"><b>
$name</td></tr>";
$column = 2;
} //closes if
else if($column==3){
$getguarname = mysql_query("SELECT GFname,GMname
FROM guardian WHERE GuardianNum = $row[3]");
$guarname = mysql_fetch_row($getguarname);
print "<td align="center" width="333" height="33" colspan="3"><b>
$guarname[0],
$guarname[1]</td></tr>";
} //closes else if
else if($column==6){
if($row[$column]=="M"){
$sex = "Male";
}
else {
$sex = "Female";
}
print "<td align="center" width="333" height="33" colspan="3"><b>
$sex</td></tr>";
} //closes else if
else {
print "<td align="center" width="333" height="33" colspan="3"><b>
$row[$column]</td></tr>";
} //closes else
print "</tr>";
} //closes for
} //closes while
print "</table><br><br><table width="600" align="center">
<td align="center" width="333" height="33" colspan="3"><b>Medical
History</b></td></tr></table>";
while($row = mysql_fetch_row($medicaldetails)){
for($column = 0; $column < $colmedical; $column++) {
print "<tr valign="top">";
$field_name = mysql_field_name($medicaldetails, $column);
print "<td align="center" width="240" height="33" colspan="3"><b>
$alias{$field_name}</b></td></tr>";
if($column==3||$column==5){
if($row[$column]=="N"){
$history = "No";
}
else {
$history = "Yes";
}
print "<td align="center" width="333" height="33" colspan="3"><b>
$history</td></tr>";
} //closes if
else {
}
}
}
}

```

```

        print "<td><font color='black'
size=2>$row[Column]</font></td>\n";
    } //closes else
    print "</tr>";
} //closes for
} //closes while
print "</table><br><br><br>";
} //closes if

        else if($newusertype=="Guardian"){
            include('includefile.inc');

            $getprofile = "SELECT * FROM
guardian WHERE GuardianNum = '$newusername'";

            $details = mysql_query($getprofile,
$link);

            $scolcount =
mysql_num_fields($details);
            $rows = mysql_numrows($details);

            if($rows!=0){
                $alias = array("GFname" => "Name",
                    "GMname" => "Name",
                    "GFeducA" => "Educational Attainment",
                    "GMeducA" => "Educational Attainment",
                    "GFSchoolA" => "School Attended",
                    "GMSchoolA" => "School Attended",
                    "GFOccupation" => "Occupation",
                    "GMOccupation" => "Occupation",
                    "GFBusAdd" => "Business Address",
                    "GMBusAdd" => "Business Address",
                    "GFTelNo" => "Contact Number",
                    "GMTelNo" => "Contact Number",
                    "GHAddress" => "Home Address",
                    "GContact" => "Telephone Number");
                $query = "SELECT
SLname,SFname,SMname,StudNum,LevelID,SecID
FROM student WHERE GuardianNum = '$username'";
                $childrendetails = mysql_query($query, $link);
                $scolcount2 = mysql_num_fields($childrendetails);
                $alias2 = array("SLname" => "Name",
                    "SFname" => "Name",
                    "SMname" => "Name",
                    "StudNum" => "Student Number",
                    "LevelID" => "Grade/Year Level",
                    "SecID" => "Section");

                print "<table width='600' align='center'>
<td><font color='maroon' size=3><b>Personal
Details</b></font></td></tr></tr>";

                print "<br><br><table width='600' align='center'>
<th></th><th><font color='maroon'>Father</font></th>
<th><font
color='maroon'>Mother</font></th></tr></tr></tr>";

                $scol_count = $scolcount-2;
                while($row = mysql_fetch_row($details)) {
                    for($column_num = 0; $column_num < $scol_count;
$column_num++) {
                        $field_name = mysql_field_name($details, $column_num);

                        if($column_num==2){
                            continue;
                        } //closes if
                        else{
                            print "<tr valign='top'>";
                            print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
                            print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
                            $column_num2 = $column_num + 1;
                            print "<td><font color='black'
size=2>$row[$column_num2]</font></td>\n";
                            print "</tr>\n";
                            $column_num++;
                        } //closes else
                    } //closes for

                print "</table><br><br><table width='600' align='center'>
<td><font color='maroon'
size=3><b></b></font></td></tr></tr>";

                for($column = $scol_count; $column < $scolcount; $column++) {
                    print "<tr valign='top'>";

                    $field_name = mysql_field_name($details, $column);
                    print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
                    print "<td><font color='black'
size=2>$row[$column]</font></td>\n";

                    print "</tr>";
                } //closes while

                print "</table><br><br><table width='600' align='center'>
<td><font color='maroon' size=3><b>Children Enrolled in
SMS</b></font></td></tr></tr>";

                while($row2 = mysql_fetch_row($childrendetails)) {
                    for($scolnum = 0; $scolnum < $scolcount2; $scolnum++) {
                        $field_name2 = mysql_field_name($childrendetails, $scolnum);
                        print "<tr valign='top'>";
                        print "<td><font color='maroon' width=200'
size=2><b>$alias2[$field_name2]</b></font></td>";

                        if($scolnum==0){
                            $initial2 = substr($row2[2],0,1);
                            $sname = "$row2[0], $row2[1] $initial2.";
                            print "<td><font color='black'
size=2>$sname</font></td>\n";
                            $scolnum = 2;
                        } //closes if

                        else if($scolnum==4){
                            $yearlevels = array("JC" => "Junior Casa",
                                "JACI" => "Junior Advanced Casa I",
                                "JACII" => "Junior Advanced Casa II",
                                "AC" => "Advanced Casa",
                                "GI" => "Grade One",
                                "GII" => "Grade Two",
                                "GIII" => "Grade Three",
                                "GIV" => "Grade Four",
                                "GV" => "Grade Five",
                                "GVI" => "Grade Six",
                                "HI" => "First Year High School",
                                "HII" => "Second Year High School",
                                "HIII" => "Third Year High School",
                                "HIV" => "Fourth Year High School");
                            $yearlevel = $yearlevels[$row2[$scolnum]];
                            print "<td><font color='black'
size=2>$yearlevel</font></td>\n";
                        }

                        else if($scolnum==5){
                            $section = mysql_query("SELECT SecName FROM section
WHERE SecID=$row2[$scolnum]");
                            $getsectionname = mysql_fetch_row($section);
                            print "<td><font color='black'
size=2>$getsectionname[0]</font></td>\n";
                        } //closes else if

                        else{
                            print "<td><font color='black'
size=2>$row2[$scolnum]</font></td>\n";
                        } //closes else

                        print "</tr>\n";
                    } //closes for
                    print "<tr></tr></tr></tr></tr></tr></tr></tr></tr></tr>";
                } //closes while

                print "</table><br><br><br>";
            } //closes if

            else{
                print "<br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px; align='left'>
<table size=390><tr><td><img src='icons/Warning.png'
align='left' width=65 height=65 alt='></td>
<td><font color='maroon' size=2><b><center>ERROR:
Information not found. Please fill out the parents'
form.</center></b></font></td>
</tr></table></fieldset></center><br><br>";
            } //closes else if

            else if($newusertype=="Faculty"){
                include('includefile.inc');

                $getprofile = "SELECT * FROM
employee WHERE EmployeeNum = '$newusername'";

```

```

Slink);                                Sdetails = mysql_query($getprofile,
mysql_num_fields($details);            Scolcount =
                                        Salias = array("ELname" =>
"Name",                                "Department" => "Department",
                                        "EAddress" => "Address",
                                        "EContact" => "Contact Number",
                                        "EBirthday" => "Birthday",
                                        "EBirthplace" => "Birthplace",
                                        "EReligion" => "Religion",
                                        "ECitizenship" => "Citizenship",
                                        "ESex" => "Sex",
                                        "MaritalStat" => "Marital Status",
                                        "SpouseName" => "Spouse's Name",
                                        "EYears" => "Years of Service in SMS",
                                        "EEducA" => "Educational Attainment",
                                        "ESchoolA" => "College/University Attended",
                                        "Adviser_Section" => "Advisory Section",
                                        "Beneficiary" => "Beneficiary");

                                        print "<br><br><br><table
width='600' align='center'>
                                        <td><font color='maroon' size='3'><b>- Personal Details -
</b></font></td></tr></tr>";

                                        while($row = mysql_fetch_row($details) {
                                        for($column_num = 0; $column_num < 15; $column_num++) {
                                        $field_name = mysql_field_name($details, $column_num);

                                        if($column_num==0){
                                        $initial = substr($row[2],0,1);
                                        $name = "$row[0], $row[1] $initial.";
                                        print "<tr valign='top'>";
                                        print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
                                        print "<td><font color='black' size='2'>$name</font></td>\n";
                                        print "</tr>\n";
                                        $column_num = 2;
                                        }//closes if

                                        else if($column_num==3||$column_num==4){
                                        continue;
                                        }

                                        else if($column_num==5){
                                        if($row[$column_num]==='P'){
                                        $department = "Pre-School";
                                        }
                                        else if($row[$column_num]==='G'){
                                        $department = "Grade School";
                                        }
                                        else{
                                        $department = "High School";
                                        }
                                        print "<tr valign='top'>";
                                        print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
                                        print "<td><font color='black' size='2'>$department
Department</font></td>\n";
                                        print "</tr>\n";
                                        }

                                        else if($column_num==12){
                                        if($row[$column_num]==='M'){
                                        $sex = "Male";
                                        }
                                        else{
                                        $sex = "Female";
                                        }
                                        print "<tr valign='top'>";
                                        print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
                                        print "<td><font color='black' size='2'>$sex</font></td>\n";
                                        print "</tr>\n";
                                        }//closes else if

                                        else if($column_num==13){
                                        if($row[$column_num]==='S'){
                                        $maritalstat = "Single";
                                        }
                                        else if($row[$column_num]==='M'){
                                        $maritalstat = "Married";
                                        }
                                        else if($row[$column_num]==='D'){
                                        $maritalstat = "Divorced";
                                        }
                                        }

                                        else{
                                        $maritalstat = "Widowed";
                                        }
                                        print "<tr valign='top'>";
                                        print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
                                        print "<td><font color='black'
size='2'>$maritalstat</font></td>\n";
                                        print "</tr>\n";
                                        }//closes else if

                                        else{
                                        print "<tr valign='top'>";
                                        print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
                                        print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                                        print "</tr>\n";
                                        }//closes else

                                        }//closes for

                                        print "</table><br><br><br><table width='600' align='center'>
                                        <tr><td><font color='maroon' size='3'><b>- Occupation and
Education Details -</b></font></td></tr></tr></tr>";

                                        for($column = 15; $column < $colcount; $column++) {
                                        print "<tr valign='top'>";

                                        $field_name = mysql_field_name($details, $column);
                                        print "<td><font color='maroon' size='2'
width='150'><b>$alias[$field_name]</b></font></td>";

                                        if($column==18){
                                        $getsectionname = mysql_query("SELECT SecName FROM
section WHERE SecID = '$row[$column]'");
                                        $sectionname = mysql_fetch_row($getsectionname);
                                        print "<td><font color='black' size='2'
width='450'>$sectionname[0]</font></td>\n";
                                        }//closes if

                                        else if($column==19){
                                        $getbenename = mysql_query("SELECT
SFname,SLname,SMname FROM student WHERE StudNum =
'$row[$column]'");
                                        $benename = mysql_fetch_row($getbenename);
                                        $initial = substr($benename[2],0,1);
                                        $benename = "$benename[0] $initial. $benename[1]";
                                        print "<td><font color='black' size='2'
width='450'>$benename</font></td>\n";
                                        }

                                        else{
                                        print "<td><font color='black' size='2'
width='500'>$row[$column]</font></td>\n";
                                        }//closes else

                                        print "</tr>";
                                        }//closes for
                                        }//closes while
                                        print "</table><br><br><br>";

                                        }//closes else if

                                        else if($newusertype=="Registration Clerk"){
                                        include('includefile.inc');

                                        $getprofile = "SELECT * FROM
employee WHERE EmployeeNum = '$newusername'";

                                        Sdetails = mysql_query($getprofile,
Slink);                                Srowcount = mysql_numrows($details);
                                        Scolcount =
mysql_num_fields($details);

                                        Salias = array("ELname" =>
"Name",                                "Department" => "Department",
                                        "EAddress" => "Address",
                                        "EContact" => "Contact Number",
                                        "EBirthday" => "Birthday",
                                        "EBirthplace" => "Birthplace",
                                        "EReligion" => "Religion",
                                        "ECitizenship" => "Citizenship",
                                        "ESex" => "Sex",
                                        "MaritalStat" => "Marital Status",

```

```

"SpouseName" => "Spouse's Name",
"EYears" => "Years of Service in SMS",
"EEducA" => "Educational Attainment",
"ESchoolA" => "College/University Attended",
"Adviser_Section" => "Advisory Section",
"Beneficiary" => "Beneficiary");

if($rowcount!=0){
print "<br><br><br><table width='600' align='center'>
<td><font color='maroon' size='3'><b>Personal
Details</b></font></td></tr></tr>";

while($row = mysql_fetch_row($details)) {
for($column_num = 0; $column_num < 15; $column_num++) {
$field_name = mysql_field_name($details, $column_num);

if($column_num==0){
$initial = substr($row[2],0,1);
$name = "$row[0], $row[1] $initial.";
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size='2'>$name</font></td>\n";
print "</tr>\n";
$column_num = 2;
} //closes if

else if($column_num==3||$column_num==4){
continue;
}

else if($column_num==5){
if($row[$column_num]=='A'){
$department = "Administration";
}
else{
$department = "";
}
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size='2'>$department
Department</font></td>\n";
print "</tr>\n";
}

else if($column_num==12){
if($row[$column_num]=='M'){
$sex = "Male";
}
else{
$sex = "Female";
}
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size='2'>$sex</font></td>\n";
print "</tr>\n";
} //closes else if

else if($column_num==13){
if($row[$column_num]=='S'){
$maritalstat = "Single";
}
else if($row[$column_num]=='M'){
$maritalstat = "Married";
}
}
else if($row[$column_num]=='D'){
$maritalstat = "Divorced";
}
else{
$maritalstat = "Widowed";
}
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black'
size='2'>$maritalstat</font></td>\n";
print "</tr>\n";
} //closes else if

else{
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
print "</tr>\n";
} //closes else

} //closes for

print "</table><br><br><br><table width='600' align='center'>
<tr><td><font color='maroon' size='3'><b>Occupation and
Education Details</b></font></td></tr></tr></tr>";

for($column = 15; $column < $colcount; $column++) {
print "<tr valign='top'>";
$field_name = mysql_field_name($details, $column);

if($column==18){
continue;
} //closes if

else if($column==19){
$setbenename = mysql_query("SELECT
SFname,SLname,SMname FROM student WHERE StudNum =
'$row[$column]'");
$benename = mysql_fetch_row($setbenename);
$initial = substr($benename[2],0,1);
$benename = "$benename[0] $initial. $benename[1]";
print "<td><font color='maroon' size='2'
width='150'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size='2'
width='450'>$benename</font></td>\n";
}

else{
print "<td><font color='maroon' size='2'
width='150'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size='2'
width='500'>$row[$column]</font></td>\n";
} //closes else

print "</tr>";
} //closes for
} //closes while
print "</table><br><br><br>";
} //closes if

else if($newusertype=='Cashier'){
include('includefile.inc');

$setprofile = "SELECT * FROM
employee WHERE EmployeeNum = '$newusername'";

$details = mysql_query($setprofile,
$link);

$colcount =
mysql_num_fields($details);

$alias = array("ELname" =>
"Name",
"Department" => "Department",
"EAddress" => "Address",
"EContact" => "Contact Number",
"EBirthday" => "Birthday",
"EBirthplace" => "Birthplace",
"EReligion" => "Religion",
"ECitizenship" => "Citizenship",
"ESex" => "Sex",
"MaritalStat" => "Marital Status",
"SpouseName" => "Spouse's Name",
"EYears" => "Years of Service in SMS",
"EEducA" => "Educational Attainment",
"ESchoolA" => "College/University Attended",
"Beneficiary" => "Beneficiary");

print "<br><br><br><table
width='600' align='center'>
<td><font
color='maroon' size='3'><b>Personal Details</b></font></td></tr></tr>";

while($row = mysql_fetch_row($details)) {
for($column_num = 0; $column_num < 15; $column_num++) {
$field_name = mysql_field_name($details, $column_num);

if($column_num==0){
$initial = substr($row[2],0,1);
$name = "$row[0], $row[1] $initial.";
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";

```

```

print "<td><font color='black' size=2>$name</font></td>\n";
print "</tr>\n";
$column_num = 2;
} //closes if

else if($column_num==3||$column_num==4){
continue;
}

else if($column_num==5){
if($row[$column_num]=='S'){
$department = "Security";
}
else if($row[$column_num]=='M'){
$department = "Maintenance";
}
else{
$department = "Administration";
}
print "<tr valign='top'>";
print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size=2>$department
Department</font></td>\n";
print "</tr>\n";
}

else if($column_num==12){
if($row[$column_num]=='M'){
$sex = "Male";
}
else{
$sex = "Female";
}
print "<tr valign='top'>";
print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size=2>$sex</font></td>\n";
print "</tr>\n";
} //closes else if

else if($column_num==13){
if($row[$column_num]=='S'){
$maritalstat = "Single";
}
else if($row[$column_num]=='M'){
$maritalstat = "Married";
}
else if($row[$column_num]=='D'){
$maritalstat = "Divorced";
}
else{
$maritalstat = "Widowed";
}
print "<tr valign='top'>";
print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black'
size=2>$maritalstat</font></td>\n";
print "</tr>\n";
} //closes else if

else{
print "<tr valign='top'>";
print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
print "</tr>\n";
} //closes else

} //closes for

print "</table><br><br><br><table width='600' align='center'>
<tr><td><font color='maroon' size=3><b>Occupation and
Education Details</b></font></td></tr></table>";

for($column = 15; $column < $scolcount; $column++) {
$alias[$field_name] = mysql_field_name($details, $column);

if($column==18){
continue;
} //closes if

else if($column==19){
$benename = mysql_query("SELECT
SFname,SLname,SMname FROM student WHERE StudNum =
'Srow[$column]'");
$scount = mysql_num_rows($benename);

if($scount!=0){

$benename = mysql_fetch_row($benename);
$initial = substr($benename[2],0,1);
$benename = "$benename[0] $initial. $benename[1]";
print "<tr valign='top'>";
print "<td><font color='maroon'
width=150><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size=2'
width=450>$benename</font></td>\n";
print "</tr>";
}

else{
continue;
} //closes else

else{
print "<tr valign='top'>";
print "<td><font color='maroon' size=2'
width=150><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size=2'
width=450>$row[$column]</font></td>\n";
print "</tr>";
} //closes else
} //closes for while
print "</table><br><br><br>";
} //closes else if

else if($newusertype=="School Administrator"){
include('includefile.inc');

$getprofile = "SELECT * FROM
employee WHERE EmployeeNum = '$newusername'";

$details = mysql_query($getprofile,
$link);

$scolcount =
mysql_num_fields($details);

$alias = array("ELname" =>
"Name",
"Department" => "Department",
"EAddress" => "Address",
"EContact" => "Contact Number",
"EBirthday" => "Birthday",
"EBirthplace" => "Birthplace",
"EReligion" => "Religion",
"ECitizenship" => "Citizenship",
"ESex" => "Sex",
"MaritalStat" => "Marital Status",
"SpouseName" => "Spouse's Name",
"EYears" => "Years of Service in SMS",
"EEducA" => "Educational Attainment",
"ESchoolA" => "College/University Attended",
"Adviser_Section" => "Advisory Section",
"Beneficiary" => "Beneficiary");

print "<br><br><br><table
width='600' align='center'>
<td><font
color='maroon' size=3><b> Personal Details </b></font></td></tr></table>";

while($row = mysql_fetch_row($details) {
for($column_num = 0; $column_num < 15; $column_num++) {
$alias[$field_name] = mysql_field_name($details, $column_num);

if($column_num==0){
$initial = substr($row[2],0,1);
$name = "$row[0]. $row[1] $initial.";
print "<tr valign='top'>";
print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size=2>$name</font></td>\n";
print "</tr>\n";
$column_num = 2;
} //closes if

else if($column_num==3||$column_num==4){
continue;
}
}
}

```

```

else if($column_num==5){
    if($row[$column_num]==P){
        $department = "Pre-School";
    }
    else if($row[$column_num]==G){
        $department = "Grade School";
    }
    else{
        $department = "High School";
    }
    print "<tr valign='top'>";
    print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
    print "<td><font color='black' size=2>$department
Department</font></td>\n";
    print "</tr>\n";
}

else if($column_num==12){
    if($row[$column_num]==M){
        $sex = "Male";
    }
    else{
        $sex = "Female";
    }
    print "<tr valign='top'>";
    print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
    print "<td><font color='black' size=2>$sex</font></td>\n";
    print "</tr>\n";
} //closes else if

else if($column_num==13){
    if($row[$column_num]==S){
        $maritalstat = "Single";
    }
    else if($row[$column_num]==M){
        $maritalstat = "Married";
    }
    else if($row[$column_num]==D){
        $maritalstat = "Divorced";
    }
    else{
        $maritalstat = "Widowed";
    }
    print "<tr valign='top'>";
    print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
    print "<td><font color='black'
size=2>$maritalstat</font></td>\n";
    print "</tr>\n";
} //closes else if

else{
    print "<tr valign='top'>";
    print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
    print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
    print "</tr>\n";
} //closes else

} //closes for

print "</table><br><br><br><table width='600' align='center'>
<tr><td><font color='maroon' size=3><b>- Occupation and
Education Details -</b></font></td></tr></table>";

for($column = 15; $column < $colcount; $column++) {
    print "<tr valign='top'>";

    $field_name = mysql_field_name($details, $column);
    print "<td><font color='maroon' size=2'
width=150><b>$alias[$field_name]</b></font></td>";

    if($column==18){
        $getsectionname = mysql_query("SELECT SecName FROM
section WHERE SecID = '$row[$column]'");
        $sectionname = mysql_fetch_row($getsectionname);
        print "<td><font color='black' size=2'
width=450>$sectionname[0]</font></td>\n";
    } //closes if

    else if($column==19){
        $getbenename = mysql_query("SELECT
SFname,SLname,SMname FROM student WHERE StudNum =
'$row[$column]'");
        $benename = mysql_fetch_row($getbenename);
        $initial = substr($benename[2],0,1);
        $benename = "$benename[0] $initial. $benename[1]";
        print "<td><font color='black' size=2'
width=450>$benename</font></td>\n";
    }
}

else{
    print "<td><font color='black' size=2'
width=500>$row[$column]</font></td>\n";
} //closes else

} //closes while

print "</table><br><br><br>";
} //closes else if

print "</div>
</form>
</tr>
</table>
<table width='719' height='41'
border='0' cellpadding='0' cellspacing='0'>
<tr>
<td align='center'
bgcolor=#333333> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</tr>
</table>
</body>
</html>
?>

ViewProfile.php
<?php
session_start(); //start up PHP Session
$username = $_SESSION['username'];

include("includefile.inc");

$username = "SELECT Status,Type FROM user WHERE Username='$username'
AND Status='1'";
$checkstat = mysql_query($username, $link);
$numrows = mysql_numrows($checkstat);
$getdetails = mysql_fetch_row($checkstat);
$username = $getdetails[0];
$username = $getdetails[1];

$yearlevels = array("JC" => "Junior Casa",
"JACI" => "Junior Advanced Casa I",
"JACII" => "Junior Advanced Casa II",
"AC" => "Advanced Casa",
"GI" => "Grade One",
"GII" => "Grade Two",
"GIII" => "Grade Three",
"GIV" => "Grade Four",
"GV" => "Grade Five",
"GVI" => "Grade Six",
"HI" => "First Year High School",
"HII" => "Second Year High School",
"HIII" => "Third Year High School",
"HIV" => "Fourth Year High School");

$aliasstatus = array("A" => "Enrolled",
"D" => "Not Enrolled",
"G" => "Graduating",
"NG" => "Not Graduating",
"P" => "Pending");

$aliascholar = array("SA1" => "Scholar A1",
"SA2" => "Scholar A2",
"SA3" => "Scholar A3",
"SB" => "Scholar B",
"BM" => "Band Member",
"N" => "N/A");

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor='#CCCCCC' leftmargin='0' topmargin='0' marginwidth='0'
marginheight='0'>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
<td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>

```



```

"AllegryHist" => "Allergy History","AllergyMed" =>
"Medication/s","AsthmaHist" => "Asthma History",
"AsthmaMed" => "Medication/s","OperationHist" =>
"Operation History","SpecialCondMed" => "Special Medication Condition",
"Rank" => "Rank","PaymentMode" => "Mode of
Payment","Status" => "Status","GWA" => "General Weighted Average");

```

```

print "<br><table width='600' align='center'>
<td><font color='maroon' size='3'><b>Academic
Competencies</b></font></td></tr></tr>";
while($row = mysql_fetch_row($acadsdetails)){
for($column = 0; $column < $colacad; $column++) {
print "<tr valign='top'>";
$field_name = mysql_field_name($acadsdetails, $column);
print "<td width='240'><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
if($column==0){
$yearlevel = $yearlevels[$row[0]];
print "<td><font color='black'
size='2'>$yearlevel</font></td>\n";
} //closes if
else if($column==1){
$gsectionname = mysql_query("SELECT SecName FROM
section WHERE SecID = '$row[1]'");
$sectionname = mysql_fetch_row($gsectionname);
print "<td><font color='black'
size='2'>$sectionname[0]</font></td>\n";
} //closes else if
else if($column==2){
$scholartype = $alias[scholar[$row[$column]]];
print "<td width='360'><font color='black'
size='2'>$scholartype</font></td>\n";
} //closes else if
else if($column==4){
$status = $alias[status[$row[$column]]];
print "<td width='360'><font color='black'
size='2'>$status</font></td>\n";
} //closes else if
else {
print "<td width='360'><font color='black'
size='2'>$row[$column]</font></td>\n";
} //closes else
print "</tr>";
} //closes for
} //closes while

```

```

print "</table><br><br><table width='600' align='center'>
<td><font color='maroon' size='3'><b>Personal
Details</b></font></td></tr></tr>";

```

```

while($row = mysql_fetch_row($personaldetails)){
for($column = 0; $column < $colpersonal; $column++) {
print "<tr valign='top'>";
$field_name = mysql_field_name($personaldetails, $column);
print "<td width='240'><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
if($column==0){
$initial = substr($row[2],0,1);
$name = "$row[0], $row[1] $initial.";
print "<td><font color='black' size='2'>$name</font></td>\n";
$column = 2;
} //closes if
else if($column==3){
$getguardname = mysql_query("SELECT GFname,GMname
FROM guardian WHERE GuardianNum = '$row[3]'");
$guardname = mysql_fetch_row($getguardname);
print "<td><font color='black' size='2'>$guardname[0],
$guardname[1]</font></td>\n";
} //closes else if
else if($column==6){
if($row[$column]=='M'){
$sex = "Male";
}
else {
$sex = "Female";
}
print "<td><font color='black' size='2'>$sex</font></td>\n";
} //closes else if
else {
print "<td><font color='black'
size='2'>$row[$column]</font></td>\n";
} //closes else
print "</tr>";
} //closes for
} //closes while

```

```

print "</table><br><br><table width='600' align='center'>
<td><font color='maroon' size='3'><b>Medical
History</b></font></td></tr></tr>";
while($row = mysql_fetch_row($medicaldetails)){
for($column = 0; $column < $colmedical; $column++) {

```

```

print "<tr valign='top'>";
$field_name = mysql_field_name($medicaldetails, $column);
print "<td width='240'><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
if($column==3){$column==5){
if($row[$column]=='N'){
$history = "No";
}
else {
$history = "Yes";
}
print "<td><font color='black' size='2'>$history</font></td>\n";
} //closes if
else {
print "<td><font color='black'
size='2'>$row[$column]</font></td>\n";
} //closes else
print "</tr>";
} //closes for
} //closes while
print "</table><br><br><br>";
} //closes if

```

```

else if($usertype=='Guardian'){
include('includefile.inc');

```

```

$getprofile = "SELECT * FROM
guardian WHERE GuardianNum = '$username'";
$details = mysql_query($getprofile,
$link);
$colcount =
mysql_num_fields($details);
$rows = mysql_num_rows($details);

```

```

if($rows!=0){
$alias = array("GFname" => "Name",
"GMname" => "Name",
"GFeducA" => "Educational Attainment",
"GMeducA" => "Educational Attainment",
"GFschoolA" => "School Attended",
"GMSchoolA" => "School Attended",
"GFoccupation" => "Occupation",
"GMoccupation" => "Occupation",
"GFbusAdd" => "Business Address",
"GMbusAdd" => "Business Address",
"GFtelNo" => "Contact Number",
"GMtelNo" => "Contact Number",
"GHaddress" => "Home Address",
"Gcontact" => "Telephone Number");
$query = "SELECT
SLname,SFname,SMname,StudNum,LevelID,SecID
FROM student WHERE GuardianNum = '$username'";
$childrendetails = mysql_query($query, $link);
$colcount2 = mysql_num_fields($childrendetails);
$alias2 = array("SLname" => "Name",
"SFname" => "Name",
"SMname" => "Name",
"StudNum" => "Student Number",
"LevelID" => "Grade/Year Level",
"SecID" => "Section");

```

```

print "<table width='600' align='center'>
<td><font color='maroon' size='3'><b>Personal
Details</b></font></td></tr></tr>";

```

```

print "<br><br><table width='600' align='center'>
<th><th><th><font color='maroon'>Father</font></th>
<th><font
color='maroon'>Mother</font></th></tr></tr></tr>";

```

```

$col_count = $colcount-2;
while($row = mysql_fetch_row($details)) {
for($column_num = 0; $column_num < $col_count;
$column_num++) {
$field_name = mysql_field_name($details, $column_num);
if($column_num==2){
continue;
} //closes if
else {
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
$column_num2 = $column_num + 1;

```

```

        print "<td><font color='black'
size=2>$row[$column_num2]</font></td>\n";
        print "</tr>\n";
        $column_num++;
    } //closes else
} //closes for

    print "</table><br><br><table width='600' align='center'>
    <td><font color='maroon'
size=3><b><b></font></td><tr></tr>";

    for($column = $col_count; $column < $colcount; $column++) {
        print "<tr valign='top'>";

        $field_name = mysql_field_name($details, $column);
        print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
        print "<td><font color='black'
size=2>$row[$column]</font></td>\n";

        print "</tr>";
    } //closes for
} //closes while

    print "</table><br><br><table width='600' align='center'>
    <td><font color='maroon' size=3><b>Children Enrolled in
SMS</b></font></td><tr></tr>";

    while($row2 = mysql_fetch_row($childrendetails)) {
        for($colnum = 0; $colnum < $colcount2; $colnum++) {
            $field_name2 = mysql_field_name($childrendetails, $colnum);
            print "<tr valign='top'>";
            print "<td><font color='maroon' width=200'
size=2><b>$alias2[$field_name2]</b></font></td>";

            if($colnum==0){
                $initial2 = substr($row2[2],0,1);
                $name = "$row2[0], $row2[1] $initial2.";
                print "<td><font color='black'
size=2>$name</font></td>\n";
                $colnum = 2;
            } //closes if

            else if($colnum==4){
                $yearlevels = array("JC" => "Junior Casa",
                "JACI" => "Junior Advanced Casa I",
                "JACII" => "Junior Advanced Casa II",
                "AC" => "Advanced Casa",
                "G1" => "Grade One",
                "GII" => "Grade Two",
                "GIII" => "Grade Three",
                "GIV" => "Grade Four",
                "GV" => "Grade Five",
                "GVI" => "Grade Six",
                "HI" => "First Year High School",
                "HII" => "Second Year High School",
                "HIII" => "Third Year High School",
                "HIV" => "Fourth Year High School");
                $yearlevel = $yearlevels[$row2[$colnum]];
                print "<td><font color='black'
size=2>$yearlevel</font></td>\n";
            }

            else if($colnum==5){
                $section = mysql_query("SELECT SecName FROM section
WHERE SecID=$row2[$colnum]");
                $getsectionname = mysql_fetch_row($section);
                print "<td><font color='black'
size=2>$getsectionname[0]</font></td>\n";
            } //closes else if

            else{
                print "<td><font color='black'
size=2>$row2[$colnum]</font></td>\n";
            } //closes else

            print "</tr>\n";
        } //closes for
        print "<tr><tr><tr><tr><tr><tr><tr><tr><tr><tr><tr><tr><tr><tr>";
    } //closes while

    print "</table><br><br><br>";
} //closes if

    else{
        print "<br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px; align='left'>
<table size=390><tr><td><img src='icons/Warning.png'
align='left' width=65' height=65' alt='></td>
<td><font color='maroon' size=2><b><center>ERROR:
Information not found. Please fill out the parents'
form.</center></b></font></td>
</tr></table></fieldset></center><br><br>";
    } //closes else
} //closes else if

    else if($usertype=="Faculty"){
        include('includefile.inc');

        $getprofile = "SELECT * FROM
employee WHERE EmployeeNum = 'Surname'";
        $details = mysql_query($getprofile,
$link);
        $colcount =
mysql_num_fields($details);
        $alias = array("ELname" =>
"Name",
"Department" => "Department",
"EAddress" => "Address",
"EContact" => "Contact Number",
"EBirthday" => "Birthday",
"EBirthplace" => "Birthplace",
"EReligion" => "Religion",
"ECitizenship" => "Citizenship",
"ESex" => "Sex",
"MaritalStat" => "Marital Status",
"SpouseName" => "Spouse's Name",
"EYears" => "Years of Service in SMS",
"EEducA" => "Educational Attainment",
"ESchoolA" => "College/University Attended",
"Adviser_Section" => "Advisory Section",
"Beneficiary" => "Beneficiary");

        print "<br><br><br><table
width='600' align='center'>
    <td><font color='maroon' size=3><b>- Personal Details -
</b></font></td><tr></tr>";

        while($row = mysql_fetch_row($details)) {
            for($column_num = 0; $column_num < 15; $column_num++) {
                $field_name = mysql_field_name($details, $column_num);

                if($column_num==0){
                    $initial = substr($row[2],0,1);
                    $name = "$row[0], $row[1] $initial.";
                    print "<tr valign='top'>";
                    print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>\n";
                    print "<td><font color='black' size=2>$name</font></td>\n";
                    print "</tr>\n";
                    $column_num = 2;
                } //closes if

                else if($column_num==3||$column_num==4){
                    continue;
                }

                else if($column_num==5){
                    if($row[$column_num]=="P"){
                        $department = "Pre-School";
                    }
                    else if($row[$column_num]=="G"){
                        $department = "Grade School";
                    }
                }
                else{
                    $department = "High School";
                }
                print "<tr valign='top'>";
                print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
                print "<td><font color='black' size=2>$department
Department</font></td>\n";
                print "</tr>\n";
            }

            else if($column_num==12){
                if($row[$column_num]=="M"){
                    $sex = "Male";
                }
                else{
                    $sex = "Female";
                }
                print "<tr valign='top'>";
                print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
            }
        }
    }
}

```

```

print "<td><font color='black' size='2'>$sex</font></td><n";
print "</tr><n";
} //closes else if

else if ($column_num==13){
if ($row[$column_num]== 'S'){
$maritalstat = "Single";
}
else if ($row[$column_num]== 'M'){
$maritalstat = "Married";
}
else if ($row[$column_num]== 'D'){
$maritalstat = "Divorced";
}
else{
$maritalstat = "Widowed";
}
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black'
size='2'>$maritalstat</font></td><n";
print "</tr><n";
} //closes else if

else{
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black'
size='2'>$row[$column_num]</font></td><n";
print "</tr><n";
} //closes else

} //closes for

print "</table><br><br><br><table width='600' align='center'>
<tr><td><font color='maroon' size='3'><b>- Occupation and
Education Details -</b></font></td></tr></tr></tr>";

for ($column = 15; $column < $colcount; $column++) {
print "<tr valign='top'>";

$field_name = mysql_field_name($details, $column);
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";

if ($column==18){
$getsectionname = mysql_query("SELECT SecName FROM
section WHERE SecID = '$row[$column]'");
$sectionname = mysql_fetch_row($getsectionname);
print "<td><font color='black'
size='2'>$sectionname[0]</font></td><n";
} //closes if

else if ($column==19){
$getbenename = mysql_query("SELECT
Sfname,SLname,SMname FROM student WHERE StudNum =
'$row[$column]'");
$benename = mysql_fetch_row($getbenename);
$initial = substr($benename[2],0,1);
$benename = "$benename[0] $initial. $benename[1]";
print "<td><font color='black'
size='2'>$benename</font></td><n";
}

else{
print "<td><font color='black'
size='2'>$row[$column]</font></td><n";
} //closes else

} //closes for
} //closes while
print "</table><br><br><br>";

} //closes else if

else if ($usertype=='Registration Clerk'){
include('includefile.inc');

$getprofile = "SELECT * FROM
employee WHERE EmployeeNum = '$username'";

$details = mysql_query($getprofile,
$link);
$rowcount = mysql_numrows($details);

```

```

$colcount =
mysql_num_fields($details);

$alias = array("ELname" =>
"Name",
"Department" => "Department",
"EAddress" => "Address",
"EContact" => "Contact Number",
"EBirthday" => "Birthday",
"EBirthplace" => "Birthplace",
"EReligion" => "Religion",
"ECitizenship" => "Citizenship",
"ESex" => "Sex",
"MaritalStat" => "Marital Status",
"SpouseName" => "Spouse's Name",
"EYears" => "Years of Service in SMS",
"EEducA" => "Educational Attainment",
"ESchoolA" => "College/University Attended",
"Adviser_Section" => "Advisory Section",
"Beneficiary" => "Beneficiary");

if ($rowcount!=0){
print "<br><br><br><table width='600' align='center'>
<td><font color='maroon' size='3'><b>Personal
Details</b></font></td></tr></tr>";

while ($row = mysql_fetch_row($details)) {
for ($column_num = 0; $column_num < 15; $column_num++) {
$field_name = mysql_field_name($details, $column_num);

if ($column_num==0){
$initial = substr($row[2],0,1);
$name = "$row[0], $row[1] $initial.";
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size='2'>$name</font></td><n";
print "</tr><n";
$column_num = 2;
} //closes if

else if ($column_num==3||$column_num==4){
continue;
}

else if ($column_num==5){
if ($row[$column_num]== 'A'){
$department = "Administration";
}
else{
$department = "";
}
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size='2'>$department
Department</font></td><n";
print "</tr><n";
}

else if ($column_num==12){
if ($row[$column_num]== 'M'){
$sex = "Male";
}
else{
$sex = "Female";
}
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";
print "<td><font color='black' size='2'>$sex</font></td><n";
print "</tr><n";
} //closes else if

else if ($column_num==13){
if ($row[$column_num]== 'S'){
$maritalstat = "Single";
}
else if ($row[$column_num]== 'M'){
$maritalstat = "Married";
}
else if ($row[$column_num]== 'D'){
$maritalstat = "Divorced";
}
else{
$maritalstat = "Widowed";
}
print "<tr valign='top'>";
print "<td><font color='maroon'
size='2'><b>$alias[$field_name]</b></font></td>";

```

```

        print "<td><font color='black'
size=2>$maritalstat</font></td>\n";
        print "</tr>\n";
    } //closes else if

    else {
        print "<tr valign='top'>";
        print "<td><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
        print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
        print "</tr>\n";
    } //closes else

} //closes for

print "</table><br><br><br><table width='600' align='center'>
<tr><td><font color='maroon' size='3'><b>Occupation and
Education Details</b></font></td></tr></table>";

for($column = 1; $column < $colcount; $column++) {
    print "<tr valign='top'>";
    $field_name = mysql_field_name($details, $column);

    if($column==18){
        continue;
    } //closes if

    else if($column==19){
        $getbenename = mysql_query("SELECT
SFname,SLname,SMname FROM student WHERE StudNum =
$row[$column]");
        $benename = mysql_fetch_row($getbenename);
        $initial = substr($benename[2],0,1);
        $benename = "$benename[0] $initial. $benename[1]";
        print "<td><font color='maroon' size=2'
width='150'><b>$alias[$field_name]</b></font></td>";
        print "<td><font color='black' size=2'
width='450'>$benename</font></td>\n";
    }

    else {
        print "<td><font color='maroon' size=2'
width='150'><b>$alias[$field_name]</b></font></td>";
        print "<td><font color='black' size=2'
width='500'>$row[$column]</font></td>\n";
    } //closes else

    print "</tr>";
} //closes for
} //closes while
print "</table><br><br><br>";
} //closes if

else if($usertype=='Cashier'){
    include('includefile.inc');

    $getprofile = "SELECT * FROM
employee WHERE EmployeeNum = '$username'";

    $details = mysql_query($getprofile,
$link);

    $colcount =
mysql_num_fields($details);

    $alias = array("ELname" =>
"Name",
"Department" => "Department",
"EAddress" => "Address",
"EContact" => "Contact Number",
"EBirthday" => "Birthday",
"EBirthplace" => "Birthplace",
"EReligion" => "Religion",
"ECitizenship" => "Citizenship",
"ESex" => "Sex",
"MaritalStat" => "Marital Status",
"SpouseName" => "Spouse's Name",
"EYears" => "Years of Service in SMS",
"EEducA" => "Educational Attainment",
"ESchoolA" => "College/University Attended",
"Beneficiary" => "Beneficiary");

        print "<br><br><br><table
width='600' align='center'>

        <td><font
color='maroon' size='3'><b>Personal Details</b></font></td></tr></table>";

        while($row = mysql_fetch_row($details) {
            for($column_num = 0; $column_num < 15; $column_num++) {
                $field_name = mysql_field_name($details, $column_num);

                if($column_num==0){
                    $initial = substr($row[2],0,1);
                    $name = "$row[0]. $row[1] $initial.";
                    print "<tr valign='top'>";
                    print "<td><font color='maroon'
size=2'><b>$alias[$field_name]</b></font></td>";
                    print "<td><font color='black' size=2'>$name</font></td>\n";
                    print "</tr>\n";
                    $column_num = 2;
                } //closes if

                else if($column_num==3||$column_num==4){
                    continue;
                }

                else if($column_num==5){
                    if($row[$column_num]=='S'){
                        $department = "Security";
                    }
                    else if($row[$column_num]=='M'){
                        $department = "Maintenance";
                    }
                    else {
                        $department = "Administration";
                    }
                    print "<tr valign='top'>";
                    print "<td><font color='maroon'
size=2'><b>$alias[$field_name]</b></font></td>";
                    print "<td><font color='black' size=2'>$department
Department</font></td>\n";
                    print "</tr>\n";
                }

                else if($column_num==12){
                    if($row[$column_num]=='M'){
                        $sex = "Male";
                    }
                    else {
                        $sex = "Female";
                    }
                    print "<tr valign='top'>";
                    print "<td><font color='maroon'
size=2'><b>$alias[$field_name]</b></font></td>";
                    print "<td><font color='black' size=2'>$sex</font></td>\n";
                    print "</tr>\n";
                } //closes else if

                else if($column_num==13){
                    if($row[$column_num]=='S'){
                        $maritalstat = "Single";
                    }
                    else if($row[$column_num]=='M'){
                        $maritalstat = "Married";
                    }
                    else if($row[$column_num]=='D'){
                        $maritalstat = "Divorced";
                    }
                    else {
                        $maritalstat = "Widowed";
                    }
                    print "<tr valign='top'>";
                    print "<td><font color='maroon'
size=2'><b>$alias[$field_name]</b></font></td>";
                    print "<td><font color='black'
size=2'>$maritalstat</font></td>\n";
                    print "</tr>\n";
                } //closes else if

                else {
                    print "<tr valign='top'>";
                    print "<td><font color='maroon'
size=2'><b>$alias[$field_name]</b></font></td>";
                    print "<td><font color='black'
size=2'>$row[$column_num]</font></td>\n";
                    print "</tr>\n";
                } //closes else

            } //closes for
        }

```

```

print "</table><br><br><br><table width='600' align='center'>
<tr><td><font color='maroon' size=3><b>Occupation and
Education Details</b></font></td></tr></tr></tr></tr>";

for($Column = 15; $Column < $Colcount; $Column++) {
    $field_name = mysql_field_name($details, $Column);

    if($Column==18){
        continue;
    }//closes if

    else if($Column==19){
        $getbenename = mysql_query("SELECT
$Fname,$Lname,$Mname FROM student WHERE StudNum =
'$row[$Column]'");
        $count = mysql_num_rows($getbenename);

        if($count!=0){
            $benename = mysql_fetch_row($getbenename);
            $initial = substr($benename[2],0,1);
            $benename = "$benename[0] $initial. $benename[1]";
            print "<tr valign='top'>";
            print "<td><font color='maroon' size=2'
width='150'><b>$alias[$field_name]</b></font></td>";
            print "<td><font color='black' size=2'
width='450'>$benename</font></td></tr></tr>";
            print "</tr>";
        }

        else{
            continue;
        }
    }//closes else

    else{
        print "<tr valign='top'>";
        print "<td><font color='maroon' size=2'
width='150'><b>$alias[$field_name]</b></font></td>";
        print "<td><font color='black' size=2'
width='450'>$row[$Column]</font></td></tr>";
        print "</tr>";
    }//closes else
} //closes for
} //closes while
print "</table><br><br><br>";

        } //closes else if

        else if($usertype=="School Administrator"){
            include('includefile.inc');

            $getprofile = "SELECT * FROM
employee WHERE EmployeeNum = '$username'";

            $details = mysql_query($getprofile,
$link);

            $colcount =
mysql_num_fields($details);

            $alias = array("ELname" =>
"Name",
"Department" => "Department",
"EAddress" => "Address",
"EContact" => "Contact Number",
"EBirthday" => "Birthday",
"EBirthplace" => "Birthplace",
"EReligion" => "Religion",
"ECitizenship" => "Citizenship",
"ESex" => "Sex",
"MaritalStat" => "Marital Status",
"SpouseName" => "Spouse's Name",
"EYears" => "Years of Service in SMS",
"EEducA" => "Educational Attainment",
"ESchoolA" => "College/University Attended",
"Adviser_Section" => "Advisory Section",
"Beneficiary" => "Beneficiary");

            print "<br><br><br><table
width='600' align='center'>
<td><font
color='maroon' size=3><b>- Personal Details -</b></font></td></tr></tr>";

            while($row = mysql_fetch_row($details) {

                for($column_num = 0; $column_num < 15; $column_num++) {
                    $field_name = mysql_field_name($details, $column_num);

                    if($column_num==0){
                        $initial = substr($row[2],0,1);
                        $name = "$row[0], $row[1] $initial.";
                        print "<tr valign='top'>";
                        print "<td><font color='maroon'
size=2'><b>$alias[$field_name]</b></font></td>";
                        print "<td><font color='black' size=2'>$name</font></td></tr></tr>";
                        print "</tr></tr>";
                        $column_num = 2;
                    } //closes if

                    else if($column_num==3||$column_num==4){
                        continue;
                    }

                    else if($column_num==5){
                        if($row[$column_num]=="P"){
                            $department = "Pre-School";
                        }
                        else if($row[$column_num]=="G"){
                            $department = "Grade School";
                        }
                        else{
                            $department = "High School";
                        }
                        print "<tr valign='top'>";
                        print "<td><font color='maroon'
size=2'><b>$alias[$field_name]</b></font></td>";
                        print "<td><font color='black' size=2'>$department
Department</font></td></tr></tr>";
                        print "</tr></tr>";
                    }

                    else if($column_num==12){
                        if($row[$column_num]=="M"){
                            $sex = "Male";
                        }
                        else{
                            $sex = "Female";
                        }
                        print "<tr valign='top'>";
                        print "<td><font color='maroon'
size=2'><b>$alias[$field_name]</b></font></td>";
                        print "<td><font color='black' size=2'>$sex</font></td></tr></tr>";
                        print "</tr></tr>";
                    } //closes else if

                    else if($column_num==13){
                        if($row[$column_num]=="S"){
                            $maritalstat = "Single";
                        }
                        else if($row[$column_num]=="M"){
                            $maritalstat = "Married";
                        }
                        else if($row[$column_num]=="D"){
                            $maritalstat = "Divorced";
                        }
                        else{
                            $maritalstat = "Widowed";
                        }
                        print "<tr valign='top'>";
                        print "<td><font color='maroon'
size=2'><b>$alias[$field_name]</b></font></td>";
                        print "<td><font color='black'
size=2'>$maritalstat</font></td></tr></tr>";
                        print "</tr></tr>";
                    } //closes else if

                    else{
                        print "<tr valign='top'>";
                        print "<td><font color='maroon'
size=2'><b>$alias[$field_name]</b></font></td>";
                        print "<td><font color='black'
size=2'>$row[$column_num]</font></td></tr></tr>";
                        print "</tr></tr>";
                    } //closes else
                } //closes for

                print "</table><br><br><br><table width='600' align='center'>
<tr><td><font color='maroon' size=3><b>- Occupation and
Education Details -</b></font></td></tr></tr></tr></tr>";

                for($column = 15; $column < $colcount; $column++) {
                    print "<tr valign='top'>";

                    $field_name = mysql_field_name($details, $column);
                    print "<td><font color='maroon' size=2'
width='150'><b>$alias[$field_name]</b></font></td>";

```

```

        if($column==18){
            $getsectionname = mysql_query("SELECT SecName FROM
            section WHERE SecID = '$row[$column]'");
            $sectionname = mysql_fetch_row($getsectionname);
            print "<td><font color='black' size=2'
            width=450>$sectionname[0]</font></td></n'";
        } //closes if

        else if($column==19){
            $getbenename = mysql_query("SELECT
            SFname,SLname,SMname FROM student WHERE StudNum =
            '$row[$column]'");
            $benename = mysql_fetch_row($getbenename);
            $initial = substr($benename[2],0,1);
            $benename = "$benename[0] $initial. $benename[1]";
            print "<td><font color='black' size=2'
            width=450>$benename</font></td></n'";
        }

        else{
            print "<td><font color='black' size=2'
            width=500>$row[$column]</font></td></n'";
        } //closes else

        print "</tr>";
    } //closes for
} //closes while
print "</table><br><br><br>";
} //closes else if

print "</div>
</form>
</td>
</tr>
</table>
<table width=719 height=41'
border=0' cellpadding=0' cellspacing=0'>
<tr>
<td align='center'
bgcolor=#333333> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</tr>
</table>
</body>
</html>
";
?>

```

ViewRecords.php

```

<?php
session_start(); //start up PHP Session
$username = $_SESSION['username'];

include("includefile.inc");

$userstat = "SELECT Status,Type FROM user WHERE Username='$username'
AND Status='1'";
$checkstat = mysql_query($userstat, $link);
$numrows = mysql_numrows($checkstat);
$getdetails = mysql_fetch_row($checkstat);
$userstatus = $getdetails[0];
$userstype = $getdetails[1];

$student = $_GET['studno'];
$yearlevels = array("JC" => "Junior Casa",
"JACI" => "Junior Advanced Casa I",
"JACII" => "Junior Advanced Casa II",
"AC" => "Advanced Casa",
"GI" => "Grade One",
"GII" => "Grade Two",
"GIII" => "Grade Three",
"GIIV" => "Grade Four",
"GV" => "Grade Five",
"GVII" => "Grade Six",
"HI" => "First Year High School",
"HIII" => "Second Year High School",
"HIIV" => "Third Year High School",
"HIIV" => "Fourth Year High School");
$aliasstatus = array("A" => "Approved",
"D" => "Disapproved",
"G" => "Graduating",
"NG" => "Not Graduating",
"P" => "Pending");
$aliascholar = array("SA1" => "Scholar A1",
"SA2" => "Scholar A2",
"SA3" => "Scholar A3",
"SB" => "Scholar B",
"BM" => "Band Member",
"N" => "N/A");

```

```

$studentname = "SELECT SLname,SFname,SMname FROM student WHERE
StudNum='$student'";
$query1 = mysql_query($studentname, $link);
$getname = mysql_fetch_row($query1);
$initial = substr($getname[2],0,1);
$yourname = "$getname[1] $initial. $getname[0]";

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height=100' alt='></td>
<td><img src='images/t1-2.gif' width='380'
height=100' alt='></td>
<td><img src='images/t1-3.jpg' width='360'
height=100' alt='></td>
</tr>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height=23' alt='></td>
<td><img src='images/t2-2.gif' width='40'
height=23' alt='></td>
<td width=700' height=23' align='center'
bgcolor=#333333' class='topMenu'>; ?>
<?if(($username!="")&&($numrows!=0)) { ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a>
| <a
href='UserLogin.php?logout=1'>Log-out</a> |</td>
<?>
else { ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td width=181' align='left'
valign='top'>
<table width=181'
border=0' cellspacing=0' cellpadding=0'>
<tr align='left'
valign='top'>
<td width=160'
height=28' bgcolor=#990000'></td>
<td width=21'
rowspan=2' background='images/t4-2.gif'>
</table>
<tr><td height=23' align='left' valign='top'><img src='images/t4-
1.gif' width=21' height=23'></td></tr>
<tr><td height=495' align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
</table></td>
</tr>
</table>
<tr align='left'
valign='top'>
<td width=400'
bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a
href='E-nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>

```

```

    <a href='AboutE-rollsYS.php'><font size=2><b>About E-
    nrollsYS</b></font></a><br><br>";
    if(($usertype=='Faculty')&&($userstatus=='1')){
        print "<a href='FacultysCorner.php'><font size=2><b>Faculty's
        Corner</b></font></a><br><br>";
    }
    else if(($usertype=='Registration Clerk')&&($userstatus=='1')){
        print "<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
        Corner</b></font></a><br><br>";
    }
    else if(($usertype=='Cashier')&&($userstatus=='1')){
        print "<a href='CashiersCorner.php'><font size=2><b>Cashier's
        Corner</b></font></a><br><br>";
    }
}

```

```

        print "</td>
        </tr>
        </table>
        </td>
        <td bgcolor=#FFFFFF width='598' align='left'
        valign='top'
        <table width='598' border='0'
        cellspacing='0' cellpadding='0'
        <td>";

```

```

        if(($username!="")&&($numrows!=0)){
            print "<br><table
            width='700'<tr><td align='left'><font color='black'><b>Logged in as
            <b></font>".<font color='maroon'><b>". $username.</b></font></td>
            <td
            align='right'><font color='black'><b>Today is ".<font
            color='maroon'><b>.date("l, F j,
            Y").</b></font></td></tr></table>";
        }
    }
}

```

```

        else{
            print "<br><table
            width='700'<tr><td align='left'></td>
            <td
            align='right'><font color='black'><b>Today is ".<font
            color='maroon'><b>.date("l, F j,
            Y").</b></font></td></tr></table>";
        }
    }
}

```

```

        print "</td>
        </tr>
        </table>
        </td>
        <td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
        SCHOOL<br> Camella Homes IV, Poblacion<br> City of
        Muntinlupa</b></font></td></tr>
        </table>
        </td>
        <td
        width='600' height='400' valign='top'>

```

```

        <form name='printowngrades' action='PrintOwnGrade.php'
        method='post'>

```

```

        <br><fieldset style='width: 680px; height: 35px;'
        align='left'>
        <legend><font color='maroon' size=2><b>User's
        Profile</b></font></legend>
        <table width='670' height='1'>
        <tr><td width='500'><font color='black' size=2><b>*Complete
        profile of $student, $yourname.</b></font></td>";
        if(($usertype=='Faculty')&&($userstatus=='1')){
            print "<td align='right'><a href='FacultysCorner.php'><font
            color='black'><b> BACK </b></font></a></td>";
        }
        else if(($usertype=='Registration Clerk')&&($userstatus=='1')){
            print "<td align='right'><a href='RegistrarsCorner.php'><font
            color='black'><b> BACK </b></font></a></td>";
        }
        else if(($usertype=='Cashier')&&($userstatus=='1')){
            print "<td align='right'><a href='CashiersCorner.php'><font
            color='black'><b> BACK </b></font></a></td>";
        }
    }
    print "</tr></table></fieldset>

```

```

    <div style='width: 719px; height: 370px; overflow: scroll;'>
        include('includefile.inc');

```

```

        $sacrecords = "SELECT
        LevelID,SecID,ScholarType,Rank,Status,GWA,PrevSchool,PrevSchoolAdd
        FROM student WHERE StudNum = '$student'";

```

```

        $personalinfo = "SELECT
        SLname,SFname,SMname,GuardianNum,SAddress,SContact,SSex,SBirthday,SB
        irthplace,SReligion,

```

```

        SCitizenship,SiblingsNum
        FROM student WHERE StudNum = '$student'";
        $medicalinfo = "SELECT
        Doctor,DocAdd,DocContact,AllergyHist,AsthmaHist,AsthmaMed,Opera
        tionHist,SpecialCondMed
        FROM student WHERE StudNum = '$student'";

```

```

        $sacsdetails = mysql_query($sacrecords, $link);
        $personalinfo = mysql_query($personalinfo, $link);

```

```

        $medicaldetails =
        mysql_query($medicalinfo, $link);
        $scolacad = mysql_num_fields($sacsdetails);

```

```

        $scolpersonal =
        mysql_num_fields($personalinfo);
        $scolmedical = mysql_num_fields($medicaldetails);
        $salias = array("SLname" => "Name", "SFname" =>

```

```

        "Name", "SMname" => "Name",
        "StudNum" => "Student Number", "GuardianNum" =>
        "Parent/Guardian", "SecID" => "Section",
        "SAddress" => "Address", "SContact" => "Contact
        Number", "LevelID" => "Grade/Year Level",
        "SSex" => "Sex", "SBirthday" => "Birthday (YYYY-MM-
        DD)", "SBirthplace" => "Birthplace",
        "SReligion" => "Religion", "SCitizenship" =>
        "Citizenship", "SiblingsNum" => "Siblings",
        "ScholarType" => "Scholar Type", "PrevSchool" =>
        "Previous School", "PrevSchoolAdd" => "School's Address",
        "Doctor" => "Doctor", "DocAdd" => "Doctor's
        Address", "DocContact" => "Contact Number",
        "AllergyHist" => "Allergy History", "AllergyMed" =>
        "Medication/s", "AsthmaHist" => "Asthma History",
        "AsthmaMed" => "Medication/s", "OperationHist" =>
        "Operation History", "SpecialCondMed" => "Special Medication Condition",
        "Rank" => "Rank", "PaymentMode" => "Mode of
        Payment", "Status" => "Status", "GWA" => "General Weighted Average");

```

```

        print "<br><table width='600' align='center'>
        <td><font color='maroon' size=3><b>Academic
        Competencies</b></font></td></tr></table>";

```

```

        while($row = mysql_fetch_row($sacsdetails)){
            for($scolnum = 0; $scolnum < $scolacad; $scolnum++) {
                print "<tr valign='top'>";
                $sfield_name = mysql_field_name($sacsdetails, $scolnum);
                print "<td width=240'><font color='maroon'
                size=2'><b>$alias[$sfield_name]</b></font></td>";
                if($scolnum==0){
                    $syearlevel = $syearlevels[$row[0]];
                    print "<td><font color='black'
                    size=2'>$syearlevel</font></td>\n";
                }
            }
        }

```

```

        else if($scolnum==1){
            $sgetsectionname = mysql_query("SELECT SecName FROM
            section WHERE SecID = '$row[1]'");
            $ssectionname = mysql_fetch_row($sgetsectionname);
            print "<td><font color='black'
            size=2'>$ssectionname[0]</font></td>\n";
        }
        else if($scolnum==2){
            $sscholartype = $salias[scholar][$row[$scolnum]];
            print "<td width=360'><font color='black'
            size=2'>$sscholartype</font></td>\n";
        }
    }
}

```

```

        else if($scolnum==4){
            $sstatus = $salias[status][$row[$scolnum]];
            print "<td width=360'><font color='black'
            size=2'>$sstatus</font></td>\n";
        }
        else if($scolnum==5){
            print "<td width=360'><font color='black'
            size=2'>$row[$scolnum]</font></td>\n";
        }
        else if($scolnum==6){
            print "<tr>";
        }
    }
}

```

```

        print "</table><br><table width='600' align='center'>
        <td><font color='maroon' size=3><b>Personal
        Details</b></font></td></tr></table>";

```

```

        while($row = mysql_fetch_row($personalinfo)){
            for($scolnum = 0; $scolnum < $scolpersonal; $scolnum++) {
                print "<tr valign='top'>";
                $sfield_name = mysql_field_name($personalinfo, $scolnum);
                print "<td width=240'><font color='maroon'
                size=2'><b>$alias[$sfield_name]</b></font></td>";
                if($scolnum==0){
                    $sinitial = substr($row[2],0,1);

```

```

    $name = "$row[0], $row[1] $initial.";
    print "<td><font color='black' size=2>$name</font></td>\n";
    $column = 2;
} //closes if
else if($column==3){
    $getguarname = mysql_query("SELECT GFname,GMname
FROM guardian WHERE GuardianNum = '$row[3]'");
    $guarname = mysql_fetch_row($getguarname);
    print "<td><font color='black' size=2>$guarname[0],
$guarname[1]</font></td>\n";
} //closes else if
else if($column==6){
    if($row[$column]=='M'){
        $sex = "Male";
    }
    else{
        $sex = "Female";
    }
    print "<td><font color='black' size=2>$sex</font></td>\n";
} //closes else if
else{
    print "<td><font color='black'
size=2>$row[$column]</font></td>\n";
} //closes else
print "</tr>";
} //closes for
} //closes while

print "</table><br><br><table width='600' align='center'>
<td><font color='maroon' size=3><b>Medical
History</b></font></td></tr>";
while($row = mysql_fetch_row($medicaldetails)){
    for($column = 0; $column < $colmedical; $column++) {
        print "<tr valign='top'>";
        $field_name = mysql_field_name($medicaldetails, $column);
        print "<td width=240><font color='maroon'
size=2><b>$alias[$field_name]</b></font></td>";
        if($column==3||$column==5){
            if($row[$column]=='N'){
                $history = "No";
            }
            else{
                $history = "Yes";
            }
            print "<td><font color='black' size=2>$history</font></td>\n";
        } //closes if
        else{
            print "<td><font color='black'
size=2>$row[$column]</font></td>\n";
        } //closes else
        print "</tr>";
    } //closes for
} //closes while
print "</table><br><br></div>";
} //closes while
} //closes for
} //closes while

print "</div>";
} //closes for
} //closes while

</form>
</td>
</tr>
</table>
<table width=719 height=41'
border=0' cellpadding=0' cellspacing=0'>
<tr>
<td align='center'
bgcolor=#333333> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</td>
</tr>
</table>
</body>
</html>
";
?>

ViewStudentRank.php
<?php
session_start(); //start up PHP Session
$facultyno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$facultyno'";
$getdetails = mysql_query($query1, $link);
$getdetails = mysql_fetch_row($getdetails);

if(($getdetails[0]!='Faculty')&&($getdetails[1]!='0')){
    header('Location: UserLogin.php');
}

$alias = array("SLname" => "Lname",
               "SFname" => "Fname",
               "SMname" => "Mname",
               "StudNum" => "Student Number",
               "SecID" => "Section",
               "Rank" => "Standing",
               "GWA" => "GWA");

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t1-1.jpg' width='160'
height='100' alt='></td>
<td><img src='images/t1-2.gif' width='380'
height='100' alt='></td>
<td><img src='images/t1-3.jpg' width='360'
height='100' alt='></td>
</tr>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t2-1.gif' width='160'
height='23' alt='></td>
<td><img src='images/t2-2.gif' width='40'
height='23' alt='></td>
<td width=700' height=23' align='center'
bgcolor=#333333' class='topMenu'> ?>
<?if($facultyno!='')> ?>
| <a href='E-
nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a>
| <a href='UserLogin.php'>Log-
out</a> |</td>
<?>
else{ ?>
| <a href='E-
nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
| <a href='E-
nrollsYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td width=181' align='left'
valign='top'>
<table width=181'
border=0' cellspacing=0' cellpadding=0'>
<tr align='left'
valign='top'>
<td width=160'
height=28' bgcolor=#990000'></td>
<td width=21'
rowspan=2' background='images/t4-2.gif'>
<table
width=21' border=0' cellspacing=0' cellpadding=0'>
<tr><td height=23' align='left' valign='top'><img src='images/t4-
1.gif' width=21' height=23'></td></tr>
<tr><td height=495' align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'>
<td height=400'
bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a
href='E-nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>

```



```
<a href='AboutE-rollSYS.php'><font size=2><b>About E-
nrollSYS</b></a><br><br>
<a href='FacultyCorner.php'><font size=2><b>Faculty's
Corner</b></a><br><br>
</td>
</tr>
</table>
</td>
<td width='598' align='left' valign='top'>
<table bgcolor='#FFFFFF'
width='598' border='0' cellspacing='0' cellpadding='0'>
<tr>
<td>";
if($facultyno!=""){
print "<br><table
width='700'<tr><td align='left'<font color='black'><b>Logged in as
</b></font>";<font color='maroon'><b>";$facultyno.</b></font></td>
<td align='right'><font color='black'><b>Today is ";<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes if
else{
print "<br><table
width='700'<tr><td align='left'></td>
<td align='right'><font color='black'><b>Today is ";<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></b></font></td></tr></table>";
} //closes else
print "</td>
</tr>
<tr>
<td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
<tr>
<td align='center' height='400' valign='top'>
<form name='viewstudentrank' action='ViewStudentRank.php'
method='post'>
<br><fieldset style='width: 680px; height: 45px;'
align='left'>
<legend><font color='maroon' size='2'><b>Student
Ranking</b></font></legend>
<table width='670' height='1'>
<tr><td width='200'><font color='black'><b>Grade/Year:</b><select
name='yearlevel'><option>- Level -</option>
<option value='JC'>JC</option> <option
value='JACI'>JAC I</option> <option value='JACII'>JAC II</option> <option
value='AC'>AC</option> <option value='GI'>GRADE I</option>
<option value='GII'>GRADE II</option> <option
value='GIII'>GRADE III</option> <option value='GIV'>GRADE IV</option>
<option value='GV'>GRADE V</option> <option value='GVI'>GRADE
VI</option>
<option value='HI'>1ST YEAR</option> <option
value='HII'>2ND YEAR</option> <option value='HIII'>3RD YEAR</option>
<option value='HIV'>4TH YEAR</option>
</select></b></font></td>
<td width='70'><input type='submit' name='getyear' value='Display
Students' /></td>
<td align='right'><a href='ViewAchieversBySection.php'><font
color='black'><b>| VIEW BY SECTION |</b></font></a>
<td align='right'><a href='FacultyCorner.php'><font
color='black'><b>| BACK |</b></font></a></td>
</tr></table>
</fieldset>
<div style='width: 719px; height: 360px; overflow:
scroll;'><br>";?>
```

```
<?
if(isset($_POST['getyear'])&& $_GET['logout']!=1){
include("includefile.inc");
$match=0;
$getyearlevel = $_POST['yearlevel'];
$getstudents = "SELECT StudNum FROM student WHERE
LevelID = '$getyearlevel'";
$details = mysql_query($getstudents, $link);
$match = mysql_numrows($details);
$yearlevels = array("JC" => "Junior Casa Students",
"JACI" => "Junior Advanced Casa I Students",
"JACII" => "Junior Advanced Casa II Students",
"AC" => "Advanced Casa Students",
"GI" => "Grade One Students",
"GII" => "Grade Two Students",
"GIII" => "Grade Three Students",
"GIV" => "Grade Four Students",
"GV" => "Grade Five Students",
"GVI" => "Grade Six Students",
"HI" => "First Year High School Students",
"HII" => "Second Year High School Students",
"HIII" => "Third Year High School Students",
"HIV" => "Fourth Year High School Students");
$yearlevel = $yearlevels[$getyearlevel];
$year = date(Y);
$month = date(n);
if($month<6){
$year1 = $year-1;
$year2 = $year;
} else{
$year1 = $year;
$year2 = $year+1;
}
if($match!=0){
$colcount=0;
$studentsinfo = "SELECT
SLname,SFname,SMname,StudNum,SecID,Rank,GWA
FROM student WHERE LevelID = '$getyearlevel'
ORDER BY Rank";
$rankstudents = mysql_query($studentsinfo, $link);
```

```

Scolcount = mysql_num_fields($rankstudents);
}

if($column_num==4){
else
print "<table width='700' align='center'>
<tr><th><center><font color='black'>$yearlevel<br>School
Year $year1 - $year2</font></center></th></tr>
</table><br><br>";
}

print "<table width='600' border='1' cellpadding='5'
align='center'><tr>";

for($column_num = 0; $column_num < $colcount;
$column_num++) {
$standing = $row[5];

if($column_num==0){
if($standing<=10){
print "<th><font
color='black'>Name</font></th>";
$column_num = 2;
}
} else{
$field_name =
mysql_field_name($rankstudents, $column_num);
print "<th><font
color='black'>$alias[$field_name]</font></th>";
}
} //closes for

while($row = mysql_fetch_row($rankstudents)) {
print "<tr align='center'
valign='top'>";
} //closes for

for($column_num = 0;
$column_num < $colcount; $column_num++) {
} //closes while
print "<tr>\n";
$setsecname =
mysql_query("SELECT SecName from section WHERE SecID = '$row[4]'");
print "</table>";
$secname =
mysql_fetch_row($setsecname);
} //closes if
else{
print "<br><br><center><fieldset style='width: 370px; height:
110px;' align='left'>
<img src='icons/Warning.png' align='left'
width='110' height='110' alt='><br><br><br>
Sname
<br><center><font color='maroon'
size='2'><b>NO RECORDS OF STUDENTS IN THIS
BATCH.</b></font></center>
print
</fieldset></center><br>";
}

$column_num = 2;

```

```

    //closes else
    //closes if
    ?<?print "</div>
    </form>
    </tr>
    </table>
    <table width=719 height=41'
border=0 cellpadding=0 cellspacing=0>
    <tr>
    <td align=center'
bgcolor=#333333> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
    </tr>
    </table>
    </tr>
    </table>
    </body>
</html>
";
?>

ViewStudRecord.php
<?php
session_start(); //start up PHP Session
$registrano = $_SESSION['username'];

include("includefile.inc");

Saliasstatus = array("A" => "Enrolled",
    "D" => "Not Enrolled",
    "G" => "Graduating",
    "NG" => "Not Graduating",
    "P" => "Pending");
Salias = array("SLname" => "Name",
    "SFname" => "Name",
    "SMname" => "Name",
    "StudNum" => "Student Number",
    "Status" => "Status",
    "Rank" => "Rank",
    "GWA" => "GWA",
    "LevelID" => "Level",
    "SecID" => "Section");
Syearlevels = array("JC" => "JC",
    "JAC I" => "JACI",
    "JAC II" => "JACII",
    "AC" => "AC",
    "Grade One" => "GI",
    "Grade Two" => "GII",
    "Grade Three" => "GIII",
    "Grade Four" => "GIV",
    "Grade Five" => "GV",
    "Grade Six" => "GVI",
    "First Year" => "HI",
    "Second Year" => "HII",
    "Third Year" => "HIII",
    "Fourth Year" => "HIV");
Saliaslevels = array("JC" => "Junior Casa",
    "JACI" => "Junior Advanced Casa I",
    "JACII" => "Junior Advanced Casa II",
    "AC" => "Advanced Casa",
    "GI" => "Grade One",
    "GII" => "Grade Two",
    "GIII" => "Grade Three",
    "GIV" => "Grade Four",
    "GV" => "Grade Five",
    "GVI" => "Grade Six",
    "HI" => "First Year High School",
    "HII" => "Second Year High School",
    "HIII" => "Third Year High School",
    "HIV" => "Fourth Year High School");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrano'";
Sgetdetails = mysql_query($query1, $link);
Sdetails = mysql_fetch_row(Sgetdetails);

if((Sdetails[0]!="Registration Clerk")&&(Sdetails[1]!="0")){
header('Location: UserLogin.php');
}
print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>
    <link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC left margin=0 topmargin=0 marginwidth=0
marginheight=0>
    <table width=900 border=0 align=center cellpadding=0'
cellspacing=0'>
    <tr>
    <td><img src='images/t1-1.jpg' width=160'
height=100' alt='></td>
    <td><img src='images/t1-2.gif' width=380'
height=100' alt='></td>
    <td><img src='images/t1-3.jpg' width=360'
height=100' alt='></td>
    </tr>
    </table>
    <table width=900 border=0 align=center cellpadding=0'
cellspacing=0'>
    <tr>
    <td><img src='images/t2-1.gif' width=160'
height=23' alt='></td>
    <td><img src='images/t2-2.gif' width=40'
height=23' alt='></td>
    <td width=700 height=23 align=center'
bgcolor=#333333 class=topMenu>; ?>
    <?if($registrano!="") { ?>
    | <a href='E-nrollsYSHome.php'>Home</a>
    | <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
    | <a href='ContactE-
nrollsYS.php'>Contact</a>
    | <a href='E-
nrollsYSHelp.php'>Help</a>
    | <a
href='UserLogin.php?logout=1'>Log-out</a> |</td>
    <?>
    else { ?>
    | <a href='E-nrollsYSHome.php'>Home</a>
    | <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
    | <a href='ContactE-
nrollsYS.php'>Contact</a>
    | <a href='E-
nrollsYSHelp.php'>Help</a> |</td>
    <?>
    print "</tr>
    </table>
    <table width=900 border=0 align=center cellpadding=0'
cellspacing=0'>
    <tr>
    <td width=181 align='left'
valign='top'>
    <table width=181'
border=0 cellspacing=0 cellpadding=0'>
    <tr align='left'
valign='top'>
    <td width=160'
height=28 bgcolor=#990000></td>
    <td width=21'
rowspan=2 background='images/t4-2.gif'>
    <table
width=21' border=0 cellspacing=0 cellpadding=0'>
    <tr><td height=23 align='left' valign='top'><img src='images/t4-
1.gif' width=21' height=23'></td></tr>
    <tr><td height=495 align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
    <tr><td align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
    </table></td>
    </tr>
    <tr align='left'
valign='top'>
    <td height=400'
bgcolor=#990000 style=padding-left: 15px; padding-right:10px; padding-top:
10px>
    <a
href='E-nrollsYSHome.php'><font size=2><b>Home</b></font></a><br><br>
    <a href='AboutE-nrollsYS.php'><font size=2><b>About E-
nrollsYS</b></font></a><br><br>
    <a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</b></font></a><br><br>
    </td>
    </tr>
    </table>
    </td>
    <table bgcolor=#FFFFFF'
width=719 border=0 cellspacing=0 cellpadding=0'>
    <tr>

```

```

<td>;
        if($registrarno!=""){
            print "<br><table
width='700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>".<font color='maroon'><b>".$registrarno.</b></font></td>
            <td
align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y").</b></font></td></tr></table>";
        }
        //closes if
        else{
            print "<br><table
width='700'><tr><td align='left'><td
            <td
align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y").</b></font></td></tr></table>";
        }
        //closes else
        print "</td>
        </tr>
        </td
align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
        </tr>
        <td
width='600' height='400' valign='top'>
        <form name='viewstudentrecord' action='ViewStudRecord.php'
method='post'>
        <br><fieldset style='width: 680px; height: 45px;'
align='left'>
        <legend><font color='maroon' size='2'><b>View Student
Record</b></font></legend>
        <table width='670' height='1'>
        <tr><td width='210'><font color='black'><b>Search: <select
name='filter'><option>- Select Category -</option>
        <option value='StudNum'>Student
Number</option> <option value='SLname'>Lastname</option>
<option value='LevelID'>Year/Grade Level</option> <option
value='SecID'>Section</option>
        </select></b></font></td>
        <td width='190'><input type='text' name='searchitem' size='20'
align='left' value=''></td>
        <td width='150'><input type='submit' name='query' value='Proceed'
/></td>
        <td align='right'><a href='RegistrarsCorner.php'><font
color='black'><b> BACK </b></font></a></td>
        </tr></table></fieldset>
        <div style='width: 719px; height: 360px; overflow:
scroll;'>?>
        <? if(isset($_POST['query'])&& $_GET['logout']!=1){
if($_POST['filter']=='StudNum')&&($_POST['searchitem']!=NULL){
include("includefile.inc");
        $studentid = mysql_real_escape_string($_POST['searchitem']);
        $query1 = "SELECT
SLname,SFname,SMname,StudNum,LevelID,SecID,Status,Rank,GWA FROM student
WHERE StudNum=$studentid";
        $queryResult1 = mysql_query($query1, $link);
        $colcount = mysql_num_fields($queryResult1);
        $rowcount = mysql_num_rows($queryResult1);
        if($rowcount!=0){
            print "<br><br><center><table border='1' width='700'><tr>";
            for($column_num = 0; $column_num < $colcount;
$column_num++) {
                $field_name = mysql_field_name($queryResult1,
                $column_num);
                if($column_num==0){
                    print "<th><font
color='black'><salias[$field_name]</font></th>";
                    $column_num = 2;
                }
                else if($column_num==4){
                    print "<th><font
color='black'><salias[$field_name]</font></th>";
                    $column_num = 5;
                }
                else if($column_num==6){
                    $key = $row[6];
                    print "<td nowrap><font color='black'
size='2'><saliasstatus[$key]</font></td>";
                }
                else{
                    print "<td nowrap><font color='black'
size='2'><row[$column_num]</font></td>";
                }
            }
            //closes for
            print "</tr>";
            $count_students++;
            //closes while
            print "</table><br><br>";
            //closes if
            //closes else
            else
            if($_POST['filter']=='SLname')&&($_POST['searchitem']!=NULL){
include("includefile.inc");
                $lastname = mysql_real_escape_string($_POST['searchitem']);
                $query1 = "SELECT
SFname,SMname,StudNum,LevelID,SecID,Status,Rank,GWA FROM student
WHERE SLname LIKE '%$lastname%'";
                $queryResult1 = mysql_query($query1, $link);
                $colcount = mysql_num_fields($queryResult1);
                $rowcount = mysql_num_rows($queryResult1);
                if($rowcount!=0){
                    print "<br><br><center><table border='1' width='700'><tr>";
                    for($column_num = 0; $column_num < $colcount;
$column_num++) {
                        $field_name = mysql_field_name($queryResult1,
                        $column_num);
                        if($column_num==0){
                            print "<th><font
color='black'><salias[$field_name]</font></th>";
                            $column_num = 1;
                        }
                        else if($column_num==3){
                            print "<th><font
color='black'><salias[$field_name]</font></th>";
                            $column_num = 4;
                        }
                        else if($column_num = mysql_field_name($queryResult1,
                        $column_num);
                            print "<th><font
color='black'><salias[$field_name]</font></th>";
                        }
                        else{
                            print "<th><font
color='black'><salias[$field_name]</font></th>";
                        }
                    }
                    //closes for
                }
            }
            //closes for
        }
    }
}

```

```

        print "<th><font
color='black'><salias[$field_name]</font></th>";
        $column_num = 5;
        $field_name = mysql_field_name($queryResult1,
        $column_num);
        print "<th><font
color='black'><salias[$field_name]</font></th>";
    }
    else{
        print "<th><font
color='black'><salias[$field_name]</font></th>";
    }
}
//closes for
print "</tr>\n";
$count_students=0;
while($row = mysql_fetch_row($queryResult1)) {
    print "<tr align='center' valign='top'>";
    for($column_num = 0; $column_num < $colcount;
$column_num++) {
        if($column_num==0){
            $name = $row[0]; $row[1] $row[2];
            print "<td nowrap><a
href='ViewRecords.php?studno=$studentid'><font color='black'
size='2'><name</font></a></td>";
            $column_num = 2;
        }
        //closes if
        else if($column_num==4){
            $saliasear = $saliasear[$row[4]];
            $section = mysql_query("SELECT SecName FROM
section WHERE SecID=$row[5]");
            $secname = mysql_fetch_row($section);
            print "<td align='center'><font color='black'
size='2'><saliasyear</font></td>";
            print "<td align='center'><font color='black'
size='2'><secname[0]</font></td>";
            $column_num = 5;
        }
        else if($column_num==6){
            $key = $row[6];
            print "<td nowrap><font color='black'
size='2'><saliasstatus[$key]</font></td>";
        }
        else{
            print "<td nowrap><font color='black'
size='2'><row[$column_num]</font></td>";
        }
    }
    //closes else
    //closes for
    print "</tr>";
    $count_students++;
    //closes while
    print "</table><br><br>";
    //closes if
    //closes else
    else
    if($_POST['filter']=='SLname')&&($_POST['searchitem']!=NULL){
include("includefile.inc");
        $lastname = mysql_real_escape_string($_POST['searchitem']);
        $query1 = "SELECT
SFname,SMname,StudNum,LevelID,SecID,Status,Rank,GWA FROM student
WHERE SLname LIKE '%$lastname%'";
        $queryResult1 = mysql_query($query1, $link);
        $colcount = mysql_num_fields($queryResult1);
        $rowcount = mysql_num_rows($queryResult1);
        if($rowcount!=0){
            print "<br><br><center><table border='1' width='700'><tr>";
            for($column_num = 0; $column_num < $colcount;
$column_num++) {
                $field_name = mysql_field_name($queryResult1,
                $column_num);
                if($column_num==0){
                    print "<th><font
color='black'><salias[$field_name]</font></th>";
                    $column_num = 1;
                }
                else if($column_num==3){
                    print "<th><font
color='black'><salias[$field_name]</font></th>";
                    $column_num = 4;
                }
                else if($column_num = mysql_field_name($queryResult1,
                $column_num);
                    print "<th><font
color='black'><salias[$field_name]</font></th>";
                }
                else{
                    print "<th><font
color='black'><salias[$field_name]</font></th>";
                }
            }
            //closes for
        }
    }
}

```

```

print "</tr>\n";

$count_students=0;
while($row = mysql_fetch_row($queryResult1)) {
    print "<tr align='center' valign='top'>";
    for($column_num = 0; $column_num < $colcount;
$column_num++) {
        if($column_num==0){
            $initial = substr($row[1],0,1);
            $name = "$row[0] $initial. $lastname";
            print "<td nowrap><a
href='ViewRecords.php?studno=$row[2]'><font color='black'
size='2'>$name</font></a></td>\n";
            $column_num = 1;
        }
        //closes if
        else if($column_num==3){
            $saliasyear = $saliaslevels[$row[3]];
            $section = mysql_query("SELECT SecName FROM
section WHERE SecID=$row[4]");
            $ssecname = mysql_fetch_row($section);
            print "<td><font color='black'
size='2'>$saliasyear</font></td>";
            print "<td><font color='black'
size='2'>$ssecname[0]</font></td>";
            $column_num = 4;
        }
        else if($column_num==5){
            $skey = $row[5];
            print "<td nowrap><font color='black'
size='2'>$saliasstatus[$skey]</font></td>\n";
        }
        else{
            print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
        }
        //closes else
        //closes for
        print "</tr>\n";
        $count_students++;
        //closes while
        print "</table><br><br>";
        //closes if
        //closes else if
    }
    else
    if(($_POST['filter']==LevelID)&&($_POST['searchitem']!=NULL)){
        include("includefile.inc");

        $slevel = mysql_real_escape_string($_POST['searchitem']);
        $slevelid = $syearlevels[$slevel];
        $query2 = "SELECT
SLname,SFname,SMname,StudNum,SecID,Status,Rank,GWA FROM student
WHERE LevelID=$slevelid";
        $queryResult2 = mysql_query($query2, $link);
        $colcount = mysql_num_fields($queryResult2);
        $rowcount = mysql_numrows($queryResult2);

        if($rowcount!=0){
            print "<br><br><center><table border='1' width='700'><tr>";
            for($column_num = 0; $column_num < $colcount;
$column_num++) {
                $field_name = mysql_field_name($queryResult2,
$column_num);

                if($column_num==0){
                    print "<th><font
color='black'>$salias[$field_name]</font></th>";
                    $column_num = 2;
                }
                else if($column_num==4){
                    print "<th><font color='black'>Level</font></th>";
                    $field_name = mysql_field_name($queryResult2,
$column_num);
                    print "<th><font
color='black'>$salias[$field_name]</font></th>";
                }
                else{
                    print "<th><font
color='black'>$salias[$field_name]</font></th>";
                }
            }
            //closes for
            print "</tr>\n";

            $count_students=0;
            while($row = mysql_fetch_row($queryResult2)) {
                print "<tr align='center' valign='top'>";
                for($column_num = 0; $column_num < $colcount;
$column_num++) {
                    if($column_num==0){
                        $initial = substr($row[2],0,1);
                        $name = "$row[1] $initial. $row[0]";

```

```

            print "<td nowrap><a
href='ViewRecords.php?studno=$row[3]'><font color='black'
size='2'>$name</font></a></td>\n";
            $column_num = 2;
        }
        //closes if
        else if($column_num==4){
            $saliasyear = $saliaslevels[$slevelid];
            print "<td><font color='black'
size='2'>$saliasyear</font></td>";
            $section = mysql_query("SELECT SecName FROM
section WHERE SecID=$row[4]");
            $ssecname = mysql_fetch_row($section);
            print "<td><font color='black'
size='2'>$ssecname[0]</font></td>";
        }
        else if($column_num==5){
            $skey = $row[5];
            print "<td nowrap><font color='black'
size='2'>$saliasstatus[$skey]</font></td>\n";
        }
        else{
            print "<td nowrap><font color='black'
size='2'>$row[$column_num]</font></td>\n";
        }
        //closes else
        //closes for
        print "</tr>\n";
        $count_students++;
        //closes while
        print "</table><br><br>";
        //closes if
        //closes else if
    }
    else
    if($_POST['filter']==SecID)&&($_POST['searchitem']!=NULL){
        include("includefile.inc");

        $section = mysql_real_escape_string($_POST['searchitem']);
        $query1 = "SELECT SecID FROM section WHERE
SecName=$section";
        $queryResult1 = mysql_query($query1, $link);
        $sectionid = mysql_fetch_row($queryResult1);
        $query2 = "SELECT
SLname,SFname,SMname,StudNum,LevelID,Status,Rank,GWA FROM student
WHERE SecID=$sectionid[0]";
        $queryResult2 = mysql_query($query2, $link);
        $colcount = mysql_num_fields($queryResult2);
        $rowcount = mysql_numrows($queryResult2);

        if($rowcount!=0){
            print "<br><br><center><table border='1' width='700'><tr>";
            for($column_num = 0; $column_num < $colcount;
$column_num++) {
                $field_name = mysql_field_name($queryResult2,
$column_num);

                if($column_num==0){
                    print "<th><font
color='black'>$salias[$field_name]</font></th>";
                    $column_num = 2;
                }
                else if($column_num==4){
                    print "<th><font
color='black'>$salias[$field_name]</font></th>";
                    $field_name = mysql_field_name($queryResult2,
$column_num);
                    print "<th><font color='black'>Section</font></th>";
                }
                else{
                    print "<th><font
color='black'>$salias[$field_name]</font></th>";
                }
            }
            //closes for
            print "</tr>\n";

            $count_students=0;
            while($row = mysql_fetch_row($queryResult2)) {
                print "<tr align='center' valign='top'>";
                for($column_num = 0; $column_num < $colcount;
$column_num++) {
                    if($column_num==0){
                        $initial = substr($row[2],0,1);
                        $name = "$row[1] $initial. $row[0]";
                        print "<td nowrap><a
href='ViewRecords.php?studno=$row[3]'><font color='black'
size='2'>$name</font></a></td>\n";
                        $column_num = 2;
                    }
                    //closes if
                    else if($column_num==4){
                        $saliasyear = $saliaslevels[$row[4]];
                        print "<td><font color='black'
size='2'>$saliasyear</font></td>";
                        print "<td><font color='black'
size='2'>$section</font></td>";

```



```

width='700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>".<font color='maroon'><b>". $guardianno.</b></font></td>
<td align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>.date("l, F j,
Y").</b></font></td></tr></table>";
//closes if
else{
width='700'><tr><td align='left'><td align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>.date("l, F j,
Y").</b></font></td></tr></table>";
//closes else
print "</td>
</tr>
<tr>
<td align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
width='600' height='400' valign='top'>
<form name='viewerdetails' action='ViewStudSched.php'
method='post'>
<br><fieldset style='width: 680px; height: 45px;'
align='left'>
<legend><font color='maroon' size='2'><b>View Student's Class
Schedule</b></font></legend>
<table width='670' height='1'>
<tr><td width='250'><font color='black'><b>Student: <select
name='studnumber'><option>- Select Student -</option>;
if($countchild!=0){
while($schild = mysql_fetch_row($getchild)) {
$initial = substr($schild[2],0,1);
$name = "$schild[1] $initial. $schild[0]";
print "<option value='$schild[3]'>$name</option>";
//closes while
} //closes if
print "</select></b></font></td>
<td width='150'><input type='submit' name='studentsched'
value='Proceed' /></td>
<td align='right'><a href='GuardiansCorner.php'><font
color='black'><b> EXIT |</b></font></a></td>
</tr></table>
</fieldset>
<div style='width: 719px; height: 360px; overflow:
scroll;'>
<? if(isset($_POST['studentsched'])&&
$_GET['logout']!=1){
include("includefile.inc");
$studentno = mysql_real_escape_string($_POST['studnumber']);
$query1 = mysql_query("SELECT
SecID,SLname,SFname,SMname FROM student WHERE
StudNum=$studentno");
$query2 = mysql_fetch_row($query1);
$query2 = mysql_query("SELECT SchedID,SecName,LevelID
FROM section WHERE SecID=$studsec[0]");
$query3 = mysql_fetch_row($query2);
$query4 = "SELECT DISTINCT
e.SecName,d.TStart,d.TEnd,d.TDay,b.Room,b.SubName,c.ELname,c.EMname,c.
Efname
FROM schedule AS a,subject AS b,employee AS
c,timeslot AS d,section AS e
WHERE a.sched_id=$schedid[0]' AND
a.sched_id=e.SchedID AND b.SubCode=a.subj_id AND d.TimeID=a.time_id
AND c.EmployeeNum=a.faculty
ORDER BY a.counter";
$query5 = mysql_query($query4);
$query6 = mysql_num_fields($query5);
$query7 = mysql_num_rows($query5);
$initial = substr($studsec[3],0,1);
$name = "$studsec[2] ". $initial. ". $studsec[1]";
//echo $rowcount;
if($rowcount!=0){
print "<br><br><table width='500' align='center'>

```

```

<tr><th><center><font color='black'>Schedule of
Sname<br>$schedid[2] $schedid[1] - School Year
$year</font></center></th></tr>
</table>";
print "<br><br><table width='700' border='1' cellpadding='5'
align='center'><tr>";
for($column_num = 1; $column_num < $colcount;
$column_num++) {
if($column_num==1){
print "<th width='200'><font
color='maroon'>Time</font></th>";
$column_num = 3;
}
else if($column_num==5){
print "<th><font color='maroon'>Subject</font></th>";
}
else if($column_num==6){
print "<th><font color='maroon'>Faculty</font></th>";
$column_num = 8;
}
else{
$field_name = mysql_field_name($schedquery,
$column_num);
print "<th><font color='maroon'>$field_name</font></th>";
} //closes for
print "</tr>\n";
while($row = mysql_fetch_row($schedquery)){
print "<tr valign='top'>";
for($column_num = 1; $column_num < $colcount;
$column_num++) {
if($column_num==1){
$timeslot = "$row[1]". "- ". "$row[2], $row[3]";
print "<td width='200'><font color='black'
size='2'>$timeslot</font></td>\n";
$column_num = 3;
}
else if($column_num==5){
print "<td><font color='black'
size='2'>$row[5]</font></td>";
}
else if($column_num==6){
$faculty = "$row[8] $row[6]";
print "<td><font color='black'
size='2'>$faculty</font></td>\n";
$column_num = 8;
}
else{
print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
} //closes for
print "</tr>\n";
} //closes while
print "</table><br><br>";
} //closes if
else{
print "<br><br><center><fieldset style='width: 400px;
height:70px; padding-left: 20px; padding-right: 20px;' align='left'>
<table size='390'>
<tr><td><img src='icons/Warning.png' align='left'
width='65' height='65' alt='></td>
<td><font color='maroon' size='2'><b><center>ERROR:
Student's schedule not found. Please re-check the details
supplied.</b></font></td>
</tr></table>
</fieldset></center><br><br>";
} //closes else
} //closes if
print
"</div>
</form>
</tr>
</table>
border='0' cellpadding='0' cellspacing='0'>
<table width='719' height='41'
align='center'
bgcolor=#333333> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</table>
</tr>
</table>
</body>
</html>
";
?>
ViewTeacherSched.php

```



```

        print "</select></td>
        <td width='100'><input type='submit' name='instsched' value='Get
Schedule' /></td>
        <td align='right'><a href='StudentsCorner.php'><font
        color='black'><b>EXIT |<b></font></a></td>
        </tr></table></fieldset>

        <div style='width: 719px; height: 360px; overflow:
        scroll;'>?>

        <?         if(isset($_POST['instsched'])&&
$_GET['logout']!=1){
            include("includefile.inc");

            $teacher = mysql_real_escape_string($_POST['teachers']);
            $syear = "$syear1"."-".$syear2";
            $query1 = "SELECT EmployeeNum,ELname,Efname,EMname
FROM employee WHERE EmployeeNum=$teacher";
            $getinstructor = mysql_query($query1,$link);
            $fclty_num = mysql_fetch_row($getinstructor);
            $query2 = "SELECT
c.Tstart,c.Tend,c.TDay,b.Room,a.SecName,a.LevelID,b.SubName
FROM section AS a,subject AS b,timeslot AS c,schedule AS
d
WHERE d.faculty=$fclty_num[0] AND
a.SchoolYear=$syear AND a.SchedID=d.sched_id
AND c.TimeID=d.time_id AND b.SubCode=d.subj_id";
            $schedquery = mysql_query($query2,$link);
            $scolcount = mysql_num_fields($schedquery);
            $sres_count = mysql_num_rows($schedquery);
            $sinitial = substr($fclty_num[3],0,1);
            $sname = "$fclty_num[2] $initial. $fclty_num[1]";

            if($sres_count!=0){
                print "<br><br><table width='600' align='center'>
                <tr><th><center><font color='black'>Schedule of
                Sname<br>School Year $syear</font></center></th></tr>
                </table>";
                print "<br><br>";
                print "<table width='700' border='1' cellpadding='5'
                align='center'>";
                print "<tr>";
                for($scolumn_num = 0; $scolumn_num < $scolcount;
                $scolumn_num++) {
                    if($scolumn_num==0){
                        print "<th width='200'><font
                        color='maroon'>Time</font></th>";
                        $scolumn_num = 2;
                    }
                    else if($scolumn_num==4){
                        print "<th width='150'><font color='maroon'>Year &
                        Section</font></th>";
                        $scolumn_num = 5;
                    }
                    else if($scolumn_num==5){
                        print "<th width='150'><font
                        color='maroon'>Subject</font></th>";
                    }
                    else{
                        $sfield_name = mysql_field_name($schedquery,
                        $scolumn_num);
                        print "<th><font
                        color='maroon'>$sfield_name</font></th>";
                    }
                }
                //closes for
                print "</tr>\n";
                while($srow = mysql_fetch_row($schedquery)) {
                    print "<tr valign='top'>";
                    for($scolumn_num = 0; $scolumn_num < $scolcount;
                    $scolumn_num++) {
                        if($scolumn_num==0){
                            $stimeslot = "$srow[0]"."-".$srow[1].".".$srow[2]";
                            print "<td width='200'><font color='black'
                            size='2'>$stimeslot</font></td>\n";
                            $scolumn_num = 2;
                        }
                        else if($scolumn_num==4){
                            $ssection = "$srow[5] $srow[4]";
                            print "<td width='150'><font color='black'
                            size='2'>$ssection</font></td>";
                            $scolumn_num = 5;
                        }
                        else{
                            print "<td><font color='black'
                            size='2'>$srow[$scolumn_num]</font></td>\n";
                        }
                    }
                }
                //closes for
                print "</tr>\n";
                //closes while
                print "</table>";
                //closes if
            }
        }

        else{
            echo "<br><br><center><fieldset style='width: 400px;
            height:50px; padding-left: 20px; padding-right: 20px;' align='left'>
            <img src='icons/Warning.png' align='left' width='50'
            height='50' alt=''><br>
            <font color='maroon' size='2'><b><center>ERROR:
            Instructor's schedule not available. Please re-check the details
            entered.</center></b></font>
            </fieldset></center>";
            //closes else
            //closes if
        }
    }
    print "</div>
    </form>
    </tr>
    </table>
    <table width='719' height='41'
    border='0' cellpadding='0' cellspacing='0'>
    <tr>
    <td align='center'
    bgcolor=#333333> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
    reserved. Best viewed using Google Chrome.</td>
    </tr>
    </table>
    </td>
    </table>
    </body>
    </html>
    ?>
}
}

ViewAllGrades.php
<?php
session_start(); //start up PHP Session
$guardiano = $_SESSION['username'];

include("includefile.inc");

$query = "SELECT Type,Status FROM user WHERE Username=$guardiano";
$getdetails = mysql_query($query, $link);
$details = mysql_fetch_row($getdetails);

if(($details[0]!="Guardian")&&($details[1]!="0")){
    header('Location: UserLogin.php');
}

$query1 = "SELECT SLname,SFname,SMname,StudNum FROM student
WHERE GuardianNum=$guardiano";
$getchild = mysql_query($query1, $link);
$scountchild = mysql_num_rows($getchild);

$year = date(Y);
$smnth = date(n);

if($smnth<6){
    $syear1 = $year-1;
    $syear2 = $year;
}
else{
    $syear1 = $year;
    $syear2 = $year+1;
}

$yearlevels = array("JC" => "Junior Casa",
    "JACI" => "Junior Advanced Casa I",
    "JACII" => "Junior Advanced Casa II",
    "AC" => "Advanced Casa",
    "G1" => "Grade One",
    "GII" => "Grade Two",
    "GIII" => "Grade Three",
    "GIV" => "Grade Four",
    "GV" => "Grade Five",
    "GVI" => "Grade Six",
    "HI" => "First Year High School",
    "HII" => "Second Year High School",
    "HIII" => "Third Year High School",
    "HIV" => "Fourth Year High School");

$subjects = array("JC" => 5,
    "JACI" => 5,
    "JACII" => 5,
    "AC" => 5,
    "G1" => 9,
    "GII" => 9,
    "GIII" => 9,
    "GIV" => 11,
    "GV" => 11,
    "GVI" => 11,
    "HI" => 10,
    "HII" => 10,

```



```

$yearlabel = $yearlevels[$getdetails[3]];

$subjectcodes = array();
$subjectnames = array();
$subunits = array();
$quarter1 = array();
$quarter2 = array();
$quarter3 = array();
$quarter4 = array();
$deciaverage = array();

$year = "$year1", ".", "$year2";
$query = "SELECT SubCode,SubName,SubUnits FROM
subject WHERE LevelID=$getdetails[3] AND SchoolYear=$year";
$subjdetails = mysql_query($query,$link);

$i=0;
while($getsubjects = mysql_fetch_row($subjdetails)){
    $subjectcodes[$i] = $getsubjects[0];
    $subjectnames[$i] = $getsubjects[1];
    $subunits[$i] = $getsubjects[2];
    $i++;
} // closes while

for($i = 0; $i < $subjnum; $i++){
    $query1 = "SELECT b.SubName,a.Grade
FROM grade AS a,subject AS b
WHERE a.StudentID=$studentno' AND a.Quarter=1st'
AND a.SubCode=$subjectcodes[$i]
AND a.SubCode=b.SubCode AND
a.SchoolYear=$year";
    $query2 = "SELECT b.SubName,a.Grade
FROM grade AS a,subject AS b
WHERE a.StudentID=$studentno' AND a.Quarter=2nd'
AND a.SubCode=$subjectcodes[$i]
AND a.SubCode=b.SubCode AND
a.SchoolYear=$year";
    $query3 = "SELECT b.SubName,a.Grade
FROM grade AS a,subject AS b
WHERE a.StudentID=$studentno' AND a.Quarter=3rd'
AND a.SubCode=$subjectcodes[$i]
AND a.SubCode=b.SubCode AND
a.SchoolYear=$year";
    $query4 = "SELECT b.SubName,a.Grade
FROM grade AS a,subject AS b
WHERE a.StudentID=$studentno' AND a.Quarter=4th'
AND a.SubCode=$subjectcodes[$i]
AND a.SubCode=b.SubCode AND
a.SchoolYear=$year";
    $grades1 = mysql_query($query1,$link);
    $grades2 = mysql_query($query2,$link);
    $grades3 = mysql_query($query3,$link);
    $grades4 = mysql_query($query4,$link);
    $gradenum1 = mysql_fetch_row($grades1);
    $gradenum2 = mysql_fetch_row($grades2);
    $gradenum3 = mysql_fetch_row($grades3);
    $gradenum4 = mysql_fetch_row($grades4);
    $quarter1[$i] = $gradenum1[1];
    $quarter2[$i] = $gradenum2[1];
    $quarter3[$i] = $gradenum3[1];
    $quarter4[$i] = $gradenum4[1];
} // closes for

$colcount = mysql_num_fields($grades1);
$colcount2 = mysql_num_fields($grades2);
$colcount3 = mysql_num_fields($grades3);
$colcount4 = mysql_num_fields($grades4);
if($colcount!=0&&$colcount==1){
    print "<br><table width='600' align='center'>
<tr><th><center><font color='black'>Grades of
$year</font></center></th></tr>
</table><br><br>
<table width='500' align='center'>
<tr><td><font color='maroon' size='2'><b>Grade/Year
Level: </font><font color='black' size='2'>$yearlabel</font></td></tr>
<tr><td><font color='maroon' size='2'><b>Section:
</font><font color='black' size='2'>$sname[0]</font></td></tr>
</tr></table><br><br>";
    print "<table width='600' border='1' cellpadding='5'
align='center'><tr>";
    for($column_num = 0; $column_num < $colcount;
$column_num++){
        if($column_num==0){
            print "<th><font color='maroon'>Subject</font></th>";
        } // closes if
        else if($column_num==2){
            print "<th><font color='maroon'>Remarks</font></th>";
        } // closes if
        else if($column_num==3){
            print "<th><font color='maroon'>Units</font></th>";
        } // closes if
        else {
            $field_name = mysql_field_name($grades1, $column_num);
            print "<th><font color='maroon'>1st</font></th>";
            print "<th><font color='maroon'>2nd</font></th>";
            print "<th><font color='maroon'>3rd</font></th>";
            print "<th><font color='maroon'>4th</font></th>";
            print "<th><font color='maroon'>Average</font></th>";
        } // closes else
    } // closes for
    print "</tr>";
    for($m = 0; $m < $subjnum; $m++){
        $total1 = $quarter1[$m] + $quarter2[$m] + $quarter3[$m] +
$quarter4[$m];
        $average = $total1/4;
        $avetodeci = number_format($average, 3);
        $deciaverage[$m] = $avetodeci;

        print "<tr valign='top'>";
        print "<td><font color='maroon'
size='2'><b>$subjectnames[$m]</b></font></td><n";
        print "<td><font color='black'
size='2'><center>$quarter1[$m]</center></font></td><n";
        print "<td><font color='black'
size='2'><center>$quarter2[$m]</center></font></td><n";
        print "<td><font color='black'
size='2'><center>$quarter3[$m]</center></font></td><n";
        print "<td><font color='black'
size='2'><center>$quarter4[$m]</center></font></td><n";
        print "<td><font color='maroon'
size='2'><center><b>$avetodeci</b></center></font></td><n";
        print "</tr>";
    } // closes for

    if($colcount!=0){
        //computing GWA of 1st quarter
        for($n = 0; $n < $subjnum; $n++){
            $gradedecimal = number_format($quarter1[$n], 3);
            $unitdecimal = number_format($subunits[$n], 3);
            $total = $total + ($gradedecimal * $unitdecimal);
            $divisordecimal = number_format($subunits[$n], 3);
            $divisor = $divisor + $divisordecimal;

            $GWA = $total/$divisor;
            $GWAdecimal = number_format($GWA, 3);
        } // closes for
    } // closes if

    if($colcount2!=0){
        //computing GWA of 2nd quarter
        for($n = 0; $n < $subjnum; $n++){
            $gradedecimal2 = number_format($quarter2[$n], 3);
            $unitdecimal2 = number_format($subunits[$n], 3);
            $total2 = $total2 + ($gradedecimal2 * $unitdecimal2);
            $divisordecimal2 = number_format($subunits[$n], 3);
            $divisor2 = $divisor2 + $divisordecimal2;

            $GWA2 = $total2/$divisor2;
            $GWAdecimal2 = number_format($GWA2, 3);
        } // closes for
    } // closes if

    if($colcount3!=0){
        //computing GWA of 3rd quarter
        for($n = 0; $n < $subjnum; $n++){
            $gradedecimal3 = number_format($quarter3[$n], 3);
            $unitdecimal3 = number_format($subunits[$n], 3);
            $total3 = $total3 + ($gradedecimal3 * $unitdecimal3);
            $divisordecimal3 = number_format($subunits[$n], 3);
            $divisor3 = $divisor3 + $divisordecimal3;

            $GWA3 = $total3/$divisor3;
            $GWAdecimal3 = number_format($GWA3, 3);
        } // closes for
    }

    if($colcount4!=0){
        //computing GWA of 4th quarter
        for($n = 0; $n < $subjnum; $n++){
            $gradedecimal4 = number_format($quarter4[$n], 3);
            $unitdecimal4 = number_format($subunits[$n], 3);
            $total4 = $total4 + ($gradedecimal4 * $unitdecimal4);
            $divisordecimal4 = number_format($subunits[$n], 3);
            $divisor4 = $divisor4 + $divisordecimal4;

            $GWA4 = $total4/$divisor4;
            $GWAdecimal4 = number_format($GWA4, 3);
        } // closes for
    } // closes if

    if($colcount4!=0){
        //computing GWA of 4th quarter
        for($n = 0; $n < $subjnum; $n++){
            $gradedecimal4 = number_format($deciaverage[$n], 3);
            $unitdecimal4 = number_format($subunits[$n], 3);
            $total4 = $total4 + ($gradedecimal4 * $unitdecimal4);

```

```

$divisordecimal4 = number_format($subunits[$n], 3);
$divisor4 = $divisor4 + $divisordecimal4;

$FinalGWA = Stotal4/$divisor4;
$FinalGWAdecimal = number_format($GWA4, 3);
} // closes for
} // closes if

print "<tr><td><font color='maroon'
size=2'><b>GWA</b></font></td><n
<td><font color='maroon'
size=2'><center><b>$GWAdecimal</b></center></td>
<td><font color='maroon'
size=2'><center><b>$GWAdecimal2</b></center></td>
<td><font color='maroon'
size=2'><center><b>$GWAdecimal3</b></center></td>
<td><font color='maroon'
size=2'><center><b>$GWAdecimal4</b></center></td>
<td><font color='maroon'
size=2'><center><b>$FinalGWAdecimal</b></center></td>;
print "</tr></table><br><br>";
} // closes if

/*else{
print "<br><br><center><fieldset style=width: 400px;
height:70px; padding-left: 20px; padding-right: 20px; align='left'>
<table size=390'><tr><td><img src='icons/Warning.png'
align='left' width=65' height=65' alt='></td>
<td><font color='maroon' size=2'><b><center>ERROR:
Student's grades not found. Please re-check the details
supplied.</center></b></font></td>
</tr></table></fieldset></center><br><br>";
} // closes else
*/
} // closes if

print "</div>

</form>
</tr>
</table>
<table width=719' height=41'
border=0' cellpadding=0' cellspacing=0'>
<tr>
<td align='center' bgcolor=#333333'> E-nrollSYS created by
Kathleen M. Mendoza <br> All rights reserved. Best viewed using Google
Chrome.</td>
</tr>
</table>
</table>
</tr>
</table>
</tbody>
</html>
";
?>

```

ViewClassSched.php

```

<?php
session_start(); //start up PHP Session
$studentno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$studentno'";
$getdetails = mysql_query($query1, $link);
$details = mysql_fetch_row($getdetails);

if(($details[0]!='Student')&&($details[1]!='0')){
header('Location: UserLogin.php');
}

$year = date(Y);
$month = date(n);

if($month<6){
$year1 = $year-1;
$year2 = $year;
}
else{
$year1 = $year;
$year2 = $year+1;
}

$year = "$year1 " . "-" . " $year2";

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'>

```

```

<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC' left margin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t1-1.jpg' width=160'
height=100' alt='></td>
<td><img src='images/t1-2.gif' width=380'
height=100' alt='></td>
<td><img src='images/t1-3.jpg' width=360'
height=100' alt='></td>
</tr>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t2-1.gif' width=160'
height=23' alt='></td>
<td><img src='images/t2-2.gif' width=40'
height=23' alt='></td>
<td width=700' height=23' align='center'
bgcolor=#333333' class='topMenu'>; ?>
<?if($studentno!='') { ?>
| <a href='E-
nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a>
| <a
href='UserLogin.php?logout=1'>Log-out</a> |</td>
<?>
else { ?>
| <a href='E-
nrollSYSHome.php'>Home</a>
| <a href='AboutE-
nrollSYS.php'>About E-nrollSYS</a>
| <a href='ContactE-
nrollSYS.php'>Contact</a>
| <a href='E-
nrollSYSHelp.php'>Help</a> |</td>
<?>
print "</tr>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td width=181' align='left'
valign='top'>
<table width=181'
border=0' cellspacing=0' cellpadding=0'>
<tr align='left'
valign='top'>
<td width=160'
height=28' bgcolor=#990000'></td>
<td width=21'
rowspan=2' background='images/t4-2.gif'>
</table>
<tr align='left' valign='top'><img src='images/t4-1.gif'
width=21' height=23'></td></tr>
<tr align='left' valign='bottom'><img
src='images/t4-4.gif' width=21' height=22' alt='></td></tr>
<tr align='left' valign='top'><img src='images/t4-5.gif'
width=21' height=41' alt='></td></tr>
</table></td>
</tr>
</table>
<tr align='left'
valign='top'>
<td height=400'
bgcolor=#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a
href='E-nrollSYSHome.php'><font size=2'><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2'><b>About E-
nrollSYS</b></font></a><br><br>
<a href='StudentsCorner.php'><font size=2'><b>Student's
Corner</b></font></a><br><br>
</td>
</tr>
</table>
</table>
<td width=598' align='left' valign='top'>

```



```

color='maroon'>Faculty</font></th>";
print "<th><font
" <td><font color='black' size=2>$row[$column_num]</font></td>\n";
print

$column_num = 8;
}
} //closes for

else{
print "<tr>\n";

mysql_field_name($schedquery, $column_num);
$field_name = //closes while

print "<th><font
" <table><br><br>
" <td><font color='maroon'>$field_name</font></th>";
</div>

}
} //closes for
</form>
</td>
</tr>
</table>

border=0' cellpadding=0' cellspacing=0'
print
" <tr>\n";
<tr>
<td align='center'
bgcolor=#333333> E-nrollsYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>

while($row = mysql_fetch_row($schedquery)){
print "<tr valign='top'>";
</tr>
for($column_num = 1;
$column_num < $colcount; $column_num++) {
</td>
</tr>
</table>
</body>
</html>
";
?>

ViewEnrollmentStatus.php
<?php
session_start(); //start up PHP Session
$registrarno = $_SESSION['username'];
include("includefile.inc");

$query1 = "SELECT Type,Status FROM user WHERE Username='$registrarno'";
$getdetails = mysql_query($query1, $link);
$row = mysql_fetch_row($getdetails);

if(($row[0] != 'Registration Clerk') && ($row[1] != '0')){
header('Location: UserLogin.php');
}

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'
<link href='stylesheet/E-nrollsYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t1-1.jpg' width=160'
height=100' alt='></td>
<td><img src='images/t1-2.gif' width=380'
height=100' alt='></td>
<td><img src='images/t1-3.jpg' width=360'
height=100' alt='></td>
</tr>
</table>
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td><img src='images/t2-1.gif' width=160'
height=23' alt='></td>
<td><img src='images/t2-2.gif' width=40'
height=23' alt='></td>
<td width=700' height=23' align='center'
bgcolor=#333333' class='topMenu'> ?>
<?if($registrarno != ''){ ?>
| <a href='E-nrollsYSHome.php'>Home</a>
| <a href='AboutE-
nrollsYS.php'>About E-nrollsYS</a>
| <a href='ContactE-
nrollsYS.php'>Contact</a>
}
else{

```

```

nrollsYSHelp.php>Help</a>
href='UserLogin.php?logout=1'>Log-out</a> |<td>
|<a href='E-nrollsYSHome.php'>Home</a>
|<a href='AboutE-
nrollsSYS.php'>About E-nrollsSYS</a>
|<a href='ContactE-
nrollsSYS.php'>Contact</a>
|<a href='E-
nrollsYSHelp.php'>Help</a> |<td>
print "</tr>
</table>
<table width='900' border='0' align='center' cellpadding='0'
cellspacing='0'>
<tr>
<td width='181' align='left'
valign='top'>
<table width='181'
border='0' cellspacing='0' cellpadding='0'>
<tr align='left'
valign='top'>
<td width='160'
height='28' bgcolor='#990000'></td>
<td width='21'
rowspan='2' background='images/t4-2.gif'>
<table
width='21' border='0' cellspacing='0' cellpadding='0'>
<tr><td height='23' align='left' valign='top'><img src='images/t4-
1.gif' width='21' height='23'></td></tr>
<tr><td height='495' align='left' valign='bottom'><img
src='images/t4-4.gif' width='21' height='22' alt='></td></tr>
</tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif'
width='21' height='41' alt='></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'>
<td height='400'
bgcolor='#990000' style='padding-left: 15px; padding-right:10px; padding-top:
10px'>
<a
href='E-nrollsYSmain.php'><font size=2><b>Home</font></a><br><br>
<a href='AboutE-nrollsSYS.php'><font size=2><b>About E-
nrollsSYS</font></a><br><br>
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's
Corner</font></a><br><br>
</td>
</tr>
</table>
</td>
<td width='598' align='left' valign='top'>
<table bgcolor='FFFFFF'
width='598' border='0' cellspacing='0' cellpadding='0'>
<tr>
<td>;
if($Registrarno!=""){
print "<br><table
width='700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>","<font color='maroon'><b>."$Registrarno.</b></font></td>
align='right'><font color='black'><b>Today is ",<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></td></tr></table>;
//closes if
else{
print "<br><table
width='700'><tr><td align='left'><td
align='right'><font color='black'><b>Today is ",<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></td></tr></table>;
//closes else
print "</td>
</tr>
</table>

```

```

<td
align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
</table>
width='459' height='400' valign='top'>
<form name='viewuserdetails' action='ViewUserDetails.php'
method='post'>
<table border='1' style='width: 680px; height: 45px;'
align='left'>
<tr>
<td colspan='2'><legend><font color='maroon' size=2><b>View
User Details</b></font></td></tr>
<tr>
<td align='left'><table width='670' height='1'>
<tr><td width='70'><font color='black'><b>VIEW BY:
</b></font></td>
<td width='100'><input type='text' name='searchitem' size='15'
align='left' value='/'></td>
<td width='210'><select name='filter'><option>- Select Category -
</option>
<option value='Student'>Student</option> <option
value='Guardian'>Guardian</option>
<option value='Faculty'>Faculty</option> <option
value='Registration Clerk'>Registration Clerk</option>
<option value='Cashier'>Cashier</option> <option value=''>All
Users</option>
</select></td>
<td width='150'><input type='submit' name='query' value='View
Details' /></td>
<td align='right'><a href='UpdateStudentStatus.php'><font
color='black'><b> BACK </b></font></a></td>
</tr></table></form>
<div style='width: 719px; height: 360px; overflow:
scroll;'><br>;
<?php
if(isset($_POST['query'])&& $_GET['logout']!=1){
if($_POST['searchitem']!=""){
$searchkey =
mysql_real_escape_string($_POST['searchitem']);
$usertype = $_POST['filter'];
if($usertype=='Student'){
include('includefile.inc');
$page_name = "ViewUserDetails.php";
$start = $_GET['start'];// To take care global variable if OFF
if(strlen($start) > 0 and !is_numeric($start)){
echo "Data Error";
exit;
}
$eu = ($start - 0);
$limit = 10; // No of records to be shown per page.
$svar = $eu + $limit;
$bback = $eu - $limit;
$next = $eu + $limit;
// $query = mysql_query("SELECT * FROM user");
$viewuseraccounts = "SELECT DISTINCT
a.Username,a.Type,a.Status
FROM user AS a,student AS b
WHERE a.Username LIKE '%$searchkey%'
OR b.SLname LIKE '%$searchkey%' AND a.Username=b.StudNum
ORDER BY Username ASC LIMIT $eu,
$limit";
$detailes = mysql_query($viewuseraccounts, $link);
$num = mysql_num_rows($detailes);
$colcount = mysql_num_fields($detailes);
print "<br><table width='600' align='center'>
<tr><th><table border='1'><tr>
Users of E-nrollsSYS</tr></th></tr>
</table><br><table width='600' align='center'
cellpadding='5' border='1'><tr>;
for($column_num = 0; $column_num < $colcount;
$column_num++) {
if($column_num==0){
$field_name = mysql_field_name($detailes,
$column_num);
print "<th><font
color='maroon'>$field_name</font></th>";
print "<th><font color='maroon'>Name</font></th>";
//closes if
else{
$field_name = mysql_field_name($detailes,
$column_num);

```

```

        print "<th><font
color='maroon'>$field_name</font></th>";
    //closes else
    //closes for
    print "</tr>\n";

    while($row = mysql_fetch_row($details) {
        print "<tr align='center' valign='top'>";
        for($column_num = 0, $column2 = 0; $column_num <
        $colcount, $column2 < $colcount+1; $column_num++, $column2++) {
            if($column2==0){
                if($row[1]=='Student'){
                    $studentsname = mysql_query("SELECT
SLname,SFname,SMname FROM student WHERE StudNum='\$row[0]'");
                    $student = mysql_fetch_row($studentsname);
                    $initial = substr($student[2],0,1);
                    $name = "$student[0]."." $student[1] $initial[2]";

                    print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                    print "<td><font color='black'
size='2'>$name</font></td>\n";
                    $column2 = 1;
                }
                else if($row[1]=='Guardian'){
                    $guardiansname = mysql_query("SELECT
GFname,GMname FROM guardian WHERE GuardianNum='\$row[0]'");
                    $guardian = mysql_fetch_row($guardiansname);
                    $name = "$guardian[0], $guardian[1]";

                    print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                    print "<td><font color='black'
size='2'>$name</font></td>\n";
                    $column2 = 1;
                }
                else{
                    $employeesname = mysql_query("SELECT
ELname,EFname,EMname FROM employee WHERE
EmployeeNum='\$row[0]'");
                    $employee = mysql_fetch_row($employeesname);
                    $initial = substr($employee[2],0,1);
                    $name = "$employee[0]."." $employee[1] $initial[2]";

                    print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                    print "<td><font color='black'
size='2'>$name</font></td>\n";
                    $column2 = 1;
                }
            } //closes if
        }
        else if($column2==3){

            if($row[2]=='1'){
                ?>
                <td><font color='black' size='2'>Enabled</font></td>
                <?php
                //closes if
                else{
                    ?>
                    <td><font color='black'
size='2'>Disabled</font></td>
                    <?php
                    //closes else
                    //closes else if
                    else{
                        print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                    } //closes else
                } //closes for
            } //closes while
            print "</table>";

            //Let us display bottom links if sufficient records are there
            for paging
            if($num > $limit){
                //Start the bottom links with Prev and next link with page
                numbers
                echo "<br><br><table align = 'center'
width='50%'><tr><td align='left' width='30%'>";
                //if our variable $back is equal to 0 or more then only we
                will display the link to move back.
                if($back >=0) {
                    print "<a href='\$page_name?start=$back'><font
color='black' face='Verdana' size='2'>PREV</font></a>";
                }
                //Let us display the page links at center. We will not
                display the current page as a link.
                echo "</td><td align=center width='30%'>";

                $i=0;
                $l=1;
                for($i = 0; $i < $num; $i = $i+$limit){
                    if($i <= $eu){
                        echo " <a href='\$page_name?start=$i'><font
color='black' face='Verdana' size='2'>$l</font></a> ";
                    }
                    else {
                        echo "<font face='Verdana' size='4'
color='red'>$l</font>";
                    } //Current page is not displayed as link and given
                    font color red

                    $l = $l+1;
                } //closes for

                echo "</td><td align='right' width='30%'>";
                // If we are not in the last page then Next link will be
                displayed.
                if($var < $num) {
                    print "<a href='\$page_name?start=$next'><font
color='black' face='Verdana' size='2'>NEXT</font></a>";
                }
                echo "</td></tr></table><br><br>";
            } // end of if checking sufficient records are there to display
            bottom navigational link.
            mysql_close();
        } //closes if

        else if($usertype=='Guardian'){
            include('includefile.inc');

            $page_name = "ViewUserDetails.php";
            $start = $_GET['start']; // To take care global variable if OFF

            if(strlen($start) > 0 and !is_numeric($start)){
                echo "Data Error";
                exit;
            }

            $eu = ($start - 0);
            $limit = 10; // No of records to be shown per page.
            $var = $eu + $limit;
            $back = $eu - $limit;
            $next = $eu + $limit;

            // $query = mysql_query("SELECT * FROM user");
            $viewuseraccounts = "SELECT DISTINCT
a.Username,a.Type,a.Status
FROM user AS a,guardian AS b
WHERE a.Username LIKE '%$searchkey%'
OR b.GFname LIKE '%$searchkey%' AND a.Username=b.GuardianNum
ORDER BY Username ASC LIMIT $eu,
$limit";

            $details = mysql_query($viewuseraccounts, $link);
            $num = mysql_num_rows($details);
            $colcount = mysql_num_fields($details);

            print "<br><table width='600' align='center'>
<tr><th><center><font color='black'>List of Available
Users of E-nrollSYS</font></center></th></tr>
</table><br><table width='600' align='center'
cellpadding='5' border='1'><tr>";
            for($column_num = 0; $column_num < $colcount;
            $column_num++) {
                if($column_num==0){
                    $field_name = mysql_field_name($details,
                    $column_num);
                    print "<th><font
color='maroon'>$field_name</font></th>";
                    print "<th><font color='maroon'>Name</font></th>";
                } //closes if
                else{
                    $field_name = mysql_field_name($details,
                    $column_num);
                    print "<th><font
color='maroon'>$field_name</font></th>";
                } //closes else
            } //closes for
            print "</tr>\n";

            while($row = mysql_fetch_row($details) {
                print "<tr align='center' valign='top'>";
                for($column_num = 0, $column2 = 0; $column_num <
                $colcount, $column2 < $colcount+1; $column_num++, $column2++) {
                    if($column2==0){
                        if($row[1]=='Student'){
                            $studentsname = mysql_query("SELECT
SLname,SFname,SMname FROM student WHERE StudNum='\$row[0]'");
                            $student = mysql_fetch_row($studentsname);
                            $initial = substr($student[2],0,1);
                            $name = "$student[0]."." $student[1] $initial[2]";

```



```

        print "<td><font color='black'
size=2>$name</font></td>\n";
        $column2 = 1;
    }
    else{
        $employeesname = mysql_query("SELECT
ELname,EFname,EMname FROM employee WHERE
EmployeeNum=$row[0]");
        $employee = mysql_fetch_row($employeesname);
        $initial = substr($employee[2],0,1);
        $name = "Employee[0].". "Employee[1] $initial[2]";

        print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
        print "<td><font color='black'
size=2>$name</font></td>\n";
        $column2 = 1;
    }
} //closes if

else if($column2==3){

    if($row[2]=='1'){
        ?>
        <td><font color='black' size=2>Enabled</font></td>
<?php
    } //closes if
    else{
        ?>
        <td><font color='black'
size=2>Disabled</font></td>
<?php
    } //closes else
} //closes else if
else{
    print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
} //closes else
} //closes for
print "</tr>\n";
} //closes while
print "</table>";

//Let us display bottom links if sufficient records are there
for paging
if($num > $limit){
    //Start the bottom links with Prev and next link with page
numbers
    echo "<br><br><table align = 'center'
width=50%><tr><td align='left' width=30%>";
    //if our variable $back is equal to 0 or more then only we
will display the link to move back.
    if($back >=0) {
        print "<a href=$page_name?start=$back><font
color='black' face='Verdana' size=2>PREV</font></a>";
    }
    //Let us display the page links at center. We will not
display the current page as a link.
    echo "</td><td align=center width=30%>";
    $i=0;
    $l=1;
    for($i = 0; $i < $num; $i = $i+$limit){
        if($i < $eu){
            echo " <a href=$page_name?start=$i><font
color='black' face='Verdana' size=2>$i</font></a> ";
        }
        else {
            echo "<font face='Verdana' size=4'
color=red>$i</font>";
        } //Current page is not displayed as link and given
font color red

        $l = $l+1;
    } //closes for

    echo "</td><td align='right' width=30%>";
    // If we are not in the last page then Next link will be
displayed.
    if($var < $num) {
        print "<a href=$page_name?start=$next><font
color='black' face='Verdana' size=2>NEXT</font></a>";
    }
    echo "</td></tr></table><br><br>";
} // end of if checking sufficient records are there to display
bottom navigational link.
mysql_close();
} //closes else
} //closes if

else{
    $usertype = $_POST['filter'];

    include('includefile.inc');

    $page_name = "ViewUserDetails.php";
    $start = $_GET['start']; // To take care global variable if OFF

    if(strlen($start) > 0 and !is_numeric($start)){
        echo "Data Error";
        exit;
    }

    $eu = ($start - 0);
    $limit = 10; // No of records to be shown per page.
    $var = $eu + $limit;
    $back = $eu - $limit;
    $next = $eu + $limit;

    // WE have to find out the number of records in our table. We
will use this to break the pages

    if(($usertype=='Student')||($usertype=='Guardian')||($usertype=='Faculty')||($usertype
=='Cashier')||($usertype=='Registration Clerk')){
        // $query = mysql_query("SELECT * FROM user WHERE
Type=$usertype");
        $viewuseraccounts = "SELECT Username,Type,Status
FROM user WHERE Type=$usertype' ORDER BY Username ASC LIMIT $eu,
$limit";
        $details = mysql_query($viewuseraccounts, $link);
        $num = mysql_num_rows($details);
        $colcount = mysql_num_fields($details);
    } //closes if

    else{
        // $query = mysql_query("SELECT * FROM user");
        $viewuseraccounts = "SELECT Username,Type,Status
FROM user ORDER BY Username ASC LIMIT $eu, $limit";
        $details = mysql_query($viewuseraccounts, $link);
        $num = mysql_num_rows($details);
        $colcount = mysql_num_fields($details);
    } //closes else

    print "<br><table width='600' align='center'>
<tr><th><center><font color='black'>List of Available
Users of E-nrollSYS</font></center></th></tr>
</table><br><table width='600' align='center'
cellpadding='5' border='1'><tr>";
    for($column_num = 0; $column_num < $colcount;
$column_num++) {
        if($column_num==0){
            $field_name = mysql_field_name($details, $column_num);
            print "<th><font
color='maroon'>$field_name</font></th>";
            print "<th><font color='maroon'>Name</font></th>";
        } //closes if
        else{
            $field_name = mysql_field_name($details, $column_num);
            print "<th><font
color='maroon'>$field_name</font></th>";
        } //closes else
    } //closes for
    print "</tr>\n";

    while($row = mysql_fetch_row($details)) {
        print "<tr align='center' valign='top'>";
        for($column_num = 0, $column2 = 0; $column_num <
$colcount, $column2 < $colcount+1; $column_num++, $column2++) {
            if($column2==0){
                if($row[1]=='Student'){
                    $studentsname = mysql_query("SELECT
SLname,SFname,SMname FROM student WHERE StudNum=$row[0]");
                    $student = mysql_fetch_row($studentsname);
                    $initial = substr($student[2],0,1);
                    $name = "$student[0].". "$student[1] $initial[2]";

                    print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
                    print "<td><font color='black'
size=2>$name</font></td>\n";
                    $column2 = 1;
                }
                else if($row[1]=='Guardian'){
                    $guardiansname = mysql_query("SELECT
GFname,GMname FROM guardian WHERE GuardianNum=$row[0]");
                    $guardian = mysql_fetch_row($guardiansname);
                    $name = "$guardian[0], $guardian[1]";

                    print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
                    print "<td><font color='black'
size=2>$name</font></td>\n";
                    $column2 = 1;
                }
            }
        }
    }
}

```

```

        $employeesname = mysql_query("SELECT
EL.name,EFname,EMname FROM employee WHERE
EmployeeNum=$row[0]");
        $employee = mysql_fetch_row($employeesname);
        $initial = substr($employee[2],0,1);
        $name = "Employee[0].". $employee[1] $initial[2]";

        print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
        print "<td><font color='black'
size=2>$name</font></td>\n";
        $column2 = 1;
    }
} //closes if

else if($column2==3){

    if($row[2]==1){
        ?>
        <td><font color='black' size=2>Enabled</font></td>
        <?php
        } //closes if
        else {
            ?>
            <td><font color='black' size=2>Disabled</font></td>
            <?php
            } //closes else
        } //closes else if
        else {
            print "<td><font color='black'
size=2>$row[$column_num]</font></td>\n";
        } //closes else
    } //closes for
    print "</tr>\n";
} //closes while
print "</table>";

//Let us display bottom links if sufficient records are there for
paging
if($num > $limit){
//Start the bottom links with Prev and next link with page
numbers
    echo "<br><br><table align = 'center' width=50%><tr><td
align='left' width=30%>";
//if our variable $back is equal to 0 or more then only we
will display the link to move back.
    if($back >=0) {
        print "<a href='\$page_name?start=$back'><font
color='black' face='Verdana' size=2>PREV</font></a>";
    }
//Let us display the page links at center. We will not display
the current page as a link.
    echo "</td><td align=center width=30%>";
    $i=0;
    $l=1;
    for($i = 0; $i < $num; $i = $i+$limit){
        if($i < $eu){
            echo "<a href='\$page_name?start=$i'><font color='black'
face='Verdana' size=2>$l</font></a> ";
        }
        else {
            echo "<font face='Verdana' size=4' color=red>$l</font>";
        } //Current page is not displayed as link and given font
color red

        $l = $l+1;
    } //closes for

    echo "</td><td align='right' width=30%>";
// If we are not in the last page then Next link will be
displayed.
    if($var < $num) {
        print "<a href='\$page_name?start=$next'><font
color='black' face='Verdana' size=2>NEXT</font></a>";
    }
    echo "</td></tr></table><br><br>";
} // end of if checking sufficient records are there to display
bottom navigational link.
mysql_close();
} //closes else
} //closes if
?>
<?php print "</div>
</form>
</td>
</tr>
</table>
<table width=719' height=41'
border=0' cellpadding=0' cellspacing=0'>
<tr>

```

```

        <td align='center'
bgcolor=#333333> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
        </tr>
    </table>
    </tr>
</td>
</tr>
</table>
</body>
</html>
";
?>

ViewEnrollStat.php
<?php
session_start(); //start up PHP Session
$guardianno = $_SESSION['username'];
include("includefile.inc");

$query = "SELECT Type,Status FROM user WHERE Username=$guardianno";
$getdetails = mysql_query($query, $link);
$rowdetails = mysql_fetch_row($getdetails);

if(($rowdetails[0]!='Guardian')&&($rowdetails[1]!='0')){
    header("Location: UserLogin.php");
}

$query1 = "SELECT SLname,SFname,SMname,StudNum FROM student
WHERE GuardianNum=$guardianno";
$getchild = mysql_query($query1, $link);
$rowcountchild = mysql_numrows($getchild);

$year = date(Y);
$month = date(n);

if($month<6){
    $year1 = $year-1;
    $year2 = $year;
}
else{
    $year1 = $year;
    $year2 = $year+1;
}

$year = "$year1"."-".$year2";

$yearlevels = array("JC" => "Junior Casa",
    "JACT" => "Junior Advanced Casa I",
    "JACII" => "Junior Advanced Casa II",
    "AC" => "Advanced Casa",
    "G1" => "Grade One",
    "G2" => "Grade Two",
    "G3" => "Grade Three",
    "G4" => "Grade Four",
    "G5" => "Grade Five",
    "G6" => "Grade Six",
    "H1" => "First Year High School",
    "H2" => "Second Year High School",
    "H3" => "Third Year High School",
    "H4" => "Fourth Year High School");

$smodepayment = array("A" => "Annual",
    "S" => "Semestral",
    "Q" => "Quarterly",
    "M" => "Monthly");

$salisscholar = array("N" => "N/A",
    "SA1" => "Scholar A1",
    "SA2" => "Scholar A2",
    "SA3" => "Scholar A3",
    "SB" => "Scholar B",
    "BM" => "Band Member");

print "
<html>
<head>
<title></title>
<meta http-equiv='Content-Type' content='text/html; charset=iso-8859-1'
<link href='stylesheet/E-nrollSYS.css' rel='stylesheet'
type='text/css'>
</head>
<body bgcolor=#CCCCCC' leftmargin=0' topmargin=0' marginwidth=0'
marginheight=0'
<table width=900' border=0' align='center' cellpadding=0'
cellspacing=0'>
<tr>
<td align='center'
height=100' alt='></td>
<td align='center'
height=100' alt='></td>
<td align='center'
height=100' alt='></td>
</tr>
</table>

```



```

        print "<br><table
width='700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>".<font color='maroon'><b>". $guardianno.</b></font></td>
        <td
align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y")."</b></font></td></tr></table>";
        //closes if
        else{
        print "<br><table
width='700'><tr><td align='left'></td>
        <td
align='right'><font color='black'><b>Today is ".<font
color='maroon'><b>".date("l, F j,
Y")."</b></font></td></tr></table>";
        //closes else
        print "</td>
        </tr>
        </tr>
        <td
align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
        <td
width='600' height='400' valign='top'>
        <form name='viewgrades' action='ViewGrades.php'
method='post'>
        <br><fieldset style='width: 680px; height: 45px;'
align='left'>
        <legend><font color='maroon' size='2'><b>View Student's Grades
and Remarks</b></font></legend>
        <table width='670' height='1'>
        <tr><td width='250'><font color='black'><b>Student: <select
name='studnumber'><option>- Select Student -</option>;
        if($countchild=0){
        while($schild = mysql_fetch_row($getchild)) {
        $sinitial = substr($schild[2],0,1);
        $sname = "$schild[1] $sinitial. $schild[0]";
        print "<option value='$schild[3]'>$sname</option>";
        //closes while
        //closes if
        print "</select></b></font></td>
        <td width='160'><font color='black'><b>Quarter: <select
name='quarter'>
        <option value='1st'>1st Quarter</option> <option
value='2nd'>2nd Quarter</option>
        <option value='3rd'>3rd Quarter</option> <option
value='4th'>4th Quarter</option>
        </select></b></font></td>
        <td width='70'><input type='submit' name='studentgrade'
value='Proceed' /></td>
        <td align='right'><a href='ViewAllGrades.php'><font
color='black'><b>| VIEW ALL |</b></font></a></td>
        <td align='right'><a href='GuardiansCorner.php'><font
color='black'><b>| EXIT |</b></font></a></td>
        </tr></table></fieldset>
        <div style='width: 719px; height: 360px; overflow:
scroll;'>?>
        <?
        if(isset($_POST['studentgrade'])&&
$_GET['logout']!=1){
        include("includefile.inc");
        $studentno = mysql_real_escape_string($_POST['studnumber']);
        $sqr = $_POST['quarter'];
        $syear = "$syear1", "$syear2";
        $query1 = "SELECT
b.SubName,a.Grade,a.Comments,b.SubUnits
FROM grade AS a,subject AS b
WHERE a.StudentID='$studentno' AND a.Quarter='$sqr'
AND a.SubCode=b.SubCode AND a.SchoolYear='$syear'";
        $grades = mysql_query($query1,$slink);
        $countoccur = mysql_numrows($grades);
        $scolcount = mysql_num_fields($grades);
        $query2 = "SELECT SLname,SFname,SMname,LevelID,SecID
FROM student WHERE StudNum='$studentno' AND
GuardianNum='$guardianno'";
        $sdetails = mysql_query($query2,$slink);
        $sgetdetails = mysql_fetch_row($sdetails);

```

```

        $count = mysql_numrows($sdetails);
        $sinitial = substr($sgetdetails[2],0,1);
        $sname = "$sgetdetails[1] ", "$sinitial.", " $sgetdetails[0]";
        $ssection = mysql_query("SELECT SecName FROM section
WHERE SecID='$sgetdetails[4]");
        $ssecname = mysql_fetch_row($ssection);
        $syearlabel = $syearlevels[$sgetdetails[3]];
        $ssubjects = array("JC" => 5,
        "JACI" => 5,
        "JACII" => 5,
        "AC" => 5,
        "GI" => 9,
        "GII" => 9,
        "GIII" => 9,
        "GIV" => 11,
        "GV" => 11,
        "GVI" => 11,
        "HI" => 10,
        "HII" => 10,
        "HIII" => 10,
        "HIV" => 10);
        $ssubjnum = $ssubjects[$sgetdetails[3]];
        if($countoccur!=0&&$count==1){
        print "<br><table width='600' align='center'>
        <tr><th><center><font color='black'>Grades of $sname for
        $sqr Quarter<br>School Year $syear</font></center></th></tr>
        </table><br><br>
        <table width='500' align='center'>
        <tr><td><font color='maroon' size='2'><b>Grade/Year
        Level: </font><font color='black' size='2'>$syearlabel</b></font></td><tr>
        <tr><td><font color='maroon' size='2'><b>Section:
        </font><font color='black' size='2'>$ssecname[0]</b></font></td></tr>
        </tr></table><br><br>";
        print "<table width='600' border='1' cellpadding='5'
align='center'><tr>";
        for($scolnum = 0; $scolnum < $scolcount;
        $scolnum++) {
        if($scolnum==0){
        print "<th><font color='maroon'>Subject</font></th>";
        //closes if
        else if($scolnum==2){
        print "<th><font color='maroon'>Remarks</font></th>";
        //closes if
        else if($scolnum==3){
        print "<th><font color='maroon'>Units</font></th>";
        //closes if
        else{
        $sfield_name = mysql_field_name($grades, $scolnum);
        print "<th><font color='maroon'>$sfield_name</font></th>";
        //closes else
        //closes for
        print "</tr>\n";
        while($srow = mysql_fetch_row($grades)) {
        print "<tr valign='top'>";
        for($scolnum = 0; $scolnum < $scolcount;
        $scolnum++) {
        if($scolnum==1){
        print "<td><font color='black'
        size='2'><center>$srow[$scolnum]</center></font></td>\n";
        }
        else{
        print "<td><font color='black'
        size='2'>$srow[$scolnum]</font></td>\n";
        }
        //closes for
        print "</tr>\n";
        if($countoccur == $ssubjnum){
        $sgradedecimal = number_format($srow[1], 3);
        $sunitdecimal = number_format($srow[3], 3);
        $stotal = $stotal + ($sgradedecimal * $sunitdecimal);
        $sdivisordecimal = number_format($srow[3], 3);
        $sdivisor = $sdivisor + $sdivisordecimal;
        $GWA = $stotal/$sdivisor;
        $GWAdecimal = number_format($GWA, 3);
        //closes if
        //closes while
        print "<tr><td><font color='maroon'
        size='2'><b>GWA</b></font></td>\n
        <td><font color='maroon'
        size='2'><center><b>$GWAdecimal</b></center></td><td></td>
        <td><font color='maroon'
        size='2'><b>$divisor</b></td></tr>";
        print "</table><br><br>";
        //closes if
        else{
        print "<br><br><center><fieldset style='width: 400px;
        height:70px; padding-left: 20px; padding-right: 20px; align='left'>
        <table size='390'><tr><td><img src='icons/Warning.png'
        align='left' width='65' height='65' alt='></td>

```



```

valign='top'
height='28' bgcolor='#990000'></td>
rowspan='2' background='images/t4-2.gif'
width='21' border='0' cellspacing='0' cellpadding='0'
<tr><td height='23' align='left' valign='top'><img src='images/t4-1.gif' width='21' height='23'></td></tr>
<tr><td height='495' align='left' valign='bottom'><img src='images/t4-4.gif' width='21' height='22' alt=''></td></tr>
<tr><td align='left' valign='top'><img src='images/t4-5.gif' width='21' height='41' alt=''></td></tr>
</table></td>
</tr>
<tr align='left'
valign='top'
bgcolor='#990000' style='padding-left: 15px; padding-right:10px; padding-top: 10px'
href='E-nrollSYSmain.php'<font size=2><b>Home</b></font></a><br><br>
<a href='AboutE-nrollSYS.php'><font size=2><b>About E-nrollSYS</b></font></a><br><br>
<a href='RegistrarsCorner.php'><font size=2><b>Registrar's Corner</b></font></a><br><br>
</td>
</tr>
</table>
</td>
<td width='598' align='left' valign='top'
width='598' border='0' cellspacing='0' cellpadding='0'
<tr>
<td>;
if($registrarno!=""){
print "<br><table
width=700'><tr><td align='left'><font color='black'><b>Logged in as
</b></font>","<font color='maroon'><b>". $registrarno.</b></font></td>
<td
align='right'><font color='black'><b>Today is ","<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></td></tr></table>";
}
}
else{
print "<br><table
width=700'><tr><td align='left'></td>
<td
align='right'><font color='black'><b>Today is ","<font
color='maroon'><b>.date("l, F j,
Y")."</b></font></td></tr></table>";
}
}
}
print "</td>
</tr>
<tr>
<td
align='center'><br><font color='black'><b>SOUTHERNSIDE MONTESSORI
SCHOOL<br> Camella Homes IV, Poblacion<br> City of
Muntinlupa</b></font></td></tr>
</tr>
<td
width='459' height='400' valign='top'>
<form name='viewuserdetails' action='ViewUserDetails.php'
method='post'>
<br></table>
</table>
</tr>
<tr>
<td align='left'>
<legend><font color='maroon' size='2'><b>View
User Details</b></font></legend>
<table width='670' height='1'>
<tr><td width='70'><font color='black'><b>VIEW BY:
</b></font></td>
<td width='150'><select name='filter'><option>- Select Category -
</option>

```

```

<tr><th><center><font color='black'>List of Available
Users of E-nrollSYS</font></center></th></tr>
<table border='1'><tr>
cellpadding='5' border='1'><tr>;
    $count_users=0;
    for($column_num = 0; $column_num < $colcount+1;
    $column_num++) {
        if($column_num==0){
            $field_name = mysql_field_name($details,
            $column_num);
            print "<th><font
            color='maroon'>$field_name</font></th>";
            print "<th><font color='maroon'>Name</font></th>";
        } //closes if
        else if(($column_num+1)==4){
            print "<th><font color='maroon'>Update</font></th>";
        }
        else{
            $field_name = mysql_field_name($details,
            $column_num);
            print "<th><font
            color='maroon'>$field_name</font></th>";
        } //closes else
    } //closes for
    print "</tr>\n";
    while($row = mysql_fetch_row($details) {
        print "<tr align='center' valign='top'>";
        for($column_num = 0, $column2 = 0; $column_num <
        $colcount, $column2 < $colcount+2; $column_num++, $column2++) {
            if($column2==0){
                if($row[1]==='Student'){
                    $studentsname = mysql_query("SELECT
                    SLname,SFname,SMname FROM student WHERE StudNum='\$row[0]'");
                    $student = mysql_fetch_row($studentsname);
                    $initial = substr($student[2],0,1);
                    $name = "$student[0].\" $student[1] $initial[2]";

                    print "<td><font color='black'
                    size='2'>$row[$column_num]</font></td>\n";
                    print "<td><font color='black'
                    size='2'>$name</font></td>\n";
                    $column2 = 1;
                }
                else if($row[1]==='Guardian'){
                    $guardiansname = mysql_query("SELECT
                    GFname,GMname FROM guardian WHERE GuardianNum='\$row[0]'");
                    $guardian = mysql_fetch_row($guardiansname);
                    $name = "$guardian[0]. $guardian[1]";

                    print "<td><font color='black'
                    size='2'>$row[$column_num]</font></td>\n";
                    print "<td><font color='black'
                    size='2'>$name</font></td>\n";
                    $column2 = 1;
                }
                else{
                    $employeesname = mysql_query("SELECT
                    ELname,EFname,EMname FROM employee WHERE
                    EmployeeNum='\$row[0]'");
                    $employee = mysql_fetch_row($employeesname);
                    $initial = substr($employee[2],0,1);
                    $name = "$employee[0].\" $employee[1] $initial[2]";

                    print "<td><font color='black'
                    size='2'>$row[$column_num]</font></td>\n";
                    print "<td><font color='black'
                    size='2'>$name</font></td>\n";
                    $column2 = 1;
                } //closes if
            } //closes if
            else if($column2==3){
                if($row[2]==='1'){
                    print "<td><font color='black'
                    size='2'>Enabled</font></td>";
                } //closes if
                else{
                    print "<td><font color='maroon'
                    size='2'>Disabled</font></td>";
                } //closes else
            } //closes else if
            else if(($column2+1)==5){
                if($row[2]==='1'){
                    ?>
                    <th><input type=checkbox name='activate'<?echo
                    $count_users?>' value='<?echo $row[0]?>' checked/</th>
                    <input type=hidden name='hidden'<?echo
                    $count_users?>' value='<?echo $row[0]?>'>
                    <?php
                    } //closes if
                } else{
                    ?>

```

```

<th><input type=checkbox name='activate'<?echo
$count_users?>' value='<?echo $row[0]?>'></th>
<input type=hidden name='hidden'<?echo
$count_users?>' value='<?echo $row[0]?>'>
<?php
} //closes else
} //closes else if
else{
    print "<td><font color='black'
    size='2'>$row[$column_num]</font></td>\n";
} //closes else
} //closes for
print "</tr>\n";
$count_users++;
} //closes while
print "</table>";

//Let us display bottom links if sufficient records are there
for paging
if($num > $limit){
    //Start the bottom links with Prev and next link with page
    numbers
    echo "<br><br><table align = 'center'
    width=50%><tr><td align='left' width=30%>";
    //if our variable $back is equal to 0 or more then only we
    will display the link to move back.
    if($back >=0) {
        print "<a
        href='\$page_name?start=$back&next=1&searchitem=$searchitem'</font
        color='black' face='Verdana' size='2'>PREV</font></a>";
    }
    //Let us display the page links at center. We will not
    display the current page as a link.
    echo "<td align=center width=30%>";
    $i=0;
    $l=1;
    for($i = 0; $i < $num; $i = $i+$limit){
        if($i <> $eu){
            echo "<a
            href='\$page_name?start=$i&next=1&searchitem=$searchitem'</font
            color='black' face='Verdana' size='2'>$i</font></a>";
        }
        else {
            echo "<font face='Verdana' size='4'
            color=red>$i</font>";
        } //Current page is not displayed as link and given
        font color red
    }
    $l = $l+1;
    } //closes for
    echo "<td align='right' width=30%>";
    // If we are not in the last page then Next link will be
    displayed.
    if($var < $num) {
        print "<a
        href='\$page_name?start=$next&next=1&searchitem=$searchitem'</font
        color='black' face='Verdana' size='2'>NEXT</font></a>";
    }
    echo "</td></tr></table><br><br>";
    // end of if checking sufficient records are there to display
    bottom navigational link.
    mysql_close();?>

<input type='hidden' name='max_num' value='<?echo
$count_users?>'><br><br>
<center><input type='submit' name='manageusers'
value='Update Status of User Accounts' /></center><br><br><?
} //closes if

else if($usertype=='Guardian'){
    include('includefile.inc');

    $page_name = "ViewUserDetails.php";
    $start = $_GET['start']; // To take care global variable if OFF

    if(strlen($start) > 0 and !is_numeric($start)){
        echo "Data Error";
        exit;
    }

    $eu = ($start - 0);
    $limit = 10; // No of records to be shown per page.
    $var = $eu + $limit;
    $back = $eu - $limit;
    $next = $eu + $limit;

    // $query = mysql_query("SELECT * FROM user");
    $vieweraccounts = "SELECT DISTINCT
    a.Username,a.Type,a.Status
    FROM user AS a,guardian AS b
    WHERE a.Username LIKE '%$searchkey%'
    OR b.GFname LIKE '%$searchkey%' AND a.Username=b.GuardianNum

```



```

$page_name = "ViewUserDetails.php";
$start = $_GET['start']; // To take care global variable if OFF

if(strlen($start) > 0 and !is_numeric($start)){
    echo "Data Error";
    exit;
}

$eu = ($start - 0);
$limit = 10; // No of records to be shown per page.
$var = $eu + $limit;
$back = $eu - $limit;
$next = $eu + $limit;

// $query = mysql_query("SELECT * FROM user");
$viewuseraccounts = "SELECT DISTINCT
a.Username,a.Type,a.Status
FROM user AS a,employee AS b
WHERE a.Username LIKE '%$searchkey%'
OR b.ELname LIKE '%$searchkey%' AND a.Username=b.EmployeeNum
ORDER BY Username ASC LIMIT $eu,
$limit";
$viewuseraccounts2 = "SELECT DISTINCT
a.Username,a.Type,a.Status
FROM user AS a,employee AS b
WHERE a.Username LIKE '%$searchkey%'
OR b.ELname LIKE '%$searchkey%' AND a.Username=b.EmployeeNum
ORDER BY Username ASC";
$detaills = mysql_query($viewuseraccounts, $link);
$detaills2 = mysql_query($viewuseraccounts2, $link);
$num = mysql_num_rows($detaills2);
$colcount = mysql_num_fields($detaills);

print "<br><table width='600' align='center'>
<tr><th><center><font color='black'>List of Available
Users of E-nrollSYS</font></center></th></tr>
</table><br><table width='600' align='center'
cellpadding='5' border='1'><tr>;
$colcount_users=0;
for($column_num = 0; $column_num < $colcount+1;
$column_num++) {
    if($column_num==0){
        $field_name = mysql_field_name($detaills,
$column_num);
        print "<th><font
color='maroon'>$field_name</font></th>";
        print "<th><font color='maroon'>Name</font></th>";
    }
    else if(($column_num+1)==4){
        print "<th><font color='maroon'>Update</font></th>";
    }
    else{
        $field_name = mysql_field_name($detaills,
$column_num);
        print "<th><font
color='maroon'>$field_name</font></th>";
    }
}
}
print "</tr><n";

while($row = mysql_fetch_row($detaills) {
    print "<tr align='center' valign='top'>";
    for($column_num = 0, $column2 = 0; $column_num <
$colcount, $column2 < $colcount+2; $column_num++, $column2++) {
        if($column2==0){
            if($row[1]=='Student'){
                $studentsname = mysql_query("SELECT
SLname,SFname,SMname FROM student WHERE StudNum='$row[0]'");
                $student = mysql_fetch_row($studentsname);
                $initial = substr($student[2],0,1);
                $name = "$student[0]."." $student[1] $initial[2]";

                print "<td><font color='black'
size='2'>$row[$column_num]</font></td><n";
                print "<td><font color='black'
size='2'>$name</font></td><n";
                $column2 = 1;
            }
            else if($row[1]=='Guardian'){
                $guardiansname = mysql_query("SELECT
GFname,GMname FROM guardian WHERE GuardianNum='$row[0]'");
                $guardian = mysql_fetch_row($guardiansname);
                $name = "$guardian[0], $guardian[1]";

                print "<td><font color='black'
size='2'>$row[$column_num]</font></td><n";
                print "<td><font color='black'
size='2'>$name</font></td><n";
                $column2 = 1;
            }
            else{

```

```

        $employeesname = mysql_query("SELECT
ELname,EFname,EMname FROM employee WHERE
EmployeeNum='$row[0]'");
        $employee = mysql_fetch_row($employeesname);
        $initial = substr($employee[2],0,1);
        $name = "$employee[0]."." $employee[1] $initial[2]";

        print "<td><font color='black'
size='2'>$row[$column_num]</font></td><n";
        print "<td><font color='black'
size='2'>$name</font></td><n";
        $column2 = 1;
    }
}
} //closes if
else if($column2==3){
    if($row[2]=='1'){
        print "<td><font color='black'
size='2'>Enabled</font></td>";
    }
    //closes if
    else{
        print "<td><font color='maroon'
size='2'>Disabled</font></td>";
    }
} //closes else
} //closes else if
else if(($column2+1)==5){
    //echo activate.$count_users;
    if($row[2]=='1'){
        ?>
        <th><input type='checkbox' name='activate'<?echo
$count_users?> value='<?echo $row[0]?>' checked</th>
        <input type='hidden' name='hidden'<?echo
$count_users?> value='<?echo $row[0]?>'>
        <?php
    } //closes if
    else{
        ?>
        <th><input type='checkbox' name='activate'<?echo
$count_users?> value='<?echo $row[0]?>'></th>
        <input type='hidden' name='hidden'<?echo
$count_users?> value='<?echo $row[0]?>'>
        <?php
    } //closes else
    } //closes else if
    else{
        print "<td><font color='black'
size='2'>$row[$column_num]</font></td><n";
    }
} //closes for
print "</tr><n";
$count_users++;
} //closes while
print "</table>";

//Let us display bottom links if sufficient records are there
for paging
if($num > $limit){
    //Start the bottom links with Prev and next link with page
numbers
    echo "<br><br><table align = 'center'
width='50%'><tr><td
align='left' width='30%'>";
    //if our variable $back is equal to 0 or more then only we
will display the link to move back.
    if($back >= 0) {
        print "<a
href='$page_name?start=$back&next=1&searchitem=$searchitem'><font
color='black' face='Verdana' size='2'>PREV</font></a>";
    }
    //Let us display the page links at center. We will not
display the current page as a link.
    echo "<td align=center width='30%'>";
    $i=0;
    $l=1;
    for($i = 0; $i < $num; $i = $i+$limit){
        if($i < $eu){
            echo "<a
href='$page_name?start=$i&next=1&searchitem=$searchitem'><font
color='black' face='Verdana' size='2'>$l</font></a> ";
        }
        else {
            echo "<font face='Verdana' size='4'
color=red>$l</font>";
        }
    } //Current page is not displayed as link and given
font color red
    $l = $l+1;
} //closes for
    echo "<td align='right' width='30%'>";
    // If we are not in the last page then Next link will be
displayed.

```

```

        if($var < $num) {
            print "<a
href='$page_name?start=$next&next=1&searchitem=$searchitem'><font
color='black' face='Verdana' size='2'>NEXT</font></a>";
        }
        echo "</td></tr></table><br><br>";
    } // end of if checking sufficient records are there to display
bottom navigational link.
mysql_close(); ?>

<input type='hidden' name='max_num' value='<?echo
Scout_users?>><br><br>
<center><input type='submit' name='manageusers'
value='Update Status of User Accounts' /></center><br><br><?
//closes else
//closes if
else{
    $usertype = $_POST['filter'];

    include('includefile.inc');

    $page_name = "ViewUserDetails.php";
    $start = $_GET['start']; // To take care global variable if OFF

    if(strlen($start) > 0 and !is_numeric($start)){
        echo "Data Error";
        exit;
    }

    $eu = ($start - 0);
    $limit = 10; // No of records to be shown per page.
    $var = $eu + $limit;
    $back = $eu - $limit;
    $next = $eu + $limit;

    // WE have to find out the number of records in our table. We
will use this to break the pages

    if(($usertype=='Student')||($usertype=='Guardian')||($usertype=='Faculty')||($usert
ype=='Cashier')||($usertype=='Registration Clerk')){
        // $query = mysql_query("SELECT * FROM user WHERE
Type=$usertype");
        $viewuseraccounts = "SELECT Username,Type,Status
FROM user WHERE Type=$usertype' ORDER BY Username ASC LIMIT $eu,
$limit";
        echo $viewuseraccounts;
        $viewuseraccounts2 = "SELECT Username,Type,Status
FROM user WHERE Type=$usertype' ORDER BY Username ASC";
        $details = mysql_query($viewuseraccounts, $link);
        $details2 = mysql_query($viewuseraccounts2, $link);
        $num = mysql_num_rows($details2);
        $colcount = mysql_num_fields($details);
    } //closes if

    else{
        // $query = mysql_query("SELECT * FROM user");
        $viewuseraccounts = "SELECT Username,Type,Status
FROM user ORDER BY Username ASC LIMIT $eu, $limit";
        $viewuseraccounts2 = "SELECT Username,Type,Status
FROM user ORDER BY Username ASC";
        $details = mysql_query($viewuseraccounts, $link);
        $details2 = mysql_query($viewuseraccounts2, $link);
        $num = mysql_num_rows($details2);
        $colcount = mysql_num_fields($details);
    } //closes else

    print "<br><table width='600' align='center'>
<tr><th><center><font color='black'>List of Available
Users of E-nrollSYS</font></center></th></tr>
</table><br><table width='600' align='center'
cellpadding='5' border='1'><tr>";
        $count_users=0;
        for($column_num = 0; $column_num < $colcount+1;
$column_num++) {
            if($column_num==0){
                $field_name = mysql_field_name($details, $column_num);
                print "<th><font
color='maroon'>$field_name</font></th>";
                print "<th><font color='maroon'>Name</font></th>";
            } //closes if
            else if(($column_num+1)==4){
                print "<th><font color='maroon'>Update</font></th>";
            }
            else{
                $field_name = mysql_field_name($details, $column_num);
                print "<th><font
color='maroon'>$field_name</font></th>";
            } //closes else
        } //closes for
        print "</tr>\n";

        while($row = mysql_fetch_row($details)) {

```

```

            print "<tr align='center' valign='top'>";
            for($column_num = 0, $column2 = 0; $column_num <
$colcount, $column2 < $colcount+2; $column_num++, $column2++) {
                if($column2==0){
                    if($row[1]=='Student'){
                        $studentsname = mysql_query("SELECT
SLname,SFname,SMname FROM student WHERE StudNum=$row[0]");
                        $student = mysql_fetch_row($studentsname);
                        $initial = substr($student[2],0,1);
                        $name = "$student[0].". "$student[1] $initial[2]";

                        print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                        print "<td><font color='black'
size='2'>$name</font></td>\n";
                        $column2 = 1;
                    }
                    else if($row[1]=='Guardian'){
                        $guardiansname = mysql_query("SELECT
GFname,GMname FROM guardian WHERE GuardianNum=$row[0]");
                        $guardian = mysql_fetch_row($guardiansname);
                        $name = "$guardian[0]. $guardian[1]";

                        print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                        print "<td><font color='black'
size='2'>$name</font></td>\n";
                        $column2 = 1;
                    }
                    else{
                        $employeesname = mysql_query("SELECT
ELname,EFname,EMname FROM employee WHERE
EmployeeNum=$row[0]");
                        $employee = mysql_fetch_row($employeesname);
                        $initial = substr($employee[2],0,1);
                        $name = "$employee[0].". "$employee[1] $initial[2]";

                        print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
                        print "<td><font color='black'
size='2'>$name</font></td>\n";
                        $column2 = 1;
                    }
                } //closes if
            } else if($column2==3){

                if($row[2]=='1'){
                    print "<td><font color='black'
size='2'>Enabled</font></td>";
                } //closes if
                else{
                    print "<td><font color='maroon'
size='2'>Disabled</font></td>";
                } //closes else
            } //closes else if
            else if(($column2+1)==5){
                //echo activate.Scout_users;
                if($row[2]=='1'){
                    ?>
                    <th><input type='checkbox' name='activate'<?echo
Scout_users?' value='<?echo $row[0]?>' checked</th>
                    <input type='hidden' name='hidden'<?echo
Scout_users?' value='<?echo $row[0]?>>
                    <?php
                    } //closes if
                } else{
                    ?>
                    <th><input type='checkbox' name='activate'<?echo
Scout_users?' value='<?echo $row[0]?>></th>
                    <input type='hidden' name='hidden'<?echo
Scout_users?' value='<?echo $row[0]?>>
                    <?php
                    } //closes else
                } //closes else if
            } else{
                print "<td><font color='black'
size='2'>$row[$column_num]</font></td>\n";
            } //closes else
        } //closes for
        print "</tr>\n";
        $count_users++;
    } //closes while
    print "</table><br><br>";

    //Let us display bottom links if sufficient records are there for
paging
    if($num > $limit){
        //Start the bottom links with Prev and next link with page
numbers
        echo "<br><br><table align = 'center' width=50%><tr><td
align='left' width=30%>";

```

```

//if our variable $back is equal to 0 or more then only we
will display the link to move back.
if($back >=0) {
    print "<a href='$page_name?start=$back&next=1'><font
color='black' face='Verdana' size=2>PREV</font></a>";
}
//Let us display the page links at center. We will not display
the current page as a link.
echo "<td align=center width=30%>";
$i=0;
$j=1;
for($i = 0; $i < $num; $i = $i+$limit){
    if($i < $eu){
        echo " <a href='$page_name?start=$i&next=1'><font
color='black' face='Verdana' size=2>$i</font></a> ";
    }
    else {
        echo "<font face='Verdana' size=4' color=red>$i</font>";
    } //Current page is not displayed as link and given font
color red

    $i = $i+1;
} //closes for ORDER BY SLname,SMname
echo "<td align=right' width=30%>";
// If we are not in the last page then Next link will be
displayed.
if($var < $num) {
    print "<a href='$page_name?start=$next&next=1'><font
color='black' face='Verdana' size=2>NEXT</font></a>";
}
echo "<td></tr></table><br><br>";
} // end of if checking sufficient records are there to display
bottom navigational link.
mysql_close(); ?>

```

```

<input type='hidden' name='max_num' value='<?echo
$count_users;?>>
<center><input type='submit' name='manageusers'
value='Update Status of User Accounts' /></center><br><br><?
//closes else
} //closes if
?>
<?php print "</div>
</form>
</tr>
</table>
<table width=719' height=41'
border=0' cellpadding=0' cellspacing=0'>
<tr>
<td align=center'
bgcolor=#333333'> E-nrollSYS created by Kathleen M. Mendoza <br> All rights
reserved. Best viewed using Google Chrome.</td>
</tr>
</table>
</td>
</tr>
</table>
</body>
</html>
";
?>

```

XI. ACKNOWLEDGEMENT

Whoa so this is the thank you's part. ☺ I've never ever felt so exhausted in my whole life! Haha. This whole thesis thing drained everything of me. Oooops, no more rants. Finally this is it! I've never been much happier writing this. I've waited for this far too long.

First of all to Ms. Avegail Carpio, my adviser, my mentor. Thank you for guiding me in making this thesis as best as it can be. Finally ma'am, natapos din. ☺

Next, to my super duper wonderful friends who helped me. To my worst, JJ, Marvin, and super bear, Erika. ☺ Thank you for the impromptu overnights when I needed somebody to keep me awake, brainstorm with me, and every thing else. You guys are awesome!

To everyone who has encouraged me, to finish this thesis. Finally it's here! Yeah! This is for all of you! ☺

To ate Daal, who's my idol. ☺ We made it! Finally! No more sleepless nights coding or debugging. We can finally rest. A much deserved one. Haha. Twitter's gonna miss #hatethesis. ☺

To my high school barkada, girls this is for you. I made it! Haha. We can finally go out soon. No more thesis blues and excuses to not come with you.

To Denver, thanks for all the support. You know you've done so much too for this thesis. Even though I've been so pessimistic you've always believed that I can finish this. And yes, I did! Horaaaay! Let's celebrate. Haha.

Tita Rachelle and Tito Walter, 2 of the people I really look up to. Thanks for the encouragements, support, everything. I hope you're here for my graduation.

To my family, mama, papa, Kevin. This is it! I can finally say that I am graduating. Sorry for the disappointments, but I try to be the best daughter/sister. Yipeeeeeeeey! For all your love and support, this is my gift to you.

And most especially to the almighty God, this wouldn't be possible without you. Thank you Lord for all the blessings you showered me. I wouldn't be here if not for you. I believe this is the right time. ☺