

I. INTRODUCTION

A. BACKGROUND OF THE PROBLEM

FOR QUITE SOME TIME, TRADITIONAL MARKETS HAVE BEEN A TOPIC OF INTEREST OF ECONOMIST. BECAUSE OF THIS, MANY DEFINITIONS OF MARKETS EXISTS IN LITERATURE. ENCYCLOPEDIA BRITANNICA DEFINES MARKET AS 'A MEANS BY WHICH THE EXCHANGE OF GOODS AND SERVICES TAKES PLACE AS A RESULT OF BUYERS AND SELLERS BEING IN CONTACT WITH ONE ANOTHER, EITHER DIRECTLY OR THROUGH MEDIATING AGENTS OR INSTITUTIONS' [1]. COMMERCIAL TRANSACTIONS HAVE BEEN TAKING PLACE FOR CENTURIES AND WE ALL HAVE BEEN PART OF IT, BUT RECENTLY THERE HAS BEEN A REVOLUTION TAKING PLACE THAT IS TRANSFORMING THE MARKETPLACE. THE RELATIONSHIP BETWEEN ORGANIZATIONS AND CONSUMERS IS INCREASINGLY BEING FACILITATED THROUGH ELECTRONIC INFORMATION TECHNOLOGY (IT), THUS MARKETPLACE TRANSFORMATION IS OCCURRING. THIS IS GENERALLY REFERRED TO AS ELECTRONIC COMMERCE (E-COMMERCE), WITH ELECTRONIC MARKETS (E-MARKETS) BEING ITS MAJOR COMPONENT [2].

GENERALLY SPEAKING, E-MARKETING IS CONSIDERED TO BE THE ACT OF PUTTING INTO USE THE INTERNET AS A MARKETING COMMUNICATIONS CHANNEL FOR SMALL BUSINESS OR INDIVIDUAL. ELECTRONIC MARKETING OR E-MARKETING IS SAID TO BE A SUBSET OF E-BUSINESS THAT UTILIZES ELECTRONIC MEDIUM TO PERFORM MARKETING ACTIVITIES AND ACHIEVE DESIRED MARKETING OBJECTIVES FOR AN ORGANIZATION OR INDIVIDUALS [3].

THE RAPID INCREASE IN THE NUMBER OF PEOPLE DEPENDING ON THE INTERNET MADE MR. GHASSAN A. ALMALKI THINK OF ESTABLISHING HIS OWN ONLINE BUSINESS, SWAHL COMPANY, AN ONLINE RESELLER OF ELECTRONIC PRODUCTS. TOGETHER WITH HIS FRIEND AND BUSINESS PARTNER, THEY STARTED THEIR BUSINESS ON 2009 AND AFTER HARD WORK AND DEDICATION, THEIR BUSINESS HAS STARTED EXPANDING. THEY BELIEVE THAT

HAVING AN EASY TO USE SYSTEM WILL ATTRACT MORE CUSTOMERS TO PATRONIZE THEIR STORE OVER OTHER ONLINE RESELLING STORES AVAILABLE. ALSO, ADDING OTHER PRODUCTS AND MODES OF PAYMENT WILL HELP THEM ACQUIRE MORE CUSTOMERS.

ON BEA3.COM, THE CURRENT SYSTEM THAT THEY ARE USING, PRODUCTS ARE DELIVERED BY USING A WINDOWS APPLICATION THAT CHECKS THE DATABASE LOCATED IN THE SERVER EVERY 5 MINUTES TO SEE IF A PURCHASE HAS BEEN MADE. THIS METHOD REQUIRES A SEPARATE COMPUTER TO BE RUNNING 24/7 WITH INTERNET ACCESS. IN TERMS OF PAYMENT MODES, THEY ONLY ACCEPT BANK TRANSFERS AND THRU THE USE OF A PAYMENT GATEWAY CALLED CASHU. CASHU IS A PAYMENT SERVICE PROVIDER WITH A FOCUS ON INTERNET PAYMENTS IN MIDDLE EAST AND NORTH AFRICA. IT IS A SAFE ONLINE PAYMENT METHOD AND OFFERS AN EASY ONLINE SHOPPING EXPERIENCE [18]. ASIDE FROM THIS, THEIR WEBSITE WAS CREATED TO SELL ONLY ONE PRODUCT, RAPIDSHARE ACCOUNTS AND WHEN THEY DECIDED TO ADD OTHER PRODUCTS, THEY REALIZED THAT ADDING NEW PRODUCTS WILL REQUIRE MODIFICATION OF THEIR CODES.

THEY STARTED THEIR PLAN OF EXPANDING THEIR BUSINESS BY STUDYING THE CURRENT ONLINE MARKET AND DOING AN ONLINE SURVEY AMONG THEIR COLLEAGUES AND FRIENDS TO KNOW WHAT ARE THE MOST IN DEMAND ONLINE PRODUCTS THAT THE PEOPLE, SPECIFICALLY IN SAUDI ARABIA WOULD MOST LIKELY WANT TO PURCHASE. THE RESULT OF THE SURVEY GAVE AN INDICATOR THAT ITUNES AND AMAZON WERE THE MOST DEMANDED PRODUCTS. THE IDEA WAS TO CREATE A WEBSITE, WHERE THE CUSTOMER WOULD HAVE A BALANCE OR AN ACCOUNT WITH MONEY FUNDED UNDER THE CUSTOMER'S ACCOUNT THAT THEY CAN USE TO PURCHASE ANY PRODUCT THEY WANT FROM THE WEBSITE AT ANY GIVEN TIME. IN ADDITION TO THIS, DIGITAL DELIVERY WAS CHOSEN AS THE DELIVERY METHOD FOR THE PRODUCTS BOUGHT FROM THEIR WEBSITE.

B. STATEMENT OF THE PROBLEM

BEA3.COM WAS MADE USING ACTIVE SERVER PAGES OR ASP.NET WITH VISUAL BASIC SCRIPTS RUNNING IN THE BACKGROUND. IT IS USING MICROSOFT SQL SERVER FOR ITS DATA MANAGEMENT. AT PRESENT, BEA3.COM IS NOT CAPABLE OF ADDING NEW PRODUCTS OR OTHER WEBSITE CONTENT LIKE ADVERTISEMENTS WITHOUT ALTERING THE ASP AND VISUAL BASIC CODES THEY HAVE. IN ADDITION TO THIS, DELIVERING OF PRODUCTS TO THE CUSTOMER'S EMAIL ADDRESS IS DEPENDENT ON A WINDOWS APPLICATION MADE USING VISUAL BASIC WHICH RUNS ON A SEPARATE COMPUTER AND CHECKS THE DATABASE ON THE SERVER EVERY 5 MINUTES TO SEE IF A NEW PURCHASE HAS BEEN MADE. MR. ALMALKI HAS EXPERIENCED LOSS OF INTERNET CONNECTION IN THE PAST WHICH RESULTED TO FAILURE OF SENDING RECENT ITEM PURCHASES TO CUSTOMER'S EMAIL ADDRESS.

BECAUSE OF THIS LACK OF AUTOMATION IN THEIR SYSTEM, THEY WERE NOT ABLE TO UTILIZE ONE OF THE ADVANTAGES OF HAVING AN ELECTRONIC MARKET OR STORE, WHICH IS BEING OPEN 24/7. INTERNET MARKETING HAS BEEN A POPULAR TREND NOWADAYS TO INDIVIDUALS OR GROUPS WHO HAVE OPTED ON HAVING AN ONLINE BUSINESS AND ONE OF ITS FEATURE WHICH IS NOT IN MOST TRADITIONAL MARKETS OR STORES IS ITS REACH IS GLOBAL AND CUSTOMERS EXPERIENCE THE CONVENIENCE OF SHOPPING OR COMMUNICATING ANYTIME THEY WANT. THIS IS LACKING IN THEIR CURRENT SYSTEM. A PURCHASED PRODUCT HAS A TENDENCY NOT TO BE DELIVERED IF THE MACHINE CONTAINING THE WINDOWS APPLICATION FAILS OR A LOSS OF INTERNET CONNECTION IS EXPERIENCED. THE DELAY IN THE DELIVERY OF PURCHASED PRODUCTS WILL RESULT TO HAVING DISSATISFIED CUSTOMERS AND LOSS OF POSSIBLE LOYAL BUYERS. WORSE POSSIBLE IMPLICATION WOULD BE RECEIVING COMPLAINTS AND BAD WEBSITE REPUTATION AND EVENTUALLY LOSS OF TRUST BY OTHER POTENTIAL CUSTOMERS.

THERE IS A LOT OF COMPETITION IN E-MARKETING. PEOPLE ARE TRYING HARD TO PROMOTE DIVERSE PRODUCTS AND LOCATE THE RIGHT AUDIENCE. SINCE INTERNET MARKETERS DO NOT HAVE FACES, IT IS VERY DIFFICULT TO IDENTIFY WITH THEIR BRAND AND SERVICES UNLESS THEIR SITES ARE EXCEPTIONALLY DESIGNED TO

FACILITATE MORE AND MORE USER PARTICIPATION AND UNDERSTANDING [4]. THUS IT IS VERY IMPORTANT TO IMPROVE THE FUNCTIONALITIES OF THEIR CURRENT SYSTEM.

ON THE ADMINISTRATOR'S SIDE, ADDING NEW PRODUCTS OR OTHER THINGS THAT NEEDS TO BE MODIFIED, WOULD REQUIRE CHANGES IN THE CODES AS WELL. THIS IS BECAUSE OF POOR DATABASE USAGE IN THEIR SYSTEM. THEY DESIGNED THE SYSTEM TO JUST OFFER A SPECIFIC PRODUCT AND DIDN'T TAKE INTO CONSIDERATION THE POSSIBILITY OF EXPANDING IN THE NEAR FUTURE. NOW THAT THEY ARE EXPANDING AND PLANNING TO ADD SEVERAL NEW PRODUCTS, THEY HAVE REALIZED THAT THEY HAVE TO ADD EACH PRODUCT INTO THE CODES INSTEAD OF JUST FETCHING IT, ALONG WITH THE PRODUCT INFORMATION FROM THE DATABASE. THIS CAN BE VERY TROUBLESOME IF THEIR BUSINESS KEEPS ON EXPANDING AND GROWING IN TERMS OF PRODUCTS OFFERED, ADVERTISEMENTS AND OTHER SERVICES THEY MIGHT WANT TO ADD IN THE NEAR FUTURE. THUS A BETTER PLANNED AND IMPLEMENTED SYSTEM IS NEEDED NOT ONLY TO PROVIDE BETTER SERVICES BUT ALSO TO MAKE THE ADMINISTRATOR, OWNER AND CUSTOMER'S BUSINESS TRANSACTIONS EASIER, SAFER, FASTER AND MORE RELIABLE.

C. OBJECTIVES

BEA3 – ALMALKI ONLINE ELECTRONIC MARKET PROVIDES BETTER SERVICES TO THEIR CUSTOMERS BY AUTOMATING PRODUCT DELIVERY, PROVIDING MORE PAYMENT OPTIONS TO THE CUSTOMERS, AND ADDING A COMMUNICATION MEANS TO MERCHANTS OR VENDORS. IT ALSO IMPROVES DATA PRESENTATION AND PROVIDES REPORTS TO HELP THE OWNERS IN BUSINESS RELATED DECISION MAKING.

SYSTEM FUNCTIONALITIES

THE SYSTEM UPLOADS NEW PRODUCTS OR ITEMS USING A TEXT FILE CONTAINING THE PRODUCT INFORMATION. THE SYSTEM ALSO ALLOWS THE OWNER TO ASSIGN CERTAIN ADMINISTRATOR RIGHTS TO DIFFERENT ADMINISTRATION STAFFS. A BACKUP OF THE SYSTEM CAN ALSO BE CREATED MANUALLY BY THE SYSTEM'S ADMINISTRATOR. VARIOUS REPORTS MAY ALSO BE GENERATED FROM THE SYSTEM TO AID THE BUSINESS OWNERS IN DECISION MAKING.

THE SYSTEM ALSO HAS THE FOLLOWING FUNCTIONALITIES:

1. TO ALLOW GUESTS OR NON-REGISTERED USERS TO:

- BROWSE PRODUCTS AND PRODUCT'S COST AND DESCRIPTION
- SEARCH FOR PRODUCTS ALONG WITH ITS COST AND DESCRIPTION
- POST QUERIES TO ADMINISTRATORS.
- VIEW HOW TO BUY, FAQ'S, BEA3 CARD LOCATION, ABOUT US,
- REGISTER AN ACCOUNT.

2. TO ALLOW REGISTERED CUSTOMERS AND RESELLERS TO:

- ALL FUNCTIONALITIES OF GUEST
- VIEW NEWS AND BANK TRANSFER NOTIFICATIONS
- ADD CREDITS TO THEIR ACCOUNT (VIA SCRATCH CARDS, CASHU, BANK TRANSFER)
- PURCHASE PRODUCTS.
- VIEW TRANSACTION HISTORY
- FILE FOR COMPLAINT OF PRODUCT PURCHASED
- VIEW TICKET LIST AND UPDATES OF EACH TICKET
- UPDATE PROFILE
- CHANGE PASSWORD

3. TO ALLOW BEA3 OWNER/S TO:

- ASSIGN ADMINISTRATION STAFF CERTAIN ADMIN RIGHTS (SUCH AS THOSE SPECIFIED IN OBJECTIVE 4)**
- GENERATE TOTAL SALES REPORT USING TABLES, CHARTS OR GRAPHS (DAILY, MONTHLY, YEARLY)**
- GENERATE SALES REPORT PER PRODUCT CATEGORY (DAILY, MONTHLY, YEARLY)**
- GENERATE SALES REPORT OF A SPECIFIC ITEM (BY DATE RANGE)**
- VIEW CUSTOMER PURCHASE (BY DATE RANGE AND/OR SPECIFIC CUSTOMER)**
- VIEW CARD AND CASHU SALES**
- VIEW CUSTOMER'S PENDING, APPROVED AND REJECTED BANK TRANSFERS**
- VIEW ITEM STOCK REPORT (STOCKS IN HAND, OUT OF STOCK)**
- VERIFY AND APPROVE CUSTOMER BANK TRANSFER**
- MANAGE BEA3 SCRATCH CARDS**
- UPLOAD STOCKS**
- MANAGE BANK DETAILS**
- UPDATE PROFILE**
- CHANGE PASSWORD**

4. TO ALLOW ADMINISTRATION STAFF TO:

- PERFORM ADMINISTRATIVE TASKS ASSIGNED BY THE BEA3 OWNER OR SYSTEM ADMINISTRATOR WHICH MAY INCLUDE ONE TO ALL OF THE FOLLOWING:**
 - A. MANAGE FAQ'S AND NEWS**
 - B. MANAGE PRODUCT CATEGORIES (ADD/EDIT/DELETE ITEMS AND/OR PRODUCT CATEGORIES, MOVE/COPY EXISTING PRODUCT CATEGORY AND/OR ITEMS TO ANOTHER PRODUCT CATEGORY)**
 - C. MANAGE ADVERTISEMENTS (HOME ADVERTISEMENT AND CATEGORY ADVERTISEMENTS)**

D. MANAGE CARD LOCATIONS

- DEAL WITH CUSTOMER COMPLAINTS
- UPDATE PROFILE
- CHANGE PASSWORD

5. TO ALLOW MERCHANTS OR VENDOR USERS TO ¹:

- VIEW PRODUCTS
- VIEW STOCKS IN HAND
- VIEW ITEM SALES (DAILY, MONTHLY, YEARLY, SPECIFIC ITEM)
- MANAGE ITEM (UPDATE NAME, DESCRIPTION, DISCOUNTS OR PROMOTIONS, IMAGE)
- UPDATE PROFILE
- CHANGE PASSWORD

6. TO ALLOW SYSTEM ADMINISTRATOR TO:

- MANAGE ALL TYPES OF USER ACCOUNT (ADD/EDIT/DELETE USER ACCOUNTS)
- BACKUP DATABASE
- UPDATE PROFILE
- CHANGE PASSWORD

D. **SIGNIFICANCE OF THE STUDY**

MR. ALMALKI WANTS TO EXPAND HIS BUSINESS AND IN ORDER FOR HIM TO DO SO, A BETTER, MORE AUTOMATED SYSTEM IS NEEDED TO COPE WITH THE INCREASING DEMANDS OF HIS CUSTOMERS. ASIDE FROM THIS,

¹ VIEWING AND MANAGING OF PRODUCTS, STOCKS AND SALES OF VENDORS IS LIMITED TO THE PRODUCTS BEING SOLD BY THE VENDOR.

COMPETITION IN THE BUSINESS IS BECOMING STIFF, GAINING CONFIDENCE AND TRUST OF CUSTOMERS DEPENDS GREATLY ON HOW PRODUCTS ARE DELIVERED AS WELL AS THE MANNER OF PRODUCT OR SERVICE PRESENTATION. IN ADDITION TO THIS, EXPANDING BUSINESS LIKE THIS NEEDS A WELL MANAGED DATABASE STRUCTURE WHICH WILL MAKE THE ADMINISTRATOR'S JOB EASIER AND THUS GIVING HIM TIME TO ATTEND TO OTHER BUSINESS NEEDS.

THE SYSTEM UTILIZES THE ADVANTAGES OFFERED BY ELECTRONIC MARKETS. CUSTOMERS WILL BE ABLE TO ACCESS THE WEBSITE AND AVAIL THE PRODUCTS OFFERED ANY TIME OF THE DAY AND ANY DAY OF THE WEEK. AS COMPARED TO TRADITIONAL MARKETS, ELECTRONIC MARKETS ARE MORE ACCESSIBLE BECAUSE THEY CAN BE OPEN 24 HOURS A DAY, 7 DAYS A WEEK AND THEY CAN BE ACCESSED FROM ANY PLACE GIVEN A NETWORK CONNECTION IS AVAILABLE.

ACCESS TO INFORMATION IS EASIER, BECAUSE INFORMATION IS STORED IN ONE INFORMATION SYSTEM IN A HIGHLY STRUCTURED FORM. THE USE OF INFORMATION SYSTEMS ALSO LEADS TO REDUCING MARKET TRANSACTION COSTS [5].

SIEGELMANN, AVITAL AND FELDMAN ALSO GAVE SPECIFIC ADVANTAGES OFFERED BY ELECTRONIC MARKET. THE SYSTEM PROVIDES THESE ADVANTAGES TO ITS CUSTOMERS. THE CUSTOMERS CAN HAVE ACCESS TO MORE INFORMATION WHICH THEY CAN USE TO SUPPORT CONSUMERS' DECISION MAKING PROCESSES. AN EASIER MARKET AND RESEARCH COMPARISON CAN ALSO BE MADE BECAUSE THE SYSTEM ALLOWS EVEN THE NON-REGISTERED USERS TO BROWSE THE PRODUCTS THEY OFFER AS WELL AS PRODUCT INFORMATION AND PRICE. LOWER COSTS CAN ALSO BE ATTAINED BECAUSE OF INFORMATION SYSTEM USAGE. ASIDE FROM LOWER PRICES, HIGHER QUALITY IS PROVIDED DUE TO HIGHER COMPETITION AMONG SUPPLIERS. IN THE LONG RUN, WIDER SELECTION OF GOODS BECAUSE OF AGGREGATING SIGNIFICANT NUMBER OF VENDORS CAN ALSO BE OBSERVED [6].

THE CUSTOMERS ARE NOT LIMITED TO JUST BANK TRANSFERS AND USE OF CASHU AS THEY WILL BE ABLE TO CHOOSE FROM DIFFERENT MODES OF PAYMENT THAT SUITES THEM BEST. MOREOVER, BECAUSE OF THE INTRODUCTION OF SCRATCH CARDS, THE CUSTOMERS CAN PURCHASE PRODUCTS ANY TIME OF THE DAY, AND ANY DAY OF THE WEEK WITHOUT WORRYING ABOUT BANK SCHEDULES AND HOLIDAYS.

VENDORS OR SUPPLIERS ARE ALSO GIVEN VENDOR USER ACCOUNTS TO AID THEM IN MONITORING THEIR PRODUCT'S STOCKS, PRICES, AND DESCRIPTION. BUSINESS OWNERS WILL BE ABLE TO MANAGE BUSINESS RELATED TASKS EASILY AND SYSTEMATICALLY AND REPORTS ABOUT VARIOUS CATEGORIES WILL ALSO BE AVAILABLE FOR THE OWNERS.

THE ADMIN STAFFS WILL ALSO BENEFIT FROM THE PROPOSED SYSTEM AS CONTENT MANAGEMENT WILL BE INTRODUCED. IT ELIMINATES THE NEED FOR THE ADMIN STAFFS TO CHANGE OR MODIFY THE CODES EVERY TIME A NEW PRODUCT OR ITEM NEEDS TO BE ADDED. THE SYSTEM WILL ALLOW THE BUSINESS OWNER TO DECIDE WHAT SPECIFIC OPTIONS OR TASKS SHOULD BE GIVEN TO THE ADMINISTRATION STAFF AS WELL AS THE RIGHTS OR ACCESS TO EACH ALLOWED OPTION.

E. SCOPE AND LIMITATIONS

- THE SYSTEM DOES NOT DEVELOP AN OWN VERSION OF THE CAPTCHA IMPLEMENTATION FOR THE REGISTRATION VALIDATION PROCESS.
- SCRATCH CARD PRODUCTION IS NOT HANDLED BY THE SYSTEM.
- PROCESSING OF CASHU PAYMENT IS DONE BY ITS SERVICE PROVIDER.
- VERIFICATION OF BANK TRANSFERS WILL STILL BE MANUALLY DONE BY THE BEA3 OWNER.

- A VENDOR USER ACCOUNT MAY ONLY BE ASSIGNED TO ONE PRODUCT CATEGORY. THIS IS TO COMPLY WITH THE COMPANY POLICIES THAT VENDORS OF ITEMS SHOULD ONLY BE HANDLING ONE PRODUCT CATEGORY SO AS TO FOCUS ON THE SALES AND REPORTING OF THE SAID PRODUCT. A VENDOR HOWEVER CAN HAVE SEVERAL ACCOUNTS IF HE/SHE HAS MORE THAN ONE PRODUCT, HAVING SEVERAL ACCOUNTS IS TO MANAGE EACH PRODUCT SEPARATELY IN WHICH THE VENDOR CAN ASSIGN EACH ACCOUNT TO EACH PRODUCT MANAGER WITHOUT SHOWING ALL PRODUCTS TO ALL PRODUCT MANAGERS.
- A VENDOR ACCOUNT CAN BE DEACTIVATED IF THE VENDOR IS NOT CONNECTED TO THE PRODUCT ANYMORE OR BEA3 MANAGEMENT STOPS SELLING THE VENDOR'S ITEMS.
- PASSWORDS ARE ENCRYPTED USING ONE WAY ENCRYPTION METHOD; HENCE FORGOTTEN PASSWORDS WILL NOT BE RETRIEVED. THE USER WILL RECEIVE A NEW AUTO GENERATED PASSWORD WHICH CAN BE CHANGED UPON LOGIN.
- SENDING OF SMS ARE DONE USING MOBILY SMS SERVICE. ALL EXPENSES IN THE PROCESS IS HANDLED BY THE BEA3 SYSTEM.
- BANK TRANSFER CHARGES ARE NOT PART OF THE SYSTEM AND WILL BE SHOULDERED BY THE CUSTOMER.
- REMAINING ACCOUNT BALANCE OF CUSTOMERS ARE NOT CONVERTIBLE TO CASH AND CAN ONLY BE USED TO PURCHASE PRODUCTS ON BEA3 ELECTRONIC BASKET.
- THE SYSTEM HAS AN ARABIC AND ENGLISH INTERFACE AND THE CONTENTS WILL BE FETCHED FROM A TEXT FILE.
- THE SYSTEM USES SAR (SAUDI ARABIA RIYAL) AS THE CURRENCY OF THE COST OF ITEMS FOR SALE, BANK TRANSFERS, BEA3 SCRATCH CARD VALUES, AND CASHU TRANSACTIONS.
- THE SYSTEM USES COORDINATED UNIVERSAL TIME (UTC) + THE TIME SPECIFIED BY THE ADMINISTRATOR IN THE SITE SETTINGS WHICH WILL BE DEFAULTED TO +3 (SAUDI ARABIA TIME).
- A CUSTOMER CAN ONLY PURCHASE ONE ITEM AT A TIME AND DOES NOT HAVE AN 'ADD TO CART' FUNCTIONALITY.

- CUSTOMER COMPLAINTS THAT ADMIN STAFFS WILL HANDLE ARE LIMITED TO PURCHASED ITEM COMPLAINTS. COMPLAINTS ABOUT SCRATCH CARDS, BANK TRANSFERS OR OTHER ISSUES SHOULD BE DIRECTED TO THE BUSINESS OWNER OR SYSTEM ADMINISTRATOR.
- CATEGORY AND HOME ADVERTISEMENTS ONLY ACCEPTS IMAGES WITH THE FOLLOWING FORMATS: JPEG, GIF, PNG.

F. ASSUMPTIONS

- TEXT FILES THAT WILL BE UPLOADED TO THE SYSTEM SHOULD FOLLOW THE REQUIRED FORMAT.
- THE SYSTEM WILL ONLY HAVE ELECTRONIC PRODUCTS; HENCE MAKING THE AUTOMATIC DELIVERY OF ALL PRODUCTS OR ITEMS POSSIBLE.
- IN ORDER TO RECEIVE SMS FROM THE SYSTEM, MOBILE NUMBERS INPUTTED INTO THE SYSTEM SHOULD FOLLOW THE INTERNATIONAL FORMAT WITHOUT THE + SIGN ([COUNTRY CODE] [MOBILE CODE] [MOBILE No.])

II. REVIEW OF RELATED LITERATURE

AT PRESENT, LOTS AND LOTS OF PEOPLE ALL OVER THE WORLD ARE ENGAGING OR BECOMING INTERESTED IN ELECTRONIC MARKETING OR SIMPLY CALLED E-MARKETING. E-MARKETING OFFERS A LOT OF ADVANTAGES ON THE PART OF BOTH THE SELLER AND THE BUYER. E-MARKETING SYSTEMS WERE EITHER DEVELOPED IN-HOUSE OR ARE OUTSOURCED FROM DIFFERENT SOFTWARE COMPANIES. SOME SPECIALIZES ON A SPECIFIC CATEGORY OF PRODUCT WHILE OTHERS OFFER A WIDE RANGE OF PRODUCT CATEGORIES.

ELECTRONIC MARKETING CAN BE VIEWED AS A NEW PHILOSOPHY AND A MODERN BUSINESS PRACTICE INVOLVED WITH THE MARKETING OF GOODS, SERVICES, INFORMATION AND IDEAS VIA THE INTERNET AND OTHER ELECTRONIC MEANS. FROM DR. HATEM EL GUHARI'S POINT OF VIEW, IMPLEMENTING ELECTRONIC MARKETING BY SMALL BUSINESS ENTERPRISE CAN CHANGE BOTH THE SHAPE AND NATURE OF SMALL BUSINESS ENTERPRISE'S BUSINESS ALL OVER THE WORLD. THE INCREASE IN USAGE OF THE INTERNET AND OTHER ELECTRONIC MARKETING TOOLS SUCH AS INTRANETS, EXTRANETS AND MOBILE PHONES IN ELECTRONIC TRANSACTIONS MIGHT CREATE NOT ONLY A LOT OF OPPORTUNITIES FOR SMALL BUSINESS ENTERPRISES BUT ALSO CAN ELIMINATE A LOT OF ITS THREATS. FROM THIS PROSPECTIVE, IT IS NOTICED THAT THE INTERNET, OTHER ELECTRONIC MEDIA TOOLS AND ELECTRONIC MARKETING TOOLS ARE PLAYING A VITAL AND ESSENTIAL ROLE IN CONDUCTING MARKETING ACTIVITIES WITHIN BUSINESS ENTERPRISES REGARDLESS OF ITS TYPE OR SIZE [22].

DIGITAL GOODS IS THE TERM USED TO DESCRIBE NON-TANGIBLE PRODUCTS SUCH AS COMPUTER GAMES AND OTHER SOFTWARE, CUSTOM-DESIGNED SEWING OR CRAFT PATTERNS, E-BOOKS, DIGITAL IMAGES, MUSIC, RINGTONES, WEBSITE TEMPLATES OR BASICALLY ANY PRODUCT THAT CAN BE PROVIDED TO CONSUMERS IN AN ELECTRONIC, OR DIGITAL, FORMAT. DIGITAL GOODS ECOMMERCE SOLUTIONS TEND TO HANDLE ALL OR MOST OF THE TRANSACTIONS FOR BUSINESS OWNERS BUT TAKING A PERCENTAGE OF THE TRANSACTION FEE. THESE DELIVERY AND PAYMENT SYSTEMS ARE SIMPLE TO USE. IT IS AS EASY AS UPLOADING THE FILES, PROVIDING CONTACT AND PAYMENT

DETAILS AND A DESCRIPTION OF EACH ITEM THAT THE BUSINESS OWNER HAS FOR SALE. THERE ARE EASY-TO-USE AND COST-EFFECTIVE DIGITAL GOODS ECOMMERCE SOLUTIONS THAT BUSINESS OWNERS CAN FURTHER INVESTIGATE TO SELL THEIR DIGITAL PRODUCTS ONLINE. CERTAIN POINTS MUST BE REMEMBERED WHEN RESEARCHING AVAILABLE ECOMMERCE SOLUTIONS FOR SELLING DIGITAL GOODS. THE BUSINESS OWNER MUST BE SURE TO COMPARE FEATURES OF EACH SERVICE, INCLUDING THE NUMBER OF PRODUCTS HE/SHE CAN LIST, THE TRANSACTION AND PER SALE FEE, AND ALSO IF PAYMENTS ARE MADE AFTER EACH TRANSACTION OR IF THE SOLUTION PROVIDER PAYS OUT ON A MINIMUM ACCOUNT BALANCE [23].

PRODUCT FULFILLMENT ON THE WEB IS A DREAM IF YOU HAVE A DIGITAL PRODUCT WHICH INCLUDES SOFTWARE, INFORMATION, E-BOOKS, MEMBER-ONLY SUBSCRIPTIONS, AND ENTERTAINMENT. DELIVERY TAKES PLACE BY DOWNLOAD AND IT'S COMPLETELY HANDS FREE FOR THE MERCHANT. THERE MAY BE SOME WEB HOSTING FEES FOR STORAGE AND ADDITIONAL TRAFFIC CHARGES, BUT THE COST IS MINIMAL. THE CHIEF DIFFICULTY WITH DIGITALLY DELIVERED PRODUCTS IS THAT THEY ARE SUBJECT TO FRAUD. A PRIVATE DOWNLOAD URL CAN BE GIVEN TO A FRIEND WHO IN RETURN MAY POST IT ON AN ONLINE BULLETIN BOARD. IN ADDITION TO THIS, FRAUDULENT CREDIT CARD TRANSACTIONS USING STOLEN CREDIT INFORMATION LEAVE THE MERCHANT SUSCEPTIBLE TO DAMAGING CHARGEBACK FEES [24].

WEB MERCHANTS ARE THOSE ORGANIZATIONS THAT CONDUCT TRANSACTIONS VIA THEIR WEBSITES. THEY MAKE IT POSSIBLE FOR PEOPLE TO BUY GOODS OR RENDER SERVICES TO PEOPLE VIA THEIR WEBSITES. THEY OFFER PREPAID SERVICES AND CHARGES ARE BASED ON PREVAILING CURRENCIES EXCHANGE RATE. ONE OF THE TRENDS IN E-COMMERCE IS THE PRE-PAID METHOD. THIS WORKS BEST FOR A SINGLE OPERATIONAL TASK. ASIDE FROM PREPAID METHOD, PAYMENT GATEWAY IS ALSO ONE OF THE E-COMMERCE TRENDS WHEREIN PAYMENT GATEWAY PROVIDERS PROCESS CARDS OR ACCOUNT INFORMATION AT A POINT OF SALES TERMINALS. THEY ACT AS INTERFACE TO THE BANKING SYSTEM. VARIOUS BANKS HAVE DIFFERENT PROPRIETARY STANDARDS HENCE THE NEED FOR GATEWAY OR

13

INTERFACE THAT CAN CONNECT TO ANY BANK SYSTEM REGARDLESS OF PROPRIETARY STANDARDS. AT PRESENT, 3 PAYMENT GATEWAYS HAVE BEEN APPROVED IN NIGERIA. THOUGH MANY MORE ARE EMERGING, EACH PAYMENT GATEWAY HAS CARD TYPES OR MODELS IT SUPPORTS [25].

RESEARCH INDICATES THAT THE APPROPRIATE PAYMENT METHOD IN NIGERIA ARE PREPAID/DEBIT CARD SYSTEM AND DIRECT PAYMENT TO SELLER ACCOUNTS. DEBIT CARD PAYMENT METHOD AND PREPAID PAYMENT METHOD ARE SYNONYMOUS SINCE THEY REQUIRE THAT THE CUSTOMER HAS SUFFICIENT MONEY IN HIS ACCOUNT. FOR CONVENIENCE REASONS, A PREPAID CARD SYSTEM IS BETTER THAN DIRECT PAYMENT METHOD DESPITE IT BEING RATED THE HIGHEST. WITH THESE, A WEB MERCHANT CAN DECIDE ON WHICH PAYMENT GATEWAY TO USE AND WHAT KIND OF DEBIT CARD SHOULD BE ALLOWED IN HIS/HER WEBSITE. A ONE-STOP SOLUTION WILL BEGIN TO EMERGE SOONER HAS A BANK AND A PAYMENT GATEWAY MAY DECIDE TO RENDER DEPENDABLE SERVICES [25].

PAYMENTS ARE THE LIFE-BLOOD OF COMMERCE. WITH THE SHIFT TO ELECTRONIC MEANS OF DOING BUSINESS IT IS LOGICAL THAT PAYMENTS WILL FOLLOW THE SAME ROUTE. THIS HAS BEEN THE CASE AS ELECTRONIC MEANS OF MAKING PAYMENTS HAVE RAPIDLY EVOLVED SINCE THE FIRST COMPUTERS WERE INSTALLED IN THE BANKING AND FINANCE SYSTEM. STORED VALUE CARDS (SVCs) ARE THE LEAST UNDERSTOOD OF THE NEW TECHNOLOGIES AND SO HAVE THE GREATEST POTENTIAL FOR EXPLOITATION. IT IS IMPORTANT TO MAKE A DISTINCTION BETWEEN ELECTRONIC PAYMENT SYSTEMS BASED ON SMART CARDS, AND STORED VALUE SYSTEMS (INCLUDING STORED VALUE CARD SYSTEMS). STORED VALUE ALLOWS SOMETHING OF VALUE, SUCH AS CASH, POINTS, PHONE TIME, ETC. TO BE PLACED ON A DELIVERY INSTRUMENT. TRADITIONAL PAPER-BASED EXAMPLES HAVE INCLUDED GIFT CERTIFICATES, MERCHANDISE CREDITS, LOYALTY CARDS, MEMBERSHIP CARDS, AND EVEN SIMPLE PUNCH CARDS. AN IMPORTANT DISTINCTION TO MAKE BETWEEN DIFFERENT STORED VALUE SCHEMES IS TO CONSIDER TECHNOLOGY WHICH STORES VALUE ON SMART CARDS (CARD MONEY) AS OPPOSED TO THAT WHICH CREATES STORED VALUE FOR THE INTERNET (NETWORK MONEY). IN

FUTURE THESE TWO FORMS OF STORED VALUE WILL PROBABLY MERGE, BUT IT IS ALSO LIKELY THAT SOME SYSTEMS BASED ON SMART CARDS ONLY, AND SOME USED ONLY ON THE INTERNET, WILL CO-EXIST [26].

FOUR IMPORTANT TRENDS ARE PRESENTLY OCCURRING WITHIN STORED VALUE SYSTEM. FIRST, AN INCREASING NUMBER AND VARIETY OF BUSINESSES ARE RESORTING TO IT AS A MERCHANT-SPECIFIC PAYMENT DEVICE. SECOND, VARIOUS ORGANIZATIONS, INCLUDING THE VISA AND MASTER CARD CORPORATIONS ARE DEVELOPING GENERIC STORED VALUE CARDS FOR USE WITH A WIDER RANGE OF MERCHANTS. THIRD, STORED VALUE CARDS ARE BECOMING PROGRAMMABLE, AND FINALLY STORED VALUE CARD SYSTEMS ARE SHEDDING THE CARD COMPONENT AND EVOLVING INTO ENTIRELY VIRTUAL STORED VALUE SYSTEM [27].

THE USE OF STORED VALUE AS A FORM OF PAYMENT HAS DISTINCT AND USEFUL PROPERTIES COMPARED TO THE MORE COMMONLY USED PAYMENT FORMS SUCH AS CASH, CHECK, CREDIT, AND DEBIT. IN MOST CASES, STORED VALUE SERVES AS A CASH SURROGATE THAT, ALTHOUGH HAVING SOME LIMITATIONS ON ITS USE, CAN HAVE ADVANTAGES OVER CASH. THESE ADVANTAGES INCLUDE PROTECTION FROM LOSS OR THEFT PHYSICALLY, ABILITY TO BE SENT TO A REMOTE RECIPIENT AND CAN BE USED AS PRE-PAYMENT FOR GOODS OR SERVICES [28]. THIS IS ONE OF THE ASPECTS THAT ELECTRONIC MARKET CAN UTILIZE IN ORDER TO PROVIDE MORE EFFICIENT SERVICE TO ITS CUSTOMERS.

AS PAYMENT IS AN INTEGRAL PART OF MERCANTILE PROCESS, ELECTRONIC PAYMENT SYSTEM IS AN INTEGRAL PART OF E-COMMERCE. THE EMERGENCE OF E-COMMERCE HAS CREATED NEW FINANCIAL NEEDS THAT IN MANY CASES CANNOT BE EFFECTIVELY FULFILLED BY TRADITIONAL PAYMENT SYSTEMS. ELECTRONIC PAYMENT HAVE BEEN EXPANDING RAPIDLY AS WELL AS GROWING IN COMPLEXITY. AN ELECTRONIC FUND TRANSFER IS A FINANCIAL APPLICATION OF EDI (ELECTRONIC DATA INTERCHANGE), WHICH SENDS CREDIT CARD NUMBERS OR ELECTRONIC CHEQUES VIA SECURED PRIVATE NETWORKS BETWEEN BANKS AND MAJOR CORPORATIONS. THE NATURE OF DIGITAL CURRENCY OR ELECTRONIC

MONEY MIRRORS THAT OF PAPER MONEY AS A MEANS OF PAYMENT. AS SUCH, DIGITAL CURRENCY PAYMENT SYSTEMS HAVE THE SAME ADVANTAGES AS PAPER CURRENCY PAYMENT, NAMELY ANONYMITY AND CONVENIENCE. AS IN OTHER ELECTRONIC PAYMENT SYSTEMS SECURITY DURING THE TRANSACTION AND STORAGE IS A CONCERN, ALTHOUGH FROM THE DIFFERENT PERSPECTIVE. FOR DIGITAL CURRENCY SYSTEMS THE CONCERNS WOULD BE DOUBLE SPENDING, COUNTERFEITING, AND STORAGE BECOME CRITICAL ISSUES WHEREAS EAVESDROPPING AND THE ISSUE OF LIABILITY IS IMPORTANT FOR THE NOTATIONAL FUNDS TRANSFER [29].

SPECIAL ELECTRONIC PAYMENT SYSTEMS HAVE BEEN DEVELOPED TO PAY FOR GOODS ELECTRONICALLY ON THE INTERNET. ELECTRONIC PAYMENT SYSTEMS FOR THE INTERNET INCLUDES THE USE OF CREDIT CARDS, DIGITAL WALLETS, MICROPAYMENT, ACCUMULATED BALANCE DIGITAL PAYMENT SYSTEMS, STORED VALUE PAYMENT SYSTEMS, SMART CARDS, DIGITAL CASH, WEB-BASED PEER-TO-PEER PAYMENT SYSTEMS, DIGITAL CHECKING PAYMENT SYSTEMS AND ELECTRONIC BILLING PRESENTMENT AND PAYMENT SYSTEMS [30]. MOST OF THE ONLINE RESELLING WEBSITES ALREADY USES ACCEPTANCE OF CREDIT CARDS AND DIGITAL WALLETS BUT STILL VERY FEW USES STORED VALUE PAYMENT SYSTEM.

STORED VALUE PAYMENT SYSTEMS ENABLE CONSUMERS TO MAKE INSTANT ONLINE PAYMENTS TO MERCHANTS AND OTHER INDIVIDUALS BASED ON VALUE STORED IN A DIGITAL ACCOUNT. ONLINE VALUE SYSTEMS RELY ON THE VALUE STORED IN A CONSUMER'S BANK, CHECKING, OR CREDIT CARD ACCOUNT AND SOME OF THESE SYSTEMS REQUIRE THE USE OF A DIGITAL WALLET. E-COUNT OFFERS A PREPAID DEBIT ACCOUNT FOR ONLINE PURCHASES [30].

JEFFREY K. MACKIE-MASON, A RESEARCHER AND PROFESSOR OF INFORMATION IN THE UNIVERSITY OF MICHIGAN HAS PRESENTED A TABLE OF DIMENSIONS OF PAYMENT SYSTEMS. THE TABLE BELOW COMPARES DIFFERENT ASPECTS OF PAYMENT OPTIONS AVAILABLE IN OUR PRESENT ONLINE AND TRADITIONAL MARKETS.

TABLE 6.1		DIMENSIONS OF PAYMENT SYSTEMS				
DIMENSION	CASH	PERSONAL CHECK	CREDIT CARD	STORED VALUE (DEBIT CARD)	ACCUMULATING BALANCE	
Instantly convertible without intermediation	yes	no	no	no	no	
Low transaction cost for small transactions	yes	no	no	no	yes	
Low transaction cost for large transactions	no	yes	yes	yes	yes	
Low fixed costs for merchant	yes	yes	no	no	no	
Refutable (able to be repudiated)	no	yes	yes	no (usually)	yes	
Financial risk for consumer	yes	no	up to \$50	limited	no	
Financial risk for merchant	no	yes	yes	no	yes	
Anonymous for consumer	yes	no	no	no	no	
Anonymous for merchant	yes	no	no	no	no	
Immediately respendable	yes	no	no	no	no	
Security against unauthorized use	no	some	some	some	some	
Tamper-resistant	yes	no	yes	yes	yes	
Requires authentication	no	yes	yes	yes	yes	
Special hardware required	no	no	yes — by merchant	yes — by merchant	yes — by merchant	
Buyer keeps float	no	yes	yes	no	yes	
Account required	no	yes	yes	yes	yes	
Has immediate monetary value	yes	no	no	yes	no	

SOURCE: Adapted from MacKie-Mason and White, 1996.

TABLE 1. DIMENSIONS OF PAYMENT SYSTEMS

STORED VALUE PAYMENT SYSTEMS ARE ACCOUNTS CREATED BY DEPOSITING FUNDS INTO AN ACCOUNT AND FROM WHICH FUNDS ARE PAID OUT OR WITHDRAWN AS NEEDED. ONLINE STORE VALUE SYSTEMS RELY ON PREPAYMENTS, DEBIT CARDS, OR CHECKING ACCOUNTS TO CREATE VALUE IN AN ACCOUNT THAT CAN BE USED FOR E-COMMERCE SHOPPING [31]. DEPENDING ON THE BUSINESS NEEDS, TABLE SHOWS INFORMATION THAT CAN BE USED BY BUSINESS OWNERS TO DECIDE WHICH TYPE OF PAYMENT MODE SUITES BEST FOR THEIR BUSINESS. IT CAN BE ONE OR A COMBINATION OF ANY OF THE ABOVE MENTIONED PAYMENT SYSTEMS.

ONLINE ELECTRONIC MARKETS DIFFER IN A VARIETY OF WAYS STARTING FROM INTERFACE, PRODUCTS OFFERED, METHOD OF PAYMENT AND WAY OF PROVIDING CUSTOMER SUPPORT BUT THEY ALL AIM TO PROVIDE BETTER SERVICES AND SATISFACTION TO THE CUSTOMERS IN A SECURED WAY.

ONECLICKRESELLER.COM IS ONE OF THE MANY WEBSITES FOR RESELLING STORAGE AND FILE SHARING SERVICES. COMPARED TO OTHER WEBSITES, THE MAIN CONCERN OF ONECLICKRESELLER ASIDE FROM BASICALLY CATERING THE CUSTOMERS WITH THEIR PRODUCTS IS PROVIDING THE CUSTOMERS WITH EXCELLENT CUSTOMER SUPPORT. ONECLICKRESELLER.COM IS AUTHORIZED RESELLER FOR HOTFILE, FILESERVE, MEGAUPLOAD, FILESONIC, 4SHARED AND UPLOADING. IT IS PROUD TO BE AN OFFICIAL RESELLER SERVING IN DIFFERENT COUNTRIES WORLDWIDE INCLUDING UNITED STATES, CANADA, AUSTRALIA, NEW ZEALAND, PORTUGAL, BELGIUM, SPAIN, SOUTH AFRICA, GREECE, NETHERLANDS. THEY STRONGLY BELIEVE IN OFFERING EXCELLENT AFTER SALES SERVICE TO THE CUSTOMER. ONECLICKRESELLER AIMS TO BUILD LONG LASTING, MUTUALLY BENEFICIAL RELATIONSHIPS WITH EVERY SINGLE CLIENT THEY HAVE TO ENSURE THAT THEIR CLIENTS COME BACK TO THEM AGAIN AND AGAIN. THEY ANSWER EACH AND EVERY EMAIL WITH PERSONALIZED RESPONSE; AND NOT BY SENDING CANNED RESPONSES. IF CUSTOMERS HAVE ANY QUERIES, ONECLICKRESELLER WELCOMES THEM TO DROP AN EMAIL WHICH WILL BE ANSWERED WITHIN 24 HOURS. THEY PROVIDE PRIMARY TECHNICAL SUPPORT AND IF EVER SPECIAL ASSISTANCE IS NEEDED, THEY REQUEST THE CUSTOMERS TO CONTACT OFFICIAL TECHNICAL SUPPORT DEPARTMENT OF RESPECTED COMPANY. FURTHERMORE IF THE SITUATION DEMANDED, THEY THEMSELVES CONTACT THE RESPECTED COMPANY ON CUSTOMER'S BEHALF [7]. ONECLICKRESELLER DOES NOT HAVE AN ACCOUNT BALANCE SYSTEM FOR CUSTOMERS. THEY ACCEPT BANK TRANSFERS AND CREDIT CARD PAYMENTS. PRODUCTS ARE DELIVERED VIA EMAIL AFTER THE PURCHASE.

AUGUST TECHNOLOGY, (WWW.SBIG.COM) IS AN OFFICIAL AUTHORIZED RESELLER OF PREMIUM ACCOUNTS IN THE UNITED STATES. THEY OFFER FILE HOSTING PREMIUM ACCOUNTS LIKE HOTFILE, MEGAUPLOAD, MEDIAFIRE, 4SHARED, FREAKSHARE, FILEFACTORY, FILESERVER, FILESONIC, UPLOADSTATION,
18

DEPOSITFILES, LETITBIT, ORON, UPLOADING, BITSHARE, TURBOBIT AND EASY SHARE. THEY ACCEPT ALERTPAY, MONEYBOOKERS, LOCAL BANK TRANSFER, CASH, PAYPAL, VISA, MASTERCARD, WESTERN UNION AND MONEYGRAM AS PAYMENT OPTIONS IN PURCHASING FILE HOSTING PREMIUM ACCOUNTS. THEY DO NOT REQUIRE REGISTRATION OF AN ACCOUNT BUT THE CUSTOMER WILL HAVE TO INPUT THE EMAIL ADDRESS AND SELECT ONE ITEM AT A TIME TO PURCHASE. THE CUSTOMER WILL ALSO HAVE TO SELECT THE PAYMENT OPTION USED OR WISHES TO USE TO PURCHASE THE SELECTED ITEM. THEY HAD BEEN A RESELLER SINCE OCTOBER 14, 2010 [8].

BIG SHARE SHOP (BIGSHARESHOP.COM) IS ALSO AN ONLINE RESELLER OF PREMIUM ACCOUNTS IN UKRAINE. THEY OFFER A WIDE VARIETY OF PREMIUM ACCOUNTS LIKE RAPIDSHARE, HOTFILE, MEGAUPLOAD, 4SHARED, FILEFACTORY, DEPOSITFILES, MEDIAFIRE, MEGASHARES, UPLOADED LETITBIT, VIP-FILE, MYDOWNLOADER, FILEDOWNLOADER, EASY-SHARE, UPLOADING, DOWNLOADNOW, FILESONIC STORAGE, ZSHARE, FILESERVE, MEGASHARES, 2LEECH, LEECHPACK, REALDEBRID, SHAREFLARE, BITSHARE MEGAVIDEO, MEGALIVE, MEGAPIX, MEGABOX, X7.TO, VIDEOBB, DUCKLOAD, FILESMONSTER, ORON, UPLOADBOX BADONGO, FREAKSHARE, FILEFLYER, VIMEO, IMAGESHAKE, WUPLOAD, LEECHKING, ORON. THEY OFFER DIFFERENT PAYMENT TYPES SUCH AS PAYPAL, VISA, MASTERCARD, MONEYBOOKERS, ALERTPAY, CASHU, UKASH, BANKWIRE AND WESTERN UNION. THEY HAD BEEN RESELLER SINCE NOVEMBER 10, 2010. AN ACCOUNT IS NOT NECESSARY TO PURCHASE IN THEIR WEBSITE BUT NECESSARY INFORMATION LIKE EMAIL ADDRESS, NAME, ADDRESS AND MOBILE NUMBER NEEDS TO BE FILLED OUT EVERY TIME THE CUSTOMER WISHES TO MAKE A PURCHASE [9].

3RBMALL WAS FOUNDED TO FACILITATE THE OPERATIONS OF BUYING AND SELLING VIA THE INTERNET, TOGETHER WITH THE IDEA OF EARNING MONEY. THE IDEA STARTS ON 2008 AND IN SEARCHING FOR NAME OF SITE THEY CONSIDERED THE IDEA OF BUYING AND SELLING ITEMS TO ALL THE PEOPLE FROM ALL AGES, SO THEY HAVE

CHOSEN THE WORD 'MALL' AND THE WORD '3RB' IS BECAUSE ALMOST ALL OF THEIR CLIENTS ARE FROM THE ARABIAN WORLD.

3RBMALL OFFERS MANY SERVICES IN THE WORLD OF ELECTRONIC COMMERCE, INCLUDING BUYING AND SELLING OF ELECTRONIC BANKING SUCH AS LIBERTYRESERVE, WEBMONEY, IN ADDITION TO THE SALE OF PREMIUM ACCOUNTS, SPECIAL AMONG THE MAJORITY OF UPLOADING AND DOWNLOADING SITES LIKE MEGAUPLOAD, HOTFILE, FILESERVE, FILESONIC AS AN AUTHORIZED DISTRIBUTOR. THE MOST IMPORTANT CHARACTERISTIC OF 3RBMALL IS HOSTING AND DEVELOPMENT OF SITES SERVICES BECAUSE OF BIG OFFER AND QUALITY SERVICE, AND FINALLY INTERNATIONAL COMMUNICATION SERVICES THROUGH THE INTERNET AND DEPOSIT ALL COMMUNICATIONS PROGRAMS SUCH AS SKYPE AND GLOBE7. IN ADDITION TO THIS, THEY ARE AN AUTHORIZED RESELLER OF DELLMONT GROUP OF INTERNATIONAL COMMUNICATIONS THAT INCLUDE ACTIONVOIP, CALLINGCREDIT, JUMBLO, POWERSOIP, TELBO, VOIPBLAST, VOIPGAIN, MYVOIPTRAFFIC AND RYNGA. THEY ACCEPT A VARIETY OF PAYMENT OPTIONS WHICH INCLUDES ALERTPAY, MONEYBOOKERS, CASHU, PERFECT MONEY, WEBMONEY, UKASH, PAYSAFECARD, NETELLER, WESTERN UNION, MONEY GRAM AND LIBERTY RESERVE. THEY HAD BEEN A RESELLER SINCE OCTOBER 27, 2010 [10].

KAMILA ([HTTP://EN.PREMIUMSKLEP.COM/HOME](http://en.premiumsklep.com/home)) CLAIMS TO OFFER THE CHEAPEST PREMIUM ACCOUNTS (VOUCHERS) TO FILE HOSTING SERVICES LIKE: FILESONIC, FILESERVE, HOTFILE, MEGAUPLOAD, 4SHARED, MEDIAFIRE AND OTHERS. THE PRICES THEY OFFER ARE LOW BECAUSE THEY BUY WHOLESALE ACCOUNTS (IN BULK) DIRECTLY FROM THE FILE HOSTING COMPANIES. IN ADDITION, ORDERS ARE EXECUTED AUTOMATICALLY AFTER EACH PAYMENT. THEY DO NOT HAVE SUBSCRIPTION PAYMENT. KAMILA ACCEPTS PAYMENT SERVICES LIKE PAYPAL, CREDIT CARD AND MONEY TRANSFER. THEY HAD BEEN RESELLER SINCE SEPTEMBER 16, 2010.

SEVERAL WEBSITES HAS CLAIMED THAT THEY ARE THE ONLY AUTOMATED RESELLERS FOR SPECIFIC KINDS OF PRODUCTS. THEY ALL CLAIM TO DELIVER PRODUCTS OR SERVICES INSTANTLY, 24 HOURS A DAY AND 365 DAYS A YEAR. IF OTHER WEBSITES FOCUSES ON CUSTOMER SUPPORT, THE FOLLOWING WEBSITES CLAIM TO PROVIDE INSTANT DELIVERY OF PRODUCTS, A WIDE RANGE OF DIFFERENT PRODUCTS OFFERED WITH A WIDE VARIETY OF PAYMENT

20

OPTIONS RANGING FROM ONLINE TO OFFLINE TRANSACTIONS AND WORKING UNDER A SAFE AND SECURED ENVIRONMENT.

HOTFILE PREMIUM STORE CLAIMS TO BE THE OFFICIAL RESELLER IN INDIA FOR HOTFILE MEGAUPLOAD, FILESERVE, FILESONIC, 4SHARED, DEPOSITFILES, FILEFACTORY, EASY-SHARE, LETITBIT, 4FASTFILE, UPLOADING, SHAREFLARE, VIPFILE, UPPFILE, BITROAD AND BITSHARE. THEY ACCEPT PAYMENT VIA PUNJAB NATIONAL BANK, SBI BANK, IDBI BANK & ICICI BANK. FOR CASH DEPOSIT CUSTOMERS CAN DEPOSIT MONEY IN THEIR PUNJAB NATIONAL BANK, STATE BANK OF INDIA & IDBI BANK. CUSTOMERS CAN ALSO TRANSFER BY INTERNET BANKING AND CHOOSE FROM SEVERAL BANKS FOR THEIR ONLINE TRANSFERS. INFORMATION ABOUT THE ACCOUNT WILL BE SENT AS SOON AS THEY RECEIVE CUSTOMER'S PAYMENT. IT WILL TAKE JUST 5-10 MINUTES FOR THEM TO RESPOND. THE CUSTOMERS HOWEVER NEED TO SEND AN EMAIL OR CONTACT HOTFILE PREMIUM STORE ON MOBILE PHONE, BY WHICH THE NUMBER IS AVAILABLE ON THEIR WEBSITE, BY CALLING OR SENDING AN SMS. CONFIRMATION DONE VIA EMAIL MAY TAKE 3-4 HOURS BUT ONLY 5-10 MINUTES FOR MOBILE CONFIRMATION. TO EXTEND AN ACCOUNT IN ANY OF THE ABOVE MENTIONED FILE SHARING SERVICES, THE CUSTOMER SIMPLY NEEDS TO SEND HOTFILE PREMIUM STORE AN EMAIL AND PAYMENT FOR THE REQUIRED LIMIT (1 MONTH, 6 MONTH OR 1 YEAR) AND CONFIRM THE CUSTOMER'S PAYMENT. AFTER THESE, HOTFILE PREMIUM STORE WILL SEND THE DETAILS TO THE CUSTOMER'S EMAIL ADDRESS CONTAINING THE DATA NEEDED FOR EXTEND VOUCHER [12].

LIBUA WEBSITE IS ALSO AN OFFICIAL RESELLER OF **FILE SHARING** SERVICES LIKE [LETITBIT](#), [4SHARED](#), [FREAKSHARE](#), [HOTFILE](#), [VIP-FILE](#), [EASY-SHARE](#), [SHAREFLARE](#), [FILEFACTORY](#), [MEDIAFIRE](#) AND SERVICE **IPC**. CUSTOMERS CAN **BUY PREMIUM ACCOUNTS OF** THESE FILE-SHARING SERVICES FROM THEIR WEBSITE. IF CUSTOMERS PAY BY ELECTRONIC **WEBMONEY**, **YANDEX MONEY**, **PRIVAT24** AND BANK CARDS, ISSUANCE OF THE

GOODS IS MADE INSTANTLY. ALL ITEMS BOUGHT FROM LIBUA INCLUDING CODES, PINs AND **PREMIUM ACCOUNTS** WILL BE SENT TO CUSTOMER'S EMAIL THAT THEY SPECIFY UPON MAKING A REQUEST [13]. THEY SEND THE NECESSARY INFORMATION RIGHT AFTER THE PAYMENT HAS BEEN MADE. WE CANNOT DENY THE FACT THAT WE OFTEN USE THE SERVICES OF SUCH FILE STORAGE EITHER TO DOWNLOAD OR STORE SMALL FILES UP TO BIG FILES. HOWEVER, WHEN USING THEM, WE ALSO OFTEN ENCOUNTER PROBLEMS WITH RESTRICTIONS ON DOWNLOAD TIME, THE VOLUME OF DOWNLOADED FILES AND THE NUMBER OF FILES AVAILABLE FOR DOWNLOAD WITHIN A DAY. TO AVOID THESE RESTRICTIONS, LIBUA OFFERS PREMIUM ACCOUNTS THAT CUSTOMERS CAN PURCHASE WHICH WILL ALLOW THEM TO ENJOY THE ADVANTAGES OF HAVING PREMIUM ACCOUNTS OVER THE REST. IN ADDITION TO THIS, THEIR SERVICE MAKES IT POSSIBLE TO EXTEND THE ALREADY REGISTERED **PREMIUM ACCOUNT**, WHICH WILL ALLOW CUSTOMERS TO USE THEIR ACCOUNTS WITH THE SAME TERMS AS BEFORE. IT IS ALSO WORTH NOTING THAT THE PURCHASE AND RENEWAL OF ACCOUNTS IN LIBUA ARE EXCLUSIVELY DONE AUTOMATICALLY, SAVING CUSTOMER'S TIME. CUSTOMERS WON'T HAVE TO WAIT FOR A LONG TIME TO REGISTER AND THUS THEY WILL BE ABLE TO USE THE ACQUIRED OR EXTENDED **PREMIUM ACCOUNTS** IMMEDIATELY AFTER MAKING THEIR PAYMENT. EXTRA CONVENIENCE FOR CUSTOMERS IS THAT THEY CAN MAKE PAYMENT IN ANY CONVENIENT WAY FOR THEM BY ELECTRONIC PAYMENTS, AND THROUGH THE BANK CARD OR ANY BANK BRANCH [13]. THEY DO NOT REQUIRE THEIR CUSTOMERS TO HAVE AN ACCOUNT WITH THEM AND THUS EACH TRANSACTION PER CUSTOMER IS DONE INDEPENDENT FROM EACH OTHER. **THEY ACCEPT PAYMENT USING VISA, MASTERCARD, CASH, WEBMONEY, BANK WIRE TRANSFER, PRIVAT24, LIQPAY, YANDEX MONEY, Z-PAYMENT, E-PORT, SBERBANK, LOYAL VTB24, FAST MAIL RAIFFEISENBANK (RUR), TRANSLATION BLITZ SBERBANK (RUR), CONTACT (USD), LEADER (USD), WESTERN UNION (USD), MONEYGRAM (USD), UNISTREAM (RUR), MIGOM (RUR), ALLURE (RUR), ANELIK (RUR), MAESTRO, CREDIT CARDS, BANK CARDS, PRIVATBANK [13].** THEY ARE TRULY A WEBSITE THAT OFFERS NOT ONLY A WIDE VARIETY OF PRODUCTS TO CHOOSE FROM, BUT ALSO A WIDE RANGE OF PAYMENT OPTIONS.

MICRO DELUXE, ANOTHER PREMIUM ACCOUNTS RESELLER, CLAIMS THAT THEIR WEBSITE IS DESIGNED ESPECIALLY FOR CUSTOMERS. THEIR WEBSITE PROMISES QUICK, EASY AND 100% SECURE PAYMENT. BECAUSE CUSTOMER SATISFACTION IS THEIR MAIN GOAL, THEIR PREMIUM VOUCHERS, COUPONS, TOKENS AND PINS ARE GUARANTEED TO WORK. THEY OFFER THE SAME SERVICES AS ORIGINAL COMPANIES AS A PROOF THAT THEY ARE AUTHORIZED RESELLERS [14]. THEY HAVE A SIMPLE YET EASY TO UNDERSTAND WEBSITE WHICH ALLOWS CUSTOMERS TO FOLLOW THEIR 3 SIMPLE STEPS IN PURCHASING A PRODUCT EASILY AS WELL.

CUSTOMERS DO NOT NEED TO REGISTER TO THEIR WEBSITE TO MAKE A PURCHASE, AND REGISTERING WITH THEM IS OPTIONAL. THEY HAVE 3 SIMPLE STEPS TO PLACE AN ORDER AND GET THE CUSTOMER'S ITEM. FIRST; CLICK ADD TO CART BUTTON AND THE CUSTOMER WILL BE REDIRECTED TO THEIR CHECKOUT PAGE TO REVIEW THEIR ORDER. SECOND; SELECT THE PAYMENT PROVIDER, EITHER PAYPAL OR GOOGLE CHECKOUT. THIRD, THE CUSTOMER WILL BE REDIRECTED TO THEIR PAYMENT PROVIDER, FILL OUT THE PAYMENT INFORMATION AND CLICK TO PAY FOR THEIR ORDER. THEY ARE VERIFIED FROM PAYPAL AND GOOGLE CHECKOUT SO THEIR PAYMENT PROVIDERS ARE WELL KNOWN ALL OVER THE WORLD AS TRUSTED AND 100% SECURE AFTER ALL THEIR PRIORITY IS CUSTOMER'S FINANCIAL SECURITY [14]. A LOT OF PEOPLE ARE RELUCTANT TO USE THEIR CREDIT CARDS OR GIVE ANY INFORMATION ABOUT THEM SO THE USE OF TRUSTED AND VERIFIED SERVICES HELPS A LOT IN GAINING TRUST OF CUSTOMERS.

MICRO DELUXE DO THEIR BEST TO SEND CUSTOMER'S PREMIUM ACCOUNTS AS SOON AS POSSIBLE AFTER AN ORDER WAS PLACED BUT SOMETIMES DELAYS MAY OCCUR BECAUSE CUSTOMER'S PAYMENT HAS NOT BEEN CLEARED, CONFIRMED OR IS UNDER REVIEW TO AVOID FRAUDS BY PAYPAL OR GOOGLE CHECKOUT. ALL PREMIUM ORDERS ARE SENT VIA E-MAIL IN LESS THAN 1 HOUR AND WITH A MAXIMUM OF 8 HOURS AFTER CUSTOMER'S PAYMENT WAS CONFIRMED. MOST CASES ARE SENT IN LESS THAN 15 MINUTES AFTER THE CUSTOMER PLACED THE ORDER [14].

ANOTHER ONLINE SHOP FROM INDIA IS WAY2PREMIUM.COM. IT IS INDIA'S TRUSTED ONLINE SHOP FOR PREMIUM ACCOUNTS AND ANTIVIRUS SOFTWARE SERVICES. THEY HAVE PROVIDED TRUSTED SOLUTIONS TO CLIENTS FROM DIFFERENT PLACES ACROSS THE WORLD. THEY ARE ALSO VERIFIED AUTHORIZED OR OFFICIAL RESELLER AND DISTRIBUTORS FOR HOTFILE, MEGAUPLOAD, FILESERVE, FILESONIC, 4SHARED, FILEFACTORY, DEPOSIT FILES, EASY SHARE, MEDIAFIRE, UPLOADING, LETITBIT, ORON, BITSHARE, VIP-FILE, SHAREFLARE AND CRAMIT IN INDIA. THEY ALSO SELL LEGAL PREMIUM ACCOUNT VOUCHERS AND SOFTWARE FROM SYMANTEC, QUICKHEAL, KASPERSKY, ESET, AVG, AVAST AND MCAFFEE [15]. UNLIKE OTHER WEBSITES THAT SPECIALIZES ONLY IN FILE SHARING SERVICES, WAY2PREMIUM.COM INCLUDES ANTI-VIRUS SOFTWARE SERVICES THUS ALLOWING MORE OPTIONS FOR CUSTOMERS.

WAY2PREMIUM CLAIMS THAT THEY ARE THE WORLD'S ONLY AUTOMATED RESELLERS FOR PREMIUM ACCOUNT / VOUCHER AND ANTIVIRUS SOFTWARE. THEY OFFER INSTANT DELIVERY OF PREMIUM ACCOUNTS (24/7, 365 DAYS), WIDE RANGE OF PAYMENT OPTIONS, BEST PRICES, EXCELLENT CUSTOMER SERVICE AND THE WIDEST RANGE OF PREMIUM ACCOUNTS AND SOFTWARE. THEY CLAIMED THAT ALL THE CLIENTS ARE COMPLETELY SATISFIED WITH THEIR DELIVERABLE. THE REASON WHY THEY CAN MAXIMIZE THEIR BUSINESS IS BECAUSE OF THEIR SUPPORT AND BEST SERVICES OFFERED. CUSTOMERS WILL GET THEIR PREMIUM ACCOUNT / ANTIVIRUS SOFTWARE LICENSE AND SETUP DOWNLOAD LINK SHORTLY ON THEIR REGISTERED EMAIL ADDRESS WITHIN 10 MINUTES [15].

365PREMIUM IS A PROFESSIONAL COMPANY WHO TAKES THEIR JOB SERIOUSLY. 365PREMIUM.COM IS THE MOST POPULAR FILE HOSTING RESELLER, DELIVERING FANTASTIC SERVICE AT LOW PRICES ACROSS A WIDE RANGE OF PREMIUM ACCOUNTS LIKE HOTFILE, FILESERVE, FILESONIC, MEGAUPLOAD, ETC. THEY ARE A REGISTERED COMPANY IN INDIA AND ARE AUTHORIZED RESELLERS/DISTRIBUTORS OF ALL THE PRODUCTS / SERVICES THAT ARE AVAILABLE IN THEIR WEBSITE. THEIR SERVICES / PRODUCTS ARE FULLY LEGITIMATE AND COMPLY WITH INDIAN LAWS AND

REGULATIONS [16]. 356 PREMIUM IS AWARE OF THE FACT THAT THERE ARE STILL SOME FAKE OR UNAUTHORIZED RESELLERS SELLING THE SAME PRODUCTS OR SERVICES THAT THEY SELL IN CHEAPER PRICES THUS THEY ALWAYS REMIND THEIR CUSTOMERS ABOUT BEING CAREFUL AND TRUST ONLY THOSE THAT ARE LISTED IN THE FILE SHARING AUTHORIZED RESELLER' PAGE.

365PREMIUM ALSO CLAIMS TO BE THE WORLD'S ONLY RESELLER WHO HAS AUTOMATED VOUCHER CODE DELIVERY. THEY BELIEVE THAT SERVING THEIR CUSTOMERS THE FASTEST THEY COULD IS ONE OF THE REASONS WHY CUSTOMERS CHOOSE THEM AMONG OTHER RETAILERS. THEY KNOW THAT CUSTOMERS PREFER FAST SERVICES THAT IS WHY THEIR VOUCHERS CODES ARE AUTOMATICALLY DELIVERED TO CUSTOMER'S EMAIL ACCOUNT INSTANTLY, 24HOURS A DAY 365 DAYS A YEAR [16]. ALTHOUGH THEY HAVE ALSO CLAIMED TO BE THE WORLD'S ONLY RESELLER THAT HAS AUTOMATED DELIVERY, LOTS AND LOTS OF WEBSITES NOWADAYS OFFER THE SAID SERVICE AS COMPETITION IS BECOMING STIFF AND IMPROVING ONES SERVICES IS A MUST TO REMAIN IN THE BUSINESS. 365PREMIUM ALSO CLAIMED TO HAVE THE LARGEST RANGE OF ONLINE AND OFFLINE PAYMENT OPTIONS FOR CUSTOMERS TO CHOOSE FROM. THEY ACCEPT SEVERAL MODES OF PAYMENT INCLUDING PAYMENT THROUGH CREDIT CARD, DEBIT CARD, NET BANKING VIA EBS. PAYMENT DONE USING THESE PAYMENT MODES IS PROCESSED INSTANTLY. UNLIKE OTHER RESELLERS THEY CLAIM THAT THEY DO NOT AUTO DEBIT/CHARGE THE CUSTOMER'S CREDIT CARD OR DEBIT CARD, CUSTOMERS HAVE TO MAKE FRESH PAYMENT EVERY RENEWAL. ONLINE PROCESSING OF CREDIT/DEBIT/NET BANKING IS NOT DONE ON THEIR WEBSITE BUT CARRIED OUT BY PAYMENT GATEWAY ON SECURED ENCRYPTED SERVERS. THEREFORE, NO CRITICAL FINANCIAL DATA IS STORED ON THEIR WEBSITE. THEY ALSO DO NOT SHARE CUSTOMER'S PERSONAL DATA WITH 3RD PARTIES. ASIDE FROM ONLINE MODES OF PAYMENT, 365PREMIUM ALSO SUPPORT OFFLINE PAYMENTS BY CASH DEPOSIT, NEFT (NATIONAL ELECTRONIC FUND TRANSFER – RESERVE BANK IN INDIA), CHECK/DD (DEMAND DRAFT), OFFLINE NET BANKING (ICICI, SBI, HDFC) & WESTERN UNION. WHEN USING OFFLINE NET BANKING, THE CUSTOMERS MAKE THE PAYMENT FROM THEIR BANK'S NET BANKING USING THEIR COMPUTER AND THEY WILL JUST HAVE TO PROVIDE THEIR TRANSACTION ID

AND OTHER NECESSARY PROOFS TO 365PREMIUM. A CUSTOMER WHO HAS MADE AT LEAST ONE SUCCESSFUL ONLINE PURCHASE FROM 365PREMIUM IS CONSIDERED AS GOLD CUSTOMER AND ALL OF HIS/HER FUTURE ORDERS ARE AUTOMATICALLY PROCESSED. AUTOMATIC PROCESS IS ONLY APPLIED TO CREDIT CARDS (VISA, MASTERCARD AND DINERS CLUB), DEBIT CARDS (52 INDIAN BANKS), NET BANKING (15 BANKS), CASH CARDS & OTHER PAYMENTS THAT IS PROCESSED BY THEIR INDIAN PAYMENT GATEWAY (EBS). 365PREMIUM HAS ADDED ALMOST ALL THE PRODUCTS FOR AUTOMATIC DELIVERY, BUT THERE ARE VERY FEW PRODUCTS WHICH CANNOT BE ADDED DUE TO TECHNICAL ISSUES. CUSTOMERS ARE WELCOMED TO CONTACT 365PREMIUM ON EMAIL OR PHONE. THEY ALSO HAVE A VERY COMPREHENSIVE FAQ THAT WILL GUIDE CUSTOMERS IF THEY HAVE SIMPLE QUESTIONS ABOUT HOW TRANSACTIONS ARE DONE AND REGARDING PRODUCT INFORMATION. SHOULD A CUSTOMER FACE ANY TECHNICAL PROBLEM 365PREMIUM DOES NOT HESITATE TO CONTACT THE PARENT COMPANY TO SORT IT OUT. 365PREMIUM GUARANTEES COMPLETE CONFIDENTIALITY. THEY TAKE PRIVACY VERY SERIOUSLY THUS INFORMATION COLLECTED FROM CUSTOMER IS STRICTLY FOR RECORDS KEEPING [16].

TRULY, RESELLERS OF DIFFERENT PRODUCTS AROUND THE WORLD ARE DOING THEIR BEST TO PROVIDE THE CUSTOMERS WITH THE BEST SERVICE STARTING FROM A WIDE VARIETY OF PRODUCTS TO CHOOSE FROM, A WIDE RANGE OF PAYMENT MODES BOTH ONLINE AND OFFLINE, WORKING UNDER SAFE AND SECURED ENVIRONMENT UP TO PROVIDING THE BEST CUSTOMER SUPPORT FOR EACH OF THEIR CUSTOMERS. IT IS A MATTER OF FACT THAT IN BUSINESS, TRANSACTION DOES NOT END WITH THE DELIVERY OF PRODUCTS AS CUSTOMERS VALUE THE AFTER SERVICES THAT EACH COMPANY OR AT THIS POINT RESELLERS CAN OFFER. BECAUSE OF THE GREAT COMPETITION EXISTING AMONG RESELLERS ONLINE, IT IS IMPORTANT TO REVIEW THE EXISTING WEBSITES RELATED TO THE PROPOSED SYSTEM.

III. THEORETICAL FRAMEWORK

BEA3 - ALMALKI ELECTRONIC BASKET IS AN EASY TO USE AND SAFE ELECTRONIC SHOPPING STORE THROUGH THE INTERNET WHICH ALLOWS USERS TO PURCHASE ITEMS RIGHT AWAY AFTER REGISTERING AND ADDING FUNDS TO THEIR RESPECTIVE ACCOUNTS. MANY ELECTRONIC PRODUCTS WILL BE AVAILABLE WITH INSTANT DELIVERY TO CUSTOMER'S EMAIL [17].

- **EXISTING BEA3 (SALE) SYSTEM**

THE EXISTING BEA3 SYSTEM IS A SIMPLE WEBSITE THAT ALLOWS CUSTOMERS TO PURCHASE RAPIDSHARE POINTS, AMAZON GIFT CARDS AND ONSPEED SUBSCRIPTIONS. CUSTOMERS DO NOT NEED TO SIGN UP AN ACCOUNT AND LOGIN IN ORDER TO MAKE A PURCHASE. PRODUCTS CAN BE PURCHASED EITHER BY USING A GATEWAY PAYMENT CALLED CASHU OR BY BANK TRANSFER. BECAUSE THE SYSTEM WAS PRIMARILY MADE TO SELL ONLY RAPIDSHARE POINTS, CASHU CAN ONLY BE USED WHEN PURCHASING RAPIDSHARE AND THE OTHER TWO PRODUCTS CAN ONLY BE BOUGHT USING BANK TRANSFER.

CASHU PAYMENT GATEWAY

CASHU IS A PAYMENT SERVICE PROVIDER WITH A FOCUS ON INTERNET PAYMENTS IN MIDDLE EAST AND NORTH AFRICA. IT IS A SAFE ONLINE PAYMENT METHOD AND OFFERS AN EASY ONLINE SHOPPING EXPERIENCE [18]. WHEN USING CASHU, THE CUSTOMER WILL FIRST NEED TO PROVIDE HIS/HER NAME, PHONE NUMBER AND EMAIL ADDRESS, WHICH WILL BE PASSED ON CASHU SYSTEM ALONG WITH THE RAPIDSHARE POINT DENOMINATION THEY WISH TO PURCHASE. THE USER WILL THEN BE REDIRECTED TO THE CASHU PAGE AND WILL BE ASKED TO INPUT THE NEEDED INFORMATION TO BE ABLE TO PURCHASE THE SAID PRODUCT. NECESSARY INFORMATION INCLUDES CASHU ACCOUNT/MOBILE NUMBER, CASHU ACCOUNT PASSWORD AND TURING NUMBER FOR VERIFICATION. UPON CASHU'S CONFIRMATION OF THE VALIDITY OF DATA PROVIDED, THE DETAILS WILL BE SENT BACK TO THE BEA3 SYSTEM AND BEA3 SYSTEM WILL SAVE IT IN THE DATABASE.

BANK TRANSFER

WHEN USING BANK TRANSFER, THE FOLLOWING INFORMATION SHOULD BE PROVIDED: FULL NAME, CUSTOMER'S BANK NAME, CUSTOMER'S BANK ACCOUNT NUMBER, BANK NAME TO WHICH THE MONEY WAS TRANSFERRED, TRANSFER DATE, CUSTOMER'S EMAIL ADDRESS AND CUSTOMER'S PHONE NUMBER AS WELL AS THE PRODUCT THE CUSTOMER WOULD WANT TO PURCHASE. THIS FORM WILL BE SUBJECTED TO THE OWNER'S APPROVAL AS THE OWNER WOULD FIRST HAVE TO VERIFY IF THE SAID TRANSFER WAS VALID. UPON APPROVAL, THE CUSTOMER WOULD THEN RECEIVE THE INFORMATION ABOUT THE PRODUCT HE/SHE PURCHASED ON THE EMAIL ADDRESS HE/SHE HAS PROVIDED. ON THE OTHER HAND, A FAILURE MESSAGE WILL BE SENT BY THE OWNER IN CASE THE MONEY HASN'T REACHED THEIR ACCOUNT OR THE MONEY TRANSFERRED WASN'T ENOUGH FOR THE PRODUCT THE CUSTOMER INTENDS TO PURCHASE. THIS PART NEEDS TO BE DONE MANUALLY BY THE ADMINISTRATOR.

PRODUCT DELIVERY

A WINDOWS APPLICATION WHICH CHECKS THE DATABASE FOR NEW PURCHASES EVERY 5 MINUTES IS RESPONSIBLE FOR SENDING OF PRODUCT PURCHASED TO THE CUSTOMER'S EMAIL ADDRESS. SENT PRODUCT PURCHASES WILL BE MARKED IN THE DATABASE. THE SAID WINDOWS APPLICATION IS WRITTEN BY MR. ALMALKI USING VISUAL BASIC.

MR. ALMALKI CONSIDERS IT A HASSLE TO HAVE A SEPARATE MACHINE AND TO MAINTAIN IT. HE ALSO MENTIONED THAT SOMETIMES INTERNET CONNECTION GOES DOWN AND CUSTOMERS DO NOT RECEIVE THEIR PURCHASED ITEM RIGHT AWAY.

WEBSITE CONTENT MANAGEMENT

ADVERTISEMENTS, BANK DETAILS, AND PRODUCTS ON THE WEBSITE ARE MANUALLY PRINTED WITH HTML CODES THUS A CHANGE IN THE HTML CODE IS NEEDED IN CASE THERE WOULD BE CHANGES, ADDITION OR REMOVAL OF THE SAID WEBSITE COMPONENTS.

CUSTOMER SUPPORT

FOR QUESTIONS, SUPPORT CASES, COMMENTS AND SUGGESTIONS, USERS WOULD HAVE TO SEND AN EMAIL TO THE EMAIL ADDRESS SPECIFIED ON THEIR WEBSITE OR CALL THEM THRU THE MOBILE NUMBER PROVIDED ON THE SAME PAGE.

- **DATABASE MANAGEMENT SYSTEM**

A DATABASE MANAGEMENT SYSTEM (DBMS) IS A COLLECTION OF SOFTWARE PROGRAMS WHICH ENABLE LARGE, STRUCTURED SETS OF DATA TO BE STORED, MODIFIED, EXTRACTED AND MANIPULATED IN DIFFERENT WAYS. DATABASE MANAGEMENT SYSTEMS HAVE OFTEN BEEN CHARACTERIZED AS “ATTRIBUTE MANAGEMENT SYSTEMS”. ATTRIBUTES ARE PIECES OF INFORMATION WITH UNIQUE VALUES THAT DESCRIBE AN OBJECT AND COMBINE MANY OF THE SERVICES NECESSARY FOR ADVANCED ATTRIBUTE MANAGEMENT WITHOUT THE NEED FOR A VARIETY OF DIFFERENT PROGRAMS. DATABASE MANAGEMENT SYSTEMS EMPLOY THE USE OF A QUERY LANGUAGE AND REPORT WRITERS TO INTERROGATE THE DATABASE AND ANALYZE ITS DATA. QUERIES ALLOW USERS TO SEARCH, SORT, AND ANALYZE SPECIFIC DATA BY GRANTING USERS EFFICIENT ACCESS TO THE REQUIRED INFORMATION. FOR EXAMPLE, ONE WOULD USE A QUERY COMMAND TO MAKE THE SYSTEM RETRIEVE DATA REGARDING ALL ARTICLES OF CLOTHING WHICH COME IN THE COLOR BLUE. THE MOST COMMON QUERY LANGUAGE USED TO ACCESS DATABASE SYSTEMS IS THE STRUCTURED QUERY LANGUAGE (SQL). THERE ARE INNUMERABLE NUMBERS OF DBMS SOFTWARE AVAILABLE IN THE MARKET. SOME OF THE MOST POPULAR ONES INCLUDE ORACLE, IBM’S DB2, MICROSOFT ACCESS, MICROSOFT SQL SERVER, MYSQL AND

FILEMAKER. **MYSQL**, ONE OF THE MOST POPULAR DATABASE MANAGEMENT SYSTEMS USED BY ONLINE ENTREPRENEURS IS ONE EXAMPLE OF AN OBJECT-ORIENTED **DBMS**. **MICROSOFT ACCESS** (ANOTHER POPULAR **DBMS**) ON THE OTHER HAND IS NOT A FULLY OBJECT ORIENTED SYSTEM, EVEN THOUGH IT DOES FLAUNT CERTAIN ASPECTS OF IT [19].

- **CONTENT MANAGEMENT SYSTEM (CMS)**

A **CONTENT MANAGEMENT SYSTEM (CMS)**, A SYSTEM THAT IS USED TO MANAGE THE SITE CONTENT, INCLUDES THE **CONTENT MANAGEMENT APPLICATION (CMA)** AND THE **CONTENT DELIVERY APPLICATION (CDA)**. THE **CMA** ALLOWS THE **CONTENT MANAGER** OR **AUTHOR** TO MANAGE THE CREATION, ALTERATION AND REMOVAL OF CONTENT FROM A WEBSITE EVEN WITHOUT THE KNOWLEDGE OF **HTML**. THE **CDA**, ON THE OTHER HAND, ACCUMULATES INFORMATION IN ORDER TO UPDATE THE WEBSITE. MOST **CMS** ARE CHARACTERIZED BY **WEB-BASED PUBLISHING**, **FORMAT MANAGEMENT**, **REVISION CONTROL**, **INDEXING**, **SEARCH** AND **RETRIEVAL**. THE **WEB-BASED PUBLISHING** FEATURE ENABLES INDIVIDUALS TO USE A SET OF **TEMPLATE** OR **TOOLS** IN THE FORMATION OF **SITE CONTENT**. THE **FORMAT MANAGEMENT** FEATURE ALLOWS **DOCUMENTS** (BOTH **SCANNED** OR **ELECTRONIC**) TO BE FORMATTED INTO **HTML** OR **PDF**. IN THE **REVISION CONTROL**, THE **SITE VERSION** CAN BE **UPDATED** OR **RESTORED** AND THE **CONTENT CHANGES** ARE **TRACKED**. OTHER ATTRIBUTES INCLUDE **INDEXING**, **SEARCHING**, AND **RETRIEVAL**. A **CMS** SYSTEM **INDEXES** ALL THE **DATA** WITHIN AN ORGANIZATION, THESE **DATA** CAN BE **SEARCHED** FOR USING **KEYWORDS** AND THE **CMS** SYSTEM **RETRIEVES** THEM [20].

- **SMS GATEWAY**

AN **SMS** GATEWAY IS A **WEB** SITE OR SERVICE THAT ALLOWS USERS TO SEND **SMS** MESSAGES FROM A **WEB** BROWSER TO PEOPLE WITHIN THE **CELL** SERVED BY THAT GATEWAY. **SMS** GATEWAYS SOLVE A COMMON TELECOMMUNICATIONS PROBLEM WHICH IS A PROBLEM WITH DIFFERENT **WIRELESS TELEPHONY** PROVIDERS USING DIFFERENT OR **PROPRIETARY** COMMUNICATION PROTOCOLS. THE GATEWAY ACTS AS A **RELAY**, TRANSLATING ONE

PROTOCOL INTO ANOTHER. WIRELESS NETWORK OPERATORS USE SMS GATEWAYS TO CONNECT SMS CENTERS (SMSCs). AN SMSC IS THE PORTION OF A WIRELESS NETWORK THAT HANDLES SMS OPERATIONS, SUCH AS ROUTING, FORWARDING AND STORING INCOMING TEXT MESSAGES ON THEIR WAY TO DESIRED ENDPOINTS.

ALONG WITH MANY COMMERCIAL SOFTWARE PRODUCTS, OPEN SOURCE SMS GATEWAY SOFTWARE CAN BE DOWNLOADED ONLINE. KANNEL, WRITTEN IN C, CAN MAKE CONNECTIONS TO SMSCs, CELLULAR PHONES AND GSM OR GPRS MODEMS. KANNEL USES AN HTTP / HTTPS INTERFACE FOR SENDING AND RECEIVING SMS MESSAGES [21].

SMS MOBILY.WS SERVICE OFFERS GATE TRANSMISSION API THAT LETS USERS EFFORTLESSLY CONNECT THEIR PROGRAM OR THEIR SITE OR SYSTEM REGARDLESS OF THE PROGRAMMING LANGUAGE USED TO THEIR SMS GATEWAYS TO GET DISTINCTIVE MESSAGE SERVICE, SAFE AND RELIABLE UP TO LINKING IT WITH THE USER'S OWN SYSTEM ACCORDING TO DATA AND SPECIAL SPECIFICATIONS.

IV. DESIGN AND IMPLEMENTATION

A. USE CASE DIAGRAM

TOP LEVEL USE CASE DIAGRAM

FIGURE 1: TOP LEVEL USE CASE DIAGRAM OF BEA SYSTEM

FIGURE 1 SHOWS THE SIX ACTORS IN BEA3 SYSTEM. THE GUEST IS ALLOWED TO VIEW THE CONTENTS OF THE WEBSITE WITHOUT HAVING TO CREATE AN ACCOUNT. THE CUSTOMER'S MAIN OBJECTIVE IS TO PURCHASE PRODUCT OR PRODUCTS FOUND IN BEA3 SYSTEM. BEA3 OWNER'S ROLE IS TO MANAGE BUSINESS RELATED DATA. THE ADMINISTRATION STAFF IS RESPONSIBLE FOR MANAGING DATABASE CONTENTS IN THE WEBSITE. THE VENDOR FOCUSES ON VIEWING THE SALES AND STOCK DETAILS OF ITEMS HE/SHE IS CONNECTED TO. THE SYSTEM ADMINISTRATOR MANAGES THE ACCOUNTS FOR ALL ACTORS IN BEA3 SYSTEM.

WEBSITE CONTENT VIEWING

FIGURE 2: USE CASE (WEBSITE CONTENT VIEWING)

THE GUEST CAN VIEW WEBSITE CONTENT OF THE SYSTEM BY BROWSING FOR PRODUCTS. SEE FIGURE 3. THIS WILL HELP THE GUEST DECIDE ON WHETHER OR NOT TO REGISTER AN ACCOUNT FOR BEA3 SYSTEM. SEE FIGURE 6.

PRODUCT BROWSING

FIGURE 3: USE CASE (PRODUCT BROWSING)

GUESTS CAN SEARCH FOR PRODUCTS USING SEARCH QUERIES. SEE FIGURE 4. GUESTS CAN ALSO BROWSE PRODUCTS BY VIEWING PRODUCTS THRU THEIR CATEGORIES. SEE FIGURE 5.

PRODUCT SEARCHING

FIGURE 4: ACTIVITY DIAGRAM (PRODUCT SEARCHING)

THE GUEST INPUTS SEARCH QUERY AND THE MATCHING SEARCH RESULTS WILL BE DISPLAYED.

PRODUCT VIEWING

FIGURE 5: ACTIVITY DIAGRAM (PRODUCT VIEWING)

THE GUEST CAN SELECT CATEGORIES AND ITEMS OR SUBCATEGORIES UNDER THE SELECTED CATEGORY WILL BE DISPLAYED TO THE GUEST.

ACCOUNT REGISTRATION

FIGURE 6: ACTIVITY DIAGRAM (ACCOUNT REGISTRATION)

IF THE GUEST DECIDES TO REGISTER AN ACCOUNT, A CUSTOMER REGISTRATION FORM WILL BE DISPLAYED. AFTER COMPLETING THE REGISTRATION FORM, AN AUTO-GENERATED PASSCODE WILL BE SENT TO THE CUSTOMER'S MOBILE NUMBER AND CUSTOMER INFORMATION WILL BE SAVED AS A TEMPORARY CUSTOMER UNTIL THE CUSTOMER INPUTS THE PASSCODE UPON LOGIN.

PRODUCT PURCHASING

FIGURE 7: USE CASE (PRODUCT PURCHASING)

AFTER CREATING AND ACTIVATING AN ACCOUNT, THE CUSTOMER LOGS IN AND PURCHASE PRODUCTS. THE CUSTOMER ADDS FUNDS TO HIS/HER ACCOUNT. SEE FIGURE 8. THE CUSTOMER ALSO PURCHASES ITEMS USING THE FUNDS HE/SHE HAS ADDED. SEE FIGURE 12. TRANSACTION HISTORY OF FUNDS ADDED AND ITEMS PURCHASED CAN ALSO BE VIEWED BY THE CUSTOMER. SEE FIGURE 13. IN CASE THE CUSTOMER EXPERIENCES ANY DIFFICULTY IN PURCHASING A PRODUCT, HE/SHE CAN REGISTER A SUPPORT TICKET TO THE ADMIN STAFFS. SEE FIGURE 15.

ADD ACCOUNT FUNDS

FIGURE 8: USE CASE (ADD ACCOUNT FUNDS)

CUSTOMERS CAN ADD FUNDS USING BANK TRANSFER. SEE FIGURE 9. ANOTHER MEANS OF ADDING CUSTOMER ACCOUNT FUNDS IS BY THE USE OF SCRATCH CARDS. SEE FIGURE 10. MOREOVER, CUSTOMERS CAN ALSO ADD FUNDS USING A PAYMENT GATEWAY CALLED CASHU. SEE FIGURE 11. THE FUNDS ADDED BY THE CUSTOMER WILL BE USED IN PRODUCT PURCHASING. SEE FIGURE 12.

ADD FUNDS BY BANK TRANSFER

FIGURE 9: ACTIVITY DIAGRAM (ADD FUNDS BY BANK TRANSFER)

CUSTOMERS CAN SUBMIT A BANK TRANSFER FORM EITHER BEFORE OR AFTER THE BANK TRANSFER HAS BEEN DONE. UPON SELECTING TO ADD FUNDS BY BANK TRANSFER, A BANK TRANSFER FORM WILL BE DISPLAYED TO THE CUSTOMER. THE CUSTOMER WILL CHOOSE THE BEA3 BANK HE/SHE USED OR WISHES TO USE FOR THE BANK TRANSFER. UPON DOING SO, THE BANK DETAILS WILL BE DISPLAYED TO THE CUSTOMER. AFTER CONFIRMING OR NOTING THE BANK DETAILS, THE CUSTOMER FILLS UP BANK TRANSFER INFORMATION LIKE BANK DETAILS OF THE CUSTOMER; AMOUNT TRANSFERRED BY THE CUSTOMER AS WELL AS THE DATE THE TRANSFER HAS BEEN DONE OR IS EXPECTED TO BE DONE. UPON PRESSING THE SUBMIT BUTTON, THE FORM WILL THEN BE STORED IN THE BEA3 SYSTEM FOR THE OWNER TO VIEW AND APPROVE.

ADD FUNDS BY SCRATCH CARD

FIGURE 10: ACTIVITY DIAGRAM (ADD FUNDS BY SCRATCH CARD)

AFTER PURCHASING A SCRATCH CARD FROM SELECTED LOCATIONS, THE CUSTOMER CAN NOW ADD FUNDS TO HIS/HER ACCOUNT USING THE SCRATCH CARD. A SCRATCH CARD FORM WILL BE DISPLAYED TO THE CUSTOMER AND THE CUSTOMER WILL HAVE TO INPUT THE SCRATCH CARD NUMBER. THE SYSTEM WILL THEN VERIFY THE INPUTTED SCRATCH CARD NUMBER. IF VERIFICATION FAILS, AN INVALID MESSAGE ALONG WITH THE CUSTOMER FORM WILL BE DISPLAYED TO THE CUSTOMER. IF SCRATCH CARD INPUTTED IS VALID, THE CUSTOMER'S ACCOUNT BALANCE WILL BE UPDATED. THE CUSTOMER'S ID WILL ALSO BE ADDED TO THE CARD'S INFORMATION AS THE USER OF THE SAID CARD.

ADD FUNDS BY CASHU

FIGURE 11: ACTIVITY DIAGRAM (ADD FUNDS BY CASHU)

ANOTHER WAY IN WHICH A CUSTOMER CAN ADD FUNDS TO HIS/HER ACCOUNT IS BY USING CASHU. THE SYSTEM WILL SHOW THE DENOMINATIONS AVAILABLE FOR SALE WITH CASHU. THE CUSTOMER WILL SELECT A DENOMINATION TO PURCHASE. UPON CLICKING THE SAID DENOMINATION, THE CUSTOMER WILL BE REDIRECTED TO CASHU SECURED PAGE. CASHU SYSTEM WILL DISPLAY TO THE CUSTOMER THE DESCRIPTION OF THE DENOMINATION HE/SHE HAS SELECTED ALONG WITH THE CASHU FORM. THE CUSTOMER WILL THEN HAVE TO INPUT HIS/HER CASHU ACCOUNT ID, PASSWORD AND TURING NUMBER TO VERIFY THE PURCHASE. THE FORM WILL BE SUBMITTED AND VERIFIED BY THE CASHU SYSTEM. IF THE DETAILS INPUTTED BY THE CUSTOMER ARE INVALID, CASHU SYSTEM WILL DISPLAY THE PRODUCT INFORMATION AS WELL AS THE CASHU FORM. IF THE

DETAILS PROVIDED BY THE CUSTOMER ARE VALID, CASHU WILL SEND THE REQUIRED INFORMATION TO BEA3 SYSTEM AND BEA3 SYSTEM WILL UPDATE THE CUSTOMER'S BALANCE AND SAVE THE CASHU TRANSACTION.

PURCHASE ITEM

FIGURE 12: ACTIVITY DIAGRAM (PURCHASE ITEM)

TO PURCHASE AN ITEM, THE CUSTOMER CHOOSES THE ITEM HE/SHE WANTS TO PURCHASE. THE SYSTEM WILL DISPLAY A PURCHASE CONFIRMATION DIALOG BOX TO THE CUSTOMER. IF THE CUSTOMER CONFIRMS THE PURCHASE, THE SYSTEM WILL CHECK THE CUSTOMER'S ACCOUNT BALANCE. IF CUSTOMER HAS INSUFFICIENT FUNDS, AN ERROR MESSAGE WILL BE DISPLAYED ALONG WITH THE ITEMS. ON THE OTHER HAND, IF THE CUSTOMER HAS SUFFICIENT ACCOUNT FUNDS TO PURCHASE THE SELECTED ITEM, THE SYSTEM WILL DISPLAY THE PURCHASE DETAILS TO THE CUSTOMER, STORE THE PURCHASE TRANSACTION, UPDATE THE ACCOUNT BALANCE OF THE CUSTOMER AND SEND TO THE CUSTOMER'S EMAIL ADDRESS THE PURCHASE DETAILS.

VIEW TRANSACTION HISTORY

FIGURE 13: USE CASE (VIEW TRANSACTION HISTORY)

A TRANSACTION HISTORY OF ALL FUNDS ADDED AS WELL AS ITEMS PURCHASED CAN BE VIEWED BY THE CUSTOMER. SEE FIGURE 14. A LIST OF TRANSACTIONS DONE WITHIN THE DAY WILL BE THE DEFAULT VIEW OF TRANSACTION HISTORY. FROM THE LIST GENERATED, THE CUSTOMER CAN VIEW SPECIFIC TRANSACTION DETAILS. UPON VIEWING THE SPECIFIC DETAILS, THE CUSTOMER HAS AN OPTION OF PRINTING THE TRANSACTION DETAILS AND SENDING THE TRANSACTION DETAILS AS AN EMAIL TO THE CUSTOMER'S EMAIL ADDRESS.

VIEW TRANSACTION LIST

FIGURE 14: ACTIVITY DIAGRAM (VIEW TRANSACTION LIST)

THE CUSTOMER CHOOSES A RANGE OF DATE OF TRANSACTIONS TO VIEW. THE SYSTEM WILL DISPLAY THE LIST OF TRANSACTIONS MADE BY THE CUSTOMER WITHIN THE SPECIFIED DATE RANGE.

REGISTER SUPPORT TICKET

FIGURE 15: USE CASE (REGISTER SUPPORT TICKET)

THE CUSTOMER CAN REGISTER OR POST SUPPORT TICKETS TO THE ADMIN STAFFS. THE CUSTOMER CAN ADD NEW TICKET, SEE FIGURE 16 IN CASE HE/SHE EXPERIENCES DIFFICULTY IN HIS TRANSACTIONS. THE CUSTOMER CAN ALSO VIEW THE TICKETS HE/SHE HAS SUBMITTED TO THE ADMIN STAFF. SEE FIGURE 17. BY DEFAULT, THE CUSTOMER WILL SEE ALL TICKETS SUBMITTED WITHIN THE DAY. UPON VIEWING THE TICKET LIST, THE CUSTOMER CAN REPLY TO ANY UNSOLVED TICKETS.

ADD NEW TICKET

FIGURE 16: ACTIVITY DIAGRAM (ADD NEW TICKET)

IN ADDING NEW SUPPORT TICKET, A SUPPORT TICKET FORM WILL BE DISPLAYED TO THE CUSTOMER. THE CUSTOMER WILL PROVIDE THE TICKET ISSUE AND TICKET DESCRIPTION AND SUBMIT IT. THE SYSTEM WILL STORE THE TICKET AND WILL BE VISIBLE TO ADMIN STAFFS.

VIEW TICKET LIST

FIGURE 17: USE CASE (VIEW TICKET LIST)

THE CUSTOMER CAN VIEW THE LIST OF TICKETS HE/SHE HAS SUBMITTED TO THE ADMIN STAFFS. UPON VIEWING THE LIST, THE CUSTOMER CAN VIEW SPECIFIC TICKET DETAILS BY CHOOSING A PARTICULAR TICKET FROM THE LIST. ALSO UPON VIEWING THE TICKET, THE CUSTOMER CAN RESPOND TO THE TICKET. SEE FIGURE 18. CUSTOMER CAN ONLY RESPOND TO UNSOLVED TICKETS.

RESPOND TO TICKET

FIGURE 18: ACTIVITY DIAGRAM (RESPOND TO TICKET)

THE CUSTOMER CAN DO TWO THINGS IN RESPONDING TO A TICKET. IF THE CUSTOMER IS ALREADY SATISFIED WITH THE ADMINISTRATION STAFF REPLY OR THE PROBLEM HAS BEEN SOLVED ALREADY, THE CUSTOMER CAN CLOSE THE TICKET. THE TICKET STATUS WILL THEN BE UPDATED IN THE SYSTEM AND THE CUSTOMER WILL NOT BE ABLE TO RESPOND TO THE SAID TICKET ANYMORE. ON THE OTHER HAND, IF THE CUSTOMER HAS FURTHER QUESTIONS OR IS NOT YET SATISFIED WITH THE ADMIN STAFF'S RESPONSE, HE/SHE CAN POST ANOTHER REPLY WHICH WILL THEN BE SAVED IN THE SYSTEM.

BUSINESS MANAGEMENT

FIGURE 19: USE CASE (BUSINESS DATA AND TRANSACTION MANAGEMENT)

THE BUSINESS OWNER IS RESPONSIBLE FOR MANAGING BUSINESS RELATED DATA AND TRANSACTIONS. HE/SHE CAN ASSIGN ADMINISTRATION STAFF RIGHTS TO ADMIN STAFFS. SEE FIGURE 20. THE BEA3 OWNER CAN ALSO VIEW DIFFERENT REPORTS TO AID IN BUSINESS RELATED DECISION MAKING. SEE FIGURE 21. THE RESOURCES USED IN THE BUSINESS SUCH AS THE SCRATCH CARDS, STOCKS AND BANK TRANSFER TRANSACTIONS ARE ALSO MANAGED BY THE BUSINESS OWNER. SEE FIGURE 34.

ASSIGN ADMINISTRATION STAFF RIGHTS

FIGURE 20: ACTIVITY DIAGRAM (ASSIGN ADMINISTRATION STAFF RIGHTS)

THE BEA3 OWNER ASSIGNS RIGHTS TO ADMIN STAFFS. THE OWNER SELECTS AN ADMINISTRATION STAFF AND THE SYSTEM WILL DISPLAY THE DETAILS OF THE SELECTED ADMIN STAFF. THE OWNER WILL CHOOSE THE TYPE OF THE SELECTED ADMIN STAFF. ADMIN STAFF'S TYPE IS 0 BY DEFAULT. ADMIN STAFFS WITH TYPE 0 MEANS LIMITED ACCESS TO ADMINISTRATION STAFF RIGHTS. IF THE OWNER CHANGES THE TYPE OF THE ADMINISTRATION STAFF FROM 0 TO 1, THE ADMINISTRATION STAFF TYPE WILL BE UPDATED AND HE IS GIVEN FULL ACCESS TO ALL ADMINISTRATION STAFF RIGHTS. ON THE OTHER HAND, IF THE OWNER RETAINS THE TYPE 0 OF THE ADMIN STAFF, THE SYSTEM WILL SHOW THE ADMIN RIGHTS THAT THE OWNER CAN CHOOSE FROM TO ASSIGN TO ADMIN STAFF. THE SYSTEM WILL THEN SAVE THE SELECTED ADMINISTRATION STAFF RIGHTS.

REPORT GENERATION AND VIEWING

FIGURE 21: USE CASE (REPORT GENERATION AND VIEWING)

THE OWNER CAN GENERATE AND VIEW VARIOUS REPORTS IN THE SYSTEM. CUSTOMER PURCHASE REPORTS CAN BE GENERATED AND VIEWED BY BEA3 OWNER. SEE FIGURE 22. A VARIETY OF SALES REPORTS CAN ALSO BE GENERATED AND VIEWED BY THE OWNER. SEE FIGURE 23. STOCK REPORTS, SEE FIGURE 32, AS WELL AS BANK TRANSFER REPORTS, SEE FIGURE 33, CAN ALSO BE VIEWED BY THE BEA3 OWNER. REPORTS ARE DISPLAYED IN TABLES BY DEFAULT BUT CHART AND/OR GRAPH VIEWS ARE ALSO AVAILABLE DEPENDING ON THE REPORT SELECTED.

CUSTOMER PURCHASE REPORT GENERATION

FIGURE 22: ACTIVITY DIAGRAM (CUSTOMER PURCHASE REPORT GENERATION)

CUSTOMER PURCHASES WITHIN THE DAY WILL BE THE DEFAULT DISPLAY OF CUSTOMER PURCHASE VIEWING. UPON SELECTING DATE RANGE AND/OR EMAIL ADDRESS, THE BEA3 OWNER WILL BE ABLE TO VIEW CUSTOMER PURCHASES BASED ON THE GIVEN PARAMETERS.

SALES REPORT GENERATION

FIGURE 23: USE CASE (SALES REPORT GENERATION)

BEA3 OWNER CAN GENERATE REPORTS ON ITEM SALES. SEE FIGURE 25. ASIDE FROM THE ITEM SALES, THE BEA3 OWNER CAN ALSO GENERATE SCRATCH CARD SALES, SEE FIGURE 29, AND CASHU SALES, SEE FIGURE 30. MOREOVER, APPROVED BANK TRANSFER REPORT CAN ALSO BE GENERATED BY THE BEA3 OWNER. SEE FIGURE 31. BY DEFAULT, THE SYSTEM DISPLAYS THE TOTAL SALES REPORT BUT THE OWNER CAN SELECT A DATE RANGE IN VIEWING SALES REPORT. SEE FIGURE 24.

DATE RANGE SELECTION

FIGURE 24: USE CASE (DATE RANGE SELECTION)

IN SELECTING THE DATE RANGE, THE OWNER CAN SELECT IN A DAILY, MONTHLY AND YEARLY BASIS.

ITEM SALES REPORT GENERATION

FIGURE 25: USE CASE (ITEM SALES REPORT GENERATION)

IN VIEWING ITEM SALES, THE OWNER CAN VIEW TOTAL ITEM SALES OVER A PERIOD OF TIME. SEE FIGURE 26.

HE/SHE CAN ALSO VIEW SALES PER CATEGORY OVER A PERIOD OF TIME AND CATEGORIES TO INCLUDE IN THE

REPORT. SEE FIGURE 27. SPECIFIC ITEM SALES CAN ALSO BE DISPLAYED TO THE OWNER OVER A PERIOD OF TIME. SEE FIGURE 28.

TOTAL ITEM SALES REPORT GENERATION

FIGURE 26: ACTIVITY DIAGRAM (TOTAL ITEM SALES REPORT GENERATION)

THE OWNER SELECTS A DATE RANGE DEPENDING ON HIS/HER DATE RANGE PREFERENCE AND CORRESPONDING RESULTS WILL BE DISPLAYED BY THE SYSTEM.

ITEM SALES BY CATEGORY REPORT GENERATION

FIGURE 27: USE CASE (ITEM SALES BY CATEGORY REPORT GENERATION)

THE OWNER SELECTS A DATE RANGE DEPENDING ON HIS/HER DATE RANGE PREFERENCE AND/OR PRODUCT CATEGORY OR CATEGORIES TO INCLUDE IN THE REPORT GENERATION. CORRESPONDING RESULTS WILL BE DISPLAYED BY THE SYSTEM.

SPECIFIC ITEM SALES REPORT GENERATION

FIGURE 28: ACTIVITY DIAGRAM (SPECIFIC ITEM SALES REPORT GENERATION)

THE OWNER SELECTS A DATE RANGE DEPENDING ON HIS/HER DATE RANGE PREFERENCE AND/OR SPECIFIC ITEMS TO INCLUDE IN THE REPORT GENERATION. CORRESPONDING RESULTS WILL BE DISPLAYED BY THE SYSTEM. SEE FIGURE 28.

CARD SALES REPORT GENERATION

FIGURE 29: ACTIVITY DIAGRAM (CARD SALES REPORT GENERATION)

THE OWNER SELECTS A DATE RANGE DEPENDING ON HIS/HER DATE RANGE PREFERENCE AND/OR CUSTOMER EMAIL ADDRESS. CORRESPONDING RESULTS WILL BE DISPLAYED BY THE SYSTEM.

CASHU SALES REPORT GENERATION

FIGURE 30: ACTIVITY DIAGRAM (CASHU SALES REPORT GENERATION)

THE OWNER SELECTS A DATE RANGE DEPENDING ON HIS/HER DATE RANGE PREFERENCE AND/OR CUSTOMER EMAIL ADDRESS. CORRESPONDING RESULTS WILL BE DISPLAYED BY THE SYSTEM.

APPROVED BANK TRANSFER REPORT GENERATION

FIGURE 31: ACTIVITY DIAGRAM (APPROVED BANK TRANSFER REPORT GENERATION)

THE OWNER SELECTS A DATE RANGE DEPENDING ON HIS/HER DATE RANGE PREFERENCE AND/OR CUSTOMER EMAIL ADDRESS AND/OR BANK. CORRESPONDING RESULTS WILL BE DISPLAYED BY THE SYSTEM.

STOCK REPORT VIEWING

FIGURE 32: USE CASE (STOCK REPORT VIEWING)

BEA3 OWNER CAN VIEW ITEM STOCK IN HAND OR UNSOLD ITEMS. THE SYSTEM DISPLAYS ALL ITEM STOCKS BY DEFAULT BUT THE OWNER CAN NARROW DOWN THE DISPLAY BY SELECTING CATEGORY OF ITEM TO DISPLAY. THE OWNER CAN ALSO VIEW OUT OF STOCK ITEMS.

BANK TRANSFER REPORTS VIEWING

FIGURE 33: USE CASE (BANK TRANSFER REPORTS VIEWING)

BEA3 OWNER CAN VIEW APPROVED, REJECTED AND PENDING BANK TRANSFER OF CUSTOMERS.

RESOURCES MANAGEMENT

FIGURE 34: USE CASE (RESOURCES MANAGEMENT)

BEA3 OWNER HANDLES THE BUSINESS RELATED RESOURCES IN THE SYSTEM THAT HAS SOMETHING TO DO WITH STOCKS AND FUND TRANSFERS. MANAGING RESOURCES INCLUDES MANAGING BANK ACCOUNT DETAILS OF THE SYSTEM. SEE FIGURE 35. THE BUSINESS OWNER IS ALSO RESPONSIBLE FOR UPLOADING OF PRODUCTS SUCH AS SCRATCH CARDS AND ITEM STOCKS. SEE FIGURE 39. VERIFICATION AND APPROVAL OF BANK TRANSFERS MADE BY THE CUSTOMER IS ALSO THE OWNER'S RESPONSIBILITY. SEE FIGURE 42.

BANK DETAILS MANAGEMENT

FIGURE 35: USE CASE (BANK DETAILS MANAGEMENT)

BEA3 OWNER MANAGES ALL BANK DETAILS IN THE SYSTEM. THE OWNER CAN ADD, EDIT AND DELETE BANK RECORDS IN THE SYSTEM. SEE FIGURES 36, 37 AND 38 RESPECTIVELY.

ADD BANK

FIGURE 36: ACTIVITY DIAGRAM (ADD BANK)

BANKS FOR CUSTOMER BANK TRANSFER CAN BE ADDED BY THE OWNER BY INPUTTING NECESSARY BANK DETAILS ON THE **ADD BANK** FORM. SEE **FIGURE 36**.

EDIT BANK

FIGURE 37: ACTIVITY DIAGRAM (EDIT BANK)

THE OWNER CAN EDIT BANK DETAILS BY CHOOSING A BANK TO EDIT AND CHANGING ANY OF ITS DETAILS. SEE **FIGURE 37**.

DELETE BANK

FIGURE 38: ACTIVITY DIAGRAM (DELETE BANK)

THE OWNER CAN DELETE BANK FROM THE **BEA3** SYSTEM BY CHOOSING THE BANK TO DELETE AND CONFIRMING BANK DELETION. SEE **FIGURE 38**.

PRODUCT UPLOADING

FIGURE 39: USE CASE (PRODUCT UPLOADING)

THE OWNER IS THE ONE RESPONSIBLE FOR UPLOADING PRODUCTS TO THE SYSTEM. THE OWNER CAN ADD ITEM STOCKS TO THE SYSTEM. SEE FIGURE 40. THE OWNER ALSO UPLOADS THE SCRATCH CARDS INTO THE SYSTEM. SEE FIGURE 41.

ITEM STOCK UPLOADING

FIGURE 40: ACTIVITY DIAGRAM (ITEM STOCK UPLOADING)

TO UPLOAD ITEM STOCKS, THE OWNER WILL CHOOSE WHICH ITEM THE STOCKS SHOULD BE ADDED. UPON SELECTING THE ITEM, THE OWNER WILL UPLOAD A TEXT FILE CONTAINING THE DATA OF ITEM STOCKS TO BE UPLOADED. THE SYSTEM WILL VERIFY THE INFORMATION FROM THE TEXT FILE AND UPLOAD IT TO THE SYSTEM UPON CONFIRMATION OF DATA VALIDITY. OTHERWISE AN ERROR MESSAGE WILL BE DISPLAYED AND NO ITEM STOCKS WILL BE UPLOADED. SEE FIGURE 38.

SCRATCH CARD UPLOADING

FIGURE 41: ACTIVITY DIAGRAM (SCRATCH CARD UPLOADING)

TO UPLOAD SCRATCH CARDS, THE OWNER WILL CHOOSE THE BATCH ID TO WHICH THE CARDS BELONG. UPON SELECTING THE BATCH ID, THE OWNER WILL UPLOAD A TEXT FILE CONTAINING THE DATA OF SCRATCH CARDS TO BE UPLOADED. THE SYSTEM WILL VERIFY THE INFORMATION FROM THE TEXT FILE AND UPLOAD IT TO THE SYSTEM UPON CONFIRMATION OF DATA VALIDITY. OTHERWISE AN ERROR MESSAGE WILL BE DISPLAYED AND NO SCRATCH CARDS WILL BE UPLOADED. SEE FIGURE 41.

BANK TRANSFER MANAGEMENT

FIGURE 42: ACTIVITY DIAGRAM (BANK TRANSFER MANAGEMENT)

THE BANK TRANSFER FORMS SUBMITTED BY THE CUSTOMER WILL THEN BE VERIFIED BY THE OWNER. UPON VERIFICATION, THE OWNER WILL EITHER APPROVE THE BANK TRANSFER OR REJECT IT. IN APPROVING BANK TRANSFERS, THE OWNER CAN SIMPLY APPROVE IT OR APPROVE IT WITH AN **SMS** CONFIRMATION. THIS WILL DEPEND UPON THE REQUEST OF THE CUSTOMER OR THE OWNER'S CHOICE IF HE/SHE THINKS IT IS NECESSARY TO CONFIRM WITH **SMS**. CUSTOMER'S ACCOUNT BALANCE WILL BE UPDATED UPON APPROVAL OF BANK TRANSFER. REJECTING BANK TRANSFERS ALSO FOLLOWS THE SAME PRINCIPLE. THE OWNER CAN SIMPLY REJECT THE BANK TRANSFER WITHOUT INFORMING THE CUSTOMER OR HE/SHE CAN SEND AN EMAIL TO THE CUSTOMER STATING THE REASON THE BANK TRANSFER HAS BEEN REJECTED. IN BOTH CASES, BANK TRANSFER STATUS WILL BE UPDATED. SEE FIGURE 42.

DATABASE CONTENT MANAGEMENT

FIGURE 43: USE CASE (DATABASE CONTENT MANAGEMENT)

THE ADMINISTRATION STAFF IS RESPONSIBLE FOR MANAGING THE DATABASE CONTENTS OF THE SYSTEM. THIS INCLUDES **FAQ MANAGEMENT**, SEE FIGURE 44, **NEWS MANAGEMENT**, SEE FIGURE 48, **CARD LOCATION MANAGEMENT**, SEE FIGURE 52, **ADVERTISEMENT MANAGEMENT**, SEE FIGURE 66, **PRODUCT CATEGORY MANAGEMENT**, SEE FIGURE 77. IN ADDITION TO THESE, THE ADMINISTRATION STAFF IS ALSO RESPONSIBLE FOR RESPONDING AND PROCESSING CUSTOMER COMPLAINTS. THE ADMINISTRATION STAFF MAY BE ASSIGNED BY THE OWNER TO ONE TO ALL OF THESE ADMINISTRATION STAFF OPTIONS.

FAQ MANAGEMENT

FIGURE 44: USE CASE (FAQ MANAGEMENT)

ADMINISTRATION STAFF WHO HAS BEEN GIVEN ACCESS RIGHTS TO FAQ MANAGEMENT CAN ADD, EDIT AND DELETE FAQ RECORDS DEPENDING ON THEIR ACCESS RIGHTS. SEE FIGURE 44.

ADD FAQ

FIGURE 45: ACTIVITY DIAGRAM (ADD FAQ)

THE ADMINISTRATION STAFF CAN ADD FAQ OR FREQUENTLY ASKED QUESTIONS AS A CONTENT OF THE BEA3 SYSTEM BY INPUTTING A QUESTION AND CORRESPONDING ANSWER. THE ADDED FAQ HAS A DEFAULT _ISACTIVE VALUE OF 1 AND CAN BE CHANGED TO 0 OR INACTIVE IN EDIT FAQ OPTION. SEE FIGURE 46.

EDIT FAQ

FIGURE 46: ACTIVITY DIAGRAM (EDIT FAQ)

THE ADMINISTRATION STAFF CAN EDIT FAQ DETAILS BY SELECTING AN FAQ TO EDIT AND MODIFYING ANY DETAILS IN THE EDIT FORM. SEE FIGURE 46.

DELETE FAQ

FIGURE 47: ACTIVITY DIAGRAM (DELETE FAQ)

THE ADMINISTRATION STAFF CAN DELETE AN FAQ BY SELECTING AN FAQ TO DELETE AND CONFIRMING THE DELETION OF THE SAID FAQ. SEE FIGURE 47.

NEWS MANAGEMENT

FIGURE 48: USE CASE (NEWS MANAGEMENT)

ADMINISTRATION STAFF WHO HAS BEEN GIVEN ACCESS RIGHTS TO NEWS MANAGEMENT CAN ADD, EDIT AND DELETE NEWS RECORDS DEPENDING ON THEIR ACCESS RIGHTS. SEE FIGURE 48.

ADD NEWS

FIGURE 49: ACTIVITY DIAGRAM (ADD NEWS)

THE ADMINISTRATION STAFF CAN ADD NEWS AS A CONTENT OF THE BEA3 SYSTEM BY INPUTTING A NEWS TITLE AND CORRESPONDING NEWS DETAILS. THE ADDED NEWS HAS A DEFAULT `_isActive` VALUE OF `1` AND CAN BE CHANGED TO `0` OR INACTIVE IN EDIT NEWS OPTION. SEE FIGURE 49.

EDIT NEWS

FIGURE 50: ACTIVITY DIAGRAM (EDIT NEWS)

THE ADMINISTRATION STAFF CAN EDIT NEWS DETAILS BY SELECTING A NEWS ITEM TO EDIT AND MODIFYING ANY DETAILS IN THE EDIT FORM. SEE FIGURE 50.

DELETE NEWS

FIGURE 51: ACTIVITY DIAGRAM (DELETE NEWS)

THE ADMINISTRATION STAFF CAN DELETE A NEWS ITEM BY SELECTING NEWS TO DELETE AND CONFIRMING THE DELETION OF THE SAID NEWS ITEM. SEE FIGURE 51.

CARD LOCATION MANAGEMENT

FIGURE 52: USE CASE (CARD LOCATION MANAGEMENT)

THE ADMINISTRATION STAFF IS RESPONSIBLE FOR MANAGING CARD LOCATIONS OF THE SCRATCH CARDS FOR BEA3 SYSTEM. THE LOCATION OF THE SCRATCH CARD IS FURTHER DIVIDED INTO ITS CITY, AREA AND FINALLY THE LOCATION. FIGURE 53 SHOWS CITY MANAGEMENT. FIGURE 57 SHOWS THE AREA MANAGEMENT AND FIGURE 61 THE LOCATION MANAGEMENT.

CITY MANAGEMENT

FIGURE 53: USE CASE (CITY MANAGEMENT)

ADMINISTRATION STAFF WHO HAS BEEN GIVEN ACCESS RIGHTS TO CITY MANAGEMENT CAN ADD, EDIT AND DELETE CITY RECORDS DEPENDING ON THEIR ACCESS RIGHTS. SEE FIGURE 53.

ADD CITY

FIGURE 54: ACTIVITY DIAGRAM (ADD CITY)

THE ADMINISTRATION STAFF CAN ADD CITY AS A CONTENT OF THE BEA3 SYSTEM BY SELECTING A COUNTRY TO WHICH THE CITY BELONGS AND ENTERING THE CITY NAME. SEE FIGURE 54.

EDIT CITY

FIGURE 55: ACTIVITY DIAGRAM (EDIT CITY)

THE ADMINISTRATION STAFF CAN EDIT CITY DETAILS BY SELECTING A CITY TO EDIT AND MODIFYING ANY DETAILS IN THE EDIT FORM. SEE FIGURE 55.

DELETE CITY

FIGURE 56: ACTIVITY DIAGRAM (DELETE CITY)

THE ADMINISTRATION STAFF CAN DELETE CITY BY SELECTING CITY TO DELETE AND CONFIRMING THE DELETION OF THE SAID CITY RECORD. SEE FIGURE 51. DELETING A CITY WILL AUTOMATICALLY DELETE THE AREA RECORD/S THAT BELONGS TO IT AND FURTHERMORE THE LOCATION RECORDS THAT BELONGS TO THE AREAS.

AREA MANAGEMENT

FIGURE 57: USE CASE (AREA MANAGEMENT)

ADMINISTRATION STAFF WHO HAS BEEN GIVEN ACCESS RIGHTS TO AREA MANAGEMENT CAN ADD, EDIT AND DELETE AREA RECORDS DEPENDING ON THEIR ACCESS RIGHTS. SEE FIGURE 57.

ADD AREA

FIGURE 58: ACTIVITY DIAGRAM (ADD AREA)

THE ADMINISTRATION STAFF CAN ADD AREA AS A CONTENT OF THE BEA3 SYSTEM BY SELECTING A CITY TO WHICH THE AREA BELONGS AND ENTERING THE AREA NAME. SEE FIGURE 58.

EDIT AREA

FIGURE 59: ACTIVITY DIAGRAM (EDIT AREA)

THE ADMINISTRATION STAFF CAN EDIT AREA DETAILS BY SELECTING AN AREA TO EDIT AND MODIFYING ANY DETAILS IN THE EDIT FORM. SEE FIGURE 59.

DELETE AREA

FIGURE 60: ACTIVITY DIAGRAM (DELETE AREA)

THE ADMINISTRATION STAFF CAN DELETE AN AREA BY SELECTING AN AREA TO DELETE AND CONFIRMING ITS DELETION. SEE FIGURE 60. DELETING AN AREA WILL AUTOMATICALLY DELETE THE LOCATION RECORD/S THAT BELONGS TO IT.

LOCATION MANAGEMENT

FIGURE 61: USE CASE (LOCATION MANAGEMENT)

ADMINISTRATION STAFF WHO HAS BEEN GIVEN ACCESS RIGHTS TO LOCATION MANAGEMENT CAN ADD, EDIT AND DELETE LOCATION RECORDS DEPENDING ON THEIR ACCESS RIGHTS. SEE FIGURE 61.

ADD LOCATION

FIGURE 62: ACTIVITY DIAGRAM (ADD LOCATION)

THE ADMINISTRATION STAFF CAN ADD AREA AS A CONTENT OF THE BEA3 SYSTEM BY SELECTING A CITY TO WHICH THE AREA BELONGS AND ENTERING THE AREA NAME. SEE FIGURE 58.

EDIT LOCATION

FIGURE 63: ACTIVITY DIAGRAM (EDIT LOCATION)

THE ADMINISTRATION STAFF CAN EDIT LOCATION DETAILS BY SELECTING A LOCATION TO EDIT AND MODIFYING ANY DETAILS IN THE EDIT FORM. SEE FIGURE 63.

DELETE LOCATION

FIGURE 64: ACTIVITY DIAGRAM (DELETE LOCATION)

THE ADMINISTRATION STAFF CAN DELETE AN AREA BY SELECTING AN AREA TO DELETE AND CONFIRMING ITS DELETION. SEE FIGURE 60. DELETING AN AREA WILL AUTOMATICALLY DELETE THE LOCATION RECORD/S THAT BELONGS TO IT.

CUSTOMER COMPLAINT MANAGEMENT

FIGURE 65: ACTIVITY DIAGRAM (CUSTOMER COMPLAINT MANAGEMENT)

THE SUPPORT TICKETS SUBMITTED BY THE CUSTOMERS ARE OPENED AND PROCESSED BY THE ADMIN STAFF. UPON OPENING A TICKET, THE SYSTEM WILL ASSIGN THE SAID TICKET TO THE ADMINISTRATION STAFF THAT OPENED IT AND IT WILL NOT BE VISIBLE TO OTHER ADMIN STAFFS ANYMORE. ONLY THE ASSIGNED ADMINISTRATION STAFF CAN REPLY AND PROCESS THE TICKET. AFTER ENTERING THE ADMIN STAFF'S REPLY AND CHANGING STATUS IF NECESSARY, IT WILL BE STORED IN THE BEA3 DATABASE AND THE CUSTOMER CAN SEE THE ADMIN STAFFS REPLY WHEN HE/SHE OPENS THE SAID TICKET RECORD IN HIS/HER TICKET LIST. SEE FIGURE 17.

PRODUCT CATEGORY MANAGEMENT

FIGURE 66: USE CASE (PRODUCT CATEGORY MANAGEMENT)

THE ADMINISTRATION STAFF IS RESPONSIBLE FOR MANAGING PRODUCT CATEGORIES IN BEA3 SYSTEM. THE PRODUCT CATEGORY REFERS TO THE ITEM CATEGORY AND THE ITEM ITSELF. FIGURE 67 SHOWS ITEM CATEGORY MANAGEMENT AND FIGURE 72 SHOWS THE ITEM MANAGEMENT.

ITEM CATEGORY MANAGEMENT

FIGURE 67: USE CASE (ITEM CATEGORY MANAGEMENT)

ADMINISTRATION STAFF WHO HAS BEEN GIVEN ACCESS RIGHTS TO ITEM CATEGORY MANAGEMENT CAN ADD, EDIT AND DELETE ITEM CATEGORIES DEPENDING ON THEIR ACCESS RIGHTS. SEE FIGURE 67.

ADD ITEM CATEGORY

FIGURE 68: ACTIVITY DIAGRAM (ADD ITEM CATEGORY)

THE ADMINISTRATION STAFF CAN ADD ITEM CATEGORY BY FIRST SELECTING A CATEGORY TO WHICH THE NEW CATEGORY BELONGS AND ENTERING THE NECESSARY CATEGORY DETAILS LIKE CATEGORY NAME. SEE FIGURE 68. A NEW CATEGORY ADDED IS SET AS AN ACTIVE CATEGORY WHICH CAN BE DEACTIVATED IN EDIT ITEM CATEGORY. SEE FIGURE 69.

EDIT ITEM CATEGORY

FIGURE 69: ACTIVITY DIAGRAM (EDIT ITEM CATEGORY)

THE ADMINISTRATION STAFF CAN EDIT ITEM CATEGORY DETAILS BY SELECTING AN ITEM CATEGORY TO EDIT AND MODIFYING ANY DETAILS IN THE EDIT FORM. SEE FIGURE 69.

DELETE ITEM CATEGORY

FIGURE 70: ACTIVITY DIAGRAM (DELETE ITEM CATEGORY)

THE ADMINISTRATION STAFF CAN DELETE AN ITEM CATEGORY BY SELECTING AN ITEM CATEGORY TO DELETE AND CONFIRMING ITS DELETION. SEE FIGURE 70. DELETING AN ITEM CATEGORY WILL AUTOMATICALLY DELETE THE ITEM CATEGORIES, ITEMS AS WELL AS THE ITEM CATEGORY ADVERTISEMENTS THAT BELONG TO IT.

DISPLAY ITEM CATEGORY UNDER OTHER ITEM CATEGORY

FIGURE 71: ACTIVITY DIAGRAM (DISPLAY ITEM CATEGORY UNDER OTHER ITEM CATEGORY)

AN ITEM CATEGORY BELONGS TO OR IS UNDER ONLY ONE ITEM CATEGORY KNOWN AS ITS PARENT ITEM CATEGORY BUT IT CAN BE DISPLAYED ON OTHER CATEGORIES AS WELL AS A SUB CATEGORY. TO DO THIS, THE ADMINISTRATION STAFF CHOOSES THE ITEM CATEGORY TO BE DISPLAYED IN OTHER ITEM CATEGORY AND CHOOSE AN ITEM CATEGORY IN WHICH THE SELECTED ITEM CATEGORY CAN BE VIEWED APART FROM ITS PARENT ITEM CATEGORY.

ITEM MANAGEMENT

FIGURE 72: USE CASE (ITEM MANAGEMENT)

ADMINISTRATION STAFF WHO HAS BEEN GIVEN ACCESS RIGHTS TO ITEM CATEGORY MANAGEMENT CAN ADD, EDIT AND DELETE ITEM CATEGORIES DEPENDING ON THEIR ACCESS RIGHTS. SEE FIGURE 72.

ADD ITEM

FIGURE 73: ACTIVITY DIAGRAM (ADD ITEM)

THE ADMINISTRATION STAFF CAN ADD ITEM BY SELECTING A CATEGORY TO WHICH THE ITEM BELONGS AND ENTERING THE NECESSARY ITEM DETAILS LIKE ITEM NAME, ITEM COST, ITEM SELLING PRICE, ITEM RESELLER PRICE, AND AT LEAST ONE HEADER INFORMATION. SEE FIGURE 73. AN ITEM IS SET AS AN ACTIVE ITEM UPON ITS ADDITION AND IT CAN BE DEACTIVATED ON EDIT ITEM. SEE FIGURE 74.

EDIT ITEM

FIGURE 74: ACTIVITY DIAGRAM (EDIT ITEM)

THE ADMINISTRATION STAFF CAN EDIT ITEM CATEGORY DETAILS BY SELECTING AN ITEM CATEGORY TO EDIT AND MODIFYING ANY DETAILS IN THE EDIT FORM. SEE FIGURE 74.

DELETE ITEM

FIGURE 75: ACTIVITY DIAGRAM (DELETE ITEM)

THE ADMINISTRATION STAFF CAN DELETE AN ITEM BY SELECTING AN ITEM TO DELETE AND CONFIRMING ITS DELETION. SEE FIGURE 75. DELETING AN ITEM WILL AUTOMATICALLY DELETE THE STOCKS OF THE ITEM BEING DELETED.

DISPLAY ITEM UNDER OTHER ITEM CATEGORY

FIGURE 76: ACTIVITY DIAGRAM (DISPLAY ITEM UNDER OTHER ITEM CATEGORY)

AN ITEM BELONGS TO OR IS UNDER ONLY ONE ITEM CATEGORY BUT IT CAN BE DISPLAYED ON OTHER CATEGORIES AS WELL. TO DO THIS, THE ADMINISTRATION STAFF CHOOSES THE ITEM TO BE DISPLAYED UNDER OTHER ITEM CATEGORY AND CHOOSE AN ITEM CATEGORY IN WHICH THE SELECTED ITEM CAN BE VIEWED APART FROM ITS PARENT ITEM CATEGORY.

ADVERTISEMENT MANAGEMENT

FIGURE 77: USE CASE (ADVERTISEMENT MANAGEMENT)

THE ADMINISTRATION STAFF IS RESPONSIBLE FOR MANAGING ADVERTISEMENTS IN BEA3 SYSTEM. THE ADVERTISEMENTS ARE IMAGES REPRESENTING AN ADVERTISEMENT. ADVERTISEMENT CAN EITHER BE A CATEGORY ADVERTISEMENT OR AN ADVERTISEMENT OF A CERTAIN ITEM CATEGORY BEING SOLD IN THE BEA3 WEBSITE. CATEGORY ADVERTISEMENTS ARE DISPLAYED ON THE RIGHT PANEL OF THE WEBSITE. SEE FIGURE 78. OR IT CAN BE A GENERAL ADVERTISEMENT WHICH WILL BE DISPLAYED ON THE HOME PAGE. SEE FIGURE 82.

CATEGORY ADVERTISEMENT MANAGEMENT

FIGURE 78: USE CASE (CATEGORY ADVERTISEMENT MANAGEMENT)

ADMINISTRATION STAFF WHO HAS BEEN GIVEN ACCESS RIGHTS TO CATEGORY ADVERTISEMENT MANAGEMENT CAN ADD, EDIT AND DELETE CATEGORY ADVERTISEMENTS DEPENDING ON THEIR ACCESS RIGHTS. SEE FIGURE 78.

ADD CATEGORY ADVERTISEMENT

FIGURE 79: ACTIVITY DIAGRAM (ADD CATEGORY ADVERTISEMENT)

THE ADMINISTRATION STAFF CAN ADD CATEGORY ADVERTISEMENT BY SELECTING A CATEGORY TO WHICH THE ADVERTISEMENT BELONGS AND ENTERING THE NECESSARY ADVERTISEMENT DETAILS LIKE ADVERTISEMENT IMAGE, ADVERTISEMENT URL AND/OR ADVERTISEMENT DISPLAY ORDER. SEE FIGURE 79. AN ADVERTISEMENT IS SET AS AN ACTIVE ADVERTISEMENT UPON ITS ADDITION AND IT CAN BE DEACTIVATED ON EDIT CATEGORY ADVERTISEMENT. SEE FIGURE 80.

EDIT CATEGORY ADVERTISEMENT

FIGURE 80: ACTIVITY DIAGRAM (EDIT CATEGORY ADVERTISEMENT)

THE ADMINISTRATION STAFF CAN EDIT CATEGORY ADVERTISEMENT DETAILS BY SELECTING A CATEGORY ADVERTISEMENT TO EDIT AND MODIFYING ANY DETAILS IN THE EDIT FORM. SEE FIGURE 80.

DELETE CATEGORY ADVERTISEMENT

FIGURE 80: ACTIVITY DIAGRAM (DELETE CATEGORY ADVERTISEMENT)

THE ADMINISTRATION STAFF CAN DELETE A CATEGORY ADVERTISEMENT BY SELECTING A CATEGORY ADVERTISEMENT TO DELETE AND CONFIRMING ITS DELETION. SEE FIGURE 81.

HOME ADVERTISEMENT MANAGEMENT

FIGURE 82: USE CASE (HOME ADVERTISEMENT MANAGEMENT)

ADMINISTRATION STAFF WHO HAS BEEN GIVEN ACCESS RIGHTS TO HOME ADVERTISEMENT MANAGEMENT CAN ADD, EDIT AND DELETE HOME ADVERTISEMENTS DEPENDING ON THEIR ACCESS RIGHTS. SEE FIGURE 82.

ADD HOME ADVERTISEMENT

FIGURE 83: ACTIVITY DIAGRAM (ADD HOME ADVERTISEMENT)

THE ADMINISTRATION STAFF CAN ADD HOME ADVERTISEMENT ENTERING THE NECESSARY ADVERTISEMENT DETAILS LIKE ADVERTISEMENT IMAGE, ADVERTISEMENT URL AND/OR ADVERTISEMENT DISPLAY ORDER. SEE FIGURE 83. AN ADVERTISEMENT IS SET AS AN ACTIVE ADVERTISEMENT UPON ITS ADDITION AND IT CAN BE DEACTIVATED ON EDIT CATEGORY ADVERTISEMENT. SEE FIGURE 84.

EDIT HOME ADVERTISEMENT

FIGURE 84: ACTIVITY DIAGRAM (EDIT HOME ADVERTISEMENT)

THE ADMINISTRATION STAFF CAN EDIT HOME ADVERTISEMENT DETAILS BY SELECTING A HOME ADVERTISEMENT TO EDIT AND MODIFYING ANY DETAILS IN THE EDIT FORM. SEE FIGURE 84.

DELETE HOME ADVERTISEMENT

FIGURE 85: ACTIVITY DIAGRAM (DELETE HOME ADVERTISEMENT)

THE ADMINISTRATION STAFF CAN DELETE A HOME ADVERTISEMENT BY SELECTING A HOME ADVERTISEMENT TO DELETE AND CONFIRMING ITS DELETION. SEE FIGURE 85.

ITEM INFORMATION VIEWING

FIGURE 86: USE CASE (ITEM INFORMATION VIEWING)

THE VENDOR FOCUSES ON VIEWING ITEM INFORMATION OF ITEM CATEGORY HE/SHE IS CONNECTED TO. THE VENDOR'S ROLE INCLUDES SALES VIEWING, SIMILAR TO THE OWNER'S SPECIFIC ITEM SALES VIEWING, SEE FIGURE 28 EXCEPT THAT THE VENDOR CAN ONLY VIEW ITEMS HE/SHE IS CONNECTED TO. SEE FIGURE 87. THE VENDOR CAN ALSO VIEW STOCKS IN HAND OF ITEMS CONNECTED TO HIM/HER. THE SYSTEM WILL DISPLAY THE STOCKS OF THE ITEM CONNECTED TO THE VENDOR. AND THE VENDOR CAN MANAGE ITEM DESCRIPTION OR EDIT DISCOUNT INFORMATION OR PROMOTIONS OF ITEMS CONNECTED TO HIM/HER. SEE FIGURE 88.

SALES VIEWING

FIGURE 87: ACTIVITY DIAGRAM (SALES VIEWING)

THE VENDOR SELECTS A DATE RANGE DEPENDING ON HIS/HER DATE RANGE PREFERENCE AND/OR SPECIFIC ITEM TO INCLUDE IN THE REPORT GENERATION. CORRESPONDING RESULTS WILL BE DISPLAYED BY THE SYSTEM.

ITEM DESCRIPTION MANAGEMENT

FIGURE 88: ACTIVITY DIAGRAM (ITEM DESCRIPTION MANAGEMENT)

A VENDOR IS ALLOWED TO MANAGE ITEM DESCRIPTION AND DISCOUNT INFO OF ITEM/S ASSIGNED TO A VENDOR. THE VENDOR CHOOSES AN ITEM AND MODIFIES THE DESCRIPTION AND/OR DISCOUNT INFO IN THE VENDOR ITEM EDIT FORM.

ACCOUNT MANAGEMENT

FIGURE 89: USE CASE (ACCOUNT MANAGEMENT)

THE ADMINISTRATOR CREATES AND MANAGES ALL THE ACCOUNTS THAT USES BEA3 SYSTEM. SEE FIGURE 90. ALL TYPES OF USERS CAN BE MANUALLY ADDED BY THE SYSTEM ADMINISTRATOR. SEE FIGURE 91. THE ADMINISTRATOR CAN ALSO CREATE DATABASE BACKUP MANUALLY BY TRIGGERING THE DATABASE BACKUP FUNCTION.

USER MANAGEMENT

FIGURE 90: USE CASE DIAGRAM (USER MANAGEMENT)

THE SYSTEM ADMINISTRATOR CAN ADD, EDIT AND DELETE ALL TYPES OF USERS. SEE FIGURE 90.

ADD USER

FIGURE 91: ACTIVITY DIAGRAM (ADD USER)

THE SYSTEM ADMINISTRATOR CAN ADD A USER BY PROVIDING NECESSARY INFORMATION DEPENDING ON THE USER TYPE TO THE ADD USER FORM. SEE FIGURE 91.

EDIT USER

FIGURE 92: ACTIVITY DIAGRAM (EDIT USER)

THE SYSTEM ADMINISTRATOR CAN MODIFY USER DETAILS INCLUDING THEIR ACTIVITY STATUS BY SELECTING A USER AND CHANGING EDITABLE DETAILS. SEE FIGURE 92.

DELETE USER

FIGURE 93: ACTIVITY DIAGRAM (DELETE USER)

THE SYSTEM ADMINISTRATOR CAN DELETE USERS BY SELECTING A USER AND SIMPLY CONFIRMING THE DELETE FUNCTION. SEE FIGURE 93.

B. ENTITY RELATIONSHIP DIAGRAM

FIGURE 94: BEA3 ENTITY RELATIONSHIP DIAGRAM

FIGURE 94 SHOWS AN ENTITY RELATIONSHIP DIAGRAM OF THE WHOLE BEA3 SYSTEM. A CUSTOMER CAN HAVE ZERO OR MANY CASHU TRANSACTIONS AND EACH CASHU TRANSACTION BELONGS TO EXACTLY ONE CUSTOMER. A CUSTOMER CAN ALSO HAVE ZERO OR MANY CARD PURCHASES AND A CARD CAN BELONG TO ZERO OR ONE CUSTOMER ONLY. EACH CARD BELONGS TO ONE CARD BATCH AND A CARD BATCH CAN HAVE ZERO OR MANY CARDS. FURTHERMORE, THE CUSTOMER CAN HAVE ZERO OR MANY BANK TRANSFERS AND A CERTAIN BANK TRANSFER COULD ONLY BE DONE BY ONE CUSTOMER. A BANK TRANSFER IS REGISTERED IN EXACTLY ONE BANK AND A BANK CAN HAVE ZERO OR MANY BANK TRANSFERS REGISTERED TO IT. A CUSTOMER CAN HAVE ZERO OR MANY ITEM PURCHASES AND EACH PURCHASE BELONGS TO ONLY ONE CUSTOMER. A CUSTOMER CAN ALSO REGISTER ZERO TO MANY SUPPORT TICKETS. EACH SUPPORT TICKET BELONGS TO ONLY ONE CUSTOMER. MOREOVER, EACH SUPPORT TICKET REQUEST HAS ONLY ONE TICKET ISSUE AND ONLY ONE TICKET STATUS.

TICKET ISSUE AND TICKET STATUS CAN BE USED BY ZERO TO MANY TICKET REQUESTS. A TICKET REQUEST CAN HAVE ONE OR MANY TICKET RESPONSES AND A TICKET RESPONSE BEONGS TO ONLY ONE TICKET REQUEST. A TICKET REQUEST IS ASSIGNED TO ONLY ONE ADMINISTRATION STAFF AND AN ADMINISTRATION STAFF CAN BE ASSIGNED TO ZERO OR MANY CUSTOMER TICKET REQUESTS. BANK TRANSFERS IS ALSO ASSIGNED TO ONLY ONE OWNER AND EACH OWNER CAN BE ASSIGNED TO ZERO OR MANY BANK TRANSFERS. AN ADMINISTRATION STAFF CAN HAVE ZERO TO MANY RIGHTS ASSIGNED TO HIM/HER. EACH ADMIN RIGHT RECORD CAN ONLY HAVE ONE ADMINISTRATION STAFF AND ONE ADMINISTRATION STAFF OPTION. AN ADMIN OPTION CAN BE ADDED TO THE ADMINISTRATION STAFF RIGHTS TABLE ZERO OR MANY TIMES. A PURCHASE MADE BY THE CUSTOMER REPRESENTS EXACTLY ONE STOCK AND A CERTAIN STOCK CAN BE PURCHASED ZERO OR ONCE ONLY. EACH STOCK BELONGS TO EXACTLY ONE ITEM AND AN ITEM CAN HAVE ZERO OR MANY STOCKS. A STOCK CAN HAVE 0 OR ONE VGENDOR AND A VENDOR CAN HAVE 0 OR MANY STOCKS. AN ITEM BELONGS TO ONLY ONE CATEGORY AND A CATEGORY CAN HAVE ZERO OR MANY ITEMS. FURTHERMORE, AN ITEM AND A CATEGGORY CAN HAVE ZERO OR MORE ITEM VIEWS OR CATEGORIES IN WHICH AN ITEM IS VISIBLE FOR DISPLAY, AND A CERTAIN ITEM VIEW DATA BELONGS TO ONLY ONE ITEM AND ONLY ONE CATEGORY. A CATEGORY CAN HAVE ZERO OR MORE CATEGORY VIEWS OR CATEGORIES IN WHICH A CATEGORY CAN BE VIEWED AS A SUB CATEGORY, AND A CERTAIN CATEGORY VIEW BELONGS TO ONLY ONE CATEGORY. A CATEGORY CAN HAVE ZERO OR MANY ADVERTISEMENTS BUT A CERTAIN ADVERTISEMENT BELNGS TO ONLY ONE ITEM CATEGORY. A CATEGORY HAS ZERO OR ONE VENDOR ASSIGNED TO IT AND A VENDOR CAN ONLY BE ASSIGNED TO EXACTLY ONE CATEGORY. CARD LOCATION BELONGS TO EXACTLY ONE AREA AND AN AREA CAN HAVE ZERO OR MANY CARD LOCATIONS. AN AREA BELONGS TO ONLY ONE CITY AND A CITY CAN HAVE ZERO OR MANY AREAS. A CITY BELONGS TO ONLY ONE COUNTRY AND A COUNTRY CAN HAVE ZERO OR MANY CITES.

DATA DICTIONARY

THE DATABASE SCHEMA FOR BEA3-ALMALKI ELECTRONIC BASKET CONTAINS THE FOLLOWING TABLES AND THEIR RESPECTIVE FIELDS:

THE *CUSTOMER* TABLE CONTAINS ACCOUNT INFORMATION OF THE CUSTOMERS.

FIELD	DESCRIPTION	TYPE
CUSTOMER_ID	UNIQUE IDENTIFIER OF THE CUSTOMER.	INT(10) NOT NULL (PK)
TITLE	CUSTOMER'S TITLE	VARCHAR (25)
CUSTOMER_FIRSTNAME	CUSTOMER'S FIRST NAME	VARCHAR(255)
CUSTOMER_MIDDLENAME	CUSTOMER'S MIDDLE NAME	VARCHAR(255)
CUSTOMER_LASTNAME	CUSTOMER'S LAST NAME	VARCHAR(255)
CUSTOMER_EMAIL	CUSTOMER'S EMAIL ADDRESS	VARCHAR(500) NOT NULL
CUSTOMER_PASSWORD	CUSTOMER'S PASSWORD (ENCRYPTED)	VARCHAR(255) NOT NULL
CUSTOMER_ALTEMAIL	CUSTOMER'S ALTERNATE EMAIL ADDRESS	VARCHAR(500)
CUSTOMER_GENDER	CUSTOMER'S GENDER	ENUM('MALE','FEMALE')
CUSTOMER_BIRTHDAY	CUSTOMER'S DATE OF BIRTH	DATE
CUSTOMER_MOBILENUM	CUSTOMER'S MOBILE NUMBER	VARCHAR(15) NOT NULL
CUSTOMER_PHONENUM	CUSTOMER'S PHONE NUMBER	VARCHAR(15)
COUNTRY_ID	ID OF COUNTRIES (FK: REFERENCES COUNTRY TABLE)	INT(5)
CITY	CUSTOMER'S CITY	VARCHAR(255)
NATIONALITY	CUSTOMER'S NATIONALITY	VARCHAR(255)
CUSTOMER_ISACTIVE	TELLS WHETHER THE CUSTOMER IS ACTIVE (1) OR INACTIVE (0).	TINYINT(1) NOT NULL DEFAULT 1
CUSTOMER_BALANCE	CUSTOMER'S ACCOUNT BALANCE	FLOAT NOT NULL
CUSTOMER_TYPE	A CUSTOMER CAN EITHER BE A RESELLER (1) OR AN ORDINARY CUSTOMER (0).	TINYINT(1) NOT NULL DEFAULT 0
CUSTOMER_LANGUAGE	CUSTOMER'S PREFERRED LANGUAGE.	ENUM('EN', 'AE') NOT NULL DEFAULT 'EN'

TABLE 2: CUSTOMER TABLE

THE *CUSTOMER_TEMP* TABLE CONTAINS ACCOUNT INFORMATION OF THE NEWLY REGISTERED CUSTOMERS WHO HASN'T PROVID THEIR PASSCODES YET.

FIELD	DESCRIPTION	TYPE
-------	-------------	------

CUSTOMER_ID	UNIQUE IDENTIFIER OF THE CUSTOMER.	INT(10) NOT NULL (PK)
TITLE	CUSTOMER'S TITLE	VARCHAR(25) NOT NULL
CUSTOMER_FIRSTNAME	CUSTOMER'S FIRST NAME	VARCHAR(255) NOT NULL
CUSTOMER_MIDDLENAME	CUSTOMER'S MIDDLE NAME	VARCHAR(255)
CUSTOMER_LASTNAME	CUSTOMER'S LAST NAME	VARCHAR(255) NOT NULL
CUSTOMER_EMAIL	CUSTOMER'S EMAIL ADDRESS	VARCHAR(500) NOT NULL
CUSTOMER_PASSWORD	CUSTOMER'S PASSWORD (ENCRYPTED)	VARCHAR(255) NOT NULL
CUSTOMER_ALTEMAIL	CUSTOMER'S ALTERNATE EMAIL ADDRESS	VARCHAR(500) NOT NULL
CUSTOMER_GENDER	CUSTOMER'S GENDER	ENUM('MALE','FEMALE') NOT NULL
CUSTOMER_BIRTHDAY	CUSTOMER'S DATE OF BIRTH	DATE
CUSTOMER_MOBILENUM	CUSTOMER'S MOBILE NUMBER	VARCHAR(15) NOT NULL
CUSTOMER_PHONENUM	CUSTOMER'S PHONE NUMBER	VARCHAR(15)
COUNTRY_ID	ID OF COUNTRIES (FK: REFERENCES COUNTRY TABLE)	INT(5) NOT NULL
CITY	CUSTOMER'S CITY	VARCHAR(255)
NATIONALITY	CUSTOMER'S NATIONALITY	VARCHAR(255)
CUSTOMER_TYPE	A CUSTOMER CAN EITHER BE A RESELLER (1) OR AN ORDINARY CUSTOMER (0).	TINYINT(1) NOT NULL DEFAULT 0
CUSTOMER_PASSCODE	A 5 DIGIT AUTO GENERATED PASSCODE FOR THE CUSTOMER'S LOGIN VERIFICATION.	VARCHAR(25) NOT NULL
CUSTOMER_PASSCODETRY	NUMBER OF TIMES THE CUSTOMER HAS REQUESTED NEW PASSCODE.	INT(3) NOT NULL DEFAULT 0
CUSTOMER_LANGUAGE	CUSTOMER'S PREFERRED LANGUAGE.	ENUM('EN','AE') NOT NULL DEFAULT 'EN'

TABLE 3: CUSTOMER_TEMP TABLE

THE *ADMIN_USER* TABLE CONTAINS ACCOUNT INFORMATION OF LIMITED ADMIN STAFFS, SUPER ADMIN STAFFS, BEA3 OWNER AND SYSTEM ADMINISTRATOR.

FIELD	DESCRIPTION	TYPE
ADMIN_ID	UNIQUE IDENTIFIER OF THE CUSTOMER.	INT(10) NOT NULL (PK)
ADMIN_FIRSTNAME	ADMINISTRATOR'S FIRST NAME	VARCHAR(255)
ADMIN_LASTNAME	ADMINISTRATOR'S LAST NAME	VARCHAR(255)

ADMIN_MOBILENUM	ADMINISTRATOR'S MOBILE NUMBER	VARCHAR(15)
ADMIN_PHONENUM	ADMINISTRATOR'S PHONE NUMBER	VARCHAR(15)
ADMIN_ADDRESS	ADMINISTRATOR'S ADDRESS	VARCHAR(255)
ADMIN_EMAIL	ADMINISTRATOR'S EMAIL ADDRESS	VARCHAR(500) NOT NULL
ADMIN_USERNAME	ADMINISTRATOR'S USERNAME	VARCHAR(50) NOT NULL
ADMIN_PASSWORD	ADMINISTRATOR'S PASSWORD (ENCRYPTED)	VARCHAR(50) NOT NULL
ADMIN_TYPE	A NUMBER THAT SPECIFIES THE TYPE OF ADMINISTRATOR. LIMITED ADMINISTRATION STAFF (0), SUPER ADMIN STAFF(1), BEA3 OWNER (2) OR SYSTEM ADMIN (3)	INT(3) NOT NULL DEFAULT 0
ADMIN_ISACTIVE	TELLS WHETHER THE ADMIN IS ACTIVE (1) OR INACTIVE (0).	TINYINT(1) NOT NULL DEFAULT 1
ADMIN_COMPLETED	VERIFIES THAT THE ADMINISTRATOR/STAFF HAS COMPLETED HIS/HER PROFILE	TINYINT(1) NOT NULL DEFAULT 0
ADMIN_IQAMAId	OFFICIAL IDENTITY DEPICTING AN INDIVIDUAL AS A RESIDENT OF THE KINGDOM	VARCHAR(255) NOT NULL

TABLE 4: ADMIN_USER TABLE

THE VENDOR TABLE CONTAINS ACCOUNT INFORMATION OF VENDOR USERS.

FIELD	DESCRIPTION	TYPE
VENDOR_ID	UNIQUE IDENTIFIER OF THE VENDOR.	INT(10) NOT NULL (PK)
CATEGORY_ID	CATEGORY ID OF CATEGORY ASSIGNED TO THE VENDOR (FK: REFERENCES CATEGORY TABLE)	INT(10) NOT NULL
VENDOR_FIRSTNAME	FIRST NAME OF THE VENDOR	VARCHAR(255)
VENDOR_LASTNAME	LAST NAME OF THE VENDOR	VARCHAR(255)
VENDOR_EMAIL	EMAIL ADDRESS OF THE VENDOR.	VARCHAR(255) NOT NULL
VENDOR_PASSWORD	PASSWORD OF THE VENDOR (ENCRYPTED)	VARCHAR(255) NOT NULL
VENDOR_MOBILENUM	VENDOR'S MOBILE NUMBER	VARCHAR(15)
VENDOR_PHONENUM	VENDOR'S PHONE NUMBER	VARCHAR(15)
VENDOR_ISACTIVE	TELLS WHETHER THE VENDOR IS ACTIVE (1) OR INACTIVE (0).	TINYINT(1) NOT NULL DEFAULT 1
VENDOR_USERNAME	USER NAME OF THE VENDOR TO LOGIN	VARCHAR(50) NOT NULL
VENDOR_IQAMAId	OFFICIAL IDENTITY DEPICTING AN INDIVIDUAL AS A RESIDENT OF THE	VARCHAR(255) NOT NULL

	KINGDOM	
VENDOR_COMPANY	COMPANY NAME OF THE VENDOR IN ENGLISH.	VARCHAR(255)
VENDOR_COMPANY_ARA	COMPANY NAME OF THE VENDOR IN ARABIC.	VARCHAR (255)
TITLE	VENDOR'S TITLE	VARCHAR (25)
VENDOR_ADDRESS	ADDRESS OF THE VENDOR	VARCHAR (255)

TABLE 5: VENDOR TABLE

THE *CATEGORY* TABLE CONTAINS INFORMATION ABOUT CATEGORIES AND SUB-CATEGORIES.

FIELD	DESCRIPTION	TYPE
CATEGORY_ID	UNIQUE IDENTIFIER OF THE CATEGORY.	INT(10) NOT NULL (PK)
CATEGORY_NAME	CATEGORY'S ENGLISH NAME	VARCHAR(255) NOT NULL
CATEGORY_NAME_ARA	CATEGORY'S ARABIC NAME	VARCHAR(255) NOT NULL
CATEGORY_DESCRIPTION	DESCRIPTION OF CATEGORY IN ENGLISH	TEXT
CATEGORY_DESCRIPTION_ARA	DESCRIPTION OF CATEGORY IN ARABIC	TEXT
CATEGORY_PARENTID	PARENT CATEGORY OF A SUB CATEGORY.	INT (10) NOT NULL
CATEGORY_DISCOUNTINFO	DISCOUNT INFORMATION OF A CATEGORY IN ENGLISH	TEXT
CATEGORY_DISCOUNTINFO_ARA	DISCOUNT INFORMATION OF A CATEGORY IN ARABIC	TEXT
CATEGORY_IMAGE	IMAGE OF CATEGORY IN ENGLISH	VARCHAR(255)
CATEGORY_IMAGE_ARA	IMAGE OF CATEGORY IN ARABIC	VARCHAR(255)
CATEGORY_ISACTIVE	DETERMINES WHETHER A CATEGORY IS ACTIVE (1) OR NOT (0).	TINYINT(1) NOT NULL DEFAULT 1
CATEGORY_LINK	CATEGORY LINK IN ENGLISH	VARCHAR(500)
CATEGORY_LINK_ARA	CATEGORY LINK IN ARABIC	VARCHAR(500)

TABLE 6: CATEGORY TABLE

THE *CATEGORY_VIEW* TABLE CONTAINS INFORMATION ABOUT CATEGORIES AND WHERE A SUBCATEGORY MAY BE VIEWED.

FIELD	DESCRIPTION	TYPE
<u>CATEGORYVIEW_ID</u>	UNIQUE IDENTIFIER OF THE CATEGORY VIEW.	INT(10) NOT NULL (PK)
<u>CATEGORY_ID_MAIN</u>	CATEGORY ID TO WHICH A CATEGORY CAN BE VIEWED ASIDE FROM ITS PARENT CATEGORY. (FK: REFERENCES CATEGORY TABLE)	INT(10) NOT NULL (PK)
<u>CATEGORY_ID_CHILD</u>	CATEGORY ID OF A SUB-CATEGORY THAT IS VIEWABLE IN ANOTHER CATEGORY ASIDE FROM ITS PARENT CATEGORY. (FK: REFERENCES CATEGORY TABLE)	INT(10) NOT NULL (PK)

TABLE 7: CATEGORY_VIEW TABLE

THE ITEM TABLE CONTAINS INFORMATION ABOUT ITEMS.

FIELD	DESCRIPTION	TYPE
<u>ITEM_ID</u>	UNIQUE IDENTIFIER OF THE ITEM.	INT(10) NOT NULL (PK)
<u>ITEM_NAME</u>	NAME OF THE ITEM IN ENGLISH	VARCHAR(255) NOT NULL
<u>ITEM_NAME_ARA</u>	NAME OF THE ITEM IN ARABIC	VARCHAR(255) NOT NULL
<u>ITEM_DESCRIPTION</u>	DESCRIPTION OF THE ITEM IN ENGLISH	TEXT
<u>ITEM_DESCRIPTION_ARA</u>	DESCRIPTION OF THE ITEM IN ARABIC	TEXT
<u>ITEM_IMAGE</u>	ITEM'S IMAGE IN ENGLISH	VARCHAR(255) NOT NULL
<u>ITEM_IMAGE_ARA</u>	ITEM'S IMAGE IN ARABIC	VARCHAR(255) NOT NULL
<u>CATEGORY_ID</u>	ID OF THE CATEGORY IT BELONGS TO (FK: REFERENCES CATEGORY TABLE)	INT (10) NOT NULL
<u>ITEM_LINK</u>	ITEM'S ENGLISH LINK	VARCHAR(500) NOT NULL
<u>ITEM_LINK_ARA</u>	ITEM'S ARABIC LINK	VARCHAR(500) NOT NULL
<u>ITEM_COST</u>	COST OF ITEM	FLOAT NOT NULL
<u>ITEM_SELLINGPRICE</u>	ITEM'S CUSTOMER SELLING PRICE	FLOAT NOT NULL
<u>ITEM_RESELLERPRICE</u>	ITEM'S RESELLER SELLING PRICE	FLOAT NOT NULL
<u>ITEM_ISACTIVE</u>	DETERMINES WHETHER AN ITEM IS ACTIVE (1) OR NOT (0).	TINYINT (1) NOT NULL DEFAULT 1
<u>ITEM_STOCKSTATUS</u>	DETERMINES WHETHER AN ITEM IS DECLARED AS WITH STOCK (1) OR NOT (0).	TINYINT (1) NOT NULL
<u>ITEM_STOCKLEVEL</u>	STOCK NUMBER AT WHICH AN ITEM IS CONSIDERED TO BE AT A	INT (10) NOT NULL DEFAULT 0

	CRITICAL LEVEL.	
ITEM_INFO1	HEADER OR TITLE OF INFORMATION 1	VARCHAR (50) NOT NULL
ITEM_INFO2	HEADER OR TITLE OF INFORMATION 2	VARCHAR (50)
ITEM_INFO3	HEADER OR TITLE OF INFORMATION 3	VARCHAR (50)
ITEM_INFO4	HEADER OR TITLE OF INFORMATION 4	VARCHAR (50)
ITEM_INFO5	HEADER OR TITLE OF INFORMATION 5	VARCHAR (50)

TABLE 8: ITEM TABLE

THE *ITEM_VIEW* TABLE CONTAINS INFORMATION ABOUT ITEMS AND CATEGORIES WHERE THEY MAY BE VIEWED ASIDE FROM THE CATEGORY THEY BELONG TO.

FIELD	DESCRIPTION	TYPE
<u>ITEMVIEW_ID</u>	UNIQUE IDENTIFIER OF THE ITEM VIEW.	INT(10) NOT NULL (PK)
<u>CATEGORY_ID</u>	ID OF THE CATEGORY IT CAN BE VIEWED FROM (FK: REFERENCES CATEGORY TABLE)	INT(10) NOT NULL (PK)
<u>ITEM_ID</u>	ID OF THE ITEM (FK: REFERENCES ITEM TABLE)	INT(10) NOT NULL (PK)

TABLE 9: ITEM_VIEW TABLE

THE *STOCKS* TABLE CONTAINS INFORMATION ABOUT ITEM STOCKS.

FIELD	DESCRIPTION	TYPE
<u>STOCK_ID</u>	UNIQUE IDENTIFIER OF THE ITEM STOCK.	INT(10) NOT NULL (PK)
ITEM_ID	ID OF THE ITEM STOCK (FK: REFERENCES ITEM TABLE)	INT(10) NOT NULL
INFO1	STOCK INFORMATION 1	VARCHAR(255) NOT NULL
INFO2	STOCK INFORMATION 2	VARCHAR(255)
INFO3	STOCK INFORMATION 3	VARCHAR(255)
INFO4	STOCK INFORMATION 4	VARCHAR(255)
INFO5	STOCK INFORMATION 5	VARCHAR(255)

SOLD_STATUS	DETERMINES WHETHER A STOCK IS SOLD ALREADY (1) OR NOT (0).	TINYINT (1) NOT NULL
STOCK_TIME	DATE AND TIME THE STOCK HAS BEEN UPLOADED.	DATETIME NOT NULL
VENDOR_ID	VENDOR OF THE STOCK	INT (10) NOT NULL DEFAULT 0

TABLE 10: STOCKS TABLE

THE *PURCHASE* TABLE CONTAINS INFORMATION ABOUT ITEM PURCHASES.

FIELD	DESCRIPTION	TYPE
<u>PURCHASE_ID</u>	UNIQUE IDENTIFIER OF THE ITEM PURCHASE.	INT(10) NOT NULL (PK)
<u>CUSTOMER_ID</u>	ID OF THE CUSTOMER (FK: REFERENCES <i>CUSTOMER TABLE</i>)	INT(10) NOT NULL (PK)
<u>STOCK_ID</u>	ID OF THE ITEM STOCK (FK: REFERENCES <i>STOCK TABLE</i>)	INT(10) NOT NULL (PK)
PURCHASE_DATE	DATE AND TIME OF PURCHASE	DATETIME NOT NULL
ITEM_PRICE	PRICE OF ITEM PURCHASED	FLOAT NOT NULL
ITEM_COST	COST OF ITEM PURCHASED	FLOAT NOT NULL
TRANSACTION_CODE	TRANSACTION CODE OF THE PURCHASE	VARCHAR (100) NOT NULL

TABLE 11: PURCHASE TABLE

THE *BANK_TRANSFER* TABLE CONTAINS INFORMATION ABOUT CUSTOMER'S BANK TRANSFERS.

FIELD	DESCRIPTION	TYPE
<u>BANKTRANSFER_ID</u>	UNIQUE IDENTIFIER OF THE CUSTOMER'S BANK TRANSFER.	INT(10) NOT NULL (PK)
<u>CUSTOMER_ID</u>	ID OF THE CUSTOMER (FK: REFERENCES <i>CUSTOMER TABLE</i>)	INT (10) NOT NULL
<u>BANK_ID</u>	ID OF THE BANK THE TRANSFER HAS BEEN MADE TO (FK: REFERENCES <i>BANK TABLE</i>)	INT (10) NOT NULL
BANKTRANSFER_DATE	DATE AND TIME OF BANK TRANSFER.	DATETIME NOT NULL
BANKTRANSFER_AMOUNT	AMOUNT OF MONEY TRANSFERRED BY THE CUSTOMER.	FLOAT NOT NULL
<u>CUSTOMER_BANKNAME</u>	BANK NAME OF THE CUSTOMER	VARCHAR(255) NOT NULL

CUSTOMER_ACCOUNTNUM	CUSTOMER'S ACCOUNT NUMBER	VARCHAR(50) NOT NULL
CUSTOMER_DEPOSITORNAME	DEPOSITOR'S NAME	VARCHAR(255) NOT NULL
BANKTRANSFER_STATUS	BANK TRANSFER STATUS – 0 FOR UNOPENED UNPROCESSED BANK TRANSFERS, 1 FOR APPROVED BANK TRANSFERS AND 2 FOR REJECTED BANK TRANSFERS	TINYINT (1) NOT NULL DEFAULT 0
ADMIN_ID	ID OF THE ADMINISTRATION STAFF OR SUPER ADMIN WHO PROCESSED THE BANK TRANSFER.	INT (10) NOT NULL DEFAULT 0
BANKTRANSFER_ADMINNOTE	NOTE BY THE ADMIN ABOUT THE BANK TRANSFER	VARCHAR (500)
BANKTRANSFER_ACCEPTDATE	DATE AND TIME THE TRANSFER HAS BEEN APPROVED OR REJECTED	DATETIME
BANKTRANSFER_CUSTOMERNOTE	NOTE OF CUSTOMER UPON TRANSFER.	VARCHAR (500)
TRANSACTION_CODE	TRANSACTION CODE	VARCHAR (100) NOT NULL

TABLE 12: BANK_TRANSFER TABLE

THE *BANK* TABLE CONTAINS INFORMATION ABOUT BANKS FOR CUSTOMER'S TRANSFERS.

FIELD	DESCRIPTION	TYPE
BANK_ID	UNIQUE IDENTIFIER OF THE BANK.	INT(10) NOT NULL (PK)
BANK_NAME	NAME OF THE BANK	VARCHAR(255) NOT NULL
BANK_ACCOUNTNUM	BANK'S ACCOUNT NUMBER	VARCHAR(500) NOT NULL
BANK_ACCOUNTTITLE	BANK'S ACCOUNT TITLE OR NAME	VARCHAR(255) NOT NULL
BANK_ADDRESS	ADDRESS OF THE BANK	VARCHAR(255) NOT NULL
BANK_ISACTIVE	TELLS WHETHER THE BANK IS ACTIVE (1) OR NOT (0).	TINYINT (1) NOT NULL DEFAULT 1

TABLE 13: BANK TABLE

THE *CARD* TABLE CONTAINS INFORMATION ABOUT SCRATCH CARDS.

FIELD	DESCRIPTION	TYPE
CARD_ID	UNIQUE IDENTIFIER OF THE SCRATCH CARD.	INT(10) NOT NULL (PK)
CARD_SERIALNUM	SCRATCH CARD'S SERIAL NUMBER	VARCHAR(50) NOT NULL

CARD_SCRATCHNUM	SCRATCH CARD'S SCRATCH NUMBER OR PIN.	VARCHAR(100) NOT NULL
CARD_BATCH_ID	CARD BATCH ID (FK: REFERENCES <i>CARD_BATCH</i> TABLE)	INT (10) NOT NULL
CUSTOMER_ID	ID OF CUSTOMER WHO USED THE CARD.	INT (10)
CARD_USED_DATE_TIME	DATE AND TIME THE CARD HAS BEEN USED.	DATETIME
TRANSACTION_CODE	TRANSACTION CODE	VARCHAR (100)

TABLE 14: CARD TABLE

THE *CARD_BATCH* TABLE CONTAINS INFORMATION ABOUT CARD BATCHES.

FIELD	DESCRIPTION	TYPE
CARD_BATCH_ID	UNIQUE IDENTIFIER OF THE CARD BATCH.	INT(10) NOT NULL (PK)
CARD_BATCH_DATE_TIME	DATE AND TIME THE CARD BATCH IS ADDED INTO THE SYSTEM.	DATETIME NOT NULL
CARD_BATCH_QUANTITY	NUMBER OF CARDS THAT BELONG TO THE CARD BATCH	INT (10) NOT NULL
CARD_BATCH_AMOUNT	AMOUNT OF CARDS THAT BELONG TO THE CARD BATCH	INT (10) NOT NULL
CARD_BATCH_IS_AVAILABLE	TELLS WHETHER THE CARD BATCH IS ACTIVE (1) OR NOT (0).	TINYINT(1) NOT NULL

TABLE 15: CARD_BATCH TABLE

THE *CASHU* TABLE CONTAINS INFORMATION ABOUT CASHU TRANSACTIONS.

FIELD	DESCRIPTION	TYPE
CASHU_ID	UNIQUE IDENTIFIER OF THE CASHU TRANSACTION.	INT(10) NOT NULL (PK)
AMOUNT	AMOUNT OF CASHU TRANSFERRED	FLOAT NOT NULL
CONVERTED_AMOUNT	AMOUNT EQUIVALENT OF CASHU AMOUNT TRANSFERRED	FLOAT NOT NULL
CURRENCY	CURRENCY OF CASHU AMOUNT TRANSFERRED	VARCHAR (100) NOT NULL
DESCRIPTION	PRODUCT DESCRIPTION OF ITEM OR DENOMINATION BOUGHT USING CASHU.	VARCHAR (255) NOT NULL
RETURN_ID	CASHU RETURN TRANSACTION ID SENT BY CASHU TO THE SYSTEM.	VARCHAR (255) NOT NULL

DATE TIME	DATE AND TIME OF THE TRANSACTION.	DATETIME NOT NULL
CUSTOMER_ID	CUSTOMER'S ID (FK: REFERENCES <i>CUSTOMER TABLE</i>)	INT (10) NOT NULL
TRANSACTION_CODE	TRANASCTION CODE	VARCHAR (100) NOT NULL

TABLE 16: CASHU TABLE

THE *TICKET_REQUEST* TABLE CONTAINS INFORMATION ABOUT CUSTOMER'S TICKETS.

FIELD	DESCRIPTION	TYPE
TICKETREQUEST_ID	UNIQUE IDENTIFIER OF THE TICKET REQUEST.	INT(10) NOT NULL (PK)
CUSTOMER_ID	ID OF THE CUSTOMER REQUESTING FOR TICKET SUPPORT (FK: REFERENCES <i>CUSTOMER TABLE</i>)	INT(10) NOT NULL
TICKETREQUEST_DATE	DATE AND TIME THE TICKET REQUEST HAS BEEN SUBMITTED.	DATETIME NOT NULL
TICKETSTATE_ID	ID OF THE TICKET'S STATUS (FK: REFERENCES <i>TICKET_STATE TABLE</i>)	INT(10) NOT NULL DEFAULT 1
ADMIN_ID	ID OF THE ADMINISTRATION STAFF HANDLING THE TICKET REQUEST. (FK: REFERENCES <i>ADMIN_USER TABLE</i>)	INT(10) NOT NULL DEFAULT 0
TICKET_ISSUE	TRANSACTION CODE OF THE PURCHASE COMPLAINT	VARCHAR (100) NOT NULL

TABLE 17: TICKET_REQUEST TABLE

THE *TICKET_RESPONSE* TABLE CONTAINS INFORMATION ABOUT CUSTOMER'S TICKETS RESPONSE MADE BY CUSTOMERS AND ADMIN STAFFS.

FIELD	DESCRIPTION	TYPE
TICKETRESPONSE_ID	UNIQUE IDENTIFIER OF THE TICKET RESPONSE.	INT(10) NOT NULL (PK)
TICKETREQUEST_ID	ID OF TICKET REQUEST (FK: REFERENCES <i>TICKET_REQUEST TABLE</i>)	INT(10) NOT NULL
TICKETRESPONSE_DATE	DATE AND TIME OF TICKET RESPONSE.	DATETIME NOT NULL
TICKETRESPONSE_TEXT	ADMINISTRATOR'S MOBILE	TEXT NOT NULL

	NUMBER	
ISADMIN	DETERMINES WHETHER THE REPLY IS MADE BY THE ADMINISTRATION STAFF (1) OR CUSTOMER (0).	TINYINT(1) NOT NULL

TABLE 18: TICKET_RESPONSE TABLE

THE *TICKET_STATE* TABLE CONTAINS INFORMATION ABOUT TICKET'S STATUS.

FIELD	DESCRIPTION	TYPE
TICKETSTATE_ID	UNIQUE IDENTIFIER OF THE TICKET STATUS.	INT(10) NOT NULL (PK)
TICKETSTATE_NAME	TICKET STATUS NAME IN ENGLISH	VARCHAR(100) NOT NULL
TICKETSTATE_NAME_ARA	TICKET STATUS NAME IN ARABIC	VARCHAR(100) NOT NULL

TABLE 19: TICKET_STATE TABLE

THE *MAIN_ADVERTISEMENT* TABLE CONTAINS INFORMATION ABOUT WEBSITE ADVERTISEMENTS.

FIELD	DESCRIPTION	TYPE
MAINAd_ID	UNIQUE IDENTIFIER OF THE MAIN ADVERTISEMENT.	INT(10) NOT NULL (PK)
MAINAd_IMAGE	MAIN ADVERTISEMENT'S IMAGE IN ENGLISH	VARCHAR(255) NOT NULL
MAINAd_IMAGE_ARA	MAIN ADVERTISEMENT'S IMAGE IN ARABIC	VARCHAR(255) NOT NULL
MAINAd_LINK	ADVERTISEMENT'S ENGLISH LINK	VARCHAR(255) NOT NULL
MAINAd_LINK_ARA	ADVERTISEMENT'S ARABIC LINK	VARCHAR(255) NOT NULL
MAINAd_DISPLAYORDER	SORT OR DISPLAY ORDER OF MAIN ADVERTISEMENT.	INT (3) NOT NULL
MAINAd_ISACTIVE	TELLS WHETHER THE MAIN ADVERTISEMENT IS ACTIVE (1) OR NOT (0).	TINYINT(1) NOT NULL

TABLE 20: MAIN_ADVERTISEMENT TABLE

THE *SITE_ADVERTISEMENT* TABLE CONTAINS INFORMATION ABOUT CATEGORY ADVERTISEMENTS.

FIELD	DESCRIPTION	TYPE
-------	-------------	------

SITEAd_ID	UNIQUE IDENTIFIER OF THE WEBSITE'S CATEGORY ADVERTISEMENT.	INT(10) NOT NULL (PK)
SITEAd_IMAGE	CATEGORY ADVERTISEMENT'S IMAGE IN ENGLISH	VARCHAR(255) NOT NULL
SITEAd_IMAGE_ARA	CATEGORY ADVERTISEMENT'S IMAGE IN ARABIC	VARCHAR(255) NOT NULL
SITEAd_LINK	CATEGORY ADVERTISEMENT'S LINK OR URL IN ENGLISH	VARCHAR(255) NOT NULL
SITEAd_LINK_ARA	CATEGORY ADVERTISEMENT'S LINK OR URL IN ARABIC	VARCHAR(255) NOT NULL
SITEAd_DISPLAYORDER	SORT OR DISPLAY ORDER OF CATEGORY ADVERTISEMENT.	NT (3) NOT NULL
CATEGORY_ID	CATEGORY ID THE ADVERTISEMENT BELONGS TO (FK: REFERENCES CATEGORY TABLE)	INT (10) NOT NULL
SITEAd_ISACTIVE	TELLS WHETHER THE CATEGORY ADVERTISEMENT IS ACTIVE (1) OR NOT (0).	TINYINT (1) NOT NULL

TABLE 21: SITE_ADVERTISEMENT TABLE

THE FAQ TABLE CONTAINS INFORMATION ABOUT FREQUENTLY ASKED QUESTIONS.

FIELD	DESCRIPTION	TYPE
FAQ_ID	UNIQUE IDENTIFIER OF THE FAQ.	INT(10) NOT NULL (PK)
FAQ_QUESTION	QUESTION IN ENGLISH	TEXT NOT NULL
FAQ_QUESTION_ARA	QUESTION IN ARABIC	TEXT NOT NULL
FAQ_ANSWER	ANSWER IN ENGLISH	TEXT NOT NULL
FAQ_ANSWER_ARA	ANSWER IN ARABIC	TEXT NOT NULL
FAQ_DISPLAYORDER	SORT OR DISPLAY ORDER OF FAQS	INT (3) NOT NULL

TABLE 22: FAQ TABLE

THE NEWS TABLE CONTAINS INFORMATION ABOUT NEWS.

FIELD	DESCRIPTION	TYPE
NEWS_ID	UNIQUE IDENTIFIER OF THE NEWS.	INT(10) NOT NULL (PK)
NEWS_TITLE	HEADING OR TITLE OF THE NEWS IN ENGLISH	VARCHAR(255) NOT NULL
NEWS_TITLE_ARA	HEADING OR TITLE OF THE NEWS IN ARABIC	VARCHAR(255) NOT NULL

NEWS_INFO	NEWS DETAIL OR INFO IN ENGLISH	TEXT NOT NULL
NEWS_INFO_Ara	NEWS DETAIL OR INFO IN ARABIC	TEXT NOT NULL
NEWS_DATE	DATE AND TIME THE NEWS WAS ADDED.	DATETIME NOT NULL
NEWS_DISPLAYSTATUS	TELLS WHETHER THE NEWS ITEM IS VIEWABLE (1) OR NOT (0).	TINYINT(1) NOT NULL DEFAULT 1

TABLE 23: NEWS TABLE

THE *COUNTRY* TABLE CONTAINS INFORMATION ABOUT COUNTRIES.

FIELD	DESCRIPTION	TYPE
COUNTRY_ID	UNIQUE IDENTIFIER OF THE COUNTRY.	INT(10) NOT NULL (PK)
COUNTRY_NAME	COUNTRY NAME	VARCHAR(100) NOT NULL

TABLE 24: COUNTRY TABLE

THE *CITY* TABLE CONTAINS INFORMATION ABOUT CITIES FOR CARD LOCATION.

FIELD	DESCRIPTION	TYPE
CITY_ID	UNIQUE IDENTIFIER OF THE CITY.	INT(10) NOT NULL (PK)
CITY_NAME	CITY NAME IN ENGLISH	VARCHAR(255) NOT NULL
CITY_NAME_Ara	CITY NAME IN ARABIC	VARCHAR(255) NOT NULL
COUNTRY_ID	COUNTRY ID (FK: REFERENCE <i>COUNTRY TABLE</i>)	INT (10) NOT NULL

TABLE 25: CITY TABLE

THE *AREA* TABLE CONTAINS INFORMATION ABOUT AREAS FOR CARD LOCATION.

FIELD	DESCRIPTION	TYPE
AREA_ID	UNIQUE IDENTIFIER OF THE AREA.	INT(10) NOT NULL (PK)
AREA_NAME	AREA NAME IN ENGLISH	VARCHAR(255) NOT NULL
AREA_NAME_Ara	AREA NAME IN ARABIC	VARCHAR (255) NOT NULL
CITY_ID	CITY ID THE AREA BELONGS TO (FK: REFERENCES <i>CITY TABLE</i>)	INT (10) NOT NULL

TABLE 26: AREA TABLE

THE *CARD_LOCATION* TABLE CONTAINS INFORMATION ABOUT CARD LOCATION.

FIELD	DESCRIPTION	TYPE
LOCATION_ID	UNIQUE IDENTIFIER OF THE LOCATION.	INT(10) NOT NULL (PK)
LOCATION_NAME	LOCATION NAME IN ENGLISH	VARCHAR(255) NOT NULL
LOCATION_NAME_ARA	LOCATION NAME IN ARABIC	VARCHAR(255) NOT NULL
AREA_ID	AREA ID (FK: REFERENCE AREA TABLE)	INT (10) NOT NULL
LOCATION_ADDRESS	ADDRESS OF THE LOCATION.	VARCHAR (500) NOT NULL
LOCATION_ADDRESS_ARA	ADDRESS OF THE LOCATION IN ARABIC.	VARCHAR (500) NOT NULL
LOCATION_CONTACTNUM	CONTACT NUMBER OF THE LOCATION	VARCHAR (15)
LOCATION_ISACTIVE	TELLS WHETHER A LOCATION IS ACTIVE (1) OR NOT (0).	TINYINT(1) NOT NULL

TABLE 27: CARD_LOCATION TABLE

THE *ADMIN_OPTION* TABLE CONTAINS THE OPTIONS OR TASKS AVAILABLE FOR ADMIN STAFFS WHICH WILL BE ASSIGNED TO THEM BY SYSTEM'S ADMIN OR SUPER ADMIN.

FIELD	DESCRIPTION	TYPE
OPTION_ID	UNIQUE IDENTIFIER OF THE OPTION.	INT(10) NOT NULL (PK)
OPTION_NAME	NAME OR TITLE OF THE OPTION. THIS WILL APPEAR AS THE OPTION'S HEADER.	VARCHAR(100) NOT NULL
OPTION_IMAGE	IMAGE TO APPEAR BESIDE THE OPTION NAME.	VARCHAR(255) NOT NULL
OPTION_LINK	PAGE LINK FOR THE OPTION.	VARCHAR(100) NOT NULL
OPTION_DISPLAYORDER	SORT OR DISPLAY ORDER OF THE OPTION.	INT (10) NOT NULL

TABLE 28: ADMIN_OPTION TABLE

THE *ADMIN_RIGHTS* TABLE CONTAINS ADMINISTRATION STAFF ACCESS RIGHTS FOR EACH OPTIONS ASSIGNED TO THEM.

FIELD	DESCRIPTION	TYPE
-------	-------------	------

<u>RIGHT_ID</u>	UNIQUE IDENTIFIER OF THE RIGHTS.	INT(10) NOT NULL (PK)
<u>ADMIN_ID</u>	ADMIN STAFF'S ID (FK: REFERENCES ADMIN_USER TABLE)	INT (10) NOT NULL (PK)
<u>OPTION_ID</u>	OPTION ID USER (FK: REFERENCES OPTION TABLE)	INT (10) NOT NULL (PK)
CAN_ADD	DETERMINES THE ADMIN'S ACCESS RIGHT TO AN OPTION: CAN ADD (1) OR NOT (0).	TINYINT(1) NOT NULL
CAN_MODIFY	DETERMINES THE ADMIN'S ACCESS RIGHT TO AN OPTION: CAN MODIFY (1) OR NOT (0).	TINYINT(1) NOT NULL
CAN_DELETE	DETERMINES THE ADMIN'S ACCESS RIGHT TO AN OPTION: CAN DELETE (1) OR NOT (0).	TINYINT(1) NOT NULL

TABLE 29: ADMIN_RIGHTS TABLE

THE *SITE_SETTINGS* TABLE CONTAINS INFORMATION ABOUT WEBSITE'S DEFAULT SETTINGS.

FIELD	DESCRIPTION	TYPE
<u>SETTING_NAME</u>	UNIQUE IDENTIFIER OF THE WEBSITE SETTING.	VARCHAR (255) NOT NULL (PK)
SETTING_VALUE	SITE SETTING VALUES FOR A SETTING NAME	VARCHAR(255) NOT NULL
IS_EDITABLE	DETERMINES IF A SETTING IS EDITABLE (1) OR NOT (0).	TINYINT(1) NOT NULL

TABLE 30: SITE_SETTINGS TABLE

TEXT FILE FORMAT

TO UPLOAD NEW STOCKS TO THE DATABASE, A TEXT FILE WILL BE USED AND READ BY THE SYSTEM. THE TEXT FILE CONTAINS NECESSARY INFORMATION ABOUT THE PRODUCT THE OWNER WANTS TO UPLOAD. EACH TEXT FILE FOLLOWS THIS FORMAT:

INFORMATION1, INFORMATION2, INFORMATION3, INFORMATION4, INFORMATION5.

DIFFERENT PRODUCTS NEED DIFFERENT PARAMETERS. AS AN EXAMPLE SOME PRODUCTS ONLY NEEDS A SCRATCH CARD NUMBER AND A PIN WHICH MEANS THAT THE TEXT FILE WILL ONLY CONTAIN "SCRATCH CARD", "PIN" WHEREAS OTHER PRODUCTS MIGHT NEED THREE OR MORE PARAMETERS.

IN UPLOADING THE SCRATCH CARD NUMBERS, A TEXT FILE CONTAINING THE SERIAL NUMBER AND PINS WILL BE UPLOADED AND READ BY THE SYSTEM. EACH TEXT FILE FOLLOWS THIS FORMAT:

SERIAL NUMBER, SCRATCH CODE

C. TECHNICAL ARCHITECTURE

THE SYSTEM WILL FOLLOW THE CLIENT-SERVER ARCHITECTURE. THE DATABASE WILL BE STORED IN THE SERVER AND NOT ON A SEPARATE COMPUTER. THE CLIENT SIDE IS REQUIRED TO HAVE AN INTERNET CONNECTION AND A BROWSER INSTALLED ON THE CLIENT COMPUTER TO BE ABLE TO USE THE SYSTEM. **HARDWARE REQUIREMENTS FOR THE SERVER**

- PENTIUM PROCESSOR 600 MHZ MINIMUM (1 GHZ RECOMMENDED)
- 256 MB OF RAM RECOMMENDED
- UP TO 1.3 GB OF HARD DISK SPACE MAY BE NEEDED
- SCREEN RESOLUTION 800X600 WITH 256 COLORS MINIMUM (RECOMMENDED 1024X768 IN 16-BIT HIGH COLOR)

V. RESULTS

FIGURE 95 SHOWS THE MAIN WEBSITE SCREEN OF THE SYSTEM. THE MAIN WEBSITE PAGE CONTAINS THE SCREEN FOR GUESTS TO BROWSE WEBSITE CONTENTS, REGISTER NEW ACCOUNT, AND SEARCH FOR PRODUCTS. IT ALSO HAS THE LOGIN PAGE FOR REGISTERED CUSTOMERS. THE VISITOR OR CUSTOMER CAN ALSO CHANGE THE LANGUAGE OF THE DISPLAYED CONTENTS BY CHOOSING THE LANGUAGE ON THE UPPER PART OF THE WEBSITE SCREEN.

FIGURE 95. MAIN WEBSITE PAGE SCREEN - BEA3 SYSTEM

FIGURES 96 TO 100 SHOW THE SCREENS OF WEBSITE CONTENTS OF THE SYSTEM. FIGURE 96 DISPLAYS THE HOW TO BUY DETAILS SCREEN. FIGURE 97 SHOWS FREQUENTLY ASKED QUESTIONS WITH THE CORRESPONDING ANSWERS. FIGURE 98 SHOWS THE LIST OF BEA3 SCRATCH CARD LOCATIONS. THE LIST CAN BE SORTED BY SELECTING THE CORRESPONDING COUNTRY, CITY AND AREA. FIGURE 99 SHOWS THE INFORMATION ABOUT SWAHL COMPANY. AND FIGURE 100 SHOWS THE CONTACT US SCREEN. THE CUSTOMER MAY CHOOSE FROM QUERY CATEGORIES WHICH WILL BE RECEIVED BY THE CORRESPONDING EMAIL ADDRESS ASSIGNED TO EACH QUERY TYPE.

FIGURE 96. HOW TO BUY SCREEN - BEA3 SYSTEM

FIGURE 97. FAQ'S SCREEN - BEA3 SYSTEM

FIGURE 98. FIND BEA3 CARD LOCATION SCREEN - BEA3 SYSTEM

FIGURE 99. ABOUT Us SCREEN - BEA3 SYSTEM

FIGURE 100. CONTACT Us SCREEN - BEA3 SYSTEM

FIGURE 101 SHOWS THE SEARCH RESULT SCREEN. THE CUSTOMER CAN TYPE THEIR SEARCH QUERY ON THE UPPER RIGHT CORNER OF THE MAIN WEBSITE PAGE.

FIGURE 101. PRODUCT SEARCH SCREEN - BEA3 SYSTEM

FIGURE 102 SHOWS THE ADVANCE SEARCH SCREEN AS WELL AS ITS SEARCH RESULT. THE CUSTOMER CAN PROVIDE DETAILS LIKE ITEM NAME, PRICE RANGE, DESCRIPTION AND STOCK STATUS TO HELP IN OPTIMIZING THE SEARCH RESULTS.

FIGURE 102. ADVANCE SEARCH SCREEN - BEA3 SYSTEM

FIGURE 103 SHOWS THE REGISTRATION SCREEN. THIS SCREEN WILL BE DISPLAYED UPON PRESSING THE REGISTER NOW BUTTON FOUND ON THE RIGHT PART OF THE WEBSITE. THIS IS THE SCREEN WHERE THE GUESTS CAN CREATE THEIR BEA3 ACCOUNT BY PROVIDING NECESSARY REGISTRATION DETAILS AND AGREEING WITH THE TERMS AND CONDITIONS SET FORTH BY BEA3 ADMINISTRATION.

FIGURE 103. REGISTRATION SCREEN - BEA3 SYSTEM

FIGURE 104 SHOWS THE CUSTOMER'S SCREEN UPON LOGGING IN FOR THE FIRST TIME. THE CUSTOMER WILL FIRST NEED TO PROVIDE THE PASSCODE SENT BY BEA3 SYSTEM TO THE CUSTOMER'S MOBILE NUMBER. UPON INPUTTING THE CORRECT PASSCODE, THE CUSTOMER WILL BE REDIRECTED TO THE MAIN WEBSITE PAGE, SEE FIGURE 95 AND THE CUSTOMER WILL BE ABLE TO ACCESS THE DIFFERENT FUNCTIONS THAT A CUSTOMER IS ALLOWED TO DO.

FIGURE 104. CUSTOMER'S SCREEN - BEA3 SYSTEM

FIGURE 105 AND 106 SHOW THE SCREEN FOR MODIFYING CUSTOMER'S PROFILE AND PASSWORD.

FIGURE 105. EDIT PROFILE SCREEN - BEA3 SYSTEM

FIGURE 106. CHANGE PASSWORD SCREEN - BEA3 SYSTEM

FIGURE 107 SHOWS THE DIFFERENT OPTIONS FOR ADDING FUNDS TO THE CUSTOMER'S ACCOUNT.

FIGURE 107. ADD FUNDS SCREEN - BEA3 SYSTEM

FIGURES 108 TO 110 SHOW THE SCREENS FOR ADDING FUNDS TO CUSTOMER'S ACCOUNT. FIGURE 108 SOWS THE SCREEN TO ADD FUNDS BY SCRATCH CARD WHEREIN THE CUSTOMER WILL HAVE TO INPUT THE SCRATCH CARD PIN AND CLICK PROCEED. THE AMOUNT WILL AUTOMATICALLY BE ADDED TO THE CUSTOMER'S ACCOUNT. FIGURE 109 SHOWS THE SCREEN FOR ADDING FUND BY BANK TRANSFER. THE CUSTOMER WILL FILL UP THE

NECESSARY BANK TRANSFER DETAILS. THE FORM WILL BE SUBMITTED AND WILL BE SUBJECT TO THE OWNER'S APPROVAL. FIGURE 110 SHOWS THE CASHU DENOMINATIONS THAT A CUSTOMER CAN USE TO ADD FUNDS TO HIS/HER ACCOUNT.

FIGURE 108. ADD FUNDS BY SCRATCH CARD SCREEN - BEA3 SYSTEM

FIGURE 109. ADD FUNDS BY BANK TRANSFER SCREEN - BEA3 SYSTEM

FIGURE 110. ADD FUNDS BY CASHU SCREEN - BEA3 SYSTEM

FIGURE 111 SHOWS THE CASHU SCREEN. THE CUSTOMER WILL BE REDIRECTED TO THIS SCREEN UPON SELECTING THE CASHU DENOMINATION. THE CUSTOMER WILL BE REDIRECTED BACK TO THE PAGE AFTER PAYING BY CASHU.

FIGURE 111. CASHU SCREEN - BEA3 SYSTEM

FIGURE 112 AND 113 SHOW THE TRANSACTION HISTORY SCREEN AND THE PURCHASE DETAILS OF THE CUSTOMER'S TRANSACTION RESPECTIVELY. FIGURE 113 WILL BE DISPLAYED UPON CLICKING THE DETAILS LINK IN FIGURE 112. THE CUSTOMER CAN PRINT THE PURCHASE DETAILS AND/OR FORWARD IT TO HIS/HER EMAIL ADDRESS.

FIGURE 112. TRANSACTION HISTORY SCREEN - BEA3 SYSTEM

FIGURE 113. PURCHASE DETAILS SCREEN - BEA3 SYSTEM

FIGURE 114 TO 116 SHOW THE CUSTOMER'S SUPPORT TICKET REGISTRATION AND VIEWING. FIGURE 114 SHOWS THE SCREEN FOR SUBMITTING SUPPORT TICKETS. FIGURE 115 SHOWS THE SCREEN FOR VIEWING SUBMITTED CUSTOMER'S SUPPORT TICKETS. PRESSING THE MORE INFO LINK SHOWN IN FIGURE 115 WILL DISPLAY FIGURE 116. FIGURE 116 SHOWS THE CUSTOMER'S SUPPORT TICKET DETAILS.

FIGURE 114. REGISTER TICKET SCREEN - BEA3 SYSTEM

FIGURE 115. TICKET LIST SCREEN - BEA3 SYSTEM

FIGURE 116. TICKET DETAILS SCREEN - BEA3 SYSTEM

FIGURE 117 AND 118 SHOWS THE PURCHASE AND PURCHASE EMAIL SCREEN. FIGURE 117 SHOWS THE CONFIRMATION OF PURCHASE SCREEN FOR CUSTOMERS. THE CUSTOMER CAN CHOOSE THE ITEM HE/SHE WANTS TO PURCHASE BY SELECTING CATEGORIES FOUND ON THE LEFT SIDE OF THE SCREEN. UPON CONFIRMING THE PURCHASE, THE PURCHASE DETAILS WILL BE DISPLAYED ALONG WITH FIGURE 117. FIGURE 118 SHOWS THE EMAIL THAT THE CUSTOMER WILL RECEIVE UPON PURCHASING AN ITEM IN THE BEA3 WEBSITE.

FIGURE 117. PURCHASE ITEM SCREEN - BEA3 SYSTEM

FIGURE 118. PURCHASE ITEM EMAIL SCREEN - BEA3 SYSTEM

NEXT ARE THE FUNCTIONALITIES AN OWNER IS ALLOWED TO DO.

FIGURE 119 SHOWS THE LOGIN PAGE FOR OWNERS, ADMINISTRATION STAFFS AND SYSTEM ADMINISTRATORS.

FIGURE 119. ADMINISTRATOR'S LOGIN SCREEN - BEA3 SYSTEM

FIGURE 120 SHOWS THE FORGOT PASSWORD SCREEN. A NEW AUTO GENERATED PASSWORD WILL BE SENT TO THE REGISTERED EMAIL ADDRESS.

FIGURE 120. FORGOT PASSWORD SCREEN - BEA3 SYSTEM

FIGURE 121 SHOWS THE OWNER SCREEN. IT DISPLAYS THE OUT OF STOCK NOTIFICATION AS WELL AS NEW BANK TRANSFER REPORTS. IF THERE ARE NO OUT OF STOCK ITEMS OR NEW BANK TRANSFERS, THE TOTAL SALES PER ITEM FOR THE CURRENT YEAR WILL BE DISPLAYED.

FIGURE 121. OWNER SCREEN - BEA3 SYSTEM

FIGURE 122 AND 123 SHOW THE SCREENS FOR ASSIGNING ADMINISTRATION RIGHTS TO ADMINISTRATION STAFFS. FIGURE 122 SHOWS THE SCREEN WHERE THE OWNER CHOOSES AN ADMINISTRATION STAFF TO GIVE

RIGHTS TO. FIGURE 123 SHOWS THE SCREEN FOR SELECTING ADMINISTRATION OPTIONS TO BE ASSIGNED TO THE ADMINISTRATION STAFF.

FIGURE 122. VIEW ADMINISTRATION STAFF SCREEN - BEA3 SYSTEM

FIGURE 123. ASSIGN ADMINISTRATION STAFF RIGHTS SCREEN - BEA3 SYSTEM

FIGURE 124 SHOWS THE SCREEN FOR VIEWING CUSTOMER PURCHASES. THE DEFAULT SELECTED DAY IS THE CURRENT DAY BUT THE OWNER HAS AN OPTION TO VIEW ANY DATE RANGE HE/SHE PREFERS. FIGURE 125 SHOWS THE SCREEN FOR VIEWING THE ITEM DETAILS OF THE CUSTOMER'S PURCHASE.

FIGURE 124. CUSTOMER PURCHASE SCREEN - BEA3 SYSTEM

FIGURE 125. CUSTOMER PURCHASE' DETAILS SCREEN - BEA3 SYSTEM

FIGURE 126 SHOWS THE ITEM SALES REPORT VIEWING OPTIONS. THE OWNER CAN CHOOSE TO VIEW SALES REPORT OF ITEMS, CATEGORIES OR TOTAL SALES.

FIGURE 126. ITEM SALES REPORT SCREEN - BEA3 SYSTEM

FIGURE 127 TO 144 SHOW THE SCREENS OF DIFFERENT SALES REPORTS AN OWNER CAN VIEW AND GENERATE. FIGURE 127 SHOWS ITEM SALES PER DAY SCREEN. FIGURE 128 SHOWS THE GRAPH GENERATED FROM DATA SHOWN IN FIGURE 127. FIGURE 129 SHOWS ITEM SALES PER MONTH SCREEN. FIGURE 130 SHOWS THE GRAPH GENERATED FROM DATA SHOWN IN FIGURE 129. FIGURE 131 SHOWS ITEM SALES PER YEAR SCREEN. FIGURE 132 SHOWS THE GRAPH GENERATED FROM DATA SHOWN IN FIGURE 131.

FIGURE 133 SHOWS CATEGORY SALES PER DAY SCREEN. FIGURE 134 SHOWS THE GRAPH GENERATED FROM DATA SHOWN IN FIGURE 133. FIGURE 135 SHOWS CATEGORY SALES PER MONTH SCREEN. FIGURE 136 SHOWS THE GRAPH GENERATED FROM DATA SHOWN IN FIGURE 125. FIGURE 137 SHOWS CATEGORY SALES PER YEAR SCREEN. FIGURE 138 SHOWS THE GRAPH GENERATED FROM DATA SHOWN IN FIGURE 137.

FIGURE 139 SHOWS TOTAL SALES PER DAY SCREEN. FIGURE 140 SHOWS THE GRAPH GENERATED FROM DATA SHOWN IN FIGURE 139. FIGURE 141 SHOWS TOTAL SALES PER MONTH SCREEN. FIGURE 142 SHOWS THE GRAPH GENERATED FROM DATA SHOWN IN FIGURE 141. FIGURE 143 SHOWS TOTAL SALES PER YEAR SCREEN. FIGURE 144 SHOWS THE GRAPH GENERATED FROM DATA SHOWN IN FIGURE 143.

FIGURE 127. ITEM SALES REPORT PER DAY SCREEN - BEA3 SYSTEM

FIGURE 128. ITEM SALES REPORT PER DAY GRAPH SCREEN - BEA3 SYSTEM

FIGURE 129. ITEM SALES REPORT PER MONTH SCREEN - BEA3 SYSTEM

FIGURE 130. ITEM SALES REPORT PER MONTH GRAPH SCREEN - BEA3 SYSTEM

FIGURE 131. ITEM SALES REPORT PER YEAR SCREEN - BEA3 SYSTEM

FIGURE 132. ITEM SALES REPORT PER YEAR GRAPH SCREEN - BEA3 SYSTEM

FIGURE 133. CATEGORY SALES REPORT PER DAY SCREEN - BEA3 SYSTEM

FIGURE 134. CATEGORY SALES REPORT PER DAY GRAPH SCREEN - BEA3 SYSTEM

FIGURE 135. CATEGORY SALES REPORT PER MONTH SCREEN - BEA3 SYSTEM

FIGURE 136. CATEGORY SALES REPORT PER MONTH GRAPH SCREEN - BEA3 SYSTEM

FIGURE 137. CATEGORY SALES REPORT PER YEAR SCREEN - BEA3 SYSTEM

FIGURE 138. CATEGORY SALES REPORT PER YEAR GRAPH SCREEN - BEA3 SYSTEM

FIGURE 139. TOTAL SALES REPORT PER DAY SCREEN - BEA3 SYSTEM

FIGURE 140. TOTAL SALES REPORT PER DAY GRAPH SCREEN - BEA3 SYSTEM

FIGURE 141. TOTAL SALES REPORT PER MONTH SCREEN - BEA3 SYSTEM

FIGURE 142. TOTAL SALES REPORT PER MONTH GRAPH SCREEN - BEA3 SYSTEM

FIGURE 143. TOTAL SALES REPORT PER YEAR SCREEN - BEA3 SYSTEM

FIGURE 144. TOTAL SALES REPORT PER YEAR GRAPH SCREEN - BEA3 SYSTEM

FIGURE 145 SHOWS FUND REPORT VIEWING OPTIONS. THE OWNER CAN CHOOSE TO VIEW BANK TRANSFER REPORTS, SCRATCH CARD SALES REPORTS AND CASHU SALES REPORT. FIGURES 146 TO 150 SHOW APPROVED BANK TRANSFER REPORTS. FIGURE 146 SHOW APPROVED BANK TRANSFERS BASED ON SELECTED DATE RANGE. FIGURE 147 SHOWS THE SCREEN FOR MONTHLY APPROVED BANK TRANSFER AMOUNTS. FIGURE 148 SHOWS THE GRAPH OF THE DATA PRESENTED IN FIGURE 147. FIGURE 149 SHOWS THE SCREEN FOR YEARLY APPROVED BANK TRANSFER AMOUNTS. FIGURE 150 SHOWS THE GRAPH OF THE DATA PRESENTED IN FIGURE 149.

FIGURE 145. FUNDS REPORT SCREEN - BEA3 SYSTEM

FIGURE 146. APPROVED BANK TRANSFER SCREEN - BEA3 SYSTEM

FIGURE 147. APPROVED BANK TRANSFER PER MONTH SCREEN - BEA3 SYSTEM

FIGURE 148. APPROVED BANK TRANSFER PER MONTH GRAPH SCREEN - BEA3 SYSTEM

FIGURE 149. APPROVED BANK TRANSFER PER YEAR SCREEN - BEA3 SYSTEM

FIGURE 150. APPROVED BANK TRANSFER PER YEAR GRAPH SCREEN - BEA3 SYSTEM

FIGURE 151 TO 155 SHOW SCRATCH CARD SALES REPORTS. FIGURE 151 SHOW SCRATCH CARD SALES BASED ON SELECTED DATE RANGE. FIGURE 152 SHOWS THE SCREEN FOR MONTHLY SCRATCH CARD SALES. FIGURE 153 SHOWS THE GRAPH OF THE DATA PRESENTED IN FIGURE 152. FIGURE 154 SHOWS THE SCREEN FOR YEARLY SCRATCH CARD SALES. FIGURE 155 SHOWS THE GRAPH OF THE DATA PRESENTED IN FIGURE 154.

FIGURE 151. CARD SALES SCREEN - BEA3 SYSTEM

FIGURE 152. CARD SALES PER MONTH SCREEN - BEA3 SYSTEM

FIGURE 153. CARD SALES PER MONTH GRAPH SCREEN - BEA3 SYSTEM

FIGURE 154. CARD SALES PER YEAR SCREEN - BEA3 SYSTEM

FIGURE 155. CARD SALES PER YEAR GRAPH SCREEN - BEA3 SYSTEM

FIGURE 156 SHOWS CASHU SALES BASED ON SELECTED DATE RANGE. SEE FIGURE 157 FOR THE SCREEN OF MONTHLY CASHU SALES. SEE FIGURE 158 FOR THE GRAPH OF THE DATA PRESENTED IN FIGURE 157. SEE FIGURE 159 FOR THE SCREEN OF YEARLY CASHU SALES. SE FIGURE 160 FOR THE GRAPH OF THE DATA PRESENTED IN FIGURE 159.

FIGURE 156. CASHU SALES SCREEN - BEA3 SYSTEM

FIGURE 157. CASHU SALES PER MONTH SCREEN - BEA3 SYSTEM

FIGURE 158. CASHU SALES PER MONTH GRAPH SCREEN - BEA3 SYSTEM

FIGURE 159. CASHU SALES PER YEAR SCREEN - BEA3 SYSTEM

FIGURE 160. CASHU SALES PER YEAR GRAPH SCREEN - BEA3 SYSTEM

FIGURE 161 TO 164 SHOW STOCK MANAGEMENT SCREENS. FIGURE 162 SHOWS THE STOCKS IN HAND SCREEN. FIGURE 163 SHOWS THE OUT OF STOCKS SCREEN. RED COLORED ROWS SIGNIFIES 0 STOCKS, PURPLE MEANS BELOW STOCK LEVEL AND BLACK MEANS EQUAL TO STOCK LEVEL. FIGURE 164 SHOWS THE UPLOADING OF STOCKS SCREEN WHEREIN THE OWNER WILL CHOOSE A STOCK FILE TO UPLOAD.

FIGURE 161. STOCK MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 162. STOCKS IN HAND SCREEN - BEA3 SYSTEM

FIGURE 163. OUT OF STOCK SCREEN - BEA3 SYSTEM

FIGURE 164. UPLOAD STOCKS SCREEN - BEA3 SYSTEM

FIGURE 165 SHOWS THE BANK TRANSFER REPORTS SCREEN. THE OWNER CAN VIEW APPROVED, REJECTED AND PENDING BANK TRANSFER RECORDS. FIGURE 166 SHOWS THE SCREEN FOR APPROVED BANK TRANSFERS. SIMILAR VIEW WILL BE VISIBLE FOR REJECTED AND PENDING BANK TRANSFERS WITH DIFFERENT DATA INSIDE.

FIGURE 165. BANK TRANSFER REPORTS SCREEN - BEA3 SYSTEM

FIGURE 166. APPROVED BANK TRANSFER REPORTS SCREEN - BEA3 SYSTEM

FIGURE 167 SHOWS BANK TRANSFER MANAGEMENT SCREEN. IT DISPLAYS BOTH THE NEW BANK TRANSFERS MADE BY CUSTOMERS AND PENDING BANK TRANSFERS THAT HAS NOT BEEN APPROVED OR REJECTED YET.

FIGURE 167. MANAGE BANK TRANSFER SCREEN - BEA3 SYSTEM

FIGURE 168 SHOWS THE SCREEN FOR APPROVING OR REJECTING A SELECTED BANK TRANSFER. THE OWNER CAN APPROVE THE BAN TRANSFER IN TWO WAYS, EITHER APPROVE NORMALLY OR APPROVE WITH SMS

NOTIFICATION. **M**OREOVER, THE CUSTOMER CAN REJECT BANK TRANSFER EITHER BY REJECTING NORMALLY OR REJECT WITH AN EMAIL.

FIGURE 168. APPROVE/REJECT BANK TRANSFER SCREEN - BEA3 SYSTEM

FIGURE 169 TO 172 SHOW BEA3 CARD MANAGEMENT SCREENS. FIGURE 170 SHOWS THE ADD BATCH SCREEN USED FOR ADDING NEW BEA3 CARD BATCHES. FIGURE 171 SHOWS THE LIST OF PENDING BEA3 CARD BATCHES AS WELL AS THE UPLOAD BEA3 CARDS LINK. FIGURE 172 SHOWS THE UPLOAD FORM WHEN UPLOADING BEA3 CARDS.

FIGURE 169. BEA3 CARD MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 170. ADD BEA3 CARD BATCH SCREEN - BEA3 SYSTEM

FIGURE 171. PENDING SCRATCH CARDS SCREEN - BEA3 SYSTEM

FIGURE 172. UPLOAD SCRATCH CARDS SCREEN - BEA3 SYSTEM

FIGURE 173 SHOWS THE BANK MANAGEMENT SCREEN. IT DISPLAYS ALL THE BANKS AVAILABLE FOR BANK TRANSFERS. SEE FIGURE 174 FOR ADDING OF BANKS SCREEN AND FIGURE 175 FOR EDITING BANK DETAILS OF A SELECTED BANK.

FIGURE 173. BANK MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 174. ADD BANK SCREEN - BEA3 SYSTEM

FIGURE 175. EDIT BANK DETAILS SCREEN - BEA3 SYSTEM

FIGURE 176 SHOWS THE CUSTOMER TICKET COMPLAINTS SCREEN. THIS SCREEN SHOWS THE CUSTOMER TICKET RESPONSES BY THE ADMINISTRATION STAFF AND THE CUSTOMER BASED ON THE TICKET ID INPUTTED.

FIGURE 176. TICKET COMPLAINTS SCREEN - BEA3 SYSTEM

NEXT ARE THE FUNCTIONALITIES AN ADMINISTRATION STAFF IS ALLOWED TO DO.

FIGURE 177 SHOWS THE ADMINISTRATION STAFF SCREEN. IT DISPLAYS THE NUMBER OF NEW CUSTOMER SUPPORT TICKETS SENT BY THE CUSTOMERS AS A NOTIFICATION FOR THE ADMINISTRATION STAFF. IF THERE ARE NO CUSTOMER SUPPORT TICKETS, THE ADMINISTRATION STAFF'S PROFILE WILL BE DISPLAYED.

FIGURE 177. ADMINISTRATION STAFF SCREEN - BEA3 SYSTEM

FIGURE 178 SHOWS THE CATEGORY MANAGEMENT SCREEN. IT DISPLAYS A LIST OF CATEGORIES AS WELL AS THEIR SUB CATEGORIES. IT HAS ADD, EDIT AND DELETE CATEGORY OPTIONS. A CONFIRMATION MESSAGE WILL BE DISPLAYED BEFORE EACH DELETION PROCESS.

FIGURE 178. CATEGORY MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 179 IS THE ADD CATEGORY SCREEN. IT DISPLAYS THE ADD CATEGORY FORM USED BY ADMINISTRATION STAFFS TO ADD NEW CATEGORIES. THE EDIT CATEGORY FORM USES THE SAME FORM WITH DATA FILLED IN IT.

FIGURE 179. ADD CATEGORY SCREEN - BEA3 SYSTEM

FIGURE 180 SHOWS THE ITEM MANAGEMENT SCREEN. THE ADMINISTRATION STAFF CAN CHOOSE THE CATEGORY AND ITEMS IN THE CHOSEN CATEGORY WILL APPEAR. SEE FIGURE 181 FOR ADD ITEM SCREEN.

FIGURE 180. ITEM MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 181. ADD ITEM SCREEN - BEA3 SYSTEM

FIGURE 182 TO 184 SHOW CATEGORY ADVERTISEMENT MANAGEMENT SCREEN. FIGURE 182 SHOWS THE LIST OF CATEGORY ADVERTISEMENTS WITH THEIR RESPECTIVE IMAGES. FIGURE 183 SHOWS THE ADD CATEGORY ADVERTISEMENT FORM. FIGURE 184 SHOWS THE EDIT CATEGORY ADVERTISEMENT FORM.

FIGURE 182. CATEGORY ADVERTISEMENT MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 183. ADD CATEGORY ADVERTISEMENT SCREEN - BEA3 SYSTEM

FIGURE 184. EDIT CATEGORY ADVERTISEMENT SCREEN - BEA3 SYSTEM

FIGURE 185 TO 187 SHOW HOME ADVERTISEMENT MANAGEMENT SCREEN. FIGURE 185 SHOWS THE LIST OF HOME ADVERTISEMENTS WITH THEIR RESPECTIVE IMAGES. FIGURE 186 SHOWS THE ADD HOME ADVERTISEMENT FORM. FIGURE 187 SHOWS THE EDIT HOME ADVERTISEMENT FORM.

FIGURE 185. HOME ADVERTISEMENT SCREEN - BEA3 SYSTEM

FIGURE 186. ADD HOME ADVERTISEMENT SCREEN - BEA3 SYSTEM

FIGURE 187. EDIT HOME ADVERTISEMENT SCREEN - BEA3 SYSTEM

FIGURE 188. FAQ MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 189. ADD FAQ SCREEN - BEA3 SYSTEM

FIGURE 190. EDIT FAQ SCREEN - BEA3 SYSTEM

FIGURE 188 TO 190 SHOW FAQ MANAGEMENT SCREEN. FIGURE 188 SHOWS THE LIST OF FREQUENTLY ASKED QUESTIONS WITH THEIR RESPECTIVE DETAILS. FIGURE 189 SHOWS THE ADD FAQ FORM. FIGURE 190 SHOWS THE EDIT FAQ FORM.

FIGURE 191. NEWS MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 192. ADD NEWS SCREEN - BEA3 SYSTEM

FIGURE 193. EDIT NEWS SCREEN - BEA3 SYSTEM

FIGURE 191 TO 193 SHOW NEWS MANAGEMENT SCREEN. FIGURE 191 SHOWS THE LIST OF NEWS WITH THEIR RESPECTIVE DETAILS. FIGURE 192 SHOWS THE ADD NEWS FORM. FIGURE 193 SHOWS THE EDIT NEWS FORM.

FIGURE 194. CARD LOCATION MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 194 SHOWS THE CARD LOCATION MANAGEMENT SCREEN. IT HAS CITY MANAGEMENT, AREA MANAGEMENT AND LOCATION MANAGEMENT. SEE FIGURE 195 FOR CITY MANAGEMENT SCREEN. FIGURE 196 SHOWS ADD CITY SCREEN. EDIT CITY FORM IS THE SAME AS THE ADD CITY FORM WITH SUPPLIED DETAILS. FIGURE 197 SHOWS AREA MANAGEMENT SCREEN. FIGURE 198 SHOWS ADD AREA SCREEN. EDIT AREA FORM IS THE SAME AS THE ADD AREA FORM WITH SUPPLIED DETAILS. FIGURE 199 SHOWS THE LOCATION MANAGEMENT SCREEN. FIGURE 200 SHOWS ADD LOCATION SCREEN. EDIT LOCATION FORM IS THE SAME AS ADD LOCATION WITH SUPPLIED DETAILS.

FIGURE 195. CITY MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 196. ADD CITY SCREEN - BEA3 SYSTEM

FIGURE 197. AREA MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 198. ADD AREA SCREEN - BEA3 SYSTEM

FIGURE 199. LOCATION MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 200. ADD LOCATION SCREEN - BEA3 SYSTEM

FIGURE 201. TICKET MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 202. TICKET RESPONSE SCREEN - BEA3 SYSTEM

FIGURE 201 SHOWS THE ADD TICKET MANAGEMENT SCREEN. IT HAS A LIST OF NEW TICKETS AS WELL AS TICKETS ALREADY ASSIGNED TO THE SAID ADMINISTRATION STAFF. FIGURE 202 SHOWS THE SCREEN FOR DEALING WITH CUSTOMER COMPLAINTS. THIS IS WHERE THE ADMINISTRATION STAFF CAN REPLY TO THE CUSTOMER'S QUERY.

NEXT ARE THE FUNCTIONALITIES A SYSTEM ADMINISTRATOR IS ALLOWED TO DO.

FIGURE 203. SYSTEM ADMINISTRATOR SCREEN - BEA3 SYSTEM

FIGURE 203 SHOWS THE SYSTEM ADMINISTRATOR'S SCREEN. IT DISPLAYS THE LIST OF WEBSITE SETTINGS THAT CAN BE MANIPULATED BY THE SYSTEM ADMINISTRATOR.

FIGURE 204. CUSTOMER MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 205. ADD CUSTOMER SCREEN - BEA3 SYSTEM

FIGURE 206. EDIT CUSTOMER SCREEN - BEA3 SYSTEM

FIGURE 204 TO 206 SHOW CUSTOMER MANAGEMENT SCREENS. FIGURE 204 SHOWS THE SCREEN THAT DISPLAYS THE LIST OF CUSTOMERS ALONG WITH SOME DETAILS ABOUT THEM. FIGURE 205 SHOWS THE ADD CUSTOMER SCREEN. FIGURE 206 SHOWS THE MODIFY CUSTOMER DETAILS SCREEN.

FIGURE 207. INACTIVE CUSTOMER SCREEN - BEA3 SYSTEM

FIGURE 207 SHOWS THE INACTIVE CUSTOMER SCREEN. IT CONTAINS THE LIST OF CUSTOMERS WHO HAS NOT ACTIVATED THEIR ACCOUNTS YET. THE SYSTEM ADMINISTRATOR HAS AN OPTION TO EDIT DETAILS, ACTIVATE THE ACCOUNT, RESEND SMS PASSCODE NOTIFICATION OR DELETE CUSTOMER RECORD.

FIGURE 208. VENDOR MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 209. ADD VENDOR SCREEN - BEA3 SYSTEM

FIGURE 210. EMAIL PASSWORD SCREEN - BEA3 SYSTEM

FIGURE 211. ADMINISTRATION STAFF MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 212. ADD ADMINISTRATION STAFF SCREEN - BEA3 SYSTEM

FIGURE 213. EDIT ADMINISTRATION STAFF SCREEN - BEA3 SYSTEM

FIGURE 214. OWNER MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 215. ADD OWNER SCREEN - BEA3 SYSTEM

FIGURE 216. EDIT OWNER SCREEN - BEA3 SYSTEM

FIGURE 217. SYSTEM ADMINISTRATOR SCREEN - BEA3 SYSTEM

FIGURE 208 TO 217 SHOW USER ACCOUNT MANAGEMENT SCREEN. FIGURE 208 SHOWS THE VENDOR MANAGEMENT SCREEN. IT DISPLAYS THE LIST OF VENDORS WITH SOME DETAILS ABOUT THEM. FIGURE 209 SHOWS THE ADD VENDOR SCREEN FOR ADDING NEW VENDOR ACCOUNTS. EDIT VENDOR SCREEN HAS THE SAME FORM AS

104

THE ADD VENDOR SCREEN WITH DETAILS INPUTTED IN THE FORM. FIGURE 210 SHOWS THE SAMPLE EMAIL THAT A VENDOR WILL RECEIVE UPON CREATION OF HIS/HER ACCOUNT. THE EMAIL CONTAINS THE LINK TO LOGIN IN THE BEA3 SYSTEM, THE USERNAME AND THE PASSWORD. THE SAME FORMAT OF EMAIL WILL BE SENT TO ALL ACCOUNTS CREATED BY THE SYSTEM ADMINISTRATOR. FIGURE 211 SHOWS THE ADMINISTRATION STAFF MANAGEMENT SCREEN. IT DISPLAYS THE LIST OF ADMINISTRATION STAFF WITH SOME DETAILS ABOUT THEM. FIGURE 212 SHOWS THE ADD ADMINISTRATION STAFF SCREEN FOR ADDING NEW ADMINISTRATION STAFFS. FIGURE 213 SHOWS THE EDIT ADMINISTRATION STAFF SCREEN. FIGURE 214 SHOWS THE OWNER MANAGEMENT SCREEN. IT DISPLAYS THE LIST OF OWNERS WITH SOME DETAILS ABOUT THEM. FIGURE 215 SHOWS THE ADD OWNER SCREEN. FIGURE 216 SHOWS THE EDIT OWNER SCREEN. FIGURE 217 SHOWS THE SYSTEM ADMINISTRATOR MANAGEMENT SCREEN. THE SYSTEM ADMINISTRATOR CAN MANAGE ALL TYPES OF USER ACCOUNT IN THE BEA3 SYSTEM.

FIGURE 218 SHOWS THE BACKUP DATABASE SCREEN. IT APPEARS WHEN THE SYSTEM ADMINISTRATOR CLICKS THE DATABASE BACKUP LINK ON THE LEFT PANEL OF THE SYSTEM ADMINISTRATOR'S SCREEN. FIGURE 219 SHOWS THE RESTORE DATABASE SCREEN. A LIST OF DATABASE BACKUP FILES WILL BE DISPLAYED WITH ITS CREATION TIME AND THE SYSTEM ADMINISTRATOR HAS AN OPTION TO RESTORE, VIEW, DOWNLOAD OR DELETE DATABASE BACKUPS.

FIGURE 218. DATABASE BACKUP SCREEN - BEA3 SYSTEM

FIGURE 219. DATABASE RESTORE SCREEN - BEA3 SYSTEM

NEXT ARE THE FUNCTIONALITIES A VENDOR IS ALLOWED TO DO.

FIGURE 220 SHOWS THE VENDOR LOGIN SCREEN. THIS SCREEN WILL BE USED TO LOGIN AS A VENDOR IN THE BEA3 SYSTEM.

FIGURE 220. VENDOR LOGIN SCREEN - BEA3 SYSTEM

FIGURE 221 SHOWS THE VENDOR'S MAIN SCREEN. UPON LOGGING IN, THE VENDOR CAN VIEW THE ITEMS IN THE CATEGORY ASSIGNED OR LINKED TO HIM/HER. IT ALSO DISPLAYS THE AVAILABILITY OF EACH ITEM.

FIGURE 221. VENDOR SCREEN - BEA3 SYSTEM

FIGURE 222 TO 224 SHOW ITEM MANAGEMENT SCREEN OF VENDORS. FIGURE 222 SHOWS THE ITEM MANAGEMENT SCREEN. IT DISPLAYS THE LIST OF ITEMS ASSIGNED OR LINKED TO THE VENDOR. FIGURE 223 SHOWS THE EDIT CATEGORY SCREEN. THE VENDOR CAN MODIFY CATEGORY DESCRIPTIONS OR ADD DISCOUNT INFORMATION OR PROMOTIONS IF APPLICABLE. FIGURE 224 SHOWS THE EDIT ITEM SCREEN. IT ALLOWS THE VENDOR TO MANAGE ITEM DESCRIPTION, IMAGE AND NAME.

FIGURE 222. VENDOR ITEM MANAGEMENT SCREEN - BEA3 SYSTEM

FIGURE 223. VENDOR EDIT CATEGORY SCREEN - BEA3 SYSTEM

FIGURE 224. VENDOR EDIT ITEM SCREEN - BEA3 SYSTEM

FIGURE 225 SHOWS THE STOCKS IN HAND SCREEN. IT DISPLAYS THE NUMBER OF STOCKS AVAILABLE FOR EACH ITEM.

FIGURE 225. STOCKS IN HAND SCREEN - BEA3 SYSTEM

FIGURE 226 SHOWS THE SALES REPORT VIEWING OPTION FOR A VENDOR.

FIGURE 226. SALES REPORT VIEWING SCREEN - BEA3 SYSTEM

FIGURE 227 SHOWS SUMMARY OF SALES BASED ON SELECTED DATE RANGE.

FIGURE 227. DAILY SALES VIEWING SCREEN - BEA3 SYSTEM

FIGURE 228 SHOWS MONTHLY SALES OF THE CATEGORY BELONGING TO A VENDOR. FIGURE 229 SHOWS THE GRAPH GENERATED FROM THE DATA IN FIGURE 228.

FIGURE 228. MONTHLY SALES VIEWING SCREEN - BEA3 SYSTEM

FIGURE 229. MONTHLY SALES GRAPH SCREEN - BEA3 SYSTEM

FIGURE 230 SHOWS YEARLY SALES OF THE CATEGORY BELONGING TO A VENDOR. FIGURE 231 SHOWS THE GRAPH GENERATED FROM THE DATA IN FIGURE 230.

FIGURE 230. YEARLY SALES VIEWING SCREEN - BEA3 SYSTEM

FIGURE 231. YEARLY SALES GRAPH SCREEN - BEA3 SYSTEM

VI. DISCUSSION

THE PROPOSED BEA3 - ALMALKI ELECTRONIC BASKET SYSTEM AIMS TO BE MORE FLEXIBLE AND MORE AUTOMATED THAN THE EXISTING BEA3 SYSTEM THAT THEY CURRENTLY HAVE. IN RELATION TO THIS, CUSTOMERS WILL HAVE TO SIGN UP AND LOGIN IN ORDER FOR THEM TO PURCHASE ALMALKI ELECTRONIC BASKET'S ITEMS. THERE WILL BE AN INCREASE IN THE NUMBER OF PRODUCTS OFFERED AND ADDITION OF PRODUCTS WILL BE MADE AS A PART OF THE FUNCTIONALITY OF THE SYSTEM THUS SAVING THE ADMINISTRATORS FROM EMBEDDING THEM ONE BY ONE WITHIN THE CODES. DATABASE BACKUP FUNCTIONALITY WILL BE ADDED IN THE NEW SYSTEM TO SECURE THE SYSTEM'S DATA. THE MANUAL BACK UP OPTION GIVES THE SYSTEM ADMINISTRATORS AN OPTION TO BACKUP THE DATABASE ANYTIME. REPORT GENERATION FUNCTIONALITY WILL ALSO BE ADDED TO HELP THE OWNERS VIEW IN TABLES AND/OR GRAPHS THEIR SALES FOR THE SAID MONTH OR SALES PER ITEM OVER A PERIOD OF TIME. THIS CAN HELP IN THE OWNER'S MANAGEMENT OF ITEMS, TRACK BUSINESS PROGRESS AND HELP IN FUTURE DECISION MAKING REGARDING BUSINESS MATTERS.

1..A. TYPES OF USERS

ALMALKI ELECTRONIC BASKET WILL HAVE THE FOLLOWING TYPES OF USER:

A. GUEST

A GUEST IS ALLOWED TO SEARCH FOR ITEMS AVAILABLE FOR SALE IN BEA3 – ELECTRONIC BASKET AS WELL AS THE SELLING PRICE AND ITEM DESCRIPTION. ALL CUSTOMERS MIGHT START FROM BEING A GUEST, HENCE ALLOWING THEM TO VIEW ITEMS AND PRICES IS IMPORTANT IN HELPING THEM TO DECIDE WHETHER OR NOT TO CREATE THEIR CUSTOMER ACCOUNT. GUESTS ARE ALSO ALLOWED TO SEND QUERIES TO THE ADMINISTRATORS WITH THE FOLLOWING QUERY TYPES:

- I. GENERAL – A GENERAL QUERY, QUESTION, SUGGESTION.
- II. ADMINISTRATION – A QUERY ABOUT MATTERS THAT REQUIRE THE INVOLVEMENT OF SYSTEM'S ADMINISTRATOR.
- III. TECHNICAL – TECHNICAL ISSUES THAT MAY CONCERN THE USER
- IV. SALES – QUERY ABOUT ITEMS (PRICE, DESCRIPTION, PROMOS)
- V. MARKETING – QUERY ABOUT AN OFFER OF MARKETING NEW ITEMS.
- VI. EMPLOYMENT – QUERY ABOUT JOBS OFFERED IF ANY.
- VII. CREATING NEW ACCOUNT ISSUES – QUERY ABOUT ISSUES IN CREATING CUSTOMER ACCOUNT.
- VIII. BE A RESELLER – QUERY OR REQUEST ON BECOMING A RESELLER.
- IX. TICKET COMPLAINT – A QUERY IN CASE THE CUSTOMER IS NOT SATISFIED WITH HOW THE ADMINISTRATION STAFF HANDLED THE SUPPORT TICKET THE CUSTOMER PRESENTED.

B. **CUSTOMERS AND RESELLERS**

A CUSTOMER CAN BE ANYONE WHO CREATES AN ACCOUNT TO PURCHASE ITEMS FROM THE BEA3 – ALMALKI ELECTRONIC BASKET. A CUSTOMER ALSO HAS ALL THE FUNCTIONALITIES THAT GUESTS HAVE.

A RESELLER IS BASICALLY THE SAME AS A CUSTOMER. THEY REGISTER THEIR OWN ACCOUNT LIKE ALL OTHER CUSTOMERS. THE ONLY DIFFERENCE IS THAT RESELLERS GET CERTAIN DISCOUNT FROM PURCHASING ITEMS. CUSTOMERS WHO WANT TO BE A RESELLER WOULD HAVE TO INFORM BEA3 OWNER BY EMAIL. THE ADMINISTRATOR WILL CHECK THE RECORDS OF THE SAID CUSTOMER AND DECIDE

WHETHER TO ACCEPT OR REJECT THE SAID REQUEST. SINCE THE RESELLER ALREADY RECEIVES DISCOUNT WHEN PURCHASING ITEMS, THEY ARE ONLY ALLOWED TO ADD FUNDS TO THEIR ACCOUNT BY BANK TRANSFER [17].

C. **MERCHANTS OR VENDORS**

A MERCHANT OR VENDOR IS A USER THAT IS ASSOCIATED WITH AN ITEM CATEGORY AND WILL ONLY BE ABLE TO ACCESS INFORMATION UNDER THE ITEM CATEGORY ASSOCIATED TO HIM/HER.

MODIFYING OF ITEM DESCRIPTION, DISCOUNT INFORMATION OR RELATED ITEM PROMOS AS WELL AS ITEM IMAGES CAN ALSO BE DONE BY THE MERCHANT OR VENDOR. ASIDE FROM THIS, VENDORS ARE ALLOWED TO VIEW THE STOCKS IN HAND AS WELL AS SALES REPORT OF THE ASSIGNED ITEM CATEGORY. VENDOR ACCOUNTS ARE CREATED BY THE SYSTEM'S ADMINISTRATOR OR SUPER ADMINISTRATOR.

MERCHANTS OR VENDORS ARE THE SUPPLIER WHO PROVIDES RESELLERS WITH THE ITEMS TO BE SOLD IN THE WEBSITE. AS AN EXAMPLE, RAPIDSHARE IS A VENDOR AND THEY GIVE THE RESELLERS A PAGE OR AN ACCOUNT TO PURCHASE VOUCHER CODES. THESE VOUCHER CODES ARE THEN UPLOADED BY THE RESELLER INTO THEIR WEBSITE AND SELL TO THEIR CUSTOMERS [17].

1..B. **REGISTRATION PROCESS**

INTERESTED CUSTOMERS WOULD HAVE TO REGISTER AN ACCOUNT FIRST IN ORDER FOR THEM TO USE ALMALKI ELECTRONIC BASKET. UPON THE COMPLETION OF REGISTRATION, AN SMS OR AN EMAIL DEPENDING ON THE ADMINISTRATOR'S SELECTED OPTION WILL BE SENT TO THE CUSTOMER. THE SAID CONFIRMATION MESSAGE INCLUDES THE CUSTOMER'S PASS CODE WHICH WILL BE NEEDED TO ACTIVATE THE ACCOUNT. THIS FEATURE IS IMPORTANT IN ORDER TO CONFIRM THE VALIDITY OF THE ACCOUNT ALONG WITH THE INFORMATION PROVIDED BY THE CUSTOMER.

- A. NECESSARY MEMBERSHIP INFORMATION INCLUDES PERSONAL DETAILS SUCH AS TITLE, COMPLETE NAME, EMAIL ADDRESS, ALTERNATE EMAIL ADDRESS TO RETRIEVE FORGOTTEN PASSWORD, PASSWORD AND PASSWORD CONFIRMATION, CONTACT NUMBER WHICH WILL BE USED IN RECEIVING ACTIVATION CODE FOR CONFIRMATION AND COUNTRY.
- B. OTHER PERSONAL INFORMATION WHICH INCLUDES GENDER, DATE OF BIRTH, PHONE NUMBER, CITY AND NATIONALITY CAN ALSO BE FOUND IN THE REGISTRATION PAGE BUT FILLING THESE FIELDS IS OPTIONAL.
- C. LANGUAGE PREFERENCE IS ALSO SET UPON REGISTRATION. THE LANGUAGE SELECTED WILL BE THE DEFAULT LANGUAGE USED UPON LOGIN.
- D. THE REGISTRATION PROCESS MAKES USE OF THE “COMPLETELY AUTOMATED PUBLIC TURING TEST TO TELL COMPUTERS AND HUMANS APART” (CAPTCHA) TO ENSURE THAT ALL THE MEMBERSHIP DETAILS ARE SUPPLIED BY HUMANS AND NOT BY INTERNET BOTS.
- E. THE USER IS EXPECTED TO AGREE WITH THE TERMS AND CONDITIONS SET FORTH BY ALMALKI ELECTRONIC BASKET BEFORE A USER CAN COMPLETE THE REGISTRATION PROCESS.

1..C. ADDING FUNDS TO USER ACCOUNT

IN ORDER FOR THE CUSTOMER TO PURCHASE PRODUCTS FROM ALMALKI ELECTRONIC BASKET, CREDITS SHOULD FIRST BE LOADED TO THE CUSTOMER’S ACCOUNT. ALMALKI ELECTRONIC BASKET OFFERS SEVERAL WAYS IN WHICH THIS CAN BE DONE.

A. USE OF SCRATCH CARDS (BEA3 - ALMALKI ELECTRONIC SCRATCH CARDS)

THE FIRST METHOD IS BY PURCHASING A SCRATCH CARD FROM SELECTED LOCATIONS AND USING THE SCRATCH CARD TO TOP UP CREDITS INTO THE ACCOUNT. IF THE SCRATCH CARD INFORMATION IS VALID, A SUCCESS MESSAGE WILL BE DISPLAYED ALONG WITH THE CURRENT BALANCE OF THE CUSTOMER. IN CASE FOR SOME REASONS THE CUSTOMER COULD NOT TOP UP THE PURCHASED SCRATCH

CARD, THE CUSTOMER CAN REGISTER A TICKET REGARDING THE ISSUE AND THE ADMINISTRATORS WILL CHECK THE VALIDITY OF CARD.

B. MONEY TRANSFER OR BANK TRANSFER

ANOTHER METHOD TO ADD CREDITS IS USING MONEY OR BANK TRANSFER. THE USER WILL BE ABLE TO APPLY FOR BALANCE OR CREDITS BEFORE OR AFTER TRANSFERRING MONEY TO THE BANK ACCOUNT PROVIDED BY THE ADMINISTRATORS. AN APPLICATION FORM WILL THEN BE FILLED AND THE ADMINISTRATOR WILL HAVE TO CHECK THE VALIDITY OF MONEY TRANSFER MADE BY THE CUSTOMER. THE ADMINISTRATOR WHO OPENS THE BANK TRANSFER TRANSACTION WILL BE ASSIGNED AS THE ONE RESPONSIBLE FOR VERIFICATION AND APPROVAL OR REJECTION OF THE SAID BANK TRANSFER TRANSACTION. IN CASE THE INFORMATION PROVIDED BY THE CUSTOMER IS NOT VALID, A REJECTION MESSAGE WILL BE SENT TO THE CUSTOMER. UPON VERIFICATION OF THE TRANSFER, THE ADMINISTRATOR WILL APPROVE THE CREDIT REQUEST AND THE CREDITS WILL AUTOMATICALLY BE ADDED TO THE CUSTOMER'S ACCOUNT.

C. CASHU PAYMENT GATEWAY

CASHU IS A PAYMENT SERVICE PROVIDER WITH A FOCUS ON INTERNET PAYMENTS IN MIDDLE EAST AND NORTH AFRICA. IT IS A SAFE ONLINE PAYMENT METHOD AND OFFERS AN EASY ONLINE SHOPPING EXPERIENCE [18]. TO USE CASHU AS A MODE OF PAYMENT, THE CUSTOMER WILL CHOOSE THE DESIRED AMOUNT HE WOULD LIKE TO TRANSFER FROM HIS CASHU ACCOUNT FUNDS TO HIS BEA3 - ALMALKI ELECTRONIC BASKET ACCOUNT BALANCE. THE CUSTOMER WILL THEN BE REDIRECTED TO CASHU'S TRANSACTION PAGE WHEREIN THE TRANSFER WILL BE PROCESSED. THE CUSTOMER WILL HAVE TO PROVIDE HIS/HER CASHU ACCOUNT OR MOBILE NUMBER AS WELL AS HIS/HER PASSWORD. ONCE

THE TRANSFER IS DONE, CUSTOMER'S ALMALKI ELECTRONIC BASKET ACCOUNT BALANCE WILL BE UPDATED WHICH CAN NOW BE USED TO PURCHASE ITEMS FROM THE SAID WEBSITE.

1..D. PURCHASING OF ITEMS

TO PURCHASE AN ITEM OR ITEMS, THE USER ONLY NEEDS TO SELECT THE ITEM AND PROVIDE CONFIRMATION OF INTENTION TO PURCHASE. IF THE CUSTOMER HAS CREDITS AVAILABLE, THE SYSTEM WILL DEDUCT THE AMOUNT OF ITEM PURCHASED FROM THE CREDITS. INFORMATION REGARDING THE ITEM PURCHASED WILL BE DISPLAYED ON THE USER'S SCREEN. THE CUSTOMER MAY CHOOSE TO PRINT THE ITEM INFORMATION OR SEND IT TO HIS/HER EMAIL ADDRESS. THE INFORMATION OF PURCHASED ITEM WILL ALSO BE SAVED IN THE CUSTOMER'S TRANSACTION HISTORY WHICH WILL ALLOW THE CUSTOMER TO RETRIEVE IT ANY TIME IN THE FUTURE.

SUMMARY OF STEPS:

1. BROWSE THE ITEM (USING CATEGORY PANEL, GLOBAL / ADVANCE SEARCH)
2. SELECT THE DESIRED ITEM
3. CLICK ON PURCHASE BUTTON
4. CONFIRM BY PRESSING CONFIRM BUTTON
5. CREDIT CHECK (AVAILABLE BALANCE IS SUFFICIENT FOR PURCHASE)
 - A. IF YES – PROVIDE THE ITEM INFORMATION;
 - B. IF NO – DISPLAY ERROR MESSAGE FOR INSUFFICIENT CREDIT IN ACCOUNT BALANCE.
6. IF PURCHASE IS SUCCESSFUL, SAVE THE INFORMATION IN TRANSACTION HISTORY FOR FUTURE REVIEW OR RECALLS.

1..E. VIEWING OF CREDIT AND PURCHASE HISTORY

AS MENTIONED EARLIER, EACH TRANSACTION MADE BY THE CUSTOMER IS SAVED IN TRANSACTION HISTORY SECTION. HISTORY OF PURCHASES, BANK TRANSFER, USE OF BEA3 - SCRATCH CARDS AND CASHU SYSTEM CAN BE VIEWED BY THE CUSTOMER ANY TIME HE/SHE WISHES. BY DEFAULT, THE CUSTOMER WILL SEE TRANSACTIONS DONE AT THE PRESENT DAY. A SEARCH BY DATE RANGE OPTION IS PROVIDED TO VIEW PREVIOUS TRANSACTIONS SPECIFIED IN THE DATE RANGE. LINK TO DETAILS OF EACH TRANSACTION WILL ALSO BE PROVIDED ALONG WITH THE DATE OF TRANSACTION, TRANSACTION TYPE (PURCHASE /FUND ADDED), PRODUCT (*ITEM NAME* FOR PURCHASE TRANSACTION TYPE, *SERIAL NUMBER* OR *CASHU DESCRIPTION* OR *BANK NAME* FOR FUND ADDED TRANSACTION TYPE) AND AMOUNT ADDED OR DEDUCTED TO THE CUSTOMER'S BALANCE.

1..F. CUSTOMER SUPPORT OR TICKETING

IN CASE ANY PROBLEM HAS BEEN ENCOUNTERED BEFORE, DURING OR AFTER PURCHASING ITEM/S FROM ALMALKI ELECTRONIC BASKET, CUSTOMER SUPPORT OR CUSTOMER TICKETING FUNCTIONALITY CAN BE USED BY THE CUSTOMER. THE CUSTOMER MAY POST A SUPPORT CASE TO THE ADMINISTRATOR AND IN RETURN THE CUSTOMER WILL BE GIVEN A TICKET WHICH THE CUSTOMER WILL USE TO TRACK THE STATUS OF THE CASE. THE FOLLOWING INFORMATION REGARDING THE CASE NEEDS TO BE PROVIDED BY THE USER:

1. TRANSACTION IDENTIFICATION IN QUESTION

2. CASE DESCRIPTION – A DETAILED DESCRIPTION OF THE ISSUE OR PROBLEM ENCOUNTERED BY THE CUSTOMER.

EACH CUSTOMER MAY VIEW TICKETS OR CASES THAT HE/SHE SUBMITTED. EACH TICKET WILL HAVE EITHER OF THE 4 TICKET STATUS:

- OPEN (WHEN CUSTOMER HAS SUBMITTED THE TICKET)
- UNDER PROCESS (WHEN ADMINISTRATOR HAS OPENED AND ACCEPTED THE TICKET)
- CLOSE (WHEN THE ISSUE HAS BEEN SOLVED)

NOT APPLICABLE (WHEN THE ISSUE REPORTED DOES NOT CONCERN BEA3 AT ALL)

INVALID OR MULTIPLE TICKETS CAN BE DELETED BY THE ADMINISTRATOR.

1..G. UPLOADING OF STOCKS

TO UPLOAD NEW STOCKS TO THE DATABASE, A TEXT FILE WILL BE USED AND READ BY THE SYSTEM. THE TEXT FILE CONTAINS NECESSARY INFORMATION ABOUT THE PRODUCT THE ADMINISTRATOR WANTS TO UPLOAD. EACH TEXT FILE FOLLOWS THIS FORMAT: INFORMATION1, INFORMATION2, INFORMATION3, INFORMATION4, INFORMATION5. DIFFERENT PRODUCTS NEED DIFFERENT PARAMETERS. AS AN EXAMPLE SOME PRODUCTS ONLY NEEDS A SCRATCH CARD NUMBER AND A PIN WHICH MEANS THAT THE TEXT FILE WILL ONLY CONTAIN "SCRATCH CARD", "PIN" WHEREAS OTHER PRODUCTS MIGHT NEED THREE OR MORE PARAMETERS. THE SYSTEM NEEDS TO VERIFY FIRST IF THE DATA IN THE TEXT FILE BEING READ MATCHES WITH THE NEEDED INFORMATION FOR THE SAID ITEM. IN CASE THERE IS AN ERROR IN ANY LINE IN THE TEXT FILE, NO STOCK WILL BE UPLOADED AND THE LINE NUMBERS WHERE ERRORS ARE FOUND WILL BE DISPLAYED TO THE ADMINISTRATOR. IN CASE THE ITEM HAS MORE THAN 1 VENDOR, THE OWNER NEEDS TO CHOOSE WHICH VENDOR THE STOCKS BEING UPLOADED BELONGS AS FOR THE VENDORS TO MONITOR THEIR SALES.

1..H. UPLOADING SCRATCH CARDS

IN UPLOADING THE SCRATCH CARD NUMBERS, A TEXT FILE CONTAINING THE SERIAL NUMBER AND PINS WILL BE UPLOADED AND READ BY THE SYSTEM. EACH TEXT FILE FOLLOWS THIS FORMAT: SERIAL NUMBER, SCRATCH CODE. PRIOR TO THIS, BEA3 SCRATCH CARD BATCH SHOULD FIRST BE DECLARED ALONG WITH AMOUNT AND QUANTITY OF BEA3 SCRATCH CARDS. THE ADMINISTRATOR WILL CHOOSE WHICH CARD BATCH TO UPLOAD CARDS TO AND THE NUMBER DECLARED IN THE BATCH DATA SHOULD MATCH WITH THE TOTAL NUMBER OF CARDS BEING UPLOADED TO THE SYSTEM. IN CASE THE NUMBER OF

CARDS AND THE QUANTITY DECLARED DO NOT MATCH, OR AT LEAST ONE LINE DOES NOT FOLLOW THE FORMAT, NO CARD DATA WILL BE UPLOADED AND AN ERROR MESSAGE WILL BE DISPLAYED TO THE ADMINISTRATOR.

VII. CONCLUSION

IN CONCLUSION, THE PROPOSED BEA3 SYSTEM GREATLY ENHANCES THE FUNCTIONALITIES OF THE CURRENT BEA3 SYSTEM THEY ARE USING.

WITH THE STORED ACCOUNT BALANCE FUNCTIONALITY, IT ALLOWS CUSTOMERS TO PURCHASE ITEMS ANY TIME, GIVEN THEY HAVE ENOUGH BALANCE IN THEIR ACCOUNTS. THE ADDITION OF THE USE OF SCRATCH CARDS GIVES THE CUSTOMERS WIDER PAYMENT OPTIONS. CUSTOMERS CAN ALSO VIEW THEIR TRANSACTION RECORDS ON THEIR OWN ACCOUNTS ANY TIME THEY WISH TO. THE BUSINESS OWNERS CAN VIEW DIFFERENT REPORTS THAT WILL AID THEM IN BUSINESS RELATED DECISION MAKING. THE ADMINISTRATION STAFFS CAN ADD, EDIT AND DELETE ITEMS EASILY WITH BEA3 SYSTEM. ALSO CUSTOMER COMPLAINTS CAN BE FACILITATED EASILY AND SYSTEMATICALLY WITH THE INTRODUCTION OF CUSTOMER SUPPORT TICKETING. VENDORS ARE ALSO GIVEN THEIR OWN ACCOUNTS TO ALLOW THEM TO MONITOR THE SALES OF THEIR ITEMS. THEY ARE ALSO ALLOWED TO MODIFY ITEM DETAILS LIKE

DESCRIPTION OR IMAGE TO UPDATE THE ITEMS THEY SELL. AND LASTLY SYSTEM ADMINISTRATORS CAN BACKUP AND RESTORE THE SYSTEM'S DATABASE EASILY. IN ADDITION TO THIS, SYSTEM ADMINISTRATORS CAN ALSO MANAGE EACH USER TYPES, THUS CREATING AND MODIFYING ACCOUNT DETAILS IS MUCH EASIER.

THE ADVANTAGES OF HAVING MORE AUTOMATED SYSTEM WITH BETTER DATABASE DESIGN AND IMPLEMENTATION CLEARLY BENEFIT ITS USERS. ADDITIONAL INFORMATION PRESENTED IN THE MAIN WEBSITE PAGE GUIDES THE CUSTOMERS IN NAVIGATING THE SYSTEM EASILY.

VIII. RECOMMENDATION

THE SYSTEM MAY BE EXPANDED BY ADDING MORE PAYMENT OPTIONS FOR THE CUSTOMERS LIKE THE USE OF CREDIT CARDS OR PAYPAL. MORE PAYMENT OPTIONS WILL INVITE MORE CUSTOMERS TO PATRONIZE THE BUSINESS AS THEY WON'T BE LIMITED TO JUST BANK TRANSFERS, SCRATCH CARDS AND CASHU PAYMENT.

MORE LANGUAGES CAN ALSO BE INTRODUCED. WITH THE HELP OF THE IP ADDRESS GEO LOCATOR, THE SYSTEM WILL KNOW THE COUNTRY THE CUSTOMER OR GUEST ACCESSING THE SYSTEM BELONGS AND CAN DISPLAY THE COUNTRY'S LANGUAGE ACCORDINGLY. AT THE MOMENT THE SYSTEM ONLY RESPONDS TO MIDDLE EASTERN COUNTRIES AND DISPLAYS ENGLISH FOR THE REST OF THE COUNTRIES.

LAYOUT CUSTOMIZATION CAN ALSO BE ADDED TO ALLOW THE CUSTOMERS TO USE THE COLOR SCHEME THEY PREFER AND EVEN THE WEBSITE LAYOUT OF THEIR CHOICE BASED ON THE GIVEN OPTIONS. ALLOWING THE CUSTOMERS TO POST THEIR STORIES OR EXPERIENCES AS A CUSTOMER CAN ALSO BE A PART OF THE WEBSITE. THIS WAY THE CUSTOMERS CAN LEAVE COMMENTS EITHER ABOUT BEA³ AS A WHOLE OR COMMENTS ABOUT THE ITEMS THEY HAVE PURCHASED. THIS WILL ALSO HELP OTHER CUSTOMERS DECIDE ON WHETHER TO PURCHASE FROM BEA³

OR MOREOVER PURCHASE A SPECIFIC ITEM. IN ADDITION TO LEAVING COMMENTS, A 'RATE AN ITEM' OPTION CAN ALSO BE ADDED TO FURTHER GIVE THE CUSTOMERS AN IDEA ABOUT OTHER CUSTOMER'S SATISFACTION OR DISSATISFACTION ON CERTAIN ITEMS.

IX. BIBLIOGRAPHY

- [1] KOWALKIEWICZ, MAREK. (2005). FROM TRADITIONAL MARKETS TO ELECTRONIC MARKETS FOR LEARNING – OPPORTUNITIES AND THREATS. RETRIEVED JUNE 28, 2011 FROM THE POZNAN UNIVERSITY OF ECONOMICS: [HTTP://INTEGROR.NET/FILES/KOWALKIEWICZ05.PDF](http://integrator.net/files/kowalkiewicz05.pdf)
- [2] STRADER TROY J. & SHAW MICHAEL J. (1998). ELECTRONIC MARKETS: IMPACT AND IMPLICATIONS. RETRIEVED JUNE 28, 2011 FROM *HANDBOOK ON ELECTRONIC COMMERCE*, SPRINGER-VERLAG, 1999: [CITEBM.BUSINESS.ILLINOIS.EDU/ECFORUM/ORIGFILE/IM.DOC](http://citemb.business.illinois.edu/ecforum/origfile/im.doc)
- [3] PETROVIC, DEJAN. (2010, NOVEMBER 24). WHAT IS E-MARKETING? RETRIEVED JUNE 28, 2011 FROM E-MARKETING: [HTTP://ANALOGIK.COM/ARTICLES/231/E-MARKETING](http://analogik.com/articles/231/e-marketing)
- [4] THOMASON, ALEN. (2007, OCTOBER 3). ADVANTAGES AND DISADVANTAGES OF E- MARKETING. RETRIEVED JUNE 28, 2011 FROM GO ARTICLES, THE WEB'S LARGEST FREE CONTENT ARTICLE DIRECTORY: [HTTP://GOARTICLES.COM/ARTICLE/ADVANTAGE-DISADVANTAGES-OF-E-MARKETING/ 635633/](http://goarticles.com/article/Advantage-Disadvantages-of-E-Marketing/635633/)
- [5] SCHMIDT, B. F., (2003), ELECTRONIC MARKETS No. 3. RETRIEVED JUNE 28, 2011 FROM ELECTRONIC MARKETS: [HTTP://INTEGROR.NET/FILES/KOWALKIEWICZ05.PDF](http://integrator.net/files/kowalkiewicz05.pdf)

- [6] SIEGELMANN H., AVITAL O., ET AL., (1996). ELECTRONIC COMMERCE; FELDMAN, S. (2000, JULY-AUGUST P. 93-95). IEEE INTERNET COMPUTING. RETRIEVED JULY 5, 2011 FROM ELECTRONIC MARKETPLACE: [HTTP://INTEGROR.NET/FILES/KOWALKIEWICZ05.PDF](http://integrator.net/files/kowalkiewicz05.pdf)
- [7] ONECLICKRESELLER. (N.D.). ONE CLICK RESELLER – ONE STOP SHOP FOR PREMIUM ACCOUNTS. RETRIEVED JULY 5, 2011 FROM ONECLICKRESELLER.COM:
[HTTP://WWW.ONECLICKRESELLER.COM](http://www.oneclickreseller.com)
- [8] SBJG. (2010). AUGUST TECHNOLOGY - OFFICIAL AUTHORIZED PREMIUM ACCOUNTS RESELLER. RETRIEVED JULY 5, 2011 FROM SBJG.COM:
[HTTP://WWW.SBJG.COM/PAYMENT.PHP](http://www.sbjg.com/payment.php)**
- [9] BIG SHARE SHOP. (2010). 1 CLICK FILE HOSTING. RETRIEVED JULY 5, 2011 FROM BIGSHOPSHARE.COM: [HTTP://WWW.BIGSHARESHOP.COM/](http://www.bigshareshop.com/)
- [10] 3RBMALL. (2010). 3RBMALL WEBSITE. RETRIEVED JULY 5, 2011 FROM 3RBMALL.NET:
[HTTP://3RBMALL.NET/](http://3rbmall.net/)
- [11] KAMILA. (2010). MEDIA FIRE. RETRIEVED JULY 5, 2011 FROM [PREMIUMSKLEP.COM](http://premiumsklep.com):
[HTTP://EN.PREMIUMSKLEP.COM/HOME](http://en.premiumsklep.com/home)
- [12] HOTFILE PREMIUM STORE. (N.D.). HOTFILE PREMIUM STORE – OFFICIAL RESELLER IN INDIA. RETRIEVED JULY 5, 2011 FROM HOTFILE PREMIUMSTORE.COM: [HTTP://HOTFILEPREMIUMSTORE.COM/FAQ](http://hotfilepremiumstore.com/faq)
- [13] LIBUA. (N.D.). LIBUA WEBSITE. RETRIEVED JULY 5, 2011 FROM LIBUA.COM:
[HTTP://LIBUA.COM/ENGLISH.PHP](http://libua.com/english.php)

- [14] MICRO DELUXE. (N.D.). MICRO DELUXE – PREMIUM AUTHORIZED SELLER. RETRIEVED JULY 5, 2011 FROM MICRODELUXE.COM: [HTTPS://WWW.MICRODELUXE.COM/HOW-TO-BUY/](https://www.microdeluxe.com/how-to-buy/)
- [15] WAY2PREMIUM. (N.D.). WAY2PREMIUM WEBSITE - OFFICIAL AUTHORIZED PREMIUM ACCOUNTS AND ANTIVIRUS RESELLER IN INDIA. RETRIEVED JULY 5, 2011 FROM WAY2PREMIUM.COM : [HTTP://WAY2PREMIUM.COM/ABOUT-US](http://way2premium.com/about-us)
- [16] 365 PREMIUM. (N.D.). 365 PREMIUM – ONLINE PURCHASE MADE EASY. RETRIEVED JULY 5, 2011 FROM 365PREMIUM.COM: [HTTP://WWW.365PREMIUM.COM/FAQ.ASPX](http://www.365premium.com/faq.aspx)
- [17] ALMALKI, G. (JULY 28, 2011). BUSINESS OWNER, BEA3.COM - SWAHL COMPANY. INTERVIEW
- [18] CASHU. (2002). CASHU ONLINE PAYMENT. RETRIEVED AUGUST 2, 2011 FROM CASHU.COM: [HTTPS://WWW.CASHU.COM/SITE/EN/ABOUTUS](https://www.cashu.com/site/en/aboutus)
- [19] BEST PRICE COMPUTERS. (N.D.). DATABASE MANAGEMENT SYSTEMS. RETRIEVED AUGUST 2, 2011 FROM BPC, ARTICLES AND GLOSSARY: [HTTP://WWW.BESTPRICECOMPUTERS.CO.UK/ GLOSSARY/DATABASE-MANAGEMENT-SYSTEMS.HTM](http://www.bestpricecomputers.co.uk/glossary/database-management-systems.htm)
- [20] SVARRE KLAUS. (2000, DECEMBER). CONTENT MANAGEMENT SYSTEM (CMS). RETRIEVED AUGUST 2, 2011 FROM SEARSOA.COM: [HTTP://SEARCHSOA.TECHTARGET.COM/DEFINITION/CONTENT-MANAGEMENT-SYSTEM](http://searchsoa.techtarget.com/definition/content-management-system)
- [21] SEARCHMOBILECOMPUTING.COM. (2001, JULY). SMS GATEWAY DEFINITION. RETRIEVED OCTOBER 5, 2012 FROM SEARCHMOBILECOMPUTING.COM: [HTTP://SEARCHMOBILECOMPUTING.TECHTARGET.COM/DEFINITION/SMS-GATEWAY](http://searchmobilecomputing.techtarget.com/definition/sms-gateway)

- [22] **DR. EL GUHARI, HATEM. (2010, OCTOBER). E-MARKETING - A LITERATURE REVIEW FROM A SMALL BUSINESS PERSPECTIVE. RETRIEVED OCTOBER 10, 2011 FROM [HTTP://WWW.IJBSSNET.COM/](http://www.ijbssnet.com/): [HTTP://WWW.IJBSSNET.COM/JOURNALS/20.PDF](http://www.ijbssnet.com/journals/20.pdf)**
- [23] **BEAL, VANGIE. (2011, MAY). SELLER TOOLS: FIVE WAYS TO SELL YOUR DIGITAL GOODS ONLINE. RETRIEVED OCTOBER 10, 2011 FROM [HTTP://WWW.ECOMMERCE-GUIDE.COM/](http://www.ecommerce-guide.com/): [HTTP://WWW.ECOMMERCE-GUIDE.COM/ARTICLE.PHP/3794706/ECOMMERCE-SOLUTIONS-5-WAYS-TO-SELL-DIGITAL-GOODS-ONLINE.HTM](http://www.ecommerce-guide.com/article.php/3794706/ecommerce-solutions-5-ways-to-sell-digital-goods-online.htm)**
- [24] **DR. WILSON, RALPH F. (2001, AUGUST). DIGITAL DELIVERY SYSTEM OPTIONS. RETRIEVED OCTOBER 10, 2011 FROM WEB MARKETING TODAY: [HTTP://WWW.WILSONWEB.COM/WMT6/FULFILL-DIGITAL.HTM](http://www.wilsonweb.com/wmt6/fulfill-digital.htm)**
- [25] **ADEYEYE, MICHAEL. (2011, JANUARY). E-COMMERCE, BUSINESS METHODS AND EVALUATION OF PAYMENT METHODS IN NIGERIA. RETRIEVED OCTOBER 10, 2011 FROM [HTTP://ISSUU.COM/](http://issuu.com/): [HTTP://ISSUU.COM/ACADEMIC-CONFERENCES.ORG/DOCS/EJISE-VOLUME11-ISSUE1-ARTICLE570](http://issuu.com/academic-conferences.org/docs/ejise-volume11-issue1-article570)**
- [26] **STEPHEN BURNS. (2002). UNIQUE CHARACTERISTICS OF ECOMMERCE TECHNOLOGIES AND THEIR EFFECTS UPON PAYMENT SYSTEMS. RETRIEVED OCTOBER 10, 2011 FROM SANS INSTITUTE INFOSEC READING ROOM: [HTTP://WWW.SANS.ORG/READING_ROOM/WHITEPAPERS/ECOMMERCE/UNIQUE-CHARACTERISTICS-ECOMMERCE-TECHNOLOGIES-EFFECTS-PAYMENT-SYSTEMS_572](http://www.sans.org/reading_room/whitepapers/ecommerce/unique-characteristics-ecommerce-technologies-effects-payment-systems_572)**

[27] SMITH, BRIAN W. (2003). E-COMMERCE: FINANCIAL PRODUCTS AND SERVICES.

RETRIEVED OCTOBER 10, 2011 FROM BOOKS.GOOGLE.COM:

[HTTP://BOOKS.GOOGLE.COM.PH/BOOKS?ID=W68AKNVJVEGC&PG=SA8-](http://books.google.com.ph/books?id=W68akNVjVEgC&pg=SA8-PA29&lpg=SA8-PA29&dq=e-commerce+digital+stored+value+articles&source=bl&ots=LU1wwyVm6c&sig=HEKKHQM6DMZCBBXI9IJNSFTB0Vs&hl=tl&ei=8paSTvKzKuyUjAeSRA37DQ&sa=X&oi=book_result&ct=result&resnum=5&ved=0CDsQ6AEwBA#v=onepage&q&f=false)

[PA29&LPG=SA8-PA29&DQ=E-](http://books.google.com.ph/books?id=W68akNVjVEgC&pg=SA8-PA29&lpg=SA8-PA29&dq=e-commerce+digital+stored+value+articles&source=bl&ots=LU1wwyVm6c&sig=HEKKHQM6DMZCBBXI9IJNSFTB0Vs&hl=tl&ei=8paSTvKzKuyUjAeSRA37DQ&sa=X&oi=book_result&ct=result&resnum=5&ved=0CDsQ6AEwBA#v=onepage&q&f=false)

[COMMERCE+DIGITAL+STORED+VALUE+ARTICLES&SOURCE=BL&OTS=LU1WWYVM6C&SIG=H](http://books.google.com.ph/books?id=W68akNVjVEgC&pg=SA8-PA29&lpg=SA8-PA29&dq=e-commerce+digital+stored+value+articles&source=bl&ots=LU1wwyVm6c&sig=HEKKHQM6DMZCBBXI9IJNSFTB0Vs&hl=tl&ei=8paSTvKzKuyUjAeSRA37DQ&sa=X&oi=book_result&ct=result&resnum=5&ved=0CDsQ6AEwBA#v=onepage&q&f=false)

[EKKHQM6DMZCBBXI9IJNSFTB0Vs&HL=TL&EI=8PASTvKzKuyUjAeSRA37DQ&SA=](http://books.google.com.ph/books?id=W68akNVjVEgC&pg=SA8-PA29&lpg=SA8-PA29&dq=e-commerce+digital+stored+value+articles&source=bl&ots=LU1wwyVm6c&sig=HEKKHQM6DMZCBBXI9IJNSFTB0Vs&hl=tl&ei=8paSTvKzKuyUjAeSRA37DQ&sa=X&oi=book_result&ct=result&resnum=5&ved=0CDsQ6AEwBA#v=onepage&q&f=false)

[X&OI=BOOK_RESULT&CT=RESULT&RESNUM=5&VED=0CDsQ6AEwBA#v=ONEPAGE&O](http://books.google.com.ph/books?id=W68akNVjVEgC&pg=SA8-PA29&lpg=SA8-PA29&dq=e-commerce+digital+stored+value+articles&source=bl&ots=LU1wwyVm6c&sig=HEKKHQM6DMZCBBXI9IJNSFTB0Vs&hl=tl&ei=8paSTvKzKuyUjAeSRA37DQ&sa=X&oi=book_result&ct=result&resnum=5&ved=0CDsQ6AEwBA#v=onepage&q&f=false)

[&F=FALSE](http://books.google.com.ph/books?id=W68akNVjVEgC&pg=SA8-PA29&lpg=SA8-PA29&dq=e-commerce+digital+stored+value+articles&source=bl&ots=LU1wwyVm6c&sig=HEKKHQM6DMZCBBXI9IJNSFTB0Vs&hl=tl&ei=8paSTvKzKuyUjAeSRA37DQ&sa=X&oi=book_result&ct=result&resnum=5&ved=0CDsQ6AEwBA#v=onepage&q&f=false)

[28] LORENZ, GARY W. (1996). ELECTRONIC STORE VALUE PAYMENT SYSTEMS, MARKET

POSITION, AND REGULATORY ISSUES. RETRIEVED OCTOBER 10, 2011 FROM WASHINGTON

COLLEGE OF LAW JOURNALS:

[HTTP://WWW.WCL.AMERICAN.EDU/JOURNAL/LAWREV/46/LORENZ.PDF?RD=1](http://www.wcl.american.edu/journal/lawrev/46/lorenz.pdf?rd=1)

[29] SUMANJEET, SINGH. (2009). EMERGENCE OF PAYMENT SYSTEMS IN THE AGE OF

ELECTRONIC COMMERCE: THE STATE OF ART. RETRIEVED OCTOBER 10, 2011 FROM

GLOBAL JOURNAL OF INTERNATIONAL BUSINESS RESEARCH VOL. 2 No. 2. 2009:

[HTTP://WWW.GLOBIP.COM/PDF_PAGES/GLOBALINTERNATIONAL-VOL2-ARTICLE2.PDF](http://www.globip.com/pdf_pages/globalinternational-vol2-article2.pdf)

[30] FUAD, SARMAD (2010). ELECTRONIC COMMERCE PAYMENT SYSTEMS. RETRIEVED OCTOBER

10, 2011 FROM UNIVERSITY OF TECHNOLOGY [HTTP://ITSWTECH.ORG](http://itswtech.org):

[HTTP://ITSWTECH.ORG/LEC/SARMADFUADMIS/MIS_LECTURE_18.PDF](http://itswtech.org/lec/sarmadfuadmis/mis_lecture_18.pdf)

[31] PEARSON EDUCATION INC. (2002). E-COMMERCE PAYMENT SYSTEMS. RETRIEVED

OCTOBER 10, 2011 FROM [HTTP://WWW.DASCHMELZER.COM/](http://www.daschmelzer.com/):

[WWW.DASCHMELZER.COM/ECT250/NOTES/L8B.PPT](http://www.daschmelzer.com/ECT250/NOTES/L8B.PPT)

X. APPENDIX

SOURCE CODE

ADMIN/CONFIG.PHP

```
<?PHP
$dbhost='bea3.db.8434508.hostedresource.com';
$dbuser='bea3';
$dbpassword='FRAGILE_123';
$link=@mysql_pconnect($dbhost,$dbuser,$dbpassword) or die ('ERROR CONNECTING TO DB');
mysql_query("SET NAMES 'utf8'");
mysql_query('SET CHARACTER SET utf8');
?>
```

ADMIN/OPENDB.PHP

```
<?PHP
$dbname='bea3';
mysql_select_db($dbname) or die ('ERROR: CANNOT ACCESS $DBNAME DATABASE');
?>
```

ADMIN/CLOSEDB.PHP

```
<?PHP
mysql_close($link);
?>
```

CSS/MAIN_ARA.CSS

```
BODY
{
    BACKGROUND-COLOR: #033771;
    BACKGROUND-IMAGE: URL(../IMAGES/BODY-BG.PNG);
    BACKGROUND-POSITION: TOP LEFT;
    BACKGROUND-REPEAT: REPEAT-Y;
    BACKGROUND-ATTACHMENT: FIXED;
    MARGIN:0px;
    PADDING:0px;
    FONT-FAMILY: VERDANA, ARIAL, HELVETICA, SANS-SERIF;
    COLOR: #033771;
}
IMG, FORM
{
    BORDER: 0px; MARGIN: 0px; PADDING: 0px;
}
A, A:VISITED, A:ACTIVE{
    COLOR:#A9D1FE;
    TEXT-DECORATION: NONE;
    FONT-WEIGHT: BOLD;
}
A, A:VISITED, A:ACTIVE
{
    COLOR:#0450A5;
    TEXT-DECORATION: NONE;
    FONT-WEIGHT: BOLD;
}
A:HOVER
{
    TEXT-DECORATION: NONE;
    COLOR: #696969;
}
A.HOME, A.HOME:VISITED, A.HOME:ACTIVE
{
    COLOR: #7f389c;
    FONT-WEIGHT: BOLD;
    TEXT-DECORATION: NONE;
}
A.HOME:HOVER
{
    FONT-WEIGHT: BOLD;
    TEXT-DECORATION: NONE;
    COLOR: #7f389c;
}
A.HOME2, A.HOME2:VISITED, A.HOME2:ACTIVE
{
```

```

        COLOR: #174ab3;
        TEXT-DECORATION: NONE;
    }
    A.HOME2:HOVER
    {
        TEXT-DECORATION: NONE;
        COLOR: #174ab3;
    }
    H1, .H1
    {
        COLOR: #575757;
        FONT-SIZE: 18px;
        FONT-FAMILY: VERDANA, TAHOMA, ARIAL;
        PADDING: 0px;
        MARGIN: 0px;
    }
    .HR
    {
        COLOR: #DCDCDC;
        HEIGHT: 1px;
    }
    TR.D0 TD {
        BACKGROUND-COLOR: #f4f7fa; COLOR: #000000;
        OVERFLOW: HIDDEN;
    }
    TR.D1 TD {
        BACKGROUND-COLOR: #cee3fc; COLOR: #000000;
        OVERFLOW: HIDDEN;
    }
    TR.HEAD TD {
        BACKGROUND-COLOR: #053a76;
        COLOR: #ffffff;
        FONT-WEIGHT: BOLD;
        TEXT-ALIGN: CENTER;
    }
    #MAIN
    {
        WIDTH: 1000px;
        BORDER-COLLAPSE: COLLAPSE;
        PADDING: 0px;
    }
    #MAIN TD
    {
        BORDER: 0px;
        PADDING: 0px;
        MARGIN: 0px;
    }
    #MAIN .HEADLINE
    {
        BACKGROUND: URL(..IMAGES/WRAPPER-TOP.PNG) NO-REPEAT;
        HEIGHT: 25px;
    }
    #MAIN .TOPBAR
    {
        BACKGROUND-REPEAT: REPEAT-Y;
        HEIGHT: 55px;
        COLOR: #333333;
    }
    #MAIN .BOTTOMBAR
    {
        BACKGROUND: URL(..IMAGES/WRAPPER-FILL.PNG) REPEAT-Y TOP LEFT;
        COLOR: #333333;
        TEXT-ALIGN: JUSTIFY;
        HEIGHT: 64px;
    }
    #MAIN .CLOSING
    {
        BACKGROUND: URL(..IMAGES/WRAPPER-BOTTOM.PNG) NO-REPEAT;
        HEIGHT: 25px;
    }
    #TOPHEAD
    {
        BACKGROUND: URL(..IMAGES/HEADER-CLOUDS.PNG) NO-REPEAT;
        WIDTH: 100%;
        BORDER-COLLAPSE: COLLAPSE;
        PADDING: 0;
        MARGIN: 0px 15px 0 15px;
    }
    #TOPHEAD .TOPLOGO
    {
        WIDTH: 200px;
        HEIGHT: 117px;
    }
    #TOPHEAD .TOPMENU
    {
        HEIGHT: 55px;
        WIDTH: 500px;
        BACKGROUND: URL(..IMAGES/NAV-BG.PNG) NO-REPEAT;
        BACKGROUND-POSITION: 355px 0px;
    }
    #TOPHEAD .TOPIMAGE

```

```

{
    WIDTH: 600px;
    BACKGROUND-REPEAT: NO-REPEAT;
    PADDING-RIGHT: 11px;
}

#TOPHEAD .TOPRIGHTHEAD
{
    WIDTH: 233px;
    BACKGROUND-REPEAT: NO-REPEAT;
    PADDING-RIGHT: 8px;
}

#TOPMENU
{
    MARGIN: 0 10px 0px 15px;
    BORDER-COLLAPSE: COLLAPSE;
}

#TOPMENU A
{
    HEIGHT: 16px;
    FLOAT: LEFT;
    LINE-HEIGHT: 16px;
    FONT-SIZE: 12px;
    FONT-WEIGHT: BOLD;
    TEXT-DECORATION: NONE;
    TEXT-ALIGN: CENTER;
    TEXT-TRANSFORM: NONE;
    PADDING: 5px 8px 0 8px;
}

#TOPMENU A.HOMEPAGE
{
    COLOR: #FFFFFF;
}

#TOPMENU A.ADVANCESEARCH
{
    COLOR: #250c91;
}

#TOPMENU A:ACTIVE, #TOPMENU A:VISITED, #TOPMENU A:SELECTED
{
    BACKGROUND: URL(../IMAGES/TAB-BG.PNG) NO-REPEAT LEFT BOTTOM;
    HEIGHT: 16px;
    COLOR: #FFFFFF;
    FLOAT: LEFT;
    LINE-HEIGHT: 6px;
    FONT-WEIGHT: BOLD;
    FONT-SIZE: 12px;
    TEXT-DECORATION: NONE;
    TEXT-ALIGN: CENTER;
    TEXT-TRANSFORM: NONE;
}

#TOPMENU A:HOVER
{
    COLOR: #92d3f4;
    FONT-WEIGHT: BOLD;
}

/* NOT WORKING :(
#TOPMENU A.SELECTEDLINK,
#TOPMENU A.SELECTEDLINK:VISITED,
#TOPMENU A.SELECTEDLINK:HOVER
{
    BACKGROUND: URL(IMAGES/TAB-BG.PNG) NO-REPEAT LEFT BOTTOM;
    HEIGHT: 16px;
    COLOR: RED;
    FLOAT: LEFT;
    LINE-HEIGHT: 6px;
    FONT-WEIGHT: BOLD;
    FONT-SIZE: 16px;
    TEXT-DECORATION: NONE;
    TEXT-ALIGN: CENTER;
    TEXT-TRANSFORM: NONE;
}

*/

#TOPMENU TD
{
    TEXT-ALIGN: RIGHT;
}

#LEFTBAR
{
    BACKGROUND-COLOR: #18555a;
    WIDTH: 233px;
    BACKGROUND-IMAGE: URL(../IMAGES/LEFTTOPBG.JPG);
    BACKGROUND-POSITION: TOP LEFT;
    BACKGROUND-REPEAT: NO-REPEAT;
}

#LEFTBAR A, #LEFTBAR A:VISITED, #LEFTBAR A:ACTIVE
{
    COLOR: #E76908;
    FONT-SIZE: 12px;
    FONT-FAMILY: TAHOMA, VERDANA, ARIAL, HELVETICA, SANS-SERIF;
    TEXT-DECORATION: NONE;
}

```

```

}
#LEFTBAR A:HOVER
{
    COLOR: #E76908;
    FONT-SIZE: 12PX;
    FONT-FAMILY: TAHOMA, VERDANA, ARIAL, HELVETICA, SANS-SERIF;
    TEXT-DECORATION: NONE;
}

#CONTENTS
{
    BORDER-COLLAPSE: COLLAPSE;
    PADDING: 0PX;
    MARGIN: 0PX 0PX 0PX 0PX;
    WIDTH: 1024PX;
}
#CONTENTS TD
{
    BORDER-COLLAPSE: COLLAPSE;
    BORDER: 0PX;
    MARGIN: 0PX;
    PADDING: 0PX;
}
/* ----- */
#CONTENTSLEFT
{
    BORDER-COLLAPSE: COLLAPSE;
    WIDTH: 233PX;
    VERTICAL-ALIGN: TOP;
}
#CONTENTSLEFT .WRAPPER {
    BACKGROUND: URL(../IMAGES/WRAPPER-FILL.PNG) REPEAT-Y TOP LEFT;
    COLOR: #333333;
    TEXT-ALIGN: JUSTIFY;
}
#CONTENTSLEFT .MIDDLE {
    BACKGROUND: URL(../IMAGES/PLAN-FILL.PNG) REPEAT-Y TOP LEFT;
    WIDTH: 218PX;
    MARGIN: 0 8PX 0 0;
}
#CONTENTSLEFT .BOTTOM {
    BACKGROUND: URL(../IMAGES/PLAN-BOTTOM.PNG) NO-REPEAT;
    WIDTH: 218PX;
    HEIGHT: 21PX;
    MARGIN: 0 8PX 0 0;
}
#CONTENTSLEFT .CATEGORYLIST
{
    WIDTH: 100%;
    BORDER-COLLAPSE: COLLAPSE;
    VERTICAL-ALIGN: MIDDLE;
}
#CONTENTSLEFT .CATEGORYLIST .SEP
{
    BACKGROUND-IMAGE: URL(../IMAGES/LEFTLINKBG.JPG);
    BACKGROUND-POSITION: CENTER CENTER;
    BACKGROUND-REPEAT: NO-REPEAT;
    HEIGHT: 15PX;
    VERTICAL-ALIGN: MIDDLE;
    PADDING: 0 0 0 8PX;
}
#CONTENTSLEFT .CATEGORYLIST A, #CONTENTSLEFT .CATEGORYLIST A:VISITED, #CONTENTSLEFT .CATEGORYLIST A:ACTIVE
{
    COLOR: BLACK;
    TEXT-DECORATION: NONE;
    FONT-WEIGHT: BOLD;
    FONT-FAMILY: ARIAL;
    FONT-SIZE: 10PT;
    BACKGROUND-IMAGE: URL(../IMAGES_Ara/LEFTARROW.PNG);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: RIGHT CENTER;
    PADDING-RIGHT: 20PX;
    MARGIN-RIGHT: 12PX;
    VERTICAL-ALIGN: TEXT-TOP;
}
#CONTENTSLEFT .CATEGORYLIST A:HOVER
{
    COLOR: RED;
    FONT-SIZE: 10PT;
    FONT-WEIGHT: BOLD;
    FONT-FAMILY: ARIAL;
    TEXT-DECORATION: NONE;
}
#CONTENTSLEFT .CATEGORYLIST A.SELECTEDLINK,
#CONTENTSLEFT .CATEGORYLIST A.SELECTEDLINK:VISITED,
#CONTENTSLEFT .CATEGORYLIST A.SELECTEDLINK:HOVER
{
    COLOR: #4A5DD1;
    BACKGROUND-IMAGE: URL(../IMAGES_Ara/LEFTARROW.PNG);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: RIGHT CENTER;
    FONT-WEIGHT: BOLD;
    PADDING-RIGHT: 20PX;
}

```

```

        MARGIN-RIGHT: 12px;
    }

    .BOTTOMMENU A.SELECTEDLINK,
    .BOTTOMMENU A.SELECTEDLINK:VISITED
    {
        COLOR: #5806B3;
        BACKGROUND-IMAGE: URL(../IMAGES_Ara/LEFTARROW.PNG);
        BACKGROUND-REPEAT: NO-REPEAT;
        BACKGROUND-POSITION: RIGHT CENTER;
        FONT-WEIGHT: BOLD;
        PADDING-RIGHT: 13px;
        MARGIN-RIGHT: 6px;
    }
    .BOTTOMMENU A:HOVER
    {
        COLOR: #00FEE0;
        TEXT-DECORATION: NONE;
    }
    .BOTTOMMENU A
    {
        COLOR: #0BAC9A;
        TEXT-DECORATION: NONE;
    }
    .BOTTOMMENU A.SELECTEDLINK:VISITED
    {
        COLOR: #0BAC9A;
        TEXT-DECORATION: NONE;
    }
}
/* ----- */
#CONTENTSLEFT .PROFILETABLE
{
    COLOR: #032e62;
    FONT-SIZE: 9pt;
    FONT-WEIGHT: BOLD;
    FONT-FAMILY: ARIAL;
    TEXT-ALIGN: RIGHT;
}
#CONTENTSLEFT .PROFILETABLE A, #CONTENTSLEFT .PROFILETABLE A:VISITED, #CONTENTSLEFT .PROFILETABLE A:ACTIVE
{
    COLOR: #0e4c99;
    TEXT-DECORATION: NONE;
    BACKGROUND-IMAGE: URL(../IMAGES_Ara/LEFTARROW.PNG);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: RIGHT CENTER;
    PADDING-RIGHT: 13px;
    MARGIN-RIGHT: 6px;
    FONT-SIZE: 9pt;
    FONT-FAMILY: TAHOMA;
    FONT-WEIGHT: NORMAL;
}
#CONTENTSLEFT .PROFILETABLE A:HOVER
{
    COLOR: RED;
    TEXT-DECORATION: NONE;
}
#CONTENTSLEFT .PROFILETABLE A.WITHNOTIFICATION, #CONTENTSLEFT .PROFILETABLE A.WITHNOTIFICATION:VISITED, #CONTENTSLEFT .PROFILETABLE A.WITHNOTIFICATION:ACTIVE
{
    COLOR: #c004f6;
    TEXT-DECORATION: NONE;
    BACKGROUND-IMAGE: URL(../IMAGES/LEFTARROW.PNG);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: LEFT CENTER;
    PADDING-LEFT: 13px;
    MARGIN-LEFT: 6px;
    FONT-SIZE: 9pt;
    FONT-FAMILY: TAHOMA;
    FONT-WEIGHT: BOLD;
}
#CONTENTSLEFT .PROFILETABLE A.WITHNOTIFICATION:HOVER
{
    COLOR: RED;
    TEXT-DECORATION: NONE;
}
}
/* ----- */
#CONTENTS_CENTER
{
    BORDER-COLLAPSE: COLLAPSE;
    WIDTH: 600px;
    VERTICAL-ALIGN: TOP;
    BACKGROUND-COLOR: #FFFFFF;
}
#CONTENTS_CENTER TABLE.CONTENTTABLE
{
    COLOR: #000000;
    BORDER-COLLAPSE: COLLAPSE;
    PADDING: 0px;
    MARGIN: 5px 5px 5px 5px;
    WIDTH: 98%;
}

```

```

        FONT-SIZE:9PT;
    }
#CONTENTS CENTER TABLE.CONTENTTABLE TH
{
    COLOR: #FFFFFF;
    TEXT-ALIGN: RIGHT;
    BACKGROUND-IMAGE: URL(../IMAGES_Ara/topBarBG.JPG);
    BACKGROUND-POSITION: LEFT TOP;
    BACKGROUND-REPEAT: NO-REPEAT;
}
#CONTENTS CENTER TABLE.CONTENTTABLE TH DIV
{
    DISPLAY: BLOCK;
    PADDING-RIGHT: 7PX;
    BACKGROUND-IMAGE: URL(../IMAGES_Ara/topBarTextLeft.JPG);
    BACKGROUND-POSITION: RIGHT TOP;
    BACKGROUND-REPEAT: NO-REPEAT;
    HEIGHT: 28PX;
}
#CONTENTS CENTER TABLE.CONTENTTABLE TH SPAN
{
    DISPLAY: BLOCK;
    TEXT-ALIGN: RIGHT;
    PADDING-TOP: 7PX;
    PADDING-RIGHT: 5PX;
    BACKGROUND-IMAGE: URL(../IMAGES_Ara/topBarTextRight.JPG);
    BACKGROUND-POSITION: LEFT TOP;
    BACKGROUND-REPEAT: NO-REPEAT;
    HEIGHT: 28PX;
}
#CONTENTS CENTER TABLE.CONTENTTABLE TD.WORKAREA
{
    BACKGROUND-IMAGE: URL(../IMAGES_Ara/topBarLeft.JPG);
    BACKGROUND-REPEAT: REPEAT-Y;
    BORDER: 1PX SOLID #DADADA;
    PADDING: 5PX 15PX 5PX 15PX;
}
#CONTENTS CENTER TABLE.CONTENTTABLE TD.WORKAREA TABLE TR TD.ERROR {
    COLOR: RED;
    FONT-SIZE: 10PX;
}
#CONTENTS CENTER > TABLE.CONTENTTABLE TD.BOTTOM
{
    BACKGROUND-IMAGE: URL(../IMAGES_Ara/topBarBottom.JPG);
    BACKGROUND-REPEAT: NO-REPEAT;
}
/* ----- */
#CONTENTS RIGHT
{
    BORDER-COLLAPSE: COLLAPSE;
    WIDTH: 233PX;
    VERTICAL-ALIGN: TOP;
}
#CONTENTS RIGHT A,#CONTENTS RIGHT A:HOVER, #CONTENTS RIGHT A:VISITED, #CONTENTS RIGHT A:ACTIVE
{
    COLOR: #152D76;
}
#CONTENTS RIGHT INPUT.TEXT
{
    FONT-FAMILY: ARIAL, HELVETICA, SANS-SERIF;
    FONT-SIZE: 12PX;
    PADDING-LEFT: 3PX;
    COLOR: #000000;
    BORDER: 0PX;
    BACKGROUND-COLOR: #FFFFFF;
    HEIGHT: 18PX;
}
/* ----- */
.CONTAINER {
    BACKGROUND-COLOR: #FAFBFC;
    -MOZ-BORDER-RADIUS: 7PX;
    -WEBKIT-BORDER-RADIUS: 7PX;
    PADDING: 5PX 5PX 5PX 5PX;
    BORDER: 2PX SOLID #E3E9F3;
    MARGIN: 0 0 0 0;
    WIDTH: 190PX;
    FLOAT: NONE;
}
.LOGINTABLE
{
    FONT-FAMILY: ARIAL, HELVETICA, SANS-SERIF;
    FONT-SIZE: 11PX;
    COLOR: #3F58A2;
    TEXT-ALIGN: RIGHT;
    WIDTH: 110PX;
}
.LOGINTABLE A, .LOGINTABLE A:VISITED, .LOGINTABLE A:ACTIVE
{
    FONT-FAMILY: ARIAL, HELVETICA, SANS-SERIF;
    FONT-SIZE: 11PX;
    COLOR: #041D6A;
    TEXT-DECORATION: NONE;
}
.LOGINTABLE A:HOVER

```



```

{
  COLOR: #3f58a2;
}
.LOGINTABLE SPAN
{
  COLOR: #FF0000;
  DISPLAY: NONE;
}
/* ----- */
.FORMVIEWTABLE
{
  WIDTH: 100%;
  COLOR: #000000;
}
.FORMVIEWTABLE TD
{
  VERTICAL-ALIGN: TOP;
}
.FORMVIEWTABLE TD.FORMTITLE
{
  TEXT-ALIGN: RIGHT !IMPORTANT;
}
.FORMVIEWTABLE A.SORTER
{
  COLOR: #FFFFFF;
}
/* ----- */
.TXTARA
{
  DIRECTION: RTL;
  FONT-SIZE: 14px;
  FONT-FAMILY: ARIAL, VERDANA, TAHOMA;
}
.DROPDOWN
{
  FONT-SIZE: 14px;
  FONT-FAMILY: ARIAL;
}
/* ----- */
.REQUIRED, .REQUIRED SPAN
{
  FONT-SIZE: 10px;
  FONT-FAMILY: VERDANA, TAHOMA, ARIAL;
  COLOR: #FF0000;
}
.TAHOM
{
  FONT-SIZE: 12px;
  FONT-FAMILY: TAHOMA;
  COLOR: BLACK;
}
.ERRORMSG
{
  BACKGROUND-COLOR: #FFFC;
  BORDER-RIGHT: #FF0000 1px SOLID;
  BORDER-TOP: #FF0000 1px SOLID;
  BORDER-LEFT: #FF0000 1px SOLID;
  COLOR: #FF0000;
  BORDER-BOTTOM: #FF0000 1px SOLID;
  DISPLAY: BLOCK;
  PADDING: 5px 5px 5px 24px;
  MARGIN-TOP: 5px;
  BACKGROUND-IMAGE: URL(IMAGES/ERROR.GIF);
  BACKGROUND-REPEAT: NO-REPEAT;
  BACKGROUND-POSITION: 5px CENTER;
  FONT-WEIGHT: BOLD;
}
.INFOMSG
{
  BACKGROUND-COLOR: #DEFEFF;
  BORDER-RIGHT: #000099 1px SOLID;
  BORDER-TOP: #000099 1px SOLID;
  BORDER-LEFT: #000099 1px SOLID;
  COLOR: #000099;
  BORDER-BOTTOM: #000099 1px SOLID;
  DISPLAY: BLOCK;
  PADDING: 5px 5px 5px 24px;
  MARGIN-TOP: 5px;
  BACKGROUND-IMAGE: URL(IMAGES/INFO.GIF);
  BACKGROUND-REPEAT: NO-REPEAT;
  BACKGROUND-POSITION: 5px CENTER;
  FONT-WEIGHT: BOLD;
}
/* ----- */
.DATALIST
{
  WIDTH: 100%;
  COLOR: #333333;
  BORDER: 1px SOLID #07B09B;
}
.DATALIST TH
{
  COLOR: #E1F5F3;
  BACKGROUND-COLOR: TEAL;
}

```

```

        FONT-WEIGHT: BOLD;
        TEXT-ALIGN: LEFT;
        PADDING: 5px 5px 5px 5px;
        BORDER: 1px solid #07B09B !important;
    }
    .DATAList TR.NORMAL TD
    {
        BACKGROUND-COLOR: #E1F5F3!important;
        HEIGHT: 25px;
    }
    .DATAList TR.ALTER TD
    {
        BACKGROUND-COLOR: #E1F5F3!important;
        HEIGHT: 25px;
    }
}

/**INPUT TYPE BACKGROUND *****/

.INPUT {
    BORDER: 0px solid #eff2f9;
    WIDTH: 163px;
    HEIGHT: 15px;
    LINE-HEIGHT: 15px;
    BACKGROUND: URL(../IMAGES/INPUT-BG.PNG) TOP LEFT;
    COLOR: #000000;
    PADDING: 5px 5px 0 5px;
}

.INPUT:FOCUS {
    BACKGROUND: URL(../IMAGES/INPUT-BG.PNG) BOTTOM LEFT;
}

.INPUT:HOVER {
    BACKGROUND: URL(../IMAGES/INPUT-BG.PNG) BOTTOM LEFT;
}

.INPUT2 {
    BORDER: 0px solid #eff2f9;
    WIDTH: 90px;
    HEIGHT: 22px;
    LINE-HEIGHT: 22px;
    BACKGROUND: URL(../IMAGES/RIGHT-INPUTBG.PNG) TOP LEFT;
    COLOR: #000000;
    PADDING: 0 5px 0 5px;
}

.INPUT2:FOCUS {
    BACKGROUND: URL(../IMAGES/RIGHT-INPUTBG.PNG) BOTTOM LEFT;
}

.INPUT2:HOVER {
    BACKGROUND: URL(../IMAGES/RIGHT-INPUTBG.PNG) BOTTOM LEFT;
}

}

/**-----*/

INPUT, SELECT
{
    FONT-SIZE: 11px;
    FONT-FAMILY: VERDANA, ARIAL, HELVETICA, SANS-SERIF;
}

TEXTAREA{
    BACKGROUND: #FFFFFF;
    BORDER: 1px solid #032c5a;
    RESIZE: NONE;
}

}

/* ----- */
.GridVIEW
{
    WIDTH: 100%;
    COLOR: #333333;
    BORDER: 1px solid #07B09B;
}

.GridVIEW TH
{
    BACKGROUND-IMAGE: NONE!important;
    COLOR: #FFFFFF;
    BACKGROUND-COLOR: TEAL;
    FONT-WEIGHT: BOLD;
    TEXT-ALIGN: LEFT;
    PADDING: 5px 5px 5px 5px;
    BORDER: 1px solid #07B09B !important;
}

.GridVIEW TH A
{
    TEXT-DECORATION: NONE;
    COLOR: #FFFFFF!important;
}

.GridVIEW TH A:HOVER
{
    TEXT-DECORATION: UNDERLINE!important;
}

.GridVIEW TD
{
    PADDING-LEFT: 5px!important;
    PADDING-RIGHT: 5px!important;
    BORDER: 1px solid #07B09B!important;
}

```

```

}
.GridVIEW TR.NORMAL TD
{
    BACKGROUND-COLOR: #E1F5F3!IMPORTANT;
    HEIGHT: 25PX;
}
.GridVIEW TR.ALTER TD
{
    BACKGROUND-COLOR: #FFFFFF!IMPORTANT;
    HEIGHT: 25PX;
}
.CONTACTUS
{
    TEXT-ALIGN:RIGHT;
    WIDTH:150PX;
}
.AC_RESULTS
{
    BORDER: 1PX SOLID #0DAC98;
    PADDING: 0PX;
    BACKGROUND-COLOR: #006584;
    OVERFLOW: HIDDEN;
    Z-INDEX: 99999;
}
.AC_RESULTS UL {
    WIDTH: 100%;
    LIST-STYLE-POSITION: OUTSIDE;
    LIST-STYLE: NONE;
    PADDING: 0;
    MARGIN: 0;
}
.AC_RESULTS LI
{
    BORDER-BOTTOM: 1PX SOLID #0DAC98;
    MARGIN: 0PX;
    PADDING: 2PX 5PX;
    CURSOR: DEFAULT;
    DISPLAY: BLOCK;
    /*
    IF WIDTH WILL BE 100% HORIZONTAL SCROLLBAR WILL APEAR
    WHEN SCROLL MODE WILL BE USED
    */
    /*WIDTH: 100%;*/
    FONT: MENU;
    FONT-SIZE: 12PX;
    /*
    IT IS VERY IMPORTANT, IF LINE-HEIGHT NOT SETTED OR SETTED
    IN RELATIVE UNITS SCROLL WILL BE BROKEN IN FIREFOX
    */
    LINE-HEIGHT: 16PX;
    OVERFLOW: HIDDEN;
}
.AC_LOADING {
    BACKGROUND: WHITE URL('INDICATOR.GIF') RIGHT CENTER NO-REPEAT;
}
.AC_ODD {
    BACKGROUND-COLOR: #006584;
}
.AC_OVER {
    BACKGROUND-COLOR: #0A246A;
    COLOR: WHITE;
}
#FADE {
    DISPLAY: NONE;
    BACKGROUND: #000;
    POSITION: FIXED; LEFT: 0; TOP: 0;
    Z-INDEX: 10;
    WIDTH: 100%; HEIGHT: 100%;
    OPACITY: .80;
    Z-INDEX: 9999;
}
.POPUP_BLOCK{
    DISPLAY: NONE;
    BACKGROUND: #FFF;
    PADDING: 20PX;
    BORDER: 20PX SOLID #DDD;
    FLOAT: LEFT;
    FONT-SIZE: 1.2EM;
    COLOR:BLACK;
    POSITION: FIXED;
    TOP: 50%; LEFT: 50%;
    Z-INDEX: 99999;
    -WEBKIT-BOX-SHADOW: 0PX 0PX 20PX #000;
    -MOZ-BOX-SHADOW: 0PX 0PX 20PX #000;
    BOX-SHADOW: 0PX 0PX 20PX #000;
    -WEBKIT-BORDER-RADIUS: 10PX;
}

```

```

        -MOZ-BORDER-RADIUS: 10px;
        BORDER-RADIUS: 10px;
    }
    IMG.BTN_CLOSE {
        FLOAT: RIGHT;
        MARGIN: -55px -55px 0 0;
    }
    .POPUP P {
        PADDING: 5px 10px;
        MARGIN: 5px 0;
    }
    /*--MAKING IE6 UNDERSTAND FIXED POSITIONING--*/
    *HTML #FADE {
        POSITION: ABSOLUTE;
    }
    *HTML .POPUP_BLOCK {
        POSITION: ABSOLUTE;
    }

    INPUT.INPUTBUTTON
    {
        BACKGROUND-IMAGE: URL(../IMAGES/A_BUTTONBG.JPG);
        BORDER: 0px;
        HEIGHT: 25px;
        COLOR: #FFFFFF;
        WIDTH: 70px;
        CURSOR: POINTER;
        PADDING: 2px;
        FONT-WEIGHT: BOLD;
    }
    INPUT.INPUTBUTTON2
    {
        BACKGROUND-IMAGE: URL(../IMAGES/A_BUTTONBG.JPG);
        BORDER: 0px;
        HEIGHT: 25px;
        COLOR: #FFFFFF;
        WIDTH: 130px;
        CURSOR: POINTER;
        PADDING: 2px;
        FONT-WEIGHT: BOLD;
    }
    INPUT.INPUTBUTTON3
    {
        BACKGROUND-IMAGE: URL(../IMAGES/A_BUTTONBG.JPG);
        BORDER: 0px;
        HEIGHT: 25px;
        COLOR: #FFFFFF;
        WIDTH: 100px;
        CURSOR: POINTER;
        PADDING: 2px;
        FONT-WEIGHT: BOLD;
    }
    /***** CAROUSEL*****/
    #GALLERY {
        POSITION: RELATIVE;
        WIDTH: 580px;
        MARGIN: 10px 0 0 0;
        BACKGROUND: #FFFFFF;
        HEIGHT: 320px;
        -MOZ-BORDER-RADIUS: 7px;
        -WEBKIT-BORDER-RADIUS: 7px;
    }

    #ROW1 {
        POSITION: RELATIVE;
        MARGIN: 0 0 0 5px;
    }

    .PANES {
        POSITION: RELATIVE;
    }

    .PANE {
        POSITION: ABSOLUTE;
        WIDTH: 590px;
        FONT-SIZE: 10px;
        BACKGROUND: #FFFFFF;
    }

    #CAROUSEL-BOX {
        POSITION: RELATIVE;
        WIDTH: 560px;
        OVERFLOW: HIDDEN;
        MARGIN: 0 5px 0 5px;
        BORDER: 10px SOLID #f2f2f2;
        -MOZ-BORDER-RADIUS: 4px;
        -WEBKIT-BORDER-RADIUS: 4px;
    }
    #CAROUSEL-BOX .PREV {
        POSITION: ABSOLUTE;
        LEFT: -5px;
        TOP: 100px;
        Z-INDEX: 10;
    }
}

```

```

#CAROUSEL-BOX .NEXT {
    POSITION:ABSOLUTE;
    RIGHT:5PX;
    TOP:100PX;
    Z-INDEX:10;
}
#CAROUSEL-BOX .PREV A, #CAROUSEL-BOX .NEXT A {
    CURSOR:POINTER;
}

.SCROLLABLE {
    POSITION:RELATIVE;
    FLOAT:LEFT;
    WIDTH:540PX;
    HEIGHT:240PX;
    MARGIN:0 0 0 32PX;
    OVERFLOW:HIDDEN;
}

.SCROLLABLE .ITEMS {
    WIDTH:20000EM;
    POSITION:ABSOLUTE;
}

.ITEMS DIV {
    FLOAT:LEFT;
    WIDTH:540PX;
}

/* SINGLE SCROLLABLE ITEM */
.SCROLLABLE IMG {
    FLOAT:LEFT;
    MARGIN:5PX 0 15PX 10PX;
    BACKGROUND-COLOR:#FFFFFF;
    PADDING:2PX;
    BORDER:1PX SOLID #CCC;
    WIDTH:130PX;
    HEIGHT:90PX;

    -MOZ-BORDER-RADIUS:4PX;
    -WEBKIT-BORDER-RADIUS:4PX;
}

.SCROLLABLE A{
    CURSOR:POINTER;
}

/* ACTIVE ITEM */
.SCROLLABLE .ACTIVE {
    BORDER:2PX SOLID #000;
    POSITION:RELATIVE;
    CURSOR:POINTER;
}

.ITEM {
    FLOAT:LEFT;
    WIDTH:490PX;
}

.ITEM DIV {
    WIDTH:157PX;
    FLOAT:LEFT;
    BORDER:0;
    MARGIN-RIGHT:14PX;
    POSITION:RELATIVE;
}

.BOX
{
    BACKGROUND:#F3F6FD;
    WIDTH:100%;
    MARGIN:10PX 0 10PX 0;
}

.BOX .BORDER-TOP {BACKGROUND:URL(../IMAGES/BORDER-TOP.GIF) REPEAT-X LEFT TOP}
.BOX .BORDER-BOT {BACKGROUND:URL(../IMAGES/BORDER-BOT.GIF) REPEAT-X LEFT BOTTOM}
.BOX .LEFT-TOP-CORNER {BACKGROUND:URL(../IMAGES/LEFT-TOP-CORNER.GIF) NO-REPEAT LEFT TOP}
.BOX .RIGHT-TOP-CORNER {BACKGROUND:URL(../IMAGES/RIGHT-TOP-CORNER.GIF) NO-REPEAT RIGHT TOP}
.BOX .LEFT-BOT-CORNER {BACKGROUND:URL(../IMAGES/LEFT-BOT-CORNER.GIF) NO-REPEAT LEFT BOTTOM;MIN-HEIGHT:220PX;HEIGHT:220PX}
.BOX .RIGHT-BOT-CORNER {BACKGROUND:URL(../IMAGES/RIGHT-BOT-CORNER.GIF) NO-REPEAT RIGHT BOTTOM}

.IMG-BOX2 {POSITION:RELATIVE}
.IMG-BOX2 .ITEMNAME { COLOR:#193366; MARGIN:10PX 5PX 10PX 5PX; HEIGHT:24PX; WIDTH:150PX; FONT-WEIGHT: BOLD}
.IMG-BOX2 .INNER {PADDING:5PX 0 0 10PX}
.IMG-BOX2 .INNERDATA {COLOR:#6A6A6A;MARGIN-BOTTOM:10PX; WIDTH:140PX; HEIGHT:20PX}
.LINK{
    PADDING:2PX 0 3PX 0;
    MARGIN:0 20PX 0 0;
    TEXT-ALIGN: CENTER;
    COLOR: #FFFFFF;
    BACKGROUND: #6899F9;
    BORDER: 1PX SOLID RED;
}

.LINK A{
    FONT-WEIGHT:BOLD;
    COLOR: #193366;
}

.LINK A:HOVER{

```

```

        COLOR: #0423bc;
    }
    /* ROOT ELEMENT FOR TABS */
    UL.TABS {
        HEIGHT:50px;
        MARGIN:0 !IMPORTANT;
        PADDING:0;
        LIST-STYLE:NONE;
    }

    /* SINGLE TAB */
    UL.TABS LI {
        PADDING:0;
        MARGIN:0 !IMPORTANT;
        TEXT-INDENT:0;
        LIST-STYLE-IMAGE:NONE !IMPORTANT;
        POSITION: RELATIVE;
        FLOAT: RIGHT;
    }

    UL.TABS A {
        DISPLAY:BLOCK;
        POSITION:RELATIVE;
        WIDTH: 140px;
        HEIGHT: 50px;
        MARGIN:10px 5px 0 0;
        PADDING:5px;
        FONT-SIZE:12px;
        LINE-HEIGHT:30px;
        TEXT-ALIGN:CENTER;
        TEXT-DECORATION:NONE;
        COLOR:#6a6a6a;
        BACKGROUND: #e9e9e9;
        BORDER: 2px solid #dbdbdb;
        FONT-WEIGHT: BOLD;
        -MOZ-BORDER-RADIUS:4px;
        -WEBKIT-BORDER-RADIUS:4px;
    }

    UL.TABS A:ACTIVE {
        COLOR:#fbf5f5;
        OUTLINE:NONE;
    }

    UL.TABS A:HOVER {
        COLOR:#000000;
        FONT-WEIGHT: BOLD;
    }

    UL.TABS A.CURRENT, UL.TABS A.CURRENT:HOVER, UL.TABS LI.CURRENT A {
        CURSOR:DEFAULT !IMPORTANT;
        COLOR:#0423bc !IMPORTANT;
        FONT-WEIGHT: BOLD;
        BACKGROUND: #f5f5f5;
        BORDER: 2px solid #f3f3f3;
    }

    /* PREV, NEXT, PREVPAGE AND NEXTPAGE BUTTONS */
    A.BROWSE {
        BACKGROUND:URL(../IMG/HORI_LARGE.PNG) NO-REPEAT;
        DISPLAY:BLOCK;
        WIDTH:30px;
        HEIGHT:30px;
        FLOAT:LEFT;
        MARGIN:10px;
        CURSOR:POINTER;
        FONT-SIZE:1px;
    }

    /* RIGHT */
    A.RIGHT { BACKGROUND-POSITION: 0 -30px; CLEAR:RIGHT; MARGIN-RIGHT: 0px;}
    A.RIGHT:HOVER { BACKGROUND-POSITION:-30px -30px; }
    A.RIGHT:ACTIVE { BACKGROUND-POSITION:-60px -30px; }

    /* LEFT */
    A.LEFT { MARGIN-LEFT: 0px; }
    A.LEFT:HOVER { BACKGROUND-POSITION:-30px 0; }
    A.LEFT:ACTIVE { BACKGROUND-POSITION:-60px 0; }

    /* UP AND DOWN */
    A.UP, A.DOWN {
        BACKGROUND:URL(../IMG/VERT_LARGE.PNG) NO-REPEAT;
        FLOAT: NONE;
        MARGIN: 10px 40px;
    }

    /* UP */
    A.UP:HOVER { BACKGROUND-POSITION:-30px 0; }
    A.UP:ACTIVE { BACKGROUND-POSITION:-60px 0; }

    /* DOWN */

```

```

A.DOWN { BACKGROUND-POSITION: 0 -30px; }
A.DOWN:HOVER { BACKGROUND-POSITION:-30px -30px; }
A.DOWN:ACTIVE { BACKGROUND-POSITION:-60px -30px; }

```

```

/* DISABLED NAVIGATIONAL BUTTON */

```

```

A.DISABLED {
    VISIBILITY:HIDDEN !IMPORTANT;
}

```

css/Main.css

```

BODY
{
    BACKGROUND-COLOR: #033771;
    BACKGROUND-IMAGE: URL(../IMAGES/BODY-BG.PNG);
    BACKGROUND-POSITION: TOP LEFT;
    BACKGROUND-REPEAT: REPEAT-Y;
    BACKGROUND-ATTACHMENT: FIXED;
    MARGIN:0px;
    PADDING:0px;
    FONT-FAMILY: VERDANA, ARIAL, HELVETICA, SANS-SERIF;
    FONT-SIZE: 11px;
    COLOR: #000000;
}

```

```

IMG, FORM
{
    BORDER: 0px; MARGIN: 0px; PADDING: 0px;
}

```

```

A.FOOTER,A.FOOTER:VISITED,A.FOOTER:ACTIVE{
    COLOR:#A9D1FE;
    TEXT-DECORATION: NONE;
    FONT-WEIGHT: BOLD;
}

```

```

A, A:VISITED, A:ACTIVE
{
    COLOR:#0450A5;
    TEXT-DECORATION: NONE;
    FONT-WEIGHT: BOLD;
}

```

```

A:HOVER
{
    TEXT-DECORATION: NONE;
    COLOR: #696969;
}

```

```

A.HOME, A.HOME:VISITED, A.HOME:ACTIVE
{
    COLOR: #7F389C;
    FONT-WEIGHT: BOLD;
    TEXT-DECORATION: NONE;
}

```

```

A.HOME:HOVER
{
    FONT-WEIGHT: BOLD;
    TEXT-DECORATION: NONE;
    COLOR: #7F389C;
}

```

```

A.HOME2, A.HOME2:VISITED, A.HOME2:ACTIVE
{
    COLOR: #077AFC;
    TEXT-DECORATION: NONE;
}

```

```

A.HOME2:HOVER
{
    TEXT-DECORATION: NONE;
    COLOR: #174AB3;
}

```

```

H1, .H1
{
    COLOR: #6A389C;
    FONT-SIZE: 18px;
    FONT-FAMILY: VERDANA, TAHOMA, ARIAL;
    PADDING: 0px;
    MARGIN: 0px;
}

```

```

.HR
{
    COLOR: #DCCDCD;
    HEIGHT: 1px;
}

```

```

TR.D0 TD {
    BACKGROUND-COLOR: #F4F7FA; COLOR: #000000;
    OVERFLOW: HIDDEN;
}

```

```

TR.D1 TD {
    BACKGROUND-COLOR: #CEE3FC; COLOR: #000000;
    OVERFLOW: HIDDEN;
}

```

```

TR.HEAD TD {
    BACKGROUND-COLOR: #053A76;
    COLOR: #FFFFFF;
    FONT-WEIGHT:BOLD;
    TEXT-ALIGN: CENTER;
}

```

```

#MAIN
{
    WIDTH: 1000px;
    BORDER-COLLAPSE: collapse;
    PADDING: 0px;
}
#MAIN TD
{
    BORDER: 0px;
    PADDING: 0px;
    MARGIN: 0px;
}
#MAIN .HEADLINE
{
    BACKGROUND: URL(../IMAGES/WRAPPER-TOP.PNG) NO-REPEAT;
    HEIGHT: 25px;
}
#MAIN .TOPBAR
{
    BACKGROUND-REPEAT: REPEAT-Y;
    HEIGHT: 55px;
    COLOR: #333333;
}
#MAIN .BOTTOMBAR
{
    BACKGROUND: URL(../IMAGES/WRAPPER-FILL.PNG) REPEAT-Y TOP LEFT;
    COLOR: #333333;
    TEXT-ALIGN: justify;
    HEIGHT: 64px;
}
#MAIN .CLOSING
{
    BACKGROUND: URL(../IMAGES/WRAPPER-BOTTOM.PNG) NO-REPEAT;
    HEIGHT: 25px;
}
#TOPHEAD
{
    BACKGROUND: URL(../IMAGES/HEADER-CLOUDS.PNG) NO-REPEAT;
    WIDTH: 100%;
    BORDER-COLLAPSE: collapse;
    PADDING: 0;
    MARGIN: 0px 15px 0 15px;
}
#TOPHEAD .TOPLOGO
{
    WIDTH: 200px;
    HEIGHT: 117px;
}
#TOPHEAD .TOPMENU
{
    HEIGHT: 55px;
    WIDTH: 820px;
    BACKGROUND: URL(../IMAGES/NAV-BG.PNG) NO-REPEAT;
    BACKGROUND-POSITION: 10px 0px;
}
#TOPHEAD .TOPIMAGE
{
    WIDTH: 600px;
    BACKGROUND-REPEAT: NO-REPEAT;
    PADDING-LEFT: 8px;
}
#TOPHEAD .TOPRIGHTHEAD
{
    WIDTH: 233px;
    BACKGROUND-REPEAT: NO-REPEAT;
    PADDING-LEFT: 15px;
}
#TOPMENU
{
    MARGIN: 0px 0px 0px 10px;
    BORDER-COLLAPSE: collapse;
}
#TOPMENU A
{
    HEIGHT: 16px;
    FLOAT: left;
    LINE-HEIGHT: 16px;
    FONT-SIZE: 12px;
    FONT-WEIGHT: bold;
    TEXT-DECORATION: none;
    TEXT-ALIGN: center;
    TEXT-TURNFORM: none;
    PADDING: 5px 10px 0 10px;
}
#TOPMENU A.HOMEPAGE
{
    COLOR: #ffffff;
}
#TOPMENU A.ADVANCESEARCH

```



```

{
    COLOR: #250c91;
}
/** NOT WORKING **/
#TOPMENU A:ACTIVE, #TOPMENU A:VISITED , #TOPMENU A:SELECTED
{
    BACKGROUND: URL(../IMAGES/TAB-BG.PNG) NO-REPEAT LEFT BOTTOM;
    HEIGHT: 16px;
    COLOR: #FFFFFF;
    FLOAT: LEFT;
    LINE-HEIGHT: 6px;
    FONT-WEIGHT: BOLD;
    FONT-SIZE: 12px;
    TEXT-DECORATION: NONE;
    TEXT-ALIGN: CENTER;
    TEXT-TRANSFORM: NONE;
}
/* ----- */
#TOPMENU A:HOVER
{
    COLOR: #92d3f4;
    FONT-WEIGHT: BOLD;
}
/* NOT WORKING :(
#TOPMENU A.SELECTEDLINK,
#TOPMENU A.SELECTEDLINK:VISITED,
#TOPMENU A.SELECTEDLINK:HOVER
{
    BACKGROUND: URL(../IMAGES/TAB-BG.PNG) NO-REPEAT LEFT BOTTOM;
    HEIGHT: 16px;
    COLOR: RED;
    FLOAT: LEFT;
    LINE-HEIGHT: 6px;
    FONT-WEIGHT: BOLD;
    FONT-SIZE: 16px;
    TEXT-DECORATION: NONE;
    TEXT-ALIGN: CENTER;
    TEXT-TRANSFORM: NONE;
}
*/
#TOPMENU TD
{
    TEXT-ALIGN: LEFT;
}

#LEFTBAR
{
    BACKGROUND-COLOR: #18555A;
    WIDTH: 233px;
    BACKGROUND-IMAGE: URL(../IMAGES/LEFTTOPBG.JPG);
    BACKGROUND-POSITION: TOP LEFT;
    BACKGROUND-REPEAT: NO-REPEAT;
}
#LEFTBAR A, #LEFTBAR A:VISITED, #LEFTBAR A:ACTIVE
{
    COLOR: #E76908;
    FONT-SIZE: 12px;
    FONT-FAMILY: TAHOMA, VERDANA, ARIAL, HELVETICA, SANS-SERIF;
    TEXT-DECORATION: NONE;
}
#LEFTBAR A:HOVER
{
    COLOR: #E76908;
    FONT-SIZE: 12px;
    FONT-FAMILY: TAHOMA, VERDANA, ARIAL, HELVETICA, SANS-SERIF;
    TEXT-DECORATION: NONE;
}

#CONTENTS
{
    BORDER-COLLAPSE: COLLAPSE;
    PADDING: 0px;
    MARGIN: 0px 0px 0px 0px;
    WIDTH: 1024px;
}
#CONTENTS TD
{
    BORDER-COLLAPSE: COLLAPSE;
    BORDER: 0px;
    MARGIN: 0px;
    PADDING: 0px;
}
/* ----- */
#CONTENTSLEFT
{
    BORDER-COLLAPSE: COLLAPSE;
    WIDTH: 233px;
    VERTICAL-ALIGN: TOP;
}
#CONTENTSLEFT .WRAPPER {
    BACKGROUND: URL(../IMAGES/WRAPPER-FILL.PNG) REPEAT-Y TOP LEFT;
    COLOR: #333333;
}

```

```

        TEXT-ALIGN: JUSTIFY;
    }
#CONTENTSLEFT .MIDDLE {
    BACKGROUND: URL(..//IMAGES/PLAN-FILL.PNG) REPEAT-Y TOP LEFT;
    WIDTH: 218px;
    MARGIN: 0 0 8px;
}
#CONTENTSLEFT .BOTTOM {
    BACKGROUND: URL(..//IMAGES/PLAN-BOTTOM.PNG) NO-REPEAT;
    WIDTH: 218px;
    HEIGHT: 21px;
    MARGIN: 0 0 8px;
}
#CONTENTSLEFT .CATEGORYLIST
{
    WIDTH: 100%;
    BORDER-COLLAPSE: COLLAPSE;
    VERTICAL-ALIGN: MIDDLE;
}
#CONTENTSLEFT .CATEGORYLIST .SEP
{
    BACKGROUND-IMAGE: URL(..//IMAGES/LEFTLINKBg.JPG);
    BACKGROUND-POSITION: CENTER CENTER;
    BACKGROUND-REPEAT: NO-REPEAT;
    HEIGHT: 15px;
    VERTICAL-ALIGN: MIDDLE;
    PADDING: 0 0 8px;
}
#CONTENTSLEFT .CATEGORYLIST a, #CONTENTSLEFT .CATEGORYLIST a:VISITED, #CONTENTSLEFT .CATEGORYLIST a:ACTIVE
{
    COLOR: BLACK;
    TEXT-DECORATION: NONE;
    FONT-WEIGHT: BOLD;
    FONT-FAMILY: ARIAL;
    FONT-SIZE: 10pt;
    BACKGROUND-IMAGE: URL(..//IMAGES/LEFTARROW.PNG);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: LEFT CENTER;
    PADDING-LEFT: 20px;
    MARGIN-LEFT: 12px;
    VERTICAL-ALIGN: TEXT-TOP;
}
#CONTENTSLEFT .CATEGORYLIST a:HOVER
{
    COLOR: RED;
    FONT-SIZE: 10pt;
    FONT-WEIGHT: BOLD;
    FONT-FAMILY: ARIAL;
    TEXT-DECORATION: NONE;
}
#CONTENTSLEFT .CATEGORYLIST a.SELECTEDLINK,
#CONTENTSLEFT .CATEGORYLIST a.SELECTEDLINK:VISITED,
#CONTENTSLEFT .CATEGORYLIST a.SELECTEDLINK:HOVER
{
    COLOR: #5b06b3;
    BACKGROUND-IMAGE: URL(..//IMAGES/LEFTARROW.PNG);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: LEFT CENTER;
    FONT-WEIGHT: BOLD;
    PADDING-LEFT: 20px;
    MARGIN-LEFT: 12px;
}
.BOTTOMMENU a.SELECTEDLINK,
.BOTTOMMENU a.SELECTEDLINK:VISITED
{
    COLOR: #0BAC9A;
    BACKGROUND-IMAGE: URL(..//IMAGES/LEFTARROW.PNG);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: LEFT CENTER;
    FONT-WEIGHT: BOLD;
    PADDING-LEFT: 13px;
    MARGIN-LEFT: 6px;
}
.BOTTOMMENU a:HOVER
{
    COLOR: #00FEE0;
    TEXT-DECORATION: NONE;
}
.BOTTOMMENU a
{
    COLOR: #0BAC9A;
    TEXT-DECORATION: NONE;
}
.BOTTOMMENU a.SELECTEDLINK:VISITED
{
    COLOR: #0BAC9A;
    TEXT-DECORATION: NONE;
}

```

```

}
/* ----- */
#CONTENTSLEFT .PROFILETABLE
{
    COLOR: #032e62;
    FONT-SIZE: 9pt;
    FONT-WEIGHT: BOLD;
    FONT-FAMILY: ARIAL;
    TEXT-ALIGN: LEFT;
}
#CONTENTSLEFT .PROFILETABLE A, #CONTENTSLEFT .PROFILETABLE A:VISITED, #CONTENTSLEFT .PROFILETABLE A:ACTIVE
{
    COLOR: #0e4c99;
    TEXT-DECORATION: NONE;
    BACKGROUND-IMAGE: URL(../IMAGES/LEFTARROW.PNG);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: LEFT CENTER;
    PADDING-LEFT: 13px;
    MARGIN-LEFT: 6px;
    FONT-SIZE: 9pt;
    FONT-FAMILY: TAHOMA;
    FONT-WEIGHT: NORMAL;
}
#CONTENTSLEFT .PROFILETABLE A.WITHNOTIFICATION, #CONTENTSLEFT .PROFILETABLE A.WITHNOTIFICATION:VISITED, #CONTENTSLEFT .PROFILETABLE A.WITHNOTIFICATION:ACTIVE
{
    COLOR: #c004f6;
    TEXT-DECORATION: NONE;
    BACKGROUND-IMAGE: URL(../IMAGES/LEFTARROW.PNG);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: LEFT CENTER;
    PADDING-LEFT: 13px;
    MARGIN-LEFT: 6px;
    FONT-SIZE: 9pt;
    FONT-FAMILY: TAHOMA;
    FONT-WEIGHT: BOLD;
}
#CONTENTSLEFT .PROFILETABLE A:HOVER
{
    COLOR: RED;
    TEXT-DECORATION: NONE;
}
#CONTENTSLEFT .PROFILETABLE A.WITHNOTIFICATION:HOVER
{
    COLOR: RED;
    TEXT-DECORATION: NONE;
}
#CONTENTSLEFT .PROFILETABLE A.SELECTEDLINK,
#CONTENTSLEFT .PROFILETABLE A.SELECTEDLINK:VISITED,
#CONTENTSLEFT .PROFILETABLE A.SELECTEDLINK:HOVER
{
    COLOR: #4a5dd1;
    BACKGROUND-IMAGE: URL(../IMAGES/LEFTARROW.PNG);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: LEFT CENTER;
    FONT-WEIGHT: BOLD;
}
/* ----- */
#CONTENTS CENTER
{
    BORDER-COLLAPSE: COLLAPSE;
    WIDTH: 600px;
    VERTICAL-ALIGN: TOP;
    BACKGROUND-COLOR: #FFFFFF;
}
#CONTENTS CENTER TABLE.CONTENTTABLE
{
    COLOR: #000000;
    BORDER-COLLAPSE: COLLAPSE;
    PADDING: 0px;
    MARGIN: 5px 5px 5px 5px;
    WIDTH: 98%;
    FONT-SIZE: 9pt;
}
#CONTENTS CENTER TABLE.CONTENTTABLE TH
{
    TEXT-ALIGN: LEFT;
    COLOR: #FFFFFF;
    BACKGROUND-IMAGE: URL(../IMAGES/TOPBARBG.JPG);
    BACKGROUND-POSITION: RIGHT TOP;
    BACKGROUND-REPEAT: NO-REPEAT;
}
#CONTENTS CENTER TABLE.CONTENTTABLE TH DIV
{
    DISPLAY: BLOCK;
    PADDING-LEFT: 7px;
    BACKGROUND-IMAGE: URL(../IMAGES/TOPBARTEXTLEFT.JPG);
    BACKGROUND-REPEAT: NO-REPEAT;
    HEIGHT: 28px;
}
#CONTENTS CENTER TABLE.CONTENTTABLE TH SPAN
{
    DISPLAY: BLOCK;
    TEXT-ALIGN: LEFT;
}

```

```

        PADDING-TOP: 7px;
        BACKGROUND-IMAGE: URL(../IMAGES/TOPBarTextRight.jpg);
        BACKGROUND-POSITION: RIGHT TOP;
        BACKGROUND-REPEAT: NO-REPEAT;
        HEIGHT: 28px;
    }
    #CONTENTScenter TABLE.CONTENTTABLE TD.WORKAREA TABLE TR TD.LABEL {
        TEXT-ALIGN: RIGHT;
        COLOR: #000000;
        PADDING: 5px;
    }
    #CONTENTScenter TABLE.CONTENTTABLE TD.WORKAREA TABLE TR TD.ERROR {
        COLOR: RED;
        FONT-SIZE: 10px;
    }
    #CONTENTScenter TABLE.CONTENTTABLE TD.WORKAREA
    {
        BACKGROUND-IMAGE: URL(../IMAGES/TOPBarLeft.jpg);
        BACKGROUND-REPEAT: REPEAT-Y;
        BORDER: 1px solid #DADADA;
        PADDING: 5px 15px 5px 15px;
    }

    #CONTENTScenter > TABLE.CONTENTTABLE TD.BOTTOM
    {
        BACKGROUND-IMAGE: URL(../IMAGES/TOPBarBottom.jpg);
        BACKGROUND-REPEAT: NO-REPEAT;
    }
    /* ----- */
    #CONTENTSRIGHT
    {
        BORDER-COLLAPSE: collapse;
        WIDTH: 233px;
        VERTICAL-ALIGN: TOP;
    }
    #CONTENTSRIGHT A,#CONTENTSRIGHT A:HOVER, #CONTENTSRIGHT A:VISITED, #CONTENTSRIGHT A:ACTIVE
    {
        COLOR: #152d76;
    }
    #CONTENTSRIGHT INPUT.TEXT
    {
        FONT-FAMILY: ARIAL, HELVETICA, SANS-SERIF;
        FONT-SIZE: 12px;
        PADDING-LEFT: 3px;
        COLOR: #000000;
        BORDER: 0px;
        BACKGROUND-COLOR: #FFFFFF;
        HEIGHT: 18px;
    }
    /* ----- */

    .LOGINTABLE
    {
        FONT-FAMILY: ARIAL, HELVETICA, SANS-SERIF;
        FONT-SIZE: 11px;
        COLOR: #3f58a2;
        TEXT-ALIGN: LEFT;
        WIDTH: 110px;
    }
    .LOGINTABLE A, .LOGINTABLE A:HOVER, .LOGINTABLE A:VISITED, .LOGINTABLE A:ACTIVE
    {
        FONT-FAMILY: ARIAL, HELVETICA, SANS-SERIF;
        FONT-SIZE: 11px;
        COLOR: #041d6a;
        TEXT-DECORATION: NONE;
    }
    .LOGINTABLE A:HOVER
    {
        COLOR: #3f58a2;
    }
    .LOGINTABLE SPAN
    {
        COLOR: #FF0000;
        DISPLAY: NONE;
    }
    /****** ADDITIONALS *****/

    .CONTAINER
    {
        BACKGROUND-COLOR: #FAFBFC;
        -MOZ-BORDER-RADIUS: 7px;
        -WEBKIT-BORDER-RADIUS: 7px;
        PADDING: 5px 5px 5px 5px;
        BORDER: 2px solid #E3E9F3;
        MARGIN: 0 0 0 0;
        WIDTH: 190px;
        FLOAT: NONE;
    }

    /****** INPUT TYPE BACKGROUND *****/

    .INPUT
    {
        BORDER: 0px solid #EFF2F9;
    }

```

```

WIDTH: 163px;
HEIGHT: 15px;
LINE-HEIGHT: 15px;
BACKGROUND: URL(../IMAGES/INPUT-BG.PNG) TOP LEFT;
COLOR: #000000;
    PADDING: 5px 5px 0 5px;
}

.INPUT:FOCUS {
    BACKGROUND: URL(../IMAGES/INPUT-BG.PNG) BOTTOM LEFT;
}
.INPUT:HOVER {
    BACKGROUND: URL(../IMAGES/INPUT-BG.PNG) BOTTOM LEFT;
}

.INPUT2 {
    BORDER: 0px solid #eff2f9;
    WIDTH: 90px;
    HEIGHT: 22px;
    LINE-HEIGHT: 22px;
    BACKGROUND: URL(../IMAGES/RIGHT-INPUTBG.PNG) TOP LEFT;
    COLOR: #000000;
    PADDING: 0 5px 0 5px;
}

.INPUT2:FOCUS {
    BACKGROUND: URL(../IMAGES/RIGHT-INPUTBG.PNG) BOTTOM LEFT;
}
.INPUT2:HOVER {
    BACKGROUND: URL(../IMAGES/RIGHT-INPUTBG.PNG) BOTTOM LEFT;
}

/* ----- */
.FORMVIEWTABLE
{
    WIDTH: 100%;
    COLOR: #000000;
}
.FORMVIEWTABLE TD
{
    VERTICAL-ALIGN:TOP;
}
.FORMVIEWTABLE TD.FORMTITLE
{
    TEXT-ALIGN: RIGHT!IMPORTANT;
}
.FORMVIEWTABLE A.SORTER
{
    COLOR:#FFFFFF;
}
/* ----- */
.TXTARA
{
    DIRECTION: RTL;
    FONT-SIZE: 14px;
    FONT-FAMILY: ARIAL, VERDANA, TAHOMA;
}
.DROPDOWN
{
    FONT-SIZE: 14px;
    FONT-FAMILY: ARIAL;
}
/* ----- */
.REQUIRED, .REQUIRED SPAN
{
    FONT-SIZE: 10px;
    FONT-FAMILY: VERDANA, TAHOMA, ARIAL;
    COLOR: #FF0000;
}
.TAHOM
{
    FONT-SIZE: 12px;
    FONT-FAMILY: TAHOMA;
    COLOR: BLACK;
}
.ERRORMSG
{
    BACKGROUND-COLOR: #FFFCC;
    BORDER-RIGHT: #FF0000 1px solid;
    BORDER-TOP: #FF0000 1px solid;
    BORDER-LEFT: #FF0000 1px solid;
    COLOR: #FF0000;
    BORDER-BOTTOM: #FF0000 1px solid;
    DISPLAY: BLOCK;
    PADDING: 5px 5px 5px 24px;
    MARGIN-TOP: 5px;
    BACKGROUND-IMAGE: URL(../IMAGES/ERROR.GIF);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: 5px center;
    FONT-WEIGHT: BOLD;
}
.INFOMSG
{
    BACKGROUND-COLOR: #DEFEFF;
    BORDER-RIGHT: #000099 1px solid;
}

```

```

        BORDER-TOP: #000099 1px solid;
        BORDER-LEFT: #000099 1px solid;
        COLOR: #000099;
        BORDER-BOTTOM: #000099 1px solid;
        DISPLAY: block;
        PADDING: 5px 5px 5px 24px;
        MARGIN-TOP: 5px;
        BACKGROUND-IMAGE: URL(../images/info.gif);
        BACKGROUND-REPEAT: no-repeat;
        BACKGROUND-POSITION: 5px center;
        FONT-WEIGHT: bold;
    }
    /* ----- */
    .DATALIST
    {
        WIDTH: 100%;
        COLOR: #333333;
        BORDER: 1px solid #07B09B;
    }
    .DATALIST TH
    {
        COLOR: #E1F5F3;
        BACKGROUND-COLOR: teal;
        FONT-WEIGHT: bold;
        TEXT-ALIGN: left;
        PADDING: 5px 5px 5px 5px;
        BORDER: 1px solid #07B09B !important;
    }
    .DATALIST TR.NORMAL TD
    {
        BACKGROUND-COLOR: #E1F5F3 !important;
        HEIGHT: 25px;
    }
    .DATALIST TR.ALTER TD
    {
        BACKGROUND-COLOR: #E1F5F3 !important;
        HEIGHT: 25px;
    }
    TEXTAREA{
        BACKGROUND: #ffffff;
        BORDER: 1px solid #032c5a;
        RESIZE: none;
    }
    INPUT, SELECT
    {
        FONT-SIZE: 11px;
        FONT-FAMILY: VERDANA, ARIAL, HELVETICA, SANS-SERIF;
    }
    /* ----- */
    .GridView
    {
        WIDTH: 100%;
        COLOR: #333333;
        BORDER: 1px solid #07B09B;
    }
    .GridView TH
    {
        BACKGROUND-IMAGE: none !important;
        COLOR: #ffffff;
        BACKGROUND-COLOR: teal;
        FONT-WEIGHT: bold;
        TEXT-ALIGN: left;
        PADDING: 5px 5px 5px 5px;
        BORDER: 1px solid #07B09B !important;
    }
    .GridView TH A
    {
        TEXT-DECORATION: none;
        COLOR: #ffffff !important;
    }
    .GridView TH A:HOVER
    {
        TEXT-DECORATION: underline !important;
    }
    .GridView TD
    {
        PADDING-LEFT: 5px !important;
        PADDING-RIGHT: 5px !important;
        BORDER: 1px solid #07B09B !important;
    }
    .GridView TR.NORMAL TD
    {
        BACKGROUND-COLOR: #E1F5F3 !important;
        HEIGHT: 25px;
    }
    .GridView TR.ALTER TD
    {
        BACKGROUND-COLOR: #ffffff !important;
        HEIGHT: 25px;
    }
    .CONTACTUS
    {
        TEXT-ALIGN: right;
    }

```

```

        WIDTH:150px;
    }

.AC_RESULTS
{
    BORDER: 1px SOLID #0DAC98;
    PADDING: 0px;
    BACKGROUND-COLOR: #006584;
    OVERFLOW: HIDDEN;
    Z-INDEX: 99999;
}

.AC_RESULTS UL {
    WIDTH: 100%;
    LIST-STYLE-POSITION: OUTSIDE;
    LIST-STYLE: NONE;
    PADDING: 0;
    MARGIN: 0;
}

.AC_RESULTS LI
{
    BORDER-BOTTOM: 1px SOLID #0DAC98;
    MARGIN: 0px;
    PADDING: 2px 5px;
    CURSOR: DEFAULT;
    DISPLAY: BLOCK;
    /*
    IF WIDTH WILL BE 100% HORIZONTAL SCROLLBAR WILL APEAR
    WHEN SCROLL MODE WILL BE USED
    */
    /*WIDTH: 100%;*/
    FONT: MENU;
    FONT-SIZE: 12px;
    /*
    IT IS VERY IMPORTANT, IF LINE-HEIGHT NOT SETTED OR SETTED
    IN RELATIVE UNITS SCROLL WILL BE BROKEN IN FIREFOX
    */
    LINE-HEIGHT: 16px;
    OVERFLOW: HIDDEN;
}

.AC_LOADING {
    BACKGROUND: WHITE URL('INDICATOR.GIF') RIGHT CENTER NO-REPEAT;
}

.AC_ODD {
    BACKGROUND-COLOR: #006584;
}

.AC_OVER {
    BACKGROUND-COLOR: #0A246A;
    COLOR: WHITE;
}

#FADE {
    DISPLAY: NONE;
    BACKGROUND: #000;
    POSITION: FIXED; LEFT: 0; TOP: 0;
    Z-INDEX: 10;
    WIDTH: 100%; HEIGHT: 100%;
    OPACITY: .80;
    Z-INDEX: 9999;
}

.POPUP_BLOCK{
    DISPLAY: NONE;
    BACKGROUND: #fff;
    PADDING: 20px;
    BORDER: 20px SOLID #ddd;
    FLOAT: LEFT;
    FONT-SIZE: 1.2em;
    COLOR:BLACK;
    POSITION: FIXED;
    TOP: 50%; LEFT: 50%;
    Z-INDEX: 99999;
    -WEBKIT-BOX-SHADOW: 0px 0px 20px #000;
    -MOZ-BOX-SHADOW: 0px 0px 20px #000;
    BOX-SHADOW: 0px 0px 20px #000;
    -WEBKIT-BORDER-RADIUS: 10px;
    -MOZ-BORDER-RADIUS: 10px;
    BORDER-RADIUS: 10px;
}

IMG.BTN_CLOSE {
    FLOAT: RIGHT;
    MARGIN: -55px -55px 0 0;
}

.POPUP P {
    PADDING: 5px 10px;
    MARGIN: 5px 0;
}

/*--MAKING IE6 UNDERSTAND FIXED POSITIONING--*/
*HTML #FADE {
    POSITION: ABSOLUTE;
}

```

```

*HTML .POPUP_BLOCK {
    POSITION: ABSOLUTE;
}

INPUT.INPUTBUTTON
{
    BACKGROUND-IMAGE: URL(../IMAGES/A_BUTTONBG.JPG);
    BORDER:0PX;
    HEIGHT: 25PX;
    COLOR: #FFFFFF;
    WIDTH: 70PX;
    CURSOR: POINTER;
    PADDING: 2PX;
    FONT-WEIGHT: BOLD;
}

INPUT.INPUTBUTTON2
{
    BACKGROUND-IMAGE: URL(../IMAGES/A_BUTTONBG.JPG);
    BORDER:0PX;
    HEIGHT: 25PX;
    COLOR: #FFFFFF;
    WIDTH: 130PX;
    CURSOR: POINTER;
    PADDING: 2PX;
    FONT-WEIGHT: BOLD;
}

INPUT.INPUTBUTTON3
{
    BACKGROUND-IMAGE: URL(../IMAGES/A_BUTTONBG.JPG);
    BORDER:0PX;
    HEIGHT: 25PX;
    COLOR: #FFFFFF;
    WIDTH: 100PX;
    CURSOR: POINTER;
    PADDING: 2PX;
    FONT-WEIGHT: BOLD;
}

/**** CAROUSEL *****/
#GALLERY {
    POSITION: RELATIVE;
    WIDTH: 580PX;
    MARGIN: 10PX 0 0 0;
    BACKGROUND: #FFFFFF;
    HEIGHT: 320PX;
    -MOZ-BORDER-RADIUS:7PX;
    -WEBKIT-BORDER-RADIUS:7PX;
}

#ROW1 {
    POSITION: RELATIVE;
    MARGIN: 0 0 0 5PX;
}

.PANES {
    POSITION: RELATIVE;
}

.PANE {
    POSITION: ABSOLUTE;
    LEFT:-5PX;
    WIDTH: 590PX;
    FONT-SIZE: 10PX;
    BACKGROUND: #FFFFFF;
}

#CAROUSEL-BOX {
    POSITION:RELATIVE;
    WIDTH:560PX;
    OVERFLOW:HIDDEN;
    MARGIN: 0 5PX 0 5PX;
    BORDER: 10PX SOLID #f2f2f2;
    -MOZ-BORDER-RADIUS:4PX;
    -WEBKIT-BORDER-RADIUS:4PX;
}

#CAROUSEL-BOX .PREV {
    POSITION:ABSOLUTE;
    LEFT:5PX;
    TOP:100PX;
    Z-INDEX:10;
}

#CAROUSEL-BOX .NEXT {
    POSITION:ABSOLUTE;
    RIGHT:-5PX;
    TOP:100PX;
    Z-INDEX:10;
}

#CAROUSEL-BOX .PREV A, #CAROUSEL-BOX .NEXT A {
    CURSOR:POINTER;
}

.SCROLLABLE {
    POSITION:RELATIVE;
    FLOAT:LEFT;
}

```



```

        WIDTH: 540px;
        HEIGHT: 240px;
        MARGIN: 0 0 0 32px;
        OVERFLOW: HIDDEN;
    }

    .SCROLLABLE .ITEMS {
        WIDTH: 2000em;
        POSITION: ABSOLUTE;
    }

    .ITEMS DIV {
        FLOAT: LEFT;
        WIDTH: 540px;
    }

    /* SINGLE SCROLLABLE ITEM */
    .SCROLLABLE IMG {
        FLOAT: LEFT;
        MARGIN: 5px 0 15px 10px;
        BACKGROUND-COLOR: #FFFFFF;
        PADDING: 2px;
        BORDER: 1px solid #ccc;
        WIDTH: 130px;
        HEIGHT: 90px;

        -MOZ-BORDER-RADIUS: 4px;
        -WEBKIT-BORDER-RADIUS: 4px;
    }

    .SCROLLABLE A {
        CURSOR: POINTER;
    }

    /* ACTIVE ITEM */
    .SCROLLABLE .ACTIVE {
        BORDER: 2px solid #000;
        POSITION: RELATIVE;
        CURSOR: POINTER;
    }

    .ITEM {
        FLOAT: LEFT;
        WIDTH: 490px;
    }

    .ITEM DIV {
        WIDTH: 157px;
        FLOAT: LEFT;
        BORDER: 0;
        MARGIN-RIGHT: 14px;
        POSITION: RELATIVE;
    }

    .BOX
    {
        BACKGROUND: #f3f6fd;
        WIDTH: 100%;
        MARGIN: 10px 0 10px 0;
    }

    .BOX .BORDER-TOP {BACKGROUND: URL(..IMAGES/BORDER-TOP.GIF) REPEAT-X LEFT TOP}
    .BOX .BORDER-BOT {BACKGROUND: URL(..IMAGES/BORDER-BOT.GIF) REPEAT-X LEFT BOTTOM}
    .BOX .LEFT-TOP-CORNER {BACKGROUND: URL(..IMAGES/LEFT-TOP-CORNER.GIF) NO-REPEAT LEFT TOP}
    .BOX .RIGHT-TOP-CORNER {BACKGROUND: URL(..IMAGES/RIGHT-TOP-CORNER.GIF) NO-REPEAT RIGHT TOP}
    .BOX .LEFT-BOT-CORNER {BACKGROUND: URL(..IMAGES/LEFT-BOT-CORNER.GIF) NO-REPEAT LEFT BOTTOM; MIN-HEIGHT: 220px; HEIGHT: 220px}
    .BOX .RIGHT-BOT-CORNER {BACKGROUND: URL(..IMAGES/RIGHT-BOT-CORNER.GIF) NO-REPEAT RIGHT BOTTOM}

    .IMG-BOX2 {POSITION: RELATIVE}
    .IMG-BOX2 .ITEMNAME {COLOR: #193366; MARGIN: 10px 5px 10px 5px; HEIGHT: 24px; WIDTH: 150px; FONT-WEIGHT: BOLD}
    .IMG-BOX2 .INNER {PADDING: 5px 0 0 10px}
    .IMG-BOX2 .INNERDATA {COLOR: #6a6a6a; MARGIN-BOTTOM: 10px; WIDTH: 140px; HEIGHT: 20px}
    .LINK {
        PADDING: 2px 0 3px 0;
        MARGIN: 0 20px 0 0;
        TEXT-ALIGN: CENTER;
        COLOR: #ffffff;
        BACKGROUND: #6899f9;
        BORDER: 1px solid red;
    }

    .LINK A {
        FONT-WEIGHT: BOLD;
        COLOR: #193366;
    }

    .LINK A:HOVER {
        COLOR: #0423bc;
    }

    /* ROOT ELEMENT FOR TABS */
    UL.TABS {
        HEIGHT: 50px;
        MARGIN: 0 !important;
        PADDING: 0;
        LIST-STYLE: NONE;
    }

    /* SINGLE TAB */
    UL.TABS LI {
        FLOAT: LEFT;

```

```

        PADDING:0;
        MARGIN:0 !IMPORTANT;
        TEXT-INDENT:0;
        LIST-STYLE-IMAGE:NONE !IMPORTANT;
    }

    UL.TABS A {
        DISPLAY:BLOCK;
        POSITION:RELATIVE;
        WIDTH:140px;
        HEIGHT:50px;
        MARGIN:10px 5px 0 0;
        PADDING:5px;
        FONT-SIZE:12px;
        LINE-HEIGHT:30px;
        TEXT-ALIGN:CENTER;
        TEXT-DECORATION:NONE;
        COLOR:#6A6A6A;
        BACKGROUND:#e9e9e9;
        BORDER:2px solid #dbdbdb;
        FONT-WEIGHT:BOLD;
        -MOZ-BORDER-RADIUS:4px;
        -WEBKIT-BORDER-RADIUS:4px;
    }

    UL.TABS A:ACTIVE {
        COLOR:#FBF5F5;
        OUTLINE:NONE;
    }

    UL.TABS A:HOVER {
        COLOR:#000000;
        FONT-WEIGHT:BOLD;
    }

    UL.TABS A.CURRENT, UL.TABS A.CURRENT:HOVER, UL.TABS LI.CURRENT A {
        CURSOR:DEFAULT !IMPORTANT;
        COLOR:#0423BC !IMPORTANT;
        FONT-WEIGHT:BOLD;
        BACKGROUND:#f5f5f5;
        BORDER:2px solid #f3f3f3;
    }

    /* PREV, NEXT, PREVPAGE AND NEXTPAGE BUTTONS */
    A.BROWSE {
        BACKGROUND:URL(../IMG/HORI_LARGE.PNG) NO-REPEAT;
        DISPLAY:BLOCK;
        WIDTH:30px;
        HEIGHT:30px;
        FLOAT:LEFT;
        MARGIN:10px;
        CURSOR:POINTER;
        FONT-SIZE:1px;
    }

    /* RIGHT */
    A.RIGHT { BACKGROUND-POSITION: 0 -30px; CLEAR:RIGHT; MARGIN-RIGHT: 0px; }
    A.RIGHT:HOVER { BACKGROUND-POSITION:-30px -30px; }
    A.RIGHT:ACTIVE { BACKGROUND-POSITION:-60px -30px; }

    /* LEFT */
    A.LEFT { MARGIN-LEFT: 0px; }
    A.LEFT:HOVER { BACKGROUND-POSITION:-30px 0; }
    A.LEFT:ACTIVE { BACKGROUND-POSITION:-60px 0; }

    /* UP AND DOWN */
    A.UP, A.DOWN {
        BACKGROUND:URL(../IMG/VERT_LARGE.PNG) NO-REPEAT;
        FLOAT: NONE;
        MARGIN: 10px 40px;
    }

    /* UP */
    A.UP:HOVER { BACKGROUND-POSITION:-30px 0; }
    A.UP:ACTIVE { BACKGROUND-POSITION:-60px 0; }

    /* DOWN */
    A.DOWN { BACKGROUND-POSITION: 0 -30px; }
    A.DOWN:HOVER { BACKGROUND-POSITION:-30px -30px; }
    A.DOWN:ACTIVE { BACKGROUND-POSITION:-60px -30px; }

    /* DISABLED NAVIGATIONAL BUTTON */
    A.DISABLED {
        VISIBILITY:HIDDEN !IMPORTANT;
    }

css/login.css

    BODY
    {
        BACKGROUND-COLOR: #FFFFFF;
    }

```

```

        BACKGROUND-IMAGE: URL(../IMAGES/BODY-BG.PNG);
        BACKGROUND-POSITION: TOP LEFT;
    BACKGROUND-REPEAT: REPEAT-X;
    BACKGROUND-ATTACHMENT: FIXED;
        MARGIN:0PX;
        PADDING:0PX;
        FONT-FAMILY: VERDANA, ARIAL, HELVETICA, SANS-SERIF;
        FONT-SIZE: 11PX;
        COLOR: #000000;
    }
    IMG,FORM
    {
        BORDER: 0PX; MARGIN: 0PX; PADDING: 0PX;
    }
    H1, .H1
    {
        FONT-SIZE: 18PX;
        FONT-FAMILY: PAPHYRUS;
        PADDING: 0PX;
        MARGIN: 0PX;
        COLOR: #042b83;
    }
    A,A:VISITED,A:HOVER,A:ACTIVE
    {
        COLOR: #0341cc;
        TEXT-DECORATION: NONE;
        CURSOR: POINTER;
    }
    INPUT.INPUTTEXT
    {
        BORDER: 1PX SOLID #07999D;
        BACKGROUND-COLOR: TRANSPARENT;
        WIDTH: 164PX;
        HEIGHT: 18PX;
        PADDING-LEFT: 3PX;
        COLOR: #000000;
    }
    INPUT.INPUTBUTTON
    {
        BACKGROUND-IMAGE: URL(../IMAGES/A_BUTTONBG.JPG);
        BORDER:0PX;
        HEIGHT: 17PX;
        COLOR: #FFFFFFF;
        FONT-SIZE: 11PX;
        WIDTH: 51PX;
        CURSOR: POINTER;
    }
    .CONTAINER TD
    {
        PADDING: 5PX;
    }
    .HEADLINE
    {
        BACKGROUND: URL(IMAGES/WRAPPER-TOP.PNG) NO-REPEAT;
        HEIGHT: 25PX;
    }
    .ERRORMSG
    {
        COLOR: #ff0000;
        DISPLAY: BLOCK;
        PADDING: 5PX 5PX 5PX 24PX;
        MARGIN-TOP: 5PX;
        MARGIN-LEFT: 85PX;
        BACKGROUND-IMAGE: URL(IMAGES/ERROR.GIF);
        BACKGROUND-REPEAT: NO-REPEAT;
        BACKGROUND-POSITION: 5PX;
        TEXT-ALIGN: LEFT;
        FONT-WEIGHT: BOLD;
    }
    .CENTERTABLE
    {
        BACKGROUND: URL(IMAGES/WRAPPER-FILL.PNG) REPEAT-Y TOP LEFT;
        WIDTH: 100%;
    }
    .CLOSING
    {
        BACKGROUND: URL(IMAGES/WRAPPER-BOTTOM.PNG) NO-REPEAT;
        HEIGHT: 25PX;
    }
    .REQUIRED
    {
        FONT-FAMILY: VERDANA, TAHOMA, ARIAL;
        FONT-SIZE:12PX;
        COLOR: #Ff0000;
    }
    TD.TDLEFT
    {
        TEXT-ALIGN: LEFT!IMPORTANT;
    }
    .CONTAINER2
    {
        BACKGROUND-COLOR: #FAFBFC;
        -MOZ-BORDER-RADIUS: 7PX;
    }

```

```
-WEBKIT-BORDER-RADIUS: 7px;
padding: 5px 5px 5px 5px;
border: 2px solid #e3e9f3;
margin: 0 0 0 0;
width: 430px;
float: center;
}
```

JS/TABS.JS

```
(function(a,b){
function cy(a){
return f.isWindow(a)?a.nodeType===9?a.defaultView||a.parentWindow:!1
}
function cv(a){
if(!g[a]){
var b=f("<"+a+">").appendTo("body"),d=b.css("display");
b.remove();
if(d==="none"||d===""){
ck||(ck=c.createElement("iframe"),ck.frameBorder=ck.width=ck.height=0),c.body.appendChild(ck);
if(!cl){cl=ck.createElement()
cl=(ck.contentWindow||ck.contentDocument).document,cl.write("<!doctype><html><body></body></html>");
b=cl.createElement(a),cl.body.appendChild(b),d=f.css(b,"display"),c.body.removeChild(ck);
}
}
g[a]=d;
}
return c[a]
}
function cu(a,b){
var c={};
f.each(cp.concat.apply([],cp.slice(0,b)),function(){c[this]=a});
return c
}
function ct(){
cq=b
}
function cs(){
setTimeout(ct,0);
return cq=f.now();
}
function ci(){
try{
return new a.ActiveXObject("Microsoft.XMLHTTP");
}
catch(b){}
}
function ch(){
try{
return new a.XMLHttpRequest
}
catch(b){}
}
function cb(a,c){a.dataFilter&&(c=a.dataFilter(c,a.dataType));var d=a.dataTypes,e={},g,h,i=d.length,j,k=d[0],l,m,n,o,p;for(g=1;g<+;g++){if(g===1)for(h in
a.converters)typeof h==="string"&&(e[h.toLowerCase()]=a.converters[h]);l=k,k=d[g];if(k==="*")k=l;else if(!l==="*"&&l===k){m=l+" "+k,n=e[m]||e["* "+k];if(!n){p=b;for(o in e)
===!0&&(c-n?n(c):p(o(c)))}return c}function ca(a,c,d){var e=a.contents,f=a.dataTypes,g=a.responseFields,h=i,j,k;for(i in g)in
d&&(c[g[i]]=d[i]);while(f[0]==="*")f.shift(),h===b&&(h=a.mimeType||c.getResponseHeader("content-type"));if(h)for(i in e)if(e[i]&&e[i].test(h)){f.unshift(i);break}if(f[0]in
d)=f[0];else{for(i in d){if(!f[0]||a.converters[i+" "+f[0]]){j=i;break}k||(k=i);j||k?if(!j)j=i:f[0]&&f.unshift(j);return d[j]}function bd(a,b,c){f.each(b,e){f(c)
b.f.test(a)?d(a,e):b(a+"["+typeof e==="object"?f.isArray(e)?b:""]+"["+e,c,d]);}else if(!c&&b===null&&typeof b==="object")for(var e in b)_[a+"["+e+""]",b[e],c,d];else d(a,b)function b$
(a,c,d,e,f,g){f=f||c.dataTypes[0],g=g||{};g[f]=0;var h=a[f],i=0,j=h.length;0,k=a===u,l;for(;<j;<)&&(k||!l);i++j=l[i](c,d,e),typeof l==="string"&&(l=k||g[l]?l:b=
(c.dataTypes.unshift(l),l=b$(a,c,d,e,l,g));(k||!l)&&(g["*"]&&(l=b$(a,c,d,e,"*"),g));return l}function bz(a){return function(b,c){typeof b!=="string"&&(c=b,b="*");if(f.isFunction(c))
var d=b.toLowerCase().split(bQ),e=0,g=d.length,h,i,j;for(;e<g;e++)h=d[e],j="/^"+/.test(h),i&&(h=h.substr(1)||"*"),i=a[h]=a[h]||[],i.push?"unshift":"push"}(c)}function bD(a,b,c){var
d=b===b?b:by,e=b===b?b:width?a.offsetwidth:a.offsetheight;if(c===b)border?return e:f.each(d,function(){c[(e=parseFloat(f.css(a,"padding"+this)))||0],c===b?"margin"
e+=parseFloat(f.css(a,"margin"+this))||0:e=parseFloat(f.css(a,"border"+this+"width"))||0});return e}function bn(a,b){b.src?f.ajax({url:b.src,async:
1,dataType:"script"}):f.globalEval((b.text||b.textContent||b.innerHTML||"").replace(bf,"/*$0*/"));b.parentNode.removeChild(b)}function bm(a){f.nodeName(a,"input")?
bl(a):a.getElementsByTagName(f.grep(a.getElementsByTagName("input"),b).function bl(a){a.type==="checkbox"||a.type==="radio"}a.defaultChecked=a.checked}function bk(a)
{return"getElementsByName" in a?a.getElementsByTagName("*"):a.querySelectorAll in a?a.querySelectorAll("["+a.type+"]"):a.defaultChecked=a.checked}function bk(a)
{return"getElementsByName" in a?a.getElementsByTagName("input"):a.querySelectorAll("["+a.type+"]")}function bj(a,b){var c;if(b.nodeType===1)
{b.clearAttributes&&b.clearAttributes(),b.mergeAttributes&&b.mergeAttributes(a),c=b.nodeName.toLowerCase();if(c==="object")b.outerHTML=a.outerHTML;else if(c==="input"||a.type!
==="checkbox"||a.type!=="radio"){c==="option"?b.selected=a.defaultSelected;else if(c==="input"||c==="textarea")b.defaultValue=a.defaultValue}else
a.checked&&(b.defaultChecked=b.checked=a.checked),b.value!==a.value&&(b.value=a.value);b.removeAttribute(f.expando)}function bi(a,b){if(b.nodeType===1&&!!f.hasData(a)){var
c=f.expando,d=f.data(a),e=f.data(b,d);if(d===c){var g=d.events;e=e||c.f.extend({},d);}if(g){delete e.handle,e.events={};for(var h in g)for(var i=0;i=g[h].length;<i++)f.event.add(b,h+
(g[h][i].namespace?" ":"")+g[h][i].namespace,g[h][i],g[h][i].data)}function bh(a,b){return f.nodeName(a,"table")?a.getElementsByTagName("tbody")[0]
a.appendChild(a.ownerDocument.createElement("tbody")):a}function X(a,b,c){b=b||0;if(f.isFunction(b))return f.grep(a,function(a,d){var e=!b.call(a,d,a);return e===c});if(b.nodeType)return
f.grep(a,function(a,d){return a===b===c});if(typeof b==="string"){var d=f.grep(a,function(a){return a.nodeType===1});if(S.test(b))return f.filter(b,d,!c);b=f.filter(b,d)
return f.grep(a,function(a,d){return f.inArray(a,b)>0===c})}function W(a){return a!|a.parentNode|a.parentNode.nodeType===11}function O(a,b){return(a&&a!=="*"?a+" ":"")
+b.replace(A,"").replace(B,"&")}function N(a){var b,c,d,e,g,h,i,j,k,l,m,n,o,p=[];o=[],r=f.data(this,"events");if(!a.liveFired===this||!r||!r.live||a.target.disabled||
a.button&&a.type==="click"||a.namespace&&(a.new RegExp("\\.?"+"+a.namespace.split(".")").join("\\.?"+"+a.namespace.split(".")").liveFired===this;var s=r.live.slice(0);for(i=0;i<s.length;i+
+)g=s[i],g.origType.replace(y,"")===a.type?o.push(g.selector):s.splice(i--,1);e=f(a.target).closest(o,a.currentTarget);for(i=0,k=e.length;<i++){m=e[i];for(i=0;i<s.length;i++)
{g=s[i];if(m.selector===g.selector&&(i||!m.test(g.namespace))&&!m.elem.disabled){h=m.elem,d=null;if(g.preType==="mouseenter"||
g.preType==="mouseleave")a.type=g.preType,d=f(a.relatedTarget).closest(g.selector)[0],d&&f.contains(h,d)&&(d=h);!d)!d!
===h}&&p.push({elem:h,handleObj:g,level:m.level})}}for(i=0,k=p.length;<i++)
{e=p[i];if(c&&e.level>c)break;a.currentTarget=e.elem,a.data=e.handleObj.data,a.handleObj=e.handleObj,e.handleObj.origHandler.apply(e.elem,arguments);if(o===1||
0)&&!f.data(a,h,b,!0)&&(f.removeData(a,e,!0),i.resolve()),0)}function L(a){for(var b in a)if(b!=="toJSON")return 1;return 0}function K(a,c,d){if(d===b&&a.nodeType===1)
var e="data-"+c.replace(/[\s$*]/,"$1-$2").toLowerCase();d=a.getAttribute(e);if(typeof d==="string"){try{d=JSON.parse(d)}catch(g){}f.data(a,c,d)}else d=b}return d}
f.parseJSON(d):parseFloat(d)}catch(g){}f.data(a,c,d)}else d=b}return d}var c=a.document,d=a.document,d=A.navigator,e=A.location,f=function(){function H(){if(!e.isReady)
try{c.docElement.doScroll("left")}catch(a){setTimeout(H,1)}return e.ready()}var e=function(a,b){return new e.fn.init(a,b,h)};f=new e.fn.init(,"",h);f=A.query,g=A.$,h=/(?:<\/?<\/w|>
[>?]*$)#([\w-]*$)/,j=(AS)/,k=/\s+/,l=As+$,m=/\d/,n=/^(w+|\s+)?(?:<\/?<\/w|>)?$/;o=/^[\ ]+$/;p=/^[\ ]+$/;q=/^[\ ]+$/;r=/^[\ ]+$/;s=/^[\ ]+$/;t=/^[\ ]+$/;u=/^[\ ]+$/;v=/^[\ ]+$/;w=D.userAgent,x,y,z,A=Object.prototype.toString,B=Object.prototype.hasOwnProperty,C=Array.prototype.push,D=Array.prototype.slice,E=String.prototype.trim,F=Array.prototype.index
Of,G={};z.fn=e.prototype={constructor:e,init:function(a,d,f){var g,h,i,j;(l|a)return this;if(a.nodeType){this[0]=a,this.length=1;return this;if(a===b)"body"&&!d&&c.body}
[this.context=c,this[0]=c.body,this.selector=a,this.length=1;return this}if(typeof a==="string"||{a.charAt(0)!=""||a.charAt(a.length-1)!="">"||a.length<3?
}
```

g=I.exec(A).g=[null,A,null];if(g&&(g[1]||d))... (The rest of the code follows in a single line, containing various JavaScript logic and syntax.)


```
0,THIS.CUSTOM(THIS.CUR(),0)},STEP:FUNCTION(A){VAR B=CQ||CS(),C=!0,D=THIS.ELEM,E=THIS.OPTIONS,G,H;IF(A||B>=E.DURATION+THIS.STARTTIME)
{THIS.NOW=THIS.END,THIS.POS=THIS.STATE=1,THIS.UPDATE(),E.ANIMATEDPROPERTIES[THIS.PROP]=10;FOR(G IN E.ANIMATEDPROPERTIES)E.ANIMATEDPROPERTIES[G]==10&&(C!=1);IF(C){E.OVERFLOW!=NULL&&
F.SUPPORT.SHRIKWRAPBLOCKS&&F.EACH(["X","Y"],FUNCTION(A,B){D.STYLE["OVERFLOW"+B]=E.OVERFLOW[A]},E.HIDE&&F(D).HIDE();IF(E.HIDE)[E.SHOW]FOR(VAR I IN
E.ANIMATEDPROPERTIES)F.STYLE(D,I,E.ORIG(I));E.COMPLETE.CALL(D)}RETURN!1}E.DURATION=INFINITY?THIS.NOW=B:(H=B-
THIS.STARTTIME,THIS.STATE=H/E.DURATION,THIS.POS=F.EASING[E.ANIMATEDPROPERTIES[THIS.PROP]](THIS.STATE,H,0,1,E.DURATION),THIS.NOW=THIS.START+(THIS.END-THIS.START)*THIS.POS),THIS.UPDATE();RETURN!
0)},F.EXTEND(F.FX,{TICK:FUNCTION(E){FOR(VAR A=F.TIMERS,B=0;B<A.LENGTH;+ +B)[B]{}A.SPICE(B--,1);A.LENGTH||F.FX.STOP(),INTERVAL:13,STOP:FUNCTION(){CLEARINTERVAL(CO,CO=NULL),SPEEDS:
{SLOW:600,FAST:200,_DEFAULT:400},STEP:{OPACITY:FUNCTION(A){F.STYLE(A.ELEM,"OPACITY",A.NOW)},_DEFAULT:FUNCTION(A){A.ELEM.STYLE&&A.ELEM.STYLE[A.PROP]!=NULL?
A.ELEM.STYLE[A.PROP]=(A.PROP=="WIDTH"?A.ELEM.STYLE["HEIGHT"?A.ELEM.STYLE["MATH.MAX(0,A.NOW):A.NOW]+A.UNIT:A.ELEM[A.PROP]=A.NOW)}},F.EXPR&&F.EXPR.FILTERS&&(F.EXPR.FILTERS.ANIMATED=FUNCTION(A){RETURN
F.GREP(F.TIMERS,FUNCTION(B){RETURN A==B.ELEM}).LENGTH};VAR CW=/^t(?:ABLE|D|H)$/,CX=/^(?:BODY|HTML)$/;"GETBOUNDCIENTRECT"IN C.DOCUMENTELEMENT?F.FN.OFFSET=FUNCTION(A){VAR
B=THIS[0],C;IF(A)RETURN THIS.EACH(FUNCTION(B){F.OFFSET.SETOFFSET(THIS,A,B)});IF(!B){B.OWNERDOCUMENT}RETURN NULL;IF(B==B.OWNERDOCUMENT.BODY)RETURN
F.OFFSET.BODYOFFSET(B);TRY{C=B.GETBOUNDCIENTRECT()}CATCH(D){}VAR E=B.OWNERDOCUMENT,G=E.DOCUMENTELEMENT;IF(!C||!F.CONTAINS(G,B))RETURN C?{TOP:C.TOP,LEFT:C.LEFT}:{TOP:0,LEFT:0};VAR
H=E.BODY,I=C(E),J=G.CLIENTTOP||H.CLIENTTOP||0,K=G.CLIENTLEFT||H.CLIENTLEFT||0,I=L.PAGEYOFFSET||F.SUPPORT.BOXMODEL&&G.SCROLLTOP||H.SCROLLTOP,M=L.PAGEXOFFSET||
F.SUPPORT.BOXMODEL&&G.SCROLLLEFT||H.SCROLLLEFT,N=C.TOP+L,J,O=C.LEFT+M+K;RETURN{TOP:N,LEFT:O}:F.FN.OFFSET=FUNCTION(A){VAR B=THIS[0];IF(A)RETURN THIS.EACH(FUNCTION(B)
{F.OFFSET.SETOFFSET(THIS,A,B)});IF(!B){B.OWNERDOCUMENT}RETURN NULL;IF(B==B.OWNERDOCUMENT.BODY)RETURN F.OFFSET.BODYOFFSET(B);F.OFFSET.INITIALIZE();VAR
C,D=B.OFFSETPARENT,E=B,G=B.OWNERDOCUMENT,H=G.DOCUMENTELEMENT,I=G.BODY,J=G.DEFAULTVIEW,K=J?
J.GETCOMPUTEDSTYLE(B,NULL):B.CURRENTSTYLE,L=B.OFFSETPARENT,M=B.OFFSETLEFT,WHILE((B=B.PARENTNODE)&&B!=I&&B!=H){IF(F.OFFSET.SUPPORTSFIXEDPOSITION&&K.POSITION=="FIXED")BREAK;C=?
J.GETCOMPUTEDSTYLE(B,NULL):B.CURRENTSTYLE,L=B.SCROLLTOP,M=B.SCROLLTOP,N=B.OFFSETLEFT,B==D&&(L+M=B.OFFSETTOP,M+B.OFFSETLEFT,F.OFFSET.DOESNOTADDBORDER&&(!
F.OFFSET.DOESADDBORDERFORTABLEANDCELLS)||!CW.TEST(B.NODENAME))&&(L+M=PARSEFLOAT(C.BORDERTOPWIDTH)||0,M+=PARSEFLOAT(C.BORDERLEFTWIDTH)||
0),E=D,D=B.OFFSETPARENT),F.OFFSET.SUBTRACTSBORDERFOROVERFLOWNOTVISIBLE&&C.OVERFLOW=="VISIBLE"&&(L+=PARSEFLOAT(C.BORDERTOPWIDTH)||0,M+=PARSEFLOAT(C.BORDERLEFTWIDTH)||
0),K=C)}IF(K.POSITION=="RELATIVE")
K.POSITION=="STATIC"?L+=I.OFFSETLEFT;F.OFFSET.SUPPORTSFIXEDPOSITION&&K.POSITION=="FIXED"&&(L+=MATH.MAX(H.SCROLLTOP,I.SCROLLTOP),M+=MATH.MAX(H.SCROLLLEFT,I.SCROLLLE
FT));RETURN{TOP:L,LEFT:M};F.OFFSET=INITIALIZE:FUNCTION(){VAR A=C.BODY,B=C.CREATEELEMENT("DIV"),D,E,G,H,I=PARSEFLOAT(F.CSS(A,"MARGINTOP"))||0,J="<DIV
STYLE='POSITION:ABSOLUTE;TOP:0;LEFT:0;MARGIN:0;BORDER:1PX SOLID #000;PADDING:0;WIDTH:1PX;HEIGHT:1PX;'><DIV></DIV></DIV></DIV></TABLE></TABLE></TABLE></TABLE>";F.EXTEND(B.STYLE,
{POSITION:"ABSOLUTE",TOP:0,LEFT:0,MARGIN:0,BORDER:0,WIDTH:"1PX",HEIGHT:"1PX",VISIBILITY:"HIDDEN"}),B.INNERHTML=J,A.INSERTBEFORE(B,A.FIRSTCHILD),D=B.FIRSTCHILD,E=D.FIRSTCHILD,H=D.NEXTSIBLING,FIRST
CHILD,FIRSTCHILD,THIS.DOESNOTADDBORDER=E.OFFSETPARENT!
==5,THIS.DOESADDBORDERFORTABLEANDCELLS=H.OFFSETPARENT==5,E.STYLE.POSITION="FIXED",E.STYLE.TOP="20PX",THIS.SUPPORTSFIXEDPOSITION=E.OFFSETPARENT==20||
E.OFFSETPARENT==15,E.STYLE.POSITION=E.STYLE.TOP=="",D.STYLE.OVERFLOW="HIDDEN",D.STYLE.POSITION="RELATIVE",THIS.SUBTRACTSBORDERFOROVERFLOWNOTVISIBLE=E.OFFSETPARENT==
5,THIS.DOESNOTINCLUDEMARGININBODYOFFSET=A.OFFSETPARENT==I,A.REMOVECHILD(B),F.OFFSET.INITIALIZE=F.NOOP},BODYOFFSET:FUNCTION(A){VAR
B=A.OFFSETPARENT,C=A.OFFSETLEFT;F.OFFSET.INITIALIZE(),F.OFFSET.DOESNOTINCLUDEMARGININBODYOFFSET&&(B+=PARSEFLOAT(F.CSS(A,"MARGINTOP"))||0,C+=PARSEFLOAT(F.CSS(A,"MARGINLEFT"))||
0);RETURN{TOP:B,LEFT:C};SETOFFSET:FUNCTION(A,B,C){VAR D=F.CSS(A,"POSITION"),D=="STATIC"&&(A.STYLE.POSITION="RELATIVE");VAR
E=F(A),G=E.OFFSET(),H=F.CSS(A,"TOP"),I=F.CSS(A,"LEFT"),J=(D=="ABSOLUTE"?D=="FIXED")&&F.INARRAY("AUTO",H,I)>-1,K={},L={},M,N;?(L=E.POSITION(),M=L.TOP,N=L.LEFT):
(M=PARSEFLOAT(H)||0,N=PARSEFLOAT(I)||0),F.ISFUNCTION(B)&&(B=B.CALL(A,C,G)),B.TOP!=NULL&&(K.TOP=B.TOP-G.TOP+M),B.LEFT!=NULL&&(K.LEFT=B.LEFT-G.LEFT+N),"USING"IN B?
B.USING.CALL(A,K):E.CSS(K)},F.FN.EXTEND({POSITION:FUNCTION(){IF(!THIS[0])RETURN NULL;VAR A=THIS[0],B=THIS.OFFSETPARENT(),C=THIS.OFFSET(),D=CX.TEST(B[0].NODENAME)?
{TOP:0,LEFT:0}:B.OFFSET();C.TOP=PARSEFLOAT(F.CSS(A,"MARGINTOP"))||0,C.LEFT=PARSEFLOAT(F.CSS(A,"MARGINLEFT"))||0,D.TOP+=PARSEFLOAT(F.CSS(B[0],"BORDERTOPWIDTH"))||
0,D.LEFT+=PARSEFLOAT(F.CSS(B[0],"BORDERLEFTWIDTH"))||0;RETURN{TOP:C.TOP-D.TOP,LEFT:C.LEFT-D.LEFT};OFFSETPARENT:FUNCTION(){RETURN THIS.MAP(FUNCTION(){VAR A=THIS.OFFSETPARENT|
C.BODY;WHILE(A&&!CX.TEST(A.NODENAME)&&F.CSS(A,"POSITION")=="STATIC")A=A.OFFSETPARENT;RETURN A}}),F.EACH(["LEFT","TOP"],FUNCTION(A,C){VAR D="SCROLL"+C;F.FN[D]=FUNCTION(C){VAR
E,G;IF(C=="B"){E=THIS[0];IF(!E)RETURN NULL;G=C(E);RETURN G?"PAGEXOFFSET"IN G?F[A?"PAGEXOFFSET":"PAGEXOFFSET"]:F.SUPPORT.BOXMODEL&&G.DOCUMENT.DOCUMENTELEMENT[D]||
G.DOCUMENT.BODY[D]:E[D]}RETURN THIS.EACH(FUNCTION(){G=C(THIS),G?G.SCROLLTO(A?F(G).SCROLLLEFT():C,A?F(G).SCROLLTOP():THIS[D]=C)}),F.EACH(["HEIGHT","WIDTH"],FUNCTION(A,C){VAR
D=C.TOLOWERCASE();F.FN["INNER"+C]=FUNCTION(){RETURN THIS[0]?PARSEFLOAT(F.CSS(THIS[0],D,"PADDING")):NULL},F.FN["OUTER"+C]=FUNCTION(A){RETURN THIS[0]?
PARSEFLOAT(F.CSS(THIS[0],D,"MARGIN","BORDER")):NULL},F.FN[D]=FUNCTION(A){VAR E=THIS[0];IF(!E)RETURN A==NULL?NULL:THIS;IF(!ISFUNCTION(A))RETURN THIS.EACH(FUNCTION(B){VAR C=F(THIS);C[D]
(A.CALL(THIS,B,C[D]()))};IF(!ISWINDOW(E)){VAR G=E.DOCUMENT.DOCUMENTELEMENT["CLIENT"+C];RETURN E.DOCUMENT.COMPATMODE=="CSS1COMPAT"&&G[E.DOCUMENT.BODY["CLIENT"+C]]
G};IF(E.NODETYPE==9)RETURN MATH.MAX(E.DOCUMENTELEMENT["CLIENT"+C],E.BODY["SCROLL"+C],E.DOCUMENTELEMENT["SCROLL"+C],E.BODY["OFFSET"+C],E.DOCUMENTELEMENT["OFFSET"+C]);IF(A==B){VAR
H=F.CSS(E,D),I=PARSEFLOAT(H);RETURN F.ISNaN(I)?H:I}RETURN THIS.CSS(D,TYPEOF A=="STRING"?A:"PX")});A.JQUERY=A.$=F}}(WINDOW);
```

JS/JQUERY-LATEST.JS

```
/*!
 * JQUERY JavaScript LIBRARY v1.3.2
 * HTTP://JQUERY.COM/
 *
 * COPYRIGHT (c) 2009 JOHN RESIG
 * DUAL LICENSED UNDER THE MIT AND GPL LICENSES.
 * HTTP://DOCS.JQUERY.COM/LICENSE
 *
 * DATE: 2009-02-19 17:34:21 -0500 (THU, 19 FEB 2009)
 * REVISION: 6246
 */
(function(){
VAR
// Will speed up references to window, and allows munging its name.
WINDOW = THIS,
// Will speed up references to undefined, and allows munging its name.
UNDEFINED,
// MAP OVER JQUERY IN CASE OF OVERWRITE
_JQUERY = WINDOW.JQUERY,
// MAP OVER THE $ IN CASE OF OVERWRITE
_$ = WINDOW.$,

jQuery = WINDOW._jQuery = WINDOW.$ = FUNCTION( SELECTOR, CONTEXT ) {
// THE JQUERY OBJECT IS ACTUALLY JUST THE INIT CONSTRUCTOR 'ENHANCED'
RETURN NEW jQuery.FN.INIT( SELECTOR, CONTEXT );
},

// A SIMPLE WAY TO CHECK FOR HTML STRINGS OR ID STRINGS
// (BOTH OF WHICH WE OPTIMIZE FOR)
QUICKEXPR = /^[^<]*(\s|>)[^>]*$/^#[([^\-]+)$/,
// IS IT A SIMPLE SELECTOR
IS_SIMPLE = /^[^:#[\|\.]*$/;

jQuery.FN = jQuery.PROTOTYPE = {
INIT: FUNCTION( SELECTOR, CONTEXT ) {
// MAKE SURE THAT A SELECTION WAS PROVIDED
SELECTOR = SELECTOR || DOCUMENT;

// HANDLE $(DOMELEMENT)
IF ( SELECTOR.NODETYPE ) {
THIS[0] = SELECTOR;
THIS.LENGTH = 1;
THIS.CONTEXT = SELECTOR;
RETURN THIS;
}
// HANDLE HTML STRINGS
```

```

IF ( TYPEOF SELECTOR === "STRING" ) {
    // ARE WE DEALING WITH HTML STRING OR AN ID?
    VAR MATCH = QUICKEXPR.EXEC( SELECTOR );

    // VERIFY A MATCH, AND THAT NO CONTEXT WAS SPECIFIED FOR #ID
    IF ( MATCH && (MATCH[1] || !CONTEXT) ) {

        // HANDLE: $(HTML) -> $(ARRAY)
        IF ( MATCH[1] )
            SELECTOR = JQUERY.CLEAN( [ MATCH[1] ], CONTEXT );

        // HANDLE: $("#ID")
        ELSE {
            VAR ELEM = DOCUMENT.GETELEMENTBYID( MATCH[3] );

            // HANDLE THE CASE WHERE IE AND OPERA RETURN ITEMS
            // BY NAME INSTEAD OF ID
            IF ( ELEM && ELEM.ID !== MATCH[3] )
                RETURN JQUERY().FIND( SELECTOR );

            // OTHERWISE, WE INJECT THE ELEMENT DIRECTLY INTO THE JQUERY OBJECT
            VAR RET = JQUERY( ELEM || [] );
            RET.CONTEXT = DOCUMENT;
            RET.SELECTOR = SELECTOR;
            RETURN RET;
        }

        // HANDLE: $(EXPR, [CONTEXT])
        // (WHICH IS JUST EQUIVALENT TO: $(CONTENT).FIND(EXPR))
        } ELSE
            RETURN JQUERY( CONTEXT ).FIND( SELECTOR );

    // HANDLE: $(FUNCTION)
    // SHORTCUT FOR DOCUMENT READY
    } ELSE IF ( JQUERY.ISFUNCTION( SELECTOR ) )
        RETURN JQUERY( DOCUMENT ).READY( SELECTOR );

    // MAKE SURE THAT OLD SELECTOR STATE IS PASSED ALONG
    IF ( SELECTOR.SELECTOR && SELECTOR.CONTEXT ) {
        THIS.SELECTOR = SELECTOR.SELECTOR;
        THIS.CONTEXT = SELECTOR.CONTEXT;
    }

    RETURN THIS.SETARRAY( JQUERY.ISARRAY( SELECTOR ) ?
        SELECTOR :
        JQUERY.MAKEARRAY( SELECTOR ) );
},

// START WITH AN EMPTY SELECTOR
SELECTOR: "",

// THE CURRENT VERSION OF JQUERY BEING USED
JQUERY: "1.3.2",

// THE NUMBER OF ELEMENTS CONTAINED IN THE MATCHED ELEMENT SET
SIZE: FUNCTION() {
    RETURN THIS.LENGTH;
},

// GET THE NTH ELEMENT IN THE MATCHED ELEMENT SET OR
// GET THE WHOLE MATCHED ELEMENT SET AS A CLEAN ARRAY
GET: FUNCTION( NUM ) {
    RETURN NUM === UNDEFINED ?

        // RETURN A 'CLEAN' ARRAY
        ARRAY.PROTOTYPE.SLICE.CALL( THIS ) :

        // RETURN JUST THE OBJECT
        THIS[ NUM ];
},

// TAKE AN ARRAY OF ELEMENTS AND PUSH IT ONTO THE STACK
// (RETURNING THE NEW MATCHED ELEMENT SET)
PUSHSTACK: FUNCTION( ELEMS, NAME, SELECTOR ) {
    // BUILD A NEW JQUERY MATCHED ELEMENT SET
    VAR RET = JQUERY( ELEMS );

    // ADD THE OLD OBJECT ONTO THE STACK (AS A REFERENCE)
    RET.PREVOBJECT = THIS;

    RET.CONTEXT = THIS.CONTEXT;

    IF ( NAME === "FIND" )
        RET.SELECTOR = THIS.SELECTOR + (THIS.SELECTOR ? " " : "") + SELECTOR;
    ELSE IF ( NAME )
        RET.SELECTOR = THIS.SELECTOR + "." + NAME + "(" + SELECTOR + ")";

    // RETURN THE NEWLY-FORMED ELEMENT SET
    RETURN RET;
},

// FORCE THE CURRENT MATCHED SET OF ELEMENTS TO BECOME
// THE SPECIFIED ARRAY OF ELEMENTS (DESTROYING THE STACK IN THE PROCESS)
// YOU SHOULD USE PUSHSTACK() IN ORDER TO DO THIS, BUT MAINTAIN THE STACK

```

```

SETARRAY: FUNCTION( ELEMS ) {
    // RESETTING THE LENGTH TO 0, THEN USING THE NATIVE ARRAY PUSH
    // IS A SUPER-FAST WAY TO POPULATE AN OBJECT WITH ARRAY-LIKE PROPERTIES
    THIS.LENGTH = 0;
    ARRAY.PROTOTYPE.PUSH.APPLY( THIS, ELEMS );

    RETURN THIS;
},

// EXECUTE A CALLBACK FOR EVERY ELEMENT IN THE MATCHED SET.
// (YOU CAN SEND THE ARGUMENTS WITH AN ARRAY OF ARGS, BUT THIS IS
// ONLY USED INTERNALLY.)
EACH: FUNCTION( CALLBACK, ARGS ) {
    RETURN JQUERY.EACH( THIS, CALLBACK, ARGS );
},

// DETERMINE THE POSITION OF AN ELEMENT WITHIN
// THE MATCHED SET OF ELEMENTS
INDEX: FUNCTION( ELEM ) {
    // LOCATE THE POSITION OF THE DESIRED ELEMENT
    RETURN JQUERY.INARRAY(
        // IF IT RECEIVES A JQUERY OBJECT, THE FIRST ELEMENT IS USED
        ELEM && ELEM.JQUERY ? ELEM[0] : ELEM
    , THIS );
},

ATTR: FUNCTION( NAME, VALUE, TYPE ) {
    VAR OPTIONS = NAME;

    // LOOK FOR THE CASE WHERE WE'RE ACCESSING A STYLE VALUE
    IF ( TYPEOF NAME === "STRING" )
        IF ( VALUE === UNDEFINED )
            RETURN THIS[0] && JQUERY[ TYPE || "ATTR" ]( THIS[0], NAME );

        ELSE {
            OPTIONS = {};
            OPTIONS[ NAME ] = VALUE;
        }

    // CHECK TO SEE IF WE'RE SETTING STYLE VALUES
    RETURN THIS.EACH(FUNCTION(){
        // SET ALL THE STYLES
        FOR ( NAME IN OPTIONS )
            JQUERY.ATTR(
                TYPE ?
                    THIS.STYLE :
                    THIS,
                    NAME, JQUERY.PROP( THIS, OPTIONS[ NAME ], TYPE, 1, NAME )
            );
    });
},

CSS: FUNCTION( KEY, VALUE ) {
    // IGNORE NEGATIVE WIDTH AND HEIGHT VALUES
    IF ( (KEY === 'WIDTH' || KEY === 'HEIGHT') && PARSEFLOAT(VALUE) < 0 )
        VALUE = UNDEFINED;
    RETURN THIS.ATTR( KEY, VALUE, "CURCSS" );
},

TEXT: FUNCTION( TEXT ) {
    IF ( TYPEOF TEXT !== "OBJECT" && TEXT !== NULL )
        RETURN THIS.EMPTY().APPEND( ( THIS[0] && THIS[0].OWNERDOCUMENT || DOCUMENT ).CREATETEXTNODE( TEXT ) );

    VAR RET = "";

    JQUERY.EACH( TEXT || THIS, FUNCTION(){
        JQUERY.EACH( THIS.CHILDNODES, FUNCTION(){
            IF ( THIS.NODETYPE !== 8 )
                RET += THIS.NODETYPE !== 1 ?
                    THIS.NODEVALUE :
                    JQUERY.FN.TEXT( [ THIS ] );
        });
    });

    RETURN RET;
},

WRAPALL: FUNCTION( HTML ) {
    IF ( THIS[0] ) {
        // THE ELEMENTS TO WRAP THE TARGET AROUND
        VAR WRAP = JQUERY( HTML, THIS[0].OWNERDOCUMENT ).CLONE();

        IF ( THIS[0].PARENTNODE )
            WRAP.INSERTBEFORE( THIS[0] );

        WRAP.MAP(FUNCTION(){
            VAR ELEM = THIS;

            WHILE ( ELEM.FIRSTCHILD )
                ELEM = ELEM.FIRSTCHILD;

            RETURN ELEM;
        }).APPEND(THIS);
    }
}

```

```

    },
    RETURN THIS;
},
WRAPINNER: FUNCTION( HTML ) {
    RETURN THIS.EACH(FUNCTION(){
        jQuery( THIS ).CONTENTS().WRAPALL( HTML );
    });
},
WRAP: FUNCTION( HTML ) {
    RETURN THIS.EACH(FUNCTION(){
        jQuery( THIS ).WRAPALL( HTML );
    });
},
APPEND: FUNCTION() {
    RETURN THIS.DOMMANIP(ARGUMENTS, TRUE, FUNCTION(ELEM){
        IF ( THIS.NODETYPE == 1 )
            THIS.APPENDCHILD( ELEM );
    });
},
PREPEND: FUNCTION() {
    RETURN THIS.DOMMANIP(ARGUMENTS, TRUE, FUNCTION(ELEM){
        IF ( THIS.NODETYPE == 1 )
            THIS.INSERTBEFORE( ELEM, THIS.FIRSTCHILD );
    });
},
BEFORE: FUNCTION() {
    RETURN THIS.DOMMANIP(ARGUMENTS, FALSE, FUNCTION(ELEM){
        THIS.PARENTNODE.INSERTBEFORE( ELEM, THIS );
    });
},
AFTER: FUNCTION() {
    RETURN THIS.DOMMANIP(ARGUMENTS, FALSE, FUNCTION(ELEM){
        THIS.PARENTNODE.INSERTBEFORE( ELEM, THIS.NEXTSIBLING );
    });
},
END: FUNCTION() {
    RETURN THIS.PREVOBJECT || jQuery( [] );
},
// FOR INTERNAL USE ONLY.
// BEHAVES LIKE AN ARRAY'S METHOD, NOT LIKE A jQuery METHOD.
PUSH: [].PUSH,
SORT: [].SORT,
SPICE: [].SPICE,
FIND: FUNCTION( SELECTOR ) {
    IF ( THIS.LENGTH === 1 ) {
        VAR RET = THIS.PUSHSTACK( [], "FIND", SELECTOR );
        RET.LENGTH = 0;
        jQuery.FIND( SELECTOR, THIS[0], RET );
        RETURN RET;
    } ELSE {
        RETURN THIS.PUSHSTACK( jQuery.UNIQUE(jQuery.MAP(THIS, FUNCTION(ELEM){
            RETURN jQuery.FIND( SELECTOR, ELEM );
        })), "FIND", SELECTOR );
    }
},
CLONE: FUNCTION( EVENTS ) {
    // DO THE CLONE
    VAR RET = THIS.MAP(FUNCTION(){
        IF ( !jQuery.SUPPORT.NOCLONEEVENT && !jQuery.ISXMLDOC(THIS) ) {
            // IE COPIES EVENTS BOUND VIA ATTACHEVENT WHEN
            // USING CLONENODE. CALLING DETACHEVENT ON THE
            // CLONE WILL ALSO REMOVE THE EVENTS FROM THE ORIGINAL
            // IN ORDER TO GET AROUND THIS, WE USE INNERHTML.
            // UNFORTUNATELY, THIS MEANS SOME MODIFICATIONS TO
            // ATTRIBUTES IN IE THAT ARE ACTUALLY ONLY STORED
            // AS PROPERTIES WILL NOT BE COPIED (SUCH AS THE
            // THE NAME ATTRIBUTE ON AN INPUT).
            VAR HTML = THIS.OUTERHTML;
            IF ( !HTML ) {
                VAR DIV = THIS.OWNERDOCUMENT.CREATEELEMENT("DIV");
                DIV.APPENDCHILD( THIS.CLONENODE(TRUE) );
                HTML = DIV.INNERHTML;
            }
            RETURN jQuery.CLEAN([HTML.REPLACE(/ jQuery\d+=("(?:\d+|NULL)"/g, "").REPLACE(/^\s*/, "")])[0];
        } ELSE
            RETURN THIS.CLONENODE(TRUE);
    });
    // COPY THE EVENTS FROM THE ORIGINAL TO THE CLONE
    IF ( EVENTS === TRUE ) {
        VAR ORIG = THIS.FIND("*").ANDSELF(), I = 0;
        RET.FIND("*").ANDSELF().EACH(FUNCTION(){

```

```

        IF ( THIS.NODENAME !== ORIG[1].NODENAME )
            RETURN;

        VAR EVENTS = JQUERY.DATA( ORIG[1], "EVENTS" );

        FOR ( VAR TYPE IN EVENTS ) {
            FOR ( VAR HANDLER IN EVENTS[ TYPE ] ) {
                JQUERY.EVENT.ADD( THIS, TYPE, EVENTS[ TYPE ][ HANDLER ], EVENTS[ TYPE ][ HANDLER ].DATA );
            }
        }

        i++;
    });
}

// RETURN THE CLONED SET
RETURN RET;
},

FILTER: FUNCTION( SELECTOR ) {
    RETURN THIS.PUSHSTACK(
        JQUERY.ISFUNCTION( SELECTOR ) &&
        JQUERY.GREP(THIS, FUNCTION(ELEM, I){
            RETURN SELECTOR.CALL( ELEM, I );
        }) ||
        JQUERY.MULTIFILTER( SELECTOR, JQUERY.GREP(THIS, FUNCTION(ELEM){
            RETURN ELEM.NODETYPE === 1;
        }) ), "FILTER", SELECTOR );
},

CLOSEST: FUNCTION( SELECTOR ) {
    VAR POS = JQUERY.EXPR.MATCH.POS.TEST( SELECTOR ) ? JQUERY(SELECTOR) : NULL,
        CLOSER = 0;

    RETURN THIS.MAP(FUNCTION(){
        VAR CUR = THIS;
        WHILE ( CUR && CUR.OWNERDOCUMENT ) {
            IF ( POS ? POS.INDEX(CUR) > -1 : JQUERY(CUR).IS(SELECTOR) ) {
                JQUERY.DATA(CUR, "CLOSEST", CLOSER);
                RETURN CUR;
            }
            CUR = CUR.PARENTNODE;
            CLOSER++;
        }
    });
},

NOT: FUNCTION( SELECTOR ) {
    IF ( TYPEOF SELECTOR === "STRING" )
        // TEST SPECIAL CASE WHERE JUST ONE SELECTOR IS PASSED IN
        IF ( IS_SIMPLE.TEST( SELECTOR ) )
            RETURN THIS.PUSHSTACK( JQUERY.MULTIFILTER( SELECTOR, THIS, TRUE ), "NOT", SELECTOR );
    ELSE
        SELECTOR = JQUERY.MULTIFILTER( SELECTOR, THIS );

    VAR IS_ARRAYLIKE = SELECTOR.LENGTH && SELECTOR[SELECTOR.LENGTH - 1] !== UNDEFINED && !SELECTOR.NODETYPE;
    RETURN THIS.FILTER(FUNCTION() {
        RETURN IS_ARRAYLIKE ? JQUERY.INARRAY( THIS, SELECTOR ) < 0 : THIS !== SELECTOR;
    });
},

ADD: FUNCTION( SELECTOR ) {
    RETURN THIS.PUSHSTACK( JQUERY.UNIQUE( JQUERY.MERGE(
        THIS.GET(),
        TYPEOF SELECTOR === "STRING" ?
        JQUERY( SELECTOR ) :
        JQUERY.MAKEARRAY( SELECTOR )
    )));
},

IS: FUNCTION( SELECTOR ) {
    RETURN !!SELECTOR && JQUERY.MULTIFILTER( SELECTOR, THIS ).LENGTH > 0;
},

HASCLASS: FUNCTION( SELECTOR ) {
    RETURN !!SELECTOR && THIS.IS( "." + SELECTOR );
},

VAL: FUNCTION( VALUE ) {
    IF ( VALUE === UNDEFINED ) {
        VAR ELEM = THIS[0];

        IF ( ELEM ) {
            IF ( JQUERY.NODENAME( ELEM, 'OPTION' ) )
                RETURN (ELEM.ATTRIBUTES.VALUE || {}).SPECIFIED ? ELEM.VALUE : ELEM.TEXT;

            // WE NEED TO HANDLE SELECT BOXES SPECIAL
            IF ( JQUERY.NODENAME( ELEM, "SELECT" ) ) {
                VAR INDEX = ELEM.SELECTEDINDEX,
                    VALUES = [],
                    OPTIONS = ELEM.OPTIONS,
                    ONE = ELEM.TYPE === "SELECT-ONE";
            }
        }
    }
}

```

```

// NOTHING WAS SELECTED
IF ( INDEX < 0 )
    RETURN NULL;

// LOOP THROUGH ALL THE SELECTED OPTIONS
FOR ( VAR i = ONE ? INDEX : 0, MAX = ONE ? INDEX + 1 : OPTIONS.LENGTH; i < MAX; i++ ) {
    VAR OPTION = OPTIONS[ i ];

    IF ( OPTION.SELECTED ) {
        // GET THE SPECIFIC VALUE FOR THE OPTION
        VALUE = JQUERY(OPTION).VAL();

        // WE DON'T NEED AN ARRAY FOR ONE SELECTS
        IF ( ONE )
            RETURN VALUE;

        // MULTI-SELECTS RETURN AN ARRAY
        VALUES.PUSH( VALUE );
    }
}

RETURN VALUES;

// EVERYTHING ELSE, WE JUST GRAB THE VALUE
RETURN (ELEM.VALUE || "").REPLACE(/R/G, "");
}

RETURN UNDEFINED;
}

IF ( TYPEOF VALUE === "NUMBER" )
    VALUE += "";

RETURN THIS.EACH(FUNCTION(){
    IF ( THIS.NODETYPE !== 1 )
        RETURN;

    IF ( JQUERY.ISARRAY(VALUE) && /RADIO|CHECKBOX/.TEST( THIS.TYPE ) )
        THIS.CHECKED = ( JQUERY.INARRAY(THIS.VALUE, VALUE) >= 0 ||
            JQUERY.INARRAY(THIS.NAME, VALUE) >= 0 );

    ELSE IF ( JQUERY.NODENAME( THIS, "SELECT" ) ) {
        VAR VALUES = JQUERY.MAKEARRAY(VALUE);

        JQUERY( "OPTION", THIS ).EACH(FUNCTION(){
            THIS.SELECTED = ( JQUERY.INARRAY( THIS.VALUE, VALUES ) >= 0 ||
                JQUERY.INARRAY( THIS.TEXT, VALUES ) >= 0 );
        });

        IF ( !VALUES.LENGTH )
            THIS.SELECTEDINDEX = -1;
    } ELSE
        THIS.VALUE = VALUE;
});

HTML: FUNCTION( VALUE ) {
    RETURN VALUE === UNDEFINED ?
        (THIS[0] ?
            THIS[0].INNERHTML.REPLACE(/ JQUERY\D+="(?:\d+|NULL)"/G, "" ) :
            NULL ) :
        THIS.EMPTY().APPEND( VALUE );
},

REPLACWITH: FUNCTION( VALUE ) {
    RETURN THIS.AFTER( VALUE ).REMOVE();
},

EQ: FUNCTION( i ) {
    RETURN THIS.SLICE( i, i + 1 );
},

SLICE: FUNCTION() {
    RETURN THIS.PUSHSTACK( ARRAY.PROTOTYPE.SLICE.APPLY( THIS, ARGUMENTS ),
        "SLICE", ARRAY.PROTOTYPE.SLICE.CALL(ARGUMENTS).JOIN(",") );
},

MAP: FUNCTION( CALLBACK ) {
    RETURN THIS.PUSHSTACK( JQUERY.MAP(THIS, FUNCTION(ELEM, i){
        RETURN CALLBACK.CALL( ELEM, i, ELEM );
    }));
},

ANDSELF: FUNCTION() {
    RETURN THIS.ADD( THIS.PREVOBJECT );
},

DOMMANIP: FUNCTION( ARGS, TABLE, CALLBACK ) {
    IF ( THIS[0] ) {
        VAR FRAGMENT = (THIS[0].OWNERDOCUMENT || THIS[0]).CREATEDOCUMENTFRAGMENT(),
            SCRIPTS = JQUERY.CLEAN( ARGS, (THIS[0].OWNERDOCUMENT || THIS[0]), FRAGMENT );
    }
}

```

```

        FIRST = FRAGMENT.FIRSTCHILD;

        IF ( FIRST )
            FOR ( VAR I = 0, L = THIS.LENGTH; I < L; I++ )
                CALLBACK.CALL( ROOT(THIS[I], FIRST), THIS.LENGTH > 1 || I > 0 ?
                    FRAGMENT.CLONENODE(TRUE) : FRAGMENT );

        IF ( SCRIPTS )
            JQUERY.EACH( SCRIPTS, EVALSCRIPT );

    }

    RETURN THIS;

    FUNCTION ROOT( ELEM, CUR ) {
        RETURN TABLE && JQUERY.NODENAME(ELEM, "TABLE") && JQUERY.NODENAME(CUR, "TR") ?
            (ELEM.GETELEMENTSBYTAGNAME("TBODY")[0] ||
            ELEM.APPENDCHILD(ELEM.OWNERDOCUMENT.CREATEELEMENT("TBODY")) :
            ELEM;
    }

};

// GIVE THE INIT FUNCTION THE JQUERY PROTOTYPE FOR LATER INSTANTIATION
JQUERY.FN.INIT.PROTOTYPE = JQUERY.FN;

FUNCTION EVALSCRIPT( I, ELEM ) {
    IF ( ELEM.SRC )
        JQUERY.AJAX({
            URL: ELEM.SRC,
            ASYNC: FALSE,
            DATATYPE: "SCRIPT"
        });

    ELSE
        JQUERY.GLOBALEVAL( ELEM.TEXT || ELEM.TEXTCONTENT || ELEM.INNERHTML || "" );

    IF ( ELEM.PARENTNODE )
        ELEM.PARENTNODE.REMOVECHILD( ELEM );
}

FUNCTION NOW(){
    RETURN +NEW DATE;
}

JQUERY.EXTEND = JQUERY.FN.EXTEND = FUNCTION() {
    // COPY REFERENCE TO TARGET OBJECT
    VAR TARGET = ARGUMENTS[0] || {}, I = 1, LENGTH = ARGUMENTS.LENGTH, DEEP = FALSE, OPTIONS;

    // HANDLE A DEEP COPY SITUATION
    IF ( TYPEOF TARGET === "BOOLEAN" ) {
        DEEP = TARGET;
        TARGET = ARGUMENTS[1] || {};
        // SKIP THE BOOLEAN AND THE TARGET
        I = 2;
    }

    // HANDLE CASE WHEN TARGET IS A STRING OR SOMETHING (POSSIBLE IN DEEP COPY)
    IF ( TYPEOF TARGET !== "OBJECT" && !JQUERY.ISFUNCTION(TARGET) )
        TARGET = {};

    // EXTEND JQUERY ITSELF IF ONLY ONE ARGUMENT IS PASSED
    IF ( LENGTH == 1 ) {
        TARGET = THIS;
        --I;
    }

    FOR ( ; I < LENGTH; I++ )
        // ONLY DEAL WITH NON-NULL/UNDEFINED VALUES
        IF ( (OPTIONS = ARGUMENTS[ I ]) != NULL )
            // EXTEND THE BASE OBJECT
            FOR ( VAR NAME IN OPTIONS ) {
                VAR SRC = TARGET[ NAME ], COPY = OPTIONS[ NAME ];

                // PREVENT NEVER-ENDING LOOP
                IF ( TARGET === COPY )
                    CONTINUE;

                // RECURSE IF WE'RE MERGING OBJECT VALUES
                IF ( DEEP && COPY && TYPEOF COPY === "OBJECT" && !COPY.NODETYPE )
                    TARGET[ NAME ] = JQUERY.EXTEND( DEEP,
                        // NEVER MOVE ORIGINAL OBJECTS, CLONE THEM
                        SRC || ( COPY.LENGTH != NULL ? [ ] : { } )
                    , COPY );

                // DON'T BRING IN UNDEFINED VALUES
                ELSE IF ( COPY !== UNDEFINED )
                    TARGET[ NAME ] = COPY;
            }

    // RETURN THE MODIFIED OBJECT
    RETURN TARGET;
};

```



```

// EXCLUDE THE FOLLOWING CSS PROPERTIES TO ADD PX
VAR EXCLUDE = /z-?INDEX|FONT-?WEIGHT|OPACITY|ZOOM|LINE-?HEIGHT|/,
    // CACHE DEFAULTVIEW
    DEFAULTVIEW = DOCUMENT.DEFAULTVIEW || {},
    toString = OBJECT.PROTOTYPE.toString;

jQuery.extend({
    NOCONFLICT: FUNCTION( DEEP ) {
        WINDOW.$ = _$;

        IF ( DEEP )
            WINDOW.jQuery = _jQuery;

        RETURN jQuery;
    },

    // SEE TEST/UNIT/CORE.JS FOR DETAILS CONCERNING ISFUNCTION.
    // SINCE VERSION 1.3, DOM METHODS AND FUNCTIONS LIKE ALERT
    // AREN'T SUPPORTED. THEY RETURN FALSE ON IE (#2968).
    ISFUNCTION: FUNCTION( OBJ ) {
        RETURN toString.call(OBJ) === "[OBJECT FUNCTION]";
    },

    ISARRAY: FUNCTION( OBJ ) {
        RETURN toString.call(OBJ) === "[OBJECT ARRAY]";
    },

    // CHECK IF AN ELEMENT IS IN A (OR IS AN) XML DOCUMENT
    ISXMLDOC: FUNCTION( ELEM ) {
        RETURN ELEM.nodeType === 9 && ELEM.nodeName !== "HTML" ||
            !!ELEM.ownerDocument && jQuery.isXMLDoc( ELEM.ownerDocument );
    },

    // EVALUATES A SCRIPT IN A GLOBAL CONTEXT
    GLOBALEVAL: FUNCTION( DATA ) {
        IF ( DATA && /S/.test(DATA) ) {
            // INSPIRED BY CODE BY ANDREA GIAMMARCHI
            // HTTP://WEBREFLECTION.BLOGSPOT.COM/2007/08/GLOBAL-SCOPE-EVALUATION-AND-DOM.HTML
            VAR HEAD = DOCUMENT.getElementsByTagName("HEAD")[0] || DOCUMENT.documentElement,
                SCRIPT = DOCUMENT.createElement("SCRIPT");

            SCRIPT.type = "TEXT/JAVASCRIPT";
            IF ( jQuery.support.scriptEval )
                SCRIPT.appendChild( DOCUMENT.createTextNode( DATA ) );
            ELSE
                SCRIPT.text = DATA;

            // USE INSERTBEFORE INSTEAD OF APPENDCHILD TO CIRCUMVENT AN IE6 BUG.
            // THIS ARISES WHEN A BASE NODE IS USED (#2709).
            HEAD.insertBefore( SCRIPT, HEAD.firstChild );
            HEAD.removeChild( SCRIPT );
        }
    },

    NODENAME: FUNCTION( ELEM, NAME ) {
        RETURN ELEM.nodeName && ELEM.nodeName.toUpperCase() == NAME.toUpperCase();
    },

    // ARGS IS FOR INTERNAL USAGE ONLY
    EACH: FUNCTION( OBJECT, CALLBACK, ARGS ) {
        VAR NAME, I = 0, LENGTH = OBJECT.length;

        IF ( ARGS ) {
            IF ( LENGTH === UNDEFINED ) {
                FOR ( NAME IN OBJECT )
                    IF ( CALLBACK.apply( OBJECT[ NAME ], ARGS ) === FALSE )
                        BREAK;
            } ELSE
                FOR ( ; I < LENGTH; )
                    IF ( CALLBACK.apply( OBJECT[ I++ ], ARGS ) === FALSE )
                        BREAK;

            // A SPECIAL, FAST, CASE FOR THE MOST COMMON USE OF EACH
        } ELSE {
            IF ( LENGTH === UNDEFINED ) {
                FOR ( NAME IN OBJECT )
                    IF ( CALLBACK.call( OBJECT[ NAME ], NAME, OBJECT[ NAME ] ) === FALSE )
                        BREAK;
            } ELSE
                FOR ( VAR VALUE = OBJECT[0];
                    I < LENGTH && CALLBACK.call( VALUE, I, VALUE ) !== FALSE; VALUE = OBJECT[ I++ ] );
        }

        RETURN OBJECT;
    },

    PROP: FUNCTION( ELEM, VALUE, TYPE, I, NAME ) {
        // HANDLE EXECUTABLE FUNCTIONS
        IF ( jQuery.isFunction( VALUE ) )
            VALUE = VALUE.call( ELEM, I );

        // HANDLE PASSING IN A NUMBER TO A CSS PROPERTY
        RETURN TYPEOF VALUE === "NUMBER" && TYPE == "CURCSS" && !EXCLUDE.test( NAME ) ?
            VALUE + "px" :

```

```

        VALUE;
    },
    className: {
        // INTERNAL ONLY, USE ADDCLASS("CLASS")
        add: function( elem, classNames ) {
            jQuery.each((classNames || "").split(/\s+/), function(i, className){
                if ( elem.nodeType === 1 && !jQuery.className.has( elem.className, className ) )
                    elem.className += (elem.className ? " " : "") + className;
            });
        },
        // INTERNAL ONLY, USE REMOVECLASS("CLASS")
        remove: function( elem, classNames ) {
            if (elem.nodeType === 1)
                elem.className = classNames !== undefined ?
                    jQuery.grep(elem.className.split(/\s+/), function(className){
                        return !jQuery.className.has( classNames, className );
                    }).join(" ") :
                    "";
        },
        // INTERNAL ONLY, USE HASCLASS("CLASS")
        has: function( elem, className ) {
            return elem && jQuery.inArray( className, (elem.className || elem).toString().split(/\s+/) ) > -1;
        }
    },
    // A METHOD FOR QUICKLY SWAPPING IN/OUT CSS PROPERTIES TO GET CORRECT CALCULATIONS
    swap: function( elem, options, callback ) {
        var old = {};
        // REMEMBER THE OLD VALUES, AND INSERT THE NEW ONES
        for ( var name in options ) {
            old[ name ] = elem.style[ name ];
            elem.style[ name ] = options[ name ];
        }
        callback.call( elem );
        // REVERT THE OLD VALUES
        for ( var name in options )
            elem.style[ name ] = old[ name ];
    },
    css: function( elem, name, force, extra ) {
        if ( name === "width" || name === "height" ) {
            var val, props = { position: "absolute", visibility: "hidden", display: "block" }, which = name === "width" ? [ "left", "right" ] : [ "top", "bottom" ];
            function getWH() {
                val = name === "width" ? elem.offsetWidth : elem.offsetHeight;
                if ( extra === "border" )
                    return;
                jQuery.each( which, function() {
                    if ( !extra )
                        val -= parseFloat(jQuery.curCSS( elem, "padding" + this, true)) || 0;
                    if ( extra === "margin" )
                        val += parseFloat(jQuery.curCSS( elem, "margin" + this, true)) || 0;
                    else
                        val -= parseFloat(jQuery.curCSS( elem, "border" + this + "width", true)) || 0;
                });
            }
            if ( elem.offsetWidth !== 0 )
                getWH();
            else
                jQuery.swap( elem, props, getWH );
            return Math.max(0, Math.round(val));
        }
        return jQuery.curCSS( elem, name, force );
    },
    curCSS: function( elem, name, force ) {
        var ret, style = elem.style;
        // WE NEED TO HANDLE OPACITY SPECIAL IN IE
        if ( name === "opacity" && !jQuery.support.opacity ) {
            ret = jQuery.attr( style, "opacity" );
            return ret === "" ?
                "1" :
                ret;
        }
        // MAKE SURE WE'RE USING THE RIGHT NAME FOR GETTING THE FLOAT VALUE
        if ( name.match( /float/i ) )
            name = styleFloat;
        if ( !force && style[ name ] )
            ret = style[ name ];
    }
}

```

```

ELSE IF ( DEFAULTVIEW.GETCOMPUTEDSTYLE ) {

    // ONLY "FLOAT" IS NEEDED HERE
    IF ( NAME.MATCH( /FLOAT/ ) )
        NAME = "FLOAT";

    NAME = NAME.REPLACE( /([A-Z])/g, "-$1" ).toLowerCase();

    VAR COMPUTEDSTYLE = DEFAULTVIEW.GETCOMPUTEDSTYLE( ELEM, NULL );

    IF ( COMPUTEDSTYLE )
        RET = COMPUTEDSTYLE.GETPROPERTYVALUE( NAME );

    // WE SHOULD ALWAYS GET A NUMBER BACK FROM OPACITY
    IF ( NAME == "OPACITY" && RET == "" )
        RET = "1";

} ELSE IF ( ELEM.CURRENTSTYLE ) {
    VAR CAMELCASE = NAME.REPLACE( /\-(w)/g, FUNCTION( ALL, LETTER ){
        RETURN LETTER.toUpperCase();
    } );

    RET = ELEM.CURRENTSTYLE[ NAME ] || ELEM.CURRENTSTYLE[ CAMELCASE ];

    // FROM THE AWESOME HACK BY DEAN EDWARDS
    // HTTP://ERIK.EAE.NET/ARCHIVES/2007/07/27/18.54.15/#COMMENT-102291

    // IF WE'RE NOT DEALING WITH A REGULAR PIXEL NUMBER
    // BUT A NUMBER THAT HAS A WEIRD ENDING, WE NEED TO CONVERT IT TO PIXELS
    IF ( !/^(\d+(px)?$/i.test( RET ) && /^(\d/).test( RET ) ) {
        // REMEMBER THE ORIGINAL VALUES
        VAR LEFT = STYLE.LEFT, RSLEFT = ELEM.RUNTIMESTYLE.LEFT;

        // PUT IN THE NEW VALUES TO GET A COMPUTED VALUE OUT
        ELEM.RUNTIMESTYLE.LEFT = ELEM.CURRENTSTYLE.LEFT;
        STYLE.LEFT = RET || 0;
        RET = STYLE.PIXELLEFT + "px";

        // REVERT THE CHANGED VALUES
        STYLE.LEFT = LEFT;
        ELEM.RUNTIMESTYLE.LEFT = RSLEFT;
    }

}

RETURN RET;
},

CLEAN: FUNCTION( ELEMS, CONTEXT, FRAGMENT ) {
    CONTEXT = CONTEXT || DOCUMENT;

    // !CONTEXT.CREATEELEMENT FAILS IN IE WITH AN ERROR BUT RETURNS TYPEOF 'OBJECT'
    IF ( TYPEOF CONTEXT.CREATEELEMENT === "UNDEFINED" )
        CONTEXT = CONTEXT.OWNERDOCUMENT || CONTEXT[0] && CONTEXT[0].OWNERDOCUMENT || DOCUMENT;

    // IF A SINGLE STRING IS PASSED IN AND IT'S A SINGLE TAG
    // JUST DO A CREATEELEMENT AND SKIP THE REST
    IF ( !FRAGMENT && ELEMS.LENGTH === 1 && TYPEOF ELEMS[0] === "STRING" ) {
        VAR MATCH = /^<(\w+)$*/.exec( ELEMS[0] );
        IF ( MATCH )
            RETURN [ CONTEXT.CREATEELEMENT( MATCH[1] ) ];
    }

    VAR RET = [], SCRIPTS = [], DIV = CONTEXT.CREATEELEMENT( "div" );

    JQUERY.EACH( ELEMS, FUNCTION( I, ELEM ) {
        IF ( TYPEOF ELEM === "NUMBER" )
            ELEM += " ";

        IF ( !ELEM )
            RETURN;

        // CONVERT HTML STRING INTO DOM NODES
        IF ( TYPEOF ELEM === "STRING" ) {
            // FIX "XHTML"-STYLE TAGS IN ALL BROWSERS
            ELEM = ELEM.REPLACE( /<(\w+)[^>]*?>/g, FUNCTION( ALL, FRONT, TAG ) {
                RETURN TAG.MATCH( /^( ABBR|BR|COL|IMG|INPUT|LINK|META|PARAM|HR|AREA|EMBED )$/i ) ?
                    ALL :
                    FRONT + "></" + TAG + ">";
            } );

            // TRIM WHITESPACE, OTHERWISE INDEXOF WON'T WORK AS EXPECTED
            VAR TAGS = ELEM.REPLACE( /\s+/, "" ).SUBSTRING( 0, 10 ).toLowerCase();

            VAR WRAP =
                // OPTION OR OPTGROUP
                !TAGS.INDEXOF( "<OPT" ) &&
                [ 1, "<SELECT MULTIPLE='MULTIPLE'>", "</SELECT>" ] ||

                !TAGS.INDEXOF( "<LEG" ) &&
                [ 1, "<FIELDSET>", "</FIELDSET>" ] ||

                TAGS.MATCH( /<(THEAD|TBODY|TFOOT|COLG|CAP)/ ) &&
                [ 1, "<TABLE>", "</TABLE>" ] ||

```

```

!TAGS.INDEXOF("<tr") &&
[ 2, "<table><tbody>", "</tbody></table>" ] ||

// <thead> MATCHED ABOVE
(!TAGS.INDEXOF("<td") || !TAGS.INDEXOF("<th")) &&
[ 3, "<table><tbody><tr>", "</tr></tbody></table>" ] ||

!TAGS.INDEXOF("<col") &&
[ 2, "<table><tbody></tbody><colgroup>", "</colgroup></table>" ] ||

// IE CAN'T SERIALIZE <link> AND <script> TAGS NORMALLY
!QUERY.SUPPORT.HTMLSERIALIZE &&
[ 1, "div<div>", "</div>" ] ||

[ 0, "", "" ];

// GO TO HTML AND BACK, THEN PEEL OFF EXTRA WRAPPERS
DIV.INNERHTML = WRAP[1] + ELEM + WRAP[2];

// MOVE TO THE RIGHT DEPTH
WHILE ( WRAP[0]-- )
    DIV = DIV.LASTCHILD;

// REMOVE IE'S AUTOINSERTED <tbody> FROM TABLE FRAGMENTS
IF ( !QUERY.SUPPORT.TBODY ) {

    // STRING WAS A <table>, *MAY* HAVE SPURIOUS <tbody>
    VAR HASBODY = /<tbody/i.test(ELEM),
        TBODY = !TAGS.INDEXOF("<table") && !HASBODY ?
            DIV.FIRSTCHILD && DIV.FIRSTCHILD.CHILDNODES :

        // STRING WAS A BARE <thead> OR <tfoot>
        WRAP[1] == "<table>" && !HASBODY ?
            DIV.CHILDNODES :
            [];

    FOR ( VAR J = TBODY.LENGTH - 1; J >= 0; --J )
        IF ( !QUERY.NODENAME( TBODY[ J ], "tbody" ) && !TBODY[ J ].CHILDNODES.LENGTH )
            TBODY[ J ].PARENTNODE.REMOVECHILD( TBODY[ J ] );

}

// IE COMPLETELY KILLS LEADING WHITESPACE WHEN INNERHTML IS USED
IF ( !QUERY.SUPPORT.LEADINGWHITESPACE && /^s/.test( ELEM ) )
    DIV.INSERTBEFORE( CONTEXT.CREATETEXTNODE( ELEM.MATCH(/^\s*/)[0] ), DIV.FIRSTCHILD );

ELEM = JQUERY.MAKEARRAY( DIV.CHILDNODES );

}

IF ( ELEM.NODETYPE )
    RET.PUSH( ELEM );
ELSE
    RET = JQUERY.MERGE( RET, ELEM );

});

IF ( FRAGMENT ) {
    FOR ( VAR I = 0; RET[I]; I++ ) {
        IF ( !QUERY.NODENAME( RET[I], "script" ) && (!RET[I].TYPE || RET[I].TYPE.TOLOWERCASE() === "text/javascript" ) ) {
            SCRIPTS.PUSH( RET[I].PARENTNODE ? RET[I].PARENTNODE.REMOVECHILD( RET[I] ) : RET[I] );
        } ELSE {
            IF ( RET[I].NODETYPE === 1 )
                RET.SPlice.APPLY( RET, [ I + 1, 0 ].CONCAT( JQUERY.MAKEARRAY( RET[I].GETELEMENTSBYTAGNAME("script") ) ) );
            FRAGMENT.APPENDCHILD( RET[I] );
        }
    }
}

RETURN SCRIPTS;
}

RETURN RET;
},

ATTR: FUNCTION( ELEM, NAME, VALUE ) {
    // DON'T SET ATTRIBUTES ON TEXT AND COMMENT NODES
    IF ( !ELEM || ELEM.NODETYPE === 3 || ELEM.NODETYPE === 8 )
        RETURN UNDEFINED;

    VAR NOTXML = !QUERY.ISXMLDOC( ELEM ),
        // WHETHER WE ARE SETTING (OR GETTING)
        SET = VALUE !== UNDEFINED;

    // TRY TO NORMALIZE/FIX THE NAME
    NAME = NOTXML && JQUERY.PROPS[ NAME ] || NAME;

    // ONLY DO ALL THE FOLLOWING IF THIS IS A NODE (FASTER FOR STYLE)
    // IE ELEM.GETATTRIBUTE PASSES EVEN FOR STYLE
    IF ( ELEM.TAGNAME ) {

        // THESE ATTRIBUTES REQUIRE SPECIAL TREATMENT
        VAR SPECIAL = /href|src|style/.test( NAME );

        // SAFARI MIS-REPORTS THE DEFAULT SELECTED PROPERTY OF A HIDDEN OPTION
        // ACCESSING THE PARENT'S SELECTEDINDEX PROPERTY FIXES IT

```

```

IF ( NAME == "SELECTED" && ELEM.PARENTNODE )
    ELEM.PARENTNODE.SELECTEDINDEX;

// IF APPLICABLE, ACCESS THE ATTRIBUTE VIA THE DOM 0 WAY
IF ( NAME IN ELEM && NOTXML && !SPECIAL ) {
    IF ( SET ){
        // WE CAN'T ALLOW THE TYPE PROPERTY TO BE CHANGED (SINCE IT CAUSES PROBLEMS IN IE)
        IF ( NAME == "TYPE" && JQUERY.NODENAME( ELEM, "INPUT" ) && ELEM.PARENTNODE )
            THROW "TYPE PROPERTY CAN'T BE CHANGED";

        ELEM[ NAME ] = VALUE;
    }

    // BROWSERS INDEX ELEMENTS BY ID/NAME ON FORMS, GIVE PRIORITY TO ATTRIBUTES.
    IF ( JQUERY.NODENAME( ELEM, "FORM" ) && ELEM.GETATTRIBUTE( NAME ) )
        RETURN ELEM.GETATTRIBUTE( NAME ).NODEVALUE;

    // ELEM.TABINDEX DOESN'T ALWAYS RETURN THE CORRECT VALUE WHEN IT HASN'T BEEN EXPLICITLY SET
    // HTTP://FLUIDPROJECT.ORG/BLOG/2008/01/09/GETTING-SETTING-AND-REMOVING-TABINDEX-VALUES-WITH-JAVASCRIPT/
    IF ( NAME == "TABINDEX" ) {
        VAR ATTRIBUTE = ELEM.GETATTRIBUTE( "TABINDEX" );
        RETURN ATTRIBUTE && ATTRIBUTE.SPECIFIED
            ? ATTRIBUTE.VALUE
            : ELEM.NODENAME.MATCH(/(BUTTON|INPUT|OBJECT|SELECT|TEXTAREA)/i)
                ? 0
                : ELEM.NODENAME.MATCH(/^(A|AREA)$/i) && ELEM.HREF
                    ? 0
                    : UNDEFINED;
    }

    RETURN ELEM[ NAME ];
}

IF ( !JQUERY.SUPPORT.STYLE && NOTXML && NAME == "STYLE" )
    RETURN JQUERY.ATTR( ELEM.STYLE, "CSSTEXT", VALUE );

IF ( SET )
    // CONVERT THE VALUE TO A STRING (ALL BROWSERS DO THIS BUT IE) SEE #1070
    ELEM.SETATTRIBUTE( NAME, "" + VALUE );

VAR ATTR = !JQUERY.SUPPORT.HREFNORMALIZED && NOTXML && SPECIAL
    // SOME ATTRIBUTES REQUIRE A SPECIAL CALL ON IE
    ? ELEM.GETATTRIBUTE( NAME, 2 )
    : ELEM.GETATTRIBUTE( NAME );

// NON-EXISTENT ATTRIBUTES RETURN NULL, WE NORMALIZE TO UNDEFINED
RETURN ATTR === NULL ? UNDEFINED : ATTR;
}

// ELEM IS ACTUALLY ELEM.STYLE ... SET THE STYLE

// IE USES FILTERS FOR OPACITY
IF ( !JQUERY.SUPPORT.OPACITY && NAME == "OPACITY" ) {
    IF ( SET ) {
        // IE HAS TROUBLE WITH OPACITY IF IT DOES NOT HAVE LAYOUT
        // FORCE IT BY SETTING THE ZOOM LEVEL
        ELEM.ZOOM = 1;

        // SET THE ALPHA FILTER TO SET THE OPACITY
        ELEM.FILTER = (ELEM.FILTER || "").replace( /ALPHA(?:\^)*\)/, "" ) +
            (parseInt( VALUE ) + " == "NaN" ? "" : "ALPHA(OPACITY=" + VALUE * 100 + "%)");
    }

    RETURN ELEM.FILTER && ELEM.FILTER.INDEXOF("OPACITY=") >= 0 ?
        (parseFloat( ELEM.FILTER.MATCH(/OPACITY=(?:\^)*\)/)[1] ) / 100) + "" :
        "";
}

NAME = NAME.REPLACE(/-([A-Z])/g, FUNCTION(ALL, LETTER){
    RETURN LETTER.TOUPPERCASE();
});

IF ( SET )
    ELEM[ NAME ] = VALUE;

RETURN ELEM[ NAME ];
},

TRIM: FUNCTION( TEXT ) {
    RETURN (TEXT || "").replace( /\s+|\s+$/g, "" );
},

MAKEARRAY: FUNCTION( ARRAY ) {
    VAR RET = [];

    IF ( ARRAY != NULL ){
        VAR I = ARRAY.LENGTH;
        // THE WINDOW, STRINGS (AND FUNCTIONS) ALSO HAVE 'LENGTH'
        IF ( I == NULL || TYPEOF ARRAY === "STRING" || JQUERY.ISFUNCTION(ARRAY) || ARRAY.SETINTERVAL )
            RET[0] = ARRAY;
        ELSE
            WHILE( I )
                RET[--I] = ARRAY[I];
    }
}

```

```

        RETURN RET;
    },
    INARRAY: FUNCTION( ELEM, ARRAY ) {
        FOR ( VAR I = 0, LENGTH = ARRAY.LENGTH; I < LENGTH; I++ )
            // USE === BECAUSE ON IE, WINDOW == DOCUMENT
            IF ( ARRAY[ I ] === ELEM )
                RETURN I;

        RETURN -1;
    },
    MERGE: FUNCTION( FIRST, SECOND ) {
        // WE HAVE TO LOOP THIS WAY BECAUSE IE & OPERA OVERWRITE THE LENGTH
        // EXPANDO OF GETELEMENTSBYTAGNAME
        VAR I = 0, ELEM, POS = FIRST.LENGTH;
        // ALSO, WE NEED TO MAKE SURE THAT THE CORRECT ELEMENTS ARE BEING RETURNED
        // (IE RETURNS COMMENT NODES IN A '*' QUERY)
        IF ( !jQuery.support.getAll ) {
            WHILE ( ( ELEM = SECOND[ I++ ] ) != NULL )
                IF ( ELEM.NODETYPE != 8 )
                    FIRST[ POS++ ] = ELEM;
        } ELSE
            WHILE ( ( ELEM = SECOND[ I++ ] ) != NULL )
                FIRST[ POS++ ] = ELEM;

        RETURN FIRST;
    },
    UNIQUE: FUNCTION( ARRAY ) {
        VAR RET = [], DONE = {};

        TRY {
            FOR ( VAR I = 0, LENGTH = ARRAY.LENGTH; I < LENGTH; I++ ) {
                VAR ID = jQuery.data( ARRAY[ I ] );

                IF ( !DONE[ ID ] ) {
                    DONE[ ID ] = TRUE;
                    RET.PUSH( ARRAY[ I ] );
                }
            }
        } CATCH( E ) {
            RET = ARRAY;
        }

        RETURN RET;
    },
    GREP: FUNCTION( ELEMS, CALLBACK, INV ) {
        VAR RET = [];

        // GO THROUGH THE ARRAY, ONLY SAVING THE ITEMS
        // THAT PASS THE VALIDATOR FUNCTION
        FOR ( VAR I = 0, LENGTH = ELEMS.LENGTH; I < LENGTH; I++ )
            IF ( !INV != !CALLBACK( ELEMS[ I ], I ) )
                RET.PUSH( ELEMS[ I ] );

        RETURN RET;
    },
    MAP: FUNCTION( ELEMS, CALLBACK ) {
        VAR RET = [];

        // GO THROUGH THE ARRAY, TRANSLATING EACH OF THE ITEMS TO THEIR
        // NEW VALUE (OR VALUES).
        FOR ( VAR I = 0, LENGTH = ELEMS.LENGTH; I < LENGTH; I++ ) {
            VAR VALUE = CALLBACK( ELEMS[ I ], I );

            IF ( VALUE != NULL )
                RET[ RET.LENGTH ] = VALUE;
        }

        RETURN RET.CONCAT.APPLY( [], RET );
    }
});

// USE OF jQuery.BROWSER IS DEPRECATED.
// IT'S INCLUDED FOR BACKWARDS COMPATIBILITY AND PLUGINS,
// ALTHOUGH THEY SHOULD WORK TO MIGRATE AWAY.

VAR USERAGENT = NAVIGATOR.USERAGENT.TOLOWERCASE();

// FIGURE OUT WHAT BROWSER IS BEING USED
jQuery.BROWSER = {
    VERSION: ( USERAGENT.MATCH( /.+(?:rv|it|ra|ie)[V: ](\d.+)?/ ) || [0,0] )[1],
    SAFARI: /WEBKIT/.TEST( USERAGENT ),
    OPERA: /OPERA/.TEST( USERAGENT ),
    MSIE: /MSIE/.TEST( USERAGENT ) && !/OPERA/.TEST( USERAGENT ),
    MOZILLA: /MOZILLA/.TEST( USERAGENT ) && !/(COMPATIBLE|WEBKIT)/.TEST( USERAGENT )
};

```

```

jQuery.EACH({
  PARENT: FUNCTION(ELEM){RETURN ELEM.PARENTNODE;},
  PARENTS: FUNCTION(ELEM){RETURN JQUERY.DIR(ELEM,"PARENTNODE");},
  NEXT: FUNCTION(ELEM){RETURN JQUERY.NTH(ELEM,2,"NEXTSIBLING");},
  PREV: FUNCTION(ELEM){RETURN JQUERY.NTH(ELEM,2,"PREVIOUSSIBLING");},
  NEXTALL: FUNCTION(ELEM){RETURN JQUERY.DIR(ELEM,"NEXTSIBLING");},
  PREVALL: FUNCTION(ELEM){RETURN JQUERY.DIR(ELEM,"PREVIOUSSIBLING");},
  SIBLINGS: FUNCTION(ELEM){RETURN JQUERY.SIBLING(ELEM.PARENTNODE.FIRSTCHILD,ELEM);},
  CHILDREN: FUNCTION(ELEM){RETURN JQUERY.SIBLING(ELEM.FIRSTCHILD);},
  CONTENTS: FUNCTION(ELEM){RETURN JQUERY.NODENAME(ELEM,"IFRAME"?ELEM.CONTENTDOCUMENT||ELEM.CONTENTWINDOW.DOCUMENT;JQUERY.MAKEARRAY(ELEM.CHILDNODES));}
}, FUNCTION(NAME, FN){
  JQUERY.FN[ NAME ] = FUNCTION( SELECTOR ) {
    VAR RET = JQUERY.MAP( THIS, FN );

    IF ( SELECTOR && TYPEOF SELECTOR == "STRING" )
      RET = JQUERY.MULTIFILTER( SELECTOR, RET );

    RETURN THIS.PUSHSTACK( JQUERY.UNIQUE( RET ), NAME, SELECTOR );
  };
});

jQuery.EACH({
  APPENDTO: "APPEND",
  PREPENDTO: "PREPEND",
  INSERTBEFORE: "BEFORE",
  INSERTAFTER: "AFTER",
  REPLACEALL: "REPLACEWITH"
}, FUNCTION(NAME, ORIGINAL){
  JQUERY.FN[ NAME ] = FUNCTION( SELECTOR ) {
    VAR RET = [], INSERT = JQUERY( SELECTOR );

    FOR ( VAR I = 0, L = INSERT.LENGTH; I < L; I++ ) {
      VAR ELEMS = ( I > 0 ? THIS.CLONE(TRUE) : THIS ).GET();
      JQUERY.FN[ ORIGINAL ].APPLY( JQUERY(INSERT[I]), ELEMS );
      RET = RET.CONCAT( ELEMS );
    }

    RETURN THIS.PUSHSTACK( RET, NAME, SELECTOR );
  };
});

jQuery.EACH({
  REMOVEATTR: FUNCTION( NAME ) {
    JQUERY.ATTR( THIS, NAME, "" );
    IF ( THIS.NODETYPE == 1 )
      THIS.REMOVEATTRIBUTE( NAME );
  },

  ADDCLASS: FUNCTION( CLASSNAMES ) {
    JQUERY.CLASSNAME.ADD( THIS, CLASSNAMES );
  },

  REMOVECLASS: FUNCTION( CLASSNAMES ) {
    JQUERY.CLASSNAME.REMOVE( THIS, CLASSNAMES );
  },

  TOGGLECLASS: FUNCTION( CLASSNAMES, STATE ) {
    IF( TYPEOF STATE !== "BOOLEAN" )
      STATE = !JQUERY.CLASSNAME.HAS( THIS, CLASSNAMES );
    JQUERY.CLASSNAME[ STATE ? "ADD" : "REMOVE" ]( THIS, CLASSNAMES );
  },

  REMOVE: FUNCTION( SELECTOR ) {
    IF ( !SELECTOR || JQUERY.FILTER( SELECTOR, [ THIS ] ).LENGTH ) {
      // PREVENT MEMORY LEAKS
      JQUERY( "*" , THIS ).ADD([THIS]).EACH(FUNCTION(){
        JQUERY.EVENT.REMOVE(THIS);
        JQUERY.REMOVEDATA(THIS);
      });
      IF ( THIS.PARENTNODE )
        THIS.PARENTNODE.REMOVECHILD( THIS );
    }
  },

  EMPTY: FUNCTION() {
    // REMOVE ELEMENT NODES AND PREVENT MEMORY LEAKS
    JQUERY(THIS).CHILDREN().REMOVE();

    // REMOVE ANY REMAINING NODES
    WHILE ( THIS.FIRSTCHILD )
      THIS.REMOVECHILD( THIS.FIRSTCHILD );
  }
}, FUNCTION(NAME, FN){
  JQUERY.FN[ NAME ] = FUNCTION(){
    RETURN THIS.EACH( FN, ARGUMENTS );
  };
});

// HELPER FUNCTION USED BY THE DIMENSIONS AND OFFSET MODULES
FUNCTION NUM(ELEM, PROP) {
  RETURN ELEM[0] && PARSEINT( JQUERY.CURCSS(ELEM[0], PROP, TRUE), 10 ) || 0;
}
VAR EXPANDO = "JQUERY" + NOW(), UUID = 0, WINDOWDATA = {};

```

```

jQuery.extend({
  cache: {},

  data: function( elem, name, data ) {
    elem = elem === window ?
      windowData :
      elem;

    var id = elem[ expando ];

    // Compute a unique ID for the element
    if ( !id )
      id = elem[ expando ] = ++uid;

    // Only generate the data cache if we're
    // trying to access or manipulate it
    if ( name && !jQuery.cache[ id ] )
      jQuery.cache[ id ] = {};

    // Prevent overriding the named cache with undefined values
    if ( data !== undefined )
      jQuery.cache[ id ][ name ] = data;

    // Return the named cache data, or the ID for the element
    return name ?
      jQuery.cache[ id ][ name ] :
      id;
  },

  removeData: function( elem, name ) {
    elem = elem === window ?
      windowData :
      elem;

    var id = elem[ expando ];

    // If we want to remove a specific section of the element's data
    if ( name ) {
      if ( jQuery.cache[ id ] ) {
        // Remove the section of cache data
        delete jQuery.cache[ id ][ name ];

        // If we've removed all the data, remove the element's cache
        name = "";

        for ( name in jQuery.cache[ id ] )
          break;

        if ( !name )
          jQuery.removeData( elem );
      }
    }

    // Otherwise, we want to remove all of the element's data
    } else {
      // Clean up the element expando
      try {
        delete elem[ expando ];
      } catch( e ) {
        // IE has trouble directly removing the expando
        // but it's OK with using removeAttribute
        if ( elem.removeAttribute )
          elem.removeAttribute( expando );
      }

      // Completely remove the data cache
      delete jQuery.cache[ id ];
    }
  },

  queue: function( elem, type, data ) {
    if ( elem ) {
      type = ( type || "fx" ) + "queue";

      var q = jQuery.data( elem, type );

      if ( !q || jQuery.isArray( data ) )
        q = jQuery.data( elem, type, jQuery.makeArray( data ) );
      else if ( data )
        q.push( data );
    }

    return q;
  },

  dequeue: function( elem, type ) {
    var queue = jQuery.queue( elem, type ),
        fn = queue.shift();

    if ( !type || type === "fx" )
      fn = queue[0];

    if ( fn !== undefined )
      fn.call( elem );
  }
});

```



```

});
}
}
jQuery.fn.extend({
  DATA: function( key, value ) {
    var parts = key.split( "." );
    parts[ 1 ] = parts[ 1 ] ? "." + parts[ 1 ] : "";

    if ( value === undefined ) {
      var data = this.triggerHandler( "getData" + parts[ 1 ] + "!", [ parts[ 0 ] ] );

      if ( data === undefined && this.length )
        data = jQuery.data( this[ 0 ], key );

      return data === undefined && parts[ 1 ] ?
        this.data( parts[ 0 ] ) :
        data;
    } else
      return this.trigger( "setData" + parts[ 1 ] + "!", [ parts[ 0 ], value ] ).each( function() {
        jQuery.data( this, key, value );
      });
  },

  REMOVEDATA: function( key ) {
    return this.each( function() {
      jQuery.removeData( this, key );
    });
  },

  QUEUE: function( type, data ) {
    if ( typeOf type !== "string" ) {
      data = type;
      type = "fx";
    }

    if ( data === undefined )
      return jQuery.queue( this[ 0 ], type );

    return this.each( function() {
      var queue = jQuery.queue( this, type, data );

      if ( type === "fx" && queue.length === 1 )
        queue[ 0 ].call( this );
    });
  },

  DEQUEUE: function( type ) {
    return this.each( function() {
      jQuery.dequeue( this, type );
    });
  }
});
});/*!
* Sizzle CSS Selector Engine - v0.9.3
* Copyright 2009, The Dojo Foundation
* Released under the MIT, BSD, and GPL licenses.
* More information: http://sizzlejs.com/
*/
(function() {
var chunker = /((?:\((?!(?:\(|\)|+|\)|\[[^[\]]*\]|"[^"]*"|'[^']*')|(?:^>+~|(\|\\|+)|[>+~])(\s*\s*)?)/g,
    done = 0,
    toString = Object.prototype.toString;

var Sizzle = function( selector, context, results, seed ) {
  results = results || [];
  context = context || document;

  if ( context.nodeType !== 1 && context.nodeType !== 9 )
    return [];

  if ( !selector || typeof selector !== "string" ) {
    return results;
  }

  var parts = [], m, set, checkSet, check, mode, extra, prune = true;

  // Reset the position of the chunker regexp (start from head)
  chunker.lastIndex = 0;

  while ( ( m = chunker.exec( selector ) ) !== null ) {
    parts.push( m[ 1 ] );

    if ( m[ 2 ] ) {
      extra = RegExp.rightContext;
      break;
    }
  }

  if ( parts.length > 1 && origPos.exec( selector ) ) {
    if ( parts.length === 2 && Expr.relative[ parts[ 0 ] ] ) {
      set = posProcess( parts[ 0 ] + parts[ 1 ], context );
    } else {
      set = Expr.relative[ parts[ 0 ] ] ?
        [ context ] :
        Sizzle( parts.shift(), context );
    }
  }
}

```

```

        WHILE ( PARTS.LENGTH ) {
            SELECTOR = PARTS.SHIFT();

            IF ( EXPR.RELATIVE[ SELECTOR ] )
                SELECTOR += PARTS.SHIFT();

            SET = POSPROCESS( SELECTOR, SET );
        }
    } ELSE {
        VAR RET = SEED ?
            { EXPR: PARTS.POP(), SET: MAKEARRAY(SEED) } :
            SIZZLE.FIND( PARTS.POP(), PARTS.LENGTH === 1 && CONTEXT.PARENTNODE ? CONTEXT.PARENTNODE : CONTEXT, ISXML(CONTEXT) );
        SET = SIZZLE.FILTER( RET.EXPR, RET.SET );

        IF ( PARTS.LENGTH > 0 ) {
            CHECKSET = MAKEARRAY(SET);
        } ELSE {
            PRUNE = FALSE;
        }

        WHILE ( PARTS.LENGTH ) {
            VAR CUR = PARTS.POP(), POP = CUR;

            IF ( !EXPR.RELATIVE[ CUR ] ) {
                CUR = "";
            } ELSE {
                POP = PARTS.POP();
            }

            IF ( POP == NULL ) {
                POP = CONTEXT;
            }

            EXPR.RELATIVE[ CUR ]( CHECKSET, POP, ISXML(CONTEXT) );
        }

        IF ( !CHECKSET ) {
            CHECKSET = SET;
        }

        IF ( !CHECKSET ) {
            THROW "SYNTAX ERROR, UNRECOGNIZED EXPRESSION: " + (CUR || SELECTOR);
        }

        IF ( TOSTRING.CALL(CHECKSET) === "[OBJECT ARRAY]" ) {
            IF ( !PRUNE ) {
                RESULTS.PUSH.APPLY( RESULTS, CHECKSET );
            } ELSE IF ( CONTEXT.NODETYPE === 1 ) {
                FOR ( VAR I = 0; CHECKSET[I] != NULL; I++ ) {
                    IF ( CHECKSET[I] && (CHECKSET[I] === TRUE || CHECKSET[I].NODETYPE === 1 && CONTAINS(CONTEXT, CHECKSET[I])) ) {
                        RESULTS.PUSH( SET[I] );
                    }
                }
            } ELSE {
                FOR ( VAR I = 0; CHECKSET[I] != NULL; I++ ) {
                    IF ( CHECKSET[I] && CHECKSET[I].NODETYPE === 1 ) {
                        RESULTS.PUSH( SET[I] );
                    }
                }
            }
        } ELSE {
            MAKEARRAY( CHECKSET, RESULTS );
        }

        IF ( EXTRA ) {
            SIZZLE( EXTRA, CONTEXT, RESULTS, SEED );

            IF ( SORTORDER ) {
                HASDUPLICATE = FALSE;
                RESULTS.SORT(SORTORDER);

                IF ( HASDUPLICATE ) {
                    FOR ( VAR I = 1; I < RESULTS.LENGTH; I++ ) {
                        IF ( RESULTS[I] === RESULTS[I-1] ) {
                            RESULTS.SPlice(I--, 1);
                        }
                    }
                }
            }
        }

        RETURN RESULTS;
    };

    SIZZLE.MATCHES = FUNCTION(EXPR, SET){
        RETURN SIZZLE(EXPR, NULL, NULL, SET);
    };

    SIZZLE.FIND = FUNCTION(EXPR, CONTEXT, ISXML){
        VAR SET, MATCH;

        IF ( !EXPR ) {

```

```

    }
    RETURN [];
}

FOR ( VAR I = 0, L = EXPR.ORDER.LENGTH; I < L; I++ ) {
    VAR TYPE = EXPR.ORDER[I], MATCH;

    IF ( (MATCH = EXPR.MATCH[ TYPE ].EXEC( EXPR )) ) {
        VAR LEFT = REGEXP.LEFTCONTEXT;

        IF ( LEFT.SUBSTR( LEFT.LENGTH - 1 ) !== "\\" ) {
            MATCH[1] = (MATCH[1] || "").REPLACE(/\\/G, "");
            SET = EXPR.FIND[ TYPE ]( MATCH, CONTEXT, ISXML );
            IF ( SET !== NULL ) {
                EXPR = EXPR.REPLACE( EXPR.MATCH[ TYPE ], "" );
                BREAK;
            }
        }
    }
}

IF ( !SET ) {
    SET = CONTEXT.GETELEMENTSBYTAGNAME(".*");
}

RETURN {SET: SET, EXPR: EXPR};
};

SIZZLE.FILTER = FUNCTION( EXPR, SET, INPLACE, NOT ) {
    VAR OLD = EXPR, RESULT = [], CURLOOP = SET, MATCH, ANYFOUND,
        ISXMLFILTER = SET && SET[0] && ISXML(SET[0]);

    WHILE ( EXPR && SET.LENGTH ) {
        FOR ( VAR TYPE IN EXPR.FILTER ) {
            IF ( (MATCH = EXPR.MATCH[ TYPE ].EXEC( EXPR )) !== NULL ) {
                VAR FILTER = EXPR.FILTER[ TYPE ], FOUND, ITEM;
                ANYFOUND = FALSE;

                IF ( CURLOOP == RESULT ) {
                    RESULT = [];
                }

                IF ( EXPR.PREFILTER[ TYPE ] ) {
                    MATCH = EXPR.PREFILTER[ TYPE ]( MATCH, CURLOOP, INPLACE, RESULT, NOT, ISXMLFILTER );

                    IF ( !MATCH ) {
                        ANYFOUND = FOUND = TRUE;
                    } ELSE IF ( MATCH === TRUE ) {
                        CONTINUE;
                    }
                }

                IF ( MATCH ) {
                    FOR ( VAR I = 0; (ITEM = CURLOOP[I]) !== NULL; I++ ) {
                        IF ( ITEM ) {
                            FOUND = FILTER( ITEM, MATCH, I, CURLOOP );
                            VAR PASS = NOT ^ !FOUND;

                            IF ( INPLACE && FOUND !== NULL ) {
                                IF ( PASS ) {
                                    ANYFOUND = TRUE;
                                } ELSE {
                                    CURLOOP[I] = FALSE;
                                }
                            } ELSE IF ( PASS ) {
                                RESULT.PUSH( ITEM );
                                ANYFOUND = TRUE;
                            }
                        }
                    }
                }

                IF ( FOUND !== UNDEFINED ) {
                    IF ( !INPLACE ) {
                        CURLOOP = RESULT;
                    }

                    EXPR = EXPR.REPLACE( EXPR.MATCH[ TYPE ], "" );

                    IF ( !ANYFOUND ) {
                        RETURN [];
                    }
                }

                BREAK;
            }
        }
    }

    // IMPROPER EXPRESSION
    IF ( EXPR == OLD ) {
        IF ( ANYFOUND == NULL ) {
            THROW "SYNTAX ERROR, UNRECOGNIZED EXPRESSION: " + EXPR;
        } ELSE {
            BREAK;
        }
    }
}

```

```

    }
    OLD = EXPR;
}
RETURN CURLOOP;
};

VAR EXPR = SIZZLE.SELECTORS = {
  ORDER: [ "ID", "NAME", "TAG" ],
  MATCH: {
    ID: /#(?:[\w\u00c0-\uFFFF_]\.)*$/,
    CLASS: /\.((?:[\w\u00c0-\uFFFF_]\.)*)/,
    NAME: /\[NAME='(?:[\w\u00c0-\uFFFF_]\.)*'\]/,
    ATTR: /\[S*(?:[\w\u00c0-\uFFFF_]\.)*\]S*(?:\S?=\S*(['"])(.*)\3)\S*\]/,
    TAG: /^(?:[\w\u00c0-\uFFFF_]\.)*$/,
    CHILD: /:(ONLY|NTH|LAST|FIRST)-CHILD(?:\((EVEN|ODD|[\d+-]*\)))/,
    POS: /:(NTH|EQ|GT|LT|FIRST|LAST|EVEN|ODD)?\((\d*)\)?(?:=[^-]$\)/,
    PSEUDO: /:(?:[\w\u00c0-\uFFFF_]\.)*(?:\(['"])(?:\^|~)[^\2(\)]*\2)/
  },
  ATTRMAP: {
    "CLASS": "CLASSNAME",
    "FOR": "HTMLFOR"
  },
  ATTRHANDLE: {
    HREF: FUNCTION(ELEM){
      RETURN ELEM.GETATTRIBUTE("HREF");
    }
  },
  RELATIVE: {
    "+": FUNCTION(CHECKSET, PART, ISXML){
      VAR ISPARTSTR = TYPEOF PART === "STRING",
          IS_TAG = ISPARTSTR && !/W/.TEST(PART),
          ISPARTSTRNOTTAG = ISPARTSTR && !IS_TAG;

      IF ( IS_TAG && !ISXML ) {
        PART = PART.ToupperCase();
      }

      FOR ( VAR I = 0, L = CHECKSET.LENGTH, ELEM; I < L; I++ ) {
        IF ( (ELEM = CHECKSET[I]) ) {
          WHILE ( (ELEM = ELEM.PREVIouSIBLING) && ELEM.NODETYPE !== 1 ) {}

          CHECKSET[I] = ISPARTSTRNOTTAG || ELEM && ELEM.NODENAME === PART ?
            ELEM || FALSE :
            ELEM === PART;
        }
      }

      IF ( ISPARTSTRNOTTAG ) {
        SIZZLE.FILTER( PART, CHECKSET, TRUE );
      }
    },
    ">": FUNCTION(CHECKSET, PART, ISXML){
      VAR ISPARTSTR = TYPEOF PART === "STRING";

      IF ( ISPARTSTR && !/W/.TEST(PART) ) {
        PART = ISXML ? PART : PART.ToupperCase();

        FOR ( VAR I = 0, L = CHECKSET.LENGTH; I < L; I++ ) {
          VAR ELEM = CHECKSET[I];
          IF ( ELEM ) {
            VAR PARENT = ELEM.PARENTNODE;
            CHECKSET[I] = PARENT.NODENAME === PART ? PARENT : FALSE;
          }
        }
      } ELSE {
        FOR ( VAR I = 0, L = CHECKSET.LENGTH; I < L; I++ ) {
          VAR ELEM = CHECKSET[I];
          IF ( ELEM ) {
            CHECKSET[I] = ISPARTSTR ?
              ELEM.PARENTNODE :
              ELEM.PARENTNODE === PART;
          }
        }
      }

      IF ( ISPARTSTR ) {
        SIZZLE.FILTER( PART, CHECKSET, TRUE );
      }
    },
    "": FUNCTION(CHECKSET, PART, ISXML){
      VAR DONENAME = DONE++, CHECKFN = DIRCHECK;

      IF ( !PART.MATCH(/W/) ) {
        VAR NODECHECK = PART = ISXML ? PART : PART.ToupperCase();
        CHECKFN = DIRNODECHECK;
      }

      CHECKFN("PARENTNODE", PART, DONENAME, CHECKSET, NODECHECK, ISXML);
    },
    "~": FUNCTION(CHECKSET, PART, ISXML){
      VAR DONENAME = DONE++, CHECKFN = DIRCHECK;
    }
  }
};

```

```

        IF ( TYPEOF PART === "STRING" && !PART.MATCH(/W/) ) {
            VAR NODECHECK = PART = ISXML ? PART : PART.ToupperCase();
            CHECKFN = DIRNODECHECK;
        }

        CHECKFN("PREVIOUSSibling", PART, DONEName, CHECKSET, NODECHECK, ISXML);
    }

    },
    FIND: {
        ID: FUNCTION(MATCH, CONTEXT, ISXML){
            IF ( TYPEOF CONTEXT.GETELEMENTBYID !== "UNDEFINED" && !ISXML ) {
                VAR M = CONTEXT.GETELEMENTBYID(MATCH[1]);
                RETURN M ? [M] : [];
            }
        },
        NAME: FUNCTION(MATCH, CONTEXT, ISXML){
            IF ( TYPEOF CONTEXT.GETELEMENTSBYNAME !== "UNDEFINED" ) {
                VAR RET = [], RESULTS = CONTEXT.GETELEMENTSBYNAME(MATCH[1]);

                FOR ( VAR I = 0, L = RESULTS.LENGTH; I < L; I++ ) {
                    IF ( RESULTS[I].GETATTRIBUTE("NAME") === MATCH[1] ) {
                        RET.PUSH( RESULTS[I] );
                    }
                }

                RETURN RET.LENGTH === 0 ? NULL : RET;
            }
        },
        TAG: FUNCTION(MATCH, CONTEXT){
            RETURN CONTEXT.GETELEMENTSBYTAGNAME(MATCH[1]);
        }
    },
    PREFILTER: {
        CLASS: FUNCTION(MATCH, CURLOOP, INPLACE, RESULT, NOT, ISXML){
            MATCH = " " + MATCH[1].REPLACE(/Vg, " ") + " ";

            IF ( ISXML ) {
                RETURN MATCH;
            }

            FOR ( VAR I = 0, ELEM; (ELEM = CURLOOP[I]) != NULL; I++ ) {
                IF ( ELEM ) {
                    IF ( NOT ^ (ELEM.CLASSNAME && (" " + ELEM.CLASSNAME + " ").INDEXOF(MATCH) >= 0) ) {
                        IF ( !INPLACE )
                            RESULT.PUSH( ELEM );
                    } ELSE IF ( INPLACE ) {
                        CURLOOP[I] = FALSE;
                    }
                }
            }

            RETURN FALSE;
        },
        ID: FUNCTION(MATCH){
            RETURN MATCH[1].REPLACE(/Vg, "");
        },
        TAG: FUNCTION(MATCH, CURLOOP){
            FOR ( VAR I = 0; CURLOOP[I] === FALSE; I++ ){}
            RETURN CURLOOP[I] && ISXML(CURLOOP[I]) ? MATCH[1] : MATCH[1].TOUPPERCASE();
        },
        CHILD: FUNCTION(MATCH){
            IF ( MATCH[1] === "NTH" ) {
                // PARSE EQUATIONS LIKE 'EVEN', 'ODD', '5', '2N', '3N+2', '4N-1', '-N+6'
                VAR TEST = /(-?)(\d*(?:\+|-)?\d*)/.EXEC(
                    MATCH[2] === "EVEN" && "2N" || MATCH[2] === "ODD" && "2N+1" ||
                    !/D/.TEST( MATCH[2] ) && "0N+" + MATCH[2] || MATCH[2]);

                // CALCULATE THE NUMBERS (FIRST)N+(LAST) INCLUDING IF THEY ARE NEGATIVE
                MATCH[2] = (TEST[1] + (TEST[2] || 1)) - 0;
                MATCH[3] = TEST[3] - 0;
            }

            // TODO: MOVE TO NORMAL CACHING SYSTEM
            MATCH[0] = DONE++;

            RETURN MATCH;
        },
        ATTR: FUNCTION(MATCH, CURLOOP, INPLACE, RESULT, NOT, ISXML){
            VAR NAME = MATCH[1].REPLACE(/Vg, "");

            IF ( !ISXML && EXPR.ATTRMAP[NAME] ) {
                MATCH[1] = EXPR.ATTRMAP[NAME];
            }

            IF ( MATCH[2] === "~=" ) {
                MATCH[4] = " " + MATCH[4] + " ";
            }

            RETURN MATCH;
        },
        PSEUDO: FUNCTION(MATCH, CURLOOP, INPLACE, RESULT, NOT){
            IF ( MATCH[1] === "NOT" ) {
                // IF WE'RE DEALING WITH A COMPLEX EXPRESSION, OR A SIMPLE ONE
                IF ( MATCH[3].MATCH(CHUNKER).LENGTH > 1 || /^W/.TEST(MATCH[3]) ) {

```

```

        } ELSE {
            MATCH[3] = SIZZLE(MATCH[3], NULL, NULL, CURLOOP);
            VAR RET = SIZZLE.FILTER(MATCH[3], CURLOOP, INPLACE, TRUE ^ NOT);
            IF ( !INPLACE ) {
                RESULT.PUSH.APPLY( RESULT, RET );
            }
            RETURN FALSE;
        }
    } ELSE IF ( EXPR.MATCH.POS.TEST( MATCH[0] ) || EXPR.MATCH.CHILD.TEST( MATCH[0] ) ) {
        RETURN TRUE;
    }
    RETURN MATCH;
},
POS: FUNCTION(MATCH){
    MATCH.UNSHIFT( TRUE );
    RETURN MATCH;
}
},
FILTERS: {
    ENABLED: FUNCTION(ELEM){
        RETURN ELEM.DISABLED === FALSE && ELEM.TYPE !== "HIDDEN";
    },
    DISABLED: FUNCTION(ELEM){
        RETURN ELEM.DISABLED === TRUE;
    },
    CHECKED: FUNCTION(ELEM){
        RETURN ELEM.CHECKED === TRUE;
    },
    SELECTED: FUNCTION(ELEM){
        // ACCESSING THIS PROPERTY MAKES SELECTED-BY-DEFAULT
        // OPTIONS IN SAFARI WORK PROPERLY
        ELEM.PARENTNODE.SELECTEDINDEX;
        RETURN ELEM.SELECTED === TRUE;
    },
    PARENT: FUNCTION(ELEM){
        RETURN !!ELEM.FIRSTCHILD;
    },
    EMPTY: FUNCTION(ELEM){
        RETURN !ELEM.FIRSTCHILD;
    },
    HAS: FUNCTION(ELEM, I, MATCH){
        RETURN !!SIZZLE( MATCH[3], ELEM ).LENGTH;
    },
    HEADER: FUNCTION(ELEM){
        RETURN /H\d/i.TEST( ELEM.NODENAME );
    },
    TEXT: FUNCTION(ELEM){
        RETURN "TEXT" === ELEM.TYPE;
    },
    RADIO: FUNCTION(ELEM){
        RETURN "RADIO" === ELEM.TYPE;
    },
    CHECKBOX: FUNCTION(ELEM){
        RETURN "CHECKBOX" === ELEM.TYPE;
    },
    FILE: FUNCTION(ELEM){
        RETURN "FILE" === ELEM.TYPE;
    },
    PASSWORD: FUNCTION(ELEM){
        RETURN "PASSWORD" === ELEM.TYPE;
    },
    SUBMIT: FUNCTION(ELEM){
        RETURN "SUBMIT" === ELEM.TYPE;
    },
    IMAGE: FUNCTION(ELEM){
        RETURN "IMAGE" === ELEM.TYPE;
    },
    RESET: FUNCTION(ELEM){
        RETURN "RESET" === ELEM.TYPE;
    },
    BUTTON: FUNCTION(ELEM){
        RETURN "BUTTON" === ELEM.TYPE || ELEM.NODENAME.ToupperCase() === "BUTTON";
    },
    INPUT: FUNCTION(ELEM){
        RETURN /INPUT|SELECT|TEXTAREA|BUTTON/i.TEST(ELEM.NODENAME);
    }
},
SETFILTERS: {
    FIRST: FUNCTION(ELEM, I){
        RETURN I === 0;
    },
    LAST: FUNCTION(ELEM, I, MATCH, ARRAY){
        RETURN I === ARRAY.LENGTH - 1;
    },
    EVEN: FUNCTION(ELEM, I){
        RETURN I % 2 === 0;
    },
    ODD: FUNCTION(ELEM, I){
        RETURN I % 2 === 1;
    },
    LT: FUNCTION(ELEM, I, MATCH){
        RETURN I < MATCH[3] - 0;
    },
}

```

```

GT: FUNCTION(ELEM, I, MATCH){
    RETURN I > MATCH[3] - 0;
},
NTH: FUNCTION(ELEM, I, MATCH){
    RETURN MATCH[3] - 0 == I;
},
EQ: FUNCTION(ELEM, I, MATCH){
    RETURN MATCH[3] - 0 == I;
}
},
FILTER: {
PSEUDO: FUNCTION(ELEM, MATCH, I, ARRAY){
    VAR NAME = MATCH[1], FILTER = EXPR.FILTERS[ NAME ];

    IF ( FILTER ) {
        RETURN FILTER( ELEM, I, MATCH, ARRAY );
    } ELSE IF ( NAME == "CONTAINS" ) {
        RETURN (ELEM.TEXTCONTENT || ELEM.INNERTEXT || "").INDEXOF(MATCH[3]) >= 0;
    } ELSE IF ( NAME == "NOT" ) {
        VAR NOT = MATCH[3];

        FOR ( VAR I = 0, L = NOT.LENGTH; I < L; I++ ) {
            IF ( NOT[I] == ELEM ) {
                RETURN FALSE;
            }
        }

        RETURN TRUE;
    }
},
CHILD: FUNCTION(ELEM, MATCH){
    VAR TYPE = MATCH[1], NODE = ELEM;
    SWITCH (TYPE) {
        CASE 'ONLY':
        CASE 'FIRST':
            WHILE (NODE = NODE.PREVIUSSIBLING) {
                IF ( NODE.NODETYPE == 1 ) RETURN FALSE;
            }
            IF ( TYPE == 'FIRST' ) RETURN TRUE;
            NODE = ELEM;

        CASE 'LAST':
            WHILE (NODE = NODE.NEXTSIBLING) {
                IF ( NODE.NODETYPE == 1 ) RETURN FALSE;
            }
            RETURN TRUE;

        CASE 'NTH':
            VAR FIRST = MATCH[2], LAST = MATCH[3];

            IF ( FIRST == 1 && LAST == 0 ) {
                RETURN TRUE;
            }

            VAR DONENAME = MATCH[0],
                PARENT = ELEM.PARENTNODE;

            IF ( PARENT && ( PARENT.SIZCACHE != DONENAME || !ELEM.NODEINDEX ) ) {
                VAR COUNT = 0;
                FOR ( NODE = PARENT.FIRSTCHILD; NODE; NODE = NODE.NEXTSIBLING ) {
                    IF ( NODE.NODETYPE == 1 ) {
                        NODE.NODEINDEX = ++COUNT;
                    }
                }
                PARENT.SIZCACHE = DONENAME;
            }

            VAR DIFF = ELEM.NODEINDEX - LAST;
            IF ( FIRST == 0 ) {
                RETURN DIFF == 0;
            } ELSE {
                RETURN ( DIFF % FIRST == 0 && DIFF / FIRST >= 0 );
            }
    }
},
ID: FUNCTION(ELEM, MATCH){
    RETURN ELEM.NODETYPE == 1 && ELEM.GETATTRIBUTE("ID") == MATCH;
},
TAG: FUNCTION(ELEM, MATCH){
    RETURN (MATCH == "*" && ELEM.NODETYPE == 1) || ELEM.NODENAME == MATCH;
},
CLASS: FUNCTION(ELEM, MATCH){
    RETURN (" " + (ELEM.CLASSNAME || ELEM.GETATTRIBUTE("CLASS")) + " "
        .INDEXOF( MATCH ) > -1;
},
ATTR: FUNCTION(ELEM, MATCH){
    VAR NAME = MATCH[1],
        RESULT = EXPR.ATTRHANDLE[ NAME ] ?
            EXPR.ATTRHANDLE[ NAME ]( ELEM ) :
            ELEM[ NAME ] != NULL ?
                ELEM[ NAME ] :
                ELEM.GETATTRIBUTE( NAME ),
        VALUE = RESULT + "",
        TYPE = MATCH[2],
        CHECK = MATCH[4];
}
}

```

```

        RETURN RESULT == NULL ?
            TYPE === "!=" :
            TYPE === "=" ?
            VALUE === CHECK :
            TYPE === "*" ?
            VALUE.INDEXOF(CHECK) >= 0 :
            TYPE === "~=" ?
            (" " + VALUE + " ").INDEXOF(CHECK) >= 0 :
            !CHECK ?
            VALUE && RESULT !== FALSE :
            TYPE === "!=" ?
            VALUE != CHECK :
            TYPE === "^=" ?
            VALUE.INDEXOF(CHECK) === 0 :
            TYPE === "$=" ?
            VALUE.SUBSTR(VALUE.LENGTH - CHECK.LENGTH) === CHECK :
            TYPE === "|=" ?
            VALUE === CHECK || VALUE.SUBSTR(0, CHECK.LENGTH + 1) === CHECK + "-" :
            FALSE;
    },
    POS: FUNCTION(ELEM, MATCH, I, ARRAY){
        VAR NAME = MATCH[2], FILTER = EXPR.SETFILTERS[ NAME ];

        IF ( FILTER ) {
            RETURN FILTER( ELEM, I, MATCH, ARRAY );
        }
    }
};

VAR ORIGPOS = EXPR.MATCH.POS;

FOR ( VAR TYPE IN EXPR.MATCH ) {
    EXPR.MATCH[ TYPE ] = REGEXP( EXPR.MATCH[ TYPE ].SOURCE + /(?![^\[]*)(?![^\()*)/).SOURCE );
}

VAR MAKEARRAY = FUNCTION(ARRAY, RESULTS) {
    ARRAY = ARRAY.PROTOTYPE.SLICE.CALL( ARRAY );

    IF ( RESULTS ) {
        RESULTS.PUSH.APPLY( RESULTS, ARRAY );
        RETURN RESULTS;
    }

    RETURN ARRAY;
};

// PERFORM A SIMPLE CHECK TO DETERMINE IF THE BROWSER IS CAPABLE OF
// CONVERTING A NODELIST TO AN ARRAY USING BUILTIN METHODS.
TRY {
    ARRAY.PROTOTYPE.SLICE.CALL( DOCUMENT.DOCUMENTELEMENT.CHILDNODES );
}

// PROVIDE A FALLBACK METHOD IF IT DOES NOT WORK
} CATCH(E){
    MAKEARRAY = FUNCTION(ARRAY, RESULTS) {
        VAR RET = RESULTS || [];

        IF ( TOSTRING.CALL(ARRAY) === "[OBJECT ARRAY]" ) {
            ARRAY.PROTOTYPE.PUSH.APPLY( RET, ARRAY );
        } ELSE {
            IF ( TYPEOF ARRAY.LENGTH === "NUMBER" ) {
                FOR ( VAR I = 0, L = ARRAY.LENGTH; I < L; I++ ) {
                    RET.PUSH( ARRAY[I] );
                }
            } ELSE {
                FOR ( VAR I = 0; ARRAY[I]; I++ ) {
                    RET.PUSH( ARRAY[I] );
                }
            }
        }

        RETURN RET;
    };
};

VAR SORTORDER;

IF ( DOCUMENT.DOCUMENTELEMENT.COMPAREDOCUMENTPOSITION ) {
    SORTORDER = FUNCTION( A, B ) {
        VAR RET = A.COMPAREDOCUMENTPOSITION(B) & 4 ? -1 : A === B ? 0 : 1;
        IF ( RET === 0 ) {
            HASDUPLICATE = TRUE;
        }
        RETURN RET;
    };
} ELSE IF ( "SOURCEINDEX" IN DOCUMENT.DOCUMENTELEMENT ) {
    SORTORDER = FUNCTION( A, B ) {
        VAR RET = A.SOURCEINDEX - B.SOURCEINDEX;
        IF ( RET === 0 ) {
            HASDUPLICATE = TRUE;
        }
        RETURN RET;
    };
} ELSE IF ( DOCUMENT.CREATERANGE ) {

```



```

SORTORDER = FUNCTION( A, B ) {
    VAR ARANGE = A.OWNERDOCUMENT.CREATERANGE(), BRANGE = B.OWNERDOCUMENT.CREATERANGE();
    ARANGE.SELECTNODE(A);
    ARANGE.COLLAPSE(TRUE);
    BRANGE.SELECTNODE(B);
    BRANGE.COLLAPSE(TRUE);
    VAR RET = ARANGE.COMPAREBOUNDARYPOINTS(RANGE.START_TO_END, BRANGE);
    IF ( RET === 0 ) {
        HASDUPLICATE = TRUE;
    }
    RETURN RET;
};

}

// CHECK TO SEE IF THE BROWSER RETURNS ELEMENTS BY NAME WHEN
// QUERYING BY GETELEMENTBYID (AND PROVIDE A WORKAROUND)
(FUNCTION(){
    // WE'RE GOING TO INJECT A FAKE INPUT ELEMENT WITH A SPECIFIED NAME
    VAR FORM = DOCUMENT.CREATEELEMENT("FORM"),
        ID = "SCRIPT" + (NEW DATE).GETTIME();
    FORM.INNERHTML = "<INPUT NAME=\"" + ID + "\"/>";

    // INJECT IT INTO THE ROOT ELEMENT, CHECK ITS STATUS, AND REMOVE IT QUICKLY
    VAR ROOT = DOCUMENT.DOCUMENTELEMENT;
    ROOT.INSERTBEFORE( FORM, ROOT.FIRSTCHILD );

    // THE WORKAROUND HAS TO DO ADDITIONAL CHECKS AFTER A GETELEMENTBYID
    // WHICH SLOWS THINGS DOWN FOR OTHER BROWSERS (HENCE THE BRANCHING)
    IF ( !!DOCUMENT.GETELEMENTBYID( ID ) ) {
        EXPR.FIND.ID = FUNCTION(MATCH, CONTEXT, ISXML){
            IF ( TYPEOF CONTEXT.GETELEMENTBYID !== "UNDEFINED" && !ISXML ) {
                VAR M = CONTEXT.GETELEMENTBYID(MATCH[1]);
                RETURN M ? M.ID === MATCH[1] || TYPEOF M.GETATTRIBUTE("ID") !== "UNDEFINED" && M.GETATTRIBUTE("ID").NODEVALUE === MATCH[1] ?
[M] : UNDEFINED : [];
            }
        };

        EXPR.FILTER.ID = FUNCTION(ELEM, MATCH){
            VAR NODE = TYPEOF ELEM.GETATTRIBUTE("ID") !== "UNDEFINED" && ELEM.GETATTRIBUTE("ID");
            RETURN ELEM.NODETYPE === 1 && NODE && NODE.NODEVALUE === MATCH;
        };

        ROOT.REMOVECHILD( FORM );
    }

})(());

(FUNCTION(){
    // CHECK TO SEE IF THE BROWSER RETURNS ONLY ELEMENTS
    // WHEN DOING GETELEMENTSBYTAGNAME("**")

    // CREATE A FAKE ELEMENT
    VAR DIV = DOCUMENT.CREATEELEMENT("DIV");
    DIV.APPENDCHILD( DOCUMENT.CREATECOMMENT("") );

    // MAKE SURE NO COMMENTS ARE FOUND
    IF ( DIV.GETELEMENTSBYTAGNAME("**").LENGTH > 0 ) {
        EXPR.FIND.TAG = FUNCTION(MATCH, CONTEXT){
            VAR RESULTS = CONTEXT.GETELEMENTSBYTAGNAME(MATCH[1]);

            // FILTER OUT POSSIBLE COMMENTS
            IF ( MATCH[1] === "*" ) {
                VAR TMP = [];

                FOR ( VAR I = 0; RESULTS[I]; I++ ) {
                    IF ( RESULTS[I].NODETYPE === 1 ) {
                        TMP.PUSH( RESULTS[I] );
                    }
                }

                RESULTS = TMP;
            }

            RETURN RESULTS;
        };

    }

    // CHECK TO SEE IF AN ATTRIBUTE RETURNS NORMALIZED HREF ATTRIBUTES
    DIV.INNERHTML = "<A HREF=#'></A>";
    IF ( DIV.FIRSTCHILD && TYPEOF DIV.FIRSTCHILD.GETATTRIBUTE !== "UNDEFINED" &&
        DIV.FIRSTCHILD.GETATTRIBUTE("HREF") !== "#" ) {
        EXPR.ATTRHANDLE.HREF = FUNCTION(ELEM){
            RETURN ELEM.GETATTRIBUTE("HREF", 2);
        };
    }

})(());

IF ( DOCUMENT.QUERYSELECTORALL ) (FUNCTION(){
    VAR OLDSIZZLE = SIZZLE, DIV = DOCUMENT.CREATEELEMENT("DIV");
    DIV.INNERHTML = "<P CLASS='TEST'></P>";

    // SAFARI CAN'T HANDLE UPPERCASE OR UNICODE CHARACTERS WHEN
    // IN QUIRKS MODE.
    IF ( DIV.QUERYSELECTORALL && DIV.QUERYSELECTORALL(".TEST").LENGTH === 0 ) {
        RETURN;
    }
}

```

```

}

SIZZLE = FUNCTION(QUERY, CONTEXT, EXTRA, SEED){
    CONTEXT = CONTEXT || DOCUMENT;

    // ONLY USE QUERYSELECTORALL ON NON-XML DOCUMENTS
    // (ID SELECTORS DON'T WORK IN NON-HTML DOCUMENTS)
    IF ( !SEED && CONTEXT.NODETYPE === 9 && !ISXML(CONTEXT) ) {
        TRY {
            RETURN MAKEARRAY( CONTEXT.QUERYSELECTORALL(QUERY), EXTRA );
        } CATCH(E){}
    }

    RETURN OLDSIZZLE(QUERY, CONTEXT, EXTRA, SEED);
};

SIZZLE.FIND = OLDSIZZLE.FIND;
SIZZLE.FILTER = OLDSIZZLE.FILTER;
SIZZLE.SELECTORS = OLDSIZZLE.SELECTORS;
SIZZLE.MATCHES = OLDSIZZLE.MATCHES;

})();

IF ( DOCUMENT.GETELEMENTSBYCLASSNAME && DOCUMENT.DOCUMENTELEMENT.GETELEMENTSBYCLASSNAME ) (FUNCTION(){
    VAR DIV = DOCUMENT.CREATEELEMENT("DIV");
    DIV.INNERHTML = "<DIV CLASS='TEST E'></DIV><DIV CLASS='TEST'></DIV>";

    // OPERA CAN'T FIND A SECOND CLASSNAME (IN 9.6)
    IF ( DIV.GETELEMENTSBYCLASSNAME("E").LENGTH === 0 )
        RETURN;

    // SAFARI CACHES CLASS ATTRIBUTES, DOESN'T CATCH CHANGES (IN 3.2)
    DIV.LASTCHILD.CLASSNAME = "E";

    IF ( DIV.GETELEMENTSBYCLASSNAME("E").LENGTH === 1 )
        RETURN;

    EXPR.ORDER.SPlice(1, 0, "CLASS");
    EXPR.FIND.CLASS = FUNCTION(MATCH, CONTEXT, ISXML) {
        IF ( TYPEOF CONTEXT.GETELEMENTSBYCLASSNAME !== "UNDEFINED" && !ISXML ) {
            RETURN CONTEXT.GETELEMENTSBYCLASSNAME(MATCH[1]);
        }
    };
})();

FUNCTION DIRNODECHECK( DIR, CUR, DONENAME, CHECKSET, NODECHECK, ISXML ) {
    VAR SIBDIR = DIR == "PREVIOUSSibling" && !ISXML;
    FOR ( VAR I = 0, L = CHECKSET.LENGTH; I < L; I++ ) {
        VAR ELEM = CHECKSET[I];
        IF ( ELEM ) {
            IF ( SIBDIR && ELEM.NODETYPE === 1 ){
                ELEM.SIZCACHE = DONENAME;
                ELEM.SIZSET = I;
            }
            ELEM = ELEM[DIR];
            VAR MATCH = FALSE;

            WHILE ( ELEM ) {
                IF ( ELEM.SIZCACHE === DONENAME ) {
                    MATCH = CHECKSET[ELEM.SIZSET];
                    BREAK;
                }

                IF ( ELEM.NODETYPE === 1 && !ISXML ){
                    ELEM.SIZCACHE = DONENAME;
                    ELEM.SIZSET = I;
                }

                IF ( ELEM.NODENAME === CUR ) {
                    MATCH = ELEM;
                    BREAK;
                }

                ELEM = ELEM[DIR];
            }

            CHECKSET[I] = MATCH;
        }
    }
}

FUNCTION DIRCHECK( DIR, CUR, DONENAME, CHECKSET, NODECHECK, ISXML ) {
    VAR SIBDIR = DIR == "PREVIOUSSibling" && !ISXML;
    FOR ( VAR I = 0, L = CHECKSET.LENGTH; I < L; I++ ) {
        VAR ELEM = CHECKSET[I];
        IF ( ELEM ) {
            IF ( SIBDIR && ELEM.NODETYPE === 1 ) {
                ELEM.SIZCACHE = DONENAME;
                ELEM.SIZSET = I;
            }
            ELEM = ELEM[DIR];
            VAR MATCH = FALSE;

            WHILE ( ELEM ) {
                IF ( ELEM.SIZCACHE === DONENAME ) {

```

```

        MATCH = CHECKSET[ELEM.SIZSET];
        BREAK;
    }
    IF ( ELEM.NODETYPE === 1 ) {
        IF ( !isXML ) {
            ELEM.SIZCACHE = DONEName;
            ELEM.SIZSET = i;
        }
        IF ( TYPEOF CUR !== "STRING" ) {
            IF ( ELEM === CUR ) {
                MATCH = TRUE;
                BREAK;
            }
        }
        } ELSE IF ( SIZZLE.FILTER( CUR, [ELEM] ).LENGTH > 0 ) {
            MATCH = ELEM;
            BREAK;
        }
    }
    ELEM = ELEM[DIR];
}
CHECKSET[i] = MATCH;
}
}
}

VAR CONTAINS = DOCUMENT.COMPAREDOCUMENTPOSITION ? FUNCTION(A, B){
    RETURN A.COMPAREDOCUMENTPOSITION(B) & 16;
} : FUNCTION(A, B){
    RETURN A !== B && (A.CONTAINS ? A.CONTAINS(B) : TRUE);
};

VAR isXML = FUNCTION(ELEM){
    RETURN ELEM.NODETYPE === 9 && ELEM.DOCUMENTELEMENT.NODENAME !== "HTML" ||
        !!ELEM.OWNERDOCUMENT && isXML( ELEM.OWNERDOCUMENT );
};

VAR POSPROCESS = FUNCTION(SELECTOR, CONTEXT){
    VAR TMPSET = [], LATER = "", MATCH,
        ROOT = CONTEXT.NODETYPE ? [CONTEXT] : CONTEXT;

    // POSITION SELECTORS MUST BE DONE AFTER THE FILTER
    // AND SO MUST :NOT(POSITIONAL) SO WE MOVE ALL PSEUDOS TO THE END
    WHILE ( (MATCH = EXPR.MATCH.PSEUDO.EXEC( SELECTOR )) ) {
        LATER += MATCH[0];
        SELECTOR = SELECTOR.REPLACE( EXPR.MATCH.PSEUDO, "" );
    }

    SELECTOR = EXPR.RELATIVE[SELECTOR] ? SELECTOR + "*" : SELECTOR;

    FOR ( VAR I = 0, L = ROOT.LENGTH; I < L; I++ ) {
        SIZZLE( SELECTOR, ROOT[I], TMPSET );
    }

    RETURN SIZZLE.FILTER( LATER, TMPSET );
};

// EXPOSE
JQUERY.FIND = SIZZLE;
JQUERY.FILTER = SIZZLE.FILTER;
JQUERY.EXPR = SIZZLE.SELECTORS;
JQUERY.EXPR["."] = JQUERY.EXPR.FILTERS;

SIZZLE.SELECTORS.FILTERS.HIDDEN = FUNCTION(ELEM){
    RETURN ELEM.OFFSETWIDTH === 0 || ELEM.OFFSETHEIGHT === 0;
};

SIZZLE.SELECTORS.FILTERS.VISIBLE = FUNCTION(ELEM){
    RETURN ELEM.OFFSETWIDTH > 0 || ELEM.OFFSETHEIGHT > 0;
};

SIZZLE.SELECTORS.FILTERS.ANIMATED = FUNCTION(ELEM){
    RETURN JQUERY.GREP(JQUERY.TIMERS, FUNCTION(FN){
        RETURN ELEM === FN.ELEM;
    }).LENGTH;
};

JQUERY.MULTIFILTER = FUNCTION( EXPR, ELEMS, NOT ) {
    IF ( NOT ) {
        EXPR = ":NOT(" + EXPR + ")";
    }

    RETURN SIZZLE.MATCHES(EXPR, ELEMS);
};

JQUERY.DIR = FUNCTION( ELEM, DIR ){
    VAR MATCHED = [], CUR = ELEM[DIR];
    WHILE ( CUR && CUR !== DOCUMENT ) {
        IF ( CUR.NODETYPE === 1 )
            MATCHED.PUSH( CUR );
        CUR = CUR[DIR];
    }
};

```

```

    }
    RETURN MATCHED;
};

jQuery.NTH = FUNCTION(CUR, RESULT, DIR, ELEM){
    RESULT = RESULT || 1;
    VAR NUM = 0;

    FOR ( ; CUR; CUR = CUR[DIR] )
        IF ( CUR.NODETYPE == 1 && ++NUM == RESULT )
            BREAK;

    RETURN CUR;
};

jQuery.SIBLING = FUNCTION(N, ELEM){
    VAR R = [];

    FOR ( ; N; N = N.NEXTSIBLING ) {
        IF ( N.NODETYPE == 1 && N != ELEM )
            R.PUSH( N );
    }

    RETURN R;
};

RETURN;

WINDOW.SIZZLE = SIZZLE;

})();
/*
 * A NUMBER OF HELPER FUNCTIONS USED FOR MANAGING EVENTS.
 * MANY OF THE IDEAS BEHIND THIS CODE ORIGINATED FROM
 * DEAN EDWARDS' ADDEVENT LIBRARY.
 */
jQuery.EVENT = {

    // BIND AN EVENT TO AN ELEMENT
    // ORIGINAL BY DEAN EDWARDS
    ADD: FUNCTION(ELEM, TYPES, HANDLER, DATA) {
        IF ( ELEM.NODETYPE == 3 || ELEM.NODETYPE == 8 )
            RETURN;

        // FOR WHATEVER REASON, IE HAS TROUBLE PASSING THE WINDOW OBJECT
        // AROUND, CAUSING IT TO BE CLONED IN THE PROCESS
        IF ( ELEM.SETINTERVAL && ELEM != WINDOW )
            ELEM = WINDOW;

        // MAKE SURE THAT THE FUNCTION BEING EXECUTED HAS A UNIQUE ID
        IF ( !HANDLER.GUID )
            HANDLER.GUID = THIS.GUID++;

        // IF DATA IS PASSED, BIND TO HANDLER
        IF ( DATA !== UNDEFINED ) {
            // CREATE TEMPORARY FUNCTION POINTER TO ORIGINAL HANDLER
            VAR FN = HANDLER;

            // CREATE UNIQUE HANDLER FUNCTION, WRAPPED AROUND ORIGINAL HANDLER
            HANDLER = THIS.PROXY( FN );

            // STORE DATA IN UNIQUE HANDLER
            HANDLER.DATA = DATA;
        }

        // INIT THE ELEMENT'S EVENT STRUCTURE
        VAR EVENTS = jQuery.DATA(ELEM, "EVENTS") || jQuery.DATA(ELEM, "EVENTS", {}),
            HANDLE = jQuery.DATA(ELEM, "HANDLE") || jQuery.DATA(ELEM, "HANDLE", FUNCTION(){
                // HANDLE THE SECOND EVENT OF A TRIGGER AND WHEN
                // AN EVENT IS CALLED AFTER A PAGE HAS UNLOADED
                RETURN TYPEOF jQuery != "UNDEFINED" && !jQuery.EVENT.TRIGGERED ?
                    jQuery.EVENT.HANDLE.APPLY(ARGUMENTS.CALLEE.ELEM, ARGUMENTS) :
                    UNDEFINED;
            });

        // ADD ELEM AS A PROPERTY OF THE HANDLE FUNCTION
        // THIS IS TO PREVENT A MEMORY LEAK WITH NON-NATIVE
        // EVENT IN IE.
        HANDLE.ELEM = ELEM;

        // HANDLE MULTIPLE EVENTS SEPARATED BY A SPACE
        // jQuery(...).BIND("MOUSEOVER MOUSEOUT", FN);
        jQuery.EACH(TYPES.SPLIT(/s+/), FUNCTION(INDEX, TYPE) {
            // NAMESPACED EVENT HANDLERS
            VAR NAMESPACES = TYPE.SPLIT(".");
            TYPE = NAMESPACES.SHIFT();
            HANDLER.TYPE = NAMESPACES.SLICE().SORT().JOIN(".");

            // GET THE CURRENT LIST OF FUNCTIONS BOUND TO THIS EVENT
            VAR HANDLERS = EVENTS[TYPE];

            IF ( jQuery.EVENT.SPECIALALL[TYPE] )
                jQuery.EVENT.SPECIALALL[TYPE].SETUP.CALL(ELEM, DATA, NAMESPACES);

            // INIT THE EVENT HANDLER QUEUE

```

```

    IF (!HANDLERS) {
        HANDLERS = EVENTS[TYPE] = {};

        // CHECK FOR A SPECIAL EVENT HANDLER
        // ONLY USE ADDEVENTLISTENER/ATTACHEVENT IF THE SPECIAL
        // EVENTS HANDLER RETURNS FALSE
        IF ( !JQUERY.EVENT.SPECIAL[TYPE] || JQUERY.EVENT.SPECIAL[TYPE].SETUP.CALL(ELEM, DATA, NAMESPACES) === FALSE ) {
            // BIND THE GLOBAL EVENT HANDLER TO THE ELEMENT
            IF (ELEM.ADDEVENTLISTENER)
                ELEM.ADDEVENTLISTENER(TYPE, HANDLE, FALSE);
            ELSE IF (ELEM.ATTACHEVENT)
                ELEM.ATTACHEVENT("ON" + TYPE, HANDLE);
        }

        // ADD THE FUNCTION TO THE ELEMENT'S HANDLER LIST
        HANDLERS[HANDLER.GUID] = HANDLER;

        // KEEP TRACK OF WHICH EVENTS HAVE BEEN USED, FOR GLOBAL TRIGGERING
        JQUERY.EVENT.GLOBAL[TYPE] = TRUE;
    });

    // NULLIFY ELEM TO PREVENT MEMORY LEAKS IN IE
    ELEM = NULL;
},

GUID: 1,
GLOBAL: {},

// DETACH AN EVENT OR SET OF EVENTS FROM AN ELEMENT
REMOVE: FUNCTION(ELEM, TYPES, HANDLER) {
    // DON'T DO EVENTS ON TEXT AND COMMENT NODES
    IF ( ELEM.NODETYPE == 3 || ELEM.NODETYPE == 8 )
        RETURN;

    VAR EVENTS = JQUERY.DATA(ELEM, "EVENTS"), RET, INDEX;

    IF ( EVENTS ) {
        // UNBIND ALL EVENTS FOR THE ELEMENT
        IF ( TYPES === UNDEFINED || (TYPEOF TYPES === "STRING" && TYPES.CHARAT(0) == ".") )
            FOR ( VAR TYPE IN EVENTS )
                THIS.REMOVE( ELEM, TYPE + (TYPES || ""));
        ELSE {
            // TYPES IS ACTUALLY AN EVENT OBJECT HERE
            IF ( TYPES.TYPE ) {
                HANDLER = TYPES.HANDLER;
                TYPES = TYPES.TYPE;
            }

            // HANDLE MULTIPLE EVENTS SEPERATED BY A SPACE
            // JQUERY(...).UNBIND("MOUSEOVER MOUSEOUT", FN);
            JQUERY.EACH(TYPES.SPLIT(/\s+/), FUNCTION(INDEX, TYPE){
                // NAMESPACE EVENT HANDLERS
                VAR NAMESPACES = TYPE.SPLIT(".");
                TYPE = NAMESPACES.SHIFT();
                VAR NAMESPACE = REGEXP("(^|\\.)" + NAMESPACES.SLICE().SORT().JOIN("\\.") + "\\.$");

                IF ( EVENTS[TYPE] ) {
                    // REMOVE THE GIVEN HANDLER FOR THE GIVEN TYPE
                    IF ( HANDLER )
                        DELETE EVENTS[TYPE][HANDLER.GUID];

                    // REMOVE ALL HANDLERS FOR THE GIVEN TYPE
                    ELSE
                        FOR ( VAR HANDLE IN EVENTS[TYPE] )
                            // HANDLE THE REMOVAL OF NAMESPACE EVENTS
                            IF ( NAMESPACE.TEST(EVENTS[TYPE][HANDLE].TYPE) )
                                DELETE EVENTS[TYPE][HANDLE];

                    IF ( JQUERY.EVENT.SPECIALALL[TYPE] )
                        JQUERY.EVENT.SPECIALALL[TYPE].TEARDOWN.CALL(ELEM, NAMESPACES);

                    // REMOVE GENERIC EVENT HANDLER IF NO MORE HANDLERS EXIST
                    FOR ( RET IN EVENTS[TYPE] ) BREAK;
                    IF ( !RET ) {
                        IF ( !JQUERY.EVENT.SPECIAL[TYPE] || JQUERY.EVENT.SPECIAL[TYPE].TEARDOWN.CALL(ELEM, NAMESPACES) ===
                            IF (ELEM.REMOVEEVENTLISTENER)
                                ELEM.REMOVEEVENTLISTENER(TYPE, JQUERY.DATA(ELEM, "HANDLE"), FALSE);
                            ELSE IF (ELEM.DETACHEVENT)
                                ELEM.DETACHEVENT("ON" + TYPE, JQUERY.DATA(ELEM, "HANDLE"));
                        }
                        RET = NULL;
                        DELETE EVENTS[TYPE];
                    }
                }
            });

        // REMOVE THE EXPANDO IF IT'S NO LONGER USED
        FOR ( RET IN EVENTS ) BREAK;
        IF ( !RET ) {
            VAR HANDLE = JQUERY.DATA( ELEM, "HANDLE" );
            IF ( HANDLE ) HANDLE.ELEM = NULL;
        }
    }
}

```

```

        jQuery.removeData( elem, "EVENTS" );
        jQuery.removeData( elem, "HANDLE" );
    }
},

// BUBBLING IS INTERNAL
trigger: function( event, data, elem, bubbling ) {
    // EVENT OBJECT OR EVENT TYPE
    var type = event.type || event;

    if( !bubbling ){
        event = typeof event === "object" ?
            // jQuery.Event object
            event[ jQuery.expando ] ? event :
            // Object literal
            jQuery.extend( jQuery.Event.prototype, event ) :
            // Just the event type (string)
            jQuery.Event( type );

        if ( type.indexOf( "!" ) >= 0 ) {
            event.type = type = type.slice( 0, -1 );
            event.exclusive = true;
        }

        // Handle a global trigger
        if ( !elem ) {
            // Don't bubble custom events when global (to avoid too much overhead)
            event.stopPropagation();
            // Only trigger if we've ever bound an event for it
            if ( this.global[ type ] )
                jQuery.each( jQuery.cache, function() {
                    if ( this.events[ type ] )
                        jQuery.event.trigger( event, data, this.handle.elem );
                });
        }

        // Handle triggering a single element

        // Don't do events on text and comment nodes
        if ( !elem || elem.nodeType === 3 || elem.nodeType === 8 )
            return undefined;

        // Clean up in case it is reused
        event.result = undefined;
        event.target = elem;

        // Clone the incoming data, if any
        data = jQuery.makeArray( data );
        data.unshift( event );
    }

    event.currentTarget = elem;

    // Trigger the event, it is assumed that "handle" is a function
    var handle = jQuery.data( elem, "handle" );
    if ( handle )
        handle.apply( elem, data );

    // Handle triggering native .onfoo handlers (and on links since we don't call .click() for links)
    if ( ( !elem[ type ] || ( jQuery.nodeName( elem, 'a' ) && type === "click" ) && elem[ "on" + type ] && elem[ "on" + type ].apply( elem, data ) === false ) )
        event.result = false;

    // Trigger the native events (except for clicks on links)
    if ( !bubbling && elem[ type ] && !event.isDefaultPrevented() && !( jQuery.nodeName( elem, 'a' ) && type === "click" ) ) {
        this.triggered = true;
        try {
            elem[ type ]();
            // Prevent IE from throwing an error for some hidden elements
        } catch ( e ) {}
    }

    this.triggered = false;

    if ( !event.isPropagationStopped() ) {
        var parent = elem.parentNode || elem.ownerDocument;
        if ( parent )
            jQuery.event.trigger( event, data, parent, true );
    }
},

handle: function( event ) {
    // Returned undefined or false
    var all, handlers;

    event = arguments[ 0 ] = jQuery.event.fix( event || window.event );
    event.currentTarget = this;

    // Namespaced event handlers
    var namespaces = event.type.split( "." );
    event.type = namespaces.shift();

    // Cache this now, all = true means, any handler
    all = !namespaces.length && !event.exclusive;

```

```

VAR NAMESPACE = RegExp("(^|\\.)" + NAMESPACES.SLICE().SORT().JOIN(".*\\.") + "(\\.|$)");
HANDLERS = ( jQuery.data(this, "EVENTS") || {} )[EVENT.TYPE];
FOR ( VAR J IN HANDLERS ) {
    VAR HANDLER = HANDLERS[J];
    // FILTER THE FUNCTIONS BY CLASS
    IF ( ALL || NAMESPACE.TEST(HANDLER.TYPE) ) {
        // PASS IN A REFERENCE TO THE HANDLER FUNCTION ITSELF
        // SO THAT WE CAN LATER REMOVE IT
        EVENT.HANDLER = HANDLER;
        EVENT.DATA = HANDLER.DATA;
        VAR RET = HANDLER.APPLY(THIS, ARGUMENTS);
        IF ( RET !== UNDEFINED ) {
            EVENT.RESULT = RET;
            IF ( RET === FALSE ) {
                EVENT.PREVENTDEFAULT();
                EVENT.STOPPROPAGATION();
            }
        }
        IF ( EVENT.ISIMMEDIATEPROPAGATIONSTOPPED() )
            BREAK;
    }
},
PROPS: "ALTKEY ATTRCHANGE ATTRNAME BUBBLES BUTTON CANCELABLE CHARCODE CLIENTX CLIENTY CTRLKEY CURRENTTARGET DATA DETAIL EVENTPHASE FROMELEMENT HANDLER KEYCODE METAKEY NEWVALUE
ORIGINALTARGET PAGEX PAGEY PREVVALUE RELATEDNODE RELATEDTARGET SCREENX SCREENY SHIFTKEY SRCELEMENT TARGET TOELEMENT VIEW WHEELDELTA WHICH".SPLIT(" "),
FIX: FUNCTION(EVENT) {
    IF ( EVENT[EXPANDO] )
        RETURN EVENT;
    // STORE A COPY OF THE ORIGINAL EVENT OBJECT
    // AND "CLONE" TO SET READ-ONLY PROPERTIES
    VAR ORIGINEVENT = EVENT;
    EVENT = jQuery.Event( ORIGINEVENT );
    FOR ( VAR I = THIS.PROPS.LENGTH, PROP; I; ){
        PROP = THIS.PROPS[ --I ];
        EVENT[ PROP ] = ORIGINEVENT[ PROP ];
    }
    // FIX TARGET PROPERTY, IF NECESSARY
    IF ( !EVENT.TARGET )
        EVENT.TARGET = EVENT.SRCELEMENT || DOCUMENT; // FIXES #1925 WHERE SRCELEMENT MIGHT NOT BE DEFINED EITHER
    // CHECK IF TARGET IS A TEXTNODE (SAFARI)
    IF ( EVENT.TARGET.NODETYPE === 3 )
        EVENT.TARGET = EVENT.TARGET.PARENTNODE;
    // ADD RELATEDTARGET, IF NECESSARY
    IF ( !EVENT.RELATEDTARGET && EVENT.FROMELEMENT )
        EVENT.RELATEDTARGET = EVENT.FROMELEMENT === EVENT.TARGET ? EVENT.TOELEMENT : EVENT.FROMELEMENT;
    // CALCULATE PAGEX/Y IF MISSING AND CLIENTX/Y AVAILABLE
    IF ( EVENT.PAGEX === NULL && EVENT.CLIENTX !== NULL ) {
        VAR DOC = DOCUMENT.DOCUMENTELEMENT, BODY = DOCUMENT.BODY;
        EVENT.PAGEX = EVENT.CLIENTX + (DOC && DOC.SCROLLLEFT || BODY && BODY.SCROLLLEFT || 0) - (DOC.CLIENTLEFT || 0);
        EVENT.PAGEY = EVENT.CLIENTY + (DOC && DOC.SCROLLTOP || BODY && BODY.SCROLLTOP || 0) - (DOC.CLIENTTOP || 0);
    }
    // ADD WHICH FOR KEY EVENTS
    IF ( !EVENT.WHICH && ((EVENT.CHARCODE || EVENT.CHARCODE === 0) ? EVENT.CHARCODE : EVENT.KEYCODE) )
        EVENT.WHICH = EVENT.CHARCODE || EVENT.KEYCODE;
    // ADD METAKEY TO NON-MAC BROWSERS (USE CTRL FOR PC'S AND META FOR MACS)
    IF ( !EVENT.METAKEY && EVENT.CTRLKEY )
        EVENT.METAKEY = EVENT.CTRLKEY;
    // ADD WHICH FOR CLICK: 1 == LEFT; 2 == MIDDLE; 3 == RIGHT
    // NOTE: BUTTON IS NOT NORMALIZED, SO DON'T USE IT
    IF ( !EVENT.WHICH && EVENT.BUTTON )
        EVENT.WHICH = (EVENT.BUTTON & 1 ? 1 : ( EVENT.BUTTON & 2 ? 3 : ( EVENT.BUTTON & 4 ? 2 : 0 ) ));
    RETURN EVENT;
},
PROXY: FUNCTION( FN, PROXY ){
    PROXY = PROXY || FUNCTION(){ RETURN FN.APPLY(THIS, ARGUMENTS); };
    // SET THE GUID OF UNIQUE HANDLER TO THE SAME OF ORIGINAL HANDLER, SO IT CAN BE REMOVED
    PROXY.GUID = FN.GUID = FN.GUID || PROXY.GUID || THIS.GUID++;
    // SO PROXY CAN BE DECLARED AS AN ARGUMENT
    RETURN PROXY;
},
SPECIAL: {
    READY: {

```

```

        // MAKE SURE THE READY EVENT IS SETUP
        SETUP: BINDREADY,
        TEARDOWN: FUNCTION() {}
    },
    SPECIALALL: {
        LIVE: {
            SETUP: FUNCTION( SELECTOR, NAMESPACES ){
                JQUERY.EVENT.ADD( THIS, NAMESPACES[0], LIVEHANDLER );
            },
            TEARDOWN: FUNCTION( NAMESPACES ){
                IF ( NAMESPACES.LENGTH ) {
                    VAR REMOVE = 0, NAME = REGEXP("(^|\\.)" + NAMESPACES[0] + "(\\.|$)");
                    JQUERY.EACH( (JQUERY.DATA(THIS, "EVENTS").LIVE || {}), FUNCTION(){
                        IF ( NAME.TEST(THIS.TYPE) )
                            REMOVE++;
                    });
                    IF ( REMOVE < 1 )
                        JQUERY.EVENT.REMOVE( THIS, NAMESPACES[0], LIVEHANDLER );
                }
            }
        }
    };

JQUERY.EVENT = FUNCTION( SRC ){
    // ALLOW INSTANTIATION WITHOUT THE 'NEW' KEYWORD
    IF( !THIS.PREVENTDEFAULT )
        RETURN NEW JQUERY.EVENT(SRC);

    // EVENT OBJECT
    IF( SRC && SRC.TYPE ){
        THIS.ORIGINALEVENT = SRC;
        THIS.TYPE = SRC.TYPE;
    }
    // EVENT TYPE
    }ELSE
        THIS.TYPE = SRC;

    // TIMESTAMP IS BUGGY FOR SOME EVENTS ON FIREFOX(#3843)
    // SO WE WON'T RELY ON THE NATIVE VALUE
    THIS.TIMESTAMP = NOW();

    // MARK IT AS FIXED
    THIS[EXPANDO] = TRUE;
};

FUNCTION RETURNFALSE(){
    RETURN FALSE;
}
FUNCTION RETURNTRUE(){
    RETURN TRUE;
}

// JQUERY.EVENT IS BASED ON DOM3 EVENTS AS SPECIFIED BY THE ECMASCRIPT LANGUAGE BINDING
// HTTP://WWW.W3.ORG/TR/2003/WD-DOM-LEVEL-3-EVENTS-20030331/ECMA-SCRIPT-BINDING.HTML
JQUERY.EVENT.PROTOTYPE = {
    PREVENTDEFAULT: FUNCTION() {
        THIS.ISDEFAULTPREVENTED = RETURNTRUE;

        VAR E = THIS.ORIGINALEVENT;
        IF( !E )
            RETURN;
        // IF PREVENTDEFAULT EXISTS RUN IT ON THE ORIGINAL EVENT
        IF (E.PREVENTDEFAULT)
            E.PREVENTDEFAULT();
        // OTHERWISE SET THE RETURNVALUE PROPERTY OF THE ORIGINAL EVENT TO FALSE (IE)
        E.RETURNVALUE = FALSE;
    },
    STOPPROPAGATION: FUNCTION() {
        THIS.ISPROPAGATIONSTOPPED = RETURNTRUE;

        VAR E = THIS.ORIGINALEVENT;
        IF( !E )
            RETURN;
        // IF STOPPROPAGATION EXISTS RUN IT ON THE ORIGINAL EVENT
        IF (E.STOPPROPAGATION)
            E.STOPPROPAGATION();
        // OTHERWISE SET THE CANCELBUBBLE PROPERTY OF THE ORIGINAL EVENT TO TRUE (IE)
        E.CANCELBUBBLE = TRUE;
    },
    STOPIMMEDIATEPROPAGATION:FUNCTION(){
        THIS.ISIMMEDIATEPROPAGATIONSTOPPED = RETURNTRUE;
        THIS.STOPPROPAGATION();
    },
    ISDEFAULTPREVENTED: RETURNFALSE,
    ISPROPAGATIONSTOPPED: RETURNFALSE,
    ISIMMEDIATEPROPAGATIONSTOPPED: RETURNFALSE
};

// CHECKS IF AN EVENT HAPPENED ON AN ELEMENT WITHIN ANOTHER ELEMENT
// USED IN JQUERY.EVENT.SPECIAL.MOUSEENTER AND MOUSELEAVE HANDLERS
VAR WITHINELEMENT = FUNCTION(EVENT) {

```



```

// CHECK IF MOUSE(OVER|OUT) ARE STILL WITHIN THE SAME PARENT ELEMENT
VAR PARENT = EVENT.RELATEDTARGET;
// TRAVERSE UP THE TREE
WHILE ( PARENT && PARENT != THIS )
    TRY { PARENT = PARENT.PARENTNODE; }
    CATCH(E) { PARENT = THIS; }

IF( PARENT != THIS ){
    // SET THE CORRECT EVENT TYPE
    EVENT.TYPE = EVENT.DATA;
    // HANDLE EVENT IF WE ACTUALLY JUST MOUSED ON TO A NON SUB-ELEMENT
    JQUERY.EVENT.HANDLE.APPLY( THIS, ARGUMENTS );
}

};

JQUERY.EACH({
    MOUSEOVER: 'MOUSEENTER',
    MOUSEOUT: 'MOUSELEAVE'
}, FUNCTION( ORIG, FIX ){
    JQUERY.EVENT.SPECIAL[ FIX ] = {
        SETUP: FUNCTION(){
            JQUERY.EVENT.ADD( THIS, ORIG, WITHINELEMENT, FIX );
        },
        TEARDOWN: FUNCTION(){
            JQUERY.EVENT.REMOVE( THIS, ORIG, WITHINELEMENT );
        }
    };
});

JQUERY.FN.EXTEND({
    BIND: FUNCTION( TYPE, DATA, FN ) {
        RETURN TYPE == "UNLOAD" ? THIS.ONE( TYPE, DATA, FN ) : THIS.EACH( FUNCTION(){
            JQUERY.EVENT.ADD( THIS, TYPE, FN || DATA, FN && DATA );
        });
    },

    ONE: FUNCTION( TYPE, DATA, FN ) {
        VAR ONE = JQUERY.EVENT.PROXY( FN || DATA, FUNCTION( EVENT ) {
            JQUERY(THIS).UNBIND( EVENT, ONE );
            RETURN ( FN || DATA ).APPLY( THIS, ARGUMENTS );
        });
        RETURN THIS.EACH( FUNCTION(){
            JQUERY.EVENT.ADD( THIS, TYPE, ONE, FN && DATA );
        });
    },

    UNBIND: FUNCTION( TYPE, FN ) {
        RETURN THIS.EACH( FUNCTION(){
            JQUERY.EVENT.REMOVE( THIS, TYPE, FN );
        });
    },

    TRIGGER: FUNCTION( TYPE, DATA ) {
        RETURN THIS.EACH( FUNCTION(){
            JQUERY.EVENT.TRIGGER( TYPE, DATA, THIS );
        });
    },

    TRIGGERHANDLER: FUNCTION( TYPE, DATA ) {
        IF( THIS[0] ){
            VAR EVENT = JQUERY.EVENT( TYPE );
            EVENT.PREVENTDEFAULT();
            EVENT.STOPPROPAGATION();
            JQUERY.EVENT.TRIGGER( EVENT, DATA, THIS[0] );
            RETURN EVENT.RESULT;
        }
    },

    TOGGLE: FUNCTION( FN ) {
        // SAVE REFERENCE TO ARGUMENTS FOR ACCESS IN CLOSURE
        VAR ARGS = ARGUMENTS, I = 1;

        // LINK ALL THE FUNCTIONS, SO ANY OF THEM CAN UNBIND THIS CLICK HANDLER
        WHILE( I < ARGS.LENGTH )
            JQUERY.EVENT.PROXY( FN, ARGS[ I++ ] );

        RETURN THIS.CLICK( JQUERY.EVENT.PROXY( FN, FUNCTION( EVENT ) {
            // FIGURE OUT WHICH FUNCTION TO EXECUTE
            THIS.LASTTOGGLE = ( THIS.LASTTOGGLE || 0 ) % I;

            // MAKE SURE THAT CLICKS STOP
            EVENT.PREVENTDEFAULT();

            // AND EXECUTE THE FUNCTION
            RETURN ARGS[ THIS.LASTTOGGLE++ ].APPLY( THIS, ARGUMENTS ) || FALSE;
        }));
    },

    HOVER: FUNCTION( FNOVER, FNOOUT ) {
        RETURN THIS.MOUSEENTER( FNOVER ).MOUSELEAVE( FNOOUT );
    },

    READY: FUNCTION( FN ) {
        // ATTACH THE LISTENERS

```

```

        BINDREADY();

        // IF THE DOM IS ALREADY READY
        IF ( JQUERY.ISREADY )
            // EXECUTE THE FUNCTION IMMEDIATELY
            FN.CALL( DOCUMENT, JQUERY );

        // OTHERWISE, REMEMBER THE FUNCTION FOR LATER
        ELSE
            // ADD THE FUNCTION TO THE WAIT LIST
            JQUERY.READYLIST.PUSH( FN );

        RETURN THIS;

    },

    LIVE: FUNCTION( TYPE, FN ){
        VAR PROXY = JQUERY.EVENT.PROXY( FN );
        PROXY.GUID += THIS.SELECTOR + TYPE;

        JQUERY(DOCUMENT).BIND( LIVECONVERT(TYPE, THIS.SELECTOR), THIS.SELECTOR, PROXY );

        RETURN THIS;
    },

    DIE: FUNCTION( TYPE, FN ){
        JQUERY(DOCUMENT).UNBIND( LIVECONVERT(TYPE, THIS.SELECTOR), FN ? { GUID: FN.GUID + THIS.SELECTOR + TYPE } : NULL );
        RETURN THIS;
    }
});

FUNCTION LIVEHANDLER( EVENT ){
    VAR CHECK = REGEXP("(^|\\.)" + EVENT.TYPE + "(\\.|$)"),
        STOP = TRUE,
        ELEMS = [];

    JQUERY.EACH(JQUERY.DATA(THIS, "EVENTS").LIVE || [], FUNCTION(i, FN){
        IF ( CHECK.TEST(FN.TYPE) ) {
            VAR ELEM = JQUERY(EVENT.TARGET).CLOSEST(FN.DATA)[0];
            IF ( ELEM )
                ELEMS.PUSH({ ELEM: ELEM, FN: FN });
        }
    });

    ELEMS.SORT(FUNCTION(A,B) {
        RETURN JQUERY.DATA(A.ELEM, "CLOSEST") - JQUERY.DATA(B.ELEM, "CLOSEST");
    });

    JQUERY.EACH(ELEMS, FUNCTION(){
        IF ( THIS.FN.CALL(THIS.ELEM, EVENT, THIS.FN.DATA) === FALSE )
            RETURN (STOP = FALSE);
    });

    RETURN STOP;
}

FUNCTION LIVECONVERT(TYPE, SELECTOR){
    RETURN ["LIVE", TYPE, SELECTOR.REPLACE(/./g, "").REPLACE(/ /g, "[ ]").JOIN(".");
}

JQUERY.EXTEND({
    ISREADY: FALSE,
    READYLIST: [],
    // HANDLE WHEN THE DOM IS READY
    READY: FUNCTION() {
        // MAKE SURE THAT THE DOM IS NOT ALREADY LOADED
        IF ( !JQUERY.ISREADY ) {
            // REMEMBER THAT THE DOM IS READY
            JQUERY.ISREADY = TRUE;

            // IF THERE ARE FUNCTIONS BOUND, TO EXECUTE
            IF ( JQUERY.READYLIST ) {
                // EXECUTE ALL OF THEM
                JQUERY.EACH( JQUERY.READYLIST, FUNCTION(){
                    THIS.CALL( DOCUMENT, JQUERY );
                });

                // RESET THE LIST OF FUNCTIONS
                JQUERY.READYLIST = NULL;
            }

            // TRIGGER ANY BOUND READY EVENTS
            JQUERY(DOCUMENT).TRIGGERHANDLER("ready");
        }
    }
});

VAR READYBOUND = FALSE;

FUNCTION BINDREADY(){
    IF ( READYBOUND ) RETURN;
    READYBOUND = TRUE;

    // MOZILLA, OPERA AND WEBKIT NIGHTLIES CURRENTLY SUPPORT THIS EVENT
    IF ( DOCUMENT.ADDEVENTLISTENER ) {

```

```

// Use the handy event callback
DOCUMENT.ADDEVENTLISTENER( "DOMContentLoaded", FUNCTION(){
    DOCUMENT.REMOVEEVENTLISTENER( "DOMContentLoaded", ARGUMENTS.CALLEE, FALSE );
    JQUERY.READY();
}, FALSE );

// If IE event model is used
} ELSE IF ( DOCUMENT.ATTACHEVENT ) {
    // ENSURE FIRING BEFORE ONLOAD,
    // MAYBE LATE BUT SAFE ALSO FOR IFRAMES
    DOCUMENT.ATTACHEVENT("ONREADYSTATECHANGE", FUNCTION(){
        IF ( DOCUMENT.READYSTATE === "COMPLETE" ) {
            DOCUMENT.DETACHEVENT( "ONREADYSTATECHANGE", ARGUMENTS.CALLEE );
            JQUERY.READY();
        }
    });

    // If IE AND NOT AN IFRAME
    // CONTINUALLY CHECK TO SEE IF THE DOCUMENT IS READY
    IF ( DOCUMENT.DOCUMENTELEMENT.DO_SCROLL && WINDOW === WINDOW.TOP ) (FUNCTION(){
        IF ( JQUERY.ISREADY ) RETURN;

        TRY {
            // If IE IS USED, USE THE TRICK BY DIEGO PERINI
            // HTTP://JAVASCRIPT.NWBOX.COM/IECONTENTLOADED/
            DOCUMENT.DOCUMENTELEMENT.DO_SCROLL("LEFT");
        } CATCH( ERROR ) {
            SETTIMEOUT( ARGUMENTS.CALLEE, 0 );
            RETURN;
        }

        // AND EXECUTE ANY WAITING FUNCTIONS
        JQUERY.READY();
    })();
}

// A FALLBACK TO WINDOW.ONLOAD, THAT WILL ALWAYS WORK
JQUERY.EVENT.ADD( WINDOW, "LOAD", JQUERY.READY );
}

JQUERY.EACH( ("BLUR,FOCUS,LOAD,RESIZE,SCROLL,UNLOAD,CLICK,DBLCLICK," +
    "MOUSEDOWN,MOUSEUP,MOUSEMOVE,MOUSEOVER,MOUSEOUT,MOUSEENTER,MOUSELEAVE," +
    "CHANGE,SELECT,SUBMIT,KEYDOWN,KEYPRESS,KEYUP,ERROR").SPLIT(", "), FUNCTION( I, NAME ){

    // HANDLE EVENT BINDING
    JQUERY.FN[NAME] = FUNCTION(FN){
        RETURN FN ? THIS.BIND(NAME, FN) : THIS.TRIGGER(NAME);
    };
});

// PREVENT MEMORY LEAKS IN IE
// AND PREVENT ERRORS ON REFRESH WITH EVENTS LIKE MOUSEOVER IN OTHER BROWSERS
// WINDOW ISN'T INCLUDED SO AS NOT TO UNBIND EXISTING UNLOAD EVENTS
JQUERY( WINDOW ).BIND( 'UNLOAD', FUNCTION(){
    FOR ( VAR ID IN JQUERY.CACHE )
        // SKIP THE WINDOW
        IF ( ID != 1 && JQUERY.CACHE[ ID ].HANDLE )
            JQUERY.EVENT.REMOVE( JQUERY.CACHE[ ID ].HANDLE.ELEM );
});
(FUNCTION(){

    JQUERY.SUPPORT = {};

    VAR ROOT = DOCUMENT.DOCUMENTELEMENT,
        SCRIPT = DOCUMENT.CREATEELEMENT("SCRIPT"),
        DIV = DOCUMENT.CREATEELEMENT("DIV"),
        ID = "SCRIPT" + (NEW DATE).GETTIME();

    DIV.STYLE.DISPLAY = "NONE";
    DIV.INNERHTML = ' <LINK/><TABLE></TABLE><A HREF="#">A'
    STYLE="COLOR:RED;FLOAT:LEFT;OPACITY:.5;">A</A><SELECT><OPTION>TEXT</OPTION></SELECT><OBJECT><PARAM/></OBJECT>';

    VAR ALL = DIV.GETELEMENTSBYTAGNAME("*"),
        A = DIV.GETELEMENTSBYTAGNAME("A")[0];

    // CAN'T GET BASIC TEST SUPPORT
    IF ( !ALL || !ALL.LENGTH || !A ) {
        RETURN;
    }

    JQUERY.SUPPORT = {
        // IE STRIPS LEADING WHITESPACE WHEN .INNERHTML IS USED
        LEADINGWHITESPACE: DIV.FIRSTCHILD.NODETYPE == 3,

        // MAKE SURE THAT TBODY ELEMENTS AREN'T AUTOMATICALLY INSERTED
        // IE WILL INSERT THEM INTO EMPTY TABLES
        TBODY: !DIV.GETELEMENTSBYTAGNAME("tbody").LENGTH,

        // MAKE SURE THAT YOU CAN GET ALL ELEMENTS IN AN <OBJECT> ELEMENT
        // IE 7 ALWAYS RETURNS NO RESULTS
        OBJECTALL: !!DIV.GETELEMENTSBYTAGNAME("object")[0]
            .GETELEMENTSBYTAGNAME("*").LENGTH,

        // MAKE SURE THAT LINK ELEMENTS GET SERIALIZED CORRECTLY BY INNERHTML

```

```

// THIS REQUIRES A WRAPPER ELEMENT IN IE
HTMLSERIALIZE: !!DIV.GETELEMENTSBYTAGNAME("LINK").LENGTH,

// GET THE STYLE INFORMATION FROM GETATTRIBUTE
// (IE USES .CSSTEXT INSTEAD)
STYLE: /RED/.TEST( A.GETATTRIBUTE("STYLE" ) ),

// MAKE SURE THAT URLS AREN'T MANIPULATED
// (IE NORMALIZES IT BY DEFAULT)
HREFNORMALIZED: A.GETATTRIBUTE("HREF") === "/A",

// MAKE SURE THAT ELEMENT OPACITY EXISTS
// (IE USES FILTER INSTEAD)
OPACITY: A.STYLE.OPACITY === "0.5",

// VERIFY STYLE FLOAT EXISTENCE
// (IE USES STYLEFLOAT INSTEAD OF CSSFLOAT)
CSSFLOAT: !!A.STYLE.CSSFLOAT,

// WILL BE DEFINED LATER
SCRIPT EVAL: FALSE,
NOCLONEEVENT: TRUE,
BOXMODEL: NULL
};

SCRIPT.TYPE = "TEXT/JAVASCRIPT";
TRY {
    SCRIPT.APPENDCHILD( DOCUMENT.CREATETEXTNODE( "WINDOW." + ID + "=1;" ) );
} CATCH(e){}

ROOT.INSERTBEFORE( SCRIPT, ROOT.FIRSTCHILD );

// MAKE SURE THAT THE EXECUTION OF CODE WORKS BY INJECTING A SCRIPT
// TAG WITH APPENDCHILD/CREATETEXTNODE
// (IE DOESN'T SUPPORT THIS, FAILS, AND USES .TEXT INSTEAD)
IF ( WINDOW[ ID ] ) {
    JQUERY.SUPPORT.SCRIPT EVAL = TRUE;
    DELETE WINDOW[ ID ];
}

ROOT.REMOVECHILD( SCRIPT );

IF ( DIV.ATTACHEVENT && DIV.FIREEVENT ) {
    DIV.ATTACHEVENT("ONCLICK", FUNCTION(){
        // CLONING A NODE SHOULDN'T COPY OVER ANY
        // BOUND EVENT HANDLERS (IE DOES THIS)
        JQUERY.SUPPORT.NOCLONEEVENT = FALSE;
        DIV.DETACHEVENT("ONCLICK", ARGUMENTS.CALLEE);
    });
    DIV.CLONENODE(TRUE).FIREEVENT("ONCLICK");
}

// FIGURE OUT IF THE W3C BOX MODEL WORKS AS EXPECTED
// DOCUMENT.BODY MUST EXIST BEFORE WE CAN DO THIS
JQUERY(FUNCTION(){
    VAR DIV = DOCUMENT.CREATEELEMENT("DIV");
    DIV.STYLE.WIDTH = DIV.STYLE.PADDINGLEFT = "1px";

    DOCUMENT.BODY.APPENDCHILD( DIV );
    JQUERY.BOXMODEL = JQUERY.SUPPORT.BOXMODEL = DIV.OFFSETWIDTH === 2;
    DOCUMENT.BODY.REMOVECHILD( DIV ).STYLE.DISPLAY = 'none';
});

});

VAR STYLEFLOAT = JQUERY.SUPPORT.CSSFLOAT ? "cssfloat" : "stylefloat";

JQUERY.PROPS = {
    "FOR": "HTMLFOR",
    "CLASS": "CLASSNAME",
    "FLOAT": STYLEFLOAT,
    "CSSFLOAT": STYLEFLOAT,
    "STYLEFLOAT": STYLEFLOAT,
    "READONLY": "READONLY",
    "MAXLENGTH": "MAXLENGTH",
    "CELLSPACING": "CELLSPACING",
    "ROWSPAN": "ROWSPAN",
    "TABINDEX": "TABINDEX"
};

JQUERY.FN.EXTEND({
    // KEEP A COPY OF THE OLD LOAD
    _LOAD: JQUERY.FN.LOAD,

    LOAD: FUNCTION( URL, PARAMS, CALLBACK ) {
        IF ( TYPEOF URL !== "STRING" )
            RETURN THIS._LOAD( URL );

        VAR OFF = URL.INDEXOF(" ");
        IF ( OFF >= 0 ) {
            VAR SELECTOR = URL.SLICE(OFF, URL.LENGTH);
            URL = URL.SLICE(0, OFF);
        }

        // DEFAULT TO A GET REQUEST
        VAR TYPE = "GET";

```

```

// IF THE SECOND PARAMETER WAS PROVIDED
IF ( PARAMS )
    // IF IT'S A FUNCTION
    IF ( JQUERY.ISFUNCTION( PARAMS ) ) {
        // WE ASSUME THAT IT'S THE CALLBACK
        CALLBACK = PARAMS;
        PARAMS = NULL;

        // OTHERWISE, BUILD A PARAM STRING
    } ELSE IF ( TYPEOF PARAMS === "OBJECT" ) {
        PARAMS = JQUERY.PARAM( PARAMS );
        TYPE = "POST";
    }

VAR SELF = THIS;

// REQUEST THE REMOTE DOCUMENT
JQUERY.AJAX({
    URL: URL,
    TYPE: TYPE,
    DATATYPE: "HTML",
    DATA: PARAMS,
    COMPLETE: FUNCTION(RES, STATUS){
        // IF SUCCESSFUL, INJECT THE HTML INTO ALL THE MATCHED ELEMENTS
        IF ( STATUS === "SUCCESS" || STATUS === "NOTMODIFIED" )
            // SEE IF A SELECTOR WAS SPECIFIED
            SELF.HTML( SELECTOR ?
                // CREATE A DUMMY DIV TO HOLD THE RESULTS
                JQUERY("<div/>")
                // INJECT THE CONTENTS OF THE DOCUMENT IN, REMOVING THE SCRIPTS
                // TO AVOID ANY "PERMISSION DENIED" ERRORS IN IE
                .APPEND(RES.RESPONSETEXT.REPLACE(/<script(.|\s)*?</script>/g, ""))

                // LOCATE THE SPECIFIED ELEMENTS
                .FIND(SELECTOR) :

            // IF NOT, JUST INJECT THE FULL RESULT
            RES.RESPONSETEXT );

        IF( CALLBACK )
            SELF.EACH( CALLBACK, [RES.RESPONSETEXT, STATUS, RES] );
    }
});
RETURN THIS;
},

SERIALIZE: FUNCTION() {
    RETURN JQUERY.PARAM(THIS.SERIALIZEARRAY());
},

SERIALIZEARRAY: FUNCTION() {
    RETURN THIS.MAP(FUNCTION(){
        RETURN THIS.ELEMENTS ? JQUERY.MAKEARRAY(THIS.ELEMENTS) : THIS;
    })
    .FILTER(FUNCTION(){
        RETURN THIS.NAME && !THIS.DISABLED &&
            (THIS.CHECKED || /SELECT|TEXTAREA/i.TEST(THIS.NODENAME) ||
            /TEXT|HIDDEN|PASSWORD|SEARCH/i.TEST(THIS.TYPE));
    })
    .MAP(FUNCTION(I, ELEM){
        VAR VAL = JQUERY(THIS).VAL();
        RETURN VAL === NULL ? NULL :
            JQUERY.ISARRAY(VAL) ?
                JQUERY.MAP( VAL, FUNCTION(VAL, I){
                    RETURN {NAME: ELEM.NAME, VALUE: VAL};
                }) :
                {NAME: ELEM.NAME, VALUE: VAL};
    }).GET();
});

// ATTACH A BUNCH OF FUNCTIONS FOR HANDLING COMMON AJAX EVENTS
JQUERY.EACH( "AJAXSTART,AJAXSTOP,AJAXCOMPLETE,AJAXERROR,AJAXSUCCESS,AJAXSEND".SPLIT(", "), FUNCTION(I,O){
    JQUERY.FN[O] = FUNCTION(F){
        RETURN THIS.BIND(O, F);
    };
});

VAR JSC = NOW();

JQUERY.EXTEND({
    GET: FUNCTION( URL, DATA, CALLBACK, TYPE ) {
        // SHIFT ARGUMENTS IF DATA ARGUMENT WAS OMITTED
        IF ( JQUERY.ISFUNCTION( DATA ) ) {
            CALLBACK = DATA;
            DATA = NULL;
        }

        RETURN JQUERY.AJAX({
            TYPE: "GET",
            URL: URL,
            DATA: DATA,
            SUCCESS: CALLBACK,

```

```

        DATAType: TYPE
    });
},
GETSCRIPT: FUNCTION( URL, CALLBACK ) {
    RETURN JQUERY.GET(URL, NULL, CALLBACK, "SCRIPT");
},
GETJSON: FUNCTION( URL, DATA, CALLBACK ) {
    RETURN JQUERY.GET(URL, DATA, CALLBACK, "JSON");
},
POST: FUNCTION( URL, DATA, CALLBACK, TYPE ) {
    IF ( JQUERY.ISFUNCTION( DATA ) ) {
        CALLBACK = DATA;
        DATA = {};
    }

    RETURN JQUERY.AJAX({
        TYPE: "POST",
        URL: URL,
        DATA: DATA,
        SUCCESS: CALLBACK,
        DATAType: TYPE
    });
},
AJAXSETUP: FUNCTION( SETTINGS ) {
    JQUERY.EXTEND( JQUERY.AJAXSETTINGS, SETTINGS );
},
AJAXSETTINGS: {
    URL: LOCATION.HREF,
    GLOBAL: TRUE,
    TYPE: "GET",
    CONTENTType: "APPLICATION/X-WWW-FORM-URLENCODED",
    PROCESSDATA: TRUE,
    ASYNC: TRUE,
    /*
    TIMEOUT: 0,
    DATA: NULL,
    USERNAME: NULL,
    PASSWORD: NULL,
    */
    // CREATE THE REQUEST OBJECT; MICROSOFT FAILED TO PROPERLY
    // IMPLEMENT THE XMLHttpRequest IN IE7, SO WE USE THE XMLHttpRequest WHEN IT IS AVAILABLE
    // THIS FUNCTION CAN BE OVERRIDEN BY CALLING JQUERY.AJAXSETUP
    XHR:FUNCTION(){
        RETURN WINDOW.ActiveXObject ? NEW ActiveXObject("Microsoft.XMLHTTP") : NEW XMLHttpRequest();
    },
    ACCEPTS: {
        XML: "APPLICATION/XML, TEXT/XML",
        HTML: "TEXT/HTML",
        SCRIPT: "TEXT/JAVASCRIPT, APPLICATION/JAVASCRIPT",
        JSON: "APPLICATION/JSON, TEXT/JAVASCRIPT",
        TEXT: "TEXT/PLAIN",
        _DEFAULT: "*/*"
    }
},
// LAST-MODIFIED HEADER CACHE FOR NEXT REQUEST
LASTMODIFIED: {},
AJAX: FUNCTION( S ) {
    // EXTEND THE SETTINGS, BUT RE-EXTEND 'S' SO THAT IT CAN BE
    // CHECKED AGAIN LATER (IN THE TEST SUITE, SPECIFICALLY)
    S = JQUERY.EXTEND(TRUE, S, JQUERY.EXTEND(TRUE, {}, JQUERY.AJAXSETTINGS, S));

    VAR JSONP, JSRE = /=?(&|$)/G, STATUS, DATA,
        TYPE = S.TYPE.ToupperCase();

    // CONVERT DATA IF NOT ALREADY A STRING
    IF ( S.DATA && S.PROCESSDATA && TYPEOF S.DATA !== "STRING" )
        S.DATA = JQUERY.PARAM(S.DATA);

    // HANDLE JSONP PARAMETER CALLBACKS
    IF ( S.DATATYPE == "JSONP" ) {
        IF ( TYPE == "GET" ) {
            IF ( !S.URL.MATCH(JSRE) )
                S.URL += ( S.URL.MATCH(/?) ? "& : "?") + (S.JSONP || "CALLBACK") + "=?" ;
        } ELSE IF ( !S.DATA || !S.DATA.MATCH(JSRE) )
            S.DATA = (S.DATA ? S.DATA + "& : "?") + (S.JSONP || "CALLBACK") + "=?" ;
        S.DATATYPE = "JSON";
    }

    // BUILD TEMPORARY JSONP FUNCTION
    IF ( S.DATATYPE == "JSON" && (S.DATA && S.DATA.MATCH(JSRE) || S.URL.MATCH(JSRE)) ) {
        JSONP = "JSONP" + JSC++;

        // REPLACE THE =? SEQUENCE BOTH IN THE QUERY STRING AND THE DATA
        IF ( S.DATA )
            S.DATA = (S.DATA + "").REPLACE(JSRE, "=" + JSONP + "$1");
        S.URL = S.URL.REPLACE(JSRE, "=" + JSONP + "$1");
    }
}

```

```

// WE NEED TO MAKE SURE
// THAT A JSONP STYLE RESPONSE IS EXECUTED PROPERLY
S.DATATYPE = "SCRIPT";

// HANDLE JSONP-STYLE LOADING
WINDOW[ JSONP ] = FUNCTION(TMP){
    DATA = TMP;
    SUCCESS();
    COMPLETE();
    // GARBAGE COLLECT
    WINDOW[ JSONP ] = UNDEFINED;
    TRY{ DELETE WINDOW[ JSONP ]; } CATCH(E){}
    IF ( HEAD )
        HEAD.REMOVECHILD( SCRIPT );
};

}

IF ( S.DATATYPE == "SCRIPT" && S.CACHE == NULL )
    S.CACHE = FALSE;

IF ( S.CACHE == FALSE && TYPE == "GET" ) {
    VAR TS = NOW();
    // TRY REPLACING _ IF IT IS THERE
    VAR RET = S.URL.REPLACE(/(\?&)_=.*?(&|$/), "$1_" + TS + "$2");
    // IF NOTHING WAS REPLACED, ADD TIMESTAMP TO THE END
    S.URL = RET + ((RET == S.URL) ? (S.URL.MATCH(/?/) ? "&" : "?") + "_=" + TS : "");
}

// IF DATA IS AVAILABLE, APPEND DATA TO URL FOR GET REQUESTS
IF ( S.DATA && TYPE == "GET" ) {
    S.URL += (S.URL.MATCH(/?/) ? "&" : "?") + S.DATA;

    // IE LIKES TO SEND BOTH GET AND POST DATA, PREVENT THIS
    S.DATA = NULL;
}

// WATCH FOR A NEW SET OF REQUESTS
IF ( S.GLOBAL && ! JQUERY.ACTIVE++ )
    JQUERY.EVENT.TRIGGER( "AJAXSTART" );

// MATCHES AN ABSOLUTE URL, AND SAVES THE DOMAIN
VAR PARTS = /^(w+;)?v{([v?#]+)}.EXEC( S.URL );

// IF WE'RE REQUESTING A REMOTE DOCUMENT
// AND TRYING TO LOAD JSON OR SCRIPT WITH A GET
IF ( S.DATATYPE == "SCRIPT" && TYPE == "GET" && PARTS
    && ( PARTS[1] && PARTS[1] != LOCATION.PROTOCOL || PARTS[2] != LOCATION.HOST )){

    VAR HEAD = DOCUMENT.GETELEMENTSBYTAGNAME("HEAD")[0];
    VAR SCRIPT = DOCUMENT.CREATEELEMENT("SCRIPT");
    SCRIPT.SRC = S.URL;
    IF (S.SCRIPTCHARSET)
        SCRIPT.CHARSET = S.SCRIPTCHARSET;

    // HANDLE SCRIPT LOADING
    IF ( !JSONP ) {
        VAR DONE = FALSE;

        // ATTACH HANDLERS FOR ALL BROWSERS
        SCRIPT.ONLOAD = SCRIPT.ONREADYSTATECHANGE = FUNCTION(){
            IF ( !DONE && (!THIS.READYSTATE ||
                THIS.READYSTATE == "LOADED" || THIS.READYSTATE == "COMPLETE" ) ) {
                DONE = TRUE;
                SUCCESS();
                COMPLETE();

                // HANDLE MEMORY LEAK IN IE
                SCRIPT.ONLOAD = SCRIPT.ONREADYSTATECHANGE = NULL;
                HEAD.REMOVECHILD( SCRIPT );
            }
        };

        HEAD.APPENDCHILD(SCRIPT);

        // WE HANDLE EVERYTHING USING THE SCRIPT ELEMENT INJECTION
        RETURN UNDEFINED;
    }

    VAR REQUESTDONE = FALSE;

    // CREATE THE REQUEST OBJECT
    VAR XHR = S.XHR();

    // OPEN THE SOCKET
    // PASSING NULL USERNAME, GENERATES A LOGIN POPUP ON OPERA (#2865)
    IF( S.USERNAME )
        XHR.OPEN(TYPE, S.URL, S.ASYNC, S.USERNAME, S.PASSWORD);
    ELSE
        XHR.OPEN(TYPE, S.URL, S.ASYNC);

    // NEED AN EXTRA TRY/CATCH FOR CROSS DOMAIN REQUESTS IN FIREFOX 3
    TRY {
        // SET THE CORRECT HEADER, IF DATA IS BEING SENT

```

```

    IF ( S.DATA )
        XHR.SETREQUESTHEADER("CONTENT-TYPE", S.CONTENTTYPE);

    // SET THE IF-MODIFIED-SINCE HEADER, IF IFMODIFIED MODE.
    IF ( S.IFMODIFIED )
        XHR.SETREQUESTHEADER("If-Modified-Since",
            JQUERY.LASTMODIFIED[S.URL] || "THU, 01 JAN 1970 00:00:00 GMT" );

    // SET HEADER SO THE CALLED SCRIPT KNOWS THAT IT'S AN XMLHTTPREQUEST
    XHR.SETREQUESTHEADER("X-REQUESTED-WITH", "XMLHTTPREQUEST");

    // SET THE ACCEPTS HEADER FOR THE SERVER, DEPENDING ON THE DATATYPE
    XHR.SETREQUESTHEADER("Accept", S.DATATYPE && S.ACCEPTS[ S.DATATYPE ] ?
        S.ACCEPTS[ S.DATATYPE ] + ", */*" :
        S.ACCEPTS_DEFAULT );
} CATCH(E){}

// ALLOW CUSTOM HEADERS/MIMETYPES AND EARLY ABORT
IF ( S.BEFORESEND && S.BEFORESEND(XHR, S) === FALSE ) {
    // HANDLE THE GLOBAL AJAX COUNTER
    IF ( S.GLOBAL && ! --JQUERY.ACTIVE )
        JQUERY.EVENT.TRIGGER( "AJAXSTOP" );
    // CLOSE OPENED SOCKET
    XHR.ABORT();
    RETURN FALSE;
}

IF ( S.GLOBAL )
    JQUERY.EVENT.TRIGGER("AJAXSEND", [XHR, S]);

// WAIT FOR A RESPONSE TO COME BACK
VAR ONREADYSTATECHANGE = FUNCTION(ISTIMEOUT){
    // THE REQUEST WAS ABORTED, CLEAR THE INTERVAL AND DECREMENT JQUERY.ACTIVE
    IF (XHR.READYSTATE == 0) {
        IF (IVAL) {
            // CLEAR POLL INTERVAL
            CLEARINTERVAL(IVAL);
            IVAL = NULL;
            // HANDLE THE GLOBAL AJAX COUNTER
            IF ( S.GLOBAL && ! --JQUERY.ACTIVE )
                JQUERY.EVENT.TRIGGER( "AJAXSTOP" );
        }
        // THE TRANSFER IS COMPLETE AND THE DATA IS AVAILABLE, OR THE REQUEST TIMED OUT
        } ELSE IF ( !REQUESTDONE && XHR && (XHR.READYSTATE == 4 || ISTIMEOUT == "TIMEOUT") ) {
            REQUESTDONE = TRUE;

            // CLEAR POLL INTERVAL
            IF (IVAL) {
                CLEARINTERVAL(IVAL);
                IVAL = NULL;
            }

            STATUS = ISTIMEOUT == "TIMEOUT" ? "TIMEOUT" :
                !JQUERY.HTTPSUCCESS( XHR ) ? "ERROR" :
                S.IFMODIFIED && JQUERY.HTTPNOTMODIFIED( XHR, S.URL ) ? "NOTMODIFIED" :
                "SUCCESS";

            IF ( STATUS == "SUCCESS" ) {
                // WATCH FOR, AND CATCH, XML DOCUMENT PARSE ERRORS
                TRY {
                    // PROCESS THE DATA (RUNS THE XML THROUGH HTTPDATA REGARDLESS OF CALLBACK)
                    DATA = JQUERY.HTTPDATA( XHR, S.DATATYPE, S );
                } CATCH(E) {
                    STATUS = "PARSERERROR";
                }
            }

            // MAKE SURE THAT THE REQUEST WAS SUCCESSFUL OR NOTMODIFIED
            IF ( STATUS == "SUCCESS" ) {
                // CACHE LAST-MODIFIED HEADER, IF IFMODIFIED MODE.
                VAR MODRES;
                TRY {
                    MODRES = XHR.GETRESPONSEHEADER("LAST-MODIFIED");
                } CATCH(E) {} // SWALLOW EXCEPTION THROWN BY FF IF HEADER IS NOT AVAILABLE

                IF ( S.IFMODIFIED && MODRES )
                    JQUERY.LASTMODIFIED[S.URL] = MODRES;

                // JSONP HANDLES ITS OWN SUCCESS CALLBACK
                IF ( !JSONP )
                    SUCCESS();
            } ELSE
                JQUERY.HANDLEERROR(S, XHR, STATUS);

            // FIRE THE COMPLETE HANDLERS
            COMPLETE();

            IF ( ISTIMEOUT )
                XHR.ABORT();

            // STOP MEMORY LEAKS
            IF ( S.ASYNC )
                XHR = NULL;
        }
}

```



```

};

IF ( S.ASYNC ) {
    // DON'T ATTACH THE HANDLER TO THE REQUEST, JUST POLL IT INSTEAD
    VAR IVAL = SETINTERVAL(ONREADYSTATECHANGE, 13);

    // TIMEOUT CHECKER
    IF ( S.TIMEOUT > 0 )
        SETTIMEOUT(FUNCTION(){
            // CHECK TO SEE IF THE REQUEST IS STILL HAPPENING
            IF ( XHR && !REQUESTDONE )
                ONREADYSTATECHANGE( "TIMEOUT" );
        }, S.TIMEOUT);
}

// SEND THE DATA
TRY {
    XHR.SEND(S.DATA);
} CATCH(E) {
    JQUERY.HANDLEERROR(S, XHR, NULL, E);
}

// FIREFOX 1.5 DOESN'T FIRE STATECHANGE FOR SYNC REQUESTS
IF ( !S.ASYNC )
    ONREADYSTATECHANGE();

FUNCTION SUCCESS(){
    // IF A LOCAL CALLBACK WAS SPECIFIED, FIRE IT AND PASS IT THE DATA
    IF ( S.SUCCESS )
        S.SUCCESS( DATA, STATUS );

    // FIRE THE GLOBAL CALLBACK
    IF ( S.GLOBAL )
        JQUERY.EVENT.TRIGGER( "AJAXSUCCESS", [XHR, S] );
}

FUNCTION COMPLETE(){
    // PROCESS RESULT
    IF ( S.COMPLETE )
        S.COMPLETE(XHR, STATUS);

    // THE REQUEST WAS COMPLETED
    IF ( S.GLOBAL )
        JQUERY.EVENT.TRIGGER( "AJAXCOMPLETE", [XHR, S] );

    // HANDLE THE GLOBAL AJAX COUNTER
    IF ( S.GLOBAL && !-JQUERY.ACTIVE )
        JQUERY.EVENT.TRIGGER( "AJAXSTOP" );
}

// RETURN XMLHttpRequest TO ALLOW ABORTING THE REQUEST ETC.
RETURN XHR;
},

HANDLEERROR: FUNCTION( S, XHR, STATUS, E ) {
    // IF A LOCAL CALLBACK WAS SPECIFIED, FIRE IT
    IF ( S.ERROR ) S.ERROR( XHR, STATUS, E );

    // FIRE THE GLOBAL CALLBACK
    IF ( S.GLOBAL )
        JQUERY.EVENT.TRIGGER( "AJAXERROR", [XHR, S, E] );
},

// COUNTER FOR HOLDING THE NUMBER OF ACTIVE QUERIES
ACTIVE: 0,

// DETERMINES IF AN XMLHttpRequest WAS SUCCESSFUL OR NOT
HTTPSUCCESS: FUNCTION( XHR ) {
    TRY {
        // IE ERROR SOMETIMES RETURNS 1223 WHEN IT SHOULD BE 204 SO TREAT IT AS SUCCESS, SEE #1450
        RETURN !XHR.STATUS && LOCATION.PROTOCOL == "file:" ||
            ( XHR.STATUS >= 200 && XHR.STATUS < 300 ) || XHR.STATUS == 304 || XHR.STATUS == 1223;
    } CATCH(E){}
    RETURN FALSE;
},

// DETERMINES IF AN XMLHttpRequest RETURNS NotModified
HTTPNOTMODIFIED: FUNCTION( XHR, URL ) {
    TRY {
        VAR XHRRES = XHR.GETRESPONSEHEADER("LAST-MODIFIED");

        // FIREFOX ALWAYS RETURNS 200. CHECK LAST-MODIFIED DATE
        RETURN XHR.STATUS == 304 || XHRRES == JQUERY.LASTMODIFIED[URL];
    } CATCH(E){}
    RETURN FALSE;
},

HTTPDATA: FUNCTION( XHR, TYPE, S ) {
    VAR CT = XHR.GETRESPONSEHEADER("CONTENT-TYPE"),
        XML = TYPE == "xml" || !TYPE && CT && CT.indexOf("xml") >= 0,
        DATA = XML ? XHR.RESPONSEXML : XHR.RESPONSETEXT;

    IF ( XML && DATA.DOCUMENTELEMENT.TAGNAME == "parsererror" )
        THROW "PARSERERROR";
}

```

```

// ALLOW A PRE-FILTERING FUNCTION TO SANITIZE THE RESPONSE
// S != NULL IS CHECKED TO KEEP BACKWARDS COMPATIBILITY
IF( S && S.DATAFILTER )
    DATA = S.DATAFILTER( DATA, TYPE );

// THE FILTER CAN ACTUALLY PARSE THE RESPONSE
IF( TYPEOF DATA === "STRING" ){

    // IF THE TYPE IS "SCRIPT", EVAL IT IN GLOBAL CONTEXT
    IF ( TYPE == "SCRIPT" )
        JQUERY.GLOBALEVAL( DATA );

    // GET THE JAVASCRIPT OBJECT, IF JSON IS USED.
    IF ( TYPE == "JSON" )
        DATA = WINDOW["EVAL"]("( " + DATA + " )");

}

RETURN DATA;
},

// SERIALIZE AN ARRAY OF FORM ELEMENTS OR A SET OF
// KEY/VALUES INTO A QUERY STRING
PARAM: FUNCTION( A ) {
    VAR S = [ ];

    FUNCTION ADD( KEY, VALUE ){
        S[ S.LENGTH ] = ENCODEURICOMPONENT(KEY) + '=' + ENCODEURICOMPONENT(VALUE);
    };

    // IF AN ARRAY WAS PASSED IN, ASSUME THAT IT IS AN ARRAY
    // OF FORM ELEMENTS
    IF ( JQUERY.ISARRAY(A) || A.JQUERY )
        // SERIALIZE THE FORM ELEMENTS
        JQUERY.EACH( A, FUNCTION(){
            ADD( THIS.NAME, THIS.VALUE );
        });

    // OTHERWISE, ASSUME THAT IT'S AN OBJECT OF KEY/VALUE PAIRS
    ELSE
        // SERIALIZE THE KEY/VALUES
        FOR ( VAR J IN A )
            // IF THE VALUE IS AN ARRAY THEN THE KEY NAMES NEED TO BE REPEATED
            IF ( JQUERY.ISARRAY(A[J]) )
                JQUERY.EACH( A[J], FUNCTION(){
                    ADD( J, THIS );
                });
            ELSE
                ADD( J, JQUERY.ISFUNCTION(A[J]) ? A[J]() : A[J] );

    // RETURN THE RESULTING SERIALIZATION
    RETURN S.JOIN("&").REPLACE(/%20/g, "+");
}

});
VAR ELEMDISPLAY = {},
    TIMERID,
    FXATTRS = [
        // HEIGHT ANIMATIONS
        [ "HEIGHT", "MARGINTOP", "MARGINBOTTOM", "PADDINGTOP", "PADDINGBOTTOM" ],
        // WIDTH ANIMATIONS
        [ "WIDTH", "MARGINLEFT", "MARGINRIGHT", "PADDINGLEFT", "PADDINGRIGHT" ],
        // OPACITY ANIMATIONS
        [ "OPACITY" ]
    ];

FUNCTION GENFX( TYPE, NUM ){
    VAR OBJ = {};
    JQUERY.EACH( FXATTRS.CONCAT.APPLY([], FXATTRS.SLICE(0,NUM)), FUNCTION(){
        OBJ[ THIS ] = TYPE;
    });
    RETURN OBJ;
}

JQUERY.FN.EXTEND({
    SHOW: FUNCTION(SPEED,CALLBACK){
        IF ( SPEED ) {
            RETURN THIS.ANIMATE( GENFX("SHOW", 3), SPEED, CALLBACK);
        } ELSE {
            FOR ( VAR I = 0, L = THIS.LENGTH; I < L; I++ ){
                VAR OLD = JQUERY.DATA(THIS[I], "OLDDISPLAY");

                THIS[I].STYLE.DISPLAY = OLD || "";

                IF ( JQUERY.CSS(THIS[I], "DISPLAY") === "NONE" ) {
                    VAR TAGNAME = THIS[I].TAGNAME, DISPLAY;

                    IF ( ELEMDISPLAY[ TAGNAME ] ) {
                        DISPLAY = ELEMDISPLAY[ TAGNAME ];
                    } ELSE {
                        VAR ELEM = JQUERY("<" + TAGNAME + ">").APPENDTO("BODY");

                        DISPLAY = ELEM.CSS("DISPLAY");
                        IF ( DISPLAY === "NONE" )

```

```

        DISPLAY = "BLOCK";

        ELEM.REMOVE();

        ELEMDISPLAY[ TAGNAME ] = DISPLAY;
    }

    }
    jQuery.DATA(THIS[i], "OLDDISPLAY", DISPLAY);
}

// SET THE DISPLAY OF THE ELEMENTS IN A SECOND LOOP
// TO AVOID THE CONSTANT REFLOW
FOR ( VAR i = 0, L = THIS.LENGTH; i < L; i++ ){
    THIS[i].STYLE.DISPLAY = jQuery.DATA(THIS[i], "OLDDISPLAY") || "";
}

RETURN THIS;
}

},

HIDE: FUNCTION(SPEED,CALLBACK){
    IF ( SPEED ) {
        RETURN THIS.ANIMATE( GENFX("HIDE", 3), SPEED, CALLBACK);
    } ELSE {
        FOR ( VAR i = 0, L = THIS.LENGTH; i < L; i++ ){
            VAR OLD = jQuery.DATA(THIS[i], "OLDDISPLAY");
            IF ( !OLD && OLD !== "NONE" )
                jQuery.DATA(THIS[i], "OLDDISPLAY", jQuery.CSS(THIS[i], "DISPLAY"));
        }

        // SET THE DISPLAY OF THE ELEMENTS IN A SECOND LOOP
        // TO AVOID THE CONSTANT REFLOW
        FOR ( VAR i = 0, L = THIS.LENGTH; i < L; i++ ){
            THIS[i].STYLE.DISPLAY = "NONE";
        }

        RETURN THIS;
    }
},

// SAVE THE OLD TOGGLE FUNCTION
_TOGGLELE: jQuery.FN.TOGGLE,

TOGGLE: FUNCTION( FN, FN2 ){
    VAR BOOL = TYPEOF FN === "BOOLEAN";

    RETURN jQuery.ISFUNCTION(FN) && jQuery.ISFUNCTION(FN2) ?
        THIS._TOGGLE.APPLY( THIS, ARGUMENTS ) :
        FN === NULL || BOOL ?
            THIS.EACH(FUNCTION(){
                VAR STATE = BOOL ? FN : jQuery(THIS).IS(":HIDDEN");
                jQuery(THIS)[ STATE ? "SHOW" : "HIDE" ]();
            }) :
            THIS.ANIMATE(GENFX("TOGGLE", 3), FN, FN2);
},

FADETO: FUNCTION(SPEED,TO,CALLBACK){
    RETURN THIS.ANIMATE({OPACITY: TO}, SPEED, CALLBACK);
},

ANIMATE: FUNCTION( PROP, SPEED, EASING, CALLBACK ) {
    VAR OPTALL = jQuery.SPEED(SPEED, EASING, CALLBACK);

    RETURN THIS[ OPTALL.QUEUE === FALSE ? "EACH" : "QUEUE" ](FUNCTION(){

        VAR OPT = jQuery.EXTEND({}, OPTALL), P,
            HIDDEN = THIS.NODETYPE === 1 && jQuery(THIS).IS(":HIDDEN"),
            SELF = THIS;

        FOR ( P IN PROP ) {
            IF ( PROP[P] === "HIDE" && HIDDEN || PROP[P] === "SHOW" && !HIDDEN )
                RETURN OPT.COMPLETE.CALL(THIS);

            IF ( ( P === "HEIGHT" || P === "WIDTH" ) && THIS.STYLE ) {
                // STORE DISPLAY PROPERTY
                OPT.DISPLAY = jQuery.CSS(THIS, "DISPLAY");

                // MAKE SURE THAT NOTHING SNEAKS OUT
                OPT.OVERFLOW = THIS.STYLE.OVERFLOW;
            }
        }

        IF ( OPT.OVERFLOW !== NULL )
            THIS.STYLE.OVERFLOW = "HIDDEN";

        OPT.CURANIM = jQuery.EXTEND({}, PROP);

        jQuery.EACH( PROP, FUNCTION(NAME, VAL){
            VAR E = NEW jQuery.FX( SELF, OPT, NAME );

            IF ( /TOGGLE|SHOW|HIDE/.TEST(VAL) )
                E[ VAL === "TOGGLE" ? HIDDEN ? "SHOW" : "HIDE" : VAL ]( PROP );
            ELSE {

```

```

    VAR PARTS = VAL.TOSTRING().MATCH(/^( [+ ]=)?( [0+ ]+ )(.*)$/),
        START = E.CUR(TRUE) || 0;

    IF ( PARTS ) {
        VAR END = PARSEFLOAT(PARTS[2]),
            UNIT = PARTS[3] || "px";

        // WE NEED TO COMPUTE STARTING VALUE
        IF ( UNIT != "px" ) {
            SELF.STYLE[ NAME ] = (END || 1) + UNIT;
            START = ((END || 1) / E.CUR(TRUE)) * START;
            SELF.STYLE[ NAME ] = START + UNIT;
        }

        // IF A +/-= TOKEN WAS PROVIDED, WE'RE DOING A RELATIVE ANIMATION
        IF ( PARTS[1] )
            END = ((PARTS[1] == "-" ? -1 : 1) * END) + START;

        E.CUSTOM( START, END, UNIT );
    } ELSE
        E.CUSTOM( START, VAL, "" );

    });

    // FOR JS STRICT COMPLIANCE
    RETURN TRUE;
});

},

STOP: FUNCTION(CLEARQUEUE, GOTOEND){
    VAR TIMERS = JQUERY.TIMERS;

    IF (CLEARQUEUE)
        THIS.QUEUE([]);

    THIS.EACH(FUNCTION(){
        // GO IN REVERSE ORDER SO ANYTHING ADDED TO THE QUEUE DURING THE LOOP IS IGNORED
        FOR ( VAR I = TIMERS.LENGTH - 1; I >= 0; I-- )
            IF ( TIMERS[I].ELEM == THIS ) {
                IF (GOTOEND)
                    // FORCE THE NEXT STEP TO BE THE LAST
                    TIMERS[I](TRUE);
                TIMERS.SPLICE(I, 1);
            }
    });

    // START THE NEXT IN THE QUEUE IF THE LAST STEP WASN'T FORCED
    IF (!GOTOEND)
        THIS.DEQUEUE();

    RETURN THIS;
}

});

// GENERATE SHORTCUTS FOR CUSTOM ANIMATIONS
JQUERY.EACH({
    SLIDEDOWN: GENFX("SHOW", 1),
    SLIDEUP: GENFX("HIDE", 1),
    SLIDETOGGLE: GENFX("TOGGLE", 1),
    FADEIN: { OPACITY: "SHOW" },
    FADEOUT: { OPACITY: "HIDE" }
}, FUNCTION( NAME, PROPS ){
    JQUERY.FN[ NAME ] = FUNCTION( SPEED, CALLBACK ){
        RETURN THIS.ANIMATE( PROPS, SPEED, CALLBACK );
    };
});

JQUERY.EXTEND({

    SPEED: FUNCTION(SPEED, EASING, FN) {
        VAR OPT = TYPEOF SPEED === "OBJECT" ? SPEED : {
            COMPLETE: FN || !FN && EASING ||
                JQUERY.ISFUNCTION( SPEED ) && SPEED,
            DURATION: SPEED,
            EASING: FN && EASING || EASING && !JQUERY.ISFUNCTION(EASING) && EASING
        };

        OPT.DURATION = JQUERY.FX.OFF ? 0 : TYPEOF OPT.DURATION === "NUMBER" ? OPT.DURATION :
            JQUERY.FX.SPEEDS[OPT.DURATION] || JQUERY.FX.SPEEDS._DEFAULT;

        // QUEUEING
        OPT.OLD = OPT.COMPLETE;
        OPT.COMPLETE = FUNCTION(){
            IF ( OPT.QUEUE !== FALSE )
                JQUERY(THIS).DEQUEUE();
            IF ( JQUERY.ISFUNCTION( OPT.OLD ) )
                OPT.OLD.CALL( THIS );
        };

        RETURN OPT;
    },

    EASING: {

```

```

        LINEAR: FUNCTION( P, N, FIRSTNUM, DIFF ) {
            RETURN FIRSTNUM + DIFF * P;
        },
        SWING: FUNCTION( P, N, FIRSTNUM, DIFF ) {
            RETURN ((-MATH.COS(P*MATH.PI)/2) + 0.5) * DIFF + FIRSTNUM;
        }
    },
    TIMERS: [],

    FX: FUNCTION( ELEM, OPTIONS, PROP ){
        THIS.OPTIONS = OPTIONS;
        THIS.ELEM = ELEM;
        THIS.PROP = PROP;

        IF ( !OPTIONS.ORIG )
            OPTIONS.ORIG = {};
    }

});

jQuery.fx.prototype = {

    // SIMPLE FUNCTION FOR SETTING A STYLE VALUE
    UPDATE: FUNCTION(){
        IF ( THIS.OPTIONS.STEP )
            THIS.OPTIONS.STEP.CALL( THIS.ELEM, THIS.NOW, THIS );

        (jQuery.fx.step[THIS.PROP] || jQuery.fx.step._default)( THIS );

        // SET DISPLAY PROPERTY TO BLOCK FOR HEIGHT/WIDTH ANIMATIONS
        IF ( ( THIS.PROP == "HEIGHT" || THIS.PROP == "WIDTH" ) && THIS.ELEM.STYLE )
            THIS.ELEM.STYLE.DISPLAY = "BLOCK";
    },

    // GET THE CURRENT SIZE
    CUR: FUNCTION(FORCE){
        IF ( THIS.ELEM[THIS.PROP] != NULL && (!THIS.ELEM.STYLE || THIS.ELEM.STYLE[THIS.PROP] == NULL) )
            RETURN THIS.ELEM[ THIS.PROP ];

        VAR R = PARSEFLOAT(jQuery.css(THIS.ELEM, THIS.PROP, FORCE));
        RETURN R && R > -10000 ? R : PARSEFLOAT(jQuery.curCSS(THIS.ELEM, THIS.PROP)) || 0;
    },

    // START AN ANIMATION FROM ONE NUMBER TO ANOTHER
    CUSTOM: FUNCTION(FROM, TO, UNIT){
        THIS.STARTTIME = NOW();
        THIS.START = FROM;
        THIS.END = TO;
        THIS.UNIT = UNIT || THIS.UNIT || "px";
        THIS.NOW = THIS.START;
        THIS.POS = THIS.STATE = 0;

        VAR SELF = THIS;
        FUNCTION T(GOTOEND){
            RETURN SELF.STEP(GOTOEND);
        }

        T.ELEM = THIS.ELEM;

        IF ( T() && jQuery.timers.push(T) && !TIMERID ) {
            TIMERID = SETINTERVAL(FUNCTION(){
                VAR TIMERS = jQuery.timers;

                FOR ( VAR I = 0; I < TIMERS.LENGTH; I++ )
                    IF ( !TIMERS[I]() )
                        TIMERS.splice(--, 1);

                IF ( !TIMERS.LENGTH ) {
                    CLEARINTERVAL( TIMERID );
                    TIMERID = UNDEFINED;
                }
            }, 13);
        }
    },

    // SIMPLE 'SHOW' FUNCTION
    SHOW: FUNCTION(){
        // REMEMBER WHERE WE STARTED, SO THAT WE CAN GO BACK TO IT LATER
        THIS.OPTIONS.ORIG[THIS.PROP] = jQuery.attr( THIS.ELEM.STYLE, THIS.PROP );
        THIS.OPTIONS.SHOW = TRUE;

        // BEGIN THE ANIMATION
        // MAKE SURE THAT WE START AT A SMALL WIDTH/HEIGHT TO AVOID ANY
        // FLASH OF CONTENT
        THIS.CUSTOM(THIS.PROP == "WIDTH" || THIS.PROP == "HEIGHT" ? 1 : 0, THIS.CUR());

        // START BY SHOWING THE ELEMENT
        jQuery(THIS.ELEM).show();
    },

    // SIMPLE 'HIDE' FUNCTION
    HIDE: FUNCTION(){
        // REMEMBER WHERE WE STARTED, SO THAT WE CAN GO BACK TO IT LATER
    }
};

```

```

THIS.OPTIONS.ORIG[THIS.PROP] = JQUERY.ATTR( THIS.ELEM.STYLE, THIS.PROP );
THIS.OPTIONS.HIDE = TRUE;

// BEGIN THE ANIMATION
THIS.CUSTOM(THIS.CUR(), 0);
},

// EACH STEP OF AN ANIMATION
STEP: FUNCTION(GOTOEND){
    VAR T = NOW();

    IF ( GOTOEND || T >= THIS.OPTIONS.DURATION + THIS.STARTTIME ) {
        THIS.NOW = THIS.END;
        THIS.POS = THIS.STATE = 1;
        THIS.UPDATE();

        THIS.OPTIONS.CURANIM[ THIS.PROP ] = TRUE;

        VAR DONE = TRUE;
        FOR ( VAR I IN THIS.OPTIONS.CURANIM )
            IF ( THIS.OPTIONS.CURANIM[I] !== TRUE )
                DONE = FALSE;

        IF ( DONE ) {
            IF ( THIS.OPTIONS.DISPLAY !== NULL ) {
                // RESET THE OVERFLOW
                THIS.ELEM.STYLE.OVERFLOW = THIS.OPTIONS.OVERFLOW;

                // RESET THE DISPLAY
                THIS.ELEM.STYLE.DISPLAY = THIS.OPTIONS.DISPLAY;
                IF ( JQUERY.CSS(THIS.ELEM, "DISPLAY") == "NONE" )
                    THIS.ELEM.STYLE.DISPLAY = "BLOCK";
            }

            // HIDE THE ELEMENT IF THE "HIDE" OPERATION WAS DONE
            IF ( THIS.OPTIONS.HIDE )
                JQUERY(THIS.ELEM).HIDE();

            // RESET THE PROPERTIES, IF THE ITEM HAS BEEN HIDDEN OR SHOWN
            IF ( THIS.OPTIONS.HIDE || THIS.OPTIONS.SHOW )
                FOR ( VAR P IN THIS.OPTIONS.CURANIM )
                    JQUERY.ATTR(THIS.ELEM.STYLE, P, THIS.OPTIONS.ORIG[P]);

            // EXECUTE THE COMPLETE FUNCTION
            THIS.OPTIONS.COMPLETE.CALL( THIS.ELEM );
        }

        RETURN FALSE;
    } ELSE {
        VAR N = T - THIS.STARTTIME;
        THIS.STATE = N / THIS.OPTIONS.DURATION;

        // PERFORM THE EASING FUNCTION, DEFAULTS TO SWING
        THIS.POS = JQUERY.EASING[THIS.OPTIONS.EASING || (JQUERY.EASING.SWING ? "SWING" : "LINEAR"])(THIS.STATE, n, 0, 1, THIS.OPTIONS.DURATION);
        THIS.NOW = THIS.START + ((THIS.END - THIS.START) * THIS.POS);

        // PERFORM THE NEXT STEP OF THE ANIMATION
        THIS.UPDATE();
    }

    RETURN TRUE;
}

};

JQUERY.EXTEND(JQUERY.FX, {
    SPEEDS: {
        SLOW: 600,
        FAST: 200,
        // DEFAULT SPEED
        _DEFAULT: 400
    },
    STEP: {
        OPACITY: FUNCTION(FX){
            JQUERY.ATTR(FX.ELEM.STYLE, "OPACITY", FX.NOW);
        },
        _DEFAULT: FUNCTION(FX){
            IF ( FX.ELEM.STYLE && FX.ELEM.STYLE[ FX.PROP ] !== NULL )
                FX.ELEM.STYLE[ FX.PROP ] = FX.NOW + FX.UNIT;
            ELSE
                FX.ELEM[ FX.PROP ] = FX.NOW;
        }
    }
});

IF ( DOCUMENT.DOCUMENTELEMENT["GETBOUNDCIENTRECT"] )
    JQUERY.FN.OFFSET = FUNCTION() {
        IF ( !THIS[0] ) RETURN { TOP: 0, LEFT: 0 };
        IF ( THIS[0] === THIS[0].OWNERDOCUMENT.BODY ) RETURN JQUERY.OFFSET.BODYOFFSET( THIS[0] );
        VAR BOX = THIS[0].GETBOUNDCIENTRECT(), DOC = THIS[0].OWNERDOCUMENT, BODY = DOC.BODY, DOC.ELEM = DOC.DOCUMENTELEMENT,
            CLIENTTOP = DOC.ELEM.CLIENTTOP || BODY.CLIENTTOP || 0, CLIENTLEFT = DOC.ELEM.CLIENTLEFT || BODY.CLIENTLEFT || 0,
            TOP = BOX.TOP + (SELF.PAGEYOFFSET || JQUERY.BOXMODEL && DOC.ELEM.SCROLLTOP || BODY.SCROLLTOP ) - CLIENTTOP,
            LEFT = BOX.LEFT + (SELF.PAGEXOFFSET || JQUERY.BOXMODEL && DOC.ELEM.SCROLLLEFT || BODY.SCROLLLEFT ) - CLIENTLEFT;
    }
};

```

```

        RETURN { TOP: TOP, LEFT: LEFT };
    };

    ELSE
    jQuery.fn.offset = function() {
        IF ( !THIS[0] ) RETURN { TOP: 0, LEFT: 0 };
        IF ( THIS[0] === THIS[0].OWNERDOCUMENT.BODY ) RETURN jQuery.offset.bodyOffset( THIS[0] );
        jQuery.offset.initialized || jQuery.offset.initialize();

        VAR ELEM = THIS[0], OFFSETPARENT = ELEM.OFFSETPARENT, PREVOffsetPARENT = ELEM,
            DOC = ELEM.OWNERDOCUMENT, COMPUTEDSTYLE, DOC_ELEM = DOC.DOCUMENTELEMENT,
            BODY = DOC.BODY, DEFAULTVIEW = DOC.DEFAULTVIEW,
            PREVCOMPUTEDSTYLE = DEFAULTVIEW.GETCOMPUTEDSTYLE(ELEM, NULL),
            TOP = ELEM.OFFSETTOP, LEFT = ELEM.OFFSETLEFT;

        WHILE ( (ELEM = ELEM.PARENTNODE) && ELEM !== BODY && ELEM !== DOC_ELEM ) {
            COMPUTEDSTYLE = DEFAULTVIEW.GETCOMPUTEDSTYLE(ELEM, NULL);
            TOP -= ELEM.SCROLLTOP, LEFT -= ELEM.SCROLLLEFT;
            IF ( ELEM === OFFSETPARENT ) {
                TOP += ELEM.OFFSETTOP, LEFT += ELEM.OFFSETLEFT;
                IF ( jQuery.offset.doesNotAddBorder && !(jQuery.offset.doesAddBorderForTableAndCells && /^t(able|d|h)$/i.test(ELEM.TAGNAME)) )
                    TOP += parseInt( COMPUTEDSTYLE.BORDERTOPWIDTH, 10 ) || 0,
                    LEFT += parseInt( COMPUTEDSTYLE.BORDERLEFTWIDTH, 10 ) || 0;
                PREVOffsetPARENT = OFFSETPARENT, OFFSETPARENT = ELEM.OFFSETPARENT;
            }
            IF ( jQuery.offset.subtractsBorderForOverflowNotVisible && COMPUTEDSTYLE.OVERFLOW !== "visible" )
                TOP += parseInt( COMPUTEDSTYLE.BORDERTOPWIDTH, 10 ) || 0,
                LEFT += parseInt( COMPUTEDSTYLE.BORDERLEFTWIDTH, 10 ) || 0;
            PREVCOMPUTEDSTYLE = COMPUTEDSTYLE;
        }

        IF ( PREVCOMPUTEDSTYLE.POSITION === "relative" || PREVCOMPUTEDSTYLE.POSITION === "static" )
            TOP += BODY.OFFSETTOP,
            LEFT += BODY.OFFSETLEFT;

        IF ( PREVCOMPUTEDSTYLE.POSITION === "fixed" )
            TOP += Math.max(DOC_ELEM.SCROLLTOP, BODY.SCROLLTOP),
            LEFT += Math.max(DOC_ELEM.SCROLLLEFT, BODY.SCROLLLEFT);

        RETURN { TOP: TOP, LEFT: LEFT };
    };

    jQuery.offset = {
        initialize: function() {
            IF ( THIS.INITIALIZED ) RETURN;
            VAR BODY = DOCUMENT.BODY, CONTAINER = DOCUMENT.CREATEELEMENT('div'), INNERDIV, CHECKDIV, TABLE, TD, RULES, PROP, BODYMARGINTOP = BODY.STYLE.MARGINTOP,
                HTML = '<div style="position:absolute;top:0;left:0;margin:0;border:5px solid #000;padding:0;width:1px;height:1px;"><div></div></div><table
            style="position:absolute;top:0;left:0;margin:0;border:5px solid #000;padding:0;width:1px;height:1px;" cellpadding="0" cellspacing="0"><tr><td></td></tr></table>';

            RULES = { position: 'absolute', top: 0, left: 0, margin: 0, border: 0, width: '1px', height: '1px', visibility: 'hidden' };
            FOR ( PROP IN RULES ) CONTAINER.STYLE[PROP] = RULES[PROP];

            CONTAINER.INNERHTML = HTML;
            BODY.INSERTBEFORE(CONTAINER, BODY.FIRSTCHILD);
            INNERDIV = CONTAINER.FIRSTCHILD, CHECKDIV = INNERDIV.FIRSTCHILD, TD = INNERDIV.NEXTSIBLING.FIRSTCHILD.FIRSTCHILD;

            THIS.DOESNOTADD BORDER = (CHECKDIV.OFFSETTOP !== 5);
            THIS.DOESADD BORDERFOR TABLEAND CELLS = (TD.OFFSETTOP === 5);

            INNERDIV.STYLE.OVERFLOW = 'hidden', INNERDIV.STYLE.POSITION = 'relative';
            THIS.SUBTRACTSBORDERFOR OVERFLOWNOT VISIBLE = (CHECKDIV.OFFSETTOP === -5);

            BODY.STYLE.MARGINTOP = '1px';
            THIS.DOESNOTINCLUDEMARGININBODYOFFSET = (BODY.OFFSETTOP === 0);
            BODY.STYLE.MARGINTOP = BODYMARGINTOP;

            BODY.REMOVECHILD(CONTAINER);
            THIS.INITIALIZED = TRUE;
        },

        bodyOffset: function(BODY) {
            jQuery.offset.initialized || jQuery.offset.initialize();
            VAR TOP = BODY.OFFSETTOP, LEFT = BODY.OFFSETLEFT;
            IF ( jQuery.offset.doesNotIncludeMarginInBodyOffset )
                TOP += parseInt( jQuery.curCSS(BODY, 'marginTop', TRUE), 10 ) || 0,
                LEFT += parseInt( jQuery.curCSS(BODY, 'marginLeft', TRUE), 10 ) || 0;
            RETURN { TOP: TOP, LEFT: LEFT };
        }
    };

    jQuery.fn.extend({
        position: function() {
            VAR LEFT = 0, TOP = 0, RESULTS;

            IF ( THIS[0] ) {
                // GET *REAL* OFFSETPARENT
                VAR OFFSETPARENT = THIS.OFFSETPARENT(),

                // GET CORRECT OFFSETS
                OFFSET = THIS.OFFSET(),
                PARENTOFFSET = /^body|html$/i.test(OFFSETPARENT[0].TAGNAME) ? { TOP: 0, LEFT: 0 } : OFFSETPARENT.OFFSET();

                // SUBTRACT ELEMENT MARGINS
                // NOTE: WHEN AN ELEMENT HAS MARGIN: AUTO THE OFFSETLEFT AND MARGINLEFT
            }
        }
    });

```

```

// ARE THE SAME IN SAFARI CAUSING OFFSET.LEFT TO INCORRECTLY BE 0
OFFSET.TOP -= NUM( THIS, 'MARGINTOP' );
OFFSET.LEFT -= NUM( THIS, 'MARGINLEFT' );

// ADD OFFSETPARENT BORDERS
PARENTOFFSET.TOP += NUM( OFFSETPARENT, 'BORTERTOPWIDTH' );
PARENTOFFSET.LEFT += NUM( OFFSETPARENT, 'BORTERLEFTWIDTH' );

// SUBTRACT THE TWO OFFSETS
RESULTS = {
    TOP: OFFSET.TOP - PARENTOFFSET.TOP,
    LEFT: OFFSET.LEFT - PARENTOFFSET.LEFT
};
}

RETURN RESULTS;
},

OFFSETPARENT: FUNCTION() {
    VAR OFFSETPARENT = THIS[0].OFFSETPARENT || DOCUMENT.BODY;
    WHILE ( OFFSETPARENT && (!/^BODY|HTML$/i.TEST(OFFSETPARENT.TAGNAME) && JQUERY.CSS(OFFSETPARENT, 'POSITION') == 'STATIC' ) )
        OFFSETPARENT = OFFSETPARENT.OFFSETPARENT;
    RETURN JQUERY(OFFSETPARENT);
}
});

// CREATE SCROLLLEFT AND SCROLLTOP METHODS
JQUERY.EACH( ['LEFT', 'TOP'], FUNCTION(I, NAME) {
    VAR METHOD = 'SCROLL' + NAME;

    JQUERY.FN[ METHOD ] = FUNCTION(VAL) {
        IF (!THIS[0]) RETURN NULL;

        RETURN VAL !== UNDEFINED ?

            // SET THE SCROLL OFFSET
            THIS.EACH(FUNCTION() {
                THIS == WINDOW || THIS == DOCUMENT ?
                    WINDOW.SCROLLTO(
                        !I ? VAL : JQUERY(WINDOW).SCROLLLEFT(),
                        I ? VAL : JQUERY(WINDOW).SCROLLTOP()
                    ) :
                    THIS[ METHOD ] = VAL;
            }) :

            // RETURN THE SCROLL OFFSET
            THIS[0] == WINDOW || THIS[0] == DOCUMENT ?
                SELF[ I ? 'PAGEYOFFSET' : 'PAGEXOFFSET' ] ||
                JQUERY.BOXMODEL && DOCUMENT.DOCUMENTELEMENT[ METHOD ] ||
                DOCUMENT.BODY[ METHOD ] :
                THIS[0][ METHOD ];
        };
});

// CREATE INNERHEIGHT, INNERWIDTH, OUTERHEIGHT AND OUTERWIDTH METHODS
JQUERY.EACH( [ "HEIGHT", "WIDTH" ], FUNCTION(I, NAME){

    VAR TL = I ? "LEFT" : "TOP", // TOP OR LEFT
        BR = I ? "RIGHT" : "BOTTOM", // BOTTOM OR RIGHT
        LOWER = NAME.TOLOWERCASE();

    // INNERHEIGHT AND INNERWIDTH
    JQUERY.FN["INNER" + NAME] = FUNCTION(){
        RETURN THIS[0] ?
            JQUERY.CSS( THIS[0], LOWER, FALSE, "PADDING" ) :
            NULL;
    };

    // OUTERHEIGHT AND OUTERWIDTH
    JQUERY.FN["OUTER" + NAME] = FUNCTION(MARGIN) {
        RETURN THIS[0] ?
            JQUERY.CSS( THIS[0], LOWER, FALSE, MARGIN ? "MARGIN" : "BORDER" ) :
            NULL;
    };

    VAR TYPE = NAME.TOLOWERCASE();

    JQUERY.FN[ TYPE ] = FUNCTION( SIZE ) {
        // GET WINDOW WIDTH OR HEIGHT
        RETURN THIS[0] == WINDOW ?
            // EVERYONE ELSE USE DOCUMENT.DOCUMENTELEMENT OR DOCUMENT.BODY DEPENDING ON QUIRKS VS STANDARDS MODE
            DOCUMENT.COMPATMODE == "CSS1COMPAT" && DOCUMENT.DOCUMENTELEMENT[ "CLIENT" + NAME ] ||
            DOCUMENT.BODY[ "CLIENT" + NAME ] :

            // GET DOCUMENT WIDTH OR HEIGHT
            THIS[0] == DOCUMENT ?
                // EITHER SCROLL[WIDTH/HEIGHT] OR OFFSET[WIDTH/HEIGHT], WHICHEVER IS GREATER
                MATH.MAX(
                    DOCUMENT.DOCUMENTELEMENT["CLIENT" + NAME],
                    DOCUMENT.BODY["SCROLL" + NAME], DOCUMENT.DOCUMENTELEMENT["SCROLL" + NAME],
                    DOCUMENT.BODY["OFFSET" + NAME], DOCUMENT.DOCUMENTELEMENT["OFFSET" + NAME]
                ) :

            // GET OR SET WIDTH OR HEIGHT ON THE ELEMENT

```



```

        SIZE === UNDEFINED ?
        // GET WIDTH OR HEIGHT ON THE ELEMENT
        (THIS.LENGTH ? JQUERY.CSS( THIS[0], TYPE ) : NULL) :

        // SET THE WIDTH OR HEIGHT ON THE ELEMENT (DEFAULT TO PIXELS IF VALUE IS UNITLESS)
        THIS.CSS( TYPE, TYPEOF SIZE === "STRING" ? SIZE : SIZE + "PX" );

    });

});
})();

JS/FORMVAL.JS

VAR NBSPP = 160; // NON-BREAKING SPACE CHAR
VAR NODE_TEXT = 3; // DOM TEXT NODE-TYPE
VAR EMPTYSTRING = /^\\s*$/;
VAR GLOBAL_VALFIELD; // RETAIN VALFIELD FOR TIMER THREAD

FUNCTION TRIM(STR)
{
    RETURN STR.REPLACE(/^\\s+|\\s+$/g, "");
}

FUNCTION SETFOCUSDELAYED()
{
    GLOBAL_VALFIELD.FOCUS();
}

FUNCTION SETFOCUS(VALFIELD)
{
    GLOBAL_VALFIELD = VALFIELD;
    SETTIMEOUT( 'SETFOCUSDELAYED()', 100 );
}

FUNCTION MSG(FLD, // ID OF ELEMENT TO DISPLAY MESSAGE IN
MSGTYPE, // CLASS TO GIVE ELEMENT ("WARN" OR "ERROR")
MESSAGE) // STRING TO DISPLAY
{
    VAR DISPMESSAGE;
    IF (EMPTYSTRING.TEST(MESSAGE))
        DISPMESSAGE = STRING.FROMCHARCODE(NBSPP);
    ELSE
        DISPMESSAGE = MESSAGE;

    VAR ELEM = DOCUMENT.GETELEMENTBYID(FLD);
    ELEM.FIRSTCHILD.NODEVALUE = DISPMESSAGE;

    ELEM.CLASSNAME = MSGTYPE; // SET THE CSS CLASS TO ADJUST APPEARANCE OF MESSAGE
}

VAR PROCEED = 2;

FUNCTION COMMONCHECK (VALFIELD, // ELEMENT TO BE VALIDATED
INFOFIELD, // ID OF ELEMENT TO RECEIVE INFO/ERROR MSG
REQUIRED) // TRUE IF REQUIRED
{
    IF (!DOCUMENT.GETELEMENTBYID)
        RETURN TRUE; // NOT AVAILABLE ON THIS BROWSER - LEAVE VALIDATION TO THE SERVER
    VAR ELEM = DOCUMENT.GETELEMENTBYID(INFOFIELD);
    IF (!ELEM.FIRSTCHILD) RETURN TRUE; // NOT AVAILABLE ON THIS BROWSER
    IF (ELEM.FIRSTCHILD.NODETYPE !== NODE_TEXT) RETURN TRUE; // INFOFIELD IS WRONG TYPE OF NODE

    IF (EMPTYSTRING.TEST(VALFIELD.VALUE)) {
        IF (REQUIRED) {
            MSG (INFOFIELD, "ERROR", "REQUIRED FIELD");
            SETFOCUS(VALFIELD);
            RETURN FALSE;
        }
        ELSE {
            MSG (INFOFIELD, "WARN", ""); // OK
            RETURN TRUE;
        }
    }
    RETURN PROCEED;
}

FUNCTION VALIDATEPRESENT(VALFIELD, // ELEMENT TO BE VALIDATED
INFOFIELD, // ID OF ELEMENT TO RECEIVE INFO/ERROR MSG
REQUIRED)
{
    VAR STAT = COMMONCHECK (VALFIELD, INFOFIELD, REQUIRED);
    IF (STAT !== PROCEED) RETURN STAT;

    MSG (INFOFIELD, "WARN", "");
    RETURN TRUE;
}

FUNCTION VALIDATEEMAIL (VALFIELD, // ELEMENT TO BE VALIDATED
INFOFIELD, // ID OF ELEMENT TO RECEIVE INFO/ERROR MSG
REQUIRED) // TRUE IF REQUIRED
{
    VAR STAT = COMMONCHECK (VALFIELD, INFOFIELD, REQUIRED);
    IF (STAT !== PROCEED) RETURN STAT;
}

```

```

VAR TFLD = TRIM(VALFIELD.VALUE); // VALUE OF FIELD WITH WHITESPACE TRIMMED OFF
VAR EMAIL = /^[^@]+@[^@]+\.[^@]*\w\w$/ ;
IF (!EMAIL.TEST(TFLD)) {
    MSG (INFOFIELD, "ERROR", "NOT VALID EMAIL ADDRESS.");
    SETFOCUS(VALFIELD);
    RETURN FALSE;
}

VAR EMAIL2 = /^[A-Za-z][\w.-]+@\w[\w.-]+\.[\w.-]*[A-Za-z][A-Za-z]$/ ;
IF (!EMAIL2.TEST(TFLD))
    MSG (INFOFIELD, "WARN", "UNUSUAL EMAIL ADDRESS - CHECK IF CORRECT");
ELSE
    MSG (INFOFIELD, "WARN", "");
RETURN TRUE;
}

FUNCTION AltEmailValidate ( VALFIELD, // ELEMENT TO BE VALIDATED
    INFOFIELD, // ID OF ELEMENT TO RECEIVE INFO/ERROR MSG
    REQUIRED) // TRUE IF REQUIRED
{
    VAR STAT = VALIDATEEMAIL (VALFIELD, INFOFIELD, REQUIRED);
    IF (STAT != TRUE) RETURN STAT;
    IF (REGISTRATIONFORM.EMAILADDRESS.VALUE==REGISTRATIONFORM.ALTEMAILADDRESS.VALUE){
        MSG (INFOFIELD, "ERROR", "ALTERNATE EMAIL INVALID.");
        SETFOCUS(VALFIELD);
        RETURN FALSE;
    }
    RETURN TRUE;
}

FUNCTION VALIDATEPASSWORD (VALFIELD, // ELEMENT TO BE VALIDATED
    INFOFIELD, // ID OF ELEMENT TO RECEIVE INFO/ERROR MSG
    REQUIRED) // TRUE IF REQUIRED
{
    VAR STAT = COMMONCHECK (VALFIELD, INFOFIELD, REQUIRED);
    IF (STAT != PROCEED) RETURN STAT;
    IF (REGISTRATIONFORM.PASSWORD.VALUE.LENGTH < 8){
        MSG (INFOFIELD, "ERROR", "PASSWORD TOO SHORT");
        SETFOCUS(VALFIELD);
        RETURN FALSE;
    }
    ELSE
        MSG (INFOFIELD, "WARN", "");
    RETURN TRUE;
}

FUNCTION CONFIRMPASSWORDVALIDATE (VALFIELD, // ELEMENT TO BE VALIDATED
    INFOFIELD, // ID OF ELEMENT TO RECEIVE INFO/ERROR MSG
    REQUIRED) // TRUE IF REQUIRED
{
    VAR STAT = VALIDATEPASSWORD (VALFIELD, INFOFIELD, REQUIRED);
    IF (STAT != TRUE) RETURN STAT;
    IF (REGISTRATIONFORM.PASSWORD.VALUE!=REGISTRATIONFORM.CONFPASSWORD.VALUE){
        MSG (INFOFIELD, "ERROR", "PASSWORDS DO NOT MATCH.");
        SETFOCUS(VALFIELD);
        RETURN FALSE;
    }
    RETURN TRUE;
}

FUNCTION VALIDATENUMBER (VALFIELD, // ELEMENT TO BE VALIDATED
    INFOFIELD, // ID OF ELEMENT TO RECEIVE INFO/ERROR MSG
    REQUIRED) // TRUE IF REQUIRED
{
    VAR STAT = COMMONCHECK (VALFIELD, INFOFIELD, REQUIRED);
    IF (STAT != PROCEED) RETURN STAT;

    VAR TFLD = TRIM(VALFIELD.VALUE); // VALUE OF FIELD WITH WHITESPACE TRIMMED OFF
    VAR TELNR = /^[^+]?[0-9 (-)]+[0-9]$/ ;
    IF (!TELNR.TEST(TFLD)) {
        MSG (INFOFIELD, "ERROR", "NOT A VALID NUMBER.");
        SETFOCUS(VALFIELD);
        RETURN FALSE;
    }

    VAR NUMDIGITS = 0;
    FOR (VAR J=0; J<TFLD.LENGTH; J++)
        IF (TFLD.CHARAT(J)>='0' && TFLD.CHARAT(J)<='9') NUMDIGITS++;

    IF (NUMDIGITS<12) {
        MSG (INFOFIELD, "ERROR", " " + NUMDIGITS + " DIGITS - TOO SHORT");
        SETFOCUS(VALFIELD);
        RETURN FALSE;
    }

    IF (NUMDIGITS>14)
        MSG (INFOFIELD, "WARN", NUMDIGITS + " DIGITS - CHECK IF CORRECT");
    ELSE {
        IF (NUMDIGITS<11)
            MSG (INFOFIELD, "WARN", "ONLY " + NUMDIGITS + " DIGITS - CHECK IF CORRECT");
        ELSE
            MSG (INFOFIELD, "WARN", "");
    }
}

```

```
RETURN TRUE;
}

FUNCTION VALIDATERANGE (VALFIELD, // ELEMENT TO BE VALIDATED
INFOFIELD, // ID OF ELEMENT TO RECEIVE INFO/ERROR MSG
REQUIRED) // TRUE IF REQUIRED
{
VAR STAT = COMMONCHECK (VALFIELD, INFOFIELD, REQUIRED);
IF (STAT != PROCEED) RETURN STAT;

VAR TFLD = TRIM(VALFIELD.VALUE); // VALUE OF FIELD WITH WHITESPACE TRIMMED OFF
VAR TELNR = /^[0-9]+$//;
IF (!TELNR.TEST(TFLD)) {
MSG (INFOFIELD, "ERROR", "NOT A VALID NUMBER.");
SETFOCUS(VALFIELD);
RETURN FALSE;
}
RETURN TRUE;
}
```

```
FUNCTION VALIDATECONFIRM (VALFIELD, INFOFIELD) // ID OF ELEMENT TO RECEIVE INFO/ERROR MSG
{
IF(REGISTRATIONFORM.AGREEMENT.CHECKED == FALSE){
//ALERT("PLEASE CHECK");
MSG (INFOFIELD, "ERROR", "ALERT");
RETURN FALSE;
}
ELSE
RETURN TRUE;
}
```

JS/CAROUSEL.JS

```
/*
* JQUERY TOOLS 1.2.5 - THE MISSING UI LIBRARY FOR THE WEB
*
* [TOOLBOX.FLASHEMBED, TOOLBOX.HISTORY, TOOLBOX.EXPOSE, TOOLBOX.MOUSEWHEEL, TABS, TABS.SLIDESHOW, TOOL TIP, TOOL TIP.SLIDE, TOOL TIP.DYNAMIC, SCROLLABLE, SCROLLABLE.AUTOSCROLL, SCROLLABLE.NAVIGATOR,
OVERLAY, OVERLAY.APPLE, DATEINPUT, RANGEINPUT, VALIDATOR]
*
* NO COPYRIGHTS OR LICENSES. DO WHAT YOU LIKE.
*
* HTTP://FLOWPLAYER.ORG/TOOLS/
*
* JOQUERY.EVENT.WHEEL.JS - REV 1
* COPYRIGHT (c) 2008, THREE DUB MEDIA (HTTP://THREEDUBMEDIA.COM)
* LICENSED UNDER THE MIT LICENSE (MIT-LICENSE.TXT)
* HTTP://WWW.OPENSOURCE.ORG/LICENSES/MIT-LICENSE.PHP
* CREATED: 2008-07-01 | UPDATED: 2008-07-14
*
* -----
*
* FILE GENERATED: WED SEP 22 06:12:53 GMT 2010
*/
```

```
(FUNCTION() { FUNCTION F(A,B) { IF(B)FOR(VAR C IN B)IF(B.HASOWNPROPERTY(C))[C]=B[C];RETURN A} FUNCTION L(A,B) { VAR C=[];FOR(VAR D IN A)IF(A.HASOWNPROPERTY(D))C[D]=B(A[D]);RETURN C} FUNCTION M(A,B,C)
{ IF(E.ISSUPPORTED(B.VERSION))A.INNERHTML=E.GETHTML(B,C);ELSE IF(B.EXPRESSINSTALL&&E.ISSUPPORTED({6.65}))A.INNERHTML=E.GETHTML(F(B, {SRC:B.EXPRESSINSTALL}),
{MMREDIRECTURL:LOCATION.HREF,MMPLAYERTYPE:"PLUGIN",MMDOCTITLE:DOCUMENT.TITLE});ELSE IF(!A.INNERHTML.REPLACE(/S/g,"")){A.INNERHTML="<h2>FLASH VERSION "+B.VERSION+"
OR GREATER IS REQUIRED</h2><h3>"+(G[0]>0?"YOUR VERSION IS "+G:"YOU HAVE NO FLASH PLUGIN INSTALLED")+"</h3>"+(A.TAGNAME=="A"?""<p>CLICK HERE TO DOWNLOAD LATEST
VERSION</p>":"<p>DOWNLOAD LATEST VERSION FROM <A HREF=""+">HERE</A></p>");IF(A.TAGNAME=="A").ONCLICK=FUNCTION() { LOCATION.HREF=K} } IF(B.ONFAIL) { VAR
D=B.ONFAIL.CALL(THIS);IF(TYPEOF D=="STRING")A.INNERHTML=D} } IF(!WINDOW[B.ID]=DOCUMENT.GETELEMENTBYID(B.ID);F(THIS, {GETROOT:FUNCTION() { RETURN A },GETOPTIONS:FUNCTION() { RETURN
B },GETCONF:FUNCTION() { RETURN C },
GETAPI:FUNCTION() { RETURN A.FIRSTCHILD } }) VAR I=DOCUMENT.ALL,K="HTTP://WWW.ADOBE.COM/GO/GETFLASHPLAYER",N=TYPEOF JQUERY=="FUNCTION",O=/(\d+)[^\d]+(\d+)(
[\^ \d]* (\d*))/,J="width:100%,height:100%,id:"+" + (" + Math.RANDOM(1)).SLICE(9),ALLOWFULLSCREEN:TRUE,ALLOWSCRIPTACCESS:"ALWAYS",QUALITY:"HIGH",VERSION:
[3,0],ONFAIL:NULL,EXPRESSINSTALL:NULL,W3C:FALSE,CACHEBUSTING:FALSE};WINDOW.ATTACHEVENT&&WINDOW.ATTACHEVENT("ONBEFOREUNLOAD",FUNCTION() { _FLASH_UNLOADHANDLER=FUNCTION()
{ }; _FLASH_SAVEDUNLOADHANDLER=FUNCTION() {} });
```

```
WINDOW.FLASHEMBED=FUNCTION(A,B,C) { IF(TYPEOF A=="STRING")A=DOCUMENT.GETELEMENTBYID(A.REPLACE("#",""));IF(A) { IF(TYPEOF B=="STRING")B={SRC:B};RETURN NEW M(A,F(F({}),I),B),C)};VAR
E=F(WINDOW.FLASHEMBED, { CONF:J,GETVERSION:FUNCTION() { VAR A,B;TRY { B=NAVIGATOR.PLUGINS["SHOCKWAVE.FLASH"].DESCRIPTION.SLICE(16)} CATCH(C) { TRY { B=(A=NEW
ACTIVEXObject("ShockwaveFlash.ShockwaveFlash.7"))&&A.GetVariable("$VERSION")} CATCH(D) { TRY { B=(A=NEW
ACTIVEXObject("ShockwaveFlash.ShockwaveFlash.6"))&&A.GetVariable("$VERSION")} CATCH(H) { } } } } RETURN(B=
O.EXEC(B))?[B[1],B[3]][:0,0]},ASSTRING:FUNCTION(A) { IF(A==NULL||A==UNDEFINED)RETURN NULL;VAR B=TYPEOF A;IF(B=="OBJECT"&&A.PUSH=="ARRAY");SWITCH(B){ CASE "STRING":A=A.REPLACE(NEW
REGEXP(/["\\\\"], "g"), "\\$1");A=A.REPLACE(/^[^s?(\d+\.?)+%/, "$1PCT");RETURN ""+A+""; CASE "ARRAY":RETURN [" "+L(A,FUNCTION(D){ RETURN E.ASSTRING(D)}).JOIN(",")+""]; CASE
"FUNCTION":RETURN "FUNCTION()"; CASE "OBJECT":B=[];FOR(VAR C IN A).HASOWNPROPERTY(C)&&B.PUSH(""+C+"":+E.ASSTRING(A[C]));RETURN [" "+B.JOIN(",")+""]; RETURN STRING(A).REPLACE(/S/g,
" ").REPLACE(/G,""),GETHTML:FUNCTION(A,B) { A=F({ },A);VAR C='<OBJECT WIDTH="" + A.WIDTH + "" HEIGHT="" + A.HEIGHT + "" ID="" + A.ID + ""
NAME="" + A.ID + ""';IF(A.CACHEBUSTING)A.SRC+=(A.SRC.INDEXOF("?!-?&".?"") + Math.RANDOM(1))C += A.W3C[!?!? DATA="" + A.SRC + "" TYPE="" APPLICATION/X-SHOCKWAVE-FLASH":'
CLASSID=D27CDB6E-AE6D-11CF-96B8-444553540000";C += ">";IF(A.W3C[!])C += '<PARAM NAME="" + A.SRC + ""
/>';A.WIDTH=A.HEIGHT=A.ID=A.W3C=A.SRC=NULL;A.ONFAIL=A.VERSION=A.EXPRESSINSTALL=NULL;FOR(VAR D IN A)IF(A[D])C +=
'<PARAM NAME="" + D + "" VALUE="" + A[D] + "" />';A=""';IF(B) { FOR(VAR H IN B)IF(B[H]) { D=B[H];A += H + "" = +(FUNCTION(OBJECT).TEST(TYPEOF D)?E.ASSTRING(D):D) + "&" + A.SLICE(0,-1);C += '<PARAM
NAME="" + FLASHVARS + "" VALUE="" + A + "" />';C += '</OBJECT>';RETURN C }; ISUPPORTED:FUNCTION(A) { RETURN G[0]>A[0]||G[0]==A[0]&&G[1]>=A[1] }; G=E.GETVERSION();IF(N)
{ JQUERY.TOOLS=JQUERY.TOOLS||{VERSION:"1.2.5"};JQUERY.TOOLS.FLASHEMBED={CONF:J};JQUERY.FN.FLASHEMBED=FUNCTION(A,B) { RETURN THIS.EACH(FUNCTION() { $(THIS).DATA("FLASHEMBED",FLASHEMBED(THIS,
A,B)) }); });
(FUNCTION(B) { FUNCTION H(C) { IF(C) { VAR A=D.CONTENTWINDOW.DOCUMENT;A.OPEN().CLOSE();A.LOCATION.HASH=C } VAR G,D,F,I;B.TOOLS=B.TOOLS||{VERSION:"1.2.5"};B.TOOLS.HISTORY={INIT:FUNCTION(C) { IF(!I)
{ IF(B.BROWSER.MSIE&&B.BROWSER.VERSION<"8") { IF(!D) { D=B("<iframe/>").ATTR("SRC","JAVASCRIPT:FALSE").HIDE().GET(0);B("BODY").APPEND(D);SETINTERVAL(FUNCTION() { VAR
A=D.CONTENTWINDOW.DOCUMENT;A=A.LOCATION.HASH;G!=A&&B.EVENT.TRIGGER("HASH",A)},100);H(LOCATION.HASH||"#")} } ELSE SETINTERVAL(FUNCTION() { VAR A=LOCATION.HASH;
A!=G&&B.EVENT.TRIGGER("HASH",A)},100);IF(!?C.F.ADD(C).CLICK(FUNCTION(A) { VAR E=B(THIS).ATTR("HREF");D&&H(E);IF(E.SLICE(0,1)!="#") { LOCATION.HREF="#" + E;RETURN
A.PREVENTDEFAULT() });};TRUE} };B(WINDOW).BIND("HASH",FUNCTION(C,A) { A?F.FILTER(FUNCTION() { VAR E=B(THIS).ATTR("HREF");RETURN E==A||E==A.REPLACE("#","").TRIGGER("HISTORY",
[A]).F.EQ(0).TRIGGER("HISTORY",[A]);G=A});B.FN.HISTORY=FUNCTION(C) { B.TOOLS.HISTORY.INIT(THIS);RETURN THIS.BIND("HISTORY",C) });}(QUERY);
(FUNCTION(B) { FUNCTION K() { IF(B.BROWSER.MSIE) { VAR A=B(DOCUMENT).HEIGHT();D=B(WINDOW).HEIGHT();RETURN WINDOW.INNERWIDTH||DOCUMENT.DOCUMENTELEMENT.CLIENTWIDTH||DOCUMENT.BODY.CLIENTWIDTH,A-
D<20?D:A} RETURN [B(DOCUMENT).WIDTH(),B(DOCUMENT).HEIGHT()]} FUNCTION H(A) { IF(A)RETURN A.CALL(B.MASK) } B.TOOLS=B.TOOLS||{VERSION:"1.2.5"};VAR L;L=B.TOOLS.EXPOSE={CONF:
{ MASKID:"EXPOSEMASK",LOADSPEED:"SLOW",CLOSESPEED:"FAST",CLOSEONCLICK:TRUE,CLOSEONESC:TRUE,ZINDEX:9998,OPACITY:0.8,STARTOPACITY:0,COLOR:"#fff",ONLOAD:NULL,
ONCLOSE:NULL };VAR C,I,E,G,J;B.MASK={LOAD:FUNCTION(A,D) { IF(E)RETURN THIS;IF(TYPEOF A=="STRING")A={COLOR:A};A=AJ[G];G=A.B.EXTEND(B.EXTEND({,L.CONF,A});C=B("#"+A.MASKID);IF(!C.LENGTH)
{ C=B("<div/>").ATTR("ID","A.MASKID");B("BODY").APPEND(C)} VAR
M=K({ POSITION:"ABSOLUTE",TOP:0,LEFT:0,WIDTH:M[0],HEIGHT:M[1],DISPLAY:"NONE",OPACITY:A.STARTOPACITY,ZINDEX:A.ZINDEX});A.COLOR&&C.CSS("BACKGROUND-COLOR",A.COLOR);IF(H(A.ONBEFORELOAD))==
=FALSE)RETURN THIS;A.CLOSEONESC&&B(DOCUMENT).BIND("KEYDOWN.MASK",FUNCTION(F) { F.KEYCODE==
```

```
27&&b.mask.close(f)};a.closeOnClick&&c.bind("click.mask",function(f){b.mask.close(f)};b(window).bind("resize.mask",function(){b.mask.fit()});if(D&&d.length)
}:=d.eq(0).css("zIndex");b.each(d,function(){var f=b(this);relative|absolute|fixed|test(f.css("position"))|f.css("position","relative");i:=d.css({zIndex:Math.max(a.zIndex+1,j=="auto"?
0:)});.css({display:"block"}).fadeTo(a.loadSpeed,a.opacity,function(){b.mask.fit();h(a.onLoad);e=="full";e==true;return this};close:function(){if(e){if(h.g.onBeforeClose)===
false)return this;c.fadeOut(g.closeSpeed,function()
{h(g.onClose);&&c.css({zIndex});z:=false};b(document).unbind("keydown.mask");c.unbind("click.mask");b(window).unbind("resize.mask")}return this};fit:function(){if(e){var
a=k();c.css({width:[0],height:[1]});getMaskFunction()&&d.unbind("load");c.isLoaded=function(){return a?e=="full";e};getConf:function(){return g};getExposed:function(){return
r};b.fn.mask=function(a){b.mask.load(a);return this};b.fn.expose=function(a){b.mask.load(a,this);return this}}(jQuery);
function(b){function(c){switch(a.type){case"mousemove":return b.extend(a.data,{clientX:a.clientX,yClientY:a.clientY,pageX:a.pageX,pageY:a.pageY});case
"DOMMouseScroll":b.extend(a.data,{a.delta=-a.detail/3;break;case"mousewheel":a.delta=a.wheelDelta/120;break;a.type="wheel";return
b.event.handle.call(this,a,delta)}b.fn.mousewheel=function(a){return this[a?"bind":"trigger"]("wheel",a)};b.event.special.wheel={setup:function(){b.event.add(this,d,c,
{});teardown:function(){b.event.remove(this,
d,c)};var d=b.browser.mozilla?"mousewheel":"DOMMouseScroll"+(b.browser.version<"1.9"?"");(jQuery);
function(c){function(p,d,b,a){var e=this,l=d.add(this),h=d.find(a.tabs),i=b.jquery?b.d.children(b,j);h.length||(h=d.children());i.length||(i=c);c.extend(this,
{click:function(f,g){var k=h.eq(f);if(typeof f=="string"&&f.replace("#","")){k=k.filter("[href*="+f.replace("#","")+"]");f=Math.max(h.index(k),0)};f=(k.rotate){var n=h.length-
1;if(f<0)return e.click(n,g);if(f>n)return e.click(0,g)};if(!k.length){if(j>=0)return e.f=A.initialIndex;k=h.eq(f)}if(f===)return e;
g=g||c.event();g.type="onBeforeClick";l.trigger(g,f)};if(!g.isDefaultPrevented()){o(A.effect).call(e,f,function(){g.type="onClick";l.trigger(g,
f)});j=f;h.removeClass(A.current);k.addClass(A.current);return e};getConf:function(){return a};getTabs:function(){return h};getPanes:function(){return i};getCurrentPane:function()
{return l.eq(i)};getCurrentTab:function(){return h.eq(i)};getIndex:function(){return i};next:function(){return e.click(i+1)};prev:function(){return e.click(i-1)};destroy:function()
{h.unbind(a.event).removeClass(A.current);
i.find("A[href=#]").unbind("click.T");return e};}.each("onBeforeClick,onBeforeClick".split(","),function(f,g){c.isFunction(a[g])&&c(e).bind(g,a[g]);e[g]=function(k){k&&c(e).bind(g,k);return
e}});if(A.history&&c.fn.history){c.tools.history.init(h);a.event="history";h.each(function(h){h(e).bind(a.event,function(g){e.click(f,g);return
g.prevDefault();});};find("A[href=#]").bind("click.T",function(f)
{e.click(c(this).attr("href"),f)};if(location.hash&&a.tabs=="A"&&d.find("[href="+location.hash+"]").length)e.click(location.hash);
else if(A.initialIndex===0|A.initialIndex>0)e.click(A.initialIndex)}c.tools=c.tools||{version:"1.2.5"};c.tools.tabs={conf:
{tabs:"a",current:"current",onBeforeClick:null,onClick:null,effect:"default",initialIndex:0,event:"click",rotate:false,history:false};addEffect:function(d,b){o[d]=b};var
o={:"default":function(d,b){this.getPanes(i).hide().eq(d).show();b.call()};e.o(d).show();b.call()}var A=this.getConf();A.fadeOutSpeed,l=this.getPanes();?
L.fadeOut(e);L.hide();L.eq(d).fadeIn(A.fadeInSpeed,b)};slide:function(d,
b){this.getPanes().slideDown(200);this.getPanes(i).eq(d).slideDown(400,b)};ajax:function(d,b)
{this.getPanes(i).eq(0).load(this.getTabs(i).eq(d).attr("href"),b)};}.m;c.tools.tabs.addEffect("horizontal",function(d,b){m||
(m=this.getPanes(i).eq(0).width());this.getCurrentPane().animate({width:0},function(){c(this).hide()});this.getPanes(i).eq(d).animate({width:m},function()
{c(this).show();b.call()});}.c;fn.tabs=function(d,b){var A=this.data("tabs");if(A){A.destroy();this.removeData("tabs")}if(c.isFunction(b))b=
{onBeforeClick:b};b=c.extend({}.c.tools.tabs.conf,b);this.each(function(){A=new p(c(this),d,b);c(this).data("tabs",A)});return b.api?A:this}}(jQuery);
function(c){function(p,g,a){function m(f){var e=c(f);return e.length<2?e.parent().find(f)}var B=this,i=g.add(this),d=g.data("tabs"),h,j=TRUE,n=m(A.next).click(function()
{d.next();}),k=m(A.prev).click(function(){d.prev()});c.extend(b,{getTabs:function(){return d};getConf:function(){return A};play:function(){if(h)return B;var
f=c.event("onBeforePlay");trigger(f);if(!f.isDefaultPrevented())return B;h=setInterval(d.next,a.interval);j=false;trigger("onPlay");return B};pause:function(){if(!h)return B;
var f=c.event("onBeforePause");trigger(f);if(!f.isDefaultPrevented())return B;h=clearInterval(h);trigger("onPause");return B};stop:function()
{B.pause();j=true}};}.each("onBeforePlay,onPlay,onBeforePause,onPause".split(","),function(f,e){c.isFunction(a[e])&&c(b).bind(e,a[e]);b[e]=function(o){return
c(b).bind(e,o)};}.a.autoPause&&d.getTabs(i).add(n).add(k).add(d.getPanes(i)).hover(B,pause,function(t){[B.play()];A.autoplay&&b.play()};A.clickable&&d.getPanes().click(function()
{d.next()});if(!d.getConf().rotate){var l=
A.disabledClass;d.getIndex()||k.addClass(l);d.onBeforeClick(function(f,e){k.toggleClass(l,e);n.toggleClass(l,e===d.getTabs(i).length-1)});var o;o=c.tools.tabs.slideshow={conf:
{next:"forward",prev:"backward",disabledClass:"disabled",autoplay:false,autoPause:true,interval:3E3,clickable:true,api:false};}.c;fn.slideshow=function(g){var
A=this.data("slideshow");if(A){return A};g=c.extend({}.o.conf,g);this.each(function(){A=new p(c(this),g);c(this).data("slideshow",A)});return g.api?A:this}}(jQuery);
(function(f){function p(a,b,c){var h=c.relative?a.position().top:a.offset().top,d=c.relative?a.position().left:a.offset().left,i=c.position[0];h=b.outerHeight()-c.offset[0];d+=a.outerWidth()
+c.offset[1];if(!p||p.test(navigator.userAgent)h=(f(window).scrollTop()+j)+b.outerHeight()
+a.outerHeight());if(i=="center")h+=j/2;if(i=="left")h+=b.outerWidth()+a.outerWidth();if(i=="center")d-=a/2;if(i=="left")d-=a;return {top:h,left:d}}function
u(A,b){var c=this,h=A.add(c),d,i,j=0;
Q,M=A.attr("title"),Q=A.attr("data-tooltip"),R=o[B.effect],L=S=A.is("input"),V=S&&A.is("checkbox,radio,select,button,submit"),T=A.attr("type"),K=B.events[t],B.events[s?
v?"width":"input":"def"];if(!B.throwNonexistentEffect)"+B.effect+";";k=k.split(/,/);if(k.length===2)throw"Tooltip: bad events configuration for "+t;A.bind(k[0],function(e)
{clearTimeout(i);if(B.pdelay)=setTimeout(function(){c.show(e)},B.pdelay);else c.show(e)}.bind(k[1],function(e){clearTimeout(i);if(B.delay)=
setTimeout(function(){c.hide(e)},B.delay);else c.hide(e)});if(M&&B.cancelDefault){A.removeAttr("title");A.data("title",M)}F.extend(c,{show:function(e){if(!d){if(o)d=F(o);else
if(B.tip)d=(B.tip).eq(0);if(M)d=(M).d=(B.layout).addClass(B.tipClass).appendTo(document.body).hide().append(M);else{d=A.next();d.length||(d=A.parent().next());if(!d.length)throw"Cannot find
tooltip for "+A;};if(c.isShown)return c;}.d.stop(true,true);var g=p(A,d),h=g.p(A,d),b.g.p(A,d),b.g.d.html(A.data("html"));E=E||f.Event();E.type="onBeforeShow";
h.trigger(E,[g]);if(E.isDefaultPrevented())return c;g=p(A,d),d.css("position","absolute",top:g.top,d.left:g.left);L=true;R[0].call(c,function(){clear
{E.type="onShow";j="full";h.trigger(e)};g=B.events.tooltip.split(/,/);if(!d.data("set")){d.off("set");(clearTimeout(i);clearTimeout(j));g[1]&&A.is("input:not(checkbox,radio,
textarea)")&&d.bind(g[1],function(n){relatedTarget!=a[0]&&A.trigger(k[1].split(" ")[0])};}.data("_set",true)}return c};hide:function(e){if(!d){c.isShown()return c;
E=E||f.Event();E.type="onBeforeHide";h.trigger(e);if(!E.isDefaultPrevented()){L=false;o[B.effect][1].call(c,function(){E.type="onHide";h.trigger(e)});return e};if(!E.isShown)function(e){return
e};L="full";L},getConf:function(){return B};getTip:function(){return B};getTip().fadeTo(B.fadeInSpeed,B.opacity,A);function(A){this.getTip().fadeOut(this.getConf());}.fn.tooltip=function(A)
{var B=this.data("tooltip");if(B)return B;A=A.extend(true,{f.tools.tooltip.conf,A});if(typeof A.position=="string"|A.position==A.position.split(/,/);/);this.each(function(){B=new
u(f(this),A);f(this).data("tooltip",B)});return A.api?B:this}}(jQuery);
function(d){var i=d.tools.tooltip.d.extend(i.conf,{direction:"up",bounce:false,slideOffset:10,slideDownSpeed:200,slideOutSpeed:200,slideFade:{d,browser.msie};var e=[up:"-","top"],down:
["+","top"],left:["-","left"],right["+","left"];i.addEffect("slide",function(g){var A=this.getConf(),F=this.getTip(),H=A.slideFade?{opacity:A.opacity};};c=[e[A.direction]]|
e.up;B[c[1]]=c[0]+" "+A.slideOffset+A.slideFade&&f.css({opacity:0});F.show().animate(B,A.slideInSpeed,g)};function(g){var A=this.getConf(),F=A.slideOffset,
B=A.slideFade?{opacity:0};};c=[e[A.direction]]|e.up;H=" "+c[0];if(A.bounce)H+=" +?";".+";B[c[1]]=H+" "+F;this.getTip().animate(B,A.slideOutSpeed,function()
{d(this).hide();g.call()}})}(jQuery);
function(g){function j(A){var C=g(window),D=C.width()+C.scrollLeft(),H=C.height()
+C.scrollTop(),return(A,d).offset().top<=C.scrollTop(),D<=A.offset().left+A.width(),H<=A.offset().top+A.height(),C.scrollLeft()>=A.offset().left}function k(A){for(var
C=A.length;C--;)if(A[C].return false;return true}var i=g.tools.tooltip,i.dynamic={conf:{classNames:"top right bottom left"};}.fn.dynamic=function(A){if(typeof
A=="number")A={speed:A};A=g.extend({}.i.dynamic.conf,A);var C=A.classNames.split(/,/);this.each(function(){var H=
g(this).tooltip().onBeforeShow(function(e,f){e=this.getTip();var B=this.getConf();d|
[D]=[B.position[0],B.position[1],B.offset[0],B.offset[1],g.extend({}.b),g.extend(B,d[4]);B.position=[0,0,d[1]];B.offset=[0,2,d[3]];e.css({visibility:"hidden",position:"absolute",top:F,
left:F});.show();f=[e];if(!k(f)){if(f[2]){g.extend(B,A.top);B.position[0]="top";e.addClass(c[0]);if(f[3]){g.extend(B,A.right);B.position[1]="right";e.addClass(c[1]);if(f[0])
{g.extend(B,A.bottom);B.position[0]="bottom";e.addClass(c[2]);if(f[1]){g.extend(B,
A.left);B.position[1]="left";e.addClass(c[3]);if(f[0]|f[2]|B.offset[0]==-1;f[1]|f[3]|B.offset[1]==-1}e.css({visibility:"visible"}).hide()};h.onBeforeShow(function(){var
E=this.getConf();this.getTip();setTimeout(function(){e.position=[0,0,d[1]];e.offset=[0,2,d[3]],0)};h.onHide(function(){var E=this.getTip();e.removeClass(A.classNames)};ret=H});return
A.api?ret:this}}(jQuery);
function(e){function p(f,c){var B=e(c);return B.length<2?B.f.parent().find(c)}function u(f,c){var B=this,n=f.add(B),g=f.children(),l=0,j=c.vertical;k|
(k=B);if(g.length>1)g=e(c.items),f.extend(B,{getConf:function(){return B};getIndex:function(){return l};getSize:function(){return B.getItems().size()};getNavButtons:function(){return
o.add(o)};getRoot:function(){return f};getItemWrap:function(){return g};getItems:function(){return g.children(c.item).not("."+c.clonedClass)};move:function(A,D){return B.seekTo(L+
A,D)};next:function(A){return B.move(1,A)};prev:function(A){return B.move(-1,A)};begin:function(A){return B.seekTo(0,A)};end:function(A){return B.seekTo(B.getSize()-1,A)};focus:function()
{return k=B};addItem:function(A){A=A||f.c.circular}
{g.children("."+c.clonedClass+&&"last").before(A).g.children("."+c.clonedClass+"+first").replaceWith(A.clone().addClass(c.clonedClass))}else g.append(A);n.trigger("onAddItem",A);return
B};seekTo:function(A,D,H){A.jquery||(A*=1);if(c.circular&&A===0&&A===-1&&D!)=
0)return B;B.is(c.circular&&A<>0|A>B.getItems().index(A);else i=B.getItems().eq(A);var R=E.event("onBeforeSeek");if(!H){n.trigger(R,
[A,D]);if(R.isDefaultPrevented()||l.length)return B;I=?{top:-l.position().top};left:-l.position().left};L=A;K=B;if(D===undefined)D=C.speed;g.animate(L,D,C.easing,H|function()
{n.trigger("onSeek",[A]);return B};}.each(["onBeforeSeek","onSeek","onAddItem"],function(A,D){e.isFunction(c[D])&&e(B).bind(D,c[D]);B[D]=function(h){h&&
e(B).bind(D,h);return B}});if(c.circular){var S=B.getItems().slice(-
1).clone().prependTo(g),T=B.getItems().eq(1).clone().appendTo(g);S.add(T).addClass(c.clonedClass);B.onBeforeSeek(function(A,D,H){if(!A.isDefaultPrevented())if(D=-1){B.seekTo(S,H,function()
{B.end(O)});return A.prevDefault()}else D=-B.getSize()&&B.seekTo(T,H,function(){B.begin(O)});B.seekTo(O,O,function(){})var O=p(f,c.next).click(function(){B.prev()}),O=p(f,c.next).click(function(){B.next()});!(c.circular&&B.getSize()>1){B.onBeforeSeek(function(A,
```



```
x));A.empty();i=r.getFullYear();for(var l=i+c.yearRange[0];l<i+c.yearRange[1];l++)m<=new Date(l+1,-1,1)&p>new
Date(l,0,0)&&A.append(d("onCoption/").text(l));z.val(e);A.val(b)else M.html(s.months[e]+" "+b);K.empty();l.add();.removeClass(f.disabled);l=!g?-7:0;for(var u,y,l<!(g?35:42);l++
)u=d("<a/>");if(l%7===0){P=d("<div/>").addClass(f.week);K.append(P)}if(l<g){u.addClass(f.off);y=0-g+1+1;u=new Date(b,e-1,y)}else if(l>g+t){u.addClass(f.off);y=l-t-
g+1;u=new Date(b,e+1,y)}{P=d("#+l-1+1");i=new Date(b,
e,y);if(U(n,i)).u.attr("id",f.current).addClass(f.focus);else
U(r,i)&&u.attr("id",f.today)&&u.add(i).addClass(f.disabled);p&&i>p&&u.add(i).addClass(f.disabled);u.attr("href","#"+y).text(y).data("date",i);P.append(u)}K.find("a").click(function
(x){var F=d(this);if(!F.hasClass(f.disabled)){d("#"+f.current).removeAttr("id");F.attr("id",f.current);(F.data("date"),c,x)}return false};f.sunday&&K.find(f.week).each(function(){var
x=c.firstDay?7-c.firstDay:0;d(this).children().slice(x,x+1).addClass(f.sunday)});
return h;}.setMin:function(b,e){m=C(b);e&&n<m&&h.setvalue(m);return h};.setMax:function(b,e){p=C(b);e&&n>p&&h.setvalue(p);return h};.today:function(){return
h.setvalue(r)}.addDay:function(b){return this.setvalue(D,E,G+(b|1))}.addMonth:function(b){return this.setvalue(D,E+(b|1),G)}.addYear:function(b){return this.setvalue(D+(b|
1),E,G)}.hide:function(b){if(w){b=d.Event();b.type="onHide";H.trigger(b);d(document).unbind("click.d").unbind("keydown.d");if(b.isDefaultPrevented())return;k.hide();w=false}return h},
getConf:function(){return c}.getInput:function(){return a}.getCalendar:function(){return k}.getValue:function(){return b?T(n,b,c.lang):n}.isOpen:function(){return
w}};}.each({"onBeforeShow","onShow","change","onHide"},function(b,e){d.isFunction(c[e]&&d(h).bind(e,c[e]);h[e]=function(g){g&&d(h).bind(e,g).return h}});a.bind("focus
click",h.show).keydown(function(b){var e=b.keyCode;if(!w&&d(v).index(e)>=0){h.show(b);return b.preventDefault()}return b.shiftKey||b.ctrlKey||b.altKey||e==9?true:b.preventDefault});
C(a.val())&&(n,c).d.tools=d.tools||{version:"1.2.5"};var W=[],Q,V=[75,76,38,39,74,72,40,37],B={};Q=d.tools.dateinput={conf:{format:"mm/dd/yy",selectors:base.valueRange:[-
5,5],lang:"en",offset:[0,0],speed:0,firstDay:0,min:undefined,max:undefined,trigger:false,css:
{prefix:"cal",input:"date",root:0,head:0,title:0,prev:0,next:0,month:0,year:0,days:0,body:0,weeks:0,today:0,current:0,week:0,off:0,sunday:0,focus:0,disabled:0,trigger:0}},localize:function(a,c
){d.each(c,function(j,o){c[j]=o.split(",")});
B[a]=c};Q.localize("en",
{months:"January,February,March,April,May,June,July,August,September,October,November,December",shortMonths:"Jan,feb,mar,apr,may,jun,jul,aug,sep,oct,nov,dec",days:"Sunday,Monday,Tue
sday,Wednesday,Thursday,Friday,Saturday",shortDays:"Sun,Mon,Tue,Wed,Thu,Fri,Sat"});var X=d(1,4){m[1,4]}[y?(?:y)?["^"]*["^"]*/g,Y=d("<a/>").d.expr[":"].date=function(a){var
c=a.getAttribute("type");return c&&c=="date"?d(a).data("dateinput"):d(a).data("dateinput")}return this;
a=d.extend(true,{},Q.conf,a);d.each(a.css,function(j,o){if(!o&&g!=""prefix").css[j]=(a.css.prefix||"")+o});var c;this.each(function(){var j=new
Z(d(this),a);W.push(j);j.getInput().data("dateinput",j);c=c?c.add(j):j;return c?c:this}})(jQuery);
(function(e){function F(d,a){a=Math.pow(10,a);return Math.round(d*a)/a}function o(d,a){a=parseFloat(d.css(a),10)}return
A;return d=o(d).currentStyle&&d.width&&parseFloat(d.width,10)}function C(d){return(d.o.d.events")&&d.o.onSlide}function G(d,a){function H(c,b,f,i){if(f===undefined)F=b/k*k;else
if(j!=""a.min;j!=""f=Math.round(f/s)*s;if(b===undefined)j!=""b=f*k*k;if(i!=""nAN)j!=""r=H;return G;b=Math.max(0,MATH.min(b,k));f=b/k*k;f!=""N)f+=a.min;if(N)f+K-B;else
f=F(f,t);var
r=C.type=="click";
if(D&&!=""undefined&&R){c.type="onSlide";A.trigger(c,[f,r]);if(C.isDefaultPrevented())return G}r?A.speed:0;r=r?function(){c.type="change";A.trigger(c,[f]);null;if(N)
{M.animate({top:b},j,r);A.progress&&B.animate({height:k-b+m.width()/2},j)}else{M.animate({left:b},j,r);A.progress&&B.animate({width:b+m.width()/2},j)}L=F;H=B;val(F);return G}function
o(){if(N=.vertical|o["height"]>o["width"]){k=o["height"];o["width"]=j-u.offset().top+k;else{k=o["width"];o["height"]=j-u.offset().left}
function v(){o();setvalue(A.value!=""undefined?A.value:A.min)}var G=this,p=A.css,i=e("<div/><a href=#"/></div/>").data("rangeinput",{k,N,L,U,K,H,D,before});var
m=i.addClass(p.slder).find("a").addClass(p.handle),B=i.find("div").addClass(p.progress);e.each("min,max,step,value",split(", "),function(c,b)
{c=d.attr(b);if(parseFloat(c)|c|a|b|parseFloat(c,10));var z=A.max-a.min,s=A.step=="any"?0:A.step,A.precision;if(t=s.toString().split(".")[1].length)catch(l)
{t=0};if(d.attr("type")=""
"range"){var w=e("<input/>");e.each("class,disabled,id,maxlength,name,readonly,required,size,style,tabindex,title,value",split(", "),function(c,b)
{w.attr(b,d.attr(b));w.val(A.value);d.replaceWith(w);d.addClass(p.input);var A=e(g).add(d),D=true,e.extend(g,{getValue:function(){return l},setValue:function(c,b){o()};return h(b)
E.Event("ap",undefined,c,true)},getConf:function(){return A},getProgress:function(){return B},getHandle:function(){return M},getInput:function(){return D},step:function(c,
b){B=b|E.Event();var F=A.step=="any"?1:A.step;g.setvalue(L+F*(c|1),b)},stepUp:function(c){return G.step(c|1)},stepDown:function(c){return G.step(-c|
1)});e.each("onSlide,change",split(", "),function(c,b){e.isFunction(a[b])&&e(a[b]).bind(b,a[b]);g[b]=function(f){f&&e(g).bind(b,f).return G}});m.drag({drag:false}).bind("dragStart",function()
){o();D=C(e(g)|C(d)).bind("drag",function(c,b,f){if(D.is("disabled"))return false;h(c,n?b?f):}).bind("dragEnd",function(c){if(!c.isDefaultPrevented()){c.type=
"change";A.trigger(c,[1])}).click(function(c){return c.preventDefault()});i.click(function(c){if(D.is("disabled"))|c.target==m[0]}return c.preventDefault());o();var b=m.width()/2;h(c,n?k-u-
b+c.pageY:c.pageX-u-b)});a.keyboard&&d.keydown(function(c){if(!d.attr("readonly")){var b=c.keyCode,f=e([75,76,38,39,74,72,40,37]).index(b)!=-1,j=e([74,72,40,34,37]).index(b)!=-1;((f|
j)&&!(c.shiftKey||c.altKey||c.ctrlKey)){if(f|g.step(b==33?10:1,c);else if(j|g.step(b==34?-10:-1,c);return c.preventDefault()}}};d.blur(function(c){var B=
e(this).val();B!=""L&&G.setvalue(B,c)});e.extend(o,[0,{stepUp:g.stepUp,stepDown:g.stepDown}],v);x|e(window).load(v)}E.tools=e.tools||{version:"1.2.5"};var
E;E=e.tools.rangeinput={conf:{min:0,max:100,step:"any",steps:0,value:0,precision:undefined,vertical:0,keyboard:0,progress:false,speed:100,css:
{input:"range",slider:"slider",progress:"progress",handle:"handle"}}};var x,y,z;fn.drag=function(d){document.ondragstart=function(){return
false};d=e.extend({x:true,y:true,drag:true},d);x|=x|e(document).bind("mousedown mouseup",
function(a){var h=e(a.target);if(A.type=="mousedown"&&h.data("drag")){var o=h.position(),v=A.pageX-o.left,g=A.pageY-o.top,p=true;x.bind("mousemove.drag",function(i){var n=i.pageX-
v,y=i.pageY-g;var l=c;if(!d.x.l.left+n;if(d.y){p==="bottom")k+=c;A.outerWidth();if(l=="center")f=(A+B.outerWidth())/2;if(l=="left")f=A;return{top:k,left:f}}function y(a){function
B(){return this.getAttribute("type")=A}b.key="type="+A+"";return B}function u(a,
b,c){function k(g,d,i){if(!((c.grouped&&g.length)&&var j;if(i===false)|e.isArray(i)){h.messages[d.key|d]|h.messages["*"];j=[c.lang]|h.messages["*"].en;(d=j.match(/
$/d(g)&&e.isArray(i)&&e.each(d,function(m){j=i.replace(this,[m])})}else{j=[c.lang]|g.push(i)}var f=this,l=B.add(f);A=A.not(":button,:image,:reset,:submit");e.extend(f,
{getConf:function(){return c},getForm:function(){return B},getInputs:function(){return A},reflow:function(){A.each(function(){var g=e(this),d=g.data("msg.el");
if(d){g=t(g,d,c).d.css({top:left:g.left})};return f},invalidate:function(g,d){return A;f=i|e.each(g,function(i,m){A=f.filter("name="+j+"*");if(i|length){j.trigger("OI",
[m]);j.push({input:j,messages:[m]})};g=i;D=e.Event(d).d.type="onFail",L.trigger(d,g);d.isDefaultPrevented()||o.c.effect||[0].call(f,g,d);return f},reset:function(c){g=g|
A.removeClass(c.errorClass).each(function(f){var d=e(this).data("msg.el");if(d){d.remove()};e(this).data("msg.el",null)}).unbind(c.errorInputEvent|
");return f},destroy:function(){B.unbind(c.formEvent+"V").unbind("reset.V");A.unbind(c.inputEvent+"V").unbind("change.V");return f},reset():checkValidity:function(g,d){g=g|
A.g=not("disabled");if(!g.length)return true;D=0|E.Event();d.type="onBeforeValidate",L.trigger(d,g);if(d.isDefaultPrevented())return d.resul;var
i=[];g.not(":radio:not(:checked)").each(function(){var m=[],n=e(this).data("messages",m),v=r&&n.is("date"?)"onHide.v":c.errorInputEvent+"v";n.unbind(v);e.each(w,function){var o=
this,s=0|f(n.filter(s).length){o=0|1}.call(f,n,n.val());if(o!=""true){d.type="onBeforeFail",L.trigger(d,[n,s]);if(d.isDefaultPrevented())return false;var x=n.attr(c.messageAttr);if(x)
{m[x];return false}else{k(m,s,o)}}};if(m.length){l.push({input:n,messages:m};n.trigger("OI",[m]);c.errorInputEvent&&n.bind(v,function(o)
){f.checkValidity(n,o)});if(c.singleError&&i.length)return false};var o=c.effect;if(!i)throw Validator: cannot find effect ""+c.effect+"";if(!length){f.invalidate(d);return
false}else{j[1].call(f,
g,d);d.type="onSuccess",L.trigger(d,[g]);g.unbind(c.errorInputEvent+"v");return true}};e.each("onBeforeValidate,onBeforeFail,onFail,onSuccess",split(", "),function(g,d)
{e.isFunction(c[d])&&e(f).bind(d,[g]);f[d]=function(i){i&&e(f).bind(d,i);return f}});c.formEvent&&B.bind(c.formEvent+"V",function(g){if(f.checkValidity(null,c))return
G.preventDefault()};B.bind("reset.V",function(i){f.reset()};a[0]&&a[0].validity&&a.each(function(i){this.oninvalid=function(i){return false}});if(b[0])b[0].checkValidity()
f.checkValidity();c.inputEvent&&B.bind(c.inputEvent+"V",function(g){f.checkValidity(e(this,g));A.filter(":checkbox,select").filter("required").bind("change.V",function(g){var
D=e(this);if(this.checked)|d.is("select")&&e(this).val()||c.effect||[1].call(f,d,g);var p=A.filter(":radio").change(function(g){f.checkValidity(p,g)});e(window).resize(function()
{f.reflow()});e.tools=e.tools||{version:"1.2.5"};var z=A/[type=([a-z]+)/]/A.A/^-[0-9]*\.[0-9]+$/;/r,e.tools.dateinput,B=/"([a-z0-9_!@-]+)@([!@-a-z-]+)\.([!@-z-]{2,6})$/i,
C=/"(https?:\/\/)?([a-z-]+)\.([a-z-]{2,6})[#&+?@%'\s\/\w \-=-]*\/;h;h=e.tools.validator={conf:
{grouped:false,effect:"default",errorClass:"invalid",inputEvent:null,errorInputEvent:"keyup",formEvent:"submit",lang:"en",message:"<div/>",messageAttr:"data-
message",messageClass:"error",offset:[0,0],position:"center right",singleError:false,speed:"normal"},messages:{"*":{en:"Please correct this value"}},localize:function(a,b)
{e.each(b,function(c,k){h.messages[c]=h.messages[c]|k}};h.messages[c][a]=k}};
localizeFn:function(a,b){h.messages[a]=h.messages[a]|k};e.extend(h.messages[a,b]);fn:function(a,b,c){if(e.isFunction(b))c=B;else{if(typeof B=="string")B={en:B};this.messages[a].key||
a|b|B=z.exec(a)|b[1]|w.push([a,c])}.addEffect:function(a,b,c){o[a]=[b,c];var w=[,Q="default":function(a){var B=this.getConf()};e.each(a,function(c,k)
){c=k.input;c.addClass(b.errorClass);var F=c.data("msg.el");if(!F)
{F=e(b.message).addClass(b.messageClass).appendTo(document.body);c.data("msg.el",F)}f.css({visibility:"hidden"}).find("p").remove();
e.each(k.messages,function(L,P)
{e("c/p>").html(P).appendTo(F)});f.outerWidth()=f.parent().width()&&f.add(f.find("p")).css({display:"inline"});k=t(c,f,b).css({visibility:"visible",position:"absolute",top:k.top,left:k.left}).f
ADEL(N,speed)});function A){var B=this.getConf()};A.removeClass(b.errorClass).each(function(i){var
c=e(this).data("msg.el");c&&c.css({visibility:"hidden"})});e.each("email,url,number",split(", "),function(a,b){e(a,b){e.expr[":"][B]=function(c){return c.getAttribute("type")===B}});
e.fn.oninvalid=function(a){return this?B.bind("trigger")("OI",a)};h.fn("email","Please enter a valid email address",function(a,b){return!B.test(b)});h.fn("url","Please enter a valid
URL",function(a,b){return!B.test(b)});h.fn("number","Please enter a numeric value",function(a,b){return A.test(b)});h.fn("max","Please enter a value smaller than $1",function(a,b)
){if(B=="")|&&A.is("date")return true;A=A.attr("max");return parseFloat(b)<parseFloat(a)?true:[a];h.fn("min","Please enter a value larger than $1",
```

```

FUNCTION(A,B){IF(B=="")||R&&A.IS("DATE")RETURN TRUE;A=A.ATTR("MIN");RETURN PARSEFLOAT(B)>=PARSEFLOAT(A)?TRUE:[A]};H.FN("[REQUIRED]","PLEASE COMPLETE THIS MANDATORY FIELD.",FUNCTION(A,B)
{IF(A.IS(":CHECKBOX"))RETURN A.IS(":CHECKED");RETURN!!B});H.FN("[PATTERN]",FUNCTION(A){VAR B=NEW REGEXP("^"+A.ATTR("PATTERN")+"$");RETURN B.TEST(A.VAL())});E.FN.VALIDATOR=FUNCTION(A){VAR
B=THIS.DATA("VALIDATOR");IF(B){B.DESTROY();THIS.REMOVEDATA("VALIDATOR");}A=E.EXTEND(TRUE,{},H.CONF,A);IF(THIS.IS("FORM"))RETURN THIS.EACH(FUNCTION(){VAR C=
E(THIS);B=NEW U(C.FIND("INPUT"),C,A);C.DATA("VALIDATOR",B)});ELSE{B=NEW U(THIS,THIS.EQ(0).CLOSEST("FORM"),A);RETURN THIS.DATA("VALIDATOR",B)}})(QUERY);

```

JS/BE_SLIDE.JS

```

/*****
"BRETTELEBEN.DE JAVASCRIPT SLIDESHOW" - VERSION 20090301
LICENSE: HTTP://WWW.GNU.ORG/COPYLEFT/GPL.HTML
AUTHOR: ANDREAS BERGER
COPYRIGHT (C) 2009 ANDREAS BERGER - ANDREAS_BERGER@BRETTELEBEN.DE
PROJECT PAGE AND DEMO AT HTTP://WWW.BRETTELEBEN.DE
LAST UPDATE: 2009-03-01
*****/
EDITED BY: FARRUKH [INFO AT IDLSOL.COM]
DESCRIPTION: ADDED THE FUNCTIONALITY TO MAKE IMAGES LINKS TO SPECIFIED URLS
*****/
/*****PARAMETERS TO SET*****/
//INTO THIS ARRAY INSERT THE PATHS OF YOUR PICS.
VAR DEF_IMAGES=NEW ARRAY ('PICS/PIC01A.JPG', 'PICS/PIC01B.JPG', 'PICS/PIC01C.JPG');
VAR DEF_URLS=NEW ARRAY ('HTTP://WWW.MSN.COM', 'HTTP://WWW.YAHOO.COM', 'HTTP://WWW.MICROSOFT.COM');
VAR DEF_DIVID="SLIDESHOW"; //THE ID OF THE DIV CONTAINER THAT WILL HOLD THE SLIDESHOW
VAR DEF_PICWID=400; //SET THIS TO THE WIDTH OF YOUR WIDEST PIC
VAR DEF_PICHEI=300; //... AND THIS TO THE HEIGHT OF YOUR HIGHEST PIC
VAR DEF_BACKGR="#EEEEEE"; //SET THIS TO THE BACKGROUND COLOR YOU WANT TO USE FOR THE SLIDE-AREA
//FOR EXAMPLE THE BODY-BACKGROUND-COLOR) IF YOUR PICS ARE OF DIFFERENT SIZE
VAR DEF_SDUR=3; //TIME TO SHOW A PIC BETWEEN FADES IN SECONDS
VAR DEF_FDUR=1; //DURATION OF THE COMPLETE FADE IN SECONDS
VAR DEF_STEPS=20; //STEPS TO FADE FROM ON PIC TO THE NEXT
VAR DEF_STARTWHEN="Y"; //START AUTOMATICALLY AT PAGELOAD? SET IT TO "Y" FOR ON AND TO "N" FOR OFF
VAR DEF_SHUFFLE="Y"; //START WITH RANDOM IMAGE? SET IT TO "Y" FOR ON AND TO "N" FOR OFF
VAR DEF_SHOWCONTR="Y"; //DO YOU WANT TO SHOW CONTROLS? SET IT TO "Y" FOR ON AND TO "N" FOR OFF
//INTO THIS ARRAY INSERT THE PATHS OF YOUR CONTROL-BUTTONS OR THE TEXT TO DISPLAY E.G. BACK,START,STOP,FWRD.
VAR DEF_CONTR=NEW ARRAY ('BWD.PNG', 'START.PNG', 'STOP.PNG', 'FWD.PNG');
/*****

//DAISYCHAIN ONLOAD-EVENTS
FUNCTION DAISYCHAIN(SL){IF(WINDOW.ONLOAD) {VAR LD=WINDOW.ONLOAD;WINDOW.ONLOAD=FUNCTION(){LD(SL);}};ELSE{WINDOW.ONLOAD=FUNCTION(){SL();}}}

FUNCTION BE_SLIDESHOW(BE_SLIDEID,BE_IMAGES,BE_URLS,BE_DIVID,BE_PICWID,BE_PICHEI,BE_BACKGR,BE_SDUR,BE_FDUR,BE_STEPS,BE_STARTWHEN,BE_SHUFFLE,BE_SHOWCONTR,BE_CONTR){

//DECLARATIONS AND DEFAULTS
VAR SLIDEID=(BE_SLIDEID)?BE_SLIDEID:"0";
VAR IMAGES=(BE_IMAGES)?BE_IMAGES:DEF_IMAGES;
VAR URLS=(BE_URLS)?BE_URLS:DEF_URLS;
VAR DIVID=(BE_DIVID)?BE_DIVID:DEF_DIVID;
VAR PICWID=(BE_PICWID)?BE_PICWID:DEF_PICWID;
VAR PICHEI=(BE_PICHEI)?BE_PICHEI:DEF_PICHEI;
VAR BACKGR=(BE_BACKGR)?BE_BACKGR:DEF_BACKGR;
VAR SDUR=(BE_SDUR)?BE_SDUR:DEF_SDUR;
VAR FDUR=(BE_FDUR)?BE_FDUR:DEF_FDUR;
VAR STEPS=(BE_STEPS)?BE_STEPS:DEF_STEPS;
VAR STARTWHEN=(BE_STARTWHEN)?BE_STARTWHEN:DEF_STARTWHEN;
STARTWHEN=(STARTWHEN.TOLOWERCASE()=="Y"?1:0;
VAR SHUFFLE=(BE_SHUFFLE)?BE_SHUFFLE:DEF_SHUFFLE;
SHUFFLE=(SHUFFLE.TOLOWERCASE()=="Y"?1:0;
VAR SHOWCONTR=(BE_SHOWCONTR)?BE_SHOWCONTR:DEF_SHOWCONTR;
SHOWCONTR=(SHOWCONTR.TOLOWERCASE()=="Y"?1:0;
VAR CONTR=(BE_CONTR)?BE_CONTR:DEF_CONTR;
VAR FTIM=FDUR*1000/STEPS;
VAR STIM=SDUR*1000;
VAR EMAX=IMAGES.LENGTH;
VAR SELF = THIS;
VAR STOPIT=1;
VAR STARTIM=1;
VAR U=0;
VAR PARR = NEW ARRAY();
VAR PTOFADE,PNEXT,FACTOR,MYTIMEOUT;
//CHECK IF THERE ARE AT LEAST 3 PICTURES, ELSEWHERE DOUBLE THE ARRAY
IF(IMAGES.LENGTH<=2){IMAGES=IMAGES.CONCAT(IMAGES);}
//SHUFFLE IMAGES IF SET
IF(SHUFFLE){FOR(I=0;I<=MATH.FLOOR(MATH.RANDOM()*IMAGES.LENGTH);I++){IMAGES.PUSH(IMAGES.SHIFT());}}
//PUSH IMAGES INTO ARRAY AND GET THINGS GOING
THIS.B_MYFADE = FUNCTION(){
VAR A,IDAKT,PAKTIDAKT,IE5EXEP;
FOR(A=1;A<=EMAX;A++){
IDAKT="IMG_"+SLIDEID+"_"+A;PAKTIDAKT=DOCUMENT.GETELEMENTBYID(IDAKT);
IE5EXEP=NEW ARRAY(PAKTIDAKT);PARR=PARR.CONCAT(IE5EXEP);
}
IF(STARTWHEN){
STOPIT=0;
MYTIMEOUT=SETTIMEOUT(FUNCTION(){SELF.B_SLIDE();},STIM);
}
}
}
//PREPARE CURRENT AND NEXT AND TRIGGER SLIDE
THIS.B_SLIDE = FUNCTION(){
CLEARTIMEOUT(MYTIMEOUT);
U=0;
PTOFADE=PARR[STARTIM-1];
IF(STARTIM<EMAX){PNEXT=PARR[STARTIM];}
ELSE{PNEXT=PARR[0];}

```

```

    PNEXT.STYLE.ZINDEX=1;
    PNEXT.STYLE.VISIBILITY="VISIBLE";
    PNEXT.STYLE.FILTER="ALPHA(OPACITY=100)";
    PNEXT.STYLE.MozOPACITY=1;
    PNEXT.STYLE.OPACITY=1;
    PTOFADE.STYLE.ZINDEX=2;
    PTOFADE.STYLE.VISIBILITY="VISIBLE";
    PTOFADE.STYLE.FILTER="ALPHA(OPACITY=100)";
    PTOFADE.STYLE.MozOPACITY=1;
    PTOFADE.STYLE.OPACITY=1;
    FACTOR=100/STEPS;
    IF(STOPIT=="0"){
        THIS.B_SLIDENOW();
    }
}

//ONE STEP FORWARD
THIS.B_FORW = FUNCTION(){
    STOPIT=1;
    CLEARTimeout(MYTIMEOUT);
    PTOFADE=PARR[STARTIM-1];
    IF(STARTIM<EMAX){PNEXT=PARR[STARTIM];STARTIM=STARTIM+1;}
    ELSE{PNEXT=PARR[0];STARTIM=1;}
    PTOFADE.STYLE.VISIBILITY="HIDDEN";
    PTOFADE.STYLE.ZINDEX=1;
    PNEXT.STYLE.VISIBILITY="VISIBLE";
    PNEXT.STYLE.ZINDEX=2;
    SELF.B_SLIDE();
    SELF.B_START();
}

//ONE STEP BACK
THIS.B_BACK = FUNCTION(){
    STOPIT=1;
    CLEARTimeout(MYTIMEOUT);
    IF(U==0){ //BETWEEN TWO SLIDES
        PTOFADE=PARR[STARTIM-1];
        IF(STARTIM<EMAX){PNEXT=PARR[STARTIM];}
        ELSE{PNEXT=PARR[0];}
        PNEXT.STYLE.VISIBILITY="HIDDEN";
        PTOFADE.STYLE.ZINDEX=1;
        PTOFADE.STYLE.VISIBILITY="VISIBLE";
        IF(STARTIM>=2){STARTIM=STARTIM-1;}
        ELSE{STARTIM=EMAX;}
        SELF.B_SLIDE();
    }
    ELSE{ //WHILST SLIDING
        SELF.B_SLIDE();
    }
    SELF.B_START();
}

//SLIDE AS SAID, THEN GIVE BACK
THIS.B_SLIDENOW = FUNCTION(){
    VAR CHECK1,MAXALPHA,CURRALPHA;
    CHECK1=PTOFADE.STYLE.MozOPACITY;
    MAXALPHA=(100-FACTOR*U)/100*105;
    IF(CHECK1<=MAXALPHA/100){U=U+1;}
    CURRALPHA=100-FACTOR*U;
    PTOFADE.STYLE.FILTER="ALPHA(OPACITY="+CURRALPHA+"%)";
    PTOFADE.STYLE.MozOPACITY=CURRALPHA/100;
    PTOFADE.STYLE.OPACITY=CURRALPHA/100;
    IF(U<STEPS){ //SLIDE NOT FINISHED
        IF(STOPIT=="0"){MYTIMEOUT=SETTimeout(FUNCTION(){SELF.B_SLIDENOW();},FTIM);}
        ELSE {THIS.B_SLIDE();}
    }
    ELSE{ //SLIDE FINISHED
        IF(STARTIM<EMAX){
            PTOFADE.STYLE.VISIBILITY="HIDDEN";
            PTOFADE.STYLE.ZINDEX=1;
            PNEXT.STYLE.ZINDEX=2;
            STARTIM=STARTIM+1;U=0;
            MYTIMEOUT=SETTimeout(FUNCTION(){SELF.B_SLIDE();},STIM);
        }
        ELSE{
            PTOFADE.STYLE.VISIBILITY="HIDDEN";
            PTOFADE.STYLE.ZINDEX=1;
            PNEXT.STYLE.ZINDEX=2;
            STARTIM=1;U=0;
            MYTIMEOUT=SETTimeout(FUNCTION(){SELF.B_SLIDE();},STIM);
        }
    }
}

//MANUAL START
THIS.B_START = FUNCTION(){
    IF(STOPIT==1){
        STOPIT=0;
        MYTIMEOUT=SETTimeout(FUNCTION(){SELF.B_SLIDE();},STIM);
    }
}

//MANUAL STOP
THIS.B_STOP = FUNCTION(){

```



```

        CLEAR TIMEOUT(MYTIMEOUT);
        STOPIT=1;
        THIS_B_SLIDE();
    }

//INSERT CSS AND IMAGES
    THIS_B_INSERT= FUNCTION(){
        VAR B, THESTYLID, THEZ, THEVIS, SLIDEHEI;
        SLIDEHEI=(SHOWCONTR)?(PICHEI+25):(PICHEI); //ADD SPACE FOR THE CONTROLS
        VAR MYHTML="<DIV STYLE='WIDTH:" + PICWID + "PX;HEIGHT:" + SLIDEHEI + "PX;'>";
        MYHTML+="

#### FUNCTIONS.PHP



```

<?PHP
FUNCTION GETLANG($WORD,$LANG){
 $FILENAME="MAIN.TXT";
 $FILE=FOPEN("$FILENAME", "r") OR EXIT("UNABLE TO OPEN FILE!");
 WHILE(!FEOF($FILE)){
 $COUNT=0;
 $STRING= FGETS($FILE);
 $STRING= TRIM($STRING);
 $STRING= STR_REPLACE("\", " ", $STRING);
 $STRING= STR_REPLACE(" ", " ", $STRING);
 $TOKEN= STRTOK($STRING, " ");
 $TOKEN=TRIM($TOKEN, " ");
 IF ($TOKEN==$WORD){
 WHILE ($TOKEN != FALSE){
 $TOKEN=TRIM($TOKEN);
 $RESULT[$COUNT]=$TOKEN;
 $TOKEN= STRTOK(" ");
 $COUNT++;
 }
 }
 IF ($LANG=="AE")
 RETURN $RESULT[2];
 ELSE RETURN $RESULT[1];
 FCLOSE($FILE);
 }
}
FUNCTION GETDISPLAY($ID,$D){
 $DISP="";
 WHILE ($ID!=0){
 $GETDISPLAY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$ID'");
 $ROWDISP=MYSQL_FETCH_ARRAY($GETDISPLAY);
 $ID2=$ROWDISP['CATEGORY_ID'];
 $ID=$ROWDISP['CATEGORY_PARENTID'];
 $NAME="CATEGORY_NAME$D";
 $DISP.= "". $ROWDISP[$NAME]. " &RAQUO; $DISP";
 }
 RETURN $DISP;
}
}
FUNCTION GETIPADDRESS(){
 IF (GETENV(HTTP_X_FORWARDED_FOR)) {
 $IP_ADDRESS = GETENV(HTTP_X_FORWARDED_FOR);
 } ELSE {
 $IP_ADDRESS = GETENV(REMOTE_ADDR);
 }
 RETURN $IP_ADDRESS;
}
}

```



209


```

```

FUNCTION IP_ADDRESS_TO_NUMBER($IPADDRESS)
{
  IF ($IPADDRESS == "") {
    RETURN 0;
  } ELSE {
    $IPS = SPLIT ("\", $IPADDRESS);
    RETURN ($IPS[3] + $IPS[2] * 256 + $IPS[1] * 256 * 256 + $IPS[0] * 256 * 256 * 256);
  }
}
?>

```

ADMIN/SITESETTINGS.PHP

```

<?PHP
REQUIRE 'CONFIG.PHP';
REQUIRE 'OPENDB.PHP';
$GETTIMEOUT=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='ADMIN_TIMEOUT'");
$ROWTIMEOUT=MYSQL_FETCH_ARRAY($GETTIMEOUT);
$ADMIN_TIMEOUT=$ROWTIMEOUT['SETTING_VALUE'];

$GETADMINISTRATION=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='ADMINISTRATION'");
$ROWADMINISTRATION=MYSQL_FETCH_ARRAY($GETADMINISTRATION);
$ADMINISTRATION=$ROWADMINISTRATION['SETTING_VALUE'];

$GETBEACARD=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='BEACARD_XNO'");
$ROWBEACARD=MYSQL_FETCH_ARRAY($GETBEACARD);
$BEACARD_XNO=$ROWBEACARD['SETTING_VALUE'];

$GETGENERAL=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='GENERAL'");
$ROWGENERAL=MYSQL_FETCH_ARRAY($GETGENERAL);
$GENERAL=$ROWGENERAL['SETTING_VALUE'];

$GETPASSKEY=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='PASS_KEY'");
$ROWPASSKEY=MYSQL_FETCH_ARRAY($GETPASSKEY);
$PASS_KEY=$ROWPASSKEY['SETTING_VALUE'];

$GETREGBY=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='REG_ACTIVE_BY'");
$ROWREGBY=MYSQL_FETCH_ARRAY($GETREGBY);
$REG_ACTIVE_BY=$ROWREGBY['SETTING_VALUE'];

$GETMAXTRY=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='REG_MAX_TRY'");
$ROWGETTRY=MYSQL_FETCH_ARRAY($GETMAXTRY);
$REG_MAX_TRY=$ROWGETTRY['SETTING_VALUE'];

$GETSALES=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='SALES'");
$ROWSALES=MYSQL_FETCH_ARRAY($GETSALES);
$SALES=$ROWSALES['SETTING_VALUE'];

$PASSQUERY=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='SMS_PASS'");
$ROWPASS=MYSQL_FETCH_ARRAY($PASSQUERY);
$SMS_PASS=$ROWPASS['SETTING_VALUE'];

$SENDERQUERY=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='SMS_SENDER'");
$ROWSENDER=MYSQL_FETCH_ARRAY($SENDERQUERY);
$SMS_SENDER=$ROWSENDER['SETTING_VALUE'];

$USERQUERY=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='SMS_USER'");
$ROWUSER=MYSQL_FETCH_ARRAY($USERQUERY);
$SMS_USER=$ROWUSER['SETTING_VALUE'];

$DOMAINMAIL=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='SMTP_DOMAIN'");
$ROWDOMAIN=MYSQL_FETCH_ARRAY($DOMAINMAIL);
$SMTP_DOMAIN=$ROWDOMAIN['SETTING_VALUE'];

$FROMMAIL=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='SMTP_FROM'");
$ROWFROM=MYSQL_FETCH_ARRAY($FROMMAIL);
$SMTP_FROM=$ROWFROM['SETTING_VALUE'];

$HOSTMAIL=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='SMTP_HOST'");
$ROWHOST=MYSQL_FETCH_ARRAY($HOSTMAIL);
$SMTP_HOST=$ROWHOST['SETTING_VALUE'];

$PASSMAIL=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='SMTP_PASS'");
$ROWPASSM=MYSQL_FETCH_ARRAY($PASSMAIL);
$SMTP_PASS=$ROWPASSM['SETTING_VALUE'];

$PORTMAIL=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='SMTP_PORT'");
$ROWPORT=MYSQL_FETCH_ARRAY($PORTMAIL);
$SMTP_PORT=$ROWPORT['SETTING_VALUE'];

$USERMAIL=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='SMTP_USER'");
$ROWUSERM=MYSQL_FETCH_ARRAY($USERMAIL);
$SMTP_USER=$ROWUSERM['SETTING_VALUE'];

$TECHNICALMAIL=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='TECHNICAL'");
$ROWTECHNICAL=MYSQL_FETCH_ARRAY($TECHNICALMAIL);
$TECHNICAL=$ROWTECHNICAL['SETTING_VALUE'];

$GETTIME=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS WHERE SETTING_NAME='TIME_SA_TICKET'");
$ROWTIME=MYSQL_FETCH_ARRAY($GETTIME);
$TIME_SA_TICKET=$ROWTIME['SETTING_VALUE'];
?>

```

LEFTPANEL.PHP

```

<?PHP
SESSION_START();
REQUIRE 'ADMIN/CONFIG.PHP';
REQUIRE 'ADMIN/OPENDB.PHP';
INCLUDE 'FUNCTIONS.PHP';
INCLUDE 'ADMIN/SITESETTINGS.PHP';
REQUIRE_ONCE('CALENDAR/CLASSES/TC_CALENDAR.PHP');
$ADMIN_TIMEOUT = $ADMIN_TIMEOUT * 60; // CONVERTS MINUTES TO SECONDS
IF (ISSET($_SESSION['START_TIME'])) {
    $ELAPSED_TIME = TIME() - $_SESSION['START_TIME'];
    IF ($ELAPSED_TIME >= $ADMIN_TIMEOUT) {
        SESSION_DESTROY();
        HEADER("LOCATION: LOGOUT.PHP");
    }
}
$_SESSION['START_TIME'] = TIME();
$VALID = $_SESSION['VALID'];
$CUSTOMER_ID = $_SESSION['CUSTOMER_ID'];
ERROR_REPORTING(0);
$YEAR = GMDATE(Y);
$MONTH = GMDATE(M);
$DAY = GMDATE(D);
$MIN = GMDATE(i);
$HOUR = GMDATE(H);
$SEC = GMDATE(s);
$TIMEZONE = GMDATE(E);
$HOUR = $HOUR+$TIME_SA_TICKET;
$DATEONLY = "$YEAR-$MONTH-$DAY";
$TIMEONLY = "$HOUR:$MIN:$SEC";
$DATETIME = "$YEAR-$MONTH-$DAY $HOUR:$MIN:$SEC";
$LANGUAGE = $_SESSION['LANGUAGE'];
$JUSTOPENED = $_SESSION['JUSTOPENED'];
IF ($JUSTOPENED!=1){
    $IPADDRESS = GETIPADDRESS();
    $URL = 'HTTP://FREEGEOIP.APPSPOT.COM/XML/'.$IPADDRESS;
    $XML = SIMPLEXML_LOAD_FILE($URL,"SIMPLEXMLELEMENT",LIBXML_NOCDATA);
    IF ($XML == FALSE){
        //PRINT "ERROR IN LOADING IP ADDRESS. THIS GOOGLE APP ENGINE APPLICATION IS TEMPORARILY OVER ITS SERVING QUOTA. PLEASE TRY AGAIN LATER.";
    }
    ELSE {
        $XML->GETNAME() . "<br />";
        FOREACH($XML->CHILDREN() AS $CHILD){
            $RESULTOFXML = $CHILD->GETNAME() . " : " . $CHILD . "<br />";
            $LOOKINGFOR = STRTOK($RESULTOFXML, " :");
            IF ($LOOKINGFOR=="COUNTRYNAME"){
                $ANSWER=TRIM($LOOKINGFOR);
                $ANSWER = STRTOK(":");
                IF (($ANSWER=="AFGHANISTAN")||($ANSWER=="ALGERIA")||($ANSWER=="BAHRAIN")||($ANSWER=="EGYPT"))
                    ($ANSWER=="IRAQ")||($ANSWER=="ISRAEL")||($ANSWER=="JORDAN")||($ANSWER=="KUWAIT")||($ANSWER=="LEBANON")||
                    ($ANSWER=="MOROCCO")||($ANSWER=="OMAN")||($ANSWER=="PALESTINE")||($ANSWER=="QATAR")||($ANSWER=="SAUDI
                    ARABIA")||($ANSWER=="SUDAN")
                    ||($ANSWER=="SYRIA")||($ANSWER=="TUNISIA")||($ANSWER=="TURKEY")||($ANSWER=="UNITED ARAB EMIRATES"))
                    ($ANSWER=="YEMEN"){
                        $LANGUAGE="AE";
                    }
                }
            }
        }
        $JUSTOPENED=1;
        $_SESSION['JUSTOPENED']=$JUSTOPENED;
    }
}
IF (ISSET($_POST['CHANGELANG'])){
    $CHANGELANGUAGE = $_POST['CHANGELANG'];
    $_SESSION['LANGUAGE'] = $CHANGELANGUAGE;
}
ELSE{
    $_SESSION['LANGUAGE'] = $LANGUAGE;
}
$LANGUAGE = $_SESSION['LANGUAGE'];
IF ($LANGUAGE=="AE"){
    $ALIGN="LEFT";
    $ALIGN2="RIGHT";
    $DB="_ARA";
}
ELSE{
    $ALIGN="RIGHT";
    $ALIGN2="LEFT";
    $DB="";
}

$SELFURL = "HTTP://".$_SERVER['HTTP_HOST'].$_SERVER['REQUEST_URI'];
?>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD XHTML 1.0 TRANSITIONAL//EN" "HTTP://WWW.W3.ORG/TR/XHTML/DTD/XHTML1-TRANSITIONAL.DTD">
<?PHP IF ($LANGUAGE=="AE")
    PRINT "<HTML XMLNS='HTTP://WWW.W3.ORG/1999/XHTML' XML:LANG='AR' DIR='RTL'>";
    ELSE
        PRINT "<HTML XMLNS='HTTP://WWW.W3.ORG/1999/XHTML'>";
?>

<HEAD><TITLE> BEA3 - ALMALKI ELECTRONIC BASKET </TITLE>
<META HTTP-EQUIV="CONTENT-TYPE" CONTENT="TEXT/HTML; CHARSET=UTF-8">

```

```

<!-- <LINK REL="ICON" HREF="FAVICON.ICO" TYPE="IMAGE/X-ICON" /> -->
<!-- <META HTTP-EQUIV='CONTENT-TYPE' CONTENT='TEXT/HTML'; CHARSET=ISO-8859-1'> -->
<?PHP IF ($LANGUAGE=="AE")
    PRINT "<LINK HREF='CSS/MAIN_ARA.CSS' REL='STYLESHEET' TYPE='TEXT/CSS'>";
ELSE
    PRINT "<LINK HREF='CSS/MAIN.CSS' REL='STYLESHEET' TYPE='TEXT/CSS'>";
?>
<SCRIPT TYPE="TEXT/JAVASCRIPT" SRC="JS/JQUERY-LATEST.JS"></SCRIPT>
<SCRIPT TYPE="TEXT/JAVASCRIPT" SRC="JS/TABS.JS"></SCRIPT>
<SCRIPT TYPE="TEXT/JAVASCRIPT" SRC="JS/CAROUSEL.JS"></SCRIPT>
<SCRIPT TYPE="TEXT/JAVASCRIPT" SRC="BE_SLIDE.JS"></SCRIPT>
<LINK HREF="CALENDAR/CALENDAR.CSS" REL="STYLESHEET" TYPE="TEXT/CSS" />
<SCRIPT LANGUAGE="JAVASCRIPT" SRC="CALENDAR/CALENDAR.JS"></SCRIPT>
<SCRIPT TYPE="TEXT/JAVASCRIPT" SRC="JS/FORMVAL.JS"></SCRIPT>
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
$(DOCUMENT).READY(function () {
    $($(".TABS").TABS("DIV.PANES > DIV", { EFFECT: 'AJAX' }));
});
function CHECKFORM(FRM) {
    VAR FLAG = TRUE;
    IF(FRM.USEREMAIL.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("SPEMAILREQ").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    IF(FRM.USERPASS.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("SPPASSREQ").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    RETURN FLAG;
}
</SCRIPT>
</HEAD>
<BODY>
<?PHP
PRINT "<TABLE WIDTH='1066' ALIGN='CENTER' CELLPADDING='0' CELLSPACING='0'>
<TR><TD><TABLE ID='MAIN' ALIGN='CENTER'>
<TR CLASS='HEADLINE'><TD> </TD></TR>
<TR CLASS='TOPBar' VALIGN='TOP' STYLE='BACKGROUND:URL(IMAGES/WRAPPER-FILL.PNG)'>
<TD><TABLE ID='TOPHEAD'><TR><TD CLASS='TOPLogo' VALIGN='TOP'><A HREF='HTTP://WWW.1111.CO/'><IMG SRC='IMAGES/LOGO.GIF' ALT='BEA3
MARKET' /></A></TD>
<TD VALIGN='TOP' CLASS='TOPMenu'><TABLE WIDTH='833' CELLPADDING='0' CELLSPACING='0'>
<TR><TD VALIGN='TOP' COLSPAN='2'><TABLE ID='TOPMenu'>
<TR><TD><A CLASS='HOMEPAGE' HREF='INDEX.PHP'>".GETLANG("HOME",$LANGUAGE)." </A><BR /><BR /><BR /><BR /></TD>
<TD><A CLASS='HOMEPAGE' HREF='HTB.PHP'>".GETLANG("HOWTOBUY",$LANGUAGE)." </A><BR /><BR /><BR /><BR /></TD>
<TD><A CLASS='HOMEPAGE' HREF='FAQS.PHP'>".GETLANG("FAQ",$LANGUAGE)." </A><BR /><BR /><BR /><BR /></TD>
<TD><A CLASS='HOMEPAGE' HREF='FINDLOC.PHP'>".GETLANG("FINDBEA3CARDLOC",$LANGUAGE)." </A><BR /><BR /><BR /><BR /></TD>
<TD><A CLASS='HOMEPAGE' HREF='ABOUTUS.PHP'>".GETLANG("ABOUTUS",$LANGUAGE)." </A><BR /><BR /><BR /><BR /></TD>
<TD><A CLASS='HOMEPAGE' HREF='CONTACTUS.PHP'>".GETLANG("CONTACTUS",$LANGUAGE)." </A><BR /><BR /><BR /><BR /></TD>";?>
<TD CLASS="CHANGE LANG"><FORM METHOD="POST" ID="FILTER" ACTION="<?PHP ECHO HTMLENTITIES($SELFURL); ?>"
&NSP; &NSP; <SELECT NAME="CHANGE LANG" STYLE="WIDTH: 105PX; ONCHANGE="DOCUMENT.GETELEMENTBYID('FILTER').SUBMIT();">
<?PHP PRINT "<OPTION VALUE="">".GETLANG("SELECTLANGUAGE",$LANGUAGE)." </OPTION>";
IF ($LANGUAGE=="AE") PRINT "<OPTION VALUE='EN'>ENGLISH</OPTION>";
ELSE PRINT "<OPTION VALUE='AE'>"; PRINT GETLANG("ARABIC","AE"); PRINT "</OPTION></SELECT></FORM><BR /><BR /> </TD>
<TD><FORM METHOD='POST' ACTION='SEARCH.PHP'> &NSP; &NSP; <INPUT TYPE='TEXT' CLASS='INPUT2' ID='KEYWORD' NAME='KEYWORD' SIZE='20' VALUE='
MAXLENGTH='20' />
<INPUT TYPE='IMAGE' BORDER='0' NAME='SUBMIT' ID='SUBMIT' SRC='IMAGES$DB/SEARCH.PNG' ALIGN='ABSMIDDLE' />
<BR /> <A CLASS='ADVANCESEARCH' HREF='ADVANCEDSEARCH.PHP'> &NSP; &NSP; ".GETLANG("ADVANCESEARCH",$LANGUAGE)." </A><BR /><BR
/></FORM></TD>
</TR></TABLE> </TD></TR><TR> <TD CLASS='TOPImage'><IMG SRC='IMAGES$DB/TOPHEAD2.PNG' ALT='BEA3' /></TD>
<TD CLASS='TOPRIGHTHEAD'><TABLE CELLPADDING='0' CELLSPACING='0'><TR><TD ALIGN='$ALIGN2'>";
IF ($VALID==NULL) { PRINT "<SPAN ID='REGISTERAREA'>
<A HREF='REGISTRATIONPROCESS.PHP'><IMG SRC='IMAGES$DB/REGISTER.JPG' NAME='REGISTER' ALT='REGISTER NEW ACCOUNT'
ONMOUSEOVER='\"DOCUMENT.REGISTER.SRC='IMAGES$DB/REGISTER2.JPG\" ONMOUSEOUT='\"DOCUMENT.REGISTER.SRC='IMAGES$DB/REGISTER.JPG\" BORDER='0' /></A>
</SPAN>"; } ELSE {
    $QUERY = MYSQL_QUERY("SELECT * FROM CUSTOMER WHERE CUSTOMER_ID='$CUSTOMER_ID') OR DIE(MYSQL_ERROR());
    $ROW = MYSQL_FETCH_ARRAY($QUERY);
    $TITLE = $ROW['TITLE'];
    $DBCUSTOMERBALANCE = $ROW['CUSTOMER_BALANCE'];
    $DBCUSTOMERBALANCE = NUMBER_FORMAT($DBCUSTOMERBALANCE,2);
    PRINT "<BR /><BR />".GETLANG("WELCOME",$LANGUAGE)." <b>".GETLANG($TITLE,$LANGUAGE)." ". $ROW['CUSTOMER_FIRSTNAME']. "</b><BR
/>";
}
PRINT "</TD></TR></TABLE></TD></TR></TABLE></TD></TR></TABLE><TABLE ID='CONTENTS'><TR><TD VALIGN='TOP' STYLE='TEXT-ALIGN: JUSTIFY'>
<TABLE ID='CONTENTSLEFT'><DIV CLASS='WRAPPER'><TR><TD><IMG SRC='IMAGES$DB/PLAN-TOP.PNG' ALT='' WIDTH='233' HEIGHT='68' /><DIV CLASS='MIDDLE'><DIV
CLASS='CATEGORYLIST'><BR>";
$result=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='0'");
WHILE ($ROW=MYSQL_FETCH_ARRAY($RESULT)){
    $CATEGORY_ID=$ROW['CATEGORY_ID'];
    $CN="CATEGORY_NAME$DB";
    $CATEGORY_NAME=$ROW[$CN];
    PRINT "<A " . IF($GET['CATEGORY_ID'] == $CATEGORY_ID) { PRINT "CLASS='SELECTEDLink' "; } PRINT "HREF='CATEGORY.PHP?
CATEGORY_ID=$CATEGORY_ID'>$CATEGORY_NAME</A>
<DIV CLASS='SEP'> </DIV>";
}
PRINT "</DIV></DIV><DIV CLASS='BOTTOM'></DIV></TD></TR></TABLE>";
PRINT "</TABLE><BR /><BR /><DIV></TD><TD VALIGN='TOP'><TABLE ID='CONTENTS CENTER'><TR><TD HEIGHT='600' VALIGN='TOP'>";
RIGHTPANEL.PHP
<?PHP
$CATEGORY_ID=$GET['CATEGORY_ID'];
$DIRECTORYSITE = "IMAGES$DB/CATEGORYAD";
IF ($LANGUAGE=="AE"){

```

```

    $ALIGN="LEFT";
    $ALIGN2="RIGHT";
    $DB="_ARA";
}
ELSE{
    $ALIGN="RIGHT";
    $ALIGN2="LEFT";
    $DB="";
}
$CHECKTICKET=MYSQL_QUERY("SELECT * FROM TICKET_REQUEST WHERE TICKETSTATE_ID!=3 AND EXTRACT(MONTH FROM TICKETREQUEST_DATE)>($MONTH+6)");
WHILE ($ROWTICKETVALID=MYSQL_FETCH_ARRAY($CHECKTICKET)){
    $TICKET_IDENTIFICATION = $ROWTICKETVALID['TICKETREQUEST_ID'];
    $CLOSETICKET = MYSQL_QUERY("UPDATE TICKET_REQUEST SET TICKETSTATE_ID=3 WHERE TICKETREQUEST_ID=$TICKET_IDENTIFICATION") OR DIE (MYSQL_ERROR());
}
PRINT "</TD></TR><TR><TD><IMG SRC='IMAGES/CENTERBOTTOM.PNG' ALT=' ' /></TD></TR></TABLE></TD>";
PRINT "<TD VALIGN='TOP' STYLE='TEXT-ALIGN: CENTER'><TABLE ID='CONTENTSRIGHT'>";
IF ($VALID=NULL){
    PRINT "<TR><TD><SPAN ID='LOGINFORMAREA'><CENTER><DIV CLASS='CONTAINER' STYLE='TEXT-ALIGN: CENTER;'>
        <FORM METHOD='POST' ACTION='LOGIN.PHP' ONSUBMIT='RETURN CHECKFORM(THIS);'>
        <TABLE WIDTH='150' ALIGN='CENTER' CELLPADDING='0' CELLSPACING='0' CLASS='LOGINTABLE'>
        <TR><TD>".GETLANG("EMAIL",$LANGUAGE)."<BR /><INPUT TYPE='TEXT' NAME='USEREMAIL' CLASS='INPUT' SIZE='22' /><BR /><SPAN ID='SPEMAILREQ' STYLE='DISPLAY:BLOCK;
VISIBILITY:HIDDEN;'>".GETLANG("REQUIREDEMAIL",$LANGUAGE)."</SPAN></TD></TR>
        <TR><TD>".GETLANG("PASSWORD",$LANGUAGE)."<BR /><INPUT TYPE='PASSWORD' NAME='USERPASS' CLASS='INPUT' SIZE='22' /><BR /><SPAN ID='SPPASSREQ'
STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>".GETLANG("PASSWORDREQUIRED",$LANGUAGE)."</SPAN></TD></TR>
        <TR><TD ALIGN='RIGHT'><INPUT TYPE='IMAGE' NAME='SUBMIT' ID='SUBMIT' SRC='IMAGES$DB/BTNLOGIN.PNG' /></TD></TR>
        <TR><TD><A HREF='FORGOTPASSWORD.PHP'><B>".GETLANG("FORGOTPASSWORD",$LANGUAGE)."</A></TD></TR>
        </TABLE></FORM></DIV></CENTER></SPAN></TD></TR>";
}
ELSE{
    $NEWTICKETCOUNT=0;
    $QUERY = MYSQL_QUERY("SELECT * FROM CUSTOMER WHERE CUSTOMER_ID='$CUSTOMER_ID'" OR DIE(MYSQL_ERROR()));
    $ROW = MYSQL_FETCH_ARRAY($QUERY);
    $TITLE = $ROW['TITLE'];
    $DBCUSTOMERBALANCE = $ROW['CUSTOMER_BALANCE'];
    $DBCUSTOMERBALANCE = NUMBER_FORMAT($DBCUSTOMERBALANCE,2);
    PRINT "<TR><TD ALIGN='$ALIGN2'> &nbsp;&nbsp;&nbsp;". GETLANG("YOURBALANCE",$LANGUAGE).":<FONT COLOR='#b106b3'><B> $DBCUSTOMERBALANCE </B></FONT>".
    GETLANG("SAR",$LANGUAGE)."</FONT></TD></TR>";
    PRINT "<TR><TD><BR><SPAN ID='LOGOUTAREA'><CENTER><DIV CLASS='CONTAINER'><TABLE WIDTH='170' ALIGN='CENTER' CELLPADDING='10' CELLSPACING='10'
CLASS='PROFILETABLE'>
        <TR><TD ALIGN='$ALIGN2'><A HREF='ADDFUNDS.PHP'>".GETLANG("ADDFUNDS",$LANGUAGE)."</A></TD></TR>
        <TR><TD ALIGN='$ALIGN2'><A HREF='EDITPROFILE.PHP'>".GETLANG("EDITPROFILE",$LANGUAGE)."</A></TD></TR>
        <TR><TD ALIGN='$ALIGN2'><A HREF='CHANGEPASSWORD.PHP'>".GETLANG("CHANGEPASSWORD",$LANGUAGE)."</A></TD></TR>
        <TR><TD ALIGN='$ALIGN2'><A HREF='TRANSACTIONHISTORY.PHP'>".GETLANG("TRANSACTIONHISTORY",$LANGUAGE)."</A></TD></TR>
        <TR><TD ALIGN='$ALIGN2'><A HREF='REGISTER.TICKET.PHP'>".GETLANG("REGISTER.TICKET",$LANGUAGE)."</A></TD></TR>";
    $COUNTNew=MYSQL_QUERY("SELECT DISTINCT(TICKET_REQUEST.TICKETREQUEST_ID) FROM CUSTOMER,TICKET_REQUEST,TICKET_RESPONSE WHERE
TICKET_RESPONSE.TICKETREQUEST_ID=TICKET_REQUEST.TICKETREQUEST_ID AND TICKET_REQUEST.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND CUSTOMER.CUSTOMER_ID='$CUSTOMER_ID' AND
TICKET_REQUEST.TICKETSTATE_ID!=3");
    WHILE ($ROWCOUNT=MYSQL_FETCH_ROW($COUNTNew)){
        $TICKET_ID=$ROWCOUNT[0];
        $QUERY=MYSQL_QUERY("SELECT isADMIN FROM TICKET_RESPONSE WHERE TICKETREQUEST_ID=$TICKET_ID' ORDER BY TICKETRESPONSE_DATE DESC LIMIT
1");
        $ROW=MYSQL_FETCH_ROW($QUERY);
        $LASTREPLY=$ROW[0];
        IF ($LASTREPLY==1)
            $NEWTICKETCOUNT++;
    }
    IF ($NEWTICKETCOUNT>0)
        PRINT "<TR><TD ALIGN='$ALIGN2'><A HREF='CUSTOMERTICKETS.PHP' CLASS='WITHNOTIFICATION'>".GETLANG("CUSTOMERTICKETS",$LANGUAGE)."</A> <FONT
COLOR='red'><B>($NEWTICKETCOUNT)</B></FONT></TD></TR>";
    ELSE
        PRINT "<TR><TD ALIGN='$ALIGN2'><A HREF='CUSTOMERTICKETS.PHP'>".GETLANG("CUSTOMERTICKETS",$LANGUAGE)."</A></TD></TR>";
    PRINT "<TR><TD ALIGN='$ALIGN2'><A HREF='LOGOUT.PHP'>".GETLANG("LOGOUT",$LANGUAGE)."</A></TD></TR></TABLE></DIV></CENTER></SPAN></TD></TR>";
}
PRINT "<DIV ID='RPTRIGHTSIDEADS'><TR><TD ALIGN='CENTER'><CENTER>";
IF ($CATEGORY_ID=="")
    $GETAD=MYSQL_QUERY("SELECT * FROM SITE_ADVERTISEMENT WHERE CATEGORY_ID='0' ORDER BY SITEAD_DISPLAYORDER LIMIT 3");
ELSE{
    $GETAD=MYSQL_QUERY("SELECT * FROM SITE_ADVERTISEMENT WHERE CATEGORY_ID='$CATEGORY_ID' ORDER BY SITEAD_DISPLAYORDER LIMIT 3");
    $COUNTAd = MYSQL_NUM_ROWS($GETAD);
    IF ($COUNTAd==0)
        $GETAD=MYSQL_QUERY("SELECT * FROM SITE_ADVERTISEMENT WHERE CATEGORY_ID='0' ORDER BY SITEAD_DISPLAYORDER LIMIT 3");
}
WHILE ($ROW=MYSQL_FETCH_ARRAY($GETAD)){
    $IM="SITEAD_IMAGE$DB";
    $LNK="SITEAD_LINK$DB";
    $IMG=$ROW[$IM];
    $URL=$ROW[$LNK];
    $IMAGE = "$DIRECTORYSITE/$IMG";
    PRINT "<BR /><IMG SRC='IMAGES/RIGHTADDSEP.JPG' /> <BR /><BR />
        <DIV CLASS='CONTAINER' STYLE='TEXT-ALIGN: CENTER;'><BR />
        <A HREF='$URL' TARGET='_BLANK'><IMG SRC='$IMAGE' WIDTH='183' HEIGHT='135'></A><BR /><BR /></DIV>";
}
PRINT "</CENTER></TD></TR></DIV></TABLE></TD></TR></TABLE>";
PRINT "<BR /><BR /></TD></TR><TR CLASS='BOTTOMBAR'><TD ALIGN='CENTER' VALIGN='TOP' STYLE='HEIGHT: 50px'><IMG SRC='IMAGES/BANKS.GIF' WIDTH='1048px' /></TD></TR>
<TR CLASS='CLOSING'><TD></TD></TR></TABLE>";
PRINT "<BR><TABLE ID='TABLE1' STYLE='TEXT-ALIGN: CENTER; ALIGN='CENTER'>
<TR><TD ALIGN='CENTER' COLSPAN='6' STYLE='FONT-SIZE: 8PT; WIDTH: 437px; COLOR: #FFFFFF; FONT-FAMILY: TAHOMA; HEIGHT: 15px; TEXT-ALIGN: CENTER'>
<A CLASS='FOOTER' HREF='INDEX.PHP'>".GETLANG("HOME",$LANGUAGE)."</A> | <A CLASS='FOOTER' HREF='HTB.PHP'>".GETLANG("HowToBuy",$LANGUAGE)."</A> |
<A CLASS='FOOTER' HREF='FAQS.PHP'>".GETLANG("FAQ",$LANGUAGE)."</A> | <A CLASS='FOOTER' HREF='FINDLOC.PHP'>".GETLANG("FINDBEA3CARDLOC",$LANGUAGE)."</A> |
<A CLASS='FOOTER' HREF='ABOUTUS.PHP'>".GETLANG("ABOUTUS",$LANGUAGE)."</A> | <A CLASS='FOOTER' HREF='CONTACTUS.PHP'>".GETLANG("CONTACTUS",$LANGUAGE)."</A><BR>
".GETLANG("COPYRIGHT",$LANGUAGE)."</TD></TR></TABLE></TD></TR></TABLE>";
REQUIRE 'ADMIN/CloseDB.PHP';
PRINT "</BODY></HTML>";

```

REGISTRATIONFORM.PHP

```

<SCRIPT TYPE="TEXT/JAVASCRIPT" SRC="js/FORMVAL.JS"></SCRIPT>
<SCRIPT>
FUNCTION CHECKFORM(FRM){
    VAR FLAG = TRUE;
    VAR FILTER = /^[A-ZA-Z0-9_\.\-]+\@((([A-ZA-Z0-9\-\-])+\.)+([A-ZA-Z0-9]{2,4})+)$/;
    VAR MBLNR = /^[0-9 ]+$/;

    IF(FRM.FIRSTNAME.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("spFIRSTNAME").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    IF(FRM.LASTNAME.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("spLASTNAME").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    IF(FRM.EMAILADDRESS.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("spEMAIL").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    ELSE{
        IF ((!FILTER.TEST(FRM.EMAILADDRESS.VALUE))&&(FRM.EMAILADDRESS.VALUE != "")){
            DOCUMENT.GETELEMENTBYID("spEMAIL2").STYLE.VISIBILITY = "VISIBLE";
            DOCUMENT.GETELEMENTBYID("spEMAIL").STYLE.VISIBILITY = "HIDDEN";
            DOCUMENT.GETELEMENTBYID("spEMAIL2").STYLE.DISPLAY = "BLOCK";
            DOCUMENT.GETELEMENTBYID("spEMAIL").STYLE.DISPLAY = "NONE";
            FLAG = FALSE;
        }
    }
    IF (FRM.ALTEMAILADDRESS.VALUE != ""){
        IF (!FILTER.TEST(FRM.ALTEMAILADDRESS.VALUE)){
            DOCUMENT.GETELEMENTBYID("spALTEMAIL2").STYLE.VISIBILITY = "VISIBLE";
            DOCUMENT.GETELEMENTBYID("spALTEMAIL").STYLE.VISIBILITY = "HIDDEN";
            DOCUMENT.GETELEMENTBYID("spALTEMAIL2").STYLE.DISPLAY = "BLOCK";
            DOCUMENT.GETELEMENTBYID("spALTEMAIL").STYLE.DISPLAY = "NONE";
            FLAG = FALSE;
        }
    }
    IF ((FRM.EMAILADDRESS.VALUE != "")&&(FRM.ALTEMAILADDRESS.VALUE != "")&&(FRM.EMAILADDRESS.VALUE == FRM.ALTEMAILADDRESS.VALUE)){
        DOCUMENT.GETELEMENTBYID("spALTEMAIL2").STYLE.VISIBILITY = "HIDDEN";
        DOCUMENT.GETELEMENTBYID("spEMAIL").STYLE.VISIBILITY = "HIDDEN";
        DOCUMENT.GETELEMENTBYID("spALTEMAIL2").STYLE.DISPLAY = "NONE";
        DOCUMENT.GETELEMENTBYID("spEMAIL").STYLE.DISPLAY = "NONE";
        DOCUMENT.GETELEMENTBYID("spALTEMAIL").STYLE.VISIBILITY = "VISIBLE";
    }
    IF (FRM.PASSWORD.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("spPASSWORD").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    ELSE{
        IF (FRM.PASSWORD.VALUE.LENGTH<8){
            DOCUMENT.GETELEMENTBYID("spPASSWORD2").STYLE.VISIBILITY = "VISIBLE";
            DOCUMENT.GETELEMENTBYID("spPASSWORD2").STYLE.DISPLAY = "BLOCK";
            DOCUMENT.GETELEMENTBYID("spPASSWORD").STYLE.VISIBILITY = "HIDDEN";
            DOCUMENT.GETELEMENTBYID("spPASSWORD").STYLE.DISPLAY = "NONE";
            FLAG = FALSE;
        }
    }
    IF (FRM.CONFPASSWORD.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("spCONFPASSWORD").STYLE.VISIBILITY = "VISIBLE";
        DOCUMENT.GETELEMENTBYID("spCONFPASSWORD").STYLE.DISPLAY = "BLOCK";
        FLAG = FALSE;
    }
    ELSE {
        IF (FRM.CONFPASSWORD.VALUE.LENGTH<8){
            DOCUMENT.GETELEMENTBYID("spCONFPASSWORD2").STYLE.VISIBILITY = "VISIBLE";
            DOCUMENT.GETELEMENTBYID("spCONFPASSWORD2").STYLE.DISPLAY = "BLOCK";
            DOCUMENT.GETELEMENTBYID("spCONFPASSWORD").STYLE.VISIBILITY = "HIDDEN";
            DOCUMENT.GETELEMENTBYID("spCONFPASSWORD").STYLE.DISPLAY = "NONE";
            FLAG = FALSE;
        }
    }
    IF ((FRM.PASSWORD.VALUE != "")&&(FRM.CONFPASSWORD.VALUE != "")&&(FRM.CONFPASSWORD.VALUE.LENGTH>=8)&&(FRM.PASSWORD.VALUE.LENGTH>=8)){
        IF (FRM.CONFPASSWORD.VALUE != FRM.PASSWORD.VALUE){
            DOCUMENT.GETELEMENTBYID("spCONFPASSWORD2").STYLE.VISIBILITY = "HIDDEN";
            DOCUMENT.GETELEMENTBYID("spCONFPASSWORD2").STYLE.DISPLAY = "NONE";
            DOCUMENT.GETELEMENTBYID("spCONFPASSWORD").STYLE.VISIBILITY = "HIDDEN";
            DOCUMENT.GETELEMENTBYID("spCONFPASSWORD").STYLE.DISPLAY = "NONE";
            DOCUMENT.GETELEMENTBYID("spPASSWORD2").STYLE.VISIBILITY = "HIDDEN";
            DOCUMENT.GETELEMENTBYID("spPASSWORD2").STYLE.DISPLAY = "NONE";
            DOCUMENT.GETELEMENTBYID("spCONFPASSWORD3").STYLE.VISIBILITY = "VISIBLE";
            DOCUMENT.GETELEMENTBYID("spCONFPASSWORD3").STYLE.DISPLAY = "BLOCK";
            FLAG = FALSE;
        }
    }
    IF(FRM.MOBILENUMBER.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("spMOBILE").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    ELSE{
        MOBILE=TRIM(FRM.MOBILENUMBER.VALUE);
        IF ((MOBILE.LENGTH<12)||(!MBLNR.TEST(MOBILE))||((MOBILE.LENGTH>14))){
            DOCUMENT.GETELEMENTBYID("spMOBILE").STYLE.DISPLAY = "NONE";
        }
    }
}

```

```

DOCUMENT.getElementById("spMobile2").style.display = "block";
DOCUMENT.getElementById("spMobile2").style.visibility = "visible";
FLAG = FALSE;
}
}
}
IF(FRM.COUNTRY.VALUE == ""){
DOCUMENT.getElementById("spCountry").style.visibility = "visible";
FLAG = FALSE;
}
}
IF (FRM.AGREEMENT.CHECKED==FALSE){
DOCUMENT.getElementById("spAgreement").style.visibility = "visible";
FLAG = FALSE;
}
}
RETURN FLAG;
}
</SCRIPT>
<?PHP

$FIRSTNAME = $_GET["FIRSTNAME"];
$MIDDLENAME = $_GET["MIDDLENAME"];
$LASTNAME = $_GET["LASTNAME"];
$GENDER = $_GET["GENDER"];
$BIRTHDAY = $_GET["BIRTHDAY"];
$EMAILADDRESS = $_GET["EMAILADDRESS"];
$ALTEMAILADDRESS = $_GET["ALTEMAILADDRESS"];
$PASSWORD = $_GET["PASSWORD"];
$CONFPASSWORD = $_GET["CONFPASSWORD"];
$MOBILENUMBER = $_GET["MOBILENUMBER"];
$PHONENUMBER = $_GET["PHONENUMBER"];
$COUNTRY = $_GET["COUNTRY"];
$NATIONALITY = $_GET["NATIONALITY"];
$CITY = $_GET["CITY"];
$AGREEMENT = $_GET["AGREEMENT"];
$MONTH = DATE(M);
$YEAR = DATE(Y);
$DAY = DATE(D);
$FULLMONTH = DATE(F);
$EMPTYFIELD = $_GET["EMPTYFIELD"];
$EMAILCHECKERROR = $_GET["EMAILCHECKERROR"];
$ALTEMAILCHECKERROR = $_GET["ALTEMAILCHECKERROR"];
$CONFPASSERROR = $_GET["CONFPASSERROR"];
$PASSLENGTHERROR = $_GET["PASSLENGTHERROR"];
$CAPTCHAERROR = $_GET["CAPTCHAERROR"];
$AGREEMENTERROR = $_GET["AGREEMENTERROR"];
$EMAILTAKEN = $_GET["EMAILTAKEN"];
$ALTEMAILERROR = $_GET["ALTEMAILERROR"];
IF ($BIRTHDAY==""){
    $BIRTHDAY="YYYY-MM-DD";
}
IF ($LANGUAGE=="ae"){
    $ALIGN="LEFT";
    $ALIGN2="RIGHT";
}
ELSE {
    $ALIGN="RIGHT";
    $ALIGN2="LEFT";
}
PRINT "<FORM NAME='REGISTRATIONFORM' METHOD='POST' ACTION='REGISTRATIONPROCESS.PHP' ONSUBMIT='RETURN CHECKFORM(THIS);'>";
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>";
PRINT "<TR><TH><DIV><SPAN STYLE='WIDTH:160PX;'>".GETLANG("NewUserRegistration",$LANGUAGE)."/></DIV></TH></TR>";
PRINT "<TR><TD CLASS='WORKAREA'><TABLE WIDTH='550' STYLE='TABLE-LAYOUT: FIXED;'>";
IF ($EMPTYFIELD!="")
PRINT "<TR><TD COLSPAN='3'><FONT SIZE='1' COLOR='red'>We cannot process your registration due to some errors. Please check your form again and
MAKE SURE TO FILL UP ALL REQUIRED FIELDS INDICATED BY * </FONT> </TD></TR>";
ELSE IF ($EMAILCHECKERROR==1)
PRINT "<TR><TD COLSPAN='3'><FONT SIZE='1' COLOR='red'>The email address you inputted is not a valid email address.</FONT> </TD></TR>";
ELSE IF ($ALTEMAILCHECKERROR==1)
PRINT "<TR><TD COLSPAN='3'><FONT SIZE='1' COLOR='red'>The alternate email address you inputted is not a valid email address. </FONT>";
</TD></TR>";
ELSE IF ($ALTEMAILERROR==1)
PRINT "<TR><TD COLSPAN='3'><FONT SIZE='1' COLOR='red'>Email address and alternate email address should not be the same. Alternate email can be
EMPTY.</FONT> </TD></TR>";
ELSE IF ($CONFPASSERROR==1)
PRINT "<TR><TD COLSPAN='3'><FONT SIZE='1' COLOR='red'>Passwords do not match. </FONT> </TD></TR>";
ELSE IF ($PASSLENGTHERROR==1)
PRINT "<TR><TD COLSPAN='3'><FONT SIZE='1' COLOR='red'>Password too short.</FONT> </TD></TR>";
ELSE IF ($CAPTCHAERROR==1)
PRINT "<TR><TD COLSPAN='3'><FONT SIZE='1' COLOR='red'>Image validation failed.</FONT> </TD></TR>";
ELSE IF ($AGREEMENTERROR==1)
PRINT "<TR><TD COLSPAN='3'><FONT SIZE='1' COLOR='red'>You must agree to the terms and conditions set by AlMalki Electronic Basket to finish
REGISTRATION. </FONT> </TD></TR>";
ELSE IF ($EMAILTAKEN==1)
PRINT "<TR><TD COLSPAN='3'><FONT SIZE='1' COLOR='red'>Sorry, the email address you inputted is already taken. Please input other email address.
</FONT> </TD></TR>";
ELSE IF ($CODEERROR==1)
PRINT "<TR><TD COLSPAN='3'><FONT SIZE='1' COLOR='red'>The registration code you entered is incorrect.</FONT> </TD></TR>";
ELSE
PRINT "<TR><TD COLSPAN='3'><FONT SIZE='1'> &nbsp;</FONT> </TD></TR>";
PRINT "<TR><TD ALIGN='$ALIGN'>".GETLANG("TITLE",$LANGUAGE).": &nbsp;</TD><TD ALIGN='$ALIGN2'><SELECT NAME='CUSTOMER_TITLE' STYLE='WIDTH:75PX;'>";
PRINT "<OPTION VALUE='Mr.'>".GETLANG("Mr.",$LANGUAGE)."/>";
PRINT "<OPTION VALUE='Mrs.'>".GETLANG("Mrs.",$LANGUAGE)."/>";
PRINT "<OPTION VALUE='Ms.'>".GETLANG("Ms.",$LANGUAGE)."/>";
PRINT "<OPTION VALUE='Dr.'>".GETLANG("Dr.",$LANGUAGE)."/>";
PRINT "</SELECT></TD></TR>";

```

```

        PRINT "<TR><TD ALIGN='\$ALIGN' WIDTH='35%'>". GETLANG("FIRSTNAME",\$LANGUAGE).": &NBSP </TD><TD ALIGN='\$ALIGN2' WIDTH='30%'><INPUT TYPE='TEXT'
NAME='FIRSTNAME' VALUE='\$FIRSTNAME' ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_FIRSTNAME\\', TRUE);><FONT COLOR='RED' SIZE='2'> *</FONT></TD>
<TD ALIGN='\$ALIGN2' CLASS='ERROR' WIDTH='35%'><SPAN ID='\$PFIRSTNAME' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>". GETLANG("REQUIREDFIRSTNAME",
\$LANGUAGE)."</SPAN></TD></TR>
<TR><TD ALIGN='\$ALIGN'>". GETLANG("MIDDLENAME",\$LANGUAGE).": &NBSP </TD><TD ALIGN='\$ALIGN2'><INPUT TYPE='TEXT' NAME='MIDDLENAME' VALUE='\$MIDDLENAME'
></TD></TR>
<TR><TD ALIGN='\$ALIGN'>". GETLANG("LASTNAME",\$LANGUAGE).": &NBSP </TD><TD ALIGN='\$ALIGN2'><INPUT TYPE='TEXT' NAME='LASTNAME'
VALUE='\$LASTNAME' ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_LASTNAME\\', TRUE);><FONT COLOR='RED' SIZE='2'> *</FONT></TD>
<TD ALIGN='\$ALIGN2' CLASS='ERROR'><SPAN ID='\$PLASTNAME' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>". GETLANG("REQUIREDLASTNAME",\$LANGUAGE)."</SPAN>
</TD></TR>
<TR><TD ALIGN='\$ALIGN'>". GETLANG("GENDER",\$LANGUAGE).": &NBSP </TD><TD ALIGN='\$ALIGN2'>";
IF (\$GENDER=='FEMALE')
    PRINT "<INPUT TYPE='RADIO' NAME='GENDER' VALUE='MALE' DEFAULT='>". GETLANG("MALE",\$LANGUAGE)."<INPUT TYPE='RADIO' NAME='GENDER' VALUE='FEMALE'
CHECKED>". GETLANG("FEMALE",\$LANGUAGE);
ELSE
    PRINT "<INPUT TYPE='RADIO' NAME='GENDER' VALUE='MALE' CHECKED>". GETLANG("MALE",\$LANGUAGE)."<INPUT TYPE='RADIO' NAME='GENDER' VALUE='FEMALE'
DEFAULT>". GETLANG("FEMALE",\$LANGUAGE);
PRINT "</TD></TR>
<TR><TD ALIGN='\$ALIGN'>". GETLANG("DATEOFBIRTH",\$LANGUAGE).": &NBSP; </TD><TD COLSPAN='2' ALIGN='\$ALIGN2'>
<SELECT NAME='DAY'><OPTION VALUE=''>-DAY-</OPTION>
<OPTION VALUE='01'>1</OPTION><OPTION VALUE='02'>2</OPTION><OPTION VALUE='03'>3</OPTION><OPTION VALUE='04'>4</OPTION><OPTION
VALUE='05'>5</OPTION>
<OPTION VALUE='06'>6</OPTION><OPTION VALUE='07'>7</OPTION><OPTION VALUE='08'>8</OPTION><OPTION VALUE='09'>9</OPTION><OPTION
VALUE='10'>10</OPTION>
<OPTION VALUE='11'>11</OPTION><OPTION VALUE='12'>12</OPTION><OPTION VALUE='13'>13</OPTION><OPTION VALUE='14'>14</OPTION><OPTION
VALUE='15'>15</OPTION>
<OPTION VALUE='16'>16</OPTION><OPTION VALUE='17'>17</OPTION><OPTION VALUE='18'>18</OPTION><OPTION VALUE='19'>19</OPTION><OPTION
VALUE='20'>20</OPTION>
<OPTION VALUE='21'>21</OPTION><OPTION VALUE='22'>22</OPTION><OPTION VALUE='23'>23</OPTION><OPTION VALUE='24'>24</OPTION><OPTION
VALUE='25'>25</OPTION>
<OPTION VALUE='26'>26</OPTION><OPTION VALUE='27'>27</OPTION><OPTION VALUE='28'>28</OPTION><OPTION VALUE='29'>29</OPTION><OPTION
VALUE='30'>30</OPTION><OPTION VALUE='31'>31</OPTION></SELECT> &NBSP;
<SELECT NAME='MONTH'><OPTION VALUE=''>-Month-</OPTION>
<OPTION VALUE='01'>JANUARY</OPTION><OPTION VALUE='02'>FEBRUARY</OPTION><OPTION VALUE='03'>MARCH</OPTION><OPTION VALUE='04'>APRIL</OPTION><OPTION
VALUE='05'>MAY</OPTION><OPTION VALUE='06'>JUNE</OPTION>
<OPTION VALUE='07'>JULY</OPTION><OPTION VALUE='08'>AUGUST</OPTION><OPTION VALUE='09'>SEPTEMBER</OPTION><OPTION VALUE='10'>OCTOBER</OPTION><OPTION
VALUE='11'>NOVEMBER</OPTION><OPTION VALUE='11'>DECEMBER</OPTION></SELECT> &NBSP;
<SELECT NAME='YEAR'><OPTION VALUE=''>-Year-</OPTION>
<OPTION VALUE='1931'>1931</OPTION><OPTION VALUE='1932'>1932</OPTION><OPTION VALUE='1933'>1933</OPTION><OPTION
VALUE='1934'>1934</OPTION><OPTION VALUE='1935'>1935</OPTION>
<OPTION VALUE='1936'>1936</OPTION><OPTION VALUE='1937'>1937</OPTION><OPTION VALUE='1938'>1938</OPTION><OPTION
VALUE='1939'>1939</OPTION><OPTION VALUE='1940'>1940</OPTION>
<OPTION VALUE='1941'>1941</OPTION><OPTION VALUE='1942'>1942</OPTION><OPTION VALUE='1943'>1943</OPTION><OPTION
VALUE='1944'>1944</OPTION><OPTION VALUE='1945'>1945</OPTION>
<OPTION VALUE='1946'>1946</OPTION><OPTION VALUE='1947'>1947</OPTION><OPTION VALUE='1948'>1948</OPTION><OPTION
VALUE='1949'>1949</OPTION><OPTION VALUE='1950'>1950</OPTION>
<OPTION VALUE='1951'>1951</OPTION><OPTION VALUE='1952'>1952</OPTION><OPTION VALUE='1953'>1953</OPTION><OPTION
VALUE='1954'>1954</OPTION><OPTION VALUE='1955'>1955</OPTION>
<OPTION VALUE='1956'>1956</OPTION><OPTION VALUE='1957'>1957</OPTION><OPTION VALUE='1958'>1958</OPTION><OPTION
VALUE='1959'>1959</OPTION><OPTION VALUE='1960'>1960</OPTION>
<OPTION VALUE='1961'>1961</OPTION><OPTION VALUE='1962'>1962</OPTION><OPTION VALUE='1963'>1963</OPTION><OPTION
VALUE='1964'>1964</OPTION><OPTION VALUE='1965'>1965</OPTION>
<OPTION VALUE='1966'>1966</OPTION><OPTION VALUE='1967'>1967</OPTION><OPTION VALUE='1968'>1968</OPTION><OPTION
VALUE='1969'>1969</OPTION><OPTION VALUE='1970'>1970</OPTION>
<OPTION VALUE='1971'>1971</OPTION><OPTION VALUE='1972'>1972</OPTION><OPTION VALUE='1973'>1973</OPTION><OPTION
VALUE='1974'>1974</OPTION><OPTION VALUE='1975'>1975</OPTION>
<OPTION VALUE='1976'>1976</OPTION><OPTION VALUE='1977'>1977</OPTION><OPTION VALUE='1978'>1978</OPTION><OPTION
VALUE='1979'>1979</OPTION><OPTION VALUE='1980'>1980</OPTION>
<OPTION VALUE='1981'>1981</OPTION><OPTION VALUE='1982'>1982</OPTION><OPTION VALUE='1983'>1983</OPTION><OPTION
VALUE='1984'>1984</OPTION><OPTION VALUE='1985'>1985</OPTION>
<OPTION VALUE='1986'>1986</OPTION><OPTION VALUE='1987'>1987</OPTION><OPTION VALUE='1988'>1988</OPTION><OPTION
VALUE='1989'>1989</OPTION><OPTION VALUE='1990'>1990</OPTION>
<OPTION VALUE='1991'>1991</OPTION><OPTION VALUE='1992'>1992</OPTION><OPTION VALUE='1993'>1993</OPTION><OPTION
VALUE='1994'>1994</OPTION><OPTION VALUE='1995'>1995</OPTION>
<OPTION VALUE='1996'>1996</OPTION><OPTION VALUE='1997'>1997</OPTION><OPTION VALUE='1998'>1998</OPTION><OPTION
VALUE='1999'>1999</OPTION><OPTION VALUE='2000'>2000</OPTION>
<OPTION VALUE='2001'>2001</OPTION><OPTION VALUE='2002'>2002</OPTION><OPTION VALUE='2003'>2003</OPTION><OPTION
VALUE='2004'>2004</OPTION><OPTION VALUE='2005'>2005</OPTION><OPTION VALUE='2006'>2006</OPTION></SELECT></TD></TR>
<TR><TD COLSPAN='2'> <BR></TD></TR>
<TR><TD ALIGN='\$ALIGN'>". GETLANG("EMAIL",\$LANGUAGE).": &NBSP; </TD><TD ALIGN='\$ALIGN2'>";
IF ((\$EMAILCHECKERROR==1)||(\$ALTEMAILERROR==1)||(\$EMAILTAKEN==1))
    PRINT "<INPUT TYPE='TEXT' NAME='EMAILADDRESS' VALUE='\$EMAILADDRESS' STYLE='BACKGROUND-COLOR: YELLOW' ONCHANGE='CHECKFORM(THIS, \\'SPEMAIL\\',
TRUE);>";
ELSE
    PRINT "<INPUT TYPE='TEXT' NAME='EMAILADDRESS' VALUE='\$EMAILADDRESS' ONCHANGE='VALIDATEEMAIL(THIS, \\'INF_EMAIL\\', TRUE);>";
PRINT "<FONT COLOR='RED' SIZE='2'> *</FONT></TD><TD CLASS='ERROR' ALIGN='\$ALIGN2'><SPAN ID='\$PEMAIL' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>".
GETLANG("REQUIREDEMAIL",\$LANGUAGE)."</SPAN>
<SPAN ID='\$PEMAIL2' STYLE='DISPLAY:NONE; VISIBILITY:HIDDEN;'>". GETLANG("INVALIDEMAILADDRESS",\$LANGUAGE)."</SPAN></TD>
</TR><TR><TD></TD><TD COLSPAN='2'><FONT COLOR='#031A56' SIZE='1'>^". GETLANG("LOGINWEBSITE",\$LANGUAGE)."</FONT></TD></TR>
<TR><TD ALIGN='\$ALIGN'>". GETLANG("ALTERNATIVEEMAIL",\$LANGUAGE).": &NBSP; </TD><TD ALIGN='\$ALIGN2'>";
IF ((\$ALTEMAILCHECKERROR==1)||(\$ALTEMAILERROR==1))
    PRINT "<INPUT TYPE='TEXT' NAME='ALTEMAILADDRESS' VALUE='\$ALTEMAILADDRESS' STYLE='BACKGROUND-COLOR: YELLOW' >";
ELSE
    PRINT "<INPUT TYPE='TEXT' NAME='ALTEMAILADDRESS' VALUE='\$ALTEMAILADDRESS' >";
PRINT "</TD><TD CLASS='ERROR' ALIGN='\$ALIGN2'><SPAN ID='\$PALTEMAIL' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>". GETLANG("REQUIREDALTERNATIVEEMAIL",
\$LANGUAGE)."</SPAN>
<SPAN ID='\$PALTEMAIL2' STYLE='DISPLAY:NONE; VISIBILITY:HIDDEN;'>". GETLANG("INVALIDEMAILADDRESS",\$LANGUAGE)."</SPAN></TD></TR>
<TR><TD ALIGN='\$ALIGN'>". GETLANG("PASSWORD",\$LANGUAGE).": &NBSP; </TD><TD>";
IF ((\$CONFPASSERROR==1)||(\$PASSLENGTHERROR==1))
    PRINT "<INPUT TYPE='PASSWORD' NAME='PASSWORD' VALUE='\$PASSWORD' STYLE='BACKGROUND-COLOR: YELLOW'
ONCHANGE='VALIDATEPASSWORD(THIS, \\'INF_PASSWORD\\', TRUE);>";
ELSE
    PRINT "<INPUT TYPE='PASSWORD' NAME='PASSWORD' VALUE='\$PASSWORD' ONCHANGE='VALIDATEPASSWORD(THIS, \\'INF_PASSWORD\\', TRUE);>";

```



```

print " <font color='red' size='2'> *</font></td><td class='error' align='\$ALIGN2'><span id='spPassword' style='display:block; visibility:hidden;'>".
getLang("PASSWORDREQUIRED",\$LANGUAGE)."</span>
<span id='spPassword2' style='display:none; visibility:hidden;'>". getLang("PASSWORDSHORT",\$LANGUAGE)."</span></td></tr>
<tr><td></td><td colspan='2'><font size='1'>". getLang("MINIMUM8",\$LANGUAGE)."</font></td></tr>
<tr><td align='\$ALIGN'>". getLang("CONFIRMPASSWORD",\$LANGUAGE).": &nbsp;"; </td><td>";
if (($CONFPassError==1)||($PASSLENGTHError==1))
    print "<input type='password' name='CONFPASSWORD' value='\$CONFPASSWORD' style='background-color: yellow'
ONCHANGE='CONFIRMPASSWORDVALIDATE(THIS, \\'INF_CONFPASSWORD\\', TRUE);'>";
else
    print "<input type='password' name='CONFPASSWORD' id='CONFPASSWORD' value='\$CONFPASSWORD'
ONCHANGE='CONFIRMPASSWORDVALIDATE(THIS, \\'INF_CONFPASSWORD\\', TRUE);'>";
print "<font color='red' size='2'> *</font></td><td class='error' align='\$ALIGN2'><span id='spCONFPASSWORD' style='display:block; visibility:hidden;'>".
getLang("PASSWORDREQUIRED",\$LANGUAGE)."</span>
<span id='spCONFPASSWORD2' style='display:none; visibility:hidden;'>". getLang("PASSWORDSHORT",\$LANGUAGE)."</span></td></tr>
<tr><td></td><td colspan='2'><font size='1'>". getLang("MINIMUM8",\$LANGUAGE)."</font></td></tr>
<tr><td></td><td class='error' colspan='2'><span id='spCONFPASSWORD3' style='display:block; visibility:hidden;'>". getLang("CONFPASSWORDNOTMATCHED",
\$LANGUAGE)."</span></td></tr>
<tr><td align='\$ALIGN'>". getLang("MOBILE",\$LANGUAGE).": &nbsp;"; </td><td align='\$ALIGN2'><input type='text' name='MOBILENUMBER' value='\$MOBILENUMBER'
ONCHANGE='VALIDATENUMBER(THIS, \\'INF_MOBILENUMBER\\', TRUE);'><font color='red' size='2'> *</font></td>

<td class='error' align='\$ALIGN2'><span id='spMOBILE' style='display:block; visibility:hidden;'>". getLang("REQUIREDMOBILENo",\$LANGUAGE)."</span>
<span id='spMOBILE2' style='display:none; visibility:hidden;'>". getLang("WRONGMOBILENo",\$LANGUAGE)."</span></td></tr>
<tr><td></td><td colspan='2'><font size='1'>^".getLang("ACTIVATIONCODEEXAMPLE",\$LANGUAGE)."</font></tr>
<font size='1' color=' #82035d'>". getLang("EXAMPLENo",\$LANGUAGE). "<br>["</font></td></tr>
["</font></td></tr>
<tr><td align='\$ALIGN'>". getLang("PHONE",\$LANGUAGE).": &nbsp;"; </td><td align='\$ALIGN2'><input type='text' name='PHONENUMBER'
VALUE='\$PHONENUMBER'></td></tr>
<tr><td align='\$ALIGN'>". getLang("COUNTRY",\$LANGUAGE).": &nbsp;"; </td><td align='\$ALIGN2'><select name='COUNTRY' style='width: 120px;
ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_COUNTRY\\', TRUE);'>";
if ($COUNTRY!=""){
    $RESULT2 = MYSQL_QUERY("SELECT * FROM COUNTRY WHERE COUNTRY_ID='\$COUNTRY'");
    $ROW2 = MYSQL_FETCH_ARRAY($RESULT2);
    $COUNTRY_NAME = $ROW2['COUNTRY_NAME'];
    print "<option value='\$COUNTRY'>\$COUNTRY_NAME</option>";
}
else print "<option value='>- SELECT COUNTRY -</option>";
$RESULT = MYSQL_QUERY("SELECT * FROM COUNTRY");
while ($ROW = MYSQL_FETCH_ARRAY($RESULT)){
    $COUNTRY_ID = $ROW['COUNTRY_ID'];
    $COUNTRY_NAME = $ROW['COUNTRY_NAME'];
    print "<option value='\$COUNTRY_ID'>\$COUNTRY_NAME</option>";
}
print "</select> <font color='red' size='2'> *</font></td><td class='error' align='\$ALIGN2'><span id='spCOUNTRY' style='display:block; visibility:hidden;'>".
getLang("COUNTRYREQUIRED",\$LANGUAGE)."</span></td></tr>
<tr><td align='\$ALIGN'>". getLang("CITY",\$LANGUAGE).": &nbsp;"; </td><td align='\$ALIGN2'><input type='text' name='CITY' value='\$CITY'></td></tr>
<tr><td align='\$ALIGN'>". getLang("NATIONALITY",\$LANGUAGE).": &nbsp;"; </td><td align='\$ALIGN2'><input type='text' name='NATIONALITY'
VALUE='\$NATIONALITY'></td></tr>";
print "<tr><td align='\$ALIGN'>". getLang("LANGUAGE",\$LANGUAGE).": &nbsp;"; </td><td align='\$ALIGN2'><select name='LANGUAGE' style='width:120px;'>";
if ($LANGUAGE=="AE"){
    print "<option value='AE'>".getLang("ARABIC",\$LANGUAGE)."</option>";
    print "<option value='EN'>ENGLISH</option>";
}
else{
    print "<option value='EN'>ENGLISH</option>";
    print "<option value='AE'>".getLang("ARABIC",\$LANGUAGE)."</option>";
}
print "</select></td></tr>
<tr><td align='\$ALIGN'>". getLang("REGISTRATIONCODE",\$LANGUAGE).": &nbsp;"; </td><td colspan='2' align='\$ALIGN2'><img id='\$SIMAGE' style='padding-right: 5px;
border: 0' src='SECURIMAGES/SECURIMAGESHOW.PHP?SID=<?PHP ECHO MD5(TIME()) ?>'>"; ?>
<a tabindex="-1" style="border-style: none" href="#" title="REFRESH IMAGE" onclick="DOCUMENT.GETELEMENTBYID('\$SIMAGE').SRC = 'SECURIMAGES/SECURIMAGESHOW.PHP?
SID=' + MATH.RANDOM(); RETURN FALSE">
<?PHP PRINT "<img src='SECURIMAGES/REFRESH.GIF' alt='RELOAD IMAGE' border='0' onlick='THIS.BLUR()' align='bottom' /></a></td></tr>
<tr><td></td><td colspan='2'> &nbsp;";
if ($CAPTCHAError==1)
    print "<input type='text' name='CODE' maxlength='6' size='6' style='background-color: yellow'>";
else
    print "<input type='text' name='CODE' maxlength='6' size='6'>";
print "<font size='1' color='blue'> &laquo;". getLang("ENTERREGISTRATIONCODE",\$LANGUAGE). "</font></td></tr>
<tr><td><br></td></tr>
<tr><td align='\$ALIGN'><input type='checkbox' name='AGREEMENT'></td><td colspan='2' align='\$ALIGN2'><font size='2'> &nbsp;". getLang("AGREE",
\$LANGUAGE). "<a href='JAVASCRIPT:VOID(0);' name='UPLOAD' title='TERMS AND CONDITIONS' onclick='WINDOW.OPEN('TERMS.PHP?
LANG=\$LANGUAGE','RATING','width=740,height=450,status=0,scrollbars=1,left=150,top=200');'>".getLang("TERMSCONDITIONS",\$LANGUAGE)."</a> ".getLang("AGREE2",
\$LANGUAGE)."</td></tr>
<tr><td colspan='3' class='error' align='\$ALIGN2'><span id='spAGREEMENT' style='display:block; visibility:hidden;'>". getLang("AGREEMENTREQUIRED",
\$LANGUAGE)."</span></td></tr>
<tr><td><br></td></tr><tr><td colspan='3' align='center'><input type='submit' name='SUBMIT' class='INPUTBUTTON' value=''.getLang("SUBMIT",
\$LANGUAGE)."'>
</td></tr><tr><td><br></td></tr>
</table></td></tr></table></form>";
?>

```

REGISTRATIONPROCESS.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";

FUNCTION CHECKEMAIL(\$EMAIL) {
if (!EREGET("^[a-z0-9-]+\.[a-z0-9-]+\.[a-z0-9-]+\.[a-z0-9-]+\.[a-z]{2,3}"), \$EMAIL))
    RETURN 0;
else RETURN 1;
}

FUNCTION GENERATEPASSCODE(\$LENGTH){
    \$RANDOM = "";
    SRAND((DOUBLE)MICROTIME()*1000000);
}

```

```

// $DATA = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";
// $DATA .= "ABCDEFGHIJKLMNOPQRSTUVWXYZ";
$DATA = "1234567890";
FOR($i = 0; $i < $LENGTH; $i++){
    $RANDOM .= SUBSTR($DATA, (RAND()%(STRLN($DATA))), 1);
}
RETURN $RANDOM;
}
/*****SMS SENDING*****/
INCLUDE("Admin/INCLUDESETTINGS.PHP");
$MSGID = RAND(1,99999);
$TIMESEND = 0;
$DATESEND = 0;
$DELETEKEY = 0;
$RESULTTYPE = 0;
/*****/
?>
<SCRIPT TYPE="TEXT/JAVASCRIPT" SRC="js/formVal.js"></SCRIPT>
<?PHP
INCLUDE("SECURIMAGE/SECURIMAGE.PHP");
$title = $_POST["CUSTOMER_TITLE"];
$FIRSTNAME = $_POST["FIRSTNAME"];
$MIDDLENAME = $_POST["MIDDLENAME"];
$LASTNAME = $_POST["LASTNAME"];
$GENDER = $_POST["GENDER"];
$MONTH = $_POST["MONTH"];
$YEAR = $_POST["YEAR"];
$DAY = $_POST["DAY"];
$BIRTHDAY = "$YEAR-$MONTH-$DAY";
$EMAILADDRESS = $_POST["EMAILADDRESS"];
$ALTEMAILADDRESS = $_POST["ALTEMAILADDRESS"];
$PASSWORD = $_POST["PASSWORD"];
$CONFPASSWORD = $_POST["CONFPASSWORD"];
$MOBILENUMBER = $_POST["MOBILENUMBER"];
$PHONENUMBER = $_POST["PHONENUMBER"];
$COUNTRY = $_POST["COUNTRY"];
$NATIONALITY = $_POST["NATIONALITY"];
$CITY = $_POST["CITY"];
$AGREEMENT = $_POST["AGREEMENT"];
$PREFLANGUAGE = $_POST["LANGUAGE"];
$img = new SecurImage();
$CODE = $img->check($_POST['code']);
$EMPTYFIELD = 0;
$EMAILCHECKERROR = 0;
$ALTEMAILCHECKERROR = 0;
$ALTEMAILERROR = 0;
$CONFPASSERROR = 0;
$PASSWORDLENGTH = STRLEN($PASSWORD);
$CAPTCHAERROR = 0;
$AGREEMENTERROR = 0;
$EMAILTAKEN = 0;
$AGREEMENTTEXT = "AGREEMENT WILL BE PUT HERE.. BUT WHAT IF IT IS TOO LONG ALREADY!";

IF (isset($_POST['SUBMIT'])) {
    $REQUIREDFIELDS = array($FIRSTNAME, $LASTNAME, $EMAILADDRESS, $PASSWORD, $CONFPASSWORD, $MOBILENUMBER, $COUNTRY);
    $ARRAYLENGTH = count($REQUIREDFIELDS);
    $EMAILCHECK = checkEmail($EMAILADDRESS);
    $ALTEMAILCHECK = checkEmail($ALTEMAILADDRESS);
    $TEST = mysql_query("SELECT * FROM CUSTOMER WHERE customer_email='$EMAILADDRESS'" OR die(mysql_error()));
    $TESTTEMP = mysql_query("SELECT * FROM CUSTOMER_TEMP WHERE customer_email='$EMAILADDRESS'" OR die(mysql_error()));
    IF((mysql_num_rows($TEST)) || (mysql_num_rows($TESTTEMP)))
        $EMAILTAKEN = 1;

    FOR ($i=0; $i<$ARRAYLENGTH; $i++){
        IF ($REQUIREDFIELDS[$i]== "")
            $EMPTYFIELD++;
    }
    IF (($EMAILCHECK==0)&&($EMAILADDRESS!=""))
        $EMAILCHECKERROR = 1;
    IF (($ALTEMAILCHECK==0)&&($ALTEMAILADDRESS!=""))
        $ALTEMAILCHECKERROR = 1;
    IF (($EMAILADDRESS==$ALTEMAILADDRESS)&&($EMAILADDRESS!="")&&($ALTEMAILADDRESS!=""))
        $ALTEMAILERROR = 1;
    IF (($PASSWORD!=$CONFPASSWORD)&&(($PASSWORD!="")&&($CONFPASSWORD!="")))
        $CONFPASSERROR = 1;
    IF (($PASSWORDLENGTH<8)&&($PASSWORD!=""))
        $PASSLENGTHERROR = 1;
    IF ($CODE != TRUE)
        $CAPTCHAERROR = 1;
    IF ($AGREEMENT!="ON")
        $AGREEMENTERROR = 1;

    IF (($EMPTYFIELD==0) || ($EMAILCHECKERROR==1) || ($ALTEMAILCHECKERROR==1) || ($ALTEMAILERROR==1) || ($CONFPASSERROR==1) || ($PASSLENGTHERROR==1) || ($CAPTCHAERROR==1) || ($AGREEMENTERROR==1) || ($EMAILTAKEN==1)) {
        $_GET["FIRSTNAME"] = $FIRSTNAME;
        $_GET["MIDDLENAME"] = $MIDDLENAME;
        $_GET["LASTNAME"] = $LASTNAME;
        $_GET["GENDER"] = $GENDER;
        $_GET["BIRTHDAY"] = $BIRTHDAY;
        $_GET["EMAILADDRESS"] = $EMAILADDRESS;
        $_GET["ALTEMAILADDRESS"] = $ALTEMAILADDRESS;
        $_GET["PASSWORD"] = $PASSWORD;
        $_GET["CONFPASSWORD"] = $CONFPASSWORD;
        $_GET["MOBILENUMBER"] = $MOBILENUMBER;
    }
}

```

```

$_GET["PHONENUMBER"] = $PHONENUMBER;
$_GET["COUNTRY"] = $COUNTRY;
$_GET["NATIONALITY"] = $NATIONALITY;
$_GET["CITY"] = $CITY;
$_GET["AGREEMENT"] = $AGREEMENT;
$_GET["EMPTYFIELD"] = $EMPTYFIELD;
$_GET["EMAILCHECKERROR"] = $EMAILCHECKERROR;
$_GET["ALTEMAILCHECKERROR"] = $ALTEMAILCHECKERROR;
$_GET["CONFPASSERROR"] = $CONFPASSERROR;
$_GET["PASSLENGTHERROR"] = $PASSLENGTHERROR;
$_GET["CAPTCHAERROR"] = $CAPTCHAERROR;
$_GET["AGREEMENTERROR"] = $AGREEMENTERROR;
$_GET["EMAILTAKEN"] = $EMAILTAKEN;
$_GET["ALTEMAILERROR"] = $ALTEMAILERROR;
INCLUDE "REGISTRATIONFORM.PHP";
}
ELSE {
    $PASSCODE = GENERATEPASSCODE(5);
    $SALT = SHA1(MD5($PASSWORD));
    $PASSWORD = MD5($PASSWORD.$SALT.$PASS_KEY);
    $QUERY = "INSERT INTO CUSTOMER_TEMP
(TITLE,CUSTOMER_FIRSTNAME,CUSTOMER_MIDDLENAME,CUSTOMER_LASTNAME,CUSTOMER_EMAIL,CUSTOMER_PASSWORD,CUSTOMER_ALTEMAIL,CUSTOMER_GENDER,CUSTOMER_BIRTHDAY,CUSTOMER_MOBILENUM,CUSTOMER_PhoneN
UM,COUNTRY_ID,CITY,NATIONALITY,CUSTOMER_PASSCODE,CUSTOMER_LANGUAGE)
VALUES ( '$TITLE','$FIRSTNAME', '$MIDDLENAME', '$LASTNAME', '$EMAILADDRESS', '$PASSWORD', '$ALTEMAILADDRESS', '$GENDER', '$BIRTHDAY', '$MOBILENUMBER',
'$PHONENUMBER', '$COUNTRY', '$CITY','$NATIONALITY', '$PASSCODE', '$PREFLANGUAGE' );";
    MYSQL_QUERY( $QUERY, $LINK ) OR DIE ( "INSERT ERROR: ".MYSQL_ERROR() );
    IF (!$QUERY){
        PRINT "<BR>**No VALUES INSERTED.<BR><BR><INPUT TYPE='BUTTON' VALUE='Back' ONCLICK='WINDOW.BACK()'>";
    }
    ELSE {
        $MSG="THANK YOU FOR REGISTERING TO BEA3.COM. YOUR PASSCODE IS: $PASSCODE";
        $ISSENT = SENDSMS($SMS_USER, $SMS_PASS, $MOBILENUMBER, $SMS_SENDER, $MSG, $MSGID, $TIMESEND, $DATESEND, $DELETEKEY, $RESULTTYPE);
        IF ($ISSENT==1){
            PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:150PX'>".GETLANG("REGISTRATIONCOMPLETE",$LANGUAGE)."</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA'>
<TABLE><TR><TD COLSPAN='3' ALIGN='$ALIGN'><BR>".GETLANG("YOURREGISTRATIONCOMPLETED",
$LANGUAGE)."<BR><BR><A HREF='INDEX.PHP'><B>&RAQUO; ".
GETLANG("CLICKTOLOGINPAGE1",$LANGUAGE)."</B></A><BR></TD></TR></TABLE>
</TD></TR></TABLE>";
        }
        ELSE{
            PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:150PX'>".GETLANG("REGISTRATIONCOMPLETE",$LANGUAGE)."</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA'>
<TABLE><TR><TD COLSPAN='3' ALIGN='$ALIGN'><BR>".GETLANG("YOURREGISTRATIONNOTCOMPLETED",
$LANGUAGE)."<BR><BR><BR></TD></TR></TABLE>
</TD></TR></TABLE>";
        }
    }
}
}
ELSE {
    INCLUDE "REGISTRATIONFORM.PHP";
}
INCLUDE "RIGHTPANEL.PHP";
?>

```

ABOUTUS.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:110PX'>".GETLANG("ABOUTUS",$LANGUAGE)."</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA' ALIGN='CENTER'>";
PRINT "<P ALIGN='$ALIGN2' STYLE='COLOR: BLACK; FONT-FAMILY: ARIAL;'>".GETLANG("FIRSTLINEABOUT",$LANGUAGE)."<BR><BR>".
GETLANG("SECONDLINEABOUT",$LANGUAGE)."<BR><BR></P>";
PRINT "</TD></TR></TABLE>";
INCLUDE "RIGHTPANEL.PHP"; ?>

```

ADDFUNDS.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
$ADDFUNDS=GETLANG("ADDFUNDS",$LANGUAGE);
$CARD=GETLANG("ADDFUNDSACCOUNTUSINGBEACARD",$LANGUAGE);
$BANK=GETLANG("ADDFUNDSBANK",$LANGUAGE);
$CASHU=GETLANG("ADDFUNDASHU",$LANGUAGE);
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:110PX'>$ADDFUNDS</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA' ALIGN='CENTER'><BR><BR><TABLE WIDTH='550'>";
IF ($VALID==1)
    PRINT "<TD ALIGN='CENTER'><A HREF='LOADBANKTRANSFER.PHP'><IMG SRC='IMAGES/BANK-ICON.GIF'><BR>$BANK</A></TD>";
ELSE {
    PRINT "
<TR><TD ALIGN='CENTER'><A HREF='LOADSCRATCHCARD.PHP'><IMG SRC='IMAGES/EM-ICON.GIF'><BR>$CARD</A></TD>
<TD ALIGN='CENTER'><A HREF='LOADBANKTRANSFER.PHP'><IMG SRC='IMAGES/BANK-ICON.GIF'><BR>$BANK</A></TD>
<TD ALIGN='CENTER'><A HREF='LOADCASHU.PHP'><IMG SRC='IMAGES/CASHU_LOGO.GIF'><BR>$CASHU</A></TD></TR>
";
}
PRINT "</TABLE><BR><BR></TD></TR></TABLE>";
INCLUDE "RIGHTPANEL.PHP"; ?>

```

ADVANCEDSEARCH.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP"; ?>

```

```

<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
    FUNCTION CheckForm(FRM) {
        VAR FLAG = TRUE;
        VAR NR = /^[^?]{0-9 (-)+[0-9]$/;
        FROM=TRIM(FRM.FROM.VALUE);
        TO=TRIM(FRM.TO.VALUE);
        IF ((FRM.FROM.VALUE != "")&&(!NR.TEST(FROM))){
            DOCUMENT.GETELEMENTBYID("SPRANGE").STYLE.VISIBILITY = "VISIBLE";
            FLAG = FALSE;
        }
        ELSE IF ((FRM.TO.VALUE != "")&&(!NR.TEST(TO))){
            DOCUMENT.GETELEMENTBYID("SPRANGE").STYLE.VISIBILITY = "VISIBLE";
            FLAG = FALSE;
        }
        RETURN FLAG;
    }
</SCRIPT>
<?PHP
    PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
        <TR><TH><DIV><SPAN STYLE='WIDTH:190PX'>".GETLANG("ADVANCESEARCH",$LANGUAGE)."/></DIV></TH></TR>
        <TR><TD CLASS='WORKAREA'><BR>";
    $FLAG=$_GET['FLAG'];
    PRINT "<FORM METHOD='POST' NAME='SEARCH' ACTION='ADVANCEDSEARCH.PHP' ONSUBMIT='RETURN CheckForm(THIS);'>
        <TABLE CLASS='FORMVIEWTABLE' CELLPADDING='7' CELLSPACING='7'>
            <TR>
                <TD CLASS='FORMTITLE' WIDTH='30%'>".GETLANG("ITEMNAME",$LANGUAGE)."/>
                <TD WIDTH='70%'><INPUT TYPE='TEXT' NAME='ITEMNAME' SIZE='40'></TD>
            </TR>
            <TR>
                <TD CLASS='FORMTITLE'>".GETLANG("DESCRIPTION",$LANGUAGE)."/>
                <TD><INPUT TYPE='TEXT' NAME='ITEMDESCRIPTION' SIZE='40'></TD>
            </TR>
            <TR>
                <TD CLASS='FORMTITLE'>".GETLANG("PRICERANGE",$LANGUAGE)."/>
                <TD>".GETLANG("FROM",$LANGUAGE)."/> <INPUT TYPE='TEXT' NAME='FROM' STYLE='WIDTH:40PX' MAXLENGTH='5'>
                <TD>".GETLANG("TO",$LANGUAGE)."/> <INPUT TYPE='TEXT' NAME='TO' STYLE='WIDTH:40PX' MAXLENGTH='5'>
                <SPAN ID='SPRANGE' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'><FONT COLOR='RED' SIZE='1'>".GETLANG("INVALIDPRICERANGE",
    $LANGUAGE)."/></SPAN>
            </TD>
            </TR>
            <TR>
                <TD CLASS='FORMTITLE'>".GETLANG("STOCKSTATUS",$LANGUAGE)."/>
                <TD>
                    <INPUT TYPE='RADIO' NAME='STOCKSTATUS' VALUE='1' CHECKED>".GETLANG("INSTOCK",$LANGUAGE)."/> &NBSP;
                    <INPUT TYPE='RADIO' NAME='STOCKSTATUS' VALUE='0'>".GETLANG("OUTOFSTOCK",$LANGUAGE)."/><BR>
                </TD>
            </TR>
            <TR>
                <TD CLASS='FORMTITLE'>".GETLANG("SORTRESULTSBy",$LANGUAGE)."/>
                <TD><SELECT NAME='SORTBy'>
                    <OPTION VALUE='ITEM_NAME'>ITEM NAME</OPTION>
                    <OPTION VALUE='ITEM_SELLINGPRICE'>PRICE</OPTION>
                    <OPTION VALUE='ITEM_STOCKSTATUS'>STOCK STATUS</OPTION>
                </SELECT></TD></TR><TR><TD>&NBSP;</TD><TD><INPUT TYPE='SUBMIT' NAME='SUBMIT' VALUE='".GETLANG("SUBMIT",$LANGUAGE)."/>' CLASS='INPUTBUTTON'></TD></TR> </TABLE>
        </FORM></TD></TR></TABLE>";

    IF (ISSET($_POST['SUBMIT'])){
        PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
            <TR><TH><DIV><SPAN STYLE='WIDTH:190PX'>".GETLANG("ADVANCESEARCH",$LANGUAGE)."/></DIV></TH></TR>
            <TR><TD CLASS='WORKAREA'><BR>";
            $ITEMNAME = $_POST["ITEMNAME"];
            $ITEMDESCRIPTION = $_POST["ITEMDESCRIPTION"];
            $FROM = $_POST["FROM"];
            $TO = $_POST["TO"];
            $STOCKSTATUS = $_POST["STOCKSTATUS"];
            $SORTBY = $_POST["SORTBY"];
            IF ($FROM=="") $FROM = 1;
            IF ($TO=="") $TO=99999;
            IF ($FROM>$TO){
                $TEMP = $TO;
                $TO = $FROM;
                $FROM = $TEMP;
            }
            $RESULT = MYSQL_QUERY("SELECT * FROM ITEM WHERE (ITEM_NAME LIKE '%$ITEMNAME%' OR ITEM_NAME_Ara LIKE '%$ITEMNAME%') AND (ITEM_DESCRIPTION LIKE '%
    $ITEMDESCRIPTION%' OR ITEM_DESCRIPTION_Ara LIKE '%$ITEMDESCRIPTION%') AND ITEM_STOCKSTATUS = '$STOCKSTATUS' AND ITEM_SELLINGPRICE BETWEEN $FROM AND $TO ORDER BY $SORTBY");
            IF (MYSQL_NUM_ROWS($RESULT)){
                $PAGE=$_GET["PAGE"];
                IF($PAGE == "") $PAGE=1;
                WHILE ($ROW=MYSQL_FETCH_ARRAY($RESULT)){
                    $IMAGE=$ROW['ITEM_IMAGE'];
                    $NAME=$ROW['ITEM_NAME'];
                    $PRICE=$ROW['ITEM_SELLINGPRICE'];
                    $DESCRIPTION=$ROW['ITEM_DESCRIPTION'];
                    $LINK = $ROW['ITEM_LINK'];
                    $PRICE = NUMBER_FORMAT($PRICE,2);
                    PRINT "<CENTER><TABLE WIDTH='100%' CELLPADDING='7' CELLSPACING='7' STYLE='BORDER: 1PX SOLID #E5E5E5'>";
                    PRINT "<TR>";
                    PRINT "<TD ALIGN='CENTER' WIDTH='40%' VALIGN='TOP'><A HREF='PURCHASE.PHP?ITEM_ID=$ID'><IMG SRC='IMAGES/ITEMS/$IMAGE'
    WIDTH='140'></A></TD>";
                    PRINT "<TD WIDTH='60%' VALIGN='TOP'>
                        <A HREF='PURCHASE.PHP?ITEM_ID=$ID' CLASS='HOME'>$NAME</A><BR><BR><FONT COLOR='#064183'>".GETLANG("PRICE",$LANGUAGE)."/>
                        <B> $PRICE ".GETLANG("SAR",$LANGUAGE)."/></B><BR></FONT>
                        <FONT COLOR='#000000'>$DESCRIPTION</FONT></TD></TR>";
                    PRINT "</TR>";
                    PRINT "</TABLE></CENTER><BR>";
                }
            }
        }
    }

```

```

    }
    }
    }
    ELSE{
        PRINT "<CENTER><FONT COLOR=#064183><B>".GETLANG("NoSearchResultsFound",$LANGUAGE)."</b></font></center>";
    }
    PRINT "<br></td></tr></table>";
}
INCLUDE "RightPanel.php";
?>

CATEGORY.PHP

<?php include "LeftPanel.php";
$category_id=$_GET['category_id'];
$imageDirectory = "images$db/category";
$getCategory = mysql_query("SELECT * FROM category WHERE category_id='$category_id'");
$rowCat = mysql_fetch_array($getCategory);
$name="category_name$db";
$desc="category_description$db";
$dis="category_discountinfo$db";
$categoryName = $rowCat[$name];
$description = $rowCat[$desc];
$discount = $rowCat[$dis];
PRINT "<table class='contentTable' cellpadding='0' cellspacing='0'>
<tr><th><div><span style='width:180px'>$categoryName</span></div></th></tr>
<tr><td class='workArea' align='center'><table width='500'>
<tr><td align='$align2' style='height: 57px'><h1>$categoryName</h1></td></tr><tr><td>&nbsp;</td></tr>
<tr><td>$description</td></tr><tr><td>&nbsp;</td></tr>
<tr><td>$discount</td></tr><tr><td>&nbsp;</td></tr></table><br/>";
$getSubCats = mysql_query("SELECT category_id FROM category WHERE category_parentId='$category_id' UNION SELECT category_id_child FROM
category_view WHERE category_id_main='$category_id'");
while ($rowSub=mysql_fetch_array($getSubCats)){
    $sub_id = $rowSub['category_id'];
    $getCatD = mysql_query("SELECT * FROM category WHERE category_id='$sub_id'");
    $rowSubCat = mysql_fetch_array($getCatD);
    $getSub = mysql_query("SELECT * FROM category WHERE category_parentId='$sub_id'");
    $countSub = mysql_num_rows($getSub);
    if ($countSub>0)
        $targetLink = "Category.php";
    else
        $targetLink = "Item.php";
    $sn="category_name$db";
    $im="category_image$db";
    $lnk="category_link$db";
    $sub_name = $rowSubCat[$sn];
    $sub_image = $rowSubCat[$im];
    $sub_link = $rowSubCat[$lnk];
    PRINT "<br/><table width='500' height='100' style='table-layout: fixed;'>";
    PRINT "<tr><td width='50%' align='center' valign='top'><a href='$targetLink?category_id=$sub_id' title='$sub_name'>
<td width='50%' valign='top' align='left'><p><a href='$targetLink?category_id=$sub_id' class='home' title='$sub_name'>
$sub_name</a></p>".GETLANG("Website",$LANGUAGE). " <a href='$sub_link' target='_blank' class='home2'>$sub_link</a></td></tr></table>
<br/><hr/>";
}
PRINT "</td></tr></table>";

INCLUDE "RightPanel.php"; ?>

CHANGEPASSWORD.PHP

<?php include "LeftPanel.php"; ?>
<script>
function CheckForm(frm){
    var flag = true;

    if(frm.oldPassword.value == ""){
        document.getElementById("spOldPass").style.visibility = "visible";
        flag = false;
    }
    if(frm.newPass.value == ""){
        document.getElementById("spNewPass").style.visibility = "visible";
        flag = false;
    }
    else{
        if (frm.newPass.value.length<8){
            document.getElementById("spNewPass2").style.visibility = "visible";
            document.getElementById("spNewPass2").style.display = "block";
            document.getElementById("spNewPass").style.visibility = "hidden";
            document.getElementById("spNewPass").style.display = "none";
            flag = false;
        }
    }
    if(frm.confPass.value == ""){
        document.getElementById("spConfPass").style.visibility = "visible";
        flag = false;
    }
    else {
        if (frm.confPass.value.length<8){
            document.getElementById("spConfPass2").style.visibility = "visible";
            document.getElementById("spConfPass2").style.display = "block";
            document.getElementById("spConfPass").style.visibility = "hidden";
            document.getElementById("spConfPass").style.display = "none";
            flag = false;
        }
    }
}

```

```

    }
}
IF ((FRM.NEWPASS.VALUE != "")&&(FRM.CONFPASS.VALUE != "")&&(FRM.CONFPASS.VALUE.LENGTH>=8)&&(FRM.NEWPASS.VALUE.LENGTH>=8)){
    IF (FRM.CONFPASS.VALUE != FRM.NEWPASS.VALUE){
        DOCUMENT.GETELEMENTBYID("spConfPass2").STYLE.VISIBILITY = "HIDDEN";
        DOCUMENT.GETELEMENTBYID("spNewPass2").STYLE.DISPLAY = "NONE";
        DOCUMENT.GETELEMENTBYID("spConfPass").STYLE.VISIBILITY = "HIDDEN";
        DOCUMENT.GETELEMENTBYID("spNewPass").STYLE.DISPLAY = "NONE";
        DOCUMENT.GETELEMENTBYID("spNewPass2").STYLE.VISIBILITY = "HIDDEN";
        DOCUMENT.GETELEMENTBYID("spNewPass2").STYLE.DISPLAY = "NONE";
        DOCUMENT.GETELEMENTBYID("spConfPass3").STYLE.VISIBILITY = "VISIBLE";
        DOCUMENT.GETELEMENTBYID("spConfPass3").STYLE.DISPLAY = "BLOCK";
        FLAG = FALSE;
    }
}
RETURN FLAG;
}
</SCRIPT>
<?PHP
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:150PX'>".GETLANG("CHANGEPASSWORD",$LANGUAGE)."</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA'><TABLE WIDTH='500' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD COLSPAN='3'><FONT SIZE='1'> &nbsp;&nbsp;&nbsp;</FONT> </TD></TR>";
IF (ISSET($_POST['SUBMIT'])) {
    $OLDPASSWORD = $_POST["oldPassword"];
    $PASSWORD = $_POST["newPass"];
    $CONFPASSWORD = $_POST["confPass"];
    $QUERY = MYSQL_QUERY("SELECT * FROM CUSTOMER WHERE CUSTOMER_ID='$CUSTOMER_ID'" OR DIE(MYSQL_ERROR()));
    $ROW = MYSQL_FETCH_ARRAY($QUERY);
    $CUSTOMER_PASSWORD = $ROW["CUSTOMER_PASSWORD"];
    $REQUIREDFIELDS = ARRAY($OLDPASSWORD, $PASSWORD, $CONFPASSWORD);
    $ARRAYLENGTH = COUNT($REQUIREDFIELDS);
    $PASSWORDLENGTH = STRLEN($PASSWORD);
    FOR ($i=0; $i<$ARRAYLENGTH; $i++){
        IF ($REQUIREDFIELDS[$i]== "")
            $EMPTYFIELD++;
    }
    $SALT = SHA1(MD5($OLDPASSWORD));
    $OLDPASSWORD = MD5($OLDPASSWORD.$SALT.$PASS_KEY);
    IF (($PASSWORD!=$CONFPASSWORD)&&(($PASSWORD!="")&&($CONFPASSWORD!="")))
        $CONFPASSERROR = 1;
    IF (($PASSWORDLENGTH<8)&&($PASSWORD!=""))
        $PASSLENGTHERROR = 1;
    IF ($CUSTOMER_PASSWORD!=$OLDPASSWORD)
        $PASSWORDERROR = 1;
    IF (($EMPTYFIELD==0)||($CONFPASSERROR==1)||($PASSLENGTHERROR==1)||($PASSWORDERROR==1)){
        PRINT "<TR><TD ALIGN='ALIGN2' COLSPAN='3'><FIELDSET STYLE='BACKGROUND-COLOR:#DEFEFF; HEIGHT:20PX;'>&nbsp;&nbsp;&nbsp;<IMG SRC='IMAGES/ERROR.GIF'
WIDTH='20' HEIGHT='10'/>&nbsp;&nbsp;& <FONT COLOR='RED'>
<B>".GETLANG("UNABLETOCHANGE",$LANGUAGE)."</B></FIELDSET></TD></TR><TR><TD><BR></TD></TR>";
    }
    ELSE {
        $SALT = SHA1(MD5($PASSWORD));
        $PASSWORD = MD5($PASSWORD.$SALT.$PASS_KEY);
        $QUERY = MYSQL_QUERY("UPDATE CUSTOMER SET CUSTOMER_PASSWORD='$PASSWORD' WHERE CUSTOMER_ID='$CUSTOMER_ID'" OR DIE (MYSQL_ERROR()));
        IF ($QUERY){
            PRINT "<TR><TD ALIGN='ALIGN2' COLSPAN='3'><FIELDSET STYLE='BACKGROUND-COLOR:#DEFEFF; HEIGHT:20PX;'>&nbsp;&nbsp;&nbsp;<IMG
SRC='IMAGES/INFO.GIF' WIDTH='20' HEIGHT='10'/>&nbsp;&nbsp;& <FONT COLOR='RED'>
<B>".GETLANG("CHANGEPASSWORDSUCCESSFULLY",$LANGUAGE)."</B></FIELDSET></TD></TR><TR><TD><BR></TD></TR>";
        }
    }
}
PRINT "<FORM NAME='REGISTRATIONFORM' METHOD='POST' ACTION='CHANGEPASSWORD.PHP' ONSUBMIT='RETURN CHECKFORM(THIS);'>
<TR><TD ALIGN='ALIGN' WIDTH='35%'>".GETLANG("OLDPASSWORD",$LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='ALIGN2' WIDTH='30%'><INPUT TYPE='PASSWORD'
NAME='oldPassword'><FONT COLOR='RED' SIZE='2'> *</FONT></TD>
<TD ALIGN='ALIGN2' CLASS='ERROR' WIDTH='35%'><SPAN ID='spOldPass' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>".GETLANG("PASSWORDREQUIRED",$LANGUAGE)."</SPAN>
</TD></TR>
<TR><TD ALIGN='ALIGN'>".GETLANG("NewPassword",$LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='ALIGN2'><INPUT TYPE='PASSWORD' NAME='newPass'><FONT COLOR='RED'
SIZE='2'> *</FONT></TD>
<TD ALIGN='ALIGN2' CLASS='ERROR'><SPAN ID='spNewPass' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>".GETLANG("NewPasswordRequired",$LANGUAGE)."</SPAN><SPAN
ID='spNewPass2' STYLE='DISPLAY:NONE; VISIBILITY:HIDDEN;'>".GETLANG("PASSWORDSHORT",$LANGUAGE)."</SPAN></TD></TR>
<TR><TD><TD COLSPAN='2'><FONT SIZE='1'>".GETLANG("MINIMUM8",$LANGUAGE)."</FONT></TD></TR>
<TR><TD ALIGN='ALIGN'>".GETLANG("CONFIRMNewPassword",$LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='ALIGN2'><INPUT TYPE='PASSWORD' NAME='confPass'><FONT
COLOR='RED' SIZE='2'> *</FONT></TD>
<TD ALIGN='ALIGN2' CLASS='ERROR'><SPAN ID='spConfPass' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>".GETLANG("ConfPasswordRequired",$LANGUAGE)."</SPAN><SPAN
ID='spConfPass2' STYLE='DISPLAY:NONE; VISIBILITY:HIDDEN;'>".GETLANG("PASSWORDSHORT",$LANGUAGE)."</SPAN></TD></TR>
<TR><TD><TD COLSPAN='2'><TD CLASS='ERROR' COLSPAN='2'><SPAN ID='spConfPass3' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>".GETLANG("ConfPasswordNotMatched",
$LANGUAGE)."</SPAN></TD></TR>
<TR><TD COLSPAN='3'>&nbsp;&nbsp;&</TD></TR>
<TR><TD COLSPAN='3' ALIGN='CENTER'><INPUT TYPE='SUBMIT' NAME='SUBMIT' CLASS='INPUTBUTTON' VALUE='".GETLANG("SUBMIT",$LANGUAGE)."'></TD></TR>
</TABLE><BR></TD></TR></TABLE></FORM>";
INCLUDE "RIGHTPANEL.PHP";
?>

```

CONTACTUS.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
FUNCTION CHECKEMAIL($EMAIL) {
    IF (!EREGI("^[_a-z0-9-]+(\\.[a-z0-9-]+)*@[a-z0-9-]+(\\.([a-z0-9-]+))*$", $EMAIL))
        RETURN 0;
    ELSE RETURN 1;
}
?>
<SCRIPT>
FUNCTION CHECKFORM(FRM){
    VAR FLAG = TRUE;

```

```

VAR FILTER = /^[a-zA-Z0-9_\.\-]+\@((([a-zA-Z0-9\.\-]+\.)+([a-zA-Z0-9]{2,4})+)$|);
VAR MBLNR = /^[0-9]{0-9}(\-)+[0-9]$/;
IF((FRM.QUERYTYPE.VALUE == "COMPLAINT")&&(FRM.TICKETNUM.VALUE == "")){
    DOCUMENT.GETELEMENTById("TICKETNUM").STYLE.VISIBILITY = "VISIBLE";
    FLAG = FALSE;
}
IF(FRM.FIRSTNAME.VALUE == ""){
    DOCUMENT.GETELEMENTById("spNAME").STYLE.VISIBILITY = "VISIBLE";
    FLAG = FALSE;
}
IF(FRM.EMAIL.VALUE == ""){
    DOCUMENT.GETELEMENTById("spEMAIL").STYLE.VISIBILITY = "VISIBLE";
    FLAG = FALSE;
}
ELSE{
    IF ((!FILTER.TEST(FRM.EMAIL.VALUE))&&(FRM.EMAIL.VALUE != "")){
        DOCUMENT.GETELEMENTById("spEMAIL2").STYLE.VISIBILITY = "VISIBLE";
        DOCUMENT.GETELEMENTById("spEMAIL").STYLE.VISIBILITY = "HIDDEN";
        DOCUMENT.GETELEMENTById("spEMAIL2").STYLE.DISPLAY = "BLOCK";
        DOCUMENT.GETELEMENTById("spEMAIL").STYLE.DISPLAY = "NONE";
        FLAG = FALSE;
    }
}
IF (FRM.MESSAGE.VALUE == ""){
    DOCUMENT.GETELEMENTById("spQUERY").STYLE.VISIBILITY = "VISIBLE";
    FLAG = FALSE;
}
IF(FRM.CODE.VALUE == ""){
    DOCUMENT.GETELEMENTById("spCODE").STYLE.VISIBILITY = "VISIBLE";
    FLAG = FALSE;
}
RETURN FLAG;
}
FUNCTION HIDE() {
    IF (DOCUMENT.GETELEMENTById) { // DOM3 = IE5, NS6
        DOCUMENT.GETELEMENTById('OPTIONS').STYLE.DISPLAY = 'NONE';
    }
    ELSE {
        IF (DOCUMENT.LAYERS) { // NETSCAPE 4
            DOCUMENT.HIDESHOW.VISIBILITY = 'HIDDEN';
        }
        ELSE { // IE 4
            DOCUMENT.ALL.HIDESHOW.STYLE.VISIBILITY = 'HIDDEN';
        }
    }
}
FUNCTION SHOW() {
    IF (DOCUMENT.GETELEMENTById) { // DOM3 = IE5, NS6
        DOCUMENT.GETELEMENTById('OPTIONS').STYLE.DISPLAY = 'BLOCK';
        DOCUMENT.GETELEMENTById('OPTIONS').STYLE.VISIBILITY = 'VISIBLE';
    }
    ELSE {
        IF (DOCUMENT.LAYERS) { // NETSCAPE 4
            DOCUMENT.HIDESHOW.VISIBILITY = 'VISIBLE';
        }
        ELSE { // IE 4
            DOCUMENT.ALL.HIDESHOW.STYLE.VISIBILITY = 'VISIBLE';
        }
    }
}
</SCRIPT>
<?PHP
INCLUDE("SECURIMAGE/SECURIMAGE.PHP");
$EMPTYFIELD=0;
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:110PX'>".GETLANG("CONTACTUS",$LANGUAGE)."</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA' ALIGN='CENTER'>";
IF (ISSET($_POST['SUBMIT'])){
    $FIRSTNAME = $_POST['FIRSTNAME'];
    $EMAIL = $_POST['EMAIL'];
    $QUERYTYPE = $_POST['QUERYTYPE'];
    $MESSAGE = $_POST['MESSAGE'];
    $TICKETNUM = $_POST['TICKETNUM'];
    IF ($QUERYTYPE=="COMPLAINT"){
        $MESSAGE = "TICKET ID: $TICKETNUM - ".$MESSAGE;
    }
    $IMG = NEW SECURIMAGE();
    $CODE = $IMG->CHECK($_POST['CODE']);
    IF ($CODE!=TRUE) $CAPTCHAERROR = 1;
    $REQUIREDFIELDS = ARRAY($FIRSTNAME, $EMAIL, $MESSAGE);
    $ARRAYLENGTH = COUNT($REQUIREDFIELDS);
    $EMAILCHECK = CHECKEMAIL($EMAIL);
    FOR ($i=0; $i<$ARRAYLENGTH; $i++){
        IF ($REQUIREDFIELDS[$i]== "")
            $EMPTYFIELD++;
    }
    IF ($EMAILCHECK==0) $EMAILCHECKERROR = 1;
    IF ((($EMPTYFIELD!=0)||($EMAILCHECKERROR==1)||($CAPTCHAERROR==1)){
        PRINT "<p ALIGN='ALIGN2'><b>YOU HAVE AN ERROR IN YOUR QUERY FORM</b><br><br>";
        PRINT "CLICK <a HREF='\"AVASCRIPT: HISTORY.GO(-1)\">HERE</a> TO GO BACK</p>";
    }
    ELSE{
        IF ($QUERYTYPE=="ADMINISTRATION") $BEA3_EMAIL = $ADMINISTRATION;

```

```

ELSE IF ($QUERYTYPE=="TECHNICAL") $BEA3_EMAIL = $TECHNICAL;
ELSE IF (($QUERYTYPE=="SALES")||($QUERYTYPE=="COMPLAINT")) $BEA3_EMAIL = $SALES;
ELSE $BEA3_EMAIL = $GENERAL;
$QUERYTYPE = UCFIRST($QUERYTYPE);
$QUERYTYPE = " QUERY";
$SUBJECT = $QUERYTYPE;
IF (MAIL($BEA3_EMAIL, $SUBJECT, $MESSAGE, "FROM:" . $EMAIL))
    PRINT "<p ALIGN='ALIGN2' STYLE='FONT-SIZE=2; COLOR=#15263A;'>".GETLANG("CONTACTUSDONE",$LANGUAGE).".<br><br><a
HREF='INDEX.PHP'>".GETLANG("ClickHereToContinue",$LANGUAGE)."</a></p>";
ELSE
    PRINT "<p ALIGN='ALIGN2' STYLE='FONT-SIZE=2; COLOR=#15263A;'>".GETLANG("CONTACTUSERERROR",$LANGUAGE).".<br><br><a
HREF='INDEX.PHP'>".GETLANG("CONTACTUSERERROR",$LANGUAGE)."</a></p>";
}
}
ELSE {
    PRINT "<TABLE ALIGN='ALIGN2' WIDTH='550'><TR><TD><BR></TD></TR>";
    PRINT "<FORM METHOD='POST' NAME='CONTACT' ACTION='CONTACTUS.PHP' ONSUBMIT='RETURN CHECKFORM(THIS);'>";
    PRINT "<TR><TD ALIGN='ALIGN'>".GETLANG("QUERYTYPE",$LANGUAGE).": &nbsp;&nbsp;&nbsp;</TD><TD ALIGN='ALIGN2'><SELECT NAME='QUERYTYPE' ID='QUERYTYPE'
STYLE='WIDTH:200PX; FONT-SIZE:14PX' ONCHANGE='IF (THIS.SELECTEDINDEX==8) { SHOW(); } ELSE { HIDE(); } \!>";
    <OPTION VALUE='GENERAL'>".GETLANG("GENERAL",$LANGUAGE)."</OPTION><OPTION VALUE='ADMINISTRATION'>".GETLANG("ADMINISTRATION",$LANGUAGE)."</OPTION><OPTION
VALUE='TECHNICAL'>".GETLANG("TECHNICAL",$LANGUAGE)."</OPTION><OPTION VALUE='SALES'>".GETLANG("SALES",$LANGUAGE)."</OPTION><OPTION
VALUE='MARKETING'>".GETLANG("MARKETING",$LANGUAGE)."</OPTION><OPTION VALUE='EMPLOYMENT'>".GETLANG("EMPLOYMENT",$LANGUAGE)."</OPTION><OPTION
VALUE='ACCOUNT'>".GETLANG("CREATINGNEWACCOUNTISSUES",$LANGUAGE)."</OPTION><OPTION VALUE='RESELLER'>".GETLANG("BeRESELLER",$LANGUAGE)."</OPTION><OPTION
VALUE='COMPLAINT'>".GETLANG("TICKETCOMPLAINT",$LANGUAGE)."</OPTION></SELECT></TD>";
    <TD ALIGN='ALIGN2' ID='OPTIONS' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>".GETLANG("YourTicketNo",$LANGUAGE).": &nbsp;&nbsp;&nbsp;<INPUT TYPE='TEXT' NAME='TICKETNUM'
SIZE='5'></TD></TR>";
    PRINT "<TR><TD ALIGN='ALIGN'> &nbsp;&nbsp;&nbsp;</TD><TD ALIGN='ALIGN'> &nbsp;&nbsp;&nbsp;</TD><TD ALIGN='ALIGN2' CLASS='ERROR'><SPAN ID='TICKETNUM' STYLE='DISPLAY:BLOCK;
VISIBILITY:HIDDEN;'>".GETLANG("REQUIREDTicketNum",$LANGUAGE)."</SPAN></TD></TR>";
    PRINT "<TR><TD ALIGN='ALIGN'>".GETLANG("FIRSTNAME",$LANGUAGE).": &nbsp;&nbsp;&nbsp;</TD><TD ALIGN='ALIGN2'><INPUT TYPE='TEXT' NAME='FIRSTNAME' SIZE='40'><FONT
COLOR='red'> *</FONT></TD><TD ALIGN='ALIGN' CLASS='ERROR'><SPAN ID='SPNAME' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>".GETLANG("REQUIREDNAME",$LANGUAGE)."</SPAN></TD></TR>";
    PRINT "<TR><TD ALIGN='ALIGN'>".GETLANG("EMAIL",$LANGUAGE).": &nbsp;&nbsp;&nbsp;</TD><TD ALIGN='ALIGN2'><INPUT TYPE='TEXT' NAME='EMAIL' SIZE='40'><FONT
COLOR='red'> *</FONT></TD><TD ALIGN='ALIGN' CLASS='ERROR'><SPAN ID='SPEMAIL' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>".GETLANG("REQUIREDEmail",$LANGUAGE)."</SPAN><SPAN
ID='SPEMAIL2' STYLE='DISPLAY:NONE; VISIBILITY:HIDDEN;'>".GETLANG("INVALIDEMAILADDRESS",$LANGUAGE)."</SPAN></TD></TR>";
    PRINT "<TR><TD ALIGN='ALIGN'>".GETLANG("QUERY",$LANGUAGE).": &nbsp;&nbsp;&nbsp;</TD><TD ALIGN='ALIGN2'><TEXTAREA NAME='MESSAGE' ROWS='8'
COLS='45'></TEXTAREA><FONT COLOR='red'> *</FONT></TD><TD ALIGN='ALIGN' CLASS='ERROR'><SPAN ID='SPQUERY' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>".GETLANG("REQUIREDQUERY",
$LANGUAGE)."</SPAN></TD></TR>";
    PRINT "<TR><TD ALIGN='ALIGN'>". GETLANG("CAPTCHAcode",$LANGUAGE).": &nbsp;&nbsp;&nbsp;</TD><TD ALIGN='ALIGN2'><IMG ID='SIMAGE' STYLE='PADDING-RIGHT: 5PX;
BORDER: 0' SRC='SECURIMAGE/SECURIMAGE_SHOW.PHP?SID=?&PHP ECHO MD5(TIME()) ?>'>";
    <A TABINDEX='-1' STYLE='BORDER-STYLE: NONE' HREF="#" TITLE='REFRESH IMAGE' ONCLICK='DOCUMENT.GETELEMENTBYID('SIMAGE').SRC = 'SECURIMAGE/SECURIMAGE_SHOW.PHP?
SID=' + MATH.RANDOM(); RETURN FALSE">";
    <?PHP PRINT "<IMG SRC='SECURIMAGE/IMAGES/REFRESH.GIF' ALT='RELOAD IMAGE' BORDER='0' ONCLICK='THIS.BLUR()' ALIGN='BOTTOM' /></A></TD></TR>";
    <TR><TD> </TD><TD ALIGN='ALIGN2'> &nbsp;&nbsp;&nbsp;";
    IF ($CAPTCHAERROR==1)
        PRINT "<INPUT TYPE='TEXT' NAME='CODE' MAXLENGTH='6' SIZE='6' STYLE='BACKGROUND-COLOR: YELLOW'>";
    ELSE
        PRINT "<INPUT TYPE='TEXT' NAME='CODE' MAXLENGTH='6' SIZE='6'>";
        PRINT "<FONT COLOR='red'> *</FONT></TD><TD ALIGN='ALIGN2' CLASS='ERROR'><SPAN ID='SPCODE' STYLE='DISPLAY:BLOCK;
VISIBILITY:HIDDEN;'>".GETLANG("CAPTCHAcodeREQUIRED",$LANGUAGE)."</SPAN></TD></TR><TR><TD><BR></TD></TR>";
        PRINT "<TR><TD></TD><TD ALIGN='ALIGN2'><INPUT TYPE='SUBMIT' NAME='SUBMIT' CLASS='INPUTBUTTON' VALUE=''.GETLANG("SUBMIT",$LANGUAGE).''></TD></TR>";
        PRINT "</FORM><TR><TD><BR></TD></TR></TABLE>";
}
PRINT "</TD></TR></TABLE>";
INCLUDE "RIGHTPANEL.PHP"; ?>

```

CUSTOMERTICKETS.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
$LIMIT = 10;
$page=$GET["page"];
IF ($page == "") $page=1;
IF (ISSET($_POST['submit'])) {
    $TICKET_ID = $_POST['TICKET_ID'];
    $DESCRIPTION = $_POST['DESCRIPTION'];
    $SATISFIED = $_POST['SATISFIED'];
    IF ($DESCRIPTION!="")
        $QUERY = MYSQL_QUERY("INSERT INTO TICKET_RESPONSE (TICKETREQUEST_ID,TICKETRESPONSE_DATE,TICKETRESPONSE_TEXT,ISADMIN) VALUES
('$TICKET_ID','$DATETime','$DESCRIPTION','0')");
    IF ($SATISFIED==1)
        $QUERY2 = MYSQL_QUERY("UPDATE TICKET_REQUEST SET TICKETSTATE_ID='3' WHERE TICKETREQUEST_ID='$TICKET_ID'");
    IF (!$QUERY)
        PRINT "INSERT ERROR";
    ELSE
        PRINT "<META HTTP-EQUIV='refresh' CONTENT='0'; URL=Tickets.php?id=$TICKET_ID'>";
}
PRINT "<TABLE CLASS='CONTENTTable' CELLPADDING='0' CELLSPACING='0'>";
<TR><TH><DIV><SPAN STYLE='WIDTH:150PX'>".GETLANG("CUSTOMERTICKETS",$LANGUAGE)."</SPAN></DIV></TH></TR>";
<TR><TD CLASS='WORKAREA'><BR><TABLE WIDTH='550' CELLPADDING='20' STYLE='TABLE-LAYOUT: FIXED; BORDER:1PX SOLID #032c5a'>";
$QUERY = "SELECT * FROM TICKET_REQUEST,TICKET_STATE WHERE TICKET_STATE.TICKETSTATE_ID=TICKET_REQUEST.TICKETSTATE_ID AND
TICKET_REQUEST.CUSTOMER_ID='$CUSTOMER_ID' ORDER BY TICKETREQUEST_DATE DESC";
MYSQL_QUERY($QUERY);
$NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
$NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
$searchRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ",$LIMIT");
IF ($NUMBEROFRESULTS>0) {
    PRINT "<TR CLASS='HEAD'><TD WIDTH='15%'>TICKET ID</TD>";
    <TD WIDTH='18%'>".GETLANG("STATE",$LANGUAGE)."</TD>";
    <TD WIDTH='27%'>".GETLANG("DATE&TIME",$LANGUAGE)."</TD><TD WIDTH='15%'></TD></TR>";
    $i=0;
    WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
        $ST = "TICKETSTATE_NAME$DB";
        $ID = $ROW['TICKETREQUEST_ID'];
        PRINT "<TR CLASS='D'."($i & 1)."\n">";
        PRINT "<TD HEIGHT='30'><CENTER>". $ROW['TICKET_ISSUE']. ". $ROW['TICKETREQUEST_ID']. "</CENTER></TD>";
        PRINT "<TD><CENTER>". $ROW[$ST]. "</CENTER></TD>";
    }
}

```



```

PRINT "<TD><CENTER>",$row['TICKETREQUEST_DATE'],"</CENTER></TD>";
PRINT "<TD><CENTER><A HREF='TICKETS.PHP?ID=$ID'>".getLang("Reply",$LANGUAGE)."</A></CENTER></TD>";
PRINT "</TR>";
$i++;
}
PRINT "</TABLE>";
IF ($NUMBEROFPages>1){
$Nav="";
FOR($j = 1; $j <= $NUMBEROFPages; $j++) {
IF($j == $PAGE)
$Nav .= "<b>$j</b>";
ELSE
$Nav .= "&nbsp;<A HREF='\"CUSTOMERTICKETS.PHP?PAGE=$j\">$j </A>&nbsp; ";
}
PRINT "<CENTER><br><br> $Nav </CENTER>";
}
}
ELSE{
PRINT "<TR><TD ALIGN='center'><br>".getLang("NoTicketsCreated",$LANGUAGE).".<br><br></TD></TR></TABLE>";
}
PRINT "<br></TD></TR></TABLE>";
INCLUDE "RIGHTPANEL.PHP";
?>

```

EDITPROFILE.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
FUNCTION EXTRACTBETWEENDELIMITERS($INPUTSTR,$DELIMITERLEFT,$DELIMITERRIGHT){
$POSLEFT = STRPOS($INPUTSTR,$DELIMITERLEFT)+1;
$POSRIGHT = STRPOS($INPUTSTR,$DELIMITERRIGHT,$POSLIFT+1);
RETURN SUBSTR($INPUTSTR,$POSLIFT,$POSRIGHT-$POSLIFT);
}
FUNCTION CHECKEMAIL($EMAIL) {
IF (!EREgi("[_a-z0-9-]+([\._a-z0-9-]+)*@[a-z0-9-]+(\.[a-z0-9-]+)*(\.[a-z]{2,3})$", $EMAIL))
RETURN 0;
ELSE RETURN 1;
}
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:100PX'>".getLang("EditProfile",$LANGUAGE)."</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA'><TABLE WIDTH='400'>";
IF (ISSET($_POST['SUBMIT'])) {
$title = $_POST["TITLE"];
$gender = $_POST["GENDER"];
$BIRTHDAY = ISSET($_REQUEST["BIRTHDAY"]) ? $_REQUEST["BIRTHDAY"] : "";
$PHONENUMBER = $_POST["PHONENUMBER"];
$COUNTRY = $_POST["COUNTRY"];
$NATIONALITY = $_POST["NATIONALITY"];
$CITY = $_POST["CITY"];
$PREFLANG = $_POST["PREFLANGUAGE"];
$query = MYSQL_QUERY("UPDATE CUSTOMER SET
TITLE='$TITLE',CUSTOMER_GENDER='$GENDER',CUSTOMER_BIRTHDAY='$BIRTHDAY',CUSTOMER_PHONENUM='$PHONENUM',COUNTRY_ID='$COUNTRY',CITY='$CITY',NATIONALITY='$NATIONALITY',CUSTOMER_LANGUAGE='$
PREFLANG' WHERE CUSTOMER_ID='$CUSTOMER_ID'");
IF ($QUERY){
PRINT "<TR><TD ALIGN='ALIGN2' COLSPAN='2'><FIELDSET STYLE='BACKGROUND-COLOR:#DEFEFF; HEIGHT:20px;'>&nbsp;&nbsp;&nbsp;&nbsp;<IMG SRC='IMAGES/INFO.GIF' WIDTH='20'
HEIGHT='10'>&nbsp;&nbsp;&nbsp;&nbsp;<FONT COLOR='red'>
<b>".getLang("EditProfileSuccess",$LANGUAGE)."</b></FIELDSET></TD></TR>";
}
}
$query = MYSQL_QUERY("SELECT * FROM CUSTOMER WHERE CUSTOMER_ID='$CUSTOMER_ID') OR DIE(MYSQL_ERROR());
$row = MYSQL_FETCH_ARRAY($QUERY);
$PREFLANGUAGE = $row['CUSTOMER_LANGUAGE'];
$title = $row['TITLE'];
$CUSTOMER_FIRSTNAME = $row['CUSTOMER_FIRSTNAME'];
$CUSTOMER_MIDDLENAME = $row['CUSTOMER_MIDDLENAME'];
$CUSTOMER_LASTNAME = $row['CUSTOMER_LASTNAME'];
$CUSTOMER_EMAIL = $row['CUSTOMER_EMAIL'];
$CUSTOMER_PASSWORD = $row['CUSTOMER_PASSWORD'];
$CUSTOMER_ALTEMAIL = $row['CUSTOMER_ALTEMAIL'];
$CUSTOMER_GENDER = $row['CUSTOMER_GENDER'];
$CUSTOMER_BIRTHDAY = $row['CUSTOMER_BIRTHDAY'];
$CUSTOMER_MOBILENUM = $row['CUSTOMER_MOBILENUM'];
$CUSTOMER_PHONENUM = $row['CUSTOMER_PHONENUM'];
$COUNTRY_ID = $row['COUNTRY_ID'];
$NATIONALITY = $row['NATIONALITY'];
$CITY = $row['CITY'];
$PREFLANGUAGE = $row['CUSTOMER_LANGUAGE'];
PRINT "<FORM NAME='REGISTRATIONFORM' METHOD='POST' ACTION='EDITPROFILE.PHP'>
<TR><TD COLSPAN='3'><FONT SIZE='1'> &nbsp;&nbsp;&nbsp;</FONT> </TD></TR>
<TR><TD ALIGN='ALIGN'>".getLang("Title",$LANGUAGE).".&nbsp;&nbsp;&nbsp;</TD><TD ALIGN='ALIGN2'><SELECT NAME='TITLE'>";
PRINT "<OPTION VALUE='TITLE'>".getLang($TITLE,$LANGUAGE)."</OPTION>";
PRINT "<OPTION VALUE='Mr.'>".getLang("Mr.",$LANGUAGE)."</OPTION>";
PRINT "<OPTION VALUE='Mrs.'>".getLang("Mrs.",$LANGUAGE)."</OPTION>";
PRINT "<OPTION VALUE='Ms.'>".getLang("Ms.",$LANGUAGE)."</OPTION>";
PRINT "<OPTION VALUE='Dr.'>".getLang("Dr.",$LANGUAGE)."</OPTION>";
PRINT "</SELECT></TD></TR>
<TR><TD ALIGN='ALIGN'>".getLang("FIRSTNAME",$LANGUAGE).".&nbsp;&nbsp;&nbsp;</TD><TD ALIGN='ALIGN2'>$CUSTOMER_FIRSTNAME</TD></TR>
<TR><TD ALIGN='ALIGN'>".getLang("MIDDLENAME",$LANGUAGE).".&nbsp;&nbsp;&nbsp;</TD><TD ALIGN='ALIGN2'>$CUSTOMER_MIDDLENAME</TD></TR>
<TR><TD ALIGN='ALIGN'>".getLang("LASTNAME",$LANGUAGE).".&nbsp;&nbsp;&nbsp;</TD><TD ALIGN='ALIGN2'>$CUSTOMER_LASTNAME</TD></TR>
<TR><TD ALIGN='ALIGN'>".getLang("GENDER",$LANGUAGE).".&nbsp;&nbsp;&nbsp;</TD><TD ALIGN='ALIGN2'>";
IF ($CUSTOMER_GENDER=='FEMALE')
PRINT "<INPUT TYPE='RADIO' NAME='GENDER' VALUE='MALE' DEFAULT'>".getLang("MALE",$LANGUAGE).".&nbsp;&nbsp;&nbsp;<INPUT TYPE='RADIO' NAME='GENDER' VALUE='FEMALE'
CHECKED'>".getLang("FEMALE",$LANGUAGE);
ELSE

```

```
PRINT "<input type='radio' name='gender' value='male' checked>".getLang("Male",$LANGUAGE) ." <input type='radio' name='gender' value='female'
DEFAULT>".getLang("Female",$LANGUAGE);
PRINT "</td></tr><tr><td align='$ALIGN'>".getLang("DateofBirth",$LANGUAGE) .": &nbsp; </td><td align='$ALIGN2'>";

$CUSTOMER_BIRTHDAY="*$CUSTOMER_BIRTHDAY*";
$YEAR1=EXTRACTBETWEENDELIMITERS($CUSTOMER_BIRTHDAY,"*","-");
$MONTH1=EXTRACTBETWEENDELIMITERS($CUSTOMER_BIRTHDAY,"-","-");
$DAY1=EXTRACTBETWEENDELIMITERS($CUSTOMER_BIRTHDAY,"-","*");
$DAY1 = "$DAY1*";
$DAY1=EXTRACTBETWEENDELIMITERS($DAY1,"*","*");
$CUSTOMER_BIRTHDAY = EXTRACTBETWEENDELIMITERS($CUSTOMER_BIRTHDAY,"*","*");
$MYCALENDAR = NEW TC_CALENDAR("BIRTHDAY", TRUE);
$MYCALENDAR->setIcon("calendar/images/iconcalendar.gif");
$MYCALENDAR->setDate($DAY1, $MONTH1, $YEAR1);
$MYCALENDAR->setPath("calendar/");
$MYCALENDAR->setYearInterval(1970, 2020);
$MYCALENDAR->setAlignment('left', 'bottom');
$MYCALENDAR->writeScript();
PRINT "</td></tr>";
<tr><td colspan='2'> <br></td></tr>
<tr><td align='$ALIGN'>".getLang("Email",$LANGUAGE) .": &nbsp; </td><td align='$ALIGN2'><b>$CUSTOMER_EMAIL <b></td></tr>
<tr><td align='$ALIGN'>".getLang("AlternativeEmail",$LANGUAGE) .": &nbsp; </td><td align='$ALIGN2'><b>$CUSTOMER_ALTEMAIL<b></td></tr>
<tr><td colspan='3'> &nbsp; </td></tr>
<tr><td align='$ALIGN'>".getLang("MobileNo",$LANGUAGE) .": &nbsp; </td><td align='$ALIGN2'><b>$CUSTOMER_MOBILENUM <b></td></tr>
<tr><td align='$ALIGN'>".getLang("Phone",$LANGUAGE) .": &nbsp; </td><td align='$ALIGN2'><input type='text' name='phoneNumber' value='$CUSTOMER_PHONENUM
SIZE='30'></td></tr>
<tr><td align='$ALIGN'>".getLang("Country",$LANGUAGE) .": &nbsp; </td><td align='$ALIGN2'><select name='country' style='width: 170px;'>";
$GETPRESENTCOUNTRY=MYSQL_QUERY("SELECT * FROM COUNTRY WHERE COUNTRY_ID='$COUNTRY_ID'");
$ROWPRESENT=MYSQL_FETCH_ARRAY($GETPRESENTCOUNTRY);
$COUNTRY_NAME=$ROWPRESENT['COUNTRY_NAME'];
PRINT "<option value='$COUNTRY_ID'>$COUNTRY_NAME</option>";
$GETALLCOUNTRY=MYSQL_QUERY("SELECT * FROM COUNTRY");
WHILE ($ROWALL=MYSQL_FETCH_ARRAY($GETALLCOUNTRY)){
    $COUNTRY2_ID=$ROWALL['COUNTRY_ID'];
    $COUNTRY2_NAME=$ROWALL['COUNTRY_NAME'];
    PRINT "<option value='$COUNTRY2_ID'>$COUNTRY2_NAME</option>";
}
PRINT "</select> <font color='red' size='2'> * </font></td></tr></tr>
<tr><td align='$ALIGN'>".getLang("City",$LANGUAGE) .": &nbsp; </td><td align='$ALIGN2'><input type='text' name='city' value='$CITY' size='30'>
<tr><td align='$ALIGN'>".getLang("Nationality",$LANGUAGE) .": &nbsp; </td><td align='$ALIGN2'><input type='text' name='nationality' value='$NATIONALITY' size='30'>";
PRINT "<tr><td align='$ALIGN'>".getLang("Language",$LANGUAGE) .": &nbsp; </td><td align='$ALIGN2'><select name='prefLanguage' style='width: 150px;'>";
IF ($PREFLANGUAGE=="ae"){
    PRINT "<option value='ae'>".getLang("Arabic","ae")."</option>";
    PRINT "<option value='en'>English</option>";
}
ELSE{
    PRINT "<option value='en'>English</option>";
    PRINT "<option value='ae'>".getLang("Arabic","ae")."</option>";
}
PRINT "</select></td></tr><tr><td colspan='3'>&nbsp;</td></tr>
<tr><td colspan='2' align='center'><input type='submit' name='submit' value=''>".getLang("Submit",$LANGUAGE) ." class='inputbutton'></td></tr>
</table><br></td></tr></table></form>";
INCLUDE "RightPanel.php";
?>
```

FAQ's.php

```
<?php include "LeftPanel.php";
PRINT "<table class='CONTENTTABLE' cellpadding='0' cellspacing='0'>
<tr><th><div><span style='width:110px'>".getLang("FAQ",$LANGUAGE)."</span></div></th></tr>
<tr><td class='WORKAREA' align='center'>";
PRINT "<p align='$ALIGN2' style='font-family: Arial;'>";
$GETFAQ = MYSQL_QUERY("SELECT * FROM FAQ WHERE FAQ_DISPLAYSTATUS='1'");
WHILE ($ROWFAQ = MYSQL_FETCH_ARRAY($GETFAQ)){
    $Q = "FAQ_QUESTION$DB";
    $A = "FAQ_ANSWER$DB";
    $QUESTION = $ROWFAQ[$Q];
    $ANSWER = $ROWFAQ[$A];
    PRINT "<font color='#0611f6'><strong>".getLang("QUESTION",$LANGUAGE)."</strong></font> &nbsp; $QUESTION<br>";
    PRINT "<font color='#ef35c1'><strong>".getLang("ANSWER",$LANGUAGE)."</strong></font> &nbsp; $ANSWER<br><br>";
}
PRINT "</p></td></tr></table>";
INCLUDE "RightPanel.php"; ?>
```

FindLoc.php

```
<?php include "LeftPanel.php";

$COUNTRY = $_GET['country'];
$CITY = $_GET['city'];
$AREA = $_GET['area'];
$QUERY ="SELECT * FROM CARD_LOCATION,AREA,CITY,COUNTRY WHERE CARD_LOCATION.AREA_ID=AREA.AREA_ID AND AREA.CITY_ID=CITY.CITY_ID AND CITY.COUNTRY_ID=COUNTRY.COUNTRY_ID";
IF ($COUNTRY!="")
$QUERY.=" AND COUNTRY.COUNTRY_ID='$COUNTRY'";
IF ($CITY!="")
$QUERY.=" AND CITY.CITY_ID='$CITY'";
IF ($AREA!="")
$QUERY.=" AND AREA.AREA_ID='$AREA'";

PRINT "<table class='CONTENTTABLE' cellpadding='0' cellspacing='0'>
<tr><th><div><span style='width:150px'>".getLang("FindBea3CardLoc",$LANGUAGE)."</span></div></th></tr>
<tr><td class='WORKAREA' align='center'>";
PRINT "<p align='$ALIGN2' style='color: #15263a; font-size:13px;'>".getLang("LocationText",$LANGUAGE)."</p>";
PRINT "</td></tr><tr><td class='WORKAREA' align='center'><table>";
```

```

PRINT "<tr><td align='\$ALIGN'><b>".getLang("Country",$LANGUAGE).":".</b> &nbsp;&nbsp;&nbsp;</td>
<td align='\$ALIGN2'><form method='GET' id='filter2' action='FindLoc.php'><select name='country' style='width: 200px;' onchange='\\"document.getElementById('filter2').submit();\"/>";
IF ($country!=""){
    $getCOUNTRY = MYSQL_QUERY("SELECT * FROM COUNTRY WHERE COUNTRY_ID='$COUNTRY'");
    $ROWCOUNTRY = MYSQL_FETCH_ARRAY($getCOUNTRY);
    $CID = $ROWCOUNTRY['COUNTRY_ID'];
    $CNAME = $ROWCOUNTRY['COUNTRY_NAME'];
    PRINT "<option value='$CID'>$CNAME</option>";
}
ELSE PRINT "<option value='>".getLang("Select",$LANGUAGE)."</option>";
$GETALLCOUNTRY = MYSQL_QUERY("SELECT DISTINCT(COUNTRY.COUNTRY_ID), COUNTRY_NAME FROM CARD_LOCATION,AREA,CITY,COUNTRY WHERE CARD_LOCATION.AREA_ID=AREA.AREA_ID AND
AREA.CITY_ID=CITY.CITY_ID AND CITY.COUNTRY_ID=COUNTRY.COUNTRY_ID");
WHILE ($ROWALLCOUNTRY=MYSQL_FETCH_ARRAY($GETALLCOUNTRY)){
    $ACID=$ROWALLCOUNTRY['COUNTRY_ID'];
    $ACNAME=$ROWALLCOUNTRY['COUNTRY_NAME'];
    PRINT "<option value='$ACID'>$ACNAME</option>";
}
PRINT "</select></form></td></tr>";
PRINT "<tr><td align='\$ALIGN'><b>".getLang("City",$LANGUAGE).":".</b> &nbsp;&nbsp;&nbsp;</td>
<td align='\$ALIGN2'><form method='GET' id='filter3' action='FindLoc.php'><select name='city' style='width: 200px;' onchange='\\"document.getElementById('filter3').submit();\"/>";
IF ($city!=""){
    $GETCITY = MYSQL_QUERY("SELECT * FROM CITY WHERE CITY_ID='$CITY'");
    $ROWCITY = MYSQL_FETCH_ARRAY($GETCITY);
    $C2ID = $ROWCITY['CITY_ID'];
    $C2NAMEDISP = "CITY_NAME$DB";
    $C2NAME = $ROWCITY[$C2NAMEDISP];
    PRINT "<option value='$C2ID'>$C2NAME</option>";
}
ELSE PRINT "<option value='>".getLang("Select",$LANGUAGE)."</option>";
$GETALLCITY = MYSQL_QUERY("SELECT DISTINCT(CITY.CITY_ID), CITY_NAME, CITY_NAME_Ara FROM CARD_LOCATION,AREA,CITY,COUNTRY WHERE CARD_LOCATION.AREA_ID=AREA.AREA_ID AND
AREA.CITY_ID=CITY.CITY_ID AND CITY.COUNTRY_ID=COUNTRY.COUNTRY_ID AND CITY.COUNTRY_ID='$COUNTRY'");
WHILE ($ROWALLCITY=MYSQL_FETCH_ARRAY($GETALLCITY)){
    $AC2ID=$ROWALLCITY['CITY_ID'];
    $AC2NAMEDISP = "CITY_NAME$DB";
    $AC2NAME=$ROWALLCITY[$AC2NAMEDISP];
    PRINT "<option value='$AC2ID'>$AC2NAME</option>";
}
PRINT "</select><input type='hidden' name='country' value='$COUNTRY'></form></td></tr>";
PRINT "<tr><td align='\$ALIGN'><b>".getLang("Area",$LANGUAGE).":".</b> &nbsp;&nbsp;&nbsp;</td>
<td align='\$ALIGN2'><form method='GET' id='filter4' action='FindLoc.php'><select name='area' style='width: 200px;' onchange='\\"document.getElementById('filter4').submit();\"/>";
IF ($area!=""){
    $GETAREA = MYSQL_QUERY("SELECT * FROM AREA WHERE AREA_ID='$AREA'");
    $ROWAREA = MYSQL_FETCH_ARRAY($GETAREA);
    $AID = $ROWAREA['AREA_ID'];
    $ANAMEDISP = "AREA_NAME$DB";
    $ANAME = $ROWAREA[$ANAMEDISP];
    PRINT "<option value='$AID'>$ANAME</option>";
}
ELSE PRINT "<option value='>".getLang("Select",$LANGUAGE)."</option>";
$GETALLAREA = MYSQL_QUERY("SELECT DISTINCT(AREA.AREA_ID), AREA_NAME, AREA_NAME_Ara FROM CARD_LOCATION,AREA,CITY,COUNTRY WHERE CARD_LOCATION.AREA_ID=AREA.AREA_ID AND
AREA.CITY_ID=CITY.CITY_ID AND CITY.COUNTRY_ID=COUNTRY.COUNTRY_ID AND CITY.COUNTRY_ID='$COUNTRY' AND AREA.CITY_ID='$CITY'");
WHILE ($ROWALLAREA=MYSQL_FETCH_ARRAY($GETALLAREA)){
    $A2ID=$ROWALLAREA['AREA_ID'];
    $A2NAMEDISP = "AREA_NAME$DB";
    $A2NAME=$ROWALLAREA[$A2NAMEDISP];
    PRINT "<option value='$A2ID'>$A2NAME</option>";
}
PRINT "</select><input type='hidden' name='country' value='$COUNTRY'><input type='hidden' name='city' value='$CITY'></form></td></tr></table>";
PRINT "<br><br><table width='550' border='1' style='table-layout: fixed;'>";
$query1 = MYSQL_QUERY($query);
$resultcount = MYSQL_NUM_ROWS($query1);
IF ($resultcount>0){
    PRINT "<tr class='head'><td><b>".getLang("Country",$LANGUAGE)."</b></td>
<td><b>".getLang("City",$LANGUAGE)."</b></td>
<td><b>".getLang("Area",$LANGUAGE)."</b></td>
<td><b>".getLang("Location",$LANGUAGE)."</b></td>
<td><b>".getLang("Address",$LANGUAGE)."</b></td>
<td><b>".getLang("ContactNum",$LANGUAGE)."</b></td></tr>";
    WHILE($row=MYSQL_FETCH_ARRAY($query1)){
        $i++;
        $cty="CITY_NAME$DB";
        $are="AREA_NAME$DB";
        $loc="LOCATION_NAME$DB";
        $addr="LOCATION_ADDRESS$DB";
        PRINT "<tr class='b'.($i & 1)."\">";
        PRINT "<td><center>".$row['COUNTRY_NAME'].</center></td>";
        PRINT "<td><center>".$row[$cty].</center></td>";
        PRINT "<td><center>".$row[$are].</center></td>";
        PRINT "<td><center>".$row[$loc].</center></td>";
        PRINT "<td><center>".$row[$addr].</center></td>";
        PRINT "<td><center>".$row['LOCATION_CONTACTNUM'].</center></td></tr>";
    }
}
PRINT "</table></tr></table>";
INCLUDE "RightPanel.php"; ?>

```

ForgotPassword.php

```

<?php include "LeftPanel.php";
function generatePasscode($length){
    $random="";
    srand((double)microtime()*1000000);
    $data="ABCDEFGHIJKLMNOPQRSTUVWXYZ";

```

```
$DATA .= "ABCDEFGHIJKLMN0PQRSTUVWXYZ";
$DATA .= "1234567890";
for($i = 0; $i < $LENGTH; $i++){
    $RANDOM .= SUBSTR($DATA, (RAND()%($STRLen($DATA))), 1);
}
return $RANDOM;
}
?>
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
function CHECKFORM(FRM) {
    var FLAG = TRUE;
    var FILTER = /^[a-zA-Z0-9_\.~]+\@(\[[a-zA-Z0-9\~]+\.\)+([a-zA-Z0-9]{2,4})+$/;
    if(FRM.EMAILADDRESS.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("spEMAIL").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    return FLAG;
}
</SCRIPT>
<LINK HREF="css/LOGIN.CSS" REL="STYLESHEET" TYPE="TEXT/CSS">
<?PHP
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:160px'>".GETLANG("FORGOTPASSWORD",$LANGUAGE)."</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA' ALIGN='CENTER'>";
if (isset($_POST['submit'])) {
    print "<TABLE ALIGN='ALIGN2'><TR><TD><BR></TD></TR>";
    include("SECURITY/SECURITY.PHP");
    $img = new SECURITY();
    $valid1 = $img->check($_POST['code']);
    $emailaddress = $_POST['emailaddress'];
    if($valid1 == true) {
        $result = mysql_query("SELECT * FROM customer WHERE customer_email='$emailaddress'");
        $result2 = mysql_query("SELECT * FROM customer_temp WHERE customer_email='$emailaddress'");
        if((mysql_num_rows($result))||(mysql_num_rows($result2))){
            $newPass = generatePasscode(8);
            $subject = "BEA.COM PASSWORD";
            $message = "Dear Customer,\nPLEASE NOTE YOUR NEW PASSWORD TO LOGIN INTO BEA3 WEBSITE.\n\nYOUR PASSWORD IS: $NEWPASS";
            if (mail($emailaddress, $subject, $message, "From: " . $smtp_from)) {
                print "<TR><TD ALIGN='ALIGN2'><BR><B>".GETLANG("YOURPASSWORDSENT",$LANGUAGE)."</B></TD></TR>";
                $salt = sha1(md5($newPass));
                $customer_pass = md5($newPass.$salt.$pass_key);
                if (mysql_num_rows($result)) {
                    $row = mysql_fetch_array($result);
                    $customerid = $row['customer_id'];
                    $updatePass = mysql_query("UPDATE customer SET customer_password='$customer_pass' WHERE
CUSTOMER_ID='$customerid'");
                }
                else if (mysql_num_rows($result2)) {
                    $row2 = mysql_fetch_array($result2);
                    $customerid = $row2['customer_id'];
                    $updatePass = mysql_query("UPDATE customer_temp SET customer_password='$customer_pass' WHERE
CUSTOMER_ID='$customerid'");
                }
            }
            else {
                print "<TR><TD ALIGN='ALIGN2'><FONT COLOR='red'><BR><B>".GETLANG("INVALIDEMAILADDRESS",$LANGUAGE)."</B></TD></TR>";
                print "<META HTTP-EQUIV='refresh' content='5'; url=FORGOTPASSWORD.PHP'>";
            }
        }
        else {
            print "<TR><TD ALIGN='ALIGN2'><FONT COLOR='red'><BR><B>".GETLANG("INVALIDREGISTRATIONCODE",$LANGUAGE)."</B></TD></TR>";
            print "<META HTTP-EQUIV='refresh' content='5'; url=FORGOTPASSWORD.PHP'>";
        }
    }
}
else {
    print "<BR><DIV CLASS='CONTAINER2'>
<FORM METHOD='POST' NAME='FORGOTPASSWORD' ACTION='FORGOTPASSWORD.PHP'><TABLE BORDER='0' CELLPADDING='0'>
<TR><TD COLSPAN='2' CLASS='LOGIN'><H1>".GETLANG("FORGOTPASSWORD",$LANGUAGE)."</H1></TD><TD ROWSPAN='6'><IMG SRC='ADMIN/IMAGES/LOGIN_ICON.GIF'
WIDTH='200' HEIGHT='200'></TD></TR>
<TR><TD COLSPAN='2'>".GETLANG("RECEIVEYOURPASSWORD",$LANGUAGE).":</TD></TR><TR><TD></TD></TD></TR>
<TR><TD COLSPAN='2'><INPUT TYPE='TEXT' NAME='EMAILADDRESS' VALUE='$EMAILADDRESS' SIZE='30'></TD></TR>
<TR><TD COLSPAN='2'><SPAN ID='spEMAIL' STYLE='display:block; color:red; visibility:hidden;'>".GETLANG("REQUIREDEMAIL",$LANGUAGE)."</SPAN></TD></TR>
<TR><TD COLSPAN='2'>".GETLANG("PASSCODERECOVERY",$LANGUAGE).":</TD></TR><TR><TD COLSPAN='2'>
&nbsp;   <IMG ID='SIIMAGE' STYLE='padding-right: 5px; border: 0' WIDTH='165' SRC='SECURITY/SECURITY_SHOW.PHP?sid=?PHP ECHO MD5(TIME()) ??'>"; ?>
<A TABINDEX="-1" STYLE="border-style: none" href="#" title="Refresh Image" onclick="document.getElementById('SIIMAGE').src = 'SECURITY/SECURITY_SHOW.PHP?
sid=' + Math.random(); return false">
<?PHP PRINT "<IMG SRC='SECURITY/IMAGES/REFRESH.GIF' ALT='RELOAD IMAGE' BORDER='0' ONCLICK='THIS.BLUR()' ALIGN='BOTTOM' /></A></TD></TR>
<TR><TD COLSPAN='3'> &nbsp;   <INPUT TYPE='TEXT' NAME='CODE' SIZE='6'> <FONT SIZE='1' COLOR='#0341cc'> &laquo;";.GETLANG("ENTERPASSRECOVERY",
$LANGUAGE)."</FONT></TD></TR>
<TR><TD ALIGN='CENTER' COLSPAN='2' STYLE='color: red; font-size: 12pt;'></TD></TR>
<TR><TD><BR><BR></TD><TD><INPUT TYPE='SUBMIT' NAME='SUBMIT' CLASS='INPUTBUTTON' VALUE=''>".GETLANG("SUBMIT",$LANGUAGE)."" ONCLICK='RETURN
CHECKFORM(FORGOTPASSWORD);'>
<INPUT TYPE='SUBMIT' NAME='RESET' ID='BTNRESET' CLASS='INPUTBUTTON' VALUE=''>".GETLANG("RESET",$LANGUAGE)."" ONCLICK='DOCUMENT.FORGOTPASSWORD.EMAILADDRESS.VALUE =
'';/></TD></TR>";
//<TR><TD><BR><BR></TD><TD COLSPAN='2' ALIGN='ALIGN'><A href='INDEX.PHP'>&laquo;".GETLANG("ClickToLoginPage",$LANGUAGE)."</A></TD></TR>
//<TR><TD><BR><BR></TD><TD COLSPAN='2' ALIGN='ALIGN'><A href='INDEX.PHP'>&laquo;".GETLANG("ClickToHomePage",$LANGUAGE)."</A></TD></TR>
PRINT "</TABLE></FORM> </DIV><BR><BR>";
}
PRINT "</TD></TR></TABLE>";
INCLUDE "RIGHT.PANEL.PHP"; ?>
```

GETBANK.PHP

```

<?PHP
REQUIRE 'ADMIN/CONFIG.PHP';
REQUIRE 'ADMIN/OPENDB.PHP';
INCLUDE 'FUNCTIONS.PHP';

IF ($LANGUAGE=="AE")
    PRINT "<HTML XMLNS='HTTP://WWW.W3.ORG/1999/XHTML' XML:LANG='AR' DIR='RTL'>";
ELSE
    PRINT "<HTML XMLNS='HTTP://WWW.W3.ORG/1999/XHTML'>";
PRINT "<META HTTP-EQUIV='CONTENT-TYPE' CONTENT='TEXT/HTML' CHARSET='UTF-8'>";
$ID=$_GET["ID"];
IF ($LANGUAGE=="AE"){
    $ALIGN="LEFT";
    $ALIGN2="RIGHT";
    $DB="_ARA";
}
ELSE{
    $ALIGN="RIGHT";
    $ALIGN2="LEFT";
    $DB="";
}
$SQL="SELECT * FROM BANK WHERE BANK_ID = '". $ID. "'";

$RESULT = MYSQL_QUERY($SQL);
ECHO "<TABLE WIDTH='100%'><TR>";
WHILE($ROW = MYSQL_FETCH_ARRAY($RESULT)){
    ECHO "<TD ALIGN='$ALIGN'>".GETLANG("OURBANKACCOUNTNO",$LANGUAGE).": &nbsp;";
    ECHO "<TD ALIGN='$ALIGN2'><B>". $ROW["BANK_ACCOUNTNUM"]. " </B></TD></TR>";
    ECHO "<TR><TD ALIGN='$ALIGN'>".GETLANG("OURACCOUNTBANKTITLE",$LANGUAGE).": &nbsp;";
    ECHO "<TD ALIGN='$ALIGN2'><B>". $ROW["BANK_ACCOUNTTITLE"]. " </B></TD>";
}
ECHO "</TR></TABLE>";
?>

```

HTB.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:110PX'>".GETLANG("HowToBuy",$LANGUAGE)."</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA' ALIGN='CENTER'>";
PRINT "<P ALIGN='$ALIGN2' STYLE='COLOR: BLACK; FONT-FAMILY: TAHOMA;'>".GETLANG("FIRSTLINE",$LANGUAGE)."<BR><BR><B>".
GETLANG("SECONDLINE",$LANGUAGE)."</B><BR><BR><FONT COLOR='#03038D'>".GETLANG("SECONDLINEMORE",$LANGUAGE)."</FONT><BR><BR><B>".
GETLANG("THIRDLINE",$LANGUAGE)."</B><BR><BR><FONT COLOR='#03038D'>".GETLANG("THIRDLINEMORE",$LANGUAGE)."<BR><BR>".
GETLANG("THIRDLINEMORE2",$LANGUAGE)."</FONT><BR><BR><BR><BR><FONT COLOR='#DA018E'>".GETLANG("THIRDLINEMORE3",$LANGUAGE)."</FONT><BR><BR><B><B>".
GETLANG("FORTHLINE",$LANGUAGE)."</B><BR><BR><FONT COLOR='#03038D'>".GETLANG("FORTHLINEMORE",$LANGUAGE)."</FONT><BR><BR>".
GETLANG("HowToClosing",$LANGUAGE)."<BR><BR></P>";
PRINT "</TD></TR></TABLE>";
INCLUDE "RIGHTPANEL.PHP"; ?>

```

INDEX.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
$DIRECTORY = "IMAGES$DB/HOMEAD";
$IMAGELIST="";
$URLLIST="";
$COUNT=0;
$GETHOMEAD=MYSQL_QUERY("SELECT * FROM MAIN_ADVERTISEMENT WHERE MAINAD_ISACTIVE='1' ORDER BY MAINAD_DISPLAYORDER");
$COUNTPICS = MYSQL_NUM_ROWS($GETHOMEAD);
WHILE ($ROWPICS=MYSQL_FETCH_ARRAY($GETHOMEAD)){
    $COUNT++;
    $IM="MAINAD_IMAGE$DB";
    $LNK="MAINAD_LINK$DB";
    $IMG=$ROWPICS[$IM];
    $URL=$ROWPICS[$LNK];
    $IMAGE = "$DIRECTORY/$IMG";
    IF ($COUNT==$COUNTPICS){
        $IMAGELIST .= ""$IMAGE"";
        $URLLIST .= ""$URL"";
    }
    ELSE{
        $IMAGELIST .= ""$IMAGE!,";
        $URLLIST .= ""$URL!,";
    }
}
PRINT "<SCRIPT>
VAR D_IMAGES=NEW ARRAY (".$IMAGELIST.");
VAR D_URLS=NEW ARRAY (".$URLLIST.");
VAR D_DIVID='SLIDESHOW';
VAR D_PICWID=550;
VAR D_PICHEI=210;
VAR D_BACKGR='#FFFFFF';
VAR D_SDUR=5;
VAR D_FDUR=1;
VAR D_STEPS=20;
VAR D_STARTWHEN='y';
VAR D_SHUFFLE='N';
VAR D_SHOWCONTR='y';
IF ($LANGUAGE=="AE")
    PRINT "VAR D_CONTR=NEW ARRAY('IMAGES/RIGHT_ICON.GIF','','IMAGES/LEFT_ICON.GIF');";
ELSE
    PRINT "VAR D_CONTR=NEW ARRAY('IMAGES/LEFT_ICON.GIF','','IMAGES/RIGHT_ICON.GIF');";
PRINT "VAR BE_0= NEW BE_SLIDESHOW(0, D_IMAGES, D_URLS, D_DIVID, D_PICWID, D_PICHEI, D_BACKGR, D_SDUR, D_FDUR, D_STEPS, D_STARTWHEN, D_SHUFFLE, D_SHOWCONTR, D_CONTR);
</SCRIPT>";

```

```

PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:110PX'>".GETLANG("ADVERTISEMENT",$LANGUAGE)."/></DIV></TH></TR>
<TR><TD CLASS='WORKAREA' ALIGN='CENTER'><DIV ID='SLIDESHOW'><BR/><BR/></DIV></TD></TR></TABLE>";
IF ($VALID!=NULL){
PRINT "<TABLE WIDTH='99%' STYLE='TABLE-LAYOUT:ABSOLUTE;'><TR><TD WIDTH='50%'><TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:110PX'>".GETLANG("NOTIFICATION",$LANGUAGE)."/></SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA'><TABLE HEIGHT='200PX'>";
$GETBANKTRANSFERS = MYSQL_QUERY("SELECT BT.BANKTRANSFER_STATUS, BT.BANKTRANSFER_ID, B.BANK_NAME, B.BANK_NAME, BT.BANKTRANSFER_AMOUNT, BT.CUSTOMER_ID,
DATE_FORMAT(BT.BANKTRANSFER_ACCEPTDATE,'%M %D, %Y') AS ACCEPTDATE,DATE_FORMAT(BT.BANKTRANSFER_DATE,'%M %D, %Y') AS SENDDATE
FROM BANK_TRANSFER BT
INNER JOIN BANK B ON ( BT.BANK_ID = B.BANK_ID )
WHERE BT.CUSTOMER_ID ='$CUSTOMER_ID' ORDER BY BANKTRANSFER_DATE DESC LIMIT 3");
WHILE ($ROWBANKTRANSFER=MYSQL_FETCH_ARRAY($GETBANKTRANSFERS)){
$BANKTRANSFER_STATUS=$ROWBANKTRANSFER['BANKTRANSFER_STATUS'];
$BANKTRANSFER_ID=$ROWBANKTRANSFER['BANKTRANSFER_ID'];
IF ($BANKTRANSFER_STATUS==1){
$STATUSMESSAGE="APPROVED";
$CONNECTOR="HAS BEEN";
}
ELSE IF ($BANKTRANSFER_STATUS==2){
$STATUSMESSAGE="REJECTED";
$CONNECTOR="HAS BEEN";
}
ELSE{
$STATUSMESSAGE="UNDER PROCESS";
$CONNECTOR="IS";
}
PRINT "<TR><TD COLSPAN='2' ALIGN='$ALIGN2' STYLE='FONT-SIZE:10PX'>Your BANK TRANSFER ON ". $ROWBANKTRANSFER['SENDDATE']. " $CONNECTOR <B><FONT
COLOR='RED'>$STATUSMESSAGE</FONT></B>.</TD></TR><TR><TD></TD><TD ALIGN='$ALIGN' STYLE='FONT-SIZE:10PX'><A HREF='JAVASCRIPT:VOID(0);' NAME='UPLOAD' TITLE='TERMS AND CONDITIONS'
ONCLICK=WINDOW.OPEN('MOREBANKTRANSFER.PHP?ID=$BANKTRANSFER_ID&LANG=$LANGUAGE','RATting','WIDTH=740,HEIGHT=475,0,STATUS=0,SCROLLBARS=1,LEFT=150,TOP=200');>".GETLANG("REPLY",
$LANGUAGE)."/></TD></TR>";
}
PRINT "</TABLE></TD></TR></TABLE></TD>";
PRINT "<TD WIDTH='50%'><TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:120PX'>".GETLANG("NEWSUPDATES",$LANGUAGE)."/></SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA'><TABLE HEIGHT='200PX'>";
$GETNEWS = MYSQL_QUERY("SELECT * FROM NEWS ORDER BY NEWS_DATE DESC LIMIT 3");
WHILE($ROWNEWS = MYSQL_FETCH_ARRAY($GETNEWS)){
$t="NEWS_TITLE$DB";
$title = $ROWNEWS[$t];
$NEWS_ID = $ROWNEWS['NEWS_ID'];
PRINT "<TR><TD COLSPAN='2' ALIGN='$ALIGN2' STYLE='FONT-SIZE:10PX; COLOR:#011D77;'><B>$TITLE</B></TD></TR><TR><TD></TD><TD
ALIGN='$ALIGN' STYLE='FONT-SIZE:10PX'><A HREF='JAVASCRIPT:VOID(0);' NAME='UPLOAD' TITLE='TERMS AND CONDITIONS' ONCLICK=WINDOW.OPEN('ReadNEWS.PHP?
ID=$NEWS_ID&LANG=$LANGUAGE','RATting','WIDTH=500,HEIGHT=300,0,STATUS=0,SCROLLBARS=1,LEFT=150,TOP=200');>".GETLANG("READMORE",
$LANGUAGE)."/></TD></TR><TR><TD><BR></TD></TR>";
}
PRINT "</TABLE></TD></TR></TABLE></TR></TABLE>";
}
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<DIV ID='GALLERY'><DIV ID='ROW1'><UL CLASS='TABS'>
<LI><A HREF='RECENTLYADDED.PHP?LANGUAGE=$LANGUAGE'>".GETLANG("RECENTLYADDED",$LANGUAGE)."/></A></LI>";
//PRINT "<LI><A HREF='SPECIALOFFER.PHP?LANGUAGE=$LANGUAGE'>".GETLANG("SPECIALOFFER",$LANGUAGE)."/></A></LI>";
PRINT "<LI><A HREF='MOSTVIEWED.PHP?LANGUAGE=$LANGUAGE'>".GETLANG("MOSTVIEWED",$LANGUAGE)."/></A></LI>
</UL><DIV CLASS='PAGES'><DIV STYLE='DISPLAY:BLOCK'></DIV></DIV></DIV></DIV></TABLE>";
}
}

```

```

INCLUDE "RIGHTPANEL.PHP"; ?>

```

ITEM.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
$CATEGORY_ID=$_GET['CATEGORY_ID'];
$IMAGEDIRECTORY = "IMAGES$DB/ITEMS";
$GETCATEGORY = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'");
$ROWCAT = MYSQL_FETCH_ARRAY($GETCATEGORY);
$NAME="CATEGORY_NAME$DB";
$DESC="CATEGORY_DESCRIPTION$DB";
$DIS="CATEGORY_DISCOUNTINFO$DB";
$LK="CATEGORY_LINK$DB";
$CATEGORYNAME = $ROWCAT[$NAME];
$DESCRIPTION = $ROWCAT[$DESC];
$DISCOUNT = $ROWCAT[$DIS];
$c_link = $ROWCAT[$LK];
$PARENT_ID=$ROWCAT['CATEGORY_PARENTID'];
$DISPLAY = GETDISPLAY($PARENT_ID,$DB);
$DISPLAY .= $CATEGORYNAME;
$count=0;
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:180PX'>$CATEGORYNAME</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA' ALIGN='CENTER'><TABLE ALIGN='$ALIGN2'>
<TR><TD ALIGN='$ALIGN2'><FONT COLOR='#023B7B'><B>$DISPLAY</B></TD></TR>
<TR><TD ALIGN='LEFT'><H1>$CATEGORYNAME</H1></TD></TR><TR><TD>&nbsp;</TD></TR>
<TR><TD ALIGN='LEFT'>$DESCRIPTION</TD></TR><TR><TD>&nbsp;</TD></TR>
<TR><TD ALIGN='LEFT'>$DISCOUNT</TD></TR><TR><TD>&nbsp;</TD></TR>
<TR><TD ALIGN='LEFT'><A HREF='LEFT'>".GETLANG("WEBSITE",$LANGUAGE)."/> <A HREF='$c_link' TARGET='_BLANK'
CLASS='HOME2'>$c_link</A></TD></TR><TR><TD>&nbsp;</TD></TR>
</TABLE>";
$GETITEMS = MYSQL_QUERY("SELECT ITEM_ID FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID' AND item_isActive='1' UNION SELECT ITEM_ID FROM ITEM_VIEW
WHERE CATEGORY_ID='$CATEGORY_ID'");
PRINT "<TABLE WIDTH='500' HEIGHT='100' STYLE='TABLE-LAYOUT: FIXED;'>";
WHILE ($ROWITEMS=MYSQL_FETCH_ARRAY($GETITEMS)){
$item_id = $ROWITEMS['ITEM_ID'];
$countSTOCK=MYSQL_QUERY("SELECT * FROM STOCKS WHERE ITEM_ID='$ITEM_ID' AND SOLD_STATUS='0'");
}

```

```

COUNTSTOCKS=MYSQL_NUM_ROWS($COUNTSTOCK);
IF ($COUNTSTOCKS==0){
    $UPDATEITEMSTOCK = MYSQL_QUERY("UPDATE ITEM SET ITEM_STOCKSTATUS='0' WHERE ITEM_ID='$ITEM_ID'");
}
}
$GETITEM = MYSQL_QUERY("SELECT ITEM_ID FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID' AND ITEM_ISACTIVE='1' UNION SELECT ITEM_ID FROM ITEM_VIEW
WHERE CATEGORY_ID='$CATEGORY_ID'");
WHILE ($ROWITEM=MYSQL_FETCH_ARRAY($GETITEM)){
    $ITEM_ID = $ROWITEM['ITEM_ID'];
    $GETDATA = MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
    $ROWDATA = MYSQL_FETCH_ARRAY($GETDATA);
    $SN=$ITEM_NAME$DB";
    $IM=$ITEM_IMAGE$DB";
    $LNK=$ITEM_LINK$DB";
    $ITEM_NAME = $ROWDATA[$SN];
    $ITEM_IMAGE = $ROWDATA[$IM];
    $ITEM_LINK = $ROWDATA[$LNK];
    $SELLINGPRICE = $ROWDATA['ITEM_SELLINGPRICE'];
    $STOCKSTATUS = $ROWDATA['ITEM_STOCKSTATUS'];
    $DOLLARPRICE = $SELLINGPRICE/3.75;
    $DOLLARPRICE = NUMBER_FORMAT($DOLLARPRICE,2);
    $SELLINGPRICE = NUMBER_FORMAT($SELLINGPRICE,2);
    $COUNT++;
    IF ($COUNT%2==1){
        PRINT "<TR><TD WIDTH='50%' ALIGN='CENTER' VALIGN='TOP'><A HREF='PURCHASE.PHP?ITEM_ID=$ITEM_ID' TITLE='$ITEM_NAME'>
<IMG SRC='$IMAGEDIRECTORY/$ITEM_IMAGE' STYLE='WIDTH:150PX; HEIGHT:100PX; ALT='$ITEM_NAME' /></A><BR />
<B>$ITEM_NAME</B><BR><BR>".GETLANG("PRICE",$LANGUAGE)." $SELLINGPRICE ".GETLANG("SAR",$LANGUAGE)." <BR><FONT COLOR='RED' SIZE='1'>$DOLLARPRICE US DOLLARS</FONT>";
        IF ($STOCKSTATUS==1)
            PRINT "<BR><A HREF='PURCHASE.PHP?ITEM_ID=$ITEM_ID' CLASS='HOME2'>".GETLANG("BuyNow",$LANGUAGE)." </A></TD>";
        ELSE
            PRINT "<BR>".GETLANG("OutOfStock",$LANGUAGE)." </TD>";
    }
    ELSE{
        PRINT "<TD WIDTH='50%' ALIGN='CENTER' VALIGN='TOP'><A HREF='PURCHASE.PHP?ITEM_ID=$ITEM_ID' TITLE='$ITEM_NAME'>
<IMG SRC='$IMAGEDIRECTORY/$ITEM_IMAGE' STYLE='WIDTH:150PX; HEIGHT:100PX; ALT='$ITEM_NAME' /></A><BR>
<B>$ITEM_NAME</B><BR><BR>".GETLANG("PRICE",$LANGUAGE)." $SELLINGPRICE SAR <BR><FONT COLOR='RED' SIZE='1'>$DOLLARPRICE US DOLLARS</FONT>";
        IF ($STOCKSTATUS==1)
            PRINT "<BR><A HREF='PURCHASE.PHP?ITEM_ID=$ITEM_ID' CLASS='HOME2'>".GETLANG("BuyNow",
$LANGUAGE)." </A></TD></TR><TR><TD><BR></TD></TR>";
        ELSE
            PRINT "<BR>".GETLANG("OutOfStock",$LANGUAGE)." </TD></TR><TR><TD><BR></TD></TR>";
    }
}
}
PRINT "</TR></TABLE>";
PRINT "<BR><BR></TD></TR></TABLE>";
}
}
INCLUDE "RIGHTPANEL.PHP"; ?>

LOADBANKTRANSFER.PHP
<?PHP INCLUDE "LEFTPANEL.PHP";
FUNCTION EXTRACTBETWEENDELIMITERS($INPUTSTR,$DELIMITERLEFT,$DELIMITERRIGHT){
    $POSLEFT = STRPOS($INPUTSTR,$DELIMITERLEFT)+1;
    $POSRIGHT = STRPOS($INPUTSTR,$DELIMITERRIGHT,$POSLEFT+1);
    RETURN SUBSTR($INPUTSTR,$POSLEFT,$POSRIGHT-$POSLEFT);
}
?>
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
    FUNCTION CHECKFORM(FRM) {
        VAR FLAG = TRUE;
        VAR NR = /\^+?[0-9.]+[0-9]$/;
        IF(FRM.BANK.VALUE == ""){
            DOCUMENT.GETELEMENTBYID("spBank").STYLE.VISIBILITY = "VISIBLE";
            FLAG = FALSE;
        }
        IF(FRM.AMOUNT.VALUE == ""){
            DOCUMENT.GETELEMENTBYID("spAmount").STYLE.VISIBILITY = "VISIBLE";
            FLAG = FALSE;
        }
        ELSE{
            NUM=TRIM(FRM.AMOUNT.VALUE);
            IF (!NR.TEST(NUM)){
                DOCUMENT.GETELEMENTBYID("spAmount").STYLE.DISPLAY = "NONE";
                DOCUMENT.GETELEMENTBYID("spAmount").STYLE.VISIBILITY = "HIDDEN";
                DOCUMENT.GETELEMENTBYID("spAmount2").STYLE.DISPLAY = "BLOCK";
                DOCUMENT.GETELEMENTBYID("spAmount2").STYLE.VISIBILITY = "VISIBLE";
            }
            FLAG = FALSE;
        }
        IF(FRM.DEPOSITOR.VALUE == ""){
            DOCUMENT.GETELEMENTBYID("spDepositor").STYLE.VISIBILITY = "VISIBLE";
            FLAG = FALSE;
        }
        IF(FRM.CUSTOMER_BANK.VALUE == ""){
            DOCUMENT.GETELEMENTBYID("spCustBank").STYLE.VISIBILITY = "VISIBLE";
            FLAG = FALSE;
        }
        IF(FRM.CUSTOMER_BANKNUM.VALUE == ""){
            DOCUMENT.GETELEMENTBYID("spBankNum").STYLE.VISIBILITY = "VISIBLE";
            FLAG = FALSE;
        }
    }
    RETURN FLAG;

```

```

}
FUNCTION SHOWBANK(STR){
  IF (STR==""){
    DOCUMENT.GETELEMENTBYID("txtHint").INNERHTML="";
    RETURN;
  }
  IF (WINDOW.XMLHTTPREQUEST){// CODE FOR IE7+, FIREFOX, CHROME, OPERA, SAFARI
    XMLHTTP=NEW XMLHTTPREQUEST();
  }
  ELSE {// CODE FOR IE6, IE5
    XMLHTTP=NEW ACTIVEXObject("Microsoft.XMLHTTP");
  }
  XMLHTTP.ONREADYSTATECHANGE=FUNCTION(){
    IF (XMLHTTP.READYSTATE==4 && XMLHTTP.STATUS==200){
      DOCUMENT.GETELEMENTBYID("txtHint").INNERHTML=XMLHTTP.RESPONSETEXT;
    }
  }
  XMLHTTP.OPEN("GET","getBank.php?id="+STR,TRUE);
  XMLHTTP.SEND();
}
</SCRIPT>
<?PHP
IF ($LANGUAGE=="AE")
  $hl="ar_AE";
ELSE
  $hl="en_US";
DEFINE("L_LANG", $hl);

$langs='CALENDAR/LANG/';
$langfiles = OPENDIR($langs); #OPEN DIRECTORY
$i = 0;
WHILE (FALSE != ($langfile = REaddir($langfiles))){
  IF (!STRISTR($langfile,"HTML") && !STRISTR($langfile,"LOCALIZATION") && !STRISTR($langfile,"xx_YY") && $langfile!='.' && $langfile!='..'){
    $hl=STR_REPLACE("CALENDAR","",$langfile);
    $hl=STR_REPLACE("","",$hl);
    $hl=STR_REPLACE("php","",$hl);
    $langfiles[$i]=$hl;
    $i++;
  }
}
IF ($langfile){
  ARRAY_PUSH($langfile, "en_US");
  NATSORT($langfile);
}
CLOSEDIR($langfiles);
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH STYLE='WIDTH: 433px'><DIV><SPAN STYLE='WIDTH: 190px'>".GETLANG("AddFundsByBank",$LANGUAGE)."</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA' STYLE='WIDTH: 433px'><BR><TABLE WIDTH='550' ALIGN='CENTER'>";
  IF (ISSET($_POST['submit'])){
    $bank_id=$_POST['bank'];
    $amount=$_POST['amount'];
    $depositDate = ISSET($_REQUEST['depositDate']) ? $_REQUEST['depositDate'] : "";
    $depositor=$_POST['depositor'];
    $customer_bank=$_POST['customer_bank'];
    $customer_bankNum=$_POST['customer_bankNum'];
    $custNote=$_POST['custNote'];
    $depositDate = $depositDate." ".DATE (H).":".DATE (I).":".DATE (S);
    $getBankName=mysql_query("SELECT * FROM bank WHERE bank_id='$bank_id'");
    $rowBankName = MYSQL_FETCH_ARRAY($getBankName);
    $bankName=$rowBankName['bank_name'];
    $bankName = $bankName."*";
    $bankName = EXTRACTBETWEENDELIMITERS($bankName,"-","*");
    $bankName=TRIM($bankName);
    $bankName = STRToupper(SUBSTR($bankName,0,3));
    $idQuery=mysql_query("SELECT bankTransfer_ID FROM bank_transfer ORDER BY bankTransfer_ID DESC LIMIT 1");
    $idRow=mysql_fetch_array($idQuery);
    $last_id=$idRow[0];
    $new_id=$last_id+1;
    $transaction_code = "BT".DATE(Y).$MONTH.$DAY.$bankName.$new_id;
    IF (($bank_id=="")||($amount=="")||($depositDate=="")||($depositor=="")||($customer_bank=="")||($customer_bankNum==""))
      PRINT "REQUIRED FIELDS EMPTY.";
    ELSE
      $query=mysql_query("INSERT INTO bank_transfer
(CUSTOMER_ID,BANK_ID,BANKTRANSFER_DATE,BANKTRANSFER_AMOUNT,CUSTOMER_BANKNAME,CUSTOMER_ACCOUNTNUM,CUSTOMER_DEPOSITORNAME,BANKTRANSFER_CUSTOMERNOTE,TRANSACTION_CODE) VALUES
('$customer_id','$bank_id','$depositDate','$amount','$customer_bank','$customer_bankNum','$depositor','$custNote','$transaction_code')");
    PRINT "<TR><TD ALIGN='$ALIGN2'>".GETLANG("FUNDSUBMITTED",$LANGUAGE)."<BR></TD></TR>";
    PRINT "<TR><TD ALIGN='$ALIGN2'><BR>".GETLANG("FUNDVERIFIED",$LANGUAGE)."<BR></TD></TR>";
    PRINT "<TR><TD ALIGN='$ALIGN2'><BR><A HREF='INDEX.PHP'>".GETLANG("ClickHereToContinue",$LANGUAGE)."</A><BR></TD></TR>";
    PRINT "</TABLE></TD></TR></TABLE>";
  }
  ELSE{
    $instruction =GETLANG("AddFundsFollowingForm",$LANGUAGE);
    $note =GETLANG("TRANSFERMONEYNOATE",$LANGUAGE);
    $clickhere=GETLANG("CLICKHERE",$LANGUAGE);
    $dateNow=$_POST['dateNow'];
    PRINT "<FORM NAME='LOADCARD' METHOD='POST' ACTION='LOADBANKTRANSFER.PHP' ONSUBMIT='RETURN CHECKFORM(THIS);'>
<TR><TD COLSPAN='3' ALIGN='$ALIGN2'>$instruction</TD></TR><TR><TD><BR></TD></TR>
<TR><TD ALIGN='$ALIGN' WIDTH='30%'>".GETLANG("SELECTBANK",$LANGUAGE).":&nbsp;&nbsp;&nbsp;</TD><TD ALIGN='$ALIGN2' WIDTH='40%'><SELECT
NAME='BANK' STYLE='WIDTH: 200px;' ONCHANGE='SHOWBANK(THIS.VALUE)';>";
    $query = MYSQL_QUERY("SELECT * FROM bank WHERE bank_IsActive=1");
    PRINT "<OPTION VALUE='>--SELECT BANK--</OPTION>";
    WHILE($row=MYSQL_FETCH_ARRAY($query)){
      $bank_name=$row['bank_name'];

```



```

    $BANK_ID=$ROW['BANK_ID'];
    PRINT "<OPTION VALUE='$BANK_ID'>$BANK_NAME</OPTION>";
  }
  PRINT "</SELECT></TD><TD><SPAN ID='SPBANK' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'><FONT COLOR='RED' SIZE='1'>". GETLANG("SELECTTHEBANK",
$LANGUAGE) . "</SPAN> </TD></TR><TR><TD><BR></TD></TR>
<TR><TD
COLSPAN='3' ID='TXTHINT'><TABLE><TR><TD><BR></TD></TR><TR><TD><BR></TD></TR></TABLE></TD></TR><TD><BR></TD></TR>
<TR><TD ALIGN='$ALIGN'>". GETLANG("BANKTRANSFERAMOUNT", $LANGUAGE) .": &nbsp;"; </TD><TD ALIGN='$ALIGN2'> <INPUT TYPE='TEXT' NAME='AMOUNT'
SIZE='22'> ". GETLANG("SAR", $LANGUAGE) . " <FONT COLOR='RED'> * </FONT></TD><TD><SPAN ID='SPAMOUNT' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'><FONT COLOR='RED' SIZE='1'>".
GETLANG("BANKTRANSFERAMOUNTREQUIRED", $LANGUAGE) . "</SPAN><SPAN ID='SPAMOUNT2' STYLE='DISPLAY:NONE; VISIBILITY:HIDDEN;'><FONT COLOR='RED' SIZE='1'>".
GETLANG("INVALIDTRANSFERAMOUNTENTERED", $LANGUAGE) . "</SPAN> </TD></TR><TR><TD><BR></TD></TR>
<TR><TD ALIGN='$ALIGN'>". GETLANG("TRANSFERDATE", $LANGUAGE) .": &nbsp;"; </TD><TD>>";
    $MYCALENDAR = NEW TC_CALENDAR("DEPOSITDATE", TRUE);
    $MYCALENDAR->SETICON("CALENDAR/IMAGES/ICONCALENDAR.GIF");
    // $MYCALENDAR->SETDATE(DATE('D'), DATE('M'), DATE('Y'));
    $MYCALENDAR->SETPATH("CALENDAR/");
    $MYCALENDAR->SETDATE($DAY, $MONTH, $YEAR);
    $MYCALENDAR->SETYEARINTERVAL(2000, 2030);
    $MYCALENDAR->DATEALLOW('2008-05-13', '2030-03-01');
    $MYCALENDAR->SETDATEFORMAT('F Y');
    $MYCALENDAR->SETALIGNMENT('LEFT', 'BOTTOM');
    $MYCALENDAR->WRITESCRIPT();
  PRINT "</TD><TD><SPAN ID='SPDATE' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'><FONT COLOR='RED' SIZE='1'>". GETLANG("TRANSFERDATENOTE",
$LANGUAGE) . "</SPAN> </TD></TR><TR><TD><BR></TD></TR>
<TR><TD ALIGN='$ALIGN'>". GETLANG("DEPOSITORNAME", $LANGUAGE) .": &nbsp;"; </TD><TD ALIGN='$ALIGN2'> <INPUT TYPE='TEXT' NAME='DEPOSITOR'
SIZE='30'> <FONT COLOR='RED'> * </FONT></TD><TD><SPAN ID='SPDEPOSITOR' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'><FONT COLOR='RED' SIZE='1'>". GETLANG("ENTERDEPOSITORNAME",
$LANGUAGE) . "</SPAN> </TD></TR><TR><TD><BR></TD></TR>
<TR><TD ALIGN='$ALIGN'>". GETLANG("YOURBANKNAME", $LANGUAGE) .": &nbsp;"; </TD><TD ALIGN='$ALIGN2'> <INPUT TYPE='TEXT' NAME='CUSTOMER_BANK'
SIZE='30'> <FONT COLOR='RED'> * </FONT></TD><TD><SPAN ID='SPCUSTBANK' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'><FONT COLOR='RED' SIZE='1'>". GETLANG("ENTERBANKNAME",
$LANGUAGE) . "</SPAN> </TD></TR><TR><TD><BR></TD></TR>
<TR><TD ALIGN='$ALIGN'>". GETLANG("BANKACCOUNTNO", $LANGUAGE) .": &nbsp;"; </TD><TD ALIGN='$ALIGN2'> <INPUT TYPE='TEXT'
NAME='CUSTOMER_BANKNUM' SIZE='30'> <FONT COLOR='RED'> * </FONT></TD><TD><SPAN ID='SPBANKNUM' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'><FONT COLOR='RED' SIZE='1'>".
GETLANG("ENTERBANKACCOUNTNO", $LANGUAGE) . "</SPAN> </TD></TR><TR><TD><BR></TD></TR>
<TR><TD ALIGN='$ALIGN'>". GETLANG("CUSTOMERNOTE", $LANGUAGE) .": &nbsp;"; </TD><TD COLSPAN='2' ALIGN='$ALIGN2'> <TEXTAREA NAME='CUSTNOTE'
ROWS='5' COLS='30'></TEXTAREA></TD></TR><TR><TD><BR></TD></TR>
<TR><TD COLSPAN='3' ALIGN='CENTER'><INPUT TYPE='SUBMIT' NAME='SUBMIT' VALUE='SUBMIT' CLASS='INPUTBUTTON'></TD></TR>
<TR><TD><BR></TD></TR>
</FORM></TABLE></TD></TR><TR><TD COLSPAN='3' ALIGN='$ALIGN2'><BR>$NOTE</TD></TR></TABLE>";
  }
  INCLUDE "RIGHTPANEL.PHP"; ?>

```

LoadCASHU.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
$CASHU=GETLANG("ADDFUNDSBYCASHU", $LANGUAGE);
$INSTRUCTION =GETLANG("ADDFUNDSACCOUNTBYCASHU", $LANGUAGE);
$ENTER =GETLANG("ENTERTHEBEACARDNO", $LANGUAGE);
$NOTE =GETLANG("CARDNOTE", $LANGUAGE);
$CLICKHERE=GETLANG("CLICKHERE", $LANGUAGE);
IF ($LANGUAGE=="AE")
    $DIRECTORY="IMAGES_ARA";
ELSE $DIRECTORY="IMAGES";
$GETEMAIL=MYSQL_QUERY("SELECT * FROM CUSTOMER WHERE CUSTOMER_ID='$CUSTMER_ID'");
$ROWEMAIL=MYSQL_FETCH_ARRAY($GETEMAIL);
$USEREMAILADDRESS = $ROW['CUSTOMER_EMAIL'];
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:160PX'>$CASHU</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA' ALIGN='CENTER'><BR><TABLE WIDTH='500'>
<TR><TD ALIGN='$ALIGN2' COLSPAN='6'>$INSTRUCTION</TD></TR><TR><TD><BR></TD></TR>
<TR><TD WIDTH='10%'></TD><TD ALIGN='CENTER'>";
  PRINT "<FORM ID='SAR37' ACTION='HTTPS://WWW.CASHU.COM/CGI-BIN/PCASHU.CGI' METHOD='POST'>
<INPUT TYPE='HIDDEN' NAME='MERCHANT_ID' VALUE='SWAHNET'>
<INPUT TYPE='HIDDEN' NAME='TOKEN' VALUE='62429b600b58824e183d29493eeb55bd'>
<INPUT TYPE='HIDDEN' NAME='DISPLAY_TEXT' VALUE='37 SR BEA3 FUND'>
<INPUT TYPE='HIDDEN' NAME='CURRENCY' VALUE='USD'>
<INPUT TYPE='HIDDEN' NAME='AMOUNT' VALUE='10'>
<INPUT TYPE='HIDDEN' NAME='LANGUAGE' VALUE='EN'>
<INPUT TYPE='HIDDEN' NAME='SESSION_ID' VALUE=''>
<INPUT TYPE='HIDDEN' NAME='TXT1' VALUE='BEA3-37SAR'>
<INPUT TYPE='HIDDEN' NAME='TXT2' VALUE='$USEREMAILADDRESS'>
<INPUT TYPE='HIDDEN' NAME='TXT3' VALUE='$CUSTOMER_ID'>
<INPUT TYPE='HIDDEN' NAME='TXT4' VALUE=''>
<INPUT TYPE='HIDDEN' NAME='TXT5' VALUE=''>
<INPUT TYPE='HIDDEN' NAME='TEST_MODE' VALUE='1'>
<INPUT TYPE='IMAGE' NAME='BUT' SRC='$DIRECTORY/37.gif' ONCLICK='DOCUMENT.GETELEMENTBYID('SAR37').SUBMIT();>
</FORM></TD>";
  PRINT "<TD ALIGN='CENTER'><FORM ID='SAR112' ACTION='HTTPS://WWW.CASHU.COM/CGI-BIN/PCASHU.CGI' METHOD='POST'>
<INPUT TYPE='HIDDEN' NAME='MERCHANT_ID' VALUE='SWAHNET'>
<INPUT TYPE='HIDDEN' NAME='TOKEN' VALUE='4a14f170e80d0db70f9451ded3e6186f'>
<INPUT TYPE='HIDDEN' NAME='DISPLAY_TEXT' VALUE='112 SR BEA3 FUND'>
<INPUT TYPE='HIDDEN' NAME='CURRENCY' VALUE='USD'>
<INPUT TYPE='HIDDEN' NAME='AMOUNT' VALUE='30'>
<INPUT TYPE='HIDDEN' NAME='LANGUAGE' VALUE='EN'>
<INPUT TYPE='HIDDEN' NAME='SESSION_ID' VALUE=''>
<INPUT TYPE='HIDDEN' NAME='TXT1' VALUE='BEA3-112SAR'>
<INPUT TYPE='HIDDEN' NAME='TXT2' VALUE='$USEREMAILADDRESS'>
<INPUT TYPE='HIDDEN' NAME='TXT3' VALUE='$CUSTOMER_ID'>
<INPUT TYPE='HIDDEN' NAME='TXT4' VALUE=''>
<INPUT TYPE='HIDDEN' NAME='TXT5' VALUE=''>
<INPUT TYPE='HIDDEN' NAME='TEST_MODE' VALUE='1'>
<INPUT TYPE='IMAGE' NAME='BUT' SRC='$DIRECTORY/112.gif' ONCLICK='DOCUMENT.GETELEMENTBYID('SAR112').SUBMIT();>
</FORM></TD>";

```

```

PRINT "<TD ALIGN='CENTER'><FORM ID='sar187' ACTION='HTTPS://WWW.CASHU.COM/CGI-BIN/PCASHU.CGI' METHOD='POST'>
  <INPUT TYPE='HIDDEN' NAME='MERCHANT_ID' VALUE='SWAHLNET'>
  <INPUT TYPE='HIDDEN' NAME='TOKEN' VALUE='2d04187e83f6f13521ee56b2b51b1e78'>
  <INPUT TYPE='HIDDEN' NAME='DISPLAY_TEXT' VALUE='187 SR BEA3 FUND'>
  <INPUT TYPE='HIDDEN' NAME='CURRENCY' VALUE='USD'>
  <INPUT TYPE='HIDDEN' NAME='AMOUNT' VALUE='50'>
  <INPUT TYPE='HIDDEN' NAME='LANGUAGE' VALUE='en'>
  <INPUT TYPE='HIDDEN' NAME='SESSION_ID' VALUE=''>
  <INPUT TYPE='HIDDEN' NAME='TXT1' VALUE='BEA3-187SAR'>
  <INPUT TYPE='HIDDEN' NAME='TXT2' VALUE='$USEREMAILADDRESS'>
  <INPUT TYPE='HIDDEN' NAME='TXT3' VALUE='$CUSTOMER_ID'>
  <INPUT TYPE='HIDDEN' NAME='TXT4' VALUE=''>
  <INPUT TYPE='HIDDEN' NAME='TXT5' VALUE=''>
  <INPUT TYPE='HIDDEN' NAME='TEST_MODE' VALUE='1'>
  <INPUT TYPE='IMAGE' NAME='BUT' SRC='$DIRECTORY/187.GIF' ONCLICK='\"DOCUMENT.GETELEMENTBYID('sar187').SUBMIT();\">
</FORM></TD>";

PRINT "<TD ALIGN='CENTER'><FORM ID='sar375' ACTION='HTTPS://WWW.CASHU.COM/CGI-BIN/PCASHU.CGI' METHOD='POST'>
  <INPUT TYPE='HIDDEN' NAME='MERCHANT_ID' VALUE='SWAHLNET'>
  <INPUT TYPE='HIDDEN' NAME='TOKEN' VALUE='2ac9d5eb4016e79c9fa62a0ec065369b'>
  <INPUT TYPE='HIDDEN' NAME='DISPLAY_TEXT' VALUE='375 SR BEA3 FUND'>
  <INPUT TYPE='HIDDEN' NAME='CURRENCY' VALUE='USD'>
  <INPUT TYPE='HIDDEN' NAME='AMOUNT' VALUE='100'>
  <INPUT TYPE='HIDDEN' NAME='LANGUAGE' VALUE='en'>
  <INPUT TYPE='HIDDEN' NAME='SESSION_ID' VALUE=''>
  <INPUT TYPE='HIDDEN' NAME='TXT1' VALUE='BEA3-375SAR'>
  <INPUT TYPE='HIDDEN' NAME='TXT2' VALUE='$USEREMAILADDRESS'>
  <INPUT TYPE='HIDDEN' NAME='TXT3' VALUE='$CUSTOMER_ID'>
  <INPUT TYPE='HIDDEN' NAME='TXT4' VALUE=''>
  <INPUT TYPE='HIDDEN' NAME='TXT5' VALUE=''>
  <INPUT TYPE='HIDDEN' NAME='TEST_MODE' VALUE='1'>
  <INPUT TYPE='IMAGE' NAME='BUT' SRC='$DIRECTORY/375.GIF' ONCLICK='\"DOCUMENT.GETELEMENTBYID('sar375').SUBMIT();\">
</FORM></TD>";
PRINT "<TD WIDTH='10%'></TD></TR><TR><TD><BR><BR></TD></TR>
</TABLE>
</TD></TR>
</TABLE>";
INCLUDE "RIGHTPANEL.PHP"; ?>

LOADSCRATCHCARD.PH

<?PHP INCLUDE "LEFTPANEL.PHP"; ?>
<SCRIPT>
  FUNCTION CHECKFORM(FRM) {
    VAR FLAG = TRUE;

    IF(FRM.SCRATCH_CARD.VALUE == ""){
      DOCUMENT.GETELEMENTBYID("SPCARD").STYLE.VISIBILITY = "VISIBLE";
      FLAG = FALSE;
    }
    RETURN FLAG;
  }
</SCRIPT>
<?PHP
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>";
$CONTINUE=1;
IF (ISSET($_POST['PROCEED'])){
  $SCRATCH = $_POST['SCRATCH_CARD'];
  $SALT = SHA1(MD5($SCRATCH));
  $SCRATCH = MD5($SCRATCH.$SALT);
  $QUERY = MYSQL_QUERY("SELECT * FROM CARD,CARD_BATCH WHERE CARD_BATCH.CARDBATCH_ID=CARD.CARDBATCH_ID AND CARD_BATCH.CARDBATCH_ISAVAILABLE=1 AND
CARD_SCRATCHNUM='$SCRATCH' AND CUSTOMER_ID IS NULL");
  $COUNT = MYSQL_NUM_ROWS($QUERY);
  $ROW = MYSQL_FETCH_ARRAY($QUERY);
  $CARD_ID = $ROW['CARD_ID'];
  $BATCH = $ROW['CARDBATCH_ID'];
  $AMOUNT = $ROW['CARDBATCH_AMOUNT'];
  IF ($COUNT==0){
    $ERROR=1;
  }
  ELSE{
    $GETBALANCE = MYSQL_QUERY("SELECT CUSTOMER_BALANCE FROM CUSTOMER WHERE CUSTOMER_ID='$CUSTOMER_ID'");
    $ROWBALANCE = MYSQL_FETCH_ROW($GETBALANCE);
    $BALANCE = $ROWBALANCE[0];
    $NEWBALANCE = $BALANCE+$AMOUNT;
    $TRANSACTION_CODE = $BATCH.DATE(Y).$MONTH.$DAY."SC".$AMOUNT;
    $UPDATEBALANCE = MYSQL_QUERY("UPDATE CUSTOMER SET CUSTOMER_BALANCE='$NEWBALANCE' WHERE CUSTOMER_ID='$CUSTOMER_ID'");
    $UPDATECARD = MYSQL_QUERY("UPDATE CARD SET TRANSACTION_CODE='$TRANSACTION_CODE', CUSTOMER_ID='$CUSTOMER_ID', CARD_USEDDATETIME='$DATE'");

    WHERE CARD_ID='$CARD_ID'");
    IF (($UPDATEBALANCE)&&($UPDATECARD)){
      PRINT "<TR><TH><DIV><SPAN STYLE='WIDTH:160px'>".GETLANG("BeaCARD",$LANGUAGE)."</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA' ALIGN='CENTER'><BR><TABLE WIDTH='550'>
<TR><TD ALIGN='$ALIGN2'>".GETLANG("FUNDCARDSUBMITTED",$LANGUAGE)."</TD></TR><TR><TD><BR></TD></TR>
<TR><TD ALIGN='$ALIGN2'>".GETLANG("FUNDCARDVERIFIED",$LANGUAGE). " <b>".NUMBER_FORMAT($NEWBALANCE,2). "</b> ".GETLANG("SAR",
$LANGUAGE)."</TD></TR><TR><TD><BR></TD></TR>
<TR><TD ALIGN='$ALIGN2'><A HREF='INDEX.PHP'>".GETLANG("ClickHereToContinue",
$LANGUAGE)."</A></TD></TR><TR><TD><BR></TD></TR></TABLE><BR><BR></TD></TR>";
      $CONTINUE=0;
    }
  }
}
IF ($CONTINUE==1){
  PRINT "<TR><TH><DIV><SPAN STYLE='WIDTH:160px'>".GETLANG("BeaCARD",$LANGUAGE)."</SPAN></DIV></TH></TR>";
}

```

```

        <TR><TD CLASS='WORKAREA' ALIGN='CENTER'><BR><TABLE WIDTH='550'><FORM NAME='LOADCARD' METHOD='POST' ACTION='LOADSCRATCHCARD.PHP' ONSUBMIT='RETURN
CHECKFORM(THIS);>";
    IF ($ERROR==1)
        PRINT " <TR><TD ALIGN='ALIGN2' COLSPAN='2'><FIELDSET STYLE='BACKGROUND-COLOR:#DEFEFF; HEIGHT:20PX;'>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<IMG SRC='IMAGES/ERROR.GIF'
WIDTH='20' HEIGHT='10'/>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
        <FONT COLOR='red'><b>".getLang("INVALIDSCRATCHCARDNO",$LANGUAGE)."</b></FONT></TD></TR></TR>";
    PRINT " <TR><TD ALIGN='ALIGN2'>".getLang("TOADDFUNDSTOYOURACCOUNTPLEASEENTERTHESCRATCHNUMBEROFTHEBEACARDBLEOW:\"",
$LANGUAGE)."</TD></TR><TR><TD><BR></TD></TR>";
    PRINT " <TR><TD ALIGN='ALIGN2'>".getLang("ENTERTHEBEACARDNO",$LANGUAGE)."&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
    <TR><TD ALIGN='ALIGN2'>".getLang("ENTERTHEBEACARDNO",$LANGUAGE)."&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&
    TYPE='SUBMIT' NAME='PROCEED' VALUE='PROCEED' CLASS='INPUTBUTTON'></TD></TR>";
    PRINT " <TR><TD ALIGN='CENTER'><SPAN ID='SPCARD' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'><FONT COLOR='red' SIZE='1'>".getLang("BEACARDSCRATCHNUMBERISREQUIRED",
$LANGUAGE). "</SPAN></TD></TR>";
    PRINT " <TR><TD><BR></TD></TR>";
    PRINT " <TR><TD ALIGN='ALIGN2'><FONT COLOR='red'>".getLang("CARDNOTE",$LANGUAGE)."</FONT> <A HREF='REGISTER TICKET.PHP'> ".getLang("CLICKHERE",
$LANGUAGE)."</A>.</TD></TR>";
    PRINT " </FORM></TABLE><BR><BR>";
    PRINT "</TD></TR>";
    }
    PRINT "</TABLE>";
INCLUDE "RIGHTPANEL.PHP"; ?>

```

LOGIN.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
FUNCTION GENERATEPASSCODE($LENGTH){
    $RANDOM = "";
    SRAND((DOUBLE)MICROTIME()*1000000);
    // $DATA = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";
    // $DATA = "ABCDEFHIJKLMNOPQRSTUVWXYZ";
    $DATA = "1234567890";
    FOR($i = 0; $i < $LENGTH; $i++){
        $RANDOM .= SUBSTR($DATA, (RAND())%(STRLEN($DATA)), 1);
    }
    RETURN $RANDOM;
}
/*****SMS SENDING*****/
INCLUDE("ADMIN/INCLUDESETTINGS.PHP");
$MSGID = RAND(1,99999);
$TIMESEND = 0;
$DATESEND = 0;
$DELETEKEY = 0;
$RESULTTYPE = 0;
/*****/
$USEREMAIL = $_POST['USEREMAIL'];
IF ($USEREMAIL=="") $USEREMAIL=$_SESSION['USEREMAIL'];
$USERPASS = $_POST['USERPASS'];
IF ($USERPASS=="") $USERPASS=$_SESSION['USERPASS'];
$_SESSION['USEREMAIL']=$USEREMAIL;
$_SESSION['USERPASS']=$USERPASS;
$SALT = SHA1(MD5($USERPASS));
$ENCRYPTED_PASS = MD5($USERPASS.$SALT.$PASS_KEY);
$result = MYSQL_QUERY("SELECT * FROM CUSTOMER WHERE CUSTOMER_EMAIL='$USEREMAIL' AND CUSTOMER_PASSWORD='$ENCRYPTED_PASS'") OR DIE(MYSQL_ERROR());
$resultTEMP = MYSQL_QUERY("SELECT * FROM CUSTOMER_TEMP WHERE CUSTOMER_EMAIL='$USEREMAIL' AND CUSTOMER_PASSWORD='$ENCRYPTED_PASS'") OR DIE(MYSQL_ERROR());
IF(MYSQL_NUM_ROWS($RESULT)){
    WHILE ($ROW=MYSQL_FETCH_ARRAY($RESULT, MYSQL_ASSOC)){
        $USERTYPE = $ROW['CUSTOMER_TYPE'];
        $CUSTOMER_ID = $ROW['CUSTOMER_ID'];
        $LANG = $ROW['CUSTOMER_LANGUAGE'];
        $_SESSION["VALID"] = $USERTYPE;
        $_SESSION["CUSTOMER_ID"] = $CUSTOMER_ID;
        $_SESSION["LANGUAGE"] = $LANG;
    }
    PRINT " <META HTTP-EQUIV='REFRESH' CONTENT='0'; URL=INDEX.PHP>";
}
ELSE IF((MYSQL_NUM_ROWS($RESULTTEMP))){
    $CONTINUE=0;
    IF (!(isset($_POST['SUBMITPASSCODE']))) {
        $FIRST=1;
        PRINT " <TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
        <TR><TH><DIV><SPAN STYLE='WIDTH:150PX;'>".getLang("ACCOUNTACTIVATION",$LANGUAGE)."</SPAN></DIV></TH></TR>
        <TR><TD CLASS='WORKAREA' ALIGN='CENTER'><TABLE WIDTH='550'><TR><TD><BR></TD></TR>";
    }
    IF (isset($_POST['SUBMITPASSCODE'])) {
        $USERINPUT = $_POST['INPUTPASSCODE'];
        $GETDATA=MYSQL_QUERY("SELECT * FROM CUSTOMER_TEMP WHERE CUSTOMER_ID='$CUSTOMER_ID'");
        $ROWDATA=MYSQL_FETCH_ARRAY($GETDATA);
        $PASSCODE=$ROWDATA['CUSTOMER_PASSCODE'];
        IF ($USERINPUT== $PASSCODE){
            IF(MYSQL_NUM_ROWS($RESULTTEMP)){
                $ROW=MYSQL_FETCH_ARRAY($RESULTTEMP);
                $CUSTOMER_ID = $ROW['CUSTOMER_ID'];
                $CUSTOMER_FIRSTNAME = $ROW['CUSTOMER_FIRSTNAME'];
                $CUSTOMER_MIDDLENAME = $ROW['CUSTOMER_MIDDLENAME'];
                $CUSTOMER_LASTNAME = $ROW['CUSTOMER_LASTNAME'];
                $CUSTOMER_EMAIL = $ROW['CUSTOMER_EMAIL'];
                $CUSTOMER_PASSWORD = $ROW['CUSTOMER_PASSWORD'];
                $CUSTOMER_ALTEMAIL = $ROW['CUSTOMER_ALTEMAIL'];
                $CUSTOMER_GENDER = $ROW['CUSTOMER_GENDER'];
                $CUSTOMER_BIRTHDAY = $ROW['CUSTOMER_BIRTHDAY'];
                $CUSTOMER_MOBILENUM = $ROW['CUSTOMER_MOBILENUM'];
                $CUSTOMER_PHONENUM = $ROW['CUSTOMER_PHONENUM'];
                $COUNTRY_ID = $ROW['COUNTRY_ID'];
                $NATIONALITY = $ROW['NATIONALITY'];
                $CITY = $ROW['CITY'];
            }
        }
    }
}

```

```
$USERType = $row['CUSTOMER_TYPE'];
$prefLanguage=$row['CUSTOMER_LANGUAGE'];
$title=$row['TITLE'];
$query = mysql_query("INSERT INTO CUSTOMER
(TITLE,CUSTOMER_FIRSTNAME,CUSTOMER_MIDDLENAME,CUSTOMER_LASTNAME,CUSTOMER_EMAIL,CUSTOMER_PASSWORD,CUSTOMER_ALTEMAIL,CUSTOMER_GENDER,CUSTOMER_BIRTHDAY,CUSTOMER_MOBILENUM,CUSTOMER_PHONEUM,COUNTRY_ID,CITY,NATIONALITY,CUSTOMER_LANGUAGE) VALUES
('$title','$CUSTOMER_FIRSTNAME','$CUSTOMER_MIDDLENAME','$CUSTOMER_LASTNAME','$CUSTOMER_EMAIL','$CUSTOMER_PASSWORD','$CUSTOMER_ALTEMAIL','$CUSTOMER_GENDER','$CUSTOMER_BIRTHDAY','$CUSTOMER_MOBILENUM','$CUSTOMER_PHONEUM','$COUNTRY_ID','$CITY','$NATIONALITY','$prefLanguage')");
if ($query)
$delete = mysql_query("DELETE FROM CUSTOMER_TEMP WHERE CUSTOMER_ID=$CUSTOMER_ID") or die(mysql_error());
print "<table class='CONTENTTABLE' cellpadding='0' cellspacing='0'>
<tr><th><div><span style='width:150px;'>".getLang("ACTIVATIONCOMPLETE",$LANGUAGE)."</span></div></th></tr>
<tr><td class='WORKAREA' align='center'><table width='550'><tr><td><br/></td></tr>";
print "<tr><td align='ALIGN2'>".getLang("ACCOUNTACTIVATEDSUCCESSFULLY",$LANGUAGE)."</td></tr>";
$newCustomerID = mysql_query("SELECT * FROM CUSTOMER WHERE CUSTOMER_EMAIL='$CUSTOMER_EMAIL'");
$rowNew = mysql_fetch_array($getNewCustomerID);
$customerID2 = $rowNew['CUSTOMER_ID'];
$_SESSION["valid"] = $USERType;
$_SESSION["CUSTOMER_ID"] = $CUSTOMER_ID2;
print "<tr><td align='ALIGN2'><noscript><meta http-equiv='refresh' content='5'; url=INDEX.PHP'></noscript>
<font color='BLUE'>".getLang("PAGEREDIRECTAUTOMATICALLY")."</span id='SECONDS'>5</span></script> var SECONDS = 5;
SETINTERVAL( function() { if (SECONDS <= 1) { WINDOW.LOCATION = 'INDEX.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000);
</script></font></center></td></tr>";
}
}
ELSE IF ($USERINPUT!=$PASSCODE){
print "<table class='CONTENTTABLE' cellpadding='0' cellspacing='0'>
<tr><th><div><span style='width:150px;'>".getLang("ACCOUNTACTIVATION",$LANGUAGE)."</span></div></th></tr>
<tr><td class='WORKAREA' align='center'><table width='550'><tr><td><br/></td></tr>";
print "<tr><td align='ALIGN2'><FIELDSET style='BACKGROUND-COLOR:#DEFEFF; HEIGHT:20PX;'>&nbsp;&nbsp;&nbsp;<img src='IMAGES/ERROR.GIF'
width='20' height='10'/>&nbsp;&nbsp;&nbsp;<font color='RED'>
<b>".getLang("ACCOUNTACTIVATIONCODEDIDNOTMATCH",$LANGUAGE)."</b></FIELDSET></td></tr>";
$CONTINUE=1;
}
}
IF (($CONTINUE==1)||($FIRST==1)||($ISSET($_POST['RESENDPASSCODE']))) {
$row=mysql_fetch_array($RESULTTEMP);
$CUSTOMER_ID = $row['CUSTOMER_ID'];
$_SESSION["CUSTOMER_ID"] = $CUSTOMER_ID;
$title = $row['TITLE'];
$N="CUSTOMER_FIRSTNAME$DB";
$CUSTOMER_NAME = $row[$N];
$PASSCODE = $row['CUSTOMER_PASSCODE'];
$PASSCODETRY = $row['CUSTOMER_PASSCODETRY'];
$NUMBERS=$row['CUSTOMER_MOBILENUM'];
IF ($PASSCODETRY==$REG_MAX_TRY){
print "<tr><td align='ALIGN'><FIELDSET style='BACKGROUND-COLOR:#DEFEFF; HEIGHT:20PX;'>&nbsp;&nbsp;&nbsp;<img src='IMAGES/ERROR.GIF'
width='20' height='10'/>&nbsp;&nbsp;&nbsp;<font color='RED'>
<b>".getLang("NOTRIESLEFTTOACTIVATE",$LANGUAGE)."</b></FIELDSET></td></tr>";
}
print "<form name='PASSCODEFORM' method='POST' action='LOGIN.PHP'>
<tr><td><br/></td></tr><tr><td align='ALIGN2'>".getLang("WELCOME",$LANGUAGE)."</td></tr>";
$CUSTOMER_NAME,</td></tr>
<tr><td align='ALIGN2'>".getLang("YOURACCOUNTNOTACTIVATED",$LANGUAGE).":</td></tr><tr><td><br/></td></tr>
<tr><td align='ALIGN2'>".getLang("ACCOUNTACTIVATIONCODE",$LANGUAGE).": <input type='TEXT' name='INPUTPASSCODE'> &nbsp;&nbsp;& <input type='SUBMIT'
name='SUBMITPASSCODE' value='".getLang("PROCEED",$LANGUAGE)."' class='INPUTBUTTON'></td></tr>
<tr><td><br/></td></tr>
<tr><td align='ALIGN2'><font color='#c40416' size='1'>".getLang("IMPORTANTNOTE",
$LANGUAGE)."</font></td></tr><tr><td><br/></td></tr>
<tr><td align='ALIGN2'><font color='#c40416' size='1'>".getLang("ACTIVATENOTE",$LANGUAGE)."</font></td></tr>
<tr><td><br/></td></tr></table></td></tr></table>";
print "<table class='CONTENTTABLE' cellpadding='0' cellspacing='0'>
<tr><th><div><span style='width:170px;'>".getLang("RESENDACTIVATIONCODE",$LANGUAGE)."</span></div></th></tr>";
print "<tr><td class='WORKAREA' align='center'><table width='550'><tr><td><br/></td></tr>
<tr><td align='ALIGN2'>".getLang("NOTRECEIVEDACTIVATIONCODE",$LANGUAGE)."</td></tr><tr><td><br/></td></tr>
<tr><td align='ALIGN2'>".getLang("RESENDACCOUNTACTIVATION",$LANGUAGE)."</td></tr><tr><td><br/></td></tr>
<tr><td align='ALIGN2'><input type='SUBMIT' name='RESENDPASSCODE' value='".getLang("SUBMIT",$LANGUAGE)."'
class='INPUTBUTTON'></td></tr><tr><td><br/></td></tr></table></td></tr></table>";
IF ($ISSET($_POST['RESENDPASSCODE'])) {
$NEWPASSCODE = GENERATEPASSCODE(5);
$PASSCODETRY = $PASSCODETRY+1;
$NUMTRIES = $REG_MAX_TRY-$PASSCODETRY;
IF ($NUMTRIES<0) $NUMTRIES=0;
$MSG="YOUR NEW PASSCODE IS: $NEWPASSCODE";
$SUBJECT = "BEA.COM PASSCODE";
IF ($PASSCODETRY<=$REG_MAX_TRY){
$updatePassTry=mysql_query("UPDATE CUSTOMER_TEMP SET
CUSTOMER_PASSCODE='$NEWPASSCODE',CUSTOMER_PASSCODETRY='$PASSCODETRY' WHERE CUSTOMER_ID='$CUSTOMER_ID'");
IF ($REG_ACTIVE_BY=="SMS")
$isSent = SENDSMS($SMS_USER,$SMS_PASS,$NUMBERS,$SMS_SENDER, $MSG, $MSGID, $TIMESEND, $DATESEND,
$DELETEKEY, $RESULTTYPE);
ELSE
$isSent = MAIL($USEREMAIL, $SUBJECT, $MSG, "From:". $SMTP_FROM);
}
print "<tr><td align='ALIGN2'>$NUMTRIES .getLang("TRIESLEFT",$LANGUAGE)."</td></tr><tr><td><br/></td></tr>";
}
}
ELSE {
print "<table class='CONTENTTABLE' cellpadding='0' cellspacing='0'>
<tr><th><div><span style='width:150px;'>".getLang("CLIENTSECTION",$LANGUAGE)."</span></div></th></tr>
<tr><td class='WORKAREA' align='center'><table width='550'><tr><td><br/></td></tr>
<tr><td align='ALIGN2'><font color='RED' size='2'><b>ACCESS DENIED!</b></td></tr>
</table></td></tr></table>";
}
}
```



```

<?PHP
    REQUIRE 'Admin/CONFIG.PHP';
    REQUIRE 'Admin/OPENDB.PHP';
PRINT "<HTML><HEAD><META HTTP-EQUIV='CONTENT-TYPE' CONTENT='TEXT/HTML' CHARSET=UTF-8'>
<STYLE>
BODY
{
    BACKGROUND-COLOR: #FFFFFF;
    BACKGROUND-IMAGE: URL(IMAGES/BODY-BG.PNG);
    BACKGROUND-POSITION: TOP LEFT;
    BACKGROUND-REPEAT: REPEAT-X;
    BACKGROUND-ATTACHMENT: FIXED;
    MARGIN:0PX;
    PADDING:0PX;
    FONT-SIZE: 12PX;
    COLOR: #000000;
}
TABLE TR TD{
    FONT-SIZE: 12PX;
}
</STYLE>
</HEAD>";
INCLUDE "FUNCTIONS.PHP";
$LANGUAGE=$_GET['LANG'];
$BANKTRANSFER_ID=$_GET['ID'];
IF ($LANGUAGE=="AE"){
    $ALIGN="LEFT";
    $ALIGN2="RIGHT";
    $DB="_ARA";
}
ELSE{
    $ALIGN="RIGHT";
    $ALIGN2="LEFT";
    $DB="";
}
PRINT "<BODY><CENTER><BR><TABLE WIDTH='500PX' BORDER='1' CELLPADDING='0' CELLSPACING='0'><TR><TD><TABLE>";
    $QUERY=MYSQL_QUERY("SELECT * FROM ADMIN_USER,BANK_TRANSFER,CUSTOMER,BANK WHERE BANK_TRANSFER.ADMIN_ID=ADMIN_USER.ADMIN_ID AND
BANK_TRANSFER.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND BANK_TRANSFER.BANK_ID=BANK.BANK_ID AND BANKTRANSFER_ID='$BANKTRANSFER_ID'");
    $ROW=MYSQL_FETCH_ARRAY($QUERY);
    $CUSTOMER_EMAIL=$ROW['CUSTOMER_EMAIL'];
    $CUSTOMER_FIRSTNAME = $ROW['CUSTOMER_FIRSTNAME'];
    $CUSTOMER_LASTNAME = $ROW['CUSTOMER_LASTNAME'];
    $CUSTOMER=$CUSTOMER_FIRSTNAME." ".$CUSTOMER_LASTNAME."<BR>(".$CUSTOMER_EMAIL.")";
    $BANK_NAME=$ROW['BANK_NAME'];
    $BANK_NUM=$ROW['BANK_ACCOUNTNUM'];
    $BANK=$BANK_NAME."<BR>".$BANK_NUM;
    $DATE_TIME=$ROW['BANKTRANSFER_DATE'];
    $AMOUNT=$ROW['BANKTRANSFER_AMOUNT'];
    $CUSTOMER_BANKNAME=$ROW['CUSTOMER_BANKNAME'];
    $CUSTOMER_NUM=$ROW['CUSTOMER_ACCOUNTNUM'];
    $CUSTOMER_BANK=$CUSTOMER_BANKNAME."\\n".$CUSTOMER_NUM;
    $DEPOSITOR_NAME=$ROW['CUSTOMER_DEPOSITORNAME'];
    $CUSTOMER_NOTE=$ROW['BANKTRANSFER_CUSTOMERNOTE'];
    $ADMIN_NOTE=$ROW['BANKTRANSFER_ADMINNOTE'];
    $TRANSFER_STATUS=$ROW['BANKTRANSFER_STATUS'];
    $ADMIN_USERNAME=$ROW['ADMIN_USERNAME'];
    $CUSTOMER_ID=$ROW['CUSTOMER_ID'];
    SWITCH($TRANSFER_STATUS){
        CASE 0: $TRANSFERSTATUS="UNDERPROCESS"; BREAK;
        CASE 1: $TRANSFERSTATUS="APPROVED"; BREAK;
        CASE 2: $TRANSFERSTATUS="REJECTED"; BREAK;
    }
    PRINT "<TR><TD ALIGN='RIGHT' WIDTH='40%'>".getLang("CUSTOMER", $LANGUAGE).": &nbsp;&nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><FONT
COLOR=#092ea7'><B>$CUSTOMER</B></FONT></TD><TR><TD COLSPAN='2'><HR /></TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>".getLang("TRANSFERBANK", $LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><FONT
COLOR=#092ea7'><B>$BANK</B></FONT></TD><TR><TD COLSPAN='2'><HR /></TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>".getLang("TRANSFERDATE", $LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><FONT
COLOR=#092ea7'><B>$DATE_TIME</B></FONT></TD><TR><TD COLSPAN='2'><HR /></TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>".getLang("TRANSFERAMOUNT", $LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><FONT
COLOR=#092ea7'><B>$AMOUNT</B></FONT></TD><TR><TD COLSPAN='2'><HR /></TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>".getLang("CUSTOMERBANKNAME", $LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><FONT
COLOR=#092ea7'><B>$CUSTOMER_BANKNAME</B></FONT></TD><TR><TD COLSPAN='2'><HR /></TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>".getLang("CUSTOMERACCOUNTNO", $LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><FONT
COLOR=#092ea7'><B>$CUSTOMER_NUM</B></FONT></TD><TR><TD COLSPAN='2'><HR /></TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>".getLang("DEPOSITORNAME", $LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><FONT
COLOR=#092ea7'><B>$DEPOSITOR_NAME</B></FONT></TD><TR><TD COLSPAN='2'><HR /></TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>".getLang("CUSTOMERNOTE", $LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><FONT
COLOR=#092ea7'><B>$CUSTOMER_NOTE</B></FONT></TD><TR><TD COLSPAN='2'><HR /></TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>".getLang("TRANSFERSTATUS", $LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><FONT COLOR=#092ea7'><B>".getLang($TRANSFERSTATUS,
$LANGUAGE)."</B></FONT></TD><TR><TD COLSPAN='2'><HR /></TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>".getLang("ADMINUSER", $LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><FONT
COLOR=#092ea7'><B>$ADMIN_USERNAME</B></FONT></TD><TR><TD COLSPAN='2'><HR /></TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>".getLang("ADMINNOTE", $LANGUAGE).": &nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><FONT COLOR=#092ea7'><B>$ADMIN_NOTE</B></FONT></TD></TR>";

PRINT "</TABLE></TD></TR></TABLE><BR></CENTER></BODY>";
PRINT "</HTML>";
?>

```

MostViewed.PHP

```

<?PHP
SESSION_START(); //INITIALIZE PHP SESSION
REQUIRE 'Admin/CONFIG.PHP';
REQUIRE 'Admin/OPENDB.PHP';

```

```

$LANGUAGE=$_GET['LANGUAGE'];
IF ($LANGUAGE=="AE")
    PRINT "<HTML XMLNS='HTTP://WWW.W3.ORG/1999/XHTML' XML:LANG='AR' DIR='RTL'>";
ELSE
    PRINT "<HTML XMLNS='HTTP://WWW.W3.ORG/1999/XHTML'>";
PRINT "<META HTTP-EQUIV='CONTENT-TYPE' CONTENT='TEXT/HTML' CHARSET='UTF-8'>";
IF ($LANGUAGE=="AE")
    PRINT "<LINK HREF='CSS/MAIN_ARA.CSS' REL='STYLESHEET' TYPE='TEXT/CSS'>";
ELSE
    PRINT "<LINK HREF='CSS/MAIN.CSS' REL='STYLESHEET' TYPE='TEXT/CSS'>";

FUNCTION GETLANG($WORD,$LANG){
    $FILENAME="MAIN.TXT";
    $FILE = FOPEN("$FILENAME", "R") OR EXIT("UNABLE TO OPEN FILE!");
    WHILE(!FEOF($FILE)){
        $COUNT=0;
        $STRING = FGETS($FILE);
        $STRING = STR_REPLACE("\t", " ", $STRING);
        $TOKEN = STRTOK($STRING, " ");
        IF ($TOKEN==$WORD){
            WHILE ($TOKEN != FALSE){
                $RESULT[$COUNT]=$TOKEN;
                $TOKEN = STRTOK("");
                $COUNT++;
            }
        }
        IF ($LANG=="AE")
            RETURN $RESULT[2];
        ELSE RETURN $RESULT[1];
        FCLOSE($FILE);
    }
}
$COUNT2=0;
$_SESSION['LANGUAGE']=$LANGUAGE;
$LANG1="";
IF ($LANGUAGE=="AE")
    $LANG1="_Ara";
$DIRECTORY="IMAGES$LANG1/ITEMS";
$MORELABEL = GETLANG("READMORE",$LANGUAGE);
$PRICELABEL = GETLANG("PRICE",$LANGUAGE);
$query1=MYSQL_QUERY("SELECT * FROM PURCHASE,STOCKS,ITEM WHERE PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID GROUP BY ITEM.ITEM_ID HAVING
(COUNT(STOCKS.ITEM_ID) >= 1) ORDER BY COUNT(STOCKS.ITEM_ID) DESC");
$COUNTROW=MYSQL_NUM_ROWS($query1);
IF ($COUNTROW>15)
    $LIMIT=15;
ELSE $LIMIT=$COUNTROW;
$query=MYSQL_QUERY("SELECT * FROM PURCHASE,STOCKS,ITEM WHERE PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID GROUP BY ITEM.ITEM_ID HAVING
(COUNT(STOCKS.ITEM_ID) >= 1) ORDER BY COUNT(STOCKS.ITEM_ID) DESC LIMIT $LIMIT");
PRINT "<DIV CLASS='PANE'><DIV ID='CAROUSEL-BOX'><DIV><A CLASS='PREV BROWSE LEFT'><IMG SRC='IMAGES/PREV.GIF' ALT='' /></A></DIV><DIV CLASS='SCROLLABLE'><DIV
CLASS='ITEMS'><DIV CLASS='ITEM'>";
IF ($LIMIT==0)
    PRINT "</DIV><DIV CLASS='ITEM'></DIV><DIV CLASS='ITEM'></DIV><DIV CLASS='ITEM'></DIV>";
WHILE ($ROW=MYSQL_FETCH_ARRAY($query)){
    $ITEM_ID = $ROW['ITEM_ID'];
    $GETITEM=MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
    $ROWITEM = MYSQL_FETCH_ARRAY($GETITEM);
    $NAME=$ITEM_NAME$LANG1;
    $IM=$ITEM_IMAGE$LANG1;
    $ITEM_NAME = $ROWITEM[$NAME];
    $IMAGE = $ROWITEM[$IM];
    $CATEGORY_ID=$ROWITEM['CATEGORY_ID'];
    $PRICE=$ROWITEM['ITEM_SELLINGPRICE'];
    $PRICE = NUMBER_FORMAT($PRICE,2);
    PRINT "<DIV CLASS='BOX'><DIV CLASS='BORDER-TOP'><DIV CLASS='BORDER-BOT'><DIV CLASS='LEFT-TOP-CORNER'><DIV CLASS='RIGHT-TOP-CORNER'><DIV CLASS='RIGHT-BOT-
CORNER'><DIV CLASS='LEFT-BOT-CORNER'><DIV CLASS='IMG-BOX2'><DIV CLASS='ITEMNAME'><SPAN><CENTER>" . $ITEM_NAME . "</CENTER></SPAN></DIV><A HREF='ITEM.PHP?
CATEGORY_ID=$CATEGORY_ID'><IMG SRC='$DIRECTORY/$IMAGE' ALT='' /></A><DIV CLASS='INNER'><DIV CLASS='INNERDATA'><B>" . $PRICE . "</B>" . $PRICE . " SAR </DIV></DIV><DIV
CLASS='LINK'><A HREF='ITEM.PHP?CATEGORY_ID=$CATEGORY_ID'>$MORELABEL</A></DIV></DIV></DIV></DIV></DIV></DIV></DIV></DIV></DIV>";
    IF ($COUNT2==($LIMIT-1)){
        IF ($COUNT2%3==1)
            PRINT "</DIV><DIV CLASS='ITEM'></DIV>";
        ELSE IF ($COUNT2%3==0)
            PRINT "</DIV><DIV CLASS='ITEM'></DIV><DIV CLASS='ITEM'></DIV>";
    }
    IF ($COUNT2%3==2){
        IF ($COUNT2==($LIMIT-1))
            PRINT "</DIV>";
        ELSE
            PRINT "</DIV><DIV CLASS='ITEM'>";
    }
}
$COUNT2++;
}
PRINT "</DIV></DIV><DIV><A CLASS='NEXT BROWSE RIGHT'><IMG SRC='IMAGES/NEXT.GIF' ALT='' /></A></DIV></DIV></DIV>";
?>
<SCRIPT>
$.EASING.CUSTOM = FUNCTION (x, t, b, c, d) {
    VAR s = 1.70158;
    IF ((t /= d / 2) < 1) RETURN c / 2 * (t * t * (((s *= (1.525)) + 1) * t - s)) + b;
    RETURN c / 2 * ((t - 2) * t * (((s *= (1.525)) + 1) * t + s) + 2) + b;
}
$("DIV.SCROLLABLE").SCROLLABLE({ EASING: 'CUSTOM', SPEED: 600, CIRCULAR: TRUE }).NAVIGATOR().AUTOSCROLL({ AUTOPLAY: TRUE, INTERVAL: 4000 });
</SCRIPT>

```

OWNERMANAGEMENT.PHP


```
PRINT "</b></FIELDSET></BR></TD></TR>";
}
ELSE {
    $ADMINUser_ID=$_GET['ADMINUser_ID'];
}
PRINT "<FORM NAME='EDITADMIN' METHOD='POST' ACTION='OWNERMANAGEMENT.PHP'>";
$query2=MYSQL_QUERY("SELECT * FROM ADMIN_USER WHERE ADMIN_ID='$ADMINUser_ID'") OR DIE (MYSQL_ERROR());
$row=MYSQL_FETCH_ARRAY($query2);
$ADMIN_FIRSTNAME = $row['ADMIN_FIRSTNAME'];
$ADMIN_LASTNAME = $row['ADMIN_LASTNAME'];
$ADMIN_MOBILENUM = $row['ADMIN_MOBILENUM'];
$ADMIN_PHONENUM = $row['ADMIN_PHONENUM'];
$ADMIN_ADDRESS = $row['ADMIN_ADDRESS'];
$ADMIN_EMAIL = $row['ADMIN_EMAIL'];
$ADMIN_USERNAME = $row['ADMIN_USERNAME'];
$ADMIN_STATUS = $row['ADMIN_ISACTIVE'];
$ADMIN_IQAMA = $row['ADMIN_IQAMA'];
PRINT "<TR><TD ALIGN='RIGHT' WIDTH='30%'><b>USER NAME:</b> &nbsp;</TD><TD ALIGN='LEFT' WIDTH='65%'><INPUT TYPE='TEXT'
NAME='ADMIN_USERNAME' SIZE='30' VALUE='$ADMIN_USERNAME' /><FONT COLOR='red'> *</FONT></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><b>FIRST NAME:</b> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ADMIN_FIRSTNAME' SIZE='30'
VALUE='$ADMIN_FIRSTNAME' /><FONT COLOR='red'> *</FONT></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><b>LAST NAME:</b> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ADMIN_LASTNAME' SIZE='30'
VALUE='$ADMIN_LASTNAME' /><FONT COLOR='red'> *</FONT></TD></TR>";
PRINT "<TR><TD COLSPAN='2'><br><BR></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><b>EMAIL ADDRESS:</b> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ADMIN_EMAIL' SIZE='30'
VALUE='$ADMIN_EMAIL' /><FONT COLOR='red'> *</FONT></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><b>MOBILE NUMBER:</b> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ADMIN_MOBILENUM' SIZE='30'
VALUE='$ADMIN_MOBILENUM' /></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><b>PHONE NUMBER:</b> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ADMIN_PHONENUM' SIZE='30'
VALUE='$ADMIN_PHONENUM' /></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><b>ADDRESS:</b> &nbsp;</TD><TD ALIGN='LEFT'><TEXTAREA NAME='ADMIN_ADDRESS' ROWS='2'
COLS='27'>$ADMIN_ADDRESS</TEXTAREA></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><b>PASSWORD:</b> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='PASSWORD' NAME='ADMIN_PASSWORD'
SIZE='30' /></TD></TR>";
PRINT "<TR><TD></TD><TD ALIGN='LEFT'><FONT COLOR='#0b2b82' SIZE='1'> ^ LEAVE THIS BLANK TO KEEP THE CURRENT PASSWORD.</TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><b>IQAMA ID:</b> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ADMIN_IQAMA' VALUE='$ADMIN_IQAMA'
SIZE='30' /><FONT COLOR='red'> *</FONT></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><b>ADMIN STATUS:</b> &nbsp;</TD><TD ALIGN='LEFT'>";
IF ($ADMIN_STATUS==1)
    PRINT "<INPUT TYPE='RADIO' NAME='ADMIN_STATUS' VALUE='1' CHECKED />ACTIVE &nbsp;<INPUT TYPE='RADIO' NAME='ADMIN_STATUS' VALUE='0'
/>INACTIVE";
ELSE
    PRINT "<INPUT TYPE='RADIO' NAME='ADMIN_STATUS' VALUE='1' />ACTIVE &nbsp;<INPUT TYPE='RADIO' NAME='ADMIN_STATUS' VALUE='0' CHECKED
/>INACTIVE";
PRINT "</TD></TR><TR><TD ALIGN='RIGHT'> &nbsp;</TD><TD ALIGN='LEFT'>";
PRINT "</TD></TR><TR><TD><TD><BR></TD></TR></TABLE>";
PRINT "<CENTER><INPUT TYPE='SUBMIT' NAME='UPDATE' VALUE='SUBMIT' CLASS='INPUTBUTTON' /> &nbsp;<INPUT TYPE='SUBMIT' NAME='CANCEL' VALUE='CANCEL'
CLASS='INPUTBUTTON' />";
PRINT "</FORM><BR><BR></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF ($ACTION==3){
    $ADMINUser_ID=$_GET['ADMINUser_ID'];
    $query=MYSQL_QUERY("DELETE FROM ADMIN_USER WHERE ADMIN_ID='$ADMINUser_ID'");
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707ab' SIZE='3'><b>". "DELETE OWNER ACCOUNT</b></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    IF (!$query){
        PRINT "<TR><TD><CENTER><FONT COLOR='red'><b>Error!</b> </FONT><BR><BR>AN ERROR OCCURED WHILE DELETING YOUR
DATA.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5; URL=OWNERMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='blue'>You will be redirected back in <span id='seconds'>5</span>.<SCRIPT> var seconds = 5; setInterval( function(){
(seconds <= 1) { window.location = 'OWNERMANAGEMENT.PHP'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
}
ELSE {
    PRINT "<TR><TD><CENTER><b>1 RECORD SUCCESSFULLY DELETED.</b><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5; URL=OWNERMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='blue'>You will be redirected back in <span id='seconds'>5</span>.<SCRIPT> var seconds = 5; setInterval( function(){
(seconds <= 1) { window.location = 'OWNERMANAGEMENT.PHP'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
}
PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF (isset($_POST['add'])){
    $error1=0;
    $uname = $_POST['ADMIN_USERNAME'];
    $emailadd = $_POST['ADMIN_EMAIL'];
    $iqama = $_POST['ADMIN_IQAMA'];
    $emailcheck=checkEmail($emailadd);
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707ab' SIZE='3'><b>". "ADD ADMIN USER</b></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    IF (($emailadd=="")||($uname=="")||($iqama=="")){
        PRINT "<TR><TD><CENTER><FONT COLOR='red'><b>REQUIRED FIELDS ERROR.</b> </FONT><BR><BR>PLEASE FILL OUT ALL REQUIRED
FIELDS.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5; URL=OWNERMANAGEMENT.PHP?action=1'></NOSCRIPT>
<FONT COLOR='blue'>You will be redirected back in <span id='seconds'>5</span>.<SCRIPT> var seconds = 5; setInterval( function(){
(seconds <= 1) { window.location = 'OWNERMANAGEMENT.PHP?action=1'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
}
}
ELSE IF ($emailcheck==0){
    PRINT "<TR><TD><CENTER><FONT COLOR='red'><b> INVALID EMAIL ADDRESS!</b> </FONT><BR><BR>PLEASE ENTER A VALID EMAIL
ADDRESS.<BR><BR>";
}
```



```

    }
}
ELSE {
    PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>DUPLICATE ENTRY.</B> </FONT><BR><BR>AN ADMIN USER WITH THAT
EMAIL ADDRESS OR USERNAME ALREADY EXIST.<BR><BR>
    <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='8'; URL=OWNERMANAGEMENT.PHP?ACTION=1'></NOSCRIPT>
    <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>8</SPAN>.<SCRIPT> VAR SECONDS = 8;
SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'OWNERMANAGEMENT.PHP?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
    }
}
PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE {
    PRINT "<CENTER>";
    PRINT "<TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER>
<FIELDSET STYLE='WIDTH: 250PX; ALIGN='CENTER'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".OWNER ACCOUNT
MANAGEMENT</B></FONT></LEGEND><TABLE WIDTH='200'><TR>
<TD ALIGN='CENTER'><A HREF='OWNERMANAGEMENT.PHP?ACTION=1'><IMG SRC='IMAGES/ADD.PNG' ALT='ADD OWNER'
WIDTH='50'></IMG></A><BR><B>ADD OWNER</B></TD>
</TR></TABLE></FIELDSET></CENTER></TD></TR></TABLE>";
    PRINT "<BR><BR>";
    $PAGE=$_GET['PAGE'];
    IF($PAGE == "") $PAGE=1;
    $EMAIL=$_GET['EMAIL'];
    $SORTBY=$_GET['SORTBY'];
    $OLDSORTBY=$_GET['OLDSORTBY'];
    $ORDER=$_GET['ORDER'];
    IF (($ORDER=="")||($SORTBY==$OLDSORTBY)) $NEWORDER="ASC";
    ELSE {
        IF ($ORDER=="ASC") $NEWORDER="DESC";
        ELSE $NEWORDER="ASC";
    }
    $OLDSORTBY=$SORTBY;
    $QUERY="SELECT * FROM ADMIN_USER WHERE ADMIN_TYPE=2";
    IF ($SORTBY!="") $QUERY .= " ORDER BY $SORTBY $ORDER";
    MYSQL_QUERY($QUERY);
    $NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
    $NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT);
    $SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
    IF ($NUMBEROFRESULTS!=0){
        PRINT "<DIV CLASS='INSIDE'>
<TABLE WIDTH='750' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>
<TR><TH WIDTH='20%'><A HREF='OWNERMANAGEMENT.PHP?SORTBY=ADMIN_USERNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>USER
NAME</A></TH>
<TH WIDTH='30%'><A HREF='OWNERMANAGEMENT.PHP?SORTBY=ADMIN_EMAIL&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>EMAIL
ADDRESS</A></TH>
<TH WIDTH='15%'><A HREF='OWNERMANAGEMENT.PHP?SORTBY=ADMIN_FIRSTNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>FIRST
NAME</A></TH>
<TH WIDTH='15%'><A HREF='OWNERMANAGEMENT.PHP?SORTBY=ADMIN_LASTNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>LAST
NAME</A></TH>
<TH WIDTH='10%'><A HREF='OWNERMANAGEMENT.PHP?
SORTBY=ADMIN_ISACTIVE&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>STATUS</A></TH>
<TH WIDTH='10%'>ACTION</TH>";
        PRINT "</TR>";
        WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
            $i++;
            $ADMINUSER_ID = $ROW['ADMIN_ID'];
            IF ($ROW['ADMIN_ISACTIVE']==1)
                $STATUSDISP = "Active";
            ELSE
                $STATUSDISP = "Inactive";
            PRINT "<TR CLASS='D'.{$i & 1}.\"";
            PRINT "<TD><CENTER>\".$ROW['ADMIN_USERNAME'].\"</CENTER></TD>";
            PRINT "<TD><CENTER>\".$ROW['ADMIN_EMAIL'].\"</CENTER></TD>";
            PRINT "<TD><CENTER>\".$ROW['ADMIN_FIRSTNAME'].\"</CENTER></TD>";
            PRINT "<TD><CENTER>\".$ROW['ADMIN_LASTNAME'].\"</CENTER></TD>";
            PRINT "<TD><CENTER>\"$STATUSDISP</CENTER></TD>";
            PRINT "<TD><CENTER>";
            PRINT "<A HREF='OWNERMANAGEMENT.PHP?ACTION=2&ADMINUSER_ID=$ADMINUSER_ID'><IMG SRC='IMAGES/EDIT.GIF' TITLE='EDIT'
WIDTH='15'></IMG></A>";
            PRINT "<A HREF='OWNERMANAGEMENT.PHP?ACTION=3&ADMINUSER_ID=$ADMINUSER_ID' ONCLICK='RETURN CONFIRM('ARE YOU SURE YOU
WANT TO DELETE ADMIN RECORD?');\"><IMG SRC='IMAGES/DELETE.PNG' TITLE='DELETE' WIDTH='15'></IMG></A>";
            PRINT "</CENTER></TD></TR>\n";
        }
        PRINT "</TABLE><BR><BR>";
        IF ($NUMBEROFPAGES>1){
            $NAV="";
            FOR($j = 1 ; $j <= $NUMBEROFPAGES ; $j++) {
                IF($j == $PAGE) {
                    $NAV .= "<B>$j</B>";
                }
                ELSE {
                    $NAV .= "&nbsp;<A HREF='\"OWNERMANAGEMENT.PHP?
PAGE=$j&SORTBY=$SORTBY&ORDER=$ORDER&OLDSORTBY=$OLDSORTBY'\">$j </A>&nbsp;&nbsp;";
                }
            }
            PRINT "<CENTER> $NAV </CENTER><CENTER><BR></DIV>";
        }
    }
    ELSE {
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX; HEIGHT: 50PX; ALIGN='CENTER'><TABLE>";
        IF ($EMAIL==""){

```

```

FOUND.</FONT></B></FONT></CENTER></TD></TR>";
    }
    ELSE {
        PRINT "<TR><TD><CENTER><BR><B><FONT COLOR='RED'>No RECORDS
        PRINT "<TR><TD><CENTER><BR><B>EMAIL ADDRESS <FONT COLOR='RED'>\"$EMAIL\"</FONT> NOT FOUND.</B><BR><BR>
        <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CUSTOMERMANAGEMENT.PHP'></NOSCRIPT>
        <FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
        SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'CUSTOMERMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTById('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
    }
    PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
}
}
}
}
ELSE {
    PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
}
?>
<BR></TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHTPANEL.PHP"; ?>

```

PROCESSCASHU.PHP

```

<?PHP
SESSION_START();
$DBHOST='BEA3.DB.8434508.HOSTEDRESOURCE.COM';
$DBUSER='BEA3';
$DBPASSWORD='FRAGILE_123';
$link=@mysql_pconnect($DBHOST, $DBUSER, $DBPASSWORD) OR DIE ('ERROR CONNECTING TO DB!');
mysql_query("SET NAMES 'utf8'");
mysql_query('SET CHARACTER SET utf8');
$dbname='BEA3';
mysql_select_db($dbname) OR DIE ('ERROR: CANNOT ACCESS $DBNAME DATABASE!');
FUNCTION GETLANG($WORD,$LANG){
    $FILENAME = "HTTP://1111.CO/MAIN.TXT";
    $FILE = FOPEN("$FILENAME", "r") OR EXIT("UNABLE TO OPEN FILE!");
    WHILE(!FEOF($FILE)){
        $COUNT=0;
        $STRING = FGETS($FILE);
        $STRING = TRIM($STRING);
        $STRING = STR_REPLACE("\t", " ", $STRING);
        $STRING = STR_REPLACE(" ", " ", $STRING);
        $TOKEN = STRTOK($STRING, " = ");
        $TOKEN=TRIM($TOKEN,"=");
        IF ($TOKEN==$WORD){
            WHILE ($TOKEN != FALSE){
                $TOKEN=TRIM($TOKEN);
                $RESULT[$COUNT]=$TOKEN;
                $TOKEN = STRTOK("=");
                $COUNT++;
            }
        }
    }
    IF ($LANG=="AE")
        RETURN $RESULT[2];
    ELSE RETURN $RESULT[1];
    FCLOSE($FILE);
}

$ADMIN_TIMEOUT = $ADMIN_TIMEOUT * 60; // CONVERTS MINUTES TO SECONDS
IF (ISSET($_SESSION['START_TIME'])) {
    $ELAPSED_TIME = TIME() - $_SESSION['START_TIME'];
    IF ($ELAPSED_TIME >= $ADMIN_TIMEOUT) {
        SESSION_DESTROY();
        HEADER("LOCATION: HTTP://1111.CO/LOGOUT.PHP");
    }
}
$_SESSION['START_TIME'] = TIME();
$AMOUNT=$_POST['AMOUNT'];
$CURRENCY=$_POST['CURRENCY'];
$return_id=$_POST['TRN_ID'];
$itemDesc=$_POST['TXT1'];
$emailAd=$_POST['TXT2'];
$customer_id=$_POST['TXT3'];
//ERROR_REPORTING(0);
$YEAR = GMDATE(Y);
$MONTH = GMDATE(M);
$DAY = GMDATE(D);
$MIN = GMDATE (I);
$HOUR = GMDATE (H);
$SEC = GMDATE (S);
$TIMEZONE = GMDATE(E);
$HOUR = $HOUR+3;
$TIMEONLY = "$HOUR:$MIN:$SEC";
$DATE_TIME = "$YEAR-$MONTH-$DAY $HOUR:$MIN:$SEC";
$LANGUAGE = $_SESSION['LANGUAGE'];
IF (ISSET($_POST['CHANGE_LANG'])) {
    $CHANGE_LANGUAGE = $_POST['CHANGE_LANG'];
    $_SESSION['LANGUAGE'] = $CHANGE_LANGUAGE;
}
ELSE {
    $_SESSION['LANGUAGE'] = $LANGUAGE;
}

```

```

}
$LANGUAGE = $_SESSION['LANGUAGE'];
IF ($LANGUAGE=="AE"){
    $ALIGN="LEFT";
    $ALIGN2="RIGHT";
    $DB="_ARA";
}
ELSE{
    $ALIGN="RIGHT";
    $ALIGN2="LEFT";
    $DB="";
}
$SELFURL = "HTTP://".$_SERVER['HTTP_HOST'].$_SERVER['REQUEST_URI'];
?>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD XHTML 1.0 TRANSITIONAL//EN" "HTTP://WWW.W3.ORG/TR/XHTML1/DTD/XHTML1-TRANSITIONAL.DTD">
<?PHP IF ($LANGUAGE=="AE")
    PRINT "<HTML XMLNS='HTTP://WWW.W3.ORG/1999/XHTML' XML:LANG='AR' DIR='RTL'>";
ELSE
    PRINT "<HTML XMLNS='HTTP://WWW.W3.ORG/1999/XHTML'>";
?>
<HEAD><TITLE> BEA3 - ALMALKI ELECTRONIC BASKET </TITLE>
<META HTTP-EQUIV="CONTENT-TYPE" CONTENT="TEXT/HTML" CHARSET=UT-8">
<!-- <LINK REL="ICON" HREF="FAVICON.ICO" TYPE="IMAGE/X-ICON" /> -->
<!-- <META HTTP-EQUIV="CONTENT-TYPE" CONTENT="TEXT/HTML" CHARSET=ISO-8859-1'> -->
<?PHP IF ($LANGUAGE=="AE")
    PRINT "<LINK HREF='HTTP://1111.CO/CS/MAIN_ARA.CSS' REL='STYLESHEET' TYPE='TEXT/CSS'>";
ELSE
    PRINT "<LINK HREF='HTTP://1111.CO/CS/MAIN.CSS' REL='STYLESHEET' TYPE='TEXT/CSS'>";
?>
</HEAD>
<BODY>
<?PHP
    PRINT "<TABLE WIDTH='1066' ALIGN='CENTER' CELLPADDING='0' CELLSPACING='0'>
        <TR><TD><TABLE ID='MAIN' ALIGN='CENTER'>
            <TR CLASS='HEADLINE'><TD> </TD></TR>
            <TR CLASS='TOPBAR' VALIGN='TOP' STYLE='BACKGROUND:URL(HTTP://1111.CO/IMAGES/WRAPPER-FILL.PNG)'>
                <TD><TABLE ID='TOPHEAD'><TR><TD CLASS='TOPLOGO' VALIGN='TOP'><A HREF='HTTP://WWW.1111.CO/'><IMG SRC='HTTP://WWW.1111.CO/IMAGES/LOGO.GIF'
ALT='BEA3 MARKET' /></A></TD>
                <TD VALIGN='TOP' CLASS='TOPMENU'><TABLE WIDTH='833' CELLPADDING='0' CELLSPACING='0'>
                    <TR><TD VALIGN='TOP' COLSPAN='2'><TABLE ID='TOPMENU'>
                        <TR><TD><A CLASS='HOMEPAGE' HREF='HTTP://1111.CO/INDEX.PHP'>".GETLANG("HOME",$LANGUAGE)."</A><BR /><BR /><BR /><BR /></TD>
                        <TD><A CLASS='HOMEPAGE' HREF='HTTP://1111.CO/HTB.PHP'>".GETLANG("HowToBuy",$LANGUAGE)."</A><BR /><BR /><BR /><BR /></TD>
                        <TD><A CLASS='HOMEPAGE' HREF='HTTP://1111.CO/FAQS.PHP'>".GETLANG("FAQ",$LANGUAGE)."</A><BR /><BR /><BR /><BR /></TD>
                        <TD><A CLASS='HOMEPAGE' HREF='HTTP://1111.CO/FINDLOC.PHP'>".GETLANG("FINDBEA3CARDLOC",$LANGUAGE)."</A><BR /><BR /><BR /><BR /></TD>
                        <TD><A CLASS='HOMEPAGE' HREF='HTTP://1111.CO/ABOUTUS.PHP'>".GETLANG("ABOUTUS",$LANGUAGE)."</A><BR /><BR /><BR /><BR /></TD>
                        <TD><A CLASS='HOMEPAGE' HREF='HTTP://1111.CO/CONTACTUS.PHP'>".GETLANG("CONTACTUS",$LANGUAGE)."</A><BR /><BR /><BR /><BR /></TD>"; ?
                    </TD>
                </TR>
            </TD>
        </TR>
        <TR><TD><FORM METHOD="POST" ID="FILTER" ACTION="<?PHP ECHO HTMLENTITIES($SELFURL); ?>"
        &nbsp; &nbsp; &nbsp; <SELECT NAME="CHANGE LANG" STYLE="WIDTH: 105px;" ONCHANGE="DOCUMENT.GETELEMENTBYID('FILTER').SUBMIT();">
        <?PHP PRINT "<OPTION VALUE="">".GETLANG("SELECTLANGUAGE",$LANGUAGE)."</OPTION>";
        IF ($LANGUAGE=="AE") PRINT "<OPTION VALUE='EN'>ENGLISH</OPTION>";
        ELSE PRINT "<OPTION VALUE='AE'>"; PRINT GETLANG("ARABIC",$AE"); PRINT "</OPTION></SELECT></FORM><BR /><BR /> </TD>
        <TD><FORM METHOD='POST' ACTION='HTTP://1111.CO/SEARCH.PHP'> &nbsp; &nbsp; &nbsp; <INPUT TYPE='TEXT' CLASS='INPUT2' ID='KEYWORD' NAME='KEYWORD'
SIZE='20' VALUE="" MAXLENGTH='20' />
        <INPUT TYPE='IMAGE' BORDER='0' NAME='SUBMIT' ID='SUBMIT' SRC='IMAGES$DB/SEARCH.PNG' ALIGN='ABSMIDDLE' />
        <BR /> <A CLASS='ADVANCESEARCH' HREF='HTTP://1111.CO/ADVANCEDSEARCH.PHP'> &nbsp; &nbsp; &nbsp; ".GETLANG("ADVANCESEARCH",$LANGUAGE)."</A><BR
/><BR /></FORM></TD>
    </TR></TABLE> </TD></TR>
    <TR> <TD CLASS='TOPIMAGE'><IMG SRC='IMAGES$DB/TOPHEAD2.PNG' ALT='BEA3' /></TD>
    <TD CLASS='TOPRIGHTHEAD'><TABLE CELLPADDING='0' CELLSPACING='0'><TR><TD ALIGN='$ALIGN2'>";
    $QUERY = MYSQL_QUERY("SELECT * FROM CUSTOMER WHERE CUSTOMER_ID='$CUSTOMER_ID'" ) OR DIE(MYSQL_ERROR());
    $ROW = MYSQL_FETCH_ARRAY($QUERY);
    $TITLE = $ROW['TITLE'];
    $DBCUSTOMERBALANCE = $ROW['CUSTOMER_BALANCE'];
    $DBCUSTOMERBALANCE = NUMBER_FORMAT($DBCUSTOMERBALANCE,2);
    PRINT "<BR /><BR />".GETLANG("WELCOME",$LANGUAGE)." <B>".GETLANG($TITLE,$LANGUAGE)." ". $ROW['CUSTOMER_FIRSTNAME']."</B><BR />
    ". GETLANG("YOURBALANCE",$LANGUAGE).":<FONT COLOR=#b106b3'><B> $DBCUSTOMERBALANCE </B></FONT>". GETLANG("SAR",$LANGUAGE)."
</FONT>";
    PRINT "</TD></TR></TABLE></TD></TR></TABLE></TD></TR></TABLE><TABLE ID='CONTENTS'><TR><TD VALIGN='TOP' STYLE='TEXT-ALIGN: JUSTIFY'>
    <TABLE ID='CONTENTSLEFT'><DIV CLASS='WRAPPER'><TR><TD><IMG SRC='HTTP://1111.CO/IMAGES$DB/PLAN-TOP.PNG' ALT="" WIDTH='233' HEIGHT=' 68' /><DIV
CLASS='MIDDLE'><DIV CLASS='CATEGORYLIST'><BR>";
    $RESULT=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='0'");
    WHILE ($ROW=MYSQL_FETCH_ARRAY($RESULT)){
        $CATEGORY_ID=$ROW['CATEGORY_ID'];
        $CN="CATEGORY_NAME$DB";
        $CATEGORY_NAME=$ROW[$CN];
        PRINT "<A "; IF($_GET['CATEGORY_ID'] == $CATEGORY_ID) { PRINT "CLASS='SELECTEDLINK' "; } PRINT "HREF='HTTP://1111.CO/CATEGORY.PHP?
CATEGORY_ID=$CATEGORY_ID'>$CATEGORY_NAME</A>
        <DIV CLASS='SEP'> </DIV>";
    }
    PRINT "</DIV></DIV><DIV CLASS='BOTTOM'></DIV></TD></TR></TABLE>";
    PRINT "</TABLE><BR /><BR /><DIV></TD><TD VALIGN='TOP'><TABLE ID='CONTENTS_CENTER'><TR><TD HEIGHT='600' VALIGN='TOP'>";
    $CASHU=GETLANG("CASHUFUNDS",$LANGUAGE);
    $CLICKHERE=GETLANG("CLICKHERE",$LANGUAGE);
    IF ($LANGUAGE=="AE")
        $DIRECTORY="HTTP://1111.CO/IMAGES_ARA";
    ELSE $DIRECTORY="HTTP://1111.CO/IMAGES";
    IF ($ITEMDESC=="BEA3-37SAR")
        $TOBEADDED = 37;
    ELSE IF ($ITEMDESC=="BEA3-112SAR")
        $TOBEADDED = 112;
    ELSE IF ($ITEMDESC=="BEA3-187SAR")
        $TOBEADDED = 187;

```

```

ELSE IF ($ITEMDESC=="Bea3-3755AR")
    $TOBEADDED = 375;
$GETEMAIL=MYSQL_QUERY("SELECT * FROM CUSTOMER WHERE CUSTOMER_ID='$CUSTOMER_ID'");
$ROWEMAIL=MYSQL_FETCH_ARRAY($GETEMAIL);
$USEREMAILADDRESS = $ROWEMAIL['CUSTOMER_EMAIL'];
$USERCURRENTBALANCE = $ROWEMAIL['CUSTOMER_BALANCE'];
$NEWBALANCE = $USERCURRENTBALANCE+$TOBEADDED;
$ITEMDESC = $ITEMDESC.*"*";
$ITEMDESC = EXTRACTBETWEENDELIMITERS($ITEMDESC,".","*");
$ITEMDESC=TRIM($ITEMDESC);
$TRANSACTION_CODE = "CU".DATE(Y).$MONTH.$DAY.$ITEMDESC;
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:160PX'>$CASHU</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA' ALIGN='CENTER'><BR><TABLE WIDTH='500'>
<TR><TD ALIGN='$ALIGN2'></TD></TR><TR><TD></TD></TR>
<TR><TD></TD></TR></TABLE>";
$ADDBALANCE=MYSQL_QUERY("UPDATE CUSTOMER SET CUSTOMER_BALANCE='$NEWBALANCE' WHERE CUSTOMER_ID='$CUSTOMER_ID'");
$INSERTCASHU=MYSQL_QUERY("INSERT INTO CASHU (AMOUNT, CONVERTED_AMOUNT, CURRENCY, DESCRIPTION, RETURN_ID, DATE TIME, CUSTOMER_ID, TRANSACTION_CODE)
VALUES('$AMOUNT', '$TOBEADDED', '$CURRENCY', '$ITEMDESC', '$RETURN_ID', '$DATE TIME', '$CUSTOMER_ID', '$TRANSACTION_CODE')");
IF (($ADDBALANCE)&&($INSERTCASHU))
    PRINT "<TR><TD ALIGN='$ALIGN2'>".GETLANG("FUNDCASHSUBMITTED", $LANGUAGE)."</TD></TR>";
PRINT "<TR><TD><BR></TD></TR><TR><TD ALIGN='$ALIGN2'><A HREF='HTTP://1111.CO/INDEX.PHP'> ".GETLANG("CLICKHERE TO CONTINUE",
$LANGUAGE)."</A></TD></TR>
</TABLE>
</TD></TR>
</TABLE>";
$CATEGORY_ID=$_GET['CATEGORY_ID'];
$DIRECTORYSITE = "HTTP://1111.CO/IMAGES$DB/CATEGORYAD";
PRINT "</TD></TR><TR><TD><IMG SRC='HTTP://1111.CO/IMAGES/CENTERBOTTOM.PNG' ALT=' ' /></TD></TR></TABLE></TD>";
PRINT "<TD VALIGN='TOP' STYLE='TEXT-ALIGN: CENTER'><TABLE ID='CONTENTSRIGHT'>";
    $NEWTICKETCOUNT=0;
    PRINT "<TR><TD><SPAN ID='LOGOUTAREA'><CENTER><DIV CLASS='CONTAINER'><TABLE WIDTH='170' ALIGN='CENTER' CELLPADDING='10' CELLSPACING='10'
CLASS='PROFILETABLE'>
<TR><TD ALIGN='$ALIGN2'><A HREF='HTTP://1111.CO/ADDFUNDS.PHP'>".GETLANG("ADDFUNDS", $LANGUAGE)."</A></TD></TR>
<TR><TD ALIGN='$ALIGN2'><A HREF='HTTP://1111.CO/EDITPROFILE.PHP'>".GETLANG("EDITPROFILE", $LANGUAGE)."</A></TD></TR>
<TR><TD ALIGN='$ALIGN2'><A HREF='HTTP://1111.CO/CHANGEPASSWORD.PHP'>".GETLANG("CHANGEPASSWORD", $LANGUAGE)."</A></TD></TR>
<TR><TD ALIGN='$ALIGN2'><A HREF='HTTP://1111.CO/TRANSACTIONHISTORY.PHP'>".GETLANG("TRANSACTIONHISTORY", $LANGUAGE)."</A></TD></TR>
<TR><TD ALIGN='$ALIGN2'><A HREF='HTTP://1111.CO/REGISTERTICKET.PHP'>".GETLANG("REGISTERTICKET", $LANGUAGE)."</A></TD></TR>";
    $COUNTNEW=MYSQL_QUERY("SELECT DISTINCT(TICKET_REQUEST.TICKETREQUEST_ID) FROM CUSTOMER, TICKET_REQUEST, TICKET_RESPONSE WHERE
TICKET_RESPONSE.TICKETREQUEST_ID=TICKET_REQUEST.TICKETREQUEST_ID AND TICKET_REQUEST.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND CUSTOMER.CUSTOMER_ID='$CUSTOMER_ID' AND
TICKET_REQUEST.TICKETSTATE_ID!=3");
    WHILE ($ROWCOUNT=MYSQL_FETCH_ROW($COUNTNEW)){
        $TICKET_ID=$ROWCOUNT[0];
        $QUERY=MYSQL_QUERY("SELECT ISADMIN FROM TICKET_RESPONSE WHERE TICKETREQUEST_ID='$TICKET_ID' ORDER BY TICKETRESPONSE_DATE DESC LIMIT
1");
        $ROW=MYSQL_FETCH_ROW($QUERY);
        $LASTREPLY=$ROW[0];
        IF ($LASTREPLY==1)
            $NEWTICKETCOUNT++;
    }
    IF ($NEWTICKETCOUNT>0)
        PRINT "<TR><TD ALIGN='$ALIGN2'><A HREF='HTTP://1111.CO/CUSTOMERTICKETS.PHP' CLASS='WITHNOTIFICATION'>".GETLANG("CUSTOMERTICKETS",
$LANGUAGE)."</A> <FONT COLOR='RED'><B>($NEWTICKETCOUNT)</B></FONT></TD></TR>";
    ELSE
        PRINT "<TR><TD ALIGN='$ALIGN2'><A HREF='HTTP://1111.CO/CUSTOMERTICKETS.PHP'>".GETLANG("CUSTOMERTICKETS", $LANGUAGE)."</A></TD></TR>";
    PRINT "<TR><TD ALIGN='$ALIGN2'><A HREF='HTTP://1111.CO/LOGOUT.PHP'>".GETLANG("LOGOUT",
$LANGUAGE)."</A></TD></TR></TABLE></DIV></CENTER></SPAN></TD></TR>";
    PRINT "<DIV ID='RPTRIGHTSIDEADS'><TR><TD ALIGN='CENTER'><CENTER>";
    IF ($CATEGORY_ID=="")
        $GETAD=MYSQL_QUERY("SELECT * FROM SITE_ADVERTISEMENT WHERE CATEGORY_ID='0' ORDER BY SITEAD_DISPLAYORDER LIMIT 3");
    ELSE{
        $GETAD=MYSQL_QUERY("SELECT * FROM SITE_ADVERTISEMENT WHERE CATEGORY_ID='$CATEGORY_ID' ORDER BY SITEAD_DISPLAYORDER LIMIT 3");
        $COUNTAD = MYSQL_NUM_ROWS($GETAD);
        IF ($COUNTAD==0)
            $GETAD=MYSQL_QUERY("SELECT * FROM SITE_ADVERTISEMENT WHERE CATEGORY_ID='0' ORDER BY SITEAD_DISPLAYORDER LIMIT 3");
    }
    WHILE ($ROW=MYSQL_FETCH_ARRAY($GETAD)){
        $IM="SITEAD_IMAGE$DB";
        $LNK="SITEAD_LINK$DB";
        $IMG=$ROW[$IM];
        $URL=$ROW[$LNK];
        $IMAGE = "HTTP://1111.CO/$DIRECTORYSITE/$IMG";
        PRINT "<BR /><IMG SRC='HTTP://WWW.1111.CO/IMAGES/RIGHTADDSEP.JPG' /> <BR /><BR />
<DIV CLASS='CONTAINER' STYLE='TEXT-ALIGN: CENTER;'><BR />
<A HREF='$URL' TARGET='_BLANK'><IMG SRC='$IMAGE' WIDTH='183' HEIGHT='135'></A><BR /><BR /></DIV>";
    }
    PRINT "</CENTER></TD></TR></DIV></TABLE></TD></TR></TABLE>";
PRINT "<BR /><BR /></TD></TR><TR CLASS='BOTTOMBAR'><TD ALIGN='CENTER' VALIGN='TOP' STYLE='HEIGHT: 50PX'><IMG SRC='HTTP://WWW.1111.CO/IMAGES/BANKS.GIF' WIDTH='1048PX'
/></TD></TR>
<TR CLASS='CLOSING'><TD></TD></TR></TABLE>";
PRINT "<BR><TABLE ID='TABLE1' STYLE='TEXT-ALIGN: CENTER; ALIGN='CENTER'>
<TR><TD ALIGN='CENTER' COLSPAN='6' STYLE='FONT-SIZE: 8PT; WIDTH: 437PX; COLOR: #FFFFFF; FONT-FAMILY: TAHOMA; HEIGHT: 15PX; TEXT-ALIGN: CENTER'>
<A CLASS='FOOTER' HREF='HTTP://1111.CO/INDEX.PHP'>".GETLANG("HOME", $LANGUAGE)."</A> | <A CLASS='FOOTER' HREF='HTTP://1111.CO/HTB.PHP'>".GETLANG("HowToBuy",
$LANGUAGE)."</A> |
<A CLASS='FOOTER' HREF='HTTP://1111.CO/FAQS.PHP'>".GETLANG("FAQ", $LANGUAGE)."</A> | <A CLASS='FOOTER' HREF='HTTP://1111.CO/FINDLOC.PHP'>".GETLANG("FINDBea3CARDLoc",
$LANGUAGE)."</A> |
<A CLASS='FOOTER' HREF='HTTP://1111.CO/ABOUTUS.PHP'>".GETLANG("ABOUTUS", $LANGUAGE)."</A> | <A CLASS='FOOTER' HREF='HTTP://1111.CO/CONTACTUS.PHP'>".
GETLANG("CONTACTUS", $LANGUAGE)."</A><BR>
".GETLANG("COPYRIGHT", $LANGUAGE)."</TD></TR></TABLE></TD></TR></TABLE>";
MYSQL_CLOSE($LINK);
PRINT "</BODY></HTML>";

```

PURCHASE.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP"; ?>
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
HISTORY.GO(1);
FUNCTION CALLPRINT(STRID)
{
    VAR PRTCONTENT = DOCUMENT.GETELEMENTBYID(STRID);
    VAR WINPRINT = WINDOW.OPEN(",","LEFT=0, TOP=0, WIDTH=800, HEIGHT=900, TOOLBAR=0, SCROLLBARS=0, STATUS=0");
    WINPRINT.DOCUMENT.WRITE(PRTCONTENT.INNERHTML);
    WINPRINT.DOCUMENT.CLOSE();
    WINPRINT.FOCUS();
    WINPRINT.PRINT();
    WINPRINT.CLOSE();
    RETURN FALSE;
}
</SCRIPT>
<?PHP

    $ITEM_ID=$_GET['ITEM_ID'];
    $IMAGEDIRECTORY = "IMAGES$DB/ITEMS";
    $GETCATEGORY = MYSQL_QUERY("SELECT * FROM ITEM,CATEGORY WHERE CATEGORY.CATEGORY_ID=ITEM.CATEGORY_ID AND ITEM_ID='$ITEM_ID'");
    $ROW = MYSQL_FETCH_ARRAY($GETCATEGORY);
    $NAMECAT="CATEGORY_NAME$DB";
    $NAMEITEM="ITEM_NAME$DB";
    $DESC="ITEM_DESCRIPTION$DB";
    $IM="ITEM_IMAGE$DB";
    $LK="CATEGORY_LINK$DB";
    $LNK="ITEM_LINK$DB";
    $CATEGORYNAME = $ROW[$NAMECAT];
    $CATEGORY_ID=$ROW['CATEGORY_ID'];
    $ITEM_ID = $ROW['ITEM_ID'];
    $ITEMNAME = $ROW[$NAMEITEM];
    $DESCRIPTION = $ROW[$DESC];
    $C_LINK = $ROW[$LK];
    $ITEM_IMAGE = $ROW[$IM];
    $ITEM_LINK = $ROW[$LNK];
    $SELLINGPRICE = $ROW['ITEM_SELLINGPRICE'];
    $RESELLERPRICE = $ROW['ITEM_RESELLERPRICE'];
    $ITEMCOST = $ROW['ITEM_COST'];
    $SELLINGPRICE1 = NUMBER_FORMAT($SELLINGPRICE,2);
    $RESELLERPRICE1 = NUMBER_FORMAT($RESELLERPRICE,2);
    $DISCOUNTPRICE = (($SELLINGPRICE-$RESELLERPRICE)/$SELLINGPRICE)*100;
    $DISCOUNTPRICE = NUMBER_FORMAT($DISCOUNTPRICE,1);
    $GETPARENT=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'");
    $ROWPARENT=MYSQL_FETCH_ARRAY($GETPARENT);
    $PARENT_ID=$ROWPARENT['CATEGORY_PARENTID'];
    $DISPLAY = GETDISPLAY($PARENT_ID,$DB);
    $DISPLAY .= $CATEGORYNAME;
    $COUNT=0;
    PRINT "<DIV ID='DIVPRINTAREA'><TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
    <TR><TH><DIV><SPAN STYLE='WIDTH:180PX'>".GETLANG("PURCHASEBEACARD",$LANGUAGE)."</SPAN></DIV></TH></TR>
    <TR><TD CLASS='WORKAREA' ALIGN='CENTER'>
    IF ($VALID==NULL){
        PRINT "<H1 ALIGN='$ALIGN2'>".GETLANG("LOGINREQUIRED",$LANGUAGE)."</H1>
    <P ALIGN='$ALIGN2'>".GETLANG("MUSTLOGINTOPURCHASE",$LANGUAGE)."</P>
    <P ALIGN='$ALIGN2'><A HREF='\" class='HOME'>".GETLANG("CLICKHERETOLOGIN",$LANGUAGE)."</A></P>";
    }
    ELSE{
        PRINT "<TABLE CELLPADDING='7' CELLSPACING='7' WIDTH='100%' STYLE='TABLE-LAYOUT: FIXED;'>";
        PRINT "<FORM NAME='PURCHASEITEM' METHOD='POST' ACTION='PURCHASE.PHP?ITEM_ID=$ITEM_ID'>
        <TR><TD ALIGN='$ALIGN2' COLSPAN='2'><FONT COLOR='#023B7B'><B>$DISPLAY</B></TD></TR>
    <TR><TD ALIGN='$ALIGN2' COLSPAN='2'><H1>$CATEGORYNAME</H1></TD></TR>
    <TR><TD ALIGN='$ALIGN2' COLSPAN='2'><A HREF='$C_LINK' TARGET='_BLANK' CLASS='HOME2'>$C_LINK</A></TD></TR><TR><TD></TD></TR>";
        PRINT "<TR><TD WIDTH='50%' VALIGN='TOP' ALIGN='$ALIGN2'><TABLE ALIGN='CENTER'>
        <TR><TD ALIGN='$ALIGN2'><IMG SRC='$IMAGEDIRECTORY/$ITEM_IMAGE' WIDTH='210' HEIGHT='150' /></TD></TR><TR><TD>&nbsp;&nbsp;&nbsp;</TD></TR>
    <TR><TD ALIGN='$ALIGN2'>".GETLANG("PRICE",$LANGUAGE). " $SELLINGPRICE1 ". GETLANG("SAR",$LANGUAGE)."</TD></TR>";
        IF ($VALID==1){
            PRINT "<TR><TD ALIGN='$ALIGN2'><FONT COLOR='RED'><B>".GETLANG("RESELLERPRICE",$LANGUAGE). " $RESELLERPRICE1 ". GETLANG("SAR",
    $LANGUAGE)."</B></FONT></TD></TR>
            <TR><TD ALIGN='$ALIGN2'>".GETLANG("DISCPR", $LANGUAGE). " $DISCOUNTPRICE % </TD></TR>";
        }
        PRINT "</TABLE></TD><TD WIDTH='50%' VALIGN='TOP' ALIGN='$ALIGN2'><B>$ITEMNAME</B><BR /></TD></TR><TR><TD COLSPAN='2'>&nbsp;&nbsp;&nbsp;</TD></TR>";
        IF (ISSET($_POST['PURCHASE']))){
            $DATETIME = "$YEAR-$MONTH-$DAY $HOUR:$MIN:$SEC";
            $GETBALANCE = MYSQL_QUERY("SELECT * FROM CUSTOMER WHERE CUSTOMER_ID='$CUSTOMER_ID'");
            $ROWBALANCE = MYSQL_FETCH_ARRAY($GETBALANCE);
            $BALANCE = $ROWBALANCE['CUSTOMER_BALANCE'];
            $CUSTOMER_EMAIL = $ROWBALANCE['CUSTOMER_EMAIL'];
            IF ($VALID==0)
                $PRICE=$SELLINGPRICE;
            ELSE IF ($VALID==1)
                $PRICE=$RESELLERPRICE;
            IF ($BALANCE>=$PRICE){
                $BALANCE = $BALANCE-$PRICE;
                $GETITEM = MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
                $GETSTOCK = MYSQL_QUERY("SELECT * FROM STOCKS WHERE ITEM_ID='$ITEM_ID' AND SOLD_STATUS='0' LIMIT 1");
                $ROWITEM = MYSQL_FETCH_ARRAY($GETITEM);
                $ROWSTOCK = MYSQL_FETCH_ARRAY($GETSTOCK);
                $STOCK_ID = $ROWSTOCK['STOCK_ID'];
                $HEADER1 = $ROWITEM['ITEM_INFO1'];
                $HEADER2 = $ROWITEM['ITEM_INFO2'];
                $HEADER3 = $ROWITEM['ITEM_INFO3'];
                $HEADER4 = $ROWITEM['ITEM_INFO4'];
                $HEADER5 = $ROWITEM['ITEM_INFO5'];
                $ITEM_NAME=$ROWITEM['ITEM_NAME'];
                $INFO1 = $ROWSTOCK['INFO1'];
            }
        }
    }
}

```

```
$INFO2 = $ROWSTOCK['INFO2'];
$INFO3 = $ROWSTOCK['INFO3'];
$INFO4 = $ROWSTOCK['INFO4'];
$INFO5 = $ROWSTOCK['INFO5'];
$ITEMNAME = STROUPEPPER(SUBSTR($ITEM_NAME,0,3));
$TRANSACTION_CODE = DATE(Y,$MONTH,$DAY,$ITEMNAME,$STOCK_ID);
$UPDATEPURCHASE = MYSQL_QUERY("INSERT INTO PURCHASE (CUSTOMER_ID,STOCK_ID,PURCHASE_DATE,ITEM_PRICE,ITEM_COST,TRANSACTION_CODE)
VALUES ('$CUSTOMER_ID','$STOCK_ID','$DATE','$PRICE','$ITEMCOST','$TRANSACTION_CODE')") OR DIE (MYSQL_ERROR());
$UPDATEBALANCE = MYSQL_QUERY("UPDATE CUSTOMER SET CUSTOMER_BALANCE='$BALANCE' WHERE CUSTOMER_ID='$CUSTOMER_ID'");
$UPDATESTOCK = MYSQL_QUERY("UPDATE STOCKS SET SOLD_STATUS='1' WHERE STOCK_ID='$STOCK_ID'");
$SUBJECT = "Bea3.com Purchase Details";
$MESSAGE = '<HTML XMLNS:M="HTTP://SCHEMAS.MICROSOFT.COM/OFFICE/2004/12/OMML" XMLNS:V="URN:SCHEMAS-MICROSOFT-COM:VML"
XMLNS:O="URN:SCHEMAS-MICROSOFT-COM:OFFICE:OFFICE"><HEAD><STYLE TYPE="TEXT/CSS"> TABLE.MsoNormalTable {font-size:10.0pt;font-family:"Times New Roman",serif;} P.MsoNormal
{margin-bottom:.0001pt; font-size:11.0pt; font-family:"Calibri",sans-serif;margin-left:0in;margin-right:0in; margin-top:0in; } P
{margin-right:0in; margin-left:0in; font-size:12.0pt; font-family:"Times New Roman",serif;} A:LINK {color:blue;text-decoration:underline; text-
underline:single;} SPAN:STYLE21 {font-family:"Tahoma",sans-serif;} SPAN:STYLE31 {color:black;} STYLE1 {text-align:center;} .STYLE4 {text-align:left;} .STYLE5
{font-family:Tahoma;font-size:x-small;text-align:right;} .STYLE6 {border-width:0px;} .AUTO-STYLE1 {font-family:arial,sans-serif;color:#103842;} .AUTO-STYLE2 {text-decoration:none;}
.AUTO-STYLE3 {font-family:arial,sans-serif;color:#103842;} .AUTO-STYLE4 {color:#103842;} .AUTO-STYLE5 {font-family:tahoma;font-size:x-small;
text-align:left;} .AUTO-STYLE6 {text-align:left;font-family:tahoma,sans-serif;} .AUTO-STYLE7 {text-align:center;font-family:tahoma,sans-serif;} </STYLE></HEAD><DIV
ALIGN="center"><TABLE CLASS="MsoNormalTable" border="1" cellspacing="0" cellpadding="0" width="752" style="width:564.15pt;msocellspacing:0in;background:white;border:solid
black 1.0pt;color:#103842;1184;msopadding-alt:0in 0in 0in 0in"><TR style="mso-yfti-irrow:0;mso-yfti-firstrow:yes"><TD valign="top" style="border:none;padding:0in 0in 0in 0in"><DIV
ALIGN="left"><TABLE CLASS="MsoNormalTable" DIR="LTR" border="0" cellspacing="0" cellpadding="0" style="border-collapse:collapse;mso-yfti-tblook:1184;msopadding-alt:0in 0in 0in
0in;mso-table-dir:bid"><TR style="mso-yfti-irrow:0;mso-yfti-firstrow:yes;mso-yfti-lastrow:yes"><TD width="93" nowrap style="width:70.0pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal"
ALIGN="center" DIR="LTR" style="text-align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN LANG="EN-US" style="font-size:12.0pt;font-
family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:black"><A href="http://1111.co/index.php"><STRONG><SPAN style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-
SERIF&quot;;color:#103842;text-decoration:none;text-decoration:underline:none">Home</SPAN></STRONG></A></SPAN></SPAN><SPAN DIR="LTR" style="font-
size:12.0pt"><O:P></O:P></SPAN></P></TD><TD width="136" nowrap style="width:101.9pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal" ALIGN="center" DIR="LTR" style="text-
align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN LANG="EN-US" style="font-size:12.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:black"><A
href="http://1111.co/HTB.php"><STRONG><SPAN style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:#103842;text-decoration:none;text-
underline:none">How to Buy</SPAN></STRONG></A></SPAN></SPAN><SPAN DIR="LTR" style="font-size:12.0pt"><O:P></O:P></SPAN></P></TD><TD width="136" nowrap
style="width:102.0pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal" ALIGN="center" DIR="LTR" style="text-align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN
LANG="EN-US" style="font-size:12.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:black"><A href="http://1111.co/FAQs.php"><STRONG><SPAN style="font-
size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:#103842;text-decoration:none;text-decoration:underline:none">FAQs</SPAN></STRONG></A></SPAN></SPAN><SPAN DIR="LTR" style="font-size:12.0pt"><O:P></O:P></SPAN></P></TD><TD width="136" nowrap
style="width:101.9pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal" ALIGN="center" DIR="LTR" style="text-align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN
LANG="EN-US" style="font-size:12.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:black"><A href="http://1111.co/FindLoc.php"><STRONG><SPAN style="font-
size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:#103842;text-decoration:none;text-decoration:underline:none">Find Card
LOCATION</SPAN></STRONG></A></SPAN></SPAN><SPAN DIR="LTR" style="font-size:12.0pt"><O:P></O:P></SPAN></P></TD><TD width="136" nowrap style="width:101.9pt;padding:0in
0in 0in 0in"><P CLASS="MsoNormal" ALIGN="center" DIR="LTR" style="text-align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN LANG="EN-US" style="font-
size:12.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:black"><A href="http://1111.co/AboutUs.php"><STRONG><SPAN style="font-size:11.0pt;font-
family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:#103842;text-decoration:none;text-decoration:underline:none">About Us</SPAN></STRONG></A></SPAN></SPAN><SPAN DIR="LTR"
style="font-size:12.0pt"><O:P></O:P></SPAN></P></TD><TD width="175" nowrap style="width:131.0pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal" ALIGN="center" DIR="LTR"
style="text-align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN LANG="EN-US" style="font-size:12.0pt;font-family:&quot;Arial&quot;,&quot;SANS-
SERIF&quot;;color:black"><A href="http://1111.co/contactus.php"><STRONG><SPAN style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:#103842;text-
decoration:none;text-decoration:underline:none">CONTACT US</SPAN></STRONG></A></SPAN></SPAN><SPAN DIR="LTR" style="font-
size:12.0pt"><O:P></O:P></SPAN></P></TD><TR><TD><TABLE></DIV></TD><TR><TR style="mso-yfti-irrow:1"><TD style="border:none;padding:0in 0in 0in 0in"><P CLASS="MsoNormal"
ALIGN="center" DIR="LTR" style="text-align:center;direction:ltr;unicode-bidi:embed"><SPAN LANG="EN-US" style="font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:#103842;text-
decoration:none;text-decoration:underline:none"><BR></SPAN></SPAN><SPAN LANG="EN-US" style="font-family:&quot;Times New Roman&quot;,&quot;SERIF&quot;"><A href="http://1111.co/"><SPAN LANG="EN-US" DIR="LTR"
style="font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:#103842;text-decoration:none;text-decoration:underline:none"><IF !VML"><A href="http://1111.co/"><IMG border="0"
src="http://1111.co/images/logo.gif" alt="http://1111.co/images/logo.gif" v:shapetype="picture_x0020_1" longdesc="logo.gif" width="130" height="98"><A><
[endif]></SPAN></A></SPAN><SPAN DIR="LTR" style="font-size:12.0pt"><O:P></O:P></SPAN></P></TD><TR><TR style="mso-yfti-irrow:2"><TD valign="top"
style="border:none;padding:0in 0in 0in 0in"><P DIR="LTR" class="AUTO-STYLE5"><STRONG>WELCOME DEAR CUSTOMER</STRONG></P><DIV CLASS="AUTO-STYLE6"><SPAN DIR="LTR">THANK
YOU FOR PURCHASING FROM US, HERE IS THE DETAILS OF YOUR PURCHASE:</SPAN></DIV><P CLASS="STYLE4">'. $ITEMNAME.'</P><TABLE style="width:100%"><TR><TD CLASS="STYLE4">'.
$HEADER1.'</TD><TD CLASS="STYLE4">'. $INFO1.'</TD><TR><TR><TD CLASS="STYLE4">'. $HEADER2.'</TD><TD CLASS="STYLE4">'. $INFO2.'</TD><TR><TR><TD CLASS="STYLE4">'.
$HEADER3.'</TD><TD CLASS="STYLE4">'. $INFO3.'</TD><TR><TR><TD CLASS="STYLE4">'. $HEADER4.'</TD><TD CLASS="STYLE4">'. $INFO4.'</TD><TR><TR><TD CLASS="STYLE4">'.
$HEADER5.'</TD><TD CLASS="STYLE4">'. $INFO5.'</TD></TR></TABLE><P CLASS="STYLE4">&nbsp;</P><P CLASS="STYLE4">'. $DESCRIPTION.'</P><P CLASS="STYLE4"></P><P
CLASS="STYLE4"></P><O:P></O:P></SPAN></P></TD><TR><TR style="mso-yfti-irrow:3"><TD valign="top" style="border:none;padding:0in 0in 0in 0in"><P CLASS="STYLE1" DIR="LTR"
style="direction:ltr;unicode-bidi:embed"><SPAN DIR="LTR">&nbsp;</SPAN></P><O:P></O:P></SPAN></P></TD><TR><TR style="mso-yfti-irrow:4"><TD style="border:none;padding:0in 0in 0in 0in"><TR><TR
style="mso-yfti-irrow:5;mso-yfti-lastrow:yes"><TD style="border:none;padding:0in 0in 0in 0in"><P CLASS="STYLE1" DIR="LTR" style="margin-top:0in;margin-right:7.5pt; margin-
bottom:0in;margin-left:7.5pt;margin-bottom:.0001pt;direction:ltr;unicode-bidi:embed">&nbsp;</P><P CLASS="STYLE1" DIR="LTR" style="margin-top:0in;margin-right:7.5pt; margin-
bottom:0in;margin-left:7.5pt;margin-bottom:.0001pt;direction:ltr;unicode-bidi:embed">&nbsp;</P><P CLASS="STYLE1" DIR="LTR" style="margin-top:0in;margin-right:7.5pt; margin-
bottom:0in;margin-left:7.5pt;margin-bottom:.0001pt;direction:ltr;unicode-bidi:embed">&nbsp;</P><P CLASS="AUTO-STYLE7" DIR="LTR" style="margin-top:0in;margin-right:7.5pt; margin-
bottom:0in;margin-left:7.5pt;margin-bottom:.0001pt;direction:ltr;unicode-bidi:embed">&nbsp;</P><P CLASS="STYLE1" DIR="LTR" style="margin-top:0in;margin-right:7.5pt; margin-
bottom:0in;margin-left:7.5pt;margin-bottom:.0001pt;direction:ltr;unicode-bidi:embed"><SPAN LANG="EN-US" style="font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;;color:#CC0000">
HTTP://1111.co/</SPAN></A></SPAN><SPAN DIR="LTR" style="font-
size:12.0pt"><O:P></O:P></SPAN></P></TD></TR></TABLE></DIV><P CLASS="MsoNormal"><O:P>&nbsp;</O:P></P>>;
$HEADERS = "MIME-VERSION: 1.0 . \"\r\n\";
$HEADERS .= "CONTENT-TYPE:TEXT/HTML;CHARSET=ISO-8859-1 . \"\r\n\";
$HEADERS .= "FROM: . $SMTP_FROM;
IF (MAIL($CUSTOMER_EMAIL, $SUBJECT, $MESSAGE, $HEADERS)){
    $MAILED=1;
}
ELSE
    $MAILED=2;
IF ($HEADER1!="")
    PRINT "<TR><TD ALIGN='ALIGN1'><B>$HEADER1</B> &nbsp;</TD><TD ALIGN='ALIGN2'><B><FONT
COLOR='TEAL'>$INFO1</FONT></B></TD></TR>";
IF ($HEADER2!="")
    PRINT "<TR><TD ALIGN='ALIGN1'><B>$HEADER2</B> &nbsp;</TD><TD ALIGN='ALIGN2'><B><FONT
COLOR='TEAL'>$INFO2</FONT></B></TD></TR>";
IF ($HEADER3!="")
    PRINT "<TR><TD ALIGN='ALIGN1'><B>$HEADER3</B> &nbsp;</TD><TD ALIGN='ALIGN2'><B><FONT
COLOR='TEAL'>$INFO3</FONT></B></TD></TR>";
IF ($HEADER4!="")
    PRINT "<TR><TD ALIGN='ALIGN1'><B>$HEADER4</B> &nbsp;</TD><TD ALIGN='ALIGN2'><B><FONT
COLOR='TEAL'>$INFO4</FONT></B></TD></TR>";
IF ($HEADER5!="")
    PRINT "<TR><TD ALIGN='ALIGN1'><B>$HEADER5</B> &nbsp;</TD><TD ALIGN='ALIGN2'><B><FONT
COLOR='TEAL'>$INFO5</FONT></B></TD></TR>";
$PRINTABLE=1;
}
ELSE{
```



```

SRC='IMAGES/ERROR.GIF' WIDTH='20' HEIGHT='10'/>&nbsp;  <FONT COLOR='RED'>
        PRINT "<TR><TD ALIGN='$ALIGN2' COLSPAN='2'><FIELDSET STYLE='BACKGROUND-COLOR:#DEFEFF; HEIGHT:20PX;'>&nbsp;  &nbsp; <IMG
        <B>".GETLANG("NotHaveEnoughFundsInAccount",$LANGUAGE)."</B></FIELDSET></TD></TR>";
    }
    }
    ELSE{
        PRINT "<TR><TD COLSPAN='2' ALIGN='RIGHT'>".GETLANG("ClickToConfirmPurchase",$LANGUAGE)." &nbsp;  <INPUT TYPE='SUBMIT' NAME='PURCHASE'
        VALUE='".GETLANG("PurchaseNow",$LANGUAGE)." ' CLASS='INPUTBUTTON3' ONCLICK='\"RETURN CONFIRM(\".GETLANG("CONFIRMPURCHASEMSG",$LANGUAGE)." )\"></TD></TR>";
    }
    PRINT "</FORM></TABLE><BR /><HR><P ALIGN='$ALIGN2'>$DESCRIPTION</P>";
    }
    PRINT "</TD></TR></TABLE></DIV>";
    IF ($PRINTABLE==1)
        PRINT "<P ALIGN='$ALIGN'> <INPUT TYPE='BUTTON' NAME='PRINTMe' VALUE='\".GETLANG("Print",$LANGUAGE)." ' CLASS='INPUTBUTTON'
        ONCLICK='\"JAVASCRIPT:CALLPRINT('DIVPRINTAREA')\"></P>";
    IF ($MAILED==1)
        PRINT "<P ALIGN='$ALIGN2'><B>".GETLANG("PURCHASEEMAILSENT",$LANGUAGE)."</B><BR></P>";
    IF ($MAILED==2)
        PRINT "<P ALIGN='$ALIGN2'><BR><B>".GETLANG("SENDINGEMAILERROR",$LANGUAGE)."</B><BR></P>";

INCLUDE "RIGHTPANEL.PHP"; ?>

```

READNEWS.PHP

```

<?PHP
    REQUIRE 'ADMIN/CONFIG.PHP';
    REQUIRE 'ADMIN/OPENDB.PHP';
    PRINT "<HTML><HEAD><META HTTP-EQUIV='CONTENT-TYPE' CONTENT='TEXT/HTML' CHARSET=UTF-8'>
    <STYLE>
    BODY
    {
        BACKGROUND-COLOR: #FFFFFF;
        BACKGROUND-IMAGE: URL(IMAGES/BODY-BG.PNG);
        BACKGROUND-POSITION: TOP LEFT;
        BACKGROUND-REPEAT: REPEAT-X;
        BACKGROUND-ATTACHMENT: FIXED;
        MARGIN:0PX;
        PADDING:0PX;
        FONT-SIZE: 14PX;
        COLOR: #FFFFFF;
    }
    </STYLE>
    </HEAD>";
    INCLUDE "FUNCTIONS.PHP";
    $LANGUAGE=$_GET['LANG'];
    $NEWS_ID=$_GET['ID'];
    IF ($LANGUAGE=="AE"){
        $ALIGN="LEFT";
        $ALIGN2="RIGHT";
        $DB="_ARA";
    }
    ELSE{
        $ALIGN="RIGHT";
        $ALIGN2="LEFT";
        $DB="";
    }
    $GETNEWS = MYSQL_QUERY("SELECT * FROM NEWS WHERE NEWS_ID='$NEWS_ID'");
    $ROWNEWS = MYSQL_FETCH_ARRAY($GETNEWS);
    $T="NEWS_TITLE$DB";
    $INF="NEWS_INFO$DB";
    $TITLE = $ROWNEWS[$T];
    $INFO = $ROWNEWS[$INF];
    PRINT "<BODY><P ALIGN='CENTER'><FONT SIZE='4'><B>$TITLE</B></FONT></P>";
    PRINT "<P ALIGN='$ALIGN2' STYLE='COLOR: BLACK; FONT-FAMILY: ARIAL;'>$INFO</P>";
    PRINT "</BODY>";
    PRINT "</HTML>";
    ?>

```

RECENTLYADDED.PHP

```

<?PHP
    SESSION_START(); //INITIALIZE PHP SESSION
    REQUIRE 'ADMIN/CONFIG.PHP';
    REQUIRE 'ADMIN/OPENDB.PHP';
    $LANGUAGE=$_GET['LANGUAGE'];
    IF ($LANGUAGE=="AE")
        PRINT "<HTML XMLNS='HTTP://WWW.W3.ORG/1999/XHTML' XML:LANG='AR' DIR='RTL'>";
    ELSE
        PRINT "<HTML XMLNS='HTTP://WWW.W3.ORG/1999/XHTML'>";
    PRINT "<META HTTP-EQUIV='CONTENT-TYPE' CONTENT='TEXT/HTML' CHARSET=UTF-8'>";
    IF ($LANGUAGE=="AE")
        PRINT "<LINK HREF='CSS/MAIN_ARA.CSS' REL='STYLESHEET' TYPE='TEXT/CSS'>";
    ELSE
        PRINT "<LINK HREF='CSS/MAIN.CSS' REL='STYLESHEET' TYPE='TEXT/CSS'>";

    FUNCTION GETLANG($WORD,$LANG){
        $FILENAME="MAIN.TXT";
        $FILE = FOPEN("$FILENAME", "r") OR EXIT("UNABLE TO OPEN FILE!");
        WHILE(!FEOF($FILE)){
            $COUNT=0;
            $STRING = FGETS($FILE);
            $STRING = STR_REPLACE("\t"," ", $STRING);
            $TOKEN = STRTOK($STRING, " ");

```

```

        IF ($TOKEN==$WORD){
            WHILE ($TOKEN != FALSE){
                $RESULT[$COUNT]=$TOKEN;
                $TOKEN = STRTOK("=");
                $COUNT++;
            }
        }
    }
    IF ($LANG=="ae")
        RETURN $RESULT[2];
    ELSE RETURN $RESULT[1];
    FCLOSE($FILE);
}
$COUNT2=0;
$_SESSION['LANGUAGE']=$LANGUAGE;
$LANG1="";
IF ($LANGUAGE=="ae")
    $LANG1="_ARA";
$DIRECTORY="IMAGES$LANG1/ITEMS";
$MORELABEL = GETLANG("READMORE",$LANGUAGE);
$PRICELABEL = GETLANG("PRICE",$LANGUAGE);
$query1=MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ISACTIVE = '1' ORDER BY ITEM_ID DESC");
$COUNTROW=MYSQL_NUM_ROWS($query1);
IF ($COUNTROW>15)
    $LIMIT=15;
ELSE $LIMIT=$COUNTROW;
$query=MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ISACTIVE = '1' ORDER BY ITEM_ID DESC LIMIT $LIMIT");
PRINT "<div class='pane'><div id='carousel-box'><div><a class='prev browse left'><img src='IMAGES/PREV.GIF' alt='' /></a></div><div class='scrollable'><div class='items'><div class='item'>;
    IF ($LIMIT==0)
        PRINT "</div><div class='item'></div><div class='item'></div><div class='item'></div>";
    WHILE ($row=MYSQL_FETCH_ARRAY($query)){
        $NAME=$ITEM_NAME$LANG1;
        $IM=$ITEM_IMAGE$LANG1;
        $ITEM_NAME = $row[$NAME];
        $IMAGE = $row[$IM];
        $CATEGORY_ID=$row['CATEGORY_ID'];
        $PRICE=$row['ITEM_SELLINGPRICE'];
        $PRICE = NUMBER_FORMAT($PRICE,2);
        PRINT "<div class='box'><div class='border-top'><div class='border-bot'><div class='left-top-corner'><div class='right-top-corner'><div class='right-bot-corner'><div class='left-bot-corner'><div class='img-box2'><div class='itemname'><span><center>" . $ITEM_NAME . "</center></span></div><a href='Item.php?category_id=$category_id'><img src='$directory/$image' alt='' /></a><div class='inner'><div class='innerdata'><b>" . $PRICELABEL . "</b>" . $PRICE . " SAR </div><div class='link'><a href='Item.php?category_id=$category_id'>$morelabel</a></div></div></div></div></div></div></div></div></div>";
        IF ($COUNT2==$LIMIT-1){
            IF ($COUNT2%3==1)
                PRINT "</div><div class='item'></div>";
            ELSE IF ($COUNT2%3==0)
                PRINT "</div><div class='item'></div><div class='item'></div>";
        }
        IF ($COUNT2%3==2){
            IF ($COUNT2==$LIMIT-1)
                PRINT "</div>";
            ELSE
                PRINT "</div><div class='item'>";
        }
        $COUNT2++;
    }
    PRINT "</div></div><div><a class='next browse right'><img src='IMAGES/NEXT.GIF' alt='' /></a></div></div></div>";
?>
<SCRIPT>
    $.easing.custom = function (x, t, b, c, d) {
        var s = 1.70158;
        if ((t / d) < 1) return c / 2 * (t * t * (((s * = (1.525)) + 1) * t - s)) + b;
        return c / 2 * ((t - 2) * t * (((s * = (1.525)) + 1) * t + s) + 2) + b;
    }
    $("div.scrollable").scrollable({ easing: 'custom', speed: 600, circular: true }).navigator().autoscroll({ autoplay: true, interval: 4000 });
</SCRIPT>

```

REGISTER TICKET.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP"; ?>
<SCRIPT>
FUNCTION CHECKFORM(FRM){
    VAR FLAG = TRUE;
    IF(FRM.TICKET_ISSUE.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("spTicket").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    IF(FRM.DESCRPTION.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("spDesc").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    RETURN FLAG;
}
</SCRIPT>
<?PHP
PRINT "<table class='contentTable' cellpadding='0' cellspacing='0'>
    <tr><th><div><span style='width:150px'>" . GETLANG("REGISTER TICKET",$LANGUAGE) . "</span></div></th></tr>
    <tr><td class='workArea'>;
    IF (ISSET($_POST['SUBMIT'])) {
        $ISSUE = $_POST["TICKET_ISSUE"];
        $DESCRIPTION = $_POST["DESCRIPTION"];
        IF ($DESCRIPTION==""){

```

```

        }
        ELSE {
            $GETID = MYSQL_QUERY("SELECT * FROM TICKET_REQUEST ORDER BY TICKETREQUEST_ID DESC LIMIT 1");
            $ROWID = MYSQL_FETCH_ARRAY($GETID);
            $LASTID = $ROWID['TICKETREQUEST_ID'];
            $LASTID++;
            $QUERY = MYSQL_QUERY("INSERT INTO TICKET_REQUEST (TICKETREQUEST_ID,CUSTOMER_ID,TICKETREQUEST_DATE,TICKET_ISSUE) VALUES
('{$LASTID}','{$CUSTOMER_ID}','{$DATE TIME}','{$ISSUE}')");
            $QUERY2 = MYSQL_QUERY("INSERT INTO TICKET_RESPONSE (TICKETREQUEST_ID,TICKETRESPONSE_DATE,TICKETRESPONSE_TEXT,ISADMIN) VALUES
('{$LASTID}','{$DATE TIME}','{$DESCRIPTION}','0')");
            IF (($QUERY)&&($QUERY2)){
                PRINT "<P ALIGN='\$ALIGN2'>".GETLANG("YOUR TICKET NO", $LANGUAGE). "&nbsp; <B><FONT COLOR='TEAL'> $ISSUE-{$LASTID} </FONT></B> </P>
<P ALIGN='\$ALIGN2'>".GETLANG("YOUR TICKET HAS BEEN SENT TO SUPPORT DEPARTMENTS SUCCESSFULLY.", $LANGUAGE). "</P>
<P ALIGN='\$ALIGN2'><A HREF='CUSTOMERTICKETS.PHP'>".GETLANG("CLICK HERE TO SEE TICKET LIST", $LANGUAGE). "</A></P>";
            }
        }
    }
    ELSE {
        PRINT "<FORM NAME='REGISTRATIONFORM' METHOD='POST' ACTION='REGISTER TICKET.PHP' ONSUBMIT='RETURN CHECKFORM(THIS);'>
<TABLE STYLE='TABLE-LAYOUT: FIXED;'><TR><TD COLSPAN='2'><FONT SIZE='1'> &nbsp;&nbsp;&nbsp;</FONT></TD></TR>
<TR><TD ALIGN='\$ALIGN' WIDTH='20%'><B>TRANSACTION ID:</B> &nbsp;&nbsp;& </TD><TD ALIGN='\$ALIGN2' WIDTH='70%'><INPUT TYPE='TEXT' NAME='TICKET_ISSUE'
SIZE='15'><FONT COLOR='RED' SIZE='2'> * </FONT></TD></TR>
<TR><TD></TD><TD ALIGN='\$ALIGN2' CLASS='ERROR'><SPAN ID='SP TICKET' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>PLEASE ENTER YOUR TRANSACTION
ID</SPAN></TD></TR>
<TR><TD ALIGN='\$ALIGN'><B>".GETLANG("DETAIL", $LANGUAGE). "</B> &nbsp;&nbsp;& </TD><TD ALIGN='\$ALIGN2'><TEXTAREA NAME='DESCRIPTION' ROWS='20'
COLS='70'></TEXTAREA><FONT COLOR='RED' SIZE='2'> * </FONT></TD></TR>
<TR><TD></TD><TD ALIGN='\$ALIGN2' CLASS='ERROR'><SPAN ID='SP DESC' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'>".GETLANG("TICKET DESCRIPTION IS REQUIRED",
$LANGUAGE). "</SPAN></TD></TR>
<TR><TD COLSPAN='3'>&nbsp;&nbsp;&</TD></TR>
<TR><TD COLSPAN='3' ALIGN='CENTER'><INPUT TYPE='SUBMIT' NAME='SUBMIT' CLASS='INPUT BUTTON' VALUE='".GETLANG("SUBMIT", $LANGUAGE). "></TD></TR>
</TABLE><BR></FORM>";
    }
    PRINT "</TD></TR></TABLE>";
    INCLUDE "RIGHT PANEL.PHP";
?>
SEARCH.PHP
<?PHP INCLUDE "LEFT PANEL.PHP";
PRINT "<TABLE CLASS='CONTENT TABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:190PX'>SEARCH RESULTS</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORK AREA'>
<BR>";
$LIMIT = 20;
$KEYWORD = $_POST["KEYWORD"];
IF ($KEYWORD=="") $_GET["KEYWORD"];
IF ($KEYWORD=="")
    PRINT "<CENTER><FONT COLOR='#064183'><B>".GETLANG("NO KEYWORD", $LANGUAGE). "</B></FONT></CENTER>";
ELSE {
    $RESULT = MYSQL_QUERY("SELECT * FROM ITEM,CATEGORY WHERE (ITEM_NAME LIKE '%$KEYWORD%' OR ITEM_NAME_ARA LIKE '%$KEYWORD%' OR ITEM_DESCRIPTION LIKE
'%$KEYWORD%' OR ITEM_DESCRIPTION_ARA LIKE '%$KEYWORD%' OR CATEGORY_NAME LIKE '%$KEYWORD%' OR CATEGORY_NAME_ARA LIKE '%$KEYWORD%' OR CATEGORY_DESCRIPTION LIKE '%$KEYWORD%'
OR CATEGORY_DESCRIPTION_ARA LIKE '%$KEYWORD%') AND (ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID OR ITEM.CATEGORY_ID=CATEGORY.CATEGORY_PARENTID)");
    IF (MYSQL_NUM_ROWS($RESULT)){
        $PAGE = $_GET["PAGE"];
        IF ($PAGE == "") $PAGE = 1;
        $NUMBER_OF_RESULTS = MYSQL_NUM_ROWS($RESULT);
        $NUMBER_OF_PAGES = CEIL($NUMBER_OF_RESULTS/$LIMIT);
        $SEARCH_RESULT = MYSQL_QUERY("SELECT * FROM ITEM,CATEGORY WHERE (ITEM_NAME LIKE '%$KEYWORD%' OR ITEM_NAME_ARA LIKE '%$KEYWORD%' OR
ITEM_DESCRIPTION LIKE '%$KEYWORD%' OR ITEM_DESCRIPTION_ARA LIKE '%$KEYWORD%' OR CATEGORY_NAME LIKE '%$KEYWORD%' OR CATEGORY_NAME_ARA LIKE '%$KEYWORD%' OR CATEGORY_DESCRIPTION
LIKE '%$KEYWORD%' OR CATEGORY_DESCRIPTION_ARA LIKE '%$KEYWORD%') AND (ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID OR ITEM.CATEGORY_ID=CATEGORY.CATEGORY_PARENTID) LIMIT ". ($PAGE-
1)*$LIMIT . ", $LIMIT") OR DIE(MYSQL_ERROR());
        PRINT "<CENTER><B>SEARCH RESULTS FOR <FONT COLOR='RED'><I>$KEYWORD</I></FONT></B></CENTER><BR>";
        WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCH_RESULT, MYSQL_ASSOC)) {
            $ID = $ROW['ITEM_ID'];
            $IM = "ITEM_IMAGE$DB";
            $IMAGE = $ROW[$IM];
            $N = "ITEM_NAME$DB";
            $NAME = $ROW[$N];
            $D = "ITEM_DESCRIPTION$DB";
            $LNK = "ITEM_LINK$DB";
            $PRICE = $ROW['ITEM_SELLING PRICE'];
            $DESCRIPTION = $ROW[$D];
            $LNK = $ROW[$LNK];
            PRINT "<CENTER><TABLE WIDTH='100%' CELLPADDING='7' CELLSPACING='7' STYLE='BORDER: 1PX SOLID #E5E5E5'>";
            PRINT "<TR>";
            PRINT "<TD ALIGN='CENTER' WIDTH='40%' VALIGN='TOP'><A HREF='PURCHASE.PHP?ITEM_ID=$ID'><IMG SRC='IMAGES/ITEMS/$IMAGE'
WIDTH='140'></A></TD>";
            PRINT "<TD WIDTH='60%' VALIGN='TOP'>
<A HREF='PURCHASE.PHP?ITEM_ID=$ID' CLASS='HOME'>$NAME</A><BR><BR><FONT COLOR='#064183'>".GETLANG("PRICE",
$LANGUAGE). "<B> $PRICE ".GETLANG("SAR", $LANGUAGE). "</B><BR></FONT>
<FONT COLOR='#000000'>$DESCRIPTION</FONT></TD>";
            PRINT "</TR>";
            PRINT "</TABLE></CENTER><BR>";
        }
        IF ($NUMBER_OF_PAGES > 1) {
            $NAV = "";
            FOR ($I = 1; $I <= $NUMBER_OF_PAGES; $I++) {
                IF ($I == $PAGE) $NAV .= "<B>$I</B>";
                ELSE $NAV .= "&nbsp;&nbsp;<A HREF='\"SEARCH.PHP?PAGE=\" . $I . \"&KEYWORD=\" . URLencode($KEYWORD) . \"'>$I</A>&nbsp;&nbsp;";
            }
            PRINT "<CENTER><BR>". $NAV . "<BR>";
        }
    }
}

```

```

    }
    ELSE{
        PRINT "<CENTER><FONT COLOR=#064183><b>".GETLANG("NoSearchResultsFound",$LANGUAGE)."</b></FONT></CENTER>";
    }
}
PRINT "<br></td></tr>
</table>";
INCLUDE "RIGHTPANEL.PHP";
?>

```

SPECIALOFFER.PHP

<?PHP

```

SESSION_START(); //INITIALIZE PHP SESSION
REQUIRE 'ADMIN/CONFIG.PHP';
REQUIRE 'ADMIN/OPENDB.PHP';
$LANGUAGE=$_GET['LANGUAGE'];
IF ($LANGUAGE=="AE")
    PRINT "<HTML XMLNS='HTTP://WWW.W3.ORG/1999/XHTML' XML:LANG='AR' DIR='RTL'>";
ELSE
    PRINT "<HTML XMLNS='HTTP://WWW.W3.ORG/1999/XHTML'>";
PRINT "<META HTTP-EQUIV='CONTENT-TYPE' CONTENT='TEXT/HTML' CHARSET=UTF-8'>";
IF ($LANGUAGE=="AE")
    PRINT "<LINK HREF='CSS/MAIN_ARA.CSS' REL='STYLESHEET' TYPE='TEXT/CSS'>";
ELSE
    PRINT "<LINK HREF='CSS/MAIN.CSS' REL='STYLESHEET' TYPE='TEXT/CSS'>";

FUNCTION GETLANG($WORD,$LANG){
    $FILENAME="MAIN.TXT";
    $FILE = FOPEN("$FILENAME", "r") OR EXIT("UNABLE TO OPEN FILE!");
    WHILE(!FEOF($FILE)){
        $COUNT=0;
        $STRING = FGETS($FILE);
        $STRING = STR_REPLACE("\t"," ", $STRING);
        $TOKEN = STRTOK($STRING, " ");
        IF ($TOKEN==$WORD){
            WHILE ($TOKEN != FALSE){
                $RESULT[$COUNT]=$TOKEN;
                $TOKEN = STRTOK("");
                $COUNT++;
            }
        }
    }
    IF ($LANG=="AE")
        RETURN $RESULT[2];
    ELSE RETURN $RESULT[1];
    FCLOSE($FILE);
}

$count2=0;
$_SESSION['LANGUAGE']=$LANGUAGE;
$lang1="";
IF ($LANGUAGE=="AE")
    $lang1="_ARA";
$directory="IMAGES$lang1/ITEMS";
$moreLabel = GETLANG("ReadMore",$LANGUAGE);
$priceLabel = GETLANG("PRICE",$LANGUAGE);
$query1=mysql_query("SELECT * FROM PURCHASE,STOCKS,ITEM WHERE PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID GROUP BY ITEM.ITEM_ID HAVING
(COUNT(STOCKS.ITEM_ID) >= 1) ORDER BY COUNT(STOCKS.ITEM_ID) DESC");
$countrow=mysql_num_rows($query1);
IF ($countrow>15)
    $limit=15;
ELSE $limit=$countrow;
$query=mysql_query("SELECT * FROM PURCHASE,STOCKS,ITEM WHERE PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID GROUP BY ITEM.ITEM_ID HAVING
(COUNT(STOCKS.ITEM_ID) >= 1) ORDER BY COUNT(STOCKS.ITEM_ID) DESC LIMIT $limit");
PRINT "<div class='pane'><div id='CAROUSEL-BOX'><div><a class='prev BROWSE LEFT'><img src='IMAGES/prev.gif' alt='' /></a></div><div class='scrollable'><div
class='items'><div class='item'>";
IF ($limit==0)
    PRINT "</div><div class='item'></div><div class='item'></div><div class='item'></div>";
WHILE ($row=mysql_fetch_array($query)){
    $item_id = $row['ITEM_ID'];
    $getItem=mysql_query("SELECT * FROM ITEM WHERE ITEM_ID='$item_id'");
    $rowItem = mysql_fetch_array($getItem);
    $name="ITEM_NAME$lang1";
    $im="ITEM_IMAGE$lang1";
    $item_name = $rowItem[$name];
    $image = $rowItem[$im];
    $category_id=$rowItem['CATEGORY_ID'];
    $price=$rowItem['ITEM_SELLINGPRICE'];
    $price = number_format($price,2);
    PRINT "<div class='box'><div class='border-top'><div class='border-bot'><div class='left-top-corner'><div class='right-top-corner'><div class='right-bot-
corner'><div class='left-bot-corner'><div class='img-box2'><div class='itemName'><span><center>". $item_name . "</center></span></div><a href='Items.aspx?
id=$category_id'><img src='$directory/$image' alt='' /></a><div class='inner'><div class='innerData'><b>". $priceLabel . ": </b>". $price . " SAR </div></div><div class='link'><a
href='Items.aspx?id=$category_id'>$moreLabel<a></div></div></div></div></div></div></div></div></div>";
    IF ($count2==$limit-1){
        IF ($count2%3==1)
            PRINT "</div><div class='item'></div>";
        ELSE IF ($count2%3==0)
            PRINT "</div><div class='item'></div><div class='item'></div>";
    }
    IF ($count2%3==2){
        IF ($count2==$limit-1)
            PRINT "</div>";
        ELSE
            PRINT "</div><div class='item'>";
    }
}

```

```

    }
    $COUNT2++;
}
PRINT "</DIV></DIV><DIV><A CLASS='NEXT BROWSE RIGHT'><IMG SRC='IMAGES/NEXT.GIF' ALT='' /></A></DIV></DIV></DIV>";
?>
<SCRIPT>
    $.EASING.CUSTOM = FUNCTION (X, T, B, C, D) {
        VAR S = 1.70158;
        IF ((T /= D / 2) < 1) RETURN C / 2 * (T * T * (((S * = (1.525)) + 1) * T - S)) + B;
        RETURN C / 2 * ((T - 2) * T * (((S * = (1.525)) + 1) * T + S) + 2) + B;
    }
    $("DIV.SCROLLABLE").SCROLLABLE({ EASING: 'CUSTOM', SPEED: 600, CIRCULAR: TRUE }).NAVIGATOR().AUTOSCROLL({ AUTOPLAY: TRUE, INTERVAL: 4000 });
</SCRIPT>

```

TERMS.PHP

```

<?PHP
PRINT "<HTML><HEAD><META HTTP-EQUIV='CONTENT-TYPE' CONTENT='TEXT/HTML' CHARSET=UTF-8'>
<STYLE>
BODY
{
    BACKGROUND-COLOR: #FFFFFF;
    BACKGROUND-IMAGE: URL(IMAGES/BODY-BG.PNG);
    BACKGROUND-POSITION: TOP LEFT;
    BACKGROUND-REPEAT: REPEAT-X;
    BACKGROUND-ATTACHMENT: FIXED;
    MARGIN:0PX;
    PADDING:0PX;
    FONT-SIZE: 14PX;
    COLOR: #FFFFFF;
}
LI{
    COLOR: BLACK;
    FONT-FAMILY: ARIAL;
}
</STYLE>
</HEAD>";
INCLUDE "FUNCTIONS.PHP";
$LANGUAGE=$_GET['LANG'];
IF ($LANGUAGE=="AE"){
    $ALIGN="LEFT";
    $ALIGN2="RIGHT";
    $DB="_ARA";
}
ELSE{
    $ALIGN="RIGHT";
    $ALIGN2="LEFT";
    $DB="";
}
PRINT "<BODY><P ALIGN='CENTER'><FONT SIZE='4'><B>TERMS AND CONDITIONS</B></FONT></P>";
PRINT "<P ALIGN='$ALIGN2' STYLE='COLOR: BLACK; FONT-FAMILY: ARIAL;'>";
GETLANG("AGREEMENTFIRSTLINE", $LANGUAGE)."<BR><BR>".GETLANG("AGREEMENTSECONDLINE", $LANGUAGE)."</P><BR><UL ALIGN='$ALIGN2'><LI ALIGN='$ALIGN2'>";
GETLANG("AGREEMENT1", $LANGUAGE)."</LI><BR><LI ALIGN='$ALIGN2'>";
GETLANG("AGREEMENT2", $LANGUAGE)."</LI><BR><LI ALIGN='$ALIGN2'>";
GETLANG("AGREEMENT3", $LANGUAGE)."</LI><BR><LI ALIGN='$ALIGN2'>";
GETLANG("AGREEMENT4", $LANGUAGE)."</LI></UL><BR><P ALIGN='$ALIGN2' STYLE='COLOR: BLACK; FONT-FAMILY: ARIAL;'>";
GETLANG("AGREEMENTCLOSING", $LANGUAGE)."</P>";
PRINT "</BODY>";
PRINT "</HTML>";
?>

```

TICKETS.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP"; ?>
<SCRIPT>
FUNCTION CHECKFORM(FRM){
    VAR FLAG = TRUE;
    IF((FRM.DESCRPTION.VALUE == "")&&(FRM.SATISFIED.VALUE==0)){
        DOCUMENT.GETELEMENTBYID("spDesc").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    RETURN FLAG;
}
</SCRIPT>
<?PHP
    $TICKET_ID = $_GET['ID'];
    $PAGE=$_GET['PAGE'];
    IF($PAGE == "") $PAGE=1;
    $QUERY=MYSQL_QUERY("SELECT * FROM TICKET_STATE,CUSTOMER,TICKET_REQUEST,ADMIN_USER WHERE ADMIN_USER.ADMIN_ID=TICKET_REQUEST.ADMIN_ID AND
TICKET_REQUEST.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND TICKET_REQUEST.TICKETSTATE_ID=TICKET_STATE.TICKETSTATE_ID AND TICKET_REQUEST.TICKETREQUEST_ID='$TICKET_ID'");
    $QUERY2=MYSQL_QUERY("SELECT * FROM TICKET_RESPONSE,TICKET_REQUEST WHERE TICKET_RESPONSE.TICKETREQUEST_ID=TICKET_REQUEST.TICKETREQUEST_ID AND
TICKET_REQUEST.TICKETREQUEST_ID='$TICKET_ID' ORDER BY TICKETRESPONSE_DATE");
    $ROW=MYSQL_FETCH_ARRAY($QUERY);
    $CUSTOMER_EMAIL=$ROW['CUSTOMER_EMAIL'];
    $STATUS=$ROW['TICKETSTATE_ID'];
    $STATUSDis=$ROW['TICKETSTATE_NAME'];
    WHILE ($ROW2=MYSQL_FETCH_ARRAY($QUERY2)){
        $REPLY=$ROW2['TICKETRESPONSE_TEXT'];
        $WHEN=$ROW2['TICKETRESPONSE_DATE'];
        $ISADMIN=$ROW2['ISADMIN'];
        IF ($ISADMIN==0){
            PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='WIDTH:150PX'>".GETLANG("CUSTOMERQUERY", $LANGUAGE)."</SPAN></DIV></TH></TR>";

```



```

$myCalendar->setPath("calendar/");
$myCalendar->setYearInterval(1970, 2020);
$myCalendar->setAlignment('left', 'bottom');
$myCalendar->setDatePair('fromDate', 'toDate', $date2);
$myCalendar->writeScript();
print "&nbsp;&nbsp;&nbsp;<td align='center'><b>".getLang("toDate",$language).":".</b> &nbsp;&nbsp;&nbsp;<br>";
$myCalendar = new tc_calendar("toDate", true);
$myCalendar->setIcon("calendar/images/iconcalendar.gif");
$myCalendar->setDate($day2, $month2, $year2);
$myCalendar->setPath("calendar/");
$myCalendar->setYearInterval(1970, 2020);
$myCalendar->setAlignment('right', 'bottom');
$myCalendar->setDatePair('fromDate', 'toDate', $date1);
$myCalendar->writeScript();
print "</td>";
<td valign='bottom'>&nbsp;&nbsp;&nbsp;<input type='submit' name='viewDate' value="" .getLang("view",$language)."' class='inputbutton'></td></tr>
<tr><td style='height: 20px'></td><td></td></tr></form></table>";
$orderby = $_GET['o'];
if (($orderby=="")||($orderby=="ASC"))
    $orderby="DESC";
else
    $orderby="ASC";
$getRecords = mysql_query("SELECT transaction_code, card_serialNum AS info, card_serialNum AS info_ara, cardBatch_amount AS amount, customer_id,
CARD_USEDDATE, 1 AS TransType
FROM CARD,CARD_BATCH
WHERE customer_id = '$customer_id' AND card_batch.cardBatch_id=card.cardBatch_id
AND card_usedDate
BETWEEN '$fromDate'
AND DATE_ADD('$toDate',INTERVAL 1 DAY )
LIMIT 1000
UNION ALL SELECT BT.transaction_code, B.bank_name, B.bank_name, BT.bankTransfer_amount, BT.customer_id, BT.bankTransfer_acceptDate, 2 AS
TransType
FROM BANK_TRANSFER BT
INNER JOIN BANK B ON ( BT.bank_id = B.bank_id )
WHERE BT.customer_id = '$customer_id'
AND bankTransfer_acceptDate
BETWEEN '$fromDate'
AND DATE_ADD('$toDate',INTERVAL 1 DAY )
AND BT.bankTransfer_status=1
UNION ALL SELECT P.transaction_code, I.item_name AS item_eng, P.purchase_id AS item_ara,
P.item_price, P.customer_id, P.purchase_dateTime, 3 AS TransType
FROM PURCHASE P, item I, stocks S
WHERE
P.stock_id = S.stock_id AND P.customer_id = '$customer_id' AND S.item_id=I.item_id
AND purchase_dateTime BETWEEN '$fromDate' AND DATE_ADD('$toDate',INTERVAL 1 DAY )
UNION ALL SELECT CU.transaction_code, CU.description AS return_id_eng , CU.description AS return_id_ara , CU.converted_amount,CU.customer_id,
CU.dateTime, 4 AS TransType
FROM CASHU CU
WHERE CU.customer_id = '$customer_id'
AND CU.dateTime
BETWEEN '$fromDate'
AND DATE_ADD('$toDate',INTERVAL 1 DAY )
ORDER BY card_usedDate $orderby");
$countRows = mysql_num_rows($getRecords);
if ($countRows>0){
    print "<table width='550' class='formviewTable'><tr><td><br></td></tr>";
    print "<tr class='head'>
<td width='15%'><center><a href='TransactionHistory.php?from=$fromDate&to=$toDate&o=$orderby'
class='sorter'>".getLang("transactionDate",$language)."</a></center></td>
<td width='8%'><center>Transaction Id</center></td>
<td width='12%'><center>".getLang("transaction",$language)."</center></td>
<td width='25%'><center>".getLang("serialNo",$language)."</center></td>
<td width='10%'><center>".getLang("amountAd",$language)."</center></td>
<td width='10%'><center>".getLang("amountSub",$language)."</center></td>
<td width='10%'><center>".getLang("balance",$language)."</center></td>

<td width='10%'></td></tr>";
    $total = 0;
    while ($rowRecords = mysql_fetch_array($getRecords)){
        $i++;
        $inf = "info$db";
        $purchaseId=$rowRecords['transaction_code'];
        $trans = $rowRecords['TransType'];
        $amount = $rowRecords['amount'];
        $dateAndTime = $rowRecords['card_usedDate'];
        $mainPurchaseId=$rowRecords['info_ara'];
        $cashu = mysql_query("SELECT sum(converted_amount) from cashu,customer where customer.customer_id=cashu.customer_id
AND cashu.customer_id='$customer_id' AND dateTime <= '$dateAndTime'");
        $rowCashu = mysql_fetch_row($cashu);
        $cashuBalance=$rowCashu[0];
        $card = mysql_query("SELECT sum(cardBatch_amount) from card, card_batch,customer where
customer.customer_id=card.customer_id AND card.customer_id='$customer_id' AND card_batch.cardBatch_id=card.cardBatch_id AND card_usedDate <= '$dateAndTime'");
        $rowCard = mysql_fetch_row($card);
        $cardBalance=$rowCard[0];
        $bank = mysql_query("SELECT sum(bankTransfer_amount) from bank_transfer,customer where
customer.customer_id=bank_transfer.customer_id AND bank_transfer.customer_id='$customer_id' AND bankTransfer_status=1 AND bankTransfer_acceptDate <= '$dateAndTime'");
        $rowBank = mysql_fetch_row($bank);
        $bankBalance=$rowBank[0];
        $purchase=mysql_query("SELECT sum(item_price) As purchase from purchase,customer where
customer.customer_id=purchase.customer_id AND purchase.dateTime<= '$dateAndTime'");
        $rowPurchase = mysql_fetch_row($purchase);
        $purchaseBalance=$rowPurchase[0];
        $balance = $cashuBalance+$cardBalance+$bankBalance-$purchaseBalance;

```

```

        IF ($TRANS=='3'){
            $TRANSACTION="PURCHASEAMOUNT";
        }
        ELSE{
            $TRANSACTION="FUNDSADDED";
        }
        PRINT "<TR CLASS='d'.($I & 1).\">";
        PRINT "<TD><CENTER>". $ROWRECORDS['CARD_USEDDATEIME']. "<BR><BR></CENTER></TD>";
        PRINT "<TD><CENTER>". $ROWRECORDS['TRANSACTION_CODE']. "<BR><BR></CENTER></TD>";
        PRINT "<TD><CENTER>". $LANG($TRANSACTION, $LANGUAGE). "</CENTER></TD>";
        PRINT "<TD><CENTER>". $ROWRECORDS['INF']. "</CENTER></TD>";
        IF ($TRANS=='3')
            PRINT "<TD></TD><TD><CENTER>$AMOUNT</CENTER></TD>";
        ELSE
            PRINT "<TD><CENTER>$AMOUNT</CENTER></TD><TD></TD>";
        PRINT "<TD><CENTER>$BALANCE</CENTER></TD>";

        IF ($TRANS==3)
            PRINT "<TD><CENTER><A HREF='VIEWPURCHASE.PHP?ID=$MAINPURCHASEID'>.GETLANG("ViewCard",
$LANGUAGE). "</A></CENTER></TD>";

        ELSE
            PRINT "<TD><CENTER></CENTER></TD>";
        PRINT "</TR>";
    }
    PRINT "</TABLE>";
}

PRINT "<P ALIGN='$ALIGN2'>.GETLANG("YOURBALANCE", $LANGUAGE).": <b>$DBCUSTOMERBALANCE</b> ".GETLANG("SAR", $LANGUAGE). "</P><P> &nbsp;</P>";

</TD></TR></TABLE>";
INCLUDE "RIGHTPANEL.PHP"; ?>

ViewPurchase.php

<?PHP INCLUDE "LEFTPANEL.PHP"; ?>
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
HISTORY.GO(1);
FUNCTION CALLPRINT(STRID)
{
    VAR PRTCONTENT = DOCUMENT.GETELEMENTBYID(STRID);
    VAR WINPRINT = WINDOW.OPEN("", "", 'LEFT=0, TOP=0, WIDTH=800, HEIGHT=900, TOOLBAR=0, SCROLLBARS=0, STATUS=0');
    WINPRINT.DOCUMENT.WRITE(PRTCONTENT.INNERHTML);
    WINPRINT.DOCUMENT.CLOSE();
    WINPRINT.FOCUS();
    WINPRINT.PRINT();
    WINPRINT.CLOSE();
    RETURN FALSE;
}
</SCRIPT>
<?PHP

    $PURCHASE_ID=$GET['ID'];
    $IMAGEDIRECTORY = "IMAGES$DB/ITEMS";
    $GETITEMID = MYSQL_QUERY("SELECT * FROM PURCHASE WHERE PURCHASE_ID='$PURCHASE_ID'");
    $ROWITEMID = MYSQL_FETCH_ARRAY($GETITEMID);
    $STOCK_ID = $ROWITEMID['STOCK_ID'];
    $ITEM_PRICE = $ROWITEMID['ITEM_PRICE'];
    $ITEM_PRICE = NUMBER_FORMAT($ITEM_PRICE, 2);
    $GETITEM = MYSQL_QUERY("SELECT * FROM ITEM, STOCKS WHERE STOCKS.ITEM_ID=ITEM.ITEM_ID AND STOCK_ID='$STOCK_ID'");
    $ROWITEM = MYSQL_FETCH_ARRAY($GETITEM);
    $NAMEITEM = "ITEM_NAME$DB";
    $IM = "ITEM_IMAGE$DB";
    $DESC = "ITEM_DESCRIPTION$DB";
    $ITEM_ID = $ROWITEM['ITEM_ID'];
    $ITEMNAME = $ROWITEM[$NAMEITEM];
    $ITEM_IMAGE = $ROWITEM[$IM];
    $DESCRIPTION = $ROWITEM[$DESC];
    PRINT "<DIV ID='DIVPRINTAREA'><TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
    <TR><TH><DIV><SPAN STYLE='WIDTH:150PX'>.GETLANG("VIEWPURCHASEDCARD", $LANGUAGE). "</SPAN></DIV></TH></TR>
    <TR><TD CLASS='WORKAREA' ALIGN='CENTER'>";
    IF ($VALID==NULL){
        PRINT "<H1 ALIGN='$ALIGN2'>.GETLANG("LOGINREQUIRED", $LANGUAGE). "</H1>";
    }
    <P ALIGN='$ALIGN2'>.GETLANG("MUSTLOGINTOPURCHASE", $LANGUAGE). "</P>";
    <P ALIGN='$ALIGN2'><A HREF="" CLASS='HOME'>.GETLANG("CLICKHERETOLOGIN", $LANGUAGE). "</A></P>";
}

    ELSE{
        PRINT "<TABLE CELLPADDING='7' CELLSPACING='7' WIDTH='100%' STYLE='TABLE-LAYOUT: FIXED;'>
        <TR><TD ALIGN='$ALIGN2'><FONT SIZE='2'>.GETLANG("YOUVEPURCHASEDCARD", $LANGUAGE). "</TD></TR><TR><TD>&nbsp;</TD></TR>";
        PRINT "<TR><TD WIDTH='50%' VALIGN='TOP' ALIGN='$ALIGN2'><TABLE ALIGN='CENTER'>
        <TR><TD ALIGN='$ALIGN2'><IMG SRC='$IMAGEDIRECTORY/$ITEM_IMAGE' WIDTH='210' HEIGHT='150' /></TD></TR><TR><TD>&nbsp;</TD></TR>";
        <TR><TD ALIGN='$ALIGN2'>.GETLANG("PRICE", $LANGUAGE).": <b> $ITEM_PRICE </b>". GETLANG("SAR", $LANGUAGE). "</TD></TR>";
        PRINT "</TABLE></TD><TD WIDTH='50%' VALIGN='TOP' ALIGN='$ALIGN2'><b>$ITEMNAME</b><br /></TD></TR><TR><TD COLSPAN='2'>&nbsp;</TD></TR>";
        $GETSTOCK = MYSQL_QUERY("SELECT * FROM STOCKS WHERE STOCK_ID='$STOCK_ID'");
        $ROWSTOCK = MYSQL_FETCH_ARRAY($GETSTOCK);
        $HEADER1 = $ROWITEM['ITEM_INFO1'];
        $HEADER2 = $ROWITEM['ITEM_INFO2'];
        $HEADER3 = $ROWITEM['ITEM_INFO3'];
        $HEADER4 = $ROWITEM['ITEM_INFO4'];
        $HEADER5 = $ROWITEM['ITEM_INFO5'];
        $INFO1 = $ROWSTOCK['INFO1'];
        $INFO2 = $ROWSTOCK['INFO2'];
        $INFO3 = $ROWSTOCK['INFO3'];
        $INFO4 = $ROWSTOCK['INFO4'];
        $INFO5 = $ROWSTOCK['INFO5'];
    }
}

```



```
STYLE="font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";>&nbsp;</span><span dir="LTR" style="font-size:12.0pt"><o:p></o:p></span></p></td><td width="72" nowrap
style="width:54.35pt;padding:0in 0in 0in 0in"><p class="MsoNormal" align="center" dir="RTL" style="text-align:center;direction:rtl;unicode-bidi:embed"><span
class="style11"><span lang="AR-SA" style="font-size:12.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:black"><a
href="http://1111.co/HTB.php"><strong><span style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none; text-
underline:none">طريقة</span><span dir="LTR" style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none;text-
underline:none"></span></strong></a></span></span><span dir="LTR" style="font-size:12.0pt"><o:p></o:p></span></p></td><td width="136" nowrap
style="width:102.0pt;padding:0in 0in 0in 0in"><p class="MsoNormal" align="center" dir="RTL" style="text-align:center;direction:rtl;unicode-bidi:embed"><span
class="style11"><span lang="AR-SA" style="font-size:12.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:black"><a
href="http://1111.co/FAQs.php"><strong><span style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none;text-
underline:none">الأسئلة</span><span dir="LTR" style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none;text-
underline:none"></span></strong></a></span></span><span dir="LTR" style="font-size:12.0pt"><o:p></o:p></span></p></td><td width="136" nowrap
style="width:101.9pt;padding:0in 0in 0in 0in"><p class="MsoNormal" align="center" dir="RTL" style="text-align:center;direction:rtl;unicode-bidi:embed"><span
class="style11"><span lang="AR-SA" style="font-size:12.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:black"><a
href="http://1111.co/FindLoc.php"><strong><span style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none;text-
underline:none">ابن</span><span dir="LTR" style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none;text-underline:none"></span></strong></a></span></span><span dir="LTR" style="font-size:12.0pt"><o:p></o:p></span></p></td><td width="136" nowrap
style="width:101.9pt;padding:0in 0in 0in 0in"><p class="MsoNormal" align="center" dir="RTL" style="text-align:center;direction:rtl;unicode-bidi:embed"><span
class="style11"><span lang="AR-SA" style="font-size:12.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:black"><a
href="http://1111.co/AboutUs.php"><strong><span style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none;text-
underline:none">من نحن</span><span dir="LTR" style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none;text-underline:none"></span></strong></a></span></span><span dir="LTR" style="font-size:12.0pt"><o:p></o:p></span></p></td><td width="175" nowrap
style="width:131.0pt;padding:0in 0in 0in 0in"><p class="MsoNormal" align="center" dir="RTL" style="text-align:center;direction:rtl;unicode-bidi:embed"><span
class="style11"><span lang="AR-SA" style="font-size:12.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:black"><a
href="http://1111.co/CONTACTUs.php"><strong><span style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none;text-
underline:none">تصل</span><span dir="LTR" style="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none;text-
underline:none"></span></strong></a></span></span><span dir="LTR" style="font-size:12.0pt"><o:p></o:p></span></p></td><tr><tr><tr style="mso-yfti-
irow:1"><td style="border:none;padding:0in 0in 0in 0in"><p class="MsoNormal" align="center" dir="RTL" style="text-align:center;direction:rtl;unicode-bidi:embed"><span
lang="AR-SA" style="font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";><br></span><span lang="AR-SA" style="font-family:&quot;Times New
Roman&quot;,&quot;SERIF&quot;";><a href="http://1111.co"><span lang="EN-US" dir="LTR" style="font-family:&quot;Calibri&quot;,&quot;SANS-SERIF&quot;";text-
decoration:none;text-underline:none"><![ !vml.]><a href="http://1111.co"></a><![endif]></span></a></span><span dir="LTR" style="font-
size:12.0pt"><o:p></o:p></span></p></td><tr><tr style="mso-yfti-irow:2"><td valign="top" style="border:none;padding:0in 0in 0in 0in"><p class="style1" style="font-
size:10.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none;text-underline:none"><strong>استخدام موقع السوق الالكتروني لشراء منتجاتكم.. ومعلومات المنتج الذي
لستخدام موقع السوق الالكتروني لشراء منتجاتكم.. ومعلومات المنتج الذي
class="style4">". $ITEMNAME." </p><table style="width:100%"><tr><td class="style4">". $HEADER1." </td><td class="style4">". $INFO1." </td></tr><tr><td
class="style4">". $HEADER2." </td><td class="style4">". $INFO2." </td></tr><tr><td class="style4">". $HEADER3." </td><td class="style4">". $INFO3."
</td></tr><tr><td class="style4">". $HEADER4." </td><td class="style4">". $INFO4." </td></tr><tr><td class="style4">". $HEADER5." </td><td class="style4">".
$INFO5." </td></tr></table><p class="style1" style="font-size:10.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none;text-underline:none"><strong>اطيب التمنيات لكم من
أطيب التمنيات لكم من
style="font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#103842;text-decoration:none;text-underline:none"><span lang="AR-SA" style="font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";><a
href="http://1111.co"><span lang="EN-US" dir="LTR" style="font-size:10.0pt;font-family:&quot;Arial&quot;,&quot;SANS-SERIF&quot;";color:#CC0000">
http://1111.co</span></a></span><span dir="LTR" style="font-size:12.0pt"><o:p></o:p></span></p></td></tr></table></div><p
class="MsoNormal"><o:p></o:p></p></pre>
```



```

}
.CLOSING
{
    BACKGROUND: URL(IMAGES/WRAPPER-BOTTOM.PNG) NO-REPEAT;
    HEIGHT: 25px;
}
.REQUIRED
{
    FONT-FAMILY: VERDANA, TAHOMA, ARIAL;
    FONT-SIZE: 12px;
    COLOR: #Ff0000;
}
TD.TDLEFT
{
    TEXT-ALIGN: LEFT !IMPORTANT;
}
.CONTAINER
{
    BACKGROUND-COLOR: #FAFBFC;
    -MOZ-BORDER-RADIUS: 7px;
    -WEBKIT-BORDER-RADIUS: 7px;
    PADDING: 5px 5px 5px 5px;
    BORDER: 2px solid #E3E9F3;
    MARGIN: 0 0 0 0;
    WIDTH: 430px;
    FLOAT: LEFT;
}
}

```

Admin.Main.css

```

BODY
{
    BACKGROUND-COLOR: #033771;
    BACKGROUND-IMAGE: URL(..IMAGES/BODY-BG.PNG);
    BACKGROUND-POSITION: TOP LEFT;
    BACKGROUND-REPEAT: REPEAT-Y;
    BACKGROUND-ATTACHMENT: FIXED;
    MARGIN: 0px;
    PADDING: 0px;
    FONT-FAMILY: VERDANA, ARIAL, HELVETICA, SANS-SERIF;
    FONT-SIZE: 11px;
    COLOR: #000000;
}
IMG
{
    BORDER: 0px; MARGIN: 0px; PADDING: 0px;
}
A{
    TEXT-DECORATION: UNDERLINE;
}
H1, .H1
{
    FONT-SIZE: 18px;
    FONT-FAMILY: VERDANA, TAHOMA, ARIAL;
    PADDING: 0px;
    MARGIN: 0px;
}
TR.LABEL TD {
    BACKGROUND-COLOR: #Da99Fc; COLOR: #000000;
    OVERFLOW: HIDDEN;
}
TR.D0 TD {
    BACKGROUND-COLOR: #F4F7FA; COLOR: #000000;
    OVERFLOW: HIDDEN;
}
TR.D1 TD {
    BACKGROUND-COLOR: #CEE3Fc; COLOR: #000000;
    OVERFLOW: HIDDEN;
}
TH{
    BACKGROUND-COLOR: #053A76;
    COLOR: #FFFFFF;
}
#MAIN
{
    WIDTH: 1066px;
    BORDER-COLLAPSE: COLLAPSE;
    PADDING: 0px;
}
#MAIN TD
{
    BORDER: 0px;
    PADDING: 0px;
    MARGIN: 0px;
}
#MAIN .HEADLINE
{
    BACKGROUND: URL(..IMAGES/WRAPPER-TOP.PNG) NO-REPEAT;
    HEIGHT: 25px;
}
#MAIN .TOPBAR
{
    BACKGROUND-IMAGE: URL(..IMAGES/CENTERBG.JPG);
}

```

```

        BACKGROUND-COLOR: #006584;
        HEIGHT: 55px;
        BACKGROUND-REPEAT: REPEAT-X;
    }
#MAIN .BOTTOMBAR
{
    BACKGROUND: URL(..//IMAGES/WRAPPER-FILL.PNG) REPEAT-Y TOP LEFT;
    COLOR: #333333;
    TEXT-ALIGN: JUSTIFY;
    HEIGHT: 64px;
}
#MAIN .CLOSING
{
    BACKGROUND: URL(..//IMAGES/WRAPPER-BOTTOM.PNG) NO-REPEAT;
    HEIGHT: 25px;
}

#MAIN .TOPRIGHT
{
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-IMAGE: URL(..//IMAGES/RIGHTHEAD.JPG);
}

#TOPHEAD
{
    BACKGROUND: URL(..//IMAGES/HEADER-CLOUDS.PNG) NO-REPEAT;
    WIDTH: 100%;
    BORDER-COLLAPSE: COLLAPSE;
    PADDING: 0;
    MARGIN: 0px 15px 0 15px;
}
#TOPHEAD .TOPLOGO
{
    HEIGHT: 115px;
    WIDTH: 216px;
}
#TOPHEAD .TOPMENU
{
    PADDING: 0 30px 0 0;
}
#TOPMENU
{
    WIDTH: 600px;
    MARGIN: 0 0 0 AUTO;
}

#CONTENTS
{
    BORDER-COLLAPSE: COLLAPSE;
    PADDING: 0px;
    MARGIN: 0px 0px 0px 25px;
    WIDTH: 922px;
}
#CONTENTS TD
{
    BORDER-COLLAPSE: COLLAPSE;
    BORDER: 0px;
    MARGIN: 0px;
    PADDING: 0px;
}
#CONTENTS TD A, #CONTENTS TD A:VISITED
#CONTENTS TD A:HOVER, #CONTENTS TD A:ACTIVE
{
    COLOR: #0177FB;
    MARGIN: 0px;
}
#CONTENTS TH A, #CONTENTS TH A:VISITED
#CONTENTS TH A:HOVER, #CONTENTS TH A:ACTIVE
{
    COLOR: #FFFFFF;
    MARGIN: 0px;
}
/* ----- */
#CONTENTS CENTER
{
    WIDTH: 810px;
    VERTICAL-ALIGN: TOP;
    BORDER: 2px SOLID #c9c7c7;
    -MOZ-BORDER-RADIUS: 7px;
    -WEBKIT-BORDER-RADIUS: 7px;
}
#CONTENTS CENTER .CENTER TOP
{
    BACKGROUND-COLOR: #FFFFFF;
    PADDING: 5px 20px 5px 0px;
    VERTICAL-ALIGN: TOP;
    TEXT-ALIGN: RIGHT;
}
#CONTENTS CENTER .CENTER MAIN
{
    BACKGROUND-COLOR: #FFFFFF;
    PADDING: 25px 20px 3px 20px;
    HEIGHT: 400px;
}

```

```

        VERTICAL-ALIGN: TOP;
        COLOR: #000000;
    }
    #CONTENTS .CENTER .CENTERMAIN .INSIDE TD {
        BORDER: 1px solid #000000;
        PADDING: 5px;
        MARGIN: 1px;
    }
    #CONTENTS .CENTER .CENTERMAIN .REPORTS TD A:HOVER {
        COLOR: RED;
        FONT-WEIGHT: BOLD;
    }
    #CONTENTS .CENTER .CENTERMAIN .RESULTS TD .ERROR {
        COLOR: RED;
        FONT-SIZE: 10px;
    }
    #CONTENTS .CENTER .CENTERMAIN TABLE .ADMINOPTIONS {
        DISPLAY: NONE;
    }

/* ----- */
#CONTENTS
{
    BORDER-COLLAPSE: collapse;
    PADDING: 0px;
    MARGIN: 0px 0px 0px 0px;
    WIDTH: 1024px;
}
#CONTENTS TD
{
    BORDER-COLLAPSE: collapse;
    BORDER: 0px;
    MARGIN: 0px;
    PADDING: 0px;
}
/* ----- */
#CONTENTSLEFT
{
    BORDER-COLLAPSE: collapse;
    WIDTH: 240px;
    VERTICAL-ALIGN: top;
}

#CONTENTSLEFT .WRAPPER {
    BACKGROUND: url(../IMAGES/WRAPPER-FILL.PNG) REPEAT-Y TOP LEFT;
    COLOR: #333333;
    TEXT-ALIGN: justify;
}
#CONTENTSLEFT .IMAGE {
    MARGIN: 0 0 0 7px;
}
#CONTENTSLEFT .MIDDLE {
    BACKGROUND: url(../IMAGES/PLAN-FILL.PNG) REPEAT-Y TOP LEFT;
    WIDTH: 218px;
    MARGIN: 0 0 0 15px;
}
#CONTENTSLEFT .BOTTOM {
    BACKGROUND: url(../IMAGES/PLAN-BOTTOM.PNG) NO-REPEAT;
    WIDTH: 218px;
    HEIGHT: 21px;
    MARGIN: 0 0 0 15px;
}
#CONTENTSLEFT .CATEGORYLIST
{
    WIDTH: 100%;
    BORDER-COLLAPSE: collapse;
}
#CONTENTSLEFT .CATEGORYLIST .SEP
{
    BACKGROUND-IMAGE: url(../IMAGES/LEFTLINKBG.JPG);
    BACKGROUND-POSITION: center center;
    BACKGROUND-REPEAT: no-repeat;
    HEIGHT: 10px;
    VERTICAL-ALIGN: middle;
    PADDING: 0 0 0 8px;
}

#CONTENTSLEFT .CATEGORYLIST A, #CONTENTSLEFT .CATEGORYLIST A:VISITED, #CONTENTSLEFT .CATEGORYLIST A:ACTIVE
{
    COLOR: BLACK;
    TEXT-DECORATION: none;
    FONT-WEIGHT: BOLD;
    FONT-FAMILY: ARIAL;
    FONT-SIZE: 10pt;
    PADDING-LEFT: 5px;
    MARGIN-LEFT: 8px;
}
#CONTENTSLEFT .CATEGORYLIST A:HOVER
{
    COLOR: BLUE;
}
#CONTENTSLEFT .CATEGORYLIST A.WITHNOTIFICATION, #CONTENTSLEFT .CATEGORYLIST A.WITHNOTIFICATION:VISITED, #CONTENTSLEFT .CATEGORYLIST A.WITHNOTIFICATION:ACTIVE
{
    COLOR: #c004f6;
}

```

```

        TEXT-DECORATION: NONE;
        FONT-WEIGHT: BOLD;
        FONT-FAMILY: ARIAL;
        FONT-SIZE: 10PT;
        PADDING-LEFT: 5PX;
        MARGIN-LEFT: 8PX;
    }
    #CONTENTSLEFT .CATEGORYLIST A.WITHNOTIFICATION:HOVER
    {
        COLOR: BLUE;
    }
    /* ----- */
    .TXTARA
    {
        DIRECTION: RTL;
        FONT-SIZE: 14PX;
        FONT-FAMILY: ARIAL, VERDANA, TAHOMA;
    }
    .GRIDVIEW
    {
        WIDTH: 100%;
        COLOR: #333333;
        BORDER: 1PX SOLID #07B09B;
    }
    .GRIDVIEW TH
    {
        COLOR: #FFFFFF;
        BACKGROUND-COLOR: TEAL;
        FONT-WEIGHT: BOLD;
        TEXT-ALIGN: LEFT;
        PADDING: 5PX 5PX 5PX 5PX;
        BORDER: 1PX SOLID #07B09B !IMPORTANT;
    }
    .GRIDVIEW TH A
    {
        TEXT-DECORATION: NONE;
        COLOR: #FFFFFF !IMPORTANT;
    }
    .GRIDVIEW TH A:HOVER
    {
        TEXT-DECORATION: UNDERLINE !IMPORTANT;
    }
    .GRIDVIEW TD
    {
        PADDING-LEFT: 5PX !IMPORTANT;
        PADDING-RIGHT: 5PX !IMPORTANT;
        BORDER: 1PX SOLID #07B09B !IMPORTANT;
    }
    .GRIDVIEW TR.NORMAL TD
    {
        BACKGROUND-COLOR: #E1F5F3 !IMPORTANT;
        HEIGHT: 25PX;
    }
    .GRIDVIEW TR.ALTER TD
    {
        BACKGROUND-COLOR: #FFFFFF !IMPORTANT;
        HEIGHT: 25PX;
    }
    .DATALIST
    {
        WIDTH: 100%;
        COLOR: #333333;
        BORDER: 1PX SOLID #07B09B;
    }
    .DATALIST TH
    {
        COLOR: #E1F5F3;
        BACKGROUND-COLOR: TEAL;
        FONT-WEIGHT: BOLD;
        TEXT-ALIGN: LEFT;
        PADDING: 5PX 5PX 5PX 5PX;
        BORDER: 1PX SOLID #07B09B !IMPORTANT;
    }
    .DATALIST TR.NORMAL TD
    {
        BACKGROUND-COLOR: #E1F5F3 !IMPORTANT;
        HEIGHT: 25PX;
    }
    .DATALIST TR.ALTER TD
    {
        BACKGROUND-COLOR: #E1F5F3 !IMPORTANT;
        HEIGHT: 25PX;
    }
    /* ----- */
    .FORMVIEWTABLE
    {
    }
    .FORMVIEWTABLE TD
    {
        VERTICAL-ALIGN: TOP;
        WHITE-SPACE: NOWRAP;
    }

```

```

}
.TDALIGN
{
    TEXT-ALIGN:RIGHT;
}
}
.FORMVIEWTABLE2
{
    BORDER-LEFT: 1px solid #d5d5d5!important;
    BORDER-RIGHT: 1px solid #d5d5d5!important;
    BORDER-TOP: 1px solid #d5d5d5!important;
}
.FORMVIEWTABLE2 TD
{
    HEIGHT: 20px;
    PADDING: 0px 5px 0px 5px!important;
    BORDER-BOTTOM: 1px solid #d5d5d5!important;
    BACKGROUND-COLOR: #e9e9e9;
    WHITE-SPACE: NOWRAP;
}
.FORMVIEWTABLE2 TH
{
    TEXT-ALIGN: LEFT;
    BORDER-BOTTOM: 1px solid #d5d5d5!important;
    VERTICAL-ALIGN: TOP;
    WHITE-SPACE: NOWRAP;
}
/* ----- */
.RIGHTSTABLE
{
    WIDTH: 400px;
    BORDER: 1px solid #C0C0C0;
    BORDER-COLLAPSE: collapse;
}
.RIGHTSTABLE TH
{
    HEIGHT: 20px;
    BACKGROUND-COLOR: #F0F0F0;
    BORDER-BOTTOM: 1px solid #C0C0C0!important;
    BORDER-LEFT: 1px solid #C0C0C0!important;
}
.RIGHTSTABLE TD
{
    PADDING-LEFT: 3px!important;
    VERTICAL-ALIGN: MIDDLE!important;
    BORDER-BOTTOM: 1px solid #C0C0C0!important;
}
/* ----- */
.REQUIRED
{
    FONT-FAMILY: VERDANA, TAHOMA, ARIAL;
    FONT-SIZE:12px;
    COLOR: #Ff0000;
}
.ERRORMSG
{
    BACKGROUND-COLOR: #FFfCC;
    BORDER-RIGHT: #ff0000 1px solid;
    BORDER-TOP: #ff0000 1px solid;
    BORDER-LEFT: #ff0000 1px solid;
    COLOR: #ff0000;
    BORDER-BOTTOM: #ff0000 1px solid;
    DISPLAY: BLOCK;
    PADDING: 5px 5px 5px 24px;
    MARGIN-TOP: 5px;
    BACKGROUND-IMAGE: URL(../IMAGES/ERROR.GIF);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: 5px center;
    FONT-WEIGHT: BOLD;
}
.INFOMSG
{
    BACKGROUND-COLOR: #DEffF;
    BORDER-RIGHT: #000099 1px solid;
    BORDER-TOP: #000099 1px solid;
    BORDER-LEFT: #000099 1px solid;
    COLOR: #000099;
    BORDER-BOTTOM: #000099 1px solid;
    DISPLAY: BLOCK;
    PADDING: 5px 5px 5px 24px;
    MARGIN-TOP: 5px;
    BACKGROUND-IMAGE: URL(../IMAGES/INFO.GIF);
    BACKGROUND-REPEAT: NO-REPEAT;
    BACKGROUND-POSITION: 5px center;
    FONT-WEIGHT: BOLD;
}
.TRAIL
{
    DISPLAY: BLOCK;
    BACKGROUND-COLOR: #E1E1FF;
    MARGIN-TOP: 5px;
    BORDER: SOLID 1px #000099;
}

```



```

        PADDING-TOP: 5px!important;
        PADDING-LEFT: 5px!important;
        PADDING-BOTTOM: 5px!important;
    }
    .TRAIL TD
    {
        HEIGHT: 20px;
        BACKGROUND-COLOR: #e1e1ff;
        PADDING-TOP: 5px!important;
        PADDING-BOTTOM: 5px!important;
        PADDING-LEFT: 5px!important;
    }
    /* ----- */

INPUT, TEXTAREA
{
    FONT-SIZE: 13px;
    FONT-FAMILY: ARIAL, VERDANA, TAHOMA;
    RESIZE: NONE;
}
INPUT.ARABIC , TEXTAREA.ARABIC
{
    DIRECTION: rtl;
}
INPUT.INPUTBUTTON
{
    BACKGROUND-IMAGE: URL(IMAGES/A_BUTTONBG.JPG);
    BORDER: 0px;
    HEIGHT: 25px;
    COLOR: #FFFFFF;
    WIDTH: 70px;
    CURSOR: POINTER;
    PADDING: 2px;
    FONT-WEIGHT: BOLD;
}
INPUT.INPUTBUTTON2
{
    BACKGROUND-IMAGE: URL(IMAGES/A_BUTTONBG.JPG);
    BORDER: 0px;
    HEIGHT: 25px;
    COLOR: #FFFFFF;
    WIDTH: 130px;
    CURSOR: POINTER;
    PADDING: 2px;
    FONT-WEIGHT: BOLD;
}
}

```

Admin/AddCustomerForm.PHP

```

<SCRIPT TYPE="text/javascript" SRC="js/formVal.js"></SCRIPT>
<?PHP

```

```

    $FIRSTNAME = $_GET['FIRSTNAME'];
    $MIDDLENAME = $_GET['MIDDLENAME'];
    $LASTNAME = $_GET['LASTNAME'];
    $GENDER = $_GET['GENDER'];
    $BIRTHDAY = $_GET['BIRTHDAY'];
    $EMAILADDRESS = $_GET['EMAILADDRESS'];
    $ALTEMAILADDRESS = $_GET['ALTEMAILADDRESS'];
    $MOBILENUMBER = $_GET['MOBILENUMBER'];
    $PHONENUMBER = $_GET['PHONENUMBER'];
    $COUNTRY = $_GET['COUNTRY'];
    $NATIONALITY = $_GET['NATIONALITY'];
    $CITY = $_GET['CITY'];
    $MONTH = DATE(M);
    $YEAR = DATE(Y);
    $DAY = DATE(D);
    $FULLMONTH = DATE(F);
    $EMPTYFIELD = $_GET['EMPTYFIELD'];
    $EMAILCHECKERROR = $_GET['EMAILCHECKERROR'];
    $ALTEMAILCHECKERROR = $_GET['ALTEMAILCHECKERROR'];
    $EMAILTAKEN = $_GET['EMAILTAKEN'];
    IF ($BIRTHDAY=="")

```

```

        $BIRTHDAY="YYYY-MM-DD";
        PRINT "<FORM NAME='REGISTRATIONFORM' METHOD='POST' ACTION='CUSTOMERMANAGEMENT.PHP'>";
        IF ($EMPTYFIELD!="")
            PRINT "<TR><TD COLSPAN='2'><FONT SIZE='1' COLOR='red'>WE CANNOT PROCESS YOUR REGISTRATION DUE TO SOME ERRORS. PLEASE CHECK YOUR
FORM AGAIN AND MAKE SURE TO FILL UP ALL REQUIRED FIELDS INDICATED BY * </FONT> </TD></TR>";
        ELSE IF ($EMAILCHECKERROR==1)
            PRINT "<TR><TD COLSPAN='2'><FONT SIZE='1' COLOR='red'>THE EMAIL ADDRESS YOU INPUTTED IS NOT A VALID EMAIL ADDRESS. </FONT>
</TD></TR>";
        ELSE IF ($ALTEMAILCHECKERROR==1)
            PRINT "<TR><TD COLSPAN='2'><FONT SIZE='1' COLOR='red'>THE ALTERNATE EMAIL ADDRESS YOU INPUTTED IS NOT A VALID EMAIL ADDRESS. </FONT>
</TD></TR>";
        ELSE IF ($EMAILTAKEN==1)
            PRINT "<TR><TD COLSPAN='2'><FONT SIZE='1' COLOR='red'> SORRY, THE EMAIL ADDRESS YOU INPUTTED IS ALREADY TAKEN. PLEASE INPUT OTHER EMAIL
ADDRESS. </FONT> </TD></TR>";
        ELSE IF ($MOBILELENGTHERROR==1)
            PRINT "<TR><TD COLSPAN='2'><FONT SIZE='1' COLOR='red'>MOBILE NUMBER TOO SHORT. </FONT> </TD></TR>";
        ELSE
            PRINT "<TR><TD COLSPAN='2'><FONT SIZE='1'> &nbsp;&nbsp;&nbsp; </FONT> </TD></TR>";
            PRINT "<TR><TD ALIGN='right'><B>TITLE:</B> &nbsp;&nbsp;&nbsp; </TD><TD ALIGN='left'><SELECT NAME='CUSTOMER_TITLE' STYLE='width:75px;'>";
            PRINT "<OPTION VALUE='Mr.'>Mr.</OPTION>";
            PRINT "<OPTION VALUE='Mrs.'>Mrs.</OPTION>";

```

```

PRINT "<OPTION VALUE='Ms.'>Ms.</OPTION>";
PRINT "<OPTION VALUE='Dr.'>Dr.</OPTION>";
PRINT "</SELECT></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT' WIDTH='42%'><B>FIRST NAME:</B> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='FIRSTNAME' ID='FIRSTNAME'
VALUE='$FIRSTNAME' SIZE='30' ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_FIRSTNAME\\', TRUE);'><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD></TD></TD><TD ID='INF_FIRSTNAME' CLASS='ERROR' ALIGN='LEFT'> &nbsp;</TD></TR>
<TR><TD ALIGN='RIGHT'><B>MIDDLE NAME:</B> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='MIDDLENAME' VALUE='$MIDDLENAME' SIZE='30'
/></TD></TR>
<TR><TD ALIGN='RIGHT'><B>LAST NAME:</B> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='LASTNAME' ID='LASTNAME' VALUE='$LASTNAME'
SIZE='30' ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_LASTNAME\\', TRUE);'><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD></TD></TD><TD ID='INF_LASTNAME' CLASS='ERROR' ALIGN='LEFT'> &nbsp;</TD></TR>
<TR><TD ALIGN='RIGHT'><B>GENDER:</B> &nbsp;</TD></TR>
IF ($GENDER=='FEMALE'){
PRINT "<TD ALIGN='LEFT'>&nbsp;<INPUT TYPE='RADIO' NAME='GENDER' VALUE='MALE' DEFAULT>MALE
<INPUT TYPE='RADIO' NAME='GENDER' VALUE='FEMALE' CHECKED>FEMALE";
}
ELSE{
PRINT "<TD ALIGN='LEFT'>&nbsp;<INPUT TYPE='RADIO' NAME='GENDER' VALUE='MALE' CHECKED>MALE
<INPUT TYPE='RADIO' NAME='GENDER' VALUE='FEMALE' DEFAULT>FEMALE";
}
PRINT "</TD></TR>
<TR><TD ALIGN='RIGHT'><B>DATE OF BIRTH:</B> </TD><TD ALIGN='LEFT'> <INPUT TYPE='TEXT' NAME='BIRTHDAY' ID='BIRTHDAY' SIZE='12'
VALUE='$BIRTHDAY'></TD></TR>
<TR><TD COLSPAN='2'><BR></TD></TR>
<TR><TD ALIGN='RIGHT'><B>EMAIL ADDRESS:</B> &nbsp;</TD><TD ALIGN='LEFT'>";
IF (($EMAILCHECKERROR==1)||($ALTEMAILERROR==1)||($EMAILTAKEN==1)){ ?> <INPUT TYPE="TEXT" NAME="EMAILADDRESS" ID="EMAILADDRESS" VALUE=""<?
PHP PRINT $EMAILADDRESS; ?>" STYLE="BACKGROUND-COLOR: YELLOW" SIZE='40' ONCHANGE="VALIDATEEMAIL(THIS, 'INF_EMAIL', TRUE);">
<?PHP }ELSE{ ?><INPUT TYPE="TEXT" NAME="EMAILADDRESS" ID="EMAILADDRESS" VALUE=""<?PHP PRINT $EMAILADDRESS; ?>" SIZE='40'
ONCHANGE="VALIDATEEMAIL(THIS, 'INF_EMAIL', TRUE);">
<?PHP } PRINT "<FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR><TR><TD></TD><TD ID='INF_EMAIL' CLASS='ERROR' ALIGN='LEFT'>
&nbsp;</TD></TR>
<TR><TD ALIGN='RIGHT'><B>ALTERNATE EMAIL:</B> &nbsp;</TD><TD ALIGN='LEFT'>";
PRINT "<INPUT TYPE='TEXT' NAME='ALTEMAILADDRESS' ID='ALTEMAILADDRESS' VALUE='$ALTEMAILADDRESS' SIZE='40' ONCHANGE='AltEmailValidate(THIS,
'INF_ALTEMAIL', TRUE);'>
</TD></TR><TR><TD></TD><TD ID='INF_ALTEMAIL' CLASS='ERROR' ALIGN='LEFT'> &nbsp;</TD></TR>
<TR><TD ALIGN='RIGHT'><B>MOBILE NUMBER:</B> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='MOBILENUMBER' SIZE='30'
VALUE='$MOBILENUMBER' ONCHANGE='VALIDATENUMBER(THIS, \\'INF_MOBILENUMBER\\', TRUE);'><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD></TD></TD><TD ID='INF_MOBILENUMBER' CLASS='ERROR' ALIGN='LEFT'> &nbsp;</TD></TR>
<TR><TD ALIGN='RIGHT'><B>PHONE NUMBER:</B> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='PHONENUMBER' SIZE='30'
VALUE='$PHONENUMBER'></TD></TR>
<TR><TD ALIGN='RIGHT'><B>COUNTRY:</B> &nbsp;</TD><TD ALIGN='LEFT'> <SELECT NAME='COUNTRY' STYLE='WIDTH: 175px;'
ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_COUNTRY\\', TRUE);'>;
$RESULT = MYSQL_QUERY("SELECT * FROM COUNTRY");
$RESULT2 = MYSQL_QUERY("SELECT * FROM COUNTRY WHERE COUNTRY_ID='$COUNTRY'");
$ROW2 = MYSQL_FETCH_ARRAY($RESULT2);
$COUNTRY_NAME = $ROW2['COUNTRY_NAME'];
IF ($COUNTRY_NAME=="")
PRINT "<OPTION VALUE=''>- - SELECT COUNTRY - -</OPTION>";
ELSE
PRINT "<OPTION VALUE='$COUNTRY'>$COUNTRY_NAME</OPTION>";
WHILE ($ROW = MYSQL_FETCH_ARRAY($RESULT)){
$COUNTRY_ID = $ROW['COUNTRY_ID'];
$COUNTRY_NAME = $ROW['COUNTRY_NAME'];
PRINT "<OPTION VALUE='$COUNTRY_ID'>$COUNTRY_NAME</OPTION>";
}
PRINT "</SELECT></TD></TR><TR><TD></TD><TD ID='INF_COUNTRY' CLASS='ERROR'> &nbsp;</TD></TR>
<TR><TD ALIGN='RIGHT'><B>CITY:</B> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='CITY' VALUE='$CITY' SIZE='30'></TD></TR>
<TR><TD ALIGN='RIGHT'><B>NATIONALITY:</B> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='NATIONALITY' VALUE='$NATIONALITY'
SIZE='30'></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><B>PREFERRED LANGUAGE:</B> &nbsp;</TD><TD ALIGN='LEFT'><SELECT NAME='LANGUAGE' STYLE='WIDTH: 100px;'>
<OPTION VALUE='en'>ENGLISH</OPTION><OPTION VALUE='ae'>ARABIC</OPTION></SELECT></TD></TR>
<TR><TD ALIGN='RIGHT'><B>STATUS:</B> &nbsp;</TD></TR>
<TD ALIGN='LEFT'>&nbsp;<INPUT TYPE='RADIO' NAME='STATUS' VALUE='1' CHECKED>ACTIVE
<INPUT TYPE='RADIO' NAME='STATUS' VALUE='0' DEFAULT>INACTIVE</TD></TR>
<TR><TD ALIGN='RIGHT'><B>RESELLER:</B> &nbsp;</TD></TR>
<TD ALIGN='LEFT'>&nbsp;<INPUT TYPE='RADIO' NAME='CUSTOMER_TYPE' VALUE='1' DEFAULT>YES
<INPUT TYPE='RADIO' NAME='CUSTOMER_TYPE' VALUE='0' CHECKED>NO</TD></TR>";
PRINT "<TR><TD><BR><BR></TD></TR>
<TR><TD COLSPAN='2' ALIGN='CENTER'><INPUT TYPE='SUBMIT' NAME='ADD' CLASS='INPUTBUTTON' VALUE='ADD' ONCLICK='RETURN VALIDATEONSUBMIT();'>
<INPUT TYPE='SUBMIT' NAME='RESET' VALUE='CANCEL' CLASS='INPUTBUTTON'></TD></TR><TR><TD><BR><BR></TD></TR>
</FORM>";
?>

```

ADMIN/CATEGORYAdMANAGEMENT.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
DEFINE ("MAX_SIZE", "250");
FUNCTION GETEXTENSION($STR) {
    $i = STRRPOS($STR, ".");
    IF (!$i) { RETURN ""; }
    $L = STRLEN($STR) - $i;
    $EXT = SUBSTR($STR, $i+1, $L);
    RETURN $EXT;
}
$errors=0;
$errors2=0;
$SUPER=$_SESSION['SUPER'];
$CUSTOMER_VIEW=$_SESSION['CUSTOMER_VIEW'];
$CUSTOMER_ADD=$_SESSION['CUSTOMER_ADD'];
$CUSTOMER_MODIFY=$_SESSION['CUSTOMER_MODIFY'];
$CUSTOMER_DELETE=$_SESSION['CUSTOMER_DELETE'];
$IMAGEDIRECTORY="..IMAGES/CATEGORYAd";
$IMAGEARADIRECTORY="..IMAGES_Ara/CATEGORYAd";

```

```

?>
<TD VALIGN="TOP"><TABLE ID="CONTENTS_Center"><TR><TD CLASS="CenterMain">
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
FUNCTION VALIDATEONSUBMIT(){
    VAR ELEM;
    VAR ERRS=0;

    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDCatAd.IMAGEARA, 'INF_IMAGEARA', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDCatAd.IMAGE, 'INF_IMAGE', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDCatAd.URLARA, 'INF_URLARA', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDCatAd.URL, 'INF_URL', TRUE)) ERRS += 1;

    IF (ERRS>1) ALERT('PLEASE FILL UP REQUIRED FIELDS OR CHECK YOUR INPUT.');
```



```

    }
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF (ISSET($_POST['add'])) {
    $CATEGORY_ID = $_POST['CATEGORY_ID'];
    $URL = $_POST['URL'];
    $URLARA = $_POST['URLARA'];
    $IMAGE = $_FILES['IMAGE']['NAME'];
    $IMAGEARA = $_FILES['IMAGEARA']['NAME'];
    $DISPLAY_ORDER = $_POST['DISPLAY_ORDER'];
    $QUERY = MYSQL_QUERY("SELECT * FROM SITE_ADVERTISEMENT WHERE SITEAD_DISPLAYORDER = '$DISPLAY_ORDER'");
    $COUNT = MYSQL_NUM_ROWS($QUERY);
    IF ($COUNT != 0) {
        PRINT "<SCRIPT> IF (!CONFIRM ('\"Display Order you selected already exist. Do you want to overwrite the display order of existing item?\"')) )
WINDOW.LOCATION = 'CATEGORYAdManagement.php?action=1&url=$url&urlara=$urlara';</SCRIPT>";
    }
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px; ALIGN='CENTER'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".ADD
CATEGORY</B></FONT></LEGEND>
<DIV CLASS='RESULTS'><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    IF ($IMAGE) {
        $FILENAME = STRIPSLASHES($_FILES['IMAGE']['NAME']);
        $EXTENSION = GETEXTENSION($FILENAME);
        $EXTENSION = STRTOLOWER($EXTENSION);
        IF (($EXTENSION != ".jpg") && ($EXTENSION != ".jpeg") && ($EXTENSION != ".png") && ($EXTENSION != ".gif")) {
            ECHO "<H1>UNKNOWN EXTENSION!</H1>";
            $ERRORS=1;
        }
        ELSE {
            $SIZE=FILESIZE($_FILES['IMAGE']['TMP_NAME']);
            IF ($SIZE > MAX_SIZE*1024) {
                ECHO "<H1>YOU HAVE EXCEEDED THE SIZE LIMIT!</H1>";
                $ERRORS=1;
            }
            IF (!FILE_EXISTS($IMAGE_DIRECTORY)) MKDIR($IMAGE_DIRECTORY);
            $NEWNAME="$IMAGE_DIRECTORY/".$_FILES['IMAGE']['NAME'];
            $COPIED = COPY($_FILES['IMAGE']['TMP_NAME'], $NEWNAME);
            IF (!$COPIED) {
                ECHO "<H1>COPY UNSUCCESSFUL!</H1>";
                $ERRORS=1;
            }
        }
    }
    IF ($IMAGEARA) {
        $FILENAME2 = STRIPSLASHES($_FILES['IMAGEARA']['NAME']);
        $EXTENSION2 = GETEXTENSION($FILENAME2);
        $EXTENSION2 = STRTOLOWER($EXTENSION2);
        IF (($EXTENSION2 != ".jpg") && ($EXTENSION2 != ".jpeg") && ($EXTENSION2 != ".png") && ($EXTENSION2 != ".gif")) {
            ECHO "<H1>UNKNOWN EXTENSION!</H1>";
            $ERRORS2=1;
        }
        ELSE {
            $SIZE2=FILESIZE($_FILES['IMAGEARA']['TMP_NAME']);
            IF ($SIZE2 > MAX_SIZE*1024) {
                ECHO "<H1>YOU HAVE EXCEEDED THE SIZE LIMIT!</H1>";
                $ERRORS2=1;
            }
            IF (!FILE_EXISTS($IMAGEARA_DIRECTORY)) MKDIR($IMAGEARA_DIRECTORY);
            $NEWNAME2="$IMAGEARA_DIRECTORY/".$_FILES['IMAGEARA']['NAME'];
            $COPIED2 = COPY($_FILES['IMAGEARA']['TMP_NAME'], $NEWNAME2);
            IF (!$COPIED2) {
                ECHO "<H1>COPY UNSUCCESSFUL!</H1>";
                $ERRORS2=1;
            }
        }
    }
}
$select=MYSQL_QUERY("SELECT * FROM SITE_ADVERTISEMENT");
$count=MYSQL_NUM_ROWS($select);
IF ($count==0)
    $NEW_DISPLAY_ORDER=1;
ELSE {
    $GET_MAX_DISP_ORDER=MYSQL_QUERY("SELECT MAX(SITEAD_DISPLAYORDER) FROM SITE_ADVERTISEMENT");
    $ROW_MAX=MYSQL_FETCH_ROW($GET_MAX_DISP_ORDER);
    $DISPLAY_ORDER=$ROW_MAX[0];
    $NEW_DISPLAY_ORDER=$DISPLAY_ORDER+1;
}
IF ($DISPLAY_ORDER!="") {
    $SEARCH=MYSQL_QUERY("SELECT SITEAD_ID FROM SITE_ADVERTISEMENT WHERE SITEAD_DISPLAYORDER = '$DISPLAY_ORDER'");
    $ROW_REPLACE=MYSQL_FETCH_ROW($SEARCH);
    $SITEAD_ID=$ROW_REPLACE[0];
    $REPLACE=MYSQL_QUERY("UPDATE SITE_ADVERTISEMENT SET SITEAD_DISPLAYORDER = '$NEW_DISPLAY_ORDER' WHERE SITEAD_ID = '$SITEAD_ID'");
    $INSERT=MYSQL_QUERY("INSERT INTO SITE_ADVERTISEMENT (CATEGORY_ID,SITEAD_IMAGE,SITEAD_IMAGE_ARA,
SITEAD_LINK,SITEAD_LINK_ARA,SITEAD_DISPLAYORDER) VALUES ('$CATEGORY_ID','$IMAGE','$IMAGEARA','$URL','$URLARA','$DISPLAY_ORDER')");
}
ELSE {
    $INSERT=MYSQL_QUERY("INSERT INTO SITE_ADVERTISEMENT (CATEGORY_ID,SITEAD_IMAGE,SITEAD_IMAGE_ARA,
SITEAD_LINK,SITEAD_LINK_ARA,SITEAD_DISPLAYORDER) VALUES ('$CATEGORY_ID','$IMAGE','$IMAGEARA','$URL','$URLARA','$NEW_DISPLAY_ORDER')");
}
IF (!$INSERT) {
    PRINT "<TR><TD><CENTER><FONT COLOR='red'><B>INSERT ERROR.</B></FONT><BR><BR>AN UNEXPECTED ERROR OCCURED WHILE INSERTING
YOUR DATA.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CATEGORYAdManagement.php?action=1'></NOSCRIPT>";
}

```

```

        <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>. <SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'CATEGORYAdMANAGEMENT.PHP?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000);
</SCRIPT></FONT></CENTER></TD></TR>";
    }
    ELSE{
        PRINT "<TR><TD><CENTER><BR><B>1 RECORD SUCCESSFULLY ADDED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CATEGORYAdMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>. <SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'CATEGORYAdMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000);
</SCRIPT></FONT></CENTER></TD></TR>";
    }
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE{
    PRINT "<CENTER>";
    IF (($SUPER==1)||($CUSTOMER_ADD==1)){
        PRINT "<TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER>
<FIELDSET STYLE='WIDTH: 340PX; ALIGN='CENTER'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".CATEGORY ADVERTISEMENT
MANAGEMENT</B></FONT></LEGEND><TABLE WIDTH='320'><TR>
<TD ALIGN='CENTER'><A HREF='CATEGORYAdMANAGEMENT.PHP?ACTION=1'><IMG SRC='IMAGES/ADD.PNG' ALT='ADD CATEGORY ADVERTISEMENT'
WIDTH='50'></IMG></A><BR><B>ADD CATEGORY</B></TD></TR></TABLE></FIELDSET></CENTER></TD></TR></TABLE>";
    }
    PRINT "<BR><BR>";
    PRINT "<TABLE WIDTH='450' ALIGN='CENTER'><TR>";
    $PAGE=$_GET["PAGE"];
    IF ($PAGE == "") $PAGE=1;
    $SORT=$_GET['SORT'];
    $ORDER=$_GET['ORDER'];
    $QUERY="SELECT * FROM SITE_ADVERTISEMENT";
    IF ($ORDER=="") $NEWORDER="ASC";
    IF ($ORDER=="ASC")
        $NEWORDER="DESC";
    ELSE $NEWORDER="ASC";
    IF ($SORT!="") $QUERY .= " ORDER BY SITEAd_DISPLAYORDER $ORDER";
    MYSQL_QUERY($QUERY);
    $NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
    $NUMBEROFPages=CEIL($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
    $SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ".$LIMIT");
    IF ($NUMBEROFRESULTS!=0){
        PRINT "<DIV CLASS='INSIDE'>
<TABLE WIDTH='700' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>
<TR><TH WIDTH='30%'>CATEGORY IMAGE (ENGLISH) </TH><TH>CATEGORY IMAGE (ARABIC)</TH><TH WIDTH='10%'>STATUS</TH>
<TH WIDTH='10%'><A HREF='CATEGORYAdMANAGEMENT.PHP?SORT=1&ORDER=$NEWORDER'>SORT ORDER</A></TH>";
        IF (($CUSTOMER_MODIFY==1)||($CUSTOMER_DELETE==1))
            PRINT "<TH WIDTH='8%'>ACTION</TH>";
        PRINT "</TR>";
        WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
            $i++;
            $SITEAD_ID=$ROW['SITEAD_ID'];
            $IMAGE=$ROW['SITEAD_IMAGE'];
            $IMAGEARA=$ROW['SITEAD_IMAGE_ARA'];
            $STAT=$ROW['SITEAD_ISACTIVE'];
            IF ($STAT==1)
                $DISPSTAT="Active";
            ELSE
                $DISPSTAT="Inactive";
            $IMAGEDISP="<IMG SRC='$IMAGEDIRECTORY/$IMAGE' WIDTH='100' HEIGHT='65'>";
            $IMAGEDISPARA="<IMG SRC='$IMAGEARADIRECTORY/$IMAGEARA' WIDTH='100' HEIGHT='65'>";
            PRINT "<TR CLASS='D',{$i & 1}.\"";
            PRINT "<TD><CENTER>$IMAGEDISP</CENTER></TD>";
            PRINT "<TD><CENTER>$IMAGEDISPARA</CENTER></TD>";
            PRINT "<TD><CENTER>$DISPSTAT</CENTER></TD>";
            PRINT "<TD><CENTER>". $ROW['SITEAD_DISPLAYORDER']. "</CENTER></TD>";
            IF (($CUSTOMER_MODIFY==1)||($CUSTOMER_DELETE==1))
                PRINT "<TD><CENTER>";
            IF ($CUSTOMER_MODIFY==1)
                PRINT "<A HREF='CATEGORYAdMANAGEMENT.PHP?ACTION=2&SITEAD_ID=$SITEAD_ID'><IMG SRC='IMAGES/EDIT.GIF'
TITLE='Edit' WIDTH='15'></IMG></A>";
            IF ($CUSTOMER_DELETE==1)
                PRINT "<A HREF='CATEGORYAdMANAGEMENT.PHP?ACTION=3&SITEAD_ID=$SITEAD_ID' ONCLICK='\"RETURN CONFIRM('Are
YOU SURE YOU WANT TO DELETE CATEGORY ADVERTISEMENT RECORD?')\"><IMG SRC='IMAGES/DELETE.PNG' TITLE='DELETE' WIDTH='15'></IMG></A>";
            PRINT "</CENTER></TD></TR>\"";
        }
        PRINT "</TABLE>";
        IF ($NUMBEROFPages>1){
            $NAV="";
            FOR($j = 1 ; $j <= $NUMBEROFPages ; $j++) {
                IF ($j == $PAGE)
                    $NAV .= "<B>$j</B>";
                ELSE
                    $NAV .= "&nbsp;<A HREF='\"CATEGORYAdMANAGEMENT.PHP?ORDER=$ORDER&PAGE=$j '\">$j";
            }
            PRINT "<CENTER><BR><BR> $NAV </CENTER><CENTER><BR>";
        }
        PRINT "<BR></DIV></DIV>";
    }
    ELSE{
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 320PX; ALIGN='CENTER'>
<CENTER><BR><FONT COLOR='RED' SIZE='2'><B>No CATEGORY ADVERTISEMENT FOUND.</B></FONT></CENTER>
<BR></FIELDSET></TD></TR></TABLE>";
    }
}
}

```



```

        FOR ($i = 0; $i < 7; ++$i) {
            $DAYTIMES[] = STRTOTIME('+ . $i . ' DAYS', $DAYTIME);
        }
        RETURN $DAYTIMES;
    }
    $THISWEEK = DATE('W');
    $THISYEAR = DATE('Y');
    $DAYTIMES = GETDAYSINWEEK($THISWEEK, $THISYEAR);
    $DATE1 = DATE('Y-M-D', $DAYTIMES[0]);
    $DATE2 = DATE('Y-M-D', $DAYTIMES[(sizeof($DAYTIMES)-1)]);
    $FROMDATE="*$FROMDATE*";
    $YEAR1=EXTRACTBETWEENDELIMITERS($FROMDATE,"*","*");
    $MONTH1=EXTRACTBETWEENDELIMITERS($FROMDATE,"*","");
    $DAY1=EXTRACTBETWEENDELIMITERS($FROMDATE,"","*");
    $DAY1 = "$DAY1*";
    $DAY1=EXTRACTBETWEENDELIMITERS($DAY1,"","*");
    $TODATE="*$TODATE*";
    $YEAR2=EXTRACTBETWEENDELIMITERS($TODATE,"*","*");
    $MONTH2=EXTRACTBETWEENDELIMITERS($TODATE,"*","");
    $DAY2=EXTRACTBETWEENDELIMITERS($TODATE,"","*");
    $DAY2 = "$DAY2*";
    $DAY2=EXTRACTBETWEENDELIMITERS($DAY2,"","*");
    $FROMDATE = EXTRACTBETWEENDELIMITERS($FROMDATE,"*","*");
    $TODATE = EXTRACTBETWEENDELIMITERS($TODATE,"*","*");
    $MYCALENDAR = NEW TC_CALENDAR("FROMDATE", TRUE);
    $MYCALENDAR->SETICON("CALENDAR/IMAGES/ICONCALENDAR.GIF");
    $MYCALENDAR->SETDATE($DAY1, $MONTH1, $YEAR1);
    $MYCALENDAR->SETPATH("CALENDAR/");
    $MYCALENDAR->SETYEARINTERVAL(1970, 2020);
    $MYCALENDAR->SETALIGNMENT('LEFT', 'BOTTOM');
    $MYCALENDAR->SETDATEPAIR('FROMDATE', 'TODATE', $DATE2);
    $MYCALENDAR->WRITESCRIPT();
    PRINT "&nbsp; &nbsp; &nbsp; </TD><TD ALIGN='CENTER'><B>TO DATE:</B> &nbsp; &nbsp; <BR>";
    $MYCALENDAR = NEW TC_CALENDAR("TODATE", TRUE);
    $MYCALENDAR->SETICON("CALENDAR/IMAGES/ICONCALENDAR.GIF");
    $MYCALENDAR->SETDATE($DAY2, $MONTH2, $YEAR2);
    $MYCALENDAR->SETPATH("CALENDAR/");
    $MYCALENDAR->SETYEARINTERVAL(1970, 2020);
    $MYCALENDAR->SETALIGNMENT('LEFT', 'BOTTOM');
    $MYCALENDAR->SETDATEPAIR('FROMDATE', 'TODATE', $DATE1);
    $MYCALENDAR->WRITESCRIPT();
    PRINT "</TD><TD><BR /> &nbsp; &nbsp; <INPUT TYPE='SUBMIT' NAME='VIEW' VALUE='VIEW' CLASS='INPUTBUTTON'></TD></TR>";
//<TR><TD COLSPAN='2' ALIGN='LEFT'><INPUT TYPE='RADIO' NAME='OPERATOR' VALUE='OR' CHECKED>OR &nbsp; &nbsp; <INPUT TYPE='RADIO' NAME='OPERATOR' VALUE='AND'>AND
&nbsp; &nbsp; &nbsp;
//<B>EMAIL ADDRESS:</B> &nbsp; &nbsp; <INPUT TYPE='TEXT' NAME='EMAIL' SIZE='30'></TD></TR>
    PRINT "</TABLE>";
    PRINT "</FORM></TD></FORM></TD></TR></TABLE>";

    PRINT "<BR><BR>";
    IF ($NUMBEROFRESULTS!=0){
        $TOTALSALES=0;
        PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='700' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>";
        PRINT "<TR><TH WIDTH='20%'>DATE AND TIME</TH>";
        PRINT "<TR><TH WIDTH='10%'>BATCH ID</TH>";
        PRINT "<TR><TH WIDTH='10%'>SERIAL NO.</TH>";
        PRINT "<TR><TH WIDTH='30%'>CUSTOMER EMAIL</TH>";
        PRINT "<TR><TH WIDTH='10%'>AMOUNT</TH>";
        PRINT "<TR><TH WIDTH='20%'>SELLER DATE</TH></TR>";
        WHILE ($ROW = MYSQL_FETCH_ARRAY($MYQUERY)){
            $i++;
            $CARDBATCH_ID = $ROW['CARDBATCH_ID'];
            $GETITEM = MYSQL_QUERY("SELECT * FROM CARD_BATCH WHERE CARD_BATCH_ID='$CARDBATCH_ID'");
            $ROW2 = MYSQL_FETCH_ARRAY($GETITEM);
            PRINT "<TR CLASS='D'>($i & 1). \">";
            PRINT "<TD><CENTER>\".$ROW['CARD_USEDDATE'].\"</CENTER></TD>";
            PRINT "<TD><CENTER>\".$ROW['CARDBATCH_ID'].\"</CENTER></TD>";
            PRINT "<TD><CENTER>\".$ROW['CARD_SERIALNUM'].\"</CENTER></TD>";
            PRINT "<TD><CENTER>\".$ROW['CUSTOMER_EMAIL'].\"</CENTER></TD>";
            PRINT "<TD><CENTER>\".$ROW2['CARDBATCH_AMOUNT'].\"</CENTER></TD>";
            PRINT "<TD><CENTER>\".$ROW2['CARDBATCH_DATE'].\"</CENTER></TD>";
            PRINT "</TR>\n";
            $TOTALSALES += $ROW2['CARDBATCH_AMOUNT'];
        }
        $i++;
        $TOTALSALES = NUMBER_FORMAT($TOTALSALES,2);
        PRINT "<TR CLASS='D'>($i & 1). \">";
        PRINT "<TD COLSPAN='4' ALIGN='LEFT'><CENTER>TOTAL SALES</CENTER></TD>";
        PRINT "<TD><CENTER><B>$TOTALSALES</B></CENTER></TD>";
        PRINT "<TD><CENTER></CENTER></TD>";
        PRINT "</TR>\n";
        PRINT "</TABLE>";
    }
    ELSE{
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
        <BR><CENTER><FIELDSET STYLE='WIDTH: 500PX; ALIGN='CENTER'><DIV CLASS='RESULTS'>
            <TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>
            <TR><TD><CENTER><FONT COLOR='RED'><B>NO CARD SALES EXISTS.</B></FONT><BR><BR>
            </TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
    }
}
PRINT "<P ALIGN='RIGHT'><A HREF='FUNDTTRANSFER.PHP'><IMG SRC='IMAGES/BACK.PNG' WIDTH='30' HEIGHT='30'></A></P>";
}
ELSE {
    PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
}

```

```

}
?>
<br></td></tr></table></td>
<?php include "RIGHTPANEL.PHP"; ?>

Admin/CARDLOCATIONMANAGEMENT.PHP

<?php include "LEFTPANEL.PHP"; ?>
<td valign="top"><table id="CONTENTS CENTER"><tr><td class="CENTERMAIN">
<?php
    if ($ADMIN_VALID==1){
        $ISUPER = $_GET['SUPER'];
        print "<br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>$_USERNAME!
</b></font></td>
            <td align='right'><font color='black'><b>Today is <font color='#1c43a6'><b>".date("L, F j, Y")."</b></font></b></font></td></tr></table>
            <center><table width='760'>
            <tr><td align='center'><br></td></tr>
            <tr><td width='730' valign='top'>
            <br><center><fieldset style='width: 500px;' align='center'>
            <legend><font color='#0707ab' size='3'><b>". "CARD LOCATION MANAGEMENT</b></font></legend><table width='450'><tr>
            <td align='center'><a href='CITYMANAGEMENT.PHP?SUPER=$ISUPER'><img src='IMAGES/CITY.PNG' alt='CITY MANAGEMENT' width='75'></img></a><br><b>CITY
MANAGEMENT</b></td>
            <td align='center'><a href='AREAMANAGEMENT.PHP?SUPER=$ISUPER'><img src='IMAGES/AREA.PNG' alt='AREA MANAGEMENT' width='75'></img></a><br><b>AREA
MANAGEMENT</b></td>
            <td align='center'><a href='LOCATIONMANAGEMENT.PHP?SUPER=$ISUPER'><img src='IMAGES/LOCATION.GIF' alt='LOCATION MANAGEMENT'
width='75'></img></a><br><b>LOCATION MANAGEMENT</b></td>
            </tr></table></fieldset></center></td></tr><tr><td><br></td></tr></table>";
    }
    else {
        print "<center><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></center>";
        print "<meta http-equiv='refresh' content='1; url=index.php'>";
    }
?>
<br></td></tr></table></td>
<?php include "RIGHTPANEL.PHP"; ?>

```

```

Admin/BATCHMANAGEMENT.PHP

<?php include "LEFTPANEL.PHP"; ?>
<script language=javascript type='text/javascript'>
function validateOnSubmit(){
    var elem;
    var errs=0;
    if (!validatePresent (document.forms.addBatch.amount, 'inf_amount', true)) errs += 1;
    if (!validatePresent (document.forms.addBatch.quantity, 'inf_quantity', true)) errs += 1;

    if (errs>1) alert('There are fields which need correction before sending');
    if (errs==1) alert('There is a field which needs correction before sending');
    return (errs==0);
}
</script>
<td valign="top"><table id="CONTENTS CENTER"><tr><td class="CENTERMAIN">
<?php
    $ACTION=$_GET['ACTION'];
    $LIMIT = 15;
    if ($ADMIN_VALID==1){
        print "<br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>$_USERNAME!
</b></font></td>
            <td align='right'><font color='black'><b>Today is <font color='#1c43a6'><b>".date("L, F j, Y")."</b></font></b></font></td></tr></table>";
        if ($ACTION==1){
            print "<center><table width='760'><tr><td width='730' valign='top'>
            <br><center><fieldset style='width: 500px;' align='center'>
            <legend><font color='#0707ab' size='3'><b>". "Add BeACard Batch</b></font></legend><div class='results'>
            <form name='addBatch' method='POST' action='BATCHMANAGEMENT.PHP'><br><table width='500'>
            <tr><td align='right'><b>No. of BeACards:</b> &nbsp;</td><td align='left'><input type='text' name='quantity'
            onChange='validatePresent(this, \\'inf_quantity\\', true);' /></td></tr>
            <tr><td align='left' id='inf_quantity' class='error' align='left'> &nbsp;</td></tr>
            <tr><td align='right'><b>Batch Amount:</b> &nbsp;</td><td align='left'><input type='text' name='amount'
            onChange='validatePresent(this, \\'inf_amount\\', true);' /></td></tr>
            <tr><td align='left' id='inf_amount' class='error' align='left'> &nbsp;</td></tr>
            <tr><td align='right'><b>Availability Status:</b> &nbsp;</td><td align='left'><input type='radio' name='status' value='1' checked>Active
            &nbsp;<input type='radio' name='status' value='0'>Inactive </td></tr>
            <tr><td align='center' colspan='2'><input type='submit' name='add' value='Add' class='inputButton'
            onClick='return validateOnSubmit()' /> &nbsp;<input type='submit' name='cancel' value='Cancel' class='inputButton' /></td></tr>
            </table></br></td></tr></table></form></fieldset></center></td></tr><tr><td><br></td></tr></table>";
        }
        else if ($ACTION==2){
            $BATCH_ID=$_GET['BATCH_ID'];
            print "<center><table width='760'><tr><td width='730' valign='top'>
            <br><center><fieldset style='width: 500px;' align='center'>
            <legend><font color='#0707ab' size='3'><b>". "Edit BeACard Batch</b></font></legend><div class='results'>
            <table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>
            print "<form name='addBatch' method='POST' action='BATCHMANAGEMENT.PHP'>";
            $QUERY=mysql_query("SELECT * FROM CARD_BATCH WHERE CARD_BATCH_ID=$BATCH_ID");
            $ROW=mysql_fetch_array($QUERY);
            $QUANTITY = $ROW['CARD_BATCH_QUANTITY'];
            $AMOUNT = $ROW['CARD_BATCH_AMOUNT'];
            $STATUS = $ROW['CARD_BATCH_ISAVAILABLE'];
            print "<tr><td align='right'><b>No. of BeACards:</b> &nbsp;</td><td align='left'><input type='text' name='quantity' value='$QUANTITY'
            onChange='validatePresent(this, \\'inf_num\\', true);' /></td></tr>
            <tr><td align='left' id='inf_num' class='error' align='left'> &nbsp;</td></tr>
            <tr><td align='right'><b>Batch Amount:</b> &nbsp;</td><td align='left'><input type='text' name='amount' value='$AMOUNT'
            onChange='validatePresent(this, \\'inf_amount\\', true);' /></td></tr>
            <tr><td align='left' id='inf_amount' class='error' align='left'> &nbsp;</td></tr>
            </table></br></td></tr></table>";
        }
    }
}

```



```

mysql_query($query);
$numofresults=mysql_num_rows(mysql_query($query));
$numofpages=ceil($numofresults/$limit); //GET THE NUMBER OF PAGES
$searchresult = mysql_query($query." LIMIT ". ($page-1)*$limit . " , $limit");
print "<center><table width='760'><tr><td width='730' valign='top'>
<br><center><fieldset style='width: 720px;' align='center'>
<legend><font color=#0707ab' size='3'><b>". "PENDING SCRATCH CARDS</b></font></legend><div class='results'>
<div class='results'><table width='700' align='center' style='table-layout: fixed;'><tr><td><br></td></tr>";
if ($numofresults!=0){
print "
<tr><th width='8%'><a href='BatchManagement.php?sortBy=cardBatch_id&order=$newOrder'>Batch ID</a></th>
<th width='17%'><a href='BatchManagement.php?sortBy=cardBatch_quantity&order=$newOrder'>No. of Cards</a></th>
<th width='15%'><a href='BatchManagement.php?sortBy=cardBatch_amount=$newOrder'>Batch Amount</a></th>
<th width='17%'><a href='BatchManagement.php?sortBy=cardBatch_dateTime&order=$newOrder'>Date and Time</a></th>
<th width='10%'><a href='BatchManagement.php?sortBy=cardBatch_isAvailable&order=$newOrder'>Status</a></th>
<th width='20%'>Total</th>";
print "<th width='8%'>Action</th>";
print "</tr>";
while ($row = mysql_fetch_row($searchresult)){
    $i++;
    $batch_id = $row[0];
    $getnumcards = mysql_query("SELECT * FROM CARD WHERE cardBatch_id='$batch_id'");
    $numofcards = mysql_num_rows($getnumcards);
    if ($row[4]==1)
        $status = "Active";
    else
        $status = "Inactive";
    print "<tr class='d'.($i & 1).\">";
    print "<td><center>$batch_id</center></td>";
    print "<td><center>". $row[2]. "</center></td>";
    print "<td><center>". $row[3]. "</center></td>";
    print "<td><center>". $row[1]. "</center></td>";
    print "<td><center>$status</center></td>";
    print "<td><center>$numofcards <a href='javascript:void(0);' name='upload' title='Upload Item Stocks'
    onclick=window.open('UploadCard.php?id=$batch_id','ratting','width=540,height=230,0,status=0,scrollbars=1,left=150,top=200');>[Upload]</a></center></td>";
    print "<td><center>";
    print "<a href='BatchManagement.php?action=2&batch_id=$batch_id'><img src='images/edit.gif' title='Edit'
    width='15'></img></a>";
    //print "&nbsp; <a href='BatchManagement.php?action=3&batch_id=$batch_id' onclick='return confirm('Are you sure you
    want to delete Beacard batch record?');'><img src='images/delete.png' title='Delete' width='15'></img></a>";
    print "</center></td></tr>\n";
}
print "</table>";
if ($numofpages>1){
    $nav="";
    for($j = 1 ; $j <= $numofpages ; $j++) {
        if($j == $page)
            $nav .= "<b>$j</b>";
        else
            $nav .= "&nbsp;<a href='BatchManagement.php?
page=$j&sortBy=$sortBy&order=$order&action=4'>$j </a>&nbsp;&nbsp;&nbsp;";
    }
    print "<center><br><br> $nav </center>";
}
print "<center><br><br></div></div>";
print "</fieldset></center></td></tr><tr><td><br><br></td></tr></table>";
}
else{
print "<center><table width='760'><tr><td width='730' valign='top'>
<br><center><fieldset style='width: 500px;' align='center'><div class='results'>
<table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>
<tr><td><center><font color='red'><b>No Beacard Batch Records Found.</b></font><br><br>
</table></fieldset></center></td></tr><tr><td><br><br></td></tr></table>";
}
print "<p align='right'><a href='BatchManagement.php'><img src='images/back.png' width='30' height='30'></a></p>";
}
else if (isset($_POST['add'])){
    $quantity = $_POST['quantity'];
    $amount = $_POST['amount'];
    $status = $_POST['status'];
    print "<center><table width='760'><tr><td width='730' valign='top'>
    <br><center><fieldset style='width: 500px;' align='center'>
    <legend><font color=#0707ab' size='3'><b>". "Add Beacard Batch</b></font></legend><div class='results'>
    <table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>";
    if (($quantity=="")||($amount=="")){
        print "<tr><td><center><font color='red'><b>REQUIRED FIELDS ERROR.</b></font><br><br>PLEASE FILL OUT ALL
        FIELDS.<br><br>
        <noscript><meta http-equiv='refresh' content='5'; url=BatchManagement.php?action=1'></noscript>
        <font color='blue'>You will be redirected back in <span id='seconds'>5</span>.</font> var seconds = 5; setInterval( function() { if
        (seconds <= 1) { window.location = 'BatchManagement.php?action=1'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
    }
    else{
        $query=mysql_query("INSERT INTO CARD_BATCH (CARD_BATCH_QUANTITY,CARD_BATCH_AMOUNT,CARD_BATCH_ISAVAILABLE,CARD_BATCH_DATETIME)
        VALUES('$quantity','$amount','$status','$datetime')");
        if (!$query){
            print "<tr><td><center><font color='red'><b>ERROR!</b></font><br><br>AN ERROR OCCURED WHILE INSERTING
            DATA.<br><br>
            <noscript><meta http-equiv='refresh' content='5'; url=BatchManagement.php?action=1'></noscript>
            <font color='blue'>You will be redirected back in <span id='seconds'>5</span>.</font> var seconds = 5;
            setInterval( function() { if (seconds <= 1) { window.location = 'BatchManagement.php?action=1'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
        }
    }
}
else{

```

```

        PRINT "<TR><TD><CENTER><B>1 RECORD ADDED.</B><BR><BR>
        <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=BATCHMANAGEMENT.PHP?ACTION=4'></NOSCRIPT>
        <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'BATCHMANAGEMENT.PHP?ACTION=4;'} ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
    }
}
PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF (ISSET($_POST['UPDATE'])) {
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".UPDATE BEACARD BATCH</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    $QUANTITY=$_POST['QUANTITY'];
    $AMOUNT=$_POST['AMOUNT'];
    $STATUS=$_POST['STATUS'];
    $BATCH_ID=$_POST['BATCH_ID'];
    $QUERY=MYSQL_QUERY("UPDATE CARD_BATCH SET CARDBATCH_QUANTITY='$QUANTITY',CARDBATCH_AMOUNT='$AMOUNT',CARDBATCH_ISAVAILABLE='$STATUS' WHERE
CARDBATCH_ID='$BATCH_ID'");
    IF(!$QUERY){
        PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE UPDATING YOUR
DATA.<BR><BR>
        <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=BATCHMANAGEMENT.PHP'></NOSCRIPT>
        <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'BATCHMANAGEMENT.PHP';} ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
    }
    ELSE {
        PRINT "<TR><TD><CENTER><B>1 RECORD SUCCESSFULLY UPDATED.</B><BR><BR><BR>
        <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=BATCHMANAGEMENT.PHP'></NOSCRIPT>
        <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'BATCHMANAGEMENT.PHP';} ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
    }
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE {
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR>
<CENTER><FIELDSET STYLE='WIDTH: 300PX;'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".BEACARD BATCH
MANAGEMENT</B></FONT></LEGEND><CENTER><TABLE WIDTH='300'><TR>";
    PRINT "<TD ALIGN='CENTER'><A HREF='BATCHMANAGEMENT.PHP?ACTION=1'><IMG SRC='IMAGES/ADD.PNG' ALT='' WIDTH='50'></IMG></A><BR><B>ADD
BEACARD BATCH</B></TD>
<TD ALIGN='CENTER'><A HREF='BATCHMANAGEMENT.PHP?ACTION=3'><IMG SRC='IMAGES/VIEW.PNG' ALT='' WIDTH='50'></IMG></A><BR><B>VIEW UPLOADED
CARD BATCH</B></TD>
<TD ALIGN='CENTER'><A HREF='BATCHMANAGEMENT.PHP?ACTION=4'><IMG SRC='IMAGES/PENDING.PNG' ALT='' WIDTH='50'></IMG></A><BR><B>VIEW EMPTY
CARD BATCH</B></TD>
</TR></TABLE></FIELDSET></CENTER></TD></TR></TABLE><BR><BR>";
}
}
ELSE {
    PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
}
?>
<BR></TD></TR></TABLE>
</TD>
<?PHP INCLUDE "RIGHTPANEL.PHP"; ?>

```

ADMIN/BANKTRANSFER.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP"; ?>
<TD VALIGN="TOP"><TABLE ID="CONTENTS CENTER"><TR><TD CLASS="CENTER MAIN">
<?PHP
    IF ($ADMIN_VALID==1){
        PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT COLOR='#1c43a6'><B>$USERNAME!
</B></FONT></TD>
        <TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>TODAY IS <FONT COLOR='#1c43a6'><B>.DATE("L, F J, Y").</B></FONT></B></FONT></TD></TR></TABLE>
        <CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR>
        <TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
        <LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".BANK TRANSFER REPORTS</B></FONT></LEGEND>
        <DIV CLASS='REPORTS'><TABLE WIDTH='450'>
        <TR><TD ALIGN='LEFT'><BR>&RAQUO; <A HREF='APPROVEDTRANSFERS.PHP'>APPROVED BANK TRANSFERS</A></TD></TR>
        <TR><TD ALIGN='LEFT'><BR>&RAQUO; <A HREF='REJECTEDTRANSFERS.PHP'>REJECTED BANK TRANSFERS</A></TD></TR>
        <TR><TD ALIGN='LEFT'><BR>&RAQUO; <A HREF='PENDINGTRANSFERS.PHP'>CUSTOMER PENDING TRANSFERS</A></TD></TR>
        <TR><TD><BR></TD></TR></TABLE></DIV></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
    }
    ELSE {
        PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
        PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
    }
?>
<BR></TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHTPANEL.PHP"; ?>

```

ADMIN/BANKMANAGEMENT.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP"; ?>
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
FUNCTION VALIDATEONSUBMIT(){
    VAR ELEM;
    VAR ERRS=0;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDBANK.BANK_ADDRESS, 'INF_ADDRESS', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDBANK.BANK_TITLE, 'INF_TITLE', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDBANK.BANK_NUM, 'INF_NUMBER', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDBANK.BANK_NAME, 'INF_NAME', TRUE)) ERRS += 1;
}

```



```

ELSE IF ($ACTION==3){
    $BANK_ID=$_GET['BANK_ID'];
    $QUERY=MYSQ_QUERY("DELETE FROM BANK WHERE BANK_ID='$BANK_ID'");
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX; ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "DELETE BANK</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    IF(!$QUERY){
        PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE DELETING YOUR
DATA.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5; URL=BANKMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>. <SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION() { IF
(SECONDS <= 1) { WINDOW.LOCATION = 'BANKMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
    }
    ELSE {
        PRINT "<TR><TD><CENTER><B>1 RECORD SUCCESSFULLY DELETED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5; URL=BANKMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>. <SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION() { IF
(SECONDS <= 1) { WINDOW.LOCATION = 'BANKMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
    }
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR></TD></TR></TABLE>";
}
ELSE IF (ISSET($_POST['ADD'])){
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX; ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "ADD BANK</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    $NAME = $_POST['BANK_NAME'];
    $NUM = $_POST['BANK_NUM'];
    $TITLE = $_POST['BANK_TITLE'];
    $ADDRESS = $_POST['BANK_ADDRESS'];
    $SEARCH=MYSQ_QUERY("SELECT * FROM BANK WHERE BANK_NAME='$NAME' AND BANK_ACCOUNTNUM='$NUM' AND BANK_ACCOUNTTITLE='$TITLE' AND
BANK_ADDRESS='$ADDRESS'");
    $NUMSEARCHED=MYSQ_NUM_ROWS($SEARCH);
    IF ($NUMSEARCHED==0) {
        $QUERY=MYSQ_QUERY("INSERT INTO BANK (BANK_NAME,BANK_ACCOUNTNUM,BANK_ACCOUNTTITLE,BANK_ADDRESS)
VALUES('$NAME','$NUM','$TITLE','$ADDRESS') OR DIE (MYSQ_ERROR());");
        IF (!$QUERY){
            PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE INSERTING
DATA.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5; URL=BANKMANAGEMENT.PHP?ACTION=1'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>. <SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'BANKMANAGEMENT.PHP?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
        }
        ELSE {
            PRINT "<TR><TD><CENTER><B>1 RECORD ADDED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5; URL=BANKMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>. <SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'BANKMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
        }
    }
    ELSE {
        PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>DUPLICATE ENTRY.</B> </FONT><BR><BR>BANK DETAILS ALREADY IN THE
DATABASE.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='8; URL=BANKMANAGEMENT.PHP?ACTION=1'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>8</SPAN>. <SCRIPT> VAR SECONDS = 8; SETINTERVAL( FUNCTION() { IF
(SECONDS <= 1) { WINDOW.LOCATION = 'BANKMANAGEMENT.PHP?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
    }
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR></TD></TR></TABLE>";
}
ELSE {
    PRINT "<CENTER>";
    PRINT "<TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR>
<CENTER><FIELDSET STYLE='WIDTH: 200PX;'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "BANK
MANAGEMENT</B></FONT></LEGEND><CENTER><TABLE><TR>
<TD ALIGN='CENTER'><A HREF='BANKMANAGEMENT.PHP?ACTION=1'><IMG SRC='IMAGES/ADD.PNG' ALT='ADD BANK' WIDTH='50'></IMG></A><BR><B>ADD
BANK</B></TD>
</TR></TABLE></FIELDSET></CENTER></TD></TR></TABLE>";
    PRINT "<BR><BR>";
    $PAGE=$_GET["PAGE"];
    IF ($PAGE == "") $PAGE=1;
    $QUERY="SELECT * FROM BANK";
    MYSQL_QUERY($QUERY);
    $NUMBEROFRESULTS=MYSQ_NUM_ROWS(MYSQ_QUERY($QUERY));
    $NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT);
    $$SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
    IF ($NUMBEROFRESULTS!=0){
        PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='750' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>
<TR><TH WIDTH='25%'>BANK NAME</TH><TH>BANK ACCOUNT NUMBER</TH><TH WIDTH='25%'>BANK ACCOUNT TITLE</TH><TH
WIDTH='8%'>STATUS</TH>";
        PRINT "<TH WIDTH='8%'>ACTION</TH>";
        PRINT "</TR>";
        WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
            $I++;
            $BANK_ID = $ROW['BANK_ID'];
            IF ($ROW['BANK_ISACTIVE']==1)
                $STATUS = "Active";
            ELSE
                $STATUS = "Inactive";
            PRINT "<TR CLASS='D'.{$I & 1}.\"";
            PRINT "<TD><CENTER>\".$ROW[1].\"</CENTER></TD>";
        }
    }
}

```



```

PRINT "<TD><CENTER>".$row[2]."</CENTER></TD>";
PRINT "<TD><CENTER>".$row[3]."</CENTER></TD>";
PRINT "<TD><CENTER>".$STATUS."</CENTER></TD>";
PRINT "<TD><CENTER>";
PRINT "<A HREF='BankManagement.php?action=2&bank_id=$bank_id'><IMG SRC='images/edit.gif' TITLE='Edit'
WIDTH='15'></IMG></A>";

TO DELETE BANK?);\ "><IMG SRC='images/delete.png' TITLE='DELETE' WIDTH='15'></IMG></A>";
PRINT "</CENTER></TD></TR>\W";
}
PRINT "</TABLE>";
IF ($NUMBEROfPAGES>1){
    $NAV="";
    FOR($j = 1 ; $j <= $NUMBEROfPAGES ; $j++) {
        IF($j == $PAGE)
            $NAV .= "<b>$j</b>";
        ELSE
            $NAV .= "&nbsp;<A HREF='\"BankManagement.php?page=$j \">$j </A>&nbsp; ";
    }
    PRINT "<CENTER><BR><BR> $NAV </CENTER>";
}
PRINT "<CENTER><BR><BR></DIV></DIV>";
}
ELSE {
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>
<TR><TD><CENTER><FONT COLOR='RED'><b>No BANKS FOUND.</b> </FONT><BR><BR>
</TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR></TD></TR></TABLE>";
}
}
ELSE {
    PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><b>ACCESS DENIED!</b></FONT></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
}
?>
<BR></TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHTPanel.php"; ?>

```

ADMIN/BANKCREDITMANAGEMENT.PHP

```

<?PHP INCLUDE "LEFTPanel.php";
INCLUDE("INCLUDESETTINGS.PHP");
$msgID = RAND(1,99999);
$timeSend = 0;
$dateSend = 0;
$deleteKey = 0;
$resultType = 0;
?>
<TD VALIGN="TOP"><TABLE ID="CONTENTSCenter"><TR><TD CLASS="CENTERMain">
<?PHP
    $action=$_GET['action'];
    $limit = 5;
    IF ($ADMIN_VALID==1){
        PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><b>WELCOME </b></FONT><FONT COLOR='#1c43a6'><b>$USERNAME!
</b></FONT></TD>
        <TD ALIGN='RIGHT'><FONT COLOR='BLACK'><b>Today is <FONT COLOR='#1c43a6'><b>".date("L, F j, Y")."</b></FONT></b></FONT></TD></TR></TABLE>";
        IF ($ACTION==1){
            $TRANSFER_ID=$_GET['TRANSFER_ID'];
            $UPDATEQUERY=mysql_query("UPDATE BANK_TRANSFER SET ADMIN_ID='$ADMIN_ID' WHERE BANKTRANSFER_ID='$TRANSFER_ID'");
            PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
            <CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'>
            <LEGEND><FONT COLOR='#0707ab' SIZE='3'><b>\"BANK TRANSFER MANAGEMENT</b></FONT></LEGEND><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT:
FIXED;'><TR><TD><BR></TD></TR>
            <FORM METHOD='POST' ACTION='BankCreditManagement.php' >";
            IF (!$UPDATEQUERY)
                PRINT "<TR><TD><CENTER><FONT COLOR='RED'><b>Error!</b> </FONT><BR><BR>An error occurred while assigning
ADMIN.<BR><BR>
                <noscript><meta http-equiv='refresh' content='5'; url=BankCreditManagement.php'></noscript>
                <font color='blue'>You will be redirected back in <span id='seconds'>5</span>.<script> var seconds = 5; setInterval( function(){ if
(seconds <= 1) { window.location = 'BankCreditManagement.php'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
                </script></font></center></td></tr>";
            $QUERY=mysql_query("SELECT * FROM ADMIN_USER,BANK_TRANSFER,CUSTOMER,BANK WHERE BANK_TRANSFER.ADMIN_ID=ADMIN_USER.ADMIN_ID AND
BANK_TRANSFER.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND BANK_TRANSFER.BANK_ID=BANK.BANK_ID AND BANKTRANSFER_ID='$TRANSFER_ID'");
            $ROW=mysql_fetch_array($QUERY);
            $CUSTOMER_EMAIL=$ROW['CUSTOMER_EMAIL'];
            $CUSTOMER_FIRSTNAME = $ROW['CUSTOMER_FIRSTNAME'];
            $CUSTOMER_LASTNAME = $ROW['CUSTOMER_LASTNAME'];
            $CUSTOMER=$CUSTOMER_FIRSTNAME." ".$CUSTOMER_LASTNAME."<br>(".$CUSTOMER_EMAIL.");";
            $BANK_NAME=$ROW['BANK_NAME'];
            $BANK_NUM=$ROW['BANK_ACCOUNTNUM'];
            $BANK=$BANK_NAME."<br>".$BANK_NUM;
            $DATE_TIME=$ROW['BANKTRANSFER_DATE'];
            $AMOUNT=$ROW['BANKTRANSFER_AMOUNT'];
            $CUSTOMER_BANKNAME=$ROW['CUSTOMER_BANKNAME'];
            $CUSTOMER_NUM=$ROW['CUSTOMER_ACCOUNTNUM'];
            $CUSTOMER_BANK=$CUSTOMER_BANKNAME."N".$CUSTOMER_NUM;
            $DEPOSITOR_NAME=$ROW['CUSTOMER_DEPOSITORNAME'];
            $CUSTOMER_NOTE=$ROW['BANKTRANSFER_CUSTOMERNOTE'];
            $TRANSFER_STATUS=$ROW['BANKTRANSFER_STATUS'];
            $ADMIN_USERNAME=$ROW['ADMIN_USERNAME'];
            $CUSTOMER_ID=$ROW['CUSTOMER_ID'];

```



```

$TRANSFER_ID=$_POST['TRANSFER_ID'];
$GETDATA=MYSQ_QUERY("SELECT * FROM BANK_TRANSFER,CUSTOMER WHERE CUSTOMER.CUSTOMER_ID=BANK_TRANSFER.CUSTOMER_ID AND
BANK_TRANSFER_ID='$TRANSFER_ID'");
$ROW=MYSQ_FETCH_ARRAY($GETDATA);
$CUSTOMER_ID=$ROW['CUSTOMER_ID'];
$AMOUNT=$ROW['BANK_TRANSFER_AMOUNT'];
$BALANCE=$ROW['CUSTOMER_BALANCE'];
$NEW_BALANCE=$AMOUNT+$BALANCE;
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".BANK TRANSFER MANAGEMENT</B></FONT></LEGEND><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT:
FIXED;'><TR><TD><BR></TD></TR>";
$QUERY=MYSQ_QUERY("UPDATE CUSTOMER SET CUSTOMER_BALANCE='$NEW_BALANCE' WHERE CUSTOMER_ID='$CUSTOMER_ID'");
IF ($QUERY)
$QUERY1=MYSQ_QUERY("UPDATE BANK_TRANSFER SET
BANK_TRANSFER_STATUS='1',BANK_TRANSFER_ADMINNOTE='$ADMIN_NOTE',BANK_TRANSFER_ACCEPTDATE='$DATE_TIME' WHERE BANK_TRANSFER_ID='$TRANSFER_ID'");
IF (!$QUERY1){
PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>Error!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE REJECTING THE BANK
TRANSFER.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=BANKCREDITMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION() { IF
(SECONDS <= 1) { WINDOW.LOCATION = 'BANKCREDITMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
}
ELSE {
PRINT "<TR><TD><CENTER><B>BANK TRANSFER APPROVED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=BANKCREDITMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION() { IF
(SECONDS <= 1) { WINDOW.LOCATION = 'BANKCREDITMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
}
PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF (ISSET($_POST['REJECT_EMAIL'])){
$ADMIN_NOTE=$_POST['ADMIN_NOTE'];
$TRANSFER_ID=$_POST['TRANSFER_ID'];
$GETDATA=MYSQ_QUERY("SELECT * FROM BANK_TRANSFER,CUSTOMER WHERE CUSTOMER.CUSTOMER_ID=BANK_TRANSFER.CUSTOMER_ID AND
BANK_TRANSFER_ID='$TRANSFER_ID'");
$ROWDATA=MYSQ_FETCH_ARRAY($GETDATA);
$CUSTOMER_EMAIL=$ROWDATA['CUSTOMER_EMAIL'];
$SUBJECT="BEA.COM FUND MESSAGE";
$MESSAGE="THIS IS TO INFORM YOU THAT YOUR BANK TRANSFER HAS BEEN REJECTED. $ADMIN_NOTE";
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".BANK TRANSFER MANAGEMENT</B></FONT></LEGEND><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT:
FIXED;'><TR><TD><BR></TD></TR>";
$QUERY=MYSQ_QUERY("UPDATE BANK_TRANSFER SET
BANK_TRANSFER_STATUS='2',BANK_TRANSFER_ADMINNOTE='$ADMIN_NOTE',BANK_TRANSFER_ACCEPTDATE='$DATE_TIME' WHERE BANK_TRANSFER_ID='$TRANSFER_ID'");
IF (!$QUERY){
PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>Error!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE REJECTING THE BANK
TRANSFER.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=BANKCREDITMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION() { IF
(SECONDS <= 1) { WINDOW.LOCATION = 'BANKCREDITMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
}
ELSE {
IF (MAIL($CUSTOMER_EMAIL, $SUBJECT, $MESSAGE, "FROM: . $SMTP_FROM)){
PRINT "<TR><TD><CENTER><B>BANK TRANSFER REJECTED</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=BANKCREDITMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'BANKCREDITMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
}
}
PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
}
ELSE IF (ISSET($_POST['REJECT'])){
$ADMIN_NOTE=$_POST['ADMIN_NOTE'];
$TRANSFER_ID=$_POST['TRANSFER_ID'];
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".BANK TRANSFER MANAGEMENT</B></FONT></LEGEND><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT:
FIXED;'><TR><TD><BR></TD></TR>";
$QUERY=MYSQ_QUERY("UPDATE BANK_TRANSFER SET
BANK_TRANSFER_STATUS='2',BANK_TRANSFER_ADMINNOTE='$ADMIN_NOTE',BANK_TRANSFER_ACCEPTDATE='$DATE_TIME' WHERE BANK_TRANSFER_ID='$TRANSFER_ID'");
IF (!$QUERY){
PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>Error!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE REJECTING THE BANK
TRANSFER.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=BANKCREDITMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION() { IF
(SECONDS <= 1) { WINDOW.LOCATION = 'BANKCREDITMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
}
ELSE {
PRINT "<TR><TD><CENTER><B>BANK TRANSFER REJECTED</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=BANKCREDITMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION() { IF
(SECONDS <= 1) { WINDOW.LOCATION = 'BANKCREDITMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
}
}
PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
}
ELSE {

```

```

PRINT "<CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER>
<FIELDSET STYLE='WIDTH: 730px; ALIGN='CENTER'><LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>". "New Bank Transfers</B></FONT></LEGEND>";
$PAGE=$_GET["page"];
IF ($PAGE == "") $PAGE=1;
$PAGE2=$_GET["page2"];
IF ($PAGE2 == "") $PAGE2=1;
$query1="SELECT BANKTRANSFER_ID FROM BANK_TRANSFER WHERE ADMIN_ID='0' ORDER BY BANKTRANSFER_DATE";
$NUMBEROFRESULTS=mysql_num_rows(mysql_query($query1));
$NUMBEROFPages=ceil($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
$searchResult = mysql_query($query1." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
IF ($NUMBEROFRESULTS!=0){
PRINT "<DIV CLASS='INSIDE'><BR><BR><TABLE WIDTH='725' ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'>";
PRINT "
width='8%'>Amount</th><th>Customer's Bank</th><th width='7%'>Action</th><th width='26%'>Bank</th><th width='11%'>Date Time</th><th
BANK_TRANSFER.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND BANK_TRANSFER.BANK_ID=BANK.BANK_ID AND BANKTRANSFER_ID='$BANKTRANSFER_ID'";
$row3 = mysql_fetch_array($query3);
$CUSTOMER_EMAIL=$row3['CUSTOMER_EMAIL'];
$CUSTOMER_FIRSTNAME = $row3['CUSTOMER_FIRSTNAME'];
$CUSTOMER_LASTNAME = $row3['CUSTOMER_LASTNAME'];
$CUSTOMER=$CUSTOMER_FIRSTNAME." ".$CUSTOMER_LASTNAME."\\n(".$CUSTOMER_EMAIL.")";
$BANK_NAME=$row3['BANK_NAME'];
$BANK_NUM=$row3['BANK_ACCOUNTNUM'];
$BANK=$BANK_NAME."\\n".$BANK_NUM;
$DATE TIME=$row3['BANKTRANSFER_DATE'];
$AMOUNT=$row3['BANKTRANSFER_AMOUNT'];
$CUSTOMER_BANKNAME=$row3['CUSTOMER_BANKNAME'];
$CUSTOMER_NUM=$row3['CUSTOMER_ACCOUNTNUM'];
$CUSTOMER_BANK=$CUSTOMER_BANKNAME."\\n".$CUSTOMER_NUM;
PRINT "<TR CLASS='D'.($i & 1).'\n'>";
PRINT "<TD><CENTER>$CUSTOMER</CENTER></TD>";
PRINT "<TD><CENTER>$BANK</CENTER></TD>";
PRINT "<TD><CENTER>$DATE TIME</CENTER></TD>";
PRINT "<TD><CENTER>$AMOUNT</CENTER></TD>";
PRINT "<TD><CENTER>$CUSTOMER_BANK</CENTER></TD>";
PRINT "<TD><CENTER>";
PRINT "<A HREF='BANKCREDITMANAGEMENT.PHP?ACTION=1&TRANSFER_ID=$BANKTRANSFER_ID'><IMG SRC='IMAGES/OPEN.PNG'
TITLE='Open' width='15'></IMG></A>";
PRINT "&nbsp;<A HREF='BANKCREDITMANAGEMENT.PHP?ACTION=2&TRANSFER_ID=$BANKTRANSFER_ID' ONCLICK='RETURN CONFIRM('Are
YOU SURE YOU WANT TO DELETE BANK TRANSFER RECORD?');'><IMG SRC='IMAGES/DELETE.PNG' TITLE='DELETE' width='15'></IMG></A>";
PRINT "</CENTER></TD></TR>\\n";
}
PRINT "</TABLE>";
IF ($NUMBEROFPages>1){
$Nav="";
FOR($j = 1 ; $j <= $NUMBEROFPages ; $j++) {
IF ($j == $PAGE)
$Nav .= "<b>$j</b>";
ELSE
$Nav .= "&nbsp;<A HREF='BANKCREDITMANAGEMENT.PHP?page=$j'>$j </A>&nbsp; ";
}
PRINT "<CENTER><BR><BR> $Nav </CENTER><CENTER><BR><BR></DIV></DIV>";
}
ELSE
PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='2'><b>NO NEW BANK TRANSFERS FOUND.</b></FONT></CENTER>";
PRINT "<BR><BR></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER>
<FIELDSET STYLE='WIDTH: 730px; ALIGN='CENTER'><LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>". "Bank Transfers Assigned To
$username</B></FONT></LEGEND>";
$query2="SELECT BANKTRANSFER_ID FROM BANK_TRANSFER WHERE ADMIN_ID='$ADMIN_ID' AND BANKTRANSFER_STATUS='0' ORDER BY
BANKTRANSFER_DATE";
$NUMBEROFRESULTS2=mysql_num_rows(mysql_query($query2));
$NUMBEROFPages2=ceil($NUMBEROFRESULTS2/$LIMIT);
$searchResult2 = mysql_query($query2." LIMIT ". ($PAGE2-1)*$LIMIT . ", $LIMIT");
IF ($NUMBEROFRESULTS2!=0){
PRINT "<DIV CLASS='INSIDE'><BR><BR><TABLE WIDTH='720' ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'>";
PRINT "
width='8%'>Amount</th><th>Customer's Bank</th><th width='7%'>Action</th><th width='26%'>Bank</th><th width='11%'>Date Time</th><th
BANK_TRANSFER.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND BANK_TRANSFER.BANK_ID=BANK.BANK_ID AND BANKTRANSFER_ID='$BANKTRANSFER_ID'";
$row4 = mysql_fetch_array($query4);
$CUSTOMER_EMAIL=$row4['CUSTOMER_EMAIL'];
$CUSTOMER_FIRSTNAME = $row4['CUSTOMER_FIRSTNAME'];
$CUSTOMER_LASTNAME = $row4['CUSTOMER_LASTNAME'];
$CUSTOMER=$CUSTOMER_FIRSTNAME." ".$CUSTOMER_LASTNAME."\\n(".$CUSTOMER_EMAIL.")";
$BANK_NAME=$row4['BANK_NAME'];
$BANK_NUM=$row4['BANK_ACCOUNTNUM'];
$BANK=$BANK_NAME."\\n".$BANK_NUM;
$DATE TIME=$row4['BANKTRANSFER_DATE'];
$AMOUNT=$row4['BANKTRANSFER_AMOUNT'];
$CUSTOMER_BANKNAME=$row4['CUSTOMER_BANKNAME'];
$CUSTOMER_NUM=$row4['CUSTOMER_ACCOUNTNUM'];
$CUSTOMER_BANK=$CUSTOMER_BANKNAME."\\n".$CUSTOMER_NUM;
PRINT "<TR CLASS='D'.($i & 1).'\n'>";
PRINT "<TD><CENTER>$CUSTOMER</CENTER></TD>";
PRINT "<TD><CENTER>$BANK</CENTER></TD>";
PRINT "<TD><CENTER>$DATE TIME</CENTER></TD>";

```

```

        PRINT "<TD><CENTER>$AMOUNT</CENTER></TD>";
        PRINT "<TD><CENTER>$CUSTOMER_BANK</CENTER></TD>";
        PRINT "<TD><CENTER>";
        PRINT "<A HREF='BANKCREDITMANAGEMENT.PHP?ACTION=1&TRANSFER_ID=$BANKTRANSFER_ID'><IMG SRC='IMAGES/OPEN.PNG'
TITLE='OPEN' WIDTH='15'></IMG></A>";
        PRINT "&nbsp;  <A HREF='BANKCREDITMANAGEMENT.PHP?ACTION=2&TRANSFER_ID=$BANKTRANSFER_ID' ONCLICK='\"RETURN CONFIRM('ARE
YOU SURE YOU WANT TO PROCEED?')\"><IMG SRC='IMAGES/DELETE.PNG' TITLE='DELETE' WIDTH='15'></IMG></A>";
        PRINT "</CENTER></TD></TR>\n";
    }
    PRINT "</TABLE>";
    IF ($NUMBEROFPages2>1){
        $Nav2="";
        FOR($j = 1 ; $j <= $NUMBEROFPages2 ; $j++) {
            IF($j == $PAGE2)
                $Nav2 .= "<b>$j</b>";
            ELSE
                $Nav2 .= "&nbsp;<A HREF='\"TASKMANAGEMENT.PHP?page2=$j\">$j </A>&nbsp;  ";
        }
        PRINT "<CENTER><BR><BR> $Nav2 </CENTER><CENTER><BR><BR></DIV></DIV>";
    }
}
ELSE
    PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='2'><b>NO PENDING BANK TRANSFERS ASSIGNED TO <FONT
COLOR='BLUE'>$USERNAME</FONT>. </b></FONT></CENTER>";
    PRINT "<BR><BR></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE {
    PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><b>ACCESS DENIED!</b></FONT></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
}
?>
</TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHTPANEL.PHP";    ?>

Admin/AssignRights.php
<?PHP INCLUDE "LEFTPANEL.PHP";
FUNCTION CHECKEMAIL($EMAIL) {
    IF (!EREGL("^[_a-z0-9-]+(\.[_a-z0-9-]+)*@[a-z0-9-]+(\.[a-z0-9-]+)*(\.[a-z]{2,3})$", $EMAIL))
        RETURN 0;
    ELSE RETURN 1;
}
?>
<SCRIPT LANGUAGE=JAVASCRIPT TYPE='TEXT/JAVASCRIPT'>
FUNCTION HIDE() {
    IF (DOCUMENT.GETELEMENTById) { // DOM3 = IE5, NS6
        DOCUMENT.GETELEMENTById('OPTIONS').STYLE.DISPLAY = 'NONE';
    }
    ELSE {
        IF (DOCUMENT.LAYERS) { // NETSCAPE 4
            DOCUMENT.HIDE$HOW.VISIBILITY = 'HIDDEN';
        }
        ELSE { // IE 4
            DOCUMENT.ALL.HIDE$HOW.STYLE.VISIBILITY = 'HIDDEN';
        }
    }
}

FUNCTION SHOW() {
    IF (DOCUMENT.GETELEMENTById) { // DOM3 = IE5, NS6
        DOCUMENT.GETELEMENTById('OPTIONS').STYLE.DISPLAY = 'BLOCK';
    }
    ELSE {
        IF (DOCUMENT.LAYERS) { // NETSCAPE 4
            DOCUMENT.HIDE$HOW.VISIBILITY = 'VISIBLE';
        }
        ELSE { // IE 4
            DOCUMENT.ALL.HIDE$HOW.STYLE.VISIBILITY = 'VISIBLE';
        }
    }
}
</SCRIPT>
<TD VALIGN="TOP"><TABLE ID="CONTENTS$CENTER"><TR><TD CLASS="CENTERMain">
<?PHP
    $ACTION=$_GET['ACTION'];
    $LIMIT = 3;
    $i=0;
    IF ($ADMIN_VALID==1){
        PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><b>WELCOME </b></FONT><FONT COLOR='#1c43a6'><b>$USERNAME!
</b></FONT></TD>
        <TD ALIGN='RIGHT'><FONT COLOR='BLACK'><b>Today IS <FONT COLOR='#1c43a6'><b>".DATE("L, F j, Y")."</b></FONT></b></FONT></TD></TR></TABLE>";
        IF (($ACTION==2)||(!isset($_POST['UPDATE']))) {
            PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
            <BR><CENTER><FIELDSET STYLE='width: 500px;' ALIGN='CENTER'>
            <LEGEND><FONT COLOR='#0707ab' SIZE='3'><b>".ASSIGN ADMIN USER</b></FONT></LEGEND></DIV CLASS='RESULTS'>
            <TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
            IF (isset($_POST['UPDATE'])) {
                $ERROR1=0;
                $ADMINUSER_ID=$_POST['ADMINUSER_ID'];
                $ADMIN_TYPE=$_POST['ADMIN_TYPE'];
                $ADMIN_STATUS=$_POST['ADMIN_STATUS'];
                $UPDATEDATA = MYSQL_QUERY("UPDATE ADMIN_USER SET ADMIN_TYPE='$ADMIN_TYPE',ADMIN_ISACTIVE='$ADMIN_STATUS' WHERE
ADMIN_ID='$ADMINUSER_ID'");

```



```

$OPTION_ID=$ROW['OPTION_ID'];
$OPTION_NAME=$ROW['OPTION_NAME'];
$SUBQUERY=MYSQL_QUERY("SELECT * FROM ADMIN_RIGHTS WHERE ADMIN_ID='$ADMINUSER_ID' AND OPTION_ID='$OPTION_ID'");
$ROWSUB=MYSQL_FETCH_ARRAY($SUBQUERY);
$CANADD=$ROWSUB['CAN_ADD'];
$CANMODIFY=$ROWSUB['CAN_MODIFY'];
$CANDELETE=$ROWSUB['CAN_DELETE'];
PRINT "<TR CLASS='\&#34;d'.($i & 1).'\&#34;>";
PRINT "<TD ALIGN='LEFT'>$OPTION_NAME</TD>";
IF ($CANADD==1)
    PRINT "<TD ALIGN='CENTER'><INPUT TYPE='CHECKBOX' NAME='CAN_ADD'$i CHECKED></TD>";
ELSE
    PRINT "<TD ALIGN='CENTER'><INPUT TYPE='CHECKBOX' NAME='CAN_ADD'$i></TD>";
IF ($CANMODIFY==1)
    PRINT "<TD ALIGN='CENTER'><INPUT TYPE='CHECKBOX' NAME='CAN_MODIFY'$i CHECKED></TD>";
ELSE
    PRINT "<TD ALIGN='CENTER'><INPUT TYPE='CHECKBOX' NAME='CAN_MODIFY'$i></TD>";
IF ($CANDELETE==1)
    PRINT "<TD ALIGN='CENTER'><INPUT TYPE='CHECKBOX' NAME='CAN_DELETE'$i CHECKED></TD>";
ELSE
    PRINT "<TD ALIGN='CENTER'><INPUT TYPE='CHECKBOX' NAME='CAN_DELETE'$i></TD>";
PRINT "<INPUT TYPE='HIDDEN' NAME='OPTION_ID'$i VALUE='$OPTION_ID'>";
PRINT "</TR>\n";
}
PRINT "<TR><TD COLSPAN='4'>&#34;&#34;</TD></TR></TABLE><BR><BR></DIV>";
PRINT "<CENTER><INPUT TYPE='SUBMIT' NAME='UPDATE' VALUE='SUBMIT' CLASS='INPUTBUTTON' /> &#34;&#34;<INPUT TYPE='SUBMIT' NAME='CANCEL' VALUE='CANCEL'
CLASS='INPUTBUTTON' />";
}
}
ELSE{
PRINT "<CENTER>";
PRINT "<BR><BR>";
$PAGE=$_GET['PAGE'];
IF ($PAGE == "") $PAGE=1;
$EMAIL=$_GET['EMAIL'];
$SORTBY=$_GET['SORTBY'];
$OLDSORTBY=$_GET['OLDSORTBY'];
$ORDER=$_GET['ORDER'];
IF (($ORDER=="")||($SORTBY==$OLDSORTBY)) $NEWORDER="ASC";
ELSE{
    IF ($ORDER=="ASC") $NEWORDER="DESC";
    ELSE $NEWORDER="ASC";
}
$OLDSORTBY=$SORTBY;
$QUERY="SELECT * FROM ADMIN_USER WHERE ADMIN_TYPE=0 OR ADMIN_TYPE=1";
IF ($SORTBY!="") $QUERY .= " ORDER BY $SORTBY $ORDER";
MYSQL_QUERY($QUERY);
$NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
$NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT);
$$SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT " . ($PAGE-1)*$LIMIT . ",$LIMIT");
IF ($NUMBEROFRESULTS!=0){
    PRINT "<DIV CLASS='INSIDE'>
    <TABLE WIDTH='750' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>
    <TR><TH WIDTH='12%'><A HREF='ASSIGNRIGHTS.PHP?SORTBY=ADMIN_USER_NAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>USER
    NAME</A></TH>
    <TH WIDTH='30%'><A HREF='ASSIGNRIGHTS.PHP?SORTBY=ADMIN_EMAIL&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>EMAIL
    ADDRESS</A></TH>
    <TH WIDTH='15%'><A HREF='ASSIGNRIGHTS.PHP?SORTBY=ADMIN_FIRSTNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>FIRST
    NAME</A></TH>
    <TH WIDTH='15%'><A HREF='ASSIGNRIGHTS.PHP?SORTBY=ADMIN_LASTNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>LAST
    NAME</A></TH>
    <TH WIDTH='10%'><A HREF='ASSIGNRIGHTS.PHP?
    SORTBY=ADMIN_ISACTIVE&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>STATUS</A></TH>
    <TH WIDTH='10%'><A HREF='ASSIGNRIGHTS.PHP?SORTBY=ADMIN_TYPE&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>SUPER
    ADMIN</A></TH>";
    PRINT "<TH WIDTH='8%'>ACTION</TH>";
    PRINT "</TR>";
    WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
        $i++;
        $ADMINUSER_ID = $ROW['ADMIN_ID'];
        IF ($ROW['ADMIN_ISACTIVE']==1)
            $STATUSDisp = "Active";
        ELSE
            $STATUSDisp = "Inactive";
        IF ($ROW['ADMIN_TYPE']==1)
            $TYPEDisp = "Yes";
        ELSE
            $TYPEDisp = "No";
        PRINT "<TR CLASS='\&#34;d'.($i & 1).'\&#34;>";
        PRINT "<TD><CENTER>".$ROW['ADMIN_USER_NAME'].</CENTER></TD>";
        PRINT "<TD><CENTER>".$ROW['ADMIN_EMAIL'].</CENTER></TD>";
        PRINT "<TD><CENTER>".$ROW['ADMIN_FIRSTNAME'].</CENTER></TD>";
        PRINT "<TD><CENTER>".$ROW['ADMIN_LASTNAME'].</CENTER></TD>";
        PRINT "<TD><CENTER>".$STATUSDisp.</CENTER></TD>";
        PRINT "<TD><CENTER>".$TYPEDisp.</CENTER></TD>";
        PRINT "<TD><CENTER>";
        PRINT "<A HREF='ASSIGNRIGHTS.PHP?ACTION=2&ADMINUSER_ID=$ADMINUSER_ID'><IMG SRC='IMAGES/EDIT.GIF' TITLE='EDIT'
        WIDTH='15%'></IMG></A>";
        PRINT "</CENTER></TD></TR>\n";
    }
    PRINT "</TABLE><BR><BR>";
    IF ($NUMBEROFPAGES>1){
        $NAV="";

```



```

<FIELDSET STYLE='WIDTH: 250px;' ALIGN='CENTER'><LEGEND><FONT COLOR='#0707ab' SIZE='3'><b>". AREA
MANAGEMENT</b></FONT></LEGEND><TABLE WIDTH='250'><TR>";
    IF (($SUPER==1)||($CUSTOMER_ADD==1)){
        PRINT "<TD ALIGN='CENTER'><a href='AreaManagement.php?action=1'><img src='images/add.png' alt='Add Area'
WIDTH='50'></img></a><br><b>Add Area</b></td>";
    }
    PRINT "<TD ALIGN='CENTER'><a href='CardLocationManagement.php?super=$SUPER'><img src='images/back.png' alt='Back to Card Area Management'
WIDTH='50'></img></a><br><b>Back to Menu</b></td></tr></table></FIELDSET></CENTER></td></tr></table><br><br>";
    $PAGE=$_GET["page"];
    IF($PAGE=="") $PAGE=1;
    $QUERY="SELECT * FROM AREA";
    MYSQL_QUERY($QUERY);
    $NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
    $NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT);
    $SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
    IF ($NUMBEROFRESULTS!=0){
        PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='700' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>
<tr><th>CITY NAME (ENGLISH)</th><th>CITY NAME (ARABIC)</th><th>AREA NAME (ENGLISH)</th><th>AREA NAME (ARABIC)</th>";
        IF (($CUSTOMER_MODIFY==1)||($CUSTOMER_DELETE==1))
            PRINT "<th width='8%'>ACTION</th>";
        PRINT "</tr>";
        WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
            $i++;
            $AREA_ID = $ROW['AREA_ID'];
            $CITY_ID=$ROW['CITY_ID'];
            $GETCITY=MYSQL_QUERY("SELECT * FROM CITY WHERE CITY_ID='$CITY_ID'");
            $ROWCITY=MYSQL_FETCH_ARRAY($GETCITY);
            PRINT "<tr class='D'.{$i & 1}.\">";
            PRINT "<td><center>\".$ROWCITY['CITY_NAME'].\"</center></td>";
            PRINT "<td><center>\".$ROWCITY['CITY_NAME_ARA'].\"</center></td>";
            PRINT "<td><center>\".$ROW['AREA_NAME'].\"</center></td>";
            PRINT "<td><center>\".$ROW['AREA_NAME_ARA'].\"</center></td>";
            IF (($CUSTOMER_MODIFY==1)||($CUSTOMER_DELETE==1))
                PRINT "<td><center>";
            IF ($CUSTOMER_MODIFY==1)
                PRINT "<a href='AreaManagement.php?action=2&area_id=$AREA_ID'><img src='images/edit.gif' title='Edit'
WIDTH='15'></img></a>";
            IF ($CUSTOMER_DELETE==1)
                PRINT "<a href='AreaManagement.php?action=3&area_id=$AREA_ID' ONCLICK='\"RETURN CONFIRM('ARE YOU SURE YOU
WANT TO DELETE AREA?');\"><img src='images/delete.png' title='DELETE' WIDTH='15'></img></a>";
            PRINT "</center></td></tr>\n";
        }
        PRINT "</table>";
        IF ($NUMBEROFPAGES>1){
            $NAV="";
            FOR($j = 1 ; $j <= $NUMBEROFPAGES ; $j++) {
                IF($j == $PAGE)
                    $NAV .= "<b>$j</b>";
                ELSE
                    $NAV .= "&nbsp;<a href='\"AreaManagement.php?page=$j\">$j </a>&nbsp; ";
            }
            PRINT "<center><br><br> $NAV </center>";
        }
        PRINT "<center><br><br></div></div>";
    }
    ELSE {
        PRINT "<center><table width='760'><tr><td width='730' valign='top'>
<br><center><fieldset style='width: 500px;' align='center'><div class='results'>
<table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>
<tr><td><center><font color='red'><b>No CARD AREAS FOUND.</b></font><br><br>
</table></fieldset></center></td></tr><tr><td><br><br></td></tr></table>";
    }
}
}
ELSE {
    PRINT "<center><br><font color='red' size='3'><b>Access Denied!</b></font></center>";
    PRINT "<meta http-equiv='refresh' content='1; url=index.php'>";
}
?>
<br></td></tr></table></td>
<?php include "RightPanel.php";
?>

```

Admin/ApprovedBankTransfers.php

```

<?php include "LeftPanel.php";
$imageDirectory="./images/category";
$imageAraDirectory="./images_ara/category";
?>
<td valign="top"><table id="contentsCenter"><tr><td class="centerMain">
<?php
    $LIMIT = 20;
    $ACTION=$_GET['action'];
    IF ($ADMIN_VALID==1){
        $CATEGORY_ID=$_GET['category_id'];
        $PAGE=$_GET["page"];
        IF($PAGE=="") $PAGE=1;
        PRINT "<br><table width='760'><tr><td align='left'><font color='black'><b>Welcome </b></font><font color='#1c43a6'><b>$USERNAME!
</b></font></td>
        <td align='right'><font color='black'><b>Today is <font color='#1c43a6'><b>".date("L, F, Y").\"</b></font></td></tr></table>";
        PRINT "<center><table width='760'><tr><td width='730' valign='top'>
        <br><center><fieldset style='width: 550px;' align='center'><legend><font color='#0707ab' size='3'><b>". Approved Bank
TRANFERS</b></font></legend>
        <div class='results'><table align='center' style='table-layout: fixed;'><tr><td><br></td></tr></table>";
        IF (isset($_POST['view'])) {

```

```

$BANK_ID=$_POST['BANK'];
$FROMDATE = ISSET($_REQUEST['FROMDATE']) ? $_REQUEST['FROMDATE'] : "";
$TODATE = ISSET($_REQUEST['TODATE']) ? $_REQUEST['TODATE'] : "";
}
ELSE IF ($ACTION==1){
    $FROMDATE = $_GET['FROM'];
    $TODATE = $_GET['TO'];
    $EMAIL = $_GET['EMAIL'];
    $OPERATOR = $_GET['OP'];
}
ELSE{
    $FROMDATE = $DATEONLY;
    $TODATE = $DATEONLY;
}
IF ($BANK_ID!="")
    $QUERY = "SELECT * FROM BANK_TRANSFER,BANK,CUSTOMER,ADMIN_USER WHERE ADMIN_USER.ADMIN_ID=BANK_TRANSFER.ADMIN_ID AND
BANK.BANK_ID=BANK_TRANSFER.BANK_ID AND CUSTOMER.CUSTOMER_ID=BANK_TRANSFER.CUSTOMER_ID AND BANKTRANSFER_STATUS='1' AND BANK_TRANSFER.BANK_ID='$BANK_ID' AND
CAST(BANKTRANSFER_ACCEPTDATE AS DATE) BETWEEN '$FROMDATE' AND DATE_ADD('$TODATE',INTERVAL 1 DAY)";
ELSE
    $QUERY = "SELECT * FROM BANK_TRANSFER,BANK,CUSTOMER,ADMIN_USER WHERE ADMIN_USER.ADMIN_ID=BANK_TRANSFER.ADMIN_ID AND
BANK.BANK_ID=BANK_TRANSFER.BANK_ID AND CUSTOMER.CUSTOMER_ID=BANK_TRANSFER.CUSTOMER_ID AND BANKTRANSFER_STATUS='1' AND CAST(BANKTRANSFER_ACCEPTDATE AS DATE) BETWEEN '$FROMDATE'
AND DATE_ADD('$TODATE',INTERVAL 1 DAY)";
PRINT "<FORM NAME='DATE RANGE' METHOD='POST' ACTION='APPROVEDTRANSFERS.PHP'>
<TR><TD ALIGN='CENTER'><B>FROM DATE : </B>&nbsp;  <BR>";
FUNCTION GETDAYSINWEEK ($WEEKNUMBER, $YEAR, $DAYSTART = 1) {
    $TIME = STRTOTIME($YEAR . '0104 +' . ($WEEKNUMBER - 1).' WEEKS');
    $DAYTIME = STRTOTIME('-' . (DATE('W', $TIME) - $DAYSTART) . ' DAYS', $TIME);
    $DAYTIMES = ARRAY ();
    FOR ($i = 0; $i < 7; ++$i) {
        $DAYTIMES[$i] = STRTOTIME('+ ' . $i . ' DAYS', $DAYTIME);
    }
    RETURN $DAYTIMES;
}
$THISWEEK = DATE('W');
$THISYEAR = DATE('Y');
$DAYTIMES = GETDAYSINWEEK($THISWEEK, $THISYEAR);
$DATE1 = DATE('Y-M-D', $DAYTIMES[0]);
$DATE2 = DATE('Y-M-D', $DAYTIMES[(sizeof($DAYTIMES)-1)]);
$FROMDATE="*$FROMDATE*";
$YEAR1=EXTRACTBETWEENDELIMITERS($FROMDATE,"*",".");
$MONTH1=EXTRACTBETWEENDELIMITERS($FROMDATE,"*",".");
$DAY1=EXTRACTBETWEENDELIMITERS($FROMDATE,"*",".");
$DAY1 = "$DAY1*";
$DAY1=EXTRACTBETWEENDELIMITERS($DAY1,"*",".");
$TODATE="*$TODATE*";
$YEAR2=EXTRACTBETWEENDELIMITERS($TODATE,"*",".");
$MONTH2=EXTRACTBETWEENDELIMITERS($TODATE,"*",".");
$DAY2=EXTRACTBETWEENDELIMITERS($TODATE,"*",".");
$DAY2 = "$DAY2*";
$DAY2=EXTRACTBETWEENDELIMITERS($DAY2,"*",".");
$FROMDATE = EXTRACTBETWEENDELIMITERS($FROMDATE,"*",".");
$TODATE = EXTRACTBETWEENDELIMITERS($TODATE,"*",".");
$MYCALENDAR = NEW TC_CALENDAR("FROMDATE", TRUE);
$MYCALENDAR->SETICON("CALENDAR/IMAGES/ICONCALENDAR.GIF");
$MYCALENDAR->SETDATE($DAY1, $MONTH1, $YEAR1);
$MYCALENDAR->SETPATH("CALENDAR/");
$MYCALENDAR->SETYEARINTERVAL(1970, 2020);
$MYCALENDAR->SETALIGNMENT('LEFT', 'BOTTOM');
$MYCALENDAR->SETDATEPAIR('FROMDATE', 'TODATE', $DATE2);
$MYCALENDAR->WRITESCRIPT();
PRINT "</TD><TD ALIGN='CENTER'><B>TO DATE:</B>&nbsp;  <BR>";
$MYCALENDAR = NEW TC_CALENDAR("TODATE", TRUE);
$MYCALENDAR->SETICON("CALENDAR/IMAGES/ICONCALENDAR.GIF");
$MYCALENDAR->SETDATE($DAY2, $MONTH2, $YEAR2);
$MYCALENDAR->SETPATH("CALENDAR/");
$MYCALENDAR->SETYEARINTERVAL(1970, 2020);
$MYCALENDAR->SETALIGNMENT('LEFT', 'BOTTOM');
$MYCALENDAR->SETDATEPAIR('FROMDATE', 'TODATE', $DATE1);
$MYCALENDAR->WRITESCRIPT();
PRINT "</TD></TR><TR>
<TR><TD ALIGN='LEFT'><B>BANK : </B>&nbsp;  <SELECT NAME='BANK' STYLE='WIDTH:200px;'>";
$GETBANKS=MYSQL_QUERY("SELECT * FROM BANK");
IF ($BANK_ID!=""){
    $GETBANK=MYSQL_QUERY("SELECT * FROM BANK WHERE BANK_ID='$BANK_ID'");
    $ROW=MYSQL_FETCH_ARRAY($GETBANK);
    $BID=$ROW['BANK_ID'];
    $BNAME=$ROW['BANK_NAME'];
    PRINT "<OPTION VALUE='$BID'>$BNAME</OPTION>";
}
PRINT "<OPTION VALUE=''>ALL BANKS</OPTION>";
WHILE($ROWBANKS=MYSQL_FETCH_ARRAY($GETBANKS)){
    $ID=$ROWBANKS['BANK_ID'];
    $NAME=$ROWBANKS['BANK_NAME'];
    PRINT "<OPTION VALUE='$ID'>$NAME</OPTION>";
}
}
PRINT "</SELECT></TD><TD STYLE='HEIGHT: 23px' ALIGN='CENTER'><INPUT TYPE='SUBMIT' NAME='VIEW' VALUE='VIEW' CLASS='INPUTBUTTON'></FORM></TD></TR>
<TR></TD><TD STYLE='HEIGHT: 5px'></TD></TR></TABLE>";
PRINT "</SELECT></FORM></TD><TD></FORM></TD></TR></TABLE>";
MYSQL_QUERY($QUERY);
$NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
$NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
$searchResult = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
PRINT "<BR><BR>";
IF ($NUMBEROFRESULTS!=0){

```

```

PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='760' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>";
PRINT "<TR><TH WIDTH='20%'>BANK NAME</TH>";
PRINT "<TH WIDTH='15%'>CUSTOMER NAME</TH>";
PRINT "<TH WIDTH='20%'>CUSTOMER BANK</TH>";
PRINT "<TH WIDTH='10%'>AMOUNT TRANSFERRED</TH>";
PRINT "<TH WIDTH='15%'>TRANSFER DATE</TH>";
PRINT "<TH WIDTH='20%'>NOTES</TH></TR>";
WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
    $i++;
    $AMOUNT=NUMBER_FORMAT($ROW['BANKTRANSFER_AMOUNT'],2);
    PRINT "<TR CLASS='D'>($i & 1).\"";
    PRINT "<TD><CENTER>\".$ROW['BANK_NAME']\"</CENTER></TD>\";
    PRINT "<TD><CENTER>\".$ROW['TITLE']\".\".$ROW['CUSTOMER_FIRSTNAME']\".\".$ROW['CUSTOMER_LASTNAME']\"</CENTER></TD>\";
    PRINT "<TD><CENTER>\".$ROW['CUSTOMER_BANKNAME']\"</CENTER></TD>\";
    PRINT "<TD><CENTER>$AMOUNT</CENTER></TD>\";
    PRINT "<TD><CENTER>\".$ROW['BANKTRANSFER_DATE']\"</CENTER></TD>\";
    PRINT "<TD>\".$ROW['BANKTRANSFER_ADMINNOTE']\"<BR> -- APPROVED ON: \".$ROW['BANKTRANSFER_ACCEPTDATE']\"<BR><BR> -- APPROVED BY:
<BR>\".$ROW['ADMIN_USERNAME']\"</BR></TD>\";
    PRINT "</TR>\\n\";
}
PRINT "</TABLE>\";
IF ($NUMBEROFPages>1){
    $NAV="\";
    FOR($j = 1 ; $j <= $NUMBEROFPages ; $j++) {
        IF($j == $PAGE)
            $NAV .= "<BR>$j</BR>\";
        ELSE
            $NAV .= "&nbsp;<A HREF='\"APPROVEDTRANSFERS.PHP?
PAGE=$j&ACTION=1&FROM=$FROMDATE&TO=$TODATE&EMAIL=$EMAIL&OP=$OPERATOR '\">$j</A>&nbsp; \";
    }
    PRINT "<CENTER><BR><BR>$NAV</CENTER><BR><BR></DIV></DIV>\";
}
ELSE {
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>
<TR><TD><CENTER><FONT COLOR='RED'><BR>No Approved BANK TRANSFER RECORD EXISTS.</FONT><BR><BR>
</TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>\";
}
PRINT "<P ALIGN='RIGHT'><A HREF='BANKTRANSFER.PHP'><IMG SRC='IMAGES/BACK.PNG' WIDTH='30' HEIGHT='30'></A></P>\";
}
ELSE {
    PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><BR>ACCESS DENIED!</FONT></CENTER>\";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1; URL=INDEX.PHP'>\";
}
?>
<BR></TD></TR></TABLE></TD>
<?PHP INCLUDE \"RIGHTPANEL.PHP\"; ?>

```

ADMIN/ADMINSTAFFMANAGEMENT.PHP

```

<?PHP INCLUDE \"LEFTPANEL.PHP\";
FUNCTION CHECKEMAIL($EMAIL) {
    IF (!EREGI(\"^[a-z0-9-]+(\\.[a-z0-9-]+)*@[a-z0-9-]+(\\.[a-z0-9-]+)*\\.([a-z]{2,3})$\", $EMAIL))
        RETURN 0;
    ELSE RETURN 1;
}
?>
<SCRIPT LANGUAGE=JAVASCRIPT TYPE='TEXT/JAVASCRIPT'>
FUNCTION VALIDATEONSUBMIT(){
    VAR ELEM;
    VAR ERRS=0;

    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDADMIN.ADMIN_IQAMA, 'INF_IQAMA', TRUE)) ERRS += 1;
    IF (!VALIDATEEMAIL (DOCUMENT.FORMS.ADDADMIN.ADMIN_EMAIL, 'INF_EMAIL', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDADMIN.ADMIN_USERNAME, 'INF_USERNAME', TRUE)) ERRS += 1;

    IF (ERRS>1) ALERT(\"THERE ARE FIELDS WHICH NEED CORRECTION BEFORE SENDING\");
    IF (ERRS==1) ALERT(\"THERE IS A FIELD WHICH NEEDS CORRECTION BEFORE SENDING\");
    RETURN (ERRS==0);
}
</SCRIPT>
<TD VALIGN='TOP'><TABLE ID='CONTENTS CENTER'><TR><TD CLASS='CENTER MAIN'>
<?PHP
    $ACTION=$_GET['ACTION'];
    $LIMIT = 3;
    $i=0;
    IF ($ADMIN_VALID==1){
        PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><BR>WELCOME </BR></FONT><FONT COLOR='#1c43a6'><BR>$USERNAME!
<BR></FONT></TD>
<TD ALIGN='RIGHT'><FONT COLOR='BLACK'><BR>TODAY IS <FONT COLOR='#1c43a6'><BR>.DATE(\"L, F j, Y\").</BR></FONT></TD></TR></TABLE>\";
        IF ($ACTION==1){
            $QUERY=MYSQL_QUERY(\"SELECT * FROM ADMIN_OPTION\");
            PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707ab' SIZE='3'><BR>\".ADD ADMIN STAFF USER</BR></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>
<TR><TD><FORM NAME='ADDADMIN' METHOD='POST' ACTION='ADMINSTAFFMANAGEMENT.PHP'>
<TR><TD ALIGN='RIGHT' WIDTH='25%'><BR>USER NAME:</BR> &nbsp;   </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ADMIN_USERNAME' SIZE='30'
ONCHANGE='VALIDATEPRESENT(THIS, \\INF_USERNAME\\, TRUE);' /><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD></TD><TD ID='INF_USERNAME' CLASS='ERROR' ALIGN='LEFT'> &nbsp;   </TD></TR>
<TR><TD ALIGN='RIGHT'><BR>EMAIL ADDRESS:</BR> &nbsp;   </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ADMIN_EMAIL' SIZE='30'
ONCHANGE='VALIDATEEMAIL(THIS, \\INF_EMAIL\\, TRUE);' /><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>

```



```

$SORTBY=$_GET['sortBy'];
$OLDSORTBY=$_GET['oldSortBy'];
$ORDER=$_GET['order'];
IF (($ORDER=="")||($SORTBY==$OLDSORTBY)) $NEWORDER="ASC";
ELSE{
    IF ($ORDER=="ASC") $NEWORDER="DESC";
    ELSE $NEWORDER="ASC";
}
$OLDSORTBY=$SORTBY;
$QUERY="SELECT * FROM ADMIN_USER WHERE ADMIN_TYPE=0 OR ADMIN_TYPE=1";
IF ($SORTBY!="") $QUERY .= " ORDER BY $SORTBY $ORDER";
MYSQL_QUERY($QUERY);
$NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
$NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT);
$SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT " . ($PAGE-1)*$LIMIT . ", $LIMIT");
IF ($NUMBEROFRESULTS!=0){
    PRINT "<DIV CLASS='INSIDE'>";
    <TABLE WIDTH='750' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>
    <TR><TH WIDTH='12%'><A HREF='ADMINSTAFFMANAGEMENT.PHP?
SORTBY=ADMIN_USERNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>USER NAME</A></TH>
    <TH WIDTH='30%'><A HREF='ADMINSTAFFMANAGEMENT.PHP?SORTBY=ADMIN_EMAIL&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>EMAIL
ADDRESS</A></TH>
    <TH WIDTH='15%'><A HREF='ADMINSTAFFMANAGEMENT.PHP?SORTBY=ADMIN_FIRSTNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>FIRST
NAME</A></TH>
    <TH WIDTH='15%'><A HREF='ADMINSTAFFMANAGEMENT.PHP?SORTBY=ADMIN_LASTNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>LAST
NAME</A></TH>
    <TH WIDTH='10%'><A HREF='ADMINSTAFFMANAGEMENT.PHP?
SORTBY=ADMIN_ISACTIVE&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>STATUS</A></TH>
    <TH WIDTH='10%'><A HREF='ADMINSTAFFMANAGEMENT.PHP?SORTBY=ADMIN_TYPE&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>SUPER
ADMIN</A></TH>";
    PRINT "<TH WIDTH='8%'>ACTION</TH>";
    PRINT "</TR>";
    WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
        $I++;
        $ADMINUSER_ID = $ROW['ADMIN_ID'];
        IF ($ROW['ADMIN_ISACTIVE']==1)
            $STATUSDISP = "Active";
        ELSE
            $STATUSDISP = "Inactive";
        IF ($ROW['ADMIN_TYPE']==1)
            $TYPEDISP = "Yes";
        ELSE
            $TYPEDISP = "No";
        PRINT "<TR CLASS='D'."($I & 1).">";
        PRINT "<TD><CENTER>". $ROW['ADMIN_USERNAME']. "</CENTER></TD>";
        PRINT "<TD><CENTER>". $ROW['ADMIN_EMAIL']. "</CENTER></TD>";
        PRINT "<TD><CENTER>". $ROW['ADMIN_FIRSTNAME']. "</CENTER></TD>";
        PRINT "<TD><CENTER>". $ROW['ADMIN_LASTNAME']. "</CENTER></TD>";
        PRINT "<TD><CENTER>". $STATUSDISP. "</CENTER></TD>";
        PRINT "<TD><CENTER>". $TYPEDISP. "</CENTER></TD>";
        PRINT "<TD><CENTER>";
        PRINT "<A HREF='ADMINSTAFFMANAGEMENT.PHP?ACTION=2&ADMINUSER_ID=$ADMINUSER_ID'><IMG SRC='IMAGES/EDIT.GIF' TITLE='EDIT'
WIDTH='15'></IMG></A>";
        PRINT "<A HREF='ADMINSTAFFMANAGEMENT.PHP?ACTION=3&ADMINUSER_ID=$ADMINUSER_ID' ONCLICK='RETURN CONFIRM('ARE YOU SURE
YOU WANT TO DELETE ADMIN RECORD?');'><IMG SRC='IMAGES/DELETE.PNG' TITLE='DELETE' WIDTH='15'></IMG></A>";
        PRINT "</CENTER></TD></TR>\n";
    }
    PRINT "</TABLE><BR><BR>";
    IF ($NUMBEROFPAGES>1){
        $NAV="";
        FOR($J = 1 ; $J <= $NUMBEROFPAGES ; $J++) {
            IF($J == $PAGE) {
                $NAV .= "<b>$J</b>";
            }
            ELSE{
                $NAV .= "&nbsp;<A HREF='\"ADMINSTAFFMANAGEMENT.PHP?
PAGE=$J&SORTBY=$SORTBY&ORDER=$ORDER&OLDSORTBY=$OLDSORTBY'\">$J </A>&nbsp;  ";
            }
        }
        PRINT "<CENTER> $NAV </CENTER><CENTER><BR></DIV>";
    }
}
ELSE{
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px; HEIGHT: 50px; ALIGN='CENTER'><TABLE>";
    IF ($EMAIL==""){
        PRINT "<TR><TD><CENTER><BR><b><FONT COLOR='RED'>NO RECORDS
FOUND.</FONT></b></FONT></CENTER></TD></TR>";
    }
    ELSE{
        PRINT "<TR><TD><CENTER><BR><b>EMAIL ADDRESS <FONT COLOR='RED'>'\"$EMAIL\"'</FONT> NOT FOUND.</b><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CUSTOMERMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETINTERVAL (FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'CUSTOMERMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
    }
    PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
}
}
ELSE {
    PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><b>ACCESS DENIED!</b></FONT></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
}
}
}
}

```



```

$DELETEIMAGE2="$IMAGEARA DIRECTORY/$OLDIMAGE2";
IF (($OLDIMAGE2!="")&&($COUNTIMAGEARA==1)&&($OLDIMAGE2!=$IMAGEARA))
    UNLINK($DELETEIMAGE2);
$QUERY2=MYSQ_QUERY("UPDATE CATEGORY SET CATEGORY_IMAGE_ARA='$IMAGEARA' WHERE
CATEGORY_ID='$CATEGORY_ID'");
}
$QUERY=MYSQ_QUERY("UPDATE CATEGORY SET
CATEGORY_NAME='$CATEGORY_NAME',CATEGORY_NAME_ARA='$CATEGORY_NAMEARA',CATEGORY_LINK='$CATEGORY_LINK',CATEGORY_LINK_ARA='$CATEGORY_LINKARA',
CATEGORY_DESCRIPTION='$DESCRIPTION',CATEGORY_DESCRIPTION_ARA='$DESCRIPTIONARA',CATEGORY_DISCOUNTINFO='$DISCOUNT_INFO',CATEGORY_DISCOUNTINFO_ARA='$DISCOUNT_INFOARA',CATEGORY_ISACTIVE='$STATU
S' WHERE CATEGORY_ID='$CATEGORY_ID'");
IF ($QUERY)
    PRINT "CATEGORY SUCCESSFULLY UPDATED.";
ELSE
    PRINT "AN ERROR OCCURED WHILE UPDATING YOUR DATA.";
}
PRINT "</b></FIELDSET></br></td></tr>";
}
ELSE{
    $CATEGORY_ID=$_GET['CATEGORY_ID'];
}
$QUERY=MYSQ_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'") OR DIE (MYSQL_ERROR());
$ROW=MYSQ_FETCH_ARRAY($QUERY);
$CATEGORY_NAME = $ROW['CATEGORY_NAME'];
$CATEGORY_NAME_ARA = $ROW['CATEGORY_NAME_ARA'];
$CATEGORY_LINK = $ROW['CATEGORY_LINK'];
$CATEGORY_LINK_ARA = $ROW['CATEGORY_LINK_ARA'];
$DESCRIPTION = $ROW['CATEGORY_DESCRIPTION'];
$DESCRIPTION_ARA = $ROW['CATEGORY_DESCRIPTION_ARA'];
$PARENT_ID = $ROW['CATEGORY_PARENTID'];
$DISCOUNT_INFO = $ROW['CATEGORY_DISCOUNTINFO'];
$DISCOUNT_INFO_ARA = $ROW['CATEGORY_DISCOUNTINFO_ARA'];
$IMAGE=$ROW['CATEGORY_IMAGE'];
$IMAGEARA=$ROW['CATEGORY_IMAGE_ARA'];
$STATUS = $ROW['CATEGORY_ISACTIVE'];
PRINT "<form name='EDITCATEGORY' method='POST' enctype='multipart/form-data' action='CategoryManagement.php?>";
PRINT "<tr><td align='right' width='25%'><b>Category Name</b> (English): &nbsp;  </td><td align='left' width='75%'><input type='text'
NAME='CATEGORY_NAME' VALUE='$CATEGORY_NAME' SIZE='50' /></td></tr>
<tr><td align='right'><b>Category Name</b> (ARABIC): &nbsp;  </td><td align='left'><input type='text' class='ARABIC' NAME='CATEGORY_NAMEARA'
VALUE='$CATEGORY_NAMEARA' SIZE='50' /></td></tr>
<tr><td align='right'><b>Description</b> (English): &nbsp;  </td><td colspan='2' align='left'><TEXTAREA NAME='DESCRIPTION' ROWS='5'
COLS='80' />$DESCRIPTION</TEXTAREA></td></tr>
<tr><td align='right'><b>Description</b> (ARABIC): &nbsp;  </td><td colspan='2' align='left'><TEXTAREA CLASS='ARABIC' NAME='DESCRIPTIONARA'
ROWS='5' COLS='80' />$DESCRIPTIONARA</TEXTAREA></td></tr>
<tr><td align='right'><b>Discount Info</b> (English): &nbsp;  </td><td colspan='2' align='left'><TEXTAREA NAME='DISCOUNT_INFO' ROWS='5'
COLS='80' />$DISCOUNT_INFO</TEXTAREA></td></tr>
<tr><td align='right'><b>Discount Info</b> (ARABIC): &nbsp;  </td><td colspan='2' align='left'><TEXTAREA CLASS='ARABIC'
NAME='DISCOUNT_INFOARA' ROWS='5' COLS='80' />$DISCOUNT_INFOARA</TEXTAREA></td></tr>
<tr><td align='right'><b>Category URL</b> (English):</td><td align='left'><input type='text' NAME='CATEGORY_LINK' VALUE='$CATEGORY_LINK'
SIZE='50' /></td></tr>
<tr><td align='right'><b>Category URL</b> (ARABIC):</td><td align='left'><input type='text' NAME='CATEGORY_LINKARA'
VALUE='$CATEGORY_LINKARA' SIZE='50' /></td></tr>
<tr><td align='right'><b>Status:</b> &nbsp;  </td><td align='left'>";
IF ($STATUS==1)
    PRINT "<input type='radio' name='STATUS' value='1' checked />Active &nbsp;  <input type='radio' name='STATUS' value='0' />Inactive";
ELSE
    PRINT "<input type='radio' name='STATUS' value='1' />Active &nbsp;  <input type='radio' name='STATUS' value='0' checked />Inactive";
PRINT "</td></tr><tr><td><br><br></td></tr>
<tr><td align='right'><b>Image</b>(English): &nbsp;  </td><td align='left'>";
IF ($IMAGE!="")
    PRINT "<img src='$IMAGE DIRECTORY/$IMAGE' width='250' ><br>";
PRINT "<input type='file' name='IMAGE'></td></tr><tr><td><br></td></tr><tr><td align='right'><b>Image</b>(ARABIC): &nbsp;  ";
IF ($IMAGEARA!="")
    PRINT "<img src='$IMAGEARA DIRECTORY/$IMAGEARA' width='250' ><br>";
PRINT "<input type='file' name='IMAGEARA'></td></tr>
</td></tr><tr><td><br></td></tr><tr><td colspan='3'><hr
width='100%' /></td></tr><tr><td align='center' colspan='3'><input type='hidden' name='CATEGORY_ID' value='$CATEGORY_ID' /><br></td></tr><tr><td colspan='3'><hr
width='100%' /></td></tr><tr><td align='center' colspan='3'><input type='submit' name='update' value='Submit' class='inputbutton' /> &nbsp;  <input type='submit'
NAME='CANCEL' VALUE='CANCEL' CLASS='inputbutton' /></td></tr></form>";
PRINT "<tr><td><br></td></tr></table></fieldset></center></td></tr><tr><td><br><br></td></tr></table>";
}
ELSE IF ($ACTION==3){
    PRINT "<center><table width='760'><tr><td width='750' valign='top'>
<br><center><fieldset style='width: 500px;' align='center'>
<legend><font color='#0707AB' size='3'><b>".DELETE CATEGORY</b></font></legend><div class='results'>
<table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>";
$CATEGORY_ID=$_GET['CATEGORY_ID'];
$search=MYSQ_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$CATEGORY_ID'");
$countSearch=MYSQ_NUM_ROWS($SEARCH);
$search2=MYSQ_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID'");
$countSearch2=MYSQ_NUM_ROWS($SEARCH2);
IF ($countSearch>0){
    PRINT "<tr><td><center><font color='red'><b>CATEGORY CANNOT BE DELETED!</b> </font><br><br>You can only delete categories
WITHOUT SUB-CATEGORY.<br><br>
</noscript><meta http-equiv='refresh' content='5; url=CategoryManagement.php'></noscript>
<font color='blue'>You will be redirected back in <span id='seconds'>5</span>.</script> var seconds = 5; setInterval( function() { if
(seconds <= 1) { window.location = 'CategoryManagement.php';} else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
</script></font></center></td></tr>";
}
ELSE IF ($countSearch2>0){
    PRINT "<tr><td><center><font color='red'><b>CATEGORY CANNOT BE DELETED!</b> </font><br><br>You can only delete categories
WITHOUT ITEMS.<br><br>
</noscript><meta http-equiv='refresh' content='5; url=CategoryManagement.php'></noscript>

```



```

ELSE IF ($ACTION==5){
    $CATEGORY_ID_MAIN = $_GET['id'];
    $CATEGORY_ID_CHILD = $_GET['cat_id'];
    $DELETEDISPLAY=MYSQL_QUERY("DELETE FROM CATEGORY_VIEW WHERE CATEGORY_ID_MAIN='$CATEGORY_ID_MAIN' AND
CATEGORY_ID_CHILD='$CATEGORY_ID_CHILD'");
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 600px;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "DISPLAY ITEM CATEGORY IN OTHER CATEGORY</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE WIDTH='500' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    IF ($DELETEDISPLAY){
        PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='0'; URL=CategoryManagement.php?action=4&category_id=$CATEGORY_ID_CHILD'>";
    }
    ELSE{
        PRINT "<TR><TD ALIGN='LEFT'><BR>AN ERROR WAS ENCOUNTERED WHILE PROCESSING YOUR REQUEST.</TD></TR>";
    }
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF (ISSET($_POST['DUPLICATE'])){
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "DISPLAY ITEM CATEGORY IN OTHER CATEGORY</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    $CATEGORY_ID_MAIN=$_POST['CATEGORY_ID_MAIN'];
    $CATEGORY_ID_CHILD=$_POST['CATEGORY_ID_CHILD'];
    IF ($CATEGORY_ID_MAIN=="")
        PRINT "<TR><TD><BR>PLEASE SELECT A CATEGORY FIRST.<BR><BR></TD></TR><META HTTP-EQUIV='REFRESH' CONTENT='3';
URL=CategoryManagement.php?action=4&category_id=$CATEGORY_ID_CHILD'>";
    ELSE{
        $INSERT = MYSQL_QUERY("INSERT INTO CATEGORY_VIEW (CATEGORY_ID_MAIN,CATEGORY_ID_CHILD) VALUES
('$CATEGORY_ID_MAIN','$CATEGORY_ID_CHILD')");
        IF (!$INSERT){
            PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>Error!</B></FONT><BR><BR>AN ERROR OCCURED WHILE INSERTING
DATA.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CategoryManagement.php?
ACTION=4&category_id=$CATEGORY_ID_CHILD'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETInterval( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'CategoryManagement.php?action=4&category_id=$CATEGORY_ID_CHILD'; } ELSE { DOCUMENT.GETELEMENTById('SECONDS').INNERHTML =
--SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        }
        ELSE{
            PRINT "<TR><TD><CENTER><B>ADDING CATEGORY FOR DISPLAY SUCCESSFUL.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CategoryManagement.php?
ACTION=4&category_id=$CATEGORY_ID_CHILD'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETInterval( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'CategoryManagement.php?action=4&category_id=$CATEGORY_ID_CHILD'; } ELSE { DOCUMENT.GETELEMENTById('SECONDS').INNERHTML =
--SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        }
    }
    PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TD><BR><BR></TD></TR></TABLE>";
}
}
ELSE IF (ISSET($_POST['add'])){
    $CATEGORY_NAME = $_POST['CATEGORY_NAME'];
    $CATEGORY_NAMEARA = $_POST['CATEGORY_NAMEARA'];
    $CATEGORY_LINK = $_POST['CATEGORY_LINK'];
    $CATEGORY_LINKARA = $_POST['CATEGORY_LINKARA'];
    $PARENT_ID = $_POST['PARENT_ID'];
    $DESCRIPTION = $_POST['DESCRIPTION'];
    $DESCRIPTIONARA = $_POST['DESCRIPTIONARA'];
    $DISCOUNT_INFO = $_POST['DISCOUNT_INFO'];
    $DISCOUNT_INFOARA = $_POST['DISCOUNT_INFOARA'];
    $STATUS = $_POST['STATUS'];
    $IMAGE=$_FILES['IMAGE']['NAME'];
    $IMAGEARA=$_FILES['IMAGEARA']['NAME'];
    IF ($IMAGE){
        $FILENAME = STRIPSLASHES($_FILES['IMAGE']['NAME']);
        $EXTENSION = GETEXTENSION($FILENAME);
        $EXTENSION = STRTOLOWER($EXTENSION);
        IF (($EXTENSION != "jpg") && ($EXTENSION != "jpeg") && ($EXTENSION != "png") && ($EXTENSION != "gif")) {
            ECHO '<h1>UNKNOWN EXTENSION!</h1>';
            $ERRORS=1;
        }
        ELSE{
            $SIZE=FILESIZE($_FILES['IMAGE']['TMP_NAME']);
            IF ($SIZE > MAX_SIZE*1024){
                ECHO '<h1>YOU HAVE EXCEEDED THE SIZE LIMIT!</h1>';
                $ERRORS=1;
            }
            IF(!FILE_EXISTS($IMAGEDIRECTORY)) MKDIR($IMAGEDIRECTORY);
            $NEWNAME="$IMAGEDIRECTORY/".$_FILES['IMAGE']['NAME'];
            $COPIED = COPY($_FILES['IMAGE']['TMP_NAME'], $NEWNAME);
            IF (!$COPIED) {
                ECHO '<h1>COPY UNSUCCESSFUL!</h1>';
                $ERRORS=1;
            }
        }
    }
    IF ($IMAGEARA){
        $FILENAME2 = STRIPSLASHES($_FILES['IMAGEARA']['NAME']);
        $EXTENSION2 = GETEXTENSION($FILENAME2);
        $EXTENSION2 = STRTOLOWER($EXTENSION2);
        IF (($EXTENSION2 != "jpg") && ($EXTENSION2 != "jpeg") && ($EXTENSION2 != "png") && ($EXTENSION2 != "gif")) {
            ECHO '<h1>UNKNOWN EXTENSION!</h1>';

```



```

        $ERRORS2=1;
    }
    ELSE {
        $SIZE2=FILESIZE($ _FILES['IMAGEARA']['TMP_NAME']);
        IF ($SIZE2 > MAX_SIZE*1024){
            ECHO '<h1>YOU HAVE EXCEEDED THE SIZE LIMIT!</h1>';
            $ERRORS2=1;
        }
        IF (!FILE_EXISTS($IMAGEARADIRECTORY)) MKDIR($IMAGEARADIRECTORY);
        $NEWNAME2="$IMAGEARADIRECTORY/".$ _FILES["IMAGEARA"]['NAME'];
        $COPIED2 = COPY($ _FILES['IMAGEARA']['TMP_NAME'], $NEWNAME2);
        IF (! $COPIED2) {
            ECHO '<h1>COPY UNSUCCESSFUL!</h1>';
            $ERRORS2=1;
        }
    }
}
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='750' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX; ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "ADD CATEGORY</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
IF (($CATEGORY_NAME=="")||($CATEGORY_NAMEARA=="")){
    PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>REQUIRED FIELDS ERROR.</B> </FONT><BR><BR>PLEASE FILL OUT ALL REQUIRED
FIELDS.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5; URL=CategoryManagement.php?action=1'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION() { IF
(SECONDS <= 1) { WINDOW.LOCATION = 'CategoryManagement.php?action=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
}
ELSE {
    $CHECKQUERY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_NAME='$CATEGORY_NAME' AND
CATEGORY_NAME_ARA='$CATEGORY_NAMEARA' ");
    $COUNTCHECK=MYSQL_NUM_ROWS($CHECKQUERY);
    IF ($COUNTCHECK==0){
        $INSERT=MYSQL_QUERY("INSERT INTO CATEGORY
(CATEGORY_NAME,CATEGORY_NAME_ARA,CATEGORY_PARENTID,CATEGORY_DESCRIPTION,CATEGORY_DESCRIPTION_ARA,CATEGORY_DISCOUNTINFO,CATEGORY_DISCOUNTINFO_ARA,CATEGORY_ISACTIVE,CATEGORY_IMAGE,CATEGORY_IMA
GE_ARA,CATEGORY_LINK,CATEGORY_LINK_ARA) VALUES
('$CATEGORY_NAME','$CATEGORY_NAMEARA','$PARENT_ID','$DESCRIPTION','$DESCRIPTIONARA','$DISCOUNT_INFO','$DISCOUNT_INFOARA','$STATUS','$IMAGE','$IMAGEARA','$CATEGORY_LINK','$CATEGORY_LINKARA'");
        IF (! $INSERT) {
            PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B> </FONT><BR><BR>AN ERROR OCCURED
WHILE INSERTING DATA.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5; URL=CategoryManagement.php?action=1'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'CategoryManagement.php?action=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
        }
        ELSE {
            PRINT "<TR><TD><CENTER><B>CATEGORY HAS BEEN CREATED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5; URL=CategoryManagement.php'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'CategoryManagement.php'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
        }
    }
    ELSE {
        PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>DUPLICATE ENTRY.</B> </FONT><BR><BR>CATEGORY NAME ALREADY
EXISTS.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='8; URL=CategoryManagement.php?action=1'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>8</SPAN>.<SCRIPT> VAR SECONDS = 8;
SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'CategoryManagement.php?action=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
    }
}
PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE {
    PRINT "";
    $PAGE=$_GET["PAGE"];
    IF ($PAGE == "") $PAGE=1;
    $PARENT_ID=$_GET['PARENT_ID'];
    IF ($PARENT_ID=="") $PARENT_ID=0;
    $SORTBY=$_GET['SORTBY'];
    $ORDER=$_GET['ORDER'];
    IF ($ORDER=="") $NEWORDER="ASC";
    IF ($ORDER=="ASC")
        $NEWORDER="DESC";
    ELSE $NEWORDER="ASC";
    $QUERY="SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$PARENT_ID'";
    IF ($SORTBY!="") $QUERY .= " ORDER BY $SORTBY $ORDER";
    MYSQL_QUERY($QUERY);
    $NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
    $NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
    $SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
    $DISPLAY = GETDISPLAY($PARENT_ID);
    $MAINCATEGORIES = "<A HREF='CategoryManagement.php?parent_id=$parent_id'>MAIN CATEGORIES</A>";
    $DISPLAY = $MAINCATEGORIES." ". $DISPLAY;
    IF (($SUPER==1)||($CUSTOMER_ADD==1)){
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='750'
VALIGN='TOP'><BR><CENTER>
<FIELDSET STYLE='WIDTH: 300PX; ALIGN='CENTER'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "CATEGORY
MANAGEMENT</B></FONT></LEGEND><TABLE WIDTH='300'><TR>
<TD ALIGN='CENTER'><A HREF='CategoryManagement.php?action=1&parent_id=$parent_id'><IMG SRC='images/add.png' ALT='ADD CATEGORY'
WIDTH='50'></A><BR><BR><B>ADD CATEGORY</B></TD>
</TR></TABLE></FIELDSET></CENTER></TD></TR></TABLE>";
    }
}
}

```



```

IF ($ADMIN_VALID==1){
    $isSUPER = $_GET['SUPER'];
    $_SESSION['SUPER']=$isSUPER;
    IF ($isSUPER!=""){
        IF ($isSUPER==1){
            $CUSTOMER_VIEW = 1;
            $CUSTOMER_ADD = 1;
            $CUSTOMER_MODIFY = 1;
            $CUSTOMER_DELETE = 1;
        }
        ELSE{
            $OPTION_ID = $_GET['OPTION_ID'];
            $QUERY1=MYSO_QUERY("SELECT CAN_VIEW,CAN_ADD,CAN_MODIFY,CAN_DELETE FROM ADMIN_RIGHTS WHERE ADMIN_ID = '$ADMIN_ID' AND
OPTION_ID='$OPTION_ID'");
            $ROW=MYSO_FETCH_ARRAY($QUERY1);
            $CUSTOMER_VIEW=$ROW['CAN_VIEW'];
            $CUSTOMER_ADD=$ROW['CAN_ADD'];
            $CUSTOMER_MODIFY=$ROW['CAN_MODIFY'];
            $CUSTOMER_DELETE=$ROW['CAN_DELETE'];
        }
    }
    $_SESSION['CUSTOMER_VIEW']=$CUSTOMER_VIEW;
    $_SESSION['CUSTOMER_ADD']=$CUSTOMER_ADD;
    $_SESSION['CUSTOMER_MODIFY']=$CUSTOMER_MODIFY;
    $_SESSION['CUSTOMER_DELETE']=$CUSTOMER_DELETE;
    $COUNTRY_QUERY=MYSO_QUERY("SELECT COUNTRY_NAME, COUNTRY.COUNTRY_ID FROM CITY, COUNTRY WHERE CITY.COUNTRY_ID=COUNTRY.COUNTRY_ID ORDER BY
COUNTRY.COUNTRY_ID");
    $COUNTRY_QUERY2=MYSO_QUERY("SELECT * FROM COUNTRY");
    PRINT "<br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>$USERNAME!
</b></font></td>
<td align='right'><font color='black'><b>Today is <font color='#1c43a6'><b>".DATE("L, F J, Y")."</font></b></font></td></tr></table>";
    IF ($ACTION==1){
        PRINT "<center><table width='760'><tr><td width='730' valign='top'>
<br><center><fieldset style='width: 500px; align='center'>
<legend><font color='#0707ab' size='3'><b><!--".Add City</b></font></legend><div class='results'>
<form name='ADD_City' method='POST' action='CityManagement.php'><br><table>
<tr><td align='middle' align='right'><b>Country:</b> &nbsp;  </td><td align='left'><select name='country' style='width: 200px;' />";
        WHILE ($ROW=MYSO_FETCH_ARRAY($COUNTRY_QUERY2)){
            $COUNTRY_ID=$ROW['COUNTRY_ID'];
            $COUNTRY_NAME=$ROW['COUNTRY_NAME'];
            PRINT "<option value='$COUNTRY_ID'>$COUNTRY_NAME</option>";
        }
        PRINT"</select></td><td><br></td></tr>
<tr><td align='middle' align='right'><b>City Name</b> (English): &nbsp;  </td><td align='left'><input type='text' name='city_name' size='28'
ONCHANGE='validatePresent(this, \\'inf_name\',' true);'><font color='red' size='2'> *</font></td></tr>
<tr><td align='left' id='inf_name' class='error' align='left'> &nbsp;  </td></tr>
<tr><td align='middle' align='right'><b>City Name</b> (ARABIC): &nbsp;  </td><td align='left'><input type='text' class='arabic'
NAME='city_nameAra' size='28' ONCHANGE='validatePresent(this, \\'inf_nameAra\',' true);'><font color='red' size='2'> *</font></td></tr>
<tr><td align='left' id='inf_nameAra' class='error' align='left'> &nbsp;  </td></tr>
<tr><td colspan='2'><center><input type='submit' name='add' value='Add' class='inputbutton' onclick='return validateOnSubmit()' /> &nbsp;  &nbsp; <input type='submit' name='cancel' value='Cancel' class='inputbutton' /></td></tr>
<tr><td><br><br></td></tr></table></form></fieldset></center></td></tr></table></tr></table>";
    }
    ELSE IF (($ACTION==2)||($POST['UPDATE']))){
        PRINT "<center><table width='760'><tr><td width='730' valign='top'>
<br><center><fieldset style='width: 500px; align='center'>
<legend><font color='#0707ab' size='3'><b><!--".Edit City</b></font></legend>
<br><table>";
        IF ($POST['UPDATE']){
            $CITY_ID=$POST['CITY_ID'];
            $COUNTRY_ID=$POST['COUNTRY'];
            $CITY_NAME=$POST['CITY_NAME'];
            $CITY_NAMEARA=$POST['CITY_NAMEARA'];
            PRINT "<tr><td colspan='2'><center><input type='submit' name='add' value='Add' class='inputbutton' onclick='return validateOnSubmit()' /> &nbsp;  &nbsp; <input type='submit' name='cancel' value='Cancel' class='inputbutton' /></td></tr>
HEIGHT='10' />&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<font color='blue'><b>";
            IF (($CITY_NAME=="")||($CITY_NAMEARA==""))
                PRINT "PLEASE FILL UP REQUIRED FIELDS INDICATED BY <font color='red'>*</font>.";
            ELSE{
                $QUERY=MYSO_QUERY("UPDATE CITY SET CITY_NAME='$CITY_NAME',CITY_NAME_ARA='$CITY_NAMEARA', COUNTRY_ID='$COUNTRY_ID'
WHERE CITY_ID='$CITY_ID'");
                IF ($QUERY)
                    PRINT "CITY SUCCESSFULLY UPDATED.";
                ELSE
                    PRINT "AN ERROR OCCURED WHILE UPDATING YOUR DATA.";
            }
            PRINT "<br></fieldset></table></tr></table>";
        }
        ELSE{
            $CITY_ID=$_GET['CITY_ID'];
        }
        PRINT "<form name='editCity' method='POST' action='CityManagement.php'>";
        $QUERY=MYSO_QUERY("SELECT * FROM CITY WHERE CITY_ID='$CITY_ID'");
        $ROW=MYSO_FETCH_ARRAY($QUERY);
        $CITY_NAME = $ROW['CITY_NAME'];
        $CITY_NAMEARA = $ROW['CITY_NAME_ARA'];
        $COUNTRY_ID = $ROW['COUNTRY_ID'];
        $COUNTRY=MYSO_QUERY("SELECT * FROM COUNTRY WHERE COUNTRY_ID='$COUNTRY_ID'");
        $ROWCOUNTRY=MYSO_FETCH_ARRAY($COUNTRY);
        $COUNTRY1_ID=$ROWCOUNTRY['COUNTRY_ID'];
        $COUNTRY1_NAME=$ROWCOUNTRY['COUNTRY_NAME'];
        PRINT "<tr><td align='middle' align='right'><b>Country:</b> &nbsp;  </td><td align='left'><select name='country' style='width: 200px;' />";
        PRINT "<option value='$COUNTRY1_ID'>$COUNTRY1_NAME</option>";
        WHILE ($ROWC=MYSO_FETCH_ARRAY($COUNTRY_QUERY2)){
            $COUNTRY_ID1=$ROWC['COUNTRY_ID'];

```

```

        $COUNTRY_NAME1=$ROWC['COUNTRY_NAME'];
        PRINT "<OPTION VALUE='$COUNTRY_ID1'>$COUNTRY_NAME1</OPTION>";
    }
    PRINT"</SELECT></TD></TR><TR><TD><BR></TD></TR>
    <TR><TD VALIGN='MIDDLE' ALIGN='RIGHT'><B>CITY NAME</B> (ENGLISH): &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='CITY_NAME'
    VALUE='$CITY_NAME' SIZE='28'></TD></TR>
    <TR><TD VALIGN='MIDDLE' ALIGN='RIGHT'><B>CITY NAME</B> (ARABIC): &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' CLASS='ARABIC'
    NAME='CITY_NAMEARA' VALUE='$CITY_NAMEARA' SIZE='28'></TD></TR>
    <TR><TD><BR><INPUT TYPE='HIDDEN' NAME='CITY_ID' VALUE='$CITY_ID' /></TD></TR>
    <TR><TD COLSPAN='2'><CENTER><INPUT TYPE='SUBMIT' NAME='UPDATE' VALUE='SUBMIT' CLASS='INPUTBUTTON' /> &nbsp;  <INPUT TYPE='SUBMIT' NAME='CANCEL'
    VALUE='CANCEL' CLASS='INPUTBUTTON' /></TD></TR>
    <TR><TD><BR></TD></TR></TABLE></FORM></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF ($ACTION==3){
    $CITY_ID=$_GET['CITY_ID'];
    $QUERY=MYSQ_QUERY("DELETE FROM CITY WHERE CITY_ID='$CITY_ID'");
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
    <BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
    <LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "DELETE CITY</B></FONT></LEGEND><DIV CLASS='RESULTS'>
    <TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    IF(!$QUERY){
        PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE DELETING YOUR
    DATA.<BR><BR>
    <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CITYMANAGEMENT.PHP'></NOSCRIPT>
    <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
    (SECONDS <= 1) { WINDOW.LOCATION = 'CITYMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
    }
    ELSE{
        PRINT "<TR><TD><CENTER><B>1 RECORD SUCCESSFULLY DELETED.</B><BR><BR>
    <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CITYMANAGEMENT.PHP'></NOSCRIPT>
    <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
    (SECONDS <= 1) { WINDOW.LOCATION = 'CITYMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
    }
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF (ISSET($_POST['ADD'])){
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
    <BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
    <LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "ADD CITY</B></FONT></LEGEND><DIV CLASS='RESULTS'>
    <TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    $COUNTRY_ID = $_POST['COUNTRY'];
    $CITY_NAME = $_POST['CITY_NAME'];
    $CITY_NAMEARA = $_POST['CITY_NAMEARA'];
    $SEARCH=MYSQ_QUERY("SELECT * FROM CITY WHERE CITY_NAME='$CITY_NAME' AND COUNTRY_ID='$COUNTRY_ID'");
    $NUMSEARCHED=MYSQ_NUM_ROWS($SEARCH);
    IF ($NUMSEARCHED==0){
        $QUERY=MYSQ_QUERY("INSERT INTO CITY (COUNTRY_ID,CITY_NAME,CITY_NAME_ARA) VALUES('$COUNTRY_ID','$CITY_NAME','$CITY_NAMEARA')");
        IF (!$QUERY){
            PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE INSERTING
            DATA.<BR><BR>
            <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CITYMANAGEMENT.PHP?ACTION=1'></NOSCRIPT>
            <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
            SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'CITYMANAGEMENT.PHP?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
            </SCRIPT></FONT></CENTER></TD></TR>";
        }
        ELSE{
            PRINT "<TR><TD><CENTER><B>1 RECORD ADDED.</B><BR><BR>
            <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CITYMANAGEMENT.PHP'></NOSCRIPT>
            <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
            SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'CITYMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
            </SCRIPT></FONT></CENTER></TD></TR>";
        }
    }
    PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>DUPLICATE ENTRY.</B> </FONT><BR><BR>CITY UNDER THE COUNTRY SELECTED IS ALREADY
    IN THE DATABASE.<BR><BR>
    <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='8'; URL=CITYMANAGEMENT.PHP?ACTION=1'></NOSCRIPT>
    <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>8</SPAN>.<SCRIPT> VAR SECONDS = 8; SETINTERVAL( FUNCTION(){ IF
    (SECONDS <= 1) { WINDOW.LOCATION = 'CITYMANAGEMENT.PHP?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
    </SCRIPT></FONT></CENTER></TD></TR>";
    }
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE{
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER>
    <FIELDSET STYLE='WIDTH: 250PX;' ALIGN='CENTER'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "CITY
    MANAGEMENT</B></FONT></LEGEND><TABLE WIDTH='250'><TR>";
    IF (($SUPER==1)||($CUSTOMER_ADD==1)){
        PRINT "<TD ALIGN='CENTER'><A HREF='CITYMANAGEMENT.PHP?ACTION=1'><IMG SRC='IMAGES/ADD.PNG' ALT='ADD CITY'
        WIDTH='50'></IMG></A><BR><B>ADD CITY</B></TD>";
    }
    PRINT "<TD ALIGN='CENTER'><A HREF='CARDLOCATIONMANAGEMENT.PHP?SUPER=$SUPER'><IMG SRC='IMAGES/BACK.PNG' ALT='BACK TO CARD AREA MANAGEMENT'
    WIDTH='50'></IMG></A><BR><B>BACK TO MENU</B></TD></TR></TABLE></FIELDSET></CENTER></TD></TR></TABLE><BR><BR>";
    $PAGE=$_GET["PAGE"];
    IF($PAGE == "") $PAGE=1;
    $QUERY="SELECT * FROM CITY";
    MYSQ_QUERY($QUERY);
    $NUMBEROFRESULTS=MYSQ_NUM_ROWS(MYSQ_QUERY($QUERY));
    $NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT);
    $SEARCHRESULT = MYSQ_QUERY($QUERY." LIMIT . ($PAGE-1)*$LIMIT . ", $LIMIT);
    IF ($NUMBEROFRESULTS!=0){
        PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='700' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>
        <TR><TH>COUNTRY NAME</TH><TH>CITY NAME (ENGLISH)</TH><TH>CITY NAME (ARABIC)</TH>";
        IF (($CUSTOMER_MODIFY==1)||($CUSTOMER_DELETE==1))

```

```

        PRINT "<TH WIDTH='8%'>ACTION</TH>";
    PRINT "</TR>";
    WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
        $i++;
        $CITY_ID = $ROW['CITY_ID'];
        $COUNTRY_ID=$ROW['COUNTRY_ID'];
        $GETCOUNTRY=MYSQL_QUERY("SELECT * FROM COUNTRY WHERE COUNTRY_ID='$COUNTRY_ID'");
        $ROWCOUNTRY=MYSQL_FETCH_ARRAY($GETCOUNTRY);
        PRINT "<TR CLASS='D'.($i & 1).\">";
        PRINT "<TD><CENTER>\".$ROWCOUNTRY['COUNTRY_NAME'].\"</CENTER></TD>";
        PRINT "<TD><CENTER>\".$ROW['CITY_NAME'].\"</CENTER></TD>";
        PRINT "<TD><CENTER>\".$ROW['CITY_NAME_ARA'].\"</CENTER></TD>";
        IF (($CUSTOMER_MODIFY==1)||($CUSTOMER_DELETE==1))
            PRINT "<TD><CENTER>";
        IF ($CUSTOMER_MODIFY==1)
            PRINT "<A HREF='CITYMANAGEMENT.PHP?ACTION=2&CITY_ID=$CITY_ID'><IMG SRC='IMAGES/EDIT.GIF' TITLE='EDIT'
WIDTH='15'></IMG></A>";
        IF ($CUSTOMER_DELETE==1)
            PRINT "<A HREF='CITYMANAGEMENT.PHP?ACTION=3&CITY_ID=$CITY_ID' ONCLICK='\"RETURN CONFIRM('ARE YOU SURE YOU
WANT TO DELETE CITY?');\"><IMG SRC='IMAGES/DELETE.PNG' TITLE='DELETE' WIDTH='15'></IMG></A>";
        PRINT "</CENTER></TD></TR>\n";
    }
    PRINT "</TABLE>";
    IF ($NUMBEROFPages>1){
        $Nav="";
        FOR($j = 1 ; $j <= $NUMBEROFPages ; $j++) {
            IF($j == $PAGE)
                $Nav .= "<b>$j</b>";
            ELSE
                $Nav .= "&nbsp;<a href='\"CITYMANAGEMENT.PHP?PAGE=$j '\">$j </a>&nbsp; ";
        }
        PRINT "<CENTER><br><br> $Nav </CENTER>";
    }
    PRINT "<CENTER><br><br></div></div>";
}
ELSE {
    PRINT "<CENTER><TABLE WIDTH='760'><tr><td width='730' valign='top'>
<br><center><fieldset style='width: 500px;' align='center'><div class='results'>
<table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>
<tr><td><center><font color='red'><b>No CITIES FOUND.</b> </font><br><br>
</table></fieldset></center></td></tr><tr><td><br></td></tr></table>";
}
}
}
ELSE {
    PRINT "<center><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></center>";
    PRINT "<meta http-equiv='refresh' content='1'; url=index.php'>";
}
?>
<br></td></tr></table></td>
<?php include "RIGHTPANEL.PHP"; ?>

```

ADMIN/CUSTOMERMANAGEMENT.PHP

```

<?php include "LEFTPANEL.PHP";
FUNCTION CHECKEMAIL($EMAIL) {
    IF (!EREGL("^[_a-z0-9-]+(\\.[_a-z0-9-]+)*@[a-z0-9-]+(\\.[a-z0-9-]+)*(\\.[a-z]{2,3})$", $EMAIL))
        RETURN 0;
    ELSE RETURN 1;
}
?>
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
FUNCTION VALIDATEONSUBMIT(){
    VAR ELEM;
    VAR ERRS=0;
    IF (!VALIDATENUMBER (DOCUMENT.FORMS.REGISTRATIONFORM.MOBILENUMBER, 'INF_MOBILENUMBER', TRUE)) ERRS += 1;
    IF (!VALIDATEEMAIL (DOCUMENT.FORMS.REGISTRATIONFORM.EMAILADDRESS, 'INF_EMAIL', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.REGISTRATIONFORM.LASTNAME, 'INF_LASTNAME', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.REGISTRATIONFORM.FIRSTNAME, 'INF_FIRSTNAME', TRUE)) ERRS += 1;

    IF (ERRS>1) ALERT('THERE ARE FIELDS WHICH NEED CORRECTION BEFORE SENDING');
    IF (ERRS==1) ALERT('THERE IS A FIELD WHICH NEEDS CORRECTION BEFORE SENDING');
    RETURN (ERRS==0);
}
</SCRIPT>
<TD VALIGN="TOP"><TABLE ID="CONTENTS CENTER"><tr><td class="centermain">
<?php
    $ACTION=$_GET['ACTION'];
    $LIMIT = 15;
    IF ($ADMIN_VALID==1){
        PRINT "<br><br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>$USERNAME!
</b></font></td>
        <td align='right'><font color='black'><b>Today is <font color='#1c43a6'><b>\".date("L, F j, Y").\"</b></font></b></font></td></tr></table>";
        IF ($ACTION==1){
            PRINT "<table width='760'><tr><td width='730' valign='top'><br><fieldset style='width: 500px;'>
                <legend><font color='#0707ab' size='3'><b>\".\"Add Customer</b></font></legend><div class='results'>
                <table align='left' style='table-layout: fixed;'><tr><td><br></td></tr>";
            INCLUDE "AddCustomerForm.PHP";
            PRINT "</table><br></fieldset></center></td></tr><tr><td><br></td></tr></table>";
        }
        ELSE IF (($ACTION==2)||($POST['update']))){
            PRINT "<center><table width='760'><tr><td width='730' valign='top'>
                <br><fieldset style='width: 500px;' align='center'>
                <legend><font color='#0707ab' size='3'><b>\".\"Modify Customer Record</b></font></legend><div class='results'>

```



```

PRINT "</TD></TR>"
<TR><TD ALIGN="RIGHT"><B>DATE OF BIRTH: &nbsp;  </B></TD><TD ALIGN="LEFT"> <INPUT TYPE="TEXT" NAME="BIRTHDAY" ID="BIRTHDAY" SIZE="12"
VALUE="$BIRTHDAY"></TD></TR>
<TR><TD COLSPAN="2"> <BR></TD></TR>
<TR><TD ALIGN="RIGHT"><B>EMAIL ADDRESS: &nbsp;  </B></TD><TD ALIGN="LEFT">
<INPUT TYPE="TEXT" NAME="EMAILADDRESS" ID="EMAILADDRESS" VALUE="$EMAILADDRESS" SIZE="30">;
PRINT "<FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>"
<TR><TD ALIGN="RIGHT"><B>ALTERNATE EMAIL: &nbsp;  </B></TD><TD ALIGN="LEFT"><INPUT TYPE="TEXT" NAME="ALTEMAILADDRESS"
VALUE="$ALTEMAILADDRESS" SIZE="30"></TD></TR>
<TR><TD ALIGN="RIGHT"><B>PASSWORD: &nbsp;  </B></TD><TD ALIGN="LEFT">
<INPUT TYPE="PASSWORD" NAME="PASSWORD" ID="PASSWORD" SIZE="30"></TD></TR>
<TR><TD></TD><TD ALIGN="LEFT"><FONT COLOR="#0b2b82" SIZE="1"> ^LEAVE THIS BLANK TO KEEP THE CURRENT PASSWORD.</TD></TR>
<TR><TD COLSPAN="2"> &nbsp;  </TD></TR>
<TR><TD ALIGN="RIGHT"><B>MOBILE NUMBER: &nbsp;  </B></TD><TD ALIGN="LEFT"><INPUT TYPE="TEXT" NAME="MOBILENUMBER" SIZE="30"
VALUE="$MOBILENUMBER"><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD ALIGN="RIGHT"><B>PHONE NUMBER: &nbsp;  </B></TD><TD ALIGN="LEFT"><INPUT TYPE="TEXT" NAME="PHONENUMBER" SIZE="30"
VAUE="$PHONENUMBER"></TD></TR>
<TR><TD ALIGN="RIGHT"><B>COUNTRY: &nbsp;  </B></TD><TD ALIGN="LEFT"> <SELECT NAME="COUNTRY" STYLE="WIDTH: 175px;"> ";
$RESULT = MYSQL_QUERY("SELECT * FROM COUNTRY");
$RESULT2 = MYSQL_QUERY("SELECT * FROM COUNTRY WHERE COUNTRY_ID='$COUNTRY'");
$ROW2 = MYSQL_FETCH_ARRAY($RESULT2);
$COUNTRY_NAME = $ROW2['COUNTRY_NAME'];
PRINT "<OPTION VALUE='$COUNTRY'>$COUNTRY_NAME</OPTION>";
WHILE ($ROW = MYSQL_FETCH_ARRAY($RESULT)){
    $COUNTRY_ID = $ROW['COUNTRY_ID'];
    $COUNTRY_NAME = $ROW['COUNTRY_NAME'];
    PRINT "<OPTION VALUE='$COUNTRY_ID'>$COUNTRY_NAME</OPTION>";
}
PRINT "</SELECT> <FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>"
<TR><TD ALIGN="RIGHT"><B>CITY: &nbsp;  </B></TD><TD ALIGN="LEFT"><INPUT TYPE="TEXT" NAME="CITY" VALUE="$CITY" SIZE="30"></TD></TR>
<TR><TD ALIGN="RIGHT"><B>NATIONALITY: &nbsp;  </B></TD><TD ALIGN="LEFT"><INPUT TYPE="TEXT" NAME="NATIONALITY" VALUE="$NATIONALITY"
SIZE="30"></TD></TR>;
PRINT "<TR><TD ALIGN="RIGHT"><B>LANGUAGE: &nbsp;  </B></TD><TD ALIGN="LEFT"><SELECT NAME="LANGUAGE" STYLE="WIDTH: 100px;">";
PRINT "<OPTION VALUE='$LANGUAGE'>$LANGDISP</OPTION>";
PRINT "<OPTION VALUE='EN'>ENGLISH</OPTION>";
PRINT "<OPTION VALUE='AE'>ARABIC</OPTION>";
PRINT "</SELECT></TD></TR><TR><TD>&nbsp;  </TD></TR>";
PRINT "<TR><TD ALIGN="RIGHT"><B>STATUS: &nbsp;  </B></TD><TD ALIGN="LEFT">";
IF ($CUSTOMER_STATUS==1)
    PRINT "<INPUT TYPE='RADIO' NAME='CUSTOMER_STATUS' VALUE='1' CHECKED />ACTIVE &nbsp;  <INPUT TYPE='RADIO' NAME='CUSTOMER_STATUS'
VALUE='0' />INACTIVE";
ELSE
    PRINT "<INPUT TYPE='RADIO' NAME='CUSTOMER_STATUS' VALUE='1' />ACTIVE &nbsp;  <INPUT TYPE='RADIO' NAME='CUSTOMER_STATUS' VALUE='0'
CHECKED />INACTIVE";
PRINT "</TD></TR>"
<TR><TD ALIGN="RIGHT"><B>RESELLER STATUS: &nbsp;  </B></TD><TD ALIGN="LEFT">";
IF ($TYPE==1)
    PRINT "<INPUT TYPE='RADIO' NAME='CUSTOMER_TYPE' VALUE='1' CHECKED />ACTIVE &nbsp;  <INPUT TYPE='RADIO' NAME='CUSTOMER_TYPE'
VALUE='0' />INACTIVE";
ELSE
    PRINT "<INPUT TYPE='RADIO' NAME='CUSTOMER_TYPE' VALUE='1' />ACTIVE &nbsp;  <INPUT TYPE='RADIO' NAME='CUSTOMER_TYPE' VALUE='0'
CHECKED />INACTIVE";
PRINT "</TD></TR><TR><TD>&nbsp;  </TD></TR><TR><TD><INPUT TYPE='HIDDEN' NAME='ID' VALUE='$CUSTOMER_ID' /></TD></TR><TR><TD
COLSPAN="3"><HR WIDTH="100%" /></TD></TR><TR><TD><BR></TD></TR>";
PRINT "<TR><TD ALIGN="CENTER" COLSPAN="3"><INPUT TYPE="SUBMIT" NAME="UPDATE" VALUE="SUBMIT" CLASS="INPUTBUTTON" /> &nbsp;  <INPUT TYPE="SUBMIT"
NAME="CANCEL" VALUE="CANCEL" CLASS="INPUTBUTTON" /></TD></TR></FORM>";
PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF ($ACTION==3){
    $CUSTOMER_ID=$_GET['CUSTOMER_ID'];
    $QUERY=MYSQL_QUERY("DELETE FROM CUSTOMER WHERE CUSTOMER_ID='$CUSTOMER_ID'");
    PRINT "<CENTER><TABLE WIDTH='760'>
<TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE="WIDTH: 500px"; ALIGN="CENTER">
<LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>".DELETE CUSTOMER</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN="CENTER" STYLE="TABLE-LAYOUT: FIXED;"><TR><TD><BR></TD></TR>";
    IF(!$QUERY){
        PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE DELETING YOUR
DATA.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CustomerManagement.php"></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <span id="seconds">5</span>.<SCRIPT> var seconds = 5; setInterval( function(){ if
(seconds <= 1) { window.location = 'CustomerManagement.php'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
}
    }
    ELSE{
        PRINT "<TR><TD><CENTER><B>1 RECORD SUCCESSFULLY DELETED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CustomerManagement.php"></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <span id="seconds">5</span>.<SCRIPT> var seconds = 5; setInterval( function(){ if
(seconds <= 1) { window.location = 'CustomerManagement.php'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
}
    }
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF ($ACTION==4){
    $CUSTOMER_ID=$_GET['CUSTOMER_ID'];
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE="WIDTH: 500px"; ALIGN="CENTER"><LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>".VIEW CUSTOMER
PROFILE</B></FONT></LEGEND>
<DIV CLASS='RESULTS'><TABLE WIDTH='500' ALIGN="CENTER" STYLE="TABLE-LAYOUT: FIXED;"><BR>";
    $QUERY=MYSQL_QUERY("SELECT * FROM CUSTOMER WHERE CUSTOMER_ID='$CUSTOMER_ID'") OR DIE (MYSQL_ERROR());
    $ROW=MYSQL_FETCH_ARRAY($QUERY);
    $CUSTOMER_STATUS=$ROW['CUSTOMER_ISACTIVE'];

```

```

$COUNTRY = $ROW['COUNTRY_ID'];
$NATIONALITY = $ROW['NATIONALITY'];
$LANGUAGE = $ROW['CUSTOMER_LANGUAGE'];
IF ($LANGUAGE == 'ENG')
    $LANGDISP = "ENGLISH";
ELSE
    $LANGDISP = "ARABIC";
IF ($CUSTOMER_STATUS == 1)
    $STATD = "ACTIVE";
ELSE
    $STATD = "INACTIVE";
PRINT "<TR><TD ALIGN='RIGHT' WIDTH='35%'><B>FIRST NAME:</B> &nbsp;  </TD><TD ALIGN='LEFT' WIDTH='60%'><FONT COLOR='#092EA7'><B>".
$ROW['CUSTOMER_FIRSTNAME']. "</B></FONT></TD></TR>
<TR><TD ALIGN='RIGHT'><B>MIDDLE NAME:</B> &nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR='#092EA7'><B>".
$ROW['CUSTOMER_MIDDLENAME']. "</B></FONT></TD></TR>
<TR><TD ALIGN='RIGHT'><B>LAST NAME:</B> &nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR='#092EA7'><B>".
$ROW['CUSTOMER_LASTNAME']. "</B></FONT></TD></TR>
<TR><TD ALIGN='RIGHT'><B>GENDER: &nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR='#092EA7'><B>".
$ROW['CUSTOMER_GENDER']. "</B></FONT></TD></TR>
<TR><TD ALIGN='RIGHT'><B>DATE OF BIRTH:</B> &nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR='#092EA7'><B>".
$ROW['CUSTOMER_BIRTHDAY']. "</B></FONT></TD></TR>
<TR><TD COLSPAN='2'><BR></TD></TR>
<TR><TD ALIGN='RIGHT'><B>EMAIL ADDRESS:</B> &nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR='#092EA7'><B>".
$ROW['CUSTOMER_EMAIL']. "</B></FONT></TD></TR>
<TR><TD ALIGN='RIGHT'><B>ALTERNATE EMAIL:</B> &nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR='#092EA7'><B>".
$ROW['CUSTOMER_ALTEMAIL']. "</B></FONT></TD></TR>
<TR><TD COLSPAN='2'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><B>MOBILE NUMBER:</B> &nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR='#092EA7'><B>".
$ROW['CUSTOMER_MOBILENUM']. "</B></FONT></TD></TR>
<TR><TD ALIGN='RIGHT'><B>PHONE NUMBER:</B> &nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR='#092EA7'><B>".
$ROW['CUSTOMER_PHONENUM']. "</B></FONT></TD></TR>
<TR><TD ALIGN='RIGHT'><B>COUNTRY:</B> &nbsp;  </TD><TD ALIGN='LEFT'>";
$RESULT2 = MYSQL_QUERY("SELECT * FROM CUSTOMER WHERE COUNTRY_ID='$COUNTRY'");
$ROW2 = MYSQL_FETCH_ARRAY($RESULT2);
$COUNTRY_NAME = $ROW2['COUNTRY_NAME'];
PRINT "<FONT COLOR='#092EA7'><B>$COUNTRY_NAME</B></FONT></TD></TR><TR><TD></TD></TR>";
PRINT "
<TR><TD ALIGN='RIGHT'><B>CITY:</B> &nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR='#092EA7'><B>".
$ROW['CITY']. "</B></FONT></TD></TR>
<TR><TD ALIGN='RIGHT'><B>NATIONALITY:</B> &nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR='#092EA7'><B>".
$ROW['NATIONALITY']. "</B></FONT></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><B>BALANCE:</B>&nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR='#092EA7'><B>".
$ROW['CUSTOMER_BALANCE']. "</B></FONT></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><B>STATUS:</B>&nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR='#092EA7'><B>$STATD</B></FONT></TD></TR>";
COLOR='#092EA7'><B>$LANGDISP</B></FONT></TD></TR><TR><TD><BR></TD></TR>
<TR><TD COLSPAN='2' ALIGN='RIGHT'><A HREF='CUSTOMERMANAGEMENT.PHP'><B>| BACK |</B></A></TD></TR>
<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF (ISSET($_POST['ADD'])) {
    $ERROR1 = 0;
    $TITLE = $_POST['CUSTOMER_TITLE'];
    $FIRSTNAME = $_POST['FIRSTNAME'];
    $MIDDLENAME = $_POST['MIDDLENAME'];
    $LASTNAME = $_POST['LASTNAME'];
    $GENDER = $_POST['GENDER'];
    $BIRTHDAY = $_POST['BIRTHDAY'];
    $EMAILADDRESS = $_POST['EMAILADDRESS'];
    $ALTEMAILADDRESS = $_POST['ALTEMAILADDRESS'];
    //$PASSWORD = $_POST['PASSWORD'];
    $MOBILENUMBER = $_POST['MOBILENUMBER'];
    $PHONENUMBER = $_POST['PHONENUMBER'];
    $COUNTRY = $_POST['COUNTRY'];
    $NATIONALITY = $_POST['NATIONALITY'];
    $CITY = $_POST['CITY'];
    $LANGUAGE = $_POST['LANGUAGE'];
    $ISACTIVE = $_POST['STATUS'];
    $TYPE = $_POST['CUSTOMER_TYPE'];
    $EMPTYFIELD = 0;
    $EMAILCHECKERROR = 0;
    $ALTEMAILCHECKERROR = 0;
    $MOBILENUMLENGTH = STRLEN($MOBILENUMBER);
    $AGREEMENTERROR = 0;
    $EMAILTAKEN = 0;
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
        <LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".Add Customer</B></FONT></LEGEND><DIV CLASS='RESULTS'>
        <TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    $REQUIREDFIELDS = ARRAY($FIRSTNAME, $LASTNAME, $EMAILADDRESS, $MOBILENUMBER);
    $ARRAYLENGTH = COUNT($REQUIREDFIELDS);
    $EMAILCHECK = CHECKEMAIL($EMAILADDRESS);
    IF ($ALTEMAILADDRESS!="")
        $ALTEMAILCHECK = CHECKEMAIL($ALTEMAILADDRESS);
    $TEST = MYSQL_QUERY("SELECT * FROM CUSTOMER WHERE CUSTOMER_EMAIL='$EMAILADDRESS'")OR DIE(MYSQL_ERROR());
    IF (MYSQL_NUM_ROWS($TEST))
        $EMAILTAKEN = 1;
    FOR ($I=0; $I<$ARRAYLENGTH; $I++){
        IF ($REQUIREDFIELDS[$I]=="")
            $EMPTYFIELD++;
    }
    IF (($EMAILCHECK==0)&&($EMAILADDRESS!=""))
        $EMAILCHECKERROR = 1;
    IF (($ALTEMAILCHECK==0)&&($ALTEMAILADDRESS!=""))
        $ALTEMAILCHECKERROR = 1;
    IF (($MOBILENUMLENGTH<12)&&($MOBILENUMBER!=""))
        $MOBILELENGTHERROR = 1;
}

```



```

HTTP://1111.CO</SPAN></A></SPAN><SPAN DIR="LTR" STYLE="FONT-SIZE:12.0pt"><O:P></O:P></SPAN></P></TD></TR></TABLE></DIV><P
CLASS="MsoNormal"><O:P>&nbsp;</O:P></P>;
$HEADERS = "MIME-VERSION: 1.0" . "\r\n";
$HEADERS .= "CONTENT-TYPE:TEXT/HTML;CHARSET=ISO-8859-1" . "\r\n";
$HEADERS .= "FROM:" . $SMTP_FROM;
IF (MAIL($EMAILADDRESS, $SUBJECT, $MESSAGE, $HEADERS)){
    PRINT "<TR><TD><CENTER><B>CUSTOMER ACCOUNT HAS BEEN CREATED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CUSTOMERMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'CUSTOMERMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000);
</SCRIPT></FONT></CENTER></TD></TR>";
}
ELSE{
    PRINT "<TR><TD><CENTER><B>CUSTOMER ACCOUNT HAS BEEN CREATED. BUT EMAIL CANNOT BE SENT TO THE
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CUSTOMERMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'CUSTOMERMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000);
</SCRIPT></FONT></CENTER></TD></TR>";
}
}
}
PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
}
ELSE{
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER>
<FIELDSET STYLE='WIDTH: 600PX;' ALIGN='CENTER'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>."CUSTOMER
MANAGEMENT</B></FONT></LEGEND><TABLE WIDTH='600'><TR>";
    PRINT "<TD ALIGN='CENTER'><A HREF='CUSTOMERMANAGEMENT.PHP?ACTION=1'><IMG SRC='IMAGES/ADD.PNG' ALT='ADD CUSTOMER'
WIDTH='50'></IMG></A><BR><B>ADD CUSTOMER</B></TD>";
    PRINT "<TD ALIGN='RIGHT'><FORM METHOD='GET' ID='FILTER' ACTION='CUSTOMERMANAGEMENT.PHP' /><B>EMAIL ADDRESS: </B>&nbsp;<input type='text'
NAME='EMAIL' SIZE='28' />&nbsp;<input type='submit' NAME='VIEW' VALUE='SEARCH' CLASS='INPUTBUTTON' /></TD>";
    PRINT "</TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
    $PAGE = $_GET['PAGE'];
    IF ($PAGE == "") $PAGE = 1;
    $EMAIL = $_GET['EMAIL'];
    $SORTBY = $_GET['SORTBY'];
    $OLDSORTBY = $_GET['OLDSORTBY'];
    $ORDER = $_GET['ORDER'];
    IF (($ORDER == "") || ($SORTBY == $OLDSORTBY)) $NEWORDER = "ASC";
    ELSE{
        IF ($ORDER == "ASC") $NEWORDER = "DESC";
        ELSE $NEWORDER = "ASC";
    }
    $OLDSORTBY = $SORTBY;
    $QUERY = "SELECT * FROM CUSTOMER ";
    IF ($EMAIL != "") $QUERY .= "WHERE CUSTOMER_EMAIL LIKE '%$EMAIL%'";
    IF ($SORTBY != "") $QUERY .= "ORDER BY $SORTBY $ORDER";
    MYSQL_QUERY($QUERY);
    $NUMBEROFRESULTS = MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
    $NUMBEROFPAGES = CEIL($NUMBEROFRESULTS/$LIMIT);
    $SEARCHRESULT = MYSQL_QUERY($QUERY, " LIMIT " . ($PAGE-1)*$LIMIT . ", $LIMIT");
    IF ($NUMBEROFRESULTS != 0){
        PRINT "<DIV CLASS='INSIDE'>
<TABLE WIDTH='750' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>
<TR><TH WIDTH='13%' CLASS='ERIKA'><A HREF='CUSTOMERMANAGEMENT.PHP?
EMAIL=$EMAIL&SORTBY=CUSTOMER_FIRSTNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>FIRST NAME</A></TH>
<TH WIDTH='13%'><A HREF='CUSTOMERMANAGEMENT.PHP?
EMAIL=$EMAIL&SORTBY=CUSTOMER_LASTNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>LAST NAME</A></TH>
<TH WIDTH='36%'><A HREF='CUSTOMERMANAGEMENT.PHP?
EMAIL=$EMAIL&SORTBY=CUSTOMER_EMAIL&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>EMAIL ADDRESS</A></TH>
<TH WIDTH='10%'><A HREF='CUSTOMERMANAGEMENT.PHP?
EMAIL=$EMAIL&SORTBY=CUSTOMER_BALANCE&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>BALANCE</A></TH>
<TH WIDTH='10%'><A HREF='CUSTOMERMANAGEMENT.PHP?
EMAIL=$EMAIL&SORTBY=CUSTOMER_TYPE&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>RESELLER</A></TH>
<TH WIDTH='10%'><A HREF='CUSTOMERMANAGEMENT.PHP?
EMAIL=$EMAIL&SORTBY=CUSTOMER_ISACTIVE&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>STATUS</A></TH>
<TH WIDTH='8%'>ACTION</TH></TR></TABLE>";
        WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
            $I++;
            $CUSTOMER_ID = $ROW['CUSTOMER_ID'];
            IF ($ROW['CUSTOMER_ISACTIVE'] == 1)
                $STATUSDISP = "Active";
            ELSE
                $STATUSDISP = "Inactive";
            IF ($ROW['CUSTOMER_TYPE'] == 1)
                $RESDISP = "Yes";
            ELSE
                $RESDISP = "No";
            PRINT "<TR CLASS='D'.($I & 1).\">";
            PRINT "<TD><CENTER>". $ROW['CUSTOMER_FIRSTNAME']. "</CENTER></TD>";
            PRINT "<TD><CENTER>". $ROW['CUSTOMER_LASTNAME']. "</CENTER></TD>";
            PRINT "<TD><CENTER><A HREF='CUSTOMERMANAGEMENT.PHP?ACTION=4&CUSTOMER_ID=$CUSTOMER_ID'>";
            PRINT "<TD><CENTER>". $ROW['CUSTOMER_BALANCE']. "</CENTER></TD>";
            PRINT "<TD><CENTER>$RESDISP</CENTER></TD>";
            PRINT "<TD><CENTER>$STATUSDISP</CENTER></TD>";
            PRINT "<TD><CENTER>";
            PRINT "<A HREF='CUSTOMERMANAGEMENT.PHP?ACTION=2&CUSTOMER_ID=$CUSTOMER_ID'><IMG SRC='IMAGES/EDIT.GIF' TITLE='EDIT'
WIDTH='15'></IMG></A>";
            PRINT "<A HREF='CUSTOMERMANAGEMENT.PHP?ACTION=3&CUSTOMER_ID=$CUSTOMER_ID' ONCLICK='RETURN CONFIRM('ARE YOU SURE YOU
WANT TO DELETE CUSTOMER RECORD?')'><IMG SRC='IMAGES/DELETE.PNG'
TITLE='DELETE' WIDTH='15'></IMG></A>";
            PRINT "</CENTER></TD></TR>\n";

```

```

    }
    PRINT "</TABLE><BR><BR>";
    IF ($NUMBEROFPages>1){
        $Nav="";
        FOR($j = 1 ; $j <= $NUMBEROFPages ; $j++) {
            IF($j == $PAGE) {
                $Nav .= "<b>$j</b>";
            }
            ELSE{
                $Nav .= "&nbsp;<a href='\"CustomerManagement.php?
PAGE=$j&EMAIL=$EMAIL&SORTBY=$SORTBY&ORDER=$ORDER&OLDSORTBY=$OLDSORTBY\">$j </a>&nbsp;  ";
            }
        }
        PRINT "<center> $Nav </center><center><BR></div>";
    }
}
ELSE{
    PRINT "<center><table width='760'><tr><td width='730' valign='top'>
<br><center><fieldset style='width: 500px;' align='center'><table width='500'>";
    IF ($EMAIL==""){
        PRINT "<tr><td><center><br><b><font color='red'>No records found.</font></b><br><br>";
    }
    ELSE{
        PRINT "<tr><td><center><br><b>Email address <font color='red'>\"$EMAIL\"</font> not found.</b><br><br>
<noscript><meta http-equiv='refresh' content='5'; url=CustomerManagement.php?</noscript>
<font color='blue'>You will be redirected back in <span id='seconds'>5</span>.<script> var seconds = 5;
SETInterval( function(){ if (seconds <= 1) { window.location = 'CustomerManagement.php'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
</script></font></center></td></tr>";
    }
}
PRINT "</table></fieldset></center></td></tr><tr><td><br><br></td></tr></table>";
}
}
}
ELSE {
    PRINT "<center><br><font color='red' size='3'><b>Access Denied!</b></font></center>";
    PRINT "<meta http-equiv='refresh' content='1'; url=index.php'>";
}
?>
<br></td></tr></table></td>
<?php include "RightPanel.php"; ?>

```

Admin/CustomerPurchase.php

```

<?php include "LeftPanel.php";
$imageDirectory="./images/category";
$imageAraDirectory="./images_ara/category";
?>
<td valign="top"><table id="contentsCenter"><tr><td class="centerMain">
<?php
    $LIMIT = 15;
    $ACTION=$_GET['action'];
    $PAGE=$_GET['page'];
    IF ($PAGE=="") $PAGE=1;
    IF ($ADMIN_VALID==1){
        PRINT "<br><table width='760'><tr><td align='left'><font color='black'><b>Welcome </b></font><font color='#1c43a6'><b>$USERNAME!
</b></font></td>
        <td align='right'><font color='black'><b>Today is <font color='#1c43a6'><b>".date("L, F j, Y")."</b></font></b></font></td></tr></table>";
        PRINT "<center><table width='760'><tr><td width='730' valign='top'>
        <br><center><fieldset style='width: 500px;' align='center'><legend><font color='#0707ab' size='3'><b>\"Customer Purchase</b></font></legend>
        <div class='results'><table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>";
        IF (isset($_POST['view']))){
            $FROMDATE = isset($_REQUEST['fromDate']) ? $_REQUEST['fromDate'] : "";
            $TODATE = isset($_REQUEST['toDate']) ? $_REQUEST['toDate'] : "";
            $EMAIL = $_POST['email'];
            $OPERATOR = $_POST['operator'];
        }
        ELSE IF ($ACTION==1){
            $FROMDATE = $_GET['from'];
            $TODATE = $_GET['to'];
            $EMAIL = $_GET['email'];
            $OPERATOR = $_GET['op'];
        }
        ELSE{
            $FROMDATE = $DATEONLY;
            $TODATE = $DATEONLY;
        }
        IF ($EMAIL!="")
            $QUERY = "SELECT * FROM PURCHASE,CUSTOMER WHERE PURCHASE.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND CUSTOMER_EMAIL='\"$EMAIL' $OPERATOR
CAST(PURCHASE_DATE TIME AS DATE) BETWEEN '\"$FROMDATE' AND DATE_ADD('\"$TODATE',INTERVAL 1 DAY)\"";
        ELSE
            $QUERY = "SELECT * FROM PURCHASE,CUSTOMER WHERE PURCHASE.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND CAST(PURCHASE_DATE TIME AS DATE)
BETWEEN '\"$FROMDATE' AND DATE_ADD('\"$TODATE',INTERVAL 1 DAY)\"";
        MYSQL_QUERY($QUERY);
        $NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
        $NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
        $SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT ." , $LIMIT");
        PRINT "<form name='DateRange' method='POST' action='CustomerPurchase.php'>
<tr><td align='center'><b>From Date : </b>&nbsp;  <br>";
        FUNCTION GETDAYSINWEEK ($WEEKNUMBER, $YEAR, $DAYSTART = 1) {
            $TIME = STRTOTIME($YEAR . '0104 ' . ($WEEKNUMBER - 1).' WEEKS');
            $DAYTIME = STRTOTIME('-' . (DATE('W', $TIME) - $DAYSTART) . ' DAYS', $TIME);
            $DAYTIMES = ARRAY ();
            FOR ($i = 0; $i < 7; ++$i) {

```

```

        $DAYTIMES[] = STRTOTIME('+ ' . $i . ' DAYS', $DAYTIME);
    }
    RETURN $DAYTIMES;
}
}
$THISWEEK = DATE('W');
$THISYEAR = DATE('Y');
$DAYTIMES = GETDAYSINWEEK($THISWEEK, $THISYEAR);
$DATE1 = DATE('Y-M-D', $DAYTIMES[0]);
$DATE2 = DATE('Y-M-D', $DAYTIMES[(sizeof($DAYTIMES)-1)]);
$FROMDATE="*$FROMDATE*";
$YEAR1=EXTRACTBETWEENDELIMITERS($FROMDATE,"*","*");
$MONTH1=EXTRACTBETWEENDELIMITERS($FROMDATE,"*","*");
$DAY1=EXTRACTBETWEENDELIMITERS($FROMDATE,"*","*");
$DAY1 = "$DAY1*";
$DAY1=EXTRACTBETWEENDELIMITERS($DAY1,"*","*");
$TODATE="*$TODATE*";
$YEAR2=EXTRACTBETWEENDELIMITERS($TODATE,"*","*");
$MONTH2=EXTRACTBETWEENDELIMITERS($TODATE,"*","*");
$DAY2=EXTRACTBETWEENDELIMITERS($TODATE,"*","*");
$DAY2 = "$DAY2*";
$DAY2=EXTRACTBETWEENDELIMITERS($DAY2,"*","*");
$FROMDATE = EXTRACTBETWEENDELIMITERS($FROMDATE,"*","*");
$TODATE = EXTRACTBETWEENDELIMITERS($TODATE,"*","*");
$MYCALENDAR = NEW TC_CALENDAR("FROMDATE", TRUE);
$MYCALENDAR->SETICON("CALENDAR/IMAGES/ICONCALENDAR.GIF");
$MYCALENDAR->SETDATE($DAY1, $MONTH1, $YEAR1);
$MYCALENDAR->SETPATH("CALENDAR/");
$MYCALENDAR->SETYEARINTERVAL(1970, 2020);
$MYCALENDAR->SETALIGNMENT('LEFT', 'BOTTOM');
$MYCALENDAR->SETDATEPAIR('FROMDATE', 'TODATE', $DATE2);
$MYCALENDAR->WRITESCRIPT();
PRINT "&nbsp; &nbsp; &nbsp; &nbsp; </TD><TD ALIGN='CENTER'><B>To Date:</B> &nbsp;&nbsp; <BR>";
$MYCALENDAR = NEW TC_CALENDAR("TODATE", TRUE);
$MYCALENDAR->SETICON("CALENDAR/IMAGES/ICONCALENDAR.GIF");
$MYCALENDAR->SETDATE($DAY2, $MONTH2, $YEAR2);
$MYCALENDAR->SETPATH("CALENDAR/");
$MYCALENDAR->SETYEARINTERVAL(1970, 2020);
$MYCALENDAR->SETALIGNMENT('LEFT', 'BOTTOM');
$MYCALENDAR->SETDATEPAIR('FROMDATE', 'TODATE', $DATE1);
$MYCALENDAR->WRITESCRIPT();
PRINT "</TD></TR><TR><TD COLSPAN='2' ALIGN='LEFT'><INPUT TYPE='RADIO' NAME='OPERATOR' VALUE='OR' CHECKED>OR &nbsp;&nbsp; <INPUT TYPE='RADIO' NAME='OPERATOR'
VALUE='AND'>AND</TD></TR>
<TR><TD COLSPAN='2'><B>EMAIL ADDRESS: </B> <INPUT TYPE='TEXT' NAME='EMAIL' SIZE='40' &nbsp;&nbsp; <INPUT TYPE='SUBMIT' NAME='VIEW' VALUE='VIEW'
CLASS='INPUTBUTTON'></FORM></TD></TR>
<TR></TD><TD STYLE='HEIGHT: 13px'></TD></TR></TABLE>";
PRINT "</SELECT></FORM></TD></FORM></TD></TR></TABLE>";
PRINT "<BR><BR>";
IF ($NUMBEROFRESULTS!=0){
    PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='700' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>";
    PRINT "<TR><TH WIDTH='13%'>DATE AND TIME</TH>
        <TH WIDTH='30%'>CUSTOMER EMAIL</TH>
        <TH WIDTH='19%'>CATEGORY NAME</TH>
        <TH WIDTH='19%'>ITEM NAME</TH>
        <TH>PRICE</TH>
        <TH WIDTH='7%'>DETAILS</TH></TR>";
    WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
        $i++;
        $PURCHASE_ID = $ROW['PURCHASE_ID'];
        $STOCK_ID = $ROW['STOCK_ID'];
        $GETITEM = MYSQL_QUERY("SELECT * FROM ITEM,CATEGORY,STOCKS WHERE STOCKS.ITEM_ID=ITEM.ITEM_ID AND
ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND STOCK_ID='$STOCK_ID'");
        $ROW2 = MYSQL_FETCH_ARRAY($GETITEM);
        PRINT "<TR CLASS='D'."($i & 1).">";
        PRINT "<TD><CENTER>". $ROW['PURCHASE_DATE TIME']. "</CENTER></TD>";
        PRINT "<TD><CENTER>". $ROW['CUSTOMER_EMAIL']. "</CENTER></TD>";
        PRINT "<TD><CENTER>". $ROW2['CATEGORY_NAME']. "</CENTER></TD>";
        PRINT "<TD><CENTER>". $ROW2['ITEM_NAME']. "</CENTER></TD>";
        PRINT "<TD><CENTER>". $ROW2['ITEM_PRICE']. "</CENTER></TD>";
        PRINT "<TD><CENTER><A HREF='JAVASCRIPT:VOID(0)'; NAME='UPLOAD' TITLE='PURCHASE DETAILS' ONCLICK=WINDOW.OPEN('VIEWPURCHASE.PHP?
ID=$PURCHASE_ID', 'RATTING', 'WIDTH=550,HEIGHT=450,STATUS=0,SCROLLBARS=1,LEFT=150, TOP=200');>DETAILS</A></CENTER></TD>";
        PRINT "</TR>\n";
    }
    PRINT "</TABLE>";
    IF ($NUMBEROFPAGES>1){
        $NAV="";
        FOR($j = 1 ; $j <= $NUMBEROFPAGES ; $j++) {
            IF($j == $PAGE)
                $NAV .= "<B>$j</B>";
            ELSE
                $NAV .= "&nbsp;<A HREF='\"CUSTOMERPURCHASE.PHP?
PAGE=$j&ACTION=1&FROM=$FROMDATE&TO=$TODATE&EMAIL=$EMAIL&OP=$OPERATOR '\">$j</A>&nbsp;&nbsp;";
        }
        PRINT "<CENTER><BR><BR>$NAV</CENTER><BR><BR></DIV></DIV>";
    }
}
ELSE{
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>
<TR><TD><CENTER><FONT COLOR='RED'><B>NO CUSTOMER PURCHASE RECORDS EXIST.</B> </FONT><BR><BR>
</TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
}
}
}

```



```

        $QUERY=MYSQ_QUERY("SELECT * FROM TICKET_STATE,CUSTOMER,TICKET_REQUEST,ADMIN_USER WHERE ADMIN_USER.ADMIN_ID=TICKET_REQUEST.ADMIN_ID AND
TICKET_REQUEST.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND TICKET_REQUEST.TICKETSTATE_ID=TICKET_STATE.TICKETSTATE_ID AND TICKET_REQUEST.TICKET_ISSUE='TICKET_ID'");
        $QUERY2=MYSQ_QUERY("SELECT * FROM TICKET_RESPONSE,TICKET_REQUEST WHERE TICKET_RESPONSE.TICKETREQUEST_ID=TICKET_REQUEST.TICKETREQUEST_ID
AND TICKET_REQUEST.TICKET_ISSUE='$TICKET_ID' ORDER BY TICKETRESPONSE_DATE");
        $ROW=MYSQ_FETCH_ARRAY($QUERY);
        $CUSTOMER_EMAIL=$ROW['CUSTOMER_EMAIL'];
        $STATUS=$ROW['TICKETSTATE_ID'];
        $STATUSDIS=$ROW['TICKETSTATE_NAME'];
        WHILE ($ROW2=MYSQ_FETCH_ARRAY($QUERY2)){
            $REPLY=$ROW2['TICKETRESPONSE_TEXT'];
            $WHEN=$ROW2['TICKETRESPONSE_DATE'];
            $ISADMIN=$ROW2['ISADMIN'];
            IF ($ISADMIN==0){
                PRINT "<TABLE CLASS='CONTENTTable' CELLPADDING='0' CELLSPACING='0'>
                <TR><TH><DIV><SPAN STYLE='width:150px'>CUSTOMER'S QUERY</SPAN></DIV></TH></TR>";
            }
            ELSE {
                PRINT "<TABLE CLASS='CONTENTTable' CELLPADDING='0' CELLSPACING='0'>
                <TR><TH><DIV><SPAN STYLE='width:150px'>ADMIN'S REPLY</SPAN></DIV></TH></TR>";
            }
            PRINT "<TR><TD CLASS='WORKArea'><BR><TABLE WIDTH='550' CELLPADDING='20' STYLE='TABLE-LAYOUT: FIXED;'>";
            PRINT "<TR><TD ALIGN='LEFT'>";
            IF ($ISADMIN==0)
                PRINT "TRANSACTION ID: <b>". $ROW2['TICKET_ISSUE']. "</b><br>";
            PRINT "<br>$REPLY<br><br>$WHEN<br>";
            IF ($ISADMIN==1)
                PRINT "<br>REPLY POSTED BY: <b>". $ROW['ADMIN_USERNAME']. "</b><br>";
            PRINT "</TD></TR></TABLE></TD></TR>";
            PRINT "</TABLE>";
        }
    }
}
ELSE {
    PRINT "<CENTER><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></center>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
}
?>
<br><br></td></tr></table></td>
<?PHP INCLUDE "RIGHTPANEL.PHP"; ?>

```

Admin/DailyCategory.php

```

<?PHP INCLUDE "LEFTPANEL.PHP"; ?>
<TD VALIGN="TOP"><TABLE ID="CONTENTScenter"><tr><td class="centerMain">
<?PHP
FUNCTION ISLASTSUB($ID){
    $QUERY=MYSQ_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$ID'");
    $COUNTROW = MYSQL_NUM_ROWS($QUERY);
    IF ($COUNTROW==0)
        RETURN 1;
    ELSE
        RETURN 0;
}
FUNCTION GETSUBCATEGORY($ID){
    $i=0;
    $QUERY=MYSQ_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$ID'");
    WHILE ($ROW=MYSQ_FETCH_ARRAY($QUERY)){
        $CATEGORY_ID = $ROW['CATEGORY_ID'];
        $SUBCATS[$i] = $CATEGORY_ID;
        $i++;
    }
    RETURN $SUBCATS;
}
FUNCTION COUNTSUBCATEGORY($ID){
    $QUERY=MYSQ_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$ID'");
    $COUNTROW = MYSQL_NUM_ROWS($QUERY);
    RETURN $COUNTROW;
}
FUNCTION GETCATEGORYNAME($ID){
    $QUERY=MYSQ_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$ID'");
    $ROW=MYSQ_FETCH_ARRAY($QUERY);
    $CATEGORY_NAME = $ROW['CATEGORY_NAME'];
    RETURN $CATEGORY_NAME;
}

$LIMIT = 10;
$ACTION=$_GET['ACTION'];
IF ($ADMIN_VALID==1){
    $PAGE=$_GET["PAGE"];
    IF($PAGE == "") $PAGE=1;
    IF (ISSET($_POST['VIEW'])) {
        $FROMDATE = ISSET($_REQUEST['FROMDATE']) ? $_REQUEST['FROMDATE'] : "";
        $TODATE = ISSET($_REQUEST['TODATE']) ? $_REQUEST['TODATE'] : "";
        $CATEGORY_ID=$_POST['CATEGORY_ID'];
    }
    ELSE {
        $FROMDATE = $DATEONLY;
        $TODATE = $DATEONLY;
        $CATEGORY_ID=0;
    }
    PRINT "<br><TABLE WIDTH='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>$USERNAME!
<td align='right'><font color='black'><b>Today is <font color='#1c43a6'><b>".date("L, F j, Y")."</font></b></td></tr></table>";
    PRINT "<center><TABLE WIDTH='760'><tr><td width='730' valign='top'>
<br><fieldset style='width: 700px;' align='center'><legend><font color='#0707ab' size='3'><b>". "Daily Sales per Category</b></font></legend>

```



```

$FROMDATE="*$FROMDATE*";
$YEAR1=EXTRACTBETWEENDELIMITERS($FROMDATE,"*","-");
$MONTH1=EXTRACTBETWEENDELIMITERS($FROMDATE,"-","-");
$DAY1=EXTRACTBETWEENDELIMITERS($FROMDATE,"-","*");
$DAY1 = "$DAY1*";
$DAY1=EXTRACTBETWEENDELIMITERS($DAY1,"-","*");
$TODATE="*$TODATE*";
$YEAR2=EXTRACTBETWEENDELIMITERS($TODATE,"*","-");
$MONTH2=EXTRACTBETWEENDELIMITERS($TODATE,"-","-");
$DAY2=EXTRACTBETWEENDELIMITERS($TODATE,"-","*");
$DAY2 = "$DAY2*";
$DAY2=EXTRACTBETWEENDELIMITERS($DAY2,"-","*");
$FROMDATE = EXTRACTBETWEENDELIMITERS($FROMDATE,"*","*");
$TODATE = EXTRACTBETWEENDELIMITERS($TODATE,"*","*");
$MYCALENDAR = NEW TC_CALENDAR("FROMDATE", TRUE);
$MYCALENDAR->SETICON("CALENDAR/IMAGES/ICONCALENDAR.GIF");
$MYCALENDAR->SETDATE($DAY1, $MONTH1, $YEAR1);
$MYCALENDAR->SETPATH("CALENDAR/");
$MYCALENDAR->SETYEARINTERVAL(1970, 2020);
$MYCALENDAR->SETALIGNMENT('LEFT', 'BOTTOM');
$MYCALENDAR->SETDATEPAIR('FROMDATE', 'TODATE', $DATE2);
$MYCALENDAR->WRITESCRIPT();
PRINT "&nbsp; &nbsp; &nbsp; </TD><TD ALIGN='CENTER'><B>TO DATE:</B> &nbsp; &nbsp; <BR>";
$MYCALENDAR = NEW TC_CALENDAR("TODATE", TRUE);
$MYCALENDAR->SETICON("CALENDAR/IMAGES/ICONCALENDAR.GIF");
$MYCALENDAR->SETDATE($DAY2, $MONTH2, $YEAR2);
$MYCALENDAR->SETPATH("CALENDAR/");
$MYCALENDAR->SETYEARINTERVAL(1970, 2020);
$MYCALENDAR->SETALIGNMENT('LEFT', 'BOTTOM');
$MYCALENDAR->SETDATEPAIR('FROMDATE', 'TODATE', $DATE1);
$MYCALENDAR->WRITESCRIPT();
PRINT "</TD><TR><TD COLSPAN='2' ALIGN='CENTER'><B>SELECT ITEM:</B> &nbsp; &nbsp; <SELECT NAME='CATEGORY_ID' STYLE='width:160px;'>";
$GETWITHITEM = MYSQL_QUERY("SELECT DISTINCT ITEM,CATEGORY_ID,CATEGORY_NAME FROM ITEM,CATEGORY WHERE CATEGORY_ID=ITEM.CATEGORY_ID");
IF ($CATEGORY_ID!=""){
    $GETCAT = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'");
    $ROWCAT = MYSQL_FETCH_ARRAY($GETCAT);
    $ID = $ROWCAT['CATEGORY_ID'];
    $NAME = $ROWCAT['CATEGORY_NAME'];
    PRINT "<OPTION VALUE='$ID'>$NAME</OPTION>";
    PRINT "<OPTION VALUE=''>ALL ITEMS</OPTION>";
}
ELSE PRINT "<OPTION VALUE=''>ALL ITEMS</OPTION>";
WHILE($ROWLASTSUB=MYSQL_FETCH_ROW($GETWITHITEM)){
    $CATEGORY = $ROWLASTSUB[0];
    $CATEGORY_NAME = $ROWLASTSUB[1];
    PRINT "<OPTION VALUE='$CATEGORY'>$CATEGORY_NAME</OPTION>";
}
PRINT "</SELECT>";
PRINT "&nbsp; &nbsp; &nbsp; <INPUT TYPE='SUBMIT' NAME='VIEW' VALUE='VIEW' CLASS='INPUTBUTTON'>";
PRINT "</FORM></TD><TD></TD></TR></TABLE></DIV>";
IF ($CATEGORY_ID!="")
    $CATEGORYDISPLAY="All Items";
ELSE {
    $GETDISPLAY = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'");
    $ROWDISPLAY = MYSQL_FETCH_ARRAY($GETDISPLAY);
    $CATEGORYDISPLAY=$ROWDISPLAY['CATEGORY_NAME'];
}
PRINT "<BR><BR><CENTER><FONT SIZE='2'><B>TOTAL SALES FROM <FONT COLOR='RED'>$FROMDATE</FONT> TO <FONT COLOR='RED'>$TODATE $YEARCHOSEN</FONT> -
$CATEGORYDISPLAY</B></FONT><BR><BR></CENTER>";
PRINT "<P ALIGN='RIGHT'><STRONG><FONT FACE='ARIAL' SIZE='2' COLOR='#FF0000'>
<A HREF='GRAPHITEM.PHP?FROM=$FROMDATE&TO=$TODATE&TYPE=DI&ID=$CATEGORY_ID' TARGET='_BLANK'>CLICK HERE TO SEE THE GRAPH</A></FONT></STRONG></P>";
FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
    $TOTALSALES=0;SWITCH ($INDEX){
    CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
    CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
    CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
    CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
    CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
    CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
    CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
    CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
    CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
    CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
    CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
    CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
    }
    PRINT "<DIV CLASS='INSIDE'><TABLE CELLPADDING='2' CELLSPACING='2' WIDTH='700' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>";
    PRINT "<TR CLASS='LABEL'><TD COLSPAN='5' ALIGN='CENTER'><B>$INDEX</B></TD></TR>";
    PRINT "<TR><TH>ITEM</TH><TH>SOLD QUANTITY</TH><TH>ITEM PRICE</TH><TH>ITEM COST</TH><TH>TOTAL EARNINGS</TH></TR>";
    IF ($CATEGORY_ID!=""){
        $GETITEMS=MYSQL_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID'");
        WHILE($ROWITEMS = MYSQL_FETCH_ARRAY($GETITEMS)){
            $ITEM_ID=$ROWITEMS['ITEM_ID'];
            $ITEM_NAME=$ROWITEMS['ITEM_NAME'];
            $QUERY = "SELECT ITEM_NAME, DATE(PURCHASE_DATE TIME) AS MONTH,COUNT(PURCHASE.STOCK_ID) AS SOLDQUANTITY, ITEM_PRICE
AS SALE, PURCHASE.ITEM_COST AS COST, SUM(ITEM_PRICE) - SUM(PURCHASE.ITEM_COST) AS SALES
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE DATE(PURCHASE_DATE TIME)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID AND
ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID='$ITEM_ID'
GROUP BY DATE(PURCHASE_DATE TIME)";
            $MYQUERY = MYSQL_QUERY($QUERY);
            $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
            $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
            IF ($COUNTQUERY==0){

```

```
/*PRINT "<tr class=\d".(\$COUNTER & 1)."\">";
PRINT "<td align='left'> \$ITEM_NAME</td>";
PRINT "<td><center>0</center></td>";
PRINT "</tr>\n";*/
}
ELSE{
PRINT "<tr class=\d".(\$COUNTER & 1)."\">";
PRINT "<td align='left'>".\$ROW['ITEM_NAME'].\"</center></td>";
PRINT "<td><center>".\$ROW['SOLDQUANTITY'].\"</center></td>";
PRINT "<td><center>".\$ROW['SALE'].\"</center></td>";
PRINT "<td><center>".\$ROW['COST'].\"</center></td>";
PRINT "<td><center>".\$ROW['SALES'].\"</center></td>";
PRINT "</tr>\n";
\$TOTALSALES += \$ROW['SALES'];
}
}
}
}
ELSE {
\$WITHITEMS=MYSQ_QUERY("SELECT DISTINCT(CATEGORY_ID) FROM ITEM");
WHILE (\$ROWWithItems = MYSQL_FETCH_ROW(\$WITHITEMS)){
\$CATEGORY_ID2=\$ROWWithItems[0];
\$GETCatDATA = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID=\$CATEGORY_ID2'");
\$ROWCatDATA = MYSQL_FETCH_ARRAY(\$GETCatDATA);
\$CATEGORY_NAME = \$ROWCatDATA['CATEGORY_NAME'];
\$GETItems2=MYSQL_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='\$CATEGORY_ID2'");
\$TOTALSALES3=0;
WHILE(\$ROWItems2 = MYSQL_FETCH_ARRAY(\$GETItems2)){
\$ITEM_ID2=\$ROWItems2['ITEM_ID'];
\$ITEM_NAME2=\$ROWItems2['ITEM_NAME'];
\$QUERY2 = "SELECT ITEM_NAME, DATE(PURCHASE_DATE TIME) AS MONTH,SUM(ITEM_PRICE) -
SUM(PURCHASE.ITEM_COST) AS SALES
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE DATE(PURCHASE_DATE TIME)=\$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND
STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID=\$ITEM_ID2'
GROUP BY DATE(PURCHASE_DATE TIME)";
\$MYQUERY2 = MYSQL_QUERY(\$QUERY2);
\$ROW22 = MYSQL_FETCH_ARRAY(\$MYQUERY2);
\$TOTALSALES3 += \$ROW22['SALES'];
}
IF (\$TOTALSALES3>0){
PRINT "<tr class=\d".(\$COUNTER & 1)."\">";
PRINT "<td colspan='5' align='left'><b>\$CATEGORY_NAME</b></td>";
PRINT "</tr>\n";
}
\$GETItems=MYSQL_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='\$CATEGORY_ID2'");
WHILE(\$ROWItems = MYSQL_FETCH_ARRAY(\$GETItems)){
\$ITEM_ID=\$ROWItems['ITEM_ID'];
\$ITEM_NAME=\$ROWItems['ITEM_NAME'];
\$QUERY = "SELECT ITEM_NAME, DATE(PURCHASE_DATE TIME) AS MONTH,COUNT(PURCHASE.STOCK_ID) AS
SOLDQUANTITY, ITEM_PRICE AS SALE, PURCHASE.ITEM_COST AS COST, SUM(ITEM_PRICE) -
SUM(PURCHASE.ITEM_COST) AS SALES
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE DATE(PURCHASE_DATE TIME)=\$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND
STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID=\$ITEM_ID'
GROUP BY DATE(PURCHASE_DATE TIME)";
\$MYQUERY = MYSQL_QUERY(\$QUERY);
\$ROW = MYSQL_FETCH_ARRAY(\$MYQUERY);
\$COUNTQUERY = MYSQL_NUM_ROWS(\$MYQUERY);
IF (\$COUNTQUERY = 0){
/*
PRINT "<tr>";
PRINT "<td align='left'> &nbsp; &nbsp; &nbsp; \$ITEM_NAME</td>";
PRINT "<td><center>0</center></td>";
PRINT "</tr>\n";*/
}
ELSE{
PRINT "<tr>";
PRINT "<td align='left'> &nbsp; &nbsp; &nbsp; ".\$ROW['ITEM_NAME'].\"</center></td>";
PRINT "<td><center>".\$ROW['SOLDQUANTITY'].\"</center></td>";
PRINT "<td><center>".\$ROW['SALE'].\"</center></td>";
PRINT "<td><center>".\$ROW['COST'].\"</center></td>";
PRINT "<td><center>".\$ROW['SALES'].\"</center></td>";
PRINT "</tr>\n";
\$TOTALSALES += \$ROW['SALES'];
}
}
}
}
}
}
\$TOTALSALES2 = NUMBER_FORMAT(\$TOTALSALES,2);
PRINT "<tr class=\d".(\$ & 1)."\">";
PRINT "<td colspan='4'><center><b>Total</b></center></td>";
PRINT "<td><center><b>\$TOTALSALES2</b></center></td></tr>";
PRINT "</table><br><br>";
}
PRINT "</table>";
PRINT "<p align='right'><a href='ItemSALES.php'><img src='images/back.png' width='30' height='30'></a></p>";
}
ELSE {
PRINT "<center><br><font color='red' size='3'><b>Access Denied!</b></font></center>";
PRINT "<meta http-equiv='refresh' content='1'; url=index.php'>";
}
?>
<br></td></tr></table></td>
<?php include "RightPanel.php"; ?>
```

ADMIN/DAILYTOTAL.PHP


```

FROM PURCHASE
WHERE DATE(PURCHASE_DATE TIME)='$INDEX'
GROUP BY DATE(PURCHASE_DATE TIME);
$MYQUERY = MYSQL_QUERY($QUERY);
$COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
$i++;
IF ($COUNTQUERY==0){
    PRINT "<TR CLASS='d'.($i & 1).'\>";
    PRINT "<TD><CENTER>$INDEX</CENTER></TD>";
    PRINT "<TD><CENTER>0</CENTER></TD>";
    PRINT "<TD><CENTER>0</CENTER></TD>";
    PRINT "<TD><CENTER>0</CENTER></TD>";
    PRINT "</TR>\n";
}
ELSE {
    WHILE ($ROW = MYSQL_FETCH_ARRAY($MYQUERY)){
        $i++;
        $EARNINGS = $ROW['SALES'] - $ROW['COST'];
        PRINT "<TR CLASS='d'.($i & 1).'\>";
        PRINT "<TD><CENTER><b>$.ROW['YEAR'].</b></CENTER></TD>";
        PRINT "<TD><CENTER><b>$.ROW['SALES'].</b></CENTER></TD>";
        PRINT "<TD><CENTER><b>$.ROW['COST'].</b></CENTER></TD>";
        PRINT "<TD><CENTER><b>$EARNINGS</b></CENTER></TD>";
        PRINT "</TR>\n";
        $TOTALSALES += $ROW['SALES'];
        $TOTALCOST += $ROW['COST'];
        $TOTALEARNING += $EARNINGS;
    }
}

$i++;
$TOTALSALES2 = NUMBER_FORMAT($TOTALSALES,2);
$TOTALCOST2 = NUMBER_FORMAT($TOTALCOST,2);
$TOTALEARNING2 = NUMBER_FORMAT($TOTALEARNING,2);
PRINT "<TR CLASS='d'.($i & 1).'\>";
PRINT "<TD ALIGN='LEFT'><CENTER><b>TOTAL</b></CENTER></TD>";
PRINT "<TD><CENTER><b>$TOTALSALES2</b></CENTER></TD>";
PRINT "<TD><CENTER><b>$TOTALCOST2</b></CENTER></TD>";
PRINT "<TD><CENTER><b>$TOTALEARNING2</b></CENTER></TD>";
PRINT "</TR>\n";
PRINT "</TABLE>";

PRINT "<p ALIGN='RIGHT'><a href='ItemSALES.PHP'><img src='IMAGES/BACK.PNG' width='30' height='30'></a></p>";
}
ELSE {
    PRINT "<CENTER><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' content='1'; url=INDEX.PHP'>";
}
?>
<br></td></tr></table><br><br></td>
<?php include "RIGHTPANEL.PHP"; ?>

```

Admin/Download,PHP

```

<?php
$FILE = $_GET['FILE'];
$FILE = "DBBACKUP/".$FILE;
IF (FILE_EXISTS($FILE)) {
    HEADER('CONTENT-DESCRIPTION: FILE TRANSFER');
    HEADER('CONTENT-TYPE: APPLICATION/OCTET-STREAM');
    HEADER('CONTENT-DISPOSITION: ATTACHMENT; FILENAME='.BASENAME($FILE));
    HEADER('CONTENT-TRANSFER-ENCODING: BINARY');
    HEADER('EXPIRES: 0');
    HEADER('CACHE-CONTROL: MUST-REVALIDATE, POST-CHECK=0, PRE-CHECK=0');
    HEADER('PRAGMA: PUBLIC');
    HEADER('CONTENT-LENGTH: '. FILESIZE($FILE));
    OB_CLEAN();
    FLUSH();
    READFILE($FILE);
    EXIT;
}
?>

```

Admin/FaqManagement.PHP

```

<?php include "LEFTPANEL.PHP";
$SUPER=$_SESSION['SUPER'];
$CUSTOMER_VIEW=$_SESSION['CUSTOMER_VIEW'];
$CUSTOMER_ADD=$_SESSION['CUSTOMER_ADD'];
$CUSTOMER_MODIFY=$_SESSION['CUSTOMER_MODIFY'];
$CUSTOMER_DELETE=$_SESSION['CUSTOMER_DELETE'];
?>
<SCRIPT LANGUAGE=JAVASCRIPT TYPE='TEXT/JAVASCRIPT'>
FUNCTION VALIDATEONSUBMIT(){
    VAR ELEM;
    VAR ERRS=0;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDFAQ.ANSWERARA, 'INF_ANSWERARA', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDFAQ.ANSWER, 'INF_ANSWER', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDFAQ.QUESTIONARA, 'INF_QUESTIONARA', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDFAQ.QUESTION, 'INF_QUESTION', TRUE)) ERRS += 1;

    IF (ERRS>1) ALERT('THERE ARE FIELDS WHICH NEED CORRECTION BEFORE SENDING');
    IF (ERRS==1) ALERT('THERE IS A FIELD WHICH NEEDS CORRECTION BEFORE SENDING');
    RETURN (ERRS==0);
}

```



```

$NumberOfPages=ceil($NumberOfResults/$Limit); //GET THE NUMBER OF PAGES
$searchResult = mysql_query($query." LIMIT ". ($page-1)*$Limit . ", $Limit");
if ($NumberOfResults!=0){
    print "<div class='inside'><table width='760' border='1' style='table-layout: fixed;'>
    <tr><th width='15%'>QUESTION (ENGLISH)</th><th width='15%'>QUESTION (ARABIC)</th><th>ANSWER (ENGLISH)</th><th>ANSWER
    (ARABIC)</th><th width='7%'>STATUS</th></tr>";
    if (($customer_modify==1)||($customer_delete==1))
        print "<th width='6%'>ACTION</th>";
    print "</tr>";
    while ($row = mysql_fetch_array($searchResult)){
        $i++;
        $faq_id = $row['faq_id'];
        if ($row['faq_displaystatus']==1)
            $status = "ACTIVE";
        else
            $status = "INACTIVE";
        print "<tr class='d'.($i & 1).\">";
        print "<td>". $row['faq_question']. "</td>";
        print "<td>". $row['faq_question_ara']. "</td>";
        print "<td>". $row['faq_answer']. "</td>";
        print "<td>". $row['faq_answer_ara']. "</td>";
        print "<td><center>$status</center></td>";
        if (($customer_modify==1)||($customer_delete==1))
            print "<td><center>";
            if ($customer_modify==1)
                print "<a href='faqmanagement.php?action=2&faq_id=$faq_id'>img src='images/edit.gif' title='Edit'
                width='15'></img></a>";
            if ($customer_delete==1)
                print "<a href='faqmanagement.php?action=3&faq_id=$faq_id' onclick='\"return confirm('Are you sure you
                want to delete admin record?')\">img src='images/delete.png' title='Delete' width='15'></img></a>";
            print "</center></td></tr>";
        }
        print "</table>";
        if ($NumberOfPages>1){
            $nav="";
            for($j = 1 ; $j <= $NumberOfPages ; $j++) {
                if($j == $page)
                    $nav .= "<b>$j</b>";
                else
                    $nav .= "&nbsp;<a href='\"faqmanagement.php?page=$j '\">$j </a>&nbsp; ";
            }
            print "<center><br><br> $nav </center>";
        }
        print "<center><br><br></div></div>";
    }
    else {
        print "<center><table width='760'><tr><td width='730' valign='top'>
        <br><center><fieldset style='width: 500px; align='center'><div class='results'>
        <table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>
        <tr><td><center><font color='red'><b>No FAQ's found.</b></font><br><br>
        </table></fieldset></center></td></tr><td><br><br></td></tr></table>";
    }
}
else {
    print "<center><br><font color='red' size='3'><b>Access Denied!</b></font></center>";
    print "<meta http-equiv='refresh' content='1; url=index.php'>";
}
?>
<br></td></tr></table>
</td>
<?php include "RightPanel.php"; ?>

```

ADMIN/FORGOTPASSWORD.PHP

```

<?php
SESSION_START(); //INITIALIZE PHP SESSION
require 'config.php';
require 'opendb.php';
function generatePasscode($length){
    $random="";
    srand((double)microtime()*1000000);
    $data = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";
    $data .= "abcdefghijklmnopqrstuvwxyz";
    $data = "1234567890";
    for($i = 0; $i < $length; $i++){
        $random .= substr($data, (rand()%(strlen($data))), 1);
    }
    return $random;
}
?>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/tr/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<title> BEA3 - ALMALKI ELECTRONIC BASKET </title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
<link href="login.css" rel="stylesheet" type="text/css">
</head>
<body>
<?php
print "<table width='800' border='0' cellpadding='0' cellspacing='0' align='center'>
<tr><td colspan='3'><p>&nbsp;&nbsp;&nbsp;</p></td> </tr>
<tr class='headline'><td> </td> </tr>
<tr><td>";

```



```

IF (ISSET($_POST['submit'])) {
    INCLUDE("../SECURIMAGE/SECURIMAGE.PHP");
    $IMG = NEW SECURIMAGE();
    $VALID = $IMG->CHECK($_POST['code']);
    $EMAILADDRESS = $_POST['emailAddress'];
    IF($VALID == TRUE) {
        $RESULT = MYSQL_QUERY("SELECT * FROM ADMIN_USER WHERE ADMIN_EMAIL='$EMAILADDRESS'");
        IF(MYSQL_NUM_ROWS($RESULT)){
            WHILE ($ROW=MYSQL_FETCH_ARRAY($RESULT, MYSQL_ASSOC)){
                $ADMINNAME = $ROW['ADMIN_FIRSTNAME'];
                $ADMIN_ID = $ROW['ADMIN_ID'];
                $NEWPASS = GENERATEPASSCODE(8);
                $SUBJECT="BEA.COM PASSWORD";
                $MESSAGE = "Dear $ADMINNAME,\nPLEASE NOTE YOUR NEW PASSWORD TO LOGIN INTO BEA3 WEBSITE.\n\nYOUR PASSWORD IS: $NEWPASS";
                IF (MAIL($EMAILADDRESS, $SUBJECT, $MESSAGE, "FROM: " . $_SMTP_FROM)){
                    PRINT "<TABLE CLASS='CENTER TABLE' CELLPADDING='0' CELLSPACING='0' ALIGN='CENTER'>
                    <TR><TD ALIGN='$ALIGN2'><BR><B>".getLang("YOURPASSWORDSENT",$LANGUAGE). "</B></TD.</TR>";
                    $SALT = SHA1(md5($NEWPASS));
                    $ADMIN_PASS = md5($NEWPASS.$SALT);
                    $UPDATEPASS=MYSQL_QUERY("UPDATE ADMIN_USER SET ADMIN_PASSWORD='$ADMIN_PASS' WHERE
                }
            }
        }
        ELSE {
            $_GET['emailAddress'] = $EMAILADDRESS;
            INCLUDE "FORGOTPASSWORDFORM.PHP";
            PRINT "<TABLE CLASS='CENTER TABLE' CELLPADDING='0' CELLSPACING='0' ALIGN='CENTER'>
            <TR><TD><CENTER><FONT COLOR='red'><B>SORRY, THE EMAIL ADDRESS YOU ENTERED IS
        }
        INVALID.</B></FONT></CENTER></TD></TR>";
    }
    ELSE {
        $_GET['emailAddress'] = $EMAILADDRESS;
        INCLUDE "FORGOTPASSWORDFORM.PHP";
        PRINT "<TABLE CLASS='CENTER TABLE' CELLPADDING='0' CELLSPACING='0' ALIGN='CENTER'>
        <TR><TD><CENTER><FONT COLOR='red'><B>SORRY, THE CODE YOU ENTERED WAS
    }
    INVALID.</B></FONT></CENTER></TD></TR>";
}
ELSE {
    INCLUDE "FORGOTPASSWORDFORM.PHP";
}
PRINT "</TABLE> </TD> </TR><TR CLASS='CLOSING'><TD> </TD></TR></TABLE>";
?>
</BODY>
</HTML>

```

Admin/Function.php

```

<?PHP
FUNCTION EXTRACTBETWEENDELIMITERS($INPUTSTR,$DELIMITERLEFT,$DELIMITERRIGHT){
    $POSLEFT = STRPOS($INPUTSTR,$DELIMITERLEFT)+1;
    $POSRIGHT = STRPOS($INPUTSTR,$DELIMITERRIGHT,$POSLEFT+1);
    RETURN SUBSTR($INPUTSTR,$POSLEFT,$POSRIGHT-$POSLEFT);
}

FUNCTION GENERATEPASSWORD($LENGTH){
    $RANDOM = "";
    SRAND((DOUBLE)MICROTIME()*1000000);
    $DATA = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";
    $DATA .= "abcdefghijklmnopqrstuvwxyz";
    $DATA = "1234567890";
    FOR($i = 0; $i < $LENGTH; $i++){
        $RANDOM .= SUBSTR($DATA, (RAND()%(STRLLEN($DATA))), 1);
    }
    RETURN $RANDOM;
}

FUNCTION GETDISPLAY($ID){
    $DISP = "";
    WHILE ($ID!=0){
        $GETDISPLAY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$ID'");
        $ROWDISP=MYSQL_FETCH_ARRAY($GETDISPLAY);
        $ID2=$ROWDISP['CATEGORY_ID'];
        $ID=$ROWDISP['CATEGORY_PARENTID'];
        $NAME="CATEGORY_NAME";
        $DISP = "&RAQUO; <A HREF='CATEGORYMANAGEMENT.PHP?PARENT_ID=$ID2'>".$ROWDISP[$NAME]."</A> $DISP";
    }
    RETURN $DISP;
}

FUNCTION GETITEMDISPLAY($ID){
    $DISP = "";
    WHILE ($ID!=0){
        $GETDISPLAY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$ID'");
        $ROWDISP=MYSQL_FETCH_ARRAY($GETDISPLAY);
        $ID2=$ROWDISP['CATEGORY_ID'];
        $ID=$ROWDISP['CATEGORY_PARENTID'];
        $NAME="CATEGORY_NAME";
        $DISP = "&RAQUO; <A HREF='ITEMMANAGEMENT.PHP?PARENT_ID=$ID2'>".$ROWDISP[$NAME]."</A> $DISP";
    }
    RETURN $DISP;
}

FUNCTION GETVENDORDISPLAY($ID){
    $DISP = "";

```

```

        WHILE ($ID!=0){
            $GETDISPLAY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$ID'");
            $ROWDISP=MYSQL_FETCH_ARRAY($GETDISPLAY);
            $ID2=$ROWDISP['CATEGORY_ID'];
            $ID=$ROWDISP['CATEGORY_PARENTID'];
            $NAME="CATEGORY_NAME";
            $DISP = "&RAQUO; <A HREF='VENDORMANAGEMENT.PHP?ACTION=1&PARENT_ID=$ID2'>".$ROWDISP[$NAME]."</A> $DISP";
        }
        RETURN $DISP;
    }
}
FUNCTION GETVENDORDISPLAYEDIT($ID,$VID){
    $DISP = "";
    WHILE ($ID!=0){
        $GETDISPLAY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$ID'");
        $ROWDISP=MYSQL_FETCH_ARRAY($GETDISPLAY);
        $ID2=$ROWDISP['CATEGORY_ID'];
        $ID=$ROWDISP['CATEGORY_PARENTID'];
        $NAME="CATEGORY_NAME";
        $DISP = "&RAQUO; <A HREF='VENDORMANAGEMENT.PHP?ACTION=4&PARENT_ID=$ID2&VENDOR_ID=$VID'>".$ROWDISP[$NAME]."</A> $DISP";
    }
    RETURN $DISP;
}
FUNCTION GETADDCATEGORY($ID){
    $DISP = "";
    WHILE ($ID!=0){
        $GETDISPLAY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$ID'");
        $ROWDISP=MYSQL_FETCH_ARRAY($GETDISPLAY);
        $ID2=$ROWDISP['CATEGORY_ID'];
        $ID=$ROWDISP['CATEGORY_PARENTID'];
        $NAME="CATEGORY_NAME";
        $DISP = "&RAQUO; <A HREF='CATEGORYMANAGEMENT.PHP?ACTION=1&PARENT_ID=$ID2'>".$ROWDISP[$NAME]."</A> $DISP";
    }
    RETURN $DISP;
}
}
FUNCTION BACKUP_TABLES($HOST,$USER,$PASS,$NAME,$TABLES = '*'){
    $YEAR = GMDATE(Y);
    $MONTH = GMDATE(M);
    $DAY = GMDATE(J);
    $MIN = GMDATE(I);
    $HOUR = GMDATE(H);
    $SEC = GMDATE(S);
    $TIMEZONE = GMDATE(E);
    $HOUR = $HOUR+3;
    $DATEONLY = "$YEAR-$MONTH-$DAY";
    $DATETIME = "$YEAR-$MONTH-$DAY $HOUR:$MIN:$SEC";
    $LINK = MYSQL_CONNECT($HOST,$USER,$PASS);
    MYSQL_QUERY("SET NAMES 'UTF8'");
    MYSQL_QUERY('SET CHARACTER SET UTF8');
    MYSQL_SELECT_DB($NAME,$LINK);

    //GET ALL OF THE TABLES
    IF($TABLES == '*')
    {
        $TABLES = ARRAY();
        $RESULT = MYSQL_QUERY('SHOW TABLES');
        WHILE($ROW = MYSQL_FETCH_ROW($RESULT))
        {
            $TABLES[] = $ROW[0];
        }
    }
    ELSE
    {
        $TABLES = IS_ARRAY($TABLES) ? $TABLES : EXPLODE(',',$TABLES);
    }

    //CYCLE THROUGH
    FOREACH($TABLES AS $TABLE)
    {
        $RESULT = MYSQL_QUERY('SELECT * FROM '.$TABLE);
        $NUM_FIELDS = MYSQL_NUM_FIELDS($RESULT);

        $RETURN = 'DROP TABLE IF EXISTS '.$TABLE.';<ELV>';
        $ROW2 = MYSQL_FETCH_ROW(MYSQL_QUERY('SHOW CREATE TABLE '.$TABLE));
        $RETURN.= "\n\n".$ROW2[1].";<ELV>\n\n";

        FOR ($i = 0; $i < $NUM_FIELDS; $i++)
        {
            WHILE($ROW = MYSQL_FETCH_ROW($RESULT))
            {
                $RETURN.= 'INSERT INTO '.$TABLE.' VALUES(';
                FOR($j=0; $j<$NUM_FIELDS; $j++)
                {
                    $ROW[$j] = ADDSLASHES($ROW[$j]);
                    $ROW[$j] = EREG_REPLACE("\n","\n",$ROW[$j]);
                    IF (ISSET($ROW[$j])) { $RETURN.= "".$ROW[$j].""; } ELSE { $RETURN.= """"; }
                    IF ($j<($NUM_FIELDS-1)) { $RETURN.= ','; }
                }
                $RETURN.= ");<ELV>\n";
            }
        }
        $RETURN.= "\n\n";
    }
}
//SAVE FILE

```

```

if(!file_exists('DBBACKUP')) mkdir('DBBACKUP');
$FILESS = 'DBBACKUP/DBBACKUP_' . $DATE . '.SQL';

$HANDLE = fopen($FILESS, 'w+');
$WRITTEN = fwrite($HANDLE, $RETURN);
if ($WRITTEN)
    RETURN TRUE;
fclose($HANDLE);
}
?>

```

Admin/FundTransfer.php

```

<?php include "leftPanel.php"; ?>
<td valign="top"><table id="contentCenter"><tr><td class="centerMain">
<?php
if ($ADMIN_VALID==1){
    PRINT "<br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>$USERNAME!
</b></font></td>
        <td align='right'><font color='black'><b>TODAY IS <font color='#1c43a6'><b>".date("L, F, Y")."</b></font></td></tr></table>
<center><table width='760'><tr><td align='center'><br></td></tr>
<tr><td width='730' valign='top'><br><center><font color='black'><b>".date("L, F, Y")."</b></font></td></tr></table>
<div class='reports'><table width='450'><tr><td><br></td></tr>
<tr><td colspan='2' align='left'><strong>APPROVED BANK TRANSFERS</strong></td></tr>
CUSTOMIZED</a></td></tr>";
//PRINT "<tr><td align='left'><br></td><td align='left'><br></td></tr>";
MONTH</a></td></tr>
//PRINT "<tr><td align='left'><br></td><td align='left'><br></td></tr>";
YEAR</a></td></tr>
<tr><td align='left'><br></td><td align='left'><br></td></tr>
<tr><td colspan='2' align='left'><strong>SCRATCH CARD SALES</strong></td></tr>
CUSTOMIZED</a></td></tr>";
//PRINT "<tr><td align='left'><br></td><td align='left'><br></td></tr>";
MONTH</a></td></tr>
//PRINT "<tr><td align='left'><br></td><td align='left'><br></td></tr>";
YEAR</a></td></tr>
<tr><td align='left'><br></td><td align='left'><br></td></tr>
<tr><td colspan='2' align='left'><strong>CASHU TRANSACTION SALES</strong></td></tr>
CUSTOMIZED</a></td></tr>";
//PRINT "<tr><td align='left'><br></td><td align='left'><br></td></tr>";
MONTH</a></td></tr>
<tr><td align='left'><br></td><td align='left'><br></td></tr>
}
else {
    PRINT "<center><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></center>";
    PRINT "<meta http-equiv='refresh' content='1; url=index.php'>";
}
?>
<br></td></tr></table></td>
<?php include "rightPanel.php"; ?>

```

Admin/Graph.php

```

<?php
session_start();
require 'config.php';
require 'openDB.php';
include('plot/plot.php');
$fromDate = $_GET['from'];
$toDate = $_GET['to'];
$type = $_GET['type'];
$data = array();
for ($index=$fromDate; $index<=$toDate; $index++){
    if ($type=='mb'){
        $title = "Bank Transfer Report per Month\wBea3.com";
        $yearChosen = $_GET['yearChosen'];
        $bank = $_GET['id'];
        if ($bank!=""){
            $query = "SELECT EXTRACT(MONTH FROM BANKTRANSFER_ACCEPTDATE) AS MONTH,SUM(BANKTRANSFER_AMOUNT) AS SALES
FROM BANK_TRANSFER,BANK
WHERE BANK.BANK_ID='$bank' AND BANK_TRANSFER.BANK_ID=BANK.BANK_ID AND BANKTRANSFER_STATUS=1 AND EXTRACT(MONTH FROM
BANKTRANSFER_ACCEPTDATE)='$index' AND EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE)='$yearChosen'
GROUP BY EXTRACT(MONTH FROM BANKTRANSFER_ACCEPTDATE)";
        }
        else{
            $query = "SELECT EXTRACT(MONTH FROM BANKTRANSFER_ACCEPTDATE) AS MONTH,SUM(BANKTRANSFER_AMOUNT) AS SALES
FROM BANK_TRANSFER
WHERE EXTRACT(MONTH FROM BANKTRANSFER_ACCEPTDATE)='$index' AND EXTRACT(YEAR FROM
BANKTRANSFER_ACCEPTDATE)='$yearChosen' AND BANKTRANSFER_STATUS=1
GROUP BY EXTRACT(MONTH FROM BANKTRANSFER_ACCEPTDATE)";
        }
        $myquery = mysql_query($query);
        $countQuery = mysql_num_rows($myquery);
        if ($countQuery==0){
            switch ($index){
                case 1: $displayMonth3 = "January"; break;

```

```

CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
}
$DATA[] = ARRAY($DISPLAYMONTH3,0);
}
ELSE{
$ROW = MYSQL_FETCH_ARRAY($MYQUERY);
$MTH=$ROW['MONTH'];
SWITCH ($MTH){
CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
}
$SALES = $ROW['SALES'];
$DATA[] = ARRAY($DISPLAYMONTH3,$SALES);
}
}
ELSE IF ($TYPE=='YB'){
$title = "BANK TRANSFER REPORT PER YEAR\NBEA3.COM";
$BANK=$_GET['ID'];
IF ($BANK!=""){
$QUERY = "SELECT EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE) AS YEAR,SUM(BANKTRANSFER_AMOUNT) AS SALES
FROM BANK_TRANSFER,BANK
WHERE BANK.BANK_ID='$BANK' AND BANK_TRANSFER.BANK_ID=BANK.BANK_ID AND BANKTRANSFER_STATUS=1 AND EXTRACT(YEAR FROM
BANKTRANSFER_ACCEPTDATE)='$INDEX'
GROUP BY EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE)";
}
ELSE{
$QUERY = "SELECT EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE) AS YEAR,SUM(BANKTRANSFER_AMOUNT) AS SALES
FROM BANK_TRANSFER
WHERE EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE)='$INDEX' AND BANKTRANSFER_STATUS=1
GROUP BY EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE)";
}
$MYQUERY = MYSQL_QUERY($QUERY);
$COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
IF ($COUNTQUERY==0){
$DATA[] = ARRAY($INDEX,0);
}
ELSE{
$ROW = MYSQL_FETCH_ARRAY($MYQUERY);
$YEARS=$ROW['YEAR'];
$SALES = $ROW['SALES'];
$DATA[] = ARRAY($YEARS,$SALES);
}
}
ELSE IF ($TYPE=='MSC'){
$title = "SCRATCH CARD SALES REPORT PER MONTH\NBEA3.COM";
$YEARCHOSEN=$_GET['YEARCHOSEN'];
$QUERY = "SELECT EXTRACT(MONTH FROM CARD_USEDDATE) AS MONTH,SUM(CARDBATCH_AMOUNT) AS SALES
FROM CARD_CARD_BATCH
WHERE CARD_BATCH.CARDBATCH_ID=CARD.CARDBATCH_ID AND EXTRACT(MONTH FROM CARD_USEDDATE)='$INDEX' AND EXTRACT(YEAR
FROM CARD_USEDDATE)='$YEARCHOSEN'
GROUP BY EXTRACT(MONTH FROM CARD_USEDDATE)";
$MYQUERY = MYSQL_QUERY($QUERY);
$COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
IF ($COUNTQUERY==0){
SWITCH ($INDEX){
CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
}
$DATA[] = ARRAY($DISPLAYMONTH3,0);
}
}
ELSE{
$ROW = MYSQL_FETCH_ARRAY($MYQUERY);
$MTH=$ROW['MONTH'];
SWITCH ($MTH){

```

```

CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
}
$SALES = $ROW['SALES'];
$DATA[] = ARRAY($DISPLAYMONTH3,$SALES);
}
}
}
ELSE IF ($TYPE=='VSC'){
$title = "SCRATCH CARD SALES REPORT PER YEAR\NBea3.com";
$query = "SELECT EXTRACT(YEAR FROM CARD_USEDDATE) AS Year,SUM(CARD_BATCH_AMOUNT) AS SALES
FROM CARD,CARD_BATCH
WHERE CARD_BATCH.CARD_BATCH_ID=CARD.CARD_BATCH_ID AND EXTRACT(YEAR FROM CARD_USEDDATE)='$INDEX'
GROUP BY EXTRACT(YEAR FROM CARD_USEDDATE)";
$myquery = MYSQL_QUERY($query);
$countquery = MYSQL_NUM_ROWS($myquery);
if ($countquery==0){
$DATA[] = ARRAY($INDEX,0);
}
ELSE{
$ROW = MYSQL_FETCH_ARRAY($myquery);
$YEARS=$ROW['YEAR'];
$SALES = $ROW['SALES'];
$DATA[] = ARRAY($YEARS,$SALES);
}
}
}
ELSE IF ($TYPE=='MCU'){
$title = "CASHU SALES REPORT PER MONTH\NBea3.com";
$YEARCHOSEN=$_GET['YEARCHOSEN'];
$query = "SELECT EXTRACT(MONTH FROM DATE) AS MONTH,SUM(AMOUNT) AS SALES
FROM CASHU
WHERE EXTRACT(MONTH FROM DATE)='$INDEX' AND EXTRACT(YEAR FROM DATE)='$YEARCHOSEN'
GROUP BY EXTRACT(MONTH FROM DATE)";
$myquery = MYSQL_QUERY($query);
$countquery = MYSQL_NUM_ROWS($myquery);
if ($countquery==0){
SWITCH ($INDEX){
CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
}
$DATA[] = ARRAY($DISPLAYMONTH3,0);
}
ELSE{
$ROW = MYSQL_FETCH_ARRAY($myquery);
$MTH=$ROW['MONTH'];
SWITCH ($MTH){
CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
}
$SALES = $ROW['SALES'];
$DATA[] = ARRAY($DISPLAYMONTH3,$SALES);
}
}
}
}
ELSE IF ($TYPE=='YCU'){
$title = "CASHU SALES REPORT PER YEAR\NBea3.com";
$query = "SELECT EXTRACT(YEAR FROM DATE) AS Year,SUM(CONVERTED_AMOUNT) AS SALES
FROM CASHU
WHERE EXTRACT(YEAR FROM DATE)='$INDEX'
GROUP BY EXTRACT(YEAR FROM DATE)";
$myquery = MYSQL_QUERY($query);
$countquery = MYSQL_NUM_ROWS($myquery);
if ($countquery==0){
$DATA[] = ARRAY($INDEX,0);
}
ELSE{
}
}
}

```

```

    $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
    $AMOUNT = $ROW['SALES'];
    $YEARS=$ROW['YEAR'];
    $DATA[] = ARRAY($YEARS,$AMOUNT);
    }
}
ELSE IF ($TYPE=='MT'){
    $TITLE = "TOTAL SALES REPORT PER MONTH\NBEA3.COM";
    $YEARCHOSEN=$_GET['YEARCHOSEN'];
    $QUERY = "SELECT EXTRACT(MONTH FROM PURCHASE_DATE TIME) AS MONTH,(SUM(ITEM_PRICE) - SUM(ITEM_COST)) AS SALES
FROM PURCHASE
WHERE EXTRACT(MONTH FROM PURCHASE_DATE TIME)='$INDEX' AND EXTRACT(YEAR FROM PURCHASE_DATE TIME)='$YEARCHOSEN'
GROUP BY EXTRACT(MONTH FROM PURCHASE_DATE TIME)";
    $MYQUERY = MYSQL_QUERY($QUERY);
    $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
    IF ($COUNTQUERY==0){
        SWITCH ($INDEX){
            CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
            CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
            CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
            CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
            CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
            CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
            CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
            CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
            CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
            CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
            CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
            CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
        }
        $DATA[] = ARRAY($DISPLAYMONTH3,0);
    }
}
ELSE{
    $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
    $MTH=$ROW['MONTH'];
    SWITCH ($MTH){
        CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
        CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
        CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
        CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
        CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
        CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
        CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
        CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
        CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
        CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
        CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
        CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
    }
    $SALES = $ROW['SALES'];
    $DATA[] = ARRAY($DISPLAYMONTH3,$SALES);
}
}
ELSE IF ($TYPE=='YT'){
    $TITLE = "TOTAL SALES REPORT PER YEAR\NBEA3.COM";
    $QUERY = "SELECT EXTRACT(YEAR FROM PURCHASE_DATE TIME) AS YEAR,(SUM(ITEM_PRICE) - SUM(ITEM_COST)) AS SALES
FROM PURCHASE
WHERE EXTRACT(YEAR FROM PURCHASE_DATE TIME)='$INDEX'
GROUP BY EXTRACT(YEAR FROM PURCHASE_DATE TIME)";
    $MYQUERY = MYSQL_QUERY($QUERY);
    $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
    IF ($COUNTQUERY==0){
        $DATA[] = ARRAY($INDEX,0);
    }
}
ELSE{
    $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
    $YEARS=$ROW['YEAR'];
    $SALES = $ROW['SALES'];
    $DATA[] = ARRAY($YEARS,$SALES);
}
}
ELSE IF ($TYPE=='DT'){
    $TITLE = "TOTAL SALES REPORT PER DAY\NBEA3.COM";
    $QUERY = "SELECT DATE(PURCHASE_DATE TIME) AS YEAR,(SUM(ITEM_PRICE) - SUM(ITEM_COST)) AS SALES
FROM PURCHASE
WHERE DATE(PURCHASE_DATE TIME)='$INDEX'
GROUP BY DATE(PURCHASE_DATE TIME)";
    $MYQUERY = MYSQL_QUERY($QUERY);
    $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
    IF ($COUNTQUERY==0){
        $DATA[] = ARRAY($INDEX,0);
    }
}
ELSE{
    $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
    $YEARS=$ROW['YEAR'];
    $SALES = $ROW['SALES'];
    $DATA[] = ARRAY($YEARS,$SALES);
}
}
}
}

```

```

}
$PLOT = NEW PHPLOT(1000, 500);
$PLOT->SETIMAGEBORDERTYPE('PLAIN');
$PLOT->SETPLOTTYPE('BARS');
$PLOT->SETDATATYPE('TEXT-DATA');

```

```

$PLOT->SetDataValues($DATA);
$PLOT->SetTitle($TITLE);

# TURN OFF X TICK LABELS AND TICKS BECAUSE THEY DON'T APPLY HERE:
$PLOT->SetXTickLabelPos('NONE');
$PLOT->SetXTickPos('NONE');

# MAKE SURE Y=0 IS DISPLAYED:
$PLOT->SetPlotAreaWorld(NULL, 0);
# Y TICK MARKS ARE OFF, BUT Y TICK INCREMENT ALSO CONTROLS THE Y GRID LINES:
$PLOT->SetYTickIncrement(100);

# TURN ON Y DATA LABELS:
$PLOT->SetYDataLabelPos('BOTH');

# WITH Y DATA LABELS, WE DON'T NEED Y TICKS OR THEIR LABELS, SO TURN THEM OFF.
$PLOT->SetYTickLabelPos('NONE');
$PLOT->SetYTickPos('NONE');

# FORMAT THE Y DATA LABELS AS NUMBERS WITH 1 DECIMAL PLACE.
# NOTE THAT THIS AUTOMATICALLY CALLS SetYLabelType('DATA').
$PLOT->SetPrecisionY(1);

$PLOT->DrawGraph();
?>

```

ADMIN/GRAPHCATEGORY.PHP

```

<?PHP
SESSION_START();
require 'CONFIG.PHP';
require 'OPENDB.PHP';
include('PHPLOT/PHPLOT.PHP');
$FROMDATE=$ _GET['FROM'];
$TODATE=$ _GET['TO'];
$TYPE=$ _GET['TYPE'];
FUNCTION ISLASTSUB($ID){
    $QUERY=MYSQ_L_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$ID'");
    $COUNTROW = MYSQL_NUM_ROWS($QUERY);
    IF ($COUNTROW==0)
        RETURN 1;
    ELSE
        RETURN 0;
}
FUNCTION GETSUBCATEGORY($ID){
    $I=0;
    $QUERY=MYSQ_L_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$ID'");
    WHILE ($ROW=MYSQ_L_FETCH_ARRAY($QUERY)){
        $CATEGORY_ID = $ROW['CATEGORY_ID'];
        $SUBCATS[$I] = $CATEGORY_ID;
        $I++;
    }
    RETURN $SUBCATS;
}
FUNCTION COUNTSUBCATEGORY($ID){
    $QUERY=MYSQ_L_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$ID'");
    $COUNTROW = MYSQL_NUM_ROWS($QUERY);
    RETURN $COUNTROW;
}
FUNCTION GETCATEGORYNAME($ID){
    $QUERY=MYSQ_L_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$ID'");
    $ROW=MYSQ_L_FETCH_ARRAY($QUERY);
    $CATEGORY_NAME = $ROW['CATEGORY_NAME'];
    RETURN $CATEGORY_NAME;
}
$DATA2 = ARRAY();
FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
    IF ($TYPE=='DC'){
        $DATA = ARRAY();
        $LEGEND=ARRAY();
        $TITLE = "DAILY SALES REPORT PER CATEGORY\NBEA3.COM";
        $CATEGORY_ID=$ _GET['ID'];
        $COUNTSUBCATEGORY = COUNTSUBCATEGORY($CATEGORY_ID);
        $SUBCATEGORY = GETSUBCATEGORY($CATEGORY_ID);
        $DATA[]=$INDEX;
        FOR ($I=0;$I<$COUNTSUBCATEGORY; $I++){
            $CATEGORY_ID2 = $SUBCATEGORY[$I];
            $CATEGORY_NAME = GETCATEGORYNAME($CATEGORY_ID2);
            IF (ISLASTSUB($CATEGORY_ID2)==0){
                $COUNTSUBCATEGORY2 = COUNTSUBCATEGORY($CATEGORY_ID2);
                $SUBCATEGORY2 = GETSUBCATEGORY($CATEGORY_ID2);
                FOR ($J=0;$J<$COUNTSUBCATEGORY2; $J++){
                    $CATEGORY_ID3 = $SUBCATEGORY2[$J];
                    $CATEGORY_NAME2 = GETCATEGORYNAME($CATEGORY_ID3);
                    IF (ISLASTSUB($CATEGORY_ID3)==0){
                        $COUNTSUBCATEGORY3 = COUNTSUBCATEGORY($CATEGORY_ID3);
                        $SUBCATEGORY3 = GETSUBCATEGORY($CATEGORY_ID3);
                        FOR ($K=0;$K<$COUNTSUBCATEGORY3; $K++){
                            $CATEGORY_ID4 = $SUBCATEGORY3[$K];
                            $CATEGORY_NAME3 = GETCATEGORYNAME($CATEGORY_ID4);
                            IF (ISLASTSUB($CATEGORY_ID4)==0){
                                PRINT "<TR><TD> &nbsp; &nbsp; &nbsp;";
                                $COUNTSUBCATEGORY4 = COUNTSUBCATEGORY($CATEGORY_ID4);

```

```

COUNTSUBCATEGORY($CATEGORY_ID5);
GETSUBCATEGORY($CATEGORY_ID5);
$M++){
$SUBCATEGORY2[$M];
GETCATEGORYNAME($CATEGORY_ID6);
(isLastSub($CATEGORY_ID6)==0){

```

```

"SELECT CATEGORY_NAME, DATE(PURCHASE_DATE TIME) AS YEAR,SUM(ITEM_PRICE) -SUM(PURCHASE.ITEM_COST) AS SALES
PURCHASE, STOCKS, ITEM, CATEGORY

```

```

DATE(PURCHASE_DATE TIME)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND
CATEGORY.CATEGORY_ID='$CATEGORY_ID6'

```

```

DATE(PURCHASE_DATE TIME)";

```

```

MYSQL_QUERY($QUERY);

```

```

MYSQL_FETCH_ARRAY($MYQUERY);

```

```

= MYSQL_NUM_ROWS($MYQUERY);

```

```

($COUNTQUERY==0){

```

```

$DATA[] = 0;

```

```

$DATA[] = $ROW['SALES'];

```

```

$LEGEND[]=$CATEGORY_NAME5;

```

```

DATE(PURCHASE_DATE TIME) AS YEAR,SUM(ITEM_PRICE) -SUM(PURCHASE.ITEM_COST) AS SALES

```

```

DATE(PURCHASE_DATE TIME)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND
CATEGORY.CATEGORY_ID='$CATEGORY_ID5'

```

```

MYSQL_NUM_ROWS($MYQUERY);

```

```

YEAR,SUM(ITEM_PRICE) -SUM(PURCHASE.ITEM_COST) AS SALES

```

```

PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND CATEGORY.CATEGORY_ID='$CATEGORY_ID4'

```

```

SUM(PURCHASE.ITEM_COST) AS SALES

```

```

$SUBCATEGORY4 = GETSUBCATEGORY($CATEGORY_ID4);
FOR ($L=0;$L<$COUNTSUBCATEGORY4;$L++){
$CATEGORY_ID5 = $SUBCATEGORY2[$L];
$CATEGORY_NAME4 = GETCATEGORYNAME($CATEGORY_ID5);
IF (isLastSub($CATEGORY_ID5)==0){
$COUNTSUBCATEGORY5 =

```

```

$SUBCATEGORY5 =

```

```

FOR ($M=0;$M<$COUNTSUBCATEGORY5;

```

```

$CATEGORY_ID6 =

```

```

$CATEGORY_NAME5 =

```

```

IF

```

```

}

```

```

ELSE{

```

```

$QUERY =

```

```

FROM

```

```

WHERE

```

```

GROUP BY

```

```

$MYQUERY =

```

```

$ROW =

```

```

$COUNTQUERY

```

```

IF

```

```

}

```

```

ELSE{

```

```

}

```

```

}
ELSE{

```

```

$QUERY = "SELECT CATEGORY_NAME,

```

```

FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE

```

```

GROUP BY DATE(PURCHASE_DATE TIME)";

```

```

$MYQUERY = MYSQL_QUERY($QUERY);

```

```

$ROW = MYSQL_FETCH_ARRAY($MYQUERY);

```

```

$COUNTQUERY =

```

```

IF ($COUNTQUERY==0){

```

```

$DATA[] = 0;

```

```

}

```

```

ELSE{

```

```

$DATA[] = $ROW['SALES'];

```

```

}

```

```

$LEGEND[]=$CATEGORY_NAME4;

```

```

}

```

```

}
ELSE{

```

```

$QUERY = "SELECT CATEGORY_NAME, DATE(PURCHASE_DATE TIME) AS

```

```

FROM PURCHASE, STOCKS, ITEM, CATEGORY

```

```

WHERE DATE(PURCHASE_DATE TIME)='$INDEX' AND

```

```

GROUP BY DATE(PURCHASE_DATE TIME)";

```

```

$MYQUERY = MYSQL_QUERY($QUERY);

```

```

$ROW = MYSQL_FETCH_ARRAY($MYQUERY);

```

```

$COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);

```

```

IF ($COUNTQUERY==0){

```

```

$DATA[] = 0;

```

```

}

```

```

ELSE{

```

```

$DATA[] = $ROW['SALES'];

```

```

}

```

```

$LEGEND[]=$CATEGORY_NAME3;

```

```

}

```

```

}
ELSE {

```

```

$QUERY = "SELECT CATEGORY_NAME, DATE(PURCHASE_DATE TIME) AS YEAR,SUM(ITEM_PRICE) -

```



```

$LEGEND[]=$CATEGORY_NAME5;

}

}
ELSE{
$QUERY = "SELECT CATEGORY_NAME,
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(YEAR FROM
CATEGORY.CATEGORY_ID='$CATEGORY_ID5'
GROUP BY EXTRACT(YEAR FROM

$MYQUERY = MYSQL_QUERY($QUERY);
$row = MYSQL_FETCH_ARRAY($MYQUERY);
$countquery =

IF ($COUNTQUERY==0){
$DATA[] = 0;
}
ELSE{
$DATA[] = $ROW['SALES'];
}
$LEGEND[]=$CATEGORY_NAME4;
}
}
}
ELSE{
$QUERY = "SELECT CATEGORY_NAME, EXTRACT(YEAR FROM
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(YEAR FROM PURCHASE_DATETIME)='$INDEX' AND
CATEGORY.CATEGORY_ID='$CATEGORY_ID4'
GROUP BY EXTRACT(YEAR FROM PURCHASE_DATETIME)";
$MYQUERY = MYSQL_QUERY($QUERY);
$row = MYSQL_FETCH_ARRAY($MYQUERY);
$countquery = MYSQL_NUM_ROWS($MYQUERY);
IF ($COUNTQUERY==0){
$DATA[] = 0;
}
ELSE{
$DATA[] = $ROW['SALES'];
}
$LEGEND[]=$CATEGORY_NAME3;
}
}
}
ELSE {
$QUERY = "SELECT CATEGORY_NAME, EXTRACT(YEAR FROM PURCHASE_DATETIME) AS
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(YEAR FROM PURCHASE_DATETIME)='$INDEX' AND
CATEGORY.CATEGORY_ID='$CATEGORY_ID3'
GROUP BY EXTRACT(YEAR FROM PURCHASE_DATETIME)";
$MYQUERY = MYSQL_QUERY($QUERY);
$row = MYSQL_FETCH_ARRAY($MYQUERY);
$countquery = MYSQL_NUM_ROWS($MYQUERY);
IF ($COUNTQUERY==0){
$DATA[] = 0;
}
ELSE{
$DATA[] = $ROW['SALES'];
}
$LEGEND[]=$CATEGORY_NAME2;
}
}
}
ELSE {
$QUERY = "SELECT CATEGORY_NAME, EXTRACT(YEAR FROM PURCHASE_DATETIME) AS Year,SUM(ITEM_PRICE) - SUM(PURCHASE.ITEM_COST) AS SALES
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(YEAR FROM PURCHASE_DATETIME)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND
STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND CATEGORY.CATEGORY_ID='$CATEGORY_ID2'
GROUP BY EXTRACT(YEAR FROM PURCHASE_DATETIME)";
$MYQUERY = MYSQL_QUERY($QUERY);
$row = MYSQL_FETCH_ARRAY($MYQUERY);
$countquery = MYSQL_NUM_ROWS($MYQUERY);
IF ($COUNTQUERY==0){
$DATA[] = 0;
}
ELSE{
$DATA[] = $ROW['SALES'];
}
$LEGEND[]=$CATEGORY_NAME;
}
}
}
}
}
$DATA2[]=$DATA;
}
}

}
}
}
$PLOT = NEW PHPLOT(1000, 500);
$PLOT->SETIMAGEBORDERTYPE('PLAIN');
$PLOT->SETPLOTTYPE('BARS');

```

```

$PLOT->SetDataType('TEXT-DATA');
$PLOT->SetDataValues($DATA2);
$PLOT->SetTitle($TITLE);
$PLOT->SetLegend($LEGEND);
$PLOT->SetLegendPosition(0, 0, 'PLOT', 0, 0, 5, 5);
# TURN OFF X TICK LABELS AND TICKS BECAUSE THEY DON'T APPLY HERE:
$PLOT->SetXTickLabelPos('NONE');
$PLOT->SetXTickPos('NONE');

# MAKE SURE Y=0 IS DISPLAYED:
$PLOT->SetPlotAreaWorld(NULL, 0);
# Y TICK MARKS ARE OFF, BUT Y TICK INCREMENT ALSO CONTROLS THE Y GRID LINES:
$PLOT->SetYTickIncrement(100);

# TURN ON Y DATA LABELS:
$PLOT->SetYDataLabelPos('BOTH');

# WITH Y DATA LABELS, WE DON'T NEED Y TICKS OR THEIR LABELS, SO TURN THEM OFF.
$PLOT->SetYTickLabelPos('NONE');
$PLOT->SetYTickPos('NONE');

# FORMAT THE Y DATA LABELS AS NUMBERS WITH 1 DECIMAL PLACE.
# NOTE THAT THIS AUTOMATICALLY CALLS SetYLabelType('DATA').
$PLOT->SetPrecisionY(1);

$PLOT->DrawGraph();
?>

```

ADMIN/GRAPHITEM.PHP

```

<?PHP
SESSION_START();
REQUIRE 'CONFIG.PHP';
REQUIRE 'OPENDB.PHP';
INCLUDE('PHPLOT/PHPLOT.PHP');
$FROMDATE=$ _GET['FROM'];
$TODATE=$ _GET['TO'];
$TYPE=$ _GET['TYPE'];
$DATA2 = ARRAY();
    FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
        IF ($TYPE=='D'){
            $DATA = ARRAY();
            $LEGEND=ARRAY();
            $TITLE = "DAILY SALES REPORT PER ITEM\NBEA3.COM";
            $CATEGORY_ID=$ _GET['ID'];
            $DATA[]=$INDEX;
            IF ($CATEGORY_ID!=""){
                $GETITEMS=MYSQLE_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID'");
                WHILE($ROWITEMS = MYSQL_FETCH_ARRAY($GETITEMS)){
                    $ITEM_ID=$ROWITEMS['ITEM_ID'];
                    $QUERY = "SELECT ITEM_NAME, DATE(PURCHASE_DATE TIME) AS YEAR,SUM(ITEM_PRICE) - SUM(PURCHASE.ITEM_COST) AS SALES
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE DATE(PURCHASE_DATE TIME)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID AND
ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID='$ITEM_ID'
GROUP BY DATE(PURCHASE_DATE TIME)";
                    $MYQUERY = MYSQL_QUERY($QUERY);
                    $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
                    $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
                    IF ($COUNTQUERY==0){
                        $DATA[] = 0;
                    }
                    ELSE{
                        $DATA[] = $ROW['SALES'];
                    }
                    $LEGEND[]=$ROWITEMS['ITEM_NAME'];
                }
            }
        }
        ELSE {
            $WITHITEMS=MYSQLE_QUERY("SELECT DISTINCT(CATEGORY_ID) FROM ITEM");
            WHILE ($ROWWITHITEMS = MYSQL_FETCH_ROW($WITHITEMS)){
                $CATEGORY_ID2=$ROWWITHITEMS[0];
                $GETCATDATA = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID2'");
                $ROWCATDATA = MYSQL_FETCH_ARRAY($GETCATDATA);
                $CATEGORY_NAME = $ROWCATDATA['CATEGORY_NAME'];
                $GETITEMS=MYSQLE_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID2'");
                WHILE($ROWITEMS = MYSQL_FETCH_ARRAY($GETITEMS)){
                    $ITEM_ID=$ROWITEMS['ITEM_ID'];
                    $QUERY = "SELECT ITEM_NAME, DATE(PURCHASE_DATE TIME) AS YEAR,SUM(ITEM_PRICE) - SUM(PURCHASE.ITEM_COST)
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE DATE(PURCHASE_DATE TIME)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND
STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID='$ITEM_ID'
GROUP BY DATE(PURCHASE_DATE TIME)";
                    $MYQUERY = MYSQL_QUERY($QUERY);
                    $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
                    $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
                    IF ($COUNTQUERY==0){
                        $DATA[] = 0;
                    }
                    ELSE{
                        $DATA[] = $ROW['SALES'];
                    }
                    $LEGEND[]=$ROWITEMS['ITEM_NAME'];
                }
            }
        }
    }

```

```

    }
    }
    $DATA2[]=$DATA;
}
ELSE IF ($TYPE=='M'){
    $DATA = ARRAY();
    $LEGEND=ARRAY();
    $TITLE = "MONTHLY SALES REPORT PER ITEM\NBEA3.COM";
    $CATEGORY_ID=$_GET['ID'];
    SWITCH ($INDEX){
        CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
        CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
        CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
        CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
        CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
        CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
        CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
        CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
        CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
        CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
        CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
        CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
    }
    $DATA[]=$DISPLAYMONTH3;
    IF ($CATEGORY_ID!=""){
        $GETITEMS=MYSQL_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID'");
        WHILE($ROWITEMS = MYSQL_FETCH_ARRAY($GETITEMS)){
            $ITEM_ID=$ROWITEMS['ITEM_ID'];
            $QUERY = "SELECT ITEM_NAME, EXTRACT(MONTH FROM PURCHASE_DATE TIME) AS MONTH,SUM(ITEM_PRICE) -
SUM(PURCHASE.ITEM_COST) AS SALES
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(MONTH FROM PURCHASE_DATE TIME)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND
STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID='$ITEM_ID'
GROUP BY EXTRACT(MONTH FROM PURCHASE_DATE TIME)";
            $MYQUERY = MYSQL_QUERY($QUERY);
            $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
            $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
            IF ($COUNTQUERY==0){
                $DATA[] = 0;
            }
            ELSE{
                $DATA[] = $ROW['SALES'];
            }
            $LEGEND[]=$ROWITEMS['ITEM_NAME'];
        }
    }
    ELSE {
        $WITHITEMS=MYSQL_QUERY("SELECT DISTINCT(CATEGORY_ID) FROM ITEM");
        WHILE ($ROWWITHITEMS = MYSQL_FETCH_ROW($WITHITEMS)){
            $CATEGORY_ID2=$ROWWITHITEMS[0];
            $GETCATDATA = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID2'");
            $ROWCATDATA = MYSQL_FETCH_ARRAY($GETCATDATA);
            $CATEGORY_NAME = $ROWCATDATA['CATEGORY_NAME'];
            $GETITEMS=MYSQL_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID2'");
            WHILE($ROWITEMS = MYSQL_FETCH_ARRAY($GETITEMS)){
                $ITEM_ID=$ROWITEMS['ITEM_ID'];
                $QUERY = "SELECT ITEM_NAME, EXTRACT(MONTH FROM PURCHASE_DATE TIME) AS MONTH,SUM(ITEM_PRICE) -
SUM(PURCHASE.ITEM_COST) AS SALES
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(MONTH FROM PURCHASE_DATE TIME)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND
STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID='$ITEM_ID'
GROUP BY EXTRACT(MONTH FROM PURCHASE_DATE TIME)";
                $MYQUERY = MYSQL_QUERY($QUERY);
                $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
                $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
                IF ($COUNTQUERY==0){
                    $DATA[] = 0;
                }
                ELSE{
                    $DATA[] = $ROW['SALES'];
                }
                $LEGEND[]=$ROWITEMS['ITEM_NAME'];
            }
        }
    }
    $DATA2[]=$DATA;
}
ELSE IF ($TYPE=='Y'){
    $DATA = ARRAY();
    $LEGEND=ARRAY();
    $TITLE = "YEARLY SALES REPORT PER ITEM\NBEA3.COM";
    $CATEGORY_ID=$_GET['ID'];
    $DATA[]=$INDEX;
    IF ($CATEGORY_ID!=""){
        $GETITEMS=MYSQL_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID'");
        WHILE($ROWITEMS = MYSQL_FETCH_ARRAY($GETITEMS)){
            $ITEM_ID=$ROWITEMS['ITEM_ID'];
            $QUERY = "SELECT ITEM_NAME, EXTRACT(YEAR FROM PURCHASE_DATE TIME) AS YEAR,SUM(ITEM_PRICE) -
SUM(PURCHASE.ITEM_COST) AS SALES
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(YEAR FROM PURCHASE_DATE TIME)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND
STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID='$ITEM_ID'
GROUP BY EXTRACT(YEAR FROM PURCHASE_DATE TIME)";
            $MYQUERY = MYSQL_QUERY($QUERY);

```

```

        $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
        $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
        IF ($COUNTQUERY==0){
            $DATA[] = 0;
        }
        ELSE{
            $DATA[] = $ROW['SALES'];
        }
        $LEGEND[]=$ROWITEMS['ITEM_NAME'];
    }
    ELSE {
        $WITHITEMS=MYSQL_QUERY("SELECT DISTINCT(CATEGORY_ID) FROM ITEM");
        WHILE ($ROWWITHITEMS = MYSQL_FETCH_ROW($WITHITEMS)){
            $CATEGORY_ID2=$ROWWITHITEMS[0];
            $GETCATDATA = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID2'");
            $ROWCATDATA = MYSQL_FETCH_ARRAY($GETCATDATA);
            $CATEGORY_NAME = $ROWCATDATA['CATEGORY_NAME'];
            $GETITEMS=MYSQL_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID2'");
            WHILE($ROWITEMS = MYSQL_FETCH_ARRAY($GETITEMS)){
                $ITEM_ID=$ROWITEMS['ITEM_ID'];
                $ITEM_NAME=$ROWITEMS['ITEM_NAME'];
                $QUERY = "SELECT ITEM_NAME, EXTRACT(YEAR FROM PURCHASE_DATE) AS Year,SUM(ITEM_PRICE) -
SUM(PURCHASE.ITEM_COST) AS SALES
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(YEAR FROM PURCHASE_DATE)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND
STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID='$ITEM_ID'
GROUP BY EXTRACT(YEAR FROM PURCHASE_DATE)";
                $MYQUERY = MYSQL_QUERY($QUERY);
                $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
                $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
                IF ($COUNTQUERY==0){
                    $DATA[] = 0;
                }
                ELSE{
                    $DATA[] = $ROW['SALES'];
                }
                $LEGEND[]=$ROWITEMS['ITEM_NAME'];
            }
        }
        $DATA2[]=$DATA;
    }
}
}

$PLOT = new PHPLOT(1500, 800);
$PLOT->SetImageBorderType('PLAIN');
$PLOT->SetPlotType('BARS');
$PLOT->SetDataType('TEXT-DATA');
$PLOT->SetDataValues($DATA2);
$PLOT->SetTitle($TITLE);
$PLOT->SetLegend($LEGEND);
$PLOT->SetLegendPosition(0, 0, 'PLOT', 0, 0, 5, 5);
# TURN OFF X TICK LABELS AND TICKS BECAUSE THEY DON'T APPLY HERE:
$PLOT->SetXTickLabelPos('NONE');
$PLOT->SetXTickPos('NONE');

# MAKE SURE Y=0 IS DISPLAYED:
$PLOT->SetPlotAreaWorld(NULL, 0);
# Y TICK MARKS ARE OFF, BUT Y TICK INCREMENT ALSO CONTROLS THE Y GRID LINES:
$PLOT->SetYTickIncrement(100);

# TURN ON Y DATA LABELS:
$PLOT->SetYDataLabelPos('BOTH');

# WITH Y DATA LABELS, WE DON'T NEED Y TICKS OR THEIR LABELS, SO TURN THEM OFF.
$PLOT->SetYTickLabelPos('NONE');
$PLOT->SetYTickPos('NONE');

# FORMAT THE Y DATA LABELS AS NUMBERS WITH 1 DECIMAL PLACE.
# NOTE THAT THIS AUTOMATICALLY CALLS SetYLabelType('DATA').
$PLOT->SetPrecisionY(1);

$PLOT->DrawGraph();
?>

```

ADMIN/HOMEAdMANAGEMENT.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
DEFINE ("MAX_SIZE","250");
FUNCTION GETEXTENSION($STR) {
    $I = STRRPOS($STR,".");
    IF (!$I) { RETURN ""; }
    $L = STRLEN($STR) - $I;
    $EXT = SUBSTR($STR,$I+1,$L);
    RETURN $EXT;
}
$errors=0;
$errors2=0;
$SUPER=$SESSION['SUPER'];
$CUSTOMER_VIEW=$SESSION['CUSTOMER_VIEW'];
$CUSTOMER_ADD=$SESSION['CUSTOMER_ADD'];
$CUSTOMER_MODIFY=$SESSION['CUSTOMER_MODIFY'];
$CUSTOMER_DELETE=$SESSION['CUSTOMER_DELETE'];

```

```

$IMAGEDIRECTORY="./IMAGES/HOMEAd";
$IMAGEARADIRECTORY="./IMAGES_ARA/HOMEAd";
?>
<TD VALIGN="TOP"><TABLE ID="CONTENTS CENTER"><TR><TD CLASS="CENTER MAIN">
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
FUNCTION VALIDATEONSUBMIT(){
    VAR ELEM;
    VAR ERRS=0;

    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDHOMEAD.IMAGEARA, 'INF_IMAGEARA', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDHOMEAD.IMAGE, 'INF_IMAGE', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDHOMEAD.URLARA, 'INF_URLARA', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDHOMEAD.URL, 'INF_URL', TRUE)) ERRS += 1;

    IF (ERRS>1) ALERT('PLEASE FILL UP REQUIRED FIELDS OR CHECK YOUR INPUT.');
```



```

IF (($URL=="")||($URLARA==""))
    PRINT "PLEASE FILL UP REQUIRED FIELDS INDICATED BY <FONT COLOR='red'>*</FONT>.";
ELSE {
    IF ($DISPLAYORDER!= $OLDDispOrder){
        $QUERY=MYSQL_QUERY("SELECT MAINAd_ID FROM MAIN_ADVERTISEMENT WHERE
MAINAd_DISPLAYORDER='$DISPLAYORDER'");
        $ROW=MYSQL_FETCH_ROW($QUERY);
        $SWITCHID=$ROW[0];
        $UPDATE=MYSQL_QUERY("UPDATE MAIN_ADVERTISEMENT SET MAINAd_DISPLAYORDER='$OLDDispOrder' WHERE
MAINAd_ID='$SWITCHID'");
    }
    IF ($IMAGE){
        $FILENAME = STRIPSLASHES($_FILES['IMAGE']['NAME']);
        $EXTENSION = GETEXTENSION($FILENAME);
        $EXTENSION = STRTOLOWER($EXTENSION);
        IF (($EXTENSION != "JPG") && ($EXTENSION != "JPEG") && ($EXTENSION != "PNG") && ($EXTENSION != "GIF")) {
            ECHO '<h1>UNKNOWN EXTENSION!</h1>';
            $ERRORS=1;
        }
        ELSE {
            $SIZE=FILESIZE($_FILES['IMAGE']['TMP_NAME']);
            IF ($SIZE > MAX_SIZE*1024){
                ECHO '<h1>YOU HAVE EXCEEDED THE SIZE LIMIT!</h1>';
                $ERRORS=1;
            }
            IF (!FILE_EXISTS($IMAGE DIRECTORY)) MKDIR($IMAGE DIRECTORY);
            $NEWNAME="$IMAGE DIRECTORY/"$_FILES['IMAGE']['NAME'];
            $COPIED = COPY($_FILES['IMAGE']['TMP_NAME'], $NEWNAME);
            IF (!$COPIED) {
                ECHO '<h1>COPY UNSUCCESSFULL!</h1>';
                $ERRORS=1;
            }
        }
    }
    IF ($IMAGEARA){
        $FILENAME2 = STRIPSLASHES($_FILES['IMAGEARA']['NAME']);
        $EXTENSION2 = GETEXTENSION($FILENAME2);
        $EXTENSION2 = STRTOLOWER($EXTENSION2);
        IF (($EXTENSION2 != "JPG") && ($EXTENSION2 != "JPEG") && ($EXTENSION2 != "PNG") && ($EXTENSION2 !=
"GIF")) {
            ECHO '<h1>UNKNOWN EXTENSION!</h1>';
            $ERRORS2=1;
        }
        ELSE {
            $SIZE2=FILESIZE($_FILES['IMAGEARA']['TMP_NAME']);
            IF ($SIZE2 > MAX_SIZE*1024){
                ECHO '<h1>YOU HAVE EXCEEDED THE SIZE LIMIT!</h1>';
                $ERRORS2=1;
            }
            IF (!FILE_EXISTS($IMAGEARA DIRECTORY)) MKDIR($IMAGEARA DIRECTORY);
            $NEWNAME2="$IMAGEARA DIRECTORY/"$_FILES['IMAGEARA']['NAME'];
            $COPIED2 = COPY($_FILES['IMAGEARA']['TMP_NAME'], $NEWNAME2);
            IF (!$COPIED2) {
                ECHO '<h1>COPY UNSUCCESSFULL!</h1>';
                $ERRORS2=1;
            }
        }
    }
}
IF (($ERRORS==0)&&($IMAGE!="")){
    $GETIMAGE=MYSQL_QUERY("SELECT * FROM MAIN_ADVERTISEMENT WHERE MAINAd_ID='$MAINAd_ID'");
    $ROWIMAGE=MYSQL_FETCH_ARRAY($GETIMAGE);
    $OLDIMAGE=$ROWIMAGE['MAINAd_IMAGE'];
    $COUNTIMAGE=MYSQL_NUM_ROWS(MYSQL_QUERY("SELECT * FROM MAIN_ADVERTISEMENT WHERE
MAINAd_IMAGE='$OLDIMAGE'"));
    $DELETEIMAGE="$IMAGE DIRECTORY/$OLDIMAGE";
    IF (($OLDIMAGE!="")&&($COUNTIMAGE==1)&&($OLDIMAGE!=$IMAGE))
        UNLINK($DELETEIMAGE);
    $QUERY=MYSQL_QUERY("UPDATE MAIN_ADVERTISEMENT SET MAINAd_IMAGE='$IMAGE' WHERE
MAINAd_ID='$MAINAd_ID'");
}
IF (($ERRORS2==0)&&($IMAGEARA!="")){
    $GETIMAGE2=MYSQL_QUERY("SELECT * FROM MAIN_ADVERTISEMENT WHERE MAINAd_ID='$MAINAd_ID'");
    $ROWIMAGE2=MYSQL_FETCH_ARRAY($GETIMAGE2);
    $OLDIMAGE2=$ROWIMAGE2['MAINAd_IMAGE_ARA'];
    $COUNTIMAGEARA=MYSQL_NUM_ROWS(MYSQL_QUERY("SELECT * FROM MAIN_ADVERTISEMENT WHERE
MAINAd_IMAGE_ARA='$OLDIMAGE2'"));
    $DELETEIMAGE2="$IMAGEARA DIRECTORY/$OLDIMAGE2";
    IF (($OLDIMAGE2!="")&&($COUNTIMAGEARA==1)&&($OLDIMAGE2!=$IMAGEARA))
        UNLINK($DELETEIMAGE2);
    $QUERY2=MYSQL_QUERY("UPDATE MAIN_ADVERTISEMENT SET MAINAd_IMAGE_ARA='$IMAGEARA' WHERE
MAINAd_ID='$MAINAd_ID'");
}
$MAINUPDATE=MYSQL_QUERY("UPDATE MAIN_ADVERTISEMENT SET
MAINAd_LINK='$URL',MAINAd_LINK_ARA='$URLARA',MAINAd_DISPLAYORDER='$DISPLAYORDER',MAINAd_ISACTIVE='$STATUS' WHERE MAINAd_ID='$MAINAd_ID'");
IF ($MAINUPDATE)
    PRINT "HOME ADVERTISEMENT SUCCESSFULLY UPDATED.";
ELSE
    PRINT "AN ERROR OCCURED WHILE UPDATING YOUR DATA.";
}
PRINT "</b></FIELDSET></br></td></tr>";
}
ELSE {
    $MAINAd_ID=$_GET['MAINAd_ID'];
}
}

```



```

        $ERRORS=1;
    }
    ELSE{
        $SIZE=FILESIZE($ _FILES['IMAGE']['TMP_NAME']);
        IF ($SIZE > MAX_SIZE*1024){
            ECHO '<h1>YOU HAVE EXCEEDED THE SIZE LIMIT!</h1>';
            $ERRORS=1;
        }
        IF(!FILE_EXISTS($IMAGE DIRECTORY)) MKDIR($IMAGE DIRECTORY);
        $NEWNAME="$IMAGE DIRECTORY/".$ _FILES['IMAGE']['NAME'];
        $COPIED = COPY($ _FILES['IMAGE']['TMP_NAME'], $NEWNAME);
        IF (!$COPIED) {
            ECHO '<h1>COPY UNSUCCESSFUL!</h1>';
            $ERRORS=1;
        }
    }
}
IF ($IMAGEARA){
    $FILENAME2 = STRIPSLASHES($ _FILES['IMAGEARA']['NAME']);
    $EXTENSION2 = GETEXTENSION($FILENAME2);
    $EXTENSION2 = STRTOLOWER($EXTENSION2);
    IF (($EXTENSION2 != ".jpg") && ($EXTENSION2 != ".jpeg") && ($EXTENSION2 != ".png") && ($EXTENSION2 != ".gif")) {
        ECHO '<h1>UNKNOWN EXTENSION!</h1>';
        $ERRORS2=1;
    }
    ELSE{
        $SIZE2=FILESIZE($ _FILES['IMAGEARA']['TMP_NAME']);
        IF ($SIZE2 > MAX_SIZE*1024){
            ECHO '<h1>YOU HAVE EXCEEDED THE SIZE LIMIT!</h1>';
            $ERRORS2=1;
        }
        IF(!FILE_EXISTS($IMAGEARA DIRECTORY)) MKDIR($IMAGEARA DIRECTORY);
        $NEWNAME2="$IMAGEARA DIRECTORY/".$ _FILES['IMAGEARA']['NAME'];
        $COPIED2 = COPY($ _FILES['IMAGEARA']['TMP_NAME'], $NEWNAME2);
        IF (!$COPIED2) {
            ECHO '<h1>COPY UNSUCCESSFUL!</h1>';
            $ERRORS2=1;
        }
    }
}
$select=MYSQL_QUERY("SELECT * FROM MAIN_ADVERTISEMENT");
$count=MYSQL_NUM_ROWS($select);
IF ($count==0)
    $NEWDisplayOrder=1;
ELSE{
    $GETMaxDispOrder=MYSQL_QUERY("SELECT MAX(MAINAD_DISPLAYORDER) FROM MAIN_ADVERTISEMENT");
    $ROWMax=MYSQL_FETCH_ROW($GETMaxDispOrder);
    $DISPLAY_ORDER=$ROWMax[0];
    $NEWDisplayOrder=$DISPLAY_ORDER+1;
}
IF ($DISPLAYORDER!=""){
    $SEARCH=MYSQL_QUERY("SELECT MAINAD_ID FROM MAIN_ADVERTISEMENT WHERE MAINAD_DISPLAYORDER='$DISPLAYORDER'");
    $ROWREPLACE=MYSQL_FETCH_ROW($SEARCH);
    $MAINAD_ID=$ROWREPLACE[0];
    $REPLACE=MYSQL_QUERY("UPDATE MAIN_ADVERTISEMENT SET MAINAD_DISPLAYORDER='$NEWDisplayOrder' WHERE MAINAD_ID='$MAINAD_ID'");
    $INSERT=MYSQL_QUERY("INSERT INTO MAIN_ADVERTISEMENT (MAINAD_IMAGE,MAINAD_IMAGE_ARA,
MAINAD_LINK,MAINAD_LINK_ARA,MAINAD_DISPLAYORDER) VALUES ('$IMAGE','$IMAGEARA','$URL','$URLARA','$DISPLAYORDER')");
}
ELSE{
    $INSERT=MYSQL_QUERY("INSERT INTO MAIN_ADVERTISEMENT (MAINAD_IMAGE,MAINAD_IMAGE_ARA,
MAINAD_LINK,MAINAD_LINK_ARA,MAINAD_DISPLAYORDER) VALUES ('$IMAGE','$IMAGEARA','$URL','$URLARA','$NEWDisplayOrder')");
}
IF (!$INSERT){
    PRINT "<tr><td><center><font color='red'><b>INSERT ERROR.</b></font><br><br>AN UNEXPECTED ERROR OCCURED WHILE INSERTING
YOUR DATA.<br><br>
<noscript><meta http-equiv='refresh' content='5'; url=HomeAdManagement.php?action=1'></noscript>
<font color='blue'>You will be redirected back in <span id='seconds'>5</span>.</font><script> var seconds = 5; setInterval( function(){ if
(seconds <= 1) { window.location = 'HomeAdManagement.php?action=1'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
</script></font></center></td></tr>";
}
ELSE{
    PRINT "<tr><td><center><br><b>1 RECORD SUCCESSFULLY ADDED.</b><br><br>
<noscript><meta http-equiv='refresh' content='5'; url=HomeAdManagement.php'></noscript>
<font color='blue'>You will be redirected back in <span id='seconds'>5</span>.</font><script> var seconds = 5; setInterval( function(){ if
(seconds <= 1) { window.location = 'HomeAdManagement.php'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
</script></font></center></td></tr>";
}
PRINT "<tr><td><br></td></tr></table></fieldset></center></td></tr><tr><td><br><br></td></tr></table>";
}
ELSE{
    PRINT "<center>";
    IF (($SUPER==1)||($CUSTOMER_ADD==1)){
        PRINT "<table width='760'><tr><td align='center'><br></td></tr><tr><td width='730' valign='top'><br><center>
<fieldset style='width: 320px; align='center'><legend><font color='#0707ab' size='3'><b>".Home Advertisement
Management</b></font></legend><table width='300'><tr>
<td align='center'><a href='HomeAdManagement.php?action=1'><img src='images/add.png' alt='Add Home Advertisement'
width='50'></img></a><br><b>Add Home<br>Advertisement</b></td>
</tr></table></fieldset></center></td></tr></table>";
}
PRINT "<br><br><table width='450' align='center'><tr>";
$page=$_GET["page"];
IF ($page == "") $page=1;
$sort=$_GET["sort"];
$order=$_GET["order"];

```

```

$query="SELECT * FROM main_advertisement";
if ($order=="") $neworder="ASC";
if ($order=="ASC")
    $neworder="DESC";
else $neworder="ASC";
if ($sort!="") $query .= " ORDER BY mainAd_displayOrder $order";
mysql_query($query);
$numofresults=mysql_num_rows(mysql_query($query));
$numofpages=ceil($numofresults/$limit); //GET THE NUMBER OF PAGES
$searchresult = mysql_query($query." LIMIT ". ($page-1)*$limit . ", $limit");
if ($numofresults!=0){
    print "<div class='inside'>
    <table width='700' border='1' style='table-layout: fixed;'>
    <tr><th width='30%'>ADVERTISEMENT IMAGE (ENGLISH) </th><th>ADVERTISEMENT IMAGE (ARABIC)</th><th width='10%'>STATUS</th>
    <th width='10%'><a href='HomeAdManagement.php?sort=1&order=$neworder'>Sort Order</a></th>;
    if (($customer_modify==1)||($customer_delete==1))
        print "<th width='8%'>ACTION</th>";
    print "</tr>";
    while ($row = mysql_fetch_array($searchresult)){
        $i++;
        $mainAd_id=$row['mainAd_id'];
        $image=$row['mainAd_image'];
        $imageAra=$row['mainAd_image_Ara'];
        $stat=$row['mainAd_isActive'];
        if ($stat==1)
            $dispstat="ACTIVE";
        else
            $dispstat="INACTIVE";
        $imagedisp="<img src='$imageDirectory/$image' width='100' height='65'>";
        $imagedispAra="<img src='$imageAraDirectory/$imageAra' width='100' height='65'>";
        print "<tr class='d'.($i & 1).'\n'>";
        print "<td><center>$imagedisp</center></td>";
        print "<td><center>$imagedispAra</center></td>";
        print "<td><center>$dispstat</center></td>";
        print "<td><center>". $row['mainAd_displayOrder']. "</center></td>";
        if (($customer_modify==1)||($customer_delete==1))
            print "<td><center>";
            if ($customer_modify==1)
                print "<a href='HomeAdManagement.php?action=2&mainAd_id=$mainAd_id'>img src='images/edit.gif'
                title='Edit' width='15'></img></a>";
            if ($customer_delete==1)
                print "<a href='HomeAdManagement.php?action=3&mainAd_id=$mainAd_id' onclick='return confirm('Are you
                sure you want to delete Home Advertisement record?');'>img src='images/delete.png' title='Delete' width='15'></img></a>";
            print "</center></td></tr>\n";
        }
        print "</table>";
        if ($numofpages>1){
            $nav="";
            for($j = 1 ; $j <= $numofpages ; $j++) {
                if($j == $page)
                    $nav .= "<b>$j</b>";
                else
                    $nav .= "&nbsp;<a href='HomeAdManagement.php?order=$order&page=$j'>$j";
            }
            print "<center><br><br> $nav </center><center><br>";
        }
        print "<br></div></div>";
    }
    else{
        print "<center><table width='760'><tr><td width='730' valign='top'>
        <br><center><fieldset style='width: 320px; align='center'>
        <center><br><font color='red' size='2'><b>No Home Advertisement Found.</b></font></center>
        <br></fieldset></td></tr></table>";
    }
}
else {
    print "<center><br><font color='red' size='3'><b>Access Denied!</b></font></center>";
    print "<meta http-equiv='refresh' content='1; url=index.php'>";
}
?>
<br></td></tr></table></td>
<?php include "RightPanel.php"; ?>
ADMIN/INACTIVEMANAGEMENT.PHP
<?php include "LeftPanel.php";
include("includeSettings.php");
$msgid = rand(1,99999);
$timeSend = 0;
$dateSend = 0;
$deleteKey = 0;
$resultType = 0;
?>
<td valign="top"><table id="contentsCenter"><tr><td class="centerMain">
<?php
    $action=$_GET['action'];
    $limit = 10;
    if ($admin_valid==1){
        print "<br><table width='760'><tr><td align='left'><font color='black'><b>Welcome </b></font><font color='#1c43a6'><b>$username!
        </b></font></td>
        <td align='right'><font color='black'><b>Today is <font color='#1c43a6'><b>".date("L, F, Y"). "</b></font></b></font></td></tr></table>";
    }
}

```



```

        IF ($CHECKCOUNT==0){
            $QUERY2=MYSQL_QUERY("INSERT INTO CUSTOMER
(TITLE,CUSTOMER_FIRSTNAME,CUSTOMER_MIDDLENAME,CUSTOMER_LASTNAME,CUSTOMER_EMAIL,CUSTOMER_PASSWORD,CUSTOMER_ALTEMAIL,
CUSTOMER_GENDER,CUSTOMER_BIRTHDAY,CUSTOMER_MOBILENUM,CUSTOMER_PHONENUM,COUNTRY_ID,CITY,NATIONALITY,CUSTOMER_TYPE,CUSTOMER_LANGUAGE) VALUES
('$TITLE','$FIRSTNAME','$MIDDLENAME','$LASTNAME','$EMAILADDRESS','$PASSWORD','$ALTEMAILADDRESS',
'$GENDER','$BIRTHDAY','$MOBILENUMBER','$PHONENUMBER','$COUNTRY','$CITY','$NATIONALITY','$TYPE','$LANGUAGE')");
            IF ($QUERY2)
                $DELETEQUERY=MYSQL_QUERY("DELETE FROM CUSTOMER_TEMP WHERE CUSTOMER_ID='$CUSTOMER_ID'");
            IF (!(($QUERY2))){
                PRINT "<TR><TD><CENTER><BR><B>ACTIVATING CUSTOMER FAILED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=INACTIVEMANAGEMENT.PHP></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'INACTIVEMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
            }
            ELSE{
                PRINT "<TR><TD><CENTER><BR><B>CUSTOMER HAS BEEN SUCCESSFULLY ACTIVATED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=INACTIVEMANAGEMENT.PHP></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'INACTIVEMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
            }
        }
        ELSE{
            PRINT "<TR><TD><CENTER><BR><B>EMAIL ADDRESS '\<FONT COLOR='RED'>$EMAILADDRESS</FONT>\' ALREADY EXISTS.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=INACTIVEMANAGEMENT.PHP></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'INACTIVEMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        }
    }
    ELSE IF ($ACTION==3){
        PRINT "<TR><TD><CENTER><BR><B>Email Address '\<FONT COLOR='RED'>$EMAILADDRESS</FONT>\' ALREADY EXISTS.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=INACTIVEMANAGEMENT.PHP></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'INACTIVEMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        $CUSTOMER_ID=$GET['CUSTOMER_ID'];
        $QUERY=MYSQL_QUERY("SELECT * FROM CUSTOMER_TEMP WHERE CUSTOMER_ID='$CUSTOMER_ID'");
        $ROW=MYSQL_FETCH_ARRAY($QUERY);
        $NUMBERS=$ROW['CUSTOMER_MOBILENUM'];
        $PASSCODE=$ROW['CUSTOMER_PASSCODE'];
        $MSG = "PASSCODE: $PASSCODE";
        $ISSENT = SENDSMS($SMS_USER, $SMS_PASS, $NUMBERS, $SMS_SENDER, $MSG, $MSGID, $TIMESEND, $DATESEND, $DELETEKEY, $RESULTTYPE);
        IF ($ISSENT==1){
            PRINT "<TR><TD><CENTER><BR><B>PASSCODE HAS BEEN SUCCESSFULLY SENT TO THE CUSTOMER.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=INACTIVEMANAGEMENT.PHP></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'INACTIVEMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        }
        PRINT "<TR><TD><CENTER><BR><B>1 RECORD SUCCESSFULLY DELETED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=INACTIVEMANAGEMENT.PHP></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'INACTIVEMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
    }
    ELSE IF ($ACTION==4){
        $CUSTOMER_ID=$GET['CUSTOMER_ID'];
        $QUERY=MYSQL_QUERY("DELETE FROM CUSTOMER_TEMP WHERE CUSTOMER_ID='$CUSTOMER_ID'");
        PRINT "<TR><TD><CENTER><BR><B>1 RECORD SUCCESSFULLY DELETED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=INACTIVEMANAGEMENT.PHP></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'INACTIVEMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        <LEGEND><FONT COLOR='0707AB' SIZE='3'><B>"DELETE INACTIVE CUSTOMER</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
        IF(!$QUERY){
            PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>Error!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE DELETING YOUR
DATA.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=INACTIVEMANAGEMENT.PHP></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'INACTIVEMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        }
        ELSE{
            PRINT "<TR><TD><CENTER><BR><B>1 RECORD SUCCESSFULLY DELETED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=INACTIVEMANAGEMENT.PHP></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'INACTIVEMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        }
    }
    ELSE IF ($ACTION==5){
        $CUSTOMER_ID=$GET['CUSTOMER_ID'];
        PRINT "<TR><TD><CENTER><BR><B>View Inactive Customer</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=INACTIVEMANAGEMENT.PHP></NOSCRIPT>
<FONT COLOR='BLUE'>You will be REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'INACTIVEMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        $QUERY=MYSQL_QUERY("SELECT * FROM CUSTOMER_TEMP WHERE CUSTOMER_ID='$CUSTOMER_ID' OR DIE (MYSQL_ERROR());");
        $ROW=MYSQL_FETCH_ARRAY($QUERY);
        $CUSTOMER_STATUS=$ROW['CUSTOMER_ISACTIVE'];
        $FIRSTNAME = $ROW['CUSTOMER_FIRSTNAME'];
        $MIDDLENAME = $ROW['CUSTOMER_MIDDLENAME'];
        $LASTNAME = $ROW['CUSTOMER_LASTNAME'];
        $GENDER = $ROW['CUSTOMER_GENDER'];
        $BIRTHDAY = $ROW['CUSTOMER_BIRTHDAY'];
        $EMAILADDRESS = $ROW['CUSTOMER_EMAIL'];
        $ALTEMAILADDRESS = $ROW['CUSTOMER_ALTEMAIL'];
        $MOBILENUMBER = $ROW['CUSTOMER_MOBILENUM'];
        $PHONENUMBER = $ROW['CUSTOMER_PHONENUM'];
        $COUNTRY = $ROW['COUNTRY_ID'];
        $NATIONALITY = $ROW['NATIONALITY'];
        $CITY = $ROW['CITY'];
    }
}

```



```

    }
    }
    PRINT "<CENTER> $Nav </CENTER><CENTER><BR></DIV>";
}
}
ELSE {
PRINT "<CENTER><TABLE WIDTH='760'>
<TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px; HEIGHT: 75px;' ALIGN='CENTER'><TABLE>";
IF ($EMAIL=="")
PRINT "<TR><TD><CENTER><BR><B><FONT COLOR='RED'><BR>No INACTIVE CUSTOMER RECORDS
FOUND.</FONT></B></TD></TR>";
ELSE {
PRINT "<TR><TD><CENTER><BR><B>EMAIL ADDRESS <FONT COLOR='RED'>\"$EMAIL\"</FONT> NOT FOUND.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=INACTIVEMANAGEMENT.PHP?
SUPER=$ISUPER&V=$CAN_VIEW&A=$CAN_ADD&E=$CAN_EDIT&D=$CAN_DELETE&ACTION=1'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.</FONT> <SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'INACTIVEMANAGEMENT.PHP?SUPER=$ISUPER&V=$CAN_VIEW&A=$CAN_ADD&E=$CAN_EDIT&D=$CAN_DELETE&ACTION=1'; } ELSE
{ DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = '--SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
}
PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TD><BR><BR></TD></TR></TABLE>";
}
}
}
}
}
ELSE {
PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
}
?>
<BR></TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHTPANEL.PHP"; ?>

```

ADMIN/INCLUDE/SETTINGS.PHP

```

<?PHP
//إختبار الدالة المناسبة حسب خصائص موقعك
INCLUDE("FUNCTION/CHECKSENDPORTS.PHP");
IF(FSOCKOPENTEST() == 5)
{
//إختبار دالة FSOCKOPEN
INCLUDE("FUNCTION/FSOCKOPEN.PHP");
}
ELSEIF(CURLTEST() == 5)
{
//إختبار دالة CURL
INCLUDE("FUNCTION/CURL.PHP");
}
ELSEIF(FOPENTEST() == 3)
{
//إختبار دالة FOPEN
INCLUDE("FUNCTION/FOPEN.PHP");
}
ELSE
{
//للخروج من عملية الإرسال في حال لم يكن هناك أي دالة مفعله
ECHO "راجع الإستضافة وفعل إحدى البوابات الثلاث <BR>لا يوجد لديك دوال مفعله" FSOCKOPEN و CURLSMS و FOPENSMS";
}

//طباعة القيمة الناتجة من بوابة الإرسال على شكل نص
INCLUDE("FUNCTION/FUNCTIONPRINTRESULT.PHP");

//UNICODE دالة تشفير نص الرسالة إلى الترميز
INCLUDE("FUNCTION/FUNCTIONUNICODE.PHP");

//تستخدم هذه القيمة في حال كانت نتيجة العملية غير معرفه
$UNDEFINEDRESULT = "نتيجة العملية غير معرفه، الرجاء المحاول مجددا";

//الرسائل الناتجة من دالة فحص إرسال موبايلي
$ARRAYSENDSTATUS = ARRAY();
$ARRAYSENDSTATUS[0] = "نعتذر الإرسال متوقف الآن";
$ARRAYSENDSTATUS[1] = "يمكنك الإرسال الآن";

//الرسائل الناتجة من دالة تغيير كلمة المرور
$ARRAYCHANGEPASSWORD = ARRAY();
$ARRAYCHANGEPASSWORD[0] = "لم يتم الاتصال بالخادم";
$ARRAYCHANGEPASSWORD[1] = "إسم الحساب المستخدم غير صحيح";
$ARRAYCHANGEPASSWORD[2] = "كلمة المرور الخاصة بالحساب غير صحيحة";
$ARRAYCHANGEPASSWORD[3] = "تمت عملية تغيير كلمة المرور بنجاح";

//الرسائل الناتجة من دالة إسترجاع كلمة المرور
$ARRAYFORGETPASSWORD = ARRAY();
$ARRAYFORGETPASSWORD[0] = "لم يتم الاتصال بالخادم";
$ARRAYFORGETPASSWORD[1] = "إسم الحساب المستخدم غير صحيح";
$ARRAYFORGETPASSWORD[2] = "الإيميل الخاص بالحساب غير متوفر";
$ARRAYFORGETPASSWORD[3] = "تم إرسال كلمة المرور على الجوال بنجاح";
$ARRAYFORGETPASSWORD[4] = "رصيدك غير كافي لإتمام عملية الإرسال";
$ARRAYFORGETPASSWORD[5] = "تم إرسال كلمة المرور على الإيميل بنجاح";
$ARRAYFORGETPASSWORD[6] = "الإيميل الخاص بالحساب غير صحيح";
$ARRAYFORGETPASSWORD[7] = "إسم الحساب المستخدم غير صحيح";

//الرسائل الناتجة من دالة الإرسال
$ARRAYSENDMSG = ARRAY();
$ARRAYSENDMSG[0] = "لم يتم الاتصال بالخادم";

```



```

$ARRAYSENDMSG[1] = "تمت عملية الإرسال بنجاح";
$ARRAYSENDMSG[2] = "رصيدك 0 , الرجاء إعادة التعبئة حتى تتمكن من إرسال الرسائل";
$ARRAYSENDMSG[3] = "رصيدك غير كافي لإتمام عملية الإرسال";
$ARRAYSENDMSG[4] = "إسم الحساب المستخدم غير صحيح";
$ARRAYSENDMSG[5] = "كلمة المرور الخاصة بالحساب غير صحيحة";
$ARRAYSENDMSG[6] = "صفحة الانترنت غير فعالة , حاول الإرسال من جديد";
$ARRAYSENDMSG[7] = "نظام المدارس غير فعال";
$ARRAYSENDMSG[8] = "تكرار رمز المدرسة لنفس المستخدم";
$ARRAYSENDMSG[9] = "انتهاء الفترة التجريبية";
$ARRAYSENDMSG[10] = "عدد الأرقام لا يساوي عدد الرسائل";
$ARRAYSENDMSG[11] = "اشتركك لا يتيح لك إرسال رسائل لهذه المدرسة. يجب عليك تفعيل الاشتراك لهذه المدرسة";
$ARRAYSENDMSG[12] = "إصدار البوابة غير صحيح";
$ARRAYSENDMSG[13] = "في نهاية الرسالة BS الرقم المرسل به غير مفعّل أو لا يوجد الرمز";
$ARRAYSENDMSG[14] = "غير مصحح لك بالإرسال باستخدام هذا المرسل";
$ARRAYSENDMSG[15] = "الأرقام المرسل لها غير موجوده";
$ARRAYSENDMSG[16] = "إسم المرسل فارغ, أو غير صحيح";
$ARRAYSENDMSG[17] = "نص الرسالة غير متوفر أو غير مشفر بشكل صحيح";

```

```

$ARRAYDELETESMS = ARRAY();
$ARRAYDELETESMS[1] = "لقد تمت عملية الحذف بنجاح";
$ARRAYDELETESMS[2] = "رقم الجوال غير صحيح";
$ARRAYDELETESMS[3] = "كلمة المرور غير صحيحة";
$ARRAYDELETESMS[4] = "خاطئ DELETEKEY الإرساليه المطلوب حذفها غير متوفره, أو رقم";

```

```

//الرسائل الناتجه من دالة طلب الرصيد
$ARRAYBALANCE = ARRAY();
$ARRAYBALANCE[0] = "لم يتم الاتصال بالخادم";
$ARRAYBALANCE[1] = "رقم الجوال غير صحيح";
$ARRAYBALANCE[2] = "كلمة المرور غير صحيحة";
$ARRAYBALANCE[3] = "نقطة %5 نقطه من اصل %5 رصيدك الحالي هو";

```

```

//الرسائل الناتجه من دالة التحقق من طلب إسم المرسل - الأحرف الهجائية
$ARRAYCHECKALPHASENDER = ARRAY();
$ARRAYCHECKALPHASENDER[0] = "لم يتم الاتصال بالخادم";
$ARRAYCHECKALPHASENDER[1] = "رقم الجوال غير صحيح";
$ARRAYCHECKALPHASENDER[2] = "كلمة المرور غير صحيحة";

```

```

//الرسائل الناتجه من دالة طلب إسم المرسل - الأحرف الهجائية
$ARRAYADDALPHASENDER = ARRAY();
$ARRAYADDALPHASENDER[0] = "لم يتم الاتصال بالخادم";
$ARRAYADDALPHASENDER[1] = "رقم الجوال غير صحيح";
$ARRAYADDALPHASENDER[2] = "كلمة المرور غير صحيحة";
$ARRAYADDALPHASENDER[3] = "طول اسم المرسل المطلوب أكبر من 11 خانة";
$ARRAYADDALPHASENDER[4] = "تم إضافة الطلب بنجاح";

```

```

//الرسائل الناتجه من دالة طلب إسم المرسل - رقم الجوال
$ARRAYADDSENDER = ARRAY();
$ARRAYADDSENDER[0] = "لم يتم الاتصال بالخادم";
$ARRAYADDSENDER[1] = "رقم الجوال غير صحيح";
$ARRAYADDSENDER[2] = "كلمة المرور غير صحيحة";
$ARRAYADDSENDER[3] = "إسم المرسل الرقم الدولي غير صحيح";
$ARRAYADDSENDER[4] = " ! إسم المرسل لا يحتاج إلى تفعيل";
$ARRAYADDSENDER[5] = "رصيدك غير كافي لإرسال كود التفعيل";
$ARRAYADDSENDER[6] = "كلمة المرور غير صحيحة";

```

```

//الرسائل الناتجه من دالة التحقق من طلب تفعيل إسم المرسل - رقم جوال
$ARRAYCHECKSENDER = ARRAY();
$ARRAYCHECKSENDER[0] = "إسم المرسل غير مفعّل";
$ARRAYCHECKSENDER[1] = "إسم المرسل مفعّل";
$ARRAYCHECKSENDER[2] = "إسم المرسل مرفوض";
$ARRAYCHECKSENDER[3] = "رقم الجوال غير صحيح";
$ARRAYCHECKSENDER[4] = "كلمة المرور غير صحيحة";

```

```

//الرسائل الناتجه من دالة تفعيل طلب إسم المرسل - رقم جوال
$ARRAYACTIVSENDER = ARRAY();
$ARRAYACTIVSENDER[0] = "لم يتم الاتصال بالخادم";
$ARRAYACTIVSENDER[1] = "رقم الجوال غير صحيح";
$ARRAYACTIVSENDER[2] = "كلمة المرور غير صحيحة";
$ARRAYACTIVSENDER[3] = "تم تفعيل إسم المرسل";
$ARRAYACTIVSENDER[4] = "كود التفعيل غير صحيح";
$ARRAYACTIVSENDER[5] = "خاطئ SENDERID";
?>

```

ADMIN/INDEX.PHP

```

<?PHP
    SESSION_START();
    REQUIRE 'CONFIG.PHP';
    REQUIRE 'OPENDB.PHP';
    INCLUDE 'SITESETTINGS.PHP';
?>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD XHTML 1.0 TRANSITIONAL//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<HTML XMLNS="http://www.w3.org/1999/xhtml">
    <HEAD>
        <TITLE> BEA3 - ALMALKI ELECTRONIC BASKET </TITLE>
        <META HTTP-EQUIV="CONTENT-TYPE" CONTENT="TEXT/HTML; CHARSET=ISO-8859-1">
        <LINK HREF="LOGIN.CSS" REL="STYLESHEET" TYPE="TEXT/CSS">
    </HEAD>
    <BODY>
        <TABLE WIDTH="800" BORDER="0" CELLPADDING="0" CELLSPACING="0" ALIGN="CENTER">
            <TR>
                <TD COLSPAN="3"><P>&nbsp;</P></TD>
            </TR>
            <TR CLASS="headline"><TD></TD></TR>

```

```

<TR>
<TD>
<?PHP
    IF (ISSET($_POST['SUBMIT'])){
        $USERNAME = $_POST['USERNAME'];
        $PASSWORD = $_POST['PASSWORD'];
        $SALT = SHA1(MD5($PASSWORD));
        $PASSWORD = MD5($PASSWORD.$SALT);
        $RESULT = MYSQL_QUERY("SELECT * FROM ADMIN_USER WHERE ADMIN_USERNAME='$USERNAME' AND
ADMIN_PASSWORD='$PASSWORD'") OR DIE(MYSQL_ERROR());

        IF (MYSQL_NUM_ROWS($RESULT)){
            WHILE ($ROW=MYSQL_FETCH_ARRAY($RESULT, MYSQL_ASSOC)){
                $ADMIN_ID = $ROW['ADMIN_ID'];
                $ADMIN_TYPE = $ROW['ADMIN_TYPE'];
                $ADMIN_ISACTIVE = $ROW['ADMIN_ISACTIVE'];
                $ADMIN_COMPLETED = $ROW['ADMIN_COMPLETED'];
                IF ($ADMIN_ISACTIVE==1){
                    $_SESSION["ADMIN_VALID"] = 1;
                    $_SESSION["ADMIN_ID"] = $ADMIN_ID;
                    $_SESSION["USERNAME"] = $USERNAME;
                    $_SESSION["IS_COMPLETED"] = $ADMIN_COMPLETED;
                    IF ($ADMIN_COMPLETED==0)
                        PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='0';

                ELSE {
                    IF ($ADMIN_TYPE==2)
                        PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='0';

                    ELSE IF ($ADMIN_TYPE==3)
                        PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='0';

                    ELSE
                        PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='0';

                }
            }
        }
        ELSE {
            $_GET['USERNAME'] = $USERNAME;
            $_GET['PASSWORD'] = $PASSWORD;
            INCLUDE "LOGINFORM.PHP";
            PRINT "<TR><TD><FONT COLOR='red'><B><CENTER>YOUR ACCOUNT HAS BEEN
DEACTIVATED. <BR>PLEASE CONTACT THE SYSTEM ADMINISTRATOR.</CENTER></B></FONT></TD></TR>";
        }
    }
}
ELSE {
    $_GET['USERNAME'] = $USERNAME;
    $_GET['PASSWORD'] = $PASSWORD;
    INCLUDE "LOGINFORM.PHP";
    PRINT "<TR><TD><FONT COLOR='red'><B><CENTER>INVALID USERNAME OR
PASSWORD</CENTER></B></FONT></TD></TR>";
}
}
ELSE {
    INCLUDE "LOGINFORM.PHP";
}
?></TABLE></TD></TR><TR CLASS='CLOSING'><TD> </TD></TR> </TABLE>
</BODY>
</HTML>

```

ADMIN/ITEMMANAGEMENT.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
DEFINE ("MAX_SIZE", "250");
FUNCTION GETEXTENSION($STR) {
    $I = STRRPOS($STR, ".");
    IF (!$I) { RETURN ""; }
    $L = STRLEN($STR) - $I;
    $EXT = SUBSTR($STR, $I+1, $L);
    RETURN $EXT;
}
$errors=0;
$errors2=0;
$SUPER=$_SESSION['SUPER'];
$CUSTOMER_VIEW=$_SESSION['CUSTOMER_VIEW'];
$CUSTOMER_ADD=$_SESSION['CUSTOMER_ADD'];
$CUSTOMER_MODIFY=$_SESSION['CUSTOMER_MODIFY'];
$CUSTOMER_DELETE=$_SESSION['CUSTOMER_DELETE'];
$IMAGEDIRECTORY="./IMAGES/ITEMS";
$IMAGEARADIRECTORY="./IMAGES_ARA/ITEMS";
?>
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
FUNCTION VALIDATEONSUBMIT(){
    VAR ERRS=0;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDITEM.ITEM_SH1, 'INF_SH1', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDITEM.ITEM_RESELLERPRICE, 'INF_RESELLERPRICE', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDITEM.ITEM_SELLINGPRICE, 'INF_SELLINGPRICE', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDITEM.ITEM_COST, 'INF_COST', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDITEM.ITEM_NAMEARA, 'INF_ITEMNAMEARA', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDITEM.ITEM_NAME, 'INF_ITEMNAME', TRUE)) ERRS += 1;

    IF (ERRS>1) ALERT('PLEASE FILL UP REQUIRED FIELDS');
    IF (ERRS==1) ALERT('PLEASE FILL UP REQUIRED FIELDS');
}

```



```

if (($ITEM_NAME=="")||($ITEM_NAMEARA=="")||($ITEM_COST=="")||($ITEM_SELLINGPRICE=="")||($ITEM_RESELLERPRICE=="")||($SH1==""))
    PRINT "PLEASE FILL UP REQUIRED FIELDS INDICATED BY <FONT COLOR='red'>*</FONT>.";
else{
    if ($IMAGE){
        $FILENAME = STRIPSLASHES($ _FILES['IMAGE']['NAME']);
        $EXTENSION = GETEXTENSION($FILENAME);
        $EXTENSION = STRTOLOWER($EXTENSION);
        if (($EXTENSION != "jpg") && ($EXTENSION != "jpeg") && ($EXTENSION != "png") && ($EXTENSION != "gif")) {
            ECHO '<h1>UNKNOWN EXTENSION!</h1>';
            $ERRORS=1;
        }
        else{
            $SIZE=FILESIZE($ _FILES['IMAGE']['TMP_NAME']);
            if ($SIZE > MAX_SIZE*1024){
                ECHO '<h1>YOU HAVE EXCEEDED THE SIZE LIMIT!</h1>';
                $ERRORS=1;
            }
            if (!FILE_EXISTS($IMAGE DIRECTORY)) MKDIR($IMAGE DIRECTORY);
            $NEWNAME="$IMAGE DIRECTORY/" . $ _FILES['IMAGE']['NAME'];
            $COPIED = COPY($ _FILES['IMAGE']['TMP_NAME'], $NEWNAME);
            if (!$COPIED) {
                ECHO '<h1>COPY UNSUCCESSFUL!</h1>';
                $ERRORS=1;
            }
        }
    }
    if ($IMAGEARA){
        $FILENAME2 = STRIPSLASHES($ _FILES['IMAGEARA']['NAME']);
        $EXTENSION2 = GETEXTENSION($FILENAME2);
        $EXTENSION2 = STRTOLOWER($EXTENSION2);
        if (($EXTENSION2 != "jpg") && ($EXTENSION2 != "jpeg") && ($EXTENSION2 != "png") && ($EXTENSION2 !=
"gif")) {
            ECHO '<h1>UNKNOWN EXTENSION!</h1>';
            $ERRORS2=1;
        }
        else{
            $SIZE2=FILESIZE($ _FILES['IMAGEARA']['TMP_NAME']);
            if ($SIZE2 > MAX_SIZE*1024){
                ECHO '<h1>YOU HAVE EXCEEDED THE SIZE LIMIT!</h1>';
                $ERRORS2=1;
            }
            if (!FILE_EXISTS($IMAGEARA DIRECTORY)) MKDIR($IMAGEARA DIRECTORY);
            $NEWNAME2="$IMAGEARA DIRECTORY/" . $ _FILES['IMAGEARA']['NAME'];
            $COPIED2 = COPY($ _FILES['IMAGEARA']['TMP_NAME'], $NEWNAME2);
            if (!$COPIED2) {
                ECHO '<h1>COPY UNSUCCESSFUL!</h1>';
                $ERRORS2=1;
            }
        }
    }
}
if (($ERRORS==0)&&($IMAGE!="")){
    $GETIMAGE=MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
    $ROWIMAGE=MYSQL_FETCH_ARRAY($GETIMAGE);
    $OLDIMAGE=$ROWIMAGE['ITEM_IMAGE'];
    $COUNTIMAGE=MYSQL_NUM_ROWS(MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_IMAGE='$OLDIMAGE'"));
    $DELETEIMAGE="$IMAGE DIRECTORY/$OLDIMAGE";
    if (($OLDIMAGE!="")&&($COUNTIMAGE==1)&&($OLDIMAGE!=$IMAGE))
        UNLINK($DELETEIMAGE);
    $QUERY=MYSQL_QUERY("UPDATE ITEM SET ITEM_IMAGE='$IMAGE' WHERE ITEM_ID='$ITEM_ID'");
}
if (($ERRORS2==0)&&($IMAGEARA!="")){
    $GETIMAGE2=MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
    $ROWIMAGE2=MYSQL_FETCH_ARRAY($GETIMAGE2);
    $OLDIMAGE2=$ROWIMAGE2['ITEM_IMAGE_ARA'];
    $COUNTIMAGEARA=MYSQL_NUM_ROWS(MYSQL_QUERY("SELECT * FROM ITEM WHERE
ITEM_IMAGE_ARA='$OLDIMAGE2'"));
    $DELETEIMAGE2="$IMAGEARA DIRECTORY/$OLDIMAGE2";
    if (($OLDIMAGE2!="")&&($COUNTIMAGEARA==1)&&($OLDIMAGE2!=$IMAGEARA))
        UNLINK($DELETEIMAGE2);
    $QUERY2=MYSQL_QUERY("UPDATE ITEM SET ITEM_IMAGE_ARA='$IMAGEARA' WHERE ITEM_ID='$ITEM_ID'");
}
$QUERY=MYSQL_QUERY("UPDATE ITEM SET
ITEM_NAME='$ITEM_NAME',ITEM_NAME_ARA='$ITEM_NAMEARA',ITEM_DESCRIPTION='$ITEM_DESCRIPTION',ITEM_DESCRIPTION_ARA='$ITEM_DESCRIPTIONARA',ITEM_LINK='$ITEM_LINK',ITEM_LINK_ARA='$ITEM_LINKARA',ITEM
_COST='$ITEM_COST',ITEM_SELLINGPRICE='$ITEM_SELLINGPRICE',ITEM_RESELLERPRICE='$ITEM_RESELLERPRICE',ITEM_ISACTIVE='$STATUS',ITEM_STOCKSTATUS='$SSTATUS',ITEM_STOCKLEVEL='$SLEVEL',ITEM_INFO1='$SH
1',ITEM_INFO2='$SH2',ITEM_INFO3='$SH3',ITEM_INFO4='$SH4',ITEM_INFO5='$SH5' WHERE ITEM_ID='$ITEM_ID'");
if ($QUERY)
    PRINT "ITEM SUCCESSFULLY UPDATED.";
else
    PRINT "AN ERROR OCCURED WHILE UPDATING YOUR DATA.";
}
PRINT "</b></FIELDSET></br></td></tr>";
}
else{
    $ITEM_ID=$_GET['ITEM_ID'];
}
PRINT "<FORM NAME='EDITITEM' METHOD='POST' ENCTYPE='MULTIPART/FORM-DATA' ACTION='ITEMMANAGEMENT.PHP'>";
$QUERY=MYSQL_QUERY("SELECT * FROM ITEM,CATEGORY WHERE CATEGORY.CATEGORY_ID=ITEM.CATEGORY_ID AND ITEM_ID='$ITEM_ID' OR DIE (MYSQL_ERROR());");
$ROW=MYSQL_FETCH_ARRAY($QUERY);
$ITEM_NAME = $ROW['ITEM_NAME'];
$ITEM_NAMEARA = $ROW['ITEM_NAME_ARA'];
$ITEM_DESCRIPTION = $ROW['ITEM_DESCRIPTION'];
$ITEM_DESCRIPTIONARA = $ROW['ITEM_DESCRIPTION_ARA'];
$ITEM_IMAGE = $ROW['ITEM_IMAGE'];
$ITEM_IMAGEARA = $ROW['ITEM_IMAGE_ARA'];

```

```

$CATEGORY_NAME = $ROW['CATEGORY_NAME'];
$ITEM_LINK = $ROW['ITEM_LINK'];
$ITEM_LINKARA = $ROW['ITEM_LINK_ARA'];
$ITEM_COST = $ROW['ITEM_COST'];
$ITEM_SELLINGPRICE = $ROW['ITEM_SELLINGPRICE'];
$ITEM_RESELLERPRICE = $ROW['ITEM_RESELLERPRICE'];
$STATUS = $ROW['ITEM_ISACTIVE'];
$SSTATUS = $ROW['ITEM_STOCKSTATUS'];
$SLEVEL = $ROW['ITEM_STOCKLEVEL'];
$SH1 = $ROW['ITEM_INFO1'];
$SH2 = $ROW['ITEM_INFO2'];
$SH3 = $ROW['ITEM_INFO3'];
$SH4 = $ROW['ITEM_INFO4'];
$SH5 = $ROW['ITEM_INFO5'];
PRINT "<TR><TD ALIGN='RIGHT'><B>CATEGORY:</B> &nbsp;  </TD><TD ALIGN='LEFT'><FONT
COLOR='#092ea7'><B>$CATEGORY_NAME</B></FONT></TD><TR><TD><BR></TD></TR>
<TR><TD ALIGN='RIGHT' WIDTH='30%'><B>ITEM NAME</B> (ENGLISH): &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT'
NAME='ITEM_NAME' SIZE='50' VALUE='$ITEM_NAME' ONCHANGE='VALIDATEPRESENT(THIS, \INF_ITEMNAME\, TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
<TR><TD></TD><TD ID='INF_ITEMNAME' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><B>ITEM NAME</B> (ARABIC): &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' CLASS='ARABIC'
NAME='ITEM_NAMEARA' SIZE='50' VALUE='$ITEM_NAMEARA' ONCHANGE='VALIDATEPRESENT(THIS, \INF_ITEMNAMEARA\, TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
<TR><TD></TD><TD ID='INF_ITEMNAMEARA' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><B>DESCRIPTION</B> (ENGLISH): &nbsp;  </TD><TD ALIGN='LEFT'><TEXTAREA NAME='DESCRIPTION' ROWS='10'
COLS='80' />$ITEM_DESCRIPTION</TEXTAREA></TD></TR>
<TR><TD><TD><BR><BR></TD></TR>
<TR><TD ALIGN='RIGHT'><B>DESCRIPTION</B> (ARABIC): &nbsp;  </TD><TD ALIGN='LEFT'><TEXTAREA CLASS='ARABIC' NAME='DESCRIPTIONARA'
ROWS='10' COLS='80' />$ITEM_DESCRIPTIONARA</TEXTAREA></TD></TR>
<TR><TD><TD><BR><BR></TD></TR>
<TR><TD ALIGN='RIGHT'><B>ITEM LINK</B> (ENGLISH): &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_LINK'
VALUE='$ITEM_LINK' SIZE='50' /></TD></TR>
<TR><TD><TD><BR><BR></TD></TR>
<TR><TD ALIGN='RIGHT'><B>ITEM LINK</B> (ARABIC): &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_LINKARA'
VALUE='$ITEM_LINKARA' SIZE='50' /></TD></TR>
<TR><TD><TD><BR><BR></TD></TR>
<TR><TD ALIGN='RIGHT'><B>COST:</B> &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_COST' SIZE='10'
VALUE='$ITEM_COST' ONCHANGE='VALIDATEPRESENT(THIS, \INF_COST\, TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
<TR><TD><TD></TD><TD ID='INF_COST' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><B>SELLING PRICE:</B> &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_SELLINGPRICE' SIZE='10'
VALUE='$ITEM_SELLINGPRICE' ONCHANGE='VALIDATEPRESENT(THIS, \INF_SELLINGPRICE\, TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
<TR><TD><TD></TD><TD ID='INF_SELLINGPRICE' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><B>RESELLER PRICE:</B> &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_RESELLERPRICE'
SIZE='10' VALUE='$ITEM_RESELLERPRICE' ONCHANGE='VALIDATEPRESENT(THIS, \INF_RESELLERPRICE\, TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
<TR><TD><TD></TD><TD ID='INF_RESELLERPRICE' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><B>STATUS:</B> &nbsp;  </TD><TD ALIGN='LEFT'>";
IF ($STATUS=='1')
PRINT "<INPUT TYPE='RADIO' NAME='STATUS' VALUE='1' CHECKED />ACTIVE &nbsp;  <INPUT TYPE='RADIO' NAME='STATUS'
VALUE='0' />INACTIVE</TD></TR>";
ELSE
PRINT "<INPUT TYPE='RADIO' NAME='STATUS' VALUE='1' />ACTIVE &nbsp;  <INPUT TYPE='RADIO' NAME='STATUS' VALUE='0' CHECKED
/>INACTIVE</TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><B>STOCK STATUS:</B> &nbsp;  </TD><TD ALIGN='LEFT'>";
IF ($SSTATUS=='1')
PRINT "<INPUT TYPE='RADIO' NAME='SSTATUS' VALUE='1' CHECKED />ACTIVE &nbsp;  <INPUT TYPE='RADIO' NAME='SSTATUS'
VALUE='0' />INACTIVE</TD></TR>";
ELSE
PRINT "<INPUT TYPE='RADIO' NAME='SSTATUS' VALUE='1' />ACTIVE &nbsp;  <INPUT TYPE='RADIO' NAME='SSTATUS' VALUE='0'
CHECKED />INACTIVE</TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><B>STOCK LEVEL:</B> &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_STOCKLEVEL'
VALUE='$SLEVEL' SIZE='10' /></TD></TR>
<TR><TD><TD></TD><TD ID='INF_SH1' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><B>SCRATCH HEAD1:</B> &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_SH1' VALUE='$SH1'
SIZE='50' ONCHANGE='VALIDATEPRESENT(THIS, \INF_SH1\, TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
<TR><TD><TD></TD><TD ID='INF_SH1' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><B>SCRATCH HEAD2:</B> &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_SH2' VALUE='$SH2'
SIZE='50' /></TD></TR>
<TR><TD><TD></TD><TD ID='INF_SH2' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><B>SCRATCH HEAD3:</B> &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_SH3' VALUE='$SH3'
SIZE='50' /></TD></TR>
<TR><TD><TD></TD><TD ID='INF_SH3' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><B>SCRATCH HEAD4:</B> &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_SH4' VALUE='$SH4'
SIZE='50' /></TD></TR>
<TR><TD><TD></TD><TD ID='INF_SH4' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><B>SCRATCH HEAD5:</B> &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_SH5' VALUE='$SH5'
SIZE='50' /></TD></TR>
<TR><TD><TD></TD><TD ID='INF_SH5' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><B>IMAGE</B>(ENGLISH): &nbsp;  </TD><TD ALIGN='LEFT'>";
IF ($ITEM_IMAGE!="") PRINT "<IMG SRC='$IMAGEDIRECTORY/$ITEM_IMAGE' WIDTH='200' HEIGHT='100'><BR><BR>";
PRINT "<INPUT TYPE='FILE' NAME='IMAGE'></TD></TR>
<TR><TD ALIGN='RIGHT'><B>IMAGE</B>(ARABIC): &nbsp;  </TD><TD ALIGN='LEFT'>";
IF ($ITEM_IMAGEARA!="") PRINT "<IMG SRC='$IMAGEARA DIRECTORY/$ITEM_IMAGEARA' WIDTH='200' HEIGHT='100'><BR><BR>";
PRINT "<INPUT TYPE='FILE' NAME='IMAGEARA'></TD></TR>
<TR><TD><TD><INPUT TYPE='HIDDEN' NAME='ITEM_ID' VALUE='$ITEM_ID'><BR><BR></TD></TR><TR><TD COLSPAN='2'><HR
WIDTH='100%' /></TD></TR><TR><TD><TD><BR></TD></TR>
<TR><TD ALIGN='CENTER' COLSPAN='2'><INPUT TYPE='SUBMIT' NAME='UPDATE' VALUE='SUBMIT' CLASS='INPUTBUTTON' /> &nbsp;  <INPUT
TYPE='SUBMIT' NAME='CANCEL' VALUE='CANCEL' CLASS='INPUTBUTTON' /></TD></TR></FORM>
<TR><TD><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF ($ACTION==3){
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px; ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>".DELETE ITEM</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
$ITEM_ID=$_GET['ITEM_ID'];
$GETIMAGE=MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
$ROWIMAGE=MYSQL_FETCH_ARRAY($GETIMAGE);
$IMAGE=$ROWIMAGE['ITEM_IMAGE'];
$IMAGEARA=$ROWIMAGE['ITEM_IMAGE_ARA'];
$COUNTIMAGE=MYSQL_NUM_ROWS(MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_IMAGE='$IMAGE'"));
$COUNTIMAGEARA=MYSQL_NUM_ROWS(MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_IMAGE_ARA='$IMAGEARA'"));
$DELETEIMAGE="$IMAGEDIRECTORY/$IMAGE";
$DELETEIMAGEARA="$IMAGEARA DIRECTORY/$IMAGEARA";
IF (($IMAGE!="")&&($COUNTIMAGE==1))
UNLINK($DELETEIMAGE);
}

```

```

IF (($IMAGEARA!=""&&($COUNTIMAGEARA==1))
    UNLINK($DELETEIMAGE2);
$QUERY=MYSQL_QUERY("DELETE FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
IF(!$QUERY){
    PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR, ITEM NOT DELETED!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE DELETING
YOUR DATA.<BR><BR>
    <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=ITEMMANAGEMENT.PHP'></NOSCRIPT>
    <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; setInterval( function() { if
(SECONDS <= 1) { window.location = 'ITEMMANAGEMENT.PHP'; } else { document.getElementById('SECONDS').innerHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
    }
    ELSE {
        PRINT "<TR><TD><CENTER><B>1 RECORD SUCCESSFULLY DELETED.</B><BR><BR>
    <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=ITEMMANAGEMENT.PHP'></NOSCRIPT>
    <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; setInterval( function() { if
(SECONDS <= 1) { window.location = 'ITEMMANAGEMENT.PHP'; } else { document.getElementById('SECONDS').innerHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
    }
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF($ACTION==4){
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "Upload Stocks</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<FORM NAME='ADDSTOCK' METHOD='POST' ENCTYPE='MULTIPART/FORM-DATA' ACTION='ITEMMANAGEMENT.PHP'><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT:
FIXED;'><TR><TD><BR></TD></TR>";
    $ITEM_ID=$_GET['ITEM_ID'];
    $GETITEM=MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
    $ROWITEM=MYSQL_FETCH_ARRAY($GETITEM);
    $ITEMNAME=$ROWITEM['ITEM_NAME'];
    PRINT "<TR><TD ALIGN='RIGHT'>ITEM NAME: &nbsp;&nbsp;&nbsp;</TD><TD ALIGN='LEFT'><FONT
COLOR='#092EA7'><B>$ITEMNAME</B>
</FONT></TD></TR><TR><TD><BR></TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>ITEM STOCK FILE: &nbsp;&nbsp;&nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='FILE' NAME='ITEM_FILE'
SIZE='30'ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_ITEMFILE\\', TRUE);'><FONT COLOR='RED'> *</FONT></TD></TR>";
    <TR><TD></TD><TD ID='INF_ITEMFILE' CLASS='ERROR' ALIGN='LEFT'> &nbsp;&nbsp;&nbsp;</TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>ACTIVATE ITEM IN STOCK?: &nbsp;&nbsp;&nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='RADIO' NAME='STATUS' VALUE='1' CHECKED>YES
&nbsp;&nbsp;&nbsp;<INPUT TYPE='RADIO' NAME='STATUS'
VALUE='0'>No</TD></TR>";
    PRINT "<TR><TD><BR><BR></TD></TR><TR><TD COLSPAN='2'><INPUT TYPE='HIDDEN' NAME='ITEM_ID' VALUE='$ITEM_ID'></TD></TR>";
    PRINT "<TR><TD COLSPAN='2' ALIGN='CENTER'><INPUT TYPE='SUBMIT' NAME='UPLOADSTOCK' VALUE='UPLOAD STOCKS' ONCLICK='RETURN VALIDATEONSUBMIT2()''
CLASS='INPUTBUTTON2'></TD></TR>";
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF ($ACTION==5){
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 600PX;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "Display Item in Other Category</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE WIDTH='500' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    $ITEM_ID=$_GET['ITEM_ID'];
    $GETIMAGE=MYSQL_QUERY("SELECT * FROM ITEM,CATEGORY WHERE CATEGORY.CATEGORY_ID=ITEM.CATEGORY_ID AND ITEM_ID='$ITEM_ID'");
    $ROWIMAGE=MYSQL_FETCH_ARRAY($GETIMAGE);
    $CATEGORY_ID = $ROWIMAGE['CATEGORY_ID'];
    $CATEGORY_NAME = $ROWIMAGE['CATEGORY_NAME'];
    $ITEM_NAME = $ROWIMAGE['ITEM_NAME'];
    PRINT "<TR><TD COLSPAN='2' ALIGN='LEFT'><FONT SIZE='2'>THE ITEM: <FONT COLOR='#4B0FD2'><B>$ITEM_NAME</B></FONT> BELONGS TO THE CATEGORY:
<FONT COLOR='#4B0FD2'><B>$CATEGORY_NAME</B></FONT></TR><TR><TD COLSPAN='2'><BR></TR>";
    $GETVIEWEDIN = MYSQL_QUERY("SELECT * FROM ITEM_VIEW WHERE ITEM_ID='$ITEM_ID'");
    $COUNTVIEWEDIN = MYSQL_NUM_ROWS($GETVIEWEDIN);
    IF ($COUNTVIEWEDIN>0){
        PRINT "<TR><TD COLSPAN='2' ALIGN='LEFT'><FONT SIZE='2'><BR><FONT COLOR='#4B0FD2'><B>$ITEM_NAME</B></FONT> CAN ALSO BE
VIEWED IN THE FOLLOWING CATEGORIES:<BR></FONT><BR></TD></TR>";
        WHILE ($GETVIEWEDROWS=MYSQL_FETCH_ARRAY($GETVIEWEDIN)){
            $CATID = $GETVIEWEDROWS['CATEGORY_ID'];
            $GETCATEGORY = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATID'");
            $ROWCATEGORY = MYSQL_FETCH_ARRAY($GETCATEGORY);
            $CATNAME = $ROWCATEGORY['CATEGORY_NAME'];
            PRINT "<TR><TD>&nbsp;&nbsp;&nbsp;<B><FONT COLOR='RED'><B>$CATNAME</B></FONT></TD><TD> <A
HREF='ITEMMANAGEMENT.PHP?ACTION=6&ID=$CATID&ITEM=$ITEM_ID' ONCLICK='\"RETURN CONFIRM('ARE YOU SURE YOU WANT TO DELETE ITEM CATEGORY VIEW?');\">REMOVE</A></TD></TR>";
        }
    }
    PRINT "<TR><TD COLSPAN='2' ALIGN='LEFT'><FONT SIZE='2'><BR><BR>PLEASE CHOOSE THE CATEGORY YOU WANT <B>$ITEM_NAME</B> TO BE DISPLAYED ASIDE
FROM THE CATEGORY <B>$CATEGORY_NAME</B></TD></TR>";
    $GETALLLASTSUBS=MYSQL_QUERY("SELECT * FROM CATEGORY");
    PRINT "<TR><TD COLSPAN='2' ALIGN='LEFT'><FORM NAME='GETPARENT' METHOD='POST' ACTION='ITEMMANAGEMENT.PHP'><BR><SELECT NAME='CATEGORY'
STYLE='WIDTH:250PX;'>";
    PRINT "<OPTION VALUE=''>--SELECT CATEGORY--</OPTION>";
    WHILE ($GETPARENT = MYSQL_FETCH_ARRAY($GETALLLASTSUBS)){
        $ID = $GETPARENT['CATEGORY_ID'];
        $NAME = $GETPARENT['CATEGORY_NAME'];
        IF ($ID!=$CATEGORY_ID){
            $GETLASTSUBS=MYSQL_QUERY("SELECT COUNT(*) FROM CATEGORY WHERE CATEGORY_PARENTID = '$ID'");
            $ROWLASTSUB=MYSQL_FETCH_ROW($GETLASTSUBS);
            $COUNTPARENT=$ROWLASTSUB[0];
            $SEARCHEXIST = MYSQL_QUERY("SELECT COUNT(*) FROM ITEM_VIEW WHERE CATEGORY_ID='$ID' AND ITEM_ID='$ITEM_ID'");
            $ROWEXIST=MYSQL_FETCH_ROW($SEARCHEXIST);
            $COUNTEXISTS=$ROWEXIST[0];
            IF (($COUNTPARENT==0)&&($COUNTEXISTS==0))
                PRINT "<OPTION VALUE='$ID'>$NAME</OPTION>";
        }
    }
    PRINT "</SELECT><INPUT TYPE='HIDDEN' NAME='ITEM_ID' VALUE='$ITEM_ID'> &nbsp;&nbsp;&nbsp;<INPUT TYPE='SUBMIT' NAME='DUPLICATE' VALUE='SUBMIT'
CLASS='INPUTBUTTON'> &nbsp;&nbsp;&nbsp;<INPUT TYPE='SUBMIT' NAME='CANCEL' VALUE='CANCEL' CLASS='INPUTBUTTON' ONCLICK='HISTORY.GO(-1);'></FORM></TD></TR>";
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF ($ACTION==6){
    $CATEGORY_ID = $_GET['ID'];
    $ITEM_ID = $_GET['ITEM'];
}

```

```

$DELETEDisplay=mysql_query("DELETE FROM ITEM_VIEW WHERE CATEGORY_ID='$CATEGORY_ID' AND ITEM_ID='$ITEM_ID'");
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 600px;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".DISPLAY ITEM IN OTHER CATEGORY</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE WIDTH='500' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
IF ($DELETEDisplay) {
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='0'; URL=ItemManagement.php?action=5&item_id=$ITEM_ID'>";
}
ELSE {
    PRINT "<TR><TD ALIGN='LEFT'><BR>AN ERROR WAS ENCOUNTERED WHILE PROCESSING YOUR REQUEST.</TD></TR>";
}
PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF (ISSET($_POST['DUPLICATE'])) {
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".DISPLAY ITEM IN OTHER CATEGORY</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    $ITEM_ID=$_POST['ITEM_ID'];
    $CATEGORY_ID=$_POST['CATEGORY'];
    IF ($CATEGORY_ID=="")
        PRINT "<TR><TD><BR>PLEASE SELECT A CATEGORY FIRST.<BR><BR></TD></TR><META HTTP-EQUIV='REFRESH' CONTENT='3';
URL=ItemManagement.php?action=5&item_id=$ITEM_ID'>";
    ELSE {
        $INSERT = mysql_query("INSERT INTO ITEM_VIEW (CATEGORY_ID,ITEM_ID) VALUES ('$CATEGORY_ID','$ITEM_ID')");
        IF (!$INSERT) {
            PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE INSERTING
            <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=ItemManagement.php?action=5&item_id=$ITEM_ID'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <span id='seconds'>5</span>.<SCRIPT> var seconds = 5;
SETInterval( function(){ if (seconds <= 1) { window.location = 'ItemManagement.php?action=5&item_id=$ITEM_ID'; } else { document.getElementById('seconds').innerHTML = --seconds; } },
1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        }
        ELSE {
            PRINT "<TR><TD><CENTER><B>ADDING ITEM FOR DISPLAY SUCCESSFUL.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=ItemManagement.php?action=5&item_id=$ITEM_ID'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <span id='seconds'>5</span>.<SCRIPT> var seconds = 5;
SETInterval( function(){ if (seconds <= 1) { window.location = 'ItemManagement.php?action=5&item_id=$ITEM_ID'; } else { document.getElementById('seconds').innerHTML = --seconds; } },
1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        }
    }
    PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
}
ELSE IF (ISSET($_POST['ADD'])) {
    $ERROR1=0;
    $ITEM_NAME = $_POST['ITEM_NAME'];
    $ITEM_NAMEARA = $_POST['ITEM_NAMEARA'];
    $CATEGORY_ID = $_POST['CATEGORY_ID'];
    $DESCRIPTION = $_POST['DESCRIPTION'];
    $DESCRIPTIONARA = $_POST['DESCRIPTIONARA'];
    $ITEM_LINK = $_POST['ITEM_LINK'];
    $ITEM_LINKARA = $_POST['ITEM_LINKARA'];
    $ITEM_COST = $_POST['ITEM_COST'];
    $ITEM_SELLINGPRICE = $_POST['ITEM_SELLINGPRICE'];
    $ITEM_RESELLERPRICE = $_POST['ITEM_RESELLERPRICE'];
    $STATUS = $_POST['STATUS'];
    $SSTATUS=$_POST['SSTATUS'];
    $SLEVEL=$_POST['SLEVEL'];
    $SH1=$_POST['ITEM_SH1'];
    $SH2=$_POST['ITEM_SH2'];
    $SH3=$_POST['ITEM_SH3'];
    $SH4=$_POST['ITEM_SH4'];
    $SH5=$_POST['ITEM_SH5'];
    $IMAGE=$_FILES['IMAGE']['NAME'];
    $IMAGEARA=$_FILES['IMAGEARA']['NAME'];
    IF ($IMAGE) {
        $FILENAME = STRIPSLASHES($_FILES['IMAGE']['NAME']);
        $EXTENSION = GETEXTENSION($FILENAME);
        $EXTENSION = STRTOLOWER($EXTENSION);
        IF (($EXTENSION != ".jpg") && ($EXTENSION != ".jpeg") && ($EXTENSION != ".png") && ($EXTENSION != ".gif")) {
            ECHO '<h1>UNKNOWN EXTENSION!</h1>';
            $ERRORS=1;
        }
        ELSE {
            $SIZE=FILESIZE($_FILES['IMAGE']['TMP_NAME']);
            IF ($SIZE > MAX_SIZE*1024) {
                ECHO '<h1>You have exceeded the size limit!</h1>';
                $ERRORS=1;
            }
            IF (!FILE_EXISTS($IMAGEDIRECTORY)) MKDIR($IMAGEDIRECTORY);
            $NEWNAME="$IMAGEDIRECTORY/".$_FILES['IMAGE']['NAME'];
            $COPIED = COPY($_FILES['IMAGE']['TMP_NAME'], $NEWNAME);
            IF (!$COPIED) {
                ECHO '<h1>Copy unsuccessful!</h1>';
                $ERRORS=1;
            }
        }
    }
}
IF ($IMAGEARA) {
    $FILENAME2 = STRIPSLASHES($_FILES['IMAGEARA']['NAME']);
    $EXTENSION2 = GETEXTENSION($FILENAME2);
    $EXTENSION2 = STRTOLOWER($EXTENSION2);
    IF (($EXTENSION2 != ".jpg") && ($EXTENSION2 != ".jpeg") && ($EXTENSION2 != ".png") && ($EXTENSION2 != ".gif")) {

```

```

        ECHO '<h1>UNKNOWN EXTENSION!</h1>';
        $ERRORS2=1;
    }
    ELSE{
        $SIZE2=FILESIZE($ _FILES['IMAGEARA']['TMP_NAME']);
        IF ($SIZE2 > MAX_SIZE*1024){
            ECHO '<h1>YOU HAVE EXCEEDED THE SIZE LIMIT!</h1>';
            $ERRORS2=1;
        }
        IF (!FILE_EXISTS($IMAGEARADIRECTORY)) MKDIR($IMAGEARADIRECTORY);
        $NEWNAME2="$IMAGEARADIRECTORY/".$ _FILES['IMAGEARA']['NAME'];
        $COPIED2 = COPY($ _FILES['IMAGEARA']['TMP_NAME'], $NEWNAME2);
        IF (!$COPIED2) {
            ECHO '<h1>COPY UNSUCCESSFULL!</h1>';
            $ERRORS2=1;
        }
    }
}
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".Add Item</B></FONT></LEGEND><DIV CLASS='results'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
IF (($ITEM_NAME=="")||($ITEM_NAMEARA=="")||($ITEM_COST=="")||($ITEM_SELLINGPRICE=="")||($ITEM_RESELLERPRICE=="")||($SH1=="")){
    PRINT "<TR><TD><CENTER><B><FONT COLOR='red'>REQUIRED FIELDS ERROR.</B></FONT><BR><BR>PLEASE FILL OUT ALL REQUIRED FIELDS
INDICATED BY <FONT COLOR='red'>*</FONT><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=ItemManagement.php?action=1'></NOSCRIPT>
<FONT COLOR='blue'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION() { IF
(SECONDS <= 1) { WINDOW.LOCATION = 'ItemManagement.php?action=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
}
ELSE{
    $CHECKQUERY=MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_NAME='$ITEM_NAME' AND CATEGORY_ID='$CATEGORY_ID'");
    $COUNTCHECK=MYSQL_NUM_ROWS($CHECKQUERY);
    IF ($COUNTCHECK==0){
        IF (($ERRORS==0)&&($ERRORS2==0))
            $INSERT=MYSQL_QUERY("INSERT INTO ITEM
(ITEM_NAME,ITEM_NAME_ARA,ITEM_DESCRIPTION,ITEM_DESCRIPTION_ARA,ITEM_IMAGE,ITEM_IMAGE_ARA,ITEM_LINK,ITEM_LINK_ARA,CATEGORY_ID,ITEM_COST,ITEM_SELLINGPRICE,ITEM_RESELLERPRICE,ITEM_ISACTIVE,ITEM_STOCKS
TATUS,ITEM_STOCKLEVEL,ITEM_INFO1,ITEM_INFO2,ITEM_INFO3,ITEM_INFO4,ITEM_INFO5) VALUES
('$ITEM_NAME','$ITEM_NAMEARA','$DESCRIPTION','$DESCRIPTIONARA','$IMAGE','$IMAGEARA','$ITEM_LINK','$ITEM_LINKARA','$CATEGORY_ID','$ITEM_COST','$ITEM_SELLINGPRICE','$ITEM_RESELLERPRICE','$STATUS','$SSTAT
US','$SLEVEL','$SH1','$SH2','$SH3','$SH4','$SH5')");
        IF (!$INSERT){
            PRINT "<TR><TD><CENTER><FONT COLOR='red'><B>Error!</B></FONT><BR><BR>AN ERROR OCCURED
WHILE INSERTING DATA.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=ItemManagement.php?action=1'></NOSCRIPT>
<FONT COLOR='blue'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'ItemManagement.php?action=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
        }
        ELSE{
            PRINT "<TR><TD><CENTER><B>ITEM HAS BEEN ADDED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=ItemManagement.php?
PARENT_ID=$CATEGORY_ID'></NOSCRIPT>
<FONT COLOR='blue'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        }
    }
    ELSE{
        PRINT "<TR><TD><CENTER><FONT COLOR='red'><B>DUPLICATE ENTRY.</B></FONT><BR><BR>ITEM NAME ALREADY EXIST
UNDER THE SAME CATEGORY.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='8'; URL=ItemManagement.php?action=1'></NOSCRIPT>
<FONT COLOR='blue'>You will be redirected back in <SPAN ID='SECONDS'>8</SPAN>.<SCRIPT> VAR SECONDS = 8;
SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'ItemManagement.php?action=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
    }
}
PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE{
    $PAGE=$_GET["PAGE"];
    IF ($PAGE == "") $PAGE=1;
    $PARENT_ID=$_POST['PARENT_ID'];
    IF ($PARENT_ID=="") $PARENT_ID=$_GET['PARENT_ID'];
    IF ($PARENT_ID=="") $PARENT_ID=0;
    $DISPLAY = GETITEMDISPLAY($PARENT_ID);
    $MAINCATEGORIES = "<A HREF='ItemManagement.php?MAIN CATEGORIES'>MAIN CATEGORIES</A>";
    $DISPLAY = $MAINCATEGORIES." ".$DISPLAY;
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER>
<FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".ITEM MANAGEMENT</B></FONT></LEGEND><TABLE
WIDTH='500'><TR>";
    IF (($SUPER==1)||($CUSTOMER_ADD==1))
        PRINT "<TD ALIGN='CENTER'><A HREF='ItemManagement.php?action=1&PARENT_ID=$PARENT_ID'><IMG SRC='IMAGES/ADD.PNG' ALT='Add Item'
WIDTH='50'></IMG></A><BR><B>Add Item</B></TD>";
        PRINT "<TD ALIGN='RIGHT'><FORM METHOD='GET' ID='FILTER' ACTION='ItemManagement.php' /><B>SELECT CATEGORY: </B>&nbsp;<SELECT NAME='PARENT_ID'
ID='PARENT_ID' STYLE='WIDTH: 200PX;' ONCHANGE='\"DOCUMENT.GETELEMENTBYID('FILTER').SUBMIT();\" />";
        IF ($PARENT_ID!=0){
            $CATQUERY=MYSQL_QUERY("SELECT CATEGORY_NAME FROM CATEGORY WHERE CATEGORY_ID='$PARENT_ID'");
            $ROWCAT=MYSQL_FETCH_ROW($CATQUERY);
            $CATDISP=$ROWCAT[0];
            $PARENTQUERY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$PARENT_ID'");
            PRINT "<OPTION VALUE='$PARENT_ID' STYLE = 'COLOR: RED; FONT-WEIGHT: BOLD'>$CATDISP</OPTION>";
        }
        ELSE{
            $PARENTQUERY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='0'");

```



```

        PRINT "<OPTION VALUE='0' STYLE = 'COLOR: RED;FONT-WEIGHT:BOLD'>Main Category</OPTION>";
    }
    WHILE ($PARENTROW=MYSQL_FETCH_ROW($PARENTQUERY)){
        $PARENT_ID2=$PARENTROW[0];
        $CATEGORY_NAME=$PARENTROW[1];
        PRINT "<OPTION VALUE='&#x000A'>&#x000A;&#x000A;&#x000A;&#x000A;$CATEGORY_NAME</OPTION>";
    }
    PRINT "</SELECT></TD></TR><TR><TD></TD><TD ALIGN='RIGHT'>";

    PRINT "<B>$DISPLAY</B>";
    PRINT "</TD></TR></TABLE></FORM></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
    IF ($ACTION==1){
        $QUERY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$PARENT_ID'");
        $CANADD=MYSQL_NUM_ROWS($QUERY);
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
        <BR><CENTER><FIELDSET STYLE='WIDTH: 600PX;' ALIGN='CENTER'>
        <LEGEND><FONT COLOR='#070707' SIZE='3'><B>Add Item</B></FONT></LEGEND><DIV CLASS='RESULTS'><FORM NAME='ADDITEM'
        METHOD='POST' ENCTYPE='MULTIPART/FORM-DATA' ACTION='ITEMMANAGEMENT.PHP'>
        <TABLE ALIGN='LEFT' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
        IF ($CANADD==0){
            PRINT "<TR><TD ALIGN='RIGHT' WIDTH='35%'><B>Item Name</B> (English): &#x000A;&#x000A;</TD><TD ALIGN='LEFT'
            WIDTH='70%'><INPUT TYPE='TEXT' NAME='ITEM_NAME' SIZE='50' ONCHANGE='VALIDATEPRESENT(THIS, '\INF_ITEMNAME', TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
            <TR><TD ALIGN='RIGHT' WIDTH='25%'><B>Item Name</B> (Arabic): &#x000A;&#x000A;</TD><TD ALIGN='LEFT' WIDTH='70%'><INPUT
            TYPE='TEXT' CLASS='ARABIC' NAME='ITEM_NAMEARA' SIZE='50' ONCHANGE='VALIDATEPRESENT(THIS, '\INF_ITEMNAMEARA', TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>Description</B> (English): &#x000A;&#x000A;</TD><TD COLSPAN='2' ALIGN='LEFT'><TEXTAREA
            NAME='DESCRIPTION' ROWS='10' COLS='80' /></TEXTAREA></TD></TR><TR><TD ALIGN='RIGHT'><B>Description</B> (Arabic): &#x000A;&#x000A;</TD><TD COLSPAN='2' ALIGN='LEFT'><TEXTAREA
            CLASS='ARABIC' NAME='DESCRIPTIONARA' ROWS='10' COLS='80' /></TEXTAREA></TD></TR><TR><TD ALIGN='RIGHT'><B>Item Link</B> (English): &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_LINK'
            SIZE='50' /></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>Item Link</B> (Arabic): &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT'
            NAME='ITEM_LINKARA' SIZE='50' /></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>Cost</B> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_COST' SIZE='10'
            ONCHANGE='VALIDATEPRESENT(THIS, '\INF_COST', TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
            <TR><TD ID='INF_COST' CLASS='ERROR' ALIGN='LEFT'> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT'
            NAME='ITEM_SELLINGPRICE' SIZE='10' ONCHANGE='VALIDATEPRESENT(THIS, '\INF_SELLINGPRICE', TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
            <TR><TD ID='INF_SELLINGPRICE' CLASS='ERROR' ALIGN='LEFT'> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT'
            NAME='ITEM_RESELLERPRICE' SIZE='10' ONCHANGE='VALIDATEPRESENT(THIS, '\INF_RESELLERPRICE', TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
            <TR><TD ID='INF_RESELLERPRICE' CLASS='ERROR' ALIGN='LEFT'> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'>
            <TR><TD ALIGN='RIGHT'><B>STATUS</B> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'>
            <INPUT TYPE='RADIO' NAME='STATUS' VALUE='1' CHECKED />Active &#x000A;&#x000A;</TR>
            <TR><TD ALIGN='RIGHT'><B>STOCK STATUS</B> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'>
            <INPUT TYPE='RADIO' NAME='SSTATUS' VALUE='1' CHECKED />Active &#x000A;&#x000A;</TR>
            <TR><TD ALIGN='RIGHT'><B>STOCK LEVEL</B> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='SLEVEL'
            SIZE='10'></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>Scratch Head1</B> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_SH1'
            SIZE='50' ONCHANGE='VALIDATEPRESENT(THIS, '\INF_SH1', TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
            <TR><TD ID='INF_SH1' CLASS='ERROR' ALIGN='LEFT'> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'>
            <TR><TD ALIGN='RIGHT'><B>Scratch Head2</B> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_SH2'
            SIZE='50' /></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>Scratch Head3</B> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_SH3'
            SIZE='50' /></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>Scratch Head4</B> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_SH4'
            SIZE='50' /></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>Scratch Head5</B> &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_SH5'
            SIZE='50' /></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>Image</B> (English): &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='FILE'
            NAME='IMAGE'></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>Image</B> (Arabic): &#x000A;&#x000A;</TD><TD ALIGN='LEFT'><INPUT TYPE='FILE'
            NAME='IMAGEARA'></TD></TR>
            <TR><TD><INPUT TYPE='HIDDEN' NAME='CATEGORY_ID' VALUE='$PARENT_ID'><BR><BR></TD></TR>";
            PRINT "<TR><TD COLSPAN='3'><CENTER><INPUT TYPE='SUBMIT' NAME='ADD' VALUE='Add' CLASS='INPUTBUTTON' ONCLICK='RETURN
            <INPUT TYPE='SUBMIT' NAME='CANCEL' VALUE='Cancel' CLASS='INPUTBUTTON' /></TD></TR></FORM>";
        }
        ELSE{
            PRINT "<TR><TD COLSPAN='2'><B><FONT COLOR='RED'><CENTER>NOTE: ITEMS CAN ONLY BE ADDED IN LAST
            CATEGORIES.</CENTER></FONT></B></TD></TR>";
        }
    }
    PRINT "</TABLE><BR><BR></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE{
    $QUERY="SELECT * FROM ITEM WHERE CATEGORY_ID='$PARENT_ID' ORDER BY ITEM_ID";
    MYSQL_QUERY($QUERY);
    $NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
    $NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
    $SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
    IF ($NUMBEROFRESULTS!=0){
        PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='720' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>
        <TR><TH WIDTH='25%'>ITEM NAME (English)</TH>
        <TH WIDTH='25%'>ITEM NAME (Arabic)</TH>
        <TH WIDTH='10%'>COST</TH>
        <TH WIDTH='10%'>SELLING PRICE</TH>
        <TH WIDTH='10%'>ITEM STATUS</TH>
        <TH WIDTH='10%'>STOCK STATUS</TH>";
        IF (($CUSTOMER_MODIFY==1)||($CUSTOMER_DELETE==1))
            PRINT "<TH WIDTH='10%'>ACTION</TH>";
        PRINT "</TR>";
    }
}
}
}
}

```



```

    }
    ELSE {
        PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
        PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1; URL=INDEX.PHP'>";
    }
?>
<BR></TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHTPANEL.PHP"; ?>

```

ADMIN/LEFTPANEL.PHP

```

<?PHP
SESSION_START();
REQUIRE 'CONFIG.PHP';
REQUIRE 'OPENDB.PHP';
INCLUDE 'FUNCTION.PHP';
INCLUDE 'SITESETTINGS.PHP';
REQUIRE_ONCE('CALENDAR/CLASSES/TC_CALENDAR.PHP');

$ADMIN_TIMEOUT = $ADMIN_TIMEOUT * 60; // CONVERTS MINUTES TO SECONDS
IF (ISSET($_SESSION['START_TIME'])) {
    $ELAPSED_TIME = TIME() - $_SESSION['START_TIME'];
    IF ($ELAPSED_TIME >= $ADMIN_TIMEOUT) {
        SESSION_DESTROY();
        HEADER("LOCATION: LOGOUT.PHP");
    }
}
$_SESSION['START_TIME'] = TIME();
$ADMIN_VALID = $_SESSION['ADMIN_VALID'];
$ADMIN_ID = $_SESSION['ADMIN_ID'];
$USERNAME = $_SESSION['USERNAME'];
$is_COMPLETED = $_SESSION['is_COMPLETED'];
$COMPLETED = $_SESSION['COMPLETED'];
ERROR_REPORTING(0);
$YEAR = GMDATE(Y);
$MONTH = GMDATE(M);
$DAY = GMDATE(D);
$MIN = GMDATE (I);
$HOUR = GMDATE (H);
$SEC = GMDATE (S);
$TIMEZONE = GMDATE(E);
$HOUR = $HOUR+$TIME_SA_TICKET;
$DATEONLY = "$YEAR-$MONTH-$DAY";
$DATETIME = "$YEAR-$MONTH-$DAY $HOUR:$MIN:$SEC";
?>
<!DOCTYPE HTML PUBLIC "-//W3C/DTD XHTML 1.0 TRANSITIONAL//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<HTML XMLNS="http://www.w3.org/1999/xhtml" >
<HEAD>
<TITLE>BEA3 - ADMIN HOME</TITLE>
<META HTTP-EQUIV="CONTENT-TYPE" CONTENT="TEXT/HTML; CHARSET=UTF-8">
<!--<LINK REL="ICON" HREF=" ../FAVICON.ICO" TYPE="IMAGE/X-ICON" /> -->
<LINK HREF="MAIN.CSS" REL="STYLESHEET" TYPE="TEXT/CSS" />
<SCRIPT TYPE="TEXT/JAVASCRIPT" SRC=" ../FORMVAL.JS"></SCRIPT>
<LINK HREF=" ../CALENDAR/CALENDAR.CSS" REL="STYLESHEET" TYPE="TEXT/CSS" />
<SCRIPT LANGUAGE="JAVASCRIPT" SRC="CALENDAR/CALENDAR.JS"></SCRIPT>
</HEAD>
<?PHP
PRINT "<BODY>";
<TABLE WIDTH='1066' ALIGN='CENTER' CELLPADDING='0' CELLSPACING='0'>
<TR><TD><TABLE ID='MAIN' ALIGN='CENTER'><TR CLASS='HEADLINE'><TD></TD></TR>
<TR CLASS='TOPBAR' VALIGN='TOP' STYLE='BACKGROUND:URL(../IMAGES/WRAPPER-FILL.PNG)'>
<TD><TABLE ID='TOPHEAD'><TR><TD ROWSPAN='2' CLASS='TOPLOGO' VALIGN='TOP'><A HREF=' ../INDEX.PHP'><IMG SRC=' ../IMAGES/LOGO.GIF' ALT=' ' /></A></TD></TR>
<TR><TD ROWSPAN='2' WIDTH='736' VALIGN='BOTTOM' CLASS='TOPMENU' ALIGN='RIGHT'>";
$query=MYSQL_QUERY("SELECT ADMIN_TYPE FROM ADMIN_USER WHERE ADMIN_ID='$_ADMIN_ID'");
$row=MYSQL_FETCH_ROW($query);
$type_admin=$row[0];
IF ($type_admin==2)
    PRINT "<A HREF='OWNERHOME.PHP'><IMG SRC='IMAGES/HOME.PNG' ALT='OWNER HOME' TITLE='OWNER HOME' WIDTH='40' HEIGHT='40'></A> &nbsp;";
ELSE IF ($type_admin==3)
    PRINT "<A HREF='SysADMINHOME.PHP'><IMG SRC='IMAGES/HOME.PNG' ALT='Sys ADMIN HOME' TITLE='Sys ADMIN HOME' WIDTH='40' HEIGHT='40'></A> &nbsp;";
ELSE
    PRINT "<A HREF='AdminSTAFFHOME.PHP'><IMG SRC='IMAGES/HOME.PNG' ALT='Admin STAFF HOME' TITLE='Admin STAFF HOME' WIDTH='40' HEIGHT='40'></A> &nbsp;";
PRINT "<A HREF='UPDATEPROFILE.PHP?TYPE=$type_admin'><IMG SRC='IMAGES/EDIT_PROFILE.PNG' ALT='UPDATE PROFILE' TITLE='UPDATE PROFILE' WIDTH='40' HEIGHT='40'></A> &nbsp;";
<A HREF='PASSWORDCHANGE.PHP'><IMG SRC='IMAGES/PASSWORD.PNG' ALT='CHANGE PASSWORD' TITLE='CHANGE PASSWORD' WIDTH='40' HEIGHT='40'></A> &nbsp;";
<A HREF='LOGOUT.PHP'><IMG SRC='IMAGES/LOGOUT.PNG' ALT='LOGOUT' TITLE='LOGOUT' WIDTH='40' HEIGHT='40'></A> &nbsp;";
</TD></TR> </TABLE>";

PRINT "<TABLE ID='CONTENTS'><TR><TD VALIGN='TOP' STYLE='TEXT-ALIGN: JUSTIFY'><TABLE ID='CONTENTSLEFT'>
<DIV CLASS='WRAPPER'><TR><TD><DIV CLASS='IMAGE'><IMG SRC='IMAGES/PLAN-TOP.PNG' ALT=' ' WIDTH='233' HEIGHT='68' /></DIV>
<DIV CLASS='MIDDLE'><BR><DIV CLASS='CATEGORYLIST'>";
IF ($type_admin==0){
    $query1=MYSQL_QUERY("SELECT * FROM ADMIN_OPTION, ADMIN_RIGHTS WHERE ADMIN_RIGHTS.ADMIN_ID = '$_ADMIN_ID' AND ADMIN_OPTION.OPTION_ID =
ADMIN_RIGHTS.OPTION_ID ORDER BY OPTION_DISPLAYORDER");
    WHILE ($row1 = MYSQL_FETCH_ARRAY($query1)){
        $option_id = $row1['OPTION_ID'];
        $option_name=$row1['OPTION_NAME'];
        $option_link=$row1['OPTION_LINK'];
        $option_image=$row1['OPTION_IMAGE'];
        PRINT "<A HREF='$option_link?SUPER=0&option_id=$option_id'><IMG SRC='IMAGES/$option_image' WIDTH='20' HEIGHT='19'>
$option_name</A><DIV CLASS='SEP'> </DIV>";
    }
    $query=MYSQL_QUERY("SELECT TICKETREQUEST_ID FROM TICKET_REQUEST WHERE ADMIN_ID='0'");
    $countNewTicket=MYSQL_NUM_ROWS($query);

```

```

        IF ($COUNTNewTicket>0)
            PRINT "<A HREF='TICKETMANAGEMENT.PHP' CLASS='WITHNOTIFICATION'><IMG SRC='IMAGES/TICKETS.PNG' WIDTH='20' HEIGHT='19'> SUPPORT
TICKETS</A> <FONT COLOR='RED'><B>($COUNTNewTicket)</B></FONT><DIV CLASS='SEP'> </DIV>";
        ELSE
            PRINT "<A HREF='TICKETMANAGEMENT.PHP'><IMG SRC='IMAGES/TICKETS.PNG' WIDTH='20' HEIGHT='19'> SUPPORT TICKETS</A><DIV CLASS='SEP'>
</DIV>";
    }
    ELSE IF ($TYPE_ADMIN==1){
        $QUERY1=MYSQL_QUERY("SELECT * FROM ADMIN_OPTION");
        WHILE ($ROW1 = MYSQL_FETCH_ARRAY($QUERY1)){
            $OPTION_ID = $ROW1['OPTION_ID'];
            $OPTION_NAME=$ROW1['OPTION_NAME'];
            $OPTION_LINK=$ROW1['OPTION_LINK'];
            $OPTION_IMAGE=$ROW1['OPTION_IMAGE'];
            PRINT "<A HREF='$OPTION_LINK?SUPER=1'><IMG SRC='IMAGES/$OPTION_IMAGE' WIDTH='20' HEIGHT='19'> $OPTION_NAME</A><DIV CLASS='SEP'>
</DIV>";
        }
        $QUERY=MYSQL_QUERY("SELECT TICKETREQUEST_ID FROM TICKET_REQUEST WHERE ADMIN_ID='0'");
        $COUNTNewTicket=MYSQL_NUM_ROWS($QUERY);
        IF ($COUNTNewTicket>0)
            PRINT "<A HREF='TICKETMANAGEMENT.PHP' CLASS='WITHNOTIFICATION'><IMG SRC='IMAGES/TICKETS.PNG' WIDTH='20' HEIGHT='19'> SUPPORT
TICKETS</A> <FONT COLOR='RED'><B>($COUNTNewTicket)</B></FONT><DIV CLASS='SEP'> </DIV>";
        ELSE
            PRINT "<A HREF='TICKETMANAGEMENT.PHP'><IMG SRC='IMAGES/TICKETS.PNG' WIDTH='20' HEIGHT='19'> SUPPORT TICKETS</A><DIV CLASS='SEP'>
</DIV>";
    }
    ELSE IF ($TYPE_ADMIN==2){
        PRINT "<A HREF='ASSIGNRIGHTS.PHP'><IMG SRC='IMAGES/ASSIGN.GIF' WIDTH='20' HEIGHT='19'> ASSIGN ADMIN STAFF RIGHTS</A><DIV
CLASS='SEP'> </DIV>";
        PRINT "<A HREF='CUSTOMERPURCHASE.PHP'><IMG SRC='IMAGES/RECEIPT.PNG' WIDTH='20' HEIGHT='19'> CUSTOMER PURCHASE REPORT</A><DIV
CLASS='SEP'> </DIV>";
        PRINT "<A HREF='ITEMSALES.PHP'><IMG SRC='IMAGES/MONEY.PNG' WIDTH='20' HEIGHT='19'> ITEM SALES REPORT</A><DIV CLASS='SEP'>
</DIV>";
        PRINT "<A HREF='FUNDTTRANSFER.PHP'><IMG SRC='IMAGES/SALES.PNG' WIDTH='20' HEIGHT='19'> FUNDS REPORT</A><DIV CLASS='SEP'>
</DIV>";
        PRINT "<A HREF='STOCKS.PHP'><IMG SRC='IMAGES/STOCKS.PNG' WIDTH='20' HEIGHT='19'> STOCK MANAGEMENT</A><DIV CLASS='SEP'>
</DIV>";
        PRINT "<A HREF='BANKTRANSFER.PHP'><IMG SRC='IMAGES/REPORTS.PNG' WIDTH='20' HEIGHT='19'> BANK TRANSFER REPORTS</A><DIV
CLASS='SEP'> </DIV>";
        $QUERY=MYSQL_QUERY("SELECT BANKTRANSFER_ID FROM BANK_TRANSFER WHERE ADMIN_ID='0'");
        $COUNTNewBank=MYSQL_NUM_ROWS($QUERY);
        IF ($COUNTNewBank==0)
            PRINT "<A HREF='BANKCREDITMANAGEMENT.PHP'><IMG SRC='IMAGES/BANK_CREDIT.PNG' WIDTH='20' HEIGHT='19'> MANAGE BANK
TRANSFERS</A><DIV CLASS='SEP'> </DIV>";
        ELSE
            PRINT "<A HREF='BANKCREDITMANAGEMENT.PHP' CLASS='WITHNOTIFICATION'><IMG SRC='IMAGES/BANK_CREDIT.PNG' WIDTH='20'
HEIGHT='19'> MANAGE BANK TRANSFERS</A> <FONT COLOR='RED'><B>($COUNTNewBank)</B></FONT><DIV CLASS='SEP'> </DIV>";
            PRINT "<A HREF='BATCHMANAGEMENT.PHP'><IMG SRC='IMAGES/CARD.PNG' WIDTH='20' HEIGHT='19'> BEA3 CARD MANAGEMENT</A><DIV
CLASS='SEP'> </DIV>";
            PRINT "<A HREF='BANKMANAGEMENT.PHP'><IMG SRC='IMAGES/BANK.PNG' WIDTH='20' HEIGHT='19'> BANK DETAILS MANAGEMENT</A><DIV
CLASS='SEP'> </DIV>";
            PRINT "<A HREF='CUSTOMERTICKETS.PHP'><IMG SRC='IMAGES/TICKETS.PNG' WIDTH='20' HEIGHT='19'> TICKET COMPLAINTS</A><DIV CLASS='SEP'>
</DIV>";
        }
        ELSE{
            PRINT "<A HREF='CUSTOMERMANAGEMENT.PHP'><IMG SRC='IMAGES/CUSTOMER.PNG' WIDTH='20' HEIGHT='19'> CUSTOMER MANAGEMENT</A><DIV CLASS='SEP'>
</DIV>";
            PRINT "<A HREF='INACTIVEMANAGEMENT.PHP'><IMG SRC='IMAGES/INACTIVE.PNG' WIDTH='20' HEIGHT='19'> INACTIVE CUSTOMER</A><DIV CLASS='SEP'> </DIV>";
            PRINT "<A HREF='VENDORMANAGEMENT.PHP'><IMG SRC='IMAGES/VENDOR.PNG' WIDTH='20' HEIGHT='19'> VENDOR MANAGEMENT</A><DIV CLASS='SEP'>
</DIV>";
            PRINT "<A HREF='ADMINSTAFFMANAGEMENT.PHP'><IMG SRC='IMAGES/ADMIN.PNG' WIDTH='20' HEIGHT='19'> ADMIN STAFF MANAGEMENT</A><DIV CLASS='SEP'>
</DIV>";
            PRINT "<A HREF='OWNERMANAGEMENT.PHP'><IMG SRC='IMAGES/BOSS-ICON.PNG' WIDTH='20' HEIGHT='19'> OWNER MANAGEMENT</A><DIV CLASS='SEP'>
</DIV>";
            PRINT "<A HREF='SYSADMANAGEMENT.PHP'><IMG SRC='IMAGES/SYSAD.PNG' WIDTH='17' HEIGHT='19'> SYSTEM ADMIN MANAGEMENT</A><DIV CLASS='SEP'>
</DIV>";
            PRINT "<A HREF='RESTOREDB.PHP?ACTION=3'><IMG SRC='IMAGES/BACKUP.PNG' WIDTH='20' HEIGHT='19'> DATABASE BACKUP</A><DIV CLASS='SEP'> </DIV>";
            PRINT "<A HREF='RESTOREDB.PHP'><IMG SRC='IMAGES/RESTORE.PNG' WIDTH='20' HEIGHT='19'> RESTORE DATABASE</A><DIV CLASS='SEP'> </DIV>";
        }
        PRINT "</DIV></DIV><DIV CLASS='BOTTOM'></DIV></TD></TR></TABLE></TD>";
    }
}

```

ADMIN/LOCATIONMANAGEMENT.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
$SUPER=$_SESSION['SUPER'];
$CUSTOMER_VIEW=$_SESSION['CUSTOMER_VIEW'];
$CUSTOMER_ADD=$_SESSION['CUSTOMER_ADD'];
$CUSTOMER_MODIFY=$_SESSION['CUSTOMER_MODIFY'];
$CUSTOMER_DELETE=$_SESSION['CUSTOMER_DELETE'];
?>
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
FUNCTION VALIDATEONSUBMIT(){
    VAR ELEM;
    VAR ERRS=0;

    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDLOCATION.LOCATION_NUM, 'INF_NUMBER', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDLOCATION.LOCATION_ADDRESSARA, 'INF_ADDRESSARA', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDLOCATION.LOCATION_ADDRESS, 'INF_ADDRESS', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDLOCATION.LOCATION_NAMEARA, 'INF_NAMEARA', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDLOCATION.LOCATION_NAME, 'INF_NAME', TRUE)) ERRS += 1;

    IF (ERRS>1) ALERT('THERE ARE FIELDS WHICH NEED CORRECTION BEFORE SENDING');
    IF (ERRS==1) ALERT('THERE IS A FIELD WHICH NEEDS CORRECTION BEFORE SENDING');
    RETURN (ERRS==0);
}

```

```

}
</SCRIPT>
<TD VALIGN="TOP"><TABLE ID="CONTENTS CENTER"><TR><TD CLASS="CENTER MAIN">
<?PHP
$ACTION=$_GET['ACTION'];
$LIMIT = 5;
IF ($ADMIN_VALID==1){
    $isSuper = $_GET['SUPER'];
    $_SESSION['SUPER']=$isSuper;
    IF ($isSuper!=""){
        IF ($isSuper==1){
            $CUSTOMER_VIEW = 1;
            $CUSTOMER_ADD = 1;
            $CUSTOMER_MODIFY = 1;
            $CUSTOMER_DELETE = 1;
        }
    }
    ELSE{
        $OPTION_ID = $_GET['OPTION_ID'];
        $QUERY1=mysql_query("SELECT CAN_VIEW,CAN_ADD,CAN_MODIFY,CAN_DELETE FROM ADMIN_RIGHTS WHERE ADMIN_ID = '$ADMIN_ID' AND
OPTION_ID='$OPTION_ID'");
        $ROW=mysql_fetch_array($QUERY1);
        $CUSTOMER_VIEW=$ROW['CAN_VIEW'];
        $CUSTOMER_ADD=$ROW['CAN_ADD'];
        $CUSTOMER_MODIFY=$ROW['CAN_MODIFY'];
        $CUSTOMER_DELETE=$ROW['CAN_DELETE'];
    }
    $_SESSION['CUSTOMER_VIEW']=$CUSTOMER_VIEW;
    $_SESSION['CUSTOMER_ADD']=$CUSTOMER_ADD;
    $_SESSION['CUSTOMER_MODIFY']=$CUSTOMER_MODIFY;
    $_SESSION['CUSTOMER_DELETE']=$CUSTOMER_DELETE;
    $AREA_QUERY=mysql_query("SELECT * FROM AREA");
    PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT COLOR=' #1c43a6'><B>$USERNAME!
</B></FONT></TD>
<TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>TODAY IS <FONT COLOR=' #1c43a6'><B>".date("L, F j, Y")."</B></FONT></B></FONT></TD></TR></TABLE>";
    IF ($ACTION==1){
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px; ALIGN='CENTER'>
<LEGEND><FONT COLOR=' #0707ab' SIZE='3'><B>". "ADD LOCATION</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<FORM NAME='ADDLOCATION' METHOD='POST' ACTION='LOCATIONMANAGEMENT.PHP'><BR><TABLE>
<TR><TD VALIGN='MIDDLE' ALIGN='RIGHT'><B>AREA:</B> &nbsp;   </TD><TD ALIGN='LEFT'><SELECT NAME='AREA' STYLE='WIDTH: 232px; />" ;
        WHILE ($ROW=mysql_fetch_array($AREA_QUERY)){
            $AREA_ID=$ROW['AREA_ID'];
            $AREA_NAME=$ROW['AREA_NAME'];
            PRINT "<OPTION VALUE='$AREA_ID'>$AREA_NAME</OPTION>";
        }
        PRINT"</SELECT></TD></TR><TR><TD><BR><BR></TD></TR>
<TR><TD VALIGN='MIDDLE' ALIGN='RIGHT'><B>LOCATION NAME</B> ( ENGLISH): &nbsp;   </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='LOCATION_NAME'
SIZE='33' ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_NAME\\', TRUE);> <FONT COLOR='red' SIZE='2'> * </FONT></TD></TR>
<TR><TD VALIGN='MIDDLE' ALIGN='RIGHT'><B>LOCATION NAME</B> ( ARABIC): &nbsp;   </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' CLASS='ARABIC'
NAME='LOCATION_NAMEARA' SIZE='33' ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_NAMEARA\\', TRUE);> <FONT COLOR='red' SIZE='2'> * </FONT></TD></TR>
<TR><TD></TD><TD ALIGN='LEFT' ID='INF_NAMEARA' CLASS='ERROR' ALIGN='LEFT'> &nbsp;   </TD></TR>
<TR><TD VALIGN='MIDDLE' ALIGN='RIGHT'><B>ADDRESS</B> ( ENGLISH): &nbsp;   </TD><TD ALIGN='LEFT'><TEXTAREA NAME='LOCATION_ADDRESS' ROWS='2'
COLS='30' ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_ADDRESS\\', TRUE);> <FONT COLOR='red' SIZE='2'> * </FONT></TD></TR>
<TR><TD VALIGN='MIDDLE' ALIGN='RIGHT'><B>ADDRESS</B> ( ARABIC): &nbsp;   </TD><TD ALIGN='LEFT'><TEXTAREA CLASS='ARABIC'
NAME='LOCATION_ADDRESSARA' ROWS='2' COLS='30' ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_ADDRESSARA\\', TRUE);> <FONT COLOR='red' SIZE='2'> * </FONT></TD></TR>
<TR><TD></TD><TD ALIGN='LEFT' ID='INF_ADDRESSARA' CLASS='ERROR' ALIGN='LEFT'> &nbsp;   </TD></TR>
<TR><TD VALIGN='MIDDLE' ALIGN='RIGHT'><B>CONTACT NUMBER:</B> &nbsp;   </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='LOCATION_NUM' SIZE='33'
ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_NUMBER\\', TRUE);> <FONT COLOR='red' SIZE='2'> * </FONT></TD></TR>
<TR><TD></TD><TD ALIGN='LEFT' ID='INF_NUMBER' CLASS='ERROR' ALIGN='LEFT'> &nbsp;   </TD></TR>
<TR><TD COLSPAN='3'><CENTER><INPUT TYPE='SUBMIT' NAME='ADD' VALUE='ADD' CLASS='INPUTBUTTON' ONCLICK='RETURN VALIDATEONSUBMIT()' /> &nbsp;   
<INPUT TYPE='SUBMIT' NAME='CANCEL' VALUE='CANCEL' CLASS='INPUTBUTTON' /></TD></TR>
<TR><TD><BR><BR></TD></TR></TABLE></FORM></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
    }
    ELSE IF (($ACTION==2)||($ISSET($_POST['UPDATE']))) {
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px; ALIGN='CENTER'>
<LEGEND><FONT COLOR=' #0707ab' SIZE='3'><B>". "EDIT LOCATION</B></FONT></LEGEND>
<BR><TABLE>";
        IF ($ISSET($_POST['UPDATE'])){
            $LOCATION_ID=$_POST['LOCATION_ID'];
            $AREA_ID=$_POST['AREA'];
            $LOCATION_NUM=$_POST['LOCATION_NUM'];
            $LOCATION_STATUS=$_POST['LOCATION_STATUS'];
            $LOCATION_NAME=$_POST['LOCATION_NAME'];
            $LOCATION_NAMEARA=$_POST['LOCATION_NAMEARA'];
            $LOCATION_ADDRESS=$_POST['LOCATION_ADDRESS'];
            $LOCATION_ADDRESSARA=$_POST['LOCATION_ADDRESSARA'];
            PRINT "<TR><TD COLSPAN='2' ALIGN='LEFT'><FIELDSET STYLE='BACKGROUND-COLOR:#DEFEFF;'><IMG SRC='IMAGES/INFO.GIF' WIDTH='20'
HEIGHT='10'/>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<FONT COLOR='BLUE'><B>" ;
            IF (($LOCATION_NAME=="")||($LOCATION_NAMEARA=="")||($LOCATION_ADDRESS=="")||($LOCATION_ADDRESSARA=="")||($LOCATION_NUM==""))
            PRINT "PLEASE FILL UP REQUIRED FIELDS INDICATED BY <FONT COLOR='RED'>*</FONT>.";
            ELSE{
                $QUERY=mysql_query("UPDATE CARD_LOCATION SET LOCATION_NAME='$LOCATION_NAME',LOCATION_NAME_ARA='$LOCATION_NAMEARA',
LOCATION_ADDRESS='$LOCATION_ADDRESS',LOCATION_ADDRESS_ARA='$LOCATION_ADDRESSARA',LOCATION_CONTACTNUM='$LOCATION_NUM',LOCATION_ISACTIVE='$LOCATION_STATUS', AREA_ID='$AREA_ID' WHERE
LOCATION_ID='$LOCATION_ID'");
                IF ($QUERY)
                    PRINT "CARD LOCATION SUCCESSFULLY UPDATED.";
                ELSE
                    PRINT "AN ERROR OCCURED WHILE UPDATING YOUR DATA.";
            }
            PRINT "</B></FIELDSET></BR></TD></TR>";
        }
    }
}

```

```

}
ELSE{
    $LOCATION_ID=$_GET['LOCATION_ID'];
}
PRINT "<FORM NAME='EDITLOCATION' METHOD='POST' ACTION='LOCATIONMANAGEMENT.PHP'>";
$query=mysql_query("SELECT * FROM CARD_LOCATION WHERE LOCATION_ID='$LOCATION_ID'");
$row=mysql_fetch_array($query);
$LOCATION_NAME = $row['LOCATION_NAME'];
$LOCATION_NAME_Ara = $row['LOCATION_NAME_Ara'];
$LOCATION_ADDRESS = $row['LOCATION_ADDRESS'];
$LOCATION_ADDRESS_Ara = $row['LOCATION_ADDRESS_Ara'];
$LOCATION_NUM = $row['LOCATION_CONTACTNUM'];
$LOCATION_STAT = $row['LOCATION_ISACTIVE'];
$AREA_ID = $row['AREA_ID'];
$AREA1_QUERY=mysql_query("SELECT * FROM AREA WHERE AREA_ID='$AREA_ID'");
$row1=mysql_fetch_array($AREA1_QUERY);
$AREA1_ID=$row1['AREA_ID'];
$AREA1_NAME=$row1['AREA_NAME'];
PRINT "<TR><TD VALIGN='MIDDLE' ALIGN='RIGHT'><B>AREA:</B> &nbsp;  </TD><TD ALIGN='LEFT'><SELECT NAME='AREA' STYLE='width: 232px;' />";
PRINT "<OPTION VALUE='$AREA1_ID'>$AREA1_NAME</OPTION>";
WHILE ($rowc=mysql_fetch_array($AREA1_QUERY)){
    $AREA_ID=$rowc['AREA_ID'];
    $AREA_NAME=$rowc['AREA_NAME'];
    PRINT "<OPTION VALUE='$AREA_ID'>$AREA_NAME</OPTION>";
}
PRINT"</SELECT></TD></TR><TR><TD><BR><BR></TD></TR>";
VALUE='LOCATION_NAME' SIZE='33'><FONT COLOR='RED'> * </FONT></TD></TR>";
VALUE='LOCATION_NAME_Ara' SIZE='33'><FONT COLOR='RED'> * </FONT></TD></TR>";
VALUE='LOCATION_ADDRESS'><TEXTAREA><FONT COLOR='RED'> * </FONT></TD></TR>";
VALUE='LOCATION_ADDRESS_Ara'><TEXTAREA><FONT COLOR='RED'> * </FONT></TD></TR>";
VALUE='LOCATION_NUM' SIZE='33'><FONT COLOR='RED'> * </FONT></TD></TR>";
VALUE='LOCATION_STAT'><INPUT TYPE='TEXT' NAME='LOCATION_NUM'>
IF ($LOCATION_STAT==1)
    PRINT "<INPUT TYPE='RADIO' NAME='LOCATION_STATUS' VALUE='1' CHECKED />Active &nbsp;  <INPUT TYPE='RADIO' NAME='LOCATION_STATUS'";
ELSE
    PRINT "<INPUT TYPE='RADIO' NAME='LOCATION_STATUS' VALUE='1' />Active &nbsp;  <INPUT TYPE='RADIO' NAME='LOCATION_STATUS' VALUE='0'";
CHECKED />Inactive";
PRINT "</TD></TR><TR><TD><BR></TD></TR><TR><TD><BR><INPUT TYPE='HIDDEN' NAME='LOCATION_ID' VALUE='$LOCATION_ID' /></TD></TR><TR><TD COLSPAN='2'><CENTER><INPUT TYPE='SUBMIT' NAME='UPDATE' VALUE='UPDATE' /> &nbsp;  <INPUT TYPE='SUBMIT' NAME='CANCEL'";
VALUE='CANCEL' CLASS='INPUTBUTTON' /></TD></TR>";
}
ELSE IF ($ACTION==3){
    $LOCATION_ID=$_GET['LOCATION_ID'];
    $query=mysql_query("DELETE FROM CARD_LOCATION WHERE LOCATION_ID='$LOCATION_ID'");
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>";
    <FIELDSET STYLE='width: 500px;' ALIGN='CENTER'>
    <LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>"DELETE LOCATION</B></FONT></LEGEND><DIV CLASS='RESULTS'>
    <TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    IF(!$query){
        PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>Error!</B> </FONT><BR><BR>An error occurred while deleting your";
        DATA.<BR><BR>
        <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=LOCATIONMANAGEMENT.PHP'></NOSCRIPT>
        <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> var seconds = 5; setInterval( function() { if
        (seconds <= 1) { window.location = 'LOCATIONMANAGEMENT.PHP';} else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000);
        </SCRIPT></FONT></CENTER></TD></TR>";
    }
    ELSE{
        PRINT "<TR><TD><CENTER><B>1 RECORD SUCCESSFULLY DELETED.</B><BR><BR>";
        <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=LOCATIONMANAGEMENT.PHP'></NOSCRIPT>
        <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> var seconds = 5; setInterval( function() { if
        (seconds <= 1) { window.location = 'LOCATIONMANAGEMENT.PHP';} else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000);
        </SCRIPT></FONT></CENTER></TD></TR>";
    }
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF (isset($_POST['ADD'])){
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>";
    <FIELDSET STYLE='width: 500px;' ALIGN='CENTER'>
    <LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>"Add Location</B></FONT></LEGEND><DIV CLASS='RESULTS'>
    <TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    $AREA_ID = $_POST['AREA'];
    $LOCATION_NAME = $_POST['LOCATION_NAME'];
    $LOCATION_ADDRESS = $_POST['LOCATION_ADDRESS'];
    $LOCATION_NAME_Ara = $_POST['LOCATION_NAME_Ara'];
    $LOCATION_ADDRESS_Ara = $_POST['LOCATION_ADDRESS_Ara'];
    $LOCATION_NUM = $_POST['LOCATION_NUM'];
    $SEARCH=mysql_query("SELECT * FROM CARD_LOCATION WHERE LOCATION_NAME='$LOCATION_NAME' AND AREA_ID='$AREA_ID' AND
    LOCATION_ADDRESS='$LOCATION_ADDRESS'");
    $NUMSEARCHED=mysql_num_rows($SEARCH);
    IF ($NUMSEARCHED==0){
        $query=mysql_query("INSERT INTO CARD_LOCATION
        (AREA_ID,LOCATION_NAME,LOCATION_NAME_Ara,LOCATION_ADDRESS,LOCATION_ADDRESS_Ara,LOCATION_CONTACTNUM)
        VALUES('$AREA_ID','$LOCATION_NAME','$LOCATION_NAME_Ara','$LOCATION_ADDRESS','$LOCATION_ADDRESS_Ara','$LOCATION_NUM')");
        IF (!$query){
            PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>Error!</B> </FONT><BR><BR>An error occurred while inserting";
            DATA.<BR><BR>
            <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=LOCATIONMANAGEMENT.PHP?ACTION=1'></NOSCRIPT>

```

```

                <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>. </SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'LOCATIONMANAGEMENT.PHP?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
        }
        ELSE{
                PRINT "<TR><TD><CENTER><B>1 RECORD ADDED. </B></TD></TR>"
                <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=LOCATIONMANAGEMENT.PHP'></NOSCRIPT>
                <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>. </SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'LOCATIONMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
        }
        ELSE{
                PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>DUPLICATE ENTRY. </B> </FONT><BR><BR> $LOCATION_NAME UNDER THE AREA SELECTED IS
ALREADY IN THE DATABASE. <BR><BR>
                <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='8'; URL=LOCATIONMANAGEMENT.PHP?ACTION=1'></NOSCRIPT>
                <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>8</SPAN>. </SCRIPT> VAR SECONDS = 8; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'LOCATIONMANAGEMENT.PHP?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
        }
        PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR></TD></TR></TABLE>";
    }
    ELSE{
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER>
<FIELDSET STYLE='WIDTH: 250PX;' ALIGN='CENTER'><LEGEND><FONT COLOR=' #0707AB' SIZE='3'><B>".LOCATION
MANAGEMENT</B></FONT></LEGEND><TABLE WIDTH='250'><TR>";
        IF (($SUPER==1)||($CUSTOMER_ADD==1)){
            PRINT "<TD ALIGN='CENTER'><A HREF='LOCATIONMANAGEMENT.PHP?ACTION=1'><IMG SRC='IMAGES/ADD.PNG' ALT='ADD LOCATION'
WIDTH='50'></IMG></A><BR><B>ADD LOCATION</B></TD></TR>";
        }
        PRINT "<TD ALIGN='CENTER'><A HREF='CARDLOCATIONMANAGEMENT.PHP?SUPER=$SUPER'><IMG SRC='IMAGES/BACK.PNG' ALT='BACK TO CARD AREA MANAGEMENT'
WIDTH='50'></IMG></A><BR><B>BACK TO MENU</B></TD></TR></TABLE></FIELDSET></CENTER></TD></TR></TABLE><BR><BR>";
        $PAGE=$_GET["PAGE"];
        IF ($PAGE == "") $PAGE=1;
        $QUERY = "SELECT * FROM CARD_LOCATION";
        MYSQL_QUERY($QUERY);
        $NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
        $NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT);
        $SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
        IF ($NUMBEROFRESULTS!=0){
            PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='700' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>
<TR><TH>AREA NAME (ENGLISH)</TH><TH>AREA NAME (ARABIC)</TH><TH>LOCATION NAME (ENGLISH)</TH><TH>LOCATION NAME
(ARABIC)</TH><TH WIDTH='8%'>STATUS</TH></TR>";
            IF (($CUSTOMER_MODIFY==1)||($CUSTOMER_DELETE==1))
                PRINT "<TH WIDTH='8%'>ACTION</TH>";
            PRINT "</TR>";
            WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
                $j++;
                $LOCATION_ID = $ROW['LOCATION_ID'];
                $AREA_ID=$ROW['AREA_ID'];
                $STATUS=$ROW['LOCATION_ISACTIVE'];
                IF ($STATUS==1)
                    $STATDISP="ACTIVE";
                ELSE
                    $STATDISP="INACTIVE";
                $GETAREA=MYSQL_QUERY("SELECT * FROM AREA WHERE AREA_ID='$AREA_ID'");
                $ROWAREA=MYSQL_FETCH_ARRAY($GETAREA);
                PRINT "<TR CLASS='D'".($i & 1)."\"";
                PRINT "<TD><CENTER>". $ROWAREA['AREA_NAME']."</CENTER></TD>";
                PRINT "<TD><CENTER>". $ROWAREA['AREA_NAME_ARA']."</CENTER></TD>";
                PRINT "<TD><CENTER>". $ROW['LOCATION_NAME']."</CENTER></TD>";
                PRINT "<TD><CENTER>". $ROW['LOCATION_NAME_ARA']."</CENTER></TD>";
                PRINT "<TD><CENTER>$STATDISP</CENTER></TD>";
                IF (($CUSTOMER_MODIFY==1)||($CUSTOMER_DELETE==1))
                    PRINT "<TD><CENTER>";
                IF ($CUSTOMER_MODIFY==1)
                    PRINT "<A HREF='LOCATIONMANAGEMENT.PHP?ACTION=2&LOCATION_ID=$LOCATION_ID'><IMG SRC='IMAGES/EDIT.GIF'
TITLE='Edit' WIDTH='15'></IMG></A>";
                IF ($CUSTOMER_DELETE==1)
                    PRINT "<A HREF='LOCATIONMANAGEMENT.PHP?ACTION=3&LOCATION_ID=$LOCATION_ID' ONCLICK='\"RETURN CONFIRM('Are
YOU SURE YOU WANT TO DELETE LOCATION?');\"><IMG SRC='IMAGES/DELETE.PNG' TITLE='DELETE' WIDTH='15'></IMG></A>";
                PRINT "</CENTER></TD></TR>";
            }
            PRINT "</TABLE>";
            IF ($NUMBEROFPAGES>1){
                $NAV="";
                FOR($j = 1 ; $j <= $NUMBEROFPAGES ; $j++) {
                    IF ($j == $PAGE)
                        $NAV .= "<B>$j</B>";
                    ELSE
                        $NAV .= "&nbsp;<A HREF='\"LOCATIONMANAGEMENT.PHP?PAGE=$j \">$j </A>&nbsp;  ";
                }
                PRINT "<CENTER><BR><BR> $NAV </CENTER>";
            }
            PRINT "<CENTER><BR><BR></DIV></DIV>";
        }
        ELSE{
            PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>
<TR><TD><CENTER><FONT COLOR='RED'><B>NO CARD LOCATIONS FOUND. </B> </FONT><BR><BR>
</TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR></TD></TR></TABLE>";
        }
    }
}

```



```
12pt;'/></td>
```

```
VALUE='LOGIN' ONCLICK='RETURN CHECKFORM(LOGINFORM);'>
VALUE='RESET' ONCLICK='CLEARFIELDS()'; />
```

```
BACK TO HOME PAGE.</A></td>
```

```
</tr>
<tr>
<td align='center' colspan='2' style='color: red; font-size:
</td>&nbsp;&nbsp;&nbsp;</td>
<td>&nbsp;&nbsp;&nbsp;</td>
<input type='submit' name='submit' class='inputbutton'
<input type='submit' id='btnReset' class='inputbutton'
</td>
</tr>
<tr>
<td colspan='2'>&nbsp;&nbsp;&nbsp;</td>
<td colspan='2'>&nbsp;&nbsp;&nbsp;</td>
<td colspan='2'>&nbsp;&nbsp;&nbsp;</td>
<td colspan='2'><a href='../index.php'>&laquo; Click here to go
```

```
</table>
</form>
</div></td>
</tr>
<tr><td><br /></td></tr>
</table>
</tr>";
?>
```

ADMIN/LOGOUT.PHP

```
<?php
SESSION_START();
SESSION_DESTROY();
PRINT "<meta http-equiv='refresh' content='0'; url=index.php'>";
?>
```

ADMIN/MAINCARDMANAGEMENT.PHP

```
<?php include "LEFTPANEL.PHP"; ?>
<td valign="top"><table id="CONTENTS CENTER"><tr><td class="CENTERMAIN">
<?php
IF ($ADMIN_VALID==1){
$isSUPER = $_GET['SUPER'];
PRINT "<br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>$_USERNAME!
</b></font></td>
<td align='right'><font color='black'><b>TODAY IS <font color='#1c43a6'><b>".date("L, F j, Y")."</b></font></td></tr></table>
<center><table width='760'>
<tr><td align='center'><br></td></tr>
<tr><td width='730' valign='top'>
<br><center><fieldset style='width: 500px; align='center'>
<legend><font color='#0707ab' size='3'><b>".CARD LOCATION MANAGEMENT</b></font></legend><table width='450'><tr>
<td align='center'><a href='BATCHMANAGEMENT.PHP?SUPER=$isSUPER'><img src='IMAGES/LOCATION.PNG' alt='CITY MANAGEMENT'
width='75'></img></a><br><b>BATCH MANAGEMENT</b></td>
<td align='center'><a href='CARDMANAGEMENT.PHP?SUPER=$isSUPER'><img src='IMAGES/LOCATION.PNG' alt='AREA MANAGEMENT'
width='75'></img></a><br><b>CARD MANAGEMENT</b></td>
</tr></table></fieldset></center></td></tr><tr><td><br></td></tr></table>";
}
ELSE {
PRINT "<center><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></center>";
PRINT "<meta http-equiv='refresh' content='1'; url=index.php'>";
?>
<br></td></tr></table></td>
<?php include "RIGHTPANEL.PHP"; ?>
```

ADMIN/MONTHLYAPPROVED.PHP

```
<?php include "LEFTPANEL.PHP"; ?>
<td valign="top"><table id="CONTENTS CENTER"><tr><td class="CENTERMAIN">
<?php
$LIMIT = 10;
$action=$_GET['ACTION'];
IF ($ADMIN_VALID==1){
$page=$_GET["PAGE"];
IF($PAGE == "") $PAGE=1;
IF (ISSET($_POST['VIEW'])) {
$fromDate = $_POST['MONTH1'];
$toDate = $_POST['MONTH2'];
$yearChosen = $_POST['YEAR'];
$bank = $_POST['BANK'];
}
ELSE {
$fromDate = 01;
$toDate = 12;
$yearChosen = $year;
$bank = "";
}
PRINT "<br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>$_USERNAME!
```

```

<TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>TODAY IS <FONT COLOR='#1c43a6'><B>".DATE("L, F J, Y")."</B></FONT></b></font></td></tr></table>";
PRINT "<center><table width='760'><tr><td width='730' valign='top'>
<br><fieldset style='width: 700px;' align='center'><legend><font color='#0707ab' size='3'><b>".MONTHLY BANK TRANSFERS</b></font></legend>
<div class='RESULTS'><table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>>;
PRINT "<form name='DateRange' method='POST' action='MONTHLYAPPROVED.PHP'>
<tr></tr>";
PRINT "<br>";
IF ($FROMDATE>$TODATE){
    $TEMPDATE = $TODATE;
    $TODATE=$FROMDATE;
    $FROMDATE=$TEMPDATE;
}
SWITCH ($FROMDATE){
    CASE 1: $DISPLAYMONTH = "JANUARY"; BREAK;
    CASE 2: $DISPLAYMONTH = "FEBRUARY"; BREAK;
    CASE 3: $DISPLAYMONTH = "MARCH"; BREAK;
    CASE 4: $DISPLAYMONTH = "APRIL"; BREAK;
    CASE 5: $DISPLAYMONTH = "MAY"; BREAK;
    CASE 6: $DISPLAYMONTH = "JUNE"; BREAK;
    CASE 7: $DISPLAYMONTH = "JULY"; BREAK;
    CASE 8: $DISPLAYMONTH = "AUGUST"; BREAK;
    CASE 9: $DISPLAYMONTH = "SEPTEMBER"; BREAK;
    CASE 10: $DISPLAYMONTH = "OCTOBER"; BREAK;
    CASE 11: $DISPLAYMONTH = "NOVEMBER"; BREAK;
    CASE 12: $DISPLAYMONTH = "DECEMBER"; BREAK;
}
SWITCH ($TODATE){
    CASE 1: $DISPLAYMONTH2 = "JANUARY"; BREAK;
    CASE 2: $DISPLAYMONTH2 = "FEBRUARY"; BREAK;
    CASE 3: $DISPLAYMONTH2 = "MARCH"; BREAK;
    CASE 4: $DISPLAYMONTH2 = "APRIL"; BREAK;
    CASE 5: $DISPLAYMONTH2 = "MAY"; BREAK;
    CASE 6: $DISPLAYMONTH2 = "JUNE"; BREAK;
    CASE 7: $DISPLAYMONTH2 = "JULY"; BREAK;
    CASE 8: $DISPLAYMONTH2 = "AUGUST"; BREAK;
    CASE 9: $DISPLAYMONTH2 = "SEPTEMBER"; BREAK;
    CASE 10: $DISPLAYMONTH2 = "OCTOBER"; BREAK;
    CASE 11: $DISPLAYMONTH2 = "NOVEMBER"; BREAK;
    CASE 12: $DISPLAYMONTH2 = "DECEMBER"; BREAK;
}
PRINT "
<tr><td align='center'><b>FROM MONTH : </b>&nbsp;   ";

PRINT "<select name='MONTH1'>
<option value='$FROMDATE'>$DISPLAYMONTH</option>
<option value='01'>JANUARY</option>
<option value='02'>FEBRUARY</option>
<option value='03'>MARCH</option>
<option value='04'>APRIL</option>
<option value='05'>MAY</option>
<option value='06'>JUNE</option>
<option value='07'>JULY</option>
<option value='08'>AUGUST</option>
<option value='09'>SEPTEMBER</option>
<option value='10'>OCTOBER</option>
<option value='11'>NOVEMBER</option>
<option value='12'>DECEMBER</option>
</select>";
PRINT "&nbsp;    &nbsp;    &nbsp;    </td><td align='center'><b>TO MONTH:</b> &nbsp;   ";
PRINT "<select name='MONTH2'>
<option value='$TODATE'>$DISPLAYMONTH2</option>
<option value='01'>JANUARY</option>
<option value='02'>FEBRUARY</option>
<option value='03'>MARCH</option>
<option value='04'>APRIL</option>
<option value='05'>MAY</option>
<option value='06'>JUNE</option>
<option value='07'>JULY</option>
<option value='08'>AUGUST</option>
<option value='09'>SEPTEMBER</option>
<option value='10'>OCTOBER</option>
<option value='11'>NOVEMBER</option>
<option value='12'>DECEMBER</option>
</select>";
PRINT "&nbsp;    &nbsp;    &nbsp;    </td><td align='center'><b>YEAR:</b> &nbsp;   ";
PRINT "<select name='YEAR'>
<option value='$YEAR'>$YEAR</option>
<option value='2020'>2020</option>
<option value='2019'>2019</option>
<option value='2018'>2018</option>
<option value='2017'>2017</option>
<option value='2016'>2016</option>
<option value='2015'>2015</option>
<option value='2014'>2014</option>
<option value='2013'>2013</option>
<option value='2012'>2012</option>
<option value='2011'>2011</option>
<option value='2010'>2010</option>
<option value='2009'>2009</option>
<option value='2008'>2008</option>
</select>";
PRINT "<tr><td colspan='3' align='center'><br><b>BANK : </b> &nbsp;    <select name='BANK' style='width:200px;'>;
$GETBANKS=MYSQL_QUERY("SELECT * FROM BANK");
IF ($BANK!=""){

```



```

                    CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
                    CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
                    CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
                    CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
                    CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
                    CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
                    CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
                    CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
                    CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
                    CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
                    CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
                    CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
                }
                PRINT "<TR CLASS=\"D\".($i & 1).\" \";
                PRINT "<TD><CENTER><B>$DISPLAYMONTH3</B></CENTER></TD>";
                PRINT "<TD><CENTER><B>$.ROW['SALES'].</B></CENTER></TD>";
                PRINT "</TR>\n";
                $TOTALSALES += $ROW['SALES'];
            }
        }

        $i++;
        $TOTALSALES = NUMBER_FORMAT($TOTALSALES,2);
        PRINT "<TR CLASS=\"D\".($i & 1).\" \";
            PRINT "<TD ALIGN='LEFT'><CENTER><B>TOTAL SALES</B></CENTER></TD>";
            PRINT "<TD><CENTER><B>$TOTALSALES</B></CENTER></TD>";
            PRINT "</TR>\n";
        PRINT "</TABLE>";
        PRINT "<p ALIGN='RIGHT'><A HREF='FUNDTRANSFER.PHP'><IMG SRC='IMAGES/BACK.PNG' WIDTH='30' HEIGHT='30'></A></p>";
    }
    ELSE {
        PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
        PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
    }
?>
<BR></TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHT.PANEL.PHP"; ?>

```

ADMIN/MONTHLYCARD.PHP

```

<?PHP INCLUDE "LEFT.PANEL.PHP"; ?>
<TD VALIGN="TOP"><TABLE ID="CONTENTS CENTER"><TR><TD CLASS="CENTER MAIN">
<?PHP

    $LIMIT = 10;
    $ACTION=$_GET['ACTION'];
    IF ($ADMIN_VALID==1){
        $PAGE=$_GET["PAGE"];
        IF($PAGE == "") $PAGE=1;
        IF (ISSET($_POST['VIEW'])){
            $FROMDATE = $_POST['MONTH1'];
            $TODATE = $_POST['MONTH2'];
            $YEARCHOSEN = $_POST['YEAR'];
        }
        ELSE{
            $FROMDATE = 01;
            $TODATE = 12;
            $YEARCHOSEN = $YEAR;
        }
        IF (ISSET($_POST['CANCEL']))
            PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='0'; URL=FUNDTRANSFER.PHP'>";
        PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT COLOR='#1c43a6'><B>$USERNAME!
</B></FONT></TD>

        <TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>TODAY IS <FONT COLOR='#1c43a6'><B>".DATE("L, F j, Y")."</B></FONT><B></B></FONT></TD></TR></TABLE>";
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
        <BR><FIELDSET STYLE='WIDTH: 700PX;' ALIGN='CENTER'><LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>".MONTHLY SCRATCH CARD SALES</B></FONT></LEGEND>
        <DIV CLASS='RESULTS'><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
        PRINT "<FORM NAME='DateRange' METHOD='POST' ACTION='MONTHLYCARD.PHP'>
        <TR></TR>";
        PRINT "<BR>";
        IF ($FROMDATE>$TODATE){
            $TEMPDATE = $TODATE;
            $TODATE=$FROMDATE;
            $FROMDATE=$TEMPDATE;
        }
        SWITCH ($FROMDATE){
            CASE 1: $DISPLAYMONTH = "JANUARY"; BREAK;
            CASE 2: $DISPLAYMONTH = "FEBRUARY"; BREAK;
            CASE 3: $DISPLAYMONTH = "MARCH"; BREAK;
            CASE 4: $DISPLAYMONTH = "APRIL"; BREAK;
            CASE 5: $DISPLAYMONTH = "MAY"; BREAK;
            CASE 6: $DISPLAYMONTH = "JUNE"; BREAK;
            CASE 7: $DISPLAYMONTH = "JULY"; BREAK;
            CASE 8: $DISPLAYMONTH = "AUGUST"; BREAK;
            CASE 9: $DISPLAYMONTH = "SEPTEMBER"; BREAK;
            CASE 10: $DISPLAYMONTH = "OCTOBER"; BREAK;
            CASE 11: $DISPLAYMONTH = "NOVEMBER"; BREAK;
            CASE 12: $DISPLAYMONTH = "DECEMBER"; BREAK;
        }
        SWITCH ($TODATE){
            CASE 1: $DISPLAYMONTH2 = "JANUARY"; BREAK;
            CASE 2: $DISPLAYMONTH2 = "FEBRUARY"; BREAK;
            CASE 3: $DISPLAYMONTH2 = "MARCH"; BREAK;
            CASE 4: $DISPLAYMONTH2 = "APRIL"; BREAK;
            CASE 5: $DISPLAYMONTH2 = "MAY"; BREAK;

```



```

        CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
        CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
        CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
        CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
        CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
        CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
        CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
        CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
        CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
        CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
        CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
        CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
    }
    PRINT "<TR CLASS='D'.".( $i & 1)."'>";
    PRINT "<TD><CENTER>$DISPLAYMONTH3</CENTER></TD>";
    PRINT "<TD><CENTER>0</CENTER></TD>";
    PRINT "</TR>\n";
}
ELSE {
    WHILE ($ROW = MYSQL_FETCH_ARRAY($MYQUERY)){
        $MTH=$ROW['MONTH'];
        SWITCH ($MTH){
            CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
            CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
            CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
            CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
            CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
            CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
            CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
            CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
            CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
            CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
            CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
            CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
        }
        PRINT "<TR CLASS='D'.".( $i & 1)."'>";
        PRINT "<TD><CENTER><b>$DISPLAYMONTH3</b></CENTER></TD>";
        PRINT "<TD><CENTER><b>$.ROW['SALES'].</b></CENTER></TD>";
        PRINT "</TR>\n";
        $TOTALSALES += $ROW['SALES'];
    }
}
}
}

$IT++;
$TOTALSALES = NUMBER_FORMAT($TOTALSALES,2);
PRINT "<TR CLASS='D'.".( $i & 1)."'>";
PRINT "<TD ALIGN='LEFT'><CENTER><b>TOTAL SALES</b></CENTER></TD>";
PRINT "<TD><CENTER><b>$TOTALSALES</b></CENTER></TD>";
PRINT "</TR>\n";
PRINT "</TABLE>";

PRINT "<p ALIGN='RIGHT'><a HREF='FUNDTRANSFER.PHP'><img SRC='IMAGES/BACK.PNG' WIDTH='30' HEIGHT='30'></a></p>";
}
ELSE {
    PRINT "<CENTER><br><font COLOR='RED' SIZE='3'><b>ACCESS DENIED!</b></font></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
}
?>
<br></td></tr></table></td>
<?PHP INCLUDE "RIGHTPANEL.PHP"; ?>

```

ADMIN/MONTHLYCASHU.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP"; ?>
<td VALIGN="TOP"><table ID="CONTENTS CENTER"><tr><td CLASS="CENTER MAIN">
<?PHP
    $LIMIT = 10;
    $ACTION=$_GET['ACTION'];
    IF ($ADMIN_VALID==1){
        $PAGE=$_GET['PAGE'];
        IF($PAGE == "") $PAGE=1;
        IF (ISSET($_POST['VIEW'])){
            $FROMDATE = $_POST['MONTH1'];
            $TODATE = $_POST['MONTH2'];
            $YEARCHOSEN = $_POST['YEAR'];
        }
        ELSE{
            $FROMDATE = 01;
            $TODATE = 12;
            $YEARCHOSEN = $YEAR;
        }
        PRINT "<br><table WIDTH='760'><tr><td ALIGN='LEFT'><font COLOR='BLACK'><b>WELCOME </b></font><font COLOR='#1c43a6'><b>$USERNAME!
</b></font></td>
        <td ALIGN='RIGHT'><font COLOR='BLACK'><b>Today is <font COLOR='#1c43a6'><b>".date("l, F j, Y")."</font></b></font></td></tr></table>";
        PRINT "<center><table WIDTH='760'><tr><td WIDTH='730' VALIGN='TOP'>
        <br><fieldset STYLE='width: 700px;' ALIGN='center'><legend><font COLOR='#0707ab' SIZE='3'><b>".MONTHLY_CASHU_SALES</b></font></legend>
        <div CLASS='RESULTS'><table ALIGN='center' STYLE='table-layout: fixed;'><tr><td><br></td></tr>";
        PRINT "<form NAME='DateRange' METHOD='POST' ACTION='MONTHLYCASHU.PHP'>
        <tr></tr>";
        PRINT "<br>";
        IF ($FROMDATE>$TODATE){
            $TEMPDATE = $TODATE;
            $TODATE=$FROMDATE;
            $FROMDATE=$TEMPDATE;
        }
    }
}

```

```

}
SWITCH ($FROMDATE){
CASE 1: $DISPLAYMONTH = "JANUARY"; BREAK;
CASE 2: $DISPLAYMONTH = "FEBRUARY"; BREAK;
CASE 3: $DISPLAYMONTH = "MARCH"; BREAK;
CASE 4: $DISPLAYMONTH = "APRIL"; BREAK;
CASE 5: $DISPLAYMONTH = "MAY"; BREAK;
CASE 6: $DISPLAYMONTH = "JUNE"; BREAK;
CASE 7: $DISPLAYMONTH = "JULY"; BREAK;
CASE 8: $DISPLAYMONTH = "AUGUST"; BREAK;
CASE 9: $DISPLAYMONTH = "SEPTEMBER"; BREAK;
CASE 10: $DISPLAYMONTH = "OCTOBER"; BREAK;
CASE 11: $DISPLAYMONTH = "NOVEMBER"; BREAK;
CASE 12: $DISPLAYMONTH = "DECEMBER"; BREAK;
}
SWITCH ($TODATE){
CASE 1: $DISPLAYMONTH2 = "JANUARY"; BREAK;
CASE 2: $DISPLAYMONTH2 = "FEBRUARY"; BREAK;
CASE 3: $DISPLAYMONTH2 = "MARCH"; BREAK;
CASE 4: $DISPLAYMONTH2 = "APRIL"; BREAK;
CASE 5: $DISPLAYMONTH2 = "MAY"; BREAK;
CASE 6: $DISPLAYMONTH2 = "JUNE"; BREAK;
CASE 7: $DISPLAYMONTH2 = "JULY"; BREAK;
CASE 8: $DISPLAYMONTH2 = "AUGUST"; BREAK;
CASE 9: $DISPLAYMONTH2 = "SEPTEMBER"; BREAK;
CASE 10: $DISPLAYMONTH2 = "OCTOBER"; BREAK;
CASE 11: $DISPLAYMONTH2 = "NOVEMBER"; BREAK;
CASE 12: $DISPLAYMONTH2 = "DECEMBER"; BREAK;
}
PRINT "
<TR><TD ALIGN='CENTER'><B>FROM MONTH : </B>&nbsp;   ";

PRINT "<SELECT NAME='MONTH1'>
<OPTION VALUE='$FROMDATE'>$DISPLAYMONTH</OPTION>
<OPTION VALUE='01'>JANUARY</OPTION>
<OPTION VALUE='02'>FEBRUARY</OPTION>
<OPTION VALUE='03'>MARCH</OPTION>
<OPTION VALUE='04'>APRIL</OPTION>
<OPTION VALUE='05'>MAY</OPTION>
<OPTION VALUE='06'>JUNE</OPTION>
<OPTION VALUE='07'>JULY</OPTION>
<OPTION VALUE='08'>AUGUST</OPTION>
<OPTION VALUE='09'>SEPTEMBER</OPTION>
<OPTION VALUE='10'>OCTOBER</OPTION>
<OPTION VALUE='11'>NOVEMBER</OPTION>
<OPTION VALUE='12'>DECEMBER</OPTION>
</SELECT>";
PRINT "&nbsp;   &nbsp;   &nbsp;   </TD><TD ALIGN='CENTER'><B>TO MONTH:</B> &nbsp;   ";
PRINT "<SELECT NAME='MONTH2'>
<OPTION VALUE='$TODATE'>$DISPLAYMONTH2</OPTION>
<OPTION VALUE='01'>JANUARY</OPTION>
<OPTION VALUE='02'>FEBRUARY</OPTION>
<OPTION VALUE='03'>MARCH</OPTION>
<OPTION VALUE='04'>APRIL</OPTION>
<OPTION VALUE='05'>MAY</OPTION>
<OPTION VALUE='06'>JUNE</OPTION>
<OPTION VALUE='07'>JULY</OPTION>
<OPTION VALUE='08'>AUGUST</OPTION>
<OPTION VALUE='09'>SEPTEMBER</OPTION>
<OPTION VALUE='10'>OCTOBER</OPTION>
<OPTION VALUE='11'>NOVEMBER</OPTION>
<OPTION VALUE='12'>DECEMBER</OPTION>
</SELECT>";
PRINT "&nbsp;   &nbsp;   &nbsp;   </TD><TD ALIGN='CENTER'><B>YEAR:</B> &nbsp;   ";
PRINT "<SELECT NAME='YEAR'>
<OPTION VALUE='$YEAR'>$YEAR</OPTION>
<OPTION VALUE='2020'>2020</OPTION>
<OPTION VALUE='2019'>2019</OPTION>
<OPTION VALUE='2018'>2018</OPTION>
<OPTION VALUE='2017'>2017</OPTION>
<OPTION VALUE='2016'>2016</OPTION>
<OPTION VALUE='2015'>2015</OPTION>
<OPTION VALUE='2014'>2014</OPTION>
<OPTION VALUE='2013'>2013</OPTION>
<OPTION VALUE='2012'>2012</OPTION>
<OPTION VALUE='2011'>2011</OPTION>
<OPTION VALUE='2010'>2010</OPTION>
<OPTION VALUE='2009'>2009</OPTION>
<OPTION VALUE='2008'>2008</OPTION>
</SELECT>";
PRINT "</TD><TD ALIGN='CENTER'> &nbsp;   &nbsp;   <INPUT TYPE='SUBMIT' NAME='VIEW' VALUE='VIEW' CLASS='INPUTBUTTON'>";
PRINT "</FORM></TD></TR></TABLE></DIV>";
$TOTALSALESVIEW=0;
FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
$QUERY1 = "SELECT EXTRACT(MONTH FROM DATETIME) AS MONTH,SUM(CONVERTED_AMOUNT) AS SALES
FROM CASHU
WHERE EXTRACT(MONTH FROM DATETIME)='$INDEX' AND EXTRACT(YEAR FROM DATETIME)='$YEARCHOSEN'
GROUP BY EXTRACT(MONTH FROM DATETIME)";
$MYQUERY1 = MYSQL_QUERY($QUERY1);
WHILE ($ROW1 = MYSQL_FETCH_ARRAY($MYQUERY1)){
$TOTALSALESVIEW += $ROW1['SALES'];
}
}
}

```

```

PRINT "<br><br><center><font size='2'><b>CASHU SALES REPORT FROM <font color='red'>$_DISPLAYMONTH</font> TO <font
COLOR='red'>$_DISPLAYMONTH2</font> $YEARCHOSEN</b></font><br><br></center>";
IF ($TOTALSALESVIEW>0){
    PRINT "<p align='right'><strong><font face='arial' size='2' color='#FFFC'>
    <a href='Graph.php?from=$_FROMDATE&to=$_TODATE&yearchoosen=$_YEARCHOSEN&type=mcu' target='_blank'>Click here to see the
    GRAPH</a></font></strong></p>";
}
PRINT "<div class='inside'><table width='700' border='1' style='table-layout: fixed;'>";
PRINT "<tr><th>Month</th><th>TOTAL SALES</th></tr>";
TOTALSALES=0;
FOR ($INDEX=$_FROMDATE; $INDEX<=$_TODATE; $INDEX++){
    $QUERY = "SELECT EXTRACT(MONTH FROM DATETIME) AS MONTH,SUM(CONVERTED_AMOUNT) AS SALES
    FROM CASHU
    WHERE EXTRACT(MONTH FROM DATETIME)='$INDEX' AND EXTRACT(YEAR FROM DATETIME)='$YEARCHOSEN'
    GROUP BY EXTRACT(MONTH FROM DATETIME)";
    $MYQUERY = MYSQL_QUERY($QUERY);
    $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
    $i++;
    IF ($COUNTQUERY==0){
        SWITCH ($INDEX){
            CASE 1: $_DISPLAYMONTH3 = "JANUARY"; BREAK;
            CASE 2: $_DISPLAYMONTH3 = "FEBRUARY"; BREAK;
            CASE 3: $_DISPLAYMONTH3 = "MARCH"; BREAK;
            CASE 4: $_DISPLAYMONTH3 = "APRIL"; BREAK;
            CASE 5: $_DISPLAYMONTH3 = "MAY"; BREAK;
            CASE 6: $_DISPLAYMONTH3 = "JUNE"; BREAK;
            CASE 7: $_DISPLAYMONTH3 = "JULY"; BREAK;
            CASE 8: $_DISPLAYMONTH3 = "AUGUST"; BREAK;
            CASE 9: $_DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
            CASE 10: $_DISPLAYMONTH3 = "OCTOBER"; BREAK;
            CASE 11: $_DISPLAYMONTH3 = "NOVEMBER"; BREAK;
            CASE 12: $_DISPLAYMONTH3 = "DECEMBER"; BREAK;
        }
        PRINT "<tr class='d'.($i & 1).'\>";
        PRINT "<td><center>$_DISPLAYMONTH3</center></td>";
        PRINT "<td><center>0</center></td>";
        PRINT "</tr>\n";
    }
    ELSE {
        WHILE ($ROW = MYSQL_FETCH_ARRAY($MYQUERY)){
            $MTH=$ROW['MONTH'];
            SWITCH ($MTH){
                CASE 1: $_DISPLAYMONTH3 = "JANUARY"; BREAK;
                CASE 2: $_DISPLAYMONTH3 = "FEBRUARY"; BREAK;
                CASE 3: $_DISPLAYMONTH3 = "MARCH"; BREAK;
                CASE 4: $_DISPLAYMONTH3 = "APRIL"; BREAK;
                CASE 5: $_DISPLAYMONTH3 = "MAY"; BREAK;
                CASE 6: $_DISPLAYMONTH3 = "JUNE"; BREAK;
                CASE 7: $_DISPLAYMONTH3 = "JULY"; BREAK;
                CASE 8: $_DISPLAYMONTH3 = "AUGUST"; BREAK;
                CASE 9: $_DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
                CASE 10: $_DISPLAYMONTH3 = "OCTOBER"; BREAK;
                CASE 11: $_DISPLAYMONTH3 = "NOVEMBER"; BREAK;
                CASE 12: $_DISPLAYMONTH3 = "DECEMBER"; BREAK;
            }
            PRINT "<tr class='d'.($i & 1).'\>";
            PRINT "<td><center><b>$_DISPLAYMONTH3</b></center></td>";
            PRINT "<td><center><b>$.row['SALES']</b></center></td>";
            PRINT "</tr>\n";
            $TOTALSALES += $ROW['SALES'];
        }
    }
    $i++;
    $TOTALSALES = NUMBER_FORMAT($TOTALSALES,2);
    PRINT "<tr class='d'.($i & 1).'\>";
    PRINT "<td align='left'><center><b>TOTAL SALES</b></center></td>";
    PRINT "<td align='left'><b>$_TOTALSALES</b></center></td>";
    PRINT "</tr>\n";
    PRINT "</table>";
    PRINT "<p align='right'><a href='FundTransfer.php'><img src='images/back.png' width='30' height='30'></a></p>";
}
ELSE {
    PRINT "<center><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></center>";
    PRINT "<meta http-equiv='refresh' content='1; url=index.php'>";
}
?>
<br></td></tr></table></td>
<?php include "RightPanel.php"; ?>

```

ADMIN/MONTHLYCATEGORY.PHP

```

<?php include "LeftPanel.php"; ?>
<td align="top"><table id="contentsCenter"><tr><td class="centerMain">
<?php
FUNCTION isLastSub($id){
    $QUERY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$ID'");
    $COUNTROW = MYSQL_NUM_ROWS($QUERY);
    IF ($COUNTROW==0)
        RETURN 1;
    ELSE
        RETURN 0;
}

```



```

FUNCTION GETSUBCATEGORY($ID){
    $i=0;
    $QUERY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$ID'");
    WHILE ($ROW=MYSQL_FETCH_ARRAY($QUERY)){
        $CATEGORY_ID = $ROW['CATEGORY_ID'];
        $SUBCATS[$i] = $CATEGORY_ID;
        $i++;
    }
    RETURN $SUBCATS;
}
FUNCTION COUNTSUBCATEGORY($ID){
    $QUERY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$ID'");
    $COUNTROW = MYSQL_NUM_ROWS($QUERY);
    RETURN $COUNTROW;
}
FUNCTION GETCATEGORYNAME($ID){
    $QUERY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$ID'");
    $ROW=MYSQL_FETCH_ARRAY($QUERY);
    $CATEGORY_NAME = $ROW['CATEGORY_NAME'];
    RETURN $CATEGORY_NAME;
}

$LIMIT = 10;
$ACTION=$_GET['ACTION'];
IF ($ADMIN_VALID==1){
    $PAGE=$_GET['PAGE'];
    IF($PAGE == "") $PAGE=1;
    IF (ISSET($_POST['VIEW'])){
        $FROMDATE = $_POST['MONTH1'];
        $TODATE = $_POST['MONTH2'];
        $YEARCHOSEN = $_POST['YEAR'];
        $CATEGORY_ID=$_POST['CATEGORY_ID'];
    }
    ELSE{
        $FROMDATE = 01;
        $TODATE = 12;
        $YEARCHOSEN = $YEAR;
        $CATEGORY_ID=0;
    }
    PRINT "<br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>$USERNAME!
</b></font></td>
<td align='right'><font color='black'><b>TODAY IS <font color='#1c43a6'><b>".DATE("L, F J, Y")."</b></font></b></font></td></tr></table>";
    PRINT "<center><table width='760'><tr><td width='730' valign='top'>
<br><fieldset style='width: 700px;' align='center'><legend><font color='#0707ab' size='3'><b>".MONTHLY SALES PER CATEGORY</b></font></legend>
<div class='results'><table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>";
    PRINT "<form name='DateRange' method='POST' action='MONTHLYCATEGORY.PHP'>
<tr></tr>";
    PRINT "<br>";
    IF ($FROMDATE>$TODATE){
        $TEMPDATE = $TODATE;
        $TODATE=$FROMDATE;
        $FROMDATE=$TEMPDATE;
    }
    SWITCH ($FROMDATE){
        CASE 1: $DISPLAYMONTH = "JANUARY"; BREAK;
        CASE 2: $DISPLAYMONTH = "FEBRUARY"; BREAK;
        CASE 3: $DISPLAYMONTH = "MARCH"; BREAK;
        CASE 4: $DISPLAYMONTH = "APRIL"; BREAK;
        CASE 5: $DISPLAYMONTH = "MAY"; BREAK;
        CASE 6: $DISPLAYMONTH = "JUNE"; BREAK;
        CASE 7: $DISPLAYMONTH = "JULY"; BREAK;
        CASE 8: $DISPLAYMONTH = "AUGUST"; BREAK;
        CASE 9: $DISPLAYMONTH = "SEPTEMBER"; BREAK;
        CASE 10: $DISPLAYMONTH = "OCTOBER"; BREAK;
        CASE 11: $DISPLAYMONTH = "NOVEMBER"; BREAK;
        CASE 12: $DISPLAYMONTH = "DECEMBER"; BREAK;
    }
    SWITCH ($TODATE){
        CASE 1: $DISPLAYMONTH2 = "JANUARY"; BREAK;
        CASE 2: $DISPLAYMONTH2 = "FEBRUARY"; BREAK;
        CASE 3: $DISPLAYMONTH2 = "MARCH"; BREAK;
        CASE 4: $DISPLAYMONTH2 = "APRIL"; BREAK;
        CASE 5: $DISPLAYMONTH2 = "MAY"; BREAK;
        CASE 6: $DISPLAYMONTH2 = "JUNE"; BREAK;
        CASE 7: $DISPLAYMONTH2 = "JULY"; BREAK;
        CASE 8: $DISPLAYMONTH2 = "AUGUST"; BREAK;
        CASE 9: $DISPLAYMONTH2 = "SEPTEMBER"; BREAK;
        CASE 10: $DISPLAYMONTH2 = "OCTOBER"; BREAK;
        CASE 11: $DISPLAYMONTH2 = "NOVEMBER"; BREAK;
        CASE 12: $DISPLAYMONTH2 = "DECEMBER"; BREAK;
    }
    PRINT "
<tr><td align='center'><b>FROM MONTH : <b>&nbsp;<b> ";
    PRINT "<select name='MONTH1'>
<option value='$FROMDATE'>$DISPLAYMONTH</option>
<option value='01'>JANUARY</option>
<option value='02'>FEBRUARY</option>
<option value='03'>MARCH</option>
<option value='04'>APRIL</option>
<option value='05'>MAY</option>
<option value='06'>JUNE</option>
<option value='07'>JULY</option>
<option value='08'>AUGUST</option>
<option value='09'>SEPTEMBER</option>

```



```

IF ($NumberOfResults!=0){
PRINT "<div class='inside'><table width='700' border='1' style='table-layout: fixed;'>";
PRINT "<tr><th width='13%'>DATE AND TIME</th>";
PRINT "<th width='30%'>CUSTOMER EMAIL</th>";
PRINT "<th width='19%'>CATEGORY NAME</th>";
PRINT "<th width='19%'>ITEM NAME</th>";
PRINT "<th>PRICE</th>";
PRINT "<th width='7%'>DETAILS</th></tr>";
WHILE ($row = MYSQL_FETCH_ARRAY($SearchResult)){
$i++;
$PURCHASE_ID = $row['PURCHASE_ID'];
$item_ID = $row['ITEM_ID'];
$item = MYSQL_QUERY("SELECT * FROM ITEM,CATEGORY WHERE ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM_ID='$item_ID'");
$row2 = MYSQL_FETCH_ARRAY($item);
PRINT "<tr class='d'>($i & 1).\"";
PRINT "<td><center>\".$row['PURCHASE_DATE TIME'].\"</center></td>";
PRINT "<td><center>\".$row['CUSTOMER_EMAIL'].\"</center></td>";
PRINT "<td><center>\".$row2['CATEGORY_NAME'].\"</center></td>";
PRINT "<td><center>\".$row2['ITEM_NAME'].\"</center></td>";
PRINT "<td><center>\".$row['ITEM_PRICE'].\"</center></td>";
PRINT "<td><center><a href='ViewPurchase.php?id=$PURCHASE_ID'>DETAILS</a></center></td>";
PRINT "</tr></tr>";
}
PRINT "</table>";
IF ($NumberOfPages>1){
$Nav="";
FOR($j = 1 ; $j <= $NumberOfPages ; $j++) {
IF($j == $PAGE)
$Nav .= "<b>$j</b>";
ELSE
$Nav .= "&nbsp;<a href='\"CustomerPurchase.php?";
PAGE=$j&action=$act&from=$fromdate&to=$todate&email=$email&op=$operator\">$j</a>&nbsp;&nbsp;&nbsp;";
}
PRINT "<center><br><br>$Nav</center><br><br></div></div>";
}
}
ELSE {
PRINT "<center><table width='760'><tr><td width='730' valign='top'>";
PRINT "<table border='1' style='width: 500px; align='center'><div class='results'>";
PRINT "<table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>";
PRINT "<tr><td><center><font color='red'><b>NO CUSTOMER PURCHASE RECORDS EXIST.</b></font></td></tr></table>";
PRINT "</table></div></td></tr><tr><td><br></td></tr></table>";
}
}
ELSE {
PRINT "<center><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></center>";
PRINT "<meta http-equiv='refresh' content='1; url=index.php'>";
}
}
?>
<br></td></tr></table></td>
<?php include "RIGHTPanel.php";
?>

```

ADMIN/MONTHLYITEM.PHP

```

<?php include "LEFTPanel.php"; ?>
<td valign="top"><table id="contentscenter"><tr><td class="centermain">
<?php
$LIMIT = 10;
$action=$_GET['action'];
if ($ADMIN_VALID==1){
$page=$_GET['page'];
if($page == "") $page=1;
if (isset($_POST['view'])){
$fromDate = $_POST['month1'];
$toDate = $_POST['month2'];
$yearChosen = $_POST['year'];
$category_ID=$_POST['category_id'];
}
else{
$fromDate = 01;
$toDate = 12;
$yearChosen = $year;
}
PRINT "<br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>$USERNAME!";
<td align='right'><font color='black'><b>Today is <font color='#1c43a6'><b>\".date("L, F, Y").\"</font></b></td></tr></table>";
PRINT "<center><table width='760'><tr><td width='730' valign='top'>";
PRINT "<br><table border='1' style='width: 700px; align='center'><caption><font color='#0707ab' size='3'><b>\".MONTHLY SALES PER ITEM</b></font></caption>";
PRINT "<table border='1' style='width: 700px; align='center' style='table-layout: fixed;'><tr><td><br></td></tr></table>";
PRINT "<form name='DateRange' method='POST' action='MonthlyItem.php'>";
PRINT "<tr></tr>";
PRINT "<br>";
if ($fromDate>$toDate){
$tempDate = $toDate;
$toDate=$fromDate;
$fromDate=$tempDate;
}
switch ($fromDate){
case 1: $displayMonth = "JANUARY"; break;
case 2: $displayMonth = "FEBRUARY"; break;
case 3: $displayMonth = "MARCH"; break;
case 4: $displayMonth = "APRIL"; break;
case 5: $displayMonth = "MAY"; break;
}

```



```

ELSE {
    $GETDISPLAY = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'");
    $ROWDISPLAY = MYSQL_FETCH_ARRAY($GETDISPLAY);
    $CATEGORYDISPLAY=$ROWDISPLAY['CATEGORY_NAME'];
}
PRINT "<br><br><center><font size='2'><b>TOTAL SALES FROM <font color='red'>$DISPLAYMONTH</font> TO <font color='red'>$DISPLAYMONTH2
$YEARCHOSEN</font> - $CATEGORYDISPLAY</b></font><br><br></center>";
PRINT "<p align='right'><strong><font face='arial' size='2' color='#FFCC'>
<a href='GRAPHITEM.PHP?FROM=$FROMDATE&TO=$TODATE&TYPE=MI&ID=$CATEGORY_ID' TARGET='_BLANK'>CLICK HERE TO SEE THE GRAPH</a></font></strong></p>";
FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
    $TOTALSALES=0;SWITCH ($INDEX){
        CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
        CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
        CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
        CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
        CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
        CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
        CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
        CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
        CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
        CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
        CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
        CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
    }
    PRINT "<div class='inside'><table width='700' border='1' style='table-layout: fixed;'>";
    PRINT "<tr class='label'><td colspan='5' align='center'><b>$DISPLAYMONTH3</b></td></tr>";
    PRINT "<tr><th>ITEM</th><th>SOLD QUANTITY</th><th>ITEM PRICE</th><th>ITEM COST</th><th>TOTAL EARNINGS</th></tr>";
    IF ($CATEGORY_ID!=""){
        $GETITEMS=MYSQL_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID'");
        WHILE($ROWITEMS = MYSQL_FETCH_ARRAY($GETITEMS)){
            $ITEM_ID=$ROWITEMS['ITEM_ID'];
            $ITEM_NAME=$ROWITEMS['ITEM_NAME'];
            $QUERY = "SELECT ITEM_NAME, EXTRACT(MONTH FROM PURCHASE_DATE TIME) AS MONTH,COUNT(PURCHASE.STOCK_ID) AS
SOLDQUANTITY, ITEM_PRICE AS SALE, PURCHASE.ITEM_COST AS COST,SUM(ITEM_PRICE) - SUM(PURCHASE.ITEM_COST) AS SALES
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(YEAR FROM PURCHASE_DATE TIME)=$YEARCHOSEN' AND EXTRACT(MONTH FROM
PURCHASE_DATE TIME)=$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID=$ITEM_ID'
GROUP BY EXTRACT(MONTH FROM PURCHASE_DATE TIME)";
            $MYQUERY = MYSQL_QUERY($QUERY);
            $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
            $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
            IF ($COUNTQUERY==0){
                /*PRINT "<tr class='d'".($COUNTER & 1).">";
                PRINT "<td align='left'>$ITEM_NAME</td>";
                PRINT "<td align='center'>0</td></tr>";
                PRINT "</tr>\n";*/
            }
            ELSE{
                PRINT "<tr class='d'".($COUNTER & 1).">";
                PRINT "<td align='left'>". $ROW['ITEM_NAME']. "</td></tr>";
                PRINT "<td align='center'>". $ROW['SOLDQUANTITY']. "</td></tr>";
                PRINT "<td align='center'>". $ROW['SALE']. "</td></tr>";
                PRINT "<td align='center'>". $ROW['COST']. "</td></tr>";
                PRINT "<td align='center'>". $ROW['SALES']. "</td></tr>";
                PRINT "</tr>\n";
                $TOTALSALES += $ROW['SALES'];
            }
        }
    }
}
ELSE {
    $WITHITEMS=MYSQL_QUERY("SELECT DISTINCT(CATEGORY_ID) FROM ITEM");
    WHILE ($ROWWITHITEMS = MYSQL_FETCH_ROW($WITHITEMS)){
        $CATEGORY_ID2=$ROWWITHITEMS[0];
        $GETCATDATA = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID2'");
        $ROWCATDATA = MYSQL_FETCH_ARRAY($GETCATDATA);
        $CATEGORY_NAME = $ROWCATDATA['CATEGORY_NAME'];
        $GETITEMS2=MYSQL_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID2'");
        $TOTALSALES3=0;
        WHILE($ROWITEMS2 = MYSQL_FETCH_ARRAY($GETITEMS2)){
            $ITEM_ID2=$ROWITEMS2['ITEM_ID'];
            $ITEM_NAME2=$ROWITEMS2['ITEM_NAME'];
            $QUERY2 = "SELECT ITEM_NAME, EXTRACT(MONTH FROM PURCHASE_DATE TIME) AS MONTH,SUM(ITEM_PRICE) -
SUM(PURCHASE.ITEM_COST) AS SALES
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(MONTH FROM PURCHASE_DATE TIME)=$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND
STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID=$ITEM_ID2'
GROUP BY EXTRACT(MONTH FROM PURCHASE_DATE TIME)";
            $MYQUERY2 = MYSQL_QUERY($QUERY2);
            $ROW2 = MYSQL_FETCH_ARRAY($MYQUERY2);
            $TOTALSALES3 += $ROW2['SALES'];
        }
        IF ($TOTALSALES3>0){
            PRINT "<tr class='d'".($COUNTER & 1).">";
            PRINT "<td colspan='5' align='left'><b>$CATEGORY_NAME</b></td></tr>";
            PRINT "</tr>\n";
        }
        $GETITEMS=MYSQL_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID2'");
        WHILE($ROWITEMS = MYSQL_FETCH_ARRAY($GETITEMS)){
            $ITEM_ID=$ROWITEMS['ITEM_ID'];
            $ITEM_NAME=$ROWITEMS['ITEM_NAME'];
            $QUERY = "SELECT ITEM_NAME, EXTRACT(MONTH FROM PURCHASE_DATE TIME) AS
MONTH,COUNT(PURCHASE.STOCK_ID) AS SOLDQUANTITY, ITEM_PRICE AS SALE, PURCHASE.ITEM_COST AS COST,SUM(ITEM_PRICE) - SUM(PURCHASE.ITEM_COST) AS SALES
FROM PURCHASE, STOCKS, ITEM, CATEGORY

```



```

CASE 4: $DISPLAYMONTH2 = "APRIL"; BREAK;
CASE 5: $DISPLAYMONTH2 = "MAY"; BREAK;
CASE 6: $DISPLAYMONTH2 = "JUNE"; BREAK;
CASE 7: $DISPLAYMONTH2 = "JULY"; BREAK;
CASE 8: $DISPLAYMONTH2 = "AUGUST"; BREAK;
CASE 9: $DISPLAYMONTH2 = "SEPTEMBER"; BREAK;
CASE 10: $DISPLAYMONTH2 = "OCTOBER"; BREAK;
CASE 11: $DISPLAYMONTH2 = "NOVEMBER"; BREAK;
CASE 12: $DISPLAYMONTH2 = "DECEMBER"; BREAK;

}
PRINT "
<TR><TD ALIGN='CENTER'><B>FROM MONTH: </B>&nbsp;   ";

PRINT "<SELECT NAME='MONTH1'>
<OPTION VALUE='$FROMDATE'>$DISPLAYMONTH</OPTION>
<OPTION VALUE='01'>JANUARY</OPTION>
<OPTION VALUE='02'>FEBRUARY</OPTION>
<OPTION VALUE='03'>MARCH</OPTION>
<OPTION VALUE='04'>APRIL</OPTION>
<OPTION VALUE='05'>MAY</OPTION>
<OPTION VALUE='06'>JUNE</OPTION>
<OPTION VALUE='07'>JULY</OPTION>
<OPTION VALUE='08'>AUGUST</OPTION>
<OPTION VALUE='09'>SEPTEMBER</OPTION>
<OPTION VALUE='10'>OCTOBER</OPTION>
<OPTION VALUE='11'>NOVEMBER</OPTION>
<OPTION VALUE='12'>DECEMBER</OPTION>
</SELECT>";
PRINT "&nbsp;   &nbsp;   &nbsp;   &nbsp;   </TD><TD ALIGN='CENTER'><B>TO MONTH:</B>&nbsp;   ";
PRINT "<SELECT NAME='MONTH2'>
<OPTION VALUE='$TODATE'>$DISPLAYMONTH2</OPTION>
<OPTION VALUE='01'>JANUARY</OPTION>
<OPTION VALUE='02'>FEBRUARY</OPTION>
<OPTION VALUE='03'>MARCH</OPTION>
<OPTION VALUE='04'>APRIL</OPTION>
<OPTION VALUE='05'>MAY</OPTION>
<OPTION VALUE='06'>JUNE</OPTION>
<OPTION VALUE='07'>JULY</OPTION>
<OPTION VALUE='08'>AUGUST</OPTION>
<OPTION VALUE='09'>SEPTEMBER</OPTION>
<OPTION VALUE='10'>OCTOBER</OPTION>
<OPTION VALUE='11'>NOVEMBER</OPTION>
<OPTION VALUE='12'>DECEMBER</OPTION>
</SELECT>";
PRINT "&nbsp;   &nbsp;   &nbsp;   &nbsp;  </TD><TD ALIGN='CENTER'><B>YEAR:</B>&nbsp;   ";
PRINT "<SELECT NAME='YEAR'>
<OPTION VALUE='$YEAR'>$YEAR</OPTION>
<OPTION VALUE='2020'>2020</OPTION>
<OPTION VALUE='2019'>2019</OPTION>
<OPTION VALUE='2018'>2018</OPTION>
<OPTION VALUE='2017'>2017</OPTION>
<OPTION VALUE='2016'>2016</OPTION>
<OPTION VALUE='2015'>2015</OPTION>
<OPTION VALUE='2014'>2014</OPTION>
<OPTION VALUE='2013'>2013</OPTION>
<OPTION VALUE='2012'>2012</OPTION>
<OPTION VALUE='2011'>2011</OPTION>
<OPTION VALUE='2010'>2010</OPTION>
<OPTION VALUE='2009'>2009</OPTION>
<OPTION VALUE='2008'>2008</OPTION>
</SELECT>";
PRINT "</TD><TD ALIGN='CENTER'>&nbsp;   &nbsp;   &nbsp;   <INPUT TYPE='SUBMIT' NAME='VIEW' VALUE='VIEW' CLASS='INPUTBUTTON'>;";
PRINT "</FORM></TD><TD></TD></TR></TABLE></DIV>";
$totalSalesView=0;
FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
    $QUERY1="SELECT EXTRACT(MONTH FROM PURCHASE_DATE TIME) AS MONTH,SUM(ITEM_PRICE) AS SALES, SUM(ITEM_COST) AS COST
    FROM PURCHASE
    WHERE EXTRACT(MONTH FROM PURCHASE_DATE TIME)='$INDEX' AND EXTRACT(YEAR FROM PURCHASE_DATE TIME)='$YEARCHOSEN'
    GROUP BY EXTRACT(MONTH FROM PURCHASE_DATE TIME)";
    $MYQUERY1=MYSQL_QUERY($QUERY1);
    WHILE ($ROW1=MYSQL_FETCH_ARRAY($MYQUERY1)){
        SWITCH ($INDEX){
            CASE 1: $DISPLAYMONTH3="JANUARY"; BREAK;
            CASE 2: $DISPLAYMONTH3="FEBRUARY"; BREAK;
            CASE 3: $DISPLAYMONTH3="MARCH"; BREAK;
            CASE 4: $DISPLAYMONTH3="APRIL"; BREAK;
            CASE 5: $DISPLAYMONTH3="MAY"; BREAK;
            CASE 6: $DISPLAYMONTH3="JUNE"; BREAK;
            CASE 7: $DISPLAYMONTH3="JULY"; BREAK;
            CASE 8: $DISPLAYMONTH3="AUGUST"; BREAK;
            CASE 9: $DISPLAYMONTH3="SEPTEMBER"; BREAK;
            CASE 10: $DISPLAYMONTH3="OCTOBER"; BREAK;
            CASE 11: $DISPLAYMONTH3="NOVEMBER"; BREAK;
            CASE 12: $DISPLAYMONTH3="DECEMBER"; BREAK;
        }
        $totalSalesView += $ROW1['SALES'];
    }
}
PRINT "<BR><BR><CENTER><FONT SIZE='2'><B>Total SALES FROM <FONT COLOR='RED'>$DISPLAYMONTH</FONT> TO <FONT COLOR='RED'>$DISPLAYMONTH2</FONT>
$YEARCHOSEN</B></FONT><BR><BR></CENTER>";
IF ($totalSalesView>0){
    PRINT "<P ALIGN='RIGHT'><STRONG><FONT FACE='ARIAL' SIZE='2' COLOR='#FFFFFF'>
<A HREF='GRAPH.PHP?FROM=$FROMDATE&TO=$TODATE&YEARCHOSEN=$YEARCHOSEN&TYPE=MT' TARGET='_BLANK'>CLICK HERE TO SEE THE
GRAPH</A></FONT></STRONG></P>";
}

```

```

}
PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='700' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>";
PRINT "<TR><TH>MONTH</TH><TH>TOTAL SALES</TH><TH>TOTAL COST</TH><TH>TOTAL EARNING</TH></TR>";
$TOTALSALES=0;
FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
    $QUERY = "SELECT EXTRACT(MONTH FROM PURCHASE_DATETIME) AS MONTH,SUM(ITEM_PRICE) AS SALES, SUM(ITEM_COST) AS COST
    FROM PURCHASE
    WHERE EXTRACT(MONTH FROM PURCHASE_DATETIME)='$INDEX' AND EXTRACT(YEAR FROM PURCHASE_DATETIME)='$YEARCHOSEN'
    GROUP BY EXTRACT(MONTH FROM PURCHASE_DATETIME)";
    $MYQUERY = MYSQL_QUERY($QUERY);
    $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
    $i++;
    IF ($COUNTQUERY==0){
        SWITCH ($INDEX){
            CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
            CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
            CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
            CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
            CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
            CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
            CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
            CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
            CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
            CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
            CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
            CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
        }
        PRINT "<TR CLASS='D'.($i & 1).'\>";
        PRINT "<TD><CENTER>$DISPLAYMONTH3</CENTER></TD>";
        PRINT "<TD><CENTER>0</CENTER></TD>";
        PRINT "<TD><CENTER>0</CENTER></TD>";
        PRINT "<TD><CENTER>0</CENTER></TD>";
        PRINT "</TR>\N";
    }
    ELSE {
        WHILE ($ROW = MYSQL_FETCH_ARRAY($MYQUERY)){
            $i++;
            $MTH=$ROW['MONTH'];
            SWITCH ($MTH){
                CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
                CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
                CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
                CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
                CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
                CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
                CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
                CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
                CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
                CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
                CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
                CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
            }
            $EARNINGS = $ROW['SALES'] - $ROW['COST'];
            PRINT "<TR CLASS='D'.($i & 1).'\>";
            PRINT "<TD><CENTER><b>$DISPLAYMONTH3</b></CENTER></TD>";
            PRINT "<TD><CENTER><b>$.ROW['SALES'].</b></CENTER></TD>";
            PRINT "<TD><CENTER><b>$.ROW['COST'].</b></CENTER></TD>";
            PRINT "<TD><CENTER><b>$EARNINGS</b></CENTER></TD>";
            PRINT "</TR>\N";
            $TOTALSALES += $ROW['SALES'];
            $TOTALCOST += $ROW['COST'];
            $TOTALEARNING += $EARNINGS;
        }
    }
}
}

$i++;
$TOTALSALES2 = NUMBER_FORMAT($TOTALSALES,2);
$TOTALCOST2 = NUMBER_FORMAT($TOTALCOST,2);
$TOTALEARNING2 = NUMBER_FORMAT($TOTALEARNING,2);
PRINT "<TR CLASS='D'.($i & 1).'\>";
PRINT "<TD ALIGN='LEFT'><CENTER><b>Total</b></CENTER></TD>";
PRINT "<TD><CENTER><b>$TOTALSALES2</b></CENTER></TD>";
PRINT "<TD><CENTER><b>$TOTALCOST2</b></CENTER></TD>";
PRINT "<TD><CENTER><b>$TOTALEARNING2</b></CENTER></TD>";
PRINT "</TR>\N";
PRINT "</TABLE>";
}
PRINT "<P ALIGN='RIGHT'><A HREF='ITEMSALES.PHP'><IMG SRC='IMAGES/BACK.PNG' WIDTH='30' HEIGHT='30'></A></P>";
}
ELSE {
    PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><b>ACCESS DENIED!</b></FONT></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1; URL=INDEX.PHP'>";
}
?>
<BR></TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHTPANEL.PHP"; ?>

```

ADMIN/NEWSMANAGEMENT.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
$SUPER=$_SESSION['SUPER'];
$CUSTOMER_VIEW=$_SESSION['CUSTOMER_VIEW'];
$CUSTOMER_ADD=$_SESSION['CUSTOMER_ADD'];
$CUSTOMER_MODIFY=$_SESSION['CUSTOMER_MODIFY'];
$CUSTOMER_DELETE=$_SESSION['CUSTOMER_DELETE'];

```

```

?>
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
FUNCTION VALIDATEONSUBMIT(){
    VAR ELEM;
    VAR ERRS=0;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDNEWS.DETAILARA, 'INF_DETAILARA', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDNEWS.DETAIL, 'INF_DETAIL', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDNEWS.HEADINGARA, 'INF_HEADINGARA', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDNEWS.HEADING, 'INF_HEADING', TRUE)) ERRS += 1;

    IF (ERRS>1) ALERT('THERE ARE FIELDS WHICH NEED CORRECTION BEFORE SENDING');
    IF (ERRS==1) ALERT('THERE IS A FIELD WHICH NEEDS CORRECTION BEFORE SENDING');
    RETURN (ERRS==0);
}
</SCRIPT>
<TD VALIGN="TOP"><TABLE ID="CONTENTS" CENTER"><TR><TD CLASS="CENTERMAIN">
<?PHP
    $ACTION=$_GET['ACTION'];
    $LIMIT = 5;
    IF ($ADMIN_VALID==1){
        $ISUPER = $_GET['SUPER'];
        $_SESSION['SUPER']=$ISUPER;
        IF ($ISUPER!=""){
            IF ($ISUPER==1){
                $CUSTOMER_VIEW = 1;
                $CUSTOMER_ADD = 1;
                $CUSTOMER_MODIFY = 1;
                $CUSTOMER_DELETE = 1;
            }
            ELSE{
                $OPTION_ID = $_GET['OPTION_ID'];
                $QUERY1=MYSQ_QUERY("SELECT CAN_VIEW,CAN_ADD,CAN_MODIFY,CAN_DELETE FROM ADMIN_RIGHTS WHERE ADMIN_ID = '$ADMIN_ID' AND
OPTION_ID='$OPTION_ID'");

                $ROW=MYSQ_FETCH_ARRAY($QUERY1);
                $CUSTOMER_VIEW=$ROW['CAN_VIEW'];
                $CUSTOMER_ADD=$ROW['CAN_ADD'];
                $CUSTOMER_MODIFY=$ROW['CAN_MODIFY'];
                $CUSTOMER_DELETE=$ROW['CAN_DELETE'];
            }
        }
        $_SESSION['CUSTOMER_VIEW']=$CUSTOMER_VIEW;
        $_SESSION['CUSTOMER_ADD']=$CUSTOMER_ADD;
        $_SESSION['CUSTOMER_MODIFY']=$CUSTOMER_MODIFY;
        $_SESSION['CUSTOMER_DELETE']=$CUSTOMER_DELETE;
        PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT COLOR='#1c43a6'><B>$USERNAME!
</B></FONT></TD>
<TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>Today is <FONT COLOR='#1c43a6'><B>".DATE("L, F, J, Y")."</B></FONT></B></FONT></TD></TR></TABLE>";
    IF ($ACTION==1){
        PRINT "<BR><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX; ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "ADD NEWS</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<FORM NAME='ADDNEWS' METHOD='POST' ACTION='NEWSMANAGEMENT.PHP'><BR><TABLE>
<TR><TD VALIGN='TOP'><BR><B>HEADING</B> (ENGLISH): &NBSP; </TD><TD><TEXTAREA NAME='NEWS_HEADING' ROWS='5' COLS='50'
ONCHANGE='VALIDATEPRESENT(THIS, 'INF_HEADING', TRUE);' /></TEXTAREA><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD></TD><TD ALIGN='LEFT' ID='INF_HEADING' CLASS='ERROR' ALIGN='LEFT'> &NBSP; </TD></TR>
<TR><TD VALIGN='TOP'><BR><B>HEADING</B> (ARABIC): &NBSP; </TD><TD><TEXTAREA CLASS='ARABIC' NAME='NEWS_HEADINGARA' ROWS='5' COLS='50'
ONCHANGE='VALIDATEPRESENT(THIS, 'INF_HEADINGARA', TRUE);' /></TEXTAREA><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD></TD><TD ALIGN='LEFT' ID='INF_HEADINGARA' CLASS='ERROR' ALIGN='LEFT'> &NBSP; </TD></TR>
<TR><TD VALIGN='TOP'><BR><B>DETAIL</B> (ENGLISH): &NBSP; </TD><TD><TEXTAREA NAME='NEWS_DETAIL' ROWS='5' COLS='50'
ONCHANGE='VALIDATEPRESENT(THIS, 'INF_DETAIL', TRUE);' /></TEXTAREA><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD></TD><TD ALIGN='LEFT' ID='INF_DETAIL' CLASS='ERROR' ALIGN='LEFT'> &NBSP; </TD></TR>
<TR><TD VALIGN='TOP'><BR><B>DETAIL</B> (ARABIC): &NBSP; </TD><TD><TEXTAREA CLASS='ARABIC' NAME='NEWS_DETAILARA' ROWS='5' COLS='50'
ONCHANGE='VALIDATEPRESENT(THIS, 'INF_DETAILARA', TRUE);' /></TEXTAREA><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD></TD><TD ALIGN='LEFT' ID='INF_DETAILARA' CLASS='ERROR' ALIGN='LEFT'> &NBSP; </TD></TR>
<TR><TD COLSPAN='2'><CENTER><INPUT TYPE='SUBMIT' NAME='ADD' VALUE='ADD' CLASS='INPUTBUTTON' ONCLICK='RETURN VALIDATEONSUBMIT()' /> &NBSP;
<INPUT TYPE='SUBMIT' NAME='CANCEL' VALUE='CANCEL' CLASS='INPUTBUTTON' /></TR>
<TR><TD><BR><BR></TD></TR></TABLE></FORM></FIELDSET></CENTER></TD></TR><TD><BR><BR></TD></TR></TABLE>";
    }
    ELSE IF (($ACTION==2)||(!isset($_POST['UPDATE']))) {
        PRINT "<BR><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX; ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>". "EDIT NEWS</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
        IF (isset($_POST['UPDATE'])) {
            $NEWS_ID=$_POST['NEWS_ID'];
            $HEADING=$_POST['NEWS_HEADING'];
            $HEADINGARA=$_POST['NEWS_HEADINGARA'];
            $DETAIL=$_POST['NEWS_DETAIL'];
            $DETAILARA=$_POST['NEWS_DETAILARA'];
            $STATUS=$_POST['NEWS_STATUS'];
            PRINT "<TR><TD COLSPAN='2' ALIGN='LEFT'><FIELDSET STYLE='BACKGROUND-COLOR:#DEFEFF;'><IMG SRC='IMAGES/INFO.GIF' WIDTH='20'
HEIGHT='10'>&NBSP;&NBSP;&NBSP;<FONT COLOR='BLUE'><B>";
            IF (($HEADING=="")||($HEADINGARA=="")||($DETAIL=="")||($DETAILARA==""))
                PRINT "PLEASE FILL UP REQUIRED FIELDS INDICATED BY <FONT COLOR='RED'>*</FONT>.";
            ELSE {
                $QUERY=MYSQ_QUERY("UPDATE NEWS SET NEWS_TITLE='$HEADING',NEWS_TITLE_ARA='$HEADINGARA',
NEWS_INFO='$DETAIL',NEWS_INFO_ARA='$DETAILARA',NEWS_DATE='$DATE TIME', NEWS_DISPLAYSTATUS='$STATUS' WHERE NEWS_ID='$NEWS_ID'");
                IF ($QUERY)
                    PRINT "NEWS ITEM SUCCESSFULLY UPDATED.";
                ELSE
                    PRINT "AN ERROR OCCURED WHILE UPDATING YOUR DATA.";
            }
        }
        PRINT "</B></FIELDSET></BR></TD></TR>";
    }
}

```

```
ELSE {
    $NEWS_ID=$_GET['NEWS_ID'];
}
PRINT "<FORM NAME='EDITNEWS' METHOD='POST' ACTION='NewsMANAGEMENT.PHP'>";
$query=mysql_query("SELECT * FROM NEWS WHERE NEWS_ID='$NEWS_ID'");
$row=mysql_fetch_array($query);
$NEWS_TITLE = $row['NEWS_TITLE'];
$NEWS_INFO = $row['NEWS_INFO'];
$NEWS_TITLEARA = $row['NEWS_TITLE_ARA'];
$NEWS_INFOARA = $row['NEWS_INFO_ARA'];
$NEWS_STATUS = $row['NEWS_DISPLAYSTATUS'];
PRINT "<TR><TD VALIGN='TOP'><BR><B>HEADING</B> (ENGLISH): &nbsp; </TD><TD ALIGN='LEFT'><TEXTAREA NAME='NEWS_HEADING' ROWS='5'
COLS='50'>$NEWS_TITLE</TEXTAREA><FONT COLOR='RED'> *</FONT></TD></TR>
<TR><TD VALIGN='TOP'><BR><B>HEADING</B> (ARABIC): &nbsp; </TD><TD ALIGN='LEFT'><TEXTAREA NAME='NEWS_HEADINGARA' ROWS='5'
COLS='50'>$NEWS_TITLEARA</TEXTAREA><FONT COLOR='RED'> *</FONT></TD></TR>
<TR><TD VALIGN='TOP'><BR><B>DETAIL</B> (ENGLISH): &nbsp; </TD><TD ALIGN='LEFT'><TEXTAREA NAME='NEWS_DETAIL' ROWS='5'
COLS='50'>$NEWS_INFO</TEXTAREA><FONT COLOR='RED'> *</FONT></TD></TR>
<TR><TD VALIGN='TOP'><BR><B>DETAIL</B> (ARABIC): &nbsp; </TD><TD ALIGN='LEFT'><TEXTAREA NAME='NEWS_DETAILARA' ROWS='5'
COLS='50'>$NEWS_INFOARA</TEXTAREA><FONT COLOR='RED'> *</FONT></TD></TR>";
PRINT "<TR><TD VALIGN='MIDDLE'><B>NEWS STATUS:</B></TD><TD ALIGN='LEFT'>";
IF ($NEWS_STATUS==1)
    PRINT "<INPUT TYPE='RADIO' NAME='NEWS_STATUS' VALUE='1' CHECKED />ACTIVE &nbsp; <INPUT TYPE='RADIO' NAME='NEWS_STATUS' VALUE='0'
/>INACTIVE</TD></TR>";
ELSE
    PRINT "<INPUT TYPE='RADIO' NAME='NEWS_STATUS' VALUE='1' />ACTIVE &nbsp; <INPUT TYPE='RADIO' NAME='NEWS_STATUS' VALUE='0' CHECKED
/>INACTIVE</TD></TR>";
PRINT "<TR><TD><BR><INPUT TYPE='HIDDEN' NAME='NEWS_ID' VALUE='$NEWS_ID' /><BR></TD></TR>";
PRINT "<TR><TD COLSPAN='2'><CENTER><INPUT TYPE='SUBMIT' NAME='UPDATE' VALUE='SUBMIT' /> &nbsp; <INPUT TYPE='SUBMIT'
NAME='CANCEL' VALUE='CANCEL' CLASS='INPUTBUTTON' /></TD></TR>
</FORM><TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF ($ACTION==3){
    $NEWS_ID=$_GET['NEWS_ID'];
    $query=mysql_query("DELETE FROM NEWS WHERE NEWS_ID='$NEWS_ID'");
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'>
<LEGEND><FONT COLOR=' #0707AB' SIZE='3'><B>". "DELETE NEWS</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    IF(!$query){
        PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B></FONT><BR><BR>AN ERROR OCCURED WHILE DELETING YOUR
DATA.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=NewsMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> var SECONDS = 5; setInterval( function() { if
(SECONDS <= 1) { WINDOW.LOCATION = 'NewsMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );</SCRIPT></FONT></CENTER></TD></TR>";
    }
    ELSE {
        PRINT "<TR><TD><CENTER><B>1 RECORD SUCCESSFULLY DELETED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=NewsMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> var SECONDS = 5; setInterval( function() { if
(SECONDS <= 1) { WINDOW.LOCATION = 'NewsMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );</SCRIPT></FONT></CENTER></TD></TR>";
        PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TD><BR><BR></TD></TR></TABLE>";
    }
}
ELSE IF (isset($_POST['ADD'])){
    $HEADING = $_POST['NEWS_HEADING'];
    $HEADINGARA = $_POST['NEWS_HEADINGARA'];
    $DETAIL = $_POST['NEWS_DETAIL'];
    $DETAILARA = $_POST['NEWS_DETAILARA'];
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'>
<LEGEND><FONT COLOR=' #0707AB' SIZE='3'><B>". "ADD NEWS</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    IF (($HEADING=="")||($HEADINGARA=="")||($DETAIL=="")||($DETAILARA=="")){
        PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>REQUIRED FIELDS ERROR.</B></FONT><BR><BR>PLEASE FILL OUT ALL
FIELDS.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=NewsMANAGEMENT.PHP?ACTION=1'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> var SECONDS = 5; setInterval( function() { if
(SECONDS <= 1) { WINDOW.LOCATION = 'NewsMANAGEMENT.PHP?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
    }
    ELSE {
        $query=mysql_query("INSERT INTO NEWS (NEWS_TITLE,NEWS_TITLE_ARA,NEWS_INFO,NEWS_INFO_ARA,NEWS_DATE)
VALUES('$HEADING','$HEADINGARA','$DETAIL','$DETAILARA','$DATETIME')");
        IF (!$query){
            PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B></FONT><BR><BR>AN ERROR OCCURED WHILE INSERTING
DATA.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=NewsMANAGEMENT.PHP?ACTION=1'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> var SECONDS = 5;
SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'NewsMANAGEMENT.PHP?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
        }
    }
    ELSE {
        PRINT "<TR><TD><CENTER><B>1 RECORD ADDED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=NewsMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> var SECONDS = 5;
SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'NewsMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
    }
}
PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE {
    PRINT "<CENTER>";
    IF (($SUPER==1)||($CUSTOMER_ADD==1)){
```

```

        PRINT "<TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR>
        <CENTER><<FIELDSET STYLE='WIDTH: 200px;'><LEGEND><<FONT COLOR='#0707AB' SIZE='3'><<B>".NEWS
MANAGEMENT</b></font></legend><center><table><tr>
        <td align='center'><a href='NewsManagement.php?action=1'><img src='images/add.png' alt='Add News'
width='50'></img></a><br><b>Add News</b></td>
        </tr></table></fieldset></center></td></tr></table>";
    }
    PRINT "<br><br>";
    $PAGE=$_GET["page"];
    IF ($PAGE == "") $PAGE=1;
    $QUERY="SELECT * FROM NEWS";
    MYSQL_QUERY($QUERY);
    $NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
    $NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
    $SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ".$LIMIT");
    IF ($NUMBEROFRESULTS!=0){
        PRINT "<div class='inside'><table width='760' border='1' style='table-layout: fixed;'>
        <tr><th width='15%'>HEADING (ENGLISH)</th>
        <th width='15%'>HEADING (ARABIC)</th>
        <th>DETAILS (ENGLISH)</th>
        <th>DETAILS (ARABIC)</th>
        <th width='10%'>DATE LAST UPDATED</th>
        <th width='7%'>STATUS</th>";
        IF (($CUSTOMER_MODIFY==1)||($CUSTOMER_DELETE==1))
            PRINT "<th width='6%'>ACTION</th>";
        PRINT "</tr>";
        WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
            $i++;
            $NEWS_ID = $ROW['NEWS_ID'];
            IF ($ROW['NEWS_DISPLAYSTATUS']==1)
                $STATUS = "ACTIVE";
            ELSE
                $STATUS = "INACTIVE";
            PRINT "<tr class='d'.($i & 1).\">";
            PRINT "<td>". $ROW['NEWS_TITLE'].</td>";
            PRINT "<td>". $ROW['NEWS_TITLE_ARA'].</td>";
            PRINT "<td>". $ROW['NEWS_INFO'].</td>";
            PRINT "<td>". $ROW['NEWS_INFO_ARA'].</td>";
            PRINT "<td><center>". $ROW['NEWS_DATE'].</center></td>";
            PRINT "<td><center>>$STATUS</center></td>";
            IF (($CUSTOMER_MODIFY==1)||($CUSTOMER_DELETE==1))
                PRINT "<td><center>";
            IF ($CUSTOMER_MODIFY==1)
                PRINT "<a href='NewsManagement.php?action=2&news_id=$NEWS_ID'><img src='images/edit.gif' title='Edit'
width='15'></img></a>";
            IF ($CUSTOMER_DELETE==1)
                PRINT "<a href='NewsManagement.php?action=3&news_id=$NEWS_ID' onclick='\"return confirm('Are you sure
you want to delete news item?');\"><img src='images/delete.png' title='Delete' width='15'></img></a>";
            PRINT "</center></td></tr>";
        }
        PRINT "</table>";
        IF ($NUMBEROFPAGES>1){
            $NAV="";
            FOR($j = 1 ; $j <= $NUMBEROFPAGES ; $j++) {
                IF ($j == $PAGE)
                    $NAV .= "<b>$j</b>";
                ELSE
                    $NAV .= "&nbsp;<a href='\"NewsManagement.php?page=$j\">$j </a>&nbsp;&nbsp;&nbsp;";
            }
            PRINT "<center><br><br> $NAV </center>";
        }
        PRINT "<center><br><br></div></div>";
    }
    ELSE {
        PRINT "<center><table width='760'><tr><td width='730' VALIGN='TOP'>
        <br><center><<FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'><div class='RESULTS'>
        <table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>
        <tr><td><center><<FONT COLOR='red'><b>No News Found.</b></font><br><br>
        </table></fieldset></center></td></tr></table></div></div>";
    }
}
ELSE {
    PRINT "<center><br><font color='red' size='3'><b>Access Denied!</b></font></center>";
    PRINT "<meta http-equiv='refresh' content='1'; url=index.php'>";
}
?>
<br></td></tr></table>
</td>
<?php include "RightPanel.php"; ?>

```

ADMIN/OutOfStock.PHP

```

<?php include "LeftPanel.php";
$IMAGEDIRECTORY="./images/category";
$IMAGEARADIRECTORY="./images_ara/category";
?>
<td valign="top"><table id="contentsCenter"><tr><td class="centerMain">
<?php
    $LIMIT = 50;
    $ACTION=$_GET['action'];
    IF ($ADMIN_VALID==1){
        $CATEGORY_ID=$_GET['category_id'];
        $PAGE=$_GET["page"];

```

```

if($PAGE == "") $PAGE=1;
PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT COLOR='#1c43a6'><B>$USERNAME!
</B></FONT></TD>
<TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>Today is <FONT COLOR='#1c43a6'><B>".date("L, F j, Y")."</B></FONT></B></FONT></TD></TR></TABLE>";
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 720px; ALIGN='CENTER'><LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>".Out Of Stock</B></FONT></LEGEND>
<DIV CLASS='RESULTS'><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><FORM METHOD='GET' ID='FILTER' ACTION='OutOfStock.php' /><B>CATEGORY: </B>&NBSP;<SELECT NAME='CATEGORY_ID' ID='CATEGORY_ID'
STYLE='WIDTH: 200px;' ONCHANGE='\"DOCUMENT.GETELEMENTById('FILTER').SUBMIT();\" />";
$GETLASTSUB=MYSQL_QUERY("SELECT DISTINCT (ITEM.CATEGORY_ID),CATEGORY_NAME FROM ITEM,CATEGORY WHERE CATEGORY.CATEGORY_ID=ITEM.CATEGORY_ID");
if ($ACTION==1){
    $ITEM_ID=$_GET['ID'];
    $QUERY =MYSQL_QUERY("UPDATE ITEM SET ITEM_STOCKSTATUS='1' WHERE ITEM_ID='$ITEM_ID'" OR DIE (MYSQL_ERROR()));
}
if ($CATEGORY_ID!=""){
    $GETCAT = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'");
    $ROWCAT = MYSQL_FETCH_ARRAY($GETCAT);
    $ID=$ROWCAT['CATEGORY_ID'];
    $NAME=$ROWCAT['CATEGORY_NAME'];
    PRINT "<OPTION VALUE='$ID'>$NAME</OPTION>";
    PRINT "<OPTION VALUE=''>All</OPTION>";
}
else PRINT "<OPTION VALUE=''>All</OPTION>";
while($ROWLASTSUB=MYSQL_FETCH_ARRAY($GETLASTSUB)){
    $CATEGORY = $ROWLASTSUB['CATEGORY_ID'];
    $CATEGORY_NAME = $ROWLASTSUB['CATEGORY_NAME'];
    PRINT "<OPTION VALUE='$CATEGORY'>$CATEGORY_NAME</OPTION>";
}
PRINT "</SELECT></FORM></TD></TR></TABLE>";
if ($CATEGORY_ID!="")
$QUERY = "SELECT ITEM.ITEM_ID, ITEM.ITEM_NAME, CATEGORY.CATEGORY_NAME, ITEM.ITEM_STOCKLEVEL, CATEGORY.CATEGORY_ID, (SELECT COUNT(*) FROM STOCKS WHERE
STOCKS.ITEM_ID=ITEM.ITEM_ID AND
STOCKS.SOLD_STATUS=0) As OutOfStock, ITEM.ITEM_STOCKSTATUS FROM CATEGORY INNER JOIN ITEM ON CATEGORY.CATEGORY_ID = ITEM.CATEGORY_ID WHERE
ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.CATEGORY_ID='$CATEGORY_ID' AND ITEM.ITEM_ISACTIVE = 1 AND (ITEM.ITEM_STOCKSTATUS=0 OR
ITEM.ITEM_STOCKLEVEL>=(SELECT COUNT(*) FROM STOCKS WHERE STOCKS.ITEM_ID=ITEM.ITEM_ID AND STOCKS.SOLD_STATUS=0)) ORDER BY OutOfStock";
else $QUERY = "SELECT ITEM.ITEM_ID, ITEM.ITEM_NAME, CATEGORY.CATEGORY_NAME, ITEM.ITEM_STOCKLEVEL, CATEGORY.CATEGORY_ID, (SELECT COUNT(*) FROM STOCKS WHERE
STOCKS.ITEM_ID=ITEM.ITEM_ID AND
STOCKS.SOLD_STATUS=0) As OutOfStock, ITEM.ITEM_STOCKSTATUS FROM CATEGORY INNER JOIN ITEM ON CATEGORY.CATEGORY_ID = ITEM.CATEGORY_ID WHERE
ITEM.ITEM_ISACTIVE = 1 AND (ITEM.ITEM_STOCKSTATUS=0 OR
ITEM.ITEM_STOCKLEVEL>=(SELECT COUNT(*) FROM STOCKS WHERE STOCKS.ITEM_ID=ITEM.ITEM_ID AND STOCKS.SOLD_STATUS=0)) ORDER BY OutOfStock";
MYSQL_QUERY($QUERY);
$NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
$NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
$searchRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
PRINT "<BR><BR>";
if ($NUMBEROFRESULTS!=0){
    PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='700' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>";
    PRINT "<TR>
        <TH WIDTH='30%'>CATEGORY NAME</TH>
        <TH WIDTH='30%'>ITEM NAME</TH>
        <TH WIDTH='10%'>Stock</TH>
        <TH WIDTH='10%'>Stock Level</TH>
        <TH WIDTH='10%'>Stock Status</TH>
        <TH WIDTH='10%'></TH></TR>";
    while ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
        $i++;
        $ITEM_ID=$ROW['ITEM_ID'];
        $STOCKSTATUS = $ROW['ITEM_STOCKSTATUS'];
        if ($STOCKSTATUS==0)
            $STOCKSTATUSDisplay = "Inactive";
        else
            $STOCKSTATUSDisplay = "Active";
        PRINT "<TR CLASS='\"d\".($i & 1).\"\">";
        if ($ROW['OutOfStock']==0)
            $COLORS = "red";
        else if ($ROW['OutOfStock']<$ROW['ITEM_STOCKLEVEL'])
            $COLORS = "#370996";
        else $COLORS = "black";
        PRINT "<TD><CENTER><B><FONT COLOR='$COLORS'>". $ROW['CATEGORY_NAME']. "</FONT></CENTER></B></TD>";
        PRINT "<TD><CENTER><B><FONT COLOR='$COLORS'>". $ROW['ITEM_NAME']. "</FONT></CENTER></B></TD>";
        PRINT "<TD><CENTER><B><FONT COLOR='$COLORS'>". $ROW['OutOfStock']. "</FONT></CENTER></B></TD>";
        PRINT "<TD><CENTER><B><FONT COLOR='$COLORS'>". $ROW['ITEM_STOCKLEVEL']. "</FONT></CENTER></B></TD>";
        PRINT "<TD><CENTER><B><FONT COLOR='$COLORS'>";
        if ($ROW['OutOfStock']>$ROW['ITEM_STOCKLEVEL'])
            PRINT "<A HREF='OutOfStock.php?action=1&id=$ITEM_ID'>ACTIVATE</A>";
        else PRINT "$STOCKSTATUSDisplay";
        PRINT "</FONT></CENTER></B></TD>";
        PRINT "<TD><CENTER><A HREF='\"javascript:void(0);' NAME='upload' TITLE='Upload Item Stocks' ONCLICK=window.open('UploadItem.php?
id=$ITEM_ID','RATting','width=540,height=240,0,status=0,scrollbars=1,left=150,top=200');>Fill</A></CENTER></TD>";
        PRINT "</TR>\n";
    }
    PRINT "</TABLE>";
    PRINT "</FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
    PRINT "<P ALIGN='right'><A HREF='Stocks.php'><IMG SRC='images/back.png' WIDTH='30' HEIGHT='30'></A></P>";
}
else{
    PRINT "<CENTER><TABLE WIDTH='500'><TR><TD WIDTH='500' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px; ALIGN='CENTER'><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>
<TR><TD><CENTER><FONT COLOR='red'><B>No Item Records Exists.</B></FONT></TR></TABLE>";
}
}
else {
}
}

```



```
}
}
PRINT "<TR><TD><BR></TD></TR></TABLE></DIV>";
PRINT "</FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE></CENTER>";
} //END OF $ADMIN_VALID
ELSE {
PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP>";
} //END OF ELSE
?>
</TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHT.PANEL.PHP"; ?>
```

ADMIN/OWNERMANAGEMENT.PHP

```
<?PHP INCLUDE "LEFT.PANEL.PHP";
FUNCTION CHECKEMAIL($EMAIL) {
IF (!EREGI("[_a-z0-9-]+\.[_a-z0-9-]+)*@[a-z0-9-]+\.[a-z0-9-]+)*\\.([a-z]{2,3})$", $EMAIL))
RETURN 0;
ELSE RETURN 1;
}
?>
<SCRIPT LANGUAGE=JAVASCRIPT TYPE='TEXT/JAVASCRIPT'>
FUNCTION VALIDATEONSUBMIT(){
VAR ELEM;
VAR ERRS=0;

IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDADMIN.ADMIN_IQAMA, 'INF_IQAMA', TRUE)) ERRS += 1;
IF (!VALIDATEEMAIL (DOCUMENT.FORMS.ADDADMIN.ADMIN_EMAIL, 'INF_EMAIL', TRUE)) ERRS += 1;
IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDADMIN.ADMIN_USERNAME, 'INF_USERNAME', TRUE)) ERRS += 1;

IF (ERRS>1) ALERT("THERE ARE FIELDS WHICH NEED CORRECTION BEFORE SENDING");
IF (ERRS==1) ALERT("THERE IS A FIELD WHICH NEEDS CORRECTION BEFORE SENDING");
RETURN (ERRS==0);
}
</SCRIPT>
<TD VALIGN="TOP"><TABLE ID="CONTENTS.CENTER"><TR><TD CLASS="CENTER.MAIN">
<?PHP
$ACTION=$_GET['ACTION'];
$LIMIT = 3;
$i=0;
IF ($ADMIN_VALID==1){
PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT COLOR='#1c43a6'><B>$USERNAME!
</B></FONT></TD>
<TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>Today IS <FONT COLOR='#1c43a6'><B>".DATE("L, F j, Y")."</B></FONT></B></FONT></TD></TR></TABLE>";
IF ($ACTION==1){
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>".Add Owner User</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>
<FORM NAME='ADDADMIN' METHOD='POST' ACTION='OWNERMANAGEMENT.PHP'>
<TR><TD ALIGN='RIGHT' WIDTH='25%'><B>USER NAME:</B> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ADMIN_USERNAME' SIZE='30'
ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_USERNAME\\', TRUE);' /><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD></TD><TD ID='INF_USERNAME' CLASS='ERROR' ALIGN='LEFT'> &nbsp;</TD></TR>
<TR><TD ALIGN='RIGHT'><B>EMAIL ADDRESS:</B> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ADMIN_EMAIL' SIZE='30'
ONCHANGE='VALIDATEEMAIL(THIS, \\'INF_EMAIL\\', TRUE);' /><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD></TD><TD ID='INF_EMAIL' CLASS='ERROR' ALIGN='LEFT'> &nbsp;</TD></TR>
<TR><TD ALIGN='RIGHT'><B>IQAMA ID:</B> &nbsp;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ADMIN_IQAMA' SIZE='30'
ONCHANGE='VALIDATEPRESENT(THIS, \\'INF_IQAMA\\', TRUE);' /><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD></TD><TD ID='INF_IQAMA' CLASS='ERROR'> &nbsp;</TD>
</TABLE>
<CENTER><INPUT TYPE='SUBMIT' NAME='ADD' VALUE='Add' CLASS='INPUTBUTTON' ONCLICK='RETURN VALIDATEONSUBMIT()' /> &nbsp;</TD><INPUT TYPE='SUBMIT'
NAME='CANCEL' VALUE='CANCEL' CLASS='INPUTBUTTON' />
</FORM><BR><BR></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF (($ACTION==2)||(!isset($_POST['UPDATE']))) {
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>".Edit Owner User</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>
IF (isset($_POST['UPDATE'])) {
$error=0;
$ADMIN_USER_ID=$_POST['ADMIN_USER_ID'];
$ADMIN_USERNAME=$_POST['ADMIN_USERNAME'];
$ADMIN_FIRSTNAME=$_POST['ADMIN_FIRSTNAME'];
$ADMIN_LASTNAME=$_POST['ADMIN_LASTNAME'];
$ADMIN_EMAIL=$_POST['ADMIN_EMAIL'];
$ADMIN_MOBILENUM=$_POST['ADMIN_MOBILENUM'];
$ADMIN_PHONENUM=$_POST['ADMIN_PHONENUM'];
$ADMIN_ADDRESS=$_POST['ADMIN_ADDRESS'];
$ADMIN_PASSWORD=$_POST['ADMIN_PASSWORD'];
$ADMIN_STATUS=$_POST['ADMIN_STATUS'];
$ADMIN_IQAMA=$_POST['ADMIN_IQAMA'];
PRINT "<TR><TD COLSPAN='2' ALIGN='LEFT'><FIELDSET STYLE='BACKGROUND-COLOR:#DEFEFF;'><IMG SRC='IMAGES/INFO.GIF' WIDTH='20'
HEIGHT='10'>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<FONT COLOR='BLUE'><B>";
IF ((($ADMIN_USERNAME=="")||($ADMIN_FIRSTNAME=="")||($ADMIN_LASTNAME=="")||($ADMIN_EMAIL=="")||($ADMIN_IQAMA=="")))
PRINT "PLEASE FILL UP REQUIRED FIELDS INDICATED BY <FONT COLOR='RED'>*</FONT>.";
ELSE {
IF ($ADMIN_PASSWORD!="") {
$SALT = SHA1(MD5($ADMIN_PASSWORD));
$ADMIN_PASSWORD = MD5($ADMIN_PASSWORD.$SALT);
$QUERY=MYSQL_QUERY("UPDATE ADMIN_USER SET
```

```

ADMIN_MOBILENUM='$ADMIN_MOBILENUM',ADMIN_PHONENUM='$ADMIN_PHONENUM',ADMIN_ADDRESS='$ADMIN_ADDRESS',ADMIN_EMAIL='$ADMIN_EMAIL',ADMIN_USERNAME='$ADMIN_USERNAME',ADMIN_PASSWORD='$ADMIN_PASSWORD',ADMIN_ISACTIVE='$ADMIN_STATUS',ADMIN_IQAMAID='$ADMIN_IQAMA' WHERE ADMIN_ID='$ADMINUSER_ID'");
    }
    ELSE
        $QUERY=MYSQ_QUERY("UPDATE ADMIN_USER SET
ADMIN_FIRSTNAME='$ADMIN_FIRSTNAME',ADMIN_LASTNAME='$ADMIN_LASTNAME',
ADMIN_MOBILENUM='$ADMIN_MOBILENUM',ADMIN_PHONENUM='$ADMIN_PHONENUM',ADMIN_ADDRESS='$ADMIN_ADDRESS',ADMIN_EMAIL='$ADMIN_EMAIL',ADMIN_USERNAME='$ADMIN_USERNAME',
ADMIN_ISACTIVE='$ADMIN_STATUS',ADMIN_IQAMAID='$ADMIN_IQAMA' WHERE ADMIN_ID='$ADMINUSER_ID'");
        IF(!$QUERY){
            PRINT "AN ERROR OCCURED WHILE UPDATING YOUR DATA.";
        }
        ELSE{
            PRINT "OWNER RECORD SUCCESSFULLY UPDATED.";
        }
    }
    PRINT "</b></FIELDSET></br></td></tr>";
}
ELSE{
    $ADMINUSER_ID=$_GET['ADMINUSER_ID'];
}
PRINT "<form name='editAdmin' method='POST' action='OWNERMANAGEMENT.PHP'>";
$QUERY2=MYSQ_QUERY("SELECT * FROM ADMIN_USER WHERE ADMIN_ID='$ADMINUSER_ID'") OR DIE (MYSQ_ERROR());
$ROW=MYSQ_FETCH_ARRAY($QUERY2);
$ADMIN_FIRSTNAME = $ROW['ADMIN_FIRSTNAME'];
$ADMIN_LASTNAME = $ROW['ADMIN_LASTNAME'];
$ADMIN_MOBILENUM = $ROW['ADMIN_MOBILENUM'];
$ADMIN_PHONENUM = $ROW['ADMIN_PHONENUM'];
$ADMIN_ADDRESS = $ROW['ADMIN_ADDRESS'];
$ADMIN_EMAIL = $ROW['ADMIN_EMAIL'];
$ADMIN_USERNAME = $ROW['ADMIN_USERNAME'];
$ADMIN_STATUS = $ROW['ADMIN_ISACTIVE'];
$ADMIN_IQAMA = $ROW['ADMIN_IQAMAID'];
PRINT "<tr><td align='right' width='30%'><b>USER NAME:</b> &nbsp;  </td><td align='left' width='65%'><input type='text'
NAME='ADMIN_USERNAME' size='30' value='$ADMIN_USERNAME' /><font color='red'> *</font></td></tr>
<tr><td align='right'><b>FIRST NAME:</b> &nbsp;  </td><td align='left'><input type='text' name='ADMIN_FIRSTNAME' size='30'
VALUE='$ADMIN_FIRSTNAME' /><font color='red'> *</font></td></tr>
<tr><td align='right'><b>LAST NAME:</b> &nbsp;  </td><td align='left'><input type='text' name='ADMIN_LASTNAME' size='30'
VALUE='$ADMIN_LASTNAME' /><font color='red'> *</font></td></tr>
<tr><td colspan='2'><br></td></tr>
<tr><td align='right'><b>EMAIL ADDRESS:</b> &nbsp;  </td><td align='left'><input type='text' name='ADMIN_EMAIL' size='30'
VALUE='$ADMIN_EMAIL' /><font color='red'> *</font></td></tr>
<tr><td align='right'><b>MOBILE NUMBER:</b> &nbsp;  </td><td align='left'><input type='text' name='ADMIN_MOBILENUM' size='30'
VALUE='$ADMIN_MOBILENUM' /></td></tr>
<tr><td align='right'><b>PHONE NUMBER:</b> &nbsp;  </td><td align='left'><input type='text' name='ADMIN_PHONENUM' size='30'
VALUE='$ADMIN_PHONENUM' /></td></tr>
<tr><td align='right'><b>ADDRESS:</b> &nbsp;  </td><td align='left'><TEXTAREA NAME='ADMIN_ADDRESS' ROWS='2'
COLS='27'>$ADMIN_ADDRESS</TEXTAREA></td></tr>
<tr><td align='right'><b>PASSWORD:</b> &nbsp;  </td><td align='left'><input type='password' name='ADMIN_PASSWORD'
SIZE='30' /></td></tr>
<tr><td></td><td align='left'><font color='#0b2b82' size='1'> ^ Leave this blank to keep the current password.</td></tr>
<tr><td align='right'><b>IQAMA ID:</b> &nbsp;  </td><td align='left'><input type='text' name='ADMIN_IQAMA' value='$ADMIN_IQAMA'
SIZE='30' /><font color='red'> *</font></td></tr>
<tr><td align='right'><b>ADMIN STATUS:</b> &nbsp;  </td><td align='left'>";
IF ($ADMIN_STATUS==1)
    PRINT "<input type='radio' name='ADMIN_STATUS' value='1' checked />ACTIVE &nbsp;  <input type='radio' name='ADMIN_STATUS' value='0'
/>INACTIVE";
ELSE
    PRINT "<input type='radio' name='ADMIN_STATUS' value='1' />ACTIVE &nbsp;  <input type='radio' name='ADMIN_STATUS' value='0' checked
/>INACTIVE";
PRINT "</td></tr><tr><td align='right'> &nbsp;  </td><td align='left'>";
PRINT "</td></tr><tr><td><br></td><td><br></td></tr><tr><td align='right'><b>ADMIN USER ID:</b> &nbsp;  </td><td align='left'><input type='hidden' name='ADMINUSER_ID' value='$ADMINUSER_ID'
/><br></td></tr><tr><td align='right'><b>UPDATE:</b> &nbsp;  </td><td align='left'><input type='submit' name='UPDATE' value='SUBMIT' class='inputbutton' /> &nbsp;  <input type='submit' name='CANCEL' value='CANCEL'
CLASS='inputbutton' />";
PRINT "</form><br><br></FIELDSET></center></td></tr><tr><td><br><br></td></tr></table>";
}
ELSE IF ($ACTION==3){
    $ADMINUSER_ID=$_GET['ADMINUSER_ID'];
    $QUERY=MYSQ_QUERY("DELETE FROM ADMIN_USER WHERE ADMIN_ID='$ADMINUSER_ID'");
    PRINT "<center><table width='760'><tr><td width='730' valign='top'>
<br><center><fieldset style='width: 500px;' align='center'>
<legend><font color='#0707ab' size='3'><b>".DELETE OWNER ACCOUNT</b></font></legend><div class='results'>
<table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>";
    IF(!$QUERY){
        PRINT "<tr><td><center><font color='red'><b>ERROR!</b> </font><br><br>AN ERROR OCCURED WHILE DELETING YOUR
DATA.<br><br>
<noscript><meta http-equiv='refresh' content='5'; url=OWNERMANAGEMENT.PHP'></noscript>
<font color='blue'>You will be redirected back in <span id='seconds'>5</span>. <script> var seconds = 5; setInterval( function(){ if
(seconds <= 1) { window.location = 'OWNERMANAGEMENT.PHP';} else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 ); </script></font></center></td></tr>";
    }
    ELSE{
        PRINT "<tr><td><center><b>1 RECORD SUCCESSFULLY DELETED.</b><br><br>
<noscript><meta http-equiv='refresh' content='5'; url=OWNERMANAGEMENT.PHP'></noscript>
<font color='blue'>You will be redirected back in <span id='seconds'>5</span>. <script> var seconds = 5; setInterval( function(){ if
(seconds <= 1) { window.location = 'OWNERMANAGEMENT.PHP';} else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 ); </script></font></center></td></tr>";
    }
    PRINT "<tr><td><br></td></tr></table></fieldset></center></td></tr><tr><td><br><br></td></tr></table>";
}
ELSE IF (isset($_POST['add'])){
    $ERROR1=0;
    $UNAME = $_POST['ADMIN_USERNAME'];
    $EMAILADD = $_POST['ADMIN_EMAIL'];
    $IQAMA = $_POST['ADMIN_IQAMA'];
    $EMAILCHECK=CHECKEMAIL($EMAILADD);
}

```



```
REGARDS FROM BEA3 TEAM</FONT></P><P CLASS="STYLE1" DIR="LTR" STYLE="MARGIN-TOP:0in;MARGIN-RIGHT:7.5pt; MARGIN-BOTTOM:0in;MARGIN-LEFT:7.5pt;MARGIN-BOTTOM:.0001pt;DIRECTION:LTR;UNICODE-BIDI:EMBED"><SPAN LANG="EN-US" STYLE="FONT-FAMILY:&quot;ARIAL&quot;,&quot;&quot;SANS-SERIF&quot;,&quot;&quot;&quot;A HREF="HTTP://1111.CO/"><SPAN LANG="EN-US" DIR="LTR" STYLE="FONT-SIZE:10.0pt; FONT-FAMILY:&quot;TAHOMA&quot;,&quot;&quot;SANS-SERIF&quot;,&quot;&quot;&quot;COLOR:#CC0000">
HTTP://1111.CO</SPAN></A></SPAN><SPAN DIR="LTR" STYLE="FONT-SIZE:12.0pt"><O:P></O:P></SPAN></P></TD></TR></TABLE></DIV><P CLASS="Ms0Normal"><O:P>&nbsp;&nbsp;&nbsp;</O:P></P>;
```

```
$HEADERS = "MIME-VERSION: 1.0" . "\r\n";
$HEADERS .= "CONTENT-TYPE:TEXT/HTML;CHARSET=ISO-8859-1" . "\r\n";
$HEADERS .= "FROM:" . $SMTP_FROM;
IF (MAIL($EMAILADD, $SUBJECT, $MESSAGE, $HEADERS)){
PRINT "<TR><TD><CENTER><B>ADMIN ACCOUNT HAS BEEN CREATED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=OWNERMANAGEMENT.PHP"></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR
SECONDS = 5; SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'OWNERMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>;
```

```
}
}
}
ELSE{
PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>DUPLICATE ENTRY.</B> </FONT><BR><BR>AN ADMIN USER WITH THAT
EMAIL ADDRESS OR USERNAME ALREADY EXIST.<BR><BR>
```

```
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='8'; URL=OWNERMANAGEMENT.PHP?ACTION=1'></NOSCRIPT>
<FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN ID='SECONDS'>8</SPAN>.<SCRIPT> VAR SECONDS = 8;
SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'OWNERMANAGEMENT.PHP?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>;
```

```
}
}
PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE{
```

```
PRINT "<CENTER>";
PRINT "<TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER>
<FIELDSET STYLE='WIDTH: 250px; ALIGN='CENTER'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".OWNER ACCOUNT
MANAGEMENT</B></FONT></LEGEND><TABLE WIDTH='200'><TR>
```

```
<TD ALIGN='CENTER'><A HREF='OWNERMANAGEMENT.PHP?ACTION=1'><IMG SRC='IMAGES/ADD.PNG' ALT='ADD OWNER'
WIDTH='50'></IMG></A><BR><B>ADD OWNER</B></TD>
</TR></TABLE></FIELDSET></CENTER></TD></TR></TABLE>";
PRINT "<BR><BR>";
```

```
$PAGE=$_GET['PAGE'];
IF($PAGE=="") $PAGE=1;
$EMAIL=$_GET['EMAIL'];
$SORTBY=$_GET['SORTBY'];
$OLDSORTBY=$_GET['OLDSORTBY'];
$ORDER=$_GET['ORDER'];
IF (($ORDER=="")||($SORTBY==$OLDSORTBY)) $NEWORDER="ASC";
ELSE{
IF ($ORDER=="ASC") $NEWORDER="DESC";
ELSE $NEWORDER="ASC";
}
```

```
$OLDSORTBY=$SORTBY;
$query="SELECT * FROM ADMIN_USER WHERE ADMIN_TYPE=2";
IF ($SORTBY=="") $query .= " ORDER BY $SORTBY $ORDER";
mysql_query($query);
$NUMBEROFRESULTS=mysql_num_rows(mysql_query($query));
$NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT);
$$SEARCHRESULT = mysql_query($query." LIMIT . ($PAGE-1)*$LIMIT . , $LIMIT");
IF ($NUMBEROFRESULTS!=0){
PRINT "<DIV CLASS='INSIDE'>
<TABLE WIDTH='750' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>
<TR><TH WIDTH='20%'><A HREF='OWNERMANAGEMENT.PHP?SORTBY=ADMIN_USERNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>USER
NAME</A></TH>
<TH WIDTH='30%'><A HREF='OWNERMANAGEMENT.PHP?SORTBY=ADMIN_EMAIL&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>EMAIL
ADDRESS</A></TH>
<TH WIDTH='15%'><A HREF='OWNERMANAGEMENT.PHP?SORTBY=ADMIN_FIRSTNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>FIRST
NAME</A></TH>
<TH WIDTH='15%'><A HREF='OWNERMANAGEMENT.PHP?SORTBY=ADMIN_LASTNAME&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>LAST
NAME</A></TH>
<TH WIDTH='10%'><A HREF='OWNERMANAGEMENT.PHP?
SORTBY=ADMIN_ISACTIVE&ORDER=$NEWORDER&OLDSORTBY=$OLDSORTBY'>STATUS</A></TH>
<TH WIDTH='10%'>ACTION</TH>;
PRINT "</TR>";
WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
$ii++;
$ADMINUSER_ID = $ROW['ADMIN_ID'];
IF ($ROW['ADMIN_ISACTIVE']==1)
$STATUSDisp = "Active";
ELSE
$STATUSDisp = "Inactive";
PRINT "<TR CLASS='D'.($i & 1).'\n'>";
PRINT "<TD><CENTER>". $ROW['ADMIN_USERNAME']. "</CENTER></TD>";
PRINT "<TD><CENTER>". $ROW['ADMIN_EMAIL']. "</CENTER></TD>";
PRINT "<TD><CENTER>". $ROW['ADMIN_FIRSTNAME']. "</CENTER></TD>";
PRINT "<TD><CENTER>". $ROW['ADMIN_LASTNAME']. "</CENTER></TD>";
PRINT "<TD><CENTER>$STATUSDisp</CENTER></TD>";
PRINT "<TD><CENTER>";
PRINT "<A HREF='OWNERMANAGEMENT.PHP?ACTION=2&ADMINUSER_ID=$ADMINUSER_ID'><IMG SRC='IMAGES/EDIT.GIF' TITLE='EDIT'
WIDTH='15'></IMG></A>";
PRINT "<A HREF='OWNERMANAGEMENT.PHP?ACTION=3&ADMINUSER_ID=$ADMINUSER_ID' ONCLICK='RETURN CONFIRM('ARE YOU SURE YOU
WANT TO DELETE ADMIN RECORD?')'><IMG SRC='IMAGES/DELETE.PNG' TITLE='DELETE' WIDTH='15'></IMG></A>";
PRINT "</CENTER></TD></TR>\n";
}
PRINT "</TABLE><BR><BR>";
IF ($NUMBEROFPAGES>1){
$NAV="";
FOR($j = 1 ; $j <= $NUMBEROFPAGES ; $j++) {
```



```

<TR><TD ALIGN='LEFT'><INPUT TYPE='PASSWORD' NAME='CURPASS' SIZE='30'></TD></TR>
<TR><TD ALIGN='LEFT'>New PASSWORD:</TD></TR><TR><TD></TD></TR></TR>
<TR><TD ALIGN='LEFT'><INPUT TYPE='PASSWORD' NAME='NEWPASS' SIZE='30'></TD></TR>
<TR><TD ALIGN='LEFT'>CONFIRM New PASSWORD:</TD></TR><TR><TD></TD></TR></TR>
<TR><TD ALIGN='LEFT'><INPUT TYPE='PASSWORD' NAME='CONFPASS' SIZE='30'></TD></TR>
<TR><TD><BR></TD></TR><TR><TD ALIGN='LEFT'> PASSWORD CHANGE VERIFICATION CODE: </TD></TR>
<TR><TD ALIGN='LEFT'> &nbsp; &nbsp; &nbsp; <IMG ID='SIMAGE' STYLE='PADDING-RIGHT: 5PX; BORDER: 0' WIDTH='165' SRC='../SECURIMAGE/SECURIMAGE_SHOW.PHP?SID=<?PHP
ECHO MD5(TIME()) ?>'>?>?>
<A TABINDEX="-1" STYLE="BORDER-STYLE: NONE" HREF="#" TITLE="REFRESH IMAGE" ONCLICK="DOCUMENT.GETELEMENTBYID('SIMAGE').SRC =
../SECURIMAGE/SECURIMAGE_SHOW.PHP?SID=' + MATH.RANDOM(); RETURN FALSE">
<?PHP PRINT "<IMG SRC='../SECURIMAGE/IMAGES/REFRESH.GIF' ALT='RELOAD IMAGE' BORDER='0' ONCLICK='THIS.BLUR()' ALIGN='BOTTOM' /></A></TD></TR>
<TR><TD COLSPAN='2'> &nbsp; &nbsp; <INPUT TYPE='TEXT' NAME='CODE' SIZE='6'> <FONT SIZE='1' COLOR='#0341CC'> &LAQUO; PLEASE ENTER PASSWORD CHANGE
VERIFICATION CODE HERE. </FONT></TD></TR>
<TR><TD COLSPAN='2'><BR><BR><CENTER><INPUT TYPE='SUBMIT' NAME='SUBMIT' VALUE='SUBMIT' CLASS='INPUTBUTTON'></TD></TR>
</FORM>;
}
PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE></CENTER>";
} //END OF $ADMIN_VALID
ELSE {
PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
} //END OF ELSE
?>
</TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHT.PANEL.PHP"; ?>
ADMIN/PENDING TRANSFERS.PHP
<?PHP INCLUDE "LEFT.PANEL.PHP";
$IMAGEDIRECTORY="../IMAGES/CATEGORY";
$IMAGEARADIRECTORY="../IMAGES_ARA/CATEGORY";
?>
<TD VALIGN="TOP"><TABLE ID="CONTENTS CENTER"><TR><TD CLASS="CENTERMAIN">
<?PHP
$LIMIT = 20;
IF ($ADMIN_VALID==1){
$CATEGORY_ID=$ _GET['CATEGORY_ID'];
$PAGE=$ _GET["PAGE"];
IF($PAGE == "") $PAGE=1;
PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT COLOR='#1c43a6'><B>$USERNAME!
</B></FONT></TD>
<TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>Today IS <FONT COLOR='#1c43a6'><B>".DATE("L, F J, Y")."</B></FONT></B></FONT></TD></TR></TABLE>";
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 730PX;' ALIGN='CENTER'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>."PENDING BANK
TRANSFERS</B></FONT></LEGEND>
<DIV CLASS='RESULTS'><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
$QUERY = "SELECT * FROM BANK_TRANSFER,BANK_CUSTOMER,ADMIN_USER WHERE ADMIN_USER.ADMIN_ID=BANK_TRANSFER.ADMIN_ID AND BANK.BANK_ID=BANK_TRANSFER.BANK_ID
AND CUSTOMER.CUSTOMER_ID=BANK_TRANSFER.CUSTOMER_ID AND BANKTRANSFER_STATUS='0'";
MYSQL_QUERY($QUERY);
$NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
$NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
$searchResult = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
PRINT "<BR><BR>";
IF ($NUMBEROFRESULTS!=0){
PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='700' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>";
PRINT "<TR><TH WIDTH='30%'>BANK NAME</TH>
<TH WIDTH='10%'>CUSTOMER NAME</TH>
<TH WIDTH='20%'>CUSTOMER BANK</TH>
<TH WIDTH='10%'>AMOUNT TRANSFERRED</TH>
<TH WIDTH='20%'>TRANSFER DATE</TH>
<TH WIDTH='10%'>ADMIN ASSIGNED</TH></TR>";
WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
$++++;
$AMOUNT=NUMBER_FORMAT($ROW['BANKTRANSFER_AMOUNT'],2);
PRINT "<TR CLASS='\d'."($i & 1)."\">";
PRINT "<TD><CENTER>". $ROW['BANK_NAME']." </CENTER></TD>";
PRINT "<TD><CENTER>". $ROW['CUSTOMER_DEPOSITORNAME']." </CENTER></TD>";
PRINT "<TD><CENTER>". $ROW['CUSTOMER_BANKNAME']." </CENTER></TD>";
PRINT "<TD><CENTER>$AMOUNT</CENTER></TD>";
PRINT "<TD><CENTER>". $ROW['BANKTRANSFER_DATE']." </CENTER></TD>";
PRINT "<TD><CENTER>". $ROW['ADMIN_USER_NAME']." </CENTER></TD>";
PRINT "</TR>\n";
}
PRINT "</TABLE>";
IF ($NUMBEROFPAGES>1){
$NAV="";
FOR($j = 1 ; $j <= $NUMBEROFPAGES ; $j++) {
IF($j == $PAGE)
$NAV .= "<B>$j</B>";
ELSE
$NAV .= "&nbsp;<A HREF='\"PENDING TRANSFERS.PHP?PAGE=$j'\">$j</A>&nbsp; ";
}
PRINT "<CENTER><BR><BR>$NAV</CENTER><BR><BR>";
}
PRINT "</DIV></DIV>";
}
ELSE{
PRINT "<CENTER><TABLE WIDTH='700'><TR><TD WIDTH='500' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 300PX;' ALIGN='CENTER'><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>
<TR><TD><CENTER><FONT COLOR='RED'><B>No PENDING BANK TRANSFER RECORDS EXIST.</B></FONT><BR><BR></TD></TR>
</TABLE></DIV></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
}

```

```

    PRINT "</FIELDSET></CENTER></TD></TR></TR></TR></TR></TR></TR></TABLE>";
    PRINT "<P ALIGN='RIGHT'><A HREF='BankTransfer.php'><IMG SRC='IMAGES/BACK.PNG' WIDTH='30' HEIGHT='30'></A></P>";
  }
  ELSE {
    PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
  }
?>
<BR></TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHTPANEL.PHP";    ?>

```

Admin/REJECTEDTRANSFERS.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
$IMAGEDIRECTORY="./IMAGES/CATEGORY";
$IMAGEARADIRECTORY="./IMAGES_ARA/CATEGORY";
?>
<TD VALIGN="TOP"><TABLE ID="CONTENTS CENTER"><TR><TD CLASS="CENTER MAIN">
<?PHP
  $LIMIT = 100;
  $ACTION=$_GET['ACTION'];
  IF ($ADMIN_VALID==1){
    $CATEGORY_ID=$_GET['CATEGORY_ID'];
    $PAGE=$_GET['PAGE'];
    IF($PAGE == "") $PAGE=1;
    PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT COLOR='#1c43a6'><B> $USERNAME!

</B></FONT></TD>
    <TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>TODAY IS <FONT COLOR='#1c43a6'><B>".DATE("L, F, Y")."</B></FONT></B></FONT></TD></TR></TABLE>";
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
    <BR><CENTER><FIELDSET STYLE='WIDTH: 500PX; ALIGN='CENTER'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".REJECTED BANK
TRANSFERS</B></FONT></LEGEND>
    <DIV CLASS='RESULTS'><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
    IF (ISSET($_POST['VIEW'])) {
      $BANK_ID=$_POST['BANK'];
      $FROMDATE = ISSET($REQUEST["FROMDATE"]) ? $REQUEST["FROMDATE"] : "";
      $TODATE = ISSET($REQUEST["TODATE"]) ? $REQUEST["TODATE"] : "";
    }
    ELSE IF ($ACTION==1){
      $FROMDATE = $_GET['FROM'];
      $TODATE = $_GET['TO'];
      $EMAIL = $_GET['EMAIL'];
      $OPERATOR = $_GET['OP'];
    }
    ELSE {
      $FROMDATE = $DATEONLY;
      $TODATE = $DATEONLY;
    }
    IF ($BANK_ID!="")
      $QUERY = "SELECT * FROM BANK_TRANSFER,BANK,CUSTOMER,ADMIN_USER WHERE ADMIN_USER.ADMIN_ID=BANK_TRANSFER.ADMIN_ID AND
      BANK.BANK_ID=BANK_TRANSFER.BANK_ID AND CUSTOMER.CUSTOMER_ID=BANK_TRANSFER.CUSTOMER_ID AND BANKTRANSFER_STATUS='2' AND BANK_TRANSFER.BANK_ID='$BANK_ID' AND
      CAST(BANKTRANSFER_ACCEPTDATE AS DATE) BETWEEN '$FROMDATE' AND DATE_ADD('$TODATE',INTERVAL 1 DAY)";
    ELSE
      $QUERY = "SELECT * FROM BANK_TRANSFER,BANK,CUSTOMER,ADMIN_USER WHERE ADMIN_USER.ADMIN_ID=BANK_TRANSFER.ADMIN_ID AND
      BANK.BANK_ID=BANK_TRANSFER.BANK_ID AND CUSTOMER.CUSTOMER_ID=BANK_TRANSFER.CUSTOMER_ID AND BANKTRANSFER_STATUS='2' AND CAST(BANKTRANSFER_ACCEPTDATE AS DATE) BETWEEN '$FROMDATE'
      AND DATE_ADD('$TODATE',INTERVAL 1 DAY)";
    PRINT "<FORM NAME='DATERANGE' METHOD='POST' ACTION='REJECTEDTRANSFERS.PHP'>
    <TR><TD ALIGN='CENTER'><B>FROM DATE : </B>&nbsp;&nbsp;&nbsp;<BR>";
    FUNCTION GETDAYSINWEEK ($WEEKNUMBER, $YEAR, $DAYSTART = 1) {
      $TIME = STRTOTIME($YEAR . '0104 +' . ($WEEKNUMBER - 1).' WEEKS');
      $DAYTIME = STRTOTIME('-' . (DATE('W', $TIME) - $DAYSTART) . ' DAYS', $TIME);
      $DAYTIMES = ARRAY ();
      FOR ($i = 0; $i < 7; ++$i) {
        $DAYTIMES[$i] = STRTOTIME('+ ' . $i . ' DAYS', $DAYTIME);
      }
      RETURN $DAYTIMES;
    }
    $THISWEEK = DATE('W');
    $THISYEAR = DATE('Y');
    $DAYTIMES = GETDAYSINWEEK($THISWEEK, $THISYEAR);
    $DATE1 = DATE('Y-M-D', $DAYTIMES[0]);
    $DATE2 = DATE('Y-M-D', $DAYTIMES[(sizeof($DAYTIMES)-1)]);
    $FROMDATE="*$FROMDATE*";
    $YEAR1=EXTRACTBETWEENDELIMITERS($FROMDATE, "*", "-");
    $MONTH1=EXTRACTBETWEENDELIMITERS($FROMDATE, "-", "-");
    $DAY1=EXTRACTBETWEENDELIMITERS($FROMDATE, "-", "*");
    $DAY1 = "$DAY1*";
    $DAY1=EXTRACTBETWEENDELIMITERS($DAY1, "-", "*");
    $TODATE="*$TODATE*";
    $YEAR2=EXTRACTBETWEENDELIMITERS($TODATE, "*", "-");
    $MONTH2=EXTRACTBETWEENDELIMITERS($TODATE, "-", "-");
    $DAY2=EXTRACTBETWEENDELIMITERS($TODATE, "-", "*");
    $DAY2 = "$DAY2*";
    $DAY2=EXTRACTBETWEENDELIMITERS($DAY2, "-", "*");
    $FROMDATE = EXTRACTBETWEENDELIMITERS($FROMDATE, "*", "*");
    $TODATE = EXTRACTBETWEENDELIMITERS($TODATE, "*", "*");
    $MYCALENDAR = NEW TC_CALENDAR("FROMDATE", TRUE);
    $MYCALENDAR->SETICON("CALENDAR/IMAGES/ICONCALENDAR.GIF");
    //$MYCALENDAR->SETDATE(DATE('d', STRTOTIME($DATE1)), DATE('M', STRTOTIME($DATE1)));
    $MYCALENDAR->SETDATE($DAY1, $MONTH1, $YEAR1);
    $MYCALENDAR->SETPATH("CALENDAR/");
    $MYCALENDAR->SETYEARINTERVAL(1970, 2020);
    $MYCALENDAR->SETALIGNMENT('LEFT', 'BOTTOM');
    $MYCALENDAR->SETDATEPAIR('FROMDATE', 'TODATE', $DATE2);
    $MYCALENDAR->WRITESCRIPT();

```



```

<TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>TODAY IS <FONT COLOR='#1c43a6'><B>".DATE("L, F J, Y")."</B></FONT></B></FONT></TD></TR></TABLE>";
PRINT "<TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER><FIELDSET STYLE='WIDTH: 700px;'>
<LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>".DATABASE BACKUP</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE WIDTH='700' STYLE='TABLE-LAYOUT: FIXED;'>";
IF ($ACTION==1){
    $ID=$_GET['ID'];
    IF ($ID==NULL){
        PRINT("<SCRIPT TYPE='TEXT/JAVASCRIPT'>WINDOW.ALERT('YOU HAVE NOT PROVIDED A BACKUP TO RESTORE.')ADMIN/STOCKS.PHP
<?PHP INCLUDE "LeftPanel.php"; ?>

```

```

<TD VALIGN="TOP"><TABLE ID="CONTENTS CENTER"><TR><TD CLASS="CENTER MAIN">
<?PHP
    IF ($ADMIN_VALID==1){
        PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT COLOR='#1c43a6'><B> $USERNAME!
</B></FONT></TD>
        <TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>TODAY IS <FONT COLOR='#1c43a6'><B>".DATE("L, F, Y")."</B></FONT></B></FONT></TD></TR></TABLE>
        <CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR>
        <TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
        <LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>".STOCKS REPORTS</B></FONT></LEGEND>
        <DIV CLASS='REPORTS'><TABLE WIDTH='450'>
        <TR><TD ALIGN='CENTER'><BR><A HREF='STOCKSINHAND.PHP'><IMG SRC='IMAGES/AVAILABLE.GIF' WIDTH='75' HEIGHT='75'> <BR> STOCKS IN HAND</A></TD>
        <TD ALIGN='CENTER'><BR><A HREF='OUTOFSTOCK.PHP'><IMG SRC='IMAGES/OUTOFSTOCK.JPG' WIDTH='75' HEIGHT='75'> <BR> OUT OF STOCK</A></TD></TR>
        <TR><TD><BR></TD></TR></TABLE></DIV></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
    }
    ELSE {
        PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
        PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
    }
?>
<BR></TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHT.PANEL.PHP";
    ?>

```

Admin/StocksInHand.PHP

```

<?PHP INCLUDE "LEFT.PANEL.PHP";
$IMAGE_DIRECTORY="./IMAGES/CATEGORY";
$IMAGE_ARA_DIRECTORY="./IMAGES_ARA/CATEGORY";
?>
<TD VALIGN="TOP"><TABLE ID="CONTENTS CENTER"><TR><TD CLASS="CENTER MAIN">
<?PHP
    $LIMIT = 20;
    $ACTION=$_GET['ACTION'];
    IF ($ADMIN_VALID==1){
        $CATEGORY_ID=$_GET['CATEGORY_ID'];
        $PAGE=$_GET['PAGE'];
        IF($PAGE == "") $PAGE=1;
        PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT COLOR='#1c43a6'><B> $USERNAME!
</B></FONT></TD>
        <TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>TODAY IS <FONT COLOR='#1c43a6'><B>".DATE("L, F, Y")."</B></FONT></B></FONT></TD></TR></TABLE>";
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
        <BR><CENTER><FIELDSET STYLE='WIDTH: 720PX;' ALIGN='CENTER'><LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>".STOCK IN HAND</B></FONT></LEGEND>
        <DIV CLASS='RESULTS'><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
        PRINT "<TR><TD ALIGN='RIGHT'><FORM METHOD='GET' ID='FILTER' ACTION='STOCKSINHAND.PHP' /><B>CATEGORY: </B>&nbsp;<SELECT NAME='CATEGORY_ID'
ID='CATEGORY_ID' STYLE='WIDTH: 200PX;' ONCHANGE='DOCUMENT.GETELEMENTBYID(\"FILTER\").SUBMIT();\"); />";
        $GETLASTSUB=MYSQ_QUERY("SELECT DISTINCT (ITEM.CATEGORY_ID),CATEGORY_NAME FROM ITEM,CATEGORY WHERE CATEGORY.CATEGORY_ID=ITEM.CATEGORY_ID");
        IF ($ACTION==1){
            $ITEM_ID = $_GET['id'];
            $QUERY=MYSQ_QUERY("UPDATE ITEM SET ITEM_STOCKSTATUS=0 WHERE ITEM_ID='$ITEM_ID'");
        }
        IF ($ACTION==2){
            $ITEM_ID = $_GET['id'];
            $QUERY=MYSQ_QUERY("UPDATE ITEM SET ITEM_STOCKSTATUS=1 WHERE ITEM_ID='$ITEM_ID'");
        }
        IF ($CATEGORY_ID!=""){
            $GETCAT = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'");
            $ROWCAT = MYSQL_FETCH_ARRAY($GETCAT);
            $ID=$ROWCAT['CATEGORY_ID'];
            $NAME=$ROWCAT['CATEGORY_NAME'];
            PRINT "<OPTION VALUE='$ID'>$NAME</OPTION>";
            PRINT "<OPTION VALUE=''>All</OPTION>";
        }
        ELSE PRINT "<OPTION VALUE=''>All</OPTION>";
        WHILE($ROWLASTSUB=MYSQL_FETCH_ARRAY($GETLASTSUB)){
            $CATEGORY = $ROWLASTSUB['CATEGORY_ID'];
            $CATEGORY_NAME = $ROWLASTSUB['CATEGORY_NAME'];
            PRINT "<OPTION VALUE='$CATEGORY'>$CATEGORY_NAME</OPTION>";
        }
        PRINT "</SELECT></FORM></TD></TR></TABLE>";
        IF ($CATEGORY_ID!="")
            $QUERY = "SELECT ITEM.ITEM_ID, ITEM.ITEM_NAME, CATEGORY.CATEGORY_NAME, ITEM.ITEM_STOCKLEVEL, CATEGORY.CATEGORY_ID, (SELECT COUNT(*) FROM STOCKS WHERE
STOCKS.ITEM_ID=ITEM.ITEM_ID AND
STOCKS.SOLD_STATUS=0) AS OutOfStock, ITEM.ITEM_STOCKSTATUS FROM CATEGORY INNER JOIN ITEM ON CATEGORY.CATEGORY_ID = ITEM.CATEGORY_ID WHERE
ITEM.CATEGORY_ID='$CATEGORY_ID' AND ITEM.ITEM_ISACTIVE = 1 AND (
ITEM.ITEM_STOCKLEVEL<(SELECT COUNT(*) FROM STOCKS WHERE STOCKS.ITEM_ID=ITEM.ITEM_ID AND STOCKS.SOLD_STATUS=0)) ORDER BY OutOfStock,
CATEGORY.CATEGORY_NAME, ITEM.ITEM_NAME";
        ELSE $QUERY = "SELECT ITEM.ITEM_ID, ITEM.ITEM_NAME, CATEGORY.CATEGORY_NAME, ITEM.ITEM_STOCKLEVEL, CATEGORY.CATEGORY_ID, (SELECT COUNT(*) FROM STOCKS WHERE
STOCKS.ITEM_ID=ITEM.ITEM_ID AND
STOCKS.SOLD_STATUS=0) AS OutOfStock, ITEM.ITEM_STOCKSTATUS FROM CATEGORY INNER JOIN ITEM ON CATEGORY.CATEGORY_ID = ITEM.CATEGORY_ID WHERE
ITEM.ITEM_ISACTIVE = 1 AND (
ITEM.ITEM_STOCKLEVEL<(SELECT COUNT(*) FROM STOCKS WHERE STOCKS.ITEM_ID=ITEM.ITEM_ID AND STOCKS.SOLD_STATUS=0)) ORDER BY OutOfStock,
CATEGORY.CATEGORY_NAME, ITEM.ITEM_NAME";
        MYSQL_QUERY($QUERY);
        $NUMBEROFRESULTS=MYSQ_NUM_ROWS(MYSQ_QUERY($QUERY));
        $NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
        $$SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
        PRINT "<BR><BR>";
        IF ($NUMBEROFRESULTS!=0){
            PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='700' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>";
            PRINT "<TR><TH WIDTH='25%'>CATEGORY NAME</TH>
            <TH WIDTH='25%'>ITEM NAME</TH><TH>STOCK STATUS</TH><TH>DATE LAST UPLOADED</TH>";
            WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
                $i++;
                $ITEM_ID=$ROW['ITEM_ID'];

```

```

$GETTIME = MYSQL_QUERY("SELECT * FROM STOCKS WHERE ITEM_ID='$ITEM_ID' ORDER BY STOCK_ID DESC LIMIT 1");
$ROWTIME = MYSQL_FETCH_ARRAY($GETTIME);
$STOCKSTATUS = $ROW['ITEM_STOCKSTATUS'];
IF ($STOCKSTATUS==0)
    $STOCKSTATUSDISPLAY = "Inactive";
ELSE
    $STOCKSTATUSDISPLAY = "Active";
PRINT "<tr class='\"d\"'.{\$ & 1}.\"\"";
PRINT "<td><center>\". $ROW['CATEGORY_NAME'].\"</center></td>\"";
PRINT "<td><center>\". $ROW['ITEM_NAME'].\"</center></td>\"";
PRINT "<td><center>$STOCKSTATUSDISPLAY</center></td>\"";
PRINT "<td><center>\". $ROWTIME['STOCK_TIME'].\"</center></td>\"";
PRINT "<td><center>\". $ROW['OutOfStock'].\"</center></td>\"";
IF ($STOCKSTATUS==1)
    PRINT "<td><center><a href='\"StocksInHand.php?action=1&id=$ITEM_ID\">Deactivate</a></center></td>\"";
ELSE
    PRINT "<td><center><a href='\"StocksInHand.php?action=2&id=$ITEM_ID\">Activate</a></center></td>\"";
PRINT "<td><center><a href='\"javascript:void(0);\" name='\"upload\"' title='\"Upload Item Stocks\" onClick='\"window.open(\"\"uploadItem.php?
id=$ITEM_ID','rating','width=540,height=240,0,status=0,scrollbars=1,left=150,top=200');\" fill='\"\"\">Fill</a></center></td>\"";
PRINT "</tr>\n\";
}
PRINT "</table>\";
IF ($NUMBEROFPages>1){
$Nav="\";
FOR($j = 1 ; $j <= $NUMBEROFPages ; $j++) {
IF($j == $PAGE)
$Nav .= "<b>$j</b>\";
ELSE
$Nav .= "&nbsp;<a href='\"StocksInHand.php?page=$j&category_id=$CATEGORY_ID \">$j</a>&nbsp; \";
}
PRINT "<center><br><br>$Nav</center><br><br></div></div>\";
}
PRINT "</fieldset></center></td></tr><tr><td><br><br></td></tr></table>\";
PRINT "<p align='right'><a href='\"Stocks.php\"><img src='\"images/back.png\" width='\"30\"' height='\"30\"'></a></p>\";
}
ELSE {
PRINT "<center><table width='\"500\"'><tr><td width='\"500\"' valign='\"top\">
<br><center><fieldset style='\"width: 500px;\" align='\"center\"'><div class='\"results\">
<table align='\"center\"' style='\"table-layout: fixed;\"><tr><td><br></td></tr>
<tr><td><center><font color='\"red\"'><b>No Stock In Hand Record Exists.</b></font><br><br>
</table></fieldset></center></td></tr><tr><td><br><br></td></tr></table>\";
}
ELSE {
PRINT "<center><br><font color='\"red\"' size='\"3\"'><b>Access Denied!</b></font></center>\";
PRINT "<meta http-equiv='\"refresh\"' content='\"1\"; url='\"index.php\"'>\";
?>
<br></td></tr></table></td>
<?PHP INCLUDE \"RightPanel.php\"; ?>
}

```

```

}
ELSE {
PRINT "<center><table width='\"500\"'><tr><td width='\"500\"' valign='\"top\">
<br><center><fieldset style='\"width: 500px;\" align='\"center\"'><div class='\"results\">
<table align='\"center\"' style='\"table-layout: fixed;\"><tr><td><br></td></tr>
<tr><td><center><font color='\"red\"'><b>No Stock In Hand Record Exists.</b></font><br><br>
</table></fieldset></center></td></tr><tr><td><br><br></td></tr></table>\";
}
ELSE {
PRINT "<center><br><font color='\"red\"' size='\"3\"'><b>Access Denied!</b></font></center>\";
PRINT "<meta http-equiv='\"refresh\"' content='\"1\"; url='\"index.php\"'>\";
?>
<br></td></tr></table></td>
<?PHP INCLUDE \"RightPanel.php\"; ?>
}

```

Admin/SuperAdminHome.php

```

<?PHP INCLUDE \"LeftPanel.php\"; ?>
<td valign='\"top\">
<table id='\"contentsCenter\">
<tr><td class='\"centerMain\">
<?PHP
$COUNT=1;
$COMPLETED=$_SESSION['COMPLETED'];
IF ($ADMIN_VALID==1){
PRINT "<br><table width='\"760\"'><tr><td align='\"left\"'><font color='\"black\"'><b>Welcome </b></font><font
color='\"#1c43a6\"'><b>$USERNAME!</b></font></td>
<td align='\"right\"'><font color='\"black\"'><b>Today is <font color='\"#1c43a6\"'><b>\".date(\"L, F ,,
Y\").\"</font></b></font></td></tr></table>\";
PRINT "<center><table width='\"760\"'><tr><td align='\"center\"'><br></td></tr>
<tr><td width='\"730\"' valign='\"top\"'><center><fieldset style='\"width: 700px;\" align='\"center\"'>
<legend align='\"center\"'><font color='\"#0707ab\"' size='\"3\"'><b>Site Settings

```

MANAGEMENT

```

<div class='\"icons\"'><table width='\"650\"' align='\"center\"'>
IF (($is_COMPLETED==0)&&($COMPLETED==1)){
PRINT "<tr><td><br></td></tr><tr><td><center><font color='\"red\"'><b>Profile Not Yet Completed.</b>
</font><br><br><b>PLEASE FILL UP ALL NECESSARY DATA FIRST.<br><br>
<noscript><meta http-equiv='\"refresh\"' content='\"5\"; url='\"updateProfile.php\"'></noscript>
<font color='\"blue\"'>You will be redirected back in <span id='\"seconds\"'>5</span>. <script> var seconds = 5;
SETInterval( function(){ if (seconds <= 1) { window.location = 'updateProfile.php'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000);
</script></font></center></td></tr>\";
}
ELSE {
PRINT "<tr><td width='\"30%\"'><br></td><td></td></tr><tr><td align='\"left\"' colspan='\"2\"'><b>ADMIN PANEL GUID
LINES</b><br><br><b>PLEASE NOTE THAT ALL OF THE FUNCTIONALITY OF THIS ADMIN PANEL IS AVAILABLE THROUGH LEFT HAND SIDE LINKS.</td></tr>
<tr><td colspan='\"2\"'><br><br><hr /></td></tr>
<tr><td colspan='\"2\"' align='\"left\"'><b>WEBSITE SETTINGS</b><br><br></td></tr><form name='\"siteSettings\"'
METHOD='\"POST\"' ACTION='\"AdminHome.php\"'>
IF (isset($_POST['save'])) {
$error=0;
$query=MYSQL_QUERY("SELECT * FROM site_settings");
while($row=MYSQL_FETCH_ARRAY($query)){
$name=$row['setting_name'];
$value=$_POST[$name];
$query2=MYSQL_QUERY("UPDATE site_settings SET setting_value='\"$value\"' WHERE

```

```

SETTING_NAME='\"$NAME\"');
IF (!$QUERY2) $error++;

```



```
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'>
  <LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".DELETE SYSTEM ADMIN ACCOUNT</B></FONT></LEGEND><DIV CLASS='RESULTS'>
  <TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
  IF(!$QUERY){
    PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE DELETING YOUR
DATA.<BR><BR>
    <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=SysAdManagement.php?</NOSCRIPT>
    <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; setInterval( function(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'SysAdManagement.php'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000) ; </SCRIPT></FONT></CENTER></TD></TR>";
  } ELSE {
    PRINT "<TR><TD><CENTER><B>1 RECORD SUCCESSFULLY DELETED.</B><BR><BR>
    <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=SysAdManagement.php?</NOSCRIPT>
    <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; setInterval( function(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'SysAdManagement.php'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000) ; </SCRIPT></FONT></CENTER></TD></TR>";
  }
  PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
ELSE IF (ISSET($_POST['ADD'])) {
  $ERROR1=0;
  $UNAME = $_POST['ADMIN_USERNAME'];
  $EMAILADD = $_POST['ADMIN_EMAIL'];
  $IQAMA = $_POST['ADMIN_IQAMA'];
  $EMAILCHECK=CHECKEMAIL($EMAILADD);
  PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'>
  <LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".ADD ADMIN USER</B></FONT></LEGEND><DIV CLASS='RESULTS'>
  <TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
  IF (($EMAILADD=="")||($UNAME=="")||($IQAMA=="")) {
    PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>REQUIRED FIELDS ERROR.</B> </FONT><BR><BR>PLEASE FILL OUT ALL REQUIRED
FIELDS.<BR><BR>
    <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=SysAdManagement.php?ACTION=1'></NOSCRIPT>
    <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; setInterval( function(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'SysAdManagement.php?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000) ;
</SCRIPT></FONT></CENTER></TD></TR>";
  } ELSE IF ($EMAILCHECK==0) {
    PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B> INVALID EMAIL ADDRESS!</B> </FONT><BR><BR>PLEASE ENTER A VALID EMAIL
ADDRESS.<BR><BR>
    <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=SysAdManagement.php?ACTION=1'></NOSCRIPT>
    <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; setInterval( function(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'SysAdManagement.php?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000) ;
</SCRIPT></FONT></CENTER></TD></TR>";
  } ELSE {
    $CHECKQUERY=MYSQL_QUERY("SELECT * FROM ADMIN_USER WHERE ADMIN_USERNAME='$UNAME' OR ADMIN_EMAIL='$EMAILADD'");
    $COUNTEMAIL=MYSQL_NUM_ROWS($CHECKQUERY);
    IF ($COUNTEMAIL==0) {
      $IDQUERY=MYSQL_QUERY("SELECT ADMIN_ID FROM ADMIN_USER ORDER BY ADMIN_ID DESC LIMIT 1");
      $IDROW=MYSQL_FETCH_ARRAY($IDQUERY);
      $LAST_ID=$IDROW[0];
      $NEW_ID=$LAST_ID+1;
      $PWD = GENERATEPASSWORD(8);
      $SALT = SHA1(MD5($PWD));
      $PWD_ENC = MD5($PWD.$SALT);
      $INSERT=MYSQL_QUERY("INSERT INTO ADMIN_USER
(ADMIN_ID,ADMIN_USERNAME,ADMIN_EMAIL,ADMIN_PASSWORD,ADMIN_TYPE,ADMIN_IQAMA) VALUES ('$NEW_ID','$UNAME','$EMAILADD','$PWD_ENC','$ATYPE','$IQAMA')");
      IF (!$INSERT) {
        PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B> </FONT><BR><BR>AN ERROR OCCURED
WHILE INSERTING DATA.<BR><BR>
    <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=SysAdManagement.php?ACTION=1'></NOSCRIPT>
    <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
setInterval( function(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'SysAdManagement.php?ACTION=1'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000) ;
</SCRIPT></FONT></CENTER></TD></TR>";
  }
  } ELSE {
    $SUBJECT = "Bea3.COM SYSTEM ADMIN ACCOUNT";
    $MESSAGE = "<HTML XMLNS:M='HTTP://SCHEMAS.MICROSOFT.COM/OFFICE/2004/12/OMML' XMLNS:V='URN:SCHEMAS-
MICROSOFT-COM:VML' XMLNS:O='URN:SCHEMAS-MICROSOFT-COM:OFFICE:OFFICE'><HEAD><STYLE TYPE='TEXT/CS'>
TABLE.MsoNormalTable {FONT-SIZE:10.0pt;FONT-FAMILY:'Times New
Roman','serif'; } P.MsoNormal {MARGIN-BOTTOM:0001pt; FONT-SIZE:11.0pt; FONT-FAMILY:'CALIBRI','SANS-SERIF';MARGIN-LEFT: 0in;MARGIN-RIGHT: 0in; MARGIN-TOP: 0in;} P
{MARGIN-RIGHT:0in; MARGIN-LEFT:0in; FONT-SIZE:12.0pt; FONT-FAMILY:'TIMES NEW ROMAN','SERIF';}A.LINK {COLOR:BLUE;TEXT-DECORATION:UNDERLINE;
TEXT-UNDERLINE:SINGLE;}SPAN.STYLE21 {FONT-FAMILY:'TAHOMA','SANS-SERIF'; }SPAN.STYLE31 {COLOR:BLACK;} .STYLE1 {TEXT-ALIGN: CENTER;} .STYLE4 {TEXT-ALIGN:
LEFT;} .STYLE5 {FONT-FAMILY: TAHOMA;FONT-SIZE: X-SMALL;TEXT-ALIGN: RIGHT;} .STYLE6 {BORDER-WIDTH: 0px;} .AUTO-STYLE1 { FONT-FAMILY: ARIAL, SANS-SERIF; COLOR: #103842;} .AUTO-STYLE2 { TEXT-
DECORATION: NONE; } .AUTO-STYLE3 {
FONT-FAMILY: ARIAL, SANS-SERIF; COLOR: #103842; FONT-SIZE: 11pt; } .AUTO-STYLE4 { COLOR: #103842; } .AUTO-STYLE5 {
FONT-FAMILY: TAHOMA; FONT-
SIZE: X-SMALL; TEXT-ALIGN: LEFT; } .AUTO-STYLE6 { TEXT-ALIGN: LEFT; FONT-FAMILY: TAHOMA, SANS-SERIF; } .AUTO-STYLE7 { TEXT-ALIGN: CENTER; FONT-FAMILY: TAHOMA, SANS-SERIF; } </STYLE></HEAD><DIV
ALIGN="CENTER"><TABLE CLASS="MsoNormalTable" BORDER="1" CELLSPACING="0" CELLPADDING="0" WIDTH="752" STYLE="width: 564.15pt; mso-cellspace: 0in; background: white; border: solid
black 1.0pt; mso-yfti-tbllook: 1184; mso-padding-alt: 0in 0in 0in 0in"><TR STYLE="mso-yfti-irrow:0;mso-yfti-firstrow:yes"><TD VALIGN="TOP" STYLE="border:none;padding:0in 0in 0in 0in"><DIV
ALIGN="LEFT"><TABLE CLASS="MsoNormalTable" DIR="LTR" BORDER="0" CELLSPACING="0" CELLPADDING="0" STYLE="border-collapse:collapse;mso-yfti-tbllook:1184;mso-padding-alt:0in 0in 0in
0in;mso-table-dir:bid"><TR STYLE="mso-yfti-irrow:0;mso-yfti-firstrow:yes;mso-yfti-lastrow:yes"><TD WIDTH="93" NOWRAP STYLE="width:70.0pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal"
ALIGN="CENTER" DIR="LTR" STYLE="text-align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN LANG="EN-US" STYLE="font-size:12.0pt;font-
family:&quot;Arial&quot;,&quot;Arial&quot;,&quot;sans-serif&quot;,&quot;color:black"><A HREF="http://1111.co/index.php"><STRONG><SPAN STYLE="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;Arial&quot;,&quot;sans-
serif&quot;,&quot;color:#103842;text-decoration:none;text-decoration:none">HOME</SPAN></STRONG></A></SPAN></STRONG><SPAN DIR="LTR" STYLE="font-
size:12.0pt"><O:P><O:P></SPAN></P></TD><TD WIDTH="136" NOWRAP STYLE="width:101.9pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal" ALIGN="CENTER" DIR="LTR" STYLE="text-
align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN LANG="EN-US" STYLE="font-size:12.0pt;font-family:&quot;Arial&quot;,&quot;Arial&quot;,&quot;sans-serif&quot;,&quot;color:black"><A
HREF="http://1111.co/HTB.php"><STRONG><SPAN STYLE="font-size:11.0pt;font-family:&quot;Arial&quot;,&quot;Arial&quot;,&quot;sans-serif&quot;,&quot;color:#103842;text-decoration:none;text-
underline:none">How to Buy</SPAN></STRONG></A></SPAN></STRONG><SPAN DIR="LTR" STYLE="font-size:12.0pt"><O:P><O:P></SPAN></P></TD><TD WIDTH="136" NOWRAP
STYLE="width:102.0pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal" ALIGN="CENTER" DIR="LTR" STYLE="text-align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN
LANG="EN-US" STYLE="font-size:12.0pt;font-family:&quot;Arial&quot;,&quot;Arial&quot;,&quot;sans-serif&quot;,&quot;color:black"><A HREF="http://1111.co/FAQs.php"><STRONG><SPAN STYLE="font-
size:12.0pt"><O:P><O:P></SPAN></P></TD><TD WIDTH="136" NOWRAP STYLE="width:101.9pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal" ALIGN="CENTER" DIR="LTR" STYLE="text-align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN
LANG="EN-US" STYLE="font-size:12.0pt;font-family:&quot;Arial&quot;,&quot;Arial&quot;,&quot;sans-serif&quot;,&quot;color:black"><A HREF="http://1111.co/FindLoc.php"><STRONG><SPAN STYLE="font-
size:11.0pt;font-family:&quot;Arial&quot;,&quot;Arial&quot;,&quot;sans-serif&quot;,&quot;color:#103842;text-decoration:none;text-decoration:none">FIND CARD
LOCATION</SPAN></STRONG></A></SPAN></STRONG><SPAN DIR="LTR" STYLE="font-size:12.0pt"><O:P><O:P></SPAN></P></TD><TD WIDTH="136" NOWRAP STYLE="width:101.9pt;padding:0in
```



```

        WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
            $i++;
            $ADMINUSER_ID = $ROW['ADMIN_ID'];
            IF ($ROW['ADMIN_ISACTIVE']==1)
                $STATUSDISP = "ACTIVE";
            ELSE
                $STATUSDISP = "INACTIVE";
            IF ($ROW['ADMIN_TYPE']==1)
                $TYPEDISP = "Yes";
            ELSE
                $TYPEDISP = "No";
            PRINT "<TR CLASS='D'.($i & 1).'\n'>";
            PRINT "<TD><CENTER>". $ROW['ADMIN_USER_NAME']. "</CENTER></TD>";
            PRINT "<TD><CENTER>". $ROW['ADMIN_EMAIL']. "</CENTER></TD>";
            PRINT "<TD><CENTER>". $ROW['ADMIN_FIRSTNAME']. "</CENTER></TD>";
            PRINT "<TD><CENTER>". $ROW['ADMIN_LASTNAME']. "</CENTER></TD>";
            PRINT "<TD><CENTER> $STATUSDISP </CENTER></TD>";
            PRINT "<TD><CENTER>";
            PRINT "<A HREF='SysAdManagement.php?action=2&AdminUser_ID=$ADMINUSER_ID'><IMG SRC='IMAGES/EDIT.GIF' TITLE='EDIT'
WIDTH='15'></IMG></A>";
            PRINT "<A HREF='SysAdManagement.php?action=3&AdminUser_ID=$ADMINUSER_ID' ONCLICK='\"RETURN CONFIRM('ARE YOU SURE YOU
WANT TO DELETE ADMIN RECORD?');\"><IMG SRC='IMAGES/DELETE.PNG' TITLE='DELETE' WIDTH='15'></IMG></A>";
            PRINT "</CENTER></TD></TR>\n";
        }
        PRINT "</TABLE><BR><BR>";
        IF ($NUMBEROFPages>1){
            $Nav="";
            FOR($j = 1 ; $j <= $NUMBEROFPages ; $j++) {
                IF($j == $PAGE) {
                    $Nav .= "<B>$j</B>";
                }
                ELSE{
                    $Nav .= "&nbsp;<A HREF='\"SysAdManagement.php?
PAGE=$j&sortBy=$sortBy&order=$order&oldSortBy=$oldSortBy\">$j </A>&nbsp;  ";
                }
            }
            PRINT "<CENTER> $Nav </CENTER><CENTER><BR></DIV>";
        }
    }
    ELSE{
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500px; HEIGHT: 50px; ALIGN='CENTER'><TABLE>";
        IF ($EMAIL==""){
            PRINT "<TR><TD><CENTER><BR><B><FONT COLOR='RED'>NO RECORDS
FOUND.</FONT></B></FONT></CENTER></TD></TR>";
        }
        ELSE{
            PRINT "<TR><TD><CENTER><BR><B>EMAIL ADDRESS <FONT COLOR='RED'>\"$EMAIL\"</FONT> NOT FOUND.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=CustomerManagement.php'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION() { IF (SECONDS <= 1) { WINDOW.LOCATION = 'CustomerManagement.php'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
        }
        PRINT "</TABLE></FIELDSET></CENTER></TD></TR><TD><BR><BR></TD></TR></TABLE>";
    }
}
}
ELSE {
    PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
}
?>
<BR></TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHTPanel.php";
?>
Admin/SysAdminHome.php
<?PHP INCLUDE "LEFTPanel.php"; ?>
<TD VALIGN="TOP"><TABLE ID="CONTENTS CENTER"><TR><TD CLASS="CENTER MAIN">
<?PHP
    $COUNT=1;
    $COMPLETED=$_SESSION['COMPLETED'];
    IF ($ADMIN_VALID==1){
        PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT
COLOR='#1c43a6'><B>$USERNAME!</B></FONT></TD>
        <TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>TODAY IS <FONT COLOR='#1c43a6'><B>".DATE("L, F, J,
Y")."</B></FONT></B></FONT></TD></TR></TABLE>";
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR>
        <TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER><FIELDSET STYLE='WIDTH: 700px; ALIGN='CENTER'>
        <LEGEND ALIGN='CENTER'><FONT COLOR='#0707ab' SIZE='3'><B>SYSTEM ADMIN HOME</B></FONT></LEGEND>
        <DIV CLASS='ICONS'><TABLE WIDTH='650' ALIGN='CENTER'>";
        IF (($IS_COMPLETED==0)&&($COMPLETED!=1)){
            PRINT "<TR><TD><BR></TD></TR><TR><TD><CENTER><FONT COLOR='RED'><B>PROFILE NOT YET COMPLETED.</B>
</FONT><BR><BR><B>PLEASE FILL UP ALL NECESSARY DATA FIRST.<BR><BR>
        <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=UpdateProfile.php'></NOSCRIPT>
        <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION() { IF
(SECONDS <= 1) { WINDOW.LOCATION = 'UpdateProfile.php'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
        }
        ELSE{
            PRINT "<BR><BR><TR><TD COLSPAN='2' ALIGN='LEFT'><B>WEBSITE SETTINGS</B><BR><BR></TD></TR>
            <TR><TD COLSPAN='2'><HR /><BR><BR></TD></TR><TR><TD COLSPAN='2'><FORM NAME='SITESETTINGS' METHOD='POST' ACTION='SysAdminHome.php'>";
            IF (ISSET($_POST['save'])) {
                $ERROR=0;
                $QUERY=MYSQL_QUERY("SELECT * FROM SITE_SETTINGS");
            }
        }
    }
}

```



```

<FONT COLOR='BLUE'>You will be redirected to Admin Home in <span id='seconds'>5</span>.</SCRIPT> VAR SECONDS = 5;
SETINTERVAL( FUNCTION(){ IF (SECONDS <= 1) { WINDOW.LOCATION = 'TICKETMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>;
}
}
PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
}
ELSE IF ($ACTION==1){
    $TICKET_ID=$_GET['TICKET_ID'];
    $UPDATEQUERY=MYSQ_QUERY("UPDATE TICKET_REQUEST SET ADMIN_ID='$ADMIN_ID' WHERE TICKETREQUEST_ID='$TICKET_ID'");
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".TICKET MANAGEMENT</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'>
<FORM NAME='TICKET' METHOD='POST' ACTION='TICKETMANAGEMENT.PHP' >";
    $QUERY=MYSQ_QUERY("SELECT * FROM TICKET_STATE,CUSTOMER,TICKET_REQUEST WHERE TICKET_REQUEST.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND
TICKET_REQUEST.TICKETSTATE_ID=TICKET_STATE.TICKETSTATE_ID AND TICKET_REQUEST.TICKETREQUEST_ID='$TICKET_ID'");
    $QUERY2=MYSQ_QUERY("SELECT * FROM TICKET_RESPONSE,TICKET_REQUEST WHERE TICKET_RESPONSE.TICKETREQUEST_ID=TICKET_REQUEST.TICKETREQUEST_ID
AND TICKET_REQUEST.TICKETREQUEST_ID='$TICKET_ID' ORDER BY TICKETRESPONSE_DATE");
    $ROW=MYSQ_FETCH_ARRAY($QUERY);
    $CUSTOMER_EMAIL=$ROW['CUSTOMER_EMAIL'];
    $STATUS=$ROW['TICKETSTATE_ID'];
    $STATUSDIS=$ROW['TICKETSTATE_NAME'];
    PRINT "<TR><TD><BR></TD></TR><TR><TD WIDTH='25%'><B>CUSTOMER EMAIL: </B></TD><TD ALIGN='LEFT'><FONT
COLOR='BLUE'><B>$CUSTOMER_EMAIL</FONT></B></TD></TR><TR><TD><BR></TD></TR>";
    WHILE ($ROW2=MYSQ_FETCH_ARRAY($QUERY2)){
        $REPLY=$ROW2['TICKETRESPONSE_TEXT'];
        $WHEN=$ROW2['TICKETRESPONSE_DATE'];
        $ISADMIN=$ROW2['ISADMIN'];
        PRINT "<TR><TD COLSPAN='2'><TABLE WIDTH='450' BORDER='1'>";
        IF ($ISADMIN==0){
            PRINT "<TR><TH ALIGN='LEFT'>Customer's Reply</TH></TR>";
        }
        ELSE{
            PRINT "<TR><TH ALIGN='LEFT'>Admin's Reply</TH></TR>";
        }
        PRINT "<TR><TD ALIGN='LEFT'>";
        IF ($ISADMIN==0)
            PRINT "TRANSACTION ID: <B>". $ROW2['TICKET_ISSUE']. "</B><BR>";
        PRINT "<BR>$REPLY<BR><BR>$WHEN<BR>";
        /*IF ($ISADMIN==1)
            PRINT "<BR>REPLY POSTED BY: <B>". $ROW['ADMIN_USERNAME']. "</B><BR>";*/
        PRINT "</TD></TR></TABLE></TD></TR>";
    }
    PRINT "<TR><TD><BR></TD></TR><TR><TD ALIGN='RIGHT'><B>DESCRIPTION:</B> &nbsp;  </TD><TD ALIGN='LEFT'><TEXTAREA NAME='REPLY'
ROWS='10' COLS='45' ONCHANGE='VALIDATEPRESENT(THIS, \INF_REPLY', TRUE);' /></TEXTAREA><FONT COLOR='RED' SIZE='2'> *</FONT></TD></TR>
<TR><TD></TD><TD ALIGN='LEFT' ID='INF_REPLY' CLASS='ERROR' ALIGN='LEFT'> &nbsp;  </TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'><B>STATUS:</B> &nbsp;  </TD><TD ALIGN='LEFT'><SELECT NAME='STATUS' STYLE='WIDTH: 150PX;'>
<OPTION VALUE='$STATUS'>$STATUSDIS</OPTION>";
    $STATUSQUERY=MYSQ_QUERY("SELECT * FROM TICKET_STATE");
    WHILE ($STATROW=MYSQ_FETCH_ROW($STATUSQUERY)){
        $STATE_ID=$STATROW[0];
        PRINT "<OPTION VALUE='$STATE_ID'>". $STATROW[1]. "</OPTION>";
    }
    PRINT "</TD></TR><TR><TD><BR><BR></TD></TR><TR><TD COLSPAN='2' ALIGN='CENTER'><INPUT TYPE='HIDDEN' NAME='TICKET_ID'
VALUE='$TICKET_ID'>
<INPUT TYPE='SUBMIT' NAME='EDIT' VALUE='EDIT' CLASS='INPUTBUTTON' ONCLICK='RETURN VALIDATEONSUBMIT()' /> &nbsp;  <INPUT TYPE='SUBMIT' NAME='CANCEL'
VALUE='CANCEL' CLASS='INPUTBUTTON' /></FORM></TD></TR>";
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
}
ELSE IF ($ACTION==2){
    PRINT "<BR><CENTER><FIELDSET STYLE='WIDTH: 500PX;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".TICKET MANAGEMENT</B></FONT></LEGEND><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT:
FIXED;'><TR><TD><BR></TD></TR>";
    $TICKET_ID=$_GET['TICKET_ID'];
    $QUERY=MYSQ_QUERY("DELETE FROM TICKET_REQUEST WHERE TICKETREQUEST_ID='$TICKET_ID'");
    IF(!$QUERY){
        PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>ERROR!</B> </FONT><BR><BR>AN ERROR OCCURED WHILE DELETING YOUR
DATA.<BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5; URL=TICKETMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <span id='seconds'>5</span>.</SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'TICKETMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
    }
    ELSE{
        PRINT "<TR><TD><CENTER><B>1 RECORD SUCCESSFULLY DELETED.</B><BR><BR>
<NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5; URL=TICKETMANAGEMENT.PHP'></NOSCRIPT>
<FONT COLOR='BLUE'>You will be redirected back in <span id='seconds'>5</span>.</SCRIPT> VAR SECONDS = 5; SETINTERVAL( FUNCTION(){ IF
(SECONDS <= 1) { WINDOW.LOCATION = 'TICKETMANAGEMENT.PHP'; } ELSE { DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
    }
    PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
}
}
ELSE{
    PRINT "<CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR><TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER>
<FIELDSET STYLE='WIDTH: 730PX;' ALIGN='CENTER'><LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".NEW TICKETS</B></FONT></LEGEND>";
    $PAGE=$_GET['PAGE'];
    IF($PAGE == "") $PAGE=1;
    $PAGE2=$_GET['PAGE2'];
    IF($PAGE2 == "") $PAGE2=1;
    $QUERY1="SELECT TICKET_REQUEST.TICKETREQUEST_ID FROM TICKET_REQUEST WHERE TICKET_REQUEST.ADMIN_ID='0' ORDER BY TICKETREQUEST_DATE";
    $NUMBEROFRESULTS=MYSQ_NUM_ROWS(MYSQ_QUERY($QUERY1));
    $NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
    $SEARCHRESULT = MYSQ_QUERY($QUERY1." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
    IF ($NUMBEROFRESULTS!=0){

```

```

PRINT "<div class='inside'><br><br><table width='725' align='center' style='table-layout: fixed;'>";
PRINT "    <tr><th width='30%'>Customer Login Id</th><th width='15%'>Customer Name</th><th
width='15%'>Transaction ID</th><th>Ticket State</th><th width='11%'>Date Time</th><th width='10%'>Admin</th><th width='7%'>Action</th></tr>";
    WHILE ($ROW = MYSQL_FETCH_ROW($SEARCHRESULT)){
        $I++;
        $TICKET_ID=$ROW[0];
        $QUERY3=MYSQL_QUERY("SELECT * FROM TICKET_REQUEST, CUSTOMER, TICKET_STATE WHERE
TICKET_REQUEST.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND TICKET_REQUEST.TICKETSTATE_ID=TICKET_STATE.TICKETSTATE_ID AND TICKET_REQUEST.TICKETREQUEST_ID='$TICKET_ID'");
        $ROW3 = MYSQL_FETCH_ARRAY($QUERY3);
        $CUSTOMER_EMAIL=$ROW3['CUSTOMER_EMAIL'];
        $CUSTOMER_FIRSTNAME= $ROW3['CUSTOMER_FIRSTNAME'];
        $CUSTOMER_LASTNAME = $ROW3['CUSTOMER_LASTNAME'];
        $ADMIN=$ROW3['ADMIN_ID'];
        IF ($ADMIN==0)
            $ADMIN_DISP="None";
        ELSE
            $ADMIN_DISP=$USERNAME;
        $ISSUE=$ROW3['TICKET_ISSUE'];
        $STATE=$ROW3['TICKETSTATE_NAME'];
        $DATE TIME=$ROW3['TICKETREQUEST_DATE'];
        PRINT "<tr class='d'.{$I & 1}.\">";
        PRINT "<td><center>$CUSTOMER_EMAIL</center></td>";
        PRINT "<td><center>$CUSTOMER_FIRSTNAME $CUSTOMER_LASTNAME</center></td>";
        PRINT "<td><center>$ISSUE</center></td>";
        PRINT "<td><center>$STATE</center></td>";
        PRINT "<td><center>$DATE TIME</center></td>";
        PRINT "<td><center>$ADMIN_DISP</center></td>";
        PRINT "<td><center>";
        PRINT "<a href='TicketManagement.php?action=1&ticket_id=$TICKET_ID'><img src='images/open.png' title='Open'
width='15%'></img></a>";
        PRINT "<a href='TicketManagement.php?action=2&ticket_id=$TICKET_ID' onclick='\"return confirm('Are you sure you want to
proceed?');\"><img src='images/delete.png' title='Delete' width='15%'></img></a>";
        PRINT "</center></td></tr>\";
    }
    PRINT "</table>";
    IF ($NUMBEROF PAGES>1){
        $NNAV="";
        FOR($J = 1 ; $J <= $NUMBEROF PAGES ; $J++) {
            IF ($J == $PAGE)
                $NNAV .= "<b>$J</b>";
            ELSE
                $NNAV .= "&nbsp;<a href='\"TaskManagement.php?page=$J\">$J </a>&nbsp;";
        }
        PRINT "<center><br><br> $NNAV </center><center><br>";
    }
    PRINT "<br></div></div>";
}
ELSE
    PRINT "<center><br><font color='red' size='2'><b>No new tickets found.</b></font></center>";
PRINT "<br><br></fieldset></center></td></tr><td><br><br></td></tr></table>";
PRINT "<center><table width='760'><tr><td align='center'><br></td></tr><tr><td width='730' valign='top'><br><center>
<fieldset style='width: 730px; align='center'><legend><font color='#0707ab' size='3'><b>\".TICKETS ASSIGNED TO
$USERNAME</b></font></legend>";
    $QUERY2="SELECT DISTINCT (TICKET_REQUEST.TICKETREQUEST_ID) FROM TICKET_RESPONSE,TICKET_REQUEST WHERE
TICKET_RESPONSE.TICKETREQUEST_ID=TICKET_REQUEST.TICKETREQUEST_ID AND TICKET_REQUEST.ADMIN_ID='$ADMIN_ID' ORDER BY TICKETRESPONSE_DATE";
    $NUMBEROFRESULTS2=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY2));
    $NUMBEROF PAGES2=CEIL($NUMBEROFRESULTS2/$LIMIT);
    $SEARCHRESULT2 = MYSQL_QUERY($QUERY2." LIMIT ". ($PAGE2-1)*$LIMIT . ", $LIMIT");
    IF ($NUMBEROFRESULTS2!=0){
        PRINT "<div class='inside'><br><br><table width='725' align='center' style='table-layout: fixed;'>";
        PRINT "<tr><th width='30%'>Customer Login Id</th><th width='15%'>Customer Name</th><th width='15%'>Transaction
ID</th><th>Ticket State</th><th width='11%'>Date Time</th><th width='10%'>Last Reply</th><th width='7%'>Action</th></tr>";
        WHILE ($ROW2 = MYSQL_FETCH_ROW($SEARCHRESULT2)){
            $I++;
            $TICKET_ID=$ROW2[0];
            $QUERY4=MYSQL_QUERY("SELECT * FROM TICKET_REQUEST, CUSTOMER, TICKET_STATE WHERE
TICKET_REQUEST.CUSTOMER_ID=CUSTOMER.CUSTOMER_ID AND TICKET_REQUEST.TICKETSTATE_ID=TICKET_STATE.TICKETSTATE_ID AND TICKET_REQUEST.TICKETREQUEST_ID='$TICKET_ID'");
            $QUERY5=MYSQL_QUERY("SELECT isAdmin FROM TICKET_RESPONSE WHERE TICKETREQUEST_ID='$TICKET_ID' ORDER BY
TICKETRESPONSE_DATE DESC LIMIT 1");
            $ROW5=MYSQL_FETCH_ROW($QUERY5);
            $LASTREPLY=$ROW5[0];
            $ROW4 = MYSQL_FETCH_ARRAY($QUERY4);
            $CUSTOMER_EMAIL=$ROW4['CUSTOMER_EMAIL'];
            $CUSTOMER_FIRSTNAME= $ROW4['CUSTOMER_FIRSTNAME'];
            $CUSTOMER_LASTNAME = $ROW4['CUSTOMER_LASTNAME'];
            IF ($LASTREPLY=='1')
                $ADMIN_DISP="Admin";
            ELSE
                $ADMIN_DISP="Customer";
            $ISSUE=$ROW4['TICKET_ISSUE'];
            $STATE=$ROW4['TICKETSTATE_NAME'];
            $DATE TIME=$ROW4['TICKETREQUEST_DATE'];
            PRINT "<tr class='d'.{$I & 1}.\">";
            PRINT "<td><center>$CUSTOMER_EMAIL</center></td>";
            PRINT "<td><center>$CUSTOMER_FIRSTNAME $CUSTOMER_LASTNAME</center></td>";
            PRINT "<td><center>$ISSUE</center></td>";
            PRINT "<td><center>$STATE</center></td>";
            PRINT "<td><center>$DATE TIME</center></td>";
            PRINT "<td><center>$ADMIN_DISP</center></td>";
            PRINT "<td><center>";
            PRINT "<a href='TicketManagement.php?action=1&ticket_id=$TICKET_ID'><img src='images/open.png' title='Open'
width='15%'></img></a>";
            PRINT "<a href='TicketManagement.php?action=2&ticket_id=$TICKET_ID' onclick='\"return confirm('Are you sure you want to
delete ticket?');\"><img src='images/delete.png' title='Delete' width='15%'></img></a>";

```

```

        PRINT "</CENTER></TD></TR>\w";
    }
    PRINT "</TABLE>";
    IF ($NUMBEROFPages2>1){
        $Nav2="";
        FOR($j = 1 ; $j <= $NUMBEROFPages2 ; $j++) {
            IF($j == $PAGE2)
                $Nav2 .= "<b>$j</b>";
            ELSE
                $Nav2 .= "&nbsp;<A HREF='\"TICKETMANAGEMENT.PHP?PAGE2=$j\">$j </A>&nbsp;";
        }
        PRINT "<CENTER><BR><BR> $Nav2 </CENTER><CENTER><BR><BR></DIV></DIV>";
    }
}
ELSE {
    PRINT "<CENTER><BR><FONT COLOR='red' SIZE='2'><b>NO NEW TICKETS FOUND.</b></FONT></CENTER>";
    PRINT "<BR><BR></FIELDSET></CENTER></TD></TR><TD><BR><BR></TD></TR></TABLE>";
}
}
ELSE {
    PRINT "<CENTER><BR><FONT COLOR='red' SIZE='3'><b>ACCESS DENIED!</b></FONT></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL='INDEX.PHP'>";
}
}
?>
</TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHTPANEL.PHP"; ?>

```

ADMIN/TRANSACTIONHISTORY.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
FUNCTION EXTRACTBETWEENDELIMITERS($INPUTSTR,$DELIMITERLEFT,$DELIMITERRIGHT){
    $POSLEFT = STRPOS($INPUTSTR,$DELIMITERLEFT)+1;
    $POSRIGHT = STRPOS($INPUTSTR,$DELIMITERRIGHT,$POSLEFT+1);
    RETURN SUBSTR($INPUTSTR,$POSLEFT,$POSRIGHT-$POSLEFT);
}
PRINT "<TABLE CLASS='CONTENTTABLE' CELLPADDING='0' CELLSPACING='0'>
<TR><TH><DIV><SPAN STYLE='width:130px'>".GETLANG("TRANSACTIONHISTORY",$LANGUAGE)."</SPAN></DIV></TH></TR>
<TR><TD CLASS='WORKAREA' ALIGN='CENTER'><TABLE WIDTH='550' CLASS='FORMVIEWTABLE'>";
IF (ISSET($_POST['viewDate']))){
    $FROMDATE = ISSET($_REQUEST['fromDate']) ? $_REQUEST['fromDate'] : "";
    $TODATE = ISSET($_REQUEST['toDate']) ? $_REQUEST['toDate'] : "";
}
ELSE{
    $FROMDATE = "2010-01-01";
    $TODATE = $DATEONLY;
}
PRINT "<FORM NAME='DATERANGE' METHOD='POST' ACTION='TRANSACTIONHISTORY.PHP'>
<TR><TD ALIGN='CENTER'><b>".GETLANG("FROMDATE",$LANGUAGE).": </b>&nbsp; <BR>";
$THISWEEK = DATE("W");
$THISYEAR = DATE("Y");
$DAYTIMES = GETDAYSINWEEK($THISWEEK, $THISYEAR);
$DATE1 = DATE("Y-M-D", $DAYTIMES[0]);
$DATE2 = DATE("Y-M-D", $DAYTIMES[(sizeof($DAYTIMES)-1)]);
FUNCTION GETDAYSINWEEK ($WEEKNUMBER, $YEAR, $DAYSTART = 1) {
    $TIME = STRTOTIME($YEAR . '0104 +' . ($WEEKNUMBER - 1).' WEEKS');
    $DAYTIME = STRTOTIME('-' . (DATE('W', $TIME) - $DAYSTART) . ' DAYS', $TIME);
    $DAYTIMES = ARRAY ();
    FOR ($i = 0; $i < 7; ++$i) {
        $DAYTIMES[$i] = STRTOTIME('+ ' . $i . ' DAYS', $DAYTIME);
    }
    RETURN $DAYTIMES;
}
$FROMDATE="*$FROMDATE*";
$YEAR1=EXTRACTBETWEENDELIMITERS($FROMDATE,"*",",");
$MONTH1=EXTRACTBETWEENDELIMITERS($FROMDATE,"",",");
$DAY1=EXTRACTBETWEENDELIMITERS($FROMDATE,"-","*");
$DAY1 = "$DAY1*";
$DAY1=EXTRACTBETWEENDELIMITERS($DAY1,"-","*");
$TODATE="*$TODATE*";
$YEAR2=EXTRACTBETWEENDELIMITERS($TODATE,"*",",");
$MONTH2=EXTRACTBETWEENDELIMITERS($TODATE,"",",");
$DAY2=EXTRACTBETWEENDELIMITERS($TODATE,"-","*");
$DAY2 = "$DAY2*";
$DAY2=EXTRACTBETWEENDELIMITERS($DAY2,"-","*");
$FROMDATE = EXTRACTBETWEENDELIMITERS($FROMDATE,"*","*");
$TODATE = EXTRACTBETWEENDELIMITERS($TODATE,"*","*");
$MYCALENDAR = NEW TC_CALENDAR("FROMDATE", TRUE);
$MYCALENDAR->SETICON("CALENDAR/IMAGES/ICONCALENDAR.GIF");
$MYCALENDAR->SETDATE($DAY1, $MONTH1, $YEAR1);
$MYCALENDAR->SETPATH("CALENDAR/");
$MYCALENDAR->SETYEARINTERVAL(1970, 2020);
$MYCALENDAR->SETALIGNMENT('LEFT', 'BOTTOM');
$MYCALENDAR->SETDATEPAIR('FROMDATE', 'TODATE', $DATE2);
$MYCALENDAR->WRITESCRIPT();
PRINT "&nbsp; </TD><TD ALIGN='CENTER'><b>".GETLANG("TODATE",$LANGUAGE).":</b> &nbsp; <BR>";
$MYCALENDAR = NEW TC_CALENDAR("TODATE", TRUE);
$MYCALENDAR->SETICON("CALENDAR/IMAGES/ICONCALENDAR.GIF");
$MYCALENDAR->SETDATE($DAY2, $MONTH2, $YEAR2);
$MYCALENDAR->SETPATH("CALENDAR/");
$MYCALENDAR->SETYEARINTERVAL(1970, 2020);
$MYCALENDAR->SETALIGNMENT('RIGHT', 'BOTTOM');
$MYCALENDAR->SETDATEPAIR('FROMDATE', 'TODATE', $DATE1);

```

```

$myCalendar->writeScript();
PRINT "</TD>
<TD VALIGN='BOTTOM'>&nbsp;&nbsp;&nbsp;<INPUT TYPE='SUBMIT' NAME='VIEWDATE' VALUE='' .GETLANG("VIEW",$LANGUAGE)."' CLASS='INPUTBUTTON'></TD></TR>
<TR><TD STYLE='HEIGHT: 20PX'></TD><TD></TD></TR></FORM></TABLE>";

$GETRECORDS = MYSQL_QUERY("
SELECT CARD_ID, CARD_SERIALNUM AS INFO, CARD_SERIALNUM AS INFO_Ara, CARDBATCH_AMOUNT AS AMOUNT, CUSTOMER_ID, CARD_USEDDATE, 1 AS TRANSYPE
FROM CARD,CARD_BATCH
WHERE CUSTOMER_ID = '$CUSTOMER_ID' AND CARD_BATCH.CARDBATCH_ID=CARD.CARDBATCH_ID
AND CARD_USEDDATE
BETWEEN '$FROMDATE'
AND DATE_ADD('$TODate',INTERVAL 1 DAY )
LIMIT 1000
UNION ALL SELECT BT.BANKTRANSFER_ID, B.BANK_NAME, B.BANK_NAME, BT.BANKTRANSFER_AMOUNT, BT.CUSTOMER_ID, BT.BANKTRANSFER_ACCEPTDATE, 2 AS
TRANSYPE
FROM BANK_TRANSFER BT
INNER JOIN BANK B ON ( BT.BANK_ID = B.BANK_ID )
WHERE BT.CUSTOMER_ID = '$CUSTOMER_ID'
AND BANKTRANSFER_DATE
BETWEEN '$FROMDATE'
AND DATE_ADD('$TODate',INTERVAL 1 DAY )
AND BT.BANKTRANSFER_STATUS = 1
UNION ALL SELECT P.PURCHASE_ID, I.ITEM_NAME AS ITEM_ENG, I.ITEM_NAME_Ara AS ITEM_Ara,
0 - P.ITEM_PRICE, P.CUSTOMER_ID, P.PURCHASE_DATE, 3 AS TRANSYPE
FROM PURCHASE P, ITEM I, STOCKS S
WHERE
P.STOCK_ID = S.STOCK_ID AND P.CUSTOMER_ID = '$CUSTOMER_ID' AND S.ITEM_ID=I.ITEM_ID
AND PURCHASE_DATE BETWEEN '$FROMDATE' AND DATE_ADD('$TODate',INTERVAL 1 DAY )
UNION ALL SELECT CU.CASHU_ID, CU.RETURN_ID AS RETURN_ID_ENG , CU.RETURN_ID AS RETURN_ID_Ara , CU.CONVERTED_AMOUNT, CU.CUSTOMER_ID,
CU.DATE, 4 AS TRANSYPE
FROM CASHU CU
WHERE CU.CUSTOMER_ID = '$CUSTOMER_ID'
AND CU.DATE
BETWEEN '$FROMDATE'
AND DATE_ADD('$TODate',INTERVAL 1 DAY )
ORDER BY CARD_USEDDATE DESC");
$countRows =mysql_num_rows($GETRECORDS);
if ($countRows>0){
PRINT "<TABLE WIDTH='550' CLASS='FORMVIEWTABLE'><TR><TD><BR></TD></TR>";
PRINT "<TR CLASS='HEAD'><TD WIDTH='20%'><CENTER>".GETLANG("TRANSACTION",$LANGUAGE)."</CENTER></TD>
<TD WIDTH='32%'><CENTER>".GETLANG("SERIALNo",$LANGUAGE)."</CENTER></TD>
<TD WIDTH='10%'><CENTER>".GETLANG("AMOUNT",$LANGUAGE)."</CENTER></TD>
<TD WIDTH='10%'><CENTER>".GETLANG("BALANCE",$LANGUAGE)."</CENTER></TD>
<TD WIDTH='18%'><CENTER>".GETLANG("TRANSACTIONDATE",$LANGUAGE)."</CENTER></TD>
<TD WIDTH='10%'></TD></TR>";
$total = 0;
while ($rowRecords = mysql_fetch_array($GETRECORDS)){
    $i++;
    $INF = "INFO$DB";
    $PURCHASEID=$rowRecords['CARD_ID'];
    $TRANS = $rowRecords['TRANSYPE'];
    $AMOUNT = $rowRecords['AMOUNT'];
    $DATEANDTIME = $rowRecords['CARD_USEDDATE'];
    $CASHU = MYSQL_QUERY("SELECT SUM(CONVERTED_AMOUNT) FROM CASHU,CUSTOMER WHERE CUSTOMER.CUSTOMER_ID=CASHU.CUSTOMER_ID
AND CASHU.CUSTOMER_ID='1' AND DATE <= '$DATEANDTIME'");
    $ROWCASHU = MYSQL_FETCH_ROW($CASHU);
    $CASHUBALANCE=$ROWCASHU[0];
    $CARD = MYSQL_QUERY("SELECT SUM(CARDBATCH_AMOUNT) FROM CARD, CARD_BATCH,CUSTOMER WHERE
CUSTOMER.CUSTOMER_ID=CARD.CUSTOMER_ID AND CARD.CUSTOMER_ID='1' AND CARD_BATCH.CARDBATCH_ID=CARD.CARDBATCH_ID AND
CARD_USEDDATE <= '$DATEANDTIME'");
    $ROWCARD = MYSQL_FETCH_ROW($CARD);
    $CARDBALANCE=$ROWCARD[0];
    $BANK = MYSQL_QUERY("SELECT SUM(BANKTRANSFER_AMOUNT) FROM BANK_TRANSFER,CUSTOMER WHERE
CUSTOMER.CUSTOMER_ID=BANK_TRANSFER.CUSTOMER_ID AND BANK_TRANSFER.CUSTOMER_ID='1' AND BANKTRANSFER_DATE <= '$DATEANDTIME'");
    $ROWBANK = MYSQL_FETCH_ROW($BANK);
    $BANKBALANCE=$ROWBANK[0];
    $PURCHASE=MYSQL_QUERY("SELECT SUM(ITEM_PRICE) As PURCHASE FROM PURCHASE,CUSTOMER WHERE
CUSTOMER.CUSTOMER_ID=PURCHASE.CUSTOMER_ID AND PURCHASE.CUSTOMER_ID='1' AND PURCHASE_DATE <= '$DATEANDTIME'");
    $ROWPURCHASE = MYSQL_FETCH_ROW($PURCHASE);
    $PURCHASEBALANCE=$ROWPURCHASE[0];
    $BALANCE = $CASHUBALANCE+$CARDBALANCE+$BANKBALANCE-$PURCHASEBALANCE;
    if ($TRANS=='3'){
        $TRANSACTION="PURCHASEAMOUNT";
    }
    else{
        $TRANSACTION="FUNDSADDED";
    }
    PRINT "<TR CLASS='D'".($i & 1).">";
    PRINT "<TD><CENTER>".GETLANG($TRANSACTION,$LANGUAGE)."</CENTER></TD>";
    PRINT "<TD><CENTER>". $rowRecords[$INF]."</CENTER></TD>";
    PRINT "<TD><CENTER>$AMOUNT</CENTER></TD>";
    PRINT "<TD><CENTER>$BALANCE</CENTER></TD>";
    PRINT "<TD><CENTER>". $rowRecords['CARD_USEDDATE']. "<BR><BR></CENTER></TD>";
    if ($TRANS==3)
        PRINT "<TD><CENTER><A HREF='VIEWPURCHASE.PHP?ID=$PURCHASEID'>".GETLANG("VIEWCARD",
$LANGUAGE)."</A></CENTER></TD>";
    else
        PRINT "<TD><CENTER></CENTER></TD>";
    PRINT "</TR>";
}
PRINT "</TABLE>";
}

PRINT "<P ALIGN='$ALIGN2'>".GETLANG("YOURBALANCE",$LANGUAGE).": <B>$DBCUSTOMERBALANCE</B> ".GETLANG("SAR",$LANGUAGE). "</P><P>&nbsp;&nbsp;&nbsp;</P>";

```

```
</TD></TR></TABLE>";
INCLUDE "RIGHTPANEL.PHP"; ?>
```

ADMIN/UPDATEPROFILE.PHP

```
<?PHP INCLUDE "LEFTPANEL.PHP";
FUNCTION CHECKEMAIL($EMAIL) {
  IF (!EREGI("^[A-z0-9-]+(\\.[A-z0-9-]+)*@[A-z0-9-]+(\\.\\.[A-z]{2,3})$", $EMAIL))
    RETURN 0;
  ELSE RETURN 1;
}
?>
<SCRIPT TYPE="TEXT/JAVASCRIPT" SRC="..js/FORMVAL.JS"></SCRIPT>
<SCRIPT TYPE="TEXT/JAVASCRIPT">
FUNCTION VALIDATEONSUBMIT(){
  VAR ELEM;
  VAR ERRS=0;

  IF (!VALIDATENUMBER (DOCUMENT.FORMS.UPDATEFORM.MOBILENUM, 'INF_MOBILENUMBER', TRUE)) ERRS += 1;
  IF (!VALIDATEEMAIL (DOCUMENT.FORMS.UPDATEFORM.EMAILADDRESS, 'INF_EMAILADDRESS', TRUE)) ERRS += 1;
  IF (!VALIDATEPRESENT (DOCUMENT.FORMS.UPDATEFORM.LASTNAME, 'INF_LASTNAME', TRUE)) ERRS += 1;
  IF (!VALIDATEPRESENT (DOCUMENT.FORMS.UPDATEFORM.FIRSTNAME, 'INF_FIRSTNAME', TRUE)) ERRS += 1;
  IF (!VALIDATEPRESENT (DOCUMENT.FORMS.UPDATEFORM.USERNAME, 'INF_USERNAME', TRUE)) ERRS += 1;

  IF (ERRS>1) ALERT("THERE ARE FIELDS WHICH NEED CORRECTION BEFORE SENDING");
  IF (ERRS==1) ALERT("THERE IS A FIELD WHICH NEEDS CORRECTION BEFORE SENDING");
  RETURN (ERRS==0);
}
</SCRIPT>
<TD VALIGN="TOP">
  <TABLE ID="CONTENTS CENTER">
    <TR><TD CLASS="CENTERMAIN">
      <?PHP
        $COUNT=1;
        IF ($ADMIN_VALID==1){
          PRINT " <BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT
COLOR='#1c43a6'><B>$USERNAME!</B></FONT></TD>
          <TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>TODAY IS <FONT COLOR='#1c43a6'><B>".DATE("L, F J,
Y")." </B></FONT></B></FONT></TD></TR></TABLE>
          <CENTER><TABLE WIDTH='760'>
            <TR><TD ALIGN='CENTER'><BR></TD></TR>
            <TR><TD WIDTH='730' VALIGN='TOP'>
              <BR><CENTER><FIELDSET STYLE='WIDTH: 550px;' ALIGN='CENTER'>
                <LEGEND ALIGN='CENTER'><FONT COLOR='#0707ab' SIZE='3'><B>UPDATE
PROFILE</B></FONT></LEGEND><DIV CLASS='RESULTS'>
                  <TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
          IF (ISSET($_POST['SUBMIT'])){
            $FIRSTNAME=$_POST['FIRSTNAME'];
            $LASTNAME=$_POST['LASTNAME'];
            $MOBILENUM=$_POST['MOBILENUM'];
            $PHONENUM=$_POST['PHONENUM'];
            $ADDRESS=$_POST['ADDRESS'];
            $EMAILADDRESS=$_POST['EMAILADDRESS'];
            $USERNAME=$_POST['USERNAME'];
            $EMAILCHECK=CHECKEMAIL($EMAILADDRESS);
            IF (($USERNAME=="")||($EMAILADDRESS=="")||($LASTNAME=="")||($FIRSTNAME=="")||($MOBILENUM=="")){
              PRINT " <TR><TD><CENTER><FONT COLOR='RED'><B>REQUIRED FIELDS ERROR.</B> </FONT><BR><BR><B>PLEASE
FILL OUT ALL REQUIRED FIELDS INDICATED BY <FONT COLOR='RED'>* </FONT>.<BR><BR>
              <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5';
URL=UPDATEPROFILE.PHP'></NOSCRIPT>
              <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN
ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; setInterval( function(){ if (seconds <= 1) { window.location = 'UPDATEPROFILE.PHP'; } else
{ document.getElementById('seconds').innerHTML = --seconds; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
            }
            ELSE IF ($EMAILCHECK==0){
              PRINT " <TR><TD><CENTER><FONT COLOR='RED'><B> INVALID EMAIL ADDRESS!</B> </FONT><BR><BR><B>PLEASE
ENTER A VALID EMAIL ADDRESS.<BR><BR>
              <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5';
URL=UPDATEPROFILE.PHP'></NOSCRIPT>
              <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN
ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; setInterval( function(){ if (seconds <= 1) { window.location = 'UPDATEPROFILE.PHP'; } else
{ document.getElementById('seconds').innerHTML = --seconds; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
            }
            ELSE {
              $QUERY=MYSQL_QUERY("UPDATE ADMIN_USER SET
ADMIN_FIRSTNAME='$FIRSTNAME',ADMIN_LASTNAME='$LASTNAME',ADMIN_EMAIL='$EMAILADDRESS',ADMIN_ADDRESS='$ADDRESS',ADMIN_MOBILENUM='$MOBILENUM',ADMIN_PHONENUM='$PHONENUM',ADMIN_USERNAM
E='$USERNAME',ADMIN_COMPLETED=1 WHERE ADMIN_ID='$ADMIN_ID'");
              PRINT " <TR><TD COLSPAN='3' ALIGN='LEFT'><FIELDSET STYLE='BACKGROUND-COLOR:#DEEFF;'><IMG
SRC='IMAGES/INFO.GIF' WIDTH='20' HEIGHT='10'/>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;& <FONT COLOR='BLUE'><B>";
              IF (! $QUERY){
                PRINT "AN ERROR OCCURED WHILE UPDATING YOUR DATA.";
              }
              ELSE {
                PRINT "YOUR PROFILE HAS BEEN SUCCESSFULLY UPDATED.";
                $_SESSION['COMPLETED']=1;
              }
              PRINT " </B></FIELDSET></BR></TD></TR>";
            }
          }
        }
      }
    }
  }
}
ELSE {
  $QUERY=MYSQL_QUERY("SELECT * FROM ADMIN_USER WHERE ADMIN_ID='$ADMIN_ID'");
  $ROW=MYSQL_FETCH_ARRAY($QUERY);
  $FIRSTNAME=$ROW['ADMIN_FIRSTNAME'];
```



```

        IF(!FILE_EXISTS($CARDDIRECTORY)) MKDIR($CARDDIRECTORY);
        $NEWNAME="$CARDDIRECTORY/".$_FILES['STOCKFILE']['NAME'];
        $COPIED = COPY($_FILES['STOCKFILE']['TMP_NAME'], $NEWNAME);
        IF (!$COPIED) {
            ECHO '<h1>COPY UNSUCCESSFULL!</h1>';
            $ERRORS=1;
        }
    }
}
$FILE = FOPEN("$NEWNAME", "r") OR EXIT("UNABLE TO OPEN FILE!");
$LINECOUNT = 0;
$READERROR=0;
WHILE(!FEOF($FILE)){
    $COUNT=0;
    $STRING = FGETS($FILE);
    $STRING = TRIM($STRING);
    $STRING = STR_REPLACE(ARRAY("\t", " "),ARRAY(" ", ""), $STRING);
    $TOKEN = STRTOK($STRING, ",");
    WHILE ($TOKEN != FALSE){
        $TOKEN=TRIM($TOKEN);
        $RESULT[$COUNT]=$TOKEN;
        $TOKEN = STRTOK(",");
        $COUNT++;
    }
    IF ($COUNT==2){
        $SERIAL[$LINECOUNT] = $RESULT[0];
        $SCRATCH[$LINECOUNT] = $RESULT[1];
    }
    ELSE{
        $LINEERROR[$READERROR]=$LINECOUNT+1;
        $READERROR++;
    }
    $LINECOUNT++;
}
IF ($READERROR!=0){
    PRINT "<tr><th colspan='2'>Following errors occurred during card upload.</th></tr>";
    FOR ($INDEX=0; $INDEX<$READERROR; $INDEX++){
        PRINT "<tr class='d'.($INDEX & 1).\"'>";
        PRINT "<td colspan='2' align='left'>INVALID ENTRY. COMPLETE VALUES NOT PROVIDED ON LINE: <b>$LINEERROR[$INDEX]</b></td>";
        PRINT "</tr>";
    }
}
ELSE IF ($LINECOUNT!=$QUANTITY){
    PRINT "<tr><td align='left'>THE NUMBER OF CARDS ARE NOT EQUAL TO THE QUANTITY DECLARED.<br>PLEASE CHECK THE CARD FILE AND TRY AGAIN.</td></tr>";
}
ELSE{
    $INSERTERROR=0;
    $CHECKCARDS EXISTS = MYSQL_QUERY("SELECT * FROM CARD WHERE CARDBATCH_ID='$BATCH_ID'");
    $NUMBEROFCARDS = MYSQL_NUM_ROWS($CHECKCARDS EXISTS);
    IF ($NUMBEROFCARDS!=0)
        PRINT "<tr><td align='left'>CARDS FOR BATCH $BATCH_ID ALREADY EXISTS.</td></tr>";
    ELSE{
        $DUPERROR=0;
        FOR ($INDEX=0; $INDEX<$LINECOUNT; $INDEX++){
            $ENCRYPTED_SCRATCH=$SCRATCH[$INDEX];
            $SALT = SHA1(MD5($ENCRYPTED_SCRATCH));
            $ENCRYPTED_SCRATCH = MD5($ENCRYPTED_SCRATCH.$SALT);
            $INSERTCARD = MYSQL_QUERY("INSERT INTO CARD (CARD_SERIALNUM,CARD_SCRATCHNUM,CARDBATCH_ID) VALUES
('$SERIAL[$INDEX]','$ENCRYPTED_SCRATCH','$BATCH_ID)");
            IF (!$INSERTCARD)
                $INSERTERROR++;
        }
        IF ($INSERTERROR!=0)
            PRINT "<tr><td align='left'>ERROR: THERE HAS BEEN AN ERROR WHILE INSERTING YOUR DATA.</td></tr>";
        ELSE{
            $ACTIVATEBATCH = MYSQL_QUERY("UPDATE CARD_BATCH SET CARDBATCH_ISAVAILABLE='1'");
            PRINT "<tr><td align='left'>$LINECOUNT CARDS FOR BATCH $BATCH_ID INSERTED.</td></tr>";
        }
    }
}
FCLOSE($FILE);
PRINT "<tr><td align='center'><br><br><input type=button onclick='win();' value='CLOSE THIS WINDOW' class='inputbutton2'></td></tr>";
}
ELSE {
    $BATCH_ID=$ _GET['ID'];
    PRINT "<form name='UploadForm' method='POST' action='UploadCard.php' enctype='multipart/form-data' onsubmit='return CheckForm(this);'>";
    PRINT "<tr><td align='right'>BATCH ID: &nbsp;  </td><td align='left'><input type='hidden' name='batch_id'
value='$BATCH_ID'><b>$BATCH_ID</b></td></tr>";
    PRINT "<tr><td align='right'>BEACARD STOCK FILE: &nbsp;  </td><td align='left'><input type='file' name='stockfile'></td></tr>";
    PRINT "<tr><td align='left'><span id='spfile' style='display:block; visibility:hidden;'><font color='red' size='1'>PLEASE SELECT A FILE TO
UPLOAD.</span></td></tr>";
    PRINT "<tr><td align='center' colspan='2'><input type='submit' name='upload' value='SUBMIT' class='inputbutton'></td></tr>";
}
PRINT "</table></fieldset></td></tr></table>";
?>

```

ADMIN/UPLOADITEM.PHP

```

<LINK href="Main.css" rel="stylesheet" type="text/css" />
<SCRIPT LANGUAGE=JAVASCRIPT TYPE='TEXT/JAVASCRIPT'>
FUNCTION CheckForm(FRM) {

```



```

VAR FLAG = TRUE;
IF(FRM.STOCKFILE.VALUE == ""){
    DOCUMENT.GETELEMENTById("spFile").STYLE.VISIBILITY = "VISIBLE";
    FLAG = FALSE;
}
RETURN FLAG;
}
FUNCTION WIN(ID){
    WINDOW.OPENER.LOCATION.HREF="OutOfStock.php";
    SELF.CLOSE();
}
</SCRIPT>
<?PHP
    REQUIRE 'CONFIG.PHP';
    REQUIRE 'OPENDB.PHP';
    $ITEMDIRECTORY = "StockFiles";
    FUNCTION GETEXTENSION($STR) {
    $I = STRRPOS($STR, ".");
    IF (!$I) { RETURN ""; }
    $L = STRLEN($STR) - $I;
    $EXT = SUBSTR($STR, $I+1, $L);
    RETURN $EXT;
    }
    $YEAR = DATE(Y);
    $MONTH = DATE(M);
    $DAY = DATE(D);
    $MIN = DATE (I);
    $HOUR = DATE (H);
    $SEC = DATE (S);
    $DATETime = "$YEAR-$MONTH-$DAY $HOUR:$MIN:$SEC";
    PRINT "<br><br><table bgcolor='#ffffff' align='center'><tr><td valign='top'>
<fieldset align='center'>
<legend><font color='#0707ab' size='3'><b>". "Upload Item Stock</b></font></legend>
<div class='results'><table align='center'><tr><td><br></td></tr></div>";
    IF (ISSET($_POST['upload'])) {
        $ITEM_ID = $_POST['item_id'];
        $SSTATUS = $_POST['sstatus'];
        $VENDOR_ID = $_POST['vendor_id'];
        $STOCKFILE=$_FILES['stockfile']['name'];
        $GETITEMDATA = MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
        $ROWITEM = MYSQL_FETCH_ARRAY($GETITEMDATA);
        $CATEGORY_ID = $ROWITEM['category_id'];
        $ITEMNAME = $ROWITEM['item_name'];
        $HEADING1 = $ROWITEM['item_info1'];
        $HEADING2 = $ROWITEM['item_info2'];
        $HEADING3 = $ROWITEM['item_info3'];
        $HEADING4 = $ROWITEM['item_info4'];
        $HEADING5 = $ROWITEM['item_info5'];
        $COUNTHEADING = 0;
        IF ($HEADING1!="") $COUNTHEADING++;
        IF ($HEADING2!="") $COUNTHEADING++;
        IF ($HEADING3!="") $COUNTHEADING++;
        IF ($HEADING4!="") $COUNTHEADING++;
        IF ($HEADING5!="") $COUNTHEADING++;

        IF ($STOCKFILE){
            $FILENAME = STRIPSLASHES($_FILES['stockfile']['name']);
            $EXTENSION = GETEXTENSION($FILENAME);
            $EXTENSION = STRTOLOWER($EXTENSION);
            IF ($EXTENSION != "txt") {
                ECHO '<h1>UNKNOWN EXTENSION!</h1>';
                $ERRORS=1;
            }
            ELSE{
                IF(!FILE_EXISTS($ITEMDIRECTORY)) MKDIR($ITEMDIRECTORY);
                $NEWNAME="$ITEMDIRECTORY/".$_FILES['stockfile']['name'];
                $COPIED = COPY($_FILES['stockfile']['tmp_name'], $NEWNAME);
                IF (!$COPIED) {
                    ECHO '<h1>COPY UNSUCCESSFULL!</h1>';
                    $ERRORS=1;
                }
            }
        }
        $FILE = FOPEN("$NEWNAME", "r") OR EXIT("UNABLE TO OPEN FILE!");
        $LINECOUNT = 0;
        $READERROR=0;
        WHILE(!FEOF($FILE)){
            $COUNT=0;
            $STRING = FGGETS($FILE);
            $STRING = TRIM($STRING);
            $STRING = STR_REPLACE(ARRAY("\t", " ",),ARRAY("", "",), $STRING);
            $TOKEN = STRTOK($STRING, ",");
            WHILE ($TOKEN != FALSE){
                $TOKEN=TRIM($TOKEN);
                $RESULT[$COUNT]=$TOKEN;
                $TOKEN = STRTOK(",");
                $COUNT++;
            }
            IF ($COUNT==$COUNTHEADING){
                $INFO1[$LINECOUNT]=$RESULT[0];
                $INFO2[$LINECOUNT]=$RESULT[1];
                $INFO3[$LINECOUNT]=$RESULT[2];
                $INFO4[$LINECOUNT]=$RESULT[3];
            }
        }
    }

```

```

        $INFO5[$LINECOUNT]=$RESULT[4];
    }
    ELSE{
        $LINEERROR[$READERROR]=$LINECOUNT+1;
        $READERROR++;
    }
    $LINECOUNT++;
}
IF ($READERROR!=0){
    PRINT "<TR><TH COLSPAN='2'>FOLLOWING ERRORS OCCURED DURING STOCK UPLOAD.</TH></TR>";
    FOR ($INDEX=0; $INDEX<$READERROR; $INDEX++){
        PRINT "<TR CLASS='D'.($INDEX & 1).\"";
        PRINT "<TD COLSPAN='2' ALIGN='LEFT'>INVALID ENTRY. COMPLETE VALUES NOT PROVIDED ON LINE: <B>$LINEERROR[$INDEX]</B></TD>";
        PRINT "</TR>";
    }
}
ELSE{
    $INSERTERROR=0;
    FOR ($INDEX=0; $INDEX<$LINECOUNT; $INDEX++){
        $INSERTSTOCK = MYSQL_QUERY("INSERT INTO STOCKS (ITEM_ID,INFO1,INFO2,INFO3,INFO4,INFO5,STOCK_TIME,VENDOR_ID) VALUES
('$ITEM_ID','$INFO1[$INDEX]','$INFO2[$INDEX]','$INFO3[$INDEX]','$INFO4[$INDEX]','$INFO5[$INDEX]','$DATE TIME','$VENDOR_ID')");
        IF (!$INSERTSTOCK)
            $INSERTERROR++;
    }
    IF ($INSERTERROR!=0)
        PRINT "ERROR: THERE HAS BEEN AN ERROR WHILE INSERTING YOUR DATA.";
    ELSE{
        $ACTIVATEBATCH = MYSQL_QUERY("UPDATE ITEM SET ITEM_STOCKSTATUS='$SSTATUS' WHERE ITEM_ID='$ITEM_ID'");
        PRINT "<BR><B>$LINECOUNT STOCKS FOR $ITEMNAME ADDED.</B>";
    }
}
FCLOSE($FILE);
PRINT "<CENTER><FORM NAME='CATEGORY'><INPUT TYPE='HIDDEN' NAME='ID' VALUE='$CATEGORY_ID'></FORM>
<INPUT TYPE=BUTTON ONCLICK='WIN(CATEGORY.ID.VALUE)'; VALUE='CLOSE THIS WINDOW' CLASS='INPUTBUTTON2'>";
}
ELSE {
    $ITEM_ID=$_GET['ID'];
    $GETITEMNAME = MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
    $ROWNAME = MYSQL_FETCH_ARRAY($GETITEMNAME);
    $ITEMNAME = $ROWNAME['ITEM_NAME'];
    $CATEGORY_ID = $ROWNAME['CATEGORY_ID'];
    PRINT "<FORM NAME='UPLOADFORM' METHOD='POST' ACTION='UPLOADITEM.PHP' ENCTYPE='MULTIPART/FORM-DATA' ONSUBMIT='RETURN CHECKFORM(THIS);'>";
    PRINT "<TR><TD ALIGN='RIGHT'>ITEM NAME: &nbsp;&nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><INPUT TYPE='HIDDEN' NAME='ITEM_ID' VALUE='$ITEM_ID'><B>$ITEMNAME</B></TD></TR>";
    PRINT "<TR><TD ALIGN='RIGHT'>ITEM STOCK FILE: &nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><INPUT TYPE='FILE' NAME='STOCKFILE'></TD></TR>
<TR><TD></TD><TD ALIGN='LEFT'><SPAN ID='SPFILE' STYLE='DISPLAY:BLOCK; VISIBILITY:HIDDEN;'><FONT COLOR='RED' SIZE='1'>PLEASE SELECT A FILE TO
UPLOAD.</SPAN></TD></TR>
<TR><TD ALIGN='RIGHT'>ACTIVATE ITEM IN STOCK? &nbsp;&nbsp;& </TD><TD ALIGN='LEFT'><INPUT TYPE='RADIO' NAME='SSTATUS' VALUE='1' CHECKED>YES &nbsp;& &
<INPUT TYPE='RADIO' NAME='SSTATUS' VALUE='0'>NO</TD></TR><TR><TD><BR></TD></TR>";
    $GETVENDOR = MYSQL_QUERY("SELECT * FROM VENDOR WHERE CATEGORY_ID='$CATEGORY_ID'");
    $NUMBEROFVENDORS = MYSQL_NUM_ROWS($GETVENDOR);
    IF ($NUMBEROFVENDORS>0){
        PRINT "<TR><TD ALIGN='RIGHT' VALIGN='TOP'>STOCK OF VENDOR: &nbsp;& </TD><TD ALIGN='LEFT'>";
        WHILE ($ROWVENDOR=MYSQL_FETCH_ARRAY($GETVENDOR)){
            $VENDOR_ID = $ROWVENDOR['VENDOR_ID'];
            PRINT "<INPUT TYPE='RADIO' NAME='VENDOR_ID' VALUE='$VENDOR_ID'> ".$ROWVENDOR['VENDOR_USERNAME']. " <BR>";
        }
        PRINT "</TD></TR><TR><TD><BR></TD></TR>";
    }
    PRINT "<TR><TD ALIGN='CENTER' COLSPAN='2'><INPUT TYPE='SUBMIT' NAME='UPLOAD' VALUE='SUBMIT' CLASS='INPUTBUTTON'></TD></TR>";
}
PRINT "</TABLE></FIELDSET></TD></TR></TABLE>";
?>

```

ADMIN/VENDOR MANAGEMENT.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP"; ?>
<SCRIPT LANGUAGE="JAVASCRIPT" TYPE="TEXT/JAVASCRIPT">
FUNCTION VALIDATEONSUBMIT(){
    VAR ELEM;
    VAR ERRS=0;

    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDVENDOR.IQAMA, 'INF_IQAMA', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDVENDOR.USERNAME, 'INF_USERNAME', TRUE)) ERRS += 1;
    IF (!VALIDATEEMAIL (DOCUMENT.FORMS.ADDVENDOR.EMAIL, 'INF_EMAIL', TRUE)) ERRS += 1;
    IF (!VALIDATENUMBER (DOCUMENT.FORMS.ADDVENDOR.MOBILENUM, 'INF_NUMBER', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDVENDOR.LASTNAME, 'INF_LASTNAME', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDVENDOR.FIRSTNAME, 'INF_FIRSTNAME', TRUE)) ERRS += 1;

    IF (ERRS>1) ALERT('PLEASE FILL UP REQUIRED FIELDS');
    IF (ERRS==1) ALERT('PLEASE FILL UP REQUIRED FIELDS');
    RETURN (ERRS==0);
}
FUNCTION VALIDATEONSUBMIT2(){
    VAR ELEM;
    VAR ERRS=0;

    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDVENDOR.USERNAME, 'INF_USERNAME', TRUE)) ERRS += 1;
    IF (!VALIDATEEMAIL (DOCUMENT.FORMS.ADDVENDOR.EMAIL, 'INF_EMAIL', TRUE)) ERRS += 1;
    IF (!VALIDATENUMBER (DOCUMENT.FORMS.ADDVENDOR.MOBILENUM, 'INF_NUMBER', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDVENDOR.LASTNAME, 'INF_LASTNAME', TRUE)) ERRS += 1;
    IF (!VALIDATEPRESENT (DOCUMENT.FORMS.ADDVENDOR.FIRSTNAME, 'INF_FIRSTNAME', TRUE)) ERRS += 1;

    IF (ERRS>1) ALERT('PLEASE FILL UP REQUIRED FIELDS');
}

```



```
                <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>. </SCRIPT> VAR SECONDS = 5; setInterval( function() { if
(SECONDS <= 1) { window.location = 'VendorManagement.php'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
            }
            ELSE {
                PRINT "<TR><TD><CENTER><B>1 RECORD SUCCESSFULLY DELETED. </B><BR><BR>
</SCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=VendorManagement.php'></SCRIPT>
                <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>. </SCRIPT> VAR SECONDS = 5; setInterval( function() { if
(SECONDS <= 1) { window.location = 'VendorManagement.php'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
            }
            PRINT "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE>";
        }
        ELSE IF (ISSET($ _POST['ADD'])) {
            $TITLE = $ _POST['VENDOR TITLE'];
            $FIRSTNAME = $ _POST['FIRSTNAME'];
            $LASTNAME = $ _POST['LASTNAME'];
            $COMPANYNAME = $ _POST['COMPANYNAME'];
            $COMPANYNAMEARA = $ _POST['COMPANYNAMEARA'];
            $CATEGORY_ID = $ _POST['CATEGORY_ID'];
            $ADDRESS = $ _POST['ADDRESS'];
            $EMAIL = $ _POST['EMAIL'];
            $ALTEMAIL = $ _POST['ALTEMAIL'];
            $USERNAME = $ _POST['USERNAME'];
            $MOBILENUM = $ _POST['MOBILENUM'];
            $PHONENUM = $ _POST['PHONENUM'];
            $IQAMA = $ _POST['IQAMA'];
            $STATUS = $ _POST['STATUS'];

            PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><CENTER><FIELDSET STYLE='width: 500px; align:center'>
<LEGEND><FONT COLOR='#0707AB' SIZE='3'><B>".Add Vendor</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>";
            IF (($FIRSTNAME=="")||($LASTNAME=="")||($MOBILENUM=="")||($EMAIL=="")||($USERNAME=="")||($IQAMA=="")) {
                PRINT "<TR><TD><CENTER><B><FONT COLOR='red'>REQUIRED FIELDS ERROR.</B></FONT><BR><BR>PLEASE FILL OUT ALL REQUIRED FIELDS
INDICATED BY <FONT COLOR='red'>*</FONT><BR><BR>
                </SCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=VendorManagement.php?action=1'></SCRIPT>
                <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>. </SCRIPT> VAR SECONDS = 5; setInterval( function() { if
(SECONDS <= 1) { window.location = 'VendorManagement.php?action=1'; } else { document.getElementById('seconds').innerHTML = --seconds; } }, 1000 );
</SCRIPT></FONT></CENTER></TD></TR>";
            }
            ELSE {
                // $CHECKQUERY = MYSQL_QUERY("SELECT * FROM VENDOR WHERE CATEGORY_ID='$CATEGORY_ID'");
                $CHECKQUERY2 = MYSQL_QUERY("SELECT * FROM VENDOR WHERE VENDOR_USERNAME='$USERNAME' OR VENDOR_EMAIL='$EMAIL'");
                // $COUNTCHECK = MYSQL_NUM_ROWS($CHECKQUERY);
                $COUNTCHECK2 = MYSQL_NUM_ROWS($CHECKQUERY2);
                IF ($COUNTCHECK2==0) {
                    $PASSWORD = GENERATEPASSWORD(8);
                    $SALT = SHA1(MD5($PASSWORD));
                    $PASSWORD_ENC = MD5($PASSWORD.$SALT);
                    $INSERT = MYSQL_QUERY("INSERT INTO VENDOR
(CATEGORY_ID,VENDOR_FIRSTNAME,VENDOR_LASTNAME,VENDOR_EMAIL,VENDOR_PASSWORD,VENDOR_MOBILENUM,VENDOR_PHONENUM,VENDOR_ISACTIVE,VENDOR_USERNAME,VENDOR_IQAMAID,VENDOR_COMPANY,VENDOR_COMP
ANY_ARA,TITLE,VENDOR_ADDRESS) VALUES
('$CATEGORY_ID','$FIRSTNAME','$LASTNAME','$EMAIL','$PASSWORD_ENC','$MOBILENUM','$PHONENUM','$STATUS','$USERNAME','$IQAMA','$COMPANYNAME','$COMPANYNAMEARA','$TITLE','$ADDRESS')");
                    IF (! $INSERT) {
                        PRINT "<TR><TD><CENTER><FONT COLOR='red'><B>ERROR!</B></FONT><BR><BR>AN ERROR OCCURED
WHILE INSERTING DATA.<BR><BR>
                </SCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5'; URL=VendorManagement.php?
PARENT_ID=$CATEGORY_ID&ACTION=1'></SCRIPT>
                <FONT COLOR='BLUE'>You will be redirected back in <SPAN ID='SECONDS'>5</SPAN>. </SCRIPT> VAR SECONDS = 5;
--seconds; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
            }
            ELSE {
                $SUBJECT = "Bea3.com Vendor Account";
                $MESSAGE = '<HTML XMLNS:M='HTTP://SCHEMAS.MICROSOFT.COM/OFFICE/2004/12/OMML' XMLNS:V='URN:SCHEMAS-
MICROSOFT-COM:VML' XMLNS:O='URN:SCHEMAS-MICROSOFT-COM:OFFICE:OFFICE'><HEAD><TEXT TYPE='TEXT/CSS'> TABLE.MsoNormalTable {font-size:10.0pt;font-family:Times New
Roman,"serif"; } P.MsoNormal {margin-bottom:.0001pt; font-size:11.0pt; font-family:'Calibri','sans-serif';margin-left:0in;margin-right:0in; margin-top:0in;} P
{margin-right:0in; margin-left:0in; font-size:12.0pt; font-family:'Times New Roman','serif';}A.LINK {color:blue;text-decoration:underline;
TEXT-UNDERLINE:SINGLE; }SPAN.STYLE21 {font-family:'Tahoma','sans-serif'; }SPAN.STYLE31 {color:black;} .STYLE1 {text-align:center; } .STYLE4 {text-align:
LEFT; } .STYLE5 {font-family:Tahoma;font-size: X-SMALL;text-align:right; } .STYLE6 {border-width:0px; } .AUTO-STYLE1 {font-family:Arial,sans-serif;color:#103842; } .AUTO-STYLE2 {text-
decoration:none; } .AUTO-STYLE3 {font-family:Arial,sans-serif;color:#103842;font-size:11pt; } .AUTO-STYLE4 {color:#103842; } .AUTO-STYLE5 {font-family:Tahoma;font-
size:X-SMALL;text-align:left; } .AUTO-STYLE6 {text-align:left;font-family:Tahoma,sans-serif; } .AUTO-STYLE7 {text-align:center;font-family:Tahoma,sans-serif; } </TABLE><HEAD><DIV
ALIGN="CENTER"><TABLE CLASS="MsoNormalTable" BORDER="1" CELLSPACING="0" CELLPADDING="0" WIDTH="752" STYLE="width:564.15pt;msocellspacing:0in;background:white;border:solid
black 1.0pt;msowfttbllook:1184;msopadding-alt:0in 0in 0in 0in"><TR STYLE="msowfttbllook:0;msowfttblfirstrow:yes"><TD VALIGN="TOP" STYLE="border:none;padding:0in 0in 0in 0in"><DIV
ALIGN="LEFT"><TABLE CLASS="MsoNormalTable" DIR="LTR" BORDER="0" CELLSPACING="0" CELLPADDING="0" STYLE="border-collapse:collapse;msowfttbllook:1184;msopadding-alt:0in 0in 0in
0in;msotable-dir:bid"><TR STYLE="msowfttblrow:0;msowfttblfirstrow:yes;msowfttblastrow:yes"><TD WIDTH="93" NOWRAP STYLE="width:70.0pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal"
ALIGN="CENTER" DIR="LTR" STYLE="text-align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN LANG="EN-US" STYLE="font-size:12.0pt;font-
family:'Arial'&quot;&quot;,&quot;sans-serif&quot;&quot;;color:black"><A HREF="http://1111.co/index.php"><STRONG><SPAN STYLE="font-size:11.0pt;font-family:'Arial'&quot;&quot;,&quot;sans-
serif&quot;&quot;;color:#103842;text-decoration:none;text-decoration:none">Home</SPAN></STRONG></A></SPAN></SPAN><SPAN DIR="LTR" STYLE="font-
size:12.0pt"><O:P></O:P></SPAN></P></TD><TD WIDTH="136" NOWRAP STYLE="width:101.9pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal" ALIGN="CENTER" DIR="LTR" STYLE="text-
align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN LANG="EN-US" STYLE="font-size:12.0pt;font-family:'Arial'&quot;&quot;,&quot;sans-serif&quot;&quot;;color:black"><A
href="http://1111.co/HTB.php"><STRONG><SPAN STYLE="font-size:11.0pt;font-family:'Arial'&quot;&quot;,&quot;sans-serif&quot;&quot;;color:#103842;text-decoration:none;text-
underline:none">How to Buy</SPAN></STRONG></A></SPAN></SPAN><SPAN DIR="LTR" STYLE="font-size:12.0pt"><O:P></O:P></SPAN></P></TD><TD WIDTH="136" NOWRAP
STYLE="width:102.0pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal" ALIGN="CENTER" DIR="LTR" STYLE="text-align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN
LANG="EN-US" STYLE="font-size:12.0pt;font-family:'Arial'&quot;&quot;,&quot;sans-serif&quot;&quot;;color:black"><A href="http://1111.co/FAQs.php"><STRONG><SPAN STYLE="font-
size:11.0pt;font-family:'Arial'&quot;&quot;,&quot;sans-serif&quot;&quot;;color:#103842;text-decoration:none;text-decoration:none">Find Card
LOCATION</SPAN></STRONG></A></SPAN></SPAN><SPAN DIR="LTR" STYLE="font-size:12.0pt"><O:P></O:P></SPAN></P></TD><TD WIDTH="136" NOWRAP STYLE="width:101.9pt;padding:0in
0in 0in 0in"><P CLASS="MsoNormal" ALIGN="CENTER" DIR="LTR" STYLE="text-align:center;direction:ltr;unicode-bidi:embed"><SPAN CLASS="STYLE11"><SPAN LANG="EN-US" STYLE="font-
size:12.0pt;font-family:'Arial'&quot;&quot;,&quot;sans-serif&quot;&quot;;color:black"><A href="http://1111.co/about.us.php"><STRONG><SPAN STYLE="font-size:11.0pt;font-
family:'Arial'&quot;&quot;,&quot;sans-serif&quot;&quot;;color:#103842;text-decoration:none;text-decoration:none">About Us</SPAN></STRONG></A></SPAN></SPAN><SPAN DIR="LTR"
STYLE="font-size:12.0pt"><O:P></O:P></SPAN></P></TD><TD WIDTH="175" NOWRAP STYLE="width:131.0pt;padding:0in 0in 0in 0in"><P CLASS="MsoNormal" ALIGN="CENTER" DIR="LTR"

```



```

        PRINT "</CENTER></TD></TR>\n";
    }
    PRINT "</TABLE>";
    IF ($NUMBEROFPages>1){
        $Nav="";
        FOR($j = 1 ; $j <= $NUMBEROFPages ; $j++) {
            IF($j == $PAGE)
                $Nav .= "<b>$j</b>";
            ELSE
                $Nav .= "&nbsp;<a href=\"VendorManagement.php?
PAGE=$j&parent_id=$parent_id&sortBy=$sortBy&order=$order \">$j </a>&nbsp;  ";
        }
        PRINT "<center><br><br> $Nav </center>";
    }
    PRINT "<br><br></div></div>";
}
ELSE {
    PRINT "<center><table width='760'><tr><td width='730' valign='top'>
<br><center><fieldset style='width: 500px;' align='center'>
<div class='results'><table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>
<tr><td><center><font color='red'><b>No Vendor Records Found.<br><br></td></tr>
</table></fieldset></center></td></tr><tr><td><br><br></td></tr></table>";
}
}
}
ELSE {
    PRINT "<center><br><font color='red' size='3'><b>Access Denied!</b></font></center>";
    PRINT "<meta http-equiv='refresh' content='1; url=index.php'>";
}
?>
<br></td></tr></table></td>
<?php include "RightPanel.php"; ?>

```

Admin/ViewPurchase.php

```

<html><head><meta http-equiv='Content-Type' content='text/html; charset=utf-8'>
</head><body>
<?php
    require 'Config.php';
    require 'OpenDB.php';
    include 'Function.php';
    include 'SiteSettings.php';
    $LIMIT = 10;
    $action = $_GET['action'];
    $purchase_id = $_GET['id'];
    $imageDirectory = "../images/items";
    $getItemID = mysql_query("SELECT * FROM purchase WHERE purchase_id='$purchase_id'");
    $rowItemID = mysql_fetch_array($getItemID);
    $stock_id = $rowItemID['stock_id'];
    $item_price = $rowItemID['item_price'];
    $item_price = number_format($item_price,2);
    $getItem = mysql_query("SELECT * FROM stocks,item WHERE stocks.item_id=item.item_id AND stock_id='$stock_id'");
    $rowItem = mysql_fetch_array($getItem);
    $nameItem = "item_name";
    $im = "item_image";
    $item_id = $rowItem['item_id'];
    $itemName = $rowItem[$nameItem];
    $item_image = $rowItem[$im];
    //if ($ADMIN_VALID==1){
        $category_id = $_GET['category_id'];
        $page = $_GET['page'];
        if($page == "") $page=1;
        PRINT "<center><table width='500'><tr><td width='500' valign='top'>
<br><center><fieldset style='width: 500px;' align='center'><legend><font color='#0707ab' size='3'><b>".View Purchase
DETAILS</b></font></legend>
                <div class='results'><table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>";
        PRINT "<tr><td width='50%' valign='top' align='left'><table align='center'>
<tr><td align='left'><img src='$imageDirectory/$item_image' width='210' height='150' /></td></tr><tr><td>&nbsp;  </td></tr>";
        PRINT "</table></td><td width='50%' valign='top' align='left'><b>$itemName</b><br /></td></tr><tr><td colspan='2'>&nbsp;&nbsp;&nbsp;</td></tr>";
        $getStock = mysql_query("SELECT * FROM stocks WHERE stock_id='$stock_id'");
        $rowStock = mysql_fetch_array($getStock);
        $header1 = $rowItem['item_info1'];
        $header2 = $rowItem['item_info2'];
        $header3 = $rowItem['item_info3'];
        $header4 = $rowItem['item_info4'];
        $header5 = $rowItem['item_info5'];
        $info1 = $rowStock['info1'];
        $info2 = $rowStock['info2'];
        $info3 = $rowStock['info3'];
        $info4 = $rowStock['info4'];
        $info5 = $rowStock['info5'];
        IF ($header1!="")
            PRINT "<tr><td align='right'><b>$header1:</b> &nbsp;  </td><td align='left'><b><font color='teal'>$info1</font></b></td></tr>";
        IF ($header2!="")
            PRINT "<tr><td align='right'><b>$header2:</b> &nbsp;  </td><td align='left'><b><font color='teal'>$info2</font></b></td></tr>";
        IF ($header3!="")
            PRINT "<tr><td align='right'><b>$header3:</b> &nbsp;  </td><td align='left'><b><font color='teal'>$info3</font></b></td></tr>";
        IF ($header4!="")
            PRINT "<tr><td align='right'><b>$header4:</b> &nbsp;  </td><td align='left'><b><font color='teal'>$info4</font></b></td></tr>";
        IF ($header5!="")
            PRINT "<tr><td align='right'><b>$header5:</b> &nbsp;  </td><td align='left'><b><font color='teal'>$info5</font></b></td></tr>";
        PRINT "</table>";
    }

```



```

        $GETBANKS=MYSQL_QUERY("SELECT * FROM BANK WHERE BANK_ID='$BANK'");
        $ROWS=MYSQL_FETCH_ARRAY($GETBANKS);
        $BANKNAME=$ROWS['BANK_NAME'];
    }
    ELSE
        $BANKNAME="All Banks";
    $TOTALSALESVIEW=0;
    FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
        IF ($BANK!=""){
            $QUERY1 = "SELECT EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE) AS YEAR,SUM(BANKTRANSFER_AMOUNT) AS SALES
            FROM BANK_TRANSFER,BANK
            WHERE BANK.BANK_ID='$BANK' AND BANK_TRANSFER.BANK_ID=BANK.BANK_ID AND BANKTRANSFER_STATUS=1 AND EXTRACT(YEAR FROM
BANKTRANSFER_ACCEPTDATE)='$INDEX'
            GROUP BY EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE)";
        }
        ELSE{
            $QUERY1 = "SELECT EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE) AS YEAR,SUM(BANKTRANSFER_AMOUNT) AS SALES
            FROM BANK_TRANSFER
            WHERE EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE)='$INDEX' AND BANKTRANSFER_STATUS=1
            GROUP BY EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE)";
        }
        $MYQUERY1 = MYSQL_QUERY($QUERY1);
        WHILE ($ROW1 = MYSQL_FETCH_ARRAY($MYQUERY1)){
            $TOTALSALESVIEW += $ROW1['SALES'];
        }
    }
    PRINT "<br><br><center><font size='2'><b>APPROVED BANK TRANSFERS REPORT FROM YEAR <font color='red'>$FROMDATE</font> TO <font
COLOR='red'>$TODATE</font> - $BANKNAME</b></font><br><br></center>";
    IF ($TOTALSALESVIEW>0){
        PRINT "<p align='right'><strong><font face='arial' size='2' color='#FFFFCC'>
<a href='Graph.php?from=$FROMDATE&to=$TODATE&id=$BANK&type=yb' target='_blank'>CLICK HERE TO SEE THE GRAPH</a></font></strong></p>";
    }
    PRINT "<div class='inside'><table width='700' border='1' style='table-layout: fixed;'>";
    PRINT "<tr><th>YEAR</th><th>TOTAL SALES</th></tr>";
    $TOTALSALES=0;
    FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
        IF ($BANK!=""){
            $QUERY = "SELECT EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE) AS YEAR,SUM(BANKTRANSFER_AMOUNT) AS SALES
            FROM BANK_TRANSFER,BANK
            WHERE BANK.BANK_ID='$BANK' AND BANK_TRANSFER.BANK_ID=BANK.BANK_ID AND BANKTRANSFER_STATUS=1 AND EXTRACT(YEAR FROM
BANKTRANSFER_ACCEPTDATE)='$INDEX'
            GROUP BY EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE)";
        }
        ELSE{
            $QUERY = "SELECT EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE) AS YEAR,SUM(BANKTRANSFER_AMOUNT) AS SALES
            FROM BANK_TRANSFER
            WHERE EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE)='$INDEX' AND BANKTRANSFER_STATUS=1
            GROUP BY EXTRACT(YEAR FROM BANKTRANSFER_ACCEPTDATE)";
        }
        $MYQUERY = MYSQL_QUERY($QUERY);
        $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
        $i++;
        IF ($COUNTQUERY==0){
            PRINT "<tr class='d'.($i & 1).'\>";
            PRINT "<td><center>$INDEX</center></td>";
            PRINT "<td><center>0</center></td>";
            PRINT "</tr>\n";
        }
        ELSE{
            WHILE ($ROW = MYSQL_FETCH_ARRAY($MYQUERY)){
                PRINT "<tr class='d'.($i & 1).'\>";
                PRINT "<td><center><b>". $ROW['YEAR']. "</b></center></td>";
                PRINT "<td><center><b>". $ROW['SALES']. "</b></center></td>";
                PRINT "</tr>\n";
                $TOTALSALES += $ROW['SALES'];
            }
        }
    }
    $i++;
    $TOTALSALES = NUMBER_FORMAT($TOTALSALES,2);
    PRINT "<tr class='d'.($i & 1).'\>";
    PRINT "<td align='left'><center><b>TOTAL SALES</b></center></td>";
    PRINT "<td><center><b>$TOTALSALES</b></center></td>";
    PRINT "</tr>\n";
    PRINT "</table>";
    PRINT "<p align='right'><a href='FundTransfer.php'><img src='images/back.png' width='30' height='30'></a></p>";
}
ELSE {
    PRINT "<center><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></center>";
    PRINT "<meta http-equiv='refresh' content='1'; url=index.php'>";
}
?>
<br></td></tr></table></td>
<?php include "RightPanel.php"; ?>

```

ADMIN/YEARLYCARD.PHP

```

<?php include "LeftPanel.php"; ?>
<td valign="top"><table id="contentscenter"><tr><td class="centermain">
<?php
    $LIMIT = 10;
    $ACTION=$_GET['action'];
    IF ($ADMIN_VALID==1){
        $PAGE=$_GET['page'];
    }

```



```

TOTALSALESVIEW=0;
FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
    $QUERY1 = "SELECT EXTRACT(YEAR FROM DATE) AS YEAR,SUM(CONVERTED_AMOUNT) AS SALES
    FROM CASHU
    WHERE EXTRACT(YEAR FROM DATE)=$INDEX'
    GROUP BY EXTRACT(YEAR FROM DATE)";
    $MYQUERY1 = MYSQL_QUERY($QUERY1);
    WHILE ($ROW1 = MYSQL_FETCH_ARRAY($MYQUERY1)){
        $TOTALSALESVIEW += $ROW1['SALES'];
    }
}
PRINT "<br><br><center><font size='2'><b>CashU SALES REPORT FROM YEAR <font color='red'>$FROMDATE</font> TO <font
COLOR='red'>$TODATE</font></b></center></br></font><br><br></center>";
IF ($TOTALSALESVIEW>0){
    PRINT "<p align='right'><strong><font face='arial' size='2' color='#FFCC00'>
    <a href='GRAPH.PHP?FROM=$FROMDATE&TO=$TODATE&TYPE=YCU' target='_blank'>CLICK HERE TO SEE THE GRAPH</a></strong></p>";
}
PRINT "<div class='inside'><table width='700' border='1' style='table-layout: fixed;'>";
PRINT "<tr><th>YEAR</th><th>TOTAL SALES</th></tr>";
TOTALSALES=0;
FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
    $QUERY = "SELECT EXTRACT(YEAR FROM DATE) AS YEAR,SUM(CONVERTED_AMOUNT) AS SALES
    FROM CASHU
    WHERE EXTRACT(YEAR FROM DATE)=$INDEX'
    GROUP BY EXTRACT(YEAR FROM DATE)";
    $MYQUERY = MYSQL_QUERY($QUERY);
    $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
    $i++;
    IF ($COUNTQUERY==0){
        PRINT "<tr class='d'.($i & 1).'\>";
        PRINT "<td><center>$INDEX</center></td>";
        PRINT "<td><center>0</center></td>";
        PRINT "</tr>\n";
    }
    ELSE {
        WHILE ($ROW = MYSQL_FETCH_ARRAY($MYQUERY)) {
            PRINT "<tr class='d'.($i & 1).'\>";
            PRINT "<td><center><b>". $ROW['YEAR']. "</b></center></td>";
            PRINT "<td><center><b>". $ROW['SALES']. "</b></center></td>";
            PRINT "</tr>\n";
            $TOTALSALES += $ROW['SALES'];
        }
    }
}
$i++;
TOTALSALES = NUMBER_FORMAT($TOTALSALES,2);
PRINT "<tr class='d'.($i & 1).'\>";
PRINT "<td align='left'><center><b>TOTAL SALES</b></center></td>";
PRINT "<td><center><b>$TOTALSALES</b></center></td>";
PRINT "</tr>\n";
PRINT "</table>";
PRINT "<p align='right'><a href='FundTransfer.PHP'><img src='IMAGES/BACK.PNG' width='30' height='30'></a></p>";
}
ELSE {
    PRINT "<center><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></center>";
    PRINT "<meta http-equiv='refresh' content='1'; url=INDEX.PHP'>";
}
?>
<br></td></tr></table></td>
<?PHP INCLUDE "RightPanel.PHP"; ?>

```

ADMIN/YEARLYCATEGORY.PHP

```

<?PHP INCLUDE "LeftPanel.PHP"; ?>
<td valign="top"><table id="CONTENTS CENTER"><tr><td class="CENTER MAIN">
<?PHP
FUNCTION ISLASTSUB($ID){
    $QUERY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$ID'");
    $COUNTROW = MYSQL_NUM_ROWS($QUERY);
    IF ($COUNTROW==0)
        RETURN 1;
    ELSE
        RETURN 0;
}
FUNCTION GETSUBCATEGORY($ID){
    $i=0;
    $QUERY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$ID'");
    WHILE ($ROW=MYSQL_FETCH_ARRAY($QUERY)){
        $CATEGORY_ID = $ROW['CATEGORY_ID'];
        $SUBCATS[$i] = $CATEGORY_ID;
        $i++;
    }
    RETURN $SUBCATS;
}
FUNCTION COUNTSUBCATEGORY($ID){
    $QUERY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_PARENTID='$ID'");
    $COUNTROW = MYSQL_NUM_ROWS($QUERY);
    RETURN $COUNTROW;
}
FUNCTION GETCATEGORYNAME($ID){
    $QUERY=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$ID'");
    $ROW=MYSQL_FETCH_ARRAY($QUERY);
    $CATEGORY_NAME = $ROW['CATEGORY_NAME'];
    RETURN $CATEGORY_NAME;
}

```

```

}

$LIMIT = 10;
$action=$_GET['action'];
if ($ADMIN_VALID==1){
    $PAGE=$_GET['page'];
    if($PAGE == "") $PAGE=1;
    if (isset($_POST['view'])){
        $FROMDATE = $_POST['year1'];
        $TODATE = $_POST['year2'];
        $CATEGORY_ID = $_POST['category_id'];
    }
    else{
        $FROMDATE = $YEAR;
        $TODATE = $YEAR;
        $CATEGORY_ID=0;
    }
    PRINT "<br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>$USERNAME!
</b></font></td>
<td align='right'><font color='black'><b>TODAY IS <font color='#1c43a6'><b>".date("L, F j, Y")." </b></font></td></tr></table>";
    PRINT "<center><table width='760'><tr><td width='730' valign='top'>
<br><fieldset style='width: 700px;' align='center'><legend><font color='#0707ab' size='3'><b>".YEARLY SALES PER CATEGORY</b></font></legend>
<div class='results'><table align='center' style='table-layout: fixed;'><tr><td><br></td></tr></div>
    PRINT "<form name='DateRange' method='post' action='YearlyCategory.php'>";
    PRINT "<br>";
    if ($FROMDATE>$TODATE){
        $TEMPDATE = $TODATE;
        $TODATE=$FROMDATE;
        $FROMDATE=$TEMPDATE;
    }
    PRINT "<tr><td align='center'><b>FROM YEAR : </b>&nbsp;   ";
    PRINT "<select name='year1'>
<option value='$FROMDATE'>$FROMDATE</option>
<option value='2020'>2020</option>
<option value='2019'>2019</option>
<option value='2018'>2018</option>
<option value='2017'>2017</option>
<option value='2016'>2016</option>
<option value='2015'>2015</option>
<option value='2014'>2014</option>
<option value='2013'>2013</option>
<option value='2012'>2012</option>
<option value='2011'>2011</option>
<option value='2010'>2010</option>
<option value='2009'>2009</option>
<option value='2008'>2008</option>
</select>";
    PRINT "&nbsp;   &nbsp;   &nbsp;   </td><td align='center'><b>TO YEAR:</b> &nbsp;   ";
    PRINT "<select name='year2'>
<option value='$TODATE'>$TODATE</option>
<option value='2020'>2020</option>
<option value='2019'>2019</option>
<option value='2018'>2018</option>
<option value='2017'>2017</option>
<option value='2016'>2016</option>
<option value='2015'>2015</option>
<option value='2014'>2014</option>
<option value='2013'>2013</option>
<option value='2012'>2012</option>
<option value='2011'>2011</option>
<option value='2010'>2010</option>
<option value='2009'>2009</option>
<option value='2008'>2008</option>
</select>";
    PRINT "</td></tr><tr><td colspan='2' align='center'><select name='category_id' style='width:160px;'>";
    $GETMainCategory = mysql_query("SELECT * FROM category WHERE category_parentid=0");
    if ($category_id!=0){
        $GETCat = mysql_query("SELECT * FROM category WHERE category_id='$category_id'");
        $ROWCat = mysql_fetch_array($GETCat);
        $id = $ROWCat['category_id'];
        $name = $ROWCat['category_name'];
        PRINT "<option value='$id'>$name</option>";
        PRINT "<option value='0'>ALL CATEGORIES</option>";
    }
    else PRINT "<option value='0'>ALL CATEGORIES</option>";
    while($ROWLastSub=mysql_fetch_array($GETMainCategory)){
        $category = $ROWLastSub['category_id'];
        $category_name = $ROWLastSub['category_name'];
        PRINT "<option value='$category'>$category_name</option>";
    }
    PRINT "</select>";
    PRINT "&nbsp;   &nbsp;   <input type='submit' name='view' value='View' class='inputbutton'>";
    PRINT "</form></td></tr></table></div>";
    if ($category_id==0)
        $categoryDisplay="ALL CATEGORIES";
    else {
        $GETDisplay = mysql_query("SELECT * FROM category WHERE category_id='$category_id'");
        $ROWDisplay = mysql_fetch_array($GETDisplay);
        $categoryDisplay=$ROWDisplay['category_name'];
    }
    PRINT "<br><br><center><font size='2'><b>TOTAL SALES FROM YEAR <font color='red'>$FROMDATE</font> TO <font color='red'>$TODATE</font> -
$categoryDisplay</b></font><br><br></center>";
    PRINT "<p align='right'><strong><font face='arial' size='2' color='#ffffcc'>

```



```

        PRINT "<TR CLASS='d'.('i & 1).\"";
        PRINT "<TD><CENTER><b>\".$ROW['YEAR'].\"</b></CENTER></TD>\";
        PRINT "<TD><CENTER><b>\".$ROW['SALES'].\"</b></CENTER></TD>\";
        PRINT "<TD><CENTER><b>\".$ROW['COST'].\"</b></CENTER></TD>\";
        PRINT "<TD><CENTER><b>\"$EARNINGS\"</b></CENTER></TD>\";
        PRINT "</TR>N\";
        $TOTALSALES += $ROW['SALES'];
        $TOTALCOST += $ROW['COST'];
        $TOTALEARNING += $EARNINGS;
    }
}

    $i++;
    $TOTALSALES2 = NUMBER_FORMAT($TOTALSALES,2);
    $TOTALCOST2 = NUMBER_FORMAT($TOTALCOST,2);
    $TOTALEARNING2 = NUMBER_FORMAT($TOTALEARNING,2);
    PRINT "<TR CLASS='d'.('i & 1).\"";
    PRINT "<TD ALIGN='LEFT'><CENTER><b>Total\"</b></CENTER></TD>\";
    PRINT "<TD><CENTER><b>\"$TOTALSALES2\"</b></CENTER></TD>\";
    PRINT "<TD><CENTER><b>\"$TOTALCOST2\"</b></CENTER></TD>\";
    PRINT "<TD><CENTER><b>\"$TOTALEARNING2\"</b></CENTER></TD>\";
    PRINT "</TR>N\";
    PRINT "</TABLE>\";

    PRINT "<p ALIGN='RIGHT'><a href='ItemSALES.php'><img src='images/back.png' width='30' height='30'></a></p>\";
}
ELSE {
    PRINT "<CENTER><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></CENTER>\";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>\";
}
?>
<br></td></tr></table><br></td>>
<?php include \"RightPanel.php\";
?>

```

VENDOR/DAILYSALES.PHP

```

<?php include \"LeftPanel.php\"; ?>
<td valign=\"top\"><table id=\"contentsCenter\"><tr><td class=\"centerMain\">
<?php
    $LIMIT = 10;
    $ACTION = $_GET['ACTION'];
    IF ($VENDOR_VALID == 1){
        $PAGE = $_GET['PAGE'];
        IF ($PAGE == \"\") $PAGE = 1;
        IF (ISSET($_POST['VIEW'])) {
            $FROMDATE = ISSET($_REQUEST['FROMDATE']) ? $_REQUEST['FROMDATE'] : \"\";
            $TODATE = ISSET($_REQUEST['TODATE']) ? $_REQUEST['TODATE'] : \"\";
            $CATEGORY_ID = $_POST['CATEGORY_ID'];
        }
        ELSE {
            $FROMDATE = $DATEONLY;
            $TODATE = $DATEONLY;
        }
        PRINT "<br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>\"$USERNAME!
</b></font></td>
        <td align='right'><font color='black'><b>Today is <font color='#1c43a6'><b>\".date(\"L, F j, Y\").\"</b></font></td></tr></table>\";
        PRINT "<center><table width='760'><tr><td align='center'><font color='#0707ab' size='3'><b>\".\"DAILY TOTAL SALES PER ITEM</b></font></td></tr></table>\";
        <br><fieldset style='width: 700px;' align='center'><legend><font color='#0707ab' size='3'><b>\".\"DAILY TOTAL SALES PER ITEM</b></font></legend>
        <div class='results'><table align='center' style='table-layout: fixed;'><tr><td><br></td></tr></table>\";
        PRINT "<form name='DateRange' method='POST' action='DailySales.php'>
        <tr><td align='center'><b>From Date : <br><br>
        FUNCTION GETDAYSINWEEK ($WEEKNUMBER, $YEAR, $DAYSTART = 1) {
            $TIME = STRTOTIME($YEAR . '0104 + ' . ($WEEKNUMBER - 1). ' WEEKS');
            $DAYTIME = STRTOTIME('-' . (DATE('W', $TIME) - $DAYSTART) . ' DAYS', $TIME);
            $DAYTIMES = ARRAY ();
            FOR ($i = 0; $i < 7; ++$i) {
                $DAYTIMES[$i] = STRTOTIME('+ ' . $i . ' DAYS', $DAYTIME);
            }
            RETURN $DAYTIMES;
        }
        $THISWEEK = DATE('W');
        $THISYEAR = DATE('Y');
        $DAYTIMES = GETDAYSINWEEK($THISWEEK, $THISYEAR);
        $DATE1 = DATE('Y-M-D', $DAYTIMES[0]);
        $DATE2 = DATE('Y-M-D', $DAYTIMES[(sizeof($DAYTIMES)-1)]);
        $FROMDATE = \"$FROMDATE*\";
        $YEAR1 = EXTRACTBETWEENDELIMITERS($FROMDATE, \"*\" \"*\");
        $MONTH1 = EXTRACTBETWEENDELIMITERS($FROMDATE, \"*\" \"*\");
        $DAY1 = EXTRACTBETWEENDELIMITERS($FROMDATE, \"*\" \"*\");
        $DAY1 = \"$DAY1*\";
        $DAY1 = EXTRACTBETWEENDELIMITERS($DAY1, \"*\" \"*\");
        $TODATE = \"$TODATE*\";
        $YEAR2 = EXTRACTBETWEENDELIMITERS($TODATE, \"*\" \"*\");
        $MONTH2 = EXTRACTBETWEENDELIMITERS($TODATE, \"*\" \"*\");
        $DAY2 = EXTRACTBETWEENDELIMITERS($TODATE, \"*\" \"*\");
        $DAY2 = \"$DAY2*\";
        $DAY2 = EXTRACTBETWEENDELIMITERS($DAY2, \"*\" \"*\");
        $FROMDATE = EXTRACTBETWEENDELIMITERS($FROMDATE, \"*\" \"*\");
        $TODATE = EXTRACTBETWEENDELIMITERS($TODATE, \"*\" \"*\");
        $MYCALENDAR = NEW TC_CALENDAR(\"FROMDATE\", TRUE);
        $MYCALENDAR->SETICON(\"CALENDAR/IMAGES/ICONCALENDAR.GIF\");
        $MYCALENDAR->SETDATE($DAY1, $MONTH1, $YEAR1);
        $MYCALENDAR->SETPATH(\"CALENDAR/\");
        $MYCALENDAR->SETYEARINTERVAL(1970, 2020);
    }

```

```

$myCalendar->setAlignment('left', 'bottom');
$myCalendar->setDatePair('fromDate', 'toDate', $date2);
$myCalendar->writeScript();
print "&nbsp;";
$myCalendar = new tc_calendar("toDate", true);
$myCalendar->setIcon("calendar/images/iconcalendar.gif");
$myCalendar->setDate($day2, $month2, $year2);
$myCalendar->setPath("calendar/");
$myCalendar->setYearInterval(1970, 2020);
$myCalendar->setAlignment('left', 'bottom');
$myCalendar->setDatePair('fromDate', 'toDate', $date1);
$myCalendar->writeScript();
print "</td><td><br />";
$GETVENDORCATEGORY = mysql_query("SELECT * FROM VENDOR WHERE VENDOR_ID='$VENDOR_ID'");
$ROWVENDOR = mysql_fetch_array($GETVENDORCATEGORY);
$CATEGORY_ID = $ROWVENDOR['CATEGORY_ID'];
print "</table><br><br><center><font size='2'><b>TOTAL SALES FROM <font color='red'>$FROMDATE</font> TO <font color='red'>$TODATE
$YEARCHOSEN</font></b></center>";

FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
    $TOTALSALES=0;SWITCH ($INDEX){
    CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
    CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
    CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
    CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
    CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
    CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
    CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
    CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
    CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
    CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
    CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
    CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
    }
    print "<div class='inside'><table cellpadding='2' cellspacing='2' width='700' border='1' style='table-layout: fixed;'>";
    print "<tr class='label'><td colspan='5' align='center'><b>$INDEX</b></td></tr>";
    print "<tr><th>ITEM</th><th>STOCKS PURCHASED</th><th>SOLD QUANTITY</th><th>ITEM PRICE</th><th>TOTAL SALES</th></tr>";
    $GETITEMS=mysql_query("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID'");
    while($ROWITEMS = mysql_fetch_array($GETITEMS)){
        $ITEM_ID=$ROWITEMS['ITEM_ID'];
        $ITEM_NAME=$ROWITEMS['ITEM_NAME'];
        $QUERY = "SELECT ITEM_NAME, DATE(PURCHASE_DATE TIME) AS Month,COUNT(PURCHASE.STOCK_ID) AS SoldQUANTITY, ITEM_PRICE AS SALE
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE DATE(PURCHASE_DATE TIME)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID AND
ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID=$ITEM_ID' AND STOCKS.VENDOR_ID='$VENDOR_ID'
GROUP BY DATE(PURCHASE_DATE TIME)";
        $MYQUERY = mysql_query($QUERY);
        $ROW = mysql_fetch_array($MYQUERY);
        $COUNTQUERY = mysql_num_rows($MYQUERY);
        $COUNTSTOCKS=mysql_query("SELECT COUNT(stock_id) FROM STOCKS WHERE STOCKS.ITEM_ID='$ITEM_ID' AND
STOCKS.VENDOR_ID='$VENDOR_ID' AND STOCK_TIME<='$INDEX'");
        $ROWC = mysql_fetch_row($COUNTSTOCKS);
        $COUNTOFSTOCKS = $ROWC[0];
        $TOTALSOLD = $ROW['SOLDQUANTITY'];
        $PRICE = $ROW['SALE'];
        $TOTAL = $TOTALSOLD*$PRICE;
        IF ($COUNTQUERY==0) {
            /*
            print "<tr>";
            print "<td align='left'> &nbsp;";
            print "<td><center>0</center></td>";
            print "</tr>\n";
            */
        }
        ELSE {
            print "<tr>";
            print "<td align='left'> &nbsp;";
            print "<td><center>$COUNTOFSTOCKS</center></td>";
            print "<td><center>.$ROW['SOLDQUANTITY'].</center></td>";
            print "<td><center>.$ROW['SALE'].</center></td>";
            print "<td><center>$TOTAL</center></td>";
            print "</tr>\n";
            $TOTALSALES += $TOTAL;
        }
    }
    $TOTALSALES2 = number_format($TOTALSALES,2);
    print "<tr class='d'".(($1 & 1))."\">";
    print "<td colspan='4'><center><b>TOTAL</b></center></td>";
    print "<td><center><b>$TOTALSALES2</b></center></td></tr>";
    print "</table><br><br>";
}
print "</table>";
print "<p align='right'><a href='REPORTSMANAGEMENT.PHP'><img src='../Admin/images/back.png' width='30' height='30'></a></p>";
}
ELSE {
    print "<center><br><font color='red' size='3'><b>ACCESS DENIED</b></font></center>";
    print "<meta http-equiv='refresh' content='1; url=index.php'>";
}
?>
<br></td></tr></table></td>
<?php include "RIGHTPANEL.PHP"; ?>

```

VENDOR/FORGOTPASSWORD.PHP

```

<?php
SESSION_START(); //INITIALIZE PHP SESSION

```

```

REQUIRE './Admin/CONFIG.PHP';
REQUIRE './Admin/OPENDB.PHP';
FUNCTION GENERATEPASSCODE($LENGTH){
    $RANDOM = "";
    SRAND((DOUBLE)MICROTIME()*1000000);
    $DATA = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";
    $DATA = "ABCDEFGHIJKLMNOPQRSTUVWXYZ";
    $DATA = "1234567890";
    FOR($i = 0; $i < $LENGTH; $i++){
        $RANDOM .= SUBSTR($DATA, (RAND()%(STRLLEN($DATA))), 1);
    }
    RETURN $RANDOM;
}
?>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD XHTML 1.0 TRANSITIONAL//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<HTML XMLNS="http://www.w3.org/1999/xhtml">
<HEAD>
    <TITLE> BEA3 - ALMALKI ELECTRONIC BASKET </TITLE>
    <META HTTP-EQUIV="CONTENT-TYPE" CONTENT="text/html; charset=iso-8859-1">
    <LINK HREF="./Admin/LOGIN.CSS" REL="stylesheet" TYPE="text/css">
</HEAD>
<BODY>
<?PHP
PRINT "<table width='800' border='0' cellpadding='0' cellspacing='0' align='center'>
    <tr><td colspan='3'><p>&nbsp;</p></td></tr>
    <tr class='headline'><td></td></tr>
    <tr><td>";
IF (isset($_POST['submit'])){
    INCLUDE("../SECURIMAGE/SECURIMAGE.PHP");
    $IMG = NEW SECURIMAGE();
    $VALID = $IMG->CHECK($_POST['code']);
    $EMAILADDRESS = $_POST['emailAddress'];
    IF($VALID == TRUE) {
        $RESULT = MYSQL_QUERY("SELECT * FROM ADMIN_USER WHERE ADMIN_EMAIL='$EMAILADDRESS'");
        IF(MYSQL_NUM_ROWS($RESULT)){
            WHILE ($ROW=MYSQL_FETCH_ARRAY($RESULT, MYSQL_ASSOC)){
                $ADMINNAME = $ROW['ADMIN_FIRSTNAME'];
                $ADMIN_ID = $ROW['ADMIN_ID'];
                $NEWPASS = GENERATEPASSCODE(8);
                $SUBJECT="BEA.COM PASSWORD";
                $MESSAGE ="Dear $ADMINNAME,\nPLEASE NOTE YOUR NEW PASSWORD TO LOGIN INTO BEA3 WEBSITE.\n\nYOUR PASSWORD IS: $NEWPASS";
                IF (MAIL($EMAILADDRESS, $SUBJECT, $MESSAGE, "From: . $SMTP_FROM)){
                    PRINT "<table class='centerTable' cellpadding='0' cellspacing='0' align='center'>
                        <tr><td align='center'><br><br>".getLang("YourPasswordSent",$LANGUAGE). "</td></tr>";
                        $SALT = SHA1(MD5($NEWPASS));
                        $ADMIN_PASS = MD5($NEWPASS.$SALT);
                        $UPDATEPASS=MYSQL_QUERY("UPDATE ADMIN_USER SET ADMIN_PASSWORD='$ADMIN_PASS' WHERE
ADMIN_ID='$ADMIN_ID'");
                    }
                }
            }
        }
    }
    ELSE {
        $_GET['emailAddress'] = $EMAILADDRESS;
        INCLUDE "FORGOTPASSWORDFORM.PHP";
        PRINT "<table class='centerTable' cellpadding='0' cellspacing='0' align='center'>
            <tr><td><center><font color='red'><b>SORRY, THE EMAIL ADDRESS YOU ENTERED IS
INVALID.</b></font></center></td></tr>";
        }
    }
    ELSE {
        $_GET['emailAddress'] = $EMAILADDRESS;
        INCLUDE "FORGOTPASSWORDFORM.PHP";
        PRINT "<table class='centerTable' cellpadding='0' cellspacing='0' align='center'>
            <tr><td><center><font color='red'><b>SORRY, THE CODE YOU ENTERED WAS
INVALID.</b></font></center></td></tr>";
        }
    }
    ELSE {
        INCLUDE "FORGOTPASSWORDFORM.PHP";
    }
    PRINT "</table> </td> </tr><tr class='closing'><td> </td></tr></table>";
?>
</BODY>
</HTML>

```

VENDOR/FORGOTPASSWORDFORM.PHP

```

<?PHP
$EMAILADDRESS = $_GET["emailAddress"];
FUNCTION GETLANG($WORD,$LANG){
    $FILENAME = "./MAIN.TXT";
    $FILE = FOPEN("$FILENAME", "r") OR EXIT("UNABLE TO OPEN FILE!");
    WHILE(!FEOF($FILE)){
        $COUNT=0;
        $STRING = FGETS($FILE);
        $STRING = TRIM($STRING);
        $STRING = STR_REPLACE("\t", " ", $STRING);
        $STRING = STR_REPLACE(" ", " ", $STRING);
        $TOKEN = STRTOK($STRING, " =");
        $TOKEN=TRIM($TOKEN,"=");
        IF ($TOKEN==$WORD){
            WHILE ($TOKEN != FALSE){
                $TOKEN=TRIM($TOKEN);
                $RESULT[$COUNT]=$TOKEN;
            }
        }
    }
}

```

```

        $TOKEN = STRTOK("=");
        $COUNT++;
    }
}
}
IF ($LANG=="AE")
    RETURN $RESULT[2];
ELSE RETURN $RESULT[1];
FCLOSE($FILE);
}
?>
</SCRIPT>
FUNCTION CheckForm(FRM) {
    VAR FLAG = TRUE;
    VAR FILTER = /^[a-zA-Z0-9_\.!-]+\@((([a-zA-Z0-9-])+\.)+([a-zA-Z0-9]{2,4})+)$/;
    IF(FRM.EMAILADDRESS.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("spEmailReq").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    ELSE{
        IF (!FILTER.TEST(FRM.EMAILADDRESS.VALUE)){
            DOCUMENT.GETELEMENTBYID("spEmailReq2").STYLE.DISPLAY = "BLOCK";
            DOCUMENT.GETELEMENTBYID("spEmailReq2").STYLE.VISIBILITY = "VISIBLE";
            DOCUMENT.GETELEMENTBYID("spEmailReq").STYLE.DISPLAY = "NONE";
            DOCUMENT.GETELEMENTBYID("spEmailReq").STYLE.VISIBILITY = "HIDDEN";
            FLAG = FALSE;
        }
    }
    RETURN FLAG;
}
</SCRIPT>
<?PHP
PRINT "<TABLE CLASS='CENTER TABLE' CELLPADDING='0' CELLSPACING='0' ALIGN='CENTER'>
<TR><TD VALIGN='BOTTOM' COLSPAN='3' ALIGN='CENTER'><IMG SRC='IMAGES/VENDORLOGIN.JPG' WIDTH='786' HEIGHT='100' ALT='' /></TD>
</TR><TR><TD><BR /></TD><TR><TD VALIGN='TOP' ALIGN='CENTER' COLSPAN='3'>
<TABLE BORDER='0' CELLPADDING='0' CELLSPACING='0' STYLE='border-collapse: collapse'>
<TR><TD><DIV CLASS='CONTAINER'><FORM METHOD='POST' NAME='FORGOTPASSWORD' ACTION='FORGOTPASSWORD.PHP'>
<TABLE BORDER='0' CELLPADDING='0'>
<TR><TD COLSPAN='2' CLASS='LOGIN'><H1>FORGOT PASSWORD</H1></TD>
<TR><TD COLSPAN='6'><IMG SRC='IMAGES/LOGIN_ICON.GIF' WIDTH='200' HEIGHT='200'></TD></TR>
<TR><TD COLSPAN='2'>PLEASE ENTER YOUR EMAIL ADDRESS:</TD></TR>
<TR><TD COLSPAN='2'><INPUT TYPE='TEXT' NAME='EMAILADDRESS' VALUE='$EMAILADDRESS' SIZE='30'></TD></TR>
<TR><TD></TD><TD><SPAN ID='spEmailReq' STYLE='display:block; visibility:hidden; color:red;'>".GETLANG("REQUIRED_EMAIL",$LANGUAGE)."/</SPAN>
<SPAN ID='spEmailReq2' STYLE='display:none; visibility:hidden; color:red;'>".GETLANG("INVALID_EMAIL_ADDRESS",$LANGUAGE)."/</SPAN></TD></TR>
<TR><TD COLSPAN='2'>PASSWORD RECOVERY CODE: </TD></TR>
<TR><TD COLSPAN='2'>&nbsp;<IMG ID='SIIMAGE' STYLE='padding-right: 5px; border: 0' WIDTH='165' SRC='./SECURIMAGE/SECURIMAGE_SHOW.PHP?SID=<?PHP ECHO
MD5(TIME()) ?>'>"; ?>
<A TABINDEX="-1" STYLE="border-style: none" HREF="#" TITLE="REFRESH IMAGE" ONCLICK="DOCUMENT.GETELEMENTBYID('SIIMAGE').SRC = './SECURIMAGE/SECURIMAGE_SHOW.PHP?
SID=' + MATH.RANDOM(); RETURN FALSE">
<?PHP PRINT "<IMG SRC='./SECURIMAGE/IMAGES/REFRESH.GIF' ALT='RELOAD IMAGE' BORDER='0' ONCLICK='THIS.BLUR()' ALIGN='BOTTOM' /></A></TD></TR>
<TR><TD COLSPAN='3'> &nbsp;<INPUT TYPE='TEXT' NAME='CODE' SIZE='6'> <FONT SIZE='1' COLOR='#0341cc'> &LAQUO; PLEASE ENTER THE ABOVE PASSWORD RECOVERY CODE
HERE. </FONT></TD></TR>
<TR><TD ALIGN='CENTER' COLSPAN='2' STYLE='color: red; font-size: 12pt;'></TD></TR><TR><TD>&nbsp;</TD><TD>
<INPUT TYPE='SUBMIT' NAME='SUBMIT' CLASS='INPUTBUTTON' VALUE='SUBMIT' ONCLICK='RETURN CHECKFORM(FORGOTPASSWORD);'>
<INPUT TYPE='SUBMIT' NAME='RESET' ID='BTNRESET' CLASS='INPUTBUTTON' VALUE='RESET' ONCLICK='DOCUMENT.FORGOTPASSWORD.EMAILADDRESS.VALUE = \\'';' /></TD></TR>
<TR><TD>&nbsp;</TD><TD COLSPAN='2'><A HREF='INDEX.PHP'>&LAQUO; CLICK HERE TO GO BACK TO LOGIN PAGE.</A></TD></TR>
<TR><TD>&nbsp;</TD><TD COLSPAN='2'><A HREF='./INDEX.PHP'>&LAQUO; CLICK HERE TO GO BACK TO HOME PAGE.</A></TD></TR>
</TABLE></FORM></DIV></TD></TR><TR><TD><BR /></TD></TR></TABLE></TD></TR>";

```

VENDOR/GRAPH.PHP

```

<?PHP
SESSION_START();
REQUIRE '../ADMIN/CONFIG.PHP';
REQUIRE '../ADMIN/OPENDB.PHP';
INCLUDE('../ADMIN/PHLOT/PHLOT.PHP');
$CATEGORY_NAME=$_GET['CAT'];
$CATEGORY_ID = $_GET['ID'];
$VENDOR_ID = $_GET['VID'];
$FROMDATE=$_GET['FROM'];
$TODATE=$_GET['TO'];
$TYPE=$_GET['TYPE'];
$DATA = ARRAY();
FOR ($INDEX=$FROMDATE; $INDEX<=$TODATE; $INDEX++){
    IF ($TYPE=='M'){
        $DATA = ARRAY();
        $LEGEND=ARRAY();
        $TITLE = "TOTAL SALES REPORT OF $CATEGORY_NAME PER MONTH\NBea3.COM";
        $YEARCHOSEN = $_GET['YEARCHOSEN'];
        SWITCH ($INDEX){
            CASE 1: $DISPLAYMONTH3 = "JANUARY"; BREAK;
            CASE 2: $DISPLAYMONTH3 = "FEBRUARY"; BREAK;
            CASE 3: $DISPLAYMONTH3 = "MARCH"; BREAK;
            CASE 4: $DISPLAYMONTH3 = "APRIL"; BREAK;
            CASE 5: $DISPLAYMONTH3 = "MAY"; BREAK;
            CASE 6: $DISPLAYMONTH3 = "JUNE"; BREAK;
            CASE 7: $DISPLAYMONTH3 = "JULY"; BREAK;
            CASE 8: $DISPLAYMONTH3 = "AUGUST"; BREAK;
            CASE 9: $DISPLAYMONTH3 = "SEPTEMBER"; BREAK;
            CASE 10: $DISPLAYMONTH3 = "OCTOBER"; BREAK;
            CASE 11: $DISPLAYMONTH3 = "NOVEMBER"; BREAK;
            CASE 12: $DISPLAYMONTH3 = "DECEMBER"; BREAK;
        }
        $DATA[]=$DISPLAYMONTH3;
    }
}

```

```

$GETITEMS=MYSQL_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID'");
WHILE($ROWITEMS = MYSQL_FETCH_ARRAY($GETITEMS)){
$ITEM_ID=$ROWITEMS['ITEM_ID'];
$QUERY = "SELECT ITEM_NAME, EXTRACT(MONTH FROM PURCHASE_DATE TIME) AS MONTH,COUNT(PURCHASE.STOCK_ID) AS SOLDQUANTITY,
ITEM_PRICE AS SALE
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(YEAR FROM PURCHASE_DATE TIME)='$YEARCHOSEN' AND EXTRACT(MONTH FROM PURCHASE_DATE TIME)='$INDEX' AND
PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID='$ITEM_ID' AND STOCKS.VENDOR_ID='$VENDOR_ID'
GROUP BY EXTRACT(MONTH FROM PURCHASE_DATE TIME)";
$MYQUERY = MYSQL_QUERY($QUERY);
$ROW = MYSQL_FETCH_ARRAY($MYQUERY);
$COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
IF ($COUNTQUERY==0){
$DATA[] = 0;
}
ELSE{
$DATA[] = $ROW['SOLDQUANTITY'];
}
$LEGEND[]=$ROWITEMS['ITEM_NAME'];
}
$DATA2[]=$DATA;
}
ELSE IF ($TYPE=='Y'){
$TITLE = "TOTAL SALES REPORT OF $CATEGORY_NAME PER YEAR\nBEA3.COM";
$DATA = ARRAY();
$LEGEND=ARRAY();
$GETITEMS=MYSQL_QUERY("SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID'");
$DATA[]=$INDEX;
WHILE($ROWITEMS = MYSQL_FETCH_ARRAY($GETITEMS)){
$ITEM_ID=$ROWITEMS['ITEM_ID'];
$QUERY = "SELECT ITEM_NAME, EXTRACT(YEAR FROM PURCHASE_DATE TIME) AS YEAR,COUNT(PURCHASE.STOCK_ID) AS SOLDQUANTITY,
ITEM_PRICE AS SALE
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(YEAR FROM PURCHASE_DATE TIME)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND
STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID='$ITEM_ID' AND STOCKS.VENDOR_ID='$VENDOR_ID'
GROUP BY EXTRACT(YEAR FROM PURCHASE_DATE TIME)";
$MYQUERY = MYSQL_QUERY($QUERY);
$ROW = MYSQL_FETCH_ARRAY($MYQUERY);
$COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
IF ($COUNTQUERY==0){
$DATA[] = 0;
}
ELSE{
$DATA[] = $ROW['SOLDQUANTITY'];
}
$LEGEND[]=$ROWITEMS['ITEM_NAME'];
}
$DATA2[]=$DATA;
}
}
}
$PLOT = NEW PHPLOT(1500, 800);
$PLOT->SETIMAGEBORDERTYPE('PLAIN');
$PLOT->SETPLOTTYPE('BARS');
$PLOT->SETDATATYPE('TEXT-DATA');
$PLOT->SETDATAVALUES($DATA2);
$PLOT->SETTITLE($TITLE);
$PLOT->SETLEGEND($LEGEND);
$PLOT->SETLEGENDPOSITION(0, 0, 'PLOT', 0, 0, 5, 5);
# TURN OFF X TICK LABELS AND TICKS BECAUSE THEY DON'T APPLY HERE:
$PLOT->SETXTICKLABELPOS('NONE');
$PLOT->SETXTICKPOS('NONE');

# MAKE SURE Y=0 IS DISPLAYED:
$PLOT->SETPLOTAREAWORLD(NULL, 0);
# Y TICK MARKS ARE OFF, BUT Y TICK INCREMENT ALSO CONTROLS THE Y GRID LINES:
$PLOT->SETYTICKINCREMENT(100);

# TURN ON Y DATA LABELS:
$PLOT->SETYDATALABELPOS('BOTH');

# WITH Y DATA LABELS, WE DON'T NEED Y TICKS OR THEIR LABELS, SO TURN THEM OFF.
$PLOT->SETYTICKLABELPOS('NONE');
$PLOT->SETYTICKPOS('NONE');

# FORMAT THE Y DATA LABELS AS NUMBERS WITH 1 DECIMAL PLACE.
# NOTE THAT THIS AUTOMATICALLY CALLS SETYLABELTYPE('DATA').
$PLOT->SETPRECISIONY(1);

$PLOT->DRAWGRAPH();
?>

VENDOR/INDEX.PHP

<?PHP
SESSION_START();
REQUIRE '../ADMIN/CONFIG.PHP';
REQUIRE '../ADMIN/OPENDB.PHP';
?>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD XHTML 1.0 TRANSITIONAL//EN" "http://www.w3.org/tr/xhtml1/DTD/xhtml1-transitional.dtd">
<HTML XMLNS="http://www.w3.org/1999/xhtml">
<HEAD>
<TITLE> BEA3 - ALMALKI ELECTRONIC BASKET </TITLE>
<META HTTP-EQUIV="CONTENT-TYPE" CONTENT="TEXT/HTML; CHARSET=ISO-8859-1">
<LINK HREF="../ADMIN/LOGIN.CSS" REL="STYLESHEET" TYPE="TEXT/CSS">

```



```

</HEAD>
<BODY>
<TABLE WIDTH="800" BORDER="0" CELLPADDING="0" CELLSPACING="0" ALIGN="CENTER">
<TR>
<TD COLSPAN="3"><p>&nbsp;</p></TD>
</TR>
<TR CLASS="HEADLINE"><TD></TD></TR>
<TD>
<?PHP
IF (ISSET($_POST['SUBMIT'])) {
    $USERNAME = $_POST['USERNAME'];
    $PASSWORD = $_POST['PASSWORD'];
    $SALT = SHA1(MD5($PASSWORD));
    $PASSWORD = MD5($PASSWORD.$SALT);
    $RESULT = MYSQL_QUERY("SELECT * FROM VENDOR WHERE VENDOR_USERNAME='$USERNAME' AND
VENDOR_PASSWORD='$PASSWORD'") OR DIE(MYSQL_ERROR());
    IF (MYSQL_NUM_ROWS($RESULT)) {
        WHILE ($ROW=MYSQL_FETCH_ARRAY($RESULT, MYSQL_ASSOC)) {
            $VENDOR_ID = $ROW['VENDOR_ID'];
            $VENDOR_ISACTIVE = $ROW['VENDOR_ISACTIVE'];
            IF ($VENDOR_ISACTIVE==1) {
                $_SESSION["VENDOR_VALID"] = 1;
                $_SESSION["VENDOR_ID"] = $VENDOR_ID;
                $_SESSION["USERNAME"] = $USERNAME;
                PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='0'; URL=VENDORHOME.PHP'>";
            }
            ELSE {
                $_GET['USERNAME'] = $USERNAME;
                $_GET['PASSWORD'] = $PASSWORD;
                INCLUDE "LOGINFORM.PHP";
                PRINT "<TR><TD><FONT COLOR='red'><B><CENTER>Your account has been
DEACTIVATED. <BR>PLEASE CONTACT THE MAIN ADMINISTRATOR.</CENTER></B></FONT></TD></TR>";
            }
        }
    }
    ELSE {
        $_GET['USERNAME'] = $USERNAME;
        $_GET['PASSWORD'] = $PASSWORD;
        INCLUDE "LOGINFORM.PHP";
        PRINT "<TR><TD><FONT COLOR='red'><B><CENTER>INVALID USERNAME OR
PASSWORD</CENTER></B></FONT></TD></TR>";
    }
    ELSE {
        INCLUDE "LOGINFORM.PHP";
    }
}
?></TABLE></TD></TR><TR CLASS='CLOSING'><TD></TD></TR> </TABLE>
</BODY>
</HTML>

```

VENDOR/ITEMMANAGEMENT.PHP

```

<?PHP INCLUDE "LEFTPANEL.PHP";
DEFINE ("MAX_SIZE", "250");
FUNCTION GETEXTENSION($STR) {
    $i = STRRPOS($STR, ".");
    IF (!$i) { RETURN ""; }
    $L = STRLEN($STR) - $i;
    $EXT = SUBSTR($STR, $i+1, $L);
    RETURN $EXT;
}
$errors=0;
$errors2=0;
$IMAGECATEGORYDIRECTORY="./IMAGES/CATEGORY";
$IMAGEARACATEGORYDIRECTORY="./IMAGES_ARA/CATEGORY";
$IMAGEDIRECTORY="./IMAGES/ITEMS";
$IMAGEARADIRECTORY="./IMAGES_ARA/ITEMS";
?>
<TD VALIGN="TOP"><TABLE ID="CONTENTS CENTER"><TR><TD CLASS="CENTER MAIN">
<SCRIPT TYPE="TEXT/JAVASCRIPT" SRC="NICEDIT.JS"></SCRIPT>
<SCRIPT TYPE="TEXT/JAVASCRIPT">
    bkLib.onDomLoaded(function() { nicEditors.allTextAreas() });
</SCRIPT>
<?PHP
    $ACTION=$_GET['ACTION'];
    $LIMIT = 10;
    IF ($VENDOR_VALID==1){
        PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='left'><FONT COLOR='black'><B>WELCOME </B></FONT><FONT COLOR='#1c43a6'><B>$USERNAME!
</B></FONT></TD></TR></TABLE>";
        <TD ALIGN='right'><FONT COLOR='black'><B>Today is <FONT COLOR='#1c43a6'><B>".DATE("L, F j, Y")."</B></FONT></B></FONT></TD></TR></TABLE>";
        IF (($ACTION==1)||(!isset($_POST['add']))) {
            PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='top'>
<BR><FIELDSET STYLE='width: 700px;' ALIGN='center'>
                <LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>". "Edit Category</B></FONT></LEGEND><DIV CLASS='results'>
                <TABLE WIDTH='700' ALIGN='center' STYLE='table-layout: fixed;'><TR><TD><BR></TD></TR>";
            IF (ISSET($_POST['add'])) {
                $CATEGORY_ID = $_POST['CATEGORY_ID'];
                $CATEGORY_DESCRIPTION = $_POST['DESCRIPTION'];
                $CATEGORY_DESCRIPTIONARA = $_POST['DESCRIPTIONARA'];
                $CATEGORY_DISCOUNT = $_POST['DISCOUNT'];
                $CATEGORY_DISCOUNTARA = $_POST['DISCOUNTARA'];
                $IMAGE = $_FILES['image']['name'];
                $IMAGEARA = $_FILES['imageARA']['name'];
            }
        }
    }
}

```

```

PRINT "<TR><TD COLSPAN='2' ALIGN='LEFT'><FIELDSET STYLE='BACKGROUND-COLOR:#DEFEFF;'><IMG SRC='../ADMIN/IMAGES/INFO.GIF' WIDTH='20'
HEIGHT='10'/>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<FONT COLOR='BLUE'><B>";
IF ($IMAGE){
    $FILENAME = STRIPSLASHES($ _FILES['IMAGE']['NAME']);
    $EXTENSION = GETEXTENSION($FILENAME);
    $EXTENSION = STRTOLOWER($EXTENSION);
    IF (($EXTENSION != "JPG") && ($EXTENSION != "JPEG") && ($EXTENSION != "PNG") && ($EXTENSION != "GIF")) {
        ECHO '<H1>UNKNOWN EXTENSION!</H1>';
        $ERRORS=1;
    }
    ELSE{
        $SIZE=FILESIZE($ _FILES['IMAGE']['TMP_NAME']);
        IF ($SIZE > MAX_SIZE*1024){
            ECHO '<H1>YOU HAVE EXCEEDED THE SIZE LIMIT!</H1>';
            $ERRORS=1;
        }
        IF(!FILE_EXISTS($IMAGECATEGORYDIRECTORY)) MKDIR($IMAGECATEGORYDIRECTORY);
        $NEWNAME="$IMAGECATEGORYDIRECTORY/".$_FILES['IMAGE']['NAME'];
        $COPIED = COPY($_FILES['IMAGE']['TMP_NAME'], $NEWNAME);
        IF (!$COPIED) {
            ECHO '<H1>COPY UNSUCCESSFUL!</H1>';
            $ERRORS=1;
        }
    }
}
IF ($IMAGEARA){
    $FILENAME2 = STRIPSLASHES($ _FILES['IMAGEARA']['NAME']);
    $EXTENSION2 = GETEXTENSION($FILENAME2);
    $EXTENSION2 = STRTOLOWER($EXTENSION2);
    IF (($EXTENSION2 != "JPG") && ($EXTENSION2 != "JPEG") && ($EXTENSION2 != "PNG") && ($EXTENSION2 != "GIF")) {
        ECHO '<H1>UNKNOWN EXTENSION!</H1>';
        $ERRORS2=1;
    }
    ELSE{
        $SIZE2=FILESIZE($ _FILES['IMAGEARA']['TMP_NAME']);
        IF ($SIZE2 > MAX_SIZE*1024){
            ECHO '<H1>YOU HAVE EXCEEDED THE SIZE LIMIT!</H1>';
            $ERRORS2=1;
        }
        IF(!FILE_EXISTS($IMAGEARACATEGORYDIRECTORY)) MKDIR($IMAGEARACATEGORYDIRECTORY);
        $NEWNAME2="$IMAGEARACATEGORYDIRECTORY/".$_FILES['IMAGEARA']['NAME'];
        $COPIED2 = COPY($_FILES['IMAGEARA']['TMP_NAME'], $NEWNAME2);
        IF (!$COPIED2) {
            ECHO '<H1>COPY UNSUCCESSFUL!</H1>';
            $ERRORS2=1;
        }
    }
}
IF (($ERRORS==0)&&($IMAGE!="")){
    $GETIMAGE=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'");
    $ROWIMAGE=MYSQL_FETCH_ARRAY($GETIMAGE);
    $OLDIMAGE=$ROWIMAGE['CATEGORY_IMAGE'];
    $COUNTIMAGE=MYSQL_NUM_ROWS(MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_IMAGE='$OLDIMAGE'"));
    $DELETEIMAGE="$IMAGECATEGORYDIRECTORY/$OLDIMAGE";
    IF (($OLDIMAGE!="")&&($COUNTIMAGE==1)&&($OLDIMAGE!=$IMAGE))
        UNLINK($DELETEIMAGE);
    $QUERY=MYSQL_QUERY("UPDATE CATEGORY SET CATEGORY_IMAGE='$IMAGE' WHERE CATEGORY_ID='$CATEGORY_ID'");
}
IF (($ERRORS2==0)&&($IMAGEARA!="")){
    $GETIMAGE2=MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'");
    $ROWIMAGE2=MYSQL_FETCH_ARRAY($GETIMAGE2);
    $OLDIMAGE2=$ROWIMAGE2['CATEGORY_IMAGE_ARA'];
    $COUNTIMAGEARA=MYSQL_NUM_ROWS(MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_IMAGE_ARA='$OLDIMAGE2'"));
    $DELETEIMAGE2="$IMAGEARACATEGORYDIRECTORY/$OLDIMAGE2";
    IF (($OLDIMAGE2!="")&&($COUNTIMAGEARA==1)&&($OLDIMAGE2!=$IMAGEARA))
        UNLINK($DELETEIMAGE2);
    $QUERY2=MYSQL_QUERY("UPDATE CATEGORY SET CATEGORY_IMAGE_ARA='$IMAGEARA' WHERE CATEGORY_ID='$CATEGORY_ID'");
}
$QUERY=MYSQL_QUERY("UPDATE CATEGORY SET
CATEGORY_DESCRIPTION='$CATEGORY_DESCRIPTION',CATEGORY_DESCRIPTION_ARA='$CATEGORY_DESCRIPTION_ARA',CATEGORY_DISCOUNTINFO='$CATEGORY_DISCOUNT',CATEGORY_DISCOUNTINFO_ARA='$CATEGORY_DISCOUNTAR
A' WHERE CATEGORY_ID='$CATEGORY_ID'");
IF ($QUERY)
    PRINT "ITEM CATEGORY SUCCESSFULLY UPDATED.";
ELSE
    PRINT "AN ERROR OCCURED WHILE UPDATING YOUR DATA.";
PRINT "</B></FIELDSET></BR></TD></TR>";
}
ELSE{
    $CATEGORY_ID=$_GET['CATEGORY_ID'];
}
PRINT "<FORM METHOD='POST' ENCTYPE='MULTIPART/FORM-DATA' ACTION='ItemManagement.php'>";
$QUERY = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'");
$ROW = MYSQL_FETCH_ARRAY($QUERY);
$DESCRIPTION = $ROW['CATEGORY_DESCRIPTION'];
$DESCRIPTIONARA = $ROW['CATEGORY_DESCRIPTION_ARA'];
$DISCOUNT = $ROW['CATEGORY_DISCOUNTINFO'];
$DISCOUNTARA = $ROW['CATEGORY_DISCOUNTINFO_ARA'];
$CATEGORY_IMAGE = $ROW['CATEGORY_IMAGE'];
$CATEGORY_IMAGEARA = $ROW['CATEGORY_IMAGE_ARA'];
PRINT "<TR><TD ALIGN='RIGHT' WIDTH='35%'><B>CATEGORY NAME</B> (ENGLISH): &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</TD><TD ALIGN='LEFT' WIDTH='70%'><FONT
COLOR='#125095'><B>".$ROW['CATEGORY_NAME']. "</B></FONT></TD></TR>
<TR><TD ALIGN='RIGHT'><B>CATEGORY NAME</B> (ARABIC): &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</TD><TD ALIGN='LEFT'><FONT COLOR='#125095'><B>".
$ROW['CATEGORY_NAME_ARA']. "</B></FONT></TD></TR>

```

```

</TD ALIGN='RIGHT'><B>DESCRIPTION</B> (ENGLISH): &nbsp; </TD><TD COLSPAN='2' ALIGN='LEFT'><TEXTAREA NAME='DESCRIPTION'
ROWS='10' COLS='80' />$DESCRIPTION</TEXTAREA></TD></TR><TR><TD COLSPAN='2'><BR></TD></TR>
</TD ALIGN='RIGHT'><B>DESCRIPTION</B> (ARABIC): &nbsp; </TD><TD COLSPAN='2' ALIGN='LEFT'><TEXTAREA CLASS='ARABIC'
NAME='DESCRIPTIONARA' ROWS='10' COLS='80' />$DESCRIPTIONARA</TEXTAREA></TD></TR><TR><TD COLSPAN='2'><BR></TD></TR>
</TD ALIGN='RIGHT'><B>DISCOUNT INFORMATION</B> (ENGLISH): &nbsp; </TD><TD COLSPAN='2' ALIGN='LEFT'><TEXTAREA
NAME='DISCOUNT' ROWS='10' COLS='80' />$DISCOUNT</TEXTAREA></TD></TR><TR><TD COLSPAN='2'><BR></TD></TR>
</TD ALIGN='RIGHT'><B>DISCOUNT INFORMATION</B> (ARABIC): &nbsp; </TD><TD COLSPAN='2' ALIGN='LEFT'><TEXTAREA CLASS='ARABIC'
NAME='DISCOUNTARA' ROWS='10' COLS='80' />$DISCOUNTARA</TEXTAREA></TD></TR><TR><TD COLSPAN='2'><BR></TD></TR>
</TD ALIGN='RIGHT'><B>IMAGE</B> (ENGLISH): &nbsp; </TD><TD ALIGN='LEFT'>";
IF ($CATEGORY_IMAGE!="") PRINT " <IMG SRC='$IMAGECATEGORYDIRECTORY/$CATEGORY_IMAGE' WIDTH='200' HEIGHT='100'><BR><BR>";
PRINT "<INPUT TYPE='FILE' NAME='IMAGE'></TD></TR>
</TD ALIGN='RIGHT'><B>IMAGE</B> (ARABIC): &nbsp; </TD><TD ALIGN='LEFT'>";
IF ($CATEGORY_IMAGEARA!="") PRINT " <IMG SRC='$IMAGEARACATEGORYDIRECTORY/$CATEGORY_IMAGEARA' WIDTH='200'
HEIGHT='100'><BR><BR>";

PRINT "<INPUT TYPE='FILE' NAME='IMAGEARA'></TD></TR>
</TD><TD><INPUT TYPE='HIDDEN' NAME='CATEGORY_ID' VALUE='$CATEGORY_ID'><BR><BR></TD></TR>";
PRINT "<TR><TD COLSPAN='3'><CENTER><INPUT TYPE='SUBMIT' NAME='ADD' VALUE='Edit' CLASS='INPUTBUTTON' ONCLICK='RETURN
VALIDATEONSUBMIT()' /> &nbsp; &nbsp; &nbsp; </TD></TR><TR><TD COLSPAN='3'><CENTER><INPUT TYPE='SUBMIT' NAME='CANCEL' VALUE='CANCEL' CLASS='INPUTBUTTON' /></TD></TR></FORM>";
PRINT "</TABLE><BR><BR></FIELDSET></CENTER></TD></TR><TR><TD COLSPAN='3'><BR><BR></TD></TR></TABLE>";
}
ELSE IF (($ACTION==2)||($ISSET($_POST['UPDATE']))) {
PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
<BR><FIELDSET STYLE='WIDTH: 700px;' ALIGN='CENTER'>
<LEGEND><FONT COLOR='#0707ab' SIZE='3'><B>". "Edit Item</B></FONT></LEGEND><DIV CLASS='RESULTS'>
<TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD COLSPAN='2'><BR></TD></TR>";
IF ($ISSET($_POST['UPDATE'])) {
$_ITEM_ID = $_POST['ITEM_ID'];
$_ITEM_NAME = $_POST['ITEM_NAME'];
$_ITEM_NAMEARA = $_POST['ITEM_NAMEARA'];
$_ITEM_DESCRIPTION = $_POST['DESCRIPTION'];
$_ITEM_DESCRIPTIONARA = $_POST['DESCRIPTIONARA'];
$_IMAGE = $_FILES['IMAGE']['NAME'];
$_IMAGEARA = $_FILES['IMAGEARA']['NAME'];
$_ITEM_LINK = $_POST['ITEM_LINK'];
$_ITEM_LINKARA = $_POST['ITEM_LINKARA'];
$_ITEM_COST = $_POST['ITEM_COST'];
$_ITEM_SELLINGPRICE = $_POST['ITEM_SELLINGPRICE'];
$_ITEM_RESELLERPRICE = $_POST['ITEM_RESELLERPRICE'];
$_STATUS = $_POST['STATUS'];
$_STATUSARA = $_POST['STATUSARA'];
PRINT "<TR><TD COLSPAN='2' ALIGN='LEFT'><FIELDSET STYLE='BACKGROUND-COLOR:#DEFEFF;'><IMG SRC='../ADMIN/IMAGES/INFO.GIF' WIDTH='20'
HEIGHT='10'>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<FONT COLOR='BLUE'><B>";
IF (($ITEM_NAME=="")||($ITEM_NAMEARA==""))
PRINT "PLEASE FILL UP REQUIRED FIELDS INDICATED BY <FONT COLOR='RED'>*</FONT>.";
ELSE {
IF ($IMAGE) {
$_FILENAME = STRIPSLASHES($_FILES['IMAGE']['NAME']);
$_EXTENSION = GETEXTENSION($_FILENAME);
$_EXTENSION = STRTOLOWER($_EXTENSION);
IF (($EXTENSION != ".jpg") && ($EXTENSION != ".jpeg") && ($EXTENSION != ".png") && ($EXTENSION != ".gif")) {
ECHO '<h1>UNKNOWN EXTENSION!</h1>';
$errors=1;
}
ELSE {
$_SIZE=FILESIZE($_FILES['IMAGE']['TMP_NAME']);
IF ($SIZE > MAX_SIZE*1024) {
ECHO '<h1>YOU HAVE EXCEEDED THE SIZE LIMIT!</h1>';
$errors=1;
}
IF (!FILE_EXISTS($IMAGEDIRECTORY)) MKDIR($IMAGEDIRECTORY);
$_NEWNAME="$IMAGEDIRECTORY/".$_FILES['IMAGE']['NAME'];
$_COPIED = COPY($_FILES['IMAGE']['TMP_NAME'], $_NEWNAME);
IF (!$COPIED) {
ECHO '<h1>COPY UNSUCCESSFULL!</h1>';
$errors=1;
}
}
}
IF ($IMAGEARA) {
$_FILENAME2 = STRIPSLASHES($_FILES['IMAGEARA']['NAME']);
$_EXTENSION2 = GETEXTENSION($_FILENAME2);
$_EXTENSION2 = STRTOLOWER($_EXTENSION2);
IF (($EXTENSION2 != ".jpg") && ($EXTENSION2 != ".jpeg") && ($EXTENSION2 != ".png") && ($EXTENSION2 !=
"gif")) {
ECHO '<h1>UNKNOWN EXTENSION!</h1>';
$errors2=1;
}
ELSE {
$_SIZE2=FILESIZE($_FILES['IMAGEARA']['TMP_NAME']);
IF ($SIZE2 > MAX_SIZE*1024) {
ECHO '<h1>YOU HAVE EXCEEDED THE SIZE LIMIT!</h1>';
$errors2=1;
}
IF (!FILE_EXISTS($IMAGEARADIRECTORY)) MKDIR($IMAGEARADIRECTORY);
$_NEWNAME2="$IMAGEARADIRECTORY/".$_FILES['IMAGEARA']['NAME'];
$_COPIED2 = COPY($_FILES['IMAGEARA']['TMP_NAME'], $_NEWNAME2);
IF (!$COPIED2) {
ECHO '<h1>COPY UNSUCCESSFULL!</h1>';
$errors2=1;
}
}
}
}
IF (($errors==0)&&($IMAGE!="")) {

```

```

$GETIMAGE=MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
$ROWIMAGE=MYSQL_FETCH_ARRAY($GETIMAGE);
$OLDIMAGE=$ROWIMAGE["ITEM_IMAGE"];
$COUNTIMAGE=MYSQL_NUM_ROWS(MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_IMAGE='$OLDIMAGE'"));
$DELETEIMAGE="$IMAGEDIRECTORY/$OLDIMAGE";
IF (($OLDIMAGE!="")&&($COUNTIMAGE==1)&&($OLDIMAGE!=$IMAGE))
    UNLINK($DELETEIMAGE);
$QUERY=MYSQL_QUERY("UPDATE ITEM SET ITEM_IMAGE='$IMAGE' WHERE ITEM_ID='$ITEM_ID'");
}
IF (($ERRORS2==0)&&($IMAGEARA!="")){
    $GETIMAGE2=MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
    $ROWIMAGE2=MYSQL_FETCH_ARRAY($GETIMAGE2);
    $OLDIMAGE2=$ROWIMAGE2["ITEM_IMAGE_ARA"];
    $COUNTIMAGEARA=MYSQL_NUM_ROWS(MYSQL_QUERY("SELECT * FROM ITEM WHERE

$DELETEIMAGE2="$IMAGEARADIRECTORY/$OLDIMAGE2";
IF (($OLDIMAGE2!="")&&($COUNTIMAGEARA==1)&&($OLDIMAGE2!=$IMAGEARA))
    UNLINK($DELETEIMAGE2);
$QUERY2=MYSQL_QUERY("UPDATE ITEM SET ITEM_IMAGE_ARA='$IMAGEARA' WHERE ITEM_ID='$ITEM_ID'");
}
$QUERY=MYSQL_QUERY("UPDATE ITEM SET
ITEM_NAME='$ITEM_NAME',ITEM_NAME_ARA='$ITEM_NAMEARA',ITEM_DESCRIPTION='$ITEM_DESCRIPTION',ITEM_DESCRIPTION_ARA='$ITEM_DESCRIPTIONARA',ITEM_LINK='$ITEM_LINK',ITEM_LINK_ARA='$ITEM_LINKARA'
WHERE ITEM_ID='$ITEM_ID'");

IF ($QUERY)
    PRINT "ITEM SUCCESSFULLY UPDATED.";
ELSE
    PRINT "AN ERROR OCCURED WHILE UPDATING YOUR DATA.";
}
PRINT "</b></FIELDSET></br></TD></TR>";
}
ELSE{
    $ITEM_ID=$_GET['ITEM_ID'];
}
PRINT "<FORM NAME='EDITITEM' METHOD='POST' ENCTYPE='MULTIPART/FORM-DATA' ACTION='ITEMMANAGEMENT.PHP'>";
$QUERY=MYSQL_QUERY("SELECT * FROM ITEM,CATEGORY WHERE CATEGORY.CATEGORY_ID=ITEM.CATEGORY_ID AND ITEM_ID='$ITEM_ID' OR DIE (MYSQL_ERROR())");
$ROW=MYSQL_FETCH_ARRAY($QUERY);
$ITEM_NAME = $ROW['ITEM_NAME'];
$ITEM_NAMEARA = $ROW['ITEM_NAME_ARA'];
$ITEM_DESCRIPTION = $ROW['ITEM_DESCRIPTION'];
$ITEM_DESCRIPTIONARA = $ROW['ITEM_DESCRIPTION_ARA'];
$ITEM_IMAGE = $ROW['ITEM_IMAGE'];
$ITEM_IMAGEARA = $ROW['ITEM_IMAGE_ARA'];
$CATEGORY_NAME = $ROW['CATEGORY_NAME'];
$ITEM_LINK = $ROW['ITEM_LINK'];
$ITEM_LINKARA = $ROW['ITEM_LINK_ARA'];
$ITEM_COST = $ROW['ITEM_COST'];
$ITEM_SELLINGPRICE = $ROW['ITEM_SELLINGPRICE'];
$ITEM_RESELLERPRICE = $ROW['ITEM_RESELLERPRICE'];
$STATUS=$ROW['ITEM_ISACTIVE'];
$$STATUS=$ROW['ITEM_STOCKSTATUS'];
PRINT "<TR><TD ALIGN='RIGHT'><b>CATEGORY:</b> &nbsp;  </TD><TD ALIGN='LEFT'><FONT
COLOR=#092ea7><b>$CATEGORY_NAME</b></FONT></TD><TR><TD><BR></TD></TR>
<TR><TD ALIGN='RIGHT' WIDTH='30%'><b>ITEM NAME</b> (ENGLISH): &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT'
NAME='ITEM_NAME' SIZE='50' VALUE='$ITEM_NAME' ONCHANGE='VALIDATEPRESENT(THIS, \INF_ITEMNAME\, TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
<TR><TD></TD><TD ID='INF_ITEMNAME' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><b>ITEM NAME</b> (ARABIC): &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' CLASS='ARABIC'
NAME='ITEM_NAMEARA' SIZE='50' VALUE='$ITEM_NAMEARA' ONCHANGE='VALIDATEPRESENT(THIS, \INF_ITEMNAMEARA\, TRUE);' /><FONT COLOR='RED'> *</FONT></TD></TR>
<TR><TD></TD><TD ID='INF_ITEMNAMEARA' CLASS='ERROR'> &nbsp;  </TD></TR>
<TR><TD ALIGN='RIGHT'><b>DESCRIPTION</b> (ENGLISH): &nbsp;  </TD><TD ALIGN='LEFT'><TEXTAREA NAME='DESCRIPTION' ROWS='10'
COLS='80' />$ITEM_DESCRIPTION</TEXTAREA></TD></TR>
<TR><TD><BR></TD></TR>
<TR><TD ALIGN='RIGHT'><b>DESCRIPTION</b> (ARABIC): &nbsp;  </TD><TD ALIGN='LEFT'><TEXTAREA NAME='DESCRIPTIONARA' ROWS='10'
COLS='80' />$ITEM_DESCRIPTIONARA</TEXTAREA></TD></TR>
<TR><TD><BR></TD></TR>
<TR><TD ALIGN='RIGHT'><b>ITEM LINK</b> (ENGLISH): &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_LINK'
VALUE='$ITEM_LINK' SIZE='50' /></TD></TR>
<TR><TD ALIGN='RIGHT'><b>ITEM LINK</b> (ARABIC): &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_LINKARA'
VALUE='$ITEM_LINKARA' SIZE='50' /></TD></TR>
<TR><TD ALIGN='RIGHT'><b>COST:</b> &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_COST' SIZE='10'
VALUE='$ITEM_COST' READONLY='READONLY'></TD></TR>
<TR><TD ALIGN='RIGHT'><b>SELLING PRICE:</b> &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_SELLINGPRICE' SIZE='10'
VALUE='$ITEM_SELLINGPRICE' READONLY='READONLY'></TD></TR>
<TR><TD ALIGN='RIGHT'><b>RESELLER PRICE:</b> &nbsp;  </TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT' NAME='ITEM_RESELLERPRICE'
SIZE='10' VALUE='$ITEM_RESELLERPRICE' READONLY='READONLY'></TD></TR>
<TR><TD ALIGN='RIGHT'><b>STATUS:</b> &nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR=#125095><b>;
IF ($STATUS=='1')
    PRINT "Active</b></FONT></TD></TR>";
ELSE
    PRINT "Inactive</b></FONT></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><b>STOCK STATUS:</b> &nbsp;  </TD><TD ALIGN='LEFT'><FONT COLOR=#125095><b>;
IF ($STATUS=='1')
    PRINT "Active</b></FONT></TD></TR>";
ELSE
    PRINT "Inactive</b></FONT></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><b>IMAGE</b> (ENGLISH): &nbsp;  </TD><TD ALIGN='LEFT'>;
IF ($ITEM_IMAGE!="") PRINT "<IMG SRC='$IMAGEDIRECTORY/$ITEM_IMAGE' WIDTH='200' HEIGHT='100'><br><br>";
PRINT "<INPUT TYPE='FILE' NAME='IMAGE'></TD></TR>";
PRINT "<TR><TD ALIGN='RIGHT'><b>IMAGE</b> (ARABIC): &nbsp;  </TD><TD ALIGN='LEFT'>;
IF ($ITEM_IMAGEARA!="") PRINT "<IMG SRC='$IMAGEARADIRECTORY/$ITEM_IMAGEARA' WIDTH='200' HEIGHT='100'><br><br>";
PRINT "<INPUT TYPE='FILE' NAME='IMAGEARA'></TD></TR>";
PRINT "<TR><TD><INPUT TYPE='HIDDEN' NAME='ITEM_ID' VALUE='$ITEM_ID'><br><br></TD></TR><TR><TD COLSPAN='2'><hr
WIDTH='100%' /></TD></TR>
<TR><TD ALIGN='CENTER' COLSPAN='2'><INPUT TYPE='SUBMIT' NAME='UPDATE' VALUE='Submit' CLASS='INPUTBUTTON' /> &nbsp;  <INPUT
TYPE='SUBMIT' NAME='CANCEL' VALUE='Cancel' CLASS='INPUTBUTTON' /></TR></FORM>
<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><br></TD></TR></TABLE>";

```

```

}
ELSE{
    $PAGE=$_GET["PAGE"];
    IF($PAGE == "") $PAGE=1;
    PRINT "<BR><BR>";
    $GETCATEGORYOFVENDOR = MYSQL_QUERY("SELECT CATEGORY_ID FROM VENDOR WHERE VENDOR_ID='$VENDOR_ID'");
    $ROWGETCAT = MYSQL_FETCH_ROW($GETCATEGORYOFVENDOR);
    $CATEGORY_ID = $ROWGETCAT[0];
    $GETCATEGORYDETAILS = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'");
    $ROWGETCATDETAILS = MYSQL_FETCH_ARRAY($GETCATEGORYDETAILS);
    $CATEGORY_NAME = $ROWGETCATDETAILS['CATEGORY_NAME'];
    PRINT "<B>YOUR ITEM CATEGORY: <A HREF='ITEMMANAGEMENT.PHP?ACTION=1&CATEGORY_ID=$CATEGORY_ID'>CATEGORY_NAME</B></A><BR><BR>";
    $QUERY="SELECT * FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID' ORDER BY ITEM_ID";
    MYSQL_QUERY($QUERY);
    $NUMBEROFRESULTS=MYSQL_NUM_ROWS(MYSQL_QUERY($QUERY));
    $NUMBEROFPAGES=CEIL($NUMBEROFRESULTS/$LIMIT); //GET THE NUMBER OF PAGES
    $SEARCHRESULT = MYSQL_QUERY($QUERY." LIMIT ". ($PAGE-1)*$LIMIT . ", $LIMIT");
    IF ($NUMBEROFRESULTS!=0){
        PRINT "<DIV CLASS='INSIDE'><TABLE WIDTH='720' BORDER='1' STYLE='TABLE-LAYOUT: FIXED;'>
        <TR><TH WIDTH='24%'>ITEM NAME (ENGLISH)</TH>
        <TH WIDTH='24%'>ITEM NAME (ARABIC)</TH>
        <TH WIDTH='10%'>COST</TH>
        <TH WIDTH='10%'>SELLING PRICE</TH>
        <TH WIDTH='9%'>ITEM STATUS</TH>
        <TH WIDTH='9%'>STOCK STATUS</TH>
        <TH WIDTH='8%'>IN STOCK</TH>";
        PRINT "<TH WIDTH='7%'>ACTION</TH>";
        PRINT "</TR>";
        WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
            $i++;
            $ITEM_ID=$ROW['ITEM_ID'];
            $STAT=$ROW['ITEM_ISACTIVE'];
            IF ($STAT==0) $STATUS="INACTIVE";
            ELSE $STATUS="ACTIVE";
            $SSTAT=$ROW['ITEM_STOCKSTATUS'];
            IF ($SSTAT==0) $SSTATUS="INACTIVE";
            ELSE $SSTATUS="ACTIVE";
            $COST = $ROW['ITEM_COST'];
            $COST=NUMBER_FORMAT($COST,2);
            $PRICE = $ROW['ITEM_SELLINGPRICE'];
            $PRICE=NUMBER_FORMAT($PRICE,2);
            PRINT "<TR CLASS='D',{ $i & 1 }.\"";
            PRINT "<TD>\".$ROW['ITEM_NAME'].\"</TD>";
            PRINT "<TD>\".$ROW['ITEM_NAME_ARA'].\"</TD>";
            PRINT "<TD><CENTER>$COST SAR</CENTER></TD>";
            PRINT "<TD><CENTER>$PRICE SAR</CENTER></TD>";
            PRINT "<TD><CENTER>$STATUS</CENTER></TD>";
            PRINT "<TD><CENTER>$SSTATUS</CENTER></TD>";
            $STOCK=MYSQL_QUERY("SELECT COUNT(*) FROM STOCKS WHERE ITEM_ID='$ITEM_ID' AND SOLD_STATUS='No'");
            $ROWSTOCK=MYSQL_FETCH_ROW($STOCK);
            $COUNTSTOCK=$ROWSTOCK[0];
            PRINT "<TD><CENTER>$COUNTSTOCK</CENTER></TD>";
            PRINT "<TD><CENTER>";
            PRINT "<A HREF='ITEMMANAGEMENT.PHP?ACTION=2&ITEM_ID=$ITEM_ID'><IMG SRC='../Admin/IMAGES/EDIT.GIF' TITLE='Edit'
            PRINT "</CENTER></TD></TR>\";
        }
        PRINT "</TABLE>";
        IF ($NUMBEROFPAGES>1){
            $NAV="";
            FOR($j = 1 ; $j <= $NUMBEROFPAGES ; $j++) {
                IF($j == $PAGE)
                    $NAV .= "<B>$j</B>";
                ELSE
                    $NAV .= "&nbsp;<A HREF='\"ITEMMANAGEMENT.PHP?PAGE=$j&PARENT_ID=$PARENT_ID '\">$j";
            }
            PRINT "<CENTER><BR><BR> $NAV </CENTER>";
        }
        PRINT "<BR><BR></DIV></DIV>";
    }
    ELSE{
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD WIDTH='730' VALIGN='TOP'>
        <BR><CENTER><FIELDSET STYLE='WIDTH: 500px;' ALIGN='CENTER'>
        <DIV CLASS='RESULTS'><TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>
        <TR><TD><CENTER><FONT COLOR='RED'><B>No ITEM FOUND.<BR><BR></TD></TR>
        </TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR></TD></TR></TABLE>";
    }
}
ELSE {
    PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
    PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP'>";
}
?>
<BR></TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHT.PANEL.PHP"; ?>
VENDOR/LEFT.PANEL.PHP
<?PHP
SESSION_START();
REQUIRE '../Admin/CONFIG.PHP';
REQUIRE '../Admin/OPENDB.PHP';

```

```

INCLUDE './Admin/Function.php';
INCLUDE './Admin/SiteSettings.php';
REQUIRE_ONCE('calendar/classes/TC_Calendar.php');

$ADMIN_TIMEOUT = $ADMIN_TIMEOUT * 60; // CONVERTS MINUTES TO SECONDS
IF (ISSET($_SESSION['start_time'])) {
    $ELAPSED_TIME = TIME() - $_SESSION['start_time'];
    IF ($ELAPSED_TIME >= $ADMIN_TIMEOUT) {
        SESSION_DESTROY();
        HEADER("LOCATION: Logout.php");
    }
}
$_SESSION['start_time'] = TIME();
$VENDOR_VALID = $_SESSION['vendor_valid'];
$VENDOR_ID = $_SESSION['vendor_id'];
$USERNAME = $_SESSION['username'];
ERROR_REPORTING(0);
$YEAR = GMDATE(Y);
$MONTH = GMDATE(M);
$DAY = GMDATE(D);
$MIN = GMDATE(I);
$HOUR = GMDATE(H);
$SEC = GMDATE(S);
$TIMEZONE = GMDATE(E);
$HOUR = $HOUR + $TIME_SA_TICKET;
$DATEONLY = "$YEAR-$MONTH-$DAY";
$DATETIME = "$YEAR-$MONTH-$DAY $HOUR:$MIN:$SEC";
?>
<!DOCTYPE HTML PUBLIC "-//W3C/DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<HTML XMLNS="http://www.w3.org/1999/xhtml" >
<HEAD>
<TITLE>BEA3 - Admin Home</TITLE>
<META HTTP-EQUIV="Content-Type" CONTENT="text/html; charset=utf-8">
<!--<LINK REL="icon" HREF="..favicon.ico" TYPE="image/x-icon" /> -->
<LINK HREF="..Admin/Main.css" REL="stylesheet" TYPE="text/css" />
<SCRIPT TYPE="text/javascript" SRC="..js/FormVal.js"></SCRIPT>
<LINK HREF="..calendar/calendar.css" REL="stylesheet" TYPE="text/css" />
<SCRIPT LANGUAGE="javascript" SRC="calendar/calendar.js"></SCRIPT>
</HEAD>
<?PHP
PRINT "<BODY>";
<TABLE WIDTH="1066" ALIGN="center" CELLPADDING="0" CELLSPACING="0">
<TR><TD><TABLE ID="main" ALIGN="center"><TR CLASS="headline"><TD></TD></TR>
<TR CLASS="topbar" VALIGN="top" STYLE="background:url(..images/wrapper-fill.png)">
<TD><TABLE ID="tophead"><TR><TD ROWSPAN="2" CLASS="toplogo" VALIGN="top"><A HREF="..index.php"><IMG SRC="..images/logo.gif" ALT="" /></A></TD></TR>
<TR><TD ROWSPAN="2" WIDTH="736" VALIGN="bottom" CLASS="topmenu" ALIGN="right">
PRINT "<A HREF='VendorHome.php'><IMG SRC='..Admin/images/home.png' ALT='Vendor Home' TITLE='Vendor Home' WIDTH='40' HEIGHT='40'></A> &nbsp;";
<A HREF='UpdateProfile.php'><IMG SRC='..Admin/images/edit_profile.png' ALT='Update Profile' TITLE='Update Profile' WIDTH='40' HEIGHT='40'></A> &nbsp;";
<A HREF='PasswordChange.php'><IMG SRC='..Admin/images/password.png' ALT='Change Password' TITLE='Change Password' WIDTH='40' HEIGHT='40'></A> &nbsp;";
<A HREF='Logout.php'><IMG SRC='..Admin/images/logout.png' ALT='Logout' TITLE='Logout' WIDTH='40' HEIGHT='40'></A> &nbsp;";
</TD></TR> </TABLE>";
PRINT "<TABLE ID='CONTENTS'><TR><TD VALIGN='top' STYLE='text-align: justify'><TABLE ID='CONTENTSLeft'>
<DIV CLASS='wrapper'><TR><TD><DIV CLASS='image'><IMG SRC='images/plan-top.png' ALT="" WIDTH='233' HEIGHT='68' /></DIV>
<DIV CLASS='middle'><BR><DIV CLASS='categoryList'>";
PRINT "<A HREF='ItemManagement.php'><IMG SRC='..Admin/images/item.png' WIDTH='20' HEIGHT='19'> Item Management</A><DIV CLASS='sep'> </DIV>";
PRINT "<A HREF='StocksInHand.php'><IMG SRC='..Admin/images/stocks.png' WIDTH='20' HEIGHT='19'> Stocks In Hand Report</A><DIV CLASS='sep'> </DIV>";
PRINT "<A HREF='ReportsManagement.php'><IMG SRC='..Admin/images/sales.png' WIDTH='20' HEIGHT='19'> Sales Report</A><DIV CLASS='sep'> </DIV>";
PRINT "</DIV></DIV><DIV CLASS='bottom'></DIV></TD></TR></TABLE></TD>";

```

VENDOR/LOGINFORM.PHP

```

<SCRIPT>
FUNCTION CLEARFIELDS(){
    DOCUMENT.LOGINFORM.USERNAME.VALUE = "";
    DOCUMENT.LOGINFORM.PASSWORD.VALUE = "";
}
FUNCTION CHECKFORM(FRM) {
    VAR FLAG = TRUE;
    IF(FRM.USERNAME.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("spEmailReq").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    IF(FRM.PASSWORD.VALUE == ""){
        DOCUMENT.GETELEMENTBYID("spPassReq").STYLE.VISIBILITY = "VISIBLE";
        FLAG = FALSE;
    }
    RETURN FLAG;
}
</SCRIPT>
<?PHP
$USERNAME = $_GET['username'];
$PASSWORD = $_GET['password'];
FUNCTION GETLANG($WORD,$LANG){
$FILENAME = "../Main.txt";
$FILE = FOPEN("$FILENAME", "r") OR EXIT("UNABLE TO OPEN FILE!");
WHILE(!FEOF($FILE)){
    $COUNT=0;
    $STRING = FGGETS($FILE);
    $STRING = TRIM($STRING);
    $STRING = STR_REPLACE("t", " ", $STRING);
    $STRING = STR_REPLACE(" ", " ", $STRING);
}

```



```

PRINT "

<table width='700' border='1' style='table-layout: fixed;'>";
PRINT "<tr class='label'><td colspan='5' align='center'><b>${displayMonth3}</b></td></tr>";
PRINT "<tr><th>Item</th><th>Stocks Purchased</th><th>Sold Quantity</th><th>Item Price</th><th>Total Sales</th></tr>";
$GETITEMS=mysql_query("SELECT * FROM ITEM WHERE CATEGORY_ID='$category_id'");
    WHILE($ROWITEMS = MYSQL_FETCH_ARRAY($GETITEMS)){
        $ITEM_ID=$ROWITEMS['ITEM_ID'];
        $ITEM_NAME=$ROWITEMS['ITEM_NAME'];
        $QUERY = "SELECT ITEM_NAME, EXTRACT(MONTH FROM PURCHASE_DATE TIME) AS MONTH,COUNT(PURCHASE.STOCK_ID) AS
SoldQuantity, ITEM_PRICE AS SALE
FROM PURCHASE, STOCKS, ITEM, CATEGORY
WHERE EXTRACT(YEAR FROM PURCHASE_DATE TIME)=$YEARChosen' AND EXTRACT(MONTH FROM
PURCHASE_DATE TIME)=$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID=$ITEM_ID' AND
STOCKS.VENDOR_ID=$VENDOR_ID'
GROUP BY EXTRACT(MONTH FROM PURCHASE_DATE TIME)";
        $MYQUERY = MYSQL_QUERY($QUERY);
        $ROW = MYSQL_FETCH_ARRAY($MYQUERY);
        $COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
        $COUNTSTOCKS = MYSQL_QUERY("SELECT COUNT(STOCK_ID) FROM STOCKS WHERE STOCKS.VENDOR_ID=$VENDOR_ID' AND
STOCKS.ITEM_ID=$ITEM_ID' AND EXTRACT(MONTH FROM STOCK_TIME) <=$INDEX'");
        $ROWC = MYSQL_FETCH_ROW($COUNTSTOCKS);
        $COUNTOfSTOCKS = $ROWC[0];
        $TOTALSOLD = $ROW['SOLDQUANTITY'];
        $PRICE = $ROW['SALE'];
        $TOTAL = $TOTALSOLD*$PRICE;
        IF ($COUNTQUERY==0){
            /*PRINT "<tr class='d'.($counter & 1).">";
            PRINT "<td align='left'>$ITEM_NAME</td>";
            PRINT "<td><center>0</center></td>";
            PRINT "</tr>\n";*/
        }
        ELSE{
            PRINT "<tr class='d'.($counter & 1).">";
            PRINT "<td align='left'>$.ROW['ITEM_NAME'].</center></td>";
            PRINT "<td><center>$COUNTOfSTOCKS</center></td>";
            PRINT "<td><center>$.ROW['SOLDQUANTITY'].</center></td>";
            PRINT "<td><center>$.ROW['SALE'].</center></td>";
            PRINT "<td><center>$TOTAL</center></td>";
            PRINT "</tr>\n";
            $TOTALSALES += $TOTAL;
        }
    }
    $TOTALSALES2 = NUMBER_FORMAT($TOTALSALES,2);
    PRINT "<tr class='d'.($i & 1).">";
    PRINT "<td colspan='4'><center><b>Total</b></center></td>";
    PRINT "<td><center><b>${TOTALSALES2}</b></center></td></tr>";
    PRINT "</table><br><br>";
}
PRINT "</table>";
PRINT "<p align='right'><a href='REPORTSMANAGEMENT.PHP'><img src='../Admin/IMAGES/BACK.PNG' width='30' height='30'></a></p>";
}
ELSE {
    PRINT "<center><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></center>";
    PRINT "<meta http-equiv='refresh' content='1'; url=INDEX.PHP'>";
}
?>
<br></td></tr></table></td>
<?php include "RIGHT.PANEL.PHP";
?>


```

VENDOR/PASSWORDCHANGE.PHP

```

<?php include "LEFT.PANEL.PHP"; ?>
<td valign="top"><table id="CONTENTS CENTER"><tr><td class="CENTER MAIN">
<?php
    $COUNT=1;
    IF ($VENDOR_VALID==1){
        PRINT "<br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color=#1c43a6'><b>$USERNAME!
</b></font></td>
        <td align='right'><font color='black'><b>Today IS <font color=#1c43a6'><b>".DATE("L, F j, Y")."</b></font></b></font></td></tr></table>
<center><table width='760'><tr><td align='center'><br></td></tr><tr><td align='center'><b><fieldset style='width: 440px;' align='center'>
<legend align='center'><font color=#0707ab' size='3'><b>CHANGE PASSWORD</b></font></legend><table align='center'><tr><td><br></td></tr></table>
IF (isset($_POST['submit'])){
    $CURPASS=$_POST['CURPASS'];
    $NEWPASS=$_POST['NEWPASS'];
    $CONFPASS=$_POST['CONFPASS'];
    $SALT = SHA1(md5($CURPASS));
    $CURPASS = md5($CURPASS.$SALT);
    INCLUDE("../SECURIMAGE/SECURIMAGE.PHP");
    $IMG = NEW SECURIMAGE();
    $VALID = $IMG->CHECK($_POST['CODE']);
    IF ($VALID == TRUE) {
        IF (($NEWPASS==$CONFPASS)&&($NEWPASS!="")){
            $SALT = SHA1(md5($NEWPASS));
            $NEWPASS = md5($NEWPASS.$SALT);
            $QUERY=mysql_query("UPDATE VENDOR SET VENDOR_PASSWORD='$NEWPASS' WHERE VENDOR_ID='$VENDOR_ID'");
            PRINT "<tr><td colspan='3' align='left'><fieldset style='background-color:#defeff;'><img src='../Admin/IMAGES/INFO.GIF'
width='20' height='10' />&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;& <font color='blue'><b>";
            IF (!$QUERY)
                PRINT "An error ocured while changing your password.";
            ELSE
                PRINT "Your password has been changed.";
            PRINT "</b></fieldset></tr></td></tr>";
        }
        ELSE{

```



```

</b></font></td>
PRINT "<br><table width='760'><tr><td align='left'><font color='black'><b>WELCOME </b></font><font color='#1c43a6'><b>${USERNAME!
<td align='right'><font color='black'><b>TODAY IS <font color='#1c43a6'><b>".date("L, F j, Y")."</b></font></b></font></td></tr></table>";
PRINT "<center><table width='760'><tr><td width='730' valign='top'>
<br><p align='left'><b>YOUR ITEM CATEGORY: <a href='ItemManagement.php?action=1&category_id=${CATEGORY_ID}'>${CATEGORY_NAME}</a></p>
<br><fieldset style='width: 720px;' align='center'><legend><font color='#0707ab' size='3'><b>".STOCK IN HAND</b></font></legend>
<div class='results'><table style='table-layout: fixed;'><tr><td><br></td></tr>";

IF ($NUMBEROFRESULTS!=0){
PRINT "<div class='inside'><table width='700' border='1' cellpadding='3' cellspacing='3' style='table-layout: fixed;'>";
PRINT "<tr><th width='30%'>ITEM NAME (ENGLISH)</th>
<th width='30%'>ITEM NAME (ARABIC)</th><th>DATE LAST UPLOADED</th>
<th>STOCKS UPLOADED</th><th>STOCKS IN HAND</th></tr>";
WHILE ($ROW = MYSQL_FETCH_ARRAY($SEARCHRESULT)){
$ii++;
$ITEM_ID=$ROW['ITEM_ID'];
$GETTIME = MYSQL_QUERY("SELECT * FROM STOCKS WHERE ITEM_ID='${ITEM_ID}' AND STOCKS.VENDOR_ID='${VENDOR_ID}' ORDER BY STOCK_ID
DESC LIMIT 1");
STOCKS.VENDOR_ID='${VENDOR_ID}";

$ROWTIME = MYSQL_FETCH_ARRAY($GETTIME);
$GETSTOCKS = MYSQL_QUERY("SELECT COUNT(*) FROM STOCKS WHERE ITEM_ID='${ITEM_ID}' AND SOLD_STATUS='0' AND

$ROWSTOCK = MYSQL_FETCH_ROW($GETSTOCKS);
$STOCKSINHAND = $ROWSTOCK[0];
$GETSTOCKS2 = MYSQL_QUERY("SELECT COUNT(*) FROM STOCKS WHERE ITEM_ID='${ITEM_ID}' AND STOCKS.VENDOR_ID='${VENDOR_ID}");
$ROWSTOCK2 = MYSQL_FETCH_ROW($GETSTOCKS2);
$STOCKSINHAND2 = $ROWSTOCK2[0];
PRINT "<tr class='d'."($i & 1).">";
PRINT "<td><center>". $ROW['ITEM_NAME']. "</center></td>";
PRINT "<td><center>". $ROW['ITEM_NAME_ARA']. "</center></td>";
PRINT "<td><center>". $ROWTIME['STOCK_TIME']. "</center></td>";
PRINT "<td><center>". $STOCKSINHAND2 "</center></td>";
PRINT "<td><center>". $STOCKSINHAND "</center></td>";
PRINT "</tr>";
}
PRINT "</table>";
IF ($NUMBEROFPAGES>1){
$NNAV="";
FOR($j = 1 ; $j <= $NUMBEROFPAGES ; $j++) {
IF($j == $PAGE)
$NNAV . = "<b>${j}</b>";
ELSE
$NNAV . = "&nbsp;<a href='\"StocksInHand.php?page=${j}&category_id=${CATEGORY_ID}'>${j}</a>&nbsp;&nbsp;&nbsp;";
}
PRINT "<center><br><br>${NNAV}</center>";
}
PRINT "<br><br></div>";
PRINT "</fieldset></center></td></tr><tr><td><br><br></td></tr></table>";
}
ELSE{
PRINT "<center><table width='760'><tr><td width='730' valign='top'>
<br><center><fieldset style='width: 500px;' align='center'><div class='results'>
<table align='center' style='table-layout: fixed;'><tr><td><br></td></tr>
<tr><td><center><font color='red'><b><b>NO ITEM RECORDS EXISTS.</b></font></b></td></tr></table></div></center></td></tr></table>";
}
}
ELSE {
PRINT "<center><br><font color='red' size='3'><b>ACCESS DENIED!</b></font></center>";
PRINT "<meta http-equiv='refresh' content='1; url=index.php'>";
}
?>
<br></td></tr></table></td>
<?php include "RightPanel.php"; ?>

```

VENDOR/UPDATEPROFILE.PHP

```

<?php include "LeftPanel.php";
FUNCTION CHECKEMAIL($EMAIL) {
IF (!EREGI("^[a-z0-9-]+\.[a-z0-9-]+\.[a-z0-9-]+\.[a-z]{2,3}$", $EMAIL))
RETURN 0;
ELSE RETURN 1;
}
?>
<SCRIPT TYPE="TEXT/JAVASCRIPT" SRC="..js/formVal.js"></SCRIPT>
<SCRIPT TYPE="TEXT/JAVASCRIPT">
FUNCTION VALIDATEONSUBMIT(){
VAR ELEM;
VAR ERRS=0;

IF (!VALIDATENUMBER (DOCUMENT.FORMS.UPDATEFORM.MOBILENUM, 'INF_MOBILENUMBER', TRUE)) ERRS += 1;
IF (!VALIDATEEMAIL (DOCUMENT.FORMS.UPDATEFORM.EMAILADDRESS, 'INF_EMAILADDRESS', TRUE)) ERRS += 1;
IF (!VALIDATEPRESENT (DOCUMENT.FORMS.UPDATEFORM.LASTNAME, 'INF_LASTNAME', TRUE)) ERRS += 1;
IF (!VALIDATEPRESENT (DOCUMENT.FORMS.UPDATEFORM.FIRSTNAME, 'INF_FIRSTNAME', TRUE)) ERRS += 1;
IF (!VALIDATEPRESENT (DOCUMENT.FORMS.UPDATEFORM.USERNAME, 'INF_USERNAME', TRUE)) ERRS += 1;

IF (ERRS>1) ALERT('THERE ARE FIELDS WHICH NEED CORRECTION BEFORE SENDING');
IF (ERRS==1) ALERT('THERE IS A FIELD WHICH NEEDS CORRECTION BEFORE SENDING');
RETURN (ERRS==0);
}
</SCRIPT>
<td valign="top">
<table id="CONTENTScenter">

```

```

<TR><TD CLASS="CENTERMAIN">
<?PHP
    $COUNT=1;
    IF ($VENDOR_VALID==1){
        PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT
COLOR=#1c43a6'><B>$USERNAME!</B></FONT></TD>
        <TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>TODAY IS <FONT COLOR='#1c43a6'><B>".DATE("L, F ,
Y")."</B></FONT></B></FONT></TD></TR></TABLE>
        <CENTER><TABLE WIDTH='760'>
            <TR><TD ALIGN='CENTER'><BR></TD></TR>
            <TR><TD WIDTH='730' VALIGN='TOP'>
                <BR><CENTER><FIELDSET STYLE='WIDTH: 550PX;' ALIGN='CENTER'>
                <LEGEND ALIGN='CENTER'><FONT COLOR='#0707AB' SIZE='3'><B>UPDATE
PROFILE</B></FONT></LEGEND><DIV CLASS='RESULTS'>
                <TABLE ALIGN='CENTER' STYLE='TABLE-LAYOUT: FIXED;'><TR><TD><BR></TD></TR>;
            IF (ISSET($_POST['SUBMIT'])){
                $FIRSTNAME=$_POST['FIRSTNAME'];
                $LASTNAME=$_POST['LASTNAME'];
                $MOBILENUM=$_POST['MOBILENUM'];
                $PHONENUM=$_POST['PHONENUM'];
                $ADDRESS=$_POST['ADDRESS'];
                $EMAILADDRESS=$_POST['EMAILADDRESS'];
                $USERNAME=$_POST['USERNAME'];
                $EMAILCHECK=CHECKEMAIL($EMAILADDRESS);
                IF (($USERNAME=="")||($EMAILADDRESS=="")||($LASTNAME=="")||($FIRSTNAME=="")||($MOBILENUM=="")){
                    PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B>REQUIRED FIELDS ERROR.</B></FONT><BR><BR>PLEASE
FILL OUT ALL REQUIRED FIELDS INDICATED BY <FONT COLOR='RED'>*</FONT>.<BR><BR>
                URL=UPDATEPROFILE.PHP'></NOSCRIPT>
                <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5';
                <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN
ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; setInterval( function(){ if (SECONDS <= 1) { WINDOW.LOCATION = 'UPDATEPROFILE.PHP'; } ELSE
{ DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
                }
                ELSE IF ($EMAILCHECK==0){
                    PRINT "<TR><TD><CENTER><FONT COLOR='RED'><B> INVALID EMAIL ADDRESS!</B></FONT><BR><BR>PLEASE
ENTER A VALID EMAIL ADDRESS.<BR><BR>
                URL=UPDATEPROFILE.PHP'></NOSCRIPT>
                <NOSCRIPT><META HTTP-EQUIV='REFRESH' CONTENT='5';
                <FONT COLOR='BLUE'>YOU WILL BE REDIRECTED BACK IN <SPAN
ID='SECONDS'>5</SPAN>.<SCRIPT> VAR SECONDS = 5; setInterval( function(){ if (SECONDS <= 1) { WINDOW.LOCATION = 'UPDATEPROFILE.PHP'; } ELSE
{ DOCUMENT.GETELEMENTBYID('SECONDS').INNERHTML = --SECONDS; } }, 1000 ); </SCRIPT></FONT></CENTER></TD></TR>";
                }
                ELSE {
                    $QUERY=MYSQL_QUERY("UPDATE VENDOR SET
VENDOR_FIRSTNAME='$FIRSTNAME',VENDOR_LASTNAME='$LASTNAME',VENDOR_EMAIL='$EMAILADDRESS',VENDOR_ADDRESS='$ADDRESS',VENDOR_MOBILENUM='$MOBILENUM',VENDOR_PHONENUM='$PHONENUM',VENDO
R_USERNAME='$USERNAME' WHERE VENDOR_ID='$VENDOR_ID'");
                    PRINT "<TR><TD COLSPAN='3' ALIGN='LEFT'><FIELDSET STYLE='BACKGROUND-COLOR:#DEFEFF;'><IMG
SRC='../Admin/IMAGES/INFO.GIF' WIDTH='20' HEIGHT='10'>&NBSP;&NBSP;&NBSP;<FONT COLOR='BLUE'><B>";
                    IF (!{$QUERY){
                        PRINT "AN ERROR OCCURED WHILE UPDATING YOUR DATA.";
                    }
                    ELSE{
                        PRINT "YOUR PROFILE HAS BEEN SUCCESSFULLY UPDATED.";
                    }
                }
                PRINT "</B></FIELDSET></BR></TD></TR>";
            }
            $QUERY=MYSQL_QUERY("SELECT * FROM VENDOR WHERE VENDOR_ID='$VENDOR_ID'");
            $ROW=MYSQL_FETCH_ARRAY($QUERY);
            $FIRSTNAME=$ROW['VENDOR_FIRSTNAME'];
            $LASTNAME=$ROW['VENDOR_LASTNAME'];
            $MOBILENUM=$ROW['VENDOR_MOBILENUM'];
            $PHONENUM=$ROW['VENDOR_PHONENUM'];
            $ADDRESS=$ROW['VENDOR_ADDRESS'];
            $EMAILADDRESS=$ROW['VENDOR_EMAIL'];
            $USERNAME=$ROW['VENDOR_USERNAME'];
            PRINT "<FORM METHOD='POST' NAME='UPDATEFORM' ONSUBMIT='RETURN VALIDATEONSUBMIT()' ACTION='UPDATEPROFILE.PHP'>
            <TR><TD ALIGN='RIGHT' WIDTH='25%'><B>USER NAME:</B></TD><TD>&NBSP;&NBSP;&NBSP;</TD><TD ALIGN='LEFT'
WIDTH='43%'><INPUT TYPE='TEXT' NAME='USERNAME' VALUE='$USERNAME' SIZE='30' ONCHANGE='VALIDATEPRESENT(THIS, \'INF_USERNAME\', TRUE);' /><FONT COLOR='RED'>*</FONT></TD><TD
ID='INF_USERNAME' CLASS='ERROR' WIDTH='30%'>&NBSP </TD></TR><TR><TD><BR></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>FIRST NAME</B> :</TD><TD>&NBSP;&NBSP;&NBSP;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT'
NAME='FIRSTNAME' VALUE='$FIRSTNAME' SIZE='30' ONCHANGE='VALIDATEPRESENT(THIS, \'INF_FIRSTNAME\', TRUE);' /><FONT COLOR='RED'>*</FONT></TD><TD ID='INF_FIRSTNAME' CLASS='ERROR'> &NBSP
</TD></TR><TR><TD><BR></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>LAST NAME</B> :</TD><TD>&NBSP;&NBSP;&NBSP;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT'
NAME='LASTNAME' VALUE='$LASTNAME' SIZE='30' ONCHANGE='VALIDATEPRESENT(THIS, \'INF_LASTNAME\', TRUE);' /><FONT COLOR='RED'>*</FONT></TD><TD ID='INF_LASTNAME' CLASS='ERROR'> &NBSP
</TD></TR><TR><TD><BR></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>EMAIL ADDRESS:</B></TD><TD>&NBSP;&NBSP;&NBSP;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT'
NAME='EMAILADDRESS' VALUE='$EMAILADDRESS' SIZE='30' ONCHANGE='VALIDATEEMAIL(THIS, \'INF_EMAILADDRESS\', TRUE);' /><FONT COLOR='RED'>*</FONT></TD><TD ID='INF_EMAILADDRESS'
CLASS='ERROR'>&NBSP </TD></TR>
            <TR><TD ALIGN='RIGHT'><B>MOBILE NUMBER:</B></TD><TD>&NBSP;&NBSP;&NBSP;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT'
NAME='MOBILENUM' VALUE='$MOBILENUM' SIZE='30' ONCHANGE='VALIDATENUMBER(THIS, \'INF_MOBILENUMBER\', TRUE);' /><FONT COLOR='RED'>*</FONT></TD><TD
ID='INF_MOBILENUMBER' CLASS='ERROR'>&NBSP </TD></TR>
            <TR><TD></TD><TD>&NBSP;&NBSP;&NBSP;</TD><TD ALIGN='LEFT' COLSPAN='2'><FONT SIZE='1' COLOR='BLUE'>EXAMPLE: 639 17 123
4567<BR>[COUNTRY CODE] [MOBILE CODE] [MOBILE NO]</FONT></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>PHONE NUMBER:</B></TD><TD>&NBSP;&NBSP;&NBSP;</TD><TD ALIGN='LEFT'><INPUT TYPE='TEXT'
NAME='PHONENUM' VALUE='$PHONENUM' SIZE='30'></TD></TR>
            <TR><TD ALIGN='RIGHT'><B>ADDRESS:</B></TD><TD>&NBSP;&NBSP;&NBSP;</TD><TD ALIGN='LEFT'><TEXTAREA NAME='ADDRESS' ROWS=2'
COLS='27'>$ADDRESS</TEXTAREA></TD></TR>
            <TR><TD></TD><TD>&NBSP;&NBSP;&NBSP;</TD><TD ALIGN='CENTER'><BR><BR><INPUT TYPE='SUBMIT' NAME='SUBMIT' VALUE='SUBMIT'
CLASS='INPUTBUTTON'></TD></TR>
            </FORM>";

```

```

                PRINT
            "<TR><TD><BR></TD></TR></TABLE></FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE></CENTER>";
        } //END OF $VENDOR_VALID
        ELSE {
            PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
            PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP>";
        } //END OF ELSE
    ?>
</TD></TR>
</TABLE>
</TD>
<?PHP INCLUDE "RIGHTPANEL.PHP";    ?>

VENDOR/VENDORHOME.PHP

<?PHP INCLUDE "LEFTPANEL.PHP"; ?>
<TD VALIGN="TOP"><TABLE ID="CONTENTS_CENTER"><TR><TD CLASS="CENTER_MAIN">
<?PHP
    IF ($VENDOR_VALID==1){
        PRINT "<BR><TABLE WIDTH='760'><TR><TD ALIGN='LEFT'><FONT COLOR='BLACK'><B>WELCOME </B></FONT><FONT COLOR='#1c43a6'><B>$USERNAME!
</B></FONT></TD>
        <TD ALIGN='RIGHT'><FONT COLOR='BLACK'><B>TODAY IS <FONT COLOR='#1c43a6'><B>".DATE("L, F, J, Y")."</B></FONT></B></FONT></TD></TR></TABLE>";
        PRINT "<CENTER><TABLE WIDTH='760'><TR><TD ALIGN='CENTER'><BR></TD></TR>
        <TR><TD WIDTH='730' VALIGN='TOP'><BR><CENTER><FIELDSET STYLE='WIDTH: 700px;' ALIGN='CENTER'>
        <LEGEND ALIGN='CENTER'><FONT COLOR='#0707ab' SIZE='3'><B>VENDOR HOME</B></FONT></LEGEND>
        <DIV CLASS='CONS'><TABLE WIDTH='650' ALIGN='CENTER'><TR><TD>
        ";
        $GET_VENDOR_CATEGORY = MYSQL_QUERY("SELECT * FROM VENDOR WHERE VENDOR_ID='$VENDOR_ID'");
        $ROW_VENDOR = MYSQL_FETCH_ARRAY($GET_VENDOR_CATEGORY);
        $CATEGORY_ID = $ROW_VENDOR['CATEGORY_ID'];
        $GET_CATEGORY_DETAILS = MYSQL_QUERY("SELECT * FROM CATEGORY WHERE CATEGORY_ID='$CATEGORY_ID'");
        $ROW_GET_CAT_DETAILS = MYSQL_FETCH_ARRAY($GET_CATEGORY_DETAILS);
        $IMAGE_DIRECTORY = "../IMAGES/ITEMS";
        $CATEGORY_NAME = $ROW_GET_CAT_DETAILS['CATEGORY_NAME'];
        $DESCRIPTION = $ROW_GET_CAT_DETAILS['CATEGORY_DESCRIPTION'];
        $DISCOUNT = $ROW_GET_CAT_DETAILS['CATEGORY_DISCOUNTINFO'];
        $C_LINK = $ROW_GET_CAT_DETAILS['CATEGORY_LINK'];
        PRINT "<TABLE>
        <TR><TD CLASS='WORKAREA'><TABLE ALIGN='LEFT'>
        <TR><TD ALIGN='LEFT'><FONT COLOR='#023b7b'><B>$DISPLAY</B></TD></TR>
        <TR><TD ALIGN='LEFT'><H1>$CATEGORY_NAME</H1></TD></TR><TR><TD>&NBSP;</TD></TR>
        <TR><TD ALIGN='LEFT'>$DESCRIPTION</TD></TR><TR><TD>&NBSP;</TD></TR>
        <TR><TD ALIGN='LEFT'>$DISCOUNT</TD></TR><TR><TD>&NBSP;</TD></TR>
        <TR><TD ALIGN='LEFT'>WEBSITE: <A HREF='$C_LINK' TARGET='_BLANK' CLASS='HOME2'>$C_LINK</A></TD></TR><TR><TD>&NBSP;</TD></TR>
        </TABLE></TD></TR><TR><TD>";
        PRINT "<CENTER><TABLE WIDTH='500' HEIGHT='100' STYLE='TABLE-LAYOUT: FIXED;'>";
        $GET_ITEM = MYSQL_QUERY("SELECT ITEM_ID FROM ITEM WHERE CATEGORY_ID='$CATEGORY_ID'");
        WHILE ($ROW_ITEM=MYSQL_FETCH_ARRAY($GET_ITEM)){
            $ITEM_ID = $ROW_ITEM['ITEM_ID'];
            $GET_DATA = MYSQL_QUERY("SELECT * FROM ITEM WHERE ITEM_ID='$ITEM_ID'");
            $ROW_DATA = MYSQL_FETCH_ARRAY($GET_DATA);
            $ITEM_NAME = $ROW_DATA['ITEM_NAME'];
            $ITEM_IMAGE = $ROW_DATA['ITEM_IMAGE'];
            $ITEM_LINK = $ROW_DATA['ITEM_LINK'];
            $SELLING_PRICE = $ROW_DATA['ITEM_SELLING_PRICE'];
            $STOCK_STATUS = $ROW_DATA['ITEM_STOCK_STATUS'];
            $STATUS = $ROW_DATA['ITEM_IS_ACTIVE'];
            $DOLLAR_PRICE = $SELLING_PRICE/3.75;
            $DOLLAR_PRICE = NUMBER_FORMAT($DOLLAR_PRICE,2);
            $SELLING_PRICE = NUMBER_FORMAT($SELLING_PRICE,2);
            $COUNT++;
            IF ($COUNT%2==1){
                PRINT "<TR><TD WIDTH='50%' ALIGN='CENTER' VALIGN='TOP'><IMG SRC='$IMAGE_DIRECTORY/$ITEM_IMAGE' STYLE='WIDTH:150px; HEIGHT:100px;'
                ALT='$ITEM_NAME' /><BR />
                <B>$ITEM_NAME</B><BR><BR>PRICE: $SELLING_PRICE SAR <BR><FONT COLOR='RED' SIZE='1'>$DOLLAR_PRICE US DOLLARS</FONT>";
                IF ($STOCK_STATUS==1)
                    PRINT "<BR>AVAILABLE</TD>";
                ELSE
                    PRINT "<BR>OUT OF STOCK</TD>";
            }
            ELSE {
                PRINT "<TD WIDTH='50%' ALIGN='CENTER' VALIGN='TOP'><IMG SRC='$IMAGE_DIRECTORY/$ITEM_IMAGE' STYLE='WIDTH:150px; HEIGHT:100px;'
                ALT='$ITEM_NAME' /><BR>
                <B>$ITEM_NAME</B><BR><BR>PRICE: $SELLING_PRICE SAR <BR><FONT COLOR='RED' SIZE='1'>$DOLLAR_PRICE US DOLLARS</FONT>";
                IF ($STOCK_STATUS==1)
                    PRINT "<BR>AVAILABLE</TD></TR><TR><TD><BR></TD></TR>";
                ELSE
                    PRINT "<BR>OUT OF STOCK</TD></TR><TR><TD><BR></TD></TR>";
            }
        }
        PRINT "</TR></TABLE>";
        PRINT "<BR><BR></TD></TR></TABLE>";
        PRINT "</TD></TR><TR><TD><BR></TD></TR></TABLE></DIV>";
        PRINT "</FIELDSET></CENTER></TD></TR><TR><TD><BR><BR></TD></TR></TABLE></CENTER>";
    }
    ELSE {
        PRINT "<CENTER><BR><FONT COLOR='RED' SIZE='3'><B>ACCESS DENIED!</B></FONT></CENTER>";
        PRINT "<META HTTP-EQUIV='REFRESH' CONTENT='1'; URL=INDEX.PHP>";
    }
?>
</TD></TR></TABLE></TD>
<?PHP INCLUDE "RIGHTPANEL.PHP";    ?>

```



```

WHERE EXTRACT(YEAR FROM PURCHASE_DATE TIME)='$INDEX' AND PURCHASE.STOCK_ID=STOCKS.STOCK_ID AND
STOCKS.ITEM_ID=ITEM.ITEM_ID AND ITEM.CATEGORY_ID=CATEGORY.CATEGORY_ID AND ITEM.ITEM_ID='$ITEM_ID' AND STOCKS.VENDOR_ID='$VENDOR_ID'
GROUP BY EXTRACT(YEAR FROM PURCHASE_DATE TIME);
$MYQUERY = MYSQL_QUERY($QUERY);
$ROW = MYSQL_FETCH_ARRAY($MYQUERY);
$COUNTQUERY = MYSQL_NUM_ROWS($MYQUERY);
$COUNTSTOCKS = MYSQL_QUERY("SELECT COUNT(STOCK_ID) FROM STOCKS WHERE STOCKS.VENDOR_ID='$VENDOR_ID' AND
STOCKS.ITEM_ID='$ITEM_ID' AND EXTRACT(YEAR FROM STOCK_TIME) <='<\/td><\/tr><\/table>";
$ROWC = MYSQL_FETCH_ROW($COUNTSTOCKS);
$COUNTOFSTOCKS = $ROWC[0];
$TOTALSOLD = $ROW['SOLDQUANTITY'];
$PRICE = $ROW['SALE'];
$TOTAL = $TOTALSOLD*$PRICE;
IF ($COUNTQUERY==0){
/*PRINT "<tr class=\<\/td>".($COUNTER & 1)."<\/td>";
PRINT "<td align='left'>$ITEM_NAME<\/td>";
PRINT "<td><center>0<\/center><\/td>";
PRINT "<\/tr>\n";*/
}
ELSE{
PRINT "<tr class=\<\/td>".($COUNTER & 1)."<\/td>";
PRINT "<td align='left'>".$ROW['ITEM_NAME']."<\/center><\/td>";
PRINT "<td><center>$COUNTOFSTOCKS<\/center><\/td>";
PRINT "<td><center>".$ROW['SOLDQUANTITY']."<\/center><\/td>";
PRINT "<td><center>".$ROW['SALE']."<\/center><\/td>";
PRINT "<td><center>$TOTAL<\/center><\/td>";
PRINT "<\/tr>\n";
$TOTALSALES += $TOTAL;
}
}
$TOTALSALES2 = NUMBER_FORMAT($TOTALSALES,2);
PRINT "<tr class=\<\/td>".($I & 1)."<\/td>";
PRINT "<td colspan='4'><center><b>Total<\/b><\/center><\/td>";
PRINT "<td><center><b>$TOTALSALES2<\/b><\/center><\/td><\/tr>";
PRINT "<\/table><br><br>";
}
PRINT "<\/table>";
PRINT "<p align='right'><a href='REPORTSMANAGEMENT.PHP'><img src='../Admin/IMAGES/BACK.PNG' width='30' height='30'><\/a><\/p>";
}
ELSE {
PRINT "<center><br><font color='red' size='3'><b>ACCESS DENIED!<\/b><\/font><\/center>";
PRINT "<meta http-equiv='refresh' content='1'; url=index.php'>";
}
?>
<br><\/td><\/tr><\/table><\/td>
<?PHP INCLUDE "RIGHTPANEL.PHP"; ?>

```

MAIN.TXT

/*Bea3 TEXT FILE*/

HOME = HOME = الرئيسية

HowToBuy = How to Buy = طريقة الشراء

FAQ = FAQ's = الأسئلة الشائعة

ABOUTUs = ABOUT Us = من نحن

CONTACTUs = CONTACT Us = اتصل بنا

FINDBea3CARDLoc = FIND CARD LOCATION = اين تجد بطاقتنا

TRANSACTIONHistory = TRANSACTION HISTORY = سجل العمليات

PURCHASEHistory = PURCHASE HISTORY = سجل المشتريات

PURCHASEHistory = PURCHASE HISTORY = سجل المشتريات

ALLCATEGORIES = "ALL CATEGORIES" = كل المنتجات

Or = Or = أو

REGISTERNow = REGISTER Now = اشترك الآن

UserName = USER NAME = اسم المستخدم

PASSWORD = PASSWORD = كلمة السر

LOGIN = LOGIN = الدخول

REMEMBERMe = REMEMBER Me = تذكرني

FORGOTYourPASSWORD = FORGOT Your PASSWORD = نسيت كلمة السر

ADVERTISEMENT = ADVERTISEMENT = الإعلانات

INVALIDUserNameOrPASS = INVALID USERNAME OR PASSWORD! = اسم المستخدم أو كلمة السر غير صحيح

WHATIsBeaCARD = WHAT IS ELECTRONIC MARKET = ماهي بطاقة السوق الإلكتروني

NEWSUpdates = NEWS & UPDATES = الأخبار وآخر المستجدا

NewUpdate = NEW UPDATE = الأخبار الجديدة

FAQs = FAQ's = الأسئلة الشائعة

ANSWER = A = الأجابة

QUESTION = Q = السؤال

SELECTLANGUAGE = اختر اللغة = SELECT LANGUAGE

REPLYS = REPLY = رد

SEARCH = SEARCH = البحث

ADVANCESEARCH = ADVANCE SEARCH = البحث المتقدم

COPYRIGHT = COPYRIGHT © ERIKA LIZA R. VERGARA, ALL RIGHTS RESERVED. = جميع حقوق الطبع محفوظة =

PAGE = PAGE = صفحة

BEACARD = ELECTRONIC MARKET CARD = بطاقة السوق الإلكتروني

ARABIC = ARABIC = العربية

NEWUSERREGISTRATION = NEW USER REGISTRATION = تسجيل مستخدم جديد

TITLE = TITLE = اللقب

FIRSTNAME = FIRST NAME = الأسم الأول

MIDDLENAME = MIDDLE NAME = اسم الأب

LASTNAME = LAST NAME = اسم العائلة

GENDER = GENDER = الجنس

MALE = MALE = ذكر

FEMALE = FEMALE = انثى

DATEOFBIRTH = DATE OF BIRTH = تاريخ الميلاد

DAY = DAY = اليوم

MONTH = MONTH = الشهر

YEAR = YEAR = السنة

EMAIL = EMAIL ADDRESS = البريد الإلكتروني

LOGINWEBSITE = YOU WILL USE YOUR EMAIL TO LOGIN TO OUR WEBSITE = سيكون بريدك الإلكتروني هو اسم الدخول =

ALTERNATIVEEMAIL = ALTERNATE EMAIL = بريد الكتروني اضافي

ALTEMAILFORGOTPASSWORD = YOU WILL RECEIVE YOUR FORGOTTEN PASSWORD ON THIS EMAIL = ستتصلك كلمة السر في حالة فقدانها على هذا البريد الإلكتروني =

CONFIRMPASSWORD = CONFIRM PASSWORD = تأكيد كلمة السر =

MOBILE = MOBILE = الجوال

ACTIVATIONCODEEXAMPLE = YOU WILL RECEIVE ACTIVATION CODE SMS ON THIS NUMBER. = سيصلك رمز التفعيل على رقم جوالك =

EXAMPLENo = EXAMPLE: 639 17 1234567 = 639171234567 مثال:

MOBILENo = MOBILE No = رقم الجوال

MOBILECODE = MOBILE CODE = رمز الجوال

COUNTRYCODE = COUNTRY CODE = رمز الدولة

PHONE = PHONE = الهاتف

CITY = CITY = المدينة

COUNTRY = COUNTRY = الدولة

ADDRESS = ADDRESS = العنوان

NATIONALITY = NATIONALITY = الجنسية

LANGUAGE = LANGUAGE = اللغة

REGISTRATIONCODE = REGISTRATION CODE = رمز التسجيل

ENTERREGISTRATIONCODE = PLEASE ENTER THE ABOVE REGISTRATION CODE HERE = نرجو ادخال رمز التفعيل في الأعلى هنا =

ACTIVATIONMETHOD = ACTIVATION METHOD = طريقة التفعيل

SMS = SMS = رسالة جوال

MINIMUM8 = MINIMUM 8 CHARACTERS = الحد الأدنى للحروف 8

ACTIVATEYOURACCOUNT = YOU NEED TO ACTIVATE YOUR ACCOUNT BEFORE LOGIN. PLEASE SELECT YOUR APPROPRIATE METHOD OF ACCOUNT ACTIVATION = تحتاج الى تفعيل حسابك قبل الدخول. نرجو اختيار طريقة ارسال = رمز التفعيل

RECEIVEYOURPASSWORD = PLEASE ENTER YOUR EMAIL ADDRESS TO RECEIVE YOUR PASSWORD = نرجو ادخال بريدك الإلكتروني لأرسال كلمة السر

FORGOTPASSWORD = FORGOT PASSWORD = نسيت كلمة السر

SUBMIT = SUBMIT = ادخال

RESET = RESET = مسح

CLICKTOLOGINPAGE = CLICK HERE TO GO TO LOGIN PAGE = اضغط هنا للعودة لصفحة الدخول

CLICKTOHOMEPAGE = CLICK HERE TO GO BACK TO HOME PAGE = اضغط هنا للعودة لصفحة الرئيسية

REQUIREDEMAIL = EMAIL IS REQUIRED = البريد الإلكتروني مطلوب

REQUIREDFIRSTNAME = FIRST NAME IS REQUIRED = الأسم الأول مطلوب

REQUIREDLASTNAME = LAST NAME IS REQUIRED = اسم العائلة مطلوب

REQUIREDALTERNATIVEEMAIL = EMAIL AND ALTERNATE EMAIL SHOULD NOT BE THE SAME = البريد الإلكتروني البديل مطلوب

PASSWORDREQUIRED = PASSWORD IS REQUIRED = كلمة السر مطلوبة

CONFPASSWORDREQUIRED = CONFIRM PASSWORD IS REQUIRED = تأكيد كلمة السر مطلوبة

REQUIREDMOBILENO = MOBILE NO IS REQUIRED = رقم الجوال مطلوب

WRONGMOBILENO = INVALID MOBILE NUMBER = رقم الجوال المدخل غير صحيح

REQUIREDLANGUAGE = LANGUAGE IS REQUIRED = اللغة مطلوبة

REQUIREDTITLE = TITLE IS REQUIRED = اللقب مطلوب

COUNTRYREQUIRED = COUNTRY IS REQUIRED = الدولة مطلوبة

NATIONALITYREQUIRED = NATIONALITY IS REQUIRED = الجنسية مطلوبة

REGISTRATIONREQUIRED = REGISTRATION CODE IS REQUIRED = رمز التسجيل مطلوب

REMEMBERNEXTTIME = REMEMBER ME NEXT TIME = تذكرني

USERNAMEREQUIRED = USER NAME IS REQUIRED = اسم المستخدم مطلوب

Mr. = Mr. = السيد

Mrs. = Mrs. = السيدة

Ms. = Ms. = الأئسة

Dr. = Dr. = الدكتور

BEST VIEWED = BEST VIEWED = لأفضل عرض

REQUIREDNAME = NAME IS REQUIRED = اسم مطلوب

ACCOUNTACTIVATION = ACCOUNT ACTIVATION = تفعيل الحساب

WELCOME = WELCOME = مرحبا بك

YOURACCOUNTNOTACTIVATED = YOUR ACCOUNT IS NOT ACTIVATED YET, IF YOU HAVE RECEIVED YOUR ACCOUNT ACTIVATION CODE IN YOUR MOBILE PLEASE WRITE BELOW TO CONTINUE = حسابك لم يتم تفعيله بعد، نرجو منك ادخال رمز التفعيل

ACCOUNTACTIVATIONCODE = ACCOUNT ACTIVATION CODE = رمز التفعيل للحساب

PROCEED = PROCEED = استمرار

RESENDACTIVATIONCODE = RESEND ACTIVATION CODE = اعادة ارسال رمز التفعيل

NOTRECEIVEDACTIVATIONCODE = IF YOU HAVE NOT RECEIVED YOUR "ACTIVATION CODE" YET, = اذا لم يصلك رمز التفعيل بعد

ACTIVATIONMETHOD = ACTIVATION METHOD = طريقة التفعيل

RESENDNOW = RESEND NOW = اعادة الأرسال الآن

YOURBALANCE = YOUR BALANCE = رصيدك

TOADDFUNDSTOYOURACCOUNTPLEASEENTERTHESCRATCHNUMBEROFTHEBEACARDBLEW: = TO ADD FUNDS TO YOUR ACCOUNT PLEASE ENTER THE SCRATCH NUMBER OF THE ELECTRONIC MARKET CARD BELOW: = لزيادة رصيد حسابك نرجو ادخال رقم بطاقة السوق الإلكتروني في الأسفل

ENTERTHEBEACARDNO = ENTER THE ELECTRONIC MARKET CARD No = ادخل رقم بطاقة السوق الإلكتروني

BEACARDSCRATCHNUMBERISREQUIRED = ELECTRONIC MARKET CARD SCRATCH NUMBER IS REQUIRED = رقم بطاقة السوق الإلكتروني مطلوبة

ADDFUNDS = ADD FUNDS = اضافة رصيد

ADDFUNDSACCOUNTBYBEACARD = TO ADD FUNDS TO YOUR ACCOUNT PLEASE ENTER THE SCRATCH NUMBER OF THE ELECTRONIC MARKET CARD BELOW: = لزيادة رصيد حسابك نرجو ادخال رقم بطاقة السوق الإلكتروني في الأسفل

ADDFUNDSACCOUNTBYCASHU = PLEASE CHOOSE THE DESIRED AMOUNT TO BE ADDED BY YOUR ACCOUNT IN CASHU: = الرجاء اختيار المبلغ الذي تريد اضافته بواسطة حسابك بال كاش يو:

ADDFUNDSACCOUNTBYVISA = PLEASE ENTER THE DESIRED AMOUNT TO BE ADDED BY YOUR ACCOUNT BY VISA AND MASTERCARD = الرجاء ادخال المبلغ الذي تريد اضافته بواسطة بطاقتك الأتثمانية

ENTERTHEBEACARDNO = ENTER THE ELECTRONIC MARKET CARD No: = ادخل رقم بطاقة السوق الإلكتروني :

EDITPROFILE = EDIT PROFILE = تعديل ملفك الشخصي

EDITPROFILESUCCESS = YOUR PROFILE HAS BEEN UPDATED SUCCESSFULLY! = تعديل معلوماتك الشخصية بنجاح =

YOUWILLRECEIVEYOURFORGOTTENPASSWORDONTHISEMAIL. = YOU WILL RECEIVE YOUR FORGOTTEN PASSWORD ON THIS EMAIL. =

ستصلك كلمة السر المفقودة على هذا البريد الإلكتروني

CHANGEPASSWORD = CHANGE PASSWORD = تغيير كلمة السر

OLDPASSWORD = OLD PASSWORD = كلمة السر القديمة

NEWPASSWORD = NEW PASSWORD = كلمة السر الجديدة

CONFIRMNEWPASSWORD = CONFIRM NEW PASSWORD = تأكيد كلمة السر

CUSTOMERTITLE = CUSTOMER TITLE = الدعم الفني

CUSTOMERSUPPORT = CUSTOMER SUPPORT = الدعم الفني

SEARCHTICKET = SEARCH TICKET = البحث عن تذكرة دعم فني

REGISTERTICKET = REGISTER TICKET = فتح تذكرة دعم فني

TICKETLIST = TICKET LIST = قائمة الدعم الفني

ISSUETYPE = ISSUE TYPE = نوع المشكلة

CREDITISSUE = CREDIT ISSUE = مشكلة الرصيد

PURCHASEISSUE = PURCHASE ISSUE = مشكلة الشراء

SITEISSUE = SITE ISSUE = مشكلة الموقع

BROWSINGISSUE = BROWSING ISSUE = مشكلة التصفح

OTHERS = OTHERS = أخرى

TICKETSEND = TICKET SEND = ارسال تذكرة

TICKETREPLY = TICKET REPLY = رد التذاكر

CLOSETICKET = CLOSE TICKET = إغلاق تذكرة الدعم الفني

CUSTOMERTICKETS = CUSTOMER TICKETS = تذاكر العميل

CUSTOMERQUERY = CUSTOMER QUERY = استفسارات العملاء

DESCRIPTION = DESCRIPTION = تفصيل

TICKETDESCRIPTION = DESCRIPTION = الشرح

ADMINREPLY = ADMIN REPLY = رد الدعم الفني

YOURTICKETNO = YOUR TICKET NO = تم انشاء تذكرة دعم فني رقم

DATE = DATE = التاريخ

STATE = STATE = الحالة

DATE&TIME = DATE & TIME = التاريخ والوقت

DETAIL = DESCRIPTION = التفاصيل

OPEN = OPEN = مفتوح

CLOSED = CLOSED = مغلق

UNDERPROCESS = UNDER PROCESS = تحت الأجراء

YOURTICKETHASBEENSENTTOSUPPORTDEPARTMENTSUCCESSFULLY. = YOUR TICKET HAS BEEN SENT TO SUPPORT DEPARTMENT SUCCESSFULLY. = تذكرة الدعم الفني تم ارسالها بنجاح

CLICKHERETOSEETICKETLIST = CLICK HERE TO SEE TICKET LIST = اضغط هنا لرؤية تذاكر الدعم الفني

LOGOUT = LOG OUT = الخروج

READMORE = READ MORE = اقرأ المزيد

NAME = NAME = الأسم

REQUIREDQUERY = QUREY IS REQUIRED = الأستفسار مطلوب

REQUIREDQUREYTYPE = QUREYTYPE IS REQUIRED = نوع الأستفسار مطلوب

QUERY = QUERY = الأستفسار

QUERYTYPE = QUERY TYPE = نوع الأستفسار

GENERAL = GENERAL = عام

ADMINISTRATION = ADMINISTRATION = الإدارة

TECHNICAL = TECHNICAL = فني

SALES = SALES = مبيعات

SUBMIT = SUBMIT = ادخال

RESET = RESET = مسح

REGISTRATIONCOMPLETE = REGISTRATION COMPLETE = التسجيل أكتمل

YOURREGISTRATIONCOMPLETED = YOUR REGISTRATION PROCESS HAS BEEN COMPLETED SUCCESSFULLY = انتهت عملية التسجيل بنجاح

RESENDACTIVATIONCODE = RESEND ACTIVATION CODE = إعادة ارسال رمز التفعيل

ACCOUNTACTIVATIONCODEDIDNOTMATCH = ACCOUNT ACTIVATION CODE DID NOT MATCH. PLEASE TRY AGAIN. = رمز التفعيل غير صحيح، نرجو المحاولة مرة أخرى

DUPLICATEEMAILADDRESS = DUPLICATE EMAIL ADDRESS! YOUR SPECIFIED EMAIL ADDRESS IS ALREADY REGISTERED WITH US. = بريد الكتروني موجود! استخدمت بريد الكتروني مسجل لدينا

INVALIDREGISTRATIONCODE = INVALID REGISTRATION CODE WAS ENTERED. = رمز تفعيل المدخل غير صحيح

ACTIVATIONCOMPLETE = ACTIVATION COMPLETE = التفعيل أكتمل

ACCOUNTACTIVATEDSUCCESSFULLY = YOUR ACCOUNT HAS BEEN ACTIVATED SUCCESSFULLY. = تم تفعيل حسابك بنجاح

PAGEREDIRECTAUTOMATICALLY = THIS PAGE WILL REDIRECT AUTOMATICALLY IN = سوف يتم توجيهك اليا خلا 5 ثواني

CLICKHERETOCONTINUE = CLICK HERE TO CONTINUE... = اضغط هنا للأستمرار

CANCEL = CANCEL = الغاء

INSERT = INSERT = ادخال

LOCATION = STORE NAME = اسم الموزع

CLIENTSECTION = CLIENT SECTION = قسم العملاء

AREA = AREA = الحي

LOCATIONTEXT = THIS LIST DISPLAYS ALL ELECTRONIC MARKET CARDS LOCATIONS IN ALL COUNTRIES. TO FIND NEAREST LOCATION ,PICK YOUR COUNTRY, YOUR CITY, AND YOUR AREA. = نرجو اختيار الدولة ومن ثم المدينة والضغط على "إدخال" لعرض جميع المواقع التي لديها بطاقات السوق الإلكتروني والتي يمكنك استخدامها لتعبئة رصيدك.

PASSWORDSHOULDBE8 = PASSWORD SHOULD BE MINIMUM 8 CHRACTERS LONG = كلمة السر يجب ان تتكون من 8 أحرف على الأقل

DUPLICATEEMAIL = DUPLICATE EMAIL ADDRESS! YOUR SPECIFIED EMAIL ADDRESS IS ALREADY REGISTERED WITH US = بريد الكتروني مستخدم، لقد قمت بالتسجيل بأستخدام بريد الكتروني مسجل لدينا

INVALIDREGISTRATIONCODE = INVALID REGISTRATION CODE WAS ENTERED = رمز تفعيل مدخل غير صحيح

CONFPASSWORDNOTMATCHED = PASSWORD AND CONFIRM PASSWORD DID NOT MATCH = حقلي كلمة السر وتأكد كلمة السر لا يتطابقان

ACTIVATIONCODEREQUIRED = ACTIVATION CODE IS REQUIRED = رمز التفعيل مطلوب

BEACARDNOREQUIRED = ELECTRONIC MARKET CARD SCRATCH NUMBER IS REQUIRED = رقم بطاقة السوق الإلكتروني مطلوبة

ADDFUNDSBYVISA = BY VISA AND MASTERCARD = اضافة رصيد بواسطة البطاقة الأتثمانية

ADDFUNDSBYCASHU = ADD FUNDS BY CASHU = اضافة رصيد بواسطة ال كاش يو

ADDFUNDSBYBANK = ADD FUNDS BY BANK = اضافة رصيد بواسطة التحويل البنكي

CASHUFUNDS = CASHU FUNDS = ابداع كاش يو

ADDFUNDSFOLLOWINGFORM = TO ADD FUNDS TO YOUR ACCOUNT BY BANK TRANSFER PLEASE THE FOLLOWING FORM BELOW: = لاد و أن تقوم بعملية التحويل بنفسك ، وللعلم فقط موقع السوق الإلكتروني ليس لديه الصلاحية للخصم المباشر من رصيد حسابك البنكي

SELECTBANK = SELECT BANK = اختيار البنك

SELECTTHEBANK = PLEASE SELECT THE BANK = نرجو اختيار البنك

BANKTRANSFERAMOUNT = TRANSFER AMOUNT = المبلغ الذي تم تحويله

BANKTRANSFERAMOUNTREQUIRED = TRANSFER AMOUNT IS REQUIRED = المبلغ الذي تم تحويله مطلوب

INVALIDTRANSFERAMOUNTENTERED = INVALID TRANSFER AMOUNT ENTERED, USE ONLY NUMBERS AND DECIMAL = قيمة غير صحيحة مدخلة كقيمة للتحويل، نرجو ادخال ارقام فقط

TRANSFERDATE = TRANSFER DATE = تاريخ التحويل

DEPOSITORNAME = DEPOSITOR NAME = اسم المحول

ENTERDEPOSITORNAME = PLEASE ENTER DEPOSITOR NAME = نرجو ادخال اسم المحول

YOURBANKNAME = YOUR BANK NAME = اسم البنك المحول منه

ENTERBANKNAME = PLEASE ENTER BANK NAME. = نرجو ادخال اسم البنك المحول منه

BANKACCOUNTNO = YOUR BANK ACCOUNT No. = رقم حسابك البنكي

ENTERBANKACCOUNTNO = PLEASE ENTER BANK ACCOUNT No. = نرجو ادخال رقم حسابك البنكي

BANKACCOUNTTITLE = YOUR BANK ACCOUNT TITLE = عنوان الحساب المصرفي الخاص بك

ENTERBANKACCOUNTTITLE = PLEASE ENTER BANK ACCOUNT TITLE = الرجاء إدخال عنوان الحساب المصرفي

NEWPASSWORDREQUIRED = NEW PASSWORD IS REQUIRED = كلمة سر جديدة مطلوبة

UPDATEPROFILE = UPDATE PROFILE = تعديل الملف الشخصي

WEBSITE = WEBSITE = الموقع

BuyNow = Buy Now = اشتر الآن

OutOfStock = Out of Stock = مخزون غير متوفر

Price = Price = السعر

PurchaseBeaCard = Purchase Plastic Card = شراء منتج السوق الإلكتروني

MustLoginToPurchase = Sorry, you must login first to be able to purchase a product. = نعتذر، يجب التسجيل اولاً لشراء منتج من الموقع

LoginRequired = Login Required! = الدخول مطلوب

ClickHereToLogin = Click here to login = اضغط هنا للدخول

ClickToConfirmPurchase = Please click this button to confirm your purchase = نرجو الضغط هنا لتأكيد عملية الشراء

PurchaseNow = Purchase Now = اشتر الآن

NotHaveEnoughFundsInAccount = You do not have enough funds in your account to purchase this card! = لا يوجد رصيد كافي في حسابك لشراء هذا المنتج

SelectedCardOutOfStock = Selected card is out of stock! = المنتج غير متوفر الآن

ViewPurchasedCard = View Purchased Card = عرض العمليات

MustLoginToViewPurchase = Sorry, you must login first to be able to view your purchased card. = نعتذر، يجب التسجيل اولاً لشراء منتج من الموقع

EPurchasedCard = You've purchased the following card: = لقد قمت بشراء المنتجات التالية

YouvePurchasedCard = You've purchased the following card: = لقد قمت بشراء المنتجات التالية

ViewCard = Details = التفاصيل

Q = Q = س
A = A = ج

ItemName = Item Name = اسم المنتج

CompanyName = Company Name = اسم المؤسسة

PriceRange = Price Range = مدى السعر

StockStatus = Stock Status = حالة المخزون

InStock = In Stock = في المخزون

From = From = من

To = To = الى

InvalidPriceRange = Invalid Price Range = مدى سعر غير صحيح

ItemNameRequired = Item Name is required = اسم المنتج مطلوب

SortResultsBy = Sort Results By = ترتيب النتائج حسب

AdvanceSearchResults = Advance Search Results = نتائج البحث المتقدم

NoSearchResultsFound = No results were found relating to your search criteria! = لا يوجد نتائج لعملية البحث بواسطة الكلمات المستخدمة

Transaction = Transaction = العملية

SerialNo = Product = المنتج

PurchaseAmount = Purchase = شراء

FundAmount = Deposit = ايداع

TransactionDate = Transaction Date = تاريخ العملية

NewPurchase = Purchase = شراء منتج

FundsAdded = Funds Added = اضافة رصيد

InvalidEmailAddress = Invalid Email Address = بريد إلكتروني غير صحيح

NoTransactionHistory = No transaction records exist! = لا يوجد سجل للعمليات

Reply = More Info = تفاصيل...

Attention = Attention = انتباه

ConfirmPurchaseMsg = Please click the < OK > button to confirm your purchase, or cancel otherwise = لتأكيد عملية الشراء <OK> اضغط على

InvalidScratchCardNo = Invalid scratch card number was entered = رقم بطاقة غير صحيح

ResendAccountActivation = Click this button so we can resend your account activation code = اضغط على المفتاح التالي لإعادة ارسال رمز التفعيل لك

NoTriesLeftToActivate = You have no tries left to get your activation code. = تم استخدام جميع محاولات استعادة رمز التفعيل

TriesLeft = Tries left to get your activation code. = محاولات متبقية لاستعادة رمز التفعيل

TicketNumbersShouldBeNumeric = Ticket number should be numeric = رقم تذكرة الدعم يجب ان تكون مكونة من أرقام

TicketDescriptionIsRequired = Ticket description is required = وصف تذكرة الدعم يجب ان تكون بالعربية

SupportTicketNo = Support Ticket No = رقم تذكرة الدعم الفني

NoTicketsCreated = No support tickets have been created yet = لم يتم انشاء تذكرة دعم فني بعد

DiscountInfo = Discount Info = معلومات التخفيض

NoAccountFound = No ACCOUNT FOUND FOR GIVEN EMAIL! = لا يوجد حساب بهذا البريد الإلكتروني

YourPasswordSent = Your password has been sent to your email address = تم ارسال كلمة السر الى بريدك الإلكتروني

TicketId = Ticket Id = رقم التذكرة

TicketIssueNameEng = Issue Type = نوع المشكلة

ToDate = To Date = الى تاريخ

FromDate = From Date = من تاريخ

SAR = SAR = ريال سعودي

View = View = عرض

OurBankAccountNo = Bank Account No. = رقم الحساب البنكي

OurAccountBankTitle = Bank Title = اسم صاحب الحساب

Marketing = Marketing = التسويق

Sale = Sale = المبيعات

RestorePassword = Restore Password = استعادة كلمة المرور

Employment = Employment = الوظائف

CreatingNewAccountIssues = Creating New Account Issues = مشاكل إنشاء الحساب

ChangePasswordSuccessfully = Your password was changed successfully! = تم تغيير كلمة السر بنجاح

UnableToChange = Unable to change your password. Try again. = لم تتمكن من تغيير كلمة السر، ارجو المحاولة مرة أخرى

DoesntMatch = Your old password do not matched! = كلمة السر السابقة لا تتطابق

BankTransfer = Bank Transfer = ايداع بنكي

ItemNotAvailable = Selected item is not available at the moment! = Selected item is not available at the moment

FundsSubmitted = Your funds transfer request has been submitted successfully! = تم إدخال طلب التحويل البنكي بنجاح

FundVerified = Your account will be funded once your deposit is verified. = سنقوم بتأكيد عملية التحويل بعد مراجعة حسابنا. تستغرق هذه العملية مدة لا تتجاوز الـ 6 ساعات

FundCardsSubmitted = You have successfully added funds to your account by Electronic Market Card. = تم اضافة الرصيد الى حسابك بواسطة بطاقة السوق الإلكتروني

ContactusDone = We have received your inquiry, and we will reply within 24 hours = تم استلام رسالتك، وسنقوم بالرد خلال مدة لا تتجاوز 24 ساعة

FundCardVerified = Your new balance is: = رصيدك الجديد هو :

FundCashSubmitted = You have successfully added funds to your account by CashU. = تم اضافة الرصيد الى حسابك بواسطة كاش يو

CaptchaCode = Captcha Code = رمز الحماية

CaptchaCodeRequired = Captcha Code is required = رمز الحماية مطلوب

ImportantNote = Important Note: = ملاحظة هامة:

Activatenote = In case you didn't receive the activation code in the mobile that you have registered with us, please send an SMS from the same mobile number containing your email address so we activate your account manually. Send the SMS to: 00966590064190 = جوالك من جوالك = يرجى منك ارسال رسالة من جوالك = جوالك = 00966590064190 في حالة عدم استلامك رسالة رمز التفعيل على جوالك المسجل لدينا خلال 10 دقائق. يرجى منك ارسال رسالة من جوالك = جوالك = 00966590064190 ببريدك الإلكتروني المسجل لدينا حتى يتم تفعيل حسابك يدويا على هذا الجوال: 00966590064190

TransferDateNote = Please enter the transfer date = الرجاء إدخال تاريخ تحويل المبلغ و ليس تاريخ تسجيل الطلب

TransferNameNote = Full Name = الاسم الثلاثي

TransferAccountNote = Full Account Number = رقم الحساب كامل بدون علامات اكس

TransferMoneyNote = Due to anti-money laundering regulations, we cannot accept bank transfers made by parties other than you. We will make no exception from this rule. You will be charged all banking and administrative costs to return any such payment. = طبقاً لقوانين مكافحة غسيل الأموال، لن نقبل أي حوالات بنكية من أي حساب بنكي يختلف عن اسم صاحب الحساب في السوق = الإلكتروني. ولا يوجد أي استثناء لهذه القاعدة وسوف تتحمل كل تكاليف اعادة الرصيد

RapidPoints = Number of Rapid Points = عدد نقاط الرايد

RapidID = RapidShare Account ID = رقم حساب الرايد شير

PointsCheck = You have to enter numbers for Rapid Points = يجب ادخال رقم لعدد نقاط الرايد

ErrorOccured = Error occurred, unable to complete your request! = حصل خطأ في النظام، لا يمكن اكمال الطلب

Support = For product support please click here = للدعم الفني للمنتجات، نرجو الضغط هنا

AddFundsAccountUsingBeaCard = By Electronic Market Cards = بواسطة بطاقة السوق الإلكتروني

AddFundsHFCards = Adding funds using hotfile cards = بواسطة بطاقة الهوت فايل

AddFundsBank = By Bank Transfer = بواسطة التحويل البنكي

AddFundCashU = By CashU = بواسطة الـ كاش يو

AddFundsByHFCards = By Hotfile Cards = بطاقة الهوت فايل

AddFundsByVisaMC = By Visa and MasterCard = بواسطة الـ فيزا و الماستر كارد

AddFundsAccountByHFCARD = To ADD FUNDS TO YOUR ACCOUNT PLEASE ENTER THE SCRATCH NUMBER OF THE HOTFILE CARD BELOW: = لزيادة رصيد حسابك نرجو ادخال رقم بطاقة الهوت فايل في الأسفل

ENTERTHEHFCARDNo = ENTER THE HOTFILE CARD No = ادخل رقم بطاقة الهوت فايل

HFSRATCHNUMBERISREQUIRED = HOTFILE CARD SCRATCH NUMBER IS REQUIRED = رقم بطاقة الهوت فايل مطلوبة

PRINT = PRINT = طباعة

SENDEMAIL = SEND EMAIL = ارسال الى بريدك

USD = US DOLLARS = دولار أمريكي

INACTIVECUSTOMER = YOUR ACCOUNT IS LOCKED, PLEASE CONTACT US BY EMAIL = تم إيقاف حسابك بواسطة مدير الحساب، نرجو الأتصال بنا بواسطة البريد الإلكتروني

COMINGSOON = COMING SOON = قريبا

WRONGAMOUNT = THE VALUE OF A CREDIT CARD RECHARGE REQUEST MUST BE BETWEEN 100 SR AND 1500 SR = يجب أن تتراوح قيمة طلبك لشحن رصيدك عن طريق بطاقتك الإئتمانية بين 100 و 1500 ريال سعودي

INVALIDDIGIT = PLEASE ENTER AN AMOUNT = الرجاء ادخال مبلغ من أرقام فقط

CARDNOTE = DEAR CUSTOMER: IN CASE YOU COULDN'T ADD FUNDS INTO YOUR ACCOUNT, PLEASE OPEN A SUPPORT TICKET AND MENTION THE SERIAL NUMBER AND THE SCRATCH NUMBER, USING THIS LINK = عزيزي العميل: في حالة عدم تمكنك من اتمام عملية اضافة رصيد الى حسابك يرجى فتح تذكرة دعم فني مع ذكر الرقم التسلسلي ورقم البطاقة، من خلال هذا الرابط

CLICKHERE = BY CLICKING HERE = بالضغط هنا

HFNOTE = TO BUY A PREMIUM HOTFILE ACCOUNT = للحصول على عضوية مميزة في الهوت فايل

VISANOTE1 = PLEASE CLICK PROCEED TO BE FORWARDED TO FATURAH WEBSITE THEN SAMBA WEBSITE AFTER COMPLETING ALL REQUIRED DATA = الرجاء الضغط على استمرار لكي يتم تحويلك الى موقع فاتورة تم موقع سامبا بعد اكمال البيانات

VISANOTE2 = YOU CAN ADD FUNDS BETWEEN 100 AND 1500 SR ONLY USING CREDIT CARDS = يجب أن تتراوح قيمة طلبك لشحن رصيدك عن طريق بطاقتك الإئتمانية بين 100 و 1500 ريال سعودي

VISANOTE3 = ALL REQUESTS WILL NOT BE ACCEPTED IF YOU ARE NOT THE OWNER OF THE CREDIT CARD = لا تقبل الطلبات التي يستخدم فيها بطاقة إئتمانية ليست لصاحب الحساب

VISANOTE4 = ANY TRY TO ADD FUNDS ILLEGALLY WILL RESULT TO CLOSING THE ACCOUNT AND NOT REFUNDING THE REMAINING BALANCE = إن أي محاولة شحن بالبطاقة الإئتمانية بطريقة غير شرعية سيؤدي إلى إغلاق حسابك دون الرجوع إليك والتخلف على أي رصيد في حسابك

VISANOTE5 = ANY FRAUD REPORTED BY THE BANK, WILL RESULT TO CLOSE YOUR ACCOUNT AND NOTIFYING THE AUTHORITIES = إن أي اعتراض على أي عملية شحن بالبطاقة الإئتمانية تردنا من قبل البنك سيؤدي إلى إغلاق حسابك وإرسال كافة بياناتك الى الجهات المسؤولة .

RESELLERNOTALLOWED = YOU CAN'T AS A RESELLER TO USE THE METHOD TO ADD TO YOU BALANCE = لايمكنك كموزع استخدام هذه الطريقة لأضافة رصيد لحسابك

RESELLERPRICE = RESELLER PRICE = سعر الموزع

DISCPR = DISCOUNT PERCENTAGE = نسبة الخصم

RECENTLYADDED = RECENTLY ADDED = منتجات جديدة

MOSTVIEWED = BEST SELLER = الأكثر مشاهدة

SPECIALOFFER = SPECIAL OFFER = عروض خاصة

CUSTOMERNOTE = CUSTOMER NOTE = عروض خاصة

FIRSTLINE = AFTER REGISTERING THROUGH OUR WEBSITE, YOU WILL GET AN SMS MESSAGE TO YOUR MOBILE WITH AN ACTIVATION CODE THAT YOU HAVE TO USE TO COMPLETE YOUR REGISTRATION IN OUR WEBSITE.

AFTER THAT YOU NEED TO ADD BALANCE TO YOUR ACCOUNT TO BE ABLE TO PURCHASE ANY PRODUCT FROM OUR SITE. THERE ARE THREE WAYS AVAILABLE NOW TO ADD BALANCE TO YOUR ACCOUNT AS FOLLOWS: = بعد تسجيلك في الموقع سيصلك كود التفعيل والذي يجب استخدامه لتفعيل حسابك ، وبعد ذلك يجب عليك تعبئة رصيد حسابك ليمكنك الشراء من خلال موقعنا وهناك طريقتان لتعبئة الرصيد متوفرة حاليا كالتالي:

SECONDLINE = 1- ADD FUND BY SCRATCH CARD: = اصف رصيد بواسطة بطاقات السوق الإلكتروني 1-

SECONDLINEMORE = YOU CAN BUY A PLASTIC CARD FROM MANY SALE POINT AROUND THE KINGDOM AND YOU JUST HAVE TO ENTER THE SCRATCH CARD NUMBER FOUND IN YOUR BEA3 SCRATCH CARD. = يمكنك شراء بطاقات السوق الإلكتروني من مواقع البيع الموجودة في المملكة وما عليك الا ادخال رقم البطاقة

THIRDLINE = 2- ADD FUND BY A BANK TRANSFER: = اضافة رصيد بواسطة التحويل البنكي 2-

THIRDLINEMORE = YOU NEED FIRST TO CHOOSE THE BANK YOU WANT TO DEPOSIT THE MONEY TO AND THE INFORMATION OF THE BANK ACCOUNT HOLDER WILL BE SHOWN TO YOU. = لا بد ان تختار البنك الذي تريد التحويل اليه ، حتى تظهر معلومات الحساب

THIRDLINEMORE2 = THEN YOU NEED TO MAKE THE TRANSFER FROM YOUR LOCAL BANK AND FILL THE BANK FORM AFTER THAT. = بعد ذلك يجب عليك القيام بالتحويل البنكي ومن ثم تعبئة النموذج البنكي في الموقع

THIRDLINEMORE3 = NOTE THAT WE DON'T WITHDRAW THE MONEY FROM YOUR ACCOUNT; YOU NEED TO DO IT YOURSELF AND FILL THE FORM AFTER THAT. = نرجو ملاحظة اننا لا نقوم بسحب المبلغ من حسابك، يجب ان تقوم بالتحويل البنكي بنفسك وبعد ذلك تعبئة النموذج البنكي

FORTHLINE = 3- ADD FUND BY CASHU: = اضافة رصيد بواسطة الكاشيو 3-

FORTHLINEMORE = YOU CAN ALSO ADD FUNDS BY CASHU PAYMENT GATEWAY. TO DO THIS SIMPLY CHOOSE THE DENOMINATION YOU WANT AND ENTER YOUR CASHU DETAILS IN A SECURED CASHU FORM. = يمكنك ايضا اضافة الرصيد بواسطة الكاشيو، للقيام بذلك نرجو اختيار المبلغ المطلوب وبعد ذلك انهاء العملية بادخال بياناتك في موقع الكاشيو

HOWTOCLOSING = USING SCRATCH CARD AND CASHU WILL AUTOMATICALLY ADD FUNDS TO YOU ACCOUNT. BANK TRANSFERS WILL FIRST BE APPROVED BY BEA3 OWNER BEFORE THE TRANSFERRED FUND CAN BE ADDED TO YOUR BEA3 ACCOUNT. = استخدام بطاقة السوق الإلكتروني والكاشيو يتم اضافتها اليها الى كرسيد في حسابك، التحويل البنكي يجب ان يتم اعتماده من طرف موظفي موقع بيع اولاً

FIRSTLINEABOUT = BEA3 IS AN OFFICIAL COMPANY REGISTERED UNDER THE NAME (SWAHL COMPANY INC.) ESTABLISHED ON 2009. = السوق الإلكتروني مؤسسة رسمية مسجلة تجارياً بمسمى مؤسسة المستقبل ، لتقنية المعلومات تأسست في عام 2009

SECONDLINEABOUT = FOUNDATION HAS BEEN KEEN TO REACH THE TOP AND WILL REMAIN, GOD WILLING, AS WELL AS THROUGH THE RAPID EXPANSION AND CONFIDENCE OF ITS CUSTOMERS, BY FOUNDATION HAS DEVELOPED ITSELF IN PROVIDING COMFORT AND EXCELLENCE AND PROSPERITY TO ITS CUSTOMERS, AS UNDERLINED BY THE PROVISION OF CONFIDENTIALITY FOR THE INFORMATION OF THEIR CUSTOMERS, WE PROVIDE THE BEST PRODUCTS AND GLOBAL POSITIONING AND DISTINCTIVE OFFERS IN ORDER TO PROVIDE THE BEST SERVICES TO OUR CUSTOMERS = حرصت المؤسسة أن تصل الى المقدمة وسنقي باذن الله كذلك من خلال توسعها المتسارع بفضل الله ثم بنقه = أفضل الخدمات لعملائنا وعملائها، وضعت المؤسسة في عاتقها توفير الراحة والتميز والرقي لعملائها، كما أكدت على توفير السرية التامة لمعلومات عملائنا ووفرنا أفضل المنتجات و المواقع العالمية والعروض المصممة وذلك لتوفير أفضل الخدمات لعملائنا

AGREEMENTFIRSTLINE = THIS USER AGREEMENT IS A CONTRACT BETWEEN YOU AND BEA3; AND APPLIES TO YOUR USE OF THE BEA3 PAYMENT SERVICE AND ANY RELATED PRODUCTS AND SERVICES AVAILABLE THROUGH THE WEBSITE. IF YOU DO NOT AGREE TO BE BOUND BY THE TERMS AND CONDITIONS OF THIS AGREEMENT, YOU MAY NOT USE THIS WEBSITE OR USE ANY OF THE SERVICES. = هذه الأتفاقية =

AGREEMENTSECONDLINE = BEA3 MAY AMEND THIS AGREEMENT AT ANY TIME BY POSTING A REVISED VERSION HEREOF ON THE WEBSITE. EXCEPT AS STATED HEREIN, ALL AMENDMENTS HERETO SHALL BE EFFECTIVE 30 DAYS AFTER THEY ARE POSTED ON THIS WEBSITE. NOTICES OF UPCOMING CHANGES WILL BE POSTED IN THE NEWS SECTION. =

AGREEMENT1 = YOUR BEA3 ACCOUNT ENABLES YOU TO PURCHASE PRODUCTS SOLD IN BEA WEBSITE. = حسابك في موقع بيع يسمح لك بشراء المنتجات من موقع بيع فقط =

AGREEMENT2 = YOUR BEA3 ACCOUNT IS DENOMINATED IN SAR. = حسابك في موقع بيع هو بالريال السعودي =

AGREEMENT3 = THE ELECTRONIC FUNDS HELD ON YOUR BEA3 ACCOUNT DO NOT EXPIRE BUT IT WILL NOT EARN ANY INTEREST. = رصيدك في موقع بيع لا يوجد له تاريخ انتهاء =

AGREEMENT4 = BEA3 ACCOUNTS ARE NOT BANK ACCOUNTS. IN THE UNLIKELY EVENT THAT BEA3 BECOMES INSOLVENT, YOU MAY LOSE THE ELECTRONIC FUNDS HELD IN YOUR ACCOUNT. HOWEVER, BEA3 STRICTLY ADHERES TO THE LEGAL REQUIREMENTS WHICH ARE DESIGNED TO ENSURE THE SAFETY AND LIQUIDITY OF FUNDS DEPOSITED IN BEA3 ACCOUNTS. = حسابك في موقع بيع ليس حساباً بنكياً، في حالة إلغاء الموقع، لا بد من التقيد باللوائح، لا بد من توافيق على الشروط، لا بد من توافيق على الشروط التي وافقت عليها والشروط التي وافقت عليها

AGREEMENT5 = THE ELECTRONIC FUNDS ON A BEA3 ACCOUNT BELONG TO THE PERSON OR LEGAL ENTITY WHICH IS REGISTERED AS THE ACCOUNT HOLDER. NO PERSON OTHER THAN THE ACCOUNT HOLDER HAS ANY RIGHTS IN RELATION TO THE FUNDS HELD IN A BEA3 ACCOUNT, EXCEPT IN CASES OF SUCCESSION. YOU MAY NOT ASSIGN OR TRANSFER YOUR BEA3 ACCOUNT TO A THIRD PARTY OR OTHERWISE GRANT ANY THIRD PARTY A LEGAL OR EQUITABLE INTEREST OVER IT.

AGREEMENTCLOSING = IN ORDER TO USE BEA3'S SERVICES YOU MUST FIRST OPEN A BEA3 ACCOUNT BY REGISTERING YOUR DETAILS ON OUR WEBSITE. AS PART OF THE SIGNUP PROCESS YOU WILL NEED TO ACCEPT THIS AGREEMENT. YOU SHOULD PRINT OUT AND KEEP A COPY OF THIS AGREEMENT FOR FUTURE REFERENCE. = لكي يمكنك استخدام خدمات الموقع، لا بد ان تقوم بالتسجيل اولا ولا بد ان توافق على الشروط واللوائح =

SELECT = SELECT = اختيار

AGREE = I AGREE WITH THE = اوافق على

TERMSCONDITIONS = TERMS AND CONDITIONS = الشروط والقوانين

AGREE2 = SET FORTH BY BEA3. = شروطك موقع بيع =

PASSWORDSHORT = PASSWORD TOO SHORT. = كلمة السر قصيرة =

AGREEMENTREQUIRED = YOU MUST AGREE WITH THE TERMS AND CONDITIONS TO SUCCESSFULLY REGISTER AN ACCOUNT. = لا بد ان توافق على الشروط والقوانين =

PASSCODETRYEXCEEDLIMIT = YOU HAVE REACHED THE MAXIMUM NUMBER OF PASSCODE VERIFICATION TRIES = لقد وصلت للحد الأعلى من المحاولات =

PASSCODERECOVERY = PASSWORD RECOVERY CODE = رمز الحماية =

ENTERPASSRECOVERY = PLEASE ENTER THE ABOVE PASSWORD RECOVERY CODE HERE = ادخل رمز الحماية هنا =

AMOUNT = AMOUNT = القيمة

BALANCE = BALANCE = الرصيد

BEARESELLER = BE A RESELLER = كن مورعاً

SENDINGEMAILERROR = THE SYSTEM HAS ENCOUNTERED AN ERROR WHILE SENDING YOUR PURCHASE DETAILS TO YOUR EMAIL. = حصل خلل بالنظام خلال ارسال معلومات المنتج الى بريدك الإلكتروني =

PURCHASEEMAILSENT = PURCHASE DETAILS HAS BEEN SENT TO YOUR EMAIL ADDRESS. = معلومات المنتج قد تم ارسالها الى بريدك الإلكتروني =

YOURREGISTRATIONNOTCOMPLETED = SORRY, PASSCODE CANNOT BE SENT TO YOUR MOBILE NUMBER. PLEASE CONTACT THE ADMINISTRATOR FOR YOUR PASSCODE. = نعتذر ولكن لا يمكن ارسال الرمز السري الى رقم جوالك، نرجو الاتصال بمسؤول النظام

CUSTOMER = CUSTOMER = العميل

TRANSFERBANK = TRANSFER BANK = تحويل بنكي

TRANSFERAMOUNT = TRANSFER AMOUNT = تحويل مبلغ

CUSTOMERBANKNAME = CUSTOMER'S BANK NAME = اسم بنك العميل

CUSTOMERACCOUNTNO = CUSTOMER'S ACCOUNT NO = رقم حساب العميل

DEPOSITORNAME = DEPOSITOR'S NAME = اسم المودع

TRANSFERSTATUS = TRANSFER STATUS = حالة التحويل

AMINUSER = ADMIN USER = مسؤول النظام

ADMINNOTE = ADMIN NOTE = ملاحظة مسؤول النظام

UNDERPROCESS = UNDER PROCESS = تحت المعالجة

APPROVED = APPROVED = تم الأعتما

REJECTED = REJECTED = تم الرفض

CONTACTUSERERROR = SORRY, YOUR QUERY CANNOT BE SENT AT THE MOMENT. PLEASE TRY AGAIN LATER. = نعتذر ولكن طلبك لا يمكن ارساله في الوقت الحالي، نرجو المحاولة في وقت لاحق =

REQUIREDTICKETNUM = TICKET NUMBER IS REQUIRED = رقم البلاغ مطلوب =

NOTIFICATION = NOTIFICATION = إعلام

TICKETCOMPLAINT = TICKET COMPLAINT = تذاكر الدعم

ADMINUSER = APPROVED BY = التي وافقت عليها

NOKEYWORD = NO KEYWORD INPUTTED. = معلومات المنتج قد تم ارسالها الى بريدك الإلكتروني =

AMOUNTAD = AMOUNT ADDED = تحويل بنكي

AMOUNTSUB = AMOUNT SPENT = ن مورعاً

XI. ACKNOWLEDGEMENT

THIS THESIS WILL NOT BE POSSIBLE WITHOUT THE HELP OF THE PEOPLE WHO CONTINUOUSLY SUPPORTED AND BELIEVED IN ME. I WOULD LIKE TO EXTEND MY SINCERE GRATITUDE TO ALL OF YOU.

FIRST, THANK YOU TO MR. GHASSAN A. ALMALKI, FOR ENTRUSTING THIS PROJECT TO ME AND FOR ALWAYS BEING THERE ON THE PROCESS TO GUIDE AND SUPPORT ME IN FINISHING THIS PROJECT IN ALL MEANS POSSIBLE. I WOULDN'T HAVE DONE THIS WITHOUT YOU. THANKS A LOT.

NEXT TO MY VERY SUPPORTIVE ADVISER, MS. AVEGAIL CARPIO, THANK YOU FOR YOUR PATIENCE AND GUIDANCE IN MAKING THIS PROJECT AS BEST AS IT COULD BE.

THANK YOU TO MY FAMILY, FOR NOT GIVING UP ON ME AND CONTINUOUSLY BELIEVING THAT I COULD FINISH THIS PART OF COLLEGE LIFE. WITHOUT YOUR LOVE AND SUPPORT, THIS STAGE OF MY LIFE WOULD HAVE BEEN MORE DIFFICULT.

FINALLY, TO THE GOOD LORD. THANK YOU FOR ALWAYS GUIDING ME AND LOVING ME. I WOULDN'T HAVE MET ALL OF THESE PEOPLE WHO HELPED ME SUCCEED IN THIS TASK WITHOUT YOUR GRACE.

THANKS FOR ALL THE HELP ☐