University of the Philippines Manila College of Arts and Sciences Department of Physical Sciences and Mathematics

VALSCI: STUDENT/FACULTY PORTAL

A special problem in partial fulfillment of the requirements for the degree of Bachelor of Science in Computer Science

Submitted by:

Jezra Y. Alcantara January 2015

Permission is given for the following people to have access to this SP:

Available to the general public	Yes
Available only after consultation with author/SP adviser	No
Available only to those bound by confidentiality agreement	No

ACCEPTANCE SHEET

The Special Problem entitled "ValSci: Student/Faculty Portal" prepared and submitted by Jezra Y. Alcantara in partial fulfillment of the requirements for the degree of Bachelor of Science in Computer Science has been examined and is recommended for

	Adviser
${f A}$ pproved	Disapproved
	Approved

Ma. Sheila A. Magboo, M.Sc. Unit Head Mathematical and Computing Sciences Unit Department of Physical Sciences and Mathematics

Marcelina B. Lirazan, Ph.D. Chair Department of Physical Sciences and Mathematics

Alex C. Gonzaga, Ph.D., Dr.Eng. Dean College of Arts and Sciences

Abstract

Valenzuela City Science High School does not use any computerized system for students' record keeping, easy access of student information and efficient communication between students and teachers. The system would serve as a student/faculty portal with the students, faculty, and school administrators as its users.

Keywords: Information System, Student Portal, Valenzuela City Science High School

Contents

Acce	eptan	ce Sheet	i
Abst	ract		ii
\mathbf{List}	of Fi	gures	v
\mathbf{List}	of Ta	ables	х
I.	Int	roduction	1
	A.	Background of the Study	1
	В.	Statement of the Problem	3
	С.	Objectives of the Study	4
	D.	Significance of the Project	7
	E.	Scope and Limitations	8
	F.	Assumptions	8
II.	Re	view of Related Literature	9
III.	Th	eoretical Framework	14
	A.	Valenzuela City Science High School	14
	В.	Student Portal	16
	С.	Information System	17
	D.	Model-View-Controller	17
	E.	Structured Query Language	18
IV.	Des	sign and Implementation	19
	A.	Entity Relationship Diagram	19
	В.	Data Dictionary	23
	С.	Context Diagram	37
	D.	Use Case Diagram	38
	E.	Activity Flow Diagram	40

V.	Arc	chitecture	5 6
	A.	System Architecture	56
	В.	Technical Architecture	56
VI.	Res	sults	57
VII.	Dis	cussions	136
VIII.	Cor	nclusions	138
IX.	Rec	commendations	139
х.	Bib	liography	140
XI.	$\mathbf{Ap}_{\mathbf{I}}$	pendix	144
	A.	Nutritional Status Record	144
	В.	School Register Record (Form 1)	145
	C.	Promotions Report	146
	D.	Form 137	147
	E.	Guidance Form	148
	F.	Source Code	148
XII.	Ack	rnowledgement	568

List of Figures

1	Entity Relationship Diagram of ValSci Student/Faculty Portal	20
2	Entity Relationship Diagram Focused on Student, ValSci Student/Faculty	
	Portal	21
3	Entity Relationship Diagram Focused on School Administrators, ValSci Stu-	
	dent/Faculty Portal	22
4	Context Diagram, ValSci Student/Faculty Portal	38
5	Use Case Diagram, ValSci Student/Faculty Portal	40
6	Adding announcements in Manage Messages Use Case, ValSci Student/Fac-	
	ulty Portal	41
7	Viewing Announcements in Manage Messages Use Case, ValSci Student/-	
	Faculty Portal	41
8	Viewing, creating and deleting messages in Manage Messages Use Case,	
	ValSci Student/Faculty Portal	42
9	Creating and uploading files in portfolio in Manage Files Use Case, ValSci	
	Student/Faculty Portal	43
10	Viewing of portfolio in Manage Files Use Case, ValSci Student/Faculty Por-	
	tal	43
11	Viewing, uploading and deleting files in Manage Files Use Case, ValSci Stu-	
	dent/Faculty Portal	44
12	Viewing of files in ${\it Manage Files Use Case}, {\it ValSci Student/Faculty Portal}$.	44
13	Logging in in $\textit{Log-In Files Use Case}$, ValSci Student/Faculty Portal	45
14	Changing password in Manage Account Use Case, ValSci Student/Faculty	
	Portal	46
15	Creating, validating and deleting a user account in Manage Account Use	
	Case, ValSci Student/Faculty Portal	46
16	Viewing a student's grades, clearance record and offenses in ${\it Manage Student}$	
	Records Use Case ValSci Student/Faculty Portal	47

17	Sectioning, and creating, viewing, updating and deleting student record in	
	Manage Student Records Use Case, ValSci Student/Faculty Portal	48
18	Viewing a student's record Manage Student Records Use Case, ValSci Stu-	
	dent/Faculty Portal	48
19	Recording of offenses and approving of clearance in Manage Student Records	
	Use Case, ValSci Student/Faculty Portal	49
20	Creating class record and recording of grades in Manage Student Records Use	
	Case, ValSci Student/Faculty Portal	50
21	Viewing of student's grades for students in Manage Student Records Use	
	Case, ValSci Student/Faculty Portal	50
22	Viewing of student's clearance and offenses record in Manage Student Records	
	Use Case, ValSci Student/Faculty Portal	51
23	Generating reports in $Manage\ Reports\ Use\ Case,$ ValSci Student/Faculty Portal	52
24	Viewing generated reports in Manage Reports Use Case, ValSci Student/-	
	Faculty Portal	53
25	Viewing, deleting and accepting members in Manage Club Use Case, ValSci	
	Student/Faculty Portal	54
26	Creating club in Manage Club Use Case, ValSci Student/Faculty Portal	54
27	Viewing members of a club Manage Club Use Case, ValSci Student/Faculty	
	Portal	55
28	Applying for membership Manage Club Use Case, ValSci Student/Faculty	
	Portal	55
29	Home Page, ValSci Student/Faculty Portal	57
30	Login Page for Users, ValSci Student/Faculty Portal	58
31	Dashboard for Users, ValSci Student/Faculty Portal	58
32	Going to Profile Page, ValSci Student/Faculty Portal	59
33	Account Information Page, ValSci Student/Faculty Portal	59
34	Edit Account Page, ValSci Student/Faculty Portal	60
35	Change Password Page, ValSci Student/Faculty Portal	60
36	Student's Profile Page ValSci Student/Faculty Portal	61

37	Clearance Tab on Student's Profile Page, ValSci Student/Faculty Portal	62
38	Extracurricular Tab on Student's Profile Page, ValSci Student/Faculty Portal	63
39	Add Extracurricular Activity For Students, ValSci Student/Faculty Portal .	64
40	Offenses Tab on Student's Profile Page, ValSci Student/Faculty Portal	65
41	Student's Grades For All Year Levels, ValSci Student/Faculty Portal	66
42	Break down of Computed Grades Per Grading Period, ValSci Student/Fac-	
	ulty Portal	67
43	View all Course Groups, ValSci Student/Faculty Portal	68
44	Announcement Tab in a Course Group, ValSci Student/Faculty Portal	69
45	Files in a Course Groups, ValSci Student/Faculty Portal	70
46	Portfolio of a Student in a Course Group, ValSci Student/Faculty Portal .	71
47	Individual Journal in Course Groups, ValSci Student/Faculty Portal	72
48	Grade in a Subject Per Grading Period, ValSci Student/Faculty Portal	73
49	Break down of Grades Per Grading Period, ValSci Student/Faculty Portal	74
50	Club Application for Non-Members, ValSci Student/Faculty Portal	75
51	View of All Teacher's Course Groups, ValSci Student/Faculty Portal	76
52	Announcement Tab in Teacher's Course Group, ValSci Student/Faculty Portal	77
53	Student List Tab in Teacher's Course Group, ValSci Student/Faculty Portal	78
54	Student's Portfolio, ValSci Student/Faculty Portal	78
55	Student's Journal, ValSci Student/Faculty Portal	79
56	Files Tab in Teacher's Course Group, ValSci Student/Faculty Portal	80
57	Class Record per Grading Period, ValSci Student/Faculty Portal	81
58	Customize Test Types for Each Learning Outcome, ValSci Student/Faculty	
	Portal	82
59	Add Another Test Type, ValSci Student/Faculty Portal	82
60	Add Grade For Each Test Type, ValSci Student/Faculty Portal	83
61	Clearance Approval for Teachers , ValSci Student/Faculty Portal	84
62	Add Extracurricular Activity of Student, ValSci Student/Faculty PortSeeal	85
63	Edit Extracurricular Activity of Submitted by Teacher, ValSci Student/Fac-	
	ulty Portal	86

64	Extracurricular Activity Approval for Teachers, ValSci Sudent/Faculty Portal	87
65	View of Clubs of a Teacher, ValSci Student/Faculty Portal	88
66	Announcement Page For Club Members, ValSci Student/Faculty Portal	89
67	List of Members of a Club Group, ValSci Student/Faculty Portal	90
68	List of Club Membership Applicants, ValSci Student/Faculty Portal	91
69	Club Information, ValSci Student/Faculty Portal	91
70	View Students for Personnels, ValSci Student/Faculty Portal	92
71	Search Students for Personnels, ValSci Student/Faculty Portal	93
72	Add Guidance Offense for Personnels, ValSci Student/Faculty Portal	93
73	Add Property Offense for Personnels, ValSci Student/Faculty Portal	94
74	Approve School Clearance of Student, ValSci Student/Faculty Portal	95
75	Generate List of Offenses for Personnels, ValSci Student/Faculty Portal	96
76	View of All Clubs for Principal, ValSci Student/Faculty Portal	97
77	View Club Information for Principal, ValSci Student/Faculty Portal	97
78	View Club Members for Principal, ValSci Student/Faculty Portal	98
79	View Sections for Principal, ValSci Student/Faculty Portal	99
80	View Information About the Section, ValSci Student/Faculty Portal	100
81	List of Subjects Per Section, ValSci Student/Faculty Portal	101
82	List of Students Enrolled in Section, ValSci Student/Faculty Portal	102
83	List of Subjects for a Particular Section, ValSci Student/Faculty Portal	103
84	View Subjects for Principal, ValSci Student/Faculty Portal	104
85	View Subject Information, ValSci Student/Faculty Portal	105
86	View Sections with Particular Subject, ValSci Student/Faculty Portal	105
87	Creating Student Record, ValSci Student/Faculty Portal	106
88	Creating Guardian Record, ValSci Student/Faculty Portal	107
89	Selecting Guardian From A List, ValSci Student/Faculty Portal	108
90	Editing Student Record, ValSci Student/Faculty Portal	109
91	Editing Guadian Record, ValSci Student/Faculty Portal	110
92	Creating School Administrator Record, ValSci Student/Faculty Portal	111
93	Creating Section, ValSci Student/Faculty Portal	112

94	Adding Students in a Section, ValSci Student/Faculty Portal	112
95	Creating Club, ValSci Student/Faculty Portal	113
96	Creating Subject, ValSci Student/Faculty Portal	113
97	List of All Users, ValSci Student/Faculty Portal	114
98	Generate New Password for a User, ValSci Student/Faculty Portal	115
99	Searching for User to Message, ValSci Student/Faculty Portal	116
100	Creating Message, ValSci Student/Faculty Portal	116
101	Show Message History, ValSci Student/Faculty Portal	117
102	View Students Per School Year and Grade Level, ValSci Student/Faculty	
	Portal	118
103	Searching For a Student, ValSci Student/Faculty Portal	118
104	View Student Information, ValSci Student/Faculty Portal	119
105	View Student's Offenses, ValSci Student/Faculty Portal	120
106	View Student's Extracurricular Activity, ValSci Student/Faculty Portal	121
107	View Student's Clearance Record, ValSci Student/Faculty Portal	122
108	View Student's Grades, ValSci Student/Faculty Portal	123
109	View Student's Grade Break Down, ValSci Student/Faculty Portal	124
110	Generation of Reports, ValSci Student/Faculty Portal	125
111	Sample Attendance Report, ValSci Student/Faculty Portal	126
112	Sample Guidance Form, ValSci Student/Faculty Portal	127
113	Sample Nutritional Report, ValSci Student/Faculty Portal	128
114	Sample Promotions Report, ValSci Student/Faculty Portal	129
115	Sample List of Top Student Per Section/GradeLevel, ValSci Student/Faculty	
	Portal	130
116	Sample List of Top Student Per Grade Level, ValSci Student/Faculty Portal	131
117	Sample Report Card, ValSci Student/Faculty Portal	132
118	Generate List of Offenses, ValSci Student/Faculty Portal	133
119	Sample Disciplinary Offense Report, ValSci Student/Faculty Portal	134
120	Sample Property Offense Report, ValSci Student/Faculty Portal	135

List of Tables

1	student table	23
1	Continuation of <i>student</i> table	24
2	teacher table	24
2	Continuation of teacher table	25
3	guardian table	25
4	school admin table	25
4	Continuation of school admin table	26
5	login details table	26
5	Continuation of login details table	27
6	section table	27
7	subject table	27
8	subject section table	28
9	class record table	28
10	grading period table	28
11	type test table	29
12	type test column table	29
13	score test table.	29
13	Continuation of score test table	30
14	score grading table	30
15	announcement table	30
15	Continuation of announcement table	31
16	message table	31
17	uploaded files table	31
18	reflective journal table	32
19	portfolio table	32
20	portfolio files table	32
20	Continuation of portfolio files table	33
21	attendance table.	33

22	clearance table	33
22	Continuation of <i>clearance</i> table	34
23	extra activity table	34
24	club table	35
25	club member table	35
26	club application table	35
26	Continuation of club application table	36
27	offenses guidance table	36
28	offense property table	36
28	Continuation of offense property table	37

I. Introduction

A. Background of the Study

The use of student portals is common in universities and colleges. These kinds of portal let the student to manage resources, view grades and serve as online learning environment where students can interact with their professor. Student portals are information systems that helps teachers and school administrators in managing student records. Information systems are known to be reliable, accurate and convenient as it promotes quick searches, confidentiality and reduction of workload for the persons in charge.

Valenzuela City Science High School or VCSHS is a public science high school that offers special advanced curriculum with emphasis in Science and Mathematics. The school currently caters 601 students and has 28 teachers [1]. It is located in A. Marcelo St., Dalandanan, Valenzuela City.

Students from VCSHS take up 10 or 12 subjects depending on the year level. With this amount of workload every day, students find it hard to organize requirements and monitor grades they get on each subject. Usually in high school, teachers require students to collect their outputs like compositions, test results and projects at the end of a grading period [2]. This portfolio that they make corresponds to a project or requirement for completion in a subject.

At the end of the school year, students are required to complete their clearance form and record extracurricular activities. As for the clearance, it is a proof that a student has no deficiencies from the guidance office, property custodian, and science and computer laboratory. Subject teachers also sign the clearance form signifying that a student is cleared from their subjects.

Aside from the students' academic standing, the points accumulated from the extracurricular activities are used to choose the top 10 students. The top 20 students of each class have their extracurricular activities converted to points, totaled and ranked. The first place in this ranking gets 100% from the extracurricular activities part and the total of his/her points is the basis in converting the others' percentage. Basically, the top 20 students are ranked again using 90% of the academic standing and 10% of extracurricular activities

standing [1]. To validate extracurricular activities, teachers require the student to present certificates or have their coach validate for them. Other extracurricular activities are joining different clubs like Campus Ministry, YES-O, Mathematics Club, Science Club and many more, participating in intra and inter school competitions and attending seminars.

High school teachers have five or more teaching loads. They have separate class record for each subject they handle. Aside from the teaching loads, some teachers are tasked to handle an advisory class. An adviser is tasked to create nutritional status record, school register record (Form 1), report card promotions report, Form 137 and guidance form [1].

Last year, the K-12 Education Program of the Department of Education was implemented. The program adds two years as senior high school and also comes with the new guidelines for the assessment and rating of student's learning outcomes. Before, a student's performance is graded by his/her quizzes, participation, projects, periodical tests and homework. The K-12 program now uses standard-based assessment and rating system. The attainment of learning outcomes is the basis for grading. The learning outcomes are defined by: knowledge, process or skill, understanding, and products and performances. Also, the K-12 program promotes immediate feedback of the results of the assessment across the levels to student. This will help the student to know where to improve and how to address it.

Since its establishment in 2003, the school uses the paper-based student records. The school's record grow every year with the addition of new students and will increase more for the next couple of years because of the addition of two more years of high school. The registrar office handles and manages all records of students that are made by class advisers. The registrar is also tasked for getting the records of new students like basic information, name of guardian, and elementary school grade.

Some schools employ software or systems to automate student record and to use as online learning platform e.g. Moodle. Moodle is a course management system where educators and students can use as online extension to the traditional classroom education.

B. Statement of the Problem

The school currently doesn't use any computerized system that serves as an online gateway where students can store and create portfolio, view their grades and receive immediate feedback from their teachers; and where teachers could upload and compute grades, create reports (e.g. nutritional status, register record, promotions report, etc.), upload files and give feedback to students.

Students from VSCHS are often required to submit portfolio of outputs like compositions, test results and projects at the end of a grading period. There are times when a student losses one of them. This is important since the portfolio is used as a project at the end of the grading or required by a teacher as a completion to a subject.

Basically for the clearance, the student has a form that needs to be signed by respective subject teachers and school staff. Student with offenses and deficiencies wouldnt have their clearance form signed. This task takes a lot of time since there's only one form and no two teachers or personnel can sign at the same time. There are times when the teacher asks the student to collect the forms first and later sign the forms, losing the opportunity for other people to sign. Students who have lost their clearance form had to repeat the process all over again. Another task that a student has to do is to record his/her extracurricular activities. The extracurricular activities of a student are essential in ranking top students for each grade level. A student is given a form where he/she has to write all the activities he/she have done for the past year and have their coach or the teacher-in-charge to validate it.

As with the new K-12 program, students are encouraged to write reflective journals in every subject and have the result of the assessment fed back to them [3]. This helps the students know where to improve and how to address their deficiencies. The problem is that if a student has to consult a teacher, he/she has to do it at break time or after school assuming that the teacher is available for that time too. If not, the student wouldn't be able to address his/her demands. The teachers can't personally give feedback to students since there are 40 students in each class and the teachers have other students, too.

As for problems encountered by the teachers, it is tiring to create different kinds of

reports for a class. It is a waste of time to input the same kind of data for the different reports. Teachers are tasked to record and compute grades of their students. Grading in high school is much different that in college and university since high school teachers need to adjust weight of each grade rubric to avoid extreme scores. The teachers doesn't follow zero-based grading system. Grading is much more different since the implementation of K-12 education program [3].

Since there are growing number of students, a new way of managing student records is a must. A problem with the paper-based records is that data can be present in different forms. This could cause data redundancy and conflicting data. Also, process like updating Form 137 of all the students and separating students into different sections cost a lot of time.

The school administrators want to address these problems with a system designed for different kinds of user: student, teachers, registrar, school administrators, principal and parents.

C. Objectives of the Study

This study aims to develop a web portal primarily for the use of students and teachers. The portal has the following functionalities:

1. Enables the students to:

- (a) view grade from seatworks, quizzes, laboratory activities, periodical tests per subject
- (b) view final grade from each subject per grading
- (c) create reflective journals for each subject
- (d) join and view club activities and announcements
- (e) create and upload portfolio as required by the teacher
- (f) record extracurricular activities and upload certificates
- (g) view record of offenses

- (h) receive feedback from teachers through messaging provided by the system and reply to them
- (i) view and save files uploaded by teachers
- (j) view clearance record status

2. Allows the teachers to:

- (a) create class record for each subject
- (b) record grades in the class records
- (c) compute and record final grades of students
- (d) generate report card for their advisory class
- (e) view reflective journals of students
- (f) approve clearance of students in their class
- (g) record and validate extracurricular activities of appropriate student
- (h) upload lecture slides, homework or activities for a class
- (i) give feedback to a student through messaging provided by the system
- (j) receive messages from a student
- (k) view students portfolio and records
- (1) accept students into clubs and post announcements
- (m) create reports (e.g. nutritional status, register record, promotions report, etc.)
- (n) generate list of academic achievers for their advisory class
- (o) generate list of academic achievers per year level
- (p) generate list of academic achievers per subject
- (q) post announcement for their students in a class

3. Allows the registrar to:

- (a) create record for a new student
- (b) add subjects

(c)	add sections
(d)	add students and subjects to new sections
(e)	view and update student records (e.g basic information, Form 137, etc.)
(f)	print reports made by teachers
(g)	add users or accounts
(h)	enable or disable accounts
(i)	view user account details
(j)	post school suspensions announcement
Allo	ws the guidance counselor, property custodian, science laboratory personnel and
comj	puter laboratory personnel to:
(a)	record offenses of a student
(b)	send messages to students with offenses
(c)	post school activities and outside of the school opportunities
(d)	generate list of all offenses
(e)	approve a student's school clearance
Allo	ws the school principal to:
(a)	view class record of each subject
(b)	view report cards of students
(c)	view reflective journals of students
(d)	view extracurricular activities of students
(e)	view files uploaded by the teachers and students
(f)	view files uploaded by the teachers and students
(g)	receive messages
(h)	view generated reports
(i)	view students' records made by the registrar office

4.

5.

- (j) view list of students
- (k) view announcements

6. Allows the parents to:

- (a) view grades of their child
- (b) view offenses and clearance record of their child
- (c) view their account/profile

D. Significance of the Project

The system will be helpful for students ,teachers , registrar, school administrators, principal and parents. The students will be able to store files online in a way that avoids losing them and having the teachers access the files anytime. The students can monitor their grades properly since they can view their grades as the teacher uploads them. Students can do their clearance faster since teachers could sign it anytime. The portal will be used to view feedback from the teachers. The feedback will be helpful since the new grading system is much different from what the students have before.

Teachers won't be using the conventional class records. The teachers can easily compute grades as the system does it for them. The teachers only need to input the grade and specify weight percentage of each level of assessment and grades to be computed. Also, report cards will be easily be generated and grades of students per quarter is directly written on their record. The generation of reports will also be easier since they can access student records and input only fields not in the record.

For the registrar, the recording, storing and updating of student's record will be effortless. Student records will be assured to be up-to-date and accurate. The registrar will also have easy access to the reports made by the teachers and will make forwarding this reports to the division office easy.

School administrators like the guidance counselor, property custodian, and science and computer laboratory head will have an easier and more accurate way of recording students' offenses. With this, it will also be easier for them to check whether a student has a deficiency

or not. The principal can easily view the reports generated by the teachers, the grades of the students and activities in the school since all of these information will be in the system. The parents can monitor the grades of their child, clearance and offenses, if there are any.

E. Scope and Limitations

For this study, the researcher produces a system following the succeeding conditions:

- 1. Students and teachers can only upload files with the following file extension: .jpeg , .gif, .png, .bmp, .rar,.zip, .doc,.docx,.xls,.xlsx,.txt and .pdf.
- 2. The computation of grades is applicable only for K-12.
- 3. Teachers can only create nutritional status record, school register record (Form 1),report card, advisory class record, promotions report, Form 137 and guidance form.
- 4. All generated reports are in .pdf format.
- 5. Messaging can be done between students, teachers, and school administrators.
- 6. The reflective journals of the students are entered through the system in a text box.

F. Assumptions

The following are the assumptions that the researcher includes in this study:

- 1. The registrar is the system administrator.
- 2. All processes made in the system are approved by the principal.
- 3. There's no audit trail of messages.
- 4. All students in Valenzuela City Science High School are regular.

II. Review of Related Literature

The expansion of the University and growing number of students led the School of Information Science and Engineering of Shandong Normal University to independently develop a Student Information Management System (SIMS) [4]. Through the system, students can input personal information into the database of the system in real-time, and inquire information easily. The workload of school administrators are lessened allowing them to focus on other work. The developed system has six function modules: the student basic information management, score management, award management, punishment module, and social practice module. The key technologies used for the system are .NET Framework, ADO. NET and Role-Based Access Control (RBAC) [4]. In RBAC, the concept of role is introduced in order to isolate user from privilege, so that all authorization should be given to the role rather than to the user. The use of the Role-Based Access Control made it possible for convenient coding process, clear logical structure, good system security and strong expandability. [4]

Mei-shan et.al developed a student information system inspired by the situation in high schools where there is a rapid increase in the number of students [5]. The system complies with the provisions of the student information management. This system adapts a new type of information management system platform which bases on web technology, the B/S model [5]. The B/S structure simplifies the development and maintenance of the system and makes the operation easier. The system developed seven functional modules: user login and registration, users and role management, class and grade management, curriculum information module, student information management, student performance management and student credit management.

The student information management system developed by Liu et. al aims to improve efficiency of student information management and whose main function is managing and maintaining of information [6]. The technology chosen for the system are Visual Basic 6.0 and SQL Server 2000. The two main users of the system are the administrators and students. The administrator holds the most rights, manages students, classes and curriculum information. Students can view and update their personal information and view course

information and details.

The Deanship of E-Transaction and Communication (DETC) in King Saud University located in the kingdom of Saudi Arabia is formed to implement state of the art electronic services to ensure that the university can quickly move towards paperless environment [7]. It is expected that the electronic environment will reduce the paper dependency and to improve ease of use and reliability of data Alwagait et.al. discussed three components of the DETC: new student portal, faculty website and Tawasal [7]. The new student portal is developed to help new students to be able to interact with the university electronically. This service is developed for android based smart phone. The faculty website is the product of the customization module that helps faculty to develop their web sites. The Tawasul is a service offered by the university for its employees and students enabling them to communicate with each other through SMS messages and e-mail messages. The DETC has put emphasis on the development and exploration of the electronic environment in the university to ensure that the tasks can take place efficiently and with increase level of security.

Some of the portal used by universities and colleges are not exclusive for the use of the students but also for the other members of the institution. One example is the University of the East Portal that consists of four components: student, faculty, academic and alumni portal [8]. The student portal is a gateway where students can view their information, view and download lectures, discussions, resources and other services exclusive to UE students. The faculty portal provides access to UE professors for uploading lectures, quizzes and other materials used in class. The academic portal is for the use of the administrative officers. This an online gateway for remote management of respective colleges in terms of class schedules, opening of subjects, and assignment of professors. Lastly, the alumni portal is a gateway for UE alumni to promote active participation and to create a community among them.

Wallingford-Swarthmore School District is a public school district in Pennsylvania, USA. It includes Strath Haven high school and middle school, Nether Providence Elementary School, Swarthmore-Rutledge Elementary School and Wallingford Elementary School [9]. The school district has a parent/student portal where parents and students from different grade level are given different privileges. Parents of students in kindergarten to through five

have are allowed to view their child's attendance and grades. Middle and high school students along with their parents are allowed to view grades, assignments, attendance record, teacher's comment, discipline and scheduling, The portal was not made to replace direct communication between students, parents and teachers but for easier communication and accessibility of student information for both students and parents.

On the other hand, some schools prefer using the commercially-available portals. Grand Ledge Public Schools and Blue Springs District uses PowerSchool for their portal [10][11]. PowerSchool is commercially-available web-based student information system. It provides full range of features needed by administrators at the district and school level in addition to portals for teachers, parents, and students. The portal allows parents and student to check grades and attendance. Aside for these functionalities, parents and students can register for classes online, view a student's four-year plan and progress, organize daily events and time through calendar and view the school's bulletin board [12].

Most of the web portals used by students and faculty of a university is equipped with a grading system. Grading systems are critical active system in a university since it measures a student's output. Al-Halabi et. al compared two grading system application used in Jordanian universities: static and dynamic grading systems [13]. The use of static grading system is easy deal with and fast to implement since data access is straight forward. But the main disadvantage of this is unused memory. On the other hand, the idea behind dynamic grading systems is that only what is necessary to build will be built. [13] Therefore, no memory is to be wasted and no need for unusable storage to be created.

Czechowski and Zabierowski describes web portal development process whose aim is to make communication between lecturer and student to be more efficient [14]. The system allows the lecturer make every needed information available in one place. An option to announce university news, important messages or exam schedules is also added in the system. This feature make contact between lecturer and student be more efficient since it is more likely for a student see and read the message in the portal. Another feature added on the system is the discussion forum where students and teachers can conduct discussions on topics related or not to class. The key technologies used are Spring Framework, MVC pattern, Ext JavaScript framework and REST architecture [14].

Some student portals are also equipped with creating portfolio. The use of electronic portfolios is the main method of assessment of a student's performance in a web-based learning environment [15]. Assessment can be classified into four types: system, self, peer and teacher. The system assessment includes the recording of student's learning activities and the time spent on them. The self-assessment is the score given by the student to himself/herself based on his/her outputs and work. Peer assessment is one student's view on the other. It is conducted in forums. The teacher assessment is the grade or score given by the teacher that is based on a student's learning performance. Electronic portfolios are considered as an assisting tool since student's outputs can be compiled and be used as basis for evaluation [15].

There are three main types of electronic portfolios: developmental, reflective and representational. Developmental portfolios are record the learning outputs of the student like exams, compositions, laboratory activities, etc. Reflective journals includes one's reflection on his/her own learning process. The representational journal are the record of one's achieving his/her own goals. The study made by Jaryani et.al. evaluated the use of reflective portfolios in improving learning quality. The researchers concluded that the use of reflective portfolios can enhance a student's knowledge and provide educational needs [16].

Balaban et.al explored the critical success factors for successful implementation of electronic portfolios [17]. The researchers generated 16 critical success factors for electronic portfolio implementation. Here are some of the critical success factors. Students and teachers should use the electronic portfolio. The use of the electronic portfolio should be a requirement for a course. All participants should have equitable access to the electronic portfolio services. The teachers should provide feedback on the students' work. Electronic portfolios should be considered as a process not a product.

Pang and Na [18] designed a system of electronic portfolio and designed completely according to the standards of educational technology made by CELTSC(Chinese E-Learning Technology Standardization Committee). The electronic portfolio designed by the researchers have sharing levels :unshared, read, read and write. The system provides various types of electronic portfolio templates that users can use and edit. The users of the system includes students, teachers, parents, administrators and not registered user. Users are given different

privileges in creating, viewing, and evaluating electronic portfolio.

III. Theoretical Framework

A. Valenzuela City Science High School

In school year 1996-1997, upon the direction of the Honorable Jose Emmanuel Carlos, former Municipal Mayor, a Science Oriented Experimental Class (SOEC) was organized and housed at Valenzuela National High School Compound, Marulas, Valenzuela City, with forty academically outstanding students [19]. On May 14 2003, an ordinance was made to formally establish Valenzuela City Science High School and started the school started its operation on June 16, 2003 [19]. A memorandum was sent to all principals of public and private elementary schools requesting them to inform the graduating students of their school to apply for the qualifying examination in preparation for the upcoming admission of first year students in VCSHS. The qualification process for prospective students of VCSHS consists of three steps: Intelligent Quotient test, Proficiency test and interview. At the end of the screening process, a total of 108 students enrolled at VCSHS with Dr. Brian E. Ilan as the first School Principal. VCSHS is located at A. Marcelo St., Dalandanan, Valenzuela City. Today, the school has 601 students and 28 teachers [1].

Subjects taken by students in VCSHS ranges from 10 to 12 depending on the year level. This includes the general subjects like Science, Mathematics, English, Filipino, Araling Panlipunan, Values Education, Technology and Livelihood Education and MAPEH (Music, Arts, Physical Education and Health) and elective subjects in Mathematics, Science and English. The school time is from 7:00 am to 4:30 pm with three breaks, one in the morning, lunch time and afternoon. Students are given the chance to do extracurricular activities like joining clubs, trying for the student government, competing inside and outside of the school and attending seminars or workshops. Usually, students had to be excused from classes to attend to these activities. Students, who wish to be in the top ten at the end of the school year, have to join as many activities as they can since these extracurricular activities are part of the ranking process of the top students.

To advance to the next year/grade level, students have to accomplish their clearance form. The clearance form contains their subjects, and different departments of the school. Students have to have their subject teachers, the guidance counselor, property custodian,

science laboratory personnel and computer laboratory personnel to sign the form. After completing the clearance form, one student from each class collects the forms and submits them to their respective subject teachers.

Some teachers also handle advisory classes aside from their normal teaching load. Class advisers are tasked to create the reports needed by the registrar's office. These reports include nutritional status record, school register record (Form 1), promotions report, Form 137 and guidance form. The nutritional status record contains the birthdate, age, weight, height, body mass index and nutritional status (i.e. overweight, normal and wasted) of the student. Teachers have to take the weight and height of the students at the start of the class for this report. The next report, the school register record or Form 1, contains the attendance of the students per month and indicates absences and tardiness. The teacher's monthly report of enrollment and attendance is similar to Form 1. The form includes attendance of the students, percent of attendance and percent of enrollment. The promotions reports includes the age, total number of days in grade, final grade and action taken whether passed or failed per subject, and whether the student has passed or failed for the grade/year level. The Form 137 is the record of the student's final grade for each subject for each year/grade level. The guidance form includes the student's learner number, age, birthdate, name of guardian, address and religion. The report card of the students contains grade in subject and comment of the teacher per grading period. The class record is maintained by the subject teachers. It contains the score by the student in each activity and the accumulated final grade.

The registrar handles admission record of the students and the reports generated by the class advisers. For a new student, the registrar creates a record for the student that contains basic information, elementary school where the student graduated and general average. At the start of the school year, the registrar does the sectioning for the year/grade level. Incoming freshmen are randomly put into different sections. The sectioning of other students depends on the principal's orders.

B. Student Portal

According to UNESCO Bangkok Asia and Pacific Regional Bureau for Education, a web portal is an easy one stop knowledge source of all information produced from different parts of the world [20]. Web portals provide links dealing with a specific topic from various resources online. Web portals have the following features [21]. One is that they automatically present information and services that a user would need according to his/her profile. Web portals allow users to customize information and services for their preference. The presentation of services and information aligns with the convenience of the users. Lastly, web portals support a single-sign-on feature giving the users access to resources that are supported by different departments. One kind of web portal is a student portal.

A student portal is web-based application where students can accessed information, resources, applications and other academic services in a password-protected setting[22]. Student portals allow custom-made services to different user groups like students, teachers, school administrators and the like. The use of student portals make it easier for people in the academic community to access and spread information readily [23]. Another use of a student portal is helping student and teachers discover new learning content by automating manual tasks and employing more innovative ways[24].

Student portal has several advantages. Student portal provides easy access and portability of school-related information to students. It also enhances communication between the teachers and students. Both parties can receive and view messages from each other in a timely and efficient manner. Student portals also do managing of information. Records of the students are in the system itself so processing of information is easier for the persons in charge. In a student portal project in University of California, Berkeley, researchers listed some of the features a student portal should have [25] based on a survey conducted. Student portals should be user-friendly and customizable. Information and functions of the portal should be easily identified by the users. Student portals should also cater the needs of other in the institution like faculty, staff and administrators. Student portals should provide notification to students from their respective colleges and the registrar's office. They should also be ready for possible integration with other systems. Lastly, student portals should be

secure and private.

C. Information System

Information System is a set of interrelated components that collect, manipulate, store and disseminate data and information [26]. It can be manual or computerized. A computerized computer system is composed of hardware, software, databases, telecommunications, people and procedures that process data into information [27]. The hardware part includes the equipments used for input, processing and output. Software is the computer programs that govern the operations of computer. The databases are organized collections of facts. Telecommunication is the electronic transmission of signals for communication. All of these enables an information to work.

The four types of information systems: transaction processing systems, management information systems, decision support systems, and expert systems [28]. Transaction processing systems handles large volume of business transactions and computer-based version of manual processes. Management information systems use the information from TPS to generate information. Decision support systems are useful for decision making. Expert systems attempts to modify knowledge instead of information.

Information system plays an important role in different parts of our society. This computer-based process enables the same data to be processed the same way. It also makes operations efficient, makes effective management, solves business problems with the use of computer technology and computer management.

D. Model-View-Controller

Model-View-Controller (MVC) is a software architecture concept where the processing of data is isolated with its manipulation and presentation [29]. The three parts of the concept are: Model, View and Controller. The Model manages the behavior and data of application. The view is responsible for the presentation of the model in the user interface. The Controller receives user input and initiates response by making calls on model objects.

Basically, the view and controller depend on the view so the model is isolated with the other two components [18]. This separation allows the model to be built and tested in

Thus, separating the user interface logic from business logic . independent of the visual presentation.

E. Structured Query Language

SQL or standard query language is a standardized query language for requesting information from database. SQL statements are used to perform tasks such as update data on a database, or retrieve data from a database [30]. The scope of SQL includes data insert, query, update and delete, schema creation and modification, and data access control. There are two types of SQL: data manipulation and data definition languages. The data manipulation language (DML) is syntax of elements that create, change and delete data. The data definition languages are syntax that defines and changes the data structures. SQL is very flexible, universal and relatively few commands to learn but it requires detailed knowledge of the structure of the database and can provide misleading results. All relational database management systems like MySQL, MS Access, Oracle, Sybase, Informix, postgres and SQL Server use SQL as standard database language [30].

IV. Design and Implementation

A. Entity Relationship Diagram

The system is implemented using HTML. Server side scripting is implemented in PHP while MySQL will be handling the database queries. Figure 1 shows the Entity Relationship Diagram for the ValSci Student/Faculty Portal. It has 28 tables.

Figure 2 illustrates all the tables that a student have access to. This figure includes: of-fenses_guidance and offenses_property for student's record of offenses; message for messages; login_details for login credentials; clearance and extra_activity for clearance and extracurricular activity details; score_test and score_grading for the student's scores; class_files for files uploaded in a course group; attendance for a student's record of absences and tardiness; reflective_journal for the student's journal entries; portfolio and portfolio_files for the student's portfolio; club, club_member and club_application for the club details; and guardian for the student's guardian record.

Figure 3 shows all the tables associated with teachers and school administrators. Personnels, the registrar and the principal is considered as school administrators. This figure includes: login_details for login credentials of school administrator and teachers; clearance and extra_activity for approval of student's clearance and extracurricular activities; of-fenses_property and offenses_guidance for the recording of offenses for personnels; announcement for club, course and school wide posts; section, subject_section and subject for subjects and sections in the system; class_record, grading_period, type_test, type_test_column, score_test and score_grading for student grades recorded by the teacher; class_files for files uploaded in the course group; and, club and club_application for the record of club infomation and club application.




Figure 1: Entity Relationship Diagram of ValSci Student/Faculty Portal




Figure 2: Entity Relationship Diagram Focused on Student, ValSci Student/Faculty Portal




Figure 3: Entity Relationship Diagram Focused on School Administrators, ValSci Student/Faculty Portal \$22\$

B. Data Dictionary

The database schema for the system contains the following tables and their respective fields.

Table 1: student table.

Fields	Type	Description
StudNum	varchar(12)	Primary key;student number.
SLastName	varchar(50)	Student's last name
SFirstName	varchar(50)	Student's first name
SMidName	varchar(50)	Student's middle name
GuardianNum	varchar(10)	Foreign key; unique identifier of guardian.
SAddress	text	Student's address.
SCellNum	varchar(12)	Student's cellphone number.
SHomeNum	varchar(7)	Student's home number.
SEmailAdd	varchar(100)	Student's email address.
SGender	enum('F' or 'M')	Gender of the student.
SBirthday	date	Student's date of birth.
SBirthplace	varchar(100)	Student's place of birth.
SReligion	varchar(50)	Student's religion.
SCitizenship	varchar(50)	Student's citizenship.
SHeight	float	Student's height in cm
SWeight	float	Student's weight in kg
DateWeighed	date	Date when the student is weighed.
ElemSchool	varchar(30)	Elementary school of student
		where he/she graduated
ElemSchoolAdd	text	Address of student's elementary
		school.
ElemGenAve	float	Student's general average for Grade
		6.

Table 1: Continuation of *student* table.

Fields	Type	Description
Status	enum('E' or 'NE')	Status of student i.e enrolled or not
		enrolled.
GradeLevel	enum('NA','7','8','9'	Current grade level of student
	,'10','11','12')	
SectionID	varchar(10)	ID of student's current section.
YearGraduated	varchar(4)	Year the student graduated elemen-
		tary school.

Table 2: teacher table.

Fields	Type	Description
TeacherNum	varchar(10)	Primary key; unique identifier of a
		teacher.
TLastName	varchar(50)	Teacher's last name
TFirstName	varchar(50)	Teacher's first name
TMidName	varchar(50)	Teacher's middle name
TType	varchar(255)	Teacher's address.
TDepartment	varchar(255)	Teacher's address.
TAddress	varchar(255)	Teacher's address.
TContactNum	varchar(11)	Teacher's contact number.
TEmailAdd	varchar(100)	Teacher's email address.
TGender	enum('F' or 'M')	Gender of the teacher.
TBirthday	date	Teacher's date of birth.
TBirthplace	varchar(100)	Teacher's place of birth.
TReligion	varchar(50)	Teacher's religion.
TCitizenship	varchar(50)	Teacher's citizenship.
TMaritalStatus	enum('M' or 'S')	Teacher's marital status

Table 2: Continuation of teacher table.

Fields	Type	Description
TSpouseName	varchar(100)	Spouse name of teacher.
TYearsService	int	Teacher's number of years in service.

Table 3: guardian table.

Fields	Type	Description
GuardianNum	varchar(10)	Primary key; unique identifier of
		guardian.
GLastName	varchar(50)	Guardian's last name.
GFirstName	varchar(50)	Guardian's first name.
GMidName	varchar(50)	Guardian's middle name.
GAddress	varchar(255)	Guardian's address.
GCellNum	varchar(12)	Guardian's cellphone number.
GHomeNum	varchar(7)	Guardian's home number.
GEmailAdd	varchar(100)	Guardian's email address.
Occupation	varchar(50)	Guardian's occupation.

Table 4: school admin table.

Fields	Type	Description
SANum	varchar(10)	Primary key; unique identifier of a
		school admin.
SALastName	varchar(50)	School administrator's last name
SAFirstName	varchar(50)	School administrator's first name
SAMidName	varchar(50)	School administrator's middle name
SAType	varchar(255)	School administrator's address.
SADepartment	varchar(255)	School administrator's address.

Table 4: Continuation of school admin table.

Fields	Type	Description
SAAddress	varchar(255)	School administrator's address.
SAContactNum	varchar(11)	School administrator's contact num-
		ber.
SAEmailAdd	varchar(100)	School adminstrator's email ad-
		dress.
SAGender	enum('F' or 'M')	Gender of the school administrator.
SABirthday	date	School administrator's date of birth.
SABirthplace	varchar(100)	School administrator's place of
		birth.
SAReligion	varchar(50)	School administrator's religion.
SACitizenship	varchar(50)	School administrator's citizenship.
SAMaritalStatus	enum('M' or 'S')	School administrator's marital sta-
		tus
SASpouseName	varchar(100)	Spouse name of school administra-
		tor.
SAYearsService	int	School admin's number of years in
		service.

Table 5: login details table.

Fields	Туре	Description
IDNum	varchar(12)	Primary and foreign key; Unique
		identifier of all users:
Username	varchar(30)	Username of user
Type	varchar(50)	Type of user.
Password	varchar(30)	Password of the user.

Table 5: Continuation of $login\ details$ table.

Fields	Type	Description
Status	enum('Active','Inactive')	Status of user's account.

Table 6: section table.

Fields	Type	Description
SectionID	varchar(10)	Primary key; unique identifier of a
		section.
SectionName	varchar(20)	Name of a section.
GradeLevel	enum('NA','7','8','9'	Grade Level
	,'10','11','12')	
SchoolYear	varchar(5)	School year.
TeacherNum	varchar(10)	Unique identifier of class adviser.
NumStud	int(2)	Number of students.
Room	varchar(100)	Room assignment of section.

Table 7: subject table.

Fields	Type	Description
SubjectID	varchar(10)	Primary key; unique identifier of
		subject.
SubjectName	varchar(20)	Name of a subject.
Units	float	Number of units of a subject.
Description	text	Subject description.
SchoolYear	varchar(10)	School year this subject is valid.

Table 8: subject section table.

Fields	Type	Description
ID	varchar(5)	Primary key; unique identifier of
		subject per section.
SubjectID	varchar(10)	Primary key and foreign key; unique
		identifier of subject.
SectionID	varchar(10)	Primary key and foreign key; unique
		identifier of a section.
TeacherNum	varchar(10)	Foreign key; unique identifier of a
		teacher.
Room	varchar(50)	Room assignment of subject.
Schedule	varchar(50)	Schedule of subject.

Table 9: class record table.

Fields	Type	Description
RecordID	int(11)	Primary key; unique identifier of a
		class record.
ClassID	varchar(5)	Primary and foreign key;unique
		identifier of a subject.

Table 10: grading period table.

Fields	Туре	Description
GradingPeriodID	int(11)	Primary key; unique identifier of
		grading period per class record.
RecordID	int(11)	Foreign key; unique identifier of class
		record.
GradingPeriod	enum('1','2','3','4')	Grading Period.

Table 11: type test table

Fields	Type	Description
TestID	int(11)	Primary key;unique identifier of a
		type of test.
TestType	varchar(50)	Specific type of test.
GradingPeriodID	int(11)	Foreign key; unique identifier of
		grading period per class record.
AssessmentType	varchar(50)	Type of assessment.

Table 12: $type\ test\ column\ table$

Fields	Type	Description
ColumnID	int(11)	Primary key;unique identifier of a
		type test column.
TestID	int(11)	Foreign key; unique identifier of a
		type of test.
TestType	varchar(50)	Specific type of test.
Base_Score	int(11)	Base Score of type test column.

Table 13: score test table.

Fields	Type	Description
ScoreID	int(11)	Primary key;unique identifier of a
		score.
ColumnID	int(11)	Foreign key; unique identifier of a
		type test column.
StudNum	varchar(12)	Foreign key; unique identifier of a
		student.

Table 13: Continuation of score test table.

Fields	Type	Description
Raw_Score	int(11)	Score/grade accumulated for each
		test.

Table 14: score grading table.

Fields	Type	Description
ScoreID	int(11)	Primary key; Unique identifier of
		score per grading period.
GradingPeriod	int(11)	Foreign key; Unique identifier of
		grading period.
StudNum	varchar(12)	Foreign key; Unique identifier of stu-
		dent.
Score	decimal(6,2)	Score per grading period.

Table 15: announcement table.

Fields	Type	Description
AnnouncementID	int(11)	Primary key;Unique identifier of an
		announcement.
AnnouncerID	varchar(10)	Foreign key;Unique identifier of a
		teacher or school admin.
Body	text	Value of announcement.
Type	enum('School','Club'	Type of announcement.
	,'Section')	
TypeID	varchar(10)	Foreign key; Unique identifier of sec-
		tion or club.

Table 15: Continuation of announcement table.

Fields	Type	Description
FileName	varchar(255)	Name of file uploaded along with the
		announcement.
FileURL	varchar(255)	URL of file.

Table 16: message table.

Fields	Type	Description
MessageID	int(11)	Primary key;unique identifier of a
		message.
Sender	varchar(12)	Foreign key;unique identifier of the
		receiver i.e student or teacher.
Receiver	varchar(12)	Foreign key;unique identifier of the
		sender i.e student or teacher.
Text	text	Content of the message.

Table 17: uploaded files table.

Fields	Type	Description
FileID	int(11)	Primary key; unique identifier of up-
		loaded file.
UploaderID	varchar(12)	Foreign key;identifier of uploader i.e
		teacher or student.
ClassID	varchar(10)	Foreign key; identifier of a section.
FileName	varchar(255)	File name of uploaded file.
FileURL	varchar(255)	File url of uploaded file.
DateUploaded	date	Date when the file was uploaded.

 ${\bf Table~18:~\it reflective~journal~table.}$

Fields	Туре	Description
JournalID	int(11)	Primary key;Unique identifier of a
		journal.
ClassID	varchar(5)	Foreign key;Unique identifier of a
		section.
StudNum	varchar(12)	Foreign key;Unique identifier of stu-
		dent.
Title	varchar(10)	Title of journal entry.
Content	longtext	Content of journal entry.
DateCreated	date	Date when the journal was posted.

Table 19: portfolio table.

Fields	Type	Description
PortfolioID	int(11)	Primary key;Unique identifier of a
		portfolio.
StudNum	varchar(12)	Foreign key;Unique identifier of a
		student.
ClassID	varchar(5)	Foreign key;Unique identifier of a
		subject.
PortfolioName	varchar(20)	Name of the portfolio.

Table 20: portfolio files table.

Fields	Type	Description
FileID	int(11)	Primary key;Unique identifier of a
		portfolio file.

Table 20: Continuation of portfolio files table.

Fields	Type	Description
PortfolioID	int(11)	Foreign key;Unique identifier of a
		portfolio.
FileName	varchar(20)	File name of portfolio file.
FileURL	varchar(255)	File url of portfolio file.
DateUploaded	date	Date when the file is uploaded.

Table 21: attendance table.

Fields	Type	Description
AttendanceID	int(11)	Primary key;unique identifier of an
		attendance record.
StudNum	varchar(12)	Foreign key; unique identifier of a
		student.
Date	date	Date of the attendance record.
Type	enum('Absent','Tardy')	Whether the student is absent or
		tardy.

Table 22: clearance table.

Fields	Type	Description
ClearanceID	int(11)	Primary key;unique identifier of
		clearance.
StudNum	varchar(12)	Foreign key;unique identifier of a
		student.
ClearanceFor	text	Foreign key;Specific clearance for
		what.
SignedBy	varchar(10)	Foreign key;unique identifier .

Table 22: Continuation of clearance table.

Fields	Type	Description
		of school admin or teacher.
Date	date	Date the clearance is signed.
Status	enum('C','NC')	C for cleared. Otherwise, not
		cleared.
SchoolYear	varchar(9)	School year for this clerance.

Table 23: extra activity table.

Fields	Type	Description
ActivityID	int(11)	Primary key;Unique identifier of ex-
		tracurricular activity.
StudNum	varchar(12)	Foreign key;unique identifier of a
		student.
Description	text	Description of extracurricular activ-
		ity.
Recognition	text	Recognition from this extracurricu-
		lar activity.
ApprovedBy	varchar(10)	Foreign key; unique identifier .
		of school admin or teacher.
Date	date	Date the clearance is signed.
Status	enum('C','NC')	C for checked. Otherwise, not
		checked.
SchoolYear	varchar(9)	School year for this clerance.
FileName	varchar(20)	File name of certificate file.
FileURL	varchar(255)	File url of certificate file.

Table 24: club table.

Fields	Type	Description
ClubID	varchar(10)	Primary key; unique identifier of
		club.
TeacherNum	varchar(10)	Foreign key;unique identifier of club
		adviser/teacher.
ClubDescription	longtext	Description of club.
ClubName	varchar(50)	Name of the club.

Table 25: club member table.

Fields	Type	Description
ClubID	varchar(10)	Primary and foreign key;unique
		identifier of a club.
MemberID	varchar(12)	Foreign key; unique identifier of a
		student.
Position	varchar(20)	Position of the student.
DateJoined	date	Date when the student joined.

Table 26: $club\ application\ table.$

Fields	Type	Description
ID	int(11)	Primary key;Unique identifier of a
		club application.
ClubID	varchar(10)	Foreign key;Unique identifier of a
		club.
MemberID	varchar(12)	Foreign key;Unique identifier of a
		student.
Status	enum('A','R')	Status of application;'A' for

Table 26: Continuation of club application table.

Fields	Type	Description
		approved and 'R' for rejected.
DateJoined	date	Date when the student joined.

Table 27: offenses guidance table.

Fields	Type	Description
OffenseGID	int(11)	Primary key;unique identifier of of-
		fense in behavior.
StudNum	varchar(12)	Foreign key;unique identifier of stu-
		dent.
SignedBy	varchar(10)	Foreign key;unique identifier of
		guidance counselor/school admin.
Date	date	Date when the offense was made.
Offense	varchar(50)	Specific offense.
NoOffense	integer	Number of times the offenses were
		made.

Table 28: offense property table.

Fields	Type	Description
OffensePID	int(11)	Primary key; unique identifier of of-
		fense in school's property.
StudNum	varchar(12)	Foreign key;unique identifier of stu-
		dent.
SignedBy	varchar(10)	Foreign key; unique identifier of
		property

Table 28: Continuation of offense property table.

Fields	Type	Description
		custodian/ personnel/computer lab-
		oratory
		personnel/school admin
Equipment	varchar(20)	Name of equipment broken.
NoEquipment	integer	Number of equipment broken.
Status	varchar(20)	Status of the offense.
Date	date	Date when the offense was made.

C. Context Diagram

The context of diagram of the system as shown in Figure 4 has four external entities: students, teachers, school administrators, and parent/guardian. In the system, the students will be able to view their grades, club activities and announcements, record of offenses, clearance record, feedback from teachers and school administrators, and uploaded files. The teachers can record grades, validate extracurricular activities, approve clearance record, generate report card, generate list of academic achievers, approve club membership, post club announcements, generate reports and give feedback to students. The school administrators include the registrar, principal, guidance counselor, property custodian, science laboratory personnel and computer laboratory personnel. The guidance counselor, property custodian will be able to record offenses of students and generate list of offenses. The registrar will be the system administrator so he/she could create, and disable/enable user accounts. The registrar will also be able to create student records, update them, view reports generated by the teachers and post school suspensions. The principal will be able to view student records, files uploaded in the system, list of offenses and reports generated by the teachers. Upon log-in, the parent/guardian will be able to view the grades and list of offenses of his/her child.




Figure 4: Context Diagram, ValSci Student/Faculty Portal

D. Use Case Diagram

Figure 5 shows the use case diagram of the system. It has 4 actors and 7 use cases. The four actors are student, teacher, school administrator, and parent. The use cases are manage messages, manage uploaded files, log-in, manage user accounts, manage student records, manage reports, and manage club. In the manage messages use case, the system permits the students and principal to view announcements, and the school administrators and teachers to post them. The system allows school administrators to post announcements and the students to view them. The manage uploaded files use case shows that the system

allows the student to manage a portfolio and view the files uploaded by their respective teachers. The teachers are allowed to upload files of their own and view the portfolio made by the students. The principal is allowed to view the portfolio of students and files uploaded by the teachers. The log-in use allows all the actors of the system to log-in to the portal. In the manage user accounts use case, the system lets the registrar to add/delete user accounts, enable/disable them and view user information. All of the actors in the system are permitted to change their password and view their user information. In the manage student records, the system allows the school administrators and teachers to record offenses and approve clearance of a student, respectively. The registrar is allowed to create, update and delete student records. The teachers are allowed to create class records, record grades of students generate reports like nutritional report, attendance report, form 137, etc. The registrar and the principal is allowed to view and print the reports generated by the teachers. The school administrators are allowed to generate list of offenses made by the students. The parents and students are given the chance to view their grades, clearance and offenses record. The last use case, the manage club, allows the teachers to create club, accept members, and edit list of members. The students apply to a club for membership. The next diagram, activity flow diagram, elaborates more on these use cases.




Figure 5: Use Case Diagram, ValSci Student/Faculty Portal

E. Activity Flow Diagram

Figures 6-8 show the activity diagrams for the manage messages use case. Figure 6 shows how the teacher, registrar, and other school administrator like the guidance counselor to post announcements. Figure 7 shows how can the student and principal view announcements. The process of viewing, creating and deleting messages is shown on Figure 8.




Figure 6: Adding announcements in $Manage\ Messages\ Use\ Case,\ ValSci\ Student/Faculty$ Portal




Figure 7: Viewing Announcements in Manage Messages Use Case, ValSci Student/Faculty Portal




Figure 8: Viewing, creating and deleting messages in *Manage Messages Use Case*, ValSci Student/Faculty Portal

Figure 9- 12 are activity diagrams for the manage files use case. Figure 9 shows how a student can create upload files on his/her portfolio. Figure 10 shows how teachers and principal view portfolio of students. Figure 11 shows how teachers and student view, create and delete files. Figure 12 shows how the principal can view the uploaded files.




Figure 9: Creating and uploading files in portfolio in *Manage Files Use Case*, ValSci Student/Faculty Portal




Figure 10: Viewing of portfolio in Manage Files Use Case, ValSci Student/Faculty Portal




Figure 11: Viewing, uploading and deleting files in $Manage\ Files\ Use\ Case$, ValSci Student/Faculty Portal




Figure 12: Viewing of files in Manage Files Use Case, ValSci Student/Faculty Portal

Figure 13 shows the activity diagram for the log-in use case. Basically, all the users just enter their username and password and can log-in to the system as per the system's verification. If not, the user will have to enter the username or password.




Figure 13: Logging in in Log-In Files Use Case, ValSci Student/Faculty Portal

Figures 14 and 15 show the activity diagrams for manage user accounts use case. Figure 14 shows how the users of the system view their user information or change password. Figure 15 shows how the registrar manage user accounts. The registrar can view user information, edit it or delete user accounts.




Figure 14: Changing password in Manage Account Use Case, ValSci Student/Faculty Portal




Figure 15: Creating, validating and deleting a user account in *Manage Account Use Case*, ValSci Student/Faculty Portal

Figure 16 - 22 show the activity diagrams for manage student records use case. Figure 16 shows how the parent can view the grade, clearance and offenses record of their child. Figure 17 shows how the registrar generate list of students for a section and manage students' records. Figure 18 shows how the principal can view students' records. Figure 19 shows

how the guidance counselor, property custodian, science laboratory personnel and computer laboratory personnel record offenses of students and approve clearance. Figure 20 shows how a teacher creates class record for a subject. Figure 21 shows how a student can view his/her grade. Figure 22 shows how a student can view his/her clearance and offenses record.




Figure 16: Viewing a student's grades, clearance record and offenses in *Manage Student Records Use Case*, ValSci Student/Faculty Portal




Figure 17: Sectioning, and creating, viewing, updating and deleting student record in *Manage Student Records Use Case*, ValSci Student/Faculty Portal





Figure 18: Viewing a student's record Manage Student Records Use Case, ValSci Student/Faculty Portal



 $\label{eq:case_sum} \mbox{Figure 19: Recording of offenses and approving of clearance in $Manage Student Records Use$} \\ Case, \mbox{ValSci Student/Faculty Portal}$




Figure 20: Creating class record and recording of grades in *Manage Student Records Use Case*, ValSci Student/Faculty Portal




Figure 21: Viewing of student's grades for students in *Manage Student Records Use Case*, ValSci Student/Faculty Portal




Figure 22: Viewing of student's clearance and offenses record in *Manage Student Records*Use Case, ValSci Student/Faculty Portal

Figures 23 and 24 are activity diagrams for manage reports use case. Figure 23 shows how a teacher generates a report. The teacher has to specify section and grade level of report to be generated and choose what report to be generated. Figure 24 shows how teachers, registrar and principal view generated reports.




Figure 23: Generating reports in $Manage\ Reports\ Use\ Case,$ ValSci Student/Faculty Portal




Figure 24: Viewing generated reports in Manage Reports Use Case, ValSci Student/Faculty Portal

Figure 25- 28 show the activity diagram for manage club use case. Figure 25 shows how a teacher accept applicants, view list of members and delete a member from the club. Figure 26 shows how a to create a club group. Figure 27 shows how the principal view members of the club. Figure 28 shows how can a student apply to club.




Figure 25: Viewing, deleting and accepting members in *Manage Club Use Case*, ValSci Student/Faculty Portal




Figure 26: Creating club in Manage Club Use Case, ValSci Student/Faculty Portal




Figure 27: Viewing members of a club Manage Club Use Case, ValSci Student/Faculty Portal




Figure 28: Applying for membership Manage Club Use Case, ValSci Student/Faculty Portal

V. Architecture

A. System Architecture

The ValSci: Student/Faculty Portal has been implemented in PHP using CodeIgniter framework that uses the MVC(Model-View-Control) architecture. The part visible to the users is the system views and HTML, Bootstrap, CSS, jQuery and Javascript is used for the interface. The system interacts with the MySQL database using models. The controller is the bridge between the model and the views.

B. Technical Architecture

Hardware Requirements for the server:

- 1. PC with 1 GHz processor or higher
- 2. Up to 2 GB of free disk space
- 3. 512 GB of RAM or higher

Hardware Requirements for the client:

- 1. PC with Intel Pentium 4 or later
- 2. 100 MB of free disk space
- 3. 128 MB of RAM or higher

VI. Results

The system that has been developed to serve as portal for students, parents, teachers, school administrator and personnel of Valenzuela City Science High School. The portal will serve as an electronic management of student records that includes personal information and records of classes and grades.

The pages accessible to all users are the dashboard or home page, login page and the account management page. The home page, as shown in Figure 29, allows the users with accounts to login and those who don't have one to view announcements posted by the registrar and browse pages that includes information about the school.




Figure 29: Home Page, ValSci Student/Faculty Portal

Figure 30 shows the login page where unauthorized users are prevented from entering the portal and allows authorized users to access the site. The registrar gives the username and temporary password for first time users. Upon login, the users will first see the dashboard where school wide announcements are found. The sidebar, as seen in Figure 31, shows pages accessible to each user.




Figure 30: Login Page for Users, ValSci Student/Faculty Portal




Figure 31: Dashboard for Users, ValSci Student/Faculty Portal

Users can view their profile by clicking the rightmost icon located at the tab and choosing User Profile in the dropdown, as shown in Figure 32. Users can edit their username and email address upon clicking the edit button on the profile page. Figure 33 shows where the users will be directed to. Users can change their password by clicking the rightmost icon at

the tab again and choosing the Change Password in the dropdown, as shown in Figure 35.




Figure 32: Going to Profile Page, ValSci Student/Faculty Portal




Figure 33: Account Information Page, ValSci Student/Faculty Portal




Figure 34: Edit Account Page, ValSci Student/Faculty Portal




Figure 35: Change Password Page, ValSci Student/Faculty Portal

The sidebar of a student consists of the dashboard, messages, club and course groups. A student can only view their own information, visit a page wherein they are a member or part of and message other user in the system.

A student can view their information, clearance, offenses, extracurricular activities and grades through their profile. By clicking the rightmost icon on the tab pane and clicking their name on the dropdown, they are redirected to the page shown in Figure 36.




Figure 36: Student's Profile Page, ValSci Student/Faculty Portal

Figures 37- 41 show the clearance, extracurricular activities, offenses and grades tabs of a student's profile page. A student can add an extracurricular activity to his/her own record and only view the other tabs. Figure 42 shows the break down of a student's computed grade for a grading period of a subject.




Figure 37: Clearance Tab on Student's Profile Page, ValSci Student/Faculty Portal




Figure 38: Extracurricular Tab on Student's Profile Page, ValSci Student/Faculty Portal




Figure 39: Add Extracurricular Activity For Students, ValSci Student/Faculty Portal




Figure 40: Offenses Tab on Student's Profile Page, ValSci Student/Faculty Portal




Figure 41: Student's Grades For All Year Levels, ValSci Student/Faculty Portal




Figure 42: Break down of Computed Grades Per Grading Period, ValSci Student/Faculty Portal

Figure 43 shows all the courses/subjects a student is enrolled to. In a course group, a student can view announcements made by their teacher; view and upload files to the course group; upload files to his/her own portfolio; write journal entries; and view his/her own grades for that subject per grading period, and its break down. (See Figures 44- 49)




Figure 43: View all Course Groups, ValSci Student/Faculty Portal




Figure 44: Announcement Tab in a Course Group, ValSci Student/Faculty Portal




Figure 45: Files in a Course Groups, ValSci Student/Faculty Portal




Figure 46: Portfolio of a Student in a Course Group, ValSci Student/Faculty Portal




Figure 47: Individual Journal in Course Groups, ValSci Student/Faculty Portal




Figure 48: Grade in a Subject Per Grading Period, ValSci Student/Faculty Portal




Figure 49: Break down of Grades Per Grading Period, ValSci Student/Faculty Portal

As shown in Figure 50, a student can apply for membership for a club and will wait for the approval of the club adviser. The sidebar of a teacher consists of the dashboard, messages, record, advisory class, club, course groups and reports. A teacher can record grades into course groups, generate report, upload files, post announcement, approve clearance and extracurricular activities and handle a course and/or club group.




Figure 50: Club Application for Non-Members, ValSci Student/Faculty Portal

Figure 51 shows the page where a teacher can view all of his/her groups. In Figure 52, a teacher can post announcements that can be viewed by students who are enrolled in this subject. Figure 53 shows the list of students enrolled in this subject and the respective links to their portfolio and journal. Figure 54 shows the portfolio of a student in this subject and Figure 55 shows the journal entries written by the student. Figure 56 shows the page where a teacher can upload a file that can be view by students in this course groups. Figure 57 shows the grades tab. This page serves as the teacher's class record for this subject. Adding and customizing of grades per grading period can be done here. Upon clicking the Add Grades link, a teacher will be directed to the page where he/she can add grades of the student and add/delete test types for each learning outcomes as shown in Figure 58. Figure 59 shows the page where a teacher can add another test type column. Figure 60 shows the page where a teacher can add grades of the students per each test type.




Figure 51: View of All Teacher's Course Groups, ValSci Student/Faculty Portal




Figure 52: Announcement Tab in Teacher's Course Group, ValSci Student/Faculty Portal




Figure 53: Student List Tab in Teacher's Course Group, ValSci Student/Faculty Portal




Figure 54: Student's Portfolio, ValSci Student/Faculty Portal




Figure 55: Student's Journal, ValSci Student/Faculty Portal




Figure 56: Files Tab in Teacher's Course Group, ValSci Student/Faculty Portal




Figure 57: Class Record per Grading Period, ValSci Student/Faculty Portal




Figure 58: Customize Test Types for Each Learning Outcome, ValSci Student/Faculty Portal




Figure 59: Add Another Test Type, ValSci Student/Faculty Portal




Figure 60: Add Grade For Each Test Type, ValSci Student/Faculty Portal

A teacher can approve the clearance of the students in their class. Shown in Figure 61 is the page where the teacher can change the status of a student's clearance. A teacher can add extracurricular activity record of students, edit that record, and approve records added by the students, . (See Figures 62- 64)




Figure 61: Clearance Approval for Teachers , ValSci Student/Faculty Portal




Figure 62: Add Extracurricular Activity of Student, ValSci Student/Faculty PortSeeal




Figure 63: Edit Extracurricular Activity of Submitted by Teacher, ValSci Student/Faculty Portal




Figure 64: Extracurricular Activity Approval for Teachers, ValSci Sudent/Faculty Portal

A teacher can also handle a club group. Figure 65 is the page where the teacher can view all of his/her club groups. A teacher can post announcements to the club groups that are visible to the club members as Figure 66. Figure 67 shows the page where a teacher can view the members of the club, update their club position and delete their membership. Figure 68 shows the recent club applications to be accepted or rejected by the teacher. Figure 69 shows information of the club.




Figure 65: View of Clubs of a Teacher, ValSci Student/Faculty Portal




Figure 66: Announcement Page For Club Members, ValSci Student/Faculty Portal




Figure 67: List of Members of a Club Group, ValSci Student/Faculty Portal




Figure 68: List of Club Membership Applicants, ValSci Student/Faculty Portal




Figure 69: Club Information, ValSci Student/Faculty Portal

The sidebar of a personnel consists of the dashboard, messages, record and reports. A

personnel can only record offenses of students, generate the reports of offenses and approve clearance of students. Figure 70 and Figure 71 show the view students record page for personnels. A personnel can either record a guidance or property offense of a student. The guidance counselor can record disciplinary offenses of a students shown in Figure 72. The laboratory personnel can record property offenses of a student shown in Figure 73. The personnels can approve school clearance of students like in Figure 74.




Figure 70: View Students for Personnels, ValSci Student/Faculty Portal




Figure 71: Search Students for Personnels, ValSci Student/Faculty Portal




Figure 72: Add Guidance Offense for Personnels, ValSci Student/Faculty Portal




Figure 73: Add Property Offense for Personnels, ValSci Student/Faculty Portal




Figure 74: Approve School Clearance of Student, ValSci Student/Faculty Portal

The report a personnel can only generate is the list of offenses of students as shown in Figure 75. The functionalities of the principal is mainly viewing of records and reports.




Figure 75: Generate List of Offenses for Personnels, ValSci Student/Faculty Portal

Figure 76 shows all the clubs for the current school year. Figure 77 shows the club information and Figure 78 shows the club members. The principal can also visit course groups but his/her functionalities are strictly for viewing. Figure 79 shows all the sections for a particular school year, grade level or class adviser. Figure 80 shows the information about the section. Figure 81 shows the list of subjects and their respective schedules and room assignment. Figure 82 show the list of students belonging to that section. Figure 83 shows the list of subjects for the section.




Figure 76: View of All Clubs for Principal, ValSci Student/Faculty Portal




Figure 77: View Club Information for Principal, ValSci Student/Faculty Portal




Figure 78: View Club Members for Principal, ValSci Student/Faculty Portal




Figure 79: View Sections for Principal, ValSci Student/Faculty Portal




Figure 80: View Information About the Section, ValSci Student/Faculty Portal




Figure 81: List of Subjects Per Section, ValSci Student/Faculty Portal




Figure 82: List of Students Enrolled in Section, ValSci Student/Faculty Portal




Figure 83: List of Subjects for a Particular Section, ValSci Student/Faculty Portal

Figure 84 shows all the subjects for a particular school year. Figure 85 shows the information about the subject. Figure 86 shows the list of of sections that have this subject.




Figure 84: View Subjects for Principal, ValSci Student/Faculty Portal




Figure 85: View Subject Information, ValSci Student/Faculty Portal




Figure 86: View Sections with Particular Subject, ValSci Student/Faculty Portal

The registrar is responsible for creating and updating records of students, guardian and

schooladmin; creating new subjects, sections and clubs; and managing user accounts.

Figure 87 shows the page where the registrar adds a new student record. After filling out the add student form, the registrar can either create a new guardian record or select from a list of guardians, as shown in Figure 88 and Figure 89, respectively. Figure 90 and Figure 91 show the pages for editing student record that also includes edit for the corresponding guardian record. Figure 92 shows the page for adding record for teacher, personnel or principal.




Figure 87: Creating Student Record, ValSci Student/Faculty Portal




Figure 88: Creating Guardian Record, ValSci Student/Faculty Portal




Figure 89: Selecting Guardian From A List, ValSci Student/Faculty Portal




Figure 90: Editing Student Record, ValSci Student/Faculty Portal




Figure 91: Editing Guadian Record, ValSci Student/Faculty Portal




Figure 92: Creating School Administrator Record, ValSci Student/Faculty Portal

Figure 93 shows the page where a registrar can add another section. When a section is created, the registrar can add students in the class as shown in Figure 94. Figure 96 shows the page to add new subject for the school year. Figure 95 shows the page to add new club to the school.




Figure 93: Creating Section, ValSci Student/Faculty Portal




Figure 94: Adding Students in a Section, ValSci Student/Faculty Portal




Figure 95: Creating Club, ValSci Student/Faculty Portal




Figure 96: Creating Subject, ValSci Student/Faculty Portal

Figure 97 shows the page where the registrar can view list of all users and change status of their account. Figure 98 shows the page where the registrar can generate password for new or existing users.




Figure 97: List of All Users, ValSci Student/Faculty Portal




Figure 98: Generate New Password for a User, ValSci Student/Faculty Portal

The messaging functionality of the system is shared by the all users except the guardian. Figure 99 shows the page where the user can search for another user to send a message. Figure 100 shows the pop-up page where the user can type his/her message. Figure 101 shows the message exchanges shared between two users.




Figure 99: Searching for User to Message, ValSci Student/Faculty Portal




Figure 100: Creating Message, ValSci Student/Faculty Portal




Figure 101: Show Message History, ValSci Student/Faculty Portal

A student's profile can be viewed by the registrar, principal ,guardian or teacher. Figure 102 and Figure 103 show the page where the users can find a student. Figure 104 shows the personal information about the student and his/her own guardian. Figure 105 shows the property and disciplinary offenses of a student.




Figure 102: View Students Per School Year and Grade Level, ValSci Student/Faculty Portal




Figure 103: Searching For a Student, ValSci Student/Faculty Portal




Figure 104: View Student Information, ValSci Student/Faculty Portal




Figure 105: View Student's Offenses, ValSci Student/Faculty Portal

Figure 106 shows the extracurricular activities added by the student and teachers. The clearance record, as well as the grades of the student is seen in succeeding figures.




Figure 106: View Student's Extracurricular Activity, ValSci Student/Faculty Portal




Figure 107: View Student's Clearance Record, ValSci Student/Faculty Portal




Figure 108: View Student's Grades, ValSci Student/Faculty Portal




Figure 109: View Student's Grade Break Down, ValSci Student/Faculty Portal

The system can generate different kinds of reports. This reports include attendance report, nutritional status report, guidance form, promotions report, report card, list of top students and list of offenses. The reports generated are in .pdf format. Only a teacher, the registrar and the principal can generate the attendance report, nutritional status report, guidance form, promotions report, report card and list of top students as shown in Figure 110. Figure 111 is a sample attendance report. This form shows names of students, school days for particular month and absences for a particular day. Figure 113 shows sample generated nutritional report that shows student names, date of birth, age as of weighing, height, weight and BMI. Figure 112 shows sample guidance form that includes student's LRN, name, age, guardian name, address and religion. Figure 114 is a sample promotions report that includes the names of students, address, age, and subjects for specific year level and corresponding grades. Figure 117 shows a sample report card of the student that in-

cludes grades of student per grading period and attendance per month. Figure 115 and Figure 116 show sample list of top students per section and year level, respectively.




Figure 110: Generation of Reports, ValSci Student/Faculty Portal

ě	Name	06/10	06/11	06/12	06/13	06/14	06/17	06/18	06/19	06/20	06/21	06/24	06/25	06/26	06/27	06/28
	Bukuhan Janus Chaz															
2	Cabe Gerlan Mark													×		
en	Cai All Willy														×	
	Capili Tyrone James				×											
9	Cortez Vince Ray			×												
	Faundo Kelvin Ghell		×													
	Fortales Andrew Daniel															
	Gumano Joshua Joseph			×												
	Inocencio Richard Jan															
ᅌ	Jose John Kelly															
=	Larin Patrick John															
12	Moraga Wilhelm Alain				×					×						
13	Peñaredondo Kei													×		
14	Salanga Vince Jupert				×											×
15	Samson Jan Lawrence															
16	San Andres Neal Patrick	×						×								
17	Santos Rainner Jefferson			×						×						
18	Tayer Roviel Adrian		×										×			
19	Virata Aaron Jacob				×			×								
8	Abarico Adrienne Losse	×	×						×							
l										l	l				l	

National Capital Region
Division of City Schools
VALENZUELA CITY SCIENCE HIGH SCHOOL
City of Valenzuela, Metro Marrila

Department of Education

S.Y. 2013-2014 MONTHLY ATTENDANCE - June 2013

Grade 7-Einstein

Figure 111: Sample Attendance Report, ValSci Student/Faculty Portal

Department of Education National Capital Region Division of City Schools VALENZUELA CITY SCIENCE HIGH SCHOOL City of Valenzuela, Metro Manila

GUIDANCE FORM Grade 7-Einstein

Number	LRN	Name	Age	Guardian Name	Address	Religion
1	123456789142	Abarico Adrienne Losse	12.04	Abarico Rosalyn	041-C Magiliw St., Lena Subd., Dalandanan	Roman Catholic
2	123456789143	Agustin Arianne Rose	13.04	Agustin Marianne	27 Pag-asa St., Pag-asa subd., Caruhatan	Roman Catholic
3	123456789144	Asuncion Karen Mildd	13.00	Asuncion Marissa	21 Ipil St., Villa Liwayway, Maysan	Roman Catholic
4	123456789145	Bobes Mary Abigail	13.00	Bobes Antonia	Kapitan Vililia, Lungsod ng Malabon	Roman Catholic
5	123456789146	Carlos Kathlia Ma.	13.05	Carlos Edelyn	77 M.H. del Pilar St., Palasan	Roman Catholic
6	123456789147	Dagoutan Joana Kris	13.00	Dagoutan Emelita	19 Alvier St., Dalandanan	Roman Catholic
7	123456789148	Dominguez Jewel Mikey	13.03	Dominguez Lynnette	5011 Gen. T. de Leon	Roman Catholic
8	123456789149	Guese Aviv	13.00	Guese Roberto	36 Centro, Lawang Bato	Roman Catholic
9	123456789150	Hemandez Allaine	12.11	Hemandez Elizabeth	212 Maganda St., Lena Subd., Dalandanan	Roman Catholic
10	123456789131	Inocencio Richard Jan	13.07	Inocencio Ma. Cristina	105 Becona compd., Galas, Bignay	Roman Catholic
11	123456780151	Jacob Beatriz Aira	12.07	Jacob Anna Marie	154 F. Rivera St., Polo	Roman Catholic
12	123456780152	Lim Pia Mae	12.08	Lim Olivia	1308 Jade Vine St., Village 2, Malinta	Roman Catholic
13	123456780153	Mendoza Jami	12.10	Mendoza Emilio	23 R. Valenzuela St., Marulas	Roman Catholic
14	123456789154	Montaos Meri Mae	13.04	Montage Leah	35 Coloong II	Roman Catholic
15	123456789155	Montemayor Eliezi	12.04	Montemayor Elizabeth	173 Home Centrum Green Subd., Mapulang Lupa	Roman Catholic
16	123456789156	On Karinazay	12.04	On Ezayra	262 R. Valenzuela St., Marulas	Roman Catholic
17	123456789157	Peñaranda Shaena	13.00	Pefiaranda Gloria	08 E.Roberto St., Maysan	Roman Catholic
18	123456789158	Quintano Angeline	13.10	Quintano Victoria	365 F. San Diego St., Veinte Reales	Roman Catholic
19	123456789159	Sabillo Cathrine Jan	13.10	Sabillo Regina	6th St.Fredel 2	Roman Catholic
20	123456789160	San Juan Sophia Joy	12.05	San Juan Analyn	065 Hulo, Dalandanan	Roman Catholic

Figure 112: Sample Guidance Form, ValSci Student/Faculty Portal

Department of Education National Capital Region Division of City Schools VALENZUELA CITY SCIENCE HIGH SCHOOL

City of Valenzuela, Metro Manila 8.Y. 2013-2014 NUTRITIONAL STATUS Grade 7-Einstein

Number	Name	Date of Birth	Age	Height	Weight	BMI
1	Abarico Adrienne Losse	2002-09-19	10.08	140	45	22.96
2	Agustin Arianne Rose	2001-09-13	11.08	140	45	22.96
3	Asuncion Karen Mikki	2002-01-05	11.05	130	45	26.63
4	Bobes Mary Abigail	2002-01-05	11.05	120	50	34.72
5	Carlos Kathlia Ma.	2001-08-16	11.09	120	50	34.72
6	Dagoutan Joana Kris	2002-01-05	11.05	120	50	34.72
7	Dominguez Jewel Mikey	2001-10-08	11.08	120	50	34.72
8	Guese Aviv	2002-01-26	11.04	120	50	34.72
9	Hernandez Allaine	2002-02-17	11.03	120	50	34.72
10	Inocencio Richard Jan	2001-06-11	12.00	125	45	28.8
11	Jacob Beatriz Aira	2002-06-16	10.11	120	50	34.72
12	Lim Pia Mae	2002-05-03	11.01	120	50	34.72
13	Mendoza Jami	2002-03-03	11.03	120	50	34.72
14	Montaos Meri Mae	2001-09-06	11.09	120	50	34.72
15	Montemayor Eliezi	2002-09-05	10.09	120	50	34.72
16	On Karinazay	2002-09-05	10.09	120	50	34.72
17	Peñaranda Shaena	2002-01-23	11.04	120	50	34.72
18	Quintano Angeline	2001-04-01	12.02	120	50	34.72
19	Sabilio Cathrine Jan	2001-04-01	12.02	120	50	34.72
20	San Juan Sophia Joy	2002-08-04	10.10	120	50	34.72
21	Vergara Stephanie Anne	2002-08-12	10.10	120	50	34.72
22	Yanga Angelica	2002-08-12	10.10	120	50	34.72
23	Bukuhan Janus Chaz	2001-06-11	12.00	130	50	29.59
24	Cabe Gerlan Mark	2001-01-27	12.04	120	50	34.72
25	Cal All Willy	2001-03-10	12.03	130	60	35.5
26	Capili Tyrone James	2001-09-30	11.08	120	50	34.72
27	Cortez Vince Ray	2002-07-10	10.11	120	50	34.72
28	Faundo Kelvín Ghell	2001-08-03	11.10	120	50	34.72
29	Forlales Andrew Daniel	2001-11-12	11.07	125	23	14.72
30	Gumaro Joshua Joseph	2002-04-21	11.01	125	23	14.72

Figure 113: Sample Nutritional Report, ValSci Student/Faculty Portal

			_			
Final	Rating	88.18	88.47	88.78	88.35	88.06
Technical Writing	Action Taken	Passed	Passed	Passed	Passed	Passed
Technica	Final Rating	87.78	89.2275	15.78	88.415	90.915
Science I	Action Taken	Passed	Passed	Passed	Passed	Passed
Sciel	Final Rating	85.975	85.9825	89.9675	88.9	85.8275
Math I	Action Taken	Passed	Passed	Passed	Passed	87.2475 Passed
Ma	Final Rating	90.56	88.84	88.4775	89.6625	87.2475
English I	Action Taken	Passed	Passed	Passed	Passed	Passed
Eng	Final Rating	87.185	88.0925	90.4275	15.78	89.5975
cience	Action Taken	Passed	Passed	Passed	Passed	Passed
Earth Science	Final Rating	87.37	90.3275	87.8575	88.4725	88.7425
uter tion I	Action Taken	Passed	Passed	Passed	Passed	Passed
Computer Education	Final Rating	89.06	88.4675	89.585	88.8175	86.09
Araling Panlipunan I	Action Taken	Passed	Passed	Passed	Passed	Passed
	Final Rating	89.305	88.365	87.825	7:98	87.98
Total	(Mar) Attendance Fir	190	187	186	189	186
Age	(Mar)	12.08	13.01	12.11	12.04	11.07
	Address	48 Rd.5 San Miguel Hts. Marulas, Valenzuela City	53 Daliva St., Karuhatan, Valenzuela City	82 B.R. Delfin St. Marulas, Valenzuela City	11 Ligaya Serrano Subd., Valenzuela City	132 A. Tongoo St., Malinta, Valenzuela City
	Name	Bukuhan Janus Chaz	Cabe Gerlan Mark	Cai All Willy	Capil Tyrone James	Cortez Vince Ray
	KIN	123456789123	123456789124	123456789125 Cai All Willy	123456789126	123456789127
	O	-	2	3	4	2

Department of Education
National Capital Region
Division of City Schools
VALENZUELA CITY SOIENCE HIGH SCHOOL
City of Valenzuela, Metro Manila
PROMOTIONS REPORT
S.Y. 2013-2014
Grade 7-Einstein

Figure 114: Sample Promotions Report, ValSci Student/Faculty Portal

TOP STUDENTS 8.Y. 2013-2014 Einstein

No.	Name	Score
1	Quintano, Angeline	89.45
2	Tayer,Roviel Adrian	89.36
3	Gumaro,Joshua Joseph	88.99
4	Lim,Pia Mae	88.96
5	Cal,All Willy	88.78
6	Cabe, Gerlan Mark	88.47
7	Legaspi,Mark Lester	88.46
8	Santos, Rainner Jefferson	88.36
9	Capili, Tyrone James	88.35
10	Dagoutan, Joana Kris	88.3
11	Faundo, Kelvin Ghell	88.25
12	Bukuhan, Janus Chaz	88.18
13	Moraga, Wilhelm Alain	88.12
14	Carlos,Kathlia Ma.	88.09
15	Cortez, Vince Ray	88.06
16	Bobes,Mary Abigail	87.9
17	Salanga, Vince Jupert	87.9
18	On,Karinazay	87.89
19	Abarico, Adrienne Losse	87.85
20	Larin/Patrick John	87.85
21	Jacob,Beatriz Aira	87.85
22	Jose, John Kelly	87.75
23	Agustin, Arianne Rose	87.75
24	San Juan, Sophia Joy	87.75
25	Asuncion,Karen Mildú	87.73
26	Hemandez, Allaine	87.67
27	Yanga,Angelica	87.67
28	Sabillo,Cathrine Jan	87.6
29	Forlales, Andrew Daniel	87.47
30	Mendoza, Jami	87.45
31	Samson,Jan Lawrence	87.43
32	Montemayor,Eliezi	87.42
33	Montaos, Meri Mae	87.39
34	San Andres,Neal Patrick	87.37
35	Guese, Aviv	87.34

Figure 115: Sample List of Top Student Per Section/GradeLevel, ValSci Student/Faculty Portal

TOP STUDENTS 8.Y. 2013-2014 Grade 7

No.	Name	Score
1	Quintano, Angeline	89.45
2	Tayer, Roviel Adrian	89.36
3	Gumaro, Joshua Joseph	88.99
4	Lim,Pia Mae	88.96
5	Cai,All Willy	88.78
6	Cabe, Gerlan Mark	88.47
7	Legaspi,Mark Lester	88.46
8	Labay,Judith	88.43
9	Gow,Joshua	88.39
10	Santos, Rainner Jefferson	88.36
11	Capili, Tyrone James	88.35
12	Dagoutan, Joana Kris	88.3
13	Pallaroa,Maximo, Jr.	88.25
14	Faundo,Kelvin Ghell	88.25
15	Bukuhan, Janus Chaz	88.18
16	Arafia,Dianna Rizz	88.14
17	Moraga, Wilhelm Alain	88.12
18	Lindayag, Princess Danica Marie	88.12
19	Carlos,Kathila Ma.	88.09
20	Cortez,Vince Ray	88.06
21	Dajoyag,Fatima	87.95
22	Bobes, Mary Abigail	87.9
23	Salanga,Vince Jupert	87.9
24	On, Karinazay	87.89
25	Lita, Johanna Gertrude	87.87
26	Abarico, Adrienne Losse	87.85
27	Larin,Patrick John	87.85
28	Jacob,Beatriz Aira	87.85
29	Ponciano,Tricia Ann	87.82
30	Frodowell, Angelo	87.77
31	Martinez,Jizbeth Carah	87.76
32	Jose, John Kelly	87.75
33	Esquivel, Chjezhymn	87.75
34	Agustin, Arlanne Rose	87.75
35	San Juan, Sophia Joy	87.75

Figure 116: Sample List of Top Student Per Grade Level, ValSci Student/Faculty Portal




Figure 117: Sample Report Card, ValSci Student/Faculty Portal

Figure 118 show the page where the principal, registrar or personnel can generate list of offenses. Figure 119 and Figure 120 show sample generated list of disciplinary and property

offenses.




Figure 118: Generate List of Offenses, ValSci Student/Faculty Portal

Date Created: February 2, 2015

School Year 2013-2014

GradeLevel:7

Offense Number	Date	Student Name	Offense	Personnel
	2013-08-25	Aaron Jacob Virata	Late	Geraldine Villareal
	2013-08-22	Aviv Guese	Use of Profane Language	Geraldine Villareal
	2013-09-01	Allaine Hemandez	Fist Fight	Geraldine Villareal
	2013-10-15	Beatriz Aira Jacob	Late	Geraldine Villareal
	2013-11-12	Beatriz Aira Jacob	Late	Geraldine Villareal
	2014-01-08	Adrienne Losse Abarico	Late	Geraldine Villareal
	2014-01-22	Adrienne Losse Abarico	Vandalism	Geraldine Villareal
	2014-02-22	Kathlia Ma. Carlos	Late	Geraldine Villareal
	2014-02-22	Karen Mikki Asuncion	Late	Geraldine Villareal
	2014-03-22	Mary Abigail Bobes	Late	Geraldine Villareal
	2014-03-22	Roviel Adrian Tayer	Late	Geraldine Villareal
	2014-04-22	Joana Kris Dagcutan	Late	Geraldine Villareal
	2014-04-22	Arianne Rose Agustin	Late	Geraldine Villareal
	2014-05-13	Janus Chaz Bukuhan	Tardiness	Geraldine Villareal
	2014-05-22	Jewel Mikey Dominguez	Late	Geraldine Villareal

Figure 119: Sample Disciplinary Offense Report, ValSci Student/Faculty Portal

Offense Number	Date	Student Name	Equipment	No. of Equipment	Status	Personnel
	2013-10-07	Janus Chaz Bukuhan	Beaker	1	To be replaced	Juliana Tamayo
2	2013-11-06	Adrienne Losse Abarico	Beaker	-	To be replaced	Juliana Tamayo
8	2015-01-22	Adrienne Losse Abarico	Beaker	2	Broken	Juliana Tamayo

Date Created: February 2, 2015

School Year 2013-2014

Figure 120: Sample Property Offense Report, ValSci Student/Faculty Portal

VII. Discussions

The ValSci: Student/Faculty Portal is a web-based PHP application which aims to serve as as an online gateway where students can store and create portfolio, view their grades and receive immediate feedback from their teachers. With the system, students can manage portfolio for their classes. This is important since students are required to submit portfolio at the end of the school year for their clearance and the files uploaded in their portfolio will not be lost unless deleted by the student. Since the clearance is also included in the system, the students can view the status of their clearance anytime and can easily be cleared by the appropriate teachers and personnels. Students and teachers can also record extracurricular activities and upload certificates. At the end of the school year, the students wouldn't have to miss an extracurricular activity in their record. Since records of offenses and grades are in system, parents of the students can monitor their child's progress even without going to see the teachers personally.

The portal also includes course groups where teachers can post announcements, upload files, view portfolio and journal entries, and compute grades of students. The K-12 program uses new computation of grades where students are graded according to the levels of assessment: knowledge,process/skills,understanding and product. The system allows the teacher to customize their class record and conform to the K-12 grade computation. The system also made generation of reports accessible to teachers. The reports that can be generated are attendance, promotions report, report card, nutritional status, guidance form, and list of top students. A teacher also has the capability to approve clearance and extracurricular activity of students.

The electronic recording of student records makes it easier for the registrar to create and update student, guardian, and school administrator records especially with the growing population of the school. The laboratory personnel and guidance counselor can track and generate list of offenses and deficiencies of students. The principal can view all of the records that includes student information, student grades, course groups, club activities and reports. This is helpful to easily supervise and manage the school. Overall, the change from paper-based to electronic management of records is beneficial to the members of the

school community. It provides easy retrieval and searching of records, sharing of files and collaboration among users.

The system still has its drawbacks. Users can't choose the file format of the generated report. Since it is only available in .pdf format, the users can't format the report. This can be a problem since the data in the reports is limited only to what is stored in the system. Also, all the records added in the system is assumed to be correct. For example, the subjects are not checked for conflicting schedules or teachers.

Moodle is course management system that serves as online learning platform for students and teachers. It offers course groups where students can upload files, take tests, and join forums. Teachers can communicate with students, facilitate tests and manage student grades. Basically, it is a similar to the ValSci:Student/Faculty Portal. Although that's the case, the Portal is integrated with generation of report generation; clearance, extracurricular activities and offenses record; and is customized for the K-12 grade computation. ValSci:Student/Faculty Portal is better suited for a high school because it also includes school record management and processes that are not standard for all schools.

VIII. Conclusions

The Valenzuela City Science High School Portal is developed to automate the paper-based record system and create a portal where students and teachers can efficiently exchange files and feedback with each other. The main users of the system are the students, teachers and registrar. The registrar will create accounts and provide username and temporary password for first time users.

The system includes club and course groups where teachers can share files and post announcements to his/her students. The students, in turn, can write their thoughts on their learning process in a journal. The teachers can also record and edit grades; and record absences and tardiness of the students in the system. The data the teachers have recorded can be generated into reports like guidance forms, nutritional reports, attendance report, report card, promotions report, and form 137. The reports generated can easily be viewed by the registrar and principal. For the students, there is module where they can record and track clearance record and extracurricular activities they've done for the school year. This is beneficial at the end of the school year for fast processing of their clearance.

IX. Recommendations

The Valenzuela City Science High School Portal can be further improved by adding scheduling module for the registrar. As of now, schedules are only recorded in the system. With the addition of the scheduling module, classes schedules wouldn't need to be managed manually making it faster, more efficient and free of conflicting schedules. Also, an enrollment module can be added to the system. The addition of an enrollment module can be beneficial for completely automating the processes in the school. In the report generation module, it would be better if the file format of the generated report is flexible. The user can choose whether what file form he/she likes the report to be. Also, for creating records of past students, it would be helpful if the registrar wouldn't have to do it manually. Files with student's information can be uploaded and recorded to the system.

X. Bibliography

- [1] M. Soriano. Interview, September 3 2013.
- [2] G. Villareal. Interview, September 27 2013.
- [3] A. Logronio. Interview, September 27 2013.
- [4] Y.-F. Tang and Y.-S. Zhang, "Design and implementation of college student information management system based on web services," in *IT in Medicine Education*, 2009. ITIME '09. IEEE International Symposium on, vol. 1, pp. 1044–1048, 2009.
- [5] J. Mei-Shan, Q. Chang-li, and L. Jing, "The designment of student information management system based on b/s architecture," in Consumer Electronics, Communications and Networks (CECNet), 2012 2nd International Conference on, pp. 2153–2155, 2012.
- [6] Z. Liu, H. Wang, and H. Zan, "Design and implementation of student information management system," in *Intelligence Information Processing and Trusted Computing* (IPTC), 2010 International Symposium on, pp. 607–610, 2010.
- [7] B. Shahzad and E. Alwagait, "Utilizing technology in education environment: A case study," in *Information Technology: New Generations (ITNG)*, 2013 Tenth International Conference on, pp. 299–302, 2013.
- [8] U. of the East, "Ue portal." http://www.ue.edu.ph/manila/ueportal/index.html. [Online; accessed September-2013].
- [9] W. S. S. District, "Parent/student portal overview." http://www.wssd.org/domain/42. [Online; accessed September-2013].
- [10] B. S. S. District, "Parent portal." http://www.bluesprings-schools.net/gen/blue_springs_generated_pages/Parent_Portal_m5416.html. [Online; accessed September-2013].
- [11] G. L. P. S. Building, "Parent portal." http://www.glps.k12.mi.us/parentcommunityresources/parentportalgradeviewer/. [Online; accessed September-2013].

- [12] I. Pearson Education, "Parent portal." http://www.pearsonschoolsystems.com/products/powerschool/. [Online; accessed September 2013].
- [13] D. Al-Halabi, N. Hirzallah, and B. Al-Hamadani, "Dynamic grading system for universities," in Advanced Computer Theory and Engineering (ICACTE), 2010 3rd International Conference on, vol. 4, pp. V4–539–V4–543, 2010.
- [14] P. Czechowski and W. Zabierowski, "Usage of web technologies. the example of portal supporting lecturer student communication," in Experience of Designing and Application of CAD Systems in Microelectronics (CADSM), 2013 12th International Conference on the, pp. 412–413, 2013.
- [15] N. Hao and L. Fanghua, "Quantitative assessment of students' learning activity based on students' electronic portfolio of web-based instruction system," in *Information Sci*ence and Engineering (ICISE), 2009 1st International Conference on, pp. 5370–5373, 2009.
- [16] F. Jaryani, B. Zandi, S. Sahibudin, S. Salehy, M. Masrom, and M. Zamani, "Framework of a reflective e-portfolio supported by outcome based education and problem based learning," in *Computer Research and Development*, 2010 Second International Conference on, pp. 270–273, 2010.
- [17] I. Balaban, E. Mu, and B. Divjak, "Critical success factors for the implementation of the new generation of electronic portfolio systems," in *Information Technology Interfaces* (ITI), Proceedings of the ITI 2011 33rd International Conference on, pp. 251–256, 2011.
- [18] Y. Pang and W. Na, "System design for electronic portfolio developing," in Computer Science Education (ICCSE), 2012 7th International Conference on, pp. 1625–1627, 2012.
- [19] "www.valsci-edu.weebly.com." http://valsci-edu.weebly.com/. [Online; accessed September-2013].

- [20] UNESCO, "Unesco education introduction." http://portal.unesco.org/education/en/ev.php-URL_ID=18613&URL_DO=DO_TOPIC&URL_SECTION=201.html.

 [Online; accessed September-2013].
- [21] P. Ho, "What is portal." http://www.its.hku.hk/news/ccnews100/portal.htm. [Online; accessed September-2013].
- [22] A. E. Tella Adeyinka, Bashorun M.T, "Impact of web portals on e-learning,"
- [23] S. Windsor, "What is a student portal." http://www.ehow.com/facts_7331470_student-portal_.html#ixzz2hpdLfsJ2. [Online; accessed September-2013].
- [24] A. Tatnall, Encyclopedia of Portal Technologies and Applications. Encyclopedia of Portal Technologies and Applications, Information Science Reference, 2007.
- [25] https://www.google.com.ph/url?sa=t&rct=j&q=&esrc=s&source=
 web&cd=8&cad=rja&ved=0CFsQFjAH&url=https%3A%2F%2Fconfluence.
 media.berkeley.edu%2Fconfluence%2Fdownload%2Fattachments%
 2F22642787%2F2002LDPStudentPortalProjectFINALReport.doc&ei=
 vS1fUqmbLMPtrQfbsIBQ&usg=AFQjCNG1AMo9LbSV9iMR428BFmKqbE-YpA. [Online;
 accessed October-2013].
- [26] R. Stair and G. Reynolds, Fundamentals of Information Systems. Course Technology, 2011.
- [27] Ilinois State University, "Information systems web application development." http://illinoisstate.edu/majors/details.php?f=is_web_app_development. xml&p=%2Fmajors%2Fcast%2F. [Online; accessed September-2013].
- [28] I. Pearson Education, "Msad-supplement 2." http://www.prenhall.com/divisions/bp/app/hoffer/student/supp2.html. [Online; accessed September-2013].
- [29] M. D. Network, "Model-view-controller." http://msdn.microsoft.com/en-us/ library/ff649643.aspx. [Online; accessed September-2013].

[30] "Sql overview." http://www.tutorialspoint.com/sql/sql-overview.htm. [Online; accessed September-2013].

XI. Appendix

A. Nutritional Status Record

Division: Division of City Schools - Valenzuela

School: Valenzuela City Science High School

Department of Education National Capital Region Division of City Schools - Valenzuela Valenzuela City Science High School

SCHOOL NUTRITIONAL STATUS RECORD

2013 - 2014

Grade & Section:

Date of Weighing:


	Name of Students	AGE (months)	Birth date	Age as of date of weighing	WEIGHT (in Kg)	HEIGHT (in meters)	Body Mass Index*
1							
2							
3	,						
4							
5							
6							
7	r						
8	,						
9							
10	,						
11							
12	r						
13	,						
14							
15	,						
16							
17	,						
18	,						
19							
20	,						
21							
22	,						
23	,						
24	,						
25	,						
26	,						
27	,						
28	,						
29	,						
30	,						
31	,						
							-

B. School Register Record (Form 1)

Grade & Section VII - 4 Monday, July 01, 2013

Monday, July 01, 2013			ΑT	TEN	IDA	NCE	E FO	RT	HEI	MON	VT1	HO	F			Ju	ıly-2	201	3
STUDEN	T NAMES		草	平	草	草	草	草	草	10-Jul	F	平	平	루	早	루	平	투	平
			-	64	en	*	M	00	o.	2	Ξ	12	13	92	12	8	52	22	Ħ
1 Aron	YS X	P					\neg	Т	Т	\neg	Т	Т	_	_	_	7	Т	\neg	_
							\exists	⇉	⇉	⇉	⇉	⇉	⇉	⇉	⇉	⇉	⇉	コ	コ
2 Corpuz	Alfonso	D	Н	Н	Н	Н	\dashv	4	4	+	\dashv	\dashv	\dashv	\dashv	\dashv	4	\dashv	\dashv	\dashv
3 0	0	0			\exists		\dashv			o	┪	\exists	\exists	\exists	\exists	┪	╛	\exists	╛
40	0			\Box	П	П	\dashv	7	4	\dashv	4	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\exists	\Box
4 0	0	0	Н	Н	Н	Н	\dashv	┪	┪	+	┪	\dashv	\dashv	\dashv	\dashv	┨	\dashv	\dashv	\dashv
5 0	0	0						コ	⇉	\Box	╛					╛	╛		
60	0	0	Н	Н	Н	Н	\dashv	4	4	+	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv
	-	_	Н	Н	\forall	H	\dashv	┪	7	\dashv	7	┪	\dashv	┪	┪	┪	┪	┪	⊣
7 0	0	0	F		Ц	Ц	耳	4	4	4	4	4	\Box	4	4	耳	コ	コ	コ
8 0	0	0	\vdash	Н	\vdash	\vdash	\dashv	+	+	+	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv
		-					⇉	⇉		士	⇉	⇉	\exists	╛	╛	╛	╛	⇉	
9 0	0	0	F				\dashv	4	4	\dashv	7	\dashv	\neg	4	\dashv	\dashv	\dashv	\dashv	\neg
10 0	0	0	Н	Н	\forall	\forall	\dashv	┪	┪	\dashv	┪	┪	\dashv	\dashv	┪	┪	\dashv	\dashv	\dashv
							\sqsupset	⇉	コ	コ	コ	コ	コ	コ	コ	コ	コ	コ	\Box
11 0	0	0	Н	Н	Н	Н	\dashv	4	+	+	\dashv	\dashv	\dashv	\dashv	\dashv	┩	\dashv	\dashv	\dashv
12 0	0	0	Н		\forall	\forall	\dashv	┪	+	\dashv	7	\dashv	\dashv	\dashv	\dashv	┪	\dashv	\dashv	\exists
12.6					\Box	\Box	\Box	コ	7	\dashv	コ	コ	\sqsupset	\Box	\Box	コ	\Box	\exists	\Box
13 0	0	0	Н	Н	Н	Н	\dashv	┥	+	+	\dashv	\dashv	\dashv	\dashv	\dashv	┥	\dashv	\dashv	\dashv
14 0	0	0					\exists	# #	⇉	士	士	⇉	\exists			╛	╛	⇉	╛
15 0	0	0	\Box		\Box	\Box	\dashv	7	7	\dashv	7	\exists	\dashv	\dashv	\dashv	\dashv	\dashv	\exists	\exists
15.0	•		Н	Н	Н	Н	\dashv	┪	┪	+	┪	┪	┪	┪	┪	┪	┪	┪	\dashv
16 0	0	0	ᆸ				\rightrightarrows	⇉	⇉	#	⇉	⇉	⇉	⇉	⇉	コ	コ	⇉	\equiv
17 0	0	0	Н	Н	Н	Н	\dashv	4	4	+	\dashv	\dashv	\dashv	\dashv	\dashv	┩	\dashv	\dashv	\dashv
	•				\forall	\forall	\dashv	┪	1	\dashv	7	\dashv	\dashv	\dashv	\dashv	┪	\dashv	\exists	\exists
18 0	0	0			\Box	П	\Box	7	7	\perp	\exists	\exists	\Box	\exists	\exists	\exists	耳	コ	\exists
19 0	0	0	Н	Н	\vdash	\vdash	\dashv	┥	+	+	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv
								⇉	⇉	士	╛	╛	╛	╛	╛	╛	╛	╛	╛
20 0	0	0	H				\dashv	\dashv	4	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\neg
		┰	0	0	0	0	0	0		0		0	0	0	0	0	0	0	0
Total Enrollment for year to date			2.00	2.00	2.00	2.00	2.0	2.00	2.0	2.00	20	2.0	2.0	2.0	2.0	2.00	2.00	2.00	2.00
Total Enrollment for month to date			2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
Attendance Totals	AM		200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200
	PM		2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00

C. Promotions Report



D. Form 137

Adviser

Deped Form 137-A

Republic of the Philippines

Department of Education

National Capital Region

Division of City Schools- Valenzuela

Valenzuela City Science High School

A. Marcelo St. Dalandanan, Valenzuela City

Secondary Student Permanent Record Name Birthdate City/Town: Address Place of Birth Brgy: Parent or Guardian Elem. Course Completed Job Gen. Ave. Classified as: Total no. of years to complete elementary yrs Yr & Sec School: Valenzuela City Science High School SY Grading Periods SUBJECTS Final Grade Remarks Credit Units 0.00 0.0 Grading System: AVERAGE Total Total No. of Years in school to date First Year College 0 0

Secondary School Principal II

Guidance Form $\mathbf{E}.$

GUIDANCE FORM XV

Department of Education National Capital Region Division of City Schools- Valenzuela Valenzuela City Science High School

A. Marcelo St. Dalandanan, Valenzuela City

2013 - 2014

Grade & Section:	Principal:
Adviser:	Guidance Counselor :

	LDN	NAME OF	ACE (loss a)	DIDTUDAY	NAME OF	ADDDECC	CONTACT	DELICION
	LRN	STUDENT	AGE (June)	BIRTHDAY	PARENT OR GUARDIAN	ADDRESS	CONTACT	RELIGION
1								
2 3 4								
3								
4								
5 6								
6								
7								
8								
8 9 10								
10								
11								
12 13								
13								
14								
15								
15 16 17								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
22 23 24 25 26 27 28								
28								
29								
30								

F. Source Code

<?php if (! defined('BASEPATH')) exit('No direct script access allowed');
session_start();
ob_start();//we need to call PHP's session object to access it through CI
class Home extends CI_Controller {</pre>

```
function __construct(){
  parent::__construct();
    6
                                  parent::__construct();
$this->init();
$this->load->library('messaging');
$this->load->model('message_model');
$this->load->model('schooladmin');
$this->load->model('user');
    8
10
\frac{11}{12}
                                   13
                                   $this -> load -> helper(array('form',
$this -> load -> library('functions');
14
15
16
17
                        private function _init(){
                                 irvate function _init(){
  if($this->session->userdata('logged_in')){
    $type = $this->session->userdata('logged_in')['Type'];
  if(strpos($type,'Teacher')!==FALSE)
    $this->output->set_template('teacher');
  elseif($type=='Student')
    $this->output->'
    $this->output-
19
20
^{21}
22
23
                                               $this->output->set_template('student');
                                    25
26
27
28
                                     elseif(stype=='Principal');
elseif(stype=='Principal');
elseif(stype=="Guardian");
30
31
                                               $this ->output->set_template('guardian');
33
34
                                    else
35
                                             $this->output->set_template('home');
36
37
                        function index(){
38
                         redirect ('home/announcements');
39
40
                                   string sentential sentential string str
41
42
                                    valid_email');
$this->form_validation->set_rules('Comment', 'Comment', 'trim|required|xss_clean');
44
                                    f( $this -> form.validation -> run() == FALSE) {
    $data['page_header'] ="Location";
    $this -> load -> view('home/location', $data);
}
46
47
48
49
                       function contact() {
    $data['page_header'] = "Location";
    $this->load->view('home/location', $data);
50
51
52
                        function mission_vision(){
    $data['page_header'] = "Mission and Vision";
    $this->load->view('home/mission_vision',$data);
54
55
57
58
                        function history(){
    $data['page_header'] ="History";
    $this->load->view('home/history',$data);
59
60
61
                        function facilities(){
    $data['page_header'] = "Facilities";
    $this->load->view('home/facilities',$data);
62
63
64
65
                        function curriculum() {
    $data['page_header'] = "Curriculum";
    $this->load->view('home/curriculum', $data);
66
67
68
69
                        function admission() {
    $data['page_header'] = "Admission";
    $this->load->view('home/admission',$data);
70
71
72
73
74
                        function do_upload(){
                                             tition do.upload(){
$config['upload-path'] = './uploads/';
$config['allowed_types'] = 'gif|jpg|png|rar|zip|pdf';
$config['max_size'] = '1000';
$config['max_width'] = '1024';
$config['max_height'] = '768';
75
76
77
78
79
80
                                               $this->load->library('upload', $config);
82
                                               if ( ! $this->upload->do_upload()){
83
                                                         % this ->apload >do-lipload () \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) 
85
86
                                                         $\data = \array('upload_data' => \$this -> \upload -> \data());
$\this -> \load -> \view('home/upload_success', \$data);
$\tag{data}$
88
89
91
92
                         function announcements(){
                                  $\text{State} = \text{array('page_header' => 'Welcome!', 'page_title' => 'Home');}$\text{Type} = 'School';}
93
94
                                    $TypeID = '00000';
```

```
$this->load->helper(array('form'));
$data = array('page_header'=>'Announcement');
$config = array();
$config[" base_url"] = base_url()."/home/announcements";
$config[" total_rows"] = $this->message_model->count_some_announcement($Type,$TypeID);
$config[" per_page"] = 10;
$config[" uri.segment"] = 3;
$choice = $config[" total_rows"] /$config[" per_page"];
$config[" num_links"] = round($choice);
$this->pagination->initialize($config);
$page = ($this->uri->segment(3))? $this->uri->segment(3):0;
$data[" results"] = $this->message_model->get_announcement($config[" per_page"],$page,$Type,
$TypeID);
  96
  97
  98
 99
100
101
102
103
104
105
106
107
               $\text{ results } = \text{ sthis -> message_model -> get_annound } \text{ $TypeID}; $\text{ $data} [" links"] = \text{ $this -> pagination -> create_links(); $\text{ $data} [' page_header'] = 'Announcements'; $\text{ $this -> load -> view('home_home_registrar', $\text{ $data});}
109
110
           function logout() {
    $this->session->unset_userdata('logged_in');
112
113
                  session_destroy();
redirect('home', 'refresh');
115
116
117
118
119
120
           <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');</pre>
           session_start();
ob_start(); //we need to call PHP's session object to access it through CI
   3
   6
           class Record extends CI_Controller {
              function __construct()
   8
             parent:: __construct();
  10
              if (!$this->session->userdata('logged_in')){
  11
           $allowed = array();
  13
           if (!in_array($this->router->method, $allowed))
redirect('login');
  14
  16
          $this->load->model('student','',TRUE);
$this->load->model('guardian','',TRUE);
$this->load->model('schooladmin','',TRUE);
$this->load->library("pagination");
$this->load->library("bcrypt");
$this->load->library("javascript");
$this->load->library("functions");
  17
  19
  20
  21
  22
           $this ->load ->helper("url");
$this ->load ->helper('my_form');
$this ->load ->helper('my_password');
  24
  25
  27
           this \rightarrow -init () ;
  28
          }
private function _init(){
$type = $this->session->userdata('logged_in')['Type'];
if(strpos($type,'Teacher')!==FALSE)
$this->output->set_template('teacher');
elseif($type=='Student')
$this->output->set_template('student');
alseif($type=-'Pagistran')
  30
  31
  32
  33
           sthis=>output=>set_template( student ),
elseif($type=='Registrar ');
$this=>output=>set_template('registrar ');
elseif($trpos($type, 'Personnel ')!==FALSE)
$this=>output=>set_template('personnel ');
elseif($type=='Principal ')
  35
  36
  38
  39
           sthis—>output->set_template('principal');
elseif($type=="Guardian")
  40
  41
             $this->output->set_template('guardian');
  42
  43
            function add_student(){
  44
           $studnum = $this -> student -> count_all()+1;
  45
           46
  47
  49
  50
            $studnum = "00".$studnum;
           $studnum = "00".sstudnum;
elseif($studnum>=1000 && $studnum<10000)
$studnum = "0".$studnum;
$form['count'] = $studnum;
$data = array('page_header' => 'Add Student Record', 'page_title'=>'Add Record', 'title' => 'Add
  52
  53
  55
                    Page');
           $data["guardian"] = $this->guardian->get_all_guardians()
$data["section"] = $this->schooladmin->get_all_sections()
  56
           $data["section"] = $this->schooladmin->get_all_sections();
$this->load->helper(array('form'));
$this->load->view('add_record/student',$data);
  57
  59
  60
           public function add_guardian(){
           $\text{sthis->load->helper(array('form'));}$
data = array('page_header' => 'Add Guardian Record', 'form' => NULL);
$\this->load->view('add_record/guardian', \$data);
  62
  63
```

```
65
                public function edit_guardian($id){
  66
               public function edit_guardian($id){
$this ->load ->helper(array('form'));
$sql= 'SELECT * FROM guardian WHERE GuardianNum = ?';
$sql_params = array($id);
$query = $this ->db->query($sql, $sql_params);

from the function of the property of the params of the params
  68
  69
  \frac{71}{72}
               $form = $query->row_array();
$data = array('title' => 'Add Page', 'form' => $form, 'page_header'=>'Edit Guardian Record');
                $this->load->view('add_record/guardian', $data);
  \frac{74}{75}
                public function edit_student($id){
               $this->load->helper(array('form'));
$sql= 'SELECT *FROM student WHERE StudNum = ?';
$sql_params = array($id);
  76
  77
  79
               $query = $this->db->query($sql, $sql-params);
$form = $query->row_array();
  80
               $form = $query->row_array();
$sql= 'SELECT *FROM guardian WHERE GuardianNum = ?';
$sql-params = array($form['GuardianNum']);
$query = $this->db->query($sql, $sql-params);
$form2 = $query->row_array();
$sql= 'SELECT *FROM section WHERE SectionID = ?';
$sql-params = array($form['SectionID']);
$query = $this->db->query($sql, $sql-params);
$form3 = $query->row_array();
  82
  83
  85
  86
  87
  88
  89
                $data = array('page_header' => 'Edit Student Record', 'page_title' => 'Edit Student Record', 'form'
  90
               sdata = array('page_header' => 'Edit Student Record', 'page
=> $form, 'form2' => $form2, 'form3';
$data["guardian"] = $this->guardian->get_all_guardians();
$data["section"] = $this->schooladmin->get_all_sections();
$this->load->view('add_record/edit_student', $data);
  91
  92
  93
               95
  96
  97
  99
                public function edit_schooladmin($id){
100
                $this->load->helper(array('form'));
101
               $sql= 'SELECT * ';
$sql .= 'FROM school_admin WHERE SANum = ?';
102
103
               $$ql-params = array($id);
$query = $this->db->query($sql, $sql-params);
$form = $query->row_array();
105
              $form = $query -> row_array();
$form3 = array();
if(strpos($form['SAType'], 'Prop') !== FALSE)
$form3['SAPropCustodian'] = 'Property Custodian';
if(strpos($form['SAType'], 'Gui') !== FALSE)
$form3['SAGuidance'] = 'Guidance Counselor';
if(strpos($form['SAType'], 'Club') !== FALSE)
$form3['SAClubAdmin'] = 'Club Administrator';
if(strpos($form['SAType'], 'Adv') !== FALSE)
$form3['SAAClubAdmin'] = 'Club Administrator';
if(strpos($form['SAType'], 'Adv') !== FALSE)
$form3['SAAdviser'] = 'Class Adviser';
if(strpos($form['SAType'], 'Teacher') !== FALSE)
$form['SAType'] = 'Teacher';
$data = array('page_header' => 'Edit School Admin', 'form' => $form, 'form2'=>$form3, 'page_title '=>'Edit School Admin');
$this -> load -> view('add_record/school_admin', $data);
}
106
107
108
109
110
111
113
114
116
117
119
120
121
                function religionOther($str){
               %this->form_validation->set_message('religionOther', 'Required.');
if($this->input->post('SReligion')=='Other'){
if($this->input->post('ReligionOther')!=null){
122
123
124
125
                return true;
126
                else
127
128
                return false;
129
                return true:
130
                function religionSAOther($str){
132
               %this->form_validation->set_message('religionSAOther', 'Required.');
if($this->input->post('SAReligion')=='Other'){
if($this->input->post('ReligionOther')!=null){
133
134
135
 136
                return true;
137
138
                else
139
                return false;
140
141
                return true;
143
144
                function record_student(){
               sthis ->load ->library('form_validation');
if($this ->input ->post('edit_student') == "true")
$this ->form_validation ->set_rules('StudID', 'Student Number', 'trim | required | xss_clean');
146
147
148
149
                else
                sthis-sform_validation-set_rules('StudNum', 'Student Number', 'trim|required|xss_clean|
150
               exact_length [12] | callback_isUniqueStudNum ');
$this->form_validation->set_rules('SLastName', 'Last Name', 'trim | required | xss_clean ');
$this->form_validation->set_rules('SFirstName', 'First Name', 'trim | required | xss_clean ');
151
```

```
$this->form_validation->set_rules('SMidName', 'Middle Name', 'trim|required|xss_clean');
$this->form_validation->set_rules('SAddress', 'Address', 'trim|required|xss_clean');
$this->form_validation->set_rules('SCellNum', 'Cellphone Number', 'trim|required|xss_clean');
153
154
                                                                                                                                       'trim | required | xss_clean |
155
                  exact_length[12]');
          $this->form_validation->set_rules('SHomeNum', 'Home Number', 'trim|required|xss_clean|exact_length
156
         [7]';

$this->form_validation->set_rules('SGender', 'Gender', 'trim|required|xss_clean');

$this->form_validation->set_rules('SEmailAdd', 'Email Address', 'trim|required|xss_clean|
157
158
                  valid_email');
         valid=mail );

$this->form_validation->set_rules('SBirthday', 'Birthday', 'trim | required | xss_clean');

$this->form_validation->set_rules('SReligion', 'Religion', 'trim | required | xss_clean');

$this->form_validation->set_rules('ReligionOther', 'Religion', 'trim | xss_clean |
159
160
161
         162
163
164
166
167
                  xss clean '):
          $this->form_validation->set_rules('ElemGenAve', 'Elementary General Average', 'trim|required|
169
         xss_clean');
$this->form_validation->set_rules('GradeLevel', 'GradeLevel', 'trim|xss_clean|
170
         callback_requiredGrade');
$this->form_validation->set_rules('Status', 'Status', 'trim|required|xss_clean|
171
        callback_checkDropdown');
$this->form_validation->set_rules('Section', 'Section', 'trim|xss_clean|callback_Section');
if($this->input->post('Status')=='G')
$this->form_validation->set_rules('YearGraduated', 'YearGraduated', 'trim|xss_clean|required');
$this->form_validation->set_rules('Guardian', 'Guardian', 'trim|xss_clean');
if($this->input->post('Guardian')="New"){
$this->form_validation->set_rules('GLastName', 'Last Name', 'trim|required|xss_clean');
$this->form_validation->set_rules('GFirstName', 'First Name', 'trim|required|xss_clean');
$this->form_validation->set_rules('GMidName', 'Middle Name', 'trim|required|xss_clean');
$this->form_validation->set_rules('GAddress', 'Address', 'trim|required|xss_clean');
$this->form_validation->set_rules('GCellNum', 'Cellphone Number', 'trim|required|xss_clean');
                callback_checkDropdown');
172
173
174
176
178
179
181
                 exact length[12]'):
          $this->form_validation->set_rules('GHomeNum', 'Home Number', 'trim|required|xss_clean|exact_length
182
         [7]');

$this->form_validation->set_rules('GEmailAdd', 'Email Address', 'trim|required|xss_clean|
183
                  valid_email')
         %and_email ),
$this->form_validation->set_rules('Occupation', 'Occupation', 'trim | required | xss_clean');
184
185
          }
if ($this->form_validation->run() == FALSE){
$data = arrav('page_header' => 'Add Student Record', 'page_title'=>'Add Record');
186
         $data = array('page_header' => 'Add Student Record', 'page_$data["guardian"] = $this->guardian->get_all_guardians();
$data["section"] = $this->schooladmin->get_all_sections();
187
188
189
         if ($this->input->post('edit_student')=="true")
$this->load->view('add_record/edit_student',$data);
190
192
         $this -> load -> view('add_record/student', $data);
193
195
          if ($this ->input ->post ('Guardian') =="List")
196
          $guardianNum = $this->input->post('GuardianList');
197
198
          else {
if($this->input->post('GMidName')=="")
199
200
         $midname=""
201
          else
         % smidname=$this ->input ->post("GMidName");
$gemailadd= strtolower(str_replace(" ","", $this->input->post('GFirstName')).str_replace(" ","",
$this->input->post('GLastName')))."@gmail.com";
$data = array(
202
203
204
205
          'GLastName'=> $this->input->post('GLastName'),
'GFirstName' => $this->input->post('GFirstName'),
206
207
          'GMidName' => Sthis->input->post('GFirstName')'GMidName' => Smidname,
'GAddress' => Sthis->input->post('GAddress'),
'GCellNum' => Sthis->input->post('GCellNum'),
'GHomeNum' => Sthis->input->post('GHomeNum'),
'GEmailAdd' => Sthis->input->post('GEmailAdd'),
'DateCreated' =>date("Y-m-d"),
208
209
210
211
212
213
214
          'Occupation' => $this->input->post('Occupation')
215
          if ($this->input->post ('GuardianNum'))
216
217
         $data['GuardianNum'] = $this->input->post('GuardianNum');
         else {
$num = $this -> guardian -> count_guardians()+1;
218
219
220
         if ($num>=0 && $num <10)
$num ="0000".$num;
221
          elseif($num>=10 && $num<100)
         $num = "000".$num;
elseif($num>=100 && $num<1000)</pre>
223
224
         $num = "00".$num;
elseif($num>=1000 && $num<10000)
225
226
         %num = `"0". %num;
%data['GuardianNum'] = "1005-". %num;
227
228
229
         }
$guardianNum = $data['GuardianNum'];
if($this->input->post('edit_student')!="true"){
$gusername = $this->generateUsername(array('first'=>$this->input->post('GFirstName'),
'last'=>$this->input->post('GLastName'),'mid'=>$this->input->post('GMidName')));
230
231
232
```

```
234
         password = his-password();
         $login_details = array(
235
236
          'Username'=>$gusername,
         ".Password" => \$this -> bcrypt -> hash_password (\$gpassword));
237
         $this -> guardian -> record ($data, $login_details);
238
239
240
241
         if ($this->input->post ('Section'))
         $section = $this->input->post('Section');
242
243
         else
         $section = "";
244
245
           if ($this->input->post('Status')=='G')
$yeargraduated=$this->input->post('YearGraduated');
246
           else
248
           $veargraduated="":
         if ($this ->input ->post ('SReligion') =='Other')
249
         $religion = $this->input->post('ReligionOther');
250
251
252
         $religion = $this->input->post('SReligion');
         if ($this->input->post('SMidName')=="'
253
254
         $smidname="
255
         *Ssmidname=$this->input->post("SMidName");
*Ssemailadd= strtolower(str_replace(" ","", $this->input->post('SFirstName')).str_replace(" ","",

*$this->input->post('SLastName')))." @gmail.com";
256
257
258
         $this ->input ->post( SLastName ) ) ). State a array(
'StudNum' => $this ->input ->post('StudNum'),
'SLastName'=> $this ->input ->post('SLastName')
259
260
262
         'SFirstName' => $this->input->post('SFirstName'),
'SMidName' => $smidname,
'GuardianNum' => $guardianNum,
'SAddress' => $this->input->post('SAddress'),
'SCellNum' => $this->input->post('SCellNum'),
'SHomeNum' => $this->input->post('SHomeNum'),
'SEmailAdd' => $this->input->post('SEmailAdd'),
'SGender' => $this->input->post('SEmailAdd'),
'SBirthday' => $this->input->post('SBirthday'),
'SBirthplace' => $this->input->post('SBirthday'),
'SBirthplace' => $this->input->post('SBirthplace'),
'SReligion' => $religion.
          'SFirstName' => $this->input->post('SFirstName'),
263
264
265
266
267
268
269
270
271
         'SReligion' => %this->input->post('SBirthplace'),
'SReligion' => %religion,
'SCitizenship' => %this->input->post('SCitizenship'),
'SHeight' => %this->input->post('SHeight'),
'SWeight' => %this->input->post('SWeight'),
272
273
274
275
          'DateWeighed' =>$this->input->post('DateWeighed'),
'ElemSchool' => $this->input->post('ElemSchool'),
'ElemSchoolAdd' => $this->input->post('ElemSchoolAdd'),
276
277
278
         'ElemSchoolAdd' => $this->input->post ('ElemSchool'),
'ElemGenAve' => $this->input->post ('ElemGenAve'),
'Status' => $this->input->post ('Status'),
'DateCreated' => date("Y-m-d"),
'GradeLevel' => $this->input->post ('GradeLevel'),
'SectionID' => $section,
279
280
281
282
283
284
          'YearGraduated'=>$yeargraduated
285
286
         if ($this->input->post('edit_student')=="true"){
         $data['ID'] = $this->input->post('StudID');
$this->student->edit($data);
287
288
289
290
         else{
           ...-(
*susername = $this->generateUsername(array('first'=>$this->input->post('SFirstName'), 'last'=>
291
         $this->input->post('SLastName'), 'mid'=>$this->input->post('SMidName')));
$spassword = $this->randomPassword();
292
293
           $login_details = array(
          ologin_devails = and,

'Username';=>susername,

'Password':=>$this->bcrypt->hash_password($spassword));
294
295
296
           $this -> student -> record ($data, $login_details);
297
         fdata = array('page_header' => 'Add Guardian Record','page_title'=>'Add Record');
redirect('record/view_student/'.$this->input->post('StudNum'));
298
300
301
         public function generateUsername($array){
$first = $array['first'];
$last = preg_replace('/\s+/', '', $array['last']);;
302
303
304
         stat = pregleplace( / \$ + / \;
$mid = \$ array [ 'mid '];
$this -> load -> model( 'user ');
for (\$ i = 0; \$ i < count (\$ first ); \$ i ++) {</pre>
305
306
307
         $username=$first[$i].$mid[0].$last;
308
         if($this->user->unique_username($username))
return strtolower($username);
309
310
311
312
         function randomPassword() {
313
           **salphabet = "abcdefghijklmnopqrstuwxyzABCDEFGHIJKLMNOPQRSTUWXYZ0123456789";  
**spass = array();
314
315
         $ alray();
$alphaLength = strlen($alphabet) - 1;
for ($i = 0; $i < 8; $i++) {
$n = rand(0, $alphaLength);
</pre>
317
318
         $pass[] = $alphabet[$n];
319
320
           return implode($pass);
321
322
         public function StudNum($str){
323
         $this->form_validation->set_message('StudNum', 'Invalid format.');
```

```
return ( ! preg_match("/[0-9]{4}-([0-9]{5}))$/", $str)) ? FALSE : TRUE;
325
326
          public function Section($str){
327
          **Sthis->form_validation->set_message('Section', 'Section is required'); if($this->input->post('Status')=='E')
328
329
330
          if ($str ==
          return false;
331
332
          else
           return true;
333
334
          public function Unique($str){
335
          sthis->form_validation->set_message('Unique', 'Not Unique.'); if($this->student->view($str) == FALSE)
336
337
          return TRUE;
339
           else
          return FALSE;
340
          Jublic function requiredGrade($str){
$this->form_validation->set_message('requiredGrade', 'Grade required.');
if($this->input->post('Status')== 'E')
342
343
344
345
           if($str == 'NA')
346
          return FALSE;
347
348
          else
349
          return TRUE;
350
           return TRUE;
351
352
          public function checkDropdown($str){
$this->form_validation->set_message('checkDropdown', 'No value.');
if($str == ""){
353
354
355
          return FALSE;
356
357
358
           return TRUE:
359
360
         361
362
364
365
367
368
                   exact_length[12]');
          exact_lengtn[12]');

$this->form_validation->set_rules('SAMaritalStatus', 'Marital Status', 'trim|required|xss_clean');

$this->form_validation->set_rules('SASpouseName', 'Spouse Name', 'trim|xss_clean|
369
370
                    callback_SpouseName');
          $this->form_validation->set_rules('SAEmailAdd', 'Email Address', 'trim|required|xss_clean|
371
                   valid_email');
         valid_email');
$this->form_validation->set_rules('SABirthday', 'Birthday', 'trim|required|xss_clean');
$this->form_validation->set_rules('SABirthplace', 'Birthplace', 'trim|required|xss_clean');
$this->form_validation->set_rules('SAReligion', 'Religion', 'trim|required|xss_clean');
$this->form_validation->set_rules('ReligionOther', 'Religion', 'trim|xss_clean');
callback_religionSAOther|max_length[100]');
$this->form_validation->set_rules('SACitizenship', 'Citizenship', 'trim|required|xss_clean');
$this->form_validation->set_rules('SADepartment', 'Department', 'trim|required|xss_clean');
$this->form_validation->set_rules('SAYearsService', 'Years Service', 'trim|required|xss_clean');
$this->form_validation->set_rules('SAType', 'School Admnin Type', 'trim|required|xss_clean');
if($this->form_validation->rule) = FAISE){
372
373
375
376
377
378
          Sthis->form_validation->set_rules('SAType', 'School Admnin Type', 'trim|required|xss_clean'); if($this->form_validation->run() == FALSE){
$data = array('page_header' => 'Add School Administrator', 'form' => NULL, 'page_title' => 'Add
379
380
381
                   Record ');
382
          $this -> load -> view ('add_record/school_admin', $data);
383
384
           if ($this -> input -> post ('SMaritalStatus') == 'Married')
385
          $spousename = $this->input->post('SASpouseName');
386
387
          $spousename = 'N/A';
388
          $spousename = 'N/A';
$data = array(
'SALastName'=> $this->input->post('SALastName'),
'SAFirstName' => $this->input->post('SAFirstName'),
'SAMidName' => $this->input->post('SAFirstName'),
'SAMype' => $this->input->post('SAType'),
'SADepartment' => $this->input->post('SADepartment'),
'SAAddress' => $this->input->post('SAGdress'),
'SACellNum' => $this->input->post('SAGdender'),
'SAGender' => $this->input->post('SAGender'),
'SABithday' => $this->input->post('SAGinder'),
389
390
391
392
393
395
396
           'SAGender' => $this->input->post('SAGender'),
'SABirthday' => $this->input->post('SABirthday'),
'SABirthplace' => $this->input->post('SABirthplace'),
'SAReligion' => $this->input->post('SAReligion'),
'SACitizenship' => $this->input->post('SACitizenship'),
'SACitizenship' => $this->input->post('SAMaritalStatus'),
398
399
400
401
402
           'SAS Marital Status' => $this -> input -> post ('SAMarital Status' 'SAS pouse Name' => $spouse name, 'SAYears Service' => $this -> input -> post ('SAYears Service'), 'SAE mail Add' => $this -> input -> post ('SAE mail Add'), 'Date Created' => date ("Y-m-d")
403
404
405
406
407
           /, slogin_detail['Username'] = $this->generateUsername(array('first'=>$this->input->post('SAFirstName
408
                    '),
'last'=>$this->input->post('SALastName'), 'mid'=>$this->input->post('SAMidName')));
409
410
           $login_detail['Password'] = $this->bcrypt->hash-password($this->randomPassword());
```

```
if($this->input->post('SANum')){
$data['SANum'] = $this->input->post('SANum');
411
412
413
414
                     else {
                    $num = $this->schooladmin->count_schooladmins()+1;
415
                    416
417
 418
                    419
420
                    $num =
422
                     elseif ($num>=1000 && $num<10000)
                  elseif(\( \)num >= 1000 && \( \)num < 10000\)
\( \)\( \)num = "0".\( \)num;
\( if(\) \ data['SAType'] == 'Registrar')\)
\( \)\( \) data['SANum'] = "1000 -".\( \) num;
\( else if(\) \ data['SAType'] == 'Principal')\)
\( \)\( \) \( \) data['SANum'] = "1001 -".\( \) \( \) num;
\( else if(\) \ data['SAType'] == 'Teacher')\)
\( \)\( \) \( \) data['SANum'] = "1002 -".\( \) \( \) num;
\( else if(\) \ \ data['SAType'] == 'Personnel')\)
\( \)\( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \
423
425
426
428
429
 430
431
 432
                   }
if ($this->input->post('SAClubAdmin'))
$data['SAType'].="Club";
if ($this->input->post('SAAdviser'))
$data['SAType'].="Adv";
if ($data['SAType']=="Personnel')
$\frac{8}{4}\frac{1}{2}\frac{1}{2}\frac{8}{4}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{2}\frac{1}{
433
434
 435
436
437
                    Sdata['SAType'] -- Fersonner')

$\data['SAType'] -- \$\text{shis} -\text{sinput} -\text{post}('SAPersonnelType');

$\text{this} -\text{schooladmin} -\text{yee'ord}(\$\data, \$\login_detail);

$\data2 = \array('\text{page}_header' => 'Add School Administrator', '\text{page}_title' => 'Edit Record');
439
440
                    $this -> load -> view ('add_record/student_success');
$this -> form_validation -> clear_field_data();
$this -> load -> view ('add_record/school_admin', $data2);
442
 443
444
445
 446
                    public function SpouseName($str){
                    Sthis->form_validation->set_message('SpouseName', 'Spouse Name field is required.');
if($this->input->post('SAMaritalStatus')=='Married'){
if($this->input->post('SASpouseName'))
447
448
450
                     return true;
451
                     else
                    return false;
453
454
                     else
 455
                     return true;
456
457
                     function record_guardian(){
 458
                     $this->load->library('form_validation');
                    $this->load->library('form_validation');
$this->form_validation ->set_rules('GLastName', 'Last Name', 'trim|required|xss_clean');
$this->form_validation->set_rules('GFirstName', 'First Name', 'trim|required|xss_clean');
$this->form_validation->set_rules('GMidName', 'Middle Name', 'trim|required|xss_clean');
$this->form_validation->set_rules('GAddress', 'Address', 'trim|required|xss_clean');
$this->form_validation->set_rules('GCellNum', 'Cellphone Number', 'trim|required|xss_clean|);
459
 461
462
                                      \max_{length}[11]');
                     $this->form_validation->set_rules('GHomeNum', 'Home Number', 'trim|required|xss_clean|max_length
464
                                       [7]');
                    $this->form_validation->set_rules('GEmailAdd', 'Email Address', 'trim|required|xss_clean|
465
                                      valid_email');
                    466
467
468
                    $this->form_validation->set_rules ('GPass',
                                                                                                                                                                                                  'Guardian Password', 'trim | required | xss_clean |
                    max_length [128]');
if ($this->form_validation->run() == FALSE)
 469
470
                    $this->load->view('add_record/guardian');
471
                    else {
                    $data = array(
 472
                     $data = array(
'GLastName'=> $this->input->post('GLastName'),
'GFirstName' => $this->input->post('GFirstName'),
'GMidName' => $this->input->post('GMidName'),
'GAddress' => $this->input->post('GAddress'),
'GCellNum' => $this->input->post('GHomeNum'),
'GHomeNum' => $this->input->post('GHomeNum'),
'GEmailAdd' => $this->input->post('GHomeNum'),
'OEcupation' => $this->input->post('GHomeNum'),
'DateCreated' => $this->input->post('GHomeNum'),
'Occupation' => $this->input->post('Occupation')
473
474
475
476
477
478
479
 480
                      'Occupation' => $this->input->post('Occupation')
481
482
 483
                    $num = $this -> guardian -> count_guardians()+1;
484
                    if ($num>=0 && $num <10)
$num ="0000".$num;
485
                     elseif($num>=10 && $num<100)
                    $num = "000".$num;
elseif($num>=100 && $num<1000)</pre>
487
488
                    $num = "00".$num;
elseif($num>=1000 && $num<10000)
 489
490
                    $num = "0".$num;
$data['GuardianNum'] = date('Y')."-".$num;
491
 492
                    Stata [ Guardanium ] - date( 1 ) . - .smin;

$login_details = array(

'Username'=>$this->input->post('GUsername'),

'Password'=>$this->bcrypt->hash_password($this->input->post('GPass')));

$this->guardian->record($data,$login_details);

$this->load->view('add_record/student_success');
493
 494
495
496
```

```
498
        499
       %this->load->helper('form');
%data['page_header'] = 'Search';
$type = $this->session->userdata('logged_in')['Type'];
500
501
502
       if($this->input->post('name')){
$word = mysql_real_escape_string($this->input->post('name'));
$word = htmlentities($word);
$sql = "select *,($ELECT GradeLevel FROM section WHERE stud.SectionID=SectionID) as GradeLevel
from student as stud where'".$word."'
like concat('%',stud.SFirstName,'%')
or '".$word."'like concat('%',stud.SLastName,'%') ";
$query = $this->db->query($sql);
$form = $query->result_array();
$i=0:
        if ($this->input->post('name')) {
503
504
505
506
507
508
509
510
511
        \$i = 0:
         512
514
515
516
         }
if(isset($students))
517
518
        $data['results']=$students;
519
       fif($type=='Registrar' || $type=='Principal' || strpos($type, 'Teacher') !== FALSE )
$this->load->view('view_record/search_student', $data);
elseif(strpos($type, 'Personnel') !== FALSE)
$this->load->view('view_record/search_student_personnel', $data);
520
521
522
524
        function show_students($id=''){
525
       526
527
528
529
530
531
       $data["results"] = $this->student->get_students_enrolled($this->input->post('GradeLevel'),$this->
input->post('SchoolYear'));
532
        $this ->load ->view("view_record/show_enrolled",$data);
533
534
        else
535
        $this->load->view("view_record/show_enrolled");
536
       | selseif(strpos($type, 'Personnel') !== FALSE) { | sthis->load->helper(array('form')); | if($this->input->post('SchoolYear')!='NA' && $this->input->post('GradeLevel')!='NA') {
537
538
539
       $\text{Stnis->input->post( Schoolrear ):= NA && $\text{stnis->input->post( GradeLevel ):= NA ){}}
$\text{data[" results"] = $\text{stnis->student->get_students_enrolled($\text{$this->input->post('GradeLevel'), $\text{$this->input->post('GradeLevel'), $\text{$this->input->post('SchoolYear'));}}
$\text{$this->load->view("view_record/show_enrolled_personnel", $\text{$data);}}$
540
541
542
        else$this->load->view("view_record/show_enrolled_personnel");
543
544
       **Sdata['students'] = $this->guardian->get_child_record($type = $this->session->userdata('logged_in')['ID']);
546
547
        $this -> load -> view ('view_record/show_students_guardian', $data);
548
549
550
        redirect ('home'):
551
552
       function show_enrolled($id=''){
$type = $this->session->userdata('logged_in')['Type'];
$data['page_header'] = 'Students';
553
554
555
       $data['page_header'] = 'Students';
$this->load->helper(array('form'));
$data['schoolyear'] = $this->functions->current_schoolyear();
if($type=='Registrar' || $type=='Principal' || strpos($type, 'Teacher') !== FALSE){
if($this->input->post('SchoolYear')!='NA' && $this->input->post('GradeLevel')!='NA'){
$data["results"] = $this->student->get_students_enrolled($this->input->post('GradeLevel'),$this->input->post('SchoolYear'));
$this->load->view("view_record/show_enrolled",$data);
556
557
558
559
560
561
562
        ,
else
563
        $this ->load ->view(" view_record/show_enrolled",$data);
564
565
       566
567
568
569
570
571
        else
572
        $this->load->view("view_record/show_enrolled_personnel",$data);
573
        else
574
575
        redirect ('home');
576
        function show_not_enrolled($id=''){
577
       578
579
580
```

```
if(\$this->input->post(`GradeLevel')!='NA'){
582
           583
584
585
586
587
           588
589
590
           else if($type=='Personnel'){
$data["results"] = $this->student->get_students($id);
$this->load->view("view_record/show_students_personnel",$data);
591
592
593
594
595
596
            redirect ('home');
597
            function show_graduated($id=''){
598
           599
600
601
602
603
604
605
606
             else{
607
            $this -> load -> view ("view_record/show_graduated", $data);
608
609
610
611
            else if ($type=='Personnel') {
           612
613
614
615
            redirect ('home'):
616
617
            function show_all_students(){
618
           %config = array();
%config [" base_url"] = base_url()."record/show_students";
%config [" total_rows"] = $this->student->count_all();
%config [" per_page"] = 1;
%config [" uri_segment"] = 3;
%config [" uri_segment"] = 3;
619
620
621
622
623
              $choice = $config["total_rows"] /$config["per_page"];
$config["num_links"] = round($choice);
624
625
626
              $this->pagination->initialize($config);
627
628
           $page = ($this->uri->segment(3))? $this->uri->segment(3):0;
$data["results"] = $this->student->get_all();
$data["links"] = $this->pagination->create_links();
$data["page_header"] = "Show Students";
$data["grade"] = "Grade 7";
$this->load->view("view_record/show_students",$data);
629
630
632
633
634
635
636
637
638
              function grades ($studentid) {
639
              stype = $this->session->userdata('logged_in')['Type'];
$data['page_header'] = $data['student'] = $this->functions->get_student_name($studentid);
if($type=="Principal" || $type=="Guardian"){
640
641
642
           $this->load->model('grades');
$subjects= $this->student->get_all_subjects($studentid);
643
644
645
              $array = array();
           saltay = array(),
foreach($subjects as $row){
$array[$row['SubjectID']] = $this->grades->get_grades_per_grading($row['SubjectID'], $studentid);
646
647
648
           $data['score_grading '] = $array;
$data['subjects '] = $subjects;
$this->load->view('student/view_grades',$data);
649
650
651
652
            $this->session->set_flashdata('studentno', $studentid);
653
654
           function view_grades($id=""){
$type = $this->session->userdata('logged_in');
if($id=="")
$id=$type['ID'];
$deta['];
$deta
655
656
657
658
           **Sdata['page_header'] = **Sdata['student'] = **this->functions->get_student_name(*id); **this->load->model('grades'); **Sdata['grades'] = **this->grades->view_grades(*id);
660
661
           wuaua | grades | = &tnis->grades->view_grades($id);
$this->load->library("functions");
$data['schoolyear']= $this->functions->current_schoolyear();
if($type['Type']=="Student")
662
663
664
            $this->load->view('student/view_grades',$data);
665
666
            else
667
            $this->load->view('student/view_grades_other', $data);
668
            $\this -> \session -> \set_flash \data ('studentno', \$\this -> \session -> \flash \data ('studentno'));
669
670
            function view_specific_grade($studentid,$gradingperiod){
           $this->load->model('grades');
$this->session->set_flashdata('classid');
$this->session->flashdata('classid'));
671
672
            $results = $this->grades->view-test-types($gradingperiod);
```

```
$data['page_header'] =$data['student']= $this->functions->get_student_name($studentid);
$knowledge = array();
$product = array();
674
675
676
              $understanding = array();
677
678
              $process = arrav():
679
              \$i = 0;
              \$i = 0:
680
681
              \$k = 0;
682
              1 = 0;
             $knowledge_grades = array();
$product_grades= array();
683
684
685
             $process_grades = array();
$understanding_grades = array();
686
             Sunderstanding_grades= array();
if($results!=null){
foreach($results as $row){
   if($row ['AssessmentType']=='process'){
   $process[$i] = array('TestType'=>$row['TestType'],
   'GradingPeriodID'=>$row['GradingPeriodID'],
   'TestID'=>$row['TestID']
688
689
690
691
692
693
              694
695
696
             697
698
699
700
              /, $understanding_grades[$row['TestID']] = $this->grades->get_column($row['TestID'], $studentid);
702
703
              $i++;
704
              | selse if($row['AssessmentType']=='product'){
| sproduct[$k] = array('TestType'=>$row['TestType'],
705
706
                GradingPeriodID'=>$row['GradingPeriodID'],
707
               'TestID'=>$row['TestID']
708
709
710
              *product_grades [$row['TestID']] = $this->grades->get_column($row['TestID'], $studentid);
711
             $k++:
712
713
             %knowledge[$1] = array('TestType'=>$row['TestType'],
'GradingPeriodID'=>$row['GradingPeriodID'],
'TestID'=>$row['TestID']
714
716
717
              *knowledge_grades[$row['TestID']] = $this->grades->get_column($row['TestID'], $studentid);
719
              $1++;
720
721
722
             $\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\te}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\t
724
725
727
728
729
730
731
732
733
734
735
736
              function view_student($id){
             stype = $this ->session -> userdata('logged_in')['Type'];
if($type=='Registrar' || $type=='Principal' || strpos($type,'Teacher') !== FALSE || $type=="
737
738
              Guardian") {
$result = $this->student->view($id);
740
              foreach ($result as $row) {
             $array = array(
'page_header'=>'View Profile',
741
742
               'StudNum' => $row->StudNum,
'SLastName'=> $row->SLastName,
743
744
745
               'SFirstName' => $row->SFirstName,
               'SMidName' => $row->SMidName,
'GuardianNum' => $row->GuardianNum,
746
               'SAddress' => $row->SAddress,
'SCellNum' => $row->SCellNum,
'SHomeNum' => $row->SHomeNum,
748
749
 750
               'SGender' => $row->SGender,
'SBirthday' => $row->SBirthday,
'SBirthplace' => $row->SBirthplace,
751
752
753
              'SReligion' => $row->SReligion,
'SCitizenship' => $row->SCitizenship,
'SWeight' => $row->SWeight,
'SHeight' => $row->SHeight,
'DateWeighed' => $row->DateWeighed,
754
755
757
758
             'DateWeighed' => $row->DateWeighed,
'ElemSchool' => $row->ElemSchool,
'ElemSchoolAdd' => $row->ElemSchoolAdd,
'ElemGenAve' => $row->ElemGenAve,
'Status' => $row->Status,
'SEmailAdd' => $row->SEmailAdd,
'GradeLevel' => $row->GradeLevel
759
760
761
762
763
```

```
765
                    );
if(isset($row->SectionName))
$array['SectionName'] = $row->SectionName;
766
 767
 768
                     $array['SectionName']="";
 769
 770
                    $\footnote{\text{data}} = \array();
$\footnote{\text{data}} = \text{$\text{student'}$} = \text{$\text{this}$->\text{functions}$->\text{get_student_name}(\text{$\text{id}});
$\footnote{\text{data}} = \text{$\text{form'}$} = \text{$\text{student}$} 
 771
 772
 773
 774
 775
 776
                      foreach ($result as $row) {
 777
                     $array = array(
                      'GLastName' => $row->GLastName,
'GFirstName' => $row->GFirstName,
'GMidName' => $row->GMidName,
 778
779
 780
                       'GuardianNum' => $row->GuardianNum,
'GAddress' => $row->GAddress,
'GCellNum' => $row->GCellNum,
 782
 783
                      'GHomeNum' => $row->GHomeNum,
'GEmailAdd' => $row->GEmailAdd,
'Occupation' => $row->Occupation
 784
 785
 786
 787
788
                    }
$data['form2'] = $array;
$this->load->library('form_validation');
$this->load->helper(array('form'));
$data['student'] = $this->functions->get_student_name($id);
 789
 790
 791
                    $\text{state() | \text{state() | \text{st
 793
 794
 795
 796
  797
                      else if (strpos ($type, 'Personnel') !== FALSE) {
798
                      redirect ('record/view_student_offenses/'.$id);
 799
 800
                      function view_student_clearance($studid){
                    $this->load->helper('form');
$this->load->model('student');
801
802
                      $id = $this->student->get_current_student_section($studid);
803
                    $schoolyear = $this -> functions -> current_schoolyear();
$data['subjects'] = $this -> schooladmin -> get_subject_section($id);
$clearance = array();
804
805
                    screarance = array();
foreach($data['subjects'] as $subject){
$arr = $this->student->check_clearance2($studid,$schoolyear,$subject['SubjectName'],$subject['
807
808
                                       TeacherNum']);
                     if($arr)
809
                     $clearance[$subject['SubjectID']] = $arr;
810
811
                    **Sclearance [$subject['SubjectID']] = array ('TeacherName'=>$subject['SAFirstName']." ".$subject['SALastName'], 'ClearanceFor'=>$subject['SubjectName'], 'Status'=>'NC', 'ClearanceID'=>"0",'
ApprovedBy'=>$subject['TeacherNum']);
812
813
                    815
817
818
                      $arr = $this->student->check_clearance3($studid, $schoolyear, $oc);
819
820
                     if(Sarr)
821
                      $clearance[$key] = $arr;
822
                    823
824
825
                     Sclearance[$key] = array ('TeacherName'=>$data['guidance']['TeacherName'], 'ClearanceFor'=>$oc,' Status'=>'NC', 'ClearanceID'=>"0",'ApprovedBy'=>$data['guidance']['SANum']);
826
                      else
827
                    $clearance[$key] = array('TeacherName'=>"",'ClearanceFor'=>$oc,'Status'=>'NC','ClearanceID'=>"0",'
ApprovedBy'=>"");
 828
829
 830
                    $\frac{1}{2}$ $\data['clearance'] = \frac{1}{2}$ $\data['page_header'] = \frac{1}{2}$ $\data['page_header'] = \frac{1}{2}$ $\data['student_name(\frac{1}{2}$ $\data['student_name(\frac{1}$ $\data['student_name(\frac{1}{2}$ $\data['student_name(\frac{1}{2}$ $\data['student_n
831
832
833
                    $data['schoolyear'] = $this->functions->current_schoolyear();
if(strpos($this->session->userdata('logged_in')['Type'], 'Personnel') !== FALSE){
$this->load->view('view_record/view_all_clearance_personnel',$data);
834
835
836
837
838
                     $this->load->view('view_record/view_all_clearance',$data);
839
840
                       .
function_change_status($status, $clearanceid, $studnum, $clearancefor="", $approvedby=""){
 841
                     $this->load->model("student");
if($clearanceid=="0" && $clearancefor!="" && $approvedby!=""){
842
843
                     $data = array('StudNum'=>$studnum,
'ClearanceFor'=>urldecode($clearancefor),
 844
845
                      'ApprovedBy'=>$approvedby,
'Date'=>date("Y-m-d"),
'Status'=>'C',
846
847
848
                      'SchoolYear'=>$this->functions->current_schoolyear());
```

```
850
            $this -> student -> record clearance ($data):
851
            else{
852
            if ($status=='C')
853
            $new_status = "NC";
854
855
            else
856
            $new_status="C'
            $data = array ('ClearanceID'=>$clearanceid, 'Status'=>$new_status);
857
858
            $this->student->edit_clearance($data);
859
860
            redirect ('record/view_student_clearance/'.$studnum);
861
            , function_change_status2($status,$clearanceid,$studnum,$approvedby,$clearancefor=""){
862
            status change status ( status, sciearanceid, sstudium, sapproved sthis ->load ->model("student"); if ($clearanceid=="0" && $clearancefor!="" && $approvedby!="") {
$data = array('StudNum'=>$studnum,
'ClearanceFor'=>urldecode($clearancefor),
863
864
865
866
867
              'ApprovedBy'=>$approvedby
            'Date'=>date("Y-m-d"),
868
            'Status'=>'C'
869
              'Status'=>'C',
'SchoolYear'=>$this->functions->current_schoolyear());
870
871
            $this->student->record_clearance($data);
872
873
            else{
            fif($status=='C'){
$new_status = "NC";
$approvedby="0000-00000";
874
875
876
878
             else{
            new_status="C" ;
879
880
            881
882
883
884
            redirect('record/view_student_clearance/'.$studnum);
885
886
            function view student clearance copy ($id) {
887
            $this->load->helper('form');
888
            Stata ['schoolyear'] = $this->functions->current_schoolyear();
$data ['schoolyear'] = $this->functions->get_student_name($id);
if ($this->input->post('SchoolYear')!='NA') {
$data ['clearance'] = $this->student->get_clearance($id, $this->input->post('SchoolYear'));
$this->load->view('view_record/view_all_clearance', $data);
889
890
892
893
894
895
            $this->load->view('view_record/view_all_clearance', $data);
896
897
898
            function view_student_extracurricular($id){
899
            $this->load->helper('form');
            $\data['schoolyear'] = \$\this-\frac{\text{functions}}{\text{constructions}} = \$\this-\frac{\text{functions}}{\text{constructions}} = \$\text{constructions} = \text{current}_{\text{schoolyear}} ();
$\data['page_header'] = \$\data['student'] = \$\this-\frac{\text{functions}}{\text{constructions}} = \text{current}_{\text{schoolyear}} (\$\text{sid});
if (\$\text{this} ->\text{input} ->\text{post} ('SchoolYear') != '') {
900
901
902
            **Sdata['selected_schoolyear'] = $this->input->post('SchoolYear');
$data['extra'] = $this->student->get_extra($id,$this->input->post('SchoolYear'));
903
904
905
906
            else{
907
            $data['selected_schoolyear'] = $data['schoolyear'];
            $data['extra'] = $this->student->get_extra($id,$data['schoolyear']);
908
909
910
            $this->load->view('view_record/view_all_extra', $data);
911
            public function view_extracurricular($id){
912
913
            $this->load->helper('form');
            | state | respect to the property form | respect to the proper
914
915
            $data['clearance']= $this->student->view_extra($id);
$student = $this->student->get_student_name_extra($id);
$data['page_header'] = $student[0]['SFirstName']." ".$student[0]['SLastName'];
$data['studentno'] = $student[0]['StudNum'];
$this->load->view("view_record/view_single_extra",$data);
916
917
918
919
920
921
922
            function view_all_extracurricular(){
            $this -> load -> helper ('form');
$this -> load -> library ('functions');
923
924
            $\text{sthis > load > model('student');}
$\data['schoolyear'] = $\text{sthis -> current_schoolyear();}
$\data['page_header'] = "Extracurricular";}
$\text{stracurricular";}
025
926
            if (strpos ($this->sersion->userdata ('logged_in') ['Type'], 'Teacher') !== FALSE) {
    if ($this->input->post ('SchoolYear')) {
928
929
              $\data['extra'] = $\this->\student->\get_extra_teacher(\$\this->\input->\post('SchoolYear'));
930
931
932
            $this ->load ->view ('view_record/view_extra', $data);
933
              }
934
            function change_extracurricular($id,$status){
if(strpos($this->session->userdata('logged_in')['Type'],'Teacher') !== FALSE){
if($status =='C')
$status ='NC';
935
936
937
938
939
            else
              $status="C":
940
            $data = array('ApprovedBy'=>$this->session->userdata('logged_in')['ID'];
```

```
'Status'=>$status, 'ActivityID'=>$id);
 942
               $this -> student -> edit_extra ($data);
 943
                redirect ('record/view_extracurricular/'.$id);
 944
 945
 946
 947
               function extracurricular(){
               %this->load->helper('form');
if(strpos($this->session->userdata('logged_in')['Type'],'Teacher') !== FALSE){
$data['page_header'] = "Extracurricular";
$data['schoolyear'] = $this->functions->current_schoolyear();
$this->load->view('add_record/extra',$data);
 948
 949
 950
 951
 953
 954
 955
                function clearance($id){
               $data['SectionID'] = $id;
$this->load->helper(array('form'));
 956
 957
              $this->load->helper(array('form'));
$data['subjects'] = $this->schooladmin->get_subject_section($id);
$data['teacher'] = $this->schooladmin->get_teachers();
$data['guidance'] = $this->schooladmin->get_guidance_personnel();
$data['property'] = $this->schooladmin->get_property_personnel();
$sectioname=$this->schooladmin->view_section($id);
$data['page_header'] = $sectioname[0]->SectionName;
$this->load->view('add_record/clearance',$data);
 958
 959
 960
 961
 962
 963
 964
 965
  966
                function add_students($sectionid){
              function add.students($sectionid){
$this->load->helper('form');
if($this->session->userdata('logged_in')['Type']=='Registrar'){
$data['page_header'] = "Section";
$data['schoolyear']=$this->functions->current_schoolyear();
$this->load->view('add_record/add_students', $data);
 967
 968
  969
 970
 971
 972
 973
 974
               public function edit_extracurricular($id){
               $this->load->helper(array('form'));
$sql= 'SELECT * ';
 975
 976
               $sql= 'SELECT * ';
$sql = 'FROM extra_activity WHERE ActivityID = ?';
  977
              $sql .= 'FROM extra_activity winder form.'
$sql.params = array($id);
$query = $this->db->query($sql, $sql.params);
$form = $query->row.array();
$data = array('title' => 'Add Page', 'row' => $form,'page_header'=>'Edit Record');
$student = $this->student->get.student_name_extra($id);

**J-to['page header'] = $student[0]['SFirstName']." ".$student[0]['SLastName'];
 978
 979
 981
 982
 983
               $data['page_header'] =$student[0]['SFirstName']."
$this->load->view('add_record/edit_extra',$data);
 984
 985
 986
                public function save_edited_extracurricular($id){
               $\text{state} \text{state} \\
$\text{sthis} = \text{load} = \text{library} ('form_validation');
$\text{sthis} = \text{form_validation} = \text{set_rules} ('description', 'Description', 'trim | required | xss_clean');
$\text{sthis} = \text{form_validation} = \text{set_rules} ('recognition', 'Recognition', 'trim | required | xss_clean');
$\text{sthis} = \text{form_validation} = \text{set_rules} ('schoolyear', 'School Year', 'trim | required | xss_clean | \text{set_rules} ('schoolyear');
$\text{sthis} = \text{state} \text{set_rules} ('schoolyear', 'School Year', 'trim | required | xss_clean | \text{set_rules} ('schoolyear');
$\text{state} = \text{set_rules} ('schoolyear', 'school Year', 'trim | required | xss_clean | \text{set_rules} ('schoolyear');
$\text{set_rules} = \text{set_rules} ('schoolyear', 'school Year', 'trim | required | xss_clean | \text{set_rules} ('schoolyear');
$\text{set_rules} = \text{set_rules} ('schoolyear', 'school Year', 'trim | required | xss_clean | \text{set_rules} ('schoolyear', 'schoolyear', '
 987
 988
 989
 990
                            callback_SchoolYear');
               callback_bcnoolyear );
if ($this->form_validation->run() == FALSE) {
$student = $this->student->get_student_name_extra($id);
$data['page_header'] = $student[0]['SFirstName']." ".$st
$this->load->view('student/edit_extra', $data);
 991
 992
                                                                                                                                                              . $student [0]['SLastName'];
 994
 995
 996
                 $\text{
$\this->load->helper(array('form'));
$\text{config['upload_path'] = './uploads/'.$this->session->userdata('logged_in')['ID'].'/extra_act/';
$\text{config['allowed_types'] = 'gif|jpg|png|pdf|zip|rar';}
$\text{config['max_size'] = '1000';}
$\text{config['max_width'] = '1024';}
$\text{config['max_height'] = '768';}
}
 997
 998
 999
1000
1001
1002
1003
               $this->load->library('upload', $config);
if ($_FILES && $_FILES['userfile']['name'] !== "") {
if (!$this->upload->do_upload()){
1004
1005
1006
               1007
1008
               $this -> load -> view ('add_record/edit_extra', $data);
1009
1010
1011
               $data = array('upload_data' => $this -> upload -> data());
1012
1013
               $array = array('Description'=>$this->input->post('description'),
'Recognition'=>$this->input->post('recognition'),
1014
1015
1016
                'ActivityID'=>$id,
               1017
1018
1019
1020
1021
1022
               $this->student->edit_extra($array);
1023
               //redirect('subject/portfolio_files/'.$class_id.'/'.$portfolio_id);
1024
1025
1026
1027
               $array = array('Description'=>$this->input->post('description'),
1028
                 'Recognition'=>$this->input->post('recognition'),
1029
1030
                 'ActivityID'=>$id,
                  SchoolYear'=>$this->input->post('schoolyear'));
1031
                $this->student->edit_extra($array);
```

```
1033
                 redirect ('record/view_extracurricular/'.$id);
1034
1035
1036
1037
                 function delete_extracurricular($id){
                %this->load->model('student');
%this->student->delete_extra(%id);
redirect('record/view_all_extracurricular');
1038
1039
1040
1041
                public function record_extracurricular($studid){
$this->load->library('form_validation');
$this->load->model('student');
$this->form_validation->set_rules('Recognition[]', 'Recognition', 'trim|required|xss_clean');
$this->form_validation->set_rules('Description[]', 'Description', 'trim|required|xss_clean');
$this->form_validation->set_rules('SchoolYear[]', 'School Year', 'trim|required|xss_clean');
1042
1043
1044
1045
1046
1047
                               callback_SchoolYear');
                % this->form_validation->set_rules('Name[]', 'Name', 'trim|required|xss_clean');
% this->form_validation->set_rules('NameID[]', 'NameID', 'trim|required|xss_clean');
if(% this->form_validation->run() == FALSE){
1048
1049
1050
                state = s
1051
1052
1053
1054
1055
1056
                 $this->load->view('add_record/extra',$data);
1057
1058
1059
                # Stiles = array();
# Stiles = array();
# Stonfig['upload_path'] = './uploads/'. # Sthis -> session -> userdata('logged_in')['ID'].'/extra_act/';
# Stonfig['allowed_types'] = 'gif|jpg|jpeg|jpe|png';
# Stonfig['max_size'] = '800000000';
# Sthis -> load -> library('upload', # Stonfig);
1060
1061
1062
1063
1064
1065
                 $errors = FALSE;
1066
                 \$i = 0
1067
                 $array_temp = array();
                foreach($_FILES as $key \Rightarrow $value){
if(!empty($value['name'])){
  if(!$this-\upload-\upload($key)){
1068
1069
1070
                $data['upload_message'] = $this->upload->display_errors();
$this->load->vars($data);
1071
1072
1073
                 $errors = TRUE;
1074
1075
                 else {
1076
                 \array\_temp[$key] = $this->upload->data();
1077
                 $files[] = $array_temp[$key];
1078
1079
1080
                 else{
1081
                 $array_temp[$key] ="Empty";
1082
                 $i++:
1083
1084
                fif($errors) {
foreach($files as $key => $file)
    @unlink($file['full_path']);
if(isset($_POST['Description'])&& count($_POST['Description']!=1)) {
    $data['count'] = count($_POST['Description']);
$data['page_header'] = "Extracurricular";
$data['schoolyear'] = $this -> functions -> current_schoolyear();
1085
1086
1087
1088
1089
1090
1091
1092
1093
                 $this->load->view('student/add_extra',$data);
1094
1095
                1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
                }
1106
                    else {
                                        $filename ="";
$fileurl="";
1107
1108
1109
                 $data = array('StudNum'=>$studnum[$i],
'Description'=>$desc[$i],
'Recognition'=>$recog[$i],
1110
1111
1112
                  'ApprovedBy'=>$this->session->userdata('logged_in')['ID'],
'Date'=>date("Y-m-d"),
1113
1114
                  'Status'=>'C',
'FileName'=>$filename,
1115
1116
                  'FileURL'=>$fileurl,
1117
                 'SchoolYear'=>$schoolyear[$i],
'AddedBy'=>$this->session->userdata('logged_in')['ID']);
$this->student->record_extra($data);
1118
1119
1120
1121
1122
                 redirect ('record/view_student_extracurricular/'.$studid);
```

```
1124
1125
1126
          public function record_students($sectionid){
         $this->load->library('form_validation');
$this->load->model('student');
$this->load->model('section_model');
1127
1128
1129
         %this->form_validation->set_rules('Name[]', 'Name', 'trim|required|xss_clean');
$this->form_validation->set_rules('NameID[]', 'NameID', 'trim|required|xss_clean');
1130
1131
1132
          if ($this -> form_validation -> run() == FALSE) {
           %data = array();
if (isset ($.POST['Name'])&& count ($.POST['Name']!=1)) {
&data['page_header'] = "Section";
functions =>current_schoolyee
1133
1134
1135
         $data['page_header'] = "Section";
$data['schoolyear']=$this->functions->current_schoolyear();
1136
1137
1138
          $this->load->view('add_record/add_students', $data);
1139
1140
1141
           $name = $this->input->post('Name');
           $studnum = $this->input->post('NameID');
1142
          $section_grade=$this->section_model->get_section_grade($sectionid);
1143
         for ($i=0;$i<count ($name);$i++){
$data = array ('StudNum'=>$studnum[$i],
'SectionID'=>$sectionid,
'GradeLevel'=>$section.grade);
1144
1145
1146
1147
          $this -> student -> edit_by_studnum($data);
1148
1149
1150
1151
          redirect ('record/view_students/'. $sectionid);
1152
1153
          function view_student_offenses($id){
         function view.student_offenses($id){
$this->load->helper('form');
$data['page.header'] = $data['student'] = $this->functions->get_student_name($id);
$data['schoolyear'] = $this->functions->current_schoolyear();
if(isset($POST['SchoolYear'])&& isset($POST['Type'])&&$this->input->post('SchoolYear')!='NA' &&
$this->input->post('Type')!='NA'){
$data['selected_schoolyear'] = $this->input->post('SchoolYear');
$data['Type'] = $this->input->post('Type');
if($this->input->post('Type')=='Disciplinary')
$data['guidance'] = $this->student->get_guidance($id,$this->input->post('SchoolYear'));
elseif($this->input->post('Type')=='Property')
1154
1155
1156
1157
1159
1160
1161
           elseif($this->input->post('Type')=='Property')

data['offenses']= $this->student->get_offenses($id,$this->input->post('SchoolYear'));
1162
          $data[
1163
1164
         1165
1166
1167
1168
1169
         if(strpos($this->session->userdata('logged_in')['Type'], 'Personnel') !== FALSE)
$this->load->view('view_record/view_all_offenses_personnel', $data);
1170
1171
1173
          1174
         function view_all_clearance(){
$this->load->helper('form');
1176
1177
          $this->load->library('functions');
1178
         1179
1180
1181
1182
1183
         $data['clearance'] = $this->student->get_extra_teacher($this->input->post('SchoolYear'));
$this->load->view('view_record/view_clearance',$data);
1184
1185
1186
           }
1187
1188
          function show_guardians(){
         function show_guardians(){
    $this->load->helper('form');
    if($this->input->post('letter'))
        if($this->input->post('letter')=='NA')
        $data["results"] = $this->guardian->get_guardians();
1189
1190
1191
1192
1193
                        else
                                     $data["results"] = $this->guardian->get-guardians_surname($this->input->post(')
1194
1195
                       $data["page_header"] = "Guardians";
$this->load->view("view_record/show_guardians",$data);
1196
1197
1198
1199
          function view_guardian($id){
1200
         $result = $this->guardian->get_guardian($id);
foreach($result as $row)
1201
                       'GLastName' => $row->GLastName,
'GFirstName' => $row->GFirstName
1202
1203
1204
                       'GFirstName' => $row->GFirstName,
'GMidName' => $row->GMidName,
'GuardianNum' => $row->GuardianNum,
'GAddress' => $row->GAddress,
'GCellNum' => $row->GCellNum,
'GHomeNum' => $row->GHomeNum,
'GEmailAdd' => $row->GEmailAdd,
'Occupation' => $row->Occupation );
1205
1206
1207
1208
1209
1210
1211
         $data = array();
$data['form'] = $array;
1212
```

```
$data['page_header'] ="View Guardian Record";
$this->load->library('form_validation');
$this->load->view('view_record/guardian',$data);
1214
1215
1216
1217
1218
1219
                     function show_schooladmins(){
                    %data[" results"] = %this->schooladmin->get_schooladmins();
%data[" page_header"] = "School Administrators";
%this->load->view(" view_record/show_schooladmin", %data);
1220
1221
1222
1223
1224
                     function view_schooladmin($id){
1225
                    $result = $this->schooladmin->view($id);
foreach($result as $row){
1226
                                                 sresult as srow){
sarray = array(
'SANum' => $row->SANum,
'SALastName'=> $row->SALastName,
'SAFirstName' => $row->SAFirstName,
1227
1228
1229
1230
                                                   'SAMidName' => $row->SAMidName,
'SAMidName' => $row->SAMidName,
'SAType' => $row->SAType,
'SADepartment' => $row->SADepartment,
'SAAderss' => $row->SAAderss,
'SAACellNum' => $row->SACellNum,
1231
1232
1233
1234
1235
                                                  'SACellNum' => $row->SACellNum,
'SAGender' => $row->SAGender,
'SABirthday' => $row->SABirthday,
'SABirthplace' => $row->SABirthplace,
'SAReligion' => $row->SABirthplace,
'SAReligion' => $row->SABirthplace,
'SACitizenship' => $row->SACitizenship,
'SAMaritalStatus' => $row->SAMaritalStatus,
'SASpouseName' => $row->SASpouseName,
'SAYearsService' => $row->SAYearsService,
'SAEmailAdd' => $row->SAEmailAdd);
1236
1237
1238
1239
1240
1242
1243
1244
1245
                     form3 = array();
1246
                    storms = array();
$sql - SELECT * FROM role_teacher WHERE TeacherNum = ?';
$sql-params = array($id);
$query = $this ->db->query($sql, $sql-params);
$form2 = $query->row_array();
$form3 = array();
1247
1248
1249
1250
1251
1252
                    1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
                    }
$data = array();
$data ['form'] = $array;
$data ['form2'] = $form3;
$data ['page_header'] ="View School Admin Record";
$data ['page_title'] ="View Record";
$this->load->library('form_validation');
$this->load->view('view_record/schooladmin',$data);
1263
1264
1265
 1266
1267
1268
1269
1270
1271
                     function add_section(){
1272
                    function add.section(){
$this >> load -> helper(array('form'));
$data = array();
$data['form2'] = $this -> schooladmin -> get_teachers();
$data['page_header'] = 'Add Section';
$data['all_sy'] = $this -> schooladmin -> get_all_sy();
$this -> load -> view('add_record/section', $data);
}
1273
1274
1275
1276
1277
1278
1279
1280
                     function record_section(){
                    1281
1282
1283
1284
1285
1286
1287
1288
                                                  $data['form2'] = $this->schooladmin->get_teachers();
$data['all-sy'] = $this->schooladmin->get_all_sy();
$this->load->view('add_record/section', $data);
1289
1290
1291
1292
1293
                     else{
                                                  1294
 1295
                                                  else {
1296
                                                                               $name = substr(str_replace(" ", "", $this->input->post('SectionName')),0,6);
1297
                                                                               $\frac{\$\syr1 = \$\partial \$\syr1 = \$\partial \$\syr1 = \$\partial \$\syr1 \$\partial \$\pa
1298
1299
1300
1301
                                                  }
                    $data = array(
'SectionID' => $num,
1302
```

```
'SectionName'=> $this->input->post('SectionName'),
'GradeLevel' => $this->input->post('GradeLevel'),
'SchoolYear' => $this->input->post('sy.hidden'),
'TeacherNum' => $this->input->post('TeacherNum'),
'NumStud'=> $this->input->post('NumStud'),
1304
1305
1306
1307
1308
1309
                              'Room'=> $this ->input->post ('Room')
1310
                            $this->schooladmin->record_section($data);
1311
                           sthis >>load ->view('add.record/student.success');
redirect('record/view_section/'.$num);
1312
1313
1314
1315
                            public function SchoolYear($str){
1316
1317
                             $this->form_validation->set_message('SchoolYear', 'Invalid format.');
                           \begin{array}{l} \mbox{if} \left( \mbox{preg-match} ("/^[0-9]\{4\} - ([0-9]\{4\}) \mbox{\$/"} , \mbox{\$str} \right) \} \\ \mbox{\$str} 1 &= \mbox{substr} (\mbox{\$str} , 0 , 4) ; \\ \mbox{\$str} 2 &= \mbox{substr} (\mbox{\$str} , 5 , 4) ; \end{array}
1318
1319
1320
1321
                                                                   if((\$str2-\$str1)==1)
1322
                                                                                                        return true;
1323
                                                                                                          return false:
1324
1325
1326
                            else
                                                                   return false:
1327
1328
1329
                            function timeInvalid(){
                          % this -> form_valid() {
$this -> form_validation -> set_message('timeInvalid', 'Invalid format.');
$hour1 = $this -> input -> post('Hour1');
$min1 = $this -> input -> post('Min1');
$hour2 = $this -> input -> post('Hour2');
$min2 = $this -> input -> post('Min2');
$time1 = $hour1 = $hou
1330
1331
1332
1333
1334
                           $time1 = $hour1*60+$min1;
$time2 = $hour2*60+$min2;
1335
1336
1337
                            if(\$time2 > \$time1)
                                                                 return true;
1338
1339
1340
                                                                   return false;
1341
1342
                            function show_section(){
1343
                            $this->load->helper('form');
1344
                           $\text{Stata | 'page_header '] = 'Sections ';
$\text{data ['teachers '] = $this->schooladmin->get_class_advisers();}
$\text{data | 'teachers '] = $this->schooladmin->get_class_advisers();}
$\text{figure | State | Stat
1345
1346
1347
                           if($this->input->post('SchoolYear')!='NA'){
    $schoolyear = $this->input->post('SchoolYear');
    $gradelevel = $this->input->post('GradeLevel');
1348
1349
1350
1351
                                                                    $teacher = $this->input->post('ClassAdviser')
                                                                  $data['results'] = $this->schooladmin->get_sections($schoolyear,$gradelevel,$teacher);
$data['schoolyear'] = $schoolyear;
$this->load->view("view_record/show_section",$data);
1352
1353
1354
1355
1356
                            else
1357
                                                                   this -> load -> view ("view_record/show_section", this);
1358
1359
                            function view_section($id){
1360
                           $result = $this->schooladmin->view_section($id);
foreach($result as $row)
1361
                            $array = array(
'SectionID' => $row->SectionID,
1362
1363
1364
                              'SectionName'=> $row->SectionName,
                              'GradeLevel' => $row->GradeLevel,
'SchoolYear' => $row->SchoolYear,
'TeacherNum' => $row->TeacherNum,
1365
1366
1367
1368
                            'NumStud' =>$row->NumStud);
1369
                           1370
1371
1372
1373
1374
1375
                           }
$data = array();
$data['form'] = $array;
$data['page_header'] = $array['SectionName'];
$data['page_title'] = "View Record";
$this->load->library('form_validation');
$this->load->view('view_record/section',$data);
1376
1377
1378
1379
1380
1381
1382
                            public function edit_section($id){
1383
                           $\fints = \text{State} \text{ (state); } \
$\fints = \text{ (
1384
1385
1386
                           $sqleparams = array($id);
$query = $this->db->query($sql, $sql_params);
$form = $query->row_array();
$data = array('title ' => 'Add Page', 'form' => $form, 'page_header'=>'Edit Section Record');
$data['form2'] = $this->schooladmin->get_teachers();
$this->load->view('add_record/section', $data);
}
1387
1388
1389
1390
1391
1392
1393
                            public function add_subjects($id){
                           $this ->load ->helper(array('form'));
$data['SectionID'] = $id;
1394
```

```
$data['teachers'] = $this->schooladmin->get_subject_teachers();
$data['subjects'] = $this->schooladmin->get_subjects_dropdown2($id);
1396
1397
                  $sectioname=$this->schooladmin->view_section($id);
1398
                 $data['page_header'] = $sectioname[0] -> SectionName;
$this -> load -> view('subject/add_subjects', $data);
1399
1400
1401
                  public function record_subjects($id){
1402
                  $this->load->library('form_validation
1403
                $this->load->library('form_validation');
$this->form_validation->set_rules('teacher', 'teacher', 'trim | required | xss_clean');
$this->form_validation->set_rules('subject', 'subject', 'trim | required | xss_clean');
$this->form_validation->set_rules('Room', 'Room', 'trim | required | xss_clean');
$this->form_validation->set_rules('timel', 'trimel', 'trimel',
1404
1405
1406
1407
1408
1409
1410
1411
                 1412
1413
1414
1415
1416
1417
                 else {
1418
                                         1419
1420
                                         else{
1421
                                                                 $num =$this->schooladmin->count-subject-section()+1:
1422
                                                                  if ($num>=0 && $num <10)
$num = "0000".$num;
 1423
1424
                                                                  elseif($num>=10 && $num<100)
1425
                                                                  1426
1427
1428
                                                                  elseif($num>=1000 && $num<10000)
$num = "0".$num:
1429
1430
1431
                                         $hour1 = $this ->input ->post('Hour1')%12;
$min1 = $this ->input ->post('Min1');
$hour2 = $this ->input ->post('Hour2')%12;
1432
1433
1434
                                         $\frac{\text{Smin2} = \text{$\text{this} - \text{sinput} - \text{post} (\text{`Min2}');} \\ \text{if} (\text{$\text{hour1} < 12 &\text{&\text{$\text{$hour1} > 6}} ) \\ \text{$\text{min1} = \text{$\text{min1}." a";}} \end{array}
1435
1436
 1437
1438
1439
                                                                 $min1=$min1."p";
                                         if ($hour2 < 12 && $hour2 > 6 )
$min2 = $min2." a":
1440
1441
                                         else
1442
1443
                                                                 $min2=$min2."p";
                                         \$data = array(
1444
                                           'ID'=>$num,
 1445
                                          'SectionID'=>$id
1446
                                        'SectionID'=>$id,
'SubjectID'=>$this->input->post('subject'),
'TeacherNum'=>$this->input->post('teacher'),
'Room'=>$this->input->post('Room'),
'Schedule'=>$sched);
$this->schooladmin->record_subject_section($id,$data);
1447
 1448
1449
1450
1451
1459
                                         redirect('record/view_subjects/'.$id);
1453
1454
                  public function save_edit_subjects($id){
1455
                  $this ->load ->library ('form_validation');
1456
                $this->load->library('form_validation');
$this->form_validation->set_rules('teacher', 'teacher', 'trim | required | xss_clean');
$this->form_validation->set_rules('subject', 'subject', 'trim | required | xss_clean');
$this->form_validation->set_rules('Room', 'Room', 'trim | required | xss_clean');
$this->form_validation->set_rules('timel', 'timel', 'trim | xss_clean | callback_timeInvalid');
$this->form_validation->set_rules('Hour2', 'Hour2', 'trim | xss_clean');
$this->form_validation->set_rules('Min1', 'Min1', 'trim | xss_clean');
$this->form_validation->set_rules('Hour1', 'Hour1', 'trim | xss_clean');
$this->form_validation->set_rules('Min2', 'Min2', 'trim | xss_clean');
$this->form_validation->set_rules('Min2', 'Min2', 'trim | xss_clean');
1457
1458
1459
1460
1461
                 %this ->form_validation ->set_rules ('Hour2',
%this ->form_validation ->set_rules ('Min1',
%this ->form_validation ->set_rules ('Hour1',
%this ->form_validation ->set_rules ('Min2',
if ($this ->form_validation ->run() = FALSE) {
1462
1463
1464
1465
                11($\tins->\tinm.varidation ->\tin\() - \times,()
$\data['\teachers'] = \tinks->\teachooladmin->\teachers();
$\data['\teachers'] = \tinks->\teachooladmin->\teachers_dropdown(\tinks_d);
$\tinks->\teachers_oload->\text{view}('\text{subject}/add_\text{subjects}',\tinks_data);
$\tinks->\text{load}_\text{-view}('\text{subject}/add_\text{subjects}',\tinks_data);
$\text{$\text{construction}}$
1466
1467
1468
1469
1470
                  olse{
1471
                 $hour1 = ($this->input->post('Hour1') == 12 ? $this->input->post('Hour1') : $this->input->post('Hour1
1472
                                ')%12);
                 1473
1474
                               %12);
                 $\text{min2} = \text{$this} -> \text{input} -> \text{post} ('\text{Min2}'); if (\text{$hour1} < 12 && \text{$hour1} > 6 )
1475
1476
                                         min1 = min1."a";
1477
1478
                 else
1479
                                         $min1=$min1."p"
1480
                 if ($hour2 < 12 && $hour2 > 6 )
$min2 = $min2." a";
1481
1482
1483
                                         $min2=$min2."p":
                 $data = array(
'ID'=>$this->input->post('ID'),
1484
1485
```

```
'SectionID'=> $this->input->post('SectionID'),
'SubjectID'=> $this->input->post('subject'),
'TeacherNum'=> $this->input->post('teacher'),
'Room'=> $this->input->post('Room'),
1486
1487
1488
1489
                'Schedule'=>$sched);
$this->schooladmin->edit_subject_section($data);
redirect('record/view_subjects/'.$this->input->post('SectionID'));
1490
1491
1492
1493
1494
                public function view_subjects($id){
$data['SectionID'] = $id;
$this->load->helper(array('form'));
$data['result'] = $this->schooladmin->get_subject_section($id);
$sectioname=$this->schooladmin->view_section($id);
1495
1496
1497
1498
1499
                $data['page_header'] = $sectioname[0]->SectionName;
$this->session->set_flashdata('sectionid',$id);
$this->load->view('subject/view_subjects',$data);
1500
1501
1502
               1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1514
1515
1516
1517
1518
                1519
1520
1521
1522
1523
1524
1525
                 function delete_subjects($id){
1526
                %this->schooladmin->delete_subject_section($id);
redirect('record/view_subjects/'.$this->session->flashdata('sectionid'));
1527
1528
1529
                1530
1531
1532
1533
1534
1535
1536
1537
1538
                $this->email->to('jezra.alcantara@gmail.com');
$this->email->subject('email van CI');
$this->email->message('look this is working');
1539
1540
1541
1549
                 if (! $this -> email -> send()) {
1543
1544
                                         show_error($this->email->print_debugger());
1545
1546
1547
                 function add_subject(){
                function add.subject() {
$this->load->helper(array('form'));
$data= array();
$data['form2'] = $this->schooladmin->get_teachers();
$data['page_header'] ='Add Subject';
$data['all_sy'] = $this->schooladmin->get_all_sy();
$this->load->view('add_record/subject', $data);
}
1548
1549
1550
1551
1552
1553
1554
1555
                 function record_subject(){
                1556
1557
1558
                               callback_SchoolYear ');
                callback_SchoolYear');
$this->form_validation->set_rules('Description', 'Description', 'trim | required | xss_clean');
$this->form_validation->set_rules('Units', 'Units', 'trim | required | xss_clean');
if($this->form_validation->run() == FALSE){
$data = array('page_header' => 'Add Subject', 'form' => NULL,'page_title' => 'Add Record');
$data['form2'] = $this->schooladmin->get_teachers();
$data['all_sy'] = $this->schooladmin->get_all_sy();
$this->load->view('add_record/subject',$data);
}
1550
1560
1561
1562
1563
1564
1565
1566
1567
                1568
1569
1570
                 else {
                                        $name = substr(str_replace(" ", "", $this->input->post('SubjectName')),0,6);
1571
                                        $\frac{\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\systn=\s
1572
1573
                                        $num=$name.$yr1.$yr2;
1574
1575
```

```
$data = array(
'SubjectID' => $num,
'SubjectName'=> $this->input->post('SubjectName'),
1576
1577
1578
           'Units' => $this->input->post('Units'),
'Description' => $this->input->post('Description'),
1579
1580
          Description => sthis->input->post( Description ),
'SchoolYear'=>$this->input->post('SchoolYear'));
$this->schooladmin->record_subject($data);
redirect('record/view_subject/'.$data['SubjectID']);
1581
1582
1583
1584
1585
1586
           function isUniqueSection($str){
          if ($this->schooladmin->view_section_name($str,$this->input->post('SchoolYear')) == FALSE)
1587
1588
1589
                        return true;
1590
          else
                          return FALSE:
1591
1592
           function isUnique($str){
1593
          if ($this->schooladmin->set_message('isUnique', 'Not Unique Subject Name.'); if ($this->schooladmin->view_subject_name($str) == FALSE)
1594
1595
1596
                          return true:
1597
                          return FALSE:
1598
1599
1600
           function isUniqueStudNum($str){
          \label{localization} $$ this -> form\_validation -> set\_message ('isUniqueStudNum', 'Not Unique Student Number.'); if ($this -> student-> view ($str) == FALSE)
1601
1602
1603
                          return true;
1604
          else
1605
                          return FALSE;
1606
           function isUniqueUsername($str){
1607
           $this->form_validation->set_message('isUniqueUsername', 'Not Unique Student Username.');
1608
1609
          this -> load -> model('user');
          return $this->user->unique_username($str);
1610
1611
          function isUniqueStudNum_Edit($str){
$this->form_validation->set_message('isUniqueStudNum_Edit', 'Not Unique Student Number.');
if($this->student->view_using_id($str,$this->input->post('StudID')) == FALSE)
1612
1613
1614
1615
                          return true;
          else
1616
1617
                          return FALSE;
1618
1619
          function show_subject(){
          function show.subject(){
$this->load->helper('form');
$data['page_header'] = 'Subjects';
if($this->input->post('SchoolYear')!='NA'){
$schoolyear = $this->input->post('SchoolYear');
$data['results'] = $this->schooladmin->get_subjects($schoolyear);
$data['schoolyear']=$schoolyear;
$this->load->view("view_record/show_subject",$data);
1620
1621
1622
1623
1624
1625
1626
1627
1628
          $this->load->view("view_record/show_subject",$data);
1629
1630
1631
           function view_class($id){
1632
          $result = $this->schooladmin->get_subject_section($id);
foreach($result as $row)
1633
          'SubjectID' => $row->SubjectID,
'SubjectName'=> $row->SubjectName,
1634
1635
1636
          'SubjectName'=> $row->SubjectName,
'Units' => $row->Units,
'Description' => $row->Description);
$data = array();
$data['form'] = $array;
$data['results'] = $this->schooladmin->get_sections_for_subject($id);
$data['page_header'] ="View Subject";
$data['page_title'] ="View Record";
$this->load->library('form_validation');
$this->load->view('view_record/subject',$data);
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
           function view_subject($id){
1647
          1648
1649
          $array = array(
'SubjectID' => $row->SubjectID,
'SubjectName'=> $row->SubjectName,
1650
1651
1652
           'Units' => $row->Description);
1653
1654
          'Description' >> $row->Description);
$data = array();
$data ['form'] = $array;
$data ['results'] = $this->schooladmin->get_sections_for_subject($id);
$data ['page_header'] = $array ['SubjectName'];
$data ['page_title'] = "View Record";
$this->load->library ('form_validation');
$this->load->view('view_record/subject', $data);
1655
1656
1657
1658
1659
1660
1661
1662
           public function edit subject($id){
1663
1664
           $this -> load -> helper (array ('form')
          $\text{stall = \text{'SELECT *\text{stall = \text{'}} (\text{Iorm })', \\
\text{$\text{sql = 'SELECT *\text{FROM subject ID = ?';}} \\
\text{$\text{$\text{sql - params = array($\text{sid});}} \\
\text{$\text{$\text{query = $\text{$\text{this ->db->query($\text{$\text{sql , $\text{$\text{$\text{sql - params});}}}} \]
1665
1666
```

```
$form = $query->row_array();
$data = array('title' => 'Add Page', 'form' => $form,'page_header'=>'Edit Subject Record');
$data['form2'] = $this->schooladmin->get_teachers();
$this->load->view('add_record/subject',$data);
1668
1669
1670
1671
1672
1673
        function add_club(){
        1674
1675
        $this->load->nerper(ana, \ .--- , , , )
$data= array();
$data['form2'] = $this->schooladmin->get_club_teachers();
$data['page_header'] = 'Add Club';
$this->load->view('add_record/club', $data);
1676
1677
1678
1679
1680
1681
1682
        redirect ('home');
1683
1684
        function view_students($id){
1685
1686
        if ($this->schooladmin->view_section($id)){
        **Sdata[" results"] = $this->student->get_students_section($id);

**sectioname=$this->schooladmin->view_section($id);

**$data['page_header'] = $sectioname[0]->SectionName;

**$this->load->view("view_record/show_students_per_section", **$data);
1687
1688
1689
1690
1691
1692
        function record_club(){
sthis->load->library('form_validation');
sthis->form_validation->set_rules('ClubName', 'Club Name', 'trim|required|xss_clean');
sthis->form_validation->set_rules('Description', 'Description', 'trim|required|xss_clean');
sthis->form_validation->set_rules('Description', 'Description', 'trim|required|xss_clean');
1693
1694
1695
1696
                                                                                                          'trim | required | xss_clean ');
        1697
1698
1699
1700
1701
        1702
1703
1704
        else {
                    $num =$this->schooladmin->count club()+1:
1705
                    1706
1707
1708
                    $num = "000".$num;
elseif($num>=100 && $num<1000)
1709
1710
                    | Snum = "00". Snum;
| elseif($num>=1000 && Snum;
| elseif($num>=1000 && Snum<10000)
| Snum = "0". Snum;
1711
1712
1713
1714
        }data = array(
'ClubID' => $num,
'ClubName'=> $this->input->post('ClubName'),
'Description' => $this->input->post('Description'),
'TeacherNum' => $this->input->post('TeacherNum'));
1715
1716
1718
1719
        *this->schooladmin->record_club(*data);

*this->load->view('add_record/student_success');
1721
1722
1723
        function show_club(){
$data["results"] = $this->schooladmin->get_clubs();
$data["page_header"] = "Clubs";
$this->load->view("view_record/show_clubs",$data);
1724
1725
1726
1727
1728
        1729
1730
1731
1732
1733
        $this->load->view("view_record/show_my_clubs",$data);
1734
        1735
1737
1738
1739
1740
1741
        redirect ('record/show_club');
1742
1743
        function show_groups(){
        Sthis->load->helper('form');

$data["page_header"] = "Course Groups";

if($this->input->post('SchoolYear')!='NA'){

$schoolyear=$this->input->post('SchoolYear');

$gradelevel=$this->input->post('GradeLevel');
1744
1745
1746
1747
1748
1749
        $data["results"] = $this->schooladmin->get-groups($schoolyear,$gradelevel);
1750
        1751
1752
1753
        function show_my_groups(){
1754
        $this->load->helper('form');
$data["page_header"] = "Course Groups";
$data['schoolyear'] = $this->functions->current_schoolyear();
1755
1756
```

```
if($this->session->userdata('logged_in')['Type']=='Student'){
if($this->input->post('SchoolYear')!='NA')
$data["results"] = $this->schooladmin->get_student_groups($this->session->userdata('logged_in')['
ID'], $this->input->post('SchoolYear'));
$this->load->view("view-record/show-my-groups", $data);
1758
1759
1760
1761
1762
                            ; elseif(strpos($this->session->userdata('logged_in ')['Type'], 'Teacher') !== FALSE){ if($this->input->post('SchoolYear')!='NA')
1763
1764
                          Stata["results"] = $this->schooladmin->get_teacher_groups($this->session->userdata('logged_in')[' ID'], $this->input->post('SchoolYear'));
$this->load->view("view_record/show_my_groups", $data);
1765
1766
1767
1768
1769
                           redirect('record/show_groups');
1770
1771
1772
                            function view_club($id){
                          $result = $this->schooladmin->view_club($id);
foreach($result as $row)
1773
1774
                         foreach($result as $row)
$array = array(
'ClubID' \Rightarray \Rightarray = \Rightarray = \Rightarray \Righta
1776
1777
1778
1779
1780
1781
1782
1784
1785
                         $data = array();
$data ['form'] = $array;
$data ['page_header'] = "View Club";
$data ['page_title'] = "View Record";
$data ['page_title'] = "
1786
1787
1788
1789
                           sdata[ page.title ] = view Record ;
$this ->load -> library ('form_validation');
$this -> load -> view ('view_record/club', $data);
1790
1791
1792
                            public function edit club($id){
1793
                          sthis ->load ->helper(array('form'));
sql= 'SELECT * FROM club WHERE ClubID = ?';
sql_params = array($id);
1794
1795
1796
                          ssql.params = array(sld);
squery = $this->db->query($sql, $sql.params);
$form = $query->row_array();
$data = array('title' => 'Add Page', 'form' => $form, 'page_header'=>'Edit Club');
$data('form2') = $this->schooladmin->get_club_teachers();
$this->load->view('add_record/club', $data);
1797
1798
1799
1800
1801
1802
1803
                            public function add_offenses($studentid){
1804
                          $this->load->helper(array('form'));
$data['student']= $this->functions->get_student_name($studentid);
1805
                          $\frac{\text{student}_{j=}}{\text{student}_{j=}} = \text{$\text{sthis}$->\text{state}_{j=}$\text{sthis}$->\text{current}_{selon} = \text{state}_{j=}$\text{sthis}$->\text{current}_{selon} = \text{state}_{j=}$\text{sthis}$->\text{current}_{selon} = \text{state}_{j=}$\text{sthis}$->\text{current}_{selon} = \text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{state}_{j=}$\text{st
1806
1807
1808
                          1809
1810
1811
1819
                                                                  redirect ('home');
1813
1814
                            public function save_edit_offenses($studentid){
                         1815
1816
1817
1818
1819
1820
                          callback_SchoolYear');
if ($this->form_validation=>run() == FALSE) {
$form ['OffenseID']= $this->input->post('OffenseID');
$form ['StudNum'] = $studentid;
$data ['form'] = $form;
$data ['student']= $this->functions->get_student_name($studentid);
$this->load->view('add_record/edit_offenses',$data);
}
1822
1823
1824
1825
1826
1827
1828
1829
                            $equip = $this->input->post('Equipment');
                          sequip = $this > input > post ('NoEquipment');
$stat = $this > input > post ('Status');
$schoolyear = $this -> input -> post ('SchoolYear');
1830
1831
1832
1833
                            if($this->input->post('OffenseID')){
1834
                            $data = array ('StudNum'=> $studentid
1835
                              'PersonnelID'=>$this->session->userdata('logged_in')['ID'],
1836
1837
                              'Equipment'=>$equip,
1838
                              'NoEquipment'=>$no_equip,
                             'Status'=>$stat,
'OffenseID'=>$this->input->post('OffenseID'),
1839
1840
                          'SchoolYear'=>\$schoolyear);
\$this->student->edit_offenses(\$data);
redirect('record/view_student/'.\$studentid);
1841
1842
1843
1844
1845
1846
```

```
1847
1848
1849
              callback.SchoolYear');
if ($this->form.validation->run() == FALSE){
$form['OffenseID']= $this->input->post('OffenseID');
$form['StudNum'] = $studentid;
$data['form'] = $form;
1850
1851
1852
1853
              $\data['student']= $\text{this}-\square\text{functions}-\square\text{get_student_name}($\text{studentid}); $\this-\load-\text{view}('\text{add_record/edit_offenses_guidance'}, $\text{data});
1854
1855
1856
1857
               $off = $this->input->post('Offense');
1858
1859
               $date = $this->input->post('Date');
              schoolyear = $this->input->post('SchoolYear');
if($this->input->post('OffenseID')){
$data = array('StudNum'=>$studentid,
'PersonnelID'=>$this->session->userdata('logged_in')['ID'],
1860
1861
1862
1863
               'Offense'=>$off,
'OffenseID'=>$this->session->userdata( logg'
'OffenseID'=>$this->input->post('OffenseID'),
'DateCreated'=>$date,
1864
1865
1866
                 SchoolYear'=>$schoolyear);
1867
1868
               this-student-sedit_offenses_guidance(tata);
1869
               redirect ('record/view_student/'. $studentid);
1870
1871
1872
1873
               redirect ('home');
1874
1875
1876
               public function edit_offenses($id){
               | Sthis ->session ->userdata('logged_in')['ID'], | Sthis ->session ->userdata('logged_in')['ID'], | Sthis ->session ->userdata('logged_in')['Type'])) |
1877
1878
              $this->load->helper(array('form'));
$sql= 'SELECT * FROM offense_property WHERE OffenseID = ?';
$sql_params = array($id);
1879
1880
1881
              $query = $this->db->query($sql, $sql-params);
$form = $query->row_array();
1882
1883
               $data['form'] = $form;
1884
              1885
1886
1887
1888
1889
               redirect ('record/view_student/'. $this->session->flashdata ('studentno'));
1890
               public function edit_offenses_gui($id){
1891
1892
              1893
1894
1895
1896
1897
1898
               $form = $query->row_array();
1899
              $\text{Stata ['form'] = $form;}
$\text{data ['student'] = $form ['StudNum']);}
$\text{this -> load -> view ('add_record/edit_offenses_guidance', $\text{data});}
$\text{$\text{data} ['student'] = $\text{$\text{data} ['StudNum']}];}
$\text{$\text{this} -> load -> view ('add_record/edit_offenses_guidance', $\text{data});}
$\text{$\text{$\text{data} ['studNum']}];}
$\text{$\text{$\text{case} ('add_record/edit_offenses_guidance', $\text{$\text{data});});}
$\text{$\text{$\text{data} ['studNum']}];}
$\text{$\text{$\text{case} ('add_record/edit_offenses_guidance'), $\text{$\text{data} ('studNum')]};}
$\text{$\text{$\text{data} ['studNum']};}
$\text{$\text{$\text{data} ['student'] = $\text{$\text{data} ['student'] 
1900
1901
1902
1903
1904
               redirect ('record/view_student/'. $this->session->flashdata('studentno'));
1905
1906
1907
               public function record_offenses($studentid){
              public function record_offenses(\$studentid){
$this -> load -> library('form_validation');
if(strpos(\$this -> session -> userdata('logged_in')['Type'], 'Prop') !== FALSE){
$this -> form_validation -> set_rules('Equipment[]', 'Equipment', 'trim | required | xss_clean');
$this -> form_validation -> set_rules('NoEquipment[]', 'No. Of Equipments', 'trim | required | xs
1908
1909
1910
                                                                                                                                                                                                          'trim | required | xss_clean ')
1911
              $\this->form_validation->set_rules('Status[]', 'Status', 'trim|required|xss_clean');
$\this->form_validation->set_rules('SchoolYear[]', 'School Year', 'trim|required|xss_clean|
1912
1913
                          callback_SchoolYear');
               if (\$this -> form\_validation -> run() == FALSE) \{
1914
              if ($this->form_validation->run() == FALSE){
$data['student'] = $this->functions->get_student_name($studentid);
if (isset($_POST['Equipment'])&& count($_POST['Equipment']!=1))
$data['count'] = count($_POST['Equipment']);
$this->load->view('add_record/offenses_personnel',$data);
1915
1916
1917
1918
1010
1920
1921
               $equip = $this->input->post('Equipment');
              $equip = $this->input->post('Equipment');
$no_equip = $this->input->post('NoEquipment');
$stat = $this->input->post('Status');
$schoolyear = $this->input->post('SchoolYear');
if($this->input->post('OffenseID')){
$data = array('StudNum'=>$studentid,
'PersonneIID'=>$this->session->userdata('logged_in')['ID'],
'Equipment'=>$equip[0],
1922
1923
1924
1925
1926
1927
1928
                'NoEquipment'=>$no_equip[0],
1929
              'Status'=>$stat[0],
'OffenseID'=>$this->input->post('OffenseID'),
'SchoolYear'=>$schoolyear[0]);
$this->student->edit_offenses($data);
1930
1931
1932
1933
               redirect('record/view_student'/'.$studentid);
1934
```

```
for($i=0;$i<count($equip);$i++){
$data = array('StudNum'=>$studentid,
'PersonneIID'=>$this->session->userdata('logged_in')['ID'],
'Equipment'=>$equip[$i],
1936
1937
1938
1939
                  NoEquipment'=>$no_equip[$i]
1940
                 'Status'=>$stat[$i],
'DateCreated'=>date("Y-m-d"),
'SchoolYear'=>$schoolyear[$i]);
1941
1942
1943
1944
                $this->student->record_offenses($data);
1945
                redirect('record/view_student/'.$studentid);
1947
1948
               felse if(strpos($this->session->userdata('logged_in')['Type'],'Gui') !== FALSE){
$this->form_validation->set_rules('Offense[]', 'Equipment', 'trim|required|xss_clean');
$this->form_validation->set_rules('SchoolYear[]', 'School Year', 'trim|required|xss_clean');
1949
1950
1951
                                                                                                                                                                                                      trim | required | xss_clean |
                            callback_SchoolYear');
               callback_Schoolrear');
if ($this->form_validation->run() == FALSE) {
$data['student']= $this->functions->get_student_name($studentid);
if (isset ($POST['Offense']) && count ($POST['Offense']!=1))
$data['count'] = count ($POST['Offense']);
$this->load->view('add_record/offenses_guidance',$data);
1952
1953
1954
1955
1956
1957
1958
                else {
1959
                $off = $this->input->post('Offense');
               $\forall = \forall title > \text{input} - \text{post ('Offense');}
$\date = \forall title > \text{input} - \text{post ('Date');}
$\forall schoolyear = \forall title > \text{input} - \text{post ('SchoolYear');}
if (\forall title > \text{input} - \text{post ('OffenseID'))} \{
$\forall tata = \forall array('StudNum' = \forall studentid,
'PersonneIID' = \forall title > \forall school > \forall school = \forall title \text{injumus}.
'PersonneIID' = \forall title \forall title \text{injumus}.
'PersonneIID' = \forall \text{injumus}.
'PersonneIID' = \forall title \text{i
1960
1961
1962
1963
1964
                 'Offense'=>$off[0],
'OffenseID'=>$this->input->post('OffenseID'),
'DateCreated'=>$date[0],
1965
1966
1967
1968
                 'SchoolYear'=>$schoolyear[0]);
               $this->student->edit_offenses_guidance($data);
redirect('record/view_student/'.$studentid);
1969
1970
1971
                for(\$i=0:\$i < count(\$off):\$i++){
1972
                $data = array ('StudNum'=> $studentid,
1973
                 'PersonnelID'=>$this->session->userdata('logged_in')['ID'],
'Offense'=>$off[$i],
'DateCreated'=>$date[$i],
1974
1975
1976
                  SchoolYear'=>$schoolyear[$i]);
1977
                $this->student->record_offenses_guidance($data);
1978
1979
                redirect('record/view_student/'.$studentid);
1980
1981
1982
1983
                else
                redirect ('home');
1984
1985
                function delete_offenses($id.$studno=""){
1986
1987
                   if ($this->functions->check_offense_personnel ($id,$this->session->userdata('logged_in') ['ID'],
                $this->session->userdata('logged_in')['Type']))
$this->student->delete_offenses($id);
1988
1989
                else if (strpos ($this -> session -> userdata ('logged_in') ['Type'], 'Gui') !== FALSE)
1990
                $this->student->delete_guidance_offenses($id);
if($studno=="")
1991
1992
                redirect ('record/view_student/'. $this->session->flashdata ('studentid'));
1993
                else
1994
                redirect ('record/view_student_offenses/'.$studno);
1995
               function new_class_record(){
$this->load->helper('form');
$this->load->view('add_record/class_record');
1996
1997
1998
1999
2000
                function class_record ($sectionid) {
               function class_record($sectionid){
$this->load->helper(array('form'));
$this->load->model('grades');
$this->load->model('section_model');
$type = $this->session->userdata('logged_in');
$schoolyear = $this->functions->current_schoolyear();
$sectioname=$this->schooladmin->view_section($sectionid);
$data['page_header'] = $sectioname[0]->SectionName;
$data['Subject'] = $this->section_model->get_subjects($sectionid);
$students = $this->schooladmin->get_students_in_class($sectionid);
$students_grades=_array();
2001
2002
2003
2004
2005
2006
2007
2008
2000
               $student_grades= array();
$data['students'] = $students;
foreach($students as $student)
2010
2011
2012
                                      sstudent_grades[$student['StudNum']]=$this->schooladmin->get_student_total_grades($student
2013
                                                   ['StudNum']);
               foreach ($student-grades as $key => $row)
$mid[$key]= $row['sum'];
2014
2015
               array_multisort($mid, SORT_DESC, $student_grades);
$data['student_grades'] = $student_grades;
$this->load->view('view_record/class_record',$data);
2016
2017
2018
2019
                function reports(){
2020
               function reports(){
$this->load->helper(array('form'));
$this->load->model('grades');
$this->load->model('section_model');
$type = $this->session->userdata('logged_in');
2021
2022
2023
```

```
$schoolyear = $this->functions->current_schoolyear();
$data['Section'] = $this->section_model->get_section_details($type['ID'], $schoolyear);
$data['page_header'] = $data['Section'][0]['SectionName'];
$id = $data['Section'][0]['SectionID'];
$this->load->view('view_record/reports', $data);
2025
2026
2027
2028
2029
2030
2031
              function add_sy_details(){
              $user = $this->session->userdata('logged_in');
2032
             2033
2034
2035
2036
              $all_sy=$this->schooladmin->get_all_sy();
              if (! $all_sy)
2037
2038
              $data['all_sy'] = array();
2039
              else
              $data['all_sy'] = $all_sy;
2040
2041
              $this->load->view('add_record/sy_details',$data);
2042
2043
2044
              redirect ('home');
2045
2046
              function no_classes(){
             suser = $this->session->userdata('logged_in');
if($user['Type']=='Registrar'){
2047
2048
             % this ->load ->helpers('form');
% data['page_header'] = "School Year Details";
$this ->load ->view('add_record/no_classes', $data);
2049
2050
2051
2052
2053
              else
              redirect ('home');
2054
2055
              function record_no_classes() {
$this->load->library('form_validation');
2056
2057
             if ($this->input->post('edit_no_classes')){
$this->form_validation->set_rules('Desc', 'Equipment', 'trim|required|xss_clean');
$this->form_validation->set_rules('Start', 'School Year', 'trim|required|xss_clean');
$this->form_validation->set_rules('End', 'School Year', 'trim|xss_clean');
2058
2059
2060
2061
2062
2063
             2064
2065
                                                                                                                                                                  'trim | required | xss_clean |
                         callback_validDateRange');
              $this->form_validation->set_rules('End[]', 'School Year', 'trim|xss_clean');
2066
2067
             if ($this->form_validation->run() == FALSE){
if (!$this->input->post('edit_no_classes')){
2068
2069
2070
              $data=array();
             sdata_allay(),
if (isset($POST['Desc']) && count($POST['Desc']!=1))
$data['count'] = count($POST['Desc']);
$this->load->view('add_record/no_classes', $data);
2071
2072
2073
2074
2075
2076
              $this->load->view('add_record/edit_no_class');
2077
2078
2079
              if (!$this->input->post('edit_no_classes')){
2080
             $desc = $this->input->post('Desc');
$start = $this->input->post('Start');
2081
             sents - sents - post ( sent - post - post ( sent - post - po
2082
2083
2084
2085
              $end = $start[$i]
2086
              else
             %end = $end[$i];
$data = array('SchoolYear'=>$this->functions->current_schoolyear(),
'Description'=>$desc[$i],
2087
2088
2089
2090
               'Start'=> $start[$i],
2091
             'End'=>$end);
$this->schooladmin->record_no_classes($data);
2092
2093
2094
2095
              else{
             state = array('Description'=>$this->input->post('Desc'),
'Start'=>$this->input->post('Start'),
2096
2097
              'End'=>$this->input->post('Star');
'ID'=>$this->input->post('End');
2098
2000
2100
              $this->schooladmin->edit_no_classes($data);
2101
2102
2103
2104
              function sy_details(){
             2105
2106
2107
2108
2109
2110
2111
2112
              redirect ('home');
2113
2114
              function edit_sy_details($id){
```

```
$user = $this->session->userdata('logged_in');
2116
                if ($user['Type']=='Registrar') {
$this->load->helpers('form');
2117
2118
                %data['page_header'] = "School Year Details";
%data['form'] = $this->schooladmin->get_sy($id);
$this->load->view('add_record/edit_sy_details',$
2119
2120
2121
                                                                                                                                                . $data):
2122
2123
                 redirect ('home');
2124
2125
2126
                 function delete_sy($id){
                suser = $this->session->userdata('logged_in');
if($user['Type']=='Registrar'){
$this->load->model('schooladmin');
2127
2128
2129
2130
                $this->schooladmin->delete_sy($id);
2131
2132
                 redirect ('home');
2133
2134
                function delete_no_classes($id){
    $user = $this->session->userdata('logged_in');
    if($user['Type']=='Registrar'){
    $this->load->model('schooladmin');
    $this->schooladmin->delete_no_classes($id);
}
2135
2136
2137
2138
2139
2140
                 else
2141
                 redirect ('home');
2142
2143
                 function edit_no_classes($id){
2144
                2145
2146
2147
2148
2149
2150
2151
2152
                 redirect ('home');
2153
2154
               2155
2156
2157
2158
2159
2160
2161
2162
2163
                 Sthis->form_validation->set_rules('SchoolYear', 'SchoolYear', 'trim|required|xss_clean|
               $\text{Sthis} - \text{form_validation} - \text{set_rules} ( \text{Schoollear} , \text{Schoollear} , \text{Viiii_lequiled} );
$\text{this} - \text{form_validation} - \text{set_rules} ( \text{'Before', 'trim|xss_clean|callback_notSameSY');}
$\text{this} - \text{form_validation} - \text{set_rules} ( \text{'Start', 'Starting Date', 'trim|required|xss_clean');}
$\text{this} - \text{form_validation} - \text{set_rules} ( \text{'End', 'Ending Date', 'trim|required|xss_clean');}
$\text{$\text{this}} - \text{$\text{form_validation} - \text{$\text{set_rules}} ( \text{'End', 'Ending Date', 'trim|required|xss_clean');}
$\text{$\text{this}} - \text{$\text{form_validation} - \text{$\text{set_rules}} ( \text{'End', 'Ending Date', 'trim|required|xss_clean');}
$\text{$\text{this}} - \text{$\text{form_validation} - \text{$\text{set_rules}} ( \text{'End', 'Ending Date', 'trim|required|xss_clean');}
$\text{$\text{this}} - \text{$\text{form_validation} - \text{$\text{set_rules}} ( \text{'End', 'Ending Date', 'trim|required|xss_clean');}
$\text{$\text{this}} - \text{$\text{form_validation} - \text{$\text{set_rules}} ( \text{'End', 'Ending Date', 'trim|required|xss_clean');}
$\text{$\text{this}} - \text{$\text{form_validation} - \text{$\text{set_rules}} ( \text{'End', 'Ending Date', 'trim|required|xss_clean');}
$\text{$\text{this}} - \text{$\text{form_validation} - \text{$\text{set_rules}} ( \text{'End', 'End', 
2165
2166
2167
2168
2169
                 if ($this->form_validation->run() == FALSE) {
                2170
2171
2172
2173
2174
2175
                else {
$data['page_header'] = "School Year Details";
$data['all.sy'] = $this->schooladmin->get_all_sy();
$this->load->view('add_record/sy_details',$data);
2176
2177
2178
2179
2180
2181
                 else{
2182
2183
                sy = \frac{\sinh y - \sinh y}{\sinh y};
                start = $this->input->post('Start');
$end = $this->input->post('End');
if($this->input->post('Before')=='NA')
$before = "0";
2184
2185
2186
2187
2188
                sise
$before= $this ->input ->post('Before');
if($this ->input ->post('edit_sy_details')){
$id=$this ->input ->post('id');
$data = array('SchoolYear'=>$sy,
'Start'=>$start,
2189
2190
2191
2192
2193
                 'End'=>$end,
'Status'=>$this->input->post('Status'),'ID'=>$id,
2194
2195
2196
2197
                 $this->schooladmin->edit_sy_details($data);
2198
2199
                $\data = \array('SchoolYear'=>\$sy,
'Start'=>\$start,
2200
2201
                'Status'=>$this->input->post('Status'),
'Before'=>$before,
2202
2203
2204
```

```
2206
             $this -> schooladmin -> record_sy_details($data);
2207
2208
2209
2210
              function isUniqueSY($str){
             \label{eq:condition} $$ \frac{1}{s^{s_{i,j}}} $$ this-$-som_validation-$-set_message ('isUniqueSY', 'School year already recorded.'); if ($this-$-schooladmin-$-view_school_year($str,"") == FALSE)
2211
2212
2213
                                return true;
2214
              else
2215
                                 return FALSE:
2216
2217
              function notSameSY($str){
             if ($this->form_validation->set_message('notSameSY', 'School year same before'); if ($this->input->post('SchoolYear')!=$this->input->post('sy_hidden'))
2218
2219
2220
                                return true:
2221
2222
                                return FALSE;
2223
2224
              function isUniqueSY_edit($str){
              $this->form_validation->set_message('isUniqueSY', 'School year already recorded.');
2225
2226
2227
              if($this->schooladmin->view-school-year($str,$this->input->post('id')) == FALSE)
                                return true;
2228
2229
             else
2230
2231
              function validDateRange(){
2232
2233
              $this->form_validation->set_message('validDateRange', 'Range Not Valid');
2234
             $date1 = $this->input->post('Start');
$date2 = $this->input->post('End');
2235
2236
              for ($i=0;$i < count ($date1);$i++){
             if(strtotime($date1[$i]) > strtotime($date2[$i]) && $date2[$i]!=NULL) return false;
2237
2238
2239
2240
                                return true:
2241
2242
              function new_section(){
             2243
2244
             $\text{$this -> load -> helper (array ('form'));} $\data['all_sy'] = $\text{$this -> schooladmin -> get_all_sy ();} $\text{$this -> load -> view ('add_record/new_section', $\text{$data});}$
2245
2246
2247
2248
2249
              function submit_new_section(){
             struction submit_new_section(){
sthis->load->library('form_validation');
sthis->form_validation->set_rules('Type', 'Equipment', 'trim|required|xss_clean');
sthis->form_validation->set_rules('SchoolYear', 'School Year', 'trim|required|xss_clean');
sthis->form_validation->set_rules('GradeLevel', 'Grade Level', 'trim|xss_clean|required');
2250
2251
2252
2253
             if($this->form_validation->run() == FALSE){
$data = array('page_header' => 'Add Student Record', 'page_title'=>'Add Record', 'title' => 'Add
2254
2255
                       Page');
             Page');
$data["section"] = $this->schooladmin->get_all_sections();
$this->load->helper(array('form'));
$data['all_sy'] = $this->schooladmin->get_all_sy();
$this->load->view('add_record/new_section', $data);
2256
2257
2258
2259
2260
2261
              else{
             stype = $this ->input ->post('Type');
$sy = $this ->input ->post('sy_hidden');
2262
2263
             $\text{sy.inden};
$\text{gradelevel} = \text{shiput->post( sy.inden );}
$\text{gradelevel} = \text{shiput->post('GradeLevel');}
$\text{section} = \text{shiput->post('Section');}
$\text{shiput->post('Section');}
$\text{section} = \text{shiput->post('Section');}
$\text{section} = \text{section} = \text{section} = \text{section} = \text{section} = \text{section}
$\text{section} = \text{section} = \text{section} = \text{section} = \text{section} = \text{section}
$\text{section} = \text{section} = \text{section} = \text{section} = \text{section} = \text{section}
$\text{section} = \text{sec
2264
2265
              elseif($type=="Top Students"){
if($section =="All"){
$students = $this->schooladmin->get_students_in_year($sy,$gradelevel);
2266
2267
2268
             $student_grades= array();
foreach($students as $student){
2269
2270
              $student_grades [$student ['StudNum']] = $this -> schooladmin -> get_student_total_grades ($student ['
2271
                        StudNum'l)
2272
2273
             usort($student_grades, array($this, 'sortByOrder'));
print_r($student_grades);
2274
2275
              else {
2276
              $students = $this->schooladmin->get_students_in_class($section);
2277
             $student_grades= array();
$data['students'] = $students;
foreach($students as $student)
2278
2270
2280
2281
              $student_grades[$student['StudNum']]=$this->schooladmin->get_student_total_grades($student['
             StudNum']);
foreach ($student_grades as $key => $row)
2282
             foreach ($student_grades as $key => $row)
$mid[$key]= $row['sum'];
array_multisort($mid, SORT_DESC, $student_grades);
$data['page_header'] = "Change Section";
$data['student_grades'] = $student_grades;
2283
2284
2285
2286
              $sy_next = $this->functions->current_schoolyear();
2287
              $gradelevel_next = $gradelevel+1;
2288
             $gradelevel_next = $gradelevel_T.;
$new_section = array();
$new_sections= $this->schooladmin->get_sections_by_sy_gradelevel($sy_next,$gradelevel_next);
foreach($new_sections as $ns){
$new_section[$ns['ID']] = $ns['Name'];
2289
2290
2291
2292
2293
              $data['new_section'] = $new_section;
```

```
$data['new_gradelevel'] = $gradelevel_next;
$this->load->view('add_record/change_section',$data);
2295
2296
2297
2298
2299
2300
           function save_new_section(){
$status = $this->input->post('status');
$section = $this->input->post('new_section');
2301
2302
2303
           sgradelevel = $this ->input->post('new_gradelevel');
foreach($status as $studnum=>$value)
if($value=="Pass")
2304
2305
2306
2307
           this->schooladmin->change_student_section($studnum, $section[$studnum], $gradelevel);
2308
2309
           function sortByOrder($a, $b) {
  return $a['sum'] - $b['sum'];
2310
2311
2312
2313
2314
           <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');</pre>
           session_start();
ob_start(); //we need to call PHP's session object to access it through CI
    3
    6
           class Message extends CI_Controller {
             function __construct(){
           parent:: __construct();
           if (!$this->session->userdata('logged_in')){
             $allowed = array()
           if (!in_array($this->router->method, $allowed)){
redirect('login');
   11
   12
   13
   14
          }
$this ->load ->model('student','',TRUE);
$this ->load ->model('guardian','',TRUE)
$this ->load ->model('schooladmin','',TR
$this ->load ->library("pagination");
$this ->load ->library("javascript");
$this ->load ->library('messaging');
$this ->load ->library('functions');
   15
   16
   17
   19
   20
   22
           $this->load->helper("url");
$this->load->helper('my_form');
$this->load->helper('my_password');
   23
   24
   25
   26
           $this -> _init();
   27
           private function _init(){
   28
           $type = $this->session->userdata('logged_in')['Type'];
           if(strpos($type,'Teacher')!==FALSE)
$this->output->set_template('teacher');
elseif($type=='Student')
   30
   31
           $this -> output -> set_template('student');
elseif($type=='Registrar')
   33
   34
          36
   37
   38
           $this->output->set_template('principal');
   39
           function send_message(){
   41
           42
           $$sesion_data = $this->sesion-yaserdata(logged_lin');
$msg = $this->messaging-> get_all_message($session_data['ID'], $this->input->post('Receiver'));
$data = array('page_header' => 'Welcome!', 'page_title' => 'Home');
$data["results"] = $msg;
$data['form'] = array('ID'=>$this->input->post('Receiver'));
redirect('message/view_message/'.$this->input->post('Receiver'), 'location', 301);
}
   45
   46
   47
   49
   50
          function delete($id){
    $session_data = $this->session->userdata('logged_in');
    $this->message_model->delete_messages($session_data['ID'],$id);
    $msg = $this->messaging-> get_all_message($session_data['ID'],$id);
    $data = array('page_header' => 'Welcome!', 'page_title' => 'Home');
    $data["results"] = $msg;
    $data['form'] = array('ID'=>$id);
    redirect('message/view_message/', 'location', 301);
}
   52
   53
   54
   55
   57
   58
   59
           function view_message($id=''){
   60
           $data['page_header'] = "Message";
if($id!=''){
   61
   62
                          - /1

$this->load->helper(array('form'));

$session_data = $this->session->userdata('logged_in');
   63
                          ssession_data = sthis=>session=>userdata( logged_in );
smsg = sthis=>messaging=> get_all_message($session_data['ID'],$id);
$data["results"] = $msg;
$data['form'] = array('ID'=>$id);
$data['results2'] = $this=>message_model=>get_recent($session_data['ID']);
$this=>load=>view('message/view_message',$data);
   65
   66
   68
   69
```

```
\frac{71}{72}
                       else{
                                                            $session_data = $this->session->userdata('logged.in');
$data['results2'] = $this->message_model->get_recent($session_data['ID']);
$this->load->view('message/view_message2',$data);
    73
   \frac{74}{75}
   77
78
                      function create_message() {
$this->load->helper(array('form'));
                      % state = state = ( ioim ));
% session_data = $this -> session -> userdata ('logged_in');
$ data = array ('page_header' => 'Message', 'page_title' => 'Home');
$ data['results2'] = $this -> message_model -> get_recent ($ session_data ['ID']);
$ this -> load -> view ('message/search_message', $ data);

    79
    80
    81
    82
    83
    84
                      function search_user(){
$word = mysql_real_escape_string($_POST['search']);
$word = htmlentities($word);
$sql = "select * from student where '".$word."' like concat('%',SFirstName,'%')
or '".$word."' like concat('%',SLastName,'%')";
    85
    86
    88
    89
                       $query = $this->db->query($sql);
    91
                       form = query -> result_array();
    92
                        \$i = 0:
                      93
    94
    95
    96
                        if(isset($students))
                                                           $data['names']=$students;
    98
                                    odata[ names] - with the state of the state 
    99
 100
                      $query = $this->db->query($sql);
$form = $query->result_array();
101
 102
103
                      104
106
107
                       108
109
                      $this->load->helper(array(lorm));
$ession_data = $this->session->userdata('logged_in');
$data['page_header']="Messages";
$data['results2'] = $this->message_model->get_recent($session_data['ID']);
$this->load->view('message/search_message', $data);
111
112
113
114
115
                      function new_announcement(){
$Type = 'School';
116
117
                        $TypeID = '00000';
119
                        $this->load->helper(array('form'));
                    $this->load->helper(array('form'));
$data = array() page_header'=>'Announcement');
$config = array();
$config [" base_url"] = base_url()."/message/new_announcement";
$config [" total_rows"] = $this->message_model->count_some_announcement($Type,$TypeID);
$config [" per_page"] = 5;
$config [" uri_segment"] = 3;
$choice = $config [" total_rows"] /$config [" per_page"];
$config [" num_links"] = round($choice);
$this->pagination->initialize($config);
$page = ($this->uri->segment(3))? $this->uri->segment(3):0;
$data [" results"] = $this->message_model->get_announcement($config [" per_page"], $page, $Type, $TypeID);
120
122
123
 124
125
126
 127
128
129
130
                       $data["links"] = $this->pagination->create_links();
$data['page_header'] = 'Announcements';
$this->load->view('message/new_announcement',$data);
132
133
134
                    135
136
 137
138
139
140
141
143
144
146
                      if($this->form_validation->run() == FALSE){
    $Type = 'School';
147
                                                            TypeID = 00000
                                                           $TypeID = '00000';
$this ->load -> helper(array('form'));
$data = array('page_header'=>'Announcement');
$config = array();
$config [" base_url"] = base_url()."/message/new_announcement";
$config [" total_rows"] = $this -> message_model-> count_some_announcement($Type,$TypeID);
$config [" per_page"] = 5;
$config [" uri_segment"] = 3;
$choice = $config [" total_rows"] /$config [" per_page"];
$config [" num_links"] = round($choice);
$this -> pagination -> initialize($config);
149
150
 151
152
153
 154
 155
156
157
                                                            $\text{$this} -> \text{pagination} -> \text{initialize} (\text{$config});
$\text{page} = (\text{$this} -> \text{uri} -> \text{segment}(3))? \text{$this} -> \text{uri} -> \text{segment}(3):0;
$\text{$this} -> \text{uri} -> \text{$this} -> \text{uri} -> \text{uri} -> \text{$this} -> \text{uri} -> \
158
```

```
$data["results"] = $this->message_model->get_announcement($config["per_page"],$page,$Type,
160
                                                               161
162
163
 164
                         else{
165
                                                               if (!$this->upload->do_upload() && !empty($_FILES['userfile ']['name'])){
$error = array('error' => $this->upload->display_errors());
$this->session->set_flashdata('error', $error);
 166
167
168
                                                               $this ->session ->set_flashdata('error', $error
$Type = 'School';
$TypeID = '00000';
$this ->load -> helper(array('form'));
$data = array('page_header'=>'Announcement');
169
170
171
172
                                                               stata = array( page.neader => Announcement ),
$config = array();
$config[" base_url"] = base_url()."/message/new_announcement";
$config[" total_rows"] = $this -> message_model -> count_some_announcement($Type,$TypeID);
$config[" per_page"] = 5;
$config[" uri_segment"] = 3;
173
174
176
177
                                                               $\text{sconfig[" total_rows"] / $config[" per_page"];}
$\text{config[" num_links"] = round($choice);}
$\text{this} -> \text{pagination} -> \text{initialize($config);}
$\text{this} -> \text{pagination} -> \text{this} -> \text{t
179
180
                                                               $\text{Spage} = (\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\}}\exititt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\e
181
182
                                                               $TypeID);
$data["links"] = $this->message_model->get_annoance
$TypeID);
$data["links"] = $this->pagination->create_links();
$data['page_header'] = 'Show Announcement';
$this->load->view('message/new_announcement', $data);
183
184
186
187
                        else{
 188
                                                                $session_data = $this->session->userdata('logged_in');
                                                               189
190
191
                                                                 else
192
                                                               193
194
195
                                                              $name =$file['upload_data']['file_name'];
$data = array('AnnouncerID'=>$session_data['ID'];
'Body'=>$this->input->post('body');
'Type' =>'School',
196
197
198
199
                                                               'Body =>$this ->input ->post( body ),
'Type' =>'School',
'TypeID' =>'00000',
'Title' => $this ->input ->post('title'),
'FileName'=>$name,
200
201
202
203
                                                                 'FileURL'=>$path);
204
205
                        $this->message_model->record_announcement($data);
206
                       $this->load->view('message/success');
$form = array('page_header'=>'Announcement');
                         redirect ('message/new_announcement/','location', 301);
208
209
210
211
                       function edit_announcement($id){
$this->load->helper(array('form'));
$data = array('page_header'=>'Announcement');
if($this->functions->check_owner_post($id,$this->session->userdata('logged_in')['ID'])){
212
213
214
215
                       $this->load->helper(array('form'));
$sql = 'SELECT * FROM Announcement WHERE AnnouncementID = ?';
216
217
218
                         $sql_params = array($id);
                       $\text{squery} = \text{$\text{sql}} = \text{$\
219
220
221
222
                        else
223
224
                        redirect ('message/new_announcement/', 'location', 301);
225
                        function save_edited_announcement($id){
226
                       $\text{$this}$-\lambdad -\lambdalibrary('form_validation');$$\this -\lambdaform_validation -\lambdaset_rules('body', 'Body', 'trim|requivalidation -\lambdaset_rules('title', 'Title', 'trim|requivalidation -\lambdaset_rules('title', 'Title', 'trim|requivalidation -\lambdaset_rules('message/edit_announcement/'.$id,'location', 301);}
227
                                                                                                                                                                                                                                       'Body', 'trim | required | xss_clean ')
'Title', 'trim | required | xss_clean
228
229
230
231
232
233
                         $session_data = $this->session->userdata('logged_in');
234
                         $data = array(
                        $data = array(
'AnnouncerID'=>$session_data['ID'],
'Body'=>$this->input->post('body'),
'Type' =>$this->input->post('type'),
'TypeID' = >'00000',
'Title' => $this->input->post('title'),
'AnnouncementID' => $id
236
237
238
239
240
241
242
243
                         $this->message_model->edit_announcement($data);
                       %this->load->view ('message/success');
%form = array ('page_header'=>'Announcement');
redirect ('message/new_announcement/', 'location', 301);
%this->load->view ('message/new_announcement', %form);
244
245
247
248
249
```

```
250
             function view_announcement(){
             %config = array();
%config["base_url"] = base_url()."/message/view_announcement";
%config["total_rows"] = $this->message_model->count_some_announcement('School','00000');
%config["per_page"] = 3;
%config["uri_segment"] = 3;
251
252
253
254
255
             $choice = $config["total_rows"] /$config["per_page"];
$config["num_links"] = round($choice);
256
258
             $this->pagination->initialize($config);
             $page = ($this->uri->segment(3))? $this->uri->segment(3):0;
$data["results"] = $this->message_model->get_announcement($config["per_page"],$page,'School
259
            ','00000');
$data["links"] = $this->pagination->create_links();
$data["page_header'] = 'Show Announcement';
$this->load->view("message/view_announcement", $data);
261
263
264
              function delete_announcement($id){
                if($this->functions->check_owner_post($id,$this->session->userdata('logged_in')['ID']))
$this->message_model->delete_announcement($id);
266
267
              redirect ('message/new_announcement/', 'location', 301);
268
269
270
271
             <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');</pre>
             session_start();
ob_start(); //we need to call PHP's session object to access it through CI
    3
             class Club extends CI_Controller {
    6
                function ==construct(){
  parent::=construct();
  if (!$this->session->userdata('logged_in')){
    8
                                  // Allow some methods?
$allowed = array(
  10
  11
   12
  13
                                   if (!in_array($this->router->method, $allowed))
  14
  16
                                             redirect ('login');
                                  }
  17
                       }
                        $this ->load ->model('student','',TRUE);
$this ->load ->model('guardian','',TRUE);
$this ->load ->model('schooladmin','',TRUE);
$this ->load ->model('message_model',TRUE);
$this ->load ->loirary("pagination");
  19
  20
  21
  22
  23
                                  $\final \final \fi
  24
  25
  26
  27
                                  $this->load->helper("url");
$this->load->helper('my_form');
$this->load->helper('my_password');
  28
  29
  30
  31
                                   $this -> _init();
             private function _init(){
    $type = $this->session->userdata('logged_in')['Type'];
  33
  34
  35
                                   if (strpos ($type, 'Teacher')!==FALSE)
                                   $this->output->set_template('teacher');
elseif($type=='Student')
  36
  38
                                   $this->output->set_template('student');
elseif($type=='Registrar')
  39
                                   41
  42
                                   elseif($type=='Principal')
  43
                                                        $this->output->set_template('principal');
  44
  45
             function index() {
    redirect('managerecord/show_club');
  47
  48
  49
              if ($this -> schooladmin -> view club ($id)) {
  50
  51
                                  if ($this->functions->check_club_adviser($id,$this->session->userdata('logged_in')['ID'],
                                  $this->session->userdata('logged_in')['Type'])){
$this->load->helper(array('form'));
$data = array('page_header'=>'Announcement');
  52
  53
  54
                                  $config = array();
$config [" base_url"] = base_url()."/club/view/".$id;
$config [" total_rows"] = $this->message_model->count_some_announcement('Club',$id);
$config [" per_page"] = 5;
$config [" uri_segment"] = 4;
  55
  56
  57
  58
  59
                                   $choirg [ unl-segment ] - 4,
$choice = $config [" total_rows"] /$config [" per_page"];
$config [" num_links"] = round($choice);
$this->pagination->initialize($config);
  60
  61
                                  $\text{spage = ($\text{sthis} - \text{viri} - \text{segment (4)} : 0;
$\data["\text{results"}] = $\text{sthis} - \text{message_model} - \text{get_announcement ($\text{config}["\text{per_page}"], $\text{page}, 'Club")$
  63
  64
                                  $data["links"] = $this->pagination->create_links();
$results = $this->schooladmin->view_club($id);
  65
  66
                                   foreach ($results as $row) {
```

```
$data['page_header'] = $row->ClubName;
$this->load->view('club/home_teacher',$data);
  68
  69
                                           else if ($this->functions->check_club_member ($id , $this->session->userdata ('logged_in ') ['ID
  71
                                          '],
$this->session->userdata('logged_in')['Type'])){
$results = $this->schooladmin->view_club($id);
foreach($results as $row)
  72
  \frac{73}{74}
  75
                                                                     $data['page_header'] = $row->ClubName;
                                          sdata[page.header] = $row=>ClubName;
$config = array();
$config["base_url"] = base_url()."/club/view/".$id;
$config["total_rows"] = $this=>message_model=>count_some_announcement('Club',$id);
$config["per_page"] = 3;
$config["uri_segment"] = 4;
  76
77
  78
  79
  80
                                           $\text{$choice} = \text{$config} ["total-rows"] / \text{$config} ["per-page"];
$\text{$config} ["num_links"] = round(\text{$choice});
$\text{$this} -> pagination -> initialize(\text{$config});
$\text{$config} ];
$\text{$config} | \text{$config} | \text{$co
  81
  82
  83
                                          $page = ($this->uri->segment(4))? $this->uri->segment(4):0;
$data["results"] = $this->message_model->get_announcement($config["per_page"],$page,'Club
  84
  85
                                          ',$id);
$data["links"] = $this->pagination->create_links();
$this->load->view('club/home_student',$data);
  86
  87
  88
                                           else{
  89
  90
                                           $result = $this->schooladmin->view-club($id);
                                           foreach ($result as $row)
  91
                                         92
  94
  95
  97
  98
  99
                                                                     foreach($result as $row)
                                                                     $teacher.name = $row->SALastName.','.$row->SAFirstName;
$array['TeacherName'] = $teacher_name;
100
101
102
                                          $data = array();
$data ['form'] = $array;
$data["results"] = $this -> schooladmin -> get_members($id);
$data['page_header'] = $array['ClubName'];
$data['page_title'] = "View Record';
**Construction of the school of the sc
103
 104
105
106
                                          $data['page_title'] = "View Record";
$this->load->library('form_validation');
if($this->session->userdata('logged_in')['Type'] == 'Student'
&& $this->schooladmin->count_club_memberships($this->session->userdata('logged_in')['ID
108
109
                                                               '])){
111
                                                                      if ($this -> schooladmin -> check_club_application ($id, $this -> session -> userdata ('
                                                                                     logged_in ') ['ID']))
                                                                                                $this ->load ->view ('view_record / club_student', $data):
112
113
                                                                                                $data['warning'] = "Pending Application";
$this->load->view('view_record/club', $data);
114
115
117
                                          }
else
118
                                                                      $this->load->view('view_record/club', $data);
119
120
121
                                            else
 122
                                                                     redirect ('club/show_club'):
123
124
                public function applications($club_id){
125
                if ($this->schooladmin->view_club($club_id)) {
    if ($this->functions->check_club_adviser($club_id, $this->session->userdata('logged_in') ['ID
126
127
                                          128
129
130
131
132
133
                                           else
                                                                     $this->load->view('view_record/club', $data);
134
135
136
                else
                                           redirect ('club/show_club');
137
138
                public function info($club_id){
if($this->schooladmin->view_club($club_id)){
139
140
                                          if ($this->functions->check_club_adviser ($club_id,$this->session->userdata('logged_in')|'ID
141
                                                           '],
142
                                                                      $this->session->userdata('logged_in')['Type'])){
                                          $this->load->helper(array('form'));
$result = $this->schooladmin->view_club($club_id);
143
144
                                           foreach ($result as $row)
 145
                                                                     $array = array('
'ClubID' => $row->ClubID,
146
147
                                          148
149
150
151
152
```

```
\label{eq:same} \$ teacher\_name \ = \ \$ row -> SAL astName . \ ', \ '. \ \$ row -> SAFirstName ;
154
                           $array['TeacherName'] = $teacher_name;
155
156
                           $data = array();
157
                           $data['form'] = $array;
158
                           159
160
161
162
                           $this -> load -> view ('club/info_teacher', $data);
163
164
          else if ($this->functions->check_club_member($club_id,$this->session->userdata('logged_in')['ID'],
$this->session->userdata('logged_in')['Type'])){
$this->load->helper(array('form'));
165
166
167
                        168
                           $result = $this->schooladmin->view_club($club_id);
foreach($result as $row)
169
170
171
172
173
174
175
176
177
178
179
180
182
183
                           foreach($results as $row)

$data['page_header'] = $row->ClubName;

$this->load->view('club/info_student', $data);
 184
185
186
187
          else
188
                           redirect('club/show_club');
189
190
           else
191
                            redirect ('club/show_club');
192
193
          function change_status($clubid, $studentid, $status){
194
          if ($this->schooladmin->view_club($clubid)) {
    if ($this->functions->check_club_adviser($clubid,$this->session->userdata('logged_in')| 'ID
196
                           *this->session->userdata('logged_in')['Type'])){
$this->schooladmin->change_status($clubid,$studentid,$status);
redirect('club/applications/'.$clubid);
197
198
199
200
201
                            else
                                            $this->load->view('view_record/club', $data);
203
204
          else
205
                           redirect ('club/show_club');
206
             function show_members($id){
207
208
             if ($this -> schooladmin -> view_club ($id)) {
                           209
210
211
212
213
                           $\text{state as $\text{state}}
$\text{data} \cappa \text{page-header'} = $\text{row->ClubName;}
$\text{this->load->view("club/teacher_members", $\text{data});}
$\text{}
$\text{club/teacher_members"}
$\text{club/teacher_members}
$\text{club/tea
214
215
216
           217
218
219
220
                            $results = $this->schooladmin->view_club($id);
                           foreach ($results as $row)
221
                           222
223
224
225
           else
                           redirect ('club/view/'. $id);
226
228
           else
                           redirect ('club/show_club');
229
231
          public function apply_member($club_id){
  if($this->schooladmin->view_club($club_id)){
232
                           if ($this->session->userdata('logged_in')['Type'] == 'Student') {
233
                                            if ($this->sensoladmin->count_club_memberships($this->session->userdata('logged_in ')['ID']) &&
234
235
                                             $this->schooladmin->check_club_application($club_id,$this->session->userdata('
                                            236
237
238
239
240
```

```
redirect('club/view/'. $club_id);
242
243
                              }
else
244
                                                  redirect ('club/view/'. $club_id);
245
246
247
            else
                               redirect ('club/show_club');
248
249
            public function delete_member($clubid,$studentid){
250
            251
253
                                                  $this->session->userdata('logged_in')['Type'])){
254
                                                  $this->schooladmin->delete_member($clubid,$studentid);
255
                                                  redirect ('club/show_members/', $clubid);
256
                               else
257
                                                  redirect('club/view/'.$clubid);
258
259
            else
260
                               redirect ('club/show club'):
261
262
            public function change_position($clubid,$studentid,$position=''){
   if($this->schooladmin->view_club($clubid)){
      if($this->functions->check_club_adviser($clubid,$this->session->userdata('logged_in')['ID
263
264
265
266
                                                 $this->session->userdata('logged_in')['Type'])){
                              if ( $position!='') {
    if ( $position!='Member') {
267
268
                                                 if ($this->schooladmin->check-position ($clubid, $studentid, $position) && $position
269
                                                            !='Member')
                                                                    \label{this-schooladmin-schange-position} $$ this--> schooladmin--> change-position ( $clubid , $studentid , $position ) ;
270
271
                                                 <script type="text/javascript">alert("The position is already filled.");</script>
272
                                                            <?php
273
274
                                                                     $this->schooladmin->change_position($clubid.$studentid.$position);
275
276
277
                               redirect ('club/show_members/'. $clubid);
278
279
                               else
                                                  redirect('club/view/'.$clubid);
280
281
282
            else
                               redirect('club/show_club');;
283
284
285
            public function edit_club($id){
                              $\frac{\text{star}}{\text{star}} \text{ stars -> load -> helper (array ('form'));}
$\sql = 'SELECT * FROM club WHERE ClubID = ?';}

286
287
288
                               sql_params = array(sid);
                              $\text{squery} = \text{$\text{stary}(\text{stary});}
$\text{query} = \text{$\text{stary}(\text{squery}(\text{sql}, \text{$\text{sql-params});}}
$\text{form} = \text{$\text{query} - \text{row_array}();}
$\text{data} = \text{array}('\text{title}' => '\text{Add Page', 'form'} => \text{$\text{form}, '\text{page_header'} => '\text{Edit Subject Record')}
$\text{}
$\text{data} = \text{array}(\text{sql}, \text{sql-params});
$\text{form} = \text{$\text{sqcm}, '\text{page_header'} => '\text{Edit Subject Record')}
$\text{}
$\text{data} = \text{array}('\text{title}' => '\text{Add Page', 'form'} => \text{$\text{sform}, '\text{page_header'} => '\text{Edit Subject Record')}
$\text{}
$\text{}
$\text{sqcm} = \text{$\text{sqcm}, '\text{sqcm}, '\te
289
290
291
292
                               $data['form2'] = $this->schooladmin->get_club_teachers();
203
                              $this ->load ->view('add_record/club', $data);
294
295
           %data[" results"] = $this->schooladmin->get_clubs();
$data[" page_header"] = "Show Students";
$this->load->view(" view_record/show_clubs", $data);
296
297
298
299
           function new_announcement(){
$Type = 'Club';
$TypeID=$this->input->get('id');
300
301
302
           $\text{sthis} - \sqrt{array('form')};
$\text{data} = \array('page_header'=>'Announcement')};
$\text{sqrt}$
303
304
           $data = array() page_nead.;
$config = array();
$config["base_url"] = base_url()."/message/new_announcement";
$config["total_rows"] = $this->message_model->count_some_announcement($Type,$TypeID);
$config["per_page"] = 5;
$config["uri_segment"] = 3;
$config["uri_segment"] = 3;
$config["total_rows"] /$config["per_page"];
305
306
307
308
309
           $choice = $config["total_rows"] /$config["per_page"];
$config["num_links"] = round($choice);
310
311
            $this -> pagination -> initialize ($config);
312
           $page = ($this ->uri ->segment(3))? $this ->uri ->segment(3):0;
$data["results"] = $this ->message_model->get_announcement($config["per_page"],$page,$Type,$TypeID)
313
314
           $data["links"] = $this->pagination->create_links();
$data['page_header'] = 'Show Announcement';
$this->load->view('message/new_announcement',$data);
315
316
317
318
             function post_announcement($club_id){
           $\frac{1}{3}\text{this}$\sigma\text{oad}$\sigma\text{library}(\frac{1}{3}\text{form}$\text{validation}');$$ $\frac{1}{3}\text{this}$\sigma\text{form}$\text{validation}$\sigma\text{set}$\text{rules}('\text{body}', \text{$\frac{1}{3}\text{this}}$\sigma\text{form}$\text{validation}$\sigma\text{set}$\text{rules}('\text{title}'')$
320
           321
322
323
324
325
            else{
                               $session_data = $this->session->userdata('logged_in');
326
                               $data = array(
```

```
'AnnouncerID'=>$session_data['ID'],
'Body'=>$this->input->post('body'),
'Type' =>'Club',
'TypeID' =>$club_id,
'Title' => $this->input->post('title'));
$this->message_model->record_announcement($data);
redirect('club/view/'.$club_id,'location', 301);
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
                                      function edit_announcement(){
                                     339
 340
 342
                                     if ($this->functions->check_owner_post($id, $this->session->userdata('logged_in')['ID'])){
    $this->load->helper(array('form'));
 343
                                                                                                   $sql = 'SELECT * FROM Announcement WHERE AnnouncementID = ?';
                                                                                                  $$ql-params = array($id);
$query = $this->db->query($sql, $sql-params);
$data['form'] = $form = $query->row_array();
$this->load->view('club/edit_announcement',$data);
345
 346
 347
 348
 349
 350
                                        else
                                                                                                   redirect('club/view/'.$club_id,'location', 301);
 351
 352
 353
                                      function save_edited_announcement(){
                                     $this->load->library('form_validation');
$id = $_GET['ID'];
 354
                                      \mathfrak{s}_{1} = \mathfrak{s}_{2} = \mathfrak{s}_{1} = \mathfrak{s}_{2} = \mathfrak{s}_{1} = \mathfrak{s}_{2} = \mathfrak{s}_{2} = \mathfrak{s}_{2} = \mathfrak{s}_{3} 
 356
                                     stitle = street 
 357
 358
 359
  360
 361
                                                                                                   $session_data = $this->session->userdata('logged_in');
 362
                                                                                               $session_data = $this->session->userdata( logges)
$data = array(
'AnnouncerID'=>$session_data['ID'],
'Body'=>$this->input->post('body'),
'Type' =>'Club',
'TypeID' =>$club_id,
'Title' => $this->input->post('title'),
'AnnouncementID' => $id);
$this->message_model->edit_announcement($data);
$this->load->view('message/success');
 364
 365
 367
 368
 370
                                                                                                $\text{$\frac{1}{3}$ brisks / \text{$\frac{1}{3}$ brisks / \text{$\fr
 371
 372
 373
 374
 375
                                      function view_announcement(){
 376
                                    378
 379
 381
 382
 383
                                     $\final \text{Sthis->pagination->initialize($config);}
$\text{page} = ($\text{this->uri->segment(3)})? $\text{this->uri->segment(3)}:0;
$\text{data["results"]} = $\text{this->message_model->get_announcement($\text{config["per_page"]},$\text{page}, 'School')}$
 384
 385
 386
                                    ','00000');
$\data["links"] = \$this->pagination->create_links();
$\data['page_header'] = 'Show Announcement';
$\this->load->view("message/view_announcement", \$data);
 388
 389
 390
                                     function delete_announcement() {
$id= $_GET['ID'];
$club_id=$_GET['ClubID'];
 391
 392
                                    394
 395
 396
 397
 398
 399
 400
                                     $\text{\scale=1000 & \text{\cong} \text{\con
  401
 402
                                     $this->message_model->delete_announcement($id);
redirect('club/view/'.$club_id','location', 301);
 403
 405
 406
  408
                                      <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');</pre>
                                      ob start():
                                      class Login extends CI_Controller {
                                             function __construct(){
  parent::__construct();
                                                      $this->load->model('user',',',TRUE);
                                     function index(){
```

```
if (! $this -> session -> userdata('logged_in')) {
    $this -> load -> helper(array('form'));
    $this -> load -> view('login_view');
10
11
12
13
             else
14
15
           redirect('home', 'refresh');
16
17
       function index2(){
       $this -> load -> library ('form_validation');
18
       sthis->form_validation ->set_rules('username', 'Username', 'trim|required|xss_clean');
$this->form_validation->set_rules('password', 'Password', 'trim|required|xss_clean|
19
20
       callback_check_database');
if($this->form_validation->run() == FALSE){
    $this->session->set_flashdata('login_error',"error");
    $this->load->view('login_view');
21
23
24
         redirect('home', 'refresh');
26
27
       }
28
       function \ check\_database (\$password) \{
29
       susername = $this ->input->post('username');
$db_pass = $this ->user->get_password($username);
$this ->load ->library('bcrypt');
30
31
32
       if ($this->bcrypt->check_password($password, $db_pass)){
34
           $result = $this->user->login($username, $password);
          sresult = sthis-yuser-ylogin(suser)
sess.array = array(
'Type' => $result['Type'],
'Username' => $result['Username'],
'ID'=>$result['IDNum'],
'FirstName'=>$result['FirstName'],
'LastName'=>$result['LastName'],
'Random'=>rand(100000,1000000));
35
37
38
39
40
41
42
             $this->session->set_userdata('logged_in', $sess_array);
43
            return TRUE;
44
45
       else{
46
           47
           return false;
48
49
50
51
52
       ?>
       <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');
session_start(); //we need to call PHP's session object to access it through CI
class ManageUsers extends CI_Controller {
function __construct(){
parent::__construct();
}</pre>
 1
 3
         if (!$this->session->userdata('logged_in')){
    $allowed = array();
 6
       if (!in_array($this->router->method, $allowed)){
redirect('login');
 9
10
          }
11
       \label{eq:this} \texttt{`this}\mathop{->}\mathsf{load}\mathop{->}\mathsf{model}\,(\;\texttt{`user'}\;,\;\texttt{`'}\;,\mathsf{TRUE})\;;
12
       $this ->load -> model('user', '','IRUE);
$this ->load -> library("pagination");
$this -> load -> model('schooladmin', '', 'TRUE);
$this -> load -> model('student', '', 'TRUE);
$this -> load -> model('guardian', '', 'TRUE);
$this -> load -> helper("url");
13
14
15
16
17
       $this -> _init();
18
       private function _init(){
$type = $this->session -> userdata('logged_in')['Type'];
20
21
       if (strpos ($type, 'Teacher')!==FALSE)
22
       $this->output->set_template('teacher');
elseif($type=='Student')
23
24
       $\this > \contput > \set_template('student');
elseif(\text{stype}=='Registrar')
\text{$this} > \contput > \set_template('registrar');
}
25
26
27
       elseif(strpos($type, 'Personnel')!==FALSE)

$this->output->set_template('personnel');

elseif($type=='Principal')
28
29
30
31
       $this -> output -> set_template('principal');
elseif($type=="Guardian")
32
         $this->output->set_template('guardian');
34
       function show_all() {
    $data["results"] = $this->user->get_all_users();
    $data['page_header'] = 'Show All Users';
    $this->load->view("manage_user/show_users",$data);
35
36
37
38
39
       function profile ($id = '
40
        $this -> load -> helper ('form');
42
       $this->load->view('manage_user/profile_change_pass',$array);
43
45
       function change_status($username, $status){
46
       $this->user->change_status($username,$status);
```

```
$this->load->view('manage_user/password_success');
redirect('manageusers/show_all');
48
49
51
        function search(){
       %this ->load ->view('manage_user/search_user');
52
54
       55
56
57
58
59
60
       ?>
62
       <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');</pre>
       session_start();
ob_start(); //we need to call PHP's session object to access it through CI
 2
        class Message extends CI_Controller {
       function __construct(){
parent::__construct();
 8
        if (!$this->session->userdata('logged_in')){
       $allowed = array();
if (!in_array($this->router->method, $allowed)){
redirect('login');
10
11
12
13
           }
14
       }
$this->load->model('student','',TRUE);
$this->load->model('guardian','',TRUE);
$this->load->model('schooladmin','',TRUE);
$this->load->library("pagination");
$this->load->library("javascript");
$this->load->library('messaging');
$this->load->library('functions');
16
18
19
20
21
22
       $this->load->helper("url");
$this->load->helper('my_form');
$this->load->helper('my_password');
23
24
25
        $this -> _init();
27
28
       private function _init(){
       private function _init(){
stype = $this->session->userdata('logged_in')['Type'];
if(strpos($type,'Teacher')!==FALSE)
$this->output->set_template('teacher');
elseif($type=='Student')
$this->output->set_template('student');
29
30
31
32
33
        elseif($type=='Registrar')
       % this > output > set_template ('registrar');
elseif(strpos($type, 'Personnel')!==FALSE)
$this > output > set_template ('personnel');
35
36
37
38
        elseif ($type=='Principal')
        $this ->output ->set_template('principal');
39
40
      41
42
43
44
45
46
48
49
       function delete($id){
$session_data = $this->session->userdata('logged_in');
51
52
       $session_data = $this->session->userdata('logged.in');
$this->message_model->delete_messages($session_data['ID'],$id);
$msg = $this->messaging-> get_all_message($session_data['ID'],$id);
$data = array('page_header' => 'Welcome!', 'page_title' => 'Home');
$data["results"] = $msg;
$data['form'] = array('ID'=>$id);
redirect('message/view_message/', 'location', 301);
54
55
56
57
58
59
60
        function view_message($id=''){
       $data['page_header'] = "Message";
if ($id!=''){
62
                      $this -> load -> helper (array ('form'));
63
64
                       $session_data = $this->session->userdata('logged_in');
                      session_data = **stills->session->userdata('logged_in');
$msg = $this->messaging-> get_all_message($session_data['ID'],$id);
$data["results"] = $msg;
$data['form'] = array('ID'=>$id);
$data['results2'] = $this->message_model->get_recent($session_data['ID']);
$this->load->view('message/view_message',$data);
65
66
67
68
69
70
71
       else{
                      $session_data = $this->session->userdata('logged_in');
$data['results2'] = $this->message_model->get_recent($session_data['ID']);
$this->load->view('message/view_message2',$data);
73
74
```

```
76
                                       function create_message(){
$this->load->helper(array('form'));
      77
                                      %session_data = $this->session->userdata('logged_in');
$data = array('page_header' => 'Message', 'page_title' => 'Home');
$data['results2'] = $this->message_model->get_recent($session_data['ID']);
$this->load->view('message/search_message', $data);
}
      79
      80
      82
      83
      84
                                      function search_user(){
$word = mysql_real_escape_string($_POST['search']);
$word = htmlentities($word);
$sql = "select * from student where '".$word."' like concat('%',SFirstName,'%')
or '".$word."' like concat('%',SLastName,'%')";
      85
      86
      87
      88
                                       query = \frac{1}{2} + \frac{1}{2
      90
                                       $form = $query->result_array();
      91
                                      93
      94
                                                                                                                                     $row['SLastName']);
      95
      96
                                    97
      98
      99
 100
 101
                                        $form = $query->result_array();
 103
                                       \$i = 0
                                      104
  105
 106
 107
                                    if (isset ($schooladmin))
$data['names'] = $schooladmin;
 108
 109
                                      $\text{stata[names]= sectoonalmin;}
$\text{this} \rightarray('form'));
$\text{session_data} = \text{$this} \rightarray('form'));
$\text{data['page_header']=" Messages";}
$\text{data['results2']} = \text{$this} \rightarray message_model \rightarray get_recent(\text{$session_data['ID']);}
$\text{$this} \rightarray load \rightarray view('message/search_message', \text{$data});}
$
 110
111
 113
114
                                      function new_announcement() {
$Type = 'School';
$TypeID = '00000';
116
117
                                      $\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}
119
 120
                                    121
122
 124
125
 127
 128
                                      $\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\texitex{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$
  129
130
                                      $data["links"] = $this->pagination->create_links();
$data['page_header'] = 'Announcements';
$this->load->view('message/new_announcement',$data);
 131
132
133
  134
 135
                                        function post_announcement(){
 136
                                       $this -> load -> library ('form_validation');
                                    $this ->load ->library('form_validation');
$this ->load ->helper(array('form'));
$config['upload_path'] = './uploads/announcement/';
$config['allowed_types'] = 'gif|jpg|png';
$config['max_size'] = '1000';
$config['max_width'] = '1024';
$config['max_height'] = '768';
$this ->load ->library('upload', $config);
$this ->form_validation ->set_rules('body', 'Body', 'trim|required|xss_clean');
$this ->form_validation ->set_rules('title', 'Title', 'trim|required|xss_clean');
 137
 138
 139
140
141
 142
143
 144
 145
                                      if($this->form_validation->run() == FALSE){
    $Type = 'School';
    $TypeID='00000';
146
1/18
                                                                                                     $this->load->helper(array('form'));
$data = array('page_header'=>'Announcement');
149
  150
                                                                                                     stata = array( page_neader => Announcement ),
$config = array();
$config[" base_url"] = base_url()."/message/new_announcement";
$config[" total_rows"] = $this -> message_model-> count_some_announcement($Type,$TypeID);
$config[" per_page"] = 5;
$config[" uri_segment"] = 3;
151
152
  153
 154
 155
                                                                                                     $\text{sconfig[" total_rows"] / $config[" per_page"];}
$\text{config[" num_links"] = round($choice);}
$\text{this} -> \text{pagination} -> \text{initialize($config);}
$\text{this} -> \text{pagination} -> \text{initialize($config);}
$\text{this} -> \text{pagination} -> \text{this} -> \t
  156
 157
 158
                                                                                                     Spage = ($this->uri->segment(3))? $this->uri->segment(3):0; $data["results"] = $this->message_model->get_announcement($config["per_page"],$page,$Type,
  159
  160
                                                                                                    $\text{State[" results"] = \text{$\text{this} -> \text{message_model} -> \text{getLannoance} \\
$\text{StypeID};
$\text{$\text{state[" links"] = $\text{this} -> \text{pagination} -> \text{create_links}();
$\text{$\text{$\text{state}[" page_header"] = 'Show Announcement';} \\
$\text{$\text{this} -> \text{load} -> \text{view}('\text{message/new_announcement',} \\
$\text{$\text{$\text{$\text{state}[" constraints of the constr
 161
 162
 163
```

```
164
            }
else{
165
                                   if \quad (!\,\$this\!\rightarrow\!\!ado\_upload\,()\ \&\&\ !\,empty(\,\$\_FILES\,[\,\,'userfile\,\,']\,[\,\,'name\,']\,)\,)\,\{
166
                                  $error = array('error' => $this->upload->display_errors());
$this->session->set_flashdata('error', $error);
167
168
169
                                  $Type = 'School';
$TypeID = '00000';
170
                                   $this -> load -> helper (array ('form'));
171
172
                                   $data = array('page_header'=>'Announcement');
                                  sdata = array( page_neader => Announcement );
$config [ array();
$config [" base_url"] = base_url()."/message/new_announcement";
$config [" total_rows"] = $this -> message_model-> count_some_announcement($Type,$TypeID);
$config [" per_page"] = 5;
$config [" uri_segment"] = 3;
173
174
175
176
177
                                  $choing[ and segment ] = 0,
$choice = $config[" total_rows"] /$config[" per_page"];
$config[" num_links"] = round($choice);
$this -> pagination -> initialize($config);
178
179
                                  $page = ($this->uri->segment(3))? $this->uri->segment(3):0;
$data["results"] = $this->message_model->get_announcement($config["per_page"],$page,$Type,
181
182
                                  $\text{$\frac{1}{3} = \text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\}$}}\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\}}$}}\text{$\text{
183
184
185
186
             else{
187
                                  188
189
190
191
192
                                   else
                                  if ( $file [ 'uploac
$name =
                                                        $path =$file['upload_data']['full_path'];
['upload_data']['file_name']==null)
$name = "null";
193
194
195
196
                                   else
                                  $name = file ['upload_data']['file_name'];
$data = array('AnnouncerID'=> $session_data['ID'],
'Body'=> $this -> input -> post('body'),
'Type' => 'School',
'TypeID' => '00000',
'TypeID' => '00000',
197
198
199
200
                                   'Title' => $this->input->post('title'),
'FileName'=>$name,
202
203
                                   'FileURL'=>$path);
205
             $this->message_model->record_announcement($data);
             $this->load->view('message/success');
$form = array('page_header'=>'Announcement');
206
207
             redirect ('message/new_announcement/','location', 301);
208
209
210
211
212
             function edit_announcement($id){
             %this->load->helper(array('form'));
%data = array('page_header'=>'Announcement');
if($this->functions->check_owner_post($id,$this->session->userdata('logged_in')['ID'])){
213
214
215
             $this->load->helper(array('form'));
$sql = 'SELECT * FROM Announcement WHERE AnnouncementID = ?';
216
217
             $sql_params = array($id);
218
             $query = $this->db->query($sql, $sql-params);
$data['form'] = $form = $query->row_array();
$this->load->view('message/edit_announcement',$data);
219
220
221
222
223
224
             redirect ('message/new_announcement/', 'location', 301);
225
226
             function save_edited_announcement($id){
227
             $this->load->library('form_validation'
             Sthis->form_validation ->set_rules ('body', 'Body', 'trim|required|xss_clean');
$this->form_validation->set_rules ('title', 'Title', 'trim|required|xss_clean');
228
             $this->form_validation->set_rules('title', 'Title', 'trim|r
if($this->form_validation->run() == FALSE){
redirect('message/edit_announcement/'.$id,'location', 301);
230
231
232
233
             $session_data = $this->session->userdata('logged_in');
234
             **Stata = array(
'AnnouncerID'=> $session_data['ID'
'Body'=> $this -> input -> post('body'
235
236
             Body =>@tmis ->Input->post('body'),
'Type' =>$this->input->post('type'),
'TypeID' =>'00000',
'Title' => $this->input->post('title'),
'AnnouncementID' => $id
238
239
240
241
242
             $this->message_model->edit_announcement($data);
             $this->load->view('message/success');
$form = array('page_header'=>'Announcement');
244
245
             redirect ('message/new_announcement', 'location', 301);

$this->load->view('message/new_announcement', $form);
246
247
248
249
250
             function view_announcement() {
             runction view_announcement(){
$config = array();
$config ["base_url"] = base_url()."/message/view_announcement";
$config ["total_rows"] = $this->message_model->count_some_announcement('School','00000');
$config ["per_page"] = 3;
251
252
253
```

```
$config["uri_segment"] = 3;
$choice = $config["total_rows"] /$config["per_page"];
$config["num_links"] = round($choice);
$this -> pagination -> initialize($config);
$page = ($this -> uri -> segment(3))? $this -> uri -> segment(3):0;
$data["results"] = $this -> message_model -> get_announcement($config["per_page"],$page,'School','.
255
256
257
258
259
260
              ','00000');
$\data["links"] = \$this->pagination->create_links();
$\data['page_header'] = 'Show Announcement';
$\this->load->view("message/view_announcement", \$data);
262
263
 264
265
               function delete_announcement($id){
                 if ($this->functions->check_owner_post($id,$this->session->userdata('logged_in')['ID']))
$this->message_model->delete_announcement($id);
 266
268
               redirect ('message/new_announcement/', 'location', 301)
 269
 270
271
               <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');</pre>
     2
               ob_start():
               class Profile extends CI_Controller {
                 function __construct(){
               parent :: __construct ();
               if (!$this->session->userdata('logged_in')){
                    \label{eq:allowed} $$ allowed = array();$ if $(!in\_array($this->router->method, $allowed)$) $$
   10
   11
               redirect ('login');
   13
                    }
   14
              }
$this->load->model('guardian','',TRUE);
$this->load->model('student','',TRUE);
$this->load->model('schooladmin','',TRUE);
$this->load->model('user','',TRUE);
   15
   16
   18
   19
               this -> init();
   21
   22
   23
               private function _init(){
              stype = Sthis->session ->userdata('logged_in ') ['Type'];
if(strpos(Stype, 'Teacher')!==FALSE)
   24
   25
              sthis ->output->set_template('teacher');
elseif($type=='Student')
$this->output->set_template('student');
   26
   27
              elseif($type=='Registrar')
$this->output->set_template('registrar');
   29
   30
               elseif (strpos ($type, 'Personnel')!==FALSE)
              $this -> output -> set_template('personnel');
elseif($type=='Principal')
   32
   33
               $this->output->set_template('principal');
elseif($type=="Guardian")
   35
               $this->output->set_template('guardian');
   36
   37
   38
   39
   40
               function view(){
   41
               $this->load->helper('form');
              $session_data = $this->session->userdata('logged_in');
$id= $session_data['ID'];
   43
   44
              $\text{sarray} = \text{array}();
$\text{result} = \text{$\text{this}} - \text{user} - \text{$\text{get}_user}(\text{$\text{id}});
if(\text{$\text{session_data}['Type']} = '\text{$\text{Student}'}){\text{$\text{$\text{this}}}}$
   46
   47
              48
   49
   50
   51
   52
   53
   54
               else if($session_data['Type']=='Guardian'){
   55
              56
   57
   58
   60
   61
   62
   63
               else{
               $name = $this->schooladmin->view($id);
   64
               $\text{sname} = \text{sname} \text{snam
   65
   66
   68
   69
   71
               $array['page_header'] ="User Profile";
               if ($result) {
   72
               foreach ($result as $row) {
```

```
$array['Username'] = $row->Username;
$array['Type'] = $row->Type;
$array['Status'] = $row->Status;
$array['EmailAdd'] = $row->EmailAdd;
 74
 75
 77
 78
 79
        $this->load->view('manage_user/profile_view', $array);
 80
 81
       function generate_password($username){
$this->load->library('form_validation');
$this->load->library('bcrypt');
 82
 83
 84
       %this ->form_validation ->set_rules('Password', 'Password', 'trim | max_length [10] | required');
if($this ->form_validation ->run() == FALSE)
$this ->load ->view('manage_user/profile_change_pass');
 85
 86
 88
 89
        $\this -> user -> change_password (\$username, \$this -> bcrypt -> hash_password (\$this -> input -> post ('Password')
       $\text{Stnis} -> \text{User_Cuangs_p_____}
);
$\text{data} ['username'] = \text{$username};
$\text{data} ['password'] = \text{$this} -> \text{input} -> \text{post} ('Password');
echo "<script language=\"javascript\"> \alert ('test'); </script >";
redirect ('manageusers/profile/'.\text{$username});
}
 90
 91
 93
 95
       function change_password() {
    $this->load->helper(array('form'));
 96
       $this->load->nelper(array( lorm ));
$session_data = $this->session->userdata('logged_in ');
$session_data['page_header'] = 'Change Password';
$this->load->view('manage_user/change_password', $session_data);
 98
 99
100
101
102
       function edit_profile(){
$this->load->helper('form');
$session_data = $this->session->userdata('logged_in');
103
104
105
106
       id= session_data['ID'];
       $array = array();
$result = $this->user->get_user($id);
107
108
       if ($session_data['Type']=='Student') {
    $name = $this->student->view($id);
109
110
         foreach ($name as $row) {
111
         $array ['FirstName'] = $row->SFirstName;
$array ['LastName'] = $row->SLastName;
$array ['MidName'] = $row->SMidName;
112
113
115
116
          else if ($session_data['Type']=='Guardian') {
117
118
         119
120
121
123
124
125
126
         127
128
129
130
131
132
133
         $array['page_header'] = "Edit User Profile";
       if ($result) {
  foreach ($result as $row) {
134
135
                    136
137
138
139
140
       $this->load->view('manage_user/edit_profile', $array);
141
142
143
        function record_profile(){
144
145
        $this->load->library('form_validation');
       $this->form_validation->set_rules('EmailAdd', 'Email Address', 'trim|required|xss_clean|
146
               valid_email
       valid_email');
$this->form_validation->set_rules('Username', 'Username', 'trim|required|xss_clean|
147
       $this->form_validation->set_rules('Username', 'Username', 'trim|required
    callback_isUnique');
$this->form_validation->set_rules('Status', 'Status', 'trim|xss_clean');
$this->form_validation->set_rules('Type', 'Type', 'trim|xss_clean');
$this->form_validation->set_rules('Name', 'Name', 'trim|xss_clean');
149
150
       if ($this -> form_validation -> run() == FALSE) {
         $session_data = $this->session->userdata('logged_in');
$id= $session_data['ID'];
152
153
       $array = array();
$result = $this->user->get_user($id);
155
        if ($session_data['Type']=='Student') {
156
       157
158
159
160
161
```

```
163
       else if($session_data['Type']=='Guardian'){
164
      165
166
167
168
169
170
171
172
       else{
       $name = $this->schooladmin->view($id);
173
      174
175
177
178
179
      if($result){
180
      foreach ($result as $row)
181
      $array['Username'] = $row->Username;
183
      $array['Type'] = $row->Type;
$array['Status'] = $row->Status;
$array['EmailAdd'] = $row->EmailAdd;
184
185
186
187
      $this->load->view('manage_user/edit_profile', $array);
188
189
190
      else{
191
      $session_data = $this->session->userdata('logged_in');
192
      $data = array(
193
      'IDNum'=\$session_data['ID'], 'Username'=>\$this->input->post('Username'), 'EmailAdd'=>\$this->input->
194
          post ('EmailAdd'));
      $this->user->update_profile($data);
195
196
      redirect ('profile / view');
197
198
      function isUnique($str){
199
      $this->form_validation->set_message('isUnique', 'Not Unique Username.');
200
      $session_data = $this->session->userdata('logged.in');
if($this->user->get_username($str,$session_data['ID']) == FALSE)
201
202
203
      return true;
204
      else
      return FALSE;
205
206
      function verify_password(){
207
      function verify_password(){
$this->load->library('form_validation');
$required_if = $this->input->post('newl_password') ? '|required': '';
$this->form_validation->set_rules('old_password', 'old_password', 'trim'. $required_if .'|
    max_length[10]|callback_check_database');
208
209
210
      $this->form_validation->set_rules('new1-password', 'New password', 'trim|max_length[10]|matches[
211
      new2-password]');
$this->form_validation->set_rules('new2-password', 'Verify password', 'trim');
212
      if($this->form_validation->run() == FALSE){
  $session_data = $this->session->userdata('logged_in');
213
214
      $session_data['page_header'] = 'Change Password';
$this_>load_>view('manage_user/change_password', $session_data);}
215
216
217
      else {
218
        $session_data = $this->session->userdata('logged_in');
       $this->load->view('manage_user/password_success');
$this->load->view('manage_user/change_password', $session_data);
219
220
221
222
223
224
      function check_database($password){
     225
226
227
228
220
230
231
232
      return TRUE;
233
234
235
      if($new_password != $new_password2){
$this->form_validation->set_message('check_database', 'New password and verify password don\'t match.');
236
237
238
      return false;
239
      else if($new_password=="" || $new_password2=="" ){
240
      $this->form_validation->set_message('check_database', 'New password/verify password must not be
241
          empty');
      return false;
242
243
      else{
244
245
      $this -> form_validation -> set_message('check_database', 'Invalid password');
246
       return false:
247
248
```

```
249
250
                }
251
252
                <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');</pre>
                ob_start(); //we need to call PHP's session object to access it through CI
                class Record extends CI_Controller {
                   function __construct()
                   parent:: __construct();
                   if (!$this->session->userdata('logged_in')){
   10
   11
                allowed = array();
                if (!in_array(%this->router->method, $allowed))
redirect('login');
   13
   14
   15
   16
                $this->load->model('student','',TRUE);
$this->load->model('guardian','',TRUE)
$this->load->model('schooladmin','',TR
   17
   18
   19
               $this ->load ->model('schooladmin','',','
$this ->load ->library("pagination");
$this ->load ->library("bcrypt");
$this ->load ->library("javascript");
$this ->load ->library("functions");
$this ->load ->helper("url");
$this ->load ->helper('my_form');
$this ->load ->helper('my_form');
$this ->load ->helper('my_form');
$this ->load ->helper('my_form');
   20
   21
   22
   24
   25
   27
                this -> init():
   28
                 private function _init(){
   29
               $type = $this->session -> init(){
$type = $this->session -> init() if (strpos($type,'Teacher')!==FALSE)
$this->output->set_template('teacher');
elseif($type=='Student')
   30
   32
   33
                 $this->output->set_template('student');
                sthis=>output=>set_template( student );
elseif(($type=='Registrar ')
$this=>output=>set_template('registrar ');
elseif(($trpos(($type, 'Personnel ')!==FALSE))
$this=>output=>set_template('personnel ');
elseif(($type=='Principal ')
   35
   36
   38
   39
                sthis—>output->set.template('principal');
elseif($type=="Guardian")
   40
   41
   42
                   $this->output->set_template('guardian');
   43
                 function add_student(){
   44
                t = this -> student -> count_all() + 1;
  46
                if($studnum>=0 && $studnum <10)
$studnum ="0000".$studnum;
   47
                elseif($studnum>=10 && $studnum<100)
$studnum = "000".$studnum;
elseif($studnum>=100 && $studnum<1000)
   49
   50
                $studnum = "00".$studnum;
elseif($studnum>=1000 && $studnum<10000)
   52
                **Sstudnum = "0".*Sstudnum;

$studnum = "0".*Sstudnum;

$form['count'] = $studnum;

$data = array('page_header' => 'Add Student Record', 'page_title'=>'Add Record', 'title' => 'Add
   53
   54
   55
                              Page');
               Page');
$data["guardian"] = $this->guardian->get_all_guardians();
$data["section"] = $this->schooladmin->get_all_sections();
$this->load->helper(array('form'));
$this->load->view('add_record/student',$data);
   56
   57
   59
   60
                 public function add_guardian(){
                $this->load->helper(array('form'));
$data = array('page_header' => 'Add Guardian Record', 'form' => NULL);
   62
   63
                 $this -> load -> view ('add_record/guardian', $data);
   65
   66
                public function edit_guardian($id){
                $\frac{\text{sthis=\load=\helper(array('form'));}}{\text{$\text{sql='SELECT * FROM guardian WHERE GuardianNum = ?';}}$\text{$\text{$\text{$\text{sql-params} = array(\text{$\text{id});}}}$
   68
   69
                $\text{sql-params} = \text{alray(wid),}
$\text{query} = \text{$\text{sth} = \text{yquery($\sql, $\sql-params);}}
$\text{form} = \text{$\text{query} = \text{row.array();}}
$\text{data} = \text{array('title'} => 'Add Page', 'form' => \text{$\text{form}, 'page-header'} => 'Edit Guardian Record');}
$\text{}
   70
   71
   73
                $this->load->view('add_record/guardian',$data);
   74
   75
                public function edit_student($id){
                $this->load->helper(array('form'));
$sql= 'SELECT *FROM student WHERE StudNum = ?';
$sql_params = array($id);
   76
                $\forall \text{sql-params} = \text{sql-pa
   79
   81
                ssql- SELECT *FROM guardian Willer Guardian Num']);
$query = $this ->db->query($sql, $sql_params);
$form2 = $query->row_array();
$sql- 'SELECT *FROM section WHERE SectionID = ?';
$sql_params = array($form['SectionID']);
   82
   85
```

```
87
                $form3 = $query->row_array();
  88
  89
                $data = array('page_header' => 'Edit Student Record', 'page_title' => 'Edit Student Record', 'form'
  90
                = sform, 'form2' => $form2, 'form3' => $form3);

$data["guardian"] = $this->guardian->get_all_guardians();

$data["section"] = $this->schooladmin->get_all_sections();

$this->load->view('add_record/edit_student',$data);
  91
  92
  93
  0.4
                 public function add_schooladmin() {
  95
                $\text{sthis->load->helper(array('form'));}
$\data = array('page_header' => 'Add School Administrator Record', 'form' => NULL, 'page_title' => 'Add Record');
  96
  97
                 $this ->load ->view('add_record/school_admin', $data);
  99
                public function edit_schooladmin($id){
100
                  $this->load->helper(array('form'));
102
                $sql= 'SELECT *
                $sql .= 'FROM school_admin WHERE SANum = ?';
103
                $\footnote{\sqrt{sql.params}} = \array(\footnote{\sqrt{sql}});
$\footnote{\sqrt{sql.params}} = \footnote{\sqrt{sql.params}};
$\form = \footnote{\sqrt{sql.params}};
$\form = \footnote{\sqrt{sql.params}};
$\footnote{\sqrt{sql.params}} = \footnot
105
               106
107
108
109
110
111
113
114
116
118
120
                 function religionOther($str){
121
                if ($this->form_validation->set_message ('religionOther', 'Required.'); if ($this->input->post ('SReligion')=='Other') { if ($this->input->post ('ReligionOther')!=null) {
123
124
                 return true:
126
                 else
127
                 return false;
128
129
130
                return true;
131
                function religionSAOther($str){
$this->form_validation->set_message('religionSAOther', 'Required.');
if($this->input->post('SAReligion')=='Other'){
if($this->input->post('ReligionOther')!=null){
132
134
135
                 return true:
137
138
                 else
                 return false;
 139
140
141
142
                return true;
143
144
                 function record_student(){
                strinction record student(){
$this -> load -> library('form_validation');
if($this -> input -> post('edit_student') == "true")
$this -> form_validation -> set_rules('StudID', 'Student Number', 'trim | required | xss_clean');
146
148
149
                else
                 $this->form_validation->set_rules('StudNum', 'Student Number', 'trim|required|xss_clean|
150
                exact_length [12] | callback_isUniqueStudNum');

$this->form_validation->set_rules ('SLastName', 'Last Name', 'trim | required | xss_clean');

$this->form_validation->set_rules ('SFirstName', 'First Name', 'trim | required | xss_clean');

$this->form_validation->set_rules ('SMidName', 'Middle Name', 'trim | required | xss_clean');

$this->form_validation->set_rules ('SAddress', 'Address', 'trim | required | xss_clean');

$this->form_validation->set_rules ('SCellNum', 'Cellphone Number', 'trim | required | xss_clean | );
151
153
154
                exact_length[12]');
$this->form_validation->set_rules('SHomeNum', 'Home Number', 'trim|required|xss_clean|exact_length
156
                ['] ;

$this->form_validation->set_rules('SGender', 'Gender', 'trim|required|xss_clean');

$this->form_validation->set_rules('SEmailAdd', 'Email Address', 'trim|required|xss
157
              $this->form_validation->set_rules('SEmailAdd', 'Email Address', 'trim|required|xss_clean|
    valid_email');
$this->form_validation->set_rules('SBirthday', 'Birthday', 'trim|required|xss_clean');
$this->form_validation->set_rules('SReligion', 'Religion', 'trim|required|xss_clean');
$this->form_validation->set_rules('ReligionOther', 'Religion', 'trim|required|xss_clean');
$this->form_validation->set_rules('SBirthplace', 'Birthplace', 'trim|required|xss_clean');
$this->form_validation->set_rules('SBirthplace', 'Birthplace', 'trim|required|xss_clean');
$this->form_validation->set_rules('SHeight', 'Height', 'trim|required|xss_clean');
$this->form_validation->set_rules('SWeight', 'Weight', 'trim|required|xss_clean');
$this->form_validation->set_rules('DateWeighed', 'Date Weighed', 'trim|required|xss_clean');
$this->form_validation->set_rules('ElemSchool', 'Elementary School', 'trim|required|xss_clean');
$this->form_validation->set_rules('ElemSchoolAdd', 'Elementary School Address', 'trim|required|xss_clean');
$this->form_validation->set_rules('ElemSchoolAdd', 'Elementary School Address', 'trim|required|xss_clean');
                                                                                                                                                                                                                                           'trim | required | xss_clean |
158
159
161
162
163
164
 165
166
167
168
```

```
$\this->form_validation->set_rules('ElemGenAve', 'Elementary General Average', 'trim|required|
169
           xss_clean');
$this->form_validation->set_rules('GradeLevel', 'GradeLevel', 'trim|xss_clean|
170
           callback_requiredGrade');
$this->form_validation->set_rules('Status', 'Status', 'trim|required|xss_clean|
171
                      callback_checkDropdown');
           callback_checkDropdown');

$this->form_validation->set_rules('Section', 'Section', 'trim|xss_clean|callback_Section');

if($this->input->post('Status')=='G')

$this->form_validation->set_rules('YearGraduated', 'YearGraduated', 'trim|xss_clean|required');

$this->form_validation->set_rules('Guardian', 'Guardian', 'trim|xss_clean');

if($this->input->post('Guardian')=="New"){
172
173
174
175
176
           The state of the s
177
178
180
181
                       exact_length[12]');
            $this->form_validation->set_rules('GHomeNum', 'Home Number', 'trim|required|xss_clean|exact_length
182
                      [7]');
183
            $this->form_validation->set_rules('GEmailAdd', 'Email Address', 'trim|required|xss_clean|
                       valid email
            $this->form_validation->set_rules('Occupation', 'Occupation', 'trim|required|xss_clean');
184
185
           }
if($this->form_validation->run() == FALSE){
$data = array('page-header' => 'Add Student Record', 'page-title'=>'Add Record');
$data["guardian"] = $this->guardian->get_all_guardians();
$data["section"] = $this->schooladmin->get_all_sections();
if($this->input->post('edit_student')="true")
$this->load->view('add_record/edit_student', $data);
186
187
188
189
191
192
            else
            $this->load->view('add_record/student',$data);
 193
194
195
           if($this->input->post('Guardian')=="List")
$guardianNum = $this->input->post('GuardianList');
196
197
198
199
            if ($this ->input ->post('GMidName') =="")
200
            $midname="
201
           202
203
204
205
            suata = array(
'GLastName'=> $this->input->post('GLastName'),
'GFirstName' => $this->input->post('GFirstName'),
206
207
            'GMidName' => sthis->input->post('GristName')
'GMidName' => $midname,
'GAddress' => $this->input->post('GAddress'),
'GCellNum' => $this->input->post('GCellNum'),
'GHomeNum' => $this->input->post('GHomeNum'),
'GEmailAdd' => $this->input->post('GEmailAdd'),
'DateCreated' => date("Y-m-d"),
'Occupation' => $this->input->post('Occupation')
208
209
210
211
212
213
214
215
           ),
if ($this->input->post('GuardianNum'))
$data['GuardianNum'] = $this->input->post('GuardianNum');
216
217
218
            else {
           $num = $this->guardian->count_guardians()+1;
219
            if ($num>=0 && $num <10)
220
221
           $num = "0000".$num;
elseif($num>=10 && $num<100)
222
223
            $num = "000".$num;
           elseif($num>=100 && $num<1000)

$num = "00".$num;

elseif($num>=1000 && $num<10000)
224
225
226
           $num = "0".$num;
$data['GuardianNum'] = "1005-".$num;
227
228
           230
231
232
233
            $gpassword = $this->randomPassword();
234
235
            $login_details = array(
             'Username'=>$gusername,
'Password'=>$this->bcrypt->hash_password($gpassword));
236
237
238
            $this->guardian->record($data, $login_details);
239
240
241
            if ($this->input->post('Section'))
$section = $this->input->post('Section');
242
243
            else
            $section = "":
244
245
              if ($this->input->post('Status')=='G')
              $yeargraduated=$this->input->post('YearGraduated');
246
247
               else
              $yeargraduated="";
248
           if($this->input->post('SReligion')=='Other')
$religion = $this->input->post('ReligionOther');
249
250
251
            else
            $religion = $this->input->post('SReligion');
252
            if ($this->input->post ('SMidName') =='
253
            $smidname="";
```

```
255
         256
257
258
259
260
261
262
          'SMidName' => $smidname,
'GuardianNum' => $smidname,
'SAddress' => $this->input->post('SAddress'),
'SCellNum' => $this->input->post('SCellNum'),
'SHomeNum' => $this->input->post('SHomeNum'),
'SEmailAdd' => $this->input->post('SEmailAdd'),
263
264
266
267
          'SGender' => $this->input->post('SGender'),
'SBirthday' => $this->input->post('SBirthday'),
'SBirthplace' => $this->input->post('SBirthplace'),
269
270
         'SBirthplace' >> $this -> input -> post('SBirthplace'),
'SReligion' >> $religion,
'SCitizenship' >> $this -> input -> post('SCitizenship'),
'SHeight' >> $this -> input -> post('SHeight'),
'SWeight' >> $this -> input -> post('SHeight'),
'SWeight' >> $this -> input -> post('SHeight'),
'DateWeighed' >> $this -> input -> post('DateWeighed'),
'ElemSchool' >> $this -> input -> post('ElemSchool'),
'ElemSchoolAdd' >> $this -> input -> post('ElemSchoolAdd'),
'ElemGenAve' >> $this -> input -> post('ElemSchoolAdd'),
'Status' >> $this -> input -> post('Status'),
'DateCreated' >> date("Y-m-d"),
'GradeLevel' >> $this -> input -> post('GradeLevel'),
'SectionID' >> $section,
'YearGraduated' >> $yeargraduated
);
272
273
274
275
276
277
278
280
281
282
283
284
285
         ),
if ($this->input->post('edit_student')=="true"){
$data['ID'] = $this->input->post('StudID');
286
287
288
          $this -> student -> edit ($data);
289
290
         291
292
           $login_details = array(
Username'=>$susername,
293
294
295
          'Password'=>$this->bcrypt->hash-password($spassword));
$this->student->record($data,$login_details);
296
297
         $data = array('page_header' => 'Add Guardian Record', 'page_title'=>'Add Record');
redirect('record/view_student/'.$this->input->post('StudNum'));
298
299
300
           }
301
         public function generateUsername($array){
$first = $array['first'];
$last = preg_replace('/\s+/', '', $array['last']);;
302
304
         $mid =$array['mid'];
$this -> load -> model('user');
305
         for($i=0;$i<count($first);$i++){
$username=$first[$i].$mid[0].$last;
307
308
          if ($this ->user ->unique_username($username))
309
310
          return strtolower ($username);
311
312
          function randomPassword() {
313
           $alphabet = "abcdefghijklmnopqrstuwxyzABCDEFGHIJKLMNOPQRSTUWXYZ0123456789";
314
           $\text{spass} = \text{array();} \text{$salphaLength} = \text{strlen($salphabet)} - 1; \text{for ($i = 0; $i < 8; $i++) {}}
315
316
317
         $n = rand(0, $alphaLength);
$pass[] = $alphabet[$n];
318
319
320
321
            return implode($pass);
322
323
          public function StudNum($str){
         sthis->form_validation->set_message ('StudNum', 'Invalid format.'); return ( ! preg_match("/^[0-9]{4}-([0-9]{5})$/", $str)) ? FALSE : TRUE;
324
325
326
         public function Section($str){
$this->form_validation->set_message('Section', 'Section is required');
if($this->input->post('Status')=='E')
327
328
329
         if ($str == ',' return false;
330
331
332
          else
          return true:
333
334
          J
public function Unique($str){
$this->form_validation->set_message('Unique', 'Not Unique.');
335
336
          if ($this -> student -> view ($str) == FALSE) return TRUE;
337
338
339
          else
340
          return FALSE;
341
         public function requiredGrade($str){
$this->form_validation->set_message('requiredGrade', 'Grade required.');
if($this->input->post('Status')== 'E')
343
344
```

```
if($str == 'NA')
return FALSE;
346
347
            return TRUE:
349
350
              eturn TRUE:
351
352
            fublic function checkDropdown($str){
$this->form_validation->set_message('checkDropdown', 'No value.');
353
354
355
            if ( $ str == '
            return FALSE;
357
            else
358
            return TRUE;
360
            function record_schooladmin(){
361
            $this->load->library('form_validation');
           $this->load->library('form_validation');
$this->form_validation->set_rules('SAGender', 'Gender', 'trim | required | xss_clean');
$this->form_validation->set_rules('SALastName', 'Last Name', 'trim | required | xss_clean');
$this->form_validation->set_rules('SAFirstName', 'First Name', 'trim | required | xss_clean');
$this->form_validation->set_rules('SAMidName', 'Middle Name', 'trim | required | xss_clean');
$this->form_validation->set_rules('SAAddress', 'Address', 'trim | required | xss_clean');
$this->form_validation->set_rules('SACellNum', 'Cellphone Number', 'trim | required | xss_clean | xss_clean');
363
364
365
366
367
368
            exact_length[12]');
$this->form_validation->set_rules('SAMaritalStatus', 'Marital Status', 'trim|required|xss_clean');
$this->form_validation->set_rules('SASpouseName', 'Spouse Name', 'trim|xss_clean|
370
                     callback_SpouseName');
371
            $this->form_validation->set_rules('SAEmailAdd', 'Email Address', 'trim|required|xss_clean|
            valid_email');
$this->form_validation->set_rules('SABirthday', 'Birthday', 'trim|required|xss_clean');
$this->form_validation->set_rules('SABirthplace', 'Birthplace', 'trim|required|xss_clean');
$this->form_validation->set_rules('SABeligion', 'Religion', 'trim|required|xss_clean');
$this->form_validation->set_rules('ReligionOther', 'Religion', 'trim|xss_clean');
372
373
374
           376
377
378
379
381
382
            $this->load->view('add_record/school_admin', $data);
383
384
385
            if ($this->input->post('SMaritalStatus') == 'Married')
            $spousename = $this->input->post('SASpouseName'):
386
387
            else
388
           $spousename = N/A ,
$data = array(
'SALastName'=> $this->input->post('SALastName') ,
'SAFirstName' => $this->input->post('SAFirstName') ,
'SAMidName' => $this->input->post('SAMidName') ,
389
391
392
            'SAMidName' => $this->input->post('SAMidName'),
'SAType' => $this->input->post('SAType'),
'SADepartment' => $this->input->post('SADepartment'),
'SAAddress' => $this->input->post('SAAddress'),
'SACellNum' => $this->input->post('SACellNum'),
'SAGender' => $this->input->post('SAGender'),
'SABirthday' => $this->input->post('SABirthday'),
'SABirthday' => $this->input->post('SABirthday'),
'SABirthplace' => $this->input->post('SABirthday'),
'SAReligion' => $this->input->post('SABirthplace'),
'SACitizenship' => $this->input->post('SACitizenship'),
'SAMirthalStatus' => $this->input->post('SAMirthplace'),
'SAMirthalStatus' => $this->input->post('SAMirthplace'),
394
395
396
397
398
399
400
401
             'SAMaritalStatus' >> $this ->input->post('SACitizensnip'),
'SAMaritalStatus' >> $this ->input->post('SAMaritalStatus'),
'SASpouseName' >> $this ->input->post('SAYearsService'),
'SAEmailAdd' >> $this ->input->post('SAYearsService'),
'DateCreated' =>date("Y-m-d")
402
403
404
405
406
            /, slogin_detail['Username'] = $this->generateUsername(array('first'=>$this->input->post('SAFirstName')
408
            '),
'last'=>$this->input->post('SALastName'),'mid'=>$this->input->post('SAMidName')));
$login_detail['Password'] = $this->bcrypt->hash_password($this->randomPassword());
if($this->input->post('SANum')){
$data['SANum'] = $this->input->post('SANum');
409
410
411
412
413
415
            $num = $this->schooladmin->count_schooladmins()+1;
            if ($num>=0 && $num < 10)
416
            418
419
            elseif($num>=100 && $num<1000)
            $num = "00".$num;
elseif($num>=1000 && $num<10000)</pre>
421
422
           elseif($num>=1000 && $num<10000)
$num = "0".$num;
if($data['SAType'] =='Registrar')
$data['SANum'] = "1000 -".$num;
else if($data['SAType'] =='Principal')
$data['SANum'] = "1001 -".$num;
else if($data['SAType'] =='Teacher')
$data['SANum'] = "1002 -".$num;
else if($data['SAType'] =='Personnel')
$data['SANum'] = "1003 -".$num;</pre>
424
425
426
427
429
430
```

```
432
          if ($this->input->post('SAClubAdmin'))
$data['SAType'].="Club";
433
          if ($this->input->post('SAAdviser')) $data ['SAType'] = "Adv"; if ($data ['SAType'] = "Adv";
434
435
436
          $data['SAType'].="Adv";
if ($data['SAType'].="Personnel')
$data['SAType'].=$this->input->post('SAPersonnelType');
$this->schooladmin->record($data, $login_detail);
$data2 = array('page_header' => 'Add School Administrator', 'page_title' => 'Edit Record');
$this->load->view('add_record/student_success');
$this->form_validation->clear_field_data();
$this->load-view('add_record/student_success');
437
438
439
440
441
443
             $this->load->view('add_record/school_admin', $data2);
444
          public function SpouseName($str){
$this->form_validation->set_message('SpouseName', 'Spouse Name field is required.');
if($this->input->post('SAMaritalStatus')=='Married'){
if($this->input->post('SASpouseName'))
446
447
449
450
           return true:
451
           else
           return false:
452
453
454
           else
455
           return true:
456
457
           function record_guardian(){
          function record_guardian(){
$this->load->library('form_validation');
$this->form_validation->set_rules('GLastName', 'Last Name', 'trim|required|xss_clean');
$this->form_validation->set_rules('GFirstName', 'First Name', 'trim|required|xss_clean');
$this->form_validation->set_rules('GMidName', 'Middle Name', 'trim|required|xss_clean');
$this->form_validation->set_rules('GAddress', 'Address', 'trim|required|xss_clean');
$this->form_validation->set_rules('GCellNum', 'Cellphone Number', 'trim|required|xss_clean|

458
460
461
463
                    max_length[11]
464
           $\this->\form_validation->\set_rules('GHomeNum', 'Home Number', 'trim | required | xss_clean | max_length
           [7]');
$this->form_validation->set_rules('GEmailAdd', 'Email Address', 'trim|required|xss_clean|
465
          %this->form_validation->set_rules('Occupation', 'Occupation', 'trim|required|xss_clean');
%this->form_validation->set_rules('Gusername', 'Guardian Username', 'trim|required|xss_clean');
%this->form_validation->set_rules('Gusername');
%this->form_validation->set_rules('GPass', 'Guardian Password', 'trim|required|xss_clean|
466
467
468
                     max_length [128]');
           if ($this->form_validation->run() == FALSE)
469
470
           $this -> load -> view ('add_record/guardian');
471
           $data = array(
472
           $data = array(
'GLastName'=> $this->input->post('GLastName'),
'GFirstName' => $this->input->post('GFirstName'),
'GSirstName' => $this->input->post('GMidName'),
'GAddres' => $this->input->post('GAddress'),
'GCellNum' => $this->input->post('GAddress'),
'GCellNum' => $this->input->post('GHomeNum'),
'GHomeNum' => $this->input->post('GHomeNum'),
'GEmailAdd' => $this->input->post('GEmailAdd'),
'DateCreated' => date("Y-m-d"),
'Occupation' => $this->input->post('Occupation')
473
474
475
477
478
479
480
481
482
483
          %num = $this->guardian->count-guardians()+1;
if($num>=0 && $num < 10)</pre>
484
          %num = "0000". %num;
elseif(%num>=10 && %num<100)
%num = "000". %num;
485
486
487
           elseif($num>=100 && $num<1000)
$num = "00".$num;
488
489
          $num =
490
           elseif ($num>=1000 && $num<10000)
                           "0".$num;
491
          $num = "0".$num;
$data['GuardianNum'] = date('Y')."-".$num;
492
493
           $login_details = array(
          "Vusername'=>$this->input->post('GUsername'),
'Password'=>$this->bcrypt->hash-password($this->input->post('GPass')));
$this->guardian->record($data,$login_details);
494
495
496
             $this->load->view('add_record/student_success');
497
498
           function search_student(){
499
          %this->load->helper('form');
%data['page_header'] = 'Search';
$type = $this->session->userdata('logged_in')['Type'];
if($this->input->post('name')){
$word = mysql_real_escape_string($this->input->post('name'));
500
501
502
503
504
            sword = mysql:leaf_escape_string(strins==)input==>post( name )),
$word = htmlentities($word);
$sql = "select *,(SELECT GradeLevel FROM section WHERE stud.SectionID=SectionID) as GradeLevel
from student as stud where'".$word."
like concat('%',stud.SFirstName,'%')
or '".$word."'like concat('%',stud.SLastName,'%') ";
505
506
507
508
          $query = $this->db->query($sql);
$form = $query->result_array();
509
510
511
           \$i = 0:
             foreach ($form as $row) {
$students[$i] = array('StudNum'=>$row['StudNum'], 'SFirstName'=>$row['SFirstName'], 'SLastName']}
$row['SLastName'],
513
                              'SMidName'=>$row['SMidName'], 'GradeLevel'=>$row['GradeLevel']);
514
515
             \$i + +:
516
```

```
if(isset($students))
517
             $data['results']=$students;
518
519
             fif($type=='Registrar' || $type=='Principal' || strpos($type, 'Teacher') !== FALSE )
$this->load->view('view_record/search_student', $data);
elseif(strpos($type, 'Personnel') !== FALSE)
$this->load->view('view_record/search_student_personnel', $data);
520
521
522
523
524
525
              function show_students($id=''){
            526
527
528
529
530
531
              $this -> load -> view (" view_record/show_enrolled", $data);
532
533
534
             $this ->load ->view("view_record/show_enrolled");
535
536
             felseif(strpos($type,'Personnel') !== FALSE){
$this->load->helper(array('form'));
if($this->input->post('SchoolYear')!='NA' && $this->input->post('GradeLevel')!='NA'){
$data["results"] = $this->student->get_students_enrolled($this->input->post('GradeLevel'),$this->input->post('SchoolYear'));
$this->load->view("view_record/show_enrolled_personnel",$data);
}
537
538
539
540
541
542
             else$this ->load ->view("view_record/show_enrolled_personnel");
543
544
545
              else if ($type=="Guardian") {
546
             $data['students'] = $this->guardian->get_child_record($type = $this->session->userdata('logged_in
')['ID']);
547
                          ->load->view('view_record/show_students_guardian',$data);
549
              else
550
              redirect ('home');
551
552
              function show_enrolled($id=''){
553
             stype = $this->session ->userdata('logged_in ')['Type'];
$data['page_header'] = 'Students';
$this->load->helper(array('form'));
555
556
             $this->load->nelper(array('form'));
$data['schoolyear'] = $this->functions->current_schoolyear();
if($type=='Registrar' || $type=='Principal' || strpos($type, 'Teacher') !== FALSE){
if($this->input->post('SchoolYear')!='NA' && $this->input->post('GradeLevel')!='NA'){
$data["results"] = $this->student->get_students_enrolled($this->input->post('GradeLevel'), $this->input->post('SchoolYear'));
$this->load->view("view_record/show_enrolled", $data);
557
558
559
560
561
562
563
 564
              $this->load->view("view_record/show_enrolled",$data);
565
              felse if (strpos($type, 'Personnel') !== FALSE) {
if ($this->input->post('SchoolYear')!='NA' && $this->input->post('GradeLevel')!='NA') {
566
567
             $\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\circ{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\exitex{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\circ{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\frac{\text{$\circ{$\frac{\text{$\frac{\text{$\frac{\circ{\circ{$\frac{\circ{\circ{\circ{$\frac{\circ{\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ{$\frac{\circ
568
              $this->load->view("view_record/show_enrolled_personnel",$data);
569
570
571
             $this->load->view("view_record/show_enrolled_personnel",$data);
572
573
574
              redirect ('home');
575
576
577
              function show_not_enrolled($id=''){
             $data['page.header'] = 'Students';
$type = $this->session->userdata('logged_in')['Type'];
if($type=='Registrar' || $type=='Principal' || strpos($type,'Teacher') !== FALSE){
578
579
580
             Trougher registral | wtype = Trincipal | stripos(wtype; reacher) := TALSD){

**Sthis -> load -> helper(array('form'));

if ($this -> input -> post('GradeLevel')! = 'NA') {

**Sdata[" results"] = $this -> student -> get_students_not_enrolled($this -> input -> post('GradeLevel'));

**Sthis -> load -> view(" view_record/show_not_enrolled", $data);
581
582
583
584
585
              else{
586
             587
589
590
591
              else if ($type=='Personnel') {
             State["results"] = $this->student->get_students($id);
$this->load->view("view_record/show_students_personnel",$data);
592
593
594
              else
595
596
              redirect ('home');
597
              function show_graduated($id=''){
598
             runction snow_graduated($id=''){
$type = $this->session->userdata('logged_in')['Type'];
$data['page_header'] = 'Students';
if($type=='Registrar' || $type=='Principal' || strpos($type,'Teacher') !== FALSE){
$this->load->helper(array('form'));
599
600
601
```

```
if ( $this->input->post ( 'Year ') != 'NA') {
603
        Sdata[" results"] = $this->student->get_students_graduated($this->input->post('Year')); $this->load->view("view_record/show_graduated",$data);
604
605
606
607
608
                  ->load->view("view_record/show_graduated", $data);
609
610
        | glse if ($type=='Personnel') {
$data["results"] = $this->student->get_students($id);
$this->load->view("view_record/show_students_personnel",$data);
611
612
613
614
         else
615
616
         redirect('home');
617
618
         function show_all_students(){
        function show_all_students(){
$config = array();
$config ["base_url"] = base_url()."record/show_students";
$config ["total_rows"] = $this->student->count_all();
$config ["per_page"] = 1;
$config ["uri_segment"] = 3;
$choice = $config ["total_rows"] /$config ["per_page"];
$config ["num_links"] = round($choice);
619
620
621
622
623
624
625
626
627
           $this->pagination->initialize($config);
628
        $page = ($this->uri->segment(3))? $this->uri->segment(3):0;
$data["results"] = $this->student->get_all();
$data["links"] = $this->pagination->create_links();
$data["page_header"] = "Show Students";
$data["grade"] = "Grade 7";
$this->load->view("view_record/show_students",$data);
629
630
631
632
633
634
635
636
637
638
        }
        639
640
641
642
643
645
          $array = array();
        $array = array(),
foreach($subjects as $row){
$array[$row['SubjectID']] = $this->grades->get_grades_per_grading($row['SubjectID'],$studentid);
646
647
648
        | Sdata['score-grading'] = $array;
| $data['subjects'] = $subjects;
| $this->load->view('student/view.grades',$data);
649
650
651
         $this -> session -> set_flashdata ('studentno', $studentid);
653
654
655
         function view_grades($id=""){
        $type = $this->session->userdata('logged_in');
if($id=="")
656
657
         $id=$type[',ID'];
658
659
        $data['page_header'] =$data['student']= $this->functions->get_student_name($id);
$this->load->model('grades');
660
        stnis ->load ->model( grades ');
$data['grades'] = $this ->grades ->view_grades($id);
$this ->load ->library("functions");
$data['schoolyear'] = $this ->functions ->current_schoolyear();
if($type['Type']=="$tudent');
$this ->load ->view('student'/view_grades', $data);
661
662
663
664
665
666
         else
        $\this -> \load -> \text{view ('student/view_grades_other', $\data);} $\this -> \session -> \set_flash \data ('studentno', $\text{sthis} -> \session -> \set_flash \data ('studentno'));}
667
668
669
670
         function view_specific_grade($studentid,$gradingperiod){
        $this->load->model('grades');
$this->session->set_flashdata('classid', $this->session->flashdata('classid'));
671
672
        **Tresults = $this->grades->view_test_types($gradingperiod);
$data['page_header'] = $data['student'] = $this->functions->get_student_name($studentid);
$knowledge = array();
$product = array();
$product = array();
673
674
675
676
         $understanding = array();
677
678
         $process = array();
679
         \$i = 0;
680
         \hat{j} = 0;
681
         \$k = 0:
         \$1 = 0;
682
683
         $knowledge_grades = array();
        $product_grades= array();
$process_grades = array();
684
685
         $understanding_grades= array();
686
        sunderstanding_grades = allay(),
if($results!=null){
foreach($results as $row){
   if($row['AssessmentType']=='process'){
   $process[$i] = array('TestType'=>$row['TestType'],
   'GradingPeriodID'=>$row['GradingPeriodID'],
687
688
689
690
691
         'TestID'=>$row['TestID',']
692
693
         *process_grades[$row['TestID']] = $this->grades->get_column($row['TestID'], $studentid);
```

```
695
           $i++:
696
           }
else if($row['AssessmentType']=='understanding'){
$understanding[$j] = array('TestType'=>$row['TestType'],
'GradingPeriodID'=>$row['GradingPeriodID'],
'TestID'=>$row['TestID']
697
698
699
700
701
            /, sunderstanding_grades[$row['TestID']] = $this->grades->get_column($row['TestID'], $studentid);
702
703
704
            else if($row['AssessmentType']=='product'){
705
           $product[$\] = array('TestType'=>\$row['TestType'],
'GradingPeriodID'=>\$row['GradingPeriodID'],
'TestID'=>\$row['TestID']
706
707
709
            *product_grades[$row['TestID']] = $this->grades->get_column($row['TestID'], $studentid);
710
           $k++;
712
713
           % showledge [$1] = array ('TestType'=>$row ['TestType'],
'GradingPeriodID'=>$row ['GradingPeriodID'],
'TestID'=>$row ['TestID']
715
716
717
           %knowledge_grades[$row['TestID']] = $this->grades->get_column($row['TestID'], $studentid);
718
719
720
721
          }
$data['knowledge'] = $knowledge;
$data['product'] = $product ;
$data['process'] = $process;
$data['understanding'] = $understanding;
$data['knowledge_grades'] = $knowledge_grades;
$data['product_grades'] = $product_grades;
$data['process_grades'] = $process_grades;
$data['understanding_grades'] = $understanding_grades;
$data['understanding_grades'] = $understanding_grades;
$data['understanding_grades'] = $understanding_grades;
$data['understanding_grades'] = $understanding_grades;
$data['horses]
723
724
725
726
727
728
729
730
           stype = $this -> session -> used ata ('logged_in') ['Type'];
if (strpos($type, 'Teacher') !== FALSE)
$this -> load -> view ('student/view_specific_grades', $data);
731
732
733
734
           $\this -> \session -> \set_flashdata('\text{studentno'}, \text{$\this} -> \session -> \flashdata('\text{studentno'}));
735
736
           function view-student($id){
    $type = $this->session->userdata('logged_in')['Type'];
if($type=='Registrar' || $type=='Principal' || strpos($type,'Teacher') !== FALSE || $type=="
737
738
                      Guardian") {
739
           $result = $this->student->view($id):
           foreach ($result as $row) {
740
           741
742
744
745
            'SMidName' => $row->SMidName
            'SMidName' => $row->SMidName,
'GuardianNum' => $row->GuardianNum,
'SAddress' => $row->SAddress,
'SCellNum' => $row->SCellNum,
'SHomeNum' => $row->SHomeNum,
'SGender' => $row->SGender,
'SCELANDERS => $row->SGender,
747
748
749
750
751
            'SBirthday' => $row->SBirthday,
'SBirthplace' => $row->SBirthplace,
752
          'SBirthplace' >> $row->SBirthplace,
'SReligion' >> $row->SReligion,
'SCitizenship' >> $row->SCitizenship,
'SWeight' >> $row->SWeight,
'SHeight' >> $row->SHeight,
'DateWeighed' >> $row->DateWeighed,
'ElemSchool' >> $row->ElemSchool,
'ElemSchoolAdd' >> $row->ElemSchoolAdd,
'ElemGenAve' >> $row->ElemGenAve,
'Status' >> $row->SEatus,
'SEmailAdd' >> $row->SEmailAdd,
'GradeLevel' >> $row->GradeLevel
753
754
755
756
757
758
759
760
761
762
763
764
765
           );
if (isset ($row->SectionName))
$array['SectionName'] = $row->SectionName;
766
767
768
            else
769
           $array['SectionName']="";
770
            $data = array();
771
           sdata = array();
$data['student']= $this->functions->get_student_name($id);
$data['form'] = $array;
$data['page_header'] = 'Student Record';
$result = $this->guardian->get_guardian($array['GuardianNum']);
foreach($result as $row){
772
773
774
775
776
           $array = array(
'GLastName'=> $row->GLastName,
'GFirstName' => $row->GFirstName,
778
779
            'GMidName' => $row->GMidName,
'GuardianNum' => $row->GuardianNum,
781
           'GuardianNum' => $row->GuardianI'
'GAddress' => $row->GAddress,
'GCellNum' => $row->GCellNum,
'GHomeNum' => $row->GHomeNum,
'GEmailAdd' => $row->GEmailAdd,
782
783
784
```

```
'Occupation' => $row->Occupation
786
787
788
          $data['form2'] = $array;
$this->load->library('form_validation');
789
790
           $this->load->helper(array('form'));
791
          $this->load->helper(array('form'));
$data['student']= $this->functions->get_student_name($id);
$this->session->set_flashdata('studentid', $id);
$data['page_header'] = $data['student']= $this->functions->get_student_name($id);
$this->load->view('view_record/student', $data);
792
793
794
795
796
797
          else if (strpos ($type, 'Personnel') !== FALSE) {
redirect ('record/view_student_offenses/'.$id);
798
799
800
          function view_student_clearance($studid){
          $this -> load -> helper ('form');
$this -> load -> model ('student');
801
802
          $id = $this->student->get_current_student_section($studid);
$schoolyear = $this->functions->current_schoolyear();
803
804
           $data['subjects'] =$this->schooladmin->get_subject_section($id);
805
          $clearance = array();
foreach($data['subjects'] as $subject){
$arr = $this->student->check_clearance2($studid,$schoolyear,$subject['SubjectName'],$subject['
806
807
808
                   TeacherNum']);
          if($arr)
809
810
          $clearance[$subject['SubjectID']] = $arr;
811
           else
          Sclearance[$subject['SubjectID']] = array('TeacherName'=>$subject['SAFirstName']." ".$subject['SALastName'], 'ClearanceFor'=>$subject['SubjectName'], 'Status'=>'NC', 'ClearanceID'=>"0",'ApprovedBy'=>$subject['TeacherNum']);
813
          814
815
816
817
          foreach($other_clearance as $key=>$oc){
$arr = $this->student->check_clearance3($studid.$schoolyear.$oc);
818
819
821
          $clearance[$key] = $arr;
822
          else {
          823
824
825
          $clearance [$key] = array ('TeacherName'=>$data['guidance']['TeacherName'], 'ClearanceFor'=>$oc,'
Status'=>'NC', 'ClearanceID'=>"0", 'ApprovedBy'=>$data['guidance']['SANum']);
826
827
          $clearance[$key] = array('TeacherName'=>"",'ClearanceFor'=>$oc,'Status'=>'NC','ClearanceID'=>"0",'
ApprovedBy'=>"");
828
829
830
          832
833
          $\footnote{\text{State}} \footnote{\text{State}} 
834
835
836
837
           else
838
839
          $this->load->view('view_record/view_all_clearance', $data);
840
           ,
function_change_status($status,$clearanceid,$studnum,$clearancefor="",$approvedby=""){
841
          $this->load->model("student");
if($clearanceid=="0" && $clearancefor!="" && $approvedby!=""){
842
843
          $data = array ('StudNum'=>$studnum,
844
845
            'ClearanceFor'=>urldecode($clearancefor),
846
            'ApprovedBy'=>$approvedby
           'Date'=>date("Y-m-d"),
'Status'=>'C',
847
848
            SchoolYear'=>$this->functions->current_schoolyear());
849
          $this->student->record_clearance($data);
850
851
852
           else{
853
           if ($status=='C')
854
          $new_status = "NC";
855
           else
856
           $new_status="C"
          snew_status="C";
$data = array('ClearanceID'=>$clearanceid,'Status'=>$new_status);
$this->student->edit_clearance($data);
857
858
859
860
           redirect ('record/view_student_clearance/'.$studnum);
861
           .
function_change_status2($status,$clearanceid,$studnum,$approvedby,$clearancefor=""){
862
          $this->load->model("student");
if ($clearanceid=="0" && $clearancefor!="" && $approvedby!=""){
863
864
          $data = array('StudNum'=>$studnum,
'ClearanceFor'=>urldecode($clearancefor),
865
866
           'ApprovedBy'=>$approvedby,
'Date'=>date("Y-m-d"),
867
868
            Status' = >'C'
869
           'SchoolYear'=>$this->functions->current_schoolyear());
```

```
871
             $this -> student -> record clearance ($data):
872
              else{
873
             if($status=='C') {
$new_status = "NC";
$approvedby="0000-00000";
874
875
876
877
878
              $new_status="C":
879
880
              ,
data = array('ApprovedBy'=>$approvedby,'ClearanceID'=>$clearanceid,'Status'=>$new_status);
881
882
              $this -> student -> edit_clearance ($data);
883
885
               redirect ('record/view_student_clearance/'.$studnum):
886
887
              function view_student_clearance_copy($id){
             Sthis->load->helper('form');

$data['schoolyear'] = $this->functions->current_schoolyear();

$data['page_header'] = $data['student'] = $this->functions->get_student_name($id);

if($this->input->post('SchoolYear')!='NA'){

$data['clearance'] = $this->student->get_clearance($id,$this->input->post('SchoolYear'));

$this->load->view('view_record/view_all_clearance',$data);
888
889
890
891
892
893
894
895
              $this ->load ->view('view_record/view_all_clearance', $data):
896
897
898
              function view_student_extracurricular($id){
             **Sthis->load->helper('form'); 
$data['schoolyear'] = $this->functions->current_schoolyear(); 
$data['page_header'] = $data['student'] = $this->functions->get_student_name($id); 
if($this->input->post('SchoolYear')! = '); 
$data['selected_schoolyear'] = $this->input->post('SchoolYear');
899
900
902
903
904
                $data['extra'] = $this->student->get_extra($id,$this->input->post('SchoolYear'));
905
906
             $\data['selected_schoolyear'] = $\data['schoolyear'];
$\data['extra'] = $\this -> \student -> \get_extra(\$id, \$data['schoolyear']);
907
908
909
910
              $this->load->view('view-record/view-all-extra',$data);
911
             public function view_extracurricular($id){
$this->load->helper('form');
912
913
             914
915
             State | Steament | Student | Student
916
             **Student = %**student = %**student [0]['SFirstName']." ".$*student [0]['SFirstName']." ".$*student [0]['StudNum'];

$this = >load = > view("view_record/view_single_extra", $data);
917
918
919
921
922
              function view_all_extracurricular(){
              $this->load->helper('form');
             sthis ->load -> library('functions');
$this -> load -> library('functions');
$this -> load -> model('student');
$data['schoolyear'] = $this -> functions -> current_schoolyear();
$data['page_header'] = "Extracurricular";
if(strpos($this -> session -> userdata('logged_in')['Type'],'Teacher') !== FALSE){
924
925
926
927
928
             if($this->input->post('SchoolYear')){
    $data['extra'] = $this->student->get_extra_teacher($this->input->post('SchoolYear'));
929
930
931
932
              $this->load->view('view_record/view_extra', $data);
933
934
             function change_extracurricular($id,$status){
if(strpos($this->session->userdata('logged_in')['Type'],'Teacher') !== FALSE){
if($status =='C')
935
936
937
938
                $status ='NC';
939
              else
940
                $status="C":
             941
942
943
              redirect ('record / view_extracurricular / '. $id):
944
945
946
947
              function extracurricular(){
948
              $this -> load -> helper ('form');
             strins_relad=>nerper( torin ),
if (strpos($this->session->userdata('logged_in')['Type'], 'Teacher') !== FALSE){
$data['page_header'] = "Extracurricular";
$data['schoolyear']=$this->functions->current_schoolyear();
$this->load->view('add_record/extra',$data);
949
950
951
952
953
954
955
              function clearance ($id) {
             $\data['\SectionID'] = \$id;
$\this -> \load -> \text{helper(array('form'));}
$\]
956
957
             $this ->ioad -> neiper(array('iorm'));
$data['subject] = $this -> schooladmin -> get_subject_section($id);
$data['teacher'] = $this -> schooladmin -> get_subject_section($id);
$data['guidance'] = $this -> schooladmin -> get_guidance_personnel();
$data['property'] = $this -> schooladmin -> get_property_personnel();
$sectioname = $this -> schooladmin -> view_section($id);
958
959
960
961
```

```
$data['page_header'] = $sectioname[0]->SectionName;
$this->load->view('add_record/clearance', $data);
 963
 964
 965
 966
               function add_students($sectionid){
              runction add.students(ssection){
$this->load->helper('form');
if($this->session->userdata('logged_in')['Type']=='Registrar'){
$data['page_header'] = "Section";
$data['schoolyear']=$this->functions->current_schoolyear();
$this->load->view('add_record/add_students',$data);
 967
 968
 969
  970
 971
 972
 973
 974
               public function edit_extracurricular($id){
               $this->load->helper(array('form'));
$sql= 'SELECT * ';
 975
 976
 977
               $sql .= 'FROM extra_activity WHERE ActivityID = ?';
               $sql_params = array($id);
 978
               $query = $this->db->query($sql, $sql-params);
 979
              $form = $query->row_array();
$data = array('title' => 'Add Page', 'row' => $form, 'page_header'=>'Edit Record');
 980
 981
              student = $this ->student->get_student.name_extra($id);
$data['page_header'] = $student[0]['SFirstName'];
$this->load->view('add_record/edit_extra', $data);
 982
 983
 984
 985
              public function save_edited_extracurricular($id){
    $this->load->library('form_validation');
    $this->form_validation->set_rules('description', 'Description', 'trim|required|xss_clean');
    $this->form_validation->set_rules('recognition', 'Recognition', 'trim|required|xss_clean');
    $this->form_validation->set_rules('schoolyear', 'School Year', 'trim|required|xss_clean|
    $this->form_validation->set_rules('schoolyear', 'School Year', 'trim|required|xss_clean|
 986
  987
 988
 989
               callback_SchoolYear');
if($this->form_validation->run() == FALSE){
 991
              $\text{student} = \text{$this} -> \text{student} -> \text{get_student_name_extra} (\text{$id});
$\data['page_header'] = \text{$student}[0]['SFirstName']." ".\text{$str}
$\text{$this} -> \text{load} -> \text{view} ('student/edit_extra', \text{$data});
$\text{$this} -> \text{$this} 
 992
                                                                                                                                                     ". $student [0]['SLastName']:
 993
 994
 995
 996
               else {
                slse{
$this >> load >> helper(array('form'));
$config['upload_path'] = './uploads/'.$this -> session -> userdata('logged_in')['ID'].'/extra_act/';
$config['allowed_types'] = 'gif|jpg|png|pdf|zip|rar';
$config['max_size'] = '1000';
$config['max_width'] = '1024';
$config['max_height'] = '768';
 997
 998
 999
1000
1001
1002
1003
              $this->load->library('upload', $config);
if ($_FILES && $_FILES['userfile']['name'] !== "") {
if (!$this->upload->do_upload()){
$error = array('error' => $this->upload->display_errors());
$data['error'] = $error;
$this->load->view('add_record/edit_extra',$data);

1004
1005
1006
1007
1008
1009
1010
                  else{
1011
1012
               $data = array('upload_data' => $this->upload->data());
1013
1014
               $array = array('Description'=>$this->input->post('description'),
               'Recognition'=>$this->input->post('recognition'),
'ActivityID'=>$id,
1015
1016
1017
                SchoolYear'=> $this ->input ->post ('schoolyear'))
               1018
1019
1020
1021
1022
               $this->student->edit_extra($array);
1023
               //redirect('subject/portfolio_files/'.$class_id.'/'.$portfolio_id);
1024
1025
1026
1027
               else{
              **sarray = array('Description'=>$this->input->post('description'),
'Recognition'=>$this->input->post('recognition'),
'ActivityID'=>$id,
'SchoolYear'=>$this->input->post('schoolyear'));
1028
1029
1030
1031
1032
               $this -> student -> edit_extra($array);
1033
1034
                redirect('record/view_extracurricular/'.$id);
1035
1036
1037
               function delete_extracurricular($id){
               $this -> load -> model('student');
$this -> student -> delete_extra($id);
1038
1039
1040
               redirect ('record/view_all_extracurricular');
1041
1042
               public function record_extracurricular($studid){
              $this->load->library('form-validation');
$this->load->model('student');
1043
1044
               $this->form_validation->set_rules('Recognition[]', 'Recognition', 'trim|required|xss_clean');
$this->form_validation->set_rules('Description[]', 'Description', 'trim|required|xss_clean');
$this->form_validation->set_rules('SchoolYear[]', 'School Year', 'trim|required|xss_clean|);
1045
1046
1047
                           callback_SchoolYear ');
               $this->form_validation->set_rules('Name[]', 'Name', $this->form_validation->set_rules('NameID[]', 'NameI
1048
                                                                                                                                        Name', 'trim | required | xss_clean ');
'NameID', 'trim | required | xss_clean ');
1049
1050
               if ($this -> form_validation -> run() == FALSE) {
1051
                 $data =array():
1052
                 if (isset ($-POST['Description']) && count ($-POST['Description']!=1)) {
```

```
$data['count'] = count($_POST['Description']);
$data['page_header'] = "Extracurricular";
$data['schoolyear']=$this->functions->current_schoolyear();
1053
1054
1055
1056
                   $this->load->view('add-record/extra',$data);
1057
1058
1059
                   else {
                  else{
    $files = array();
    $config['upload_path'] = './uploads/'.$this->session->userdata('logged_in')['ID'].'/extra_act/';
    $config['allowed_types'] = 'gif[jpg|jpeg|jpe|png';
    $config['max_size'] = '800000000';
    $this->load->library('upload', $config);
    $errors = FALSE;
1060
1061
1062
1063
1064
1065
1066
                  $array.temp = array();
foreach($_FILES as $key => $value){
if(!empty($value['name'])){
1067
1068
1069
                  if (! $this ->upload -> do_upload ($key)) {
$data['upload_message'] = $this -> upload -> display_errors();
1070
1071
1072
                  $this->load->vars($data);
$errors = TRUE;
1073
1074
                   else{
1075
                  $\files [] = \$\text{this} -\text{yload} -\text{data();}$
$files [] = \$\array_\temp[\$\key];
1076
1077
1078
1079
 1080
1081
                  \array\_temp[$key] = "Empty";
1082
1083
1084
1085
                   if($errors){
                  fit(serrors){
foreach($files as $key => $file)
    @unlink($file['full-path']);
if(isset($POST['Description'])&& count($POST['Description']!=1)){
    $data['count'] = count($POST['Description']);
$data['page_header'] = "Extracurricular";
$data['schoolyear']=$this->functions->current_schoolyear();
}
1086
1087
1088
1089
1090
1091
1092
                   $this->load->view('student/add_extra',$data);
1093
1094
1095
                    $\{\text{
$\text{recog} = $\this-\sinput-\text{post('Recognition');}
$\text{desc} = $\this-\sinput-\text{post('Description');}
$\text{schoolyear} = $\this-\sinput-\text{post('SchoolYear');}
$\text{name} = $\this-\sinput-\text{post('Name');}
$\text{name} = $\this-\sinput-\text{post('Name');}
$\text{name} = $\text{this}-\sinput-\text{post('Name');}
$\text{name} = $\text{this}-\text{name'} = $\text{this}-\text{name');}
$\text{name} = $\text{this}-\text{name'} = $\text{thi
1096
1097
1098
1099
                 $name = $this->input->post('Name');
$studnum = $this->input->post('Name');
for($i=0;$i<count($desc);$i++){
   if($array_temp['userfile'.($i+1)]!='Empty'){
$filename = $array_temp['userfile'.($i+1)]['file_name'];
$fileurl = $array_temp['userfile'.($i+1)]['full_path'];</pre>
1100
1101
1103
1104
 1105
1106
                     else {
                                           $filename ="";
$fileurl="";
1107
1108
1109
                     $data = array ('StudNum'=>$studnum[$i],
1110
                    'Description'=>$desc[$i],
'Recognition'=>$recog[$i],
1111
1112
1113
                    'ApprovedBy'=>$this->session->userdata('logged_in')['ID'],
                    'Date'=>date("Y-m-d"),
'Status'=>'C',
1114
1115
1116
                    'FileName'=>$filename,
                    'FileURL'=>$fileurl,
'SchoolYear'=>$schoolyear[$i],
1117
1118
                    'AddedBy'=>$this->session->userdata('logged_in')['ID']);
1119
1120
                   $this->student->record_extra($data);
1121
1122
                    redirect('record/view_student_extracurricular/'.$studid);
1123
1124
1125
                 public function record_students($sectionid){
$this->load->library('form_validation');
$this->load->model('student');
$this->load->model('section_model');
$this->form_validation->set_rules('Name[]', 'Name', 'trim|required|xss_clean');
$this->form_validation->set_rules('NameID[]', 'NameID', 'trim|required|xss_clean');
if($this->form_validation->run() = FALSE){
1126
1127
1128
1129
1130
1131
1132
1133
                     $data =array();
                  "if (isset ($-POST['Name'])&& count($-POST['Name']!=1)){
$data['page_header'] = "Section";
$data['schoolyear']=$this->functions->current_schoolyear();
1134
1135
1136
1137
1138
                   $this->load->view('add_record/add_students', $data);
1139
                   else{
1140
1141
                     $name = $this->input->post('Name');
                  sstudnum = $this >>input >>post('NameD');
$studnum = $this ->input ->post('NameD');
$section_grade=$this ->section_model->get_section_grade($sectionid);
for($i=0;$i<count($name);$i++){</pre>
1142
1143
```

```
$data = array('StudNum'=>$studnum[$i].
1145
                    SectionID'=>$sectionid,
1146
                  'GradeLevel'=> $section_grade);
1147
                 $this->student->edit_by_studnum($data);
1148
1149
1150
                  redirect ('record/view_students/'. $sectionid);
1151
1152
1153
                  function view_student_offenses($id){
                 Sthis->load->helper('form');

$data['page_header'] = $$data['student'] = $this->functions->get_student_name($id);

$data['schoolyear'] = $this->functions->current_schoolyear();

$if(isset($POST['SchoolYear'])&& isset($POST['Type'])&&$this->input->post('SchoolYear')!='NA' &&

$this->input->post('Type')!='NA'){
1154
1155
1156
1157
                %data['selected_schoolyear'] = $this->input->post('SchoolYear');
$data['Type']= $this->input->post('Type');
if($this->input->post('Type')=='Disciplinary')
$data['guidance']= $this->student->get_guidance($id,$this->input->post('SchoolYear'));
elseif($this->input->post('Type')=='Property')
$data['guidance']= $this->student->get_guidance($id,$this->input->post('SchoolYear'));
1158
1159
1160
1161
1162
                 | $\data['offenses'] = $\this -> \text{student} -> \text{get_offenses} (\text{sid}, \text{$this} -> \text{input} -> \text{post} ('SchoolYear'));
1163
1164
                 *Sdata['guidance']= $this->student->get_guidance($id,$this->input->post('SchoolYear'));
$data['offenses']= $this->student->get_offenses($id,$this->input->post('SchoolYear'));
1165
1166
1167
                   }
1168
1169
                 f if (strpos($this->session->userdata('logged_in')['Type'], 'Personnel') !== FALSE) $this->load->view('view_record/view_all_offenses_personnel', $data);
1170
1172
                 else
                 $this->load->view('view-record/view-all-offenses', $data);
1173
 1174
1175
1176
                  function view_all_clearance(){
1177
                  $this->load->helper('form');
                 sthis ->load -> helper('form');
$this ->load -> library('functions');
$this -> load -> model('student');
$data['schoolyear'] = $this -> functions -> current_schoolyear();
$data['page_header'] = "Clearance";
if(strpos($this -> session -> userdata('logged_in')['Type'],'Teacher') !== FALSE){
1178
1179
1180
1181
1182
                 if ($this -> input -> post ('SchoolYear'))
$\data['clearance'] = $\this -> \times tudent -> \text{get_acher}(\text{$this} -> \times input -> \text{post}('SchoolYear'));
$\this -> \load -> \times tudent -> \text{get_acher}(\text{$this} -> \text{input} -> \text{post}('SchoolYear'));
$\text{this} -> \load -> \text{view}('\text{view_record}/\text{view_clearance}', \text{$data});
1183
1184
1185
1186
                    }
1187
                  function show_guardians(){
1188
                function show_guardians(){
    $this->load->helper('form');
    if($this->input->post('letter'))
        if($this->input->post('letter')==:NA')
        $data["results"] = $this->guardian->get_guardians();
1189
1190
1191
1192
                                                                 $ data ["results"] = $this -> guardian -> get_guardians_surname($this -> input -> post("results")] | $ full this -> input -> post("results") | $ full this -> post("results"
1194
                                                                               letter ')):
1195
                                         $data["page_header"] = "Guardians";
$this->load->view("view_record/show_guardians",$data);
1196
1197
1198
1199
                  function view_guardian($id){
                 fresult = $this->guardian->get_guardian($id);
foreach($result as $row)
1200
1201
                                        $array = array(
'GLastName'=> $row->GLastName
1202
1203
                                          'GFirstName' => $row->GFirstName,
'GMidName' => $row->GMidName,
'GuardianNum' => $row->GuardianNum,
1204
1205
1206
                                           'GAddress' => $row->GAddress,
'GCellNum' => $row->GCellNum,
1207
1208
                                         'GHomeNum' => $row->GHomeNum,
'GEmailAdd' => $row->GEmailAdd,
'Occupation' => $row->Occupation );
1209
1210
1211
                Sdata = array();

$data ['form'] = $array;

$data['page_header'] = "View Guardian Record";

$this->load->library('form_validation');

$this->load->view('view_record/guardian', $data);
1212
1213
1214
1215
1216
1217
1918
                 1219
1220
1221
1222
1223
                 function view_schooladmin($id){
$result = $this->schooladmin->view($id);
1224
1225
                 foreach($result as $row){
1226
                                         $array = array(
'SANum' => $row->SANum,
1227
1228
1229
                                           'SALastName'=> $row->SALastName,
'SAFirstName' => $row->SAFirstName,
1230
                                         'SAAFirstName' => $row->SAAFirstName,
'SAMidName' => $row->SAMidName,
'SAType' => $row->SAType,
'SADepartment' => $row->SADepartment,
'SAAddress' => $row->SAAddress,
1231
1232
1233
```

```
1235
                                                     'SACellNum' => $row->SACellNum.
                                                      'SAGender' => $row->SAGender,
'SAGirthday' => $row->SABirthday,
'SABirthplace' => $row->SABirthplace,
1236
1237
1238
                                                    'SARBittiplace' => $row->SABittiplace',
'SARBigion' => $row->SARBigion,
'SACitizenship' => $row->SARBigion,
'SAMaritalStatus' => $row->SAMaritalStatus,
'SASpouseName' => $row->SASpouseName,
'SAYearsService' => $row->SAYearsService,
'SAEmailAdd' => $row->SAEmailAdd);
1239
1240
1241
1242
1243
1244
1245
                     $form3 = array();
$sql= 'SELECT * FROM role_teacher WHERE TeacherNum = ?';
$sql_params = array($id);
$ collapse = $ c
1246
1247
1248
                     $query = $this ->db->query($sql, $sql_params);
$form2 = $query->row_array();
1249
1250
1251
                      form3 = array();
1252
                    1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
                     $\footnote{\text{Sdata} = \text{array}();}
$\footnote{\text{Sdata} ['\text{form'}] = \text{$array};}
$\footnote{\text{Sdata} ['\text{form2'}] = \text{$form3};}
$\footnote{\text{Sdata} ['\text{page-header'}] = \text{"View Record"};}
$\footnote{\text{Sdata} ['\text{page-title'}] = \text{"View Record"};}
$\footnote{\text{Sdata} ['\text{pa
1263
1264
 1265
1266
1267
                      $this->load->library('form_validation');
1268
                      $this->load->view('view-record/schooladmin',$data);
1269
1270
1271
                      function add_section(){
1272
                      $this->load->helper(array('form'));
1273
                     $this ->load ->netper(array(lorm));
$data = array();
$data['form2'] = $this ->schooladmin ->get_teachers();
$data['page_header'] = 'Add Section';
$data['all_sy'] = $this ->schooladmin ->get_all_sy();
$this ->load ->view('add_record/section', $data);
1274
1275
1276
1277
1278
1279
                      function record_section(){
1280
                      $this ->load ->library ('form_validation');
1281
                     1282
1283
1285
                      is_natural_no_zero | max_length [2] ');
$this->form_validation->set_rules ('Room', 'Room', 'trim | required | xss_clean');
1286
                     1287
1288
                                                    $data['form2'] = $this->schooladmin->get_teachers();
$data['all_sy'] = $this->schooladmin->get_all_sy();
$this->load->view('add_record/section', $data);
1289
1290
1291
1292
1293
                      else{
                                                    1294
1295
1296
                                                    else {
                                                                                  $name = substr(str_replace(" ", "", $this->input->post('SectionName')),0,6);
1297
                                                                                  sname = substr(str_replace(" ", "", stnis->input->p
syr1 = substr($this->input->post('sy_hidden'), 2, 2);
$yr2 = substr($this->input->post('sy_hidden'), 7, 9);
1298
1299
1300
                                                                                  $num=$name.$vr1.$vr2;
1301
1302
                     $data = array(
'SectionID' => $num,
1303
                      'SectionID' => $num,
'SectionName'=> $this->input->post('SectionName'),
'GradeLevel' => $this->input->post('GradeLevel'),
'SchoolYear' => $this->input->post('sy_hidden'),
'TeacherNum' => $this->input->post('TeacherNum'),
1304
1305
1306
1307
                        'NumStud'=>$this->input->post('NumStud'),
1308
                        'Room'=> $this ->input->post('Room')
1309
1310
                     %this ->schooladmin ->record_section($data);
$this ->load ->view('add_record/student_success');
redirect('record/view_section/'.$num);
1311
1312
1313
1314
1315
                     \label{lem:public function SchoolYear ($str) { } \\ $this->form\_validation->set\_message('SchoolYear', 'Invalid format.'); \\ if(preg\_match("/^[0-9]\{4\}-([0-9]\{4\})$/", $str)) { } \\ \end{aligned}
1316
1317
1318
                                                    $str1 = substr($str,0,4);
$str2 = substr($str,5,4);
1319
1320
                                                    if((\$str2-\$str1)==1)
1321
1322
                                                                                  return true
                                                    else
1323
1324
                                                                                  return false:
```

```
1325
             else
1326
                                return false;
1327
1328
             function timeInvalid(){
$this->form_validation->set_message('timeInvalid', 'Invalid format.');
1329
1330
             $hour1 = $this->input->post('Hour1');
$min1 = $this->input->post('Min1');
1331
1332
             1333
1334
1335
1336
             if ($time2 > $time1 )
1337
                               return true;
1338
1339
             else
                                return false;
1340
1341
             function show_section(){
1342
1343
             $this->load->helper('form');
$data['page.header']='Sections';
$data['teachers'] = $this->schooladmin->get_class_advisers();
1344
1345
1346
1347
             if($this->input->post('SchoolYear')!='NA'){
    $schoolyear = $this->input->post('SchoolYear');
    $gradelevel = $this->input->post('GradeLevel');
    $teacher = $this->input->post('ClassAdviser');
    $data['results'] = $this->schooladmin->get_sections($schoolyear, $gradelevel, $teacher);
    $data['schoolyear'] = $schoolyear;
    $this->load->view("view-record/show_section", $data);
1348
1349
1350
1351
1352
1353
1354
1355
1356
             else
1357
                                $this->load->view("view_record/show_section",$data);
1358
             function view_section($id){
1359
             $result = $this->schooladmin->view_section($id);
1360
1361
             foreach ($result as $row)
             $array = array(
'SectionID' => $row->SectionID,
1362
1363
              SectionName => $row->SectionName,
'GradeLevel' >> $row->SchoolYear,
'TeacherNum' >> $row->TeacherNum,
1364
1365
1366
1367
              'NumStud' =>$row->NumStud);
1368
1369
             1370
1371
1372
1373
1374
1375
             Sdata = array();
$data ('form') = $array;
$data ('page_header') = $array ['SectionName'];
$data ('page_title') = "View Record";
1376
1377
1378
1379
1380
             $this ->load ->library ('form_validation');
1381
             $this->load->view('view_record/section', $data);
1382
1383
             public function edit_section($id){
1384
             $this->load->helper(array('form'));
$sql= 'SELECT * FROM section WHERE SectionID = ?';
1385
             $sql= 'SELEC1 * FROM section WHERE SectionID = ?';
$sql-params = array($id);
$query = $this->db->query($sql, $sql_params);
$form = $query->row.array();
$data = array('title' '=> 'Add Page', 'form' => $form,'page_header'=>'Edit Section Record');
$data['form2'] = $this->schooladmin->get_teachers();
$this->load->view('add_record/section',$data);
}
1386
1387
1388
1389
1390
1391
1392
             public function add_subjects($id){
1393
             public function add.subjects($id){
$this->load->helper(array('form'));
$data['SectionID'] = $id;
$data['teachers'] = $this->schooladmin->get_subject_teachers();
$data['subjects'] = $this->schooladmin->get_subjects_dropdown2($id);
1394
1395
1396
1397
             $sectioname=$this->schooladmin->view_section($id);
$data['page_header'] = $sectioname[0]->SectionName;
$this->load->view('subject/add_subjects',$data);
1398
1399
1400
1401
            public function record_subjects($id){
    $this -> load -> library('form_validation');
    $this -> form_validation -> set_rules('teacher', 'teacher', 'trim | required | xss_clean');
    $this -> form_validation -> set_rules('subject', 'subject', 'trim | required | xss_clean');
    $this -> form_validation -> set_rules('Room', 'Room', 'trim | required | xss_clean');
    $this -> form_validation -> set_rules('Hour2', 'Hour2', 'trim | xss_clean | callback_timeInvalid');
    $this -> form_validation -> set_rules('Hour2', 'Hour2', 'trim | xss_clean');
    $this -> form_validation -> set_rules('Min1', 'Min1', 'trim | xss_clean');
    $this -> form_validation -> set_rules('Hour1', 'Hour1', 'trim | xss_clean');
    $this -> form_validation -> set_rules('Min2', 'Min2', 'trim | xss_clean');
    if($this -> form_validation -> rules('Min2', 'Min2', 'trim | xss_clean');
    if($this -> form_validation -> rules('Min2', 'Min2', 'trim | xss_clean');
    $data['SectionID'] = $id;
    $data['SectionID'] = $this -> schooladmin -> get_subject_teachers();
    $data['subjects'] = $this -> schooladmin -> get_subjects_dropdown($id);
    $this -> load -> view('subject/add_subjects', $data);
1402
             public function record_subjects($id){
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
```

```
1417
1418
1419
                            if(isset($_POST['ID']))
                                             num = \hat{s}_POST'[', ID'];
1420
                            else{
1421
1422
                                             num = this -> schooladmin -> count_subject_section() + 1;
                                             if ($num>=0 && $num <10)
$num ="0000".$num;
1423
1424
                                             1425
1426
1427
1428
                                             $num = "00".$num;
elseif($num>=1000 && $num<10000)
1429
1430
                                                              $num = "0".$num;
1431
                            1432
                            %min1 = %this ->input ->post('Min1');
%min1 = $this ->input ->post('Min1');
$hour2=$this ->input ->post('Min2');
$min2 = $this ->input ->post('Min2');
1433
1434
1435
                            if ($hour1 < 12 && $hour1 > 6 )
$min1 = $min1." a";
1436
1437
1438
                                             $min1=$min1."p";
1439
                            if ($hour2 < 12 && $hour2 > 6 )
$min2 = $min2." a";
1440
1441
1442
                            else
                                             $min2=$min2."p":
1443
                            $data = array(
1444
1445
                             'ID'=>$num,
'SectionID'=>$id,
1446
                             'SubjectID'=>$this->input->post('subject'),
'TeacherNum'=>$this->input->post('teacher'),
'Room'=>$this->input->post('Room'),
1447
1448
1449
                             'Schedule'=>$sched);
1450
                            $this->schooladmin->record_subject_section($id,$data);
redirect('record/view_subjects/'.$id);
1451
1452
1453
1454
1455
           public function save_edit_subjects($id){
           public function save_edit_subjects($id){
$this->load->library('form_validation');
$this->form_validation->set_rules('teacher', 'teacher', 'trim|required|xss_clean');
$this->form_validation->set_rules('subject', 'subject', 'trim|required|xss_clean');
$this->form_validation->set_rules('Room', 'Room', 'trim|required|xss_clean');
$this->form_validation->set_rules('time1', 'time1', 'trim|xss_clean|callback_timeInvalid');
$this->form_validation->set_rules('Hour2', 'Hour2', 'trim|xss_clean');
$this->form_validation->set_rules('Min1', 'Min1', 'trim|xss_clean');
$this->form_validation->set_rules('Hour1', 'Hour1', 'trim|xss_clean');
$this->form_validation->set_rules('Min2', 'Min2', 'trim|xss_clean');
$this->form_validation->run() == FALSE){
1456
1457
1458
1459
1460
1461
1462
1463
1464
            if ($this -> form_validation -> run() == FALSE) {
1465
           if ($this->torm.validation->run() == FALDE){
$data['SectionID'] = $id;
$data['teachers'] = $this->schooladmin->get_subject_teachers();
$data['subjects'] = $this->schooladmin->get_subjects_dropdown($id);
$this->load->view('subject/add_subjects',$data);
1466
1467
1468
1469
1470
            else{
1471
1472
           $hour1 = ($this->input->post('Hour1')==12 ? $this->input->post('Hour1') : $this->input->post('Hour1
           ')%12);
$min1 = $this -> input -> post ('Min1');
$hour2=($this -> input -> post ('Hour2') : $this -> input -> post ('Hour2')
1473
1474
                    %12);
           $min2 = $this->input->post('Min2');
           if ($hour1 < 12 && $hour1 > 6 )
$min1 = $min1." a";
1476
1477
1478
1479
                            $min1=$min1."p"
           if ($hour2 < 12 && $hour2 > 6 )
$min2 = $min2." a";
1480
1481
1482
           else
                            $min2=$min2."p";
1483
1484
           $data = array(
            Justa = array(
'ID'=) $this ->input->post('ID'),
'SectionID'=> $this ->input->post('SectionID'),
'SubjectID'=> $this ->input->post('Subject'),
'TeacherNum'=> $this ->input->post('teacher'),
'Room'=> $this ->input->post('Room'),
1485
1486
1487
1488
1489
            'Schedule'=>$sched);
1490
           $this->schooladmin->edit_subject_section($data);
redirect('record/view_subjects/'.$this->input->post('SectionID'));
1491
1492
1493
1494
           public function view_subjects($id){
$data['SectionID'] = $id;
$this->load->helper(array('form'));
1495
1496
1497
           $\data['result'] = \text{sthis} -> \text{schooladmin} -> \text{get}_s \text{ubject}_s \text{ection} (\$id);
$\sectioname=\text{shis} -> \text{schooladmin} -> \text{view}_s \text{ection} (\$id);
$\data['page_header'] = \text{$\sectioname}[0] -> \text{SectionName};
$\]
1498
1499
1500
1501
           $this->session->set_flashdata('sectionid', $id);
$this->load->view('subject/view_subjects', $data);
1502
1503
            function edit_subjects($id){
1504
           $\this -> \load -> \helper(\array('\form'));
$\result = \this -> \schooladmin -> \get_subject_section2(\text{sid});
$\result = \text{$\text{subject_section2}(\text{$\text{sid}});}$
1505
```

```
$data['result'] = $result;
$str = $result[0]['Schedule'];
$form['Hour1'] = substr($result[0]['Schedule'],0,strpos($result[0]['Schedule'],":"));
$str = substr($str,strpos($str,":")+1,strlen($str));
$form['Min1'] = substr($str,0,2);
1507
1508
1509
1510
1511
            $str = substr($str,4, strlen($str));

$form ['Hour2'] = substr($str,0, strpos($str,":"));

$str = substr($str,strpos($str,":")+1, strlen($str));
1512
1513
1514
           | Sform ['Min2'] = substr($str,0,2);
| if ($form ['Hour1'] >=1 && $form ['Hour1'] <=6)
| $form ['Hour1']+=12;
1515
1516
1517
           if ($form ['Hour2'] >=1 && $form ['Hour2'] <=6)

$form ['Hour2']+=12;

$data ['form'] = $form;
1518
1519
1520
           $data['Iofm'] = $id;
$data['SectionID'] = $id;
$data['teachers'] = $this->schooladmin->get_subject_teachers();
$data['subjects'] = $this->schooladmin->get_subjects_dropdown($id);
$this->load->view('subject/edit_subject',$data);
1521
1522
1523
1524
1525
           function delete_subjects($id){
$this->schooladmin->delete_subject_section($id);
redirect('record/view_subjects/'.$this->session->flashdata('sectionid'));
1526
1527
1528
1529
1530
            function send_email(){
           1531
1532
1533
1534
1535
1536
1537
1538
1539
           $this->email->subject('email van CI');
$this->email->message('look this is working');
1540
1541
1542
           if(!$this->email->send()) {
    show_error($this->email->print_debugger());
1543
1544
1545
1546
            function add_subject(){
1547
1548
            $this->load->helper(array('form'));
           sthis ->load ->netper(array( lorm ));
$data = array();
$data['form2'] = $this ->schooladmin ->get_teachers();
$data['page_header'] = 'Add Subject';
$data['all_sy'] = $this ->schooladmin ->get_all_sy();
$this ->load ->view('add_record/subject', $data);
1549
1550
1551
1552
1553
1554
           function record_subject(){
$this->load->library('form_validation');
1555
           1557
1558
           Sthis->form_validation->set_rules('SchoolYear', 'School Year', 'trim|required|xss_clean|
    callback_SchoolYear');
Sthis->form_validation->set_rules('Description', 'Description', 'trim|required|xss_clean');
Sthis->form_validation->set_rules('Units', 'Units', 'trim|required|xss_clean');
if(Sthis->form_validation->run() == FALSE){
Sdata = array('page_header' => 'Add Subject', 'form' => NULL,'page_title' => 'Add Record');
Sdata['form2'] = Sthis->schooladmin->get_teachers();
Sdata['all_sy'] = Sthis->schooladmin->get_all_sy();
Sthis->load->view('add_record/subject',Sdata);
}
1559
1560
1561
1562
1563
1564
1565
1566
            else{
1567
1568
           1569
           else{
1570
                            $name = substr(str_replace(" ", "", $this->input->post('SubjectName')),0,6);
$yr1 = substr($this->input->post('SchoolYear'),2,2);
$yr2 = substr($this->input->post('SchoolYear'),7,9);
1571
1572
1573
1574
                            $num=$name.$yr1.$yr2;
1575
1576
           $data = arrav(
           $data = array(
'SubjectID' => $num,
'SubjectName'=> $this->input->post('SubjectName'),
'Units' => $this->input->post('Units'),
'Description' => $this->input->post('Description'),
'SchoolYear'=> $this->input->post('SchoolYear'));
$this->schooladmin->record.subject($data);
1577
1578
1579
1580
1581
1582
            redirect ('record/view_subject/'. $data['SubjectID']);
1583
1584
1585
           function isUniqueSection($str){
$this->form_validation->set_message('isUniqueSection', 'Not Unique Section Name.');
1586
1587
1588
           if ($this->schooladmin->view-section-name($str,$this->input->post('SchoolYear')) == FALSE)
1589
                           return true;
1590
1591
                            return FALSE;
1592
1593
           in ($\frac{1}{3}\text{str}_{\text{q}}$); \text{if ($\frac{1}{3}\text{this}->\text{storn_validation}-\text{yet_message}('\text{isUnique'}, '\text{Not Unique Subject Name.'}); \text{if ($\frac{1}{3}\text{this}->\text{schooladmin}-\text{yetw_subject_name}($\frac{1}{3}\text{tr}) == \text{FALSE})}
1594
1595
1596
                           return true;
```

```
1597
          else
                          return FALSE;
1598
1599
1600
           function isUniqueStudNum($str){
           $this->form_validation->set_message('isUniqueStudNum', 'Not Unique Student Number.');
1601
1602
           if ($this -> student -> view ($str) == FALSE)
1603
                          return true;
1604
1605
                           return FALSE:
1606
1607
           function isUniqueUsername($str){
          **Sthis->form_validation->set_message('isUniqueUsername', 'Not Unique Student Username.'); 
**Sthis->load->model('user'); 
**return **this->user->unique_username(**str);
1608
1609
1610
1611
          function isUniqueStudNum_Edit($str){
$this->form_validation->set_message('isUniqueStudNum_Edit', 'Not Unique Student Number.');
if($this->student->view_using_id($str,$this->input->post('StudID')) == FALSE)
1612
1613
1614
                          return true;
1615
1616
                           return FALSE:
1617
1618
           function show_subject(){
1619
          function show_subject(){
$this->load->helper('form');
$data['page_header'] = 'Subjects';
if($this->input->post('SchoolYear')!='NA'){
$schoolyear = $this->input->post('SchoolYear');
$data['results'] = $this->schooladmin->get_subjects($schoolyear);
$data['schoolyear']=$schoolyear;
$this->load->view("view_record/show_subject",$data);
1620
1621
1622
1623
1624
1625
1626
1627
1628
            else
           $this->load->view("view_record/show_subject",$data);
1629
1630
           function view_class($id){
1631
           $result = $this->schooladmin->get_subject_section($id);
1632
1633
           foreach ($result as $row)
          %array = array(
'SubjectID' => $row->SubjectID,
'SubjectName'=> $row->SubjectName,
'Units' => $row->Units,
'Description' => $row->Description);
1634
1635
1636
1637
1638
          'Description' => $row->Description);
$data = array();
$data ['form'] = $array;
$data ['results'] = $this->schooladmin->get_sections_for_subject($id);
$data ['page_header'] ="View Subject";
$data ['page_title'] ="View Record";
$this->load->library('form_validation');
$this->load->view('view_record/subject', $data);
1639
1640
1641
1642
1643
1644
1645
1647
           function view_subject($id){
           $result = $this->schooladmin->view_subject($id);
foreach($result as $row)
1648
1649
          %array = array(
'SubjectID' => $row->SubjectID,
'SubjectName'=> $row->SubjectName,
1650
1651
1652
1653
           'Units' => $row->Units,
'Description' => $row->Description);
1654
          'Description' => $row->Description);
$data = array();
$data['form'] = $array;
$data['form'] = $this->schooladmin->get_sections_for_subject($id);
$data['page_header'] = $array['SubjectName'];
$data['page_title'] = "View Record";
$this->load->library('form_validation');
$this->load->view('view_record/subject', $data);
1655
1656
1657
1658
1659
1660
1661
1662
1663
           public function edit_subject($id){
          $this->load->helper(array('form'));
$sql= 'SELECT *FROM subject WHERE SubjectID = ?';
$sql_params = array($id);
1664
1665
1666
          ssql_params = array(sld);
$query = $this->db->query($sql, $sql_params);
$form = $query->row_array();
$data = array('title' => 'Add Page', 'form' => $form,'page_header'=>'Edit Subject Record');
$data['form2'] = $this->schooladmin->get_teachers();
$this->load->view('add_record/subject',$data);
1667
1668
1669
1670
1671
1672
          function add_club(){
if($this->session->userdata('logged_in')['Type'] =='Registrar'){
$this->load->helper(array('form'));
1673
1674
1675
          Stata = array();
$data | 'form2' | = $this -> schooladmin -> get_club_teachers();
$data ['page_header'] = 'Add Club';
$this -> load -> view('add_record/club', $data);
1676
1677
1678
1679
1680
           else
1681
1682
           redirect ('home');
1683
           function view_students($id){
1684
1685
1686
           if ($this->schooladmin->view_section($id)){
          $data["results"] = $this->student->get_students_section($id);
$sectioname=$this->schooladmin->view_section($id);
1687
```

```
$data['page_header'] = $sectioname[0]->SectionName;
$this->load->view("view_record/show_students_per_section",$data);
1689
1690
1691
1692
           function record_club(){
    $this->load->library('form_validation');
    $this->form_validation->set_rules('ClubName', 'Club Name', 'trim|required|xss_clean');
    $this->form_validation->set_rules('Description', 'Description', 'trim|required|xss_clean');
    $this->form_validation->set_rules('Description', 'Description', 'trim|required|xss_clean');
1693
1694
1695
1696
           if ($this->form_validation->run() == FALSE) {
$data = array('page_header' => 'Add Club', 'form' => NULL, 'page_title' => 'Add Record');
$data['form2'] = $this->schooladmin->get_club_teachers();
$this->load->view('add_record/club', $data);
1697
1698
1699
1700
1701
1702
           if ($this->input->post('ClubID'))
                           $num = $this->input->post('ClubID');
1703
           else {
1704
                           1705
                           if ($num>=0 && $num <10)
$num ="0000".$num;
1706
1707
                           elseif($num>=10 && $num<100)
$num = "000".$num;
1708
1709
                           elseif ($num>=100 && $num<1000)
1710
                           $num = "00".$num;
elseif($num>=1000 && $num<10000)
$num = "0".$num;
1711
1712
1713
1714
          }
$data = array(
'ClubID' => $num,
'ClubName'=> $this ->input ->post('ClubName'),
'Description' => $this ->input ->post('Description'),
'TeacherNum' => $this ->input ->post('TeacherNum'));
$this ->schooladmin ->record_club($data);
$this ->load ->view('add_record/student_success');
'
1715
1717
1718
1720
1721
1722
1723
           function show_club(){
    $data["results"] = $this->schooladmin->get_clubs();
    $data["page_header"] = "Clubs";
    $this->load->view("view_record/show_clubs", $data);
1724
1725
1726
1727
1728
           1729
1730
1731
1732
1733
           $this -> load -> view (" view_record / show_my_clubs", $data);
           | elseif(strpos($this->session->userdata('logged_in')['Type'], 'Teacher') !== FALSE){
| sdata["results"] = $this->schooladmin->get_teacher_club($this->session->userdata('logged_in')['ID']);
1734
1735
1736
           $data["page_header"] = "Show My Clubs";
$this->load->view("view_record/show.my_clubs",$data);
1737
1738
1739
1740
           معام
           redirect ('record/show_club');
1741
1742
          function show_groups(){
    $this->load->helper('form');
    $data["page_header"] = "Course Groups";
    if($this->input->post('SchoolYear')!='NA'){
        $schoolyear=$this->input->post('SchoolYear');
        $gradelevel=$this->input->post('GradeLevel');
        $data["results"] = $this->schooladmin->get_groups($schoolyear,$gradelevel);
}
1743
1744
1745
1746
1747
1748
1749
1750
           1751
1752
1753
1754
           function show_mv_groups()
          function show.my_groups(){
    $this->load->helper('form');
    $data["page_header"] = "Course Groups";
    $data["schoolyear'] = $this->functions->current_schoolyear();
    if($this->session->userdata('logged_in')['Type']=='Student'){
        if($this->input->post('SchoolYear')!='NA')
    $data["results"] = $this->schooladmin->get_student_groups($this->session->userdata('logged_in')['ID'], $this->input->post('SchoolYear'));
    $this->load->view("view_record/show_my_groups", $data);
}
1755
1756
1757
1758
1759
1760
1761
1762
1763
           elseif(strpos($this->session->userdata('logged_in')['Type'], 'Teacher') !== FALSE){
           if ($this->input->post('SchoolYear')!='NA')
$data["results"] = $this->schooladmin->get_teacher_groups($this->session->userdata('logged_in')['
1764
1765
                    ID'], $this->input->post('SchoolYear'));
           $this->load->view("view-record/show-my-groups",$data);
1766
1767
1768
           redirect('record/show_groups');
1769
1770
1771
            \begin{array}{ll} {\rm function\ view\_club\,(\$id\,)\{} \\ {\rm \$result\ =\ \$this\ ->schooladmin\ ->view\_club\,(\$id\,)\,;} \\ {\rm foreach\,(\$result\ as\ \$row)} \\ \end{array} 
1772
1773
1774
           $array = array(
'ClubID' => $row->ClubID,
1775
```

```
'ClubName'=> $row->ClubName,
'Description' => $row->Description,
'TeacherNum' => $row->TeacherNum);
if($this->schooladmin->get_teacher($array['TeacherNum'])){
$result = $this->schooladmin->get_teacher($array['TeacherNum']);
1777
1778
1779
1780
1781
           foreach($result as $row)

$teacher_name = $row->SALastName.','.$row->SAFirstName;

$array['TeacherName'] = $teacher_name;
1782
1783
1784
1785
           $data = array();
$data 'form'] = $array;
$data ['page_header'] ="View Club";
$data 'page_title'] ="View Record"
1786
1787
1788
1789
            $this->load->library('form_validation');
1790
1791
            $this->load->view('view_record/club', $data);
1792
            public function edit_club($id){
1793
           public function edit_club($id){
$this->load->helper(array('form'));
$sql= 'SELECT * FROM club WHERE ClubID = ?';
$sql_params = array($id);
$query = $this->db->query($sql, $sql_params);
$form = $query->row_array();
$data = array('title' => 'Add Page', 'form' => $form,'page_header'=>'Edit Club');
$data['form2'] = $this->schooladmin->get_club_teachers();
$this->load->view('add_record/club', $data);
}
1794
1795
1796
1797
1798
1799
1800
1801
1802
            public function add_offenses($studentid){
1803
           1804
1805
1806
1807
1808
1809
1810
            else
1811
1812
                             redirect ('home'):
1813
            public function save_edit_offenses($studentid){
1814
            $this->load->library('form_validation');
1815
           %this->load->library('form_validation');
if(strops($this->session->userdata('logged_in')['Type'],'Prop') !== FALSE){
%this->form_validation->set_rules('Equipment', 'Equipment', 'trim|required|xss_clean');
%this->form_validation->set_rules('NoEquipment', 'No. Of Equipments', 'trim|required|xss_clean');
%this->form_validation->set_rules('Status', 'Status', 'trim|required|xss_clean');
%this->form_validation->set_rules('SchoolYear', 'School Year', 'trim|required|xss_clean|
1816
1817
1818
1819
1820
            callback_SchoolYear');
if($this->form_validation->run() == FALSE){
1821
           ii ($this->form_validation->run() == FALSE){
$form ['OffenseID']= $this->input->post('OffenseID');
$form ['StudNum'] = $studentid;
$data['form'] = $form;
$data['student']= $this->functions->get_student_name($studentid);
$this->load->view('add_record/edit_offenses', $data);
1822
1823
1824
1825
1826
1827
1828
           $equip = $this->input->post('Equipment');
$no_equip = $this->input->post('NoEquipment');
1820
1830
           sholedup = sthis >>input >>post (NoEquipment );
$stat = $this ->input ->post ('Status');
$schoolyear = $this ->input ->post ('SchoolYear');
1831
1832
1833
           if($this->input->post('OffenseID')){
$data = array('StudNum'=>$studentid,
'PersonneIID'=>$this->session->userdata('logged_in')['ID'],
1834
1835
1836
             'Equipment'=>$equip,
1837
              NoEquipment'=>$no_equip.
1838
           'Status'=>$stat,
'OffenseID'=>$this->input->post('OffenseID'),
'SchoolYear'=>$schoolyear);
$this->student->edit_offenses($data);
1839
1840
1841
1842
1843
            redirect ('record/view_student/'. $studentid);
1844
1845
1846
            }
else if(strpos($this->session->userdata('logged_in')['Type'],'Gui') !== FALSE){
$this->form_validation->set_rules('Offense', 'Equipment', 'trim|required|xss_clean');
$this->form_validation->set_rules('SchoolYear', 'School Year', 'trim|required|xss_clean|
1847
           **Sthis->sension->userdata loggerin [ Type], Green Sthis->sform_validation ->set_rules ('Offense', 'Equipment', 'Yrim $this->form_validation ->set_rules ('SchoolYear', 'School Year',
1848
1849
                      callback_SchoolYear');
           callback_SchoolYear');
if($this->form_validation->run() == FALSE){
$form 'OffenseID'|= $this->input->post('OffenseID');
$form 'StudNum'] = $studentid;
$data ['form'] = $form;
$data ['student']= $this->functions->get_student_name($studentid);
$this->load->view('add_record/edit_offenses_guidance',$data);
1850
1851
1852
1853
1854
1855
1856
1857
1858
            $off = $this->input->post('Offense');
           1859
1860
1861
1862
1863
            'Offense'=>$off,
'OffenseID'=>$this->input->post('OffenseID'),
'DateCreated'=>$date,
1864
1865
```

```
1867
          'SchoolYear'=>$schoolyear);
          $this->student->edit_offenses_guidance($data);
redirect('record/view_student/'.$studentid);
1868
1869
1870
1871
1872
1873
          else
1874
          redirect ('home');
1875
          public function edit_offenses($id){
if($this->functions->check_offense_personnel($id,$this->session->userdata('logged_in')['ID'],
1876
1877
          % this->session ->userdata('logged_in')['Type'])){
% this->load->helper(array('form'));
% sql= 'SELECT * FROM offense_property WHERE OffenseID = ?';
% sql-params = array($id);
% query = $this->db->query($sql, $sql-params);
% form = $query->row.array();
% data['form'] - $form;
1878
1879
1880
1881
1882
1883
          $data['form'] = $form;
$data['form'] = $form;
$data['student'] = $this->functions->get_student_name($form['StudNum']);
$this->load->view('add_record/edit_offenses',$data);
1884
1885
1886
1887
1888
          redirect ('record/view_student/'. $this->session->flashdata('studentno'));
1889
1890
1891
          public function edit_offenses_gui($id){
1892
         1893
1894
1895
1896
          $$ql-params = array($id);
$query = $this->db->query($sql, $sql-params);
$form = $query->row_array();
1897
1898
1899
          $\data['form'] = \$form;
$\data['form'] = \$form;
$\data['student'] = \$this -> functions -> get_student_name(\$form['StudNum']);
$\this -> load -> view('add_record/edit_offenses_guidance', \$data);
$\]
1900
1901
1902
1903
          else
1904
          redirect ('record/view_student/'. $this->session->flashdata ('studentno'));
1905
1906
          public function record_offenses($studentid){
1907
          sthis->load->library('form_validation');
if(strpos($this->session->userdata('logged_in')['Type'],'Prop') !== FALSE){
$this->form_validation->set_rules('Equipment[]', 'Equipment', 'trim|required|xss_clean');
$this->form_validation->set_rules('NoEquipment[]', 'No. Of Equipments', 'trim|required|xss_clean')
1908
1909
1910
1911
          ;
$this->form_validation->set_rules('Status[]', 'Status', 'trim|required|xss_clean');
$this->form_validation->set_rules('SchoolYear[]', 'School Year', 'trim|required|xss_callback_SchoolYear');
if($this->form_validation->run() == FALSE){
1912
1913
1914
          1915
1916
1917
1918
1919
1920
1921
          $equip = $this->input->post('Equipment');
$no_equip = $this->input->post('NoEquipment');
1922
          $\text{state} = \text{$\text{this} - \text{input} - \text{post} ('Status');} \\
$\text{schoolyear} = \text{$\text{this} - \text{input} - \text{post} ('SchoolYear');} \\
if (\text{$\text{this}} - \text{input} - \text{post} ('OffenseID')) \\
\end{array}$
1923
1924
1925
          $data = array('StudNum'=>$studentid,
'PersonnelID'=>$this->session->userdata('logged_in')['ID'],
1926
1927
1928
           'Equipment'=> $equip [0],
           'NoEquipment'=>$no_equip[0],
'Status'=>$stat[0],
'OffenseID'=>$this->input->post('OffenseID'),
1929
1930
1931
1932
          'SchoolYear'=>$schoolyear[0]);
$this->student->edit_offenses($data);
1933
1934
          redirect ('record/view_student/'. $studentid);
1935
          for ($i=0;$i<count ($equip);$i++){
$data = array ('StudNum'=>$studentid,
'PersonnelID'=>$this->session->userdata('logged_in')['ID'],
'Equipment'=>$equip[$i],
1936
1937
1938
1939
1040
           'NoEquipment'=>$no_equip[$i],
           'Status'=>$stat[$i],
'DateCreated'=>date("Y-m-d");
1941
1943
          'SchoolYear'=>$schoolyear[$i]);
$this->student->record_offenses($data);
1944
1945
          redirect ('record/view_student/'. $studentid);
1946
1947
1948
          felse if(strpos($this->session->userdata('logged_in')['Type'],'Gui') !== FALSE){
$this->form_validation->set_rules('Offense[]', 'Equipment', 'trim|required|xss_clean');
$this->form_validation->set_rules('SchoolYear[]', 'School Year', 'trim|required|xss_clean|
1949
1950
1951
          callback_SchoolYear');
if ($this->form_validation->run() == FALSE){
          $data['student']= $this->functions->get_student_name($studentid);
if(isset($.POST['Offense']) && count($.POST['Offense']!=1))
$data['count'] = count($.POST['Offense']);
1953
1954
```

```
$this->load->view('add_record/offenses_guidance', $data);
1956
1957
                           else{
1958
1959
                           $off = $this->input->post('Offense');
                          $\text{stall be stall be ship be 
1960
1961
1962
1963
                           'PersonnelID'=>$this->session->userdata('logged_in')['ID'],
'Offense'=>$off[0],
'OffenseID'=>$this->input->post('OffenseID'),
1964
1965
1966
1967
                            'DateCreated'=>$date[0],
'SchoolYear'=>$schoolyear[0]);
1968
1969
                           $this->student->edit_offenses_guidance($data);
1970
                           redirect ('record/view_student/'. $studentid);
1971
                          for ($i=0;$i<count ($off);$i++){
$data = array ('StudNum'=>$studentid,
'PersonnelID'=>$this->session->userdata('logged_in')['ID'],
1972
1973
1974
                           'Offense'=>$off[$i],
'DateCreated'=>$date[$i],
'SchoolYear'=>$schoolyear[$i]);
1975
1976
1977
1978
                           $this->student->record_offenses_guidance($data);
1979
1980
                           redirect ('record/view_student/'. $studentid);
1981
1982
 1983
                           redirect ('home');
1984
1985
1986
                           function delete_offenses($id, $studno=""){
                               1987
1988
                           $this->student->delete_offenses($id);
                           else if (strpos($this->session->userdata('logged-in')['Type'], 'Gui') !== FALSE)
$this->student->delete-guidance-offenses($id);
1989
1990
                          if ($studno=="")
redirect('record/view_student/'.$this->session->flashdata('studentid'));
1991
1992
1993
1994
                           redirect('record/view_student_offenses/'.$studno);
1995
1996
1997
                           $this->load->helper('form');
$this->load->view('add_record/class_record');
1998
1999
                           function class_record($sectionid){
2000
                          function class_record(\$sectionid){
$this \to>load \to>helper(\array('\form'));
$this \to>load \to>model('\grades');
$this \to>load \to>model('\section_model');
$type = \$this \to>session \to>userdata('\logged_in');
$type = \$this \to>session \to userdata('\logged_in');
$type = \$this \to \to userdata('\logged_in');
$type = 
2001
2002
2003
2004
                          stype = $this->session->serdata( logged.in );
$schoolyear = $this->schoolsons->current_schoolyear();
$sectioname=$this->schooladmin->view_section($sectionid);
$data['page_header'] = $sectioname[0] - SectionName;
$data['Subject'] = $this->section_model->get_subjects($sectionid);
$students = $this->schooladmin->get_students_in_class($sectionid);
2005
2006
2007
2008
2009
                          students = array();

$data['students'] = $students;

foreach($students as $student)
2010
2011
2012
2013
                                                               $student_grades[$student['StudNum']]=$this->schooladmin->get_student_total_grades($student
                          ['StudNum']);
foreach ($student_grades as $key => $row)
                          shid($key]= $row('sum');
array.multisort($mid, SORT_DESC, $student_grades);
$data['student_grades'] = $student_grades;
$this->load->view('view_record/class_record',$data);
2015
2016
2017
2018
2019
2020
                           function reports(){
                         function reports(){
$this->load->helper(array('form'));
$this->load->model('grades');
$this->load->model('section_model');
$type = $this->session->userdata('logged_in');
$schoolyear = $this->functions->current.schoolyear();
$data['Section'] = $this->section_model->get_section_details($type['ID'],$schoolyear);
$data['page_header'] = $data['Section'][0]['SectionName'];
$id = $data['Section'][0]['SectionID'];
$this->load->view('view_record/reports',$data);
}
2021
2022
2023
2024
2025
2026
2027
2028
2020
2030
2031
                             function add_sy_details(){
2032
                          $user = $this->session->userdata('logged_in');
if($user['Type']=='Registrar'){
2033
                           $this->load->helpers('form');
2034
                          $\forall \text{ | foral |
2035
2036
2037
                            if(!$all_sy)
                           $data[', all_sy',] = array();
2038
2039
2040
                          $data['all_sy'] = $all_sy;
$this->load->view('add_record/sy_details',$data);
2041
2042
2043
                           else
                           redirect ('home');
2044
```

```
2046
                  function no_classes(){
                 function no_classes(){
    suser = $this->session->userdata('logged_in');
    if($user['Type']=='Registrar'){
    $this->load->helpers('form');
    $data['page_header'] = "School Year Details";
    $this->load->view('add_record/no_classes',$data);
}
 2047
 2048
 2049
 2050
 2051
 2052
 2053
                  redirect ('home');
 2054
 2055
 2056
                  function record_no_classes(){
                 runction record_no_classes(){
$this->load->library('form_validation');
if($this->input->post('edit_no_classes')){
$this->form_validation->set_rules('Desc', 'Equipment', 'trim|required|xss_clean');
$this->form_validation->set_rules('Start', 'School Year', 'trim|required|xss_clean');
$this->form_validation->set_rules('End', 'School Year', 'trim|xss_clean');
2057
 2058
 2059
 2060
 2061
 2062
 2063
                 Sthis->form_validation->set_rules('Desc[]', 'Equipment', 'trim|required|xss_clean');
$this->form_validation->set_rules('Start[]', 'School Year', 'trim|required|xss_clean|
 2064
 2065
                  callback_validDateRange');
$this->form_validation->set_rules('End[]', 'School Year', 'trim|xss_clean');
 2066
 2067
                  fif($this->form_validation->run() == FALSE){
if(!$this->input->post('edit_no_classes'))}
 2068
 2069
                 2070
 2071
 2072
 2073
 2074
 2075
                  $this -> load -> view ('add record /edit no class'):
 2076
 2077
 2078
                 else{
if (!$this->input->post('edit_no_classes')){
$desc = $this->input->post('Desc');
$start = $this->input->post('Start');
$end = $this->input->post('End');
for ($i=0;$i<count($desc);$i++){</pre>
 2079
 2080
 2081
 2082
 2083
                 if ($end[$i]==NULL)
$end = $start[$i];
 2084
 2085
 2086
                  else
                 $\text{Send} = \text{$\text{end} [\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\}$}}$}\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\te
 2087
 2088
 2089
 2090
                     Start'=> $start [ $i ],
                     End'=>$end);
 2091
                  $this->schooladmin->record_no_classes($data);
 2092
 2093
 2094
 2095
                 2096
 2097
 2008
 2099
 2100
2101
 2102
 2103
                  function sy_details(){
2104
                  $user = $this->session->userdata('logged_in');
 2105
                 suser = Sthis->session->userdata('logged_in');
if($user['Type']=='Registrar'){
    $data['page_header'] = "School Year Details";
    $data['sy_details'] = $this->schooladmin->get_sy_details();
    $data['no_classes'] = $this->schooladmin->get_no_classes($this->functions->current_schoolyear());
    $this->load->view('view_record/sy_details', $data);
 2106
 2107
 2108
 2109
 2110
 2111
2112
                  else
                  redirect ('home');
 2113
 2114
                  function edit_sy_details($id){
2115
                 suser = $this->y-session->userdata('logged_in');
if($user['Type']=='Registrar'){
 2116
 2117
                 %this->load->helpers('form');
%data['page_header'] = "School Year Details";
%data['form'] = $this->schooladmin->get_sy($id);
$this->load->view('add_record/edit_sy_details',$data);
2118
 2119
2120
2121
 2122
2123
                  else
 2124
                  redirect ('home');
 2125
                  function delete_sy($id){
$user = $this->session->userdata('logged_in');
2126
 2127
                  start = wtms=>ssssion=>usertata( i
if ($user['Type']=='Registrar') {
$this->load->model('schooladmin');
$this->schooladmin->delete_sy($id);
 2128
2129
 2130
 2131
                  else
 2132
                  redirect ('home');
 2133
2134
                  function delete_no_classes($id){
 2135
                  $user = $this->session->userdata('logged_in');
```

```
if($user['Type']=='Registrar'){
$this->load->model('schooladmin');
$this->schooladmin->delete_no_classes($id);
2137
2138
2139
2140
2141
2142
             redirect ('home');
2143
            function edit_no_classes($id){
2144
            suser = $this->session->userdata('logged_in');
if($user['Type']=='Registrar'){
$this->load->helpers('form');
2145
2146
2147
            $\footnote{\text{State}} \footnote{\text{State}} \footnote{\text{Torm '}} = \footnote{\text{School Year Details";}} $\footnote{\text{Sdata}['form ']} = \footnote{\text{Sthis}} - \text{Schooladmin} - \text{Set_no_class (\footnote{\text{Sid}});} $\footnote{\text{Sthis}} - \text{Sload} - \text{View ('add_record/edit_no_class ', \footnote{\text{Sdata}});} $\]
2148
2149
2150
2151
2152
2153
            redirect ('home');
2154
2155
            public function record_sy_details(){
           public function record_sy_details(){
    echo $this ->input ->post('Before');
    $this ->load ->library('form_validation');
    if($this ->input ->post('edit_sy_details')){
    $this ->form_validation ->set_rules('SchoolYear', 'SchoolYear', 'trim|required|xss_clean|
        callback_isUniqueSY_edit');
    $this ->form_validation ->set_rules('Before', 'trim|required|xss_clean|callback_notSameSY');
    $this ->form_validation ->set_rules('Status', 'trim|required|xss_clean');
}
2156
2157
2158
2159
2160
2161
2162
2163
            this->form_validation->set_rules('SchoolYear', 'SchoolYear', 'trim|required|xss_clean|
2164
            callback_isUniqueSY');
$this->form_validation->set_rules('Before', 'trim|xss_clean|callback_notSameSY');
$this->form_validation->set_rules('Start', 'Starting Date', 'trim|required|xss_clean');
$this->form_validation->set_rules('End', 'Ending Date', 'trim|required|xss_clean');
2165
2166
2167
2168
            }
if ($this->form_validation->run() == FALSE) {
$data['page_header'] = "School Year Details";
if ($this->input->post('edit_sy_details')) {
$data['form'][0]['ID'] = $this->input->post('id');
$this->load->view('add_record/edit_sy_details',$data);
}
2169
2170
2171
2172
2173
2174
             else{
2175
            %data['page_header'] = "School Year Details";
%data['all_sy'] = $this->schooladmin->get_all_sy();
$this->load->view('add_record/sy_details', $data);
2176
2177
2178
2179
2180
2181
            else{
2182
           $sy = $this ->input ->post('SchoolYear');
$start = $this ->input ->post('Start');
$end = $this ->input ->post('End');
if($this ->input ->post('Before') == 'NA')
$before = "0";
2183
2184
2185
2186
2187
            else

$before= $this->input->post('Before');
2188
2189
            if ($this ->input->post('edit-sy-details')){
$id=$this ->input->post('id');
$data = array('SchoolYear'=>$sy,
2190
2191
2192
2193
             'Start'=>$start ,
             End'=>$end.
2194
2195
             'Status'=>$this->input->post('Status'), 'ID'=>$id,
2196
            $this->schooladmin->edit_sy_details($data);
2197
2198
2199
             else{
            $data = array ('SchoolYear'=>$sy,
2200
              Start'=>$start,
2201
2202
             'End'=>$end,
'Status'=>$this->input->post('Status'),
2203
2204
             'Before'=>$before,
2205
            $\frac{1}{5}\this -> \schooladmin -> \record - \sy_details ($\data);
2206
2207
2208
2209
2210
            function isUniqueSY($str){
            ithis->form_validation->set_message('isUniqueSY', 'School year already recorded.'); if($this->schooladmin->view_school_year($str,"") == FALSE)
2211
2212
2213
                          return true:
2214
            else
2215
                            return FALSE;
2216
2217
            function notSameSY($str){
            sthis ->form_validation ->set_message('notSameSY', 'School year same before');
if($this->input->post('SchoolYear')!=$this->input->post('sy_hidden'))
    return true;
2218
2219
2220
2221
            else
                            return FALSE:
2222
2223
            function isUniqueSY_edit($str){
2224
            this -> form_validation -> set_message ('isUniqueSY', 'School year already recorded.');
2225
```

```
2227
              if (\$ this -> schooladmin -> view\_school\_year (\$ str , \$ this -> input -> post ('id')) \\ == FALSE)
2228
                                  return true:
               else
2229
                                   return FALSE:
2230
2231
2232
               function validDateRange(){
              $\this->\form_validation_>\set_message('validDateRange', 'Range Not Valid');
$\date1 = \this->\input->\post('Start');
$\date2 = \this->\input->\post('End');
$\left( \theta \) \theta \\ \end{array}$.
2233
2234
2225
              for($i=0;$i<count($date1);$i++){
    if(strtotime($date1[$i]) > strtotime($date2[$i]) && $date2[$i]!=NULL)
2236
2237
2238
                                 return false:
2239
2240
                                  return true;
2241
2242
               function new_section(){
               **Sdata = array('page-header' => 'Change Section','page-title'=>'Add Record','title' => 'Add Page');
**Sdata["section"] = **this->schooladmin->get_all_sections();
2243
2244
               $this -> load -> helper (array ('form'));
2245
2246
               $\data['all_sy'] = \frac{\text{$this}}{\text{$shooladmin}} \rightarrow \text{$get_all_sy}();
$\text{$this} -> \text{$load} -> \text{$view}('add_record/new_section', \frac{\text{$data}}{\text{$data}});
$\text{$shooladmin} -> \text{$get_all_sy}();
$\text{$shooladmin} -> \text{$get_all_sy
2247
2248
              2249
2250
2251
2252
2253
2254
2255
                        Page');
              Page');
$data["section"] = $this->schooladmin->get_all_sections();
$this->load->helper(array('form'));
$data['all_sy'] = $this->schooladmin->get_all_sy();
$this->load->view('add_record/new_section', $data);
2256
2257
2258
2259
2260
               else{
2261
              $type =$this ->input->post('Type');
$sy = $this ->input->post('sy_hidden');
$gradelevel =$this ->input->post('GradeLevel');
2262
2263
2264
              sgraderever = withis = >input => post('Section');
section = $this => input => post('Section');
elseif($type=="Top Students"){
if($section == "All"){
$students = $this => schooladmin => get_students_in_year($sy,$gradelevel);
2265
2266
2267
2268
              $student_grades= array();
foreach($students as $student){
2269
2270
              $\student_grades [\$student['StudNum']] = \$this -> \schooladmin -> \get_student_total_grades (\$student['StudNum']);
2271
2272
              usort($student_grades, array($this, 'sortByOrder'));
print_r($student_grades);
2273
2274
2275
2276
2277
               $students = $this->schooladmin->get_students_in_class($section);
              $student_grades= array();
$data['students'] = $students;
foreach($students as $student)
2278
2279
2280
              $\student_grades [\$student['StudNum']] = \$this -> \schooladmin -> \get_student_total_grades (\$student['StudNum']);
2281
              foreach ($student_grades as $key => $row)
$mid[$key]= $row['sum'];
array_multisort($mid, SORT_DESC, $student_grades);
2282
2283
2284
              **Sdata ('page-header'] = "Change Section";

*$data ('student_grades') = **student_grades;

*$sy_next = $this->functions->current_schoolyear();
2285
2286
2287
2288
               gradelevel_next = gradelevel+1;
              $new_section = array();
$new_sections= $this->schooladmin->get_sections_by_sy_gradelevel($sy_next,$gradelevel_next);
2289
2290
2291
              foreach($new_sections as $ns){
$new_section[$ns['ID']] = $ns['Name'];
2292
2293
              $data['new_section'] = $new_section;
$data['new_gradelevel'] = $gradelevel_next;
$this->load->view('add_record/change_section',$data);
2294
2295
2296
2297
2298
2200
2300
2301
               function save_new_section(){
              status = $this->input->post('status');
$section = $this->input->post('new_section');
2302
2303
               $gradelevel = $this->input->post('new_gradelevel');
2304
              foreach ($status as $studnum=>$value) if ($value=="Pass")
2305
2306
2307
               $this -> schooladmin -> change_student_section ($studnum, $section [$studnum], $gradelevel);
2308
2309
              function sortByOrder($a, $b) {
  return $a['sum'] - $b['sum'];
2310
2311
2312
2313
2314
```

```
<?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');</pre>
       session_start();
ob_start(); //we need to call PHP's session object to access it through CI
       class Reports extends CI_Controller {
         function __construct(){
   parent::__construct();
 9
          $this->load->model('student','',TRUE);
$this->load->model('guardian','',TRUE);
$this->load->model('schooladmin','',TRUE);
$this->load->library("pagination");
$this->load->library("javascript");
$this->load->library("functions");
$this->load->helper("url");
$this->load->helper('my_form');
$this->load->helper('my_password');
$this->load->helper('my_password');
10
11
12
13
14
15
16
17
18
           $this -> _init();
19
20
       private function _init(){
    $type = $this->session->userdata('logged_in')['Type'];
21
           if(strpos($type,'Teacher')!==FALSE)
    $this->output->set_template('teacher');
elseif($type=='Student')
23
24
25
           $this->output->set_template('student');
elseif($type=='Registrar')
26
27
           $\this -> \text{output} -> \text{set_template ('registrar ');}
elseif (strpos (\text{stype, 'Personnel ')!==FALSE)}
\text{$this} -> \text{output} -> \text{set_template ('personnel ');}

29
30
            elseif ($type=='Principal')
            $this->output->set_template('principal');
elseif($type=="Guardian")
32
33
34
               $this->output->set_template('guardian');
35
       }
36
       function offenses($id, $schoolyear="",$type=""){
    $this->load->helper('form');
37
38
           $\data['student'] = $\text{this} -> \text{functions} -> \text{get_student_name}($\text{id});
39
40
           if($schoolyear !="" && $type!=''){
41
               $data['SchoolYear']=$schoolyear;
$data['Type'] = $type;
42
43
44
               if ($type=='Disciplinary ')
    $data['guidance']= $this->student->get_guidance($id,$schoolyear);
elseif($type=='Property')
45
46
47
48
                   $data['offenses'] = $this -> student -> get_offenses($id, $schoolyear);
49
               else{
                  % Set |
% Sdata['guidance'] = $this -> student -> get_guidance($id, $schoolyear);
$ data['offenses'] = $this -> student -> get_offenses($id, $schoolyear);
50
51
52
               $this->load->helper(array('dompdf', 'file '));
$data['page_header'] = "hello";
$html = $this->load->view('reports/offenses',$data,true);
pdf_create($html, 'filename',true);
54
55
57
58
59
               redirect ('record / view_student_offenses / '. $id)
60
61
62
        function view_grades($gradingperiod){
           $this->load->model('grades');
$this->session->set_flashdata('classid');
$this->session->flashdata('classid'));
63
64
65
            $results = $this->grades->view_test_types($gradingperiod);
           $knowledge = array();
66
67
           $product = array();
68
           $understanding = array();
           $process = array();
$knowledge_grades = array();
69
70
           $product_grades = array();
$process_grades = array();
71
72
73
           $understanding_grades= array();
74
75
           \$i = 0;
           \$j = 0;
76
           k = 0;
77
           \$1 = 0:
            if ($results!=null) {
               (*TestIts:=Idif){
foreach(*results as $row){
  if($row['AssessmentType']=='process'){
    $process[$i] = array('TestType'=>$row['TestType'],
    'GradingPeriodID'=>$row['GradingPeriodID'],
    'TestID'=>$row['TestID']
79
80
82
83
                   \label{process_grades} $$ \vec{process\_grades} [ \vec{srow} ['TestID'] ] = \\ \vec{srow} ['TestID'] ) ;
85
               $i++;
86
               } else if($row['AssessmentType']=='understanding'){
   $understanding[$j] = array('TestType'=>$row['TestType'],
   'GradingPeriodID'=>$row['GradingPeriodID'],
   'TestID'=>$row['TestID']
88
89
90
91
```

```
$understanding_grades[$row['TestID']] = $this->grades->get_column_base($row['TestID']);
 93
                 j + +;
 94
 95
                 96
 97
 98
                         'TestID'=>$row['TestID']
 99
100
101
                    $product_grades[$row['TestID']] = $this->grades->get_column_base($row['TestID']);
                 k++;
102
103
                 104
105
106
107
                         'TestID'=>$row['TestID']
108
                    if ($this ->grades ->get_column_base($row['TestID']))
$knowledge_grades[$row['TestID']] = $this ->grades ->get_column_base($row['TestID']);
110
                    else
111
                        $knowledge_grades[$row['TestID']] = null;
113
                 $1++;
114
115
116
             $array
            $array = array();
$array ['knowledge'] = $knowledge;
$array ['product'] = $product;
$array ['product'] = $process;
$array ['understanding'] = $understanding;
$array ['knowledge_grades'] = $knowledge_grades;
$array ['product_grades'] = $product_grades;
$array ['product_grades'] = $product_grades;
$array ['process_grades'] = $process_grades;
$array ['process_grades'] = $understanding_grades;
$array ['Girls'] = $this ->grades ->get_all_students_female($gradingperiod);
$array ['Boys'] = $this ->grades ->get_all_students_male($gradingperiod);
$students = array_merge( $array ['Girls'] , $array ['Boys'] );
foreach($students as $student){
118
                          = array();
119
121
122
124
125
126
127
129
             foreach ($students as $student) {
130
                 $knowledge = array();
131
                 $product = array();
132
                 $understanding = array();
133
                 $process = array();
135
                 \$i = 0;
                 j = 0;
136
                 \$k = 0
137
138
                 $1 = 0:
139
                 $knowledge_grades = array();
                 $product_grades = array();
$process_grades = array();
$understanding_grades= array();
140
141
                 143
144
146
147
                    $process_grades [$row['TestID']] = $this->grades->get_column($row['TestID'], $student['StudNum
149
                 $i++;
150
151
                felse if ($row['AssessmentType']=='understanding') {
    $understanding[$j] = array('TestType'=>$row['TestType'],
    'GradingPeriodID'=>$row['GradingPeriodID'],
    'TestID'=>$row['TestID']);
$understanding_grades[$row['TestID']] = $this->grades->get_column($row['TestID'],$student['StudNum']).
152
153
154
155
156
                            StudNum']);
157
                 $j++;
158

}
else if($row['AssessmentType']=='product'){
    $product[$k] = array('TestType'=>$row['TestType'],
    'GradingPeriodID'=>$row['GradingPeriodID'],
    'TestID'=>$row['TestID']);

$product_grades[$row['TestID']] = $this->grades->get_column($row['TestID'],$student['StudNum']).

159
160
161
162
                              ']);
164
                 $k++;
165
166
                 else {
                    $knowledge[$1] = array('TestType'=>$row['TestType'],
167
                    'GradingPeriodID'=>$row['GradingPeriodID'],
'TestID'=>$row['TestID']);
$knowledge_grades[$row['TestID']] = $this->grades->get_column($row['TestID'],$student['
168
169
170
                            StudNum']);
171
                      $1++;
                }
173
174
            $\footnote{\text{state} 'knowledge_grades '] = $knowledge_grades;
$\footnote{\text{data} [ 'product_grades '] = $product_grades;
$\footnote{\text{data} [ 'process_grades '] = $process_grades;
$\footnote{\text{data} [ 'understanding_grades '] = $understanding_grades;
$\footnote{\text{staray2} [ $student [ 'StudNum'] ] = $\footnote{\text{data};}
}
175
176
177
178
179
```

```
$array['student_scores'] = $array2;
$data['grading_period'] = $this->scl
181
             $data['grading_period'] = $this->sche
$this->load->model('section_model');
                                                                            = $this->schooladmin->get_grading_period($gradingperiod);
182
             % this -> load -> model( section_model);
% array ['section_details'] = % this -> section_model -> get_section_name_gp( % grading period);
% this -> load -> helper(array('dompdf', 'file'));
% data['page_header'] = "hello";
% thml = % this -> load -> view('reports/view_grades', % array, true);
pdf_create2(% html, 'filename', true);
% this -> session -> set_flashdata('studentno', % this -> session -> flashdata('studentno'));

184
185
187
188
189
190
191
              function view_top_students($gradingperiodid){
                   $this->load->model('grades');
$top_values = $this->grades->get_top_values($gradingperiodid,'10');
$array_student = array();
192
193
195
                  foreach($top_values as $values)
$array_student[$values['Score']] = $this->grades->get_students_top_values($gradingperiodid,
196
                  197
198
199
200
201
202
              function sample2(){
                  203
204
205
206
                                  ave ']);
208
                $type = $this->session->userdata('logged_in')['Type'];
                if (strpos($type,'Teacher') !== FALSE){
    $this->load->helper(array('dompdf', 'file '));
209
210
211
                       shtml = $this->load->view('reports/view_all_top_students',$data,true);
pdf_create($html, 'filename',true);
212
213
214
215
             function all_offenses($id, $schoolyear="", $type=""){
216
                   sthis ->load->helper('form');
if($schoolyear !="" && $type!=''){
$data['SchoolYear ']=$schoolyear;
218
219
                        statual total | state | s
220
221
                        state | guidance | - state -/ set - all_guidance (**schoolyear);
elseif($type=='Property')
$data['offenses']= $this -> student -> get_all_offenses($schoolyear);
222
223
                        else{
224
                             **Sdata['guidance']= $this->student->get_all_guidance($schoolyear);
**$data['offenses']= $this->student->get_all_offenses($schoolyear);
225
226
227
                         $this->load->helper(array('dompdf', 'file'));
228
                       $\data['page_header'] = "hello";
$\text{html} = $\text{this}->\text{load}->\text{view}('reports/offenses',$\text{data},\true);
pdf_create($\text{html}, 'filename',\true);
229
230
231
232
233
                        redirect ('record/view_student_offenses/'.$id);
234
235
             function report_card($sectionid="",$schoolyear="",$gender=""){
    $type = $this->session->userdata('logged_in');
    if($schoolyear=="")
236
237
238
239
                        $schoolyear = $this->functions->current_schoolyear();
                  240
241
243
244
246
247
248
249
                       Sdays['6'] = count($this->functions->get_valid_days_of_month("June"));
$days['7'] = count($this->functions->get_valid_days_of_month("July"));
$days['8'] = count($this->functions->get_valid_days_of_month("August"));
$days['9'] = count($this->functions->get_valid_days_of_month("September"));
250
251
252
253
254
                        sdays['10'] = count($this->functions->get_valid_days_of_month("October"));
$days['11'] = count($this->functions->get_valid_days_of_month("November"));
$days['12'] = count($this->functions->get_valid_days_of_month("December"));
255
                       sdays[12] = count($tnis->functions->get_valid_days_of_month("December"));
$days[1'] = count($this->functions->get_valid_days_of_month("January"));
$days[2'] = count($this->functions->get_valid_days_of_month("February"));
$days[3'] = count($this->functions->get_valid_days_of_month("March"));
$days[4'] = count($this->functions->get_valid_days_of_month("April"));
$data['days'] = $days;
257
258
259
260
261
                        262
263
264
265
                        $students = $this->schooladmin->get_students_in_class2($sectionid,$gender);
266
 267
                        $data['students'] = $students;
                        $array = array();
$tardy = array();
$absent = array();
268
269
```

```
271
272
                       sarray[sstudent['StudNum']] = $this -> grades -> view_all_grades($student['StudNum'], $sec
foreach($months as $key=>$month){
  if($month=="June" || $month=="July" || $month=="August" || $month=="September"
  || $month=="October" || $month=="November" || $month=="December")
  $yr = substr($schoolyear,0,4);
  elseif($month=="January" || $month=="February" || $month=="March" || $month=="April"
  || $month=="May")
273
274
275
276
277
                        $\symbol{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tiny{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tiny{\tinit}}}}}}}}} \end{eng}}} \end{eng}}} \end{eng}}} \end{eng}}} \end{eng}}} \end{eng}}} \end{eng}}} \end{eng}}} \end{eng}}}} \end{eng}}} \end{eng}} \end{eng}}} \end{eng}} \end{eng}}} \end{eng}} \end{eng}}} \end{eng}} \end{eng} \end{eng}} \end{eng}} \end{eng}} \end{eng}} \end{eng}} \end{eng}} \end{eng}} \end{eng} \end{eng}} \
270
280
282
                        $absent[$key] = $this -> schooladmin -> count_absences($firstday, $lastday, $sectionid);
283
                 }
$data['student_scores'] = $array;
$data['absent'] = $absent;
$this->load->helper(array('dompdf', 'file'));
$thml = $this->load->view('reports/report_card',$data,true,"letter","portrait");
ini_set('memory_limit', "2560m');
ini_set('MAX_EXECUTION_TIME', -1);
pdf_create($html, 'filename', true);
285
286
287
288
289
290
291
292
             function nutritional_status($sectionid="",$schoolyear=""){
                  $type = $this->session->userdata('logged_in')
if($schoolyear=="")
293
294
                  295
296
297
298
                     $this->load->model('schooladmin');
$data['Section'] = $this->section.model->get_section_details($type['ID'], $schoolyear);
$data['page_header'] = $data['Section'][0]['SectionName'];
$sectionid=$data['Section'][0]['SectionID'];
if($sectionid=="")
$sectionid = $data['Section'][0]['SectionID'];
299
300
301
302
303
304
                 $sectioname =$this->schooladmin->view_section($sectionid);
$data['sectionname'] = 'Grade '.$sectioname[0]->GradeLevel."-".$sectioname[0]->SectionName;
$data['schoolyear'] = $schoolyear;
$data['nutritional_status'] = $this->schooladmin->get_nutritional_status($sectionid);
$this->load->helper(array('dompdf', 'file'));
$html = $this->load->view('reports/nutritional_status',$data,true,"letter","portrait");
pdf_create($html, 'filename',true);
305
306
307
308
310
311
             function guidance_form($sectionid="",$schoolyear=""){
313
                  $type = $this->session->userdata('logged_in');
314
                   if ($schoolyear=="")
315
                  $schoolyear = $this ->functions ->current_schoolyear();
if($this ->functions ->check_adviser($type['Type'], $type['ID'], $schoolyear) !== FALSE){
316
317
                        $this->load->model('section_model');
318
                  319
321
322
323
                        $sectionid = $data['Section'][0]['SectionID'];
324
325
326
             $data['guidance_form'] = $this->schooladmin->get_guidance_form($sectionid);
$sectioname = $this->schooladmin->view_section($sectionid);
$data['sectionname'] = 'Grade '.$sectioname[0]->GradeLevel."-".$sectioname[0]->SectionName;
$data['schoolyear'] = $schoolyear;
$this->load->helper(array('dompdf', 'file'));
327
328
329
330
331
                                   $this->load->view('reports/guidance-form',$data,true,"letter","portrait");
te($html, 'filename',true);
332
             pdf_create($html,
333
334
335
             function attendance($sectionid="",$sy="",$month){
336
                  $type = $this->session->userdata('logged_in');
                  if ($sy=="")
337
338
                        $schoolyear = $this->functions->current_schoolyear();
339
                  else
                        $schoolyear = $sy;
340
                   if($this->functions->check_adviser($type['Type'],$type['ID'],$schoolyear) !== FALSE){
341
                       $this ->load->model('section_model');
$this ->load->model('schooladmin');
342
343
                       $data['Section'] = $this->section_model->get_section_details($type['ID'], $schoolyear);
$data['page_header'] = $data['Section'][0]['SectionName'];
$sectionid=$data['Section'][0]['SectionID'];
if($cotionid="")
344
345
346
                       if($sectionid =="")
$sectionid = $data['Section'][0]['SectionID'];
347
348
349
                  $students = $this->schooladmin->get_students_in_class($sectionid);
350
                  $\text{students} = \text{stns} - \text{schooladmin} - \text{get_students_In_class(\text{section1d});} \\
$\text{data['students']} = \text{$\text{students};} \\
$\text{data['days']} = \text{$\text{students}$ - \text{yuctions} - \text{yet_udid_days_of_month} (\text{\text{$month}});} \\
$\text{if(\text{$month} = "June" || \text{$month} = "July" || \text{$month} = "August" || \text{$month} = "December")} \\
$\text{| \text{$month} = "October" || \text{$month} = "November" || \text{$month} = "December")} \end{array}$
351
352
                                                                                                                                                                   || $month=="September"
353
354
                   Syr = substr($schoolyear,0,4);
elseif($month=="January" || $month=="February" || $month=="March" || $month=="April"
355
356
                  || $month=="May")
357
                  358
359
360
361
```

```
$lastday = date('Y-m-d', strtotime('last day of'.$month." ".$yr));
$data['attendance'] = $this->schooladmin->get_attendance($firstday, $lastday, $sectionid);
$data['schoolyear'] = $schoolyear;
$this->load->helper(array('dompdf', 'file'));
$html = $this->load->view('reports/attendance', $data, true, "letter", "landscape");
pdf_create2($html, 'filename', true);
363
364
365
366
367
368
369
                              function promotions_report($sectionid="",$schoolyear=""){
370
                                                                                     $this->session->userdata('logged_in')
371
                                         if ($schoolyear=="")
372
                                         373
374
375
376
                                                     $data['Section'] = $this->section_model->get_section_details($type['ID'],$schoolyear);
$data['page_header'] = $data['Section'][0]['SectionName'];
$sectionid=$data['Section'][0]['SectionID'];
377
378
379
380
                                                     \label{eq:sectioname} $$\operatorname{sectioname} = \frac{\sinh - \operatorname{sectioname} (\operatorname{sectionid}); $$\operatorname{data} ['\operatorname{sectioname}'] = \operatorname{Grade} '. \operatorname{sectioname} [0] - \operatorname{GradeLevel}." - ". \operatorname{sectioname} [0] - \operatorname{SectionName}; $$\operatorname{students} = \frac{\sinh - \operatorname{sectioname} [0] - \operatorname{SectionName}; $$\operatorname{sectionid}); $$
381
382
383
                                                    $\data['students'] = \$\students;
$\data['schoolyear'] = \$\schoolyear;
 384
385
                                                     $student_grades = array();
386
                                                    $absent=array();
$absent=array();
$sy = $this->schooladmin->get_sy_date_range();
388
                                                    foreach($students as $student){
    $student_grades[$student['StudNum']] = $this->schooladmin->get_student_all_grades($student)
389
390
                                                                             ['StudNum']);

$absent[$student['StudNum']] = $this->schooladmin->count_absences_stud($sy[0]['Start'],$sy
[0]['End'],$student['StudNum']);
391
392
393
                                                     $data['student_grades'] = $student_grades;
                                                   $data['student_grades'] = $student_grades;
$data['subject_section($sectionid);
$data['num_days'] = $this->stunctions->get_valid_days_of_sy();
$data['absent'] = $absent;
$this->load->helper(array('dompdf', 'file'));
$html = $this->load->view('reports/promotions_report',$data,true,"letter","landscape");
pdf_create2($html, 'filename',true,"A4","landscape");
394
395
 396
397
398
400
                              function form_137($studentid){
401
                                       $this->load->model('grades');
$data['grades'] = $this->grades->view_grades($studentid);
$this->load->library("functions");
$schoolyear = $this->functions->current_schoolyear();
403
404
 405
                                      $schoolyear = $this => functions => current_schoolyear();
$data['schoolyear'] = $schoolyear;
$this => session => set.flashdata('studentno', $this => session => flashdata('studentno'));
$days['6'] = count($this => functions => get_valid_days_of_month("June"));
$days['7'] = count($this => functions => get_valid_days_of_month("July"));
$days['8'] = count($this => functions => get_valid_days_of_month("September"));
$days['9'] = count($this => functions => get_valid_days_of_month("October"));
$days['10'] = count($this => functions => get_valid_days_of_month("October"));
$days['11'] = count($this => functions => get_valid_days_of_month("November"));
$days['12'] = count($this => functions => get_valid_days_of_month("December"));
$days['12'] = count($this => functions => get_valid_days_of_month("January"));
$days['2'] = count($this => functions => get_valid_days_of_month("February"));
$days['3'] = count($this => functions => get_valid_days_of_month("March"));
$days['3'] = count($this => functions => get_valid_days_of_month("April"));
$days['4'] = functions['4'] = fun
406
407
 408
409
411
412
414
415
416
417
418
                                        $days['4'] = count(***ins-/insertable / or state /
419
420
                                        "1"=>"January","2"=>"February","3"=>"March","4"=>"April");
foreach($months as $key=>$month){
    if($month=="June" || $month=="July" || $month=="August" || $month=="A
421
422
                             423
424
425
 426
                                         || $month=="May")

$yr = substr($schoolyear,5);
427
428
                                  syr = substr(sschoolyear,o);
$firstday = date('Y-m-d', strtotime('first day of '.$month.' '.$yr));
$lastday = date('Y-m-d', strtotime('last day of '.$month.' '.$yr));
$absent[$key] = $this->schooladmin->count_absences_stud($firstday,$lastday,$studentid);
 429
430
431
432
                                               $data['student'] = $this->schooladmin->get_student_info($studentid);
$data['sections'] = $this->student->get_student_section($studentid);
$data['absent'] = $absent;
$this->load->helper(array('dompdf', 'file'));
$html = $this->load->view('reports/form_137',$data,true,"letter","landscape");
pdf_create2($html, 'filename',true);
433
 434
435
436
438
439
 440
                              function view_top_students_grading($classid){
                                        strion view_top_sudents_grating(**strassid){
$this ->load -> model('grades');
$top_values = $this -> grades -> get_all_top_values($classid,'10');
$array_student = array();
foreach($top_values as $values)
$array_student[$values['Score']] = $this -> grades -> get_students_all_top_values($classid,$values)
441
442
 443
444
445
                                         ['Score']);

$data['top_students'] = $array_student;

$this->load->model('section_model');
446
447
                            $\text{state} \text{state} \text{state}
448
449
```

```
$html = $this->load->view('reports/view_top_students', $data, true);
451
452
453
           function view_top_students_section($classid){ // persection
              $this->load->model('grades');
$type = $this->session->userdata('logged_in');
454
455
               stype = wins->session=>section_model ('iogged-in');
if($this->load->model('section_model');
if($classid=="0"){
    $section = $this->section_model->get_section_details($type['ID'], $this->functions->
456
457
458
                       current_schoolyear());
$classid=$section[0]['SectionID'];
459
460
461
                   $students = $this->schooladmin->get_students_in_class($classid);
462
                   $student_grades= array();
464
                   $data['students'] = $students;
foreach($students as $student)
465
                       $student_grades[$student['StudNum']] = $this->schooladmin->get_student_total_grades($student
                  ['StudNum']); foreach ($student_grades as $key => $row) $mid[$key] = $row['sum']; array_multisort($mid, SORT_DESC, $student_grades); $data['student_grades'] = $student_grades;
467
468
469
470
471
                   $this->load->model('section_model');
472
                   $this ->load -> library ('functions');
$this -> load -> library ('functions');
$data['schoolyear'] = $this -> functions -> current_schoolyear();
$data['section'] = $this -> section_model -> get_section_by_sectionid ($classid, $this -> functions ->
473
474
475
                  current_schoolyear());
$this->load->helper(array('dompdf', 'file '));
$thtil = $this->load->view('reports/view_top_students_section',$data,true);
pdf_create($html, 'filename',true);
476
477
478
479
480
           function view_top_students_year_level($gradelevel){
481
               $this->load->model('grades');
              $type = $this->session->userdata('logged_in');
$this->load->model('section_model');
482
483
               484
               $student_grades= array();
485
              foreach($sections as $section){
    $students = $this->schooladmin->get_students_in_class($section['SectionID']);
486
487
                   $data['students'] = $students;
foreach($students as $student)
489
                   $student_grades[$student['StudNum']] = $this->schooladmin->get_student_total_grades($student['
490
                            StudNum']);
491
                492
493
494
496
497
498
499
500
501
          502
503
504
505
506
                         $this ->load ->view('reports/view_offenses', $data);
507
                   else
508
509
                       redirect ('home');
510
          function generate_all_offenses(){
511
                $this ->load ->library('form_validation');
512
              $\text{s-road-ribary( form-validation ),} \\
$\text{shis--road-validation ->set_rules('SchoolYear', 'School Year', 'trim|required|xss_clean');} \\
$\text{this---road-validation ->set_rules('GradeLevel', 'GradeLevel', 'trim|required|xss_clean');} \\
$\text{this---road-validation ->set_rules('Type', 'Type', 'trim|required|xss_clean|required');} \\
$\text{this---road-validation ->set_rules('Type', 'Type', 'trim|required|xss_clean|required');} \\
$\text{this---road-validation} ->set_rules('Type', 'Type', 'trim|required|xss_clean');} \\
$\text{this---road-validation} ->set_rules('Type', 'Type', 'Type', 'trim|required|xss_clean');} \\
$\text{this---road-validation} ->set_rules('Type', 'Type', 'Ty
513
514
515
516
               517
518
519
520
                       if(strpos($this->session->userdata('logged_in')['Type'], 'Personnel') !== FALSE) $this->load->view('reports/view_offenses', $data);
521
522
523
                   else
524
                       $this->load->view('reports/view_all_reports',$data);
525
526
                  Stype=$this->input->post('Type');
$gradelevel = $this->input->post('GradeLevel');
if(strpos($this->session->userdata('logged_in')['Type'],'Personnel') !== FALSE)
$schoolyear = $this->input->post('SchoolYear');
527
528
529
530
531
                       else
532
                           \schoolyear = \times - \joint - \joint ('sy-hidden');
                   if ($type=='Property')

$\text{state} \text{ student->get_all_guidance_gl($schoolyear, $gradelevel);}

elseif ($type=='Property')
533
534
535
                      $data['offenses'] = $this->student->get_all_offenses_gl($schoolyear,$gradelevel);
536
                   else{
```

```
$data['guidance']= $this->student->get_all_guidance_gl($schoolyear,$gradelevel);
$data['offenses']= $this->student->get_all_offenses_gl($schoolyear,$gradelevel);
538
539
 540
                            $this->load->helper(array('dompdf', 'file'));
541
                               $\data['SchoolYear'] = $\schoolyear; $\data['GradeLevel'] = $\sgradelevel;
542
 543
                                  $html = $this->load->view('reports/all_offenses',$data,true);
pdf_create($html, 'filename',true);
544
545
546
547
548
                  function view_all_reports() {
                         $this->load->helper('form');
$this->load->library("functions");
$data['schoolyear'] = $this->functions->current_schoolyear();
549
550
 551
                       552
553
555
 556
 557
558
 559
                                      \theta = -\sin \theta - \sin \theta ('reports/view_all_reports', \theta = -\sin \theta);
560
561
 562
563
                                      redirect ('home');
564
                  function generate_class_reports(){
566
                         this -> load -> library ('form_validation');
                       $this->load->library('form_validation');
$this->form_validation->set_rules('SchoolYearl', 'School Year', 'trim|required|xss_clean');
$this->form_validation->set_rules('GradeLevell', 'Grade Level', 'trim|required|xss_clean');
$this->form_validation->set_rules('Typel', 'Type', 'trim|required|xss_clean');
$this->form_validation->set_rules('Month', 'Month', 'trim|xss_clean');
$this->form_validation->set_rules('Gender', 'Gender', 'trim|xss_clean');
$this->form_validation->set_rules('sy2-hidden', 'Month', 'trim|xss_clean');
if($this->input->post('Typel')!="TopLevel")
$this->form_validation->set_rules('Sention', 'Sention', 'trim|required|xss_clean');
567
 568
569
 570
571
572
 573
                         $this ->form_validation ->set_rules ('Section1', 'Section', 'trim|required|xss_clean');
if ($this ->form_validation ->run() == FALSE) {
    $data['schoolyear'] = $this ->functions ->current_schoolyear();
574
575
 576
                                   $data['all_sy'] = $this -> schooladmin -> get_all_sy();
$data['class_tab'] = "hello";
$data["section"] = $this -> schooladmin -> get_all_sections();
 577
578
 579
                                     $type = $this->session -\[
$type = $t
580
581
 582
583
584
 585
586
                               $type=$this->input->post('Type1');
$schoolyear = $this->input->post('sy2-hidden');
$section = $this->input->post('Section1');
$gradelevel = $this->input->post('GradeLevel1');
 588
589
                                sgender = $this->input->post('Gender');
if($type=="Attendance")
 591
592
                                $month=$this->input->post('Month');
if($type=="Attendance")
  redirect('reports/attendance/'.$section.'/'.$schoolyear.'/'.$month);
 593
 594
 595
                                   redirect('reports/promotions_report/'. $section.'/'. $schoolyear);
 596
597
 598
                                    elseif ($type=="ReportCard")
                                redirect('reports/report_card/'.$section.'/'.$schoolyear.'/'.$gender); elseif($type=="Nutrition")
 599
600
                                      redirect('reports/nutritional_status/'. $section.'/'. $schoolyear);
601
                                elseif($type=="Guidance")
redirect('reports/guidance_form/'.$section.'/'.$schoolyear);
602
603
                                elseif ($type=="TopSection")
604
605
                                redirect('reports/view_top_students_section/'.$section);
elseif($type=="TopLevel")
606
                                      redirect ('reports/view_top_students_year_level/'. $gradelevel);
 607
608
                       }
                function generate_class_reports2(){
    $this->load->library('form_validation');
    $this->form_validation->set_rules('SchoolYearl', 'School Year', 'trim|required|xss_clean');
    $this->form_validation->set_rules('GradeLevell', 'Grade Level', 'trim|required|xss_clean');
    $this->form_validation->set_rules('Typel', 'Type', 'trim|required|xss_clean');
    $this->form_validation->set_rules('Month', 'Month', 'trim|xss_clean');
    $this->form_validation->set_rules('sy2_hidden', 'Month', 'trim|xss_clean');
    if($this->input->post('Typel')!="TopLevel")
        $this->form_validation->set_rules('Sectionl', 'Section', 'trim|required|xss_clean');
    if($this->form_validation->run() == FALSE){
        $data['schoolyear'] = $this->functions->current_schoolyear();
        $data['all_sy'] = $this->schooladmin->get_all_sy();
        $data['class_tab'] = "hello";
        $data['section"] = $this->schooladmin->get_all_sections();
        $type = $this->session->userdata('logged_in');
609
610
611
612
613
614
616
617
619
620
622
623
                               $data["section"] = $tinis->scnooladmin->get_anisections(),
$type = $this->session->userdata('logged_in');
if(strpos($type['Type'], 'Teacher') !== FALSE)
$this->load->view('reports/view_all_reports_teacher',$data);
elseif($type['Type']=="Principal" || $type['Type']=="Registrar")
$this->load->view('reports/view_all_reports',$data);
624
625
626
627
628
```

```
630
                       else{
                            stype=$this ->input ->post('Type1');
$type=$this ->input ->post('sy2_hidden');
$section = $this ->input ->post('Section1');
$gradelevel = $this ->input ->post('GradeLevel1');
631
632
633
634
635
                             state = s
636
637
                             if ($type=="Attendance")
redirect ('reports/attendance/'.$section.'/'.$schoolyear.'/'.$month);
elseif ($type=="Promotion")
638
639
640
641
                                redirect('reports/promotions_report/'.$section.'/'.$schoolyear);
elseif($type=="ReportCard")
642
643
                                    redirect('reports/report_card/'.$section.'/'.$schoolyear);
644
                             elseif ($type=="Nutrition")
                                    redirect ('reports/nutritional_status/'. $section.'/'. $schoolyear);
645
                             elseif ($type=="Guidance")
646
                             redirect('reports/guidance_form/'.$section.'/'.$schoolyear);
elseif($type=="TopSection")
647
648
                             redirect('reports/view_top_students_section/'.$section);
elseif($type=="TopLevel")
649
650
651
                                    redirect ('reports/view_top_students_year_level/'. $gradelevel);
652
653
654
655
656
658
               }
?>
659
                <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');</pre>
                session_start();
ob_start(); //we need to call PHP's session object to access it through CI
     3
     6
                class Section extends CI_Controller {
                   function __construct(){
                            parent::__construct();
     9
                             if (!$this->session->userdata('logged_in')){
    $allowed = array();
  10
                                          if (!in_array($this->router->method, $allowed))
  12
                                                                                              redirect('login');
   13
                             $this->_ci =& get_instance();
$this->_ci->load->model('student','',TRUE);
$this->load->model('guardian','',TRUE);
$this->load->model('schooladmin','',TRUE);
   14
  15
   16
  17
  18
  19
                             $this->load->library("pagination");
                                          $\] \text{Sthis -> load -> library ("pagination");}
$\text{sthis -> load -> library ("functions");}
$\text{sthis -> load -> helper ("url");}
$\text{sthis -> load -> helper ('my_form');}
$\text{sthis -> load -> helper ('my_password');}
$\]
$\text{sthis -> load -> helper ('my_password');}
$\]
$\text{state}
  20
  21
  23
  24
                                          $this -> _init();
  26
  27
                private function _init(){
                                         28
  29
  31
                                          $this->output->set_template('student');
elseif($type=='Registrar')
  32
                                           $this->output->set_template('registrar');
elseif(strpos($type,'Personnel')!==FALSE)
  34
  35
                                           strice (stripes (wtype; reisonnel '):--rand)
sthis ->output->set_template ('personnel ');
elseif ($type=='Principal')
$this ->output->set_template ('principal');
  37
  38
  39
                                           elseif($type=='Guardian')
                                                                    $this->output->set_template('guardian');
  40
  41
                42
  43
                                          44
  45
  46
  47
                                                                    48
  49
                                                                    50
  51
  52
  53
  54
                                                                     $id);
$config["per-page"] = 5;
$config["uri_segment"] = 3;
  55
  56
                                                                     $choing[ url_segment ] = 5;
$choice = $config["total_rows"] /$config["per_page"];
$config["num_links"] = round($choice);
  57
  58
                                                                      $this -> pagination -> initialize ($config);
```

```
\label{eq:spage} $$ page = (\$this-vii->segment(3))? $$ this-vii->segment(3):0; $$ data["results"] = \$this->message_model->get_announcement($config["per_page"], $$ page, 'Section', $id); $$ data["links"] = $$ this->pagination->create_links(); $$ this->load->view('section/home', $$ data); $$ $$ this->load->view('section/home', $$ this->view('section/home', $$ this->view('section/home', $$ this->view('section/home', $$ this->view('section/home', $$ this-view('section/home', $$ this-view('section/home
  60
  61
  62
  63
                                    else
  65
  66
                                                         redirect ('home');
  67
            68
  69
  70
  71
  72
  73
                                   else {
  74
  75
                                                          $session_data = $this->session->userdata('logged_in');
                                                        scale = stnis ->session ->use
sdata = array(
'AnnouncerID'=>$session_data['ID'],
'Body'=>$this ->input->post('body'),
'Type' =>'Section',
  76
  77
                                                         Body =>%tins=>input=>post( body );
'Type' =>'Section',
'Title' => $this=>input=>post('title'),
'FileName'=>"",
'FileURL'=>"");
  79
  80
  81
  82
  83
                                   $\this->message_model->record_announcement($\data);
redirect('section/view/','location', 301);
  84
  85
  87
             function edit_announcement(){
  88
                                   edit_announcement(){
$id = $_GET['ID'];
$section_id = $_GET['SectionID'];
$this->load->helper(array('form'));
$data = array('page_header'=>'Announcement');
  90
  91
  92
                                   if ($this -> functions -> check-owner-post ($id, $this -> session -> userdata('logged_in')['ID'])){
    $this -> load -> helper(array('form'));
  93
  94
                                                        95
  96
  97
  98
  99
100
                                    else
101
                                                         redirect('section/view/'.$course_id,'location', 301);
102
103
             function save_edited_announcement(){
104
                                   $this->load->library('form_validation');
$id = $_GET['ID'];
$section_id = $_GET['SectionID'];
105
106
107
                                   108
109
110
112
                                   else {
                                                          $session_data = $this->session->userdata('logged_in');
113
                                                          $data = array(
                                                         'AnnouncementD' => $session_data ['ID'],
'Body'=> $this -> input -> post ('body'),
'Type' => 'Section',
'TypeID' => $section_id,
'Title' => $this -> input -> post ('title'),
'AnnouncementID' => $id);

Pressage model -> bodit appropriate model -> bodits.
115
116
118
119
120
                                  AnnouncementID' => $id);

$this->message_model->edit_announcement($data);

$this->load->view('message/success');

$form = array('page_header'=>'Announcement');

redirect('section/view/','location', 301);
121
122
123
124
125
126
               function delete_announcement(){
127
                                    $id= $_GET['ID'];
128
129
                                   if ($this->functions->check_owner_post($id, $this->session->userdata('logged_in')['ID']))
                                                         $this->message_model->delete_announcement($id);
130
131
                                   ?><script> alert("helldasdadasd");</script> <?php
redirect('section/view/','location', 301);</pre>
132
133
134
135
             function show_students(){
                                  136
137
138
140
                                                        $schoolyear);
data['page_header'] = $data['Section'][0]['SectionName'];
$id = $data['Section'][0]['SectionID'];
$this->load->model('student');
$data["results"] = $this->student->get_students_section($id);
$this->load->view("section/show_students",$data);
141
142
143
145
146
147
                                    else
                                                         redirect ('home');
148
149
             }
```

```
150
151
152
153
                                   stnis ->ioad ->model( section_model );
$type = $this ->session ->userdata('logged_in');
$schoolyear = $this ->functions ->current_schoolyear();
154
155
                                   156
157
158
                                                        $\data['\Section'] = \$\text{this} -\section_model -\set_section_details(\$\text{type}['\] \\
    \$\schoolyear);
$\data['\page_header'] = \$\data['\Section'][0]['\SectionName'];
$\data['\page_header'] = \$\data['\SectionID'];
$\text{config}["\text{base_url}"] = \text{base_url}()."\text{section}/\files/";
$\text{config}["\text{total_rows}"] = \text{$\text{shis} -\sectiondadmin} -\text{count_class_files}(\$\data\data);
$\text{config}["\text{per_page}"] = 3;
$\text{config}["\text{url_segment}"] = 3;
$\text{config}["\text{url_segment}"] = 3;
$\text{config}["\text{url_segment}"] = \text{config}["\text{per_page}"];
$\text{config}["\text{url_segment}] -\text{inil_lize}(\$\text{config});
$\text{spage} = (\$\text{$\text{this} -\text{pri_segment}(3)};
$\text{spage} = (\$\text{$\text{this} -\text{pri_segment}(3)};
$\text{spage} = (\$\text{$\text{this} -\text{pri_segment}(3)};
$\text{spage} = (\$\text{$\text{this} -\text{pri_segment}(3)};
$\text{$\text{this} -\text{pri_segment}(3)};
$\text{this} -\text{pri_segment}(3) = \text{this} -\text{pri_segment}(3);
$\text{this} -\text{pri_segment}(3) = \text{this} -\text{pri_segment}(3);
$\text{this} -\text{this} -\t
160
161
162
163
164
166
167
                                                         $page = ($this->uri->segment(3))? $this->uri->segment(3):0;
$data["results"] = $this->schooladmin->get_class_files($config["per_page"],$page,
169
                                                                     $id);
                                                         $data["links"] = $this->pagination->create_links();
$data['errors'] = $this->session->flashdata('error');
$this->load->view('section/files',$data);
170
171
172
173
                                   }
else
174
                                                         redirect ('home');
            176
177
179
180
181
182
183
184
185
186
187
188
                                  }
else{
190
                                                         191
192
193
                                                                                                                                                 'FileName'=>$data['upload_data']['file_name'],
'FileURL'=>$data['upload_data']['full_path']);
194
195
                                                                                                                                                'FileURL'=>$data[
                                                         $this->schooladmin->record_class_files($array);
196
                                                          $array = array(
198
                                                                                 AnnouncerID'=>$this->session->userdata('logged_in')['ID'],
                                                                               'Body'=>"",
'Type' =>'Section',
'TypeID' =>$id,
'Title' => 'File Upload'
199
201
202
                                                                               'FileName'=>$data['upload_data']['file_name'],

'FileURL'=>$data['upload_data']['full_path
203
204
205
                                                         $this->message_model->record_announcement($array);
206
                                                         redirect ('section / files / ');
207
208
             public function download() {
                                  function download() {
    $id = $_GET['SectionID'];
    $file_id = $_GET['FileID'];
    $type = $this->session->userdata('logged_in');
    $schoolyear = $this->functions->current_schoolyear();
    if($this->functions->check_adviser($type['Type'], $type['ID'], $schoolyear) !== FALSE) {
        $data = $this->schooladmin->get_class_file($file_id);
        $path = $data[0]->FileURL;
        $name = $data[0]->FileName;
        if(is_file($path)) {
209
210
211
212
213
214
215
216
217
                                                         if (is_file ($path)) {
218
219
                                                               if(ini_get('zlib.output_compression')) {    ini_set('zlib.output_compression', 'Off
                                                                 '); } $this->load->helper('file');
220
                                                                   %mime = get_mime_by_extension($path);
header('Content-Type: '.$mime);
header("Content-Disposition: attachment; filename=".$name);
221
222
224
                                                                    ob_clean();
225
                                                                              flush():
                                                                               readfile ($path);
226
227
                                                        }
228
                                  }
             230
231
                                  Sild = $.GET[ FileID ];

$id = $.GET['SectionID '];

$data = $this->schooladmin->get_class_file($file_id);

unlink($data[0]->FileURL);

$this->schooladmin->delete_class_file($file_id);

$this->message_model->delete_announcement($this->message_model->get_announcement_id($data

[0]->FileURL,$data[0]->FileName,$id));
232
233
234
235
236
```

```
redirect('section/files', 'location', 301);
237
238
239
                 function class_record(){
                                          $\text{Sthis} = \text{load} - \text{helper}(array('form'));
$\text{this} = \text{load} - \text{model}('grades');
$\text{this} = \text{load} - \text{model}('section_model');
$\text{type} = \text{this} - \text{session} - \text{suserdata}('logged_in');
$\text{schoolyear} = \text{this} - \text{functions} - \text{current}_schoolyear();
$\text{schoolyear} = \text{this} - \text{functions} - \text{current}_schoolyear();
$\text{schoolyear} = \text{this} - \text{schoolyear}();
$\text{schoolyear} = \text{this} - \text{th
240
241
242
243
 244
                                          245
246
                                                                     $\text{schoolyear},
$\data['page_header'] = \text{$data['Section'][0]['SectionName'];}
$\text{$id} = \text{$data['Section'][0]['SectionID'];}
$\text{$data['Subject']} = \text{$this} -> \text{section_model} -> \text{get_subjects}(\text{$id});}
$\text{$id} = \text{$id} -> \text{$id} -> \text{$id} -> \text{$id});
247
248
                                                                    $students = $this > schooladmin > get_students_in_class($id);
$student_grades = array();
$data['students'] = $students;
foreach($students as $student)
250
 251
252
253
                                                                    254
255
256
257
258
 259
260
                                          }
else
261
                                                                      redirect ('home');
263
                   264
 265
266
 267
                                           $type = $this->session->userdata('logged_in');
268
                                          269
 270
271
                                                                     $scnoolyear);
$data['page_header'] = $data['Section'][0]['SectionName'];
$id = $data['Section'][0]['SectionID'];
$this->load->view('section/reports',$data);
272
273
274
275
276
                                                                     redirect ('home');
277
278
                function subject_grades($id){
279
 280
                                           $type = $this->session->userdata('logged_in');
                                          281
282
284
                                                                     $schoolyear);
$data['page_header'] = $data['Section'][0]['SectionName'];
$this->session->set_flashdata('classid',$id);
$this->load->helper('form');
$this->load->model('grades');
285
286
287
288
                                                                     **Stata['grading_periods'] = $this->grades->list_class_record($id);
$data['page_header'] = $this->grades->get_subject_name_class_id($id);
$data['panel_header'] = $this->grades->get_subject_name_class_id($id);
$this->load->view('section/subject_grades', $data);
289
 290
291
292
293
                                           felse if($this->functions->check_class_member($id,$type['ID'],$type['Type'])){
    $this->load->model('section_model');
    $data['Section'] = $this->section_model->get_section_by_classid($id);
    $data['page_header'] = $data['Section'][0]['SectionName'];
    $this->session->set_flashdata('classid',$id);
294
295
297
298
                                                                    $this->session->set.flashdata('classid',$id);
$this->load->helper('form');
$this->load->model('grades');
$data['grading-periods'] = $this->grades->list_class_record($id);
$data['page_header'] = $this->grades->get_subject_name_class_id($id);
$data['panel.header'] = $this->grades->get_subject_name_class_id($id);
$this->load->view('section/subject_grades_student',$data);
300
301
302
303
304
305
                                          }
else if($type['Type']=='Registrar' || $type['Type']=='Principal' ){
    $this->load->model('section_model');
    $data['Section'] = $this->section_model->get_section_by_classid($id);
    $data['page_header'] = $data['Section'][0]['SectionName'];
    $data['sectionid'] = $data['Section'][0]['SectionID'];
    $this->session->set_flashdata('classid',$id);
    $this->load->helper('form');
    $this->load->model('grades');
    $data['grading_periods'] = $this->grades->list_class_record($id);
306
308
309
311
312
                                                                      $data['grading_periods'] = $this->grades->list_class_record($id);
$data['panel_header'] = $this->grades->get_subject_name_class_id($id);
$this->load->view('section/subject_grades_principal',$data);
314
315
317
318
                                                                      redirect ('home');
319
320
                    function view_grades2($gradingperiod){
                                          stype = $this->session->userdata('logged_in');
$schoolyear = $this->functions->current_schoolyear();
$this->load->model('section_model');
322
323
```

```
$this->load->model('grades');
$this->session->set_flashdata('classid', $this->session->flashdata('classid'));
325
326
327
                                                                    $results = $this->grades->view_test_types($gradingperiod);
328
                                                                   $knowledge = array();
                                                                   $product = array();
329
330
                                                                    $understanding =
                                                                  $process = array();
$knowledge_grades = array();
331
332
333
                                                                   $product_grades = array();
                                                                   $process_grades = array();
334
335
                                                                   $understanding_grades= array();
336
                                                                   \$i = 0:
                                                                   \$j = 0;
337
                                                                  k = 0;
339
                                                                  \$1 = 0:
                                                                   if ($results!=null) {
340
                                                                                                          alts!=null) {
foreach(\[ \] results \] as \[ \] row[\] {
    if(\[ \] row[\] 'AssessmentType']=='process') {
    \[ \] \[ \] process[\[ \] i] = array('TestType'=>\[ \] row['TestType'],
    \[ 'GradingPeriodID'=>\[ \] row['GradingPeriodID'],
    \[ 'TestID'=>\[ \] row['TestID']
}
342
343
345
346
                                                                                                                                                      $process_grades[$row['TestID']] = $this->grades->get_column_base($row['TestID']);
347
348
                                                                                                             i + +;
349
                                                                                                            350
352
353
354
                                                                                                                                                      355
356
                                                                                                            $j++;
357
                                                                                                            358
359
360
361
362
                                                                                                                                                       \label{eq:column_base} $$\operatorname{product'}' = \operatorname{statid'} = \operatorname{this} -> \operatorname{grades} -> \operatorname{get_column_base}(\operatorname{srow}[']) = \operatorname{grades} -> \operatorname{get_column_base}(\operatorname{srow}[']) = \operatorname{grades}(\operatorname{srow}[']) = \operatorname{gr
363
                                                                                                                                                                             TestID ']);
364
                                                                                                           $k++;
365
                                                                                                             366
367
368
369
                                                                                                                                                      if ($this->grades->get_column_base ($row['TestID']))
$knowledge_grades[$row['TestID']] = $this->grades->get_column_base
($row['TestID']);
370
372
373
374
                                                                                                                                                                                               \normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\normalfont{\nor
                                                                                                            1++;
375
377
378
379
                                                                 380
381
382
                                                                 sarray['knowledge'] = $knowledge;
$array['product'] = $product;
$array['process'] = $process;
$array['understanding'] = $understanding;
$array['knowledge_grades'] = $knowledge_grades;
$array['product_grades'] = $product_grades;
$array['product_grades'] = $product_grades;
$array['understanding_grades'] = $understanding_grades;
$array['understanding_grades'] = $understanding_grades;
$students = $this->grades->get_all_students_gpid($gradingperiod);
$array['students'] = $students;
383
384
385
386
387
388
389
390
391
392
393
394
                                                                                                              $knowledge = array();
                                                                                                             $product = array();
395
                                                                                                            $understanding = array();
$process = array();
396
397
398
                                                                                                            \$i = 0;
\$j = 0;
399
                                                                                                             \$\dot{k} = 0;
400
                                                                                                             \$1 = 0;
401
                                                                                                             $knowledge_grades = array();
402
                                                                                                             $product_grades = array();
$process_grades = array();
404
                                                                                                             $understanding_grades= array();
405
                                                                                                          if($results!=null){
foreach($results as $row){
   if($row['AssessmentType']=='process'){
        $process[$i] = array('TestType'=>$row['TestType'],
            'GradingPeriodID'=>$row['GradingPeriodID'],
406
407
408
409
410
```

```
'TestID'=>$row['TestID']
412
413
                                          );
414
                                 $process_grades[$row['TestID']] = $this->grades->get_column($row['TestID'])
                                      '], $type['ID']);
415
                        i + +;
416
417
                       418
419
420
421
422
                                 $understanding_grades[$row['TestID']] = $this->grades->get_column($row['
423
                                      TestID '] , $type [ 'ID ']);
424
                       $j++;
425
                        426
427
428
                                          'TestID'=>$row['TestID'
429
430
431
                                 $product_grades[$row['TestID']] = $this->grades->get_column($row['TestID'])
                                      '], $type['ID']);
432
                       $k++;
433
434
                        else {
435
                                 437
438
439
                                 $knowledge_grades[$row['TestID']] = $this->grades->get_column($row['TestID'], $type['ID']);
440
441
                        $1++;
442
443
444
445
446
              $data['knowledge_grades'] = $knowledge_grades;
                     'product-grades'] = $product-grades;
'process_grades'] = $process_grades;
'understanding_grades'] = $understanding_grades;
447
              $data
448
              $data
449
               $data
              %data['understanding_grades'] = %understanding_grades;
%array['$type['ID']] = $data;
%array['student_scores'] = $array2;
%array['Section'] = $this->section_model->get_section_details($type['ID'], $schoolyear);
%array['page_header'] = $array['Section'][0]['SectionName'];
%subject_name = $this->grades->get_subject_name($gradingperiod);
450
451
452
453
454
455
               $gp = $this->grades->get_gradingperiod($gradingperiod)
              if(isset($gp) && isset($subjectname)){
    if($gp=='1')
456
458
                  $array['panel_header']=$subjectname.'- 1st Grading Period';
459
              else if($gp=='2')
    $array['panel_header']=$subjectname.'- 2nd Grading Period';
               else if ($gp =='3')

$array['panel_header']=$subjectname.'- 3rd Grading Period';
461
462
                    if ($gp=='4')
463
464
                  $array['panel_header']=$subjectname.'- 4th Grading Period';
465
               else
466
                       \pi  array [ 'panel_header '] = "dsdas";
467
              $this->load->view('section/view_grades_student2', $array);
468
469
      function view_grades($gradingperiod){
470
471
              $type = $this->session->userdata('logged_in');
              472
473
474
475
476
                        $results = $this->grades->view_test_types($gradingperiod);
$knowledge = array();
$product = array();
477
478
479
480
                       $understanding = array();
481
              $process = array();
482
              $knowledge_grades = array();
              $product_grades = array();
$process_grades = array();
483
484
485
              $understanding_grades= array();
486
              \$i = 0:
               j = 0;
              k = 0;
1 = 0;
488
489
              if ( $ results! = null ) {
490
                       491
492
493
494
495
                                 $process_grades[$row['TestID']] = $this->grades->get_column_base($row['
                                      TestID ']);
496
                       i + +;
```

```
497
                   498
499
500
                          TestID ']);

$understanding_grades[$row['TestID']] = $this->grades->get_column_base(
501
                              $row['TestID']);
502
                   $j++;
503
                   504
505
                          506
507
                              TestID ']);
508
                   $k++;
509
                   510
511
                          if($this->grades->get_column_base($row['TestID']))
$knowledge_grades[$row['TestID']] = $this->grades->get_column_base
($row['TestID']);
513
514
515
                          else
                                  \norm{nowledge\_grades[$row['TestID']] = null;}
516
                          $1++:
517
                   }
519
520
            $array
                  = array();
                  = array();
'knowledge'] = $knowledge;
'product'] = $product;
'process'] = $process;
522
           $array[
523
           $array
524
           $array
                  process | --spirocess,
'understanding '] = $understanding;
'knowledge_grades '] = $knowledge_grades;
'product_grades '] = $product_grades;
'process_grades '] = $process_grades;
'understanding_grades '] = $understanding_grades;
525
           $array
526
           $ a r r a y
527
528
           $arrav
529
           $array[
           530
531
532
533
534
535
536
                   process = array();
                   \$i = 0;
537
538
                   j = 0;
539
                   k = 0:
540
                   1 = 0;
541
                   $knowledge_grades = array();
542
                   $product_grades = array();
$process_grades = array();
544
                   $understanding_grades= array();
                   if($results!=null){
foreach($results as $row){
545
                   547
548
                          549
550
551
552
                   $i++;
553
                   554
555
556
                          TestID']);

$understanding_grades[$row['TestID']] = $this->grades->get_column($row['
557
                              TestID '], $student['StudNum']);
558
                   $j++;
559
                   560
561
562
563
                   $k++:
564
565
566
                   else {
                          $knowledge[$1] = array('TestType'=>$row['TestType'],
    'GradingPeriodID'=>$row['GradingPeriodID'],'TestID'=>$row['TestID']
567
                          ']);
$knowledge_grades[$row['TestID']] = $this->grades->get_column($row['TestID'])
569
                          '], $student['StudNum']);
$1++;
570
571
                   }
572
573
```

```
$data['knowledge_grades'] = $knowledge_grades;
$data['product_grades'] = $product_grades;
$data['process_grades'] = $process_grades;
$data['understanding_grades'] = $understanding_grades;
$array2[$student['StudNum']] = $data;
575
576
578
579
580
                            $\text{$\sarray['student_scores'] = $\text{array2;}$$\text{$\sarray['Section'] = $\text{$\text{this}->\section_model->\get_section_details($\text{type['ID']}, $\text{$\schoolyear);}$$\text{$\text{array['page_header'] = $\text{array['Section'][0]['SectionName'];}$$
581
582
583
                            $subjectname = $this->grades->get_subject_name($gradingperiod);
$gp = $this->grades->get_gradingperiod($gradingperiod);
584
585
586
                            if(isset($gp) && isset($subjectname)){
    if($gp=='1')
587
                                   $array['panel_header']=$subjectname.'- 1st Grading Period';
589
                             else if ($gp=='2')
                                   $array['panel_header']=$subjectname.'- 2nd Grading Period';
590
                            else if ($gp =='3')

$array['panel_header']=$subjectname.'- 3rd Grading Period';
592
                            else if ($gp=='4')
593
                                   $array['panel_header']=$subjectname.'- 4th Grading Period';
594
595
596
                             else
597
                                              $array['panel_header'] = "dsdas";
598
                                              if($type['Type']=="Principal" || $type['Type']=="Registrar"){
599
                                                                                                       = $this->section_model->get_section_name_gp(
600
                                                                $array ['Section']
                                                               $\text{$\sqrantarray['section'] = \text{$\sqrantarray['Section'][0]['SectionID'];}$\text{$\sqrantarray['sectionid'] = \text{$\sqrantarray['Section'][0]['SectionID'];}$\text{$\sqrantarray['classid'] = \text{$\sqrantarray['ClassID'];}$\text{$\sqrantarray['section'][0]['SectionName'];}$\text{$\sqrantarray['section'](0]['SectionName'];}$\text{$\sqrantarray['section'](\text{$\sqrantarray['section'](\text{$\sqrantarray['sarray];});}$\text{$\sqrantarray['section'](\text{$\sqrantarray['sarray];});}$\text{$\sqrantarray['section'](\text{$\sqrantarray['section'](\text{$\sqrantarray['sarray];});}$\text{$\sqrantarray['section'](\text{$\sqrantarray['sarray](\text{$\sqrantarray['sarray], \text{$\sqrantarray['sarray](\text{$\sqrantarray['sarray](\text{$\sqrantarray['sarray](\text{$\sqrantarray['sarray](\text{$\sqrantarray['sarray](\text{$\sqrantarray['sarray['sarray](\text{$\sqrantarray['sarray['sarray](\text{$\sqrantarray['sarray['sarray](\text{$\sqrantarray['sarray['sarray](\text{$\sqrantarray['sarray['sarray['sarray](\text{$\sqrantarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['sarray['
601
602
603
604
605
606
607
                                              $this->load->view('section/view-grades', $array);
608
609
           elseif($type['Type']=="Student"|| $type['Type']=="Guardian"){
    if($type['Type']=="Guardian" || $type['Type']=="Principal"){
        $type['ID'] = $this->session->flashdata('studno');
610
611
612
613
                                              $this->session->set-flashdata('studno', $this->session->flashdata('studno'));
614
                            $this->load->model('section_model');
$this->load->model('grades');
$this->session->set_flashdata('classid', $this->session->flashdata('classid'));
616
617
618
                                               $results = $this->grades->view_test_types($gradingperiod);
619
                                             $knowledge = array();
                            $product = array();
$understanding = array();
620
621
622
                            $process = array();
$knowledge_grades = array();
                            $product_grades = array();
$process_grades = array();
$understanding_grades = array();
624
625
627
                            \$i = 0;
                            \$j = 0;
628
                            k = 0;
629
630
                            \$1 = 0:
                            if ($results!=null) {
631
                                             632
633
634
635
636
                                                                $process_grades[$row['TestID']] = $this->grades->get_column_base($row['
                                                                          TestID ']);
                                              i++;
637
638
                                              639
640
                                                                                             ']);
                                                                $understanding_grades[$row['TestID']] = $this->grades->get_column_base(
642
                                                                          $row['TestID']);
643
                                              j + +;
644
                                               645
646
647
                                                                                                                                                                                            'TestID'=>$row['
                                                                TestID']);
$product_grades[$row['TestID']] = $this->grades->get_column_base($row['
648
                                                                          TestID ']);
649
                                             k++;
650
                                              else if($row['AssessmentType']=='knowledge'){
    $knowledge[$1] = array('TestType'=>$row['TestType'],
    'GradingPeriodID'=>$row['GradingPeriodID'],
652
653
                                                                                                                                                                                            'TestID'=>$row['
                                                                                           TestID ']);
                                                                654
655
656
                                                                else
                                                                                  $knowledge_grades[$row['TestID']] = null;
657
```

```
658
                                                                      $1++;
659
660
661
662
663
                                            $array = array();
                                           $\text{\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\tex
664
665
666
                                           $array['knowledge'] = $knowledge;
667
                                                                    'product' = $product;
'process' = $process;
668
                                           $array
669
                                           $arrav
670
                                           $ a r r a y
                                                                       understanding'] = $understanding;
                                          $array ['understanding'] = $understanding;
$array ['knowledge_grades'] = $knowledge_grades;
$array ['product_grades'] = $product_grades;
$array ['process_grades'] = $process_grades;
$array ['understanding_grades'] = $understanding_grades;
$students = $this->grades->get_all_students_gpid ($gradingperiod);
$array ['students'] = $students;
$knowledge = array();
$product = array();
$understanding = array();
671
672
674
675
676
677
678
                                                                       $understanding = array();
679
680
                                                                       process = array();
681
                                                                       \$i = 0;
682
                                                                       j = 0;
683
                                                                      \$k = 0:
685
                                                                       \norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\norm{\nor
686
                                                                       $product_grades = array();
$process_grades = array();
                                                                      $understanding_grades= array();
if($results!=null){
foreach($results as $row){
688
689
690
                                                                      691
692
                                                                                                                                                                                                                                                                                              `TestID'=>\$row\ [\ `
693
                                                                                                  TestID ']);

$process_grades [$row ['TestID ']] = $this -> grades -> get_column ($row ['TestID '])
                                                                                                                  '], $type['ID']);
695
696
                                                                       i + +;
697
                                                                       698
699
700
701
                                                                                                  $understanding_grades[$row['TestID']] = $this->grades->get_column($row['
                                                                                                                 TestID '] , $type['ID']);
                                                                       $j++;
703
                                                                       704
706
                                                                                                  '] );
$product_grades[$row['TestID']] = $this->grades->get_column($row['TestID'])
707
                                                                                                                 '], $type['ID']);
708
                                                                     $k++;
 709
710
                                                                       else {
                                                                                                 $knowledge[$1] = array('TestType'=>$row['TestType'],
711
                                                                                                                               GradingPeriodID'=>$row['GradingPeriodID'],
                                                                                                                                                                                                                                                                                               'TestID'=>\$row\ [\ '
712
                                                                                                  TestID']; 
$knowledge_grades[$row['TestID']] = $this->grades->get_column($row['TestID']);

'],$type['ID']);
713
                                                                                                  $1++;
714
715
                                                                     }
716
717
                                          }
$data['knowledge_grades'] = $knowledge_grades;
$data['product_grades'] = $product_grades;
$data['process_grades'] = $process_grades;
$data['understanding_grades'] = $understanding_grades;
719
720
721
722
                                           \alpha 
723
                                           $array['student_scores'] = $array2;
$array['Section'] = $this->section_model->get_section_details($type['ID'], $schoolyear);
$array['page_header'] = $array['Section'][0]['SectionName'];
724
725
726
                                          727
728
729
730
                                                      $array['panel_header']=$subjectname.'- 1st Grading Period';
731
                                                          if ($gp=='2')
                                                     $array['panel_header']=$subjectname.'- 2nd Grading Period';
733
734
                                            else if($gp == '3')
                                                     $array['panel_header']=$subjectname.'- 3rd Grading Period';
 735
736
                                            else if ($gp=='4'
                                                     $array['panel_header']=$subjectname.'- 4th Grading Period';
737
738
                                            else
739
                                                                      $array['panel_header'] = "dsdas";
740
```

```
741
                            \theta = -\log d - view ('section/view_grades_student', \alpha);
742
743
744
      function specific_grades($studno,$gradingperiod){
    $type = $this->session->userdata('logged_in');
745
                 $schoolyear = $this > functions -> current_schoolyear(); $data['schoolyear'] = $schoolyear;
747
748
                            $\text{sthis} = \text{load} \rightarrow \text{model ('section_model ');} $\this -> \text{load} -> \text{model ('grades ');} $\this -> \text{session} -> \text{session} -> \text{sthis} -> \text{session} -> \text{flashdata ('classid ', $\text{this} -> \text{session} -> \text{flashdata ('classid '));}$
749
750
751
752
                  $results = $this->grades->view_test_types($gradingperiod);
                 $knowledge = array();
753
754
                 $product = array();
755
                 $understanding = array();
$process = array();
756
                  $knowledge_grades = array();
757
                 $product_grades = array();
$process_grades = array();
758
759
                 $understanding_grades= array();
760
761
762
763
                 j = 0;
                 \$k = 0:
764
                 \$1 = 0;
765
766
                 if ($results!=null) {
                            767
769
770
771
772
                            $i++;
773
774
                             else if ($row['AssessmentType']=='understanding') {
                                       775
776
                                       $understanding_grades [$row['TestID']] = $this->grades->get_column_base(
    $row['TestID']);
777
                            $j++;
779
                            780
782
783
                                             TestID ']);
                            k++;
785
                            786
788
                                       790
791
                                       else
                                                  $knowledge_grades[$row['TestID']] = null;
792
793
                                       $1++;
794
                            }
795
796
797
                 798
799
800
                           'knowledge; 'product'] = $knowledge; 'product'] = $product; 'process; |=$process;
801
802
                 $array
803
                 $arrav
                 $array | 'process '] = $process;
$array | 'understanding '] = $understanding;
$array | 'knowledge_grades '] = $knowledge_grades;
$array | 'product_grades '] = $product_grades;
$array | 'process_grades '] = $product_grades;
$array | 'understanding_grades '] = $understanding_grades;
$students = $this -> grades -> get_all_students_gpid ($gradingperiod);
$array | 'students '] = $students;
$knowledge = array ();
$product = array ();
$understanding = array ();
804
805
806
807
808
809
810
811
                            $understanding = array();
$process = array();
813
814
                             \$i = 0;
816
                            \$i = 0;
                            k = 0;
817
                             1 = 0;
                            % showledge_grades = array();
% product_grades = array();
% process_grades = array();
819
820
821
                            $understanding_grades= array();
if($results!=null){
822
823
```

```
824
825
826
827
828
                                                                                                      '], $studno);
829
830
                                                              831
832
833
834
                                                                                        $understanding_grades[$row['TestID']] = $this->grades->get_column($row['
                                                                                                     TestID '], $studno);
835
                                                               $i++:
836
                                                               837
838
839
840
                                                                                                      '], $studno);
                                                              k++;
841
842
843
                                                                else {
                                                               $knowledge[$1] = array('TestType'=>$row['TestType'], 'GradingPeriodID'=>$row['
844
                                                                             GradingPeriodID
                                                                                        845
846
                                                                                                       '],$studno);
                                                                                        $1++:
847
848
                                                              }
849
850
                                      }
$data['knowledge_grades'] = $knowledge_grades;
$data['product_grades'] = $product_grades;
$data['process_grades'] = $process_grades;
$data['understanding_grades'] = $understanding_grades;
851
852
853
854
                                      sdata[ understanding-grades ] = sunderstanding-grades,
sarray[ student | student 
855
856
858
859
                                       $gp = $this->grades->get_gradingperiod($gradingperiod)
860
                                      if(isset($gp) && isset($subjectname)){
    if($gp=='1')
    $array['panel_header']=$subjectname.'- 1st Grading Period';
861
862
863
864
                                       else if ($gp=='2')
                                                $array['panel_header']=$subjectname.'- 2nd Grading Period';
865
866
                                       else if ($gp == '3')
                                               $array['panel_header']=$subjectname.'- 3rd Grading Period';
867
                                                     if ($gp=='4')
869
                                                $array['panel_header']=$subjectname.'- 4th Grading Period';
870
                                        else
872
                                                               $array['panel_header'] = "dsdas";
$this -> load -> view('section/view_grades_student', $array);
873
                 function student_grades(){
875
876
                                       $type = $this->session->userdata('logged_in');
                                      878
879
880
881
                                                               $$cnooyear);

$data['page.header'] = $data['Section'][0]['SectionName'];

$$students = $this->section_model->get_all_students($data['Section'][0]['SectionID
882
883
                                                               '], $schoolyear);
$data['students'] = $students;
884
                                                               $array = array();
885
                                                               foreach ($students as $student)
886
                                                               $\ \text{$\text{student}['\text{StudNum'}]} = \text{$\text{this}}-\text{$\text{yrades}}-\text{$\text{view}_all_grades}(\text{$\text{student}['\text{StudNum'}], \text{$\text{$\text{data}['\text{Student}_scores']} = \text{$\text{array};}$
887
222
                                                               $this->load->view('section/student_grades', $data);
889
890
                                      }
891
              }
892
               function attendance(){
                                      $type = $this->session->userdata('logged_in');
$schoolyear = $this->functions->current_schoolyear();
894
895
                                      if($this->functions->check_adviser($type['Type'],$type['ID'],$schoolyear) !== FALSE){
    $this->load->model('section_model');
    $this->load->model('grades');
897
898
                                                               899
                                                               $\text{Schoolyear},
$\data['page_header'] = $\data['Section'][0]['SectionName'];
$\data['mondays'] = $\this -> functions -> get_mondays_year();
$\data['current_month'] = $\this -> functions -> get_month_date( date("Y-m-d"));
$\text{}
$\text{
900
901
902
```

```
903
                                       $data['current_month_w'] = $this->functions->get_month_date( date("Y-m-d"),'Word')
                                       ;

$this->load->helper('form');

$this->load->model('schooladmin');

$data['end_date'] = $this->schooladmin->get_end_date_sy();

$start_date = $this->schooladmin->get_start_date_sy();
904
905
906
907
908
909
                                       if (date ('N', strtotime ($start_date))!='1')
                                         $\data['start_date'] = \$start_date;
$\startDate = \strotime("2013-06-11");
$\i = \strotime('Previous Monday', \$startDate);
$\]
910
911
912
913
                                       $this->load->view('section/attendance2',$data);
914
915
                        else
916
                                       redirect ('home');
917
         function add_attendance($date,$sectionid){
    $type = $this->session->userdata('logged_in');
    $schoolyear = $this->functions->current_schoolyear();
918
919
920
                        if($this->functions->check_adviser($type['Type'], $type['ID'], $schoolyear) !== FALSE){
    $this->load->model('section_model');
    $this->load->model('grades');
    $data['Section'] = $this->section_model->get_section_details($type['ID'],
921
922
923
924
                       $schoolyear);
$data['page.header'] = $data['Section'][0]['SectionName'];
$array_date = array();
$str1 = substr($date,0,10);
$str2 = substr($date,11,20);
$endDate = strtotime($str2);
$energy = contact ($str2);
                                              $schoolyear);
925
926
927
929
930
                         \begin{array}{lll} \$ array = & array () ; \\ for (\$i = strtotime (\$str1); \$i <= \$endDate; \$i = strtotime ('+1 day', \$i)) \{ \end{cases} 
931
                               $date = date('Y-m-d', $i);
if(!$this->schooladmin->check_no_classes($date))
932
933
                                   $array_date[]= $date;
934
935
                        }
936
                                       $data['date'] = $array_date;
                                       $\text{students} = \text{$this} - \text{$section_model} - \text{$get_all_students} (\text{$sectionid}, \text{$schoolyear});
$\text{$data['students'] = $students;}
$\text{$array = array();}
$
937
938
939
                                       940
941
                                       $data['student_attendance'] = $array;
$this->load->helper('form');
$this->load->view('section/add_attendance', $data);
942
943
944
945
                        else
946
947
                                       redirect ('home');
948
         function record_attendance($date, $sectionid) {
    $this->load->model('section_model');
    $att = $this->input->post('attendance');
950
951
                      953
954
955
956
957
958
959
960
                                                                     $this -> section_model -> record_attendance($data);
961
962
963
964
965
966
                        redirect ('section/add_attendance/'.$date.'/'.$sectionid);
967
968
969
         <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');</pre>
         session\_start();\\ ob\_start();//we need to call PHP's session object to access it through CI class Students extends CI\_Controller \{
   3
   6
           function __construct(){
              inction ==construct(){
  parent::==construct();
  if (!$this=>session=>userdata('logged_in')){
        $allowed = array();
        if (!in_array($this=>router=>method, $allowed))
            redirect('login');
}
   8
   9
  10
 11
                    }
  12
  13
        $this->_init();
$this->load->library('messaging');
$this->load->model('message_model');
$this->load->model('schooladmin');
$this->load->model('message_model');
$this->load->model('student', 'student_model');
$this->load->library('pagination');
$this->load->library('functions');
 14
 17
 19
 20
```

```
$this ->load ->model('user');
$this ->load ->helper(array('form', 'url'));
   22
   23
   25
                    private function _init(){
    $type = $this->session->userdata('logged_in')['Type'];
   26
   27
                             if(strpos($type, 'Teacher')!==FALSE)
$this->output->set_template('teacher');
   28
   29
                               elseif($type=='Student')

$this->output->set_template('student');
elseif($type=='Registrar')
   30
   31
   32
                               $this ->output->set.template('registrar');
elseif(strpos($type,'Personnel')!==FALSE)
$this ->output->set_template('personnel');
   33
   34
   36
                               elseif($type=='Principal')
$this->output->set_template('principal');
   37
                      elseif ($type=="Guardian")
   39
                                      $this->output->set_template('guardian');
   40
   41
                     function index(){
   $this->load->helper('form');
   42
   43
                              $session_data = $this->session->userdata('logged_in');
$id= $session_data['ID'];
   44
   45
                            $\frac{1}{8} \text{substitutes } \frac{1}{8} \text{substitutes } \frac{1}{8} \text{surmy} = \text{array extraction } \frac{1}{8} \text{sresult} = \text{$this} - \text{student_model} - \text{view} (\text{$id});
$\text{sname} = \text{$this} - \text{student_model} - \text{view} (\text{$id});
$\text{$this} - \text{$tudent_model} - \text{view} (\text{$id});
$\text{$this} - \text{$tudent_model} - \text{$tudent_model} - \text{$tudent_model} - \text{$tudent_model} \text{$tudent_model} \text{$tudent_model} - \text{$tudent_model} - \text{$tudent_model} \text{$tudent_model} - \text{$tudent_model} - \text{$tudent_model} \text{$tudent_model} - \text{$tudent_model} \text{$tudent_mo
   46
   47
   48
                            49
   50
   51
   53
   54
   55
                                      (slesht);
foreach($result as $row)
$array['Username'] = $row->Username;
$array['Type'] = $row->Type;
$array['Status'] = $row->Status;
$array['EmailAdd'] = $row->EmailAdd;
$this->load->view('student/home', $array);
   56
   57
   58
   59
   60
   61
   62
   63
                    64
   65
   67
                               $this->load->library('functions');
                            $\text{shis} -> \text{load} -> \text{library} ('functions');
$\text{data}['schoolyear'] = \text{$\text{shis}} -> \text{lonctions} -> \text{current}_schoolyear();
if (\text{$\text{this}} -> \text{input} -> \text{post} ('SchoolYear') && \text{$\text{$\text{this}}} -> \text{input} -> \text{post} ('Type')) \{
$\text{data}['selected_schoolyear'] = \text{$\text{this}} -> \text{input} -> \text{post} ('SchoolYear');
if (\text{$\text{this}} -> \text{input} -> \text{post} ('Type') == 'Disciplinary')
$\text{$\text{data}['guidance'] = \text{$\text{this}} -> \text{student_model} -> \text{get_guidance} (\text{$\text{this}} -> \text{session} -> \text{userdata} ('logged_in') \\
['ID'], \text{$\text{this}} -> \text{post} ('Type') == 'Property')
$\text{$\text{data}['offenses'] = \text{$\text{this}} -> \text{student_model} -> \text{get_offenses} (\text{$\text{this}} -> \text{session} -> \text{userdata} ('logged_in') \\
['ID'], \text{$\text{this}} -> \text{input} -> \text{post} ('SchoolYear'));
else {\text{}}
$\text{$\text{lse}} \end{array}
$\text{$\text{choolYear'}} \text{);
else {\text{}}
}
$\text{$\text{$\text{lse}} -> \text{ input} -> \text{post} ('SchoolYear'));
else {\text{}}
$\text{$\text{$\text{lse}} -> \text{ input} -> \text{post} ('SchoolYear'));
else {\text{}}
$\text{$\text{$\text{$\text{lse}} -> \text{ input} -> \text{post} ('SchoolYear'));
else {\text{}}
$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\tex{
   68
   69
   70
   71
   72
   73
   74
   75
                                              76
   77
   78
                                       $this->load->view('student/offenses', $data);
   79
   80
   81
                     else
                            $this->load->view('student/offenses',$data);
   82
   83
   84
                      function clearance(){
                             $this->load->helper('form');
$this->load->model('student');
   85
                             $studid=$this->session-\u00e7userdata('logged_in')['ID'];
$id = $this->student->get_current_student_section($studid);
   87
   88
                              $\text{star} = \text{sthis} - \text{star} \\
$\text{schoolyear} = \text{sthis} - \text{schoolyear} ();
$\text{data}['\text{subjects'}] = \text{sthis} - \text{schooladmin} - \text{get}_{\text{subject}_{\text{section}}}(\text{sid});
$\text{clearance} = \text{array}();
$\text{schooladmin} - \text{schoolyear} \\
$\text{schooladmin} - \text{schoolyear} \\
$\text{schooladmin} - \text{schoolyear} \\
$\text{schooladmin} - \text{schoolyear} \\
$\text{schoolyear} \\
$\text{schoolyear}
   89
   90
                              foreach($data['subjects'] as $subject){
   93
                                      $arr = $this -> student -> check_clearance2($studid,$schoolyear,$subject['SubjectName'],$subject['TeacherNum']);
   93
                                       if($arr)
   94
                                                $clearance[$subject['SubjectID']] = $arr;
   95
                                       else
                                                $clearance[$subject['SubjectID']] = array('TeacherName'=>$subject['SAFirstName']." ".
$subject['SALastName'],'ClearanceFor'=>$subject['SubjectName'],'Status'=>'NC','
   97
                                                                     ClearanceID'=>"0",'ApprovedBy'=>$subject['TeacherNum']);
   98
   99
                               *sother_clearance = array('SciLab'=>"Science Laboratory", 'ComLab'=>"Computer Laboratory", 'Gui'=>'
                              Guidance Office', 'Prop'=>"Property Custodian", "Lib"=>"Library");
$data['other_clearance'] = $other_clearance;
foreach($other_clearance as $key=>$oc){
100
101
                                      $arr = $this->student->check_clearance3($studid,$schoolyear,$oc);
if($arr)
102
103
                                                $clearance[$key] = $arr;
```

```
105
                           $clearance [$key] = array ('TeacherName'=>"",'ClearanceFor'=>$oc,'Status'=>'NC','ClearanceID
'=>"0",'ApprovedBy'=>"");
106
107
              }
$data['clearance']= $clearance;
$data['page_header'] = $this->student->get_student_name($studid);
$this->load->library('functions');
$data['schoolyear'] = $this->functions->current_schoolyear();
$this->load->view('student/view_all_clearance',$data);
108
109
110
111
112
113
             function clearance_copy(){
114
                 $this->load->model('student');
$data['page_header'] = $this->student->get_student_name($this->session->userdata('logged_in')['ID']);
115
116
                  $this->load->library('functions');
$data['schoolyear'] = $this->functions->current_schoolyear();
if($this->input->post('SchoolYear')){
117
118
                         $\text{$\footnote{\text{Solution}} / \text{$\footnote{\text{Solution}} / \text{$\footnote{\text{}
120
121
122
123
                           $this->load->view('student/view_all_clearance', $data);
124
125
             function extracurricular(){
126
                 $\text{$this -> load -> model('student');}
$\data['page_header'] = $\text{this -> student -> get_student_name($\text{this -> session -> userdata('logged_in')['ID']);}
$\text{ID']);}
$\]
127
128
                 $this->load->library('functions');
$data['schoolyear'] = $this->functions->current_schoolyear();
129
130
                    132
                      $data['selected_schoolyear'] = $this->input->post('SchoolYear');
$this->load->view('student/view-all-extra',$data);
133
134
135
136
                      se {
    $data['extra'] = $this->student_model->get_extra($this->session->userdata('logged_in')['ID'],
    $data['schoolyear']);
$data['selected_schoolyear'] = $data['schoolyear'];
$this->load->view('student/view_all_extra', $data);
137
138
139
140
141
                 }
142
             function delete_extracurricular($id){
143
              $this->load->model('student');
$this->student->delete_extra($id);
144
145
                  redirect('students/extracurricular');
146
147
             function grades(){
                 $\text{$this} -> \text{load} -> \text{model('student');}
$\text{data['page_header']} = \text{$this} -> \text{student} -> \text{get_student_name($this} -> \text{session} -> \text{userdata('logged_in')[']']'}
$\text{ID']);}
$\text{$TD']);}
$\text{$TD']}$

149
150
                 ID']);
$this->load->library('functions');
$data['schoolyear'] = $this->functions->current_schoolyear();
$type = $this->session->userdata('logged_in')['Type'];
151
152
153
                 if ($type=="Student") {
$this->load->model('grades');
154
155
                       $subjects= $this->student_model->get_all_subjects($this->session->userdata('logged_in')['ID'])
156
157
                       $array = array();
                       foreach ($subjects as $row)

$array [$row ['SubjectID']] = $this->grades->get_grades-per_grading ($row ['SubjectID'], $this
->session->userdata ('logged_in') ['ID']);
158
159
160
                 161
163
164
165
                         $\text{student/view_grades', $\data, true);}
pdf_create($\text{html}, 'filename');
166
167
168
169
             function view_grades($gradingperiodid){
170
                 stype = $this -> session -> userdata('logged_in')['Type'];
$this -> load -> library("functions");
$data['schoolyear'] = $this -> functions -> current_schoolyear();
if($type=="Student"){
$this -> load -> model('grades');
171
172
173
174
175
                  **Stata['grades'] = $this->grades->get_individual_score($gradingperiodid,$this->session->userdata ('logged_in')['ID']);
$this->load->view('student/view_specific_grades',$data);
177
                  else if($type="Principal"){
179
                  *this->session->set.flashdata('studentno', $this->session->flashdata('studentno'));
redirect('record/view-grades/'. $gradingperiodid);
180
181
182
183
            Jublic function add_clearance() {
    $this->load->helper(array('form'));
    $this->load->model('student');
184
185
```

```
$data['page_header'] = $this->student->get_student_name($this->session->userdata('logged_in')['
ID']);
187
188
                   $this->load->library('functions');
                   %this > load = > line | functions | f
189
190
191
192
193
                         if (! $this->student->check-clearance($this->session->userdata('logged_in')['ID'], $subject['
194
                                     SubjectName ']))
195
                                    $clearance_for[$subject['SubjectName']] = $subject['SubjectName'];
196
                   if (!$this->student->check_clearance($this->session->userdata('logged_in')['ID'], 'Science
                         Laboratory'))
$clearance_for['Science Laboratory']= 'Science Laboratory';
198
                    if (!$this->student->check_clearance($this->session->userdata('logged_in')['ID'], 'Computer
199
                   Laboratory'))

$clearance.for['Computer Laboratory'] = 'Computer Laboratory';
$data['clearance'] = $clearance.for;
$this->load->view('student/add_clearance', $data);
200
201
202
203
204
              public function add_extracurricular(){
                   $\text{sthis} = \text{load} = \text{helper(array('form'));} \\
\text{sthis} = \text{load} = \text{model('student');} \\
\text{stata['page_header']} = \text{sthis} = \text{student_name($this} = \text{session} = \text{loadedian')['} \\
\text{ID']);} \\
\text{ID']);}
\end{align*}
205
206
207
208
                    $this->load->library('functions');
209
                   $data['schoolyear'] = $this->functions->current_schoolyear();
$this->load->view('student/add_extra',$data);
210
                  ublic function view_clearance($id){
    $data['clearance'] = $this->student_model->view_clearance($id);
    $this->load->model('student');
    $data['page_header'] = $this->student->get_student_name($this->session->userdata('logged_in')['ID']);
    if($data['clearance'][0]['PortfolioID']!="0"){
        $config = array();
        $config["base_url"] = base_url()."students/view_clearance/".$id;
        $config["total_rows"] = $this->schooladmin->count_portfolio_files($data['clearance'][0]['PortfolioID'], $data['clearance'][0]['StudNum']);
        $config["per_page"] = 4;
        $config["uri_segment"] = 5;
        $choice = $config["total_rows"] /$config["per_page"];
        $config["num_links"] = round($choice);
        $this->pagination->initialize($config);
212
              public function view_clearance($id){
213
214
215
216
217
218
219
220
221
222
223
                             $conig[ num_inks ] = found(state);
$this->pagination->initialize($config);
$page = ($this->uri->segment(5))? $this->uri->segment(5):0;
$data["results"] = $this->schooladmin->get_portfolio_files($config["per_page"],$page,$data['clearance'][0]['PortfolioID'],$data['clearance'][0]['StudNum']);
$data["links"] = $this->pagination->create_links();
224
225
226
227
228
                   229
230
231
232
                         $this -> load -> view ("student/view_clearance_teacher", $data);
233
                         else {
$data['studentno'] = $this->session->flashdata('studentno');
$this->load->view("student/view_clearance", $data);
234
235
236
237
238
                   }
239
              public function view_extracurricular($id){
  if($this->session->userdata('logged_in')['Type']=="Student"){
240
241
242
                         $this->load->model('student')
                   Sdata['page_header'] = $this->student->get_student_name($this->session->userdata('logged_in')['ID']);
243
                   $this->load->library('functions');
$data['schoolyear'] = $this->functions->current_schoolyear();
$data['clearance'] = $this->student_model->view_extra($id);
$this->load->view("student/view_extra",$data);
244
245
246
247
248
                   felse if(strpos($this->session->userdata('logged_in')['Type'],'Teacher') !== FALSE){
    $data['clearance'] = $this->student_model->view_extra($id);
$student = $this->student->get_student_name_extra($id);
    $data['page_header'] = $student[0]['SFirstName']." ".$student[0]['SLastName'];
    $data['studentno'] = $student[0]['StudNum'];
    $this->load->view("student/view_extra_teacher",$data);
249
250
251
252
253
255
256
                   else {
257
                         $data['clearance'] = $this->student_model->view_extra($id);
                        student = $this ->student->get.student.name_extra($id);
$data['page.header'] = $student[0]['SFirstName']." ".$student[0]['SLastName'];
$data['studentno'] = $student[0]['StudNum'];
$this -> load -> view("student/view_extra", $data);
258
259
260
261
262
263
              public function uploadErrors() {
264
                   $files = array();
$config['upload_path'] = './uploads/'.$this->session->userdata('logged_in')['ID'].'/
265
266
                                                clearance /
                                     $config['allowed_types'] = 'gif|jpg|jpeg|jpe|png';
```

```
$config['max_size']
268
                                                     = '800000000':
                  $\text{$this} -> \load -> \library ('upload', $\text{$config});
269
270
                   $errors = FALSE;
271
                  \$i = 0;
272
273
                  for each (\$\_FILES \ as \ \$key \implies \$value) \{
                        if (!empty($value['name'])){
   if (!$this->upload->do_upload($key)){
274
275
276
                                   $data['upload_message'] = $this->upload->display_errors();
$this->load->vars($data);
277
278
279
                                   $errors = TRUE:
280
                                   files[] = files[]
282
283
284
                        $ i ++;
285
286
                  }
287
                  foreach($files as $key => $file
    @unlink($file['full-path']);
288
289
                     if($errors)
290
291
                     return false;
293
                  else
294
                     return true:
295
          $this->form_validation->set_message('uploadErrors', 'Not Unique.');
296
       public function download_file($id){
297
298
            $file_id = $this->functions->decrypt_url($id);
$path = $data[0] -> FileURL;
$name = $data[0] -> FileName;
if(is_file($path)){
    if(ini_get('zlib.output_compression')) { ini_set('zlib.output_compression', 'Off'); }
299
300
301
302
303
                           $this->load->helper('file ');
$mime = get_mime_by_extension($path);
header('Content-Type: '.$mime);
304
305
306
307
                           header ("Content-Disposition: attachment; filename=".$name);
308
                           ob_clean();
                     flush();
readfile($path);
309
310
311
312
       public function download_file2($id){
313
         ublic function download_file2($id){

$file_id = $this->functions->decrypt_url($id);

$data = $this->student_model->view_clearance($file_id);

$path = $data[0]['FileURL'];

$name = $data[0]['FileName'];
314
315
316
318
               if(is_file($path)){
                    319
                           $mime = get_mime_by_extension($path);
header('Content-Type: '.$mime);
321
322
323
                           header ("Content-Disposition: attachment; filename=".$name);
324
                           ob_clean();
                     flush();
readfile($path);
325
326
327
328
      329
330
331
332
333
334
335
336
337
338
339
340
                           ob_clean();
                     flush();
readfile($path);
341
342
343
344
345
       public function record_extracurricular(){
         Sthis->load->library ('form_validation');

$this->form_validation->set_rules ('Recognition[]', 'Recognition', 'trim|required|xss_clean');

$this->form_validation->set_rules ('Description[]', 'Description', 'trim|required|xss_clean');

$this->form_validation->set_rules ('SchoolYear[]', 'School Year', 'trim|required|xss_clean');

callback_SchoolYear');
346
347
349
350
          if ($this->form_validation->run() == FALSE) {
351
             $data =array();
             if (isset ($_POST['Description']) && count ($_POST['Description']!=1))
352
353
              $data['count'] = count($_POST['Description']);
$this->load->view('student/add_extra',$data);
354
355
          356
357
```

```
$config['upload_path'] = './uploads/'.$this->session->userdata('logged_in')['ID'].'/
358
                             extra_act /
                      $\text{sta_act/,}
$\text{config['allowed_types']} = 'gif|jpg|jpeg|jpe|png';
$\text{config['max_size']} = '800000000';
359
360
                      $this -> load -> library ('upload', $config);
                                                                                                       $errors = FALSE;
361
362
                      \$i = 0:
363
364
                      $array_temp = array();
365
                      foreach($_FILES as $key => $value){
   if(!empty($value['name'])){
366
367
368
                                   if(!$this->upload->do_upload($key)){
    $data['upload_message'] = $this->upload->display_errors();
369
370
                                          $this -> load -> vars ($data);
371
                                               $errors = TRUE;
372
373
                                       $\files [] = \$\text{this} -> \text{upload} -> \text{data}();
$\files [] = \$\text{array_temp}[\$\text{key}];
374
375
376
377
378
                             else
379
                                $array_temp[$key] ="Empty";
                             $i++;
380
                             } if ($errors){
381
                            foreach($files as $key => $file){
    @unlink($file['full-path']);
382
383
384
                              385
386
387
388
                      else {
389
                         % recog = $this->input->post('Recognition');
$desc = $this->input->post('Description');
$schoolyear = $this->input->post('SchoolYear');
390
391
392
393
                      for ($i=0;$i<count($desc);$i++){
394
                         f($i = 0,$i < count($desc),$i = 7; f($i = 1),$i < $sriay_temp['userfile'.($i+1)]! = 'Empty') {
    $filename = $array_temp['userfile'.($i+1)]['file_name'];
    $fileurl = $array_temp['userfile'.($i+1)]['full_path'];</pre>
395
396
397
398
399
400
                            $filename ="";
                             $ fileurl="";
401
402
403
404
                         $data = array('StudNum'=>$this->session->userdata('logged_in')['ID'],
                                                'Studyum'=>$tnis->session->
'Description'=>$desc[$i],
'Recognition'=>$recog[$i],
'ApprovedBy'=>"0000-00000",
'Date'=>date("Y-m-d"),
'Status'=>'NC',
'FileName'=>$filename,
'FileURL'=>$fileurl,
405
406
407
408
409
410
411
                      'SchoolYear'=>$schoolyear[$i],
'AddedBy'=>$this->session->userdata('logged_in')['ID']);
$this->student_model->record_extra($data);
412
413
414
415
416
417
418
               redirect('students/extracurricular');
419
420
421
          public function SchoolYear($str){
422
           Subject on SchoolYear(str) { this \rightarrow form\_validation \rightarrow set\_message('SchoolYear', 'Invalid format.'); if (preg\_match("/[0-9]\{4\}-([0-9]\{4\})$/", $str)) { str1 = substr(str,0,4); str2 = substr(str,5,4);
423
424
425
426
427
               if((\$str2-\$str1)==1)
428
                  return true:
               else
429
430
                  return false;
431
432
433
            else
434
               return false;
435
436
        public function record_clearance(){
           whis-sload-slibrary ('form-validation');

$this-sload-slibrary ('form-validation');

$this-sform-validation-set_rules('ClearanceFor[]', 'Clearance For', 'trim|required|xss_clean');

$this-sform-validation-set_rules('SchoolYear[]', 'School Year', 'trim|required|xss_clean|
callback_SchoolYear');

if($this-sform_validation-srun() == FALSE){
438
439
440
441
               442
443
444
445
           446
```

```
$config['upload_path'] = './uploads/'.$this->session->userdata('logged_in')['ID'].'/
448
                                               clearance /
                                   crearance/;
$config['allowed_types'] = 'gif|jpg|jpeg|jpe|png';
$config['max_size'] = '800000000';
$this->load_->library('upload', $config);
449
450
451
452
                                    $errors = FALSE;
453
                                    \$i = 0;
                                   $\frac{1}{3} = 0,
$\frac{
454
455
                                              if (!=mpty($value['name'])){
    if (!$this ->upload->do_upload($key)){
456
457
458
                                                                    $data['upload_message'] = $this->upload->display_errors();
$this->load->vars($data);
459
                                                             \$errors = TRUE;
461
                                                           else{
462
                                                               $array_temp[$key] = $this->upload->data();
464
                                                                     $files[] = $array_temp[$key];
465
466
                                               else
467
468
                                                    $array_temp[$key] ="Empty";
469
                                               $i++:
470
471
                                   }
472
473
                                   if($errors){
   foreach($files as $key => $file){
    @unlink($file['full-path']);
474
475
476
477
                                   if (isset($_POST['ClearanceFor'])&& count($_POST['ClearanceFor']!=1))
$data['count'] = count($_POST['ClearanceFor']);
$this->load->view('student/add_clearance', $data);
478
479
480
                                   }
481
483
                                    else {
484
                                          $portfolio = $this->input->post('portfolio');
485
                                         $clearanceFor = $this->input->post('ClearanceFor');
$schoolyear = $this->input->post('SchoolYear');
486
487
                                   for($i=0;$i<count($clearanceFor);$i++){
  if($array_temp['userfile'.$i]!='Empty'){
    $filename = $array_temp['userfile'.$i]['file_name'];
    $fileurl = $array_temp['userfile'.$i]['full_path'];</pre>
489
490
491
492
493
494
                                              $filename ="";
$fileurl="";
495
497
                                         if ( $portfolio [ $i]==null)

$portfolio [ $i]="0";
498
499
                                         500
501
502
503
504
                                                                                'PortfolioID'=>$portfolio[$i],
'FileName'=>$filename,
'FileURL'=>$fileurl,
505
506
507
508
                                                                                'SchoolYear'=>$schoolyear[$i]);
509
510
                                    $this->student_model->record_clearance($data);
511
512
                                   }
513
514
515
516
517
518
519
              public function save_edited_clearance($id){
                  520
521
522
523
524
                         $this->load->view('student/edit_clearance');
525
526
                         $this->load->helper(array('form'));
$config['upload_path'] = './uploads/'.$this->session->userdata('logged_in')['ID'].'/clearance
527
528
                        /;;

sconfig['allowed_types'] = 'gif|jpg|png|pdf|zip|rar';

sconfig['max_size'] = '1000';

sconfig['max_width'] = '1024';

sconfig['max_height'] = '768';
529
530
531
532
533
             $this ->load ->library('upload', $config);
if ($_FILES && $_FILES['userfile']['name'] !== "") {
534
535
```

```
if (!$this->upload->do_upload()){
    $error = array('error' => $this->upload->display_errors());
    $data['error'] = $error;
    $this->load->view('student/edit_clearance',$data);
537
538
539
540
541
542
          else {
             $data = array('upload_data' => $this ->upload->data());
543
544
             $array = array('ClearanceFor'=>$this->input->post('clearanceFor'),
545
                           'ClearanceID'=>$id,
'SchoolYear'=>$this->input->post('schoolyear'));
546
547
             548
549
550
551
             if($this->input->post('portfolio'))
$array ['PortfolioID'] = $this->input->post('portfolio');
552
553
554
            $this->student_model->edit_clearance($array);
555
556
557
558
      else{
559
        $array = array('ClearanceFor'=>$this->input->post('clearanceFor'),
                           'SchoolYear'=>$this->input->post('clearanceTo'
'ClearanceID'=>$this->input->post('schoolyear'));
560
561
               if($this->input->post('portfolio'))
$array['PortfolioID'] = $this->input->post('portfolio');
562
563
565
             $this->student_model->edit_clearance($array);
566
567
     }
568
569
        redirect('students/view_clearance/'.$id);
570
571
572
         }
573
574
575
     public function save_edited_extracurricular($id){
       576
577
579
580
          $this -> load -> view ('student/edit_extra');
581
582
583
          $this->load->helper(array('form'));
$config['upload_path'] = './uploads/'.$this->session->userdata('logged_in')['ID'].'/extra_act
584
          /';

$config['allowed_types'] = 'gif|jpg|png|pdf|zip|rar';

$config['max_size'] = '1000';

$config['max_width'] = '1024';

$config['max_height'] = '768';
586
588
589
590
          $this->load->library('upload', $config);
if ($_FILES && $_FILES['userfile']['name'] !== "") {
    if (!$this->upload->do_upload()){
591
592
593
               $error = array('error' => $this->upload->display_errors());
$data['error'] = $error;
594
595
596
               $this ->load ->view('student/edit_extra', $data);
597
598
             \label{eq:data} $$ \dot{ata} = array('upload_data' => $this -> upload -> data());
599
600
             $array = array('Description'=>$this->input->post('description'),
601
602
                            'Recognition'=>$this->input->post('recognition')
'ActivityID'=>$id,
603
             604
605
606
607
608
609
             $this -> student_model -> edit_extra($array);
610
          }
611
612
      else {
613
       614
                           'ActivityID'=>$id,
        'SchoolYear'=>$this->input->post('schoolyear'));
$this->student_model->edit_extra($array);
616
617
618
619
620
     redirect('students/view_extracurricular/'.$id);
621
622
     }
623
624
      public function edit_clearance($id){
625
        $this->load->helper(array('form'));
```

```
sql = SELECT * FROM clearance WHERE ClearanceID = ?';
627
628
           \begin{array}{l} \$sql\_params = array (\$id); \\ \$query = \$this->db->query (\$sql, \$sql\_params); \\ \end{array} 
629
          squery = wtms=>ab=>query=(wsqr, wsqr=params);
$form = $query=>row.array();
$data['portfolio '] = $this=>student=>get_student_portfolio($this=>session=>userdata('logged_in')['ID']);
$data = array('title ' => 'Add Page', 'row' => $form,'page_header'=>'Edit Subject Record');
$this=>load=>view('student/edit_clearance', $data);}
630
631
632
633
634
       public function edit_extracurricular($id){
          $this->load->helper(array('form'));
$sql = 'SELECT * FROM extra_activity WHERE ActivityID = ?';
635
636
          $$ql.params = array($id);
$query = $this->db->query($sql, $sql.params);
$form = $query->row.array();
$data = array('title' => 'Add Page', 'row' => $form,'page_header'=>'Edit Record');
if($this->session->userdata('logged_in')['Type']!="Student")
$data['StudNum'] = $form['StudNum'];
637
638
639
640
641
642
643
          $this->load->view('student/edit_extra', $data);}
644
645
       function delete_clearance($id) {
646
               $this -> student -> delete_clearance ($id);
647
                 redirect ('students/clearance');
648
         function change_extracurricular($id,$status){
   if(strpos($this->session->userdata('logged_in')['Type'],'Teacher') !== FALSE){
     if($status =='C')
649
650
651
                      $status ='NC
652
653
654
                      $status="C":
                655
656
657
658
                 $this->student_model->edit_extra($data);
659
                 redirect ('students/view_extracurricular/'.$id);
660
           }
661
         function change_clearance($id,$status){
  if(strpos($this->session->userdata('logged_in')['Type'],'Teacher') !== FALSE){
662
663
                 if ($status =='C')
664
665
                      $status ='NC';
                    else
666
                667
668
669
670
                 $this -> student_model -> edit_clearance ($data):
671
                 redirect ('students/view_clearance/'. $id);
672
673
      }
674
675
676
677
       <?php\ if\ (\ !\ defined\ (\ 'BASEPATH'\ )\ )\ exit\ (\ 'No\ direct\ script\ access\ allowed\ ')\ ;
       session_start():
       ob_start(); //we need to call PHP's session object to access it through CI
  6
       class Subject extends CI_Controller \{
         function __construct()
             parent::__construct();
    $this -> load -> model('grades', TRUE);
    $this -> load -> model('student','', TRUE);
    $this -> load -> model('guardian','', TRUE);
    $this -> load -> model('schooladmin','', TRUE);
    $this -> load -> model('message_model', TRUE);
  9
 10
 12
 13
 15
 16
             $this->load->library("pagination");
$this->load->library("javascript");
$this->load->library('messaging');
$this->load->library('functions');
 18
 19
 20
 21
                   $this ->load -> helper("url");
$this ->load -> helper('my_form');
$this ->load -> helper('my_password');
 23
 24
 25
                    $this -> _init();
              if (!$this->session->userdata('logged_in')){
 26
                   $allowed = array();
if (!in_array($this->router->method, $allowed))
 27
 28
                               redirect ('login');
 29
             }
 30
 31
 32
       private function _init(){
                   34
 35
 37
                               $this->output->set_template('student');
 38
                    elseif ($type=='Registrar')
```

```
40
                                                              $this->output->set_template('registrar');
                                      elseif($type=='Personnel')
  41
  42
                                                             $this->output->set_template('personnel');
                                      elseif($type=='Principal')
  43
                                                             $this->output->set_template('principal');
  44
  45
              function index() {
    redirect('record/show_club');
  46
  47
  48
              49
  50
  51
                                     $this -> grades -> compute_all_grades();
echo "dhad";
  52
           53
  54
  55
  57
  58
  59
  60
  61
  62
  63
                                                                                     Class', $id);

$config["per_page"] = 5;

$config["uri_segment"] = 4;

$choice = $config["total_rows"] /$config["per_page"];

$config["num_links"] = round($choice);

$this -> pagination -> initialize($config);

$page = ($this -> pagination -> initialize($config);
  64
  66
  67
                                                                                     $page = ($this ->uri ->segment(4))? $this ->uri ->segment(4):0;
$data["results"] = $this ->message_model->get_announcement($config["
  69
  70
                                                                                     per_page"], $page, 'Class', $id);

$data["links"] = $this->pagination->create_links();

$data['page_header'] = $this->grades->get_subject_name_class_id($id);

$this->load->view('subject/home_teacher', $data);
  71
  72
  73
                                                             74
  75
  76
  77
  78
  79
  80
  81
  82
  83
  85
  87
  88
                                                              else if ($this->session->userdata('logged_in')['Type']=='Principal'){
                                                                                     $config = array();
$config["base_url"] = base_url()."/subject/view/".$id;
$config["total_rows"] = $this->message_model->count_some_announcement(')
  ٩n
  91
  92
                                                                                     Class', $id);

$config["per_page"] = 3;

$config["uri_segment"] = 4;

$choice = $config["total_rows"] /$config["per_page"];

$config["num_links"] = round($choice);
  93
  94
  95
  96
                                                                                     $\text{$\frac{1}{5}$ this -> pagination -> initialize ($\text{$\frac{1}{5}$ config);}$
$page = ($\text{$\frac{1}{5}$ this -> uri -> segment (4):0;}$
$\text{$\frac{1}{5}$ data [" results"] = $\text{$\frac{1}{5}$ this -> message_model -> get_announcement ($\text{$\frac{1}{5}$ config [" results"] = $\text{$\frac{1}{5}$ this -> message_model -> get_announcement ($\text{$\frac{1}{5}$ config [" results"] -> \text{$\frac{1}{5}$ this -> message_model -> get_announcement ($\text{$\frac{1}{5}$ config [" results"] -> \text{$\frac{1}{5}$ this -> message_model -> get_announcement ($\text{$\frac{1}{5}$ config [" results"] -> \text{$\frac{1}{5}$ this -> message_model -> get_announcement ($\text{$\frac{1}{5}$ config [" results"] -> \text{$\frac{1}{5}$ this -> message_model -> get_announcement ($\text{$\frac{1}{5}$ config [" results"] -> \text{$\frac{1}{5}$ this -> message_model -> get_announcement ($\text{$\frac{1}{5}$ config [" results"] -> \text{$\frac{1}{5}$ this -> message_model -> get_announcement ($\text{$\frac{1}{5}$ config [" results"] -> \text{$\frac{1}{5}$ this -> message_model -> get_announcement ($\text{$\frac{1}{5}$ this -> get_announceme
  97
  98
  99
                                                                                     per-page"], $page, 'Class', $id);
$data["links"] = $this->pagination->create_links();
$this->load->view('subject/home_principal', $data);
100
 101
102
                                                              else
103
                                                                                     redirect('record/show_groups');
104
105
 106
                                                              redirect('record/show_groups');
107
108
109
              }
                 110
111
                                                             if ($this->schooladmin->view-subject-section ($id)) {
  if ($this->functions->check_class_teacher ($id,$this->session->userdata ('logged_in')
113
114
                                                                          this->functions->check_class_teacher($id,$this->session->userdata('logged
['ID'],$this->session->userdata('logged_in')['Type'])){
    $data["results"] = $this->student->get_students_subjects($id);
    $data['page_header'] = $this->grades->get_subject_name_class_id($id);
    $this->load->view("subject/show_students_teacher",$data);
115
116
118
                                                              else if ($this->functions->check_class_member ($id, $this->session->userdata ('
119
                                                                           logged_in')['ID'], $this->session->userdata('logged_in')['Type'])){
    $data["results"] = $this->student->get_students_subjects($id);
    $data['page_header'] = $this->grades->get_subject_name_class_id($id);
120
```

```
$this->load->view("subject/show_students",$data);
122
123
                                                                                                                     }
else if($this->session->userdata('logged_in')['Type']=='Principal'){
124
                                                                                                                                                                //view and add annoucements, check $\data\[ \frac{1}{3} \] results"] = $\text{$this} -> \text{$tudent} -> \text{$tudents} - \text{$udents} - \text{$tudents} - \text{$tudents} - \text{$tudents} - \text{$tudents} - \text{$this} -> \text{$this} -> \text{$tudents} - \text{$this} -> \text{$this} -> \text{$tudents} - \text{$this} -> \text{$tudents} - \text{$
125
126
127
128
130
                                                                                                                      else{
131
                                                                                                                                                                  redirect('subject/view/'.$id);
133
                                                                       }
else
134
136
                                                                                                                      redirect ('subject/show_groups');
137
                                public function files($id){
                                                                       $this->load->helper(array('form'));
$this->load->model('grades');
$data['page_header'] = $this->grades->get_subject_name_class_id($id);
139
140
141
                                                                                                                    if($this->schooladmin->view_subject_section($id)){
    if($this->functions->check_class_teacher($id,$this->session->userdata('logged_in')['ID'],$this->session->userdata('logged_in')['Type'])){
142
143
                                                                                                                                                                loggeuin /[ in ]; the image is a second of image is a s
144
146
147
                                                                                                                                                                  $\text{$choice} = \text{$config["total.rows"] / $config["per_page"];}$\text{$config["num_links"]} = \text{$round($choice);}$$\this -> \text{pagination} -> \text{initialize($config);}$$
149
150
                                                                                                                                                                 $page = ($this->uri->segment(4))? $this->uri->segment(4):0;
$data["results"] = $this->schooladmin->get_class_files($config["per_page")
152
153
                                                                                                                                                                "], $page, $id);

$data["links"] = $this->pagination->create-links();
$data['errors'] = $this->session->flashdata('error');
$this->load->view('subject/files_teacher', $data);
154
155
156
157
                                                                                                                    159
160
161
162
 163
                                                                                                                                                                 $coning["url_segment"] = 4;
$choice = $config["total_rows"] /$config["per_page"];
$config["num_links"] = round($choice);
$this->pagination->initialize($config];
$page = ($this->url->segment(4))? $this->url->segment(4):0;
$data["results"] = $this->schooladmin->get_class_files($config["per_page"]);
164
165
 166
167
                                                                                                                                                                $\data["\results"] = \formalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalformalfor
169
171
172
                                                                                                                     else if ($this->session->userdata('logged_in')['Type']=='Principal'){
                                                                                                                                                                 $\text{Sconfig} = \text{array();} $\text{config}["\text{base_url}"] = \text{base_url()." subject/files/".\text{sid;}} $\text{sconfig}["\text{total_rows"}] = \text{$\text{sthis}$->\text{schooladmin}$->\text{count_class_files(\text{$\text{sid}});} $\text{sconfig}["\text{per_page"}] = 3; $\text{sconfig}["\text{uri_segment"}] = 4; $\text{sid}$.
174
175
 176
177
178
                                                                                                                                                                $coning["urllsegment"] = 4;
$choice = $config["total.rows"] /$config["per_page"];
$config["num_links"] = round($choice);
$this->pagination->initialize($config);
$page = ($this->url->segment(4))? $this->url->segment(4):0;
$data["results"] = $this->schooladmin->get_class_files($config["per_page"]);
179
180
181
182
183
                                                                                                                                                                " results"] = $this->schooladmin->get_class_!i
"], $page, $id);
$data["links"] = $this->pagination->create_links();
$data['errors'] = $this->session->flashdata('error'
$this->load->view('subject/files_principal',$data);
184
185
186
187
                                                                                                                   }
else
188
                                                                                                                                                                  redirect('subject/view/'.$id);
189
190
 191
                                                                                                                    redirect('subject/show_groups');
102
193
                          195
196
198
                                                                                                                   199
200
201
202
203
204
205
206
```

```
208
                                                     else {
                                                                         209
210
211
212
                                                                                                                                                           file_name '],
'FileURL'=>$data['upload_data']['full_path
213
214
                                                                          $this->schooladmin->record_class_files($array);
                                                                          redirect ('subject/files/'.$id);
215
216
217
             public function download(){
218
                                                     219
220
221
222
224
225
                                                                         226
227
228
                                                                                             $mime = get_mime_by_extension($path);
header('Content-Type: '.$mime);
header("Content-Disposition: attachment; filename=".$name);
229
231
                                                                                             ob_clean();
flush();
232
233
                                                                                                                  readfile ($path);
234
235
                                                                                             }
236
                                                                         }
237
238
               239
240
                                                     $\file.id = \( \).GET['\)FileID''];
if (\( \).This -> functions -> check_class_teacher (\( \).Id (\( \).Type')]) ||
    \( \) \( \).Type']) ||
    \( \).Type']) ||
    \( \).This -> session -> userdata ('logged_in')['Type']) ||
    \( \).This -> functions -> check_class_member (\( \).This -> session -> userdata ('logged_in')['ID'], \( \).This -> session -> userdata ('logged_in')['Type'])) \( \).This -> set -> schooladmin -> get -> portfolio_file (\( \).Tile_id (\);
    \( \).This -> set -> schooladmin -> get -> portfolio_file (\( \).This -> set -> schooladmin -> get -> portfolio_file (\( \).This -> set -> schooladmin -> get -> get -> schooladmin -> get -> get -> schooladmin -> get -
242
243
244
245
246
                                                                          sname = sdata[v] -> rilevame;
if (is_file ($path)) {
   if (ini_get ('zlib.output_compression')) {      ini_set ('zlib.
247
248
                                                                                            output_compression ', 'Off'); }
$this -> load -> helper ('file');
249
                                                                                             %mime = get.mime_by_extension($path);
header('Content-Type: '.$mime);
header("Content-Disposition: attachment; filename=".$name);
250
251
252
                                                                                              ob_clean();
253
254
                                                                                                                  flush();
255
                                                                                                                  readfile ($path);
256
                                                                                              }
257
258
               function delete_file(){
    $file_id= $_GET['FileID'];
259
260
                                 stourse_id=$.GET[ 'NetD '];

if($course_id>=0 && $course_id <10)

$course_id ="0000".$course_id;
261
262
263
                                 elseif($course_id>=10 && $course_id <100)
$course_id = "000".$course_id;
264
265
                                 elseif($course_id >= 100 && $course_id < 1000)

$course_id = "00". $course_id;

elseif($course_id >= 1000 && $course_id < 10000)
266
267
268
269
                                                     $course_id = "0".$course_id;
270
                                 data = \theta - \phi - \phi = \theta - \phi ;
271
272
                                 unlink(\$data[0]->FileURL);
                                 $this -> schooladmin -> delete_class_file($file_id);
redirect('subject/files_teacher/'.$course_id,'location', 301);
273
274
275
               276
                                                        278
279
                                                                         $\forall \text{State} \text{ studentid }; $\forall \text{ studentid }; $\forall \text{ studentid }; $\forall \text{ studentid }; $\forall \text{ student } '] = $\forall \text{ student } -> \text{ view ($\forall \text{ studentid });} $\forall \text{ student } '] = $\forall \text{ this } -> \text{ student } '] = $\forall \text{ student } -> \text{ view } -> \text{ view } -> \text{ studentid }; $\forall \text{ studentid } ;
280
281
282
283
284
285
                                                                          redirect ('subject/view/'.$id);
286
287
288
                                                     redirect ('subject/show_groups'):
289
               public function portfolio($id, $studentid=''){
```

```
$this->load->model('grades');
$data['page_header'] = $this->grades->get_subject_name_class_id($id);
if($this->schooladmin->view_subject_section($id)){
291
292
                                                                                            293
294
295
296
298
300
301
                                                                                                                                  303
 304
306
 307
308
                                                                                             } else if($this->functions->check_class_teacher($id,$this->session->userdata('
309
                                                                                                                  logged_in ') ['ID'], $this->session->userdata('logged_in') ['Type'])){
    $this->load->helper(array('form'));
310
                                                                                                                                  $\text{$\text{sconfig} = \text{array();} $\text{$\text{config}["base_url"] = \text{base_url()." subject/portfolio/".$\text{sid."/".$\text{$\text{studentid};} $\text{$\text{config}["total_rows"] = $\text{$\text{this}}$->\text{$\text{schooladmin}$->\text{count_portfolio($\text{$\text{studentid}$}$}$
311
312
313
                                                                                                                                  );

$config ["per-page"] = 5;

$config ["uri-segment"] = 5;

$choice = $config ["total_rows"] /$config ["per-page"];

$config ["num_links"] = round($choice);

$this->pagination->initialize($config);
314
315
316
317
318
                                                                                                                                   319
320
                                                                                                                                   $\frac{\partial}{\partial} \text{ $\frac{\partial}{\partial}{\partial}} = $\partial \text{ $\partial}{\partial} \text{ $\partial}{\partial}{\partial} = $\partial \text{ $\partial}{\partial}{\partial}{\partial} \text{ $\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\partial}{\pa
321
322
324
                                                                                               }
else if($this->session->userdata('logged_in')['Type']=='Principal'){
    $this->load->helper(array('form'));
325
 326
                                                                                                                                   $config = array();
$config["base_url"] = base_url()."subject/portfolio/".$id."/".$studentid;
$config["total_rows"] = $this->schooladmin->count_portfolio($id,$studentid)
327
328
329
                                                                                                                                  );

$config["per-page"] = 5;

$config["uri.segment"] = 5;

$choice = $config["total-rows"] /$config["per-page"];

$config["num_links"] = round($choice);
330
331
332
                                                                                                                                   $\text{$\text{sthis}$ | = iond(\text{$\text{winder}$});
$\text{this}$->pagination->initialize($\text{$\text{config}$});
$\text{page} = (\text{$\text{$\text{$this}$}->\text{yri}->\text{segment}(5))?} $\text{$\text{$\text{$this}$}->\text{yri}->\text{segment}(5):0;
$\text{$\text{$\text{$data}['\text{results'}]} = $\text{$\text{$this}$}->\text{$\text{$schooladmin}$->\text{$\text{$\text{$get}$}-\text{$\text{$portfolios}($\text{$\text{$config}["\text{$\text{$per_page}"]}$,}\end{array}$
334
335
                                                                                                                                 $\text{$\frac{1}{3} = $\text{tnis} -> \text{$\text{$cnoolaumin} -> \text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$
337
338
330
340
                                                                                               }
else
341
                                                                                                                                   redirect ('subject / view / '. $id):
342
343
                                                           }
else
344
                                                                                               redirect ('subject/show_groups'):
345
346
347
                          348
                                                         $portfolio_id= $.GET['PortfolioID'];
$course_id=$.GET['ClassID'];
if($course_id>=0 && $course_id <10)
$course_id = "0000".$course_id;
elseif($course_id>=10 && $course_id <100)
$course_id = "000".$course_id;
elseif($course_id>=100 && $course_id <1000)
$course_id = "00".$course_id;
elseif($course_id>=1000 && $course_id <1000)
$course_id = "00".$course_id;
elseif($course_id>=0".$course_id
350
351
352
353
 354
355
356
 357
                                                          scourse_id = "0". $course_id;
$dir = 'uploads/'.$course_id.'/portfolio/'.$this->session->userdata('logged_in')['ID
'].'/'.$portfolio_id;
if (is_dir($dir)) {
$objects = scandir($dir);
358
359
360
361
                                                                                             362
363
364
 365
366
367
                                                                                             }
 368
                                                          reset ($objects);
rmdir($dir);
 369
 370
371
                                                          $\fint{\}$this -> schooladmin -> delete_portfolio(\$portfolio_id);
redirect('subject/portfolio'.\$course_id', location', 301);
372
```

```
374
         public function portfolio_files($id,$portfolioid,$student_id=''){
    if($this->session->userdata('logged_in')){
        $this->load->model('grades');
        $data['page_header'] = $this->grades->get_subject_name_class_id($id);
375
376
377
378
                                     if ($this->schooladmin->view_subject_section($id)){
379
                                    if ($this ->functions ->check_class_member ($id , $this ->session ->userdata ('logged_in ')
        ['ID'], $this ->session ->userdata ('logged_in ') ['Type'])){
380
381
                                                  $this -> load -> helper(array('form'));
                                                  $config = array();
$config["base_url"] = base_url()."subject/portfolio_files/".$id."/".
382
383
                                                   $portfolioid;
$config["total_rows"] = $this->schooladmin->count_portfolio_files(
384
                                                  385
386
387
388
389
                                                  $\text{sthis} -> \text{pagination} -> \text{initialize(sconing);}
$\text{page} = (\text{$this} -> \text{viri} -> \text{segment(5):0;}
$\text{data[" results"]} = \text{$this} -> \text{schooladmin} -> \text{get_portfolio_files($config[" per_page"], $page, $portfolioid, $this} -> \text{session} -> \text{userdata('logged_in')[' ID']);}
$\text{data[" links"]} = \text{$this} -> \text{pagination} -> \text{create_links();}
$\text{$this} -> \text{load} -> \text{view(" subject/portfolio_files_student", $\text{data});}
$\text{}
}
390
391
392
393
394
                                    395
396
                                                   $config = array();
$config [" base_url"] = base_url()." subject/portfolio_files/".$id."/".
397
398
                                                   $portfolioid;
$config["total_rows"] = $this->schooladmin->count_portfolio_files(
399
                                                   $portfolioid, $student_id);
$config["per_page"] = 4;
$config["uri_segment"] = 6;
400
401
                                                   $\text{schoice} = \text{$\text{config} (" total.rows"] / $\text{config} [" per_page"];}$\text{$\text{config} [" num_links"] = round($\text{$\text{choice}});}$$
$\text{this} -> pagination -> initialize($\text{$\text{config}});}$$
402
403
404
                                                   $page = ($this->uri->segment(6))? $this->uri->segment(6):0;
$data["results"] = $this->schooladmin->get-portfolio_files($config["])
405
406
                                                   per_page"], $page, $portfolioid, $student_id);
$data["links"] = $this->pagination->create_links();
$this->load->view("subject/portfolio_files_teacher", $data);
407
408
409
                                    }
else
410
                                                   redirect ('subject/view/'.$id);
411
412
                      }
else
413
                                     redirect ('subject/show_groups');
415
416
        418
419
420
421
422
423
424
425
426
427
428
429
430
                                                  431
432
433
                                                                                                           'FileName'=>$data['upload_data']['
434
                                                                                                                   file_name '
                                                                                                           'FileURL'=>$data['upload_data']['full_path
435
                                    ']);

$this->schooladmin->record_portfolio_files($array);

redirect('subject/portfolio_files/'.$class_id.'/'.$portfolio_id);
436
437
438
439
        function delete_portfolio_file(){
    $portfolio_id= $.GET['PortfolioID'];
    $course_id=$.GET['ClassID'];
    $file_id= $.GET['FileID'];
    if($course_id>=0 && $course_id<10).</pre>
440
441
443
444
                       scourse_id = "0000". $course_id;
elseif($course_id>=10 && $course_id<100)
$course_id = "000". $course_id;
446
447
                       elseif($course_id >=100 && $course_id <1000)
$course_id = "00".$course_id;
elseif($course_id >=1000 && $course_id <10000)
448
449
450
451
                                    course_id = 0.
                      $coirse_id = 0 . *course_id;
$data = $this->schooladmin->get_portfolio_file($file_id);
unlink($data[0]->FileURL);
452
```

```
$this->schooladmin->delete_portfolio_file($file_id);
redirect('subject/portfolio_files/'.$ourse_id.'/'.$portfolio_id,'location', 301);
454
455
 456
                  public function record_portfolio($id){
457
                                            %this ->load->library('form_validation');
%this->form_validation->set_rules('PortfolioName', 'Portfolio Name', 'trim|required|
458
459
                                            xss_clean | max_length [20] | callback_UniquePortfolio'); if($this_>form_validation_>run() == FALSE){
 460
                                                                       $this->load->helper(array('form'));
$this->load->helper(array('form'));
$config = array();
$config [ base_url ] = base_url()." subject/portfolio_files/".$id."/".
461
462
464
                                                                                                                  $portfolioid:
                                                                                                   465
466
                                                                                                    $choice = $config[" total_rows"] /$config[" per_page"];
$config[" num_links"] = round($choice);
468
 469
                                                                                                    $this -> pagination -> initialize ($config);
 470
                                                                                                    471
472
                                                                                                                  per_page"], $page, $portfolioid, $this -> session -> userdata('logged_in')['ID'|);
                                                                                                   ID ]);
$data["links"] = $this->pagination->create_links();
$this->load->view("subject/portfolio_student",$data);
473
474
475
                                             else{
 476
                                                                         $session_data = $this->session->userdata('logged_in');
477
                                                                       $data = array(
'ClassID'=>$id,
478
                                            'StudNum'=>$session_data['ID'],
'PortfolioName' =>$this->input->post('PortfolioName'));
$dir ='uploads/'.$id.'/portfolio/'.$session_data['ID'];
 479
480
 481
482
                                            if (!is_dir($dir))
                                            mkdir($dir,0770);

$this->schooladmin->create_portfolio($data,$dir);

redirect('subject/portfolio/'.$id,'location', 301);
483
 484
485
486
                    public function UniquePortfolio($str){
    if($this->schooladmin->get_portfolio_name($str) == FALSE)
488
489
                                                                       return TRUE;
491
                                             else{
                                                                        $this->form_validation->set_message('UniquePortfolio', 'Not Unique.');
492
 493
                                                                        return FALSE;
494
495
 496
                    public function edit_club($id){
                                            $\frac{\text{state}}{\text{state}} = \text{'SELECT * FROM club WHERE ClubID = ?';}
497
                                           $$ql = Select * FROM Club WHERE Club = !;
$$ql-params = array($id);
$query = $this->db->query($sql, $sql-params);
$form = $query->row_array();
$data = array('title' => 'Add Page', 'form' => $form,'page_header'=>'Edit Subject Record')
 499
500
502
503
                                             $data['form2'] = $this->schooladmin->get_club_teachers();
504
                                             $this ->load ->view ('add_record/club', $data);
505
506
                          $data[" results"] = $this->schooladmin->get_clubs();
$data[" page_header"] = "Show Students";
$this->load->view(" view_record/show_clubs",$data);
507
508
509
510
                }
                   function show_groups(){
    $data["page_header"] = "Show Course Groups";
    $this->load->view("view_record/show_groups",$data);
511
512
513
514
                                         new_announcement() {
    $Type = 'Class';
    $TypeID=$this->input->get('id');
    $this->load->helper(array('form'));
    $data = array('page_header'=>'Announcement');
    $config = array();
    $config ["base_url"] = base_url()."/message/new_announcement";
    $config ["total_rows"] = $this->message_model->count_some_announcement($Type,$TypeID);
    $config ["url_segment"] = 3;
    $config ["url_segment"] = 3;
    $choice = $config ["total_rows"] / $config ["per_page"];
    $config ["num_links"] = round($choice);
    $this->pagination->initialize($config);
    $page = ($this->url->segment(3))? $this->url->segment(3):0;
    $page = ($this->url->segment(3))? $this->url->segment($config ["per_page"], $page, $formular to the page of the 
515
                 function new_announcement(){
516
517
518
519
520
521
 522
523
524
 525
526
527
                                            $\text{Spage} = (\text{$\text{sthis}} - \text{$\text{yuri}} - \text{$\text{$\section}$}; \text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\tex{$\text{$\text{$\texit{$\text{$\text{$\text{$\texitex{$\text{$\te
529
                                           530
531
532
 533
                function post_announcement($course_id){
    $this->load->library('form_validation');
    $this->form_validation->set_rules('body', 'Body', 'trim|required|xss_clean');
    $this->form_validation->set_rules('title', 'Title', 'trim|required|xss_clean');
    if($this->form_validation->run() == FALSE)
534
 535
536
537
```

```
redirect ('club/view/'. $course_id, 'location', 301);
539
                                         else
540
                                                                   $session_data = $this->session->userdata('logged_in');
                                                                 % data = array(
'AnnouncerID'=> $session_data['ID'],
'Body'=> $this -> input -> post('body'),
'Type' => 'Class',
'TypeID' => $course_id,
'Title' => $this -> input -> post('title'),
542
543
544
545
546
547
                                                                   'FileName'=>"",
'FileURL'=>"");
548
549
550
                                        \label{this-message_model-record_announcement($data);} $$ redirect('subject/view/'.$course_id,'location', 301); 
551
552
553
               function edit_announcement(){
554
                                        $id = $_GET['ID'];
$course_id = $_GET['SubjectID'];
556
                                        557
558
                                        559
560
                                                                  $sql = 'SELECT * FROM Announcement WHERE AnnouncementID = ?';
561
                                                                 $\frac{1}{3}\]
$
562
563
564
565
567
                                         else
                                         redirect ('subject/view/'. $course_id, 'location', 301);
568
569
               function save_edited_announcement(){
570
                                         $this ->load ->library ('form_validation');
571
                                        572
573
574
575
576
577
                                         else {
578
                                                                   $session_data = $this->session->userdata('logged_in');
579
                                                                 $session_data = $this->session->userdata
$data = array(
'AnnouncerID'=>$session_data['ID'],
'Body'=>$this->input->post('body'),
'Type' =>'Class',
'TypeID' =>$course_id,
'Title' => $this->input->post('title'),
'AnnouncementID' => $id);
pressage model->odit announcement($data);
580
581
582
583
584
585
586
                                        AnnouncementID' => $1d);

$this->message_model->edit_announcement($data);

$this->load->view('message/success');

$form = array('page_header'=>'Announcement');

redirect('subject/view/'.$course_id,'location', 301);
587
589
590
592
               public function journal($id,$studentid=''){
    $this->load->model('grades');
    $data['page_header'] = $this->grades->get_subject_name_class_id($id);
    if($this->session->userdata('logged_in')){
593
594
595
596
                                                                 ->sestion--sterioral (logged in ');
if ($this->schooladmin->view_subject_section($id)){
//echo $this->session->userdata('logged_in')['ID'];
if ($this->functions->check_class_member($id,$this->session->userdata('logged_in')
597
598
599
                                                                                           ->runctions->cneck_class.member(sid, stnis->session->userdata('logged_in')['], sthis->session->userdata('logged_in')['Type'])) {

$this->load->helper(array('form'));

$config [ array();

$config [" base_url"] = base_url()."/subject/journal/".$id;

$config [" total_rows"] = $this->message_model->count_journal($id, $this->

session->userdata('logged_in')['ID']);
                                                                                ['ID']
600
601
602
603
                                                                                           session -> userdata ('logged_in')['ID']);
Sconfig["per_page"] = 5;
$config["uri_segment"] = 4;
$choice = $config["total_rows"] /$config["per_page"];
$config["num_links"] = round($choice);
$this -> pagination -> initialize($config);
$page = ($this -> uri -> segment(4))? $this -> uri -> segment(4):0;
$data["results"] = $this -> message_model -> get_journal($config["per_page"],
$page,$id,$this -> session -> userdata('logged_in')['ID']);
$data["links"] = $this -> pagination -> create_links();
604
605
606
607
608
609
610
                                                                                            $data["links"] = $this->pagination->create_links();
$this->load->view("subject/journal_student",$data);
611
612
613
614
                                                                   else if ($this->functions->check_class_teacher ($id , $this->session->userdata ('logged_in') ['ID'] , $this->session->userdata ('logged_in') ['Type']) ) {
                                                                                            $this->load->helper(array('form'));
615
                                                                                           $config = array();
$config["base_url"] = base_url()."/subject/journal/".$id;
$config["total_rows"] = $this->message_model->count_journal($id,$studentid)
616
617
618
                                                                                           );
$config["per_page"] = 5;
$config["uri_segment"] = 5;
$choice = $config["total_rows"] /$config["per_page"];
$config["num_links"] = round($choice);
$this_>pagination_>initialize($config);
$page = ($this_News_compact(5))? $this_News_compact
619
620
621
622
623
                                                                                           page = ( this -> uri -> segment(5) )? this -> uri -> segment(5) : 0;
624
```

```
$data["results"] = $this->message_model->get_journal($config["per_page"],
625
                                                                                                                                                                 $\text{ | Fourth | Fourth
626
627
628
629
                                                                                                                     630
631
                                                                                                                                                                  $\text{$\text{stand} \text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\text{}\tex
632
633
634
                                                                                                                                                                 );
$config["per_page"] = 5;
$config["uri_segment"] = 5;
$choice = $config["total_rows"] /$config["per_page"];
$config["num_links"] = round($choice);
$this->pagination->initialize($config);
$page = ($this->uri->segment(5))? $this->uri->segment(5):0;
$data["results"] = $this->message_model->get_journal($config["per_page"],
635
636
637
638
 639
640
641
                                                                                                                                                                 $\text{states | = \text{wints = \text{mins = \text{m
642
643
644
645
                                                                                                                    }
else
646
                                                                                                                                                                   redirect ('subject / view / '. $id):
647
648
                                                                         }
else
649
650
                                                                                                                     redirect('subject/show_groups');
651
652
653
654
                           }
655
                           function post-journal($course_id){
    $this->load->library('form_validation');
    $this->form_validation->set_rules('body', 'Body', 'trim|required|xss_clean');
    $this->form_validation->set_rules('title', 'Title', 'trim|required|xss_clean');
    if($this->form_validation->run() == FALSE){
        redirect('subject/journal/'.$course_id,'location', 301);
}
656
657
658
659
660
661
662
 663
                                                                           else{
664
                                                                                                                      $session_data = $this->session->userdata('logged_in');
665
                                                                                                                      $data = array(
                                                                                                                       'StudNum'=>\$session_data['ID'],
'Content'=>\$this->input->post('body'),
'ClassID' =>\$course_id,
666
667
668
                                                                                                                       'Title'=>$this->input->post('title')
669
670
                                                                        $this -> message_model -> record_journal($data);
redirect('subject/journal'. $course_id', location', 301);
672
673
675
                           676
677
                                                                        $1d = $_GET['ID'];
$course_id = $_GET['SubjectID'];
$this->load->helper(array('form'));
$data = array('page_header'=>'Announcement');
$this->load->helper(array('form'));
$this->load->helper(array('form'));
$sql = 'SELECT * FROM reflective_journal WHERE JournalID = ?';
678
679
680
681
682
                                                                                                                    $$ql = 'SELEC1'* FROM reflective_journal WHER
$$ql-params = array($id);
$query = $this->db->query($sql, $sql-params);
$data['form'] = $form = $query->row_array();
$this->load->view('subject/edit_journal',$data);
683
684
685
686
687
                           688
689
690
                                                                     691
692
693
694
695
607
698
 699
700
 701
                                                                                                                      ssql_params = array(sid);
squery = $this->db->query($sql, $sql_params);
$data['form'] = $form = $query->row_array();
$this->load->view('subject/edit_journal',$data);
 702
 703
 704
 705
                                                                        }
else{
 706
 707
                                                                                                                       $session_data = $this->session->userdata('logged_in');
                                                                                                                    708
 709
 710
 711
                                                                                                                      classID = =>$course_id ,
'Title'=>$this->input->post('title') ,
'JournalID'=>$id);
 712
```

```
$this->message_model->edit_journal($data);
$form = array('page_header'=>'Announcement');
redirect('subject/journal/'.$course_id,'location', 301);
714
715
716
717
718
719
          function delete_journal(){
                      $id= $_GET['ID'];
$course_id=$_GET['SubjectID'];
720
721
                      if ($course_id >=0 &&& $course_id <10)

$course_id ="0000".$course_id;

elseif ($course_id >=10 && $course_id <100)

$course_id = "000".$course_id;

elseif ($course_id >=100 && $course_id <1000)

$course_id = "00".$course_id <1000)
722
723
724
725
726
727
728
                      elseif($course_id >=1000 && $course_id <10000)
$course_id = "0".$course_id;
729
                      730
731
732
                      ?><script> alert("helldasdadasd");</script> <?php
redirect('subject/journal/'.$course_id,'location', 301);</pre>
733
734
735
736
          }
737
738
                      function view_announcement(){
                      Sconfig = array();

$config [" base_url"] = base_url()."/message/view_announcement";

$config [" total_rows"] = $this->message_model->count_some_announcement('School','00000');

$config [" per_page"] = 3;

$config [" uri_segment"] = 3;
739
740
742
743
                      $choice = $config["total_rows"] /$config["per_page"];
$config["num_links"] = round($choice);
745
746
747
                      $this->pagination->initialize($config);
748
                     749
750
751
752
753
754
        }
755
          function delete_announcement(){
756
                      $id= $_GET['ID'];
$course_id=$_GET['SubjectID'];
757
758
                      if ($course_id >=0 && $course_id <10)
$course_id ="0000".$course_id;
759
760
                      $course_id = "0000". $course_id;
elseif($course_id>=10 && $course_id < 100)
$course_id = "000". $course_id;
elseif($course_id>=100 && $course_id < 1000)
$course_id = "00". $course_id;
elseif($course_id>=1000 && $course_id < 10000)
761
763
764
                      $course_id = "0".$course_id;
echo $course_id." ".$id;
766
767
                      if ($this->functions->check_owner_post($id, $this->session->userdata('logged_in')['ID']))
768
769
                                   $this->message_model->delete_announcement($id);
770
                                   ?><script> alert("helldasdadasd");</script> <?php</pre>
772
773
                      redirect('subject/view/'.$course_id,'location', 301);
          function class_record($id){
    $this->session->set_flashdata('classid',$id);
775
776
         $this->session->set_flashdata('classid', $id);
$this->load->helper('form');
$this->load->model('grades');
$data['grading-periods'] = $this->grades->list-class-record($id);
$type = $this->session->userdata('logged_in')['Type'];
$data['page_header'] = $this->grades->get_subject_name_class_id($id);
$data['schoolyear'] = $this->functions->current_schoolyear();
if(strpos($type, 'Teacher') !== FALSE)
$this->load->view('subject/class_record', $data);
else if($type=="Principal")
$this->load->view('subject/class_record_principal', $data);
}
777
778
779
780
781
782
783
784
785
786
787
788
          789
790
791
792
        794
795
797
798
                                   return false;
799
800
                                   return true;}
        function record_new_test_type($gradingperiodid){
$this->load->library('form_validation');
801
802
```

```
$\this->form_validation->set_rules('TypeTest', 'Type of Test', 'trim|required|xss_clean|
803
                                                              callback_isUniqueTestType');
                                              $this->form_validation->set_rules('AssessmentType', 'Type of Assessment', 'trim|required|
804
                                              xss_clean');
if($this->form_validation->run() == FALSE){
805
                                              $this->load->helper('form');
$data['gradingperiodid'] = $gradingperiodid;
$this->load->view('subject/add_test_type', $data);
806
807
808
809
810
                                               else {
811
                                                                           if ($this->input->post('TestID')==''){
812
                                                                                                        $dataAssess = array ('AssessmentType'=> $this -> input->post ('AssessmentType')
                                                                                                                                                                                                                            'GradingPeriodID'=>$gradingperiodid,
814
                                                                                                                                                                                                                             'TestType'=>$this->input->post('TypeTest')
                                                                                                        $this->load->model('grades');
816
                                                                                                        $this->grades->record_new_test_type($dataAssess);
817
818
                                              else{
                                                                           $ dataAssess = array('AssessmentType'=> $this -> input -> post('AssessmentType'), 'TestType'=> $this -> input -> post('TypeTest') $ ('TypeTest') $ ('TypeT
819
820
                                                                                                       this -> load -> model('grades')
821
                                                                           $\this -> grades -> record_new_test_type($\dataAssess, $\this -> input -> post('TestID'));
822
823
824
                                              redirect('subject/view_test_types/'.$gradingperiodid);
826
827
828
                 function view_test_types($gradingperiod){
    $this->load->model('grades');
    $this->load->helper('form');
829
830
831
                                              %this->load->letper( lolin ),
$this->session->et_flashdata('classid'));
$results = $this->grades->view_test_types($gradingperiod);
832
833
834
                                              $knowledge = array();
                                              $product = array();
$understanding = array();
835
836
837
                                               $process = array();
838
                                              \$i = 0;
839
                                              j = 0;
840
                                              \$k=0
                                              1 = 0;
841
842
                                              if ( $ results! = null) {
                                                                          foreach($results as $row){
843
                                                                          844
845
846
848
                                                                                                                                    );
                                                                           i++;
849
                                                                           felse if($row['AssessmentType']=='understanding'){
    $understanding[$j] = array('TestType'=>$row['TestType'],
    'GradingPeriodID'=>$row['GradingPeriodID'],
    'TestID'=>$row['TestID']
851
852
853
854
855
856
                                                                           j + +;
857
                                                                          858
859
860
861
862
                                                                          $k++:
863
864
865
                                                                            else{
                                                                                                       866
867
868
869
870
871
                                                                           1++;
872
873
874
875
                                               $data['knowledge'] = $knowledge;
                                                                   ['product'] = $product;
['process'] = $process;
876
                                              $data[
877
                                             $data['process'] = $process;
$data['understanding'] = $understanding;
$data['schoolyear'] = $this->functions->current_schoolyear();
$type = $this->session->userdata('logged_in')['Type'];
$data['page_header'] = $this->grades->get_subject_name($gradingperiod);
$gp = $this->grades->get_gradingperiod($gradingperiod);
                                              $data
879
880
882
                                               if(isset($gp)){
883
                                              if (\( \text{sgp} \)) / \( \text{if (\( \text{sgp} == '1' \)} \) \( \text{sdata} ['\text{gp}'] = '1\text{st Grading Period ';} \) \( \text{else if (\( \text{sgp} == '2' \)} \) \( \text{sdata} ['\text{gp}'] = '2\text{nd Grading Period ';} \) \( \text{else if (\( \text{sgp} == '3' \)} \) \( \text{sdata} ['\text{gp}'] = '3\text{rd Grading Period ';} \) \( \text{sdata} ['\text{rgp}'] = '3\text{rd Grading Period ';} \) \( \text{sdata} ['\text{rgp}'] = '3\text{rd Grading Period ';} \) \( \text{rd} \) \( \t
884
885
886
887
888
889
```

```
else if($gp=='4')
$data['gp']='4th Grading Period';
890
891
892
893
        $data['class_id'] = $this->grades->get_classrecord_id("", $gradingperiod);
if(strpos($type,'Teacher') !== FALSE)
    $this->load->view('subject/view_test_type', $data);
else if($type=="Principal")
894
895
896
897
898
                  $this->load->view('subject/view_test_type_principal',$data);
899
900
       function add_test_type($gradingperiod){
    $this->load->helper('form');
    $this->load->model('grades');
    $this->load->model('section_model');
    $data['page_header'] = $this->grades->get_subject_name($gradingperiod);
    $data['panel_header'] = $this->grades->get_gradingperiod($gradingperiod);
    $classid = $this ->section_model->get_gradingperiod);
}
901
902
903
904
905
906
                  907
908
909
910
911
                       $data['gradingperiod']='1st Grading Period';
912
913
                   else if ($gp=='2')
                      $data[
914
                               gradingperiod']='2nd Grading Period';
                  else if ($gp =='3')
$data['gradingperiod']='3rd Grading Period';
else if ($gp=='4')
915
916
                       $data['gradingperiod']='4th Grading Period';
918
919
                   $this->load->view('subject/add_test_type',$data);
920
921
922
       function edit_test_type($testid){
                  sthis->load->helper(array('form'));
$sql = 'SELECT * FROM type.test WHERE TestID = ?';
$sql_params = array($testid);
923
924
925
                  $query = $this->db->query($sql, $sql-params);
$form = $query->row_array();
$data['form'] = $form;
926
927
928
929
                  $this->load->view('subject/add_test_type',$data);
930
       932
933
934
935
936
       function view_test_type($testid){
                  % this -> session -> set_flashdata('classid', $this -> session -> flashdata('classid'));
$this -> load -> model("grades");
$this -> load -> helper('form');
937
938
                  $students = $this->grades->get_all_students($testid);
$scores = $this->grades->get_column_test_type($testid);
940
941
                   $array = array();
942
                  foreach($students as $row)

$array[$row['StudNum']] = $this->grades->get_scores($row['StudNum'], $testid);

$data['student_scores'] = $array;
943
944
945
                  $data['student_scores'] = $array;
$data['students'] = $students;
$data['scores'] = $scores;
$type = $this->session->userdata('logged_in')['Type'];
$gradingperiodid = $this->grades->get_gradingperiod_id($testid,"");
$data['page_header'] = $this->grades->get_subject_name($gradingperiodid);
946
947
948
949
950
                  951
952
953
954
955
                             956
957
958
959
                             else if($test_type['AssessmentType']=='understanding')
$ass = 'Understanding';
960
961
962
                  if(isset($gradingperiod) && is_array($test_type)){
   if($gradingperiod=='1')
963
964
                       $data['panel_header'] = $test_type['TestType'].'('.$ass.')';
965
                  966
967
968
969
970
                      $data['panel_header'] = $test_type['TestType'].'('.$ass.')';
971
972
973
                  974
975
976
977
978
979
                  $data['gradingperiod']='1st Grading Period';
else if($gp=='2')
980
```

```
982
                                            $data['gradingperiod']='2nd Grading Period';
                                    else if($gp =='3')
$data['gradingperiod']='3rd Grading Period';
 983
 984
 985
                                     else if ($gp=='4')
                                             $data['gradingperiod']='4th Grading Period';
 986
 987
                 $\ \text{$data['gp'] = $gradingperiodid;} \ if(strpos(\text{$type,' Teacher'}) !== FALSE) 
$\text{$html = $this -> load -> view('subject/view_single_test', $data);} 
else if(\text{$type=="Principal"}) 
$\text{$this -> load -> view('subject/view_single_test_principal', $data);} $
 988
 989
 990
 991
  992
 993
               function view_grades($gradingperiod){
 994
                                     $this->load->model('grades');
                                    $\this->\session ->\set_flashdata('classid', \text{$this}->\session ->\text{$flashdata('classid'))};$\results = \text{$this}->\set_srades->\view_test_types(\text{$gradingperiod});}
 996
 997
                                     $knowledge = array();
 998
 999
                                     $product = array();
                                     $understanding = array();
1000
                                    $\text{Sunderstanding} = \text{array();}
$\text{process} = \text{array();}
$\text{knowledge_grades} = \text{array();}
$\text{product_grades} = \text{array();}
$\text{process_grades} = \text{array(
1001
1002
1003
1004
1005
                                    $understanding_grades= array();
1006
1007
                                    \$i = 0:
1008
                                    \$i = 0:
1009
1010
                                     \$1 = 0:
1011
                                    if ($results!=null){
                                                          1012
1013
1014
1015
1016
1017
1018
                                                                                $process_grades[$row['TestID']] = $this->grades->get_column_base($row['
                                                                                            TestID ']);
1019
                                                           i++;
1020
                                                          1021
1022
1023
1024
1025
                                                                                $understanding_grades[$row['TestID']] = $this->grades->get_column_base(
$row['TestID']);
1026
1027
                                                           j + +;
1028
                                                                      1029
1030
1031
1032
1033
                                                                                $product_grades[$row['TestID']] = $this->grades->get_column_base($row['
1034
                                                                                            TestID ']);
1035
                                                          k++;
1036
                                                                      1037
1038
1039
1040
                                                                                                     ):
1041
                                                                                1042
1043
                                                                                else
                                                                                                      \norm{nowledge\_grades[$row['TestID']] = null;}
1045
1046
1047
                                                           1++;
1048
1049
1050
                                   }
$array = array();
$array ['knowledge'] = $knowledge;
$array ['product'] = $product;
$array ['process'] = $process;
$array ['understanding'] = $understanding;
$array ['knowledge_grades'] = $knowledge_grades;
$array ['product_grades'] = $product_grades;
$array ['process_grades'] = $process_grades;
$array ['process_grades'] = $understanding_grades;
$array ['understanding_grades'] = $understanding_grades;
$students = $this->grades->get_all_students_gpid($gradingperiod);
$array ['students'] = $students;
foreach($students as $student){
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
                                                           $knowledge = array();
                                                          $product = array();
$understanding = array();
1065
1066
1067
                                                           $process = array();
1068
                                                           \$i = 0;
1069
                                                           $j=0;
```

```
1070
                             k = 0:
1071
                             \$1 = 0:
1072
                             $knowledge_grades = array();
                             $product_grades = array();
$process_grades = array();
1073
1074
1075
                            $understanding_grades= array();
1076
1077
1078
1079
1080
1081
1082
1083
1084
                                        $process_grades [$row['TestID']] = $this->grades->get_column($row['TestID'], $student['StudNum']);
1085
1086
                             i + +;
1087
                             1088
1089
1090
1091
1092
                                        $understanding_grades[$row['TestID']] = $this->grades->get_column($row['
1093
                                              TestID '], $student['StudNum']);
1094
                             j++;
1095
                             1096
1097
1098
1099
1100
                                               '], $student['StudNum']);
1101
                             $k++;
1102
1103
                             else{
                                        $knowledge[$1] = array('TestType'=>$row['TestType'],
1104
                                        'GradingPeriodID'=>$row['GradingPeriodID'],

'TestID'=>$row['GradingPeriodID'],

'TestID'=>$row['TestID']);

$knowledge_grades[$row['TestID']] = $this->grades->get_column($row['TestID'], $student['StudNum']);
1105
1106
1107
1108
1109
                             $1++;
1110
1111
1112
1113
                  $data['knowledge_grades'] = $knowledge_grades;
                  $data['product_grades'] = $product_grades;
$data['process_grades'] = $process_grades;
$data['understanding_grades'] = $understanding_grades;
$array2[$student['StudNum']] = $data;
1114
1116
1117
                  1119
1120
1121
1122
1123
                  if(isset($gp)){
                   if ($gp=='1')

$array['gp']='1st Grading Period';

else if ($gp=='2')
1124
1125
1126
                  1127
1128
1129
1130
1131
1132
       1133
1134
1135
1136
       function record_test_entry($testid){
    $this->load->model('grades');
1137
1138
                  $column_id=$this->grades->get_latest_column_id()+1;
$data = array('TestID'=>$testid,'Base_Score'=>$this->input->post('BaseScore'),'ColumnID'=>
1139
1140
                        $column_id);
1141
                  $students = $this->grades->get_all_students($testid);
$this->grades->record_test_type_column($data);
                  foreach($students as $row)

$this->grades->create_score_cell(array('ColumnID'=>$column_id, 'StudNum'=>$row['StudNum'], 'Raw_Score'=>"0"));

$gradingperiod_id = $this->grades->get_gradingperiod_id($testid,"");

$this->grades->compute_grades($gradingperiod_id);

redirect('subject/view_test_type/'.$testid);
1143
1144
1145
1146
1148
1149
       function add_grade_entry($testid){
                  add_grade_entry(stestid){
$this ->load->library('form_validation');
$this ->load->model('grades');
$students = $this->grades->get_all_students($testid);
$scores = $this->grades->get_column_test_type($testid);
1150
1151
1152
1153
                  foreach ($students as $row)
1154
```

```
$this->form_validation->set_rules('student_score['.$row['StudNum'].']', 'Student
1155
                               Score', 'tri
foreach($scores as $row)
                                                                                'trim | required | xss_clean ');
1156
                                                 $this->form_validation->set_rules('base_score['.$row['ColumnID'].']', 'Student Score', 'trim|required|xss_clean');
1157
1158
                                      if ($this->form_validation->run() == FALSE) {
                               1159
1160
1161
                               $array[stow[ Suddum ]] - wins /g.ades /g.
$data['student_scores'] = $array;
$data['students'] = $students;
$data['scores'] = $scores;
$this->load->view('subject/view_single_test',$data);
1162
1163
1164
1165
1166
1167
                                  else {
                                                  $score = $this->input->post('student_score');
1168
                                                  $base_score = $this->input->post('base_score');
1169
                                                 $data = array();
foreach ($score as $key=>$value){
1170
1171
                                                                    1172
1173
1174
1175
                                                                     $this -> grades -> add_score_cell($data);
1176
1177
1178
                                                  $data=array();
1179
                                                   $data = array();
                                                 foreach($scores as $row){
    $data['Base_Score'] = $base_score[$row['ColumnID']];
    $data['ColumnID'] = $row['ColumnID'];
    $this->grades->edit_test_type_column($data);
    $gradingperiod_id = $this->grades->get_gradingperiod_id($testid,"");
1181
1182
1183
1184
1185
1186
                                                                     $this->grades->compute_grades($gradingperiod_id);
1187
1188
                                                  redirect ('subject/view_test_type/'. $testid);
1189
                                      }
1190
1191
             function delete_test_type($testid,$page){
    $this->load->model('grades');
    $gradingperiod_id = $this->grades->get_gradingperiod_id($testid,"");
1192
1193
                               $\frac{\partial \partial \part
1195
1196
                               1197
1198
1199
1200
1201
1202
             function delete_test_type_column($columnid){
                               1203
1204
1205
1206
1207
                                redirect ('subject/view_test_type/'. $testid);
1208
1209
            1210
1211
1212
1213
1214
1215
                               $data['top_students'] = $array_student;
$this->load->view('subject/top_values',$data);
1216
1217
1218
1219
             ?>
1220
             <?php
     3
             Class Club extends CI_Model
               function record($data) {
                               % this -> db -> select();
$this -> db -> from('school_admin');
$this -> db -> where('SANum', $data['SANum']);
$this -> db -> limit(1);
     6
     9
    10
                               $query = $this -> db -> get();
   12
                                if(\$querv \rightarrow num\_rows() == 1){
    13
                                                 $this->db->where('SANum', $data['SANum']);
$this->db->update('school_admin', $data);
   15
    16
   17
                      else {
                                                  $this->db->insert('school_admin', $data);
   18
                                                  $login_details = array(
   'Username'=>strtolower(substr($data['SAFirstName'],0,5).$data['SAMidName
   '].$data['SALastName']),
   20
```

```
'Password'=>MD5("password"),
'Type'=>$data['SAType'],
'Status'=>'Inactive',
'IDNum'=>$data['SANum'],
'EmailAdd'=>$data['SAEmailAdd']);
   22
   23
   25
   26
   27
                                                                            $this->db->insert('login_details', $login_details);
   28
   29
                                }
   30
  \frac{31}{32}
                      function school_admin_exists($sanum){
                                              $\text{sthis -> db -> select();}
$\this -> db -> from('school_admin');
$\this -> db -> where('SANum', $\sanum);
$\this -> db -> limit(1);
$\text{this -> db -> limit(1);}
$\text{this -> limit(1);}
$\text{
   33
   34
   35
  36
37
                                               \begin{array}{lll} \mbox{\$query} &= \mbox{\$this} \ -> \ db \ -> \ get() \ ; \\ \mbox{if} \left( \mbox{\$query} \ -> \ num\_rows() \ == \ 1 \right) \\ \mbox{return} & \mbox{true} \ ; \end{array}
   38
   39
   40
   41
                                                                            return false;
   42
   43
   44
                    function add_role_teacher($data) {
    $this -> db -> select();
    $this -> db -> from('role_teacher');
    $this -> db -> where('TeacherNum', $data['TeacherNum']);
    $this -> db -> limit(1);
   45
   46
   47
   48
   49
   50
                                               query = this -> db -> get();
   51
                             \label{eq:continuous} \begin{array}{ll} \mbox{if($query -> num\_rows() == 1)} \{ & \mbox{$this->db->where('TeacherNum', $data['TeacherNum']);} \\ & \mbox{$this->db->update('role\_teacher', $data);} \end{array}
  \frac{53}{54}
   55
  56
57
                                else {
                                                                            $this->db->insert('role_teacher', $data);
   58
   59
   60
   61
                      function view ($sanum) {
                                              n view(\$sanum){
$this -> db -> select();
$this -> db -> from('school_admin');
$this -> db -> where('SANum', \$sanum);
$this -> db -> limit(1);
   62
   63
   64
   65
   66
                                               $query = $this -> db -> get();
   67
   68
   69
                             if($query -> num_rows() == 1){
   70
                                    return $query->result();
   72
  \frac{73}{74}
                             else{
  75
76
                                 return false;
  78
79
                     function get_schooladmins($limit, $start){
                                              n get.scnooladmins($limit,$start){
$this->db->limit($limit,$start);
$query = $this->db->get("school_admin");
if($query->num.rows() > 0){
foreach($query->result() as $row)
$data[] = $row;
   81
   82
   83
   84
   85
                                                                            return $data;
   86
                                                else
   87
                                                                            return false;
   88
   89
                 90
   91
   92
   93
   94
                                                                                                          data[]= row;
   95
   96
   97
                                                                             return $data;
   98
100
                                                else
                                                                            return false;
101
102
103
                  function count_schooladmins(){
104
                                               return $this->db->count_all("school_admin");
106
107
                  function get_role($sanum){
108
                            $this -> db -> select();
$this -> db -> from('role_teacher');
$this -> db -> where('TeacherNum', $sanum);
$this -> db -> limit(1);
109
110
111
112
```

```
114
             query = this -> db -> get();
115
             if(\$query \rightarrow num\_rows() == 1)
                                   return $query->result();
117
118
119
                                  return false;
120
121
        122
123
124
                     $query = $this->db->get('school_admin');
125
126
                      \begin{array}{l} \mbox{if ($query->num.rows()>0) \{} \\ \mbox{for each ($query->result()$ as $row)} \\ \mbox{$\$data[$row->SANum]=$ $row->SALastName.', '.$row->SAFirstName;} \end{array} 
128
129
                                  return $data;
131
                     else
132
                                  return false;
133
134
                     function get_club_teachers(){
135
136
137
138
                     WHERE SAType LIKE "%Club%";

$query= $this->db->query($sql);

if($query->num.rows() > 0){

foreach($query->result() as $row)

$data[$row->SANum]= $row->SALastName.','.$row->SAFirstName;
139
140
142
143
                                  return $data;
144
                     else
145
                                  return false;
146
147
        function get_teacher($teachernum){
    $this ->db->select('*');
    $this ->db->where('SANum', $teachernum);
    $this ->db->like('SAType', 'Teacher', 'after');
    $query = $this ->db->get('school_admin');
148
149
150
151
152
153
                     if ($query->num_rows() ==1){
154
                                   return $query->result();
156
157
                     else
158
                                  return false;
159
        function record_section($data) {
160
                     streeord.section($data) {
$this -> db -> select();
$this -> db -> from('section');
$this -> db -> where('SectionID', $data['SectionID']);
$this -> db -> limit(1);
161
162
163
164
165
                     $query = $this -> db -> get();
167
                     if ($query -> num_rows() == 1){
168
                                  $\final \text{his->db->where ('SectionID'; } $\text{sthis->db->update('section'; } $\text{data};
169
170
171
172
               else
                                  $this->db->insert('section', $data);
173
174
         function get_sections($limit,$start){
    $this->db->limit($limit,$start);
176
177
                     $this ->db->limit($limit, $start);
$query = $this ->db->get("section");
if($query->num_rows() > 0){
    foreach($query->result() as $row)
        $data[] = $row;
178
179
180
181
                                  return $data;
182
183
184
                     else
                                  return false;
185
186
         187
188
189
                     i\,f\,\left(\,\$\,q\,u\,er\,y\,-\!\!>\!n\,u\,m\,\text{\_rows}\,(\,)\,\,>\,\,0\,\right)\,\{
190
                                  foreach($query->result() as $row)

$data[]= $row;
191
192
                                  return $data;
193
194
                     else
195
                                  return false;
196
        function count_section(){
    return $this->db->count_all("section");
198
199
200
        function view_section($sectionum){
    $this -> db -> select();
    $this -> db -> from('section');
    $this -> db -> where('SectionID', $sectionum);
    $this -> db -> limit(1);
201
202
203
204
```

```
206
                      $query = $this -> db -> get();
207
208
209
                      if(\$query \rightarrow num\_rows() == 1){
210
                                                        return $query->result();
211
212
                      else {
213
                         return false;
                     }
214
215
216
                function record_subject($data) {
                                   % this -> db -> select();
% this -> db -> from('subject');
% this -> db -> where('SubjectID', $data['SubjectID']);
% this -> db -> limit(1);
217
218
220
221
                                   query = this -> db -> get();
223
224
                                   if ($query -> num_rows() == 1) {
                                                         225
226
227
                                  }
228
                         else
                                                         $this->db->insert('subject', $data);
229
230
               231
232
234
235
236
                                                         return $data;
237
238
239
                                    else
240
                                                         return false:
241
             function count_subject(){
    return $this ->db->count_all("subject");
242
243
244
245
              function view_subject($subjectnum){
                                  $\text{stabject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\subject(\s)\s)\s)))))))})})),\sintince(\sint)\sintin)\)

\[ \t
246
247
248
249
250
                     $query = $this -> db -> get();
251
252
                      \begin{array}{ll} \mbox{if($query -> num\_rows() == 1)} \{ \\ \mbox{return $$query -> result()$;} \end{array}
253
254
255
                      else {
^{256}
                         return false;
257
                     }
258
259
260
                function count_club(){
    return $this->db->count_all("club");
261
262
263
                function record_club($data) {
                                   n record_club(sdata) {
$this -> db -> select();
$this -> db -> from('club');
$this -> db -> where('ClubID', $data['ClubID']);
$this -> db -> limit(1);
264
265
266
267
268
269
                                   query = this -> db -> get();
270
                                   \begin{array}{l} \mbox{if($query -> num\_rows() == 1)} \{ \\ \mbox{$this ->db->where('ClubID', $data['ClubID']);} \\ \mbox{$this ->db->update('club', $data);} \end{array}
271
272
273
274
275
                         else
                                                         $this->db->insert('club', $data);
276
277
278
                279
280
                                                                              FROM club as cl, school_admin as sa WHERE cl.TeacherNum = sa.SANum';
281
282
283
                                   284
285
287
                                                                              $data[]= $row;
                                                         return $data;
288
289
                                    else
290
291
                                                         return false;
292
              function view_club($clubnum){
293
                     sthis -> db -> select();
$this -> db -> select();
$this -> db -> from('club');
$this -> db -> where('ClubID', $clubnum);
$this -> db -> limit(1);
294
295
296
```

```
298
                               query = quer
299
 300
                               if($query -> num_rows() == 1){
  return $query->result();
301
302
303
304
                               else {
 305
                                    return false;
                              }
306
307
 308
                       function check_club_adviser($clubid,$teacherid){
309
                                                  sql = SELECT *
                                                                                                               FROM club
310
311
                                                                                                                WHERE ClubID = "'. $clubid.'" AND TeacherNum = "'. $teacherid.'";
312
                                                  $query = $this->db->query($sql);
313
315
                               if(\$query \rightarrow num\_rows() == 1){
                                       return true;
316
317
                               else {
318
319
                                     return false;
                              }
320
321
322
                      }
323
                  }
324
325
326
327
328
                 ?>
329
                   <?php
                   Class Grades extends CI_Model
      2
      3
                      function list_class_record($classid){
    $sql = 'SELECT grade.GradingPeriod,grade.GradingPeriodID
    FROM grading_period as grade, class_record as class
    WHERE class.ClassID="'.$classid.'" and grade.RecordID=class.RecordID';
       4
      5
      8
                                                  query = \frac{\sinh - \sinh - \sinh - \sinh ( \sin q )}{\sinh - \sinh ( \sin q )};
   10
   11
                                                   if(\$query->num\_rows()>0)
    12
                                                                                 return $query->result_array();
   13
                                                   else
   14
                                                                                 return false;
   15
                       function test_type_exists($gradingperiod, $test_type, $assessment_type){
   16
                                                  $sql = 'SELECT * FROM type_test
   17
                                                                                                             WHERE GradingPeriodID="'.$gradingperiod.'" AND TestType="'.$test_type.'"
AND AssessmentType="'.$assessment_type.'" LIMIT 0,1';
   18
   19
   20
                                                  $query= $this->db->query($sql);
   21
                                                   if(query->num_rows() ==1)
   23
                                                                                 return true
   24
                                                  else
   25
                                                                                 return false;
   26
                       function get_latest_column_id(){
   28
                                                   $sql = 'SELECT max(ColumnID) FROM type_test_column LIMIT 0,1';
   29
                                                   query = \frac{his}{db} = query(sql);
   31
32
                                                  if(\$query->num\_rows()==1){
   33
                                                                                  $result = $query->result_array();
   34
   35
                                                                                 return $result[0]['max(ColumnID)'];
   36
   37
   38
                       39
   40
   41
   42
   43
                                                   $query_gp = $this->db->query($sql_gp);
                                                  $\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\square\sq
   44
   45
   46
                                                                                 foreach ($result as $row) {
   47
   48
   49
                                                                                                                $sql_score = 'SELECT gp.RecordID,gp.GradingPeriod,sg.Score,gp.
GradingPeriodID FROM grading_period as gp, score_grading as sg
WHERE gp.GradingPeriodID = "'.$row['GradingPeriodId'].'"
AND gp.GradingPeriodID = sg.GradingPeriodID and sg.
StudNum="'.$studnum.'"';
   50
   51
   52
                                                                                                                 query\_score = \\his->db->query(\\sql\_score);
   53
                                                                                                                 if( query\_score -> num\_rows() > 0) {
```

```
55
                                                       \alpha [] = \alpha [] = \alpha []
 56
 58
                                                       $array[] = array("RecordID"=>"0","GradingPeriod"=>$row['
GradingPeriod'],"Score"=>"0","GradingPeriodID"=>$row['
GradingPeriodId']);
 59
 60
 61
                                          }
 62
 63
                               return $array;
 64
 65
 66
 67
        function get_individual_score($gradingperiod, $studentid){
 68
                              $assessment = array('knowledge','process','understanding','product');
$weight['knowledge'] = '25';
$weight['process'] = '25';
$weight['understanding'] = '25';
$weight['product'] = '25';
 70
 71
 72
73
74
 75
76
                               \$total = 0:
                              $array = array();
$array2 = array();
                               foreach ($assessment as $ass) {
 78
 79
                                                      $sum_per_assessment = 0;
                                                      $sql2 = 'SELECT TestID, TestType FROM type_test WHERE
GradingPeriodID = "'.$gradingperiod.'" AND AssessmentType= "'.
 81
                                                              $ass.
                                                      $ass.weight
$query2 = $this->db->query($sql2);
$array2 = array();
 82
 83
                                                       if(\$query2->num\_rows()>0)\{
 84
                                                                  $result2 = $query2->result_array();
 85
 86
 87
                                                                   foreach($result2 as $typetest){
 88
                                                                               $sql3 = 'SELECT st.Raw_Score, ttcol.Base_Score FROM
 89
                                                                              score_test as st, type_test_column as ttcol
WHERE st.StudNum="'.$studentid.'" AND ttcol.TestID
="'.$typetest['TestID'].'" AND ttcol.ColumnID
 90
                                                                                     =st.ColumnID;
                                                                              query3 = \frac{\sinh - \sinh - \sinh - \sinh ( sql3)}{};
 91
 92
                                                                               if ($query3->num_rows()>0){
 93
                                                                                          $array2[$typetest['TestType']] = $query3->
result_array();
 94
 95
                                                                              }
 96
 97
                                                       98
100
                                                                  $array[$ass] = array();
101
102
103
                                                       return $array;
104
105
        function get_gradingperiod_id($testid="",$columnid=""){
106
107
                   if($testid !="")
$sql ='SELECT DISTINCT gp.GradingPeriodID
108
109
                                   TROM type_test as tt, grading-period as gp

WHERE tt.TestID="'.$testid.'" AND tt.GradingPeriodID = gp.GradingPeriodID';
110
111
112
                   else
                               $sql = 'SELECT DISTINCT gp. GradingPeriodID
113
                                   FROM type_test as tt, grading_period as gp, type_test_column as ttc
WHERE ttc.ColumnID="'.\scolumnid.'" AND ttc.TestID = tt.TestID AND tt.
GradingPeriodID = gp.GradingPeriodID';
114
115
116
117
118
                   query = \frac{\sinh - db - query(\$sql)}{};
                   119
120
121
122
123
                   else
124
                   return false;
print_r($result);
125
126
127
128
        function compute_all_grades(){
    $sql ='SELECT GradingPeriodID FROM 'class_record' as cr,grading_period as gp WHERE cr.
    RecordID=gp.RecordID';
    $query = $this->db->query($sql);
130
131
132
                   if(\$query->num\_rows()>0){
133
                              foreach($query->result_array() as $data)
$this->compute_grades($data['GradingPeriodID']);
134
135
                   }
136
```

```
137
138
                     function compute_grades($gradingperiod){
 139
140
                                              $sql = 'SELECT stud.StudNum
141
142
                                                                                     FROM student as stud, grading_period as gp, class_record as cr, subject_section
                                                                                     as ss
WHERE gp.GradingPeriodID = "'.$gradingperiod.'" AND gp.RecordID=cr.RecordID AND
                                                                                                       ss.ID = cr.ClassID AND ss.SectionID=stud.SectionID ORDER BY stud.SLastName
143
145
                     146
147
                                              if (\$query->num\_rows()>0) \{
148
                                                                            $result = $query->result_array();
149
                                                                          $assessment = array('knowledge','process','understanding','product');
$weight['knowledge'] = '15';
$weight['process'] = '25';
$weight['understanding'] = '30';
$weight['product'] = '30';
foreach($result as $studnum){
150
151
152
154
155
156
                                                                                                         \$total = 0:
157
                                                                                                        foreach($assessment as $ass){
158
                                                                                                                                    $sum_per_assessment = 0;
$sql2 = 'SELECT TestID FROM type_test WHERE GradingPeriodID = "'.
$gradingperiod.'" AND AssessmentType= "'.$ass.'"';
159
160
                                                                                                                                    $query2 = $this->db->query($sql2);
if($query2->num_rows()>0){
161
162
                                                                                                                                                                   $result2 = $query2->result_array();
164
                                                                                                                                                                  foreach($result2 as $typetest){
165
166
                                                                                                                                                                                              \label{eq:sql3} \$sql3 = \mbox{'SELECT SUM(st.Raw\_Score)} \ \ as \ \ Raw\_Score \,, \\ SUM(ttcol.Base\_Score) \ \ as \ \ Base\_Score \ FROM \,.
167
                                                                                                                                                                                             SUM(ttol.Base_Store) as Dase_Store FROM
score_test as st, type_test_column as ttcol
WHERE st.StudNum="'.\$studnum['StudNum'].'" AND
ttcol.TestID ="'.\$typetest['TestID'].'" AND
ttcol.ColumnID=st.ColumnID';
\$query3 = \$this->db->query(\$sql3);
168
169
170
                                                                                                                                                                                               if ($query3->num_rows()>0){
                                                                                                                                                                                                                           $\frac{\sqrt{3}}{\sqrt{3}} = \frac{\sqrt{3}}{\sqrt{3}} - \result_array();
$\sum_per_assessment += (\frac{\sqrt{3}}{\gamma}[0]['\result3[0]['\result3[0]]' + \result3[0]['\result3[0]['\result3[0]]' + \result3[0]['\result3[0]]' + \result3[0]['\result3[0]['\result3[0]]' + \result3[0]['\result3[0]['\result3[0]]' + \result3[0]['\result3[0]['\result3[0]]' + \result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\result3[0]['\re
171
172
                                                                                                                                                                                                                                            *100.
173
                                                                                                                                                                                              }
174
175
176
177
                                                                                                                                            $total += ($sum_per_assessment/count($result2))*$weight[$ass
                                                                                                                                                            ] * 0.01;}
                                                                                                         $\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}{3}\frac{1}
179
180
                                                                                                         $query_record = $this->db->query($record_sql);
181
183
                                                                                                         if(squery_record \rightarrow num_rows() == 1)
184
                                                                                                                                   $update_sql = "UPDATE score_grading SET Score=".$this->db->escape
   ($total)."
WHERE GradingPeriodID=".$this->db->escape($gradingperiod)." AND
   StudNum=".$this->db->escape($studnum['StudNum'])."";
$this->db->query($update_sql);
185
186
187
188
189
                                                                                                                                     190
191
192
                                                                                                                                     $this->db->query($insert_sql);
193
                                                                                                       }
194
195
                                              }
 196
197
                     198
                                                                                    FROM student as stud, grading_period as gp, class_record as cr, subject_section
199
                                                                                                          as ss
                                                                                     WHERE gp. GradingPeriodID = "'.$gradingperiod.'" AND gp.RecordID=cr.RecordID AND ss.SectionID=stud.SectionID ORDER BY stud.SLastName ';
200
201
                                              202
203
                                              if(\$query->num\_rows()>0){
204
205
                                                                            $result = $query->result_array();
206
207
                                                                            $assessment = array('knowledge','process','understanding','product');
```

```
$data['knowledge'] = array();
$data['process'] = array();
$data['understanding'] = array();
$data['product'] = array();
208
209
210
211
212
213
                             for each \,(\,\$\,result\ as\ \$studnum\,)\,\{
                                        foreach ($assessment as $ass) {
214
215
                                                   $sql2 = 'SELECT TestID FROM type_test WHERE GradingPeriodID = "'.
$gradingperiod.'" AND AssessmentType= "'.$ass.'"';
$query2 = $this->db->query($sql2);
216
217
218
                                                   219
220
221
                                                               foreach($result2 as $typetest){
222
                                                                          sq13 = SELECT st.Raw_Score, ttcol.Base_Score
                                                                               FROM score_test as st, type_test_column as
                                                                                ttcol
                                                                         WHERE st.StudNum="'.$studnum['StudNum'].'" AND
ttcol.TestID ="'.$typetest['TestID'].'" AN
ttcol.ColumnID=st.ColumnID';
224
                                                                         225
226
228
                                                             }
229
                                             }
230
231
                                       }
232
                            }
233
234
                 }
235
236
        function view-grades ($studentid) {
237
238
                  \label{eq:sql} \$sql = \text{`SELECT ss.SectionID}, ss.GradeLevel, s.SectionName \\ FROM student as stud, student_section as ss, section as s \\ WHERE stud.StudNum = "`.\$studentid.'" ' ; \\ \end{cases}
239
240
241
242
                  $query = $this->db->query($sql);
243
                 $query = $this >>do >>query
$student [ '7' ] = array ();
$student [ '8' ] = array ();
$student [ '10' ] = array ();
$student [ '11' ] = array ();
$student [ '11' ] = array ();
244
245
246
247
248
249
250
                 251
253
254
                                        $subject=array();
255
256
                                        257
258
259
260
                                        $query2 = $this->db->query($sql2);
261
262
263
                                        result2 = query2 -> result_array();
264
265
266
                                        foreach(\$result2 \ as \ \$class){}
267
268
                                                   \$sq13 \ = \ `SELECT \ DISTINCT \ sg.Score \, , \ gp.GradingPeriod \, , sg \, .
                                                          GradingPeriodID
                                                              WHERE gp. RecordID="'.$class['RecordID'].'" AND sg.StudNum
="'.$studentid.'" AND sg.GradingPeriodID = gp.
GradingPeriodID
269
270
271
                                                              ORDER BY GradingPeriod';
272
                                                               query3 = \frac{\sinh - \sinh - \sinh - \sinh \sin ( sq13)}{}
273
274
275
                                                               if(\$query3->num\_rows()>0){}
276
                                                                         277
278
279
```

```
281
                                                                       i++;
282
283
                                                            }
284
285
286
                                           }
287
                        \$student\,[\,\$gradelevel\,[\,'GradeLevel\,']\,]\ =\ \$subject\,;
288
289
290
               return $student;
291
292
293
       function view_all_grades($studentid,$sectionid){
294
295
               \$sql \ = \ `SELECT \ sub . SubjectName \, , ss \, . ID \, , r \, . \, RecordID \, , sub \, . \, Units
                                           FROM section as sec, subject_section as ss, subject as sub, class_record as r

WHERE sec. SectionID = ss.SectionID AND sec.SectionID="'.$sectionid
.'" AND sub.SubjectID=ss.SubjectID

AND r.ClassID =ss.ID AND sub.SubjectID = ss.SubjectID';
296
297
298
299
               query = \frac{db}{ds} = \frac{db}{ds} 
300
              301
302
303
305
306
307
308
309
310
311
                                  312
                                           314
315
316
317
318
                                                    $i++;
319
                                         }
320
322
               }
323
324
               return $subject;
325
               else
326
327
                        return false;
328
329
       }
```

```
330
331
332
                                                  , subject_section as ss

WHERE tt.TestID="'.$testid.'" AND tt.GradingPeriodID = gp.GradingPeriodID AND gp.RecordID=cr.RecordID AND ss.ID = cr.ClassID AND ss.SectionID=stud.
333
                                                             SectionID
                                                  ORDER BY stud. SGender, stud. SLastName';
335
                           query = \frac{\sinh - \sinh - \sinh - \sinh ( \sin q l)}{\sinh - \sinh ( \sin q l)}
336
337
                            if(\$query->num\_rows()>0)
338
                                             return $query->result_array();
                            else
339
340
                                             return false;
341
342
             343
344
345
                                                  AND gp. RecordID=cr. RecordID AND ss.ID = cr.ClassID AND ss.SectionID=stud.SectionID

ORDER BY stud.SGender, stud.SLastName';
346
347
                            $query = $this->db->query($sql);
348
349
                            $array = array();
                            if (\$query->num\_rows()>0) \{
350
                                            return $query->result_array();
351
352
353
                            else
354
                                            return false;
355
            356
357
358
                                                  FROM student as stud, grading_period as gp, class_record as cr, subject_section
                           as ss 
WHERE stud.SGender="M" AND gp.GradingPeriodID="'.$gp.id.'" AND gp.RecordID=cr.
RecordID AND ss.ID = cr.ClassID AND ss.SectionID=stud.SectionID
ORDER BY stud.SGender, stud.SLastName';
$query = $this->db->query($sql);
359
360
361
                            $array = array();
362
                           if($query->num_rows()>0){
    return $query->result_array();
363
365
366
                            else
367
                                             return false;
368
             function get_all_students_gpid($gp_id){
369
                            $sql = 'SELECT stud.StudNum, stud.SLastName, stud.SFirstName, stud.SMidName, stud.SGender FROM student as stud, grading-period as gp, class_record as cr, subject_section
370
371
                                                               as ss
                                                  WHERE gp.GradingPeriodID="'.$gp_id.'" AND gp.RecordID=cr.RecordID AND ss.ID = cr.ClassID AND ss.SectionID=stud.SectionID
ORDER BY stud.SGender,stud.SLastName';
372
373
374
                           query = \frac{his}{\phi}
375
                            if( query->num_rows()>0)
376
377
                                             return $query->result_array();
378
379
                                             return false;
380
381
             function get_subject_name($gradingperiodid){
                            $\text{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sq}}}}}}}}} \end{\sqrt{{\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sq}}}}}}}}} \end{\sqrt{{\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\eqnt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sq}}}}}}}}}}} \end{\sqrt{{\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sq}}}}}}}} \end{\sqrt{{\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sq}}}}}}}}}}} \end{\sqrt{{\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sqrt{$\sq}}}
382
383
                                                               cr
                                                  WHERE s.SubjectID = ss.SubjectID and cr.ClassID = ss.ID and cr.RecordID = gp.RecordID and gp.GradingPeriodID = "'.$gradingperiodid.'";
384
                            $query = $this->db->query($sql);
386
                           387
388
389
390
                            ,
else
391
392
                                            return false;
393
            394
395
396
397
                            $query = $this->db->query($sql);
398
399
                            if(squerv->num_rows()>0)
400
                                            $result = $query->result_array();
return $result[0]['SubjectName'];
401
402
403
                            else
404
405
                                            return false;
406
            function get_gradingperiod($gradingperiodid){
    $sql = 'SELECT DISTINCT GradingPeriod
    FROM grading_period
407
408
```

```
WHERE GradingPeriodID = "'.$gradingperiodid.'";
410
                                 $query = $this->db->query($sql);
411
412
                                  if(\$query->num\_rows()>0)\{
413
                                                      $\frac{\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exittinx{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\tex{$\text{$\text{$\text{$\exitt{$\text{$\exitt{$\text{$\text{$\exitt{$\}\exitt{$\text{$\text{$\exitt{$\exittit{$\exitt{$\text{$\texittit{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$
414
415
416
417
418
                                                      return false;
419
               function get_test_type($testid){
    $sql='SELECT TestType, AssessmentType
    FROM type_test
    WHERE TestID="'.$testid.'"';
420
421
422
424
                                 query = \frac{\sinh - \sinh - \sinh - \sinh (sql)}{this}
425
                                  if(\$query->num\_rows()>0)\{
426
                                                      427
428
429
430
431
                                                      return false:
432
433
               function get_test_id($columnid){
    $sql = 'SELECT TestID FROM type_test_column
        WHERE ColumnID = "'.$columnid.'"';
434
435
437
438
439
                                 query = \frac{\sinh - \sinh - \sinh - \sinh ( \sin q l )}{1};
440
441
                                  if(\$query->num\_rows()>0){
                                                      $result = $query->result_array();
return $result[0]['TestID'];
442
443
444
445
                                  else
                                                      return false:
446
               function get_classrecord_id($testid="",$gradingperiodid=""){
448
449
                                  if ($gradingperiodid!=""){
451
                                                       $sql = 'SELECT DISTINCT cr. ClassID
452
                                                             WHERE cr.RecordID = gp.RecordID and gp.GradingPeriodID = "'.$gradingperiodid .'";
453
454
455
                                 }
else if($testid!=""){
    $sql='SELECT cr.ClassID
456
                                                             FROM type_test as tt, grading_period as gp, class_record as cr, subject_section
458
                                                             as ss
WHERE tt.TestID="'.$testid.'" AND tt.GradingPeriodID = gp.GradingPeriodID AND
459
                                                                         gp.RecordID=cr.RecordID AND ss.ID = cr.ClassID';
460
461
                                  else
462
                                 return false;

$query = $this->db->query($sql);
463
464
465
                                 if(squerv->num_rows()>0)
466
                                                      $result = $query->result_array();
return $result[0]['ClassID'];
467
468
469
470
                                                      return false;
471
472
473
               function get_scores($studnum, $testid){
                                on get_scores(sstudium, stestid){
sqt = 'SELECT' * FROM score_test as st, type_test_column as ttcol, type_test as tt
WHERE st.StudNum="'.\studnum.'" AND st.ColumnID=ttcol.ColumnID AND tt.TestID = ttcol.
TestID AND tt.TestID = "'.\stestid.'"';
474
475
476
477
                                 $query = $this->db->query($sql);
if($query->num_rows()>0){
478
                                                      480
481
                                                                                                                                                                                                                                                 'ScoreID
                                                                                                                                                                                                                                                            $row[
                                                                                                                                                                                                                                                            ScoreID
                                                                                                                                                                                                                                                 '],
'Raw_Score
483
                                                                                                                                                                                                                                                            $row['
                                                                                                                                                                                                                                                            Raw_Score
                                                                                                                                                                                                                                                             ']);
484
485
                                                       return $data:
486
487
488
                                 }
```

```
489
490
491
       function get_column_test_type($testid){
    $sql = 'SELECT * FROM type_test_column
        WHERE TestID = "'. $testid.'"';
492
493
494
495
496
               $query = $this->db->query($sql);
497
               $array = array();
498
499
500
                                                                                                               'TestID'=>
501
                                                                                                                     $row[
                                                                                                                     TestID
                                                                                                                      '],
502
                                                                                                                     Base_Score
                                                                                                                      '=>
                                                                                                                     $row['
                                                                                                                     Base_Score
                                                                                                                      ']);
503
504
                         return $data;
505
506
507
               else
                         return false;
509
       510
512
513
               $query = $this->db->query($sql);
$array = array();
514
515
516
               if( query->num_rows()>0) 
                         y->num.rows()>0){
foreach($query->result_array() as $row){
    $data[$row['ColumnID']] = array('ColumnID'=>$row['ColumnID'],
517
518
                                                                                                                'TestID'=>
519
                                                                                                                     $row[
                                                                                                                     TestID
                                                                                                                      '],
520
                                                                                                                     Base_Score
                                                                                                                     '=>
                                                                                                                     $row['
                                                                                                                     Base_Score
521
                                                                                                                'Raw_Score
                                                                                                                     '=>
                                                                                                                     $row['
                                                                                                                     Raw_Score
                                                                                                                      ']);
522
523
524
                         return $data;
525
526
                else
527
                         return false:
528
       function get_column_base($testid){
    $sql = 'SELECT * FROM type_test_column as ttc, score_test as st
    WHERE ttc.TestID="'.$testid.'" AND ttc.ColumnID = st.ColumnID ';
529
530
531
532
               $query = $this->db->query($sql);
533
               $array = array();
534
               if($query->num.rows()>0){
    foreach($query->result_array() as $row){
        $data[$row['ColumnID']] = array('ColumnID'=>$row['ColumnID'],
535
536
                                                                                                                'TestID'=>
538
                                                                                                                     $row[
                                                                                                                     TestID
                                                                                                                     '],
539
                                                                                                                     Base_Score
                                                                                                                     '=>
                                                                                                                     $row['
                                                                                                                     Base_Score
540
                                                                                                                'Raw_Score
                                                                                                                     '=>
                                                                                                                     $row['
                                                                                                                     Raw_Score
                                                                                                                      ']);
541
542
                         return $data;
543
544
545
                else
                         return false;
546
547
       }
```

```
548
549
550
551
552
                 query = \frac{\sinh - \sinh - \sinh + \sinh (\sinh \sin \theta)}{\sinh + \sinh (\sinh \theta)};
                 $array = array();
if($query->num_rows()>0){
553
554
                            555
556
                                                                                                                                'TestID'=>
557
                                                                                                                                      $row[
                                                                                                                                      TestID
                                                                                                                                      '],
558
                                                                                                                                      Base_Score
                                                                                                                                      '=>
                                                                                                                                      $row['
                                                                                                                                      Base_Score
                                                                                                                                '],
'Raw_Score
559
                                                                                                                                      =>
                                                                                                                                      $row[
                                                                                                                                      Raw_Score
                                                                                                                                       ']);
560
561
                             return $data;
563
564
                  else
                            return false;
565
566
567
        function record_test_type_column($data){
568
                 $this->db->insert('type_test_column', $data);
569
570
                    create_score_cell($data){
                 $this->db->insert('score_fest',$data);
571
572
        function add_score_cell($data){
573
                 sthis =>db=>set('Raw_Score', $data['Raw_Score']);
sthis =>db=>where('ColumnID', $data['ColumnID']);
sthis =>db=>where('StudNum', $data['StudNum']);
574
575
576
577
                  $this->db->update('score_test');
578
        579
580
581
582
583
        function delete_test_type($testid){
584
                 $sql = 'SELECT DISTINCT ticol.ColumnID FROM type_test as tt,type_test_column as ttcol,
585
                       score_test as st
                                       WHERE tt.TestID ="'.$testid.'" AND tt.TestID=ttcol.TestID AND ttcol.
586
                 ColumnID = st.ColumnID';

$query = $this->db->query($sql);
587
588
589
                  if( query->num_rows()>0) 
                            foreach($query->result_array() as $row){
    $this->db->delete('score_test', array('ColumnID'=>$row['ColumnID']));
    $this->db->delete('type_test_column', array('ColumnID'=>$row['ColumnID']));
590
591
592
593
594
595
                 }
596
597
                 $this->db->delete('type_test', array('TestID'=>$testid'));
598
599
         function delete_test_type_column($columnid){
    $this->db->delete('score_test', array('ColumnID'=>$columnid));
    $this->db->delete('type_test_column', array('ColumnID'=>$columnid));
600
601
602
603
        function record_new_test_type($data,$id=''){
604
                  n record_new_test_type($data,$id="){
    if($id!=''){
        $this -> db -> select();
        $this -> db -> from('type_test');
        $this -> db -> where('TestID', $id);
        $this -> db -> limit(1);
        $query = $this -> db -> get();
605
606
607
608
609
610
611
                 if($query -> num_rows() == 1){
    $this->db->where('TestID', $id);
    $this->db->update('type_test', $data);
612
614
615
616
                 $this ->db->insert('type_test', $data);
617
618
619
620
           else{
    $this->db->insert('type_test',$data);
621
622
623
624
```

```
625
         626
628
                   query = \frac{\sinh - \sinh - \sinh - \sinh ( sql)}{\sinh - \sinh ( sql)}
629
630
                   if($query->num_rows() >0){
    return $query->result_array();
631
632
633
634
635
636
                               return false:
637
        \label{eq:function_get_top_values} $$ \begin{array}{l} {\rm function\ get\_top\_values\,(\$gradingperiodid\,,\$count\,)\,\{} \\ {\rm \$sql} = {\rm `SELECT\ DISTINCT\ sg.\ Score\ FROM\ grading\_period\ as\ gp\,,\ score\_grading\ as\ sg.} \\ {\rm WHERE\ gp.\ GradingPeriodID\ ="'.\$gradingperiodid.'"\ and\ gp.\ GradingPeriodID\ = sg.} \\ {\rm GradingPeriodID\ ORDER\ BY\ sg.\ Score\ DESC\ LIMIT\ '.\$count\,;} \\ \hline \end{tabular}
639
640
641
642
643
                   $query = $this->db->query($sql);
644
                   \begin{array}{c} \mbox{if($query->num\_rows()>0)} \{\\ \mbox{return $$query->result\_array()$}; \end{array}
645
646
647
648
                   }
else
649
                               return false:
650
652
        653
654
655
656
657
658
                   query = \frac{\sinh - \sinh - \sinh - \sinh ( \sin q \log q )}{\sinh - \sinh ( \sin q \log q )}
659
660
                   if(query->num_rows() > 0)
661
                               return $query->result_array();
662
663
                    else.
664
665
                               return false;
666
667
         function get_students_top_values($gradingperiodid,$score){
    $$sql = 'SELECT DISTINCT sg.Score,s.SLastName,s.SFirstName FROM score_grading as sg,student
668
669
670
                   WHERE sg.GradingPeriodID = "'.$gradingperiodid.'" and sg.Score="'.$score.'" and s.StudNum=
                          sg.StudNum';
671
                   $query = $this->db->query($sql);
673 \\ 674
                   if($query->num_rows() >0){
                                return $query->result_array();
675
676
677
678
                    else
679
                               return false:
680
681
         function get_students_all_top_values($classid, $score){
682
683
                    $sql = 'SELECT sg.StudNum,s.SlastName,s.SFirstName,AVG(sg.Score) as Score FROM
                                           sg.StudNum,s.SLastName,s.SrifstName,AVG(sg.Score) as Score FROM
d as cr,grading_period as gp,score_grading as sg, student as s
WHERE cr.ClassID="'.$classid.'" and cr.RecordID = gp.RecordID and gp.
GradingPeriodID = sg.GradingPeriodID and s.StudNum = sg.StudNum
GROUP BY sg.StudNum HAVING AVG(sg.Score)="'.$score.'"';
684
685
686
687
                   688
                   \begin{array}{c} \mbox{if($query->num\_rows()>0)} \{\\ \mbox{return $$query->result\_array()$}; \end{array}
689
690
691
692
                    else
693
                               return false;
694
695
696
         function get_grading_periods($classid){
697
                   sql = 'SELECT * FROM class_record as cr, grading_period as gp WHERE cr.ClassID="'.$classid
.'" and cr.RecordID = gp.RecordID';
698
699
                   700
701
702
                   if ($query->num_rows() >0){
703
                               return $query->result_array();
704
705
706
                               return false:
707
708
      }
```

```
709 ?>
      <?php
      Class Guardian extends CI_Model
       function record ($data, $login_detail="") {
 5
 6
         $this -> db -> select();
$this -> db -> from('guardian');
$this -> db -> where('GuardianNum', $data['GuardianNum']);
$this -> db -> limit(1);
 8
 10
 11
 12
          $query = $this -> db -> get();
 13
          if(squery \rightarrow num_rows() == 1)
 14
 15
                          $this->db->where('GuardianNum', $data['GuardianNum']);
$this->db->update('guardian', $data);
 16
 17
 18
 19
 20
                 $this->db->insert('guardian', $data);
                 $login_details = array(
    'Username'=>$login_detail['Username']
    'Password'=>$login_detail['Password']
21
22
 23
                                     'Type'=>"Guardian",
'Status'=>'Inactive
\frac{24}{25}
                                     'IDNum'=>$data['GuardianNum'],
'EmailAdd'=>$data['GEmailAdd']);
 26
 27
 28
 29
                          $this->db->insert('login_details', $login_details);
         }
 30
 31
     32
 33
 34
 35
 36
 38
 39
                else
 40
                          return false;
 41
 42
 43
      function count_guardians(){
                return $this->db->count-all("guardian");
 44
 45
 46
      function get_guardian($guardiannum){
 47
                $this -> db -> select();
 48
                $this -> db -> from('guardian');
$this -> db -> where('GuardianNum', $guardiannum);
$this -> db -> limit(1);
 49
 50
 51
 52
 53
                $query = $this -> db -> get();
                if($query -> num_rows() == 1){
    return $query->result();
 55
 56
 57
          else
 58
 59
                 return false;
 60
       }
 61
       function get_all_guardians(){
 63
        $query = $this->db->query('select distinct * from guardian order by GLastName, GFirstName');
 64
 65
\frac{66}{67}
        return $query->result();;
 68
       function get_guardians_json($letter){
    $this->db->select('*');
 69
 70
 71
           $this ->db->like('GLastName', $letter,'after');
 72
 73
           query = \frac{\sinh - \sinh - \sinh - \sinh ( 'guardian')};
 74
           if($query->num_rows > 0){
  foreach ($query->result_array() as $row){
 75
                76
 77
 78
 79
                row_set[] = new_row;
 80
 81
 82
 83
           return $row_set;
 84
 85
       function get_guardians_surname($letter){
 87
           $this->db->select('*');
$this->db->like('GLastName', $letter,'after');
 88
           $query = $this->db->get('guardian');
```

```
90
              i\,f\,(\,\$query\!-\!\!>\!num\_rows\,>\,0\,)\,\{
           foreach ($query->result() as $row)
$data[]= $row;
 91
 92
 93
              return $data;
 94
 95
              e\,l\,s\,e
                 return false;
 96
 97
 98
         function get_child_record($guardiannum){
           $sql = 'SELECT stud.SLastName, stud.SFirstName, stud.StudNum, stud.SMidName, stud.GradeLevel, stud.
Status FROM student as stud, guardian as gua
WHERE gua.GuardianNum="'.$guardiannum.'" and stud.GuardianNum=gua.GuardianNum ';
 99
100
101
102
           query = \frac{his}{db} = query(sql);
103
           if(squery->num_rows()>0)
104
              return $query->result_array();
106
107
108
109
       ?>
110
       <?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');</pre>
  2
       class Message_model extends CI_Model{
   function delete_announcement($id){
   $this->db->delete('announcement', array('AnnouncementID' => $id));
  3
  6
         function delete_journal($id){
           $this->db->delete('reflective-journal', array('JournalID' => $id));
  9
 10
         function get_announcement_id($file_url,$filename,$id){
             sql = 'SELECT DISTINCT AnnouncementID FROM announcement
 11
             WHERE FileURL ="'.\file_url.'" and FileName="'.\filename.'" AND TypeID="'.\file\' AND Type=" Section"';
 12
 13
 14
              query = \frac{\sinh - \sinh - \sinh + \sinh (\sinh \sin \theta)}{\sinh + \sinh (\sinh \sin \theta)};
 16
              if($query->num_rows()==1){
    $result = $query->result_array()
 17
                    return $result [0]['AnnouncementID'];
 19
 20
 ^{21}
                    return false;
 22
 23
         function check_owner_post($annid,$posterid){
              % this -> db -> select();
% this -> db -> from ('announcement');
% this -> db -> where ('AnnouncementID', '$ annid);
% this -> db -> where ('AnnouncerID', '$ posterid);
% this -> db -> limit(1);
 24
 25
 26
 27
 28
              $query = $this -> db -> get();
 30
 31
              return true;
              if(\$query \rightarrow num\_rows() == 1)
 33
 34
 35
                    return false;
 36
         function check_owner_journal($journalid,$studentid){
              % this -> db -> select();
$this -> db -> from('reflective_journal');
$this -> db -> where('JournalID', $journalid);
$this -> db -> where('StudNum', $studentid);
$this -> db -> limit(1);
 38
 39
 41
 42
 43
 44
              $query = $this -> db -> get();
 45
 46
              return true;
              if($query -> num_rows() == 1)
 47
 48
 49
                    return false;
 50
 51
 52
       function record_announcement($data) {
    $this->db->insert('announcement', $data);
 53
 54
 55
        function record_journal($data) {
              $this->db->insert('reflective_journal', $data);
 56
 57
        function edit_announcement($data){
 58
              % this -> db -> select();
% this -> db -> from('announcement');
% this -> db -> where('AnnouncementID', %data['AnnouncementID']);
% this -> db -> limit(1);
 59
 60
 61
 62
 63
 64
              $query = $this -> db -> get();
               \begin{array}{l} if (\$query \rightarrow num\_rows() == 1) \{ \\ \$this \rightarrow b-> where ('AnnouncementID', \$data['AnnouncementID']); \\ \$this \rightarrow b-> update ('announcement', \$data); \end{array} 
 66
 67
```

```
69
                          }
else
  70
                                   return false;
  72
73
              function edit_journal($data){
                          stion edit_journal($data){
$this -> db -> select();
$this -> db -> from('reflective_journal');
$this -> db -> where('JournalID', $data['JournalID']);
$this -> db -> limit(1);
  75
76
  77
  78
79
                           $query = $this -> db -> get();
  80
                            \begin{array}{ll} & \text{if (\$query -> num\_rows() == 1)\{} \\ & \$this -> db -> where('JournalID', \$data['JournalID']);} \end{array} 
  81
  82
  83
                                       $this->db->update('reflective_journal', $data);
  84
  85
                                      return false;
  86
  87
               function get_single_announcement($ID){
  88
                          $\text{sthis} = \text{db} = \text{select();}
$\text{this} = \text{db} = \text{from ('announcement');}
$\text{this} = \text{db} = \text{where ('AnnouncementID', $ID);}
$\text{this} = \text{db} = \text{limit(1);}
$\text{this} = \text{limit(1);}
$\text{limit(1);}

  89
  90
  91
  92
                           $query = $this -> db -> get();
  93
  94
                          \begin{array}{ll} \mbox{if($query -> num\_rows() == 1)} \{ \\ \mbox{return $$query -> result();} \end{array}
  95
  97
  98
                           else
  99
                                      return false;
100
101
              function get_announcement($limit, $start, $Type, $TypeID){
    $sql = 'SELECT ann. AnnouncerID, ann. Body, ann. AnnouncementID, ann. Title, ann. DateCreated, sa. SALastName, sa. SAFirstName, ann. FileName
102
103
                         FROM announcement as ann, school_admin as sa
WHERE ann.Type="'.$Type.'" AND ann.TypeID="'.$TypeID.'"
AND ann.AnnouncerID = sa.SANum ORDER BY DateCreated desc LIMIT '.$start.','.$limit.'';
104
105
106
107
                           query = \frac{his}{db} = query(sql);
108
109
                           if(query->num_rows() > 0)
                                     110
111
112
113
114
115
116
                                                   'FileName' =>$row2['FileName']);
118
119
                                                  $data[] = $data2;
121
                                      return $data;
122
123
124
                           else
                                      return false;
125
             }
function get_journal($limit,$start,$classid,$studnum){
    $sql = 'SELECT * FROM reflective_journal WHERE StudNum="'.$studnum.'" AND ClassID="'.$classid
    .'" ORDER BY DateCreated desc LIMIT '.$start.','.$limit.'';
    $query = $this->db->query($sql);
127
128
129
130
131
                           if(query->num_rows() > 0)
                                      132
133
134
135
137
138
139
                                                              $data[] = $data2;
140
                                                  return $data;
141
142
143
                                       else
                                                  return false;
144
145
              function count_some_announcement($Type,$TypeID){
146
                          $this ->db->where('Type', $Type);
$this ->db->where('TypeID', $TypeID);
$this ->db->from('announcement');
148
149
 150
                           return $this->db->count_all_results();
151
152
 153
              function count_journal($classid,$studnum){
154
155
                          $this->db->where('ClassID', $classid);
$this->db->where('StudNum', $studnum);
$this->db->from('reflective-journal');
156
157
```

```
159
                return $this->db->count_all_results();
160
161
         function get_some_announcement($limit, $start, $Type, $TypeID) {
162
               163
164
165
166
167
                if($query->num_rows() > 0){
   foreach($query->result() as $row){
168
169
170
                              $data[]= $row;
171
172
173
                       return $data:
174
176
                       return false;
177
        }
        179
180
                        participant2 = "'. $sender_id.'"';
181
                query = \frac{\sinh - \sinh - \sinh - \sinh ( \sin q l )}{\sinh - \sinh ( \sin q l )};
182
183
                if(\text{query}->\text{num}_{\text{rows}} > 0)
                 184
186
187
188
189
190
                               thread_id'].'")
AND msg.thread_id="'.$row['thread_id'].'" AND stud.StudNum = login.IDNum';
192
                              query2 = \frac{\sinh - \sinh - \sinh + \sinh (\sinh - \sinh (\sinh - \sinh (\sinh - \sinh ))}{\sinh + \sinh (\sinh - \sinh (\sinh - \sinh ))};
193
                              if (query2->num_rows > 0) {
194
195
196
                                     foreach ($query2->result_array() as $row2){
                                         $data2= array(
                                                            'body' => $row2['body']
198
                                                           'body' => $row2['body'],
'cdate' => $row2['cdate'],
'sender_id' => $row2['sender_id'],
'receiver_id'=>$row2['receiver_id'],
'Name' =>$row2['SFirstName']." ".$row2['SLastName']);
199
200
201
202
203
204
                                        $data[] = $data2;
205
                                     }
206
                                  sq12 = 'SELECT DISTINCT msg.body,msg.cdate,msg.sender_id,msg.receiver_id, schooladmin.SALastName,schooladmin.SAFirstName,login.Username
207
                                     schooladmin.SALastName, schooladmin.SAFirstName, login.Username FROM msg_messages as msg,schooladmin as schooladmin,login_details as login WHERE ((msg.sender_id="'.$sender_id.'" AND schooladmin.SANum =msg.receiver_id) OR (msg.receiver_id="'.$sender_id.'" AND schooladmin.SANum =msg.sender_id)) AND msg.cdate = (SELECT max(cdate) FROM msg_messages WHERE thread_id="'.$row['thread_id'].'") AND msg.thread_id="'.$row['thread_id'].'" AND schooladmin.SANum = login.IDNum';
208
209
210
211
212
213
214
                                      query 2 = \frac{\sinh -\beta db}{2} 
215
                                      if (Squery2->num_rows > 0) {
foreach (Squery2->result_array() as $row2){
216
                                                   ach (Squery2->result_array() as $row2);
$data2= array(
    'body' => $row2['body'],
    'cdate' => $row2['cdate'],
    'sender_id' => $row2['sender_id'],
    'receiver_id'=>$row2['receiver_id'],
    'Name' => $row2['SAFirstName']." ".$row2['SALastName']);
217
218
219
220
221
222
223
224
                                                   $data[] = $data2;
225
                                            }
226
                                     }
227
228
                              return $data;
220
230
                       else
231
                              return false;
232
233
        function send_new_message($sender_id, $receiver_id, $body){
    $this->_insert_message($sender_id, $receiver_id, $body);
234
235
236
        function get_message($sender_id, $receiver_id){
    $sql = 'SELECT sender_id, receiver_id, cdate, body FROM msg_messages WHERE sender_id="'.
    $sender_id.'" AND receiver_id="'.$sender_id.'"
AND cdate = (SELECT max(cdate) FROM msg_messages WHERE sender_id="'.$sender_id.'" AND receiver_id="'.$receiver_id="'."); ';
238
239
240
241
                $query=$this->db->query($sql);
242
243
                return $query->result();
```

```
244
245
              }
246
              function delete_messages($sender_id, $receiver_id){
    $sql = 'SELECT thread.id FROM msg_threads WHERE (participant1 = "'.$sender_id.'" AND
    participant2 = "'.$receiver_id.'")
        OR (participant1 = "'.$receiver_id.'" AND participant2 = "'.$sender_id.'")';
247
248
249
250
251
                           query = \frac{\sinh - \sinh - \sinh - \sinh ( \sin q l )}{this}
                          if($query->num-rows > 0 ){
  foreach ($query->result_array() as $row){
    $thread_id = $row['thread_id'];
252
 253
254
255
256
257
                           $this->db->delete('msg_threads', array('thread_id'=>$thread_id));
$this->db->delete('msg_messages', array('thread_id' => $thread_id));
258
259
260
261
              }
              263
 264
265
266
267
268
269
                          270
271
272
273
               function get_all_message2($sender_id){
274
                          $\text{$\sqrt{\text{sql}} = '\text{$\text{SELECT}$ thread_id FROM msg_threads WHERE participant1 = "'.\text{$\text{sender_id.'}" OR participant2 = "'.\text{$\text{sender_id.'}"';} \text{$\text{$\text{data}$} = \text{array();}$
275
276
                                      query = \frac{his}{db} = query(sql);
277
278
                                      if(query->num_rows > 0)
                                                  foreach ($query->result() as $row){
    $thread_id = $row->thread_id;

279
280
                                                            stnread_id = $row->thread_id;
$sql ='SELECT msg.sender_id,msg.receiver_id,msg.cdate,msg.body,login.Username
FROM msg_messages as msg, login_details as login, msg_threads as thread
WHERE msg.thread_id= "'.$row->thread_id.'" AND login.IDNUm = msg.sender_id
ORDER BY cdate asc';
281
282
283
284
                                                             $query = $this->db->query($sql);
$data[] = $query->result();
285
286
287
288
289
                                                 }
290
291
                                   return $data:
293
                          }
              }
294
               <?php
     3
               Class SchoolAdmin extends CI_Model
     4
               function record ($data, $login_detail="") {
                                     $this -> db -> select();
$this -> db -> from ('school-admin');
$this -> db -> where ('SANum', $data['SANum']);
$this -> db -> limit(1);
     6
     9
   10
                                      $query = $this -> db -> get();
   12
   13
                                      if ($query -> num_rows() == 1) {
                                                             $\fishis-\db-\super('SANum', $\data['SANum']);
$\this-\db-\supdate('school_admin', $\data);
$
   15
   16
                                                             $ this -> db-> where ('IDNum', $ data ['SANum']); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType'])); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType'])); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType'])); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType'])); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType'])); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType'])); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType'])); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType'])); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType'])); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType'])); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType'])); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType']); $ this -> db-> update ('login_details', array ("Type"=> $ data ['SAType']); $ this -> db-> update ('login_details', array ("Type"=> "Type"=> "Ty
   18
   19
   20
                           else {
   21
                                                             $this->db->insert('school_admin', $data);
   23
                                                              $login_details = array(
                                                                                     'Username'=>$login_detail['Username']
'Password'=>$login_detail['Password']
   24
   25
                                                                                     'Type'=>$data['SAType'],
'Status'=>'Inactive',
   26
   27
   28
                                                                                     'IDNum'=>$data['SANum']
                                                                                      'EmailAdd'=>$data['SAEmailAdd']);
   29
   30
   31
                                                             this-db-insert('login_details', login_details);
   32
                          }
   34
   35
                  function school_admin_exists($sanum){
                                       $this -> db -> select();
```

```
$this -> db -> from('school_admin');
$this -> db -> where('SANum', $sanum);
$this -> db -> limit(1);
   37
   38
   39
   40
                                                 \begin{array}{lll} \mbox{\$query} = \mbox{\$this} \ -> \mbox{db} \ -> \mbox{get}() \ ; \\ \mbox{if}(\mbox{\$query} \ -> \mbox{num\_rows}() \ == \ 1) \\ \mbox{return} \ \ \mbox{true} \ ; \end{array}
   41
   42
   43
   44
   45
                                                                               return false;
   46
   47
                       function add_role_teacher($data) {
                             $this -> db -> select();
$this -> db -> from('role_teacher');
$this -> db -> where('TeacherNum', $data['TeacherNum']);
$this -> db -> limit(1);
   48
   49
   50
  51
52
   53
                              query = this -> db -> get();
   54
   55
                               \begin{array}{lll} \mbox{if(\$query} & -> & num\_rows() == 1) \{ & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ &
   56
   57
   58
                                  else {
   59
                          $this->db->insert('role_teacher', $data);
   60
   61
   62
                     63
   65
   66
   67
   68
   69
                              $query = $this -> db -> get();
   70
  \frac{71}{72}
                              \begin{array}{ll} i\,f\,(\,\$query\,\,-\!\!>\,num\_rows\,(\,)\,\,=\!\!=\,\,1\,)\,\{\\ return\,\,\,\$query\,-\!\!>\,\!result\,(\,)\,\,; \end{array}
   73
  74
75
                              else{
                                  return false;
                             }
   76
   77
   78
                       function get_schooladmins(){
   79
                                                $query = $this->db->get("school_admin");
if($query->num_rows() > 0){
    foreach($query->result() as $row)
        $data[] = $row;
   80
   81
   82
   83
   84
                                                                                return $data;
   85
                                                  else
   86
   87
                                                                               return false;
   88
                  }
                   \begin{array}{ll} {\rm function~get\_all\left(\right)\{} \\ {\rm \$query} = {\rm \$this}{-}{\rm >db}{-}{\rm >get\left("school\_admin"\right);} \\ {\rm if}\left({\rm \$query}{-}{\rm >num\_rows}\left(\right) > 0\right)\{ \\ {\rm foreach}\left({\rm \$query}{-}{\rm >result}\left(\right)~as~{\rm \$row}\right)\} \end{array} 
   90
   91
   92
   93
   94
   95
                                                                                                              $data[]= $row;
   96
   97
   98
                                                                                return $data;
  99
100
                                                 else
101
                                                                               return false;
102
                  }
103
104
                  function count_schooladmins(){
    return $this->db->count_all("school_admin");
105
                  107
108
109
110
111
112
                              query = this -> db -> get();
113
114
115
                             if($query -> num_rows() == 1)
    return $query->result();
116
117
118
                                  else
119
                                                                               return false;
120
121
122
                   function get_teachers(){
123
                   $this->db->select('*');
124
                                                 $this->db->like('SAType', 'Teacher','after');
$query = $this->db->get('school_admin');
125
126
127
                                                 if ($query->num_rows() > 0){
```

```
 \begin{array}{ll} for each \, (\$query -> result \, () \  \  \, as \  \  \, \$row \, ) \\ \$data \, [\$row -> SANum] = \  \, \$row -> SALastName \, . \, ' \, , \, ' \, . \, \$row -> SAFirstName \, ; \end{array} 
129
130
                                                    return $data;
132
133
134
                                                    return false;
135
136
            function get_subject_teachers(){
            $this ->db->select('*');
$this ->db->where_not_in('SANum', "0000-00000");
137
138
139
                                \begin{array}{l} \$this ->\!db ->\! like ('SAType', 'Teacher', 'after'); \\ \$query = \$this ->\! db ->\! get ('school_admin'); \\ \end{array} 
140
141
143
                                if($query->num_rows() > 0){
    return $query->result_array();
144
145
146
                                 else
                                                   return false;
147
148
149
150
               \begin{array}{ll} {\rm function~get\_guidance\_personnel())} \\ {\rm \$sql} &= {\rm `SELECT~DISTINCT~SANum,SALastName,SAFirstName~FROM~school\_admin~WHERE~SAType="} \\ &= {\rm PersonnelGui"~LIMIT~0,1';} \\ \end{array} 
151
152
153
                                $query = $this->db->query($sql);
154
156
                                if(squery->num\_rows() > 0){
                                                   $ \text{\subseteq} \ \text{
157
158
159
160
                                 else
161
                                                   return false:
162
              163
164
                                          PersonnelProp" LIMIT 0,1';
165
                                $query = $this->db->query($sql);
166
                                if(squery->num_rows() > 0){
168
                                                    169
170
171
                                }
172
173
                                else
175
                                                   return false;
176
               function get_class_advisers(){
                                $sql = 'SELECT SANum, SALastName, SAFirstName FROM school_admin WHERE SAType LIKE "%Adv%";
178
179
                                $query = $this->db->query($sql);
 180
181
                                if(\$query->num\_rows()>0)
182
183
                                                    return $query->result_array();
184
185
186
                                else
                                                   return false:
187
188
            function get_teachers_json(){
    $this->db->select('*');
    $this->db->like('SAType', 'Teacher', 'after');
    $this->db->where_not_in('SANum', "0000-00000");
    $this->db->order_by("SALastName", "asc");
    $this->db->order_by("SALastName", "asc");
}
189
190
191
192
193
194
                      $query = $this->db->get('school_admin');
                 195
196
197
198
100
200
201
                                $row_set[] = $new_row;
202
                           }
203
204
                                return $row_set;
205
206
               function get_teachers_name_json($letter){
207
                 $this->db->select('*');
$this->db->like('SALastName', $letter,'after');
208
209
210
                 211
212
213
214
```

```
\label{eq:second_second} $\operatorname{new\_row} \ [\ '\ '] = \operatorname{htm} \ [\operatorname{lentities} \ (\ '\ '\ '] = \operatorname{htm} \ [\operatorname{lentities} \ (\ '\ '\ ') \ ] \ ) \ ) \ , "\ . \ ]
215
                                                     stripslashes($row['SAFirstName']));

$new_row['id']= htmlentities(stripslashes($row['SANum']));
216
217
218
                                                    $row_set[] = $new_row;
219
220
221
                                             return $row_set;
222
                            }
223
 224
                         function get_section_json($grade){
225
                             $this->db->select('*');
$this->db->where('GradeLevel', $grade);
226
                                     $query = $this->db->get('section');
if($query->num_rows > 0){
foreach ($query->result_array() as $row){
228
229
230
                                                     % snew_row ['ided']= htmlentities(stripslashes($row['SectionID']));
$new_row ['value']= htmlentities(stripslashes($row['SectionName']));
$new_row ['id']= htmlentities(stripslashes($row['SectionID']));
231
232
233
234
235
                                                     $row_set[] = $new_row;
236
                                             return $row_set;
237
 238
                            }
239
                       240
242
243
244
245
 246
                                                     %new.row['label']= htmlentities(stripslashes($row['SectionID']));
$new.row['value']= htmlentities(stripslashes($row['SectionName']));
$new.row['id']= htmlentities(stripslashes($row['SectionID']));
247
248
249
250
                                                     row_set[] = row_row;
251
252
253
                                            return $row_set;
254
255
                        }
256
                        function get_subjects_json(){
257
258
                                     $query = $this->db->query('SELECT * FROM subject');
259
                                             if($query->num_rows > 0){
foreach ($query->result_array() as $row){
260
261
                                                     $new_row['label']= htmlentities(stripslashes($row['SubjectID']));
$new_row['value']= htmlentities(stripslashes($row['SubjectName']));
$row_set[] = $new_row;
262
264
265
266
                                             return $row_set;
267
268
                        }
269
270
271
                        function get_club_teachers(){
                                                     n get_club_ceac.

$sql = 'SELECT *

FROM school_admin
272
273
274
                                                                                                                      WHERE SAType LIKE "%Club%";
275
                                                                                                                       $query= $this->db->query($sql);
276
277
278
                                                     if(query->num_rows() > 0){
                                                                                     foreach(\squery->result() as \srow)
\squarestart \left[\squarestart \right] = \squarestart \right] \right. \right] \right. \ri
279
 280
281
                                                                                      return $data:
282
283
                                                       else
284
                                                                                     return false;
285
286
                     function get_teacher($teachernum){
287
                                                     $this ->db->select('*');
288
                                                     $\frac{\text{sthis}}{\text{sthis}} \rightarrow \text{defentum};
$\text{this} - \rightarrow \text{defentum};
$\text{this} - \rightarrow \text{defentum};
$\text{query} = \text{$\text{this}} - \rightarrow \text{defentum};
$\text{cool_admin'};
$\text{query} = \text{$\text{this}} - \rightarrow \text{defentum};
$\text{cool_admin'};
$\text{query} = \text{$\text{this}} - \rightarrow \text{defentum};
$\text{query} = \text{$\text{this}} - \rightarrow \text{defentum};
$\text{query} = \text{$\text{this}} - \rightarrow \text{defentum};
$\text{query} = \text{$\text{this}} - \text{query};
$\text{query} = \text{$\text{this}} - \text{query};
$\text{query} = \text{$\text{this}} - \text{query};
$\text{query} = \text{query} = \text{query};
$\text
280
290
292
293
                                                     if(query->num_rows() ==1){
                                                                                        return $query->result();
294
295
296
                                                                                     return false;
298
299
                     function record_section($data) {
                                                    % Sthis -> db -> select();
% this -> db -> from('section');
% this -> db -> where('SectionID', $data['SectionID']);
% this -> db -> limit(1);
 300
301
 302
303
304
305
                                                     $query = $this -> db -> get();
```

```
306
                   \begin{array}{l} \mbox{if($query -> num\_rows() == 1){}} \\ \mbox{$$ $this -> db -> where(`SectionID', $$data[`SectionID']);} \\ \mbox{$$ $$ $this -> db -> update(`section', $$data);} \end{array}
307
308
309
310
311
             else
                               $this->db->insert('section', $data);
312
313
314
        function get_sections($schoolyear,$gradelevel,$teacher){
    if($gradelevel!='NA' && $teacher!='NA')
315
316
317
                              FROM section as sec
                   rrwm section as sec

WHERE sec.GradeLevel = "'.$gradelevel.'" AND TeacherNum = "'.

$teacher.'" AND SchoolYear="'.$schoolyear.'"';
elseif($gradelevel=='NA' && $teacher!='NA')

$sql = 'SELECT sec.SectionName, sec.GradeLevel, sec.SchoolYear, sec.Room, sec.NumStud,
319
321
                                     sec.SectionID
                                                     FROM section as sec
WHERE TeacherNum = "'.$teacher.'" AND SchoolYear="'.$schoolyear
323
                   324
325
                                     sec.SectionID
                                                     FROM section as sec
WHERE sec.GradeLevel = "'. $gradelevel.'" AND SchoolYear="'.
$schoolvear.'";
326
327
                                                             $schoolyear.
328
                   else
                               \$sql \ = \ `SELECT \ sec. SectionName \, , sec. \, GradeLevel \, , sec. \, SchoolYear \, , sec. \, Room \, , sec. \, NumStud \, ,
329
                                                     FROM section as sec
WHERE SchoolYear="'.$schoolyear.'"';
330
331
332
                   query = \frac{\sinh - \sinh - \sinh + \sinh ( \sin q l )}{\sinh - \sinh ( \sin q l )};
333
334
335
                   if(query->num_rows() > 0){
                               return $query->result_array();
336
338
                   else
339
                              return false;
341
        function get_all_sections() {
                   $query = $this->db->get("section");
342
343
                  344
345
346
                              return $data:
347
349
                   else
                              return false:
350
       function count_section() {
    return $this->db->count_all("section");
352
353
354
       function view_section($sectionum){
    $this -> db -> select();
    $this -> db -> from('section');
    $this -> db -> here('SectionID', $sectionum);
    $this -> db -> limit(1);
355
356
357
358
359
360
            query = this -> db -> get();
361
362
363
            if(squery \rightarrow num_rows() == 1)
364
365
366
              return $query->result();
367
368
369
            else
370
           {
371
              return false;
372
           }
373
374
         function record_subject($data) {
                  % This -> db -> select();
% this -> db -> from('subject');
% this -> db -> where('SubjectID', % data['SubjectID']);
% this -> db -> limit(1);
375
376
377
378
379
380
                   query = this -> db -> get();
381
                   \begin{array}{l} \mbox{if($query -> num\_rows() == 1)} \{ \\ $this->db->where(`SubjectID`, $data[`SubjectID`]); \\ $this->db->update(`subject', $data); \\ \end{array}
382
383
384
385
             else
386
387
                               $this->db->insert('subject', $data);
388
389
         function get_subjects_dropdown($sectionid){
```

```
\$ \, s \, q \, l \ = \ `SELECT \ sub \, . \, Subject ID \, , sub \, . \, Subject Name
391
                                                                 FROM subject as sub, section as sec, subject_section as ss WHERE sec.SectionID=ss.SectionID and ss.ID="'.$sectionid.'" AND sec.
392
393
                                                                            {\tt SchoolYear = sub.SchoolYear';}
394
395
                             query = \frac{\sinh - \sinh - \sinh + \sinh ( \sin q l )}{\sinh - \sinh ( \sin q l )};
396
397
                             if(query->num_rows()>0)
398
                                                return $query->result_array();
399
                             else
400
                                               return false;
401
402
403
             function get_subjects_dropdown2($sectionid){
                             404
405
407
408
                             $query = $this->db->query($sql);
409
                             \begin{array}{c} \mbox{if($query->num\_rows()>0)} \\ \mbox{return $$query->result\_array()$}; \end{array}
410
411
412
                             else
                                               return false:
413
414
415
416
             function get_subjects($schoolyear){
                             $sql = 'SELECT sub.SubjectName, sub.SubjectID, sub.Description, sub.Units FROM subject as sub WHERE sub.SchoolYear="'.$schoolyear.'";
418
419
420
                             421
422
                                                if(query->num_rows()>0){
423
                                                                 foreach($query->result_array() as $row)
$data[]= $row;
424
425
426
                                                                  return $data;
427
428
429
                                                                 return false;
430
432
          function count_subject() {
    return $this->db->count_all("subject");
433
434
           function view_subject($subjectnum){
435
                 sthis -> db -> select();
$this -> db -> from('subject');
$this -> db -> where('SubjectID', $subjectnum);
$this -> db -> limit(1);
436
437
438
440
                  $query = $this -> db -> get();
441
442
                  if ($query -> num_rows() == 1)
443
444
445
                      return $query->result();
446
447
448
                  else
449
450
                      return false;
451
                 }
452
             453
454
455
456
                             $query = $this->db->query($sql);
457
458
                             i\,f\,\left(\,\$\,q\,u\,e\,r\,y\,-\!\!>\!n\,u\,m\,\_\,r\,o\,w\,s\,\left(\,\right)\,==1\right)
459
                                               return true;
                             else
460
461
462
             463
464
465
466
                             $query = $this->db->query($sql);
467
                             if(squerv->num_rows()==1)
468
469
                                               return true;
470
                             else
471
                                               return false:
             function view_school_year($schoolyear,$id){
    if($id=="")
473
474
475
                                                $$\text{sql} = 'SELECT * FROM schoolyear_details WHERE Schoolyear= "'.\schoolyear.'" LIMIT
                             else
476
                                               \ representation of the second set of the second section of the second secon
477
                                                          $schoolyear.'" LIMIT 0,1';
```

```
479
                  $query = $this->db->query($sql);
480
481
                  i\,f\,\left(\,\$\,q\,u\,e\,r\,y\,-\!\!>\!n\,u\,m\,\_\,r\,o\,w\,s\,\left(\,\right)\,\!==\!\!1\right)
                             return true;
482
483
484
                             return false;
485

}
function get_subject_section($section_id){
    $sql = 'SELECT sub.SubjectName, ss.TeacherNum, sa.SALastName, sa.SAFirstName, sub.SubjectID, ss
    .ID, ss.SectionID, ss.Room, ss.Schedule
    FROM subject as sub, subject_section as ss, school_admin as sa
        WHERE sub.SubjectID = ss.SubjectID AND ss.SectionID="'.$section_id.'"
        AND ss.TeacherNum = sa.SANum';

486
487
489
490
492
                  493
                  if(squery \rightarrow num_rows() > 0)
494
495
                             return $query->result_array();
496
497
498
              return false;
499
500
        501
502
503
505
506
507
                  $query = $this->db->query($sql);
508
509
                  if(query \rightarrow num_rows() > 0)
510
                             return $query->result_array();
                  else
511
512
513
              return false;
514
515
        516
517
519
520
         \begin{array}{ll} function & \texttt{get\_sections\_for\_subject} \, (\,\$subject\_id\,) \, \{ \\ & \$sql = \, `SELECT \, \, sub. \, SubjectName \, , sa. \, SALastName \, , sa. \, SAFirstName \, , sub. \, SubjectID \, , ss. \, ID \, , ss. \, \\ & SectionID \, , sec. \, SectionName \, . \end{array} 
521
522
523
                                        FROM\ subject\ as\ subject\_section\ as\ ss, school\_admin\ as\ sa, section\ as
                                               sec
                                        WHERE sub.SubjectID = ss.SubjectID AND ss.SectionID = sec.SectionID AND ss
524
                                        . SubjectID = "'. $subject_id.
AND ss. TeacherNum = sa.SANum';
525
527
                  query = \frac{his}{\phi} - db - query(sql);
528
529
                  if(query \rightarrow num_rows() > 0)
530
                             return $query->result_array();
531
532
533
              return false:
534
535
        function edit_subject_section($data){
536
537
                  \$sql = `SELECT *
                                        FROM subject_section
WHERE ID="'.$data['ID'].'" LIMIT 0,1';
538
539
540
541
                  $query = $this->db->query($sql);
542
543
                  if(query->num_rows() ==1){
544
                             $this->db->where('ID', $data['ID']);
$this->db->update('subject_section', $data);
545
546
547
548
                  else{
549
                             return false;
550
551
552
        function record_subject_section($section_id,$data){
553
                  $sql = 'SELECT *
554
                                        FROM subject_section
555
                                        WHERE SubjectID="'.$data['SubjectID'].'" AND SectionID="'.$data['SectionID
556
557
558
                  $query = $this->db->query($sql);
559
                  if(query->num_rows() > 0){
560
561
562
                             $this->db->set('TeacherNum', $data['TeacherNum']);
$this->db->where('SubjectID', $data['SubjectID']);
563
564
```

```
$this->db->where('SectionID', $data['SectionID']);
$this->db->update('subject_section');
565
566
567
                    else {
if (!file_exists('uploads/'.$data['ID']) and !is_dir('uploads/'.$data['ID'])) {
mkdir('uploads/'.$data['ID'],0770);
568
569
570
571
                    if (!file_exists('uploads/'.$data['ID'].'/class') and !is_dir('uploads/'.$data['ID'].'/
572
                    class')) {
mkdir('uploads/'.$data['ID'].'/class',0770);
573
574
                    ; if (!file_exists('uploads/'.$data['ID'].'/portfolio') and !is_dir('uploads/'.$data['ID'].'/portfolio')) {
mkdir('uploads/'.$data['ID'].'/portfolio',0770);
575
576
577
         $this->db->insert('subject_section', $data);
578
579
         $this->db->insert('class_record', array('ClassID'=>$data['ID']));
580
581
         $sql = 'SELECT RecordID FROM class_record WHERE ClassID = "'. $data['ID'].'" LIMIT 0,1';
582
583
584
        $query = $this->db->query($sql);
585
         i\,f\,\left(\,\$\,q\,u\,e\,r\,y\,-\!\!>\!n\,u\,m\,\text{\_}\,r\,o\,w\,s\,\left(\,\right)\,==1\right)\{
586
                    $result = $query->result_array();
$record_id=$result[0]['RecordID'];
587
588
589
       $this->db->insert('grading-period', array('RecordID'=>$record_id, 'GradingPeriod'=>"1"));
$this->db->insert('grading-period', array('RecordID'=>$record_id, 'GradingPeriod'=>"2"));
$this->db->insert('grading_period', array('RecordID'=>$record_id, 'GradingPeriod'=>"3"));
$this->db->insert('grading_period', array('RecordID'=>$record_id, 'GradingPeriod'=>"3"));
591
592
593
594
595
596
597
598
       function count_subject_section(){
    return $this->db->count_all('subject_section');
599
600
       }
601
602
         function count_club(){
    return $this->db->count_all("club");
603
605
       }
606
607
         function record_club($data) {
                    % this -> db -> select();
% this -> db -> from('club');
% this -> db -> where('ClubID', %data['ClubID']);
% this -> db -> limit(1);
608
609
610
611
613
                    query = this -> db -> get();
614
                    \begin{array}{l} \mbox{if($query -> num\_rows() == 1)} \{ \\ \mbox{$this ->db->where('ClubID', $data['ClubID']);} \\ \mbox{$this ->db->update('club', $data);} \end{array}
616
617
618
619
              else
                                $this->db->insert('club', $data);
620
621
622
         623
624
                                            FROM club as cl, school_admin as sa WHERE cl.TeacherNum = sa.SANum';
625
626
627
                    $query = $this->db->query($sql);
628
                    629
630
631
                                return $data;
632
633
634
                    else
635
                                return false;
636
        function get_student_club($id){
637
                    $sql = 'SELECT cl. ClubID, cl. ClubName, cl. TeacherNum, sa. SALastName, sa. SAFirstName
638
                                            FROM club as cl, student as stud, club_members as mem, school_admin as sa WHERE stud. StudNum = mem. MemberID AND mem. ClubID=cl. ClubID AND stud. StudNum="'.$id.'"

AND cl. TeacherNum= sa.SANum';
639
640
641
                    \label{eq:query} $$ \sup = $ this -> db -> query( sql); $$ if( query -> num_rows() > 0) $$ foreach( query -> result_array() as $row) $$ $$
643
644
646
                                             $data[]= $row;
647
                                return $data;
648
                    else
649
650
                                return false;
651
        function get_teacher_club($id){
652
                    sql = SELECT cl. ClubID, cl. ClubName, cl. TeacherNum, sa. SALastName, sa. SAFirstName
```

```
FROM club as cl, school_admin as sa WHERE cl.TeacherNum = " '.$id.'" ';
654
655
656
657
             $query = $this->db->query($sql);
             if($query->num.rows() > 0){
   foreach($query->result_array() as $row)
658
659
                              $data[]= $row;
660
                     return $data;
661
662
             else
663
664
                     return false;
665
     function view_club($clubnum){
666
        $this -> db -> select();
$this -> db -> from('club');
$this -> db -> where('ClubID', $clubnum);
667
668
669
670
        $this -> db -> limit(1);
671
672
        $query = $this -> db -> get();
673
        if(squery \rightarrow num_rows() == 1)
674
675
676
677
          return $query->result();
678
679
        else
{
680
682
          return false;
683
684
      685
686
                              FROM club
687
                              WHERE ClubID="'.$clubid.'" AND TeacherNum="'.$teacherid.'"';
688
689
690
             query = \frac{\sinh - \sinh - \sinh - \sinh (sql)}{this}
691
692
        if ($query -> num_rows() == 1)
693
694
695
          return true;
696
697
698
699
700
          return false;
701
702
703
      704
705
707
             if ($this->db->count_all_results('club_members') < 3)
708
709
710 \\ 711
             else
                     return false;
      713
714
716
717
      function check_club_application($clubid,$studentid){
             718
719
720
721
722
             $result = $query->row_array();
723
724
725
             if (\$result ['count'] > 0)
726
                     return false;
727
             else
728
                     return true;
729
730
      function get_club_applications($clubid){
             $sql = 'SELECT club. ClubID, club. MemberID, club. Status, stud. SLastName, stud. SFirstName FROM club_application as club, student as stud WHERE club. ClubID = "'. $clubid.'" AND stud. StudNum = club. MemberID AND
731
732
733
                                   club.Status="Pending";
             $query = $this->db->query($sql);
734
             736
737
738
                              $data[]= $row;
739
                      return $data;
740
741
             else
742
743
                     return false;
```

```
744
745
746
         function change_status($clubid, $studentid, $status){
    if($status == 'Reject')
747
748
749
                                 $status='Not Approved';
750
751
                                 $status='Approved';
752
                    $this->db->set('Status', $status);
$this->db->where('ClubID', $clubid);
$this->db->where('MemberID', $studentid);
$this->db->update('club_application');
753
754
755
756
757
         if($status=='Approved'){
    $this -> db -> select();
    $this -> db -> from('club_members');
    $this -> db -> where('ClubID', $clubid);
    $this -> db -> where('MemberID', $studentid);
758
759
760
761
762
763
                    $this -> db -> limit(1);
764
765
                    $query = $this -> db -> get();
766
                    767
768
769
                                                                                    'Position'=>'Member',
'Status'=>'Active');
770
771
                                 $this->db->insert('club_members', $data);
772
773
                    }
\frac{775}{776}
          }
\frac{778}{779}
                    return true:
780
         function get_members($clubid){
781
                    $sql = SELECT club. ClubID, club. MemberID, club. Position, stud. SLastName, stud. SFirstName
782
                    FROM club_members as club, student as stud

WHERE club.ClubID = "'.$clubid.'" AND stud.StudNum = club.MemberID';

$query = $this->db->query($sql);
783
784
785
786
                    $query = $this->db->query($sql);
787
                    788
789
790
791
                                 return $data;
792
                     else
793
794
                                 return false;
795
         function delete_member($clubid,$studentid){
    $data = array('MemberID'=>$studentid,'ClubID'=>$clubid);
    $this->db->delete('club_members',$data);
    $this->db->delete('club_application',$data);
797
798
799
800
801
802
         function change_position($clubid,$memberid,$position){
    $this->db-> select();
    $this->db-> from('club_members');
    $this->db-> where('ClubID', $clubid);
    $this->db-> where('MemberID', $memberid);
    $this->db-> limit(1);
803
804
805
806
807
808
809
810
                    query = \frac{\sinh - \sinh - \sinh }{get()};
811
                    812
813
814
815
                                        Position'=>$position));
816
                                 return true;
817
                     else
818
                                 return false;
819
820
821
822
         function check_position($clubid,$memberid,$position){
823
                    $this ->db->select();
$this ->db->from('club_members');
824
825
                    %this->db->rrom('club_members');
%this->db->where('ClubID', %clubid);
%this->db->where('Position', %position);
%this->db->limit(1);
%query = %this->db -> get();
echo %query->num_rows();
827
828
829
830
831
832
                    if ($query->num_rows() == 1)
833
                                 return false;
834
```

```
835
                                                           return true;
836
837
838
                   function get_groups($schoolyear,$gradelevel){
    if($gradelevel=='NA')
    $sql = 'SELECT sub.SubjectName, sec.SectionName, sub.SubjectID, ss.ID
    FROM subject_section as ss, subject as sub, section as sec.
839
840
841
842
                                                                                  WHERE ss.SectionID=sec.SectionID AND ss.SubjectID = sub.SubjectID AND sec.SchoolYear="'.\schoolyear.'"';
843
844
845
                                     else
846
                                                            \$ \mathtt{sql} = \texttt{`SELECT} \ \mathtt{sub.SubjectName} \,, \mathtt{sec.SectionName} \,, \mathtt{sub.SubjectID} \,\,, \mathtt{ss.ID}
                                                                                  FROM subject_section as ss, subject as sub, section as sec WHERE ss.SectionID=sec.SectionID AND ss.SubjectID = sub.SubjectID AND sec.SchoolYear="'.\schoolyear.'" AND sec.GradeLevel="'.\sgradelevel"
847
848
849
                                    851
852
853
854
                                                            return $data;
855
856
                                      else
857
858
                                                           return false;
859
             860
862
863
865
866
                                     query = \frac{\t his}{\d db} = query(\sql);
                                     if($query->num-rows() > 0){
foreach($query->result() as $row)
867
868
869
                                                                                  $data[]= $row;
                                                            return $data:
870
871
872
                                      else
873
                                                           return false;
874
              875
876
877
                                                                                  WHERE ss.SectionID=sec.SectionID AND ss.SubjectID = sub.SubjectID
AND sa.SANum=ss.TeacherNum AND sa.SANum="'.$sanum.'" AND sec.SchoolYear
= "'.$schoolyear.'";
878
879
880
881
                                     query = \frac{1}{3} + \frac{1}{3} - \frac{1}{3
                                     882
884
                                                            return $data;
885
886
887
                                      else
                                                           return false;
888
889
              }
890
              function check_class_teacher($teacherid,$id){
891
892
                                     sql = SELECT *
                                                                                  FROM subject_section
893
                                                                                  WHERE TeacherNum = "'. $teacherid.'" AND ID="'. $id.'";
894
895
                                     $query = $this->db->query($sql);
896
897
898
                                     if(query->num_rows ==1)
899
                                                           return true;
900
901
                                                            return false;
902
903
              function check_class_adviser($teacherid,$id,$schoolyear){
904
905
                                      $sql = 'SELECT *
906
                                                                                  FROM section
                                                                                  WHERE TeacherNum = "'.$teacherid.'" AND SectionID = "'.$id.'" AND SchoolYear = "'.$schoolyear.'";
907
908
                                     $auerv = $this->db->auerv($sal);
909
910
911
                                     if ($query->num_rows ==1)
912
                                                            return true:
913
                                                           return false;
914
915
              function check_adviser($teacherid,$schoolyear){
916
917
918
                                     sql = 'SELECT *
919
                                                                                 FROM section
                                                                                  WHERE TeacherNum ="'.$teacherid.'" AND SchoolYear="'.$schoolyear.'";
920
921
```

```
$query = $this->db->query($sql);
922
923
924
                if (\$query->num\_rows ==1)\\
925
                          return true;
926
927
                          return false;
928
      function view_subject_section($id){
929
          $\this -> db -> \text{select();}
$\this -> db -> \text{from ('subject_section ');}
$\this -> db -> \text{where ('ID', $\text{id});}
$\this -> db -> \text{limit(1);}
930
931
933
934
935
          $query = $this -> db -> get();
936
          if ($query -> num_rows() == 1)
937
938
939
940
             return $query->result();
941
942
943
          else
944
            return false;
945
946
          }
947
       948
949
950
       }
951
      952
953
954
                                   FROM class_files
WHERE ClassID = "'. $id.'"';
955
956
957
958
                          \$sql = `SELECT *
                                   FROM class_files
WHERE ClassID="'.$id.'" LIMIT '.$start.','.$limit.'';
959
960
961
962
                query = \frac{\sinh - \sinh - \sinh ( \sin q l )}{\sinh - \sinh ( \sin q l )};
964
                if(query->num_rows()>0)
965
                foreach ($query->result () as $row)

$\data[]= $row;
966
967
968
                          return $data;
969
                else
970
                          return false;
972
       function count_class_files($id){
    $this->db->where('ClassID',$id);
973
975
976
                return $this->db->count_all_results('class_files');
977
978
      979
980
981
982
983
                984
985
986
                          return $data;
987
989
                 else
                          return false;
990
991
992
        function delete_class_file($id){
    $this->db->delete('class_files', array('FileID' => $id));
993
994
995
996
       function create_portfolio($data,$dir){
    $this->db->insert('portfolio',$data);
    $sql = 'SELECT MAX(PortfolioID) as count FROM portfolio';
    $query = $this->db->query($sql);
    if($query->num_rows()==1){
997
998
999
1000
1001
1002
                          foreach ($query->result() as $row)
                                    $count= $row->count;
1003
1004
1005
                mkdir($dir."/".$count,0770);
1006
                echo $dir;
1007
1008
1009
1010
        function get_portfolios($limit, $start, $classid, $studentid){
1011
                \$ s q l = `SELECT *
                                   FROM portfolio
1012
```

```
WHERE ClassID="'.\$classid.'" AND StudNum="'.\$studentid.'" LIMIT '.\$start .'', '.\$limit.'';
1013
                                                        query = \frac{1}{2} + \frac{1}{2
1014
1015
                                                        if ( query -> num_rows() > 0) 
1016
                                                        \begin{array}{ll} {\tt foreach}\,(\,\${\tt query}\!-\!\!>\!{\tt result}\,(\,) & {\tt as} & \${\tt row}\,) \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & \\ & & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & \\ & \\ & \\ & \\ & & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ & \\ &
1017
1018
                                                                                        return $data;
1019
1020
                                                        }
1021
1022
1023
                                                                                        return false:
1024
1025
                            function get_portfolio_name($name){
                                                        \$sql = "SELECT * FROM portfolio WHERE PortfolioName="".$name." LIMIT 0,1";
1026
1027
                                                        query = \frac{his}{-db} - query(sql);
1028
1029
1030
                                                        if ( $query -> num_rows ( ) ==1)
1031
                                                                                      return true;
                                                        else
1032
1033
                                                                                        return false;
1034
                           1035
1036
                           }
1037
1038
1039
                            function get_portfolio_files($limit='', $start='', $portfolio_id, $student_id){
1040
                                                        sql = SELECT *
                                                                                                                       *
FROM portfolio_files
WHERE PortfolioID="'.\$portfolio_id.'" AND UploaderID="'.\$student_id.'"
LIMIT '.\$start.','.\$limit.'';
1041
1042
1043
1044
                                                        query = \frac{\sinh - \sinh - \sinh - \sinh (sql)}{this}
1045
1046
                                                        if(\$query->num\_rows()>0){
                                                        foreach ($query->result () as $row)

$data[]= $row;
1047
1048
1049
                                                                                         return $data;
1050
1051
                                                         else
1052
                                                                                        return false;
1053
1054
                           function count_portfolio_files($portfolio_id,$student_id){
                                                        $this->db->where('PortfolioID', $portfolio_id);
$this->db->where('UploaderID', $student_id);
1055
1056
1057
1058
                                                        return $this->db->count_all_results('portfolio_files');
1059
1060
                           function count_portfolio($class_id,$student_id){
    $this->db->where('ClassID',$class_id);
    $this->db->where('StudNum',$student_id);
1061
1062
1063
1064
1065
1066
                                                        return $this->db->count_all_results('portfolio');
1067
                            function get_portfolio_file($file_id){
1068
                                                                                   'SELECT *

FROM portfolio_files

WHERE FileID = "'. $file_id.'"';
1069
                                                         $sql =
1070
1071
1072
                                                        $query = $this->db->query($sql);
1073
1074
                                                        i\,f\,\left(\,\$\,q\,u\,e\,r\,y\,-\!\!>\!n\,u\,m\,\_r\,o\,w\,s\,\left(\,\,\right)\,>\!0\,\right)\{
1075
                                                        foreach ($query->result () as $row)

$\data[]= $row;
1076
1077
1078
                                                                                        return $data:
1079
1080
                                                         else
1081
                                                                                        return false;
1082
                                                        }
1083
                              function delete_portfolio_file($id){
    $this->db->delete('portfolio_files', array('FileID' => $id));
1084
1085
1086
1087
                           1088
1089
1090
1091
1092
                           1093
1094
1095
1096
1097
                                                        if(squery->num_rows()==1)
1098
                                                                                      return true;
1099
                                                        else
                                                                                        return false:
1100
1101
```

```
1102
      1103
1104
1105
1106
            if ($query->num_rows()==1)
return_true;
1107
1108
1109
             else
                    return false;
1110
1111
1112
      function record_sy_details($data) {
1113
1114
            1115
1116
1117
                    $query = $this->db->query($sql);
1118
1119
1120
                    if(squery->num_rows()==1){
                            $array = $query->result_array();
$this->db->where('ID', $array[0]['ID']);
$this->db->update('schoolyear_details', array('Status'=>'Old'));
1121
1122
1123
            }
1124
1125
1126
            $this->db->insert('schoolyear_details',$data);
1127
1128
1129
      function record_no_classes($data) {
    $this->db->insert('no_classes',$data);
1130
1131
1132
1133
1134
      function check_in_date_range($date){
    $sql = 'SELECT DISTINCT Start, End FROM schoolyear_details WHERE "'.$date.'" between Start
    and End AND Status="Current"';
    $query = $this->db->query($sql);
1135
1136
1137
1138
1139
            if(\$query->num\_rows() ==1)
                    return true;
1140
1142
                    return false:
1143
1144
1145
       1146
1147
1148
             $query = $this->db->query($sql);
1150
            if(squery->num_rows() > 0)
1151
1152
                    return $query->result_array();
1153
            else
1154
1155
                    return false;
1156
      function check_no_classes($date){
    $sql = 'SELECT DISTINCT Start, End FROM no_classes WHERE "'.$date.'" between Start and End
    ';
1157
1158
1159
            $query = $this->db->query($sql);
1160
            if ($query->num_rows() ==1)
1161
1162
                    return true;
1163
             else{
                    return false:
1164
1165
1166
1167
      1168
1169
1170
1171
            1172
1173
1174
1175
1176
1177
1178
       1179
1180
1181
            1183
1184
1185
1186
1187
1188
1189
1190
       function edit_sy_details($data){
```

```
\$sql = `SELECT *
1191
                                  *FROM schoolyear_details
WHERE ID="'.$data['ID'].'" LIMIT 0,1';
1192
1193
1194
                $query = $this->db->query($sql);
1195
1196
                if ($query->num_rows() ==1){
1197
1198
                         $this->db->where('ID', $data['ID']);
1199
                         $this->db->update('schoolyear_details', $data);
1200
1201
1202
                if($data['Status']=='Current'){
    $sql ='SELECT * FROM schoolyear_details WHERE ID <>"'. $data['ID'].'" AND Status=
    "Current" LIMIT 0,1';
1203
1204
1205
1206
                         query = \frac{\sinh - \sinh - \sinh - \sinh ( \sin q l )}{\sin + \sinh - \sinh - \sinh ( \sin q l )};
1207
1208
                         if(\$query->num\_rows()==1){
                                   y->ndm:10ws()--1)(
$array = $query->result_array();
$this->db->where('ID', $array[0]['ID']);
$this->db->update('schoolyear_details', array('Status'=>'Old'));
1209
1210
1211
1212
                         }
1213
1214
                }
1215
       1216
                                  *FROM no_classes
WHERE ID="'.$data['ID'].'" LIMIT 0,1';
1218
1219
1220
                query = \frac{\sinh - \sinh - \sinh ( \sin q l )}{\sinh - \sinh ( \sin q l )};
1221
1222
1223
                if ($query->num_rows() ==1){
1224
1225
                         $this->db->where('ID', $data['ID']);
1226
                         $this->db->update('no-classes', $data);
1227
                }
1228
      }
1229
       \begin{array}{ll} function & get\_sy\_details\,()\,\{ \\ & \$sql = \mbox{'SELECT * FROM schoolyear\_details ';} \end{array} 
1230
1231
1232
                $query = $this->db->query($sql);
1233
1234
               1235
1236
1237
1238
1239
1240
1241
                                   else
1242
                                            $array['Old'][] = $data;
1243
                         return $array;
1244
1245
1246
                else
                         return false;
1247
1248
1249
      1250
1251
1252
1253
                $query = $this->db->query($sql);
1254
1255
                if ($query->num_rows()>0){
1256
1257
                return
                         $query->result_array();
1258
1259
1260
                else
                         return false;
1261
1262
1263
      1264
1265
1266
1267
                $query = $this->db->query($sql);
1268
                $array = array('Current', 'Old');
1269
1270
                if ($query->num_rows()>0){
1271
1272
                         return $query->result_array();
1273
                else
1274
1275
                         return false;
1276
1277
1278
      1279
1280
1281
                query = \frac{\sinh - \sinh - \sinh ( \sin q l )}{\sinh - \sinh ( \sin q l )};
```

```
1282
1283
              $array = array('Current','Old');
1284
              if(squery->num_rows()>0){
1285
1286
                      $arr = $query->result_array();
return $arr[0]['SchoolYear'];
1287
1288
1289
1290
                      return false:
1291
1292
1293
     1294
1295
1296
              1297
1298
              if(squery->num\_rows()>0){
1299
1300
                      return $query->result_array();
1301
1302
              else
1303
                      return false;
1304
1305
      function delete_sy($id){
1306
1307
              $this->db->delete('schoolyear_details', array('ID'=>$id));
1308
1309
1310
      function delete_no_classes($id){
1311
1312
              \theta = -db - delete('no_classes', array('ID' = + id));
1313
      }
1314
      1315
1316
1317
              $query = $this->db->query($sql);
1318
1319
1320
              if ($query->num_rows()>0){
1321
1322
1323
                      return $query->result_array();
1324
1325
              else
                      return false:
1326
1327
      1328
1329
1330
              $query = $this->db->query($sql);
1331
1332
1333
              if ($query->num_rows()>0){
1334
1335
1336
                      return $query->result_array();
1337
1338
              else
1339
                      return false;
1340
              n get_student_in_class($studnum){
$sql = 'SELECT StudNum, SLastName, SFirstName, SAddress, SGender, SBirthday, GradeLevel FROM student WHERE StudNum="'.\student"; ';
1341
1342
1343
              $query = $this->db->query($sql);
1344
1345
1346
              if ($query->num_rows()>0){
1347
1348
1349
                      return $query->result_array();
1350
              else
1351
1352
                      return false;
1353
1354
      function get_student_info($studnum){
             $sql = 'SELECT *
FROM student as s, guardian as g
WHERE StudNum="'.$studnum.'"';
1355
1356
1357
1358
1359
              query = \frac{\sinh - \sinh - \sinh - \sinh ( \sin q l )}{1};
1360
1361
1362
              if(squery->num_rows()>0){
1363
1364
                      return $query->result_array();
1365
              else
1366
1367
                      return false;
1368
      function get_students_in_year($sy,$gradelevel){
1369
```

```
\$sql = \text{`SELECT s.StudNum, s.SLastName, s.SFirstName, s.SectionID FROM student as s, section as sec WHERE s.SectionID = sec .SectionID}
1370
1371
                                   and sec.SchoolYear="'.$sy.'" and sec.GradeLevel = "'.$gradelevel.'"';
1372
                                  $query = $this->db->query($sql);
1373
1374
1375
1376
                                  if ($query->num_rows()>0){
1377
1378
                                                      return $query->result_array();
1379
1380
                                   else
                                                      return false:
1381
1382
1383
                function get_all_subject_section($sectionid){
1384
                                  "sql = 'SELECT' s.SubjectName, ss.SubjectID, ss.ID FROM subject_section as ss, subject as s
WHERE ss.SubjectID=s.SubjectID and ss.SectionID="'.$sectionid.'"';
$query = $this->db->query($sql);
1386
1387
1388
1389
                                   if(squery->num\_rows()>0)
1390
1391
                                                      return $query->result_array();
1392
                                   else
1393
1394
                                                      return false:
1395
1396
1397
1398
                 function get_total_grades_subject($sectionid,$id){
                                 $\text{$\sqrt{sectionid}, \sqrt{sid}}$\)
$\sqrt{$\sqrt{sectionid}, \sqrt{sid}}$\)
$\sqrt{$\sqrt{sectionid}, \sqrt{sid}}$\)
$\sqrt{$\sqrt{sectionid}, \sqrt{sectionid}, \sqrt{sid}}$\)
$\sqrt{$\sqrt{sectionid}, \sqrt{sectionid}, \sqrt{sectionid
1399
1400
1401
1402
                                  query = \frac{\sinh - \sinh - \sinh - \sinh (sql)}{this}
1403
1404
1405
                                   if (\$query->num\_rows()>0){\{}\\
1406
1407
                                                       return $query->result_array();
1408
1409
                                   else
1410
                                                       return false;
1411
              function get_student_all_grades($studnum){
1412
                                 n get_student_all_grades($studnum){
    sql = 'SELECT DISTINCT cr.ClassID,sum(sg.Score) as Score,sub.Units, sub.SubjectName
    FROM subject as sub, student as stud,subject_section as ss,class_record as cr,
        grading_period as gp,score_grading as sg

WHERE ss.SectionID=stud.SectionID and cr.ClassID=ss.ID and gp.RecordID = cr.RecordID and
        sg.GradingPeriodID=gp.GradingPeriodID

and sg.StudNum = stud.StudNum and sub.SubjectID = ss.SubjectID And stud.StudNum="'.
    $studnum.'" GROUP BY gp.RecordID';
1413
1414
1415
1416
1417
                                   $query = $this->db->query($sql);
1418
1419
1420
1421
                                   if(\$query->num\_rows()>0){
1422
1423
                                                        $arr=array();
1424
                                                                           $\footnote{\gamma}(),
$\quere\text{query->result_array}() as $\data){
$\arr[$\data['ClassID']] = \array("sum"=>$\data['Score']," units"=>$\data['Units']," subjectname"=>$\data['SubjectName']);
1425
1426
                                                       return $arr:
1427
1428
1429
                                   else
                                                      return false:
1430
1431
1432
              1433
1434
1435
                                                      sec.SectionName as SectionName
FROM subject as sub, student as stud, subject_section as ss, class_record as cr,
1436
1437
                                                      grading_period as gp,score_grading as sg, section as sec
WHERE ss.SectionID=stud.SectionID and cr.ClassID=ss.ID and gp.RecordID = cr.
1438
                                                                  Record ID \ and \ sg. \ Grading Period ID = gp. \ Grading Period ID
                                                      and sg.StudNum = stud.StudNum and sub.SubjectID = ss.SubjectID and sec.SectionID = ss.SectionID And stud.StudNum="'.\studnum.'" GROUP BY gp.RecordID) as x';
1439
1440
1441
                                  $query = $this->db->query($sql);
1442
1443
                                   if (\$query->num\_rows()>0){\{}\\
                                                      1444
1445
1446
1447
                                  }
```

```
1448
                   else
                             return false;
1449
1450
1451
       1452
1453
1454
                         Studnum as StudNum, stud. SLastName as SLastName, stud. SFirstName as SFirstName,
                             sec.SectionName as SectionName
FROM subject as sub, student as stud, subject_section as ss, class_record as cr,
grading_period as gp, score_grading as sg, section as sec
WHERE ss.SectionID=stud.SectionID and cr.ClassID=ss.ID and gp.RecordID = cr.
RecordID and sg.GradingPeriodID=gp.GradingPeriodID
1455
1456
1457
1458
                             and sg.StudNum = stud.StudNum and sub.SubjectID = ss.SubjectID and sec.SectionID = ss.SectionID And stud.StudNum="'.\studNum="'.\studNum.'" GROUP BY gp.RecordID) as x';
1459
                  query = \frac{\sinh - \sinh - \sinh - \sinh ( \sin q l )}{1};
1460
1461
1462
                  i\,f\,\left(\,\$\,q\,u\,er\,y\,-\!\!>\!n\,u\,m\,\_ro\,w\,s\,(\,)>\!0\right)\{
1463
                             y->num.rows()>0){

*arr = $query->result_array();

return array("sum"=>$arr[0]['total_sum']," units"=>$arr[0]['sub_unit']," studnum"=>

*arr[0]['StudNum']," name"=>$arr[0]['SLastName'].",". *arr[0]['SFirstName'],

"section"=>$arr[0]['SectionName']);
1464
1465
1466
1467
                   else
1468
1469
                              return false;
1470
1471
       function get_student_grade_per_subject($classid,$studnum,$section){ // get grades (1st,2nd,3rd,4th
1472
               per subject)

$sql = 'SELECT sg.StudNum, sg.Score, gp.GradingPeriod

FROM subject_section as ss, class_record as cr, grading_period as gp, score_grading as sg

WHERE ss.SectionID="Einstel314" and cr.ClassID=ss.ID and gp.RecordID = cr.RecordID and sg.

GradingPeriodID=gp.GradingPeriodID

'' ClassID="' $classid.'" and sg.StudNum = ''.$studnum.'"';
1473
1474
1475
1476
1477
1478
                   query = \frac{\sinh - \sinh - \sinh ( \sin q l )}{\sinh - \sinh ( \sin q l )};
1479
1480
1481
                  if(\$query->num\_rows()>0){
1482
1483
                             return $query->result_array();
1484
                   else
1485
1486
                             return false;
1487
1488
1489
       1490
1491
1492
1493
                  $query = $this->db->query($sql);
1494
1495
1496
1497
                  if(squery->num_rows()>0)
1498
                                       array();
                             1499
1500
1501
                              return $arr:
1502
1503
                   else
1504
                             return false:
1505
1506
1507
       function change_student_section($studnum, $section, $gradelevel){
1508
1509
                             'SELECT *
                                        FROM student
1510
                                         WHERE StudNum="'.$studnum.'" LIMIT 0,1';
1511
1512
1513
                  $query = $this->db->query($sql);
1514
1515
                   if(query->num_rows() ==1){
1516
                              1517
1518
1519
                  }
1520
1521
1523
1524
       function get_nutritional_status($sectionid){
                  sql = 'SELECT SLastName, SFirstName, SMidName, SBirthday, SWeight, SHeight, SGender, DateWeighed FROM student WHERE SectionID="'.'sectionid.'" GROUP BY SGender, SLastName';
1525
1526
1527
1528
                  1529
1530
```

```
1531
                  if( query->num_rows()>0) 
1532
1533
                             return $query->result_array();
1534
1535
                  else
1536
                             return false;
1537
1538
1539
       function get_guidance_form($sectionid){
                  $sql = 'SELECT s.SLastName, s.SFirstName, s.SMidName, S.SAddress, S.SBirthday, G.GLastName, G.GFirstName, S.StudNum, S.SReligion
1540
                 FROM student as s, guardian as g WHERE s. SectionID = "'. \sectionid.'" AND s. GuardianNum=g. GuardianNum GROUP BY s. SGender, s. SLastName';
1541
1542
1543
                  1544
1545
1546
                  if ( query -> num_rows() > 0) 
1547
1548
                             return $query->result_array();
1549
1550
                  else
1551
                             return false:
1552
1553
1554
       function get_attendance($start,$end,$sectionid){
    $sql = 'SELECT S.StudNum,a.Date,a.Type FROM student as s, attendance as a
    WHERE s.StudNum = a.StudNum AND s.SectionID="'.$sectionid.'" AND a.Date <= "'.$send.'" AND
    a.Date >= "'.$start.'"';
1555
1556
1557
1558
                  query = \frac{\sinh - \sinh - \sinh ( \sin q l )}{\sinh - \sinh ( \sin q l )};
1559
1560
1561
                  if(squery->num_rows()>0)
                             1562
1563
1564
1565
1566
1567
                             return $array;
1568
1569
                  else
1570
                             return false:
1571
1572
       function count_absences($start,$end,$sectionid){
    $sql = 'SELECT S.StudNum,count(a.Date) as count,a.Type FROM student as s, attendance as a WHERE s.SectionID="'.'.$sectionid.'" AND s.StudNum = a.StudNum AND a.Date <= "'..$end.'" AND a.Date >= "'..$start.'" AND a.Type="Absent" || a.Type="Tardy" GROUP BY a.StudNum';
1573
1574
1575
1576
1577
                  query = \frac{his}{\phi}
1578
1579
                  if(\$query->num\_rows()>0){
                             1580
1581
1582
1583
1584
                             return $array;
1585
1586
1587
                  else
                             return false:
1588
1589
       1590
1591
1592
1593
1594
                  query = \frac{\sinh - \sinh - \sinh + \sinh ( \sin q l )}{\sinh - \sinh ( \sin q l )};
1595
                  if ($query->num_rows()>0){
1596
1597
                             $array = array();
                             1598
1599
1600
1601
1602
                             return $array;
1603
1604
1605
                             return false;
1606
1607
1608
       function \ count\_absences\_stud\left(\,\$start\,\,,\$end\,\,,\$studnum\,\right)\{
                  $sql = 'SELECT S.StudNum,count(a.Date) as count FROM student as s, attendance as a
WHERE s.studnum="'.$studnum.'" AND s.StudNum = a.StudNum AND a.Date <= "'.$end.'" AND a.
Date >= "'.$start.'" AND a.Type="Absent" GROUP BY a.StudNum';
1609
1610
1611
                  query = \frac{\sinh - \sinh - \sinh - \sinh ( \sin q l )}{\sinh - \sinh ( \sin q l )};
1612
1613
                  if(squery->num_rows()>0)
1614
                             $arr =$query->result_array();
1615
```

```
return $arr[0]['count'];
1616
1617
1618
                  else
1619
                            return false;
1620
       function count_tardiness_stud($start,$end,$studnum){
    $sql = 'SELECT S.StudNum,count(a.Date) as count FROM student as s, attendance as a
    WHERE s.studnum="'.$studnum.'" AND s.StudNum = a.StudNum AND a.Date <= "'.$end.'" AND a.
    Date >= "'.$start.'" AND a.Type="Tardy" GROUP BY a.StudNum';
1621
1622
1623
1624
1625
                  query = \frac{\sinh - \sinh - \sinh - \sinh (sql)}{this}
1626
1627
                  if(squery->num_rows()>0)
                            $arr =$query->result_array();
return $arr[0]['count'];
1628
1629
1630
1631
1632
                            return false;
1633
       function top_students_per_subject($gradingperiodid){
1634
1635
1636
       function get_grading_period($gpid){
    $sql = 'SELECT GradingPeriod FROM grading_period
    WHERE GradingPeriodID="'.$gpid.'"';
1637
1638
1639
1640
                  1641
1642
                  1643
1644
1645
1646
1647
1648
                            return false;
1649
       1650
1651
1652
1653
       if ($query->num_rows()>0){
1654
                            return $query->result_array();
1655
1656
1657
                  else
1658
                            return false;
1659
1660
1661
       ?>
       <?php
       Class Section_Model extends CI_Model {
    function get_section_details($id,$schoolyear){
  3
                            6
  8
  9
  10
                            query = \frac{his}{-db} - query(sql);
  11
  12
                             if (\$query->num\_rows()>0)\\
  13
                                       return $query->result_array();
  14
                             else
  15
  16
                  function get_section_by_sectionid($id, $schoolyear){
  17
                            sq1 = \ 'SELECT\ s.SectionID\ ,s.SectionName\ ,s.GradeLevel\ ,s.NumStud\ ,s.Room\ ,sa.SAFirstName\ ,sa.SALastName
  19
                                                 FROM section as s, school_admin as sa WHERE s.TeacherNum =sa.SANum AND s.SectionID="'.$id.'" AND s.SchoolYear="'.$schoolyear
  20
  ^{21}
                            22
  23
  24
                            i\,f\,(\,\$query\!-\!\!>\!\!num\_rows\,(\,)>\!\!0)
                                       return $query->result_array();
  25
  26
                                       return false:
  27
  28
  29
                  function get_section_by_classid($id){
  30
                            \label{eq:selection} \$sql = \mbox{`SELECT s.SectionID} \ , s. SectionName \ , s. GradeLevel \ , s. NumStud \ , s. Room \\ FROM \ subject \ , section \ as \ ss \ , \ section \ as \ s \ WHERE \ s. SectionID \ =ss \ . \\ SectionID \ AND \ ss \ .ID = " \ '. \$id \ .'" \ ';
  31
  32
  33
  34
                            query = \frac{his}{db} = query(sql);
  35
                             if(query->num_rows()>0)
  37
                                       return $query->result_array();
  38
                             else
                                       return false;
```

```
40
                 function get_all_section(\$gradelevel,\$schoolyear)\{
41
42
                            sql = SELECT s.SectionID, s.SectionName, s.GradeLevel, s.NumStud, s.Room
43
                                                  FROM section as s
44
                                                  WHERE s.GradeLevel="'.$gradelevel.'" AND s.SchoolYear="'.
45
                                                        $schoolyear.'";
46
47
                            query = \frac{his}{-db} - query(sql);
48
49
                            if(query->num_rows()>0)
50
                                       return $query->result_array();
                            else
51
52
                                       return false;
53
                 function get_subjects($id){
54
55
                 $sql = 'SELECT sub.SubjectName, ss.ID
                                                 FROM section as sec, subject_section as ss, subject as sub WHERE sec.SectionID = ss.SectionID AND sec.SectionID = '.' $id.'" AND
56
57
                                                         sub.SubjectID=ss.SubjectID';
58
59
                            $query = $this->db->query($sql);
60
                            i\,f\,(\,\$query\!-\!\!>\!\!num\_rows\,(\,)>\!0)
61
62
                                       return $query->result_array();
63
                            else
                                       return false:
64
      }
66
       \begin{array}{ll} function & view\_grades (\$sectionid) \{ \\ & \$sql2 = \text{`SELECT DISTINCT } r. ClassID \ , r. RecordID \ , sub \ . SubjectName \\ \end{array} 
67
                                      FROM subject as sub, student as stud, class_record as r,student_section as ss, subject_section as subsec

WHERE ss.SectionID=subsec.SectionID

AND r.ClassID = subsec.ID AND sub.
69
70
                 SubjectID = subsec.SubjectID';
$query2 = $this->db->query($sql2);
71
72
                 $result2 = $query2->result_array();
73
74
                 75
76
77
78
79
80
81
82
                            i\,f\,(\,\$\mathrm{query}\,3-\!\!>\!\!\mathrm{num\_rows}\,(\,)>\!0)\,\{
83
                                       85
86
87
88
                                                  $i++;
89
                                       }
90
91
92
93
       }
94
      function get_all_students($sectionid,$schoolyear){
    $sql = 'SELECT stud.StudNum,stud.SLastName,stud.SFirstName,stud.SMidName,stud.SGender
    FROM student as stud,section as s
    WHERE s.SectionID=stud.SectionID and s.SchoolYear="'.$schoolyear.'" and s.
    SectionID="'.$sectionid.'"
95
96
97
98
                 ORDER BY stud .SGender, stud .SLastName';

$query = $this ->db->query($sql);
99
100
                 if($query->num_rows()>0)
    return $query->result_array();
102
103
104
105
                            return false;
106
       }
107
      function get_attendance($studnum,$date){
108
                 $array = array();
```

```
110
111
112
113
115
116
                                                                                                                                                                                                                                                                                                                                                                                                                     AttendanceID
                                                                                                                                                                                                                                                                                                                                                                                                                      '=>
                                                                                                                                                                                                                                                                                                                                                                                                                     $row['
                                                                                                                                                                                                                                                                                                                                                                                                                     AttendanceID
                                                                                                                                                                                                                                                                                                                                                                                                                        ']);
117
118
                                                                                      }
119
                                                     }
121
122
                   }
124
                    return $array;
125
126
                   }
127
128
                    function record_attendance($data) {
                                                    Strike Teach and the strike and a strik
129
130
132
133
                                                     query = this -> db -> get();
135
136
137
                                                      if ($query -> num_rows() == 1) {
138
                                                    $this -> db -> where('StudNum', $data['StudNum']);
$this -> db -> where('Date', $data['Date']);
if($data['Type']!=="")
139
140
141
                                                                                       $this ->db->update('attendance', $data);
142
143
                                                                                      $this->db->delete('attendance');
144
146
147
148
                                                        f ($data['Type']!=="")
149
                                                                                                                        $this ->db->insert ('attendance', $data);
150
151
152
153
                                    }
154
155
                        }
                         \begin{array}{ll} function & \texttt{get\_section\_name\_gp(\$gradingperiod)\{} \\ & \$sql & = \texttt{`SELECT} \ s.\ SectionID\ , s.\ SectionName\ , s.\ GradeLevel\ , \texttt{gp.}\ GradingPeriod\ , sa.\ SALastName\ , sa.\ & \texttt{SaLastName\ )} \\ \end{array} 
157
158
                                                                       SAFirstName
159
                                                                                                 FROM \ grading\_period \ as \ gp, section \ as \ s, class\_record \ as \ cr, subject\_section \ as \ ss
                                                                                                 , school_admin as sa

WHERE gp. GradingPeriodID = "'.$gradingperiod.'" AND cr. ClassID = ss.ID AND gp.

RecordID = cr. RecordID AND s. SectionID=ss.SectionID
160
161
                                                                                             AND ss.TeacherNum=sa.SANum';
                                                      query = \frac{his}{db}-query(\frac{sql}{sql});
162
163
164
                                                     if(query->num_rows()>0)
165
                                                                                       return $query->result_array();
                                                      else
166
167
                                                                                      return false;
168
169
170
                    function get_class_id_gp($id){
171
                                                      $sql = 'SELECT cr. ClassID
172
                                                                                                 FROM grading-period as gp, section as s, class_record as cr, subject_section as ss WHERE gp. GradingPeriodID="'.\$id.'" AND cr.ClassID = ss.ID AND gp.RecordID = cr. RecordID AND s.SectionID=ss.SectionID';
173
174
175
                                                     query = \frac{\sinh - \sinh - \sinh + \sinh ( \sin q l )}{\sinh - \sinh ( \sin q l )};
176
                                                      if(\$query->num\_rows()>0)
177
178
                                                                                      return $query->result_array();
                                                      else
179
180
                                                                                      return false;
181
182
                        \begin{array}{ll} function & \texttt{get\_section\_grade} (\, \$sectionid \,) \, \{ \\ & \$sql & = \text{`SELECT DISTINCT s. GradeLevel} \end{array}
184
185
                                                     FROM section as s
WHERE s.SectionID = "'.\sectionid.'"';
\( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( \) \( 
187
188
189
                                                      if(\$query->num\_rows()>0)
190
191
                                                                                      return $query->result_array()[0]['GradeLevel'];
```

```
192
                         else
                                         return false;
193
194
195
196
197
   2
         <?php
         Class Student extends CI_Model{
   3
           function record($data,$login_detail="") {
                        $\fint \text{ this -> db -> select();}
$\fint \text{ this -> db -> from ('student');}
$\fint \text{ this -> db -> where ('StudNum', $\fint \text{ data ['StudNum']);}
$\fint \text{ this -> db -> limit(1);}
$
   6
   8
   9
  10
                         $query = $this -> db -> get();
 11
                         \begin{array}{l} \mbox{if($query -> num\_rows() == 1)} \{ \\ \mbox{$$ $this -> db -> where('StudNum', $$data['StudNum'])$;} \\ \mbox{$$ $$ $$ $$ $this -> db -> update('student', $$data)$;} \end{array}
 13
 14
 15
 16
               else {
 17
  18
                    $this->db->insert ('student', $data);
                   19
 20
 ^{21}
 22
 23
 24
25
 26
                                         $this->db->insert('login_details', $login_details);
mkdir('uploads/'.$data['StudNum'],0770);
mkdir('uploads/'.$data['StudNum'].'/clearance',0770);
mkdir('uploads/'.$data['StudNum'].'/files',0770);
mkdir('uploads/'.$data['StudNum'].'/extra_act',0770);
 27
 28
 29
 30
 31
 32
 33
 34
 35
            function edit($data) {
    $this -> db -> select();
    $this >> db -> from('student');
    $this -> db -> where('ID', $data['ID']);
    $this -> db -> limit(1);
 36
 37
 38
 39
 40
 41
                         $query = $this -> db -> get();
 42
 43
                         \begin{array}{l} \mbox{if($query -> num.rows() == 1)} \{ \\ \mbox{$this ->db->where('ID', $data['ID']);} \\ \mbox{$this ->db->update('student', $data);} \end{array}
 44
 45
 46
 47
 48
           function edit_by_studnum($data) {
    $this -> db -> select();
    $this -> db -> from('student');
    $this -> db -> where('StudNum', $data['StudNum']);
    $this -> db -> limit(1);
 50
 51
 52
 53
 55
                         query = this -> db -> get();
 56
                         \begin{array}{l} \mbox{if($query -> num\_rows() == 1)} \{ \\ \mbox{$this ->db->where('StudNum', $data['StudNum']);} \\ \mbox{$this ->db->update('student', $data);} \end{array}
 58
 59
 60
 61
                         }
 62
 63
 64
           function view($studnum){
 65
 66
                         $record_sql ='select 1
                                                                         \begin{array}{ll} FROM \  \, student \  \, as \  \, stud \, , \  \, section \  \, as \  \, sec \  \, WHERE \  \, sec \, . \, SectionID \  \, = \  \, stud \, . \\ SectionID \  \, AND \  \, stud \, . \, StudNum = " \, . \, `studnum \, . \, `" \, \, '; \end{array} 
 67
 68
 69
                                                                         $query_record = $this->db->query($record_sql);
 70
                                                         71
 72
 73
                                                         }
                                                                         else
 74
                                                                                         $sql = 'SELECT * FROM student as stud WHERE stud.StudNum
="'.$studnum.'"':
 75
 76
 77
 78
 80
               query = \frac{his}{db} = query(sql);
 81
                if ($query -> num_rows() == 1) {
```

```
83
                      return $query->result();
 84
 85
                  else
 86
                     return false;
                 }
 87
 88
             89
 90
 91
                             query\_record = \\his->db->query(\\srecord\_sql);
 92
 93
 94
                             if (\$query\_record -> num\_rows() == 1){} \\
 95
                                               return true:
 96
 97
                             else
 98
                                               return false;
 99
100
           function get_students_enrolled($grade, $school_year){
101
                             \$sql \ = \ `SELECT \ stud.StudNum, stud.SLastName, stud.SFirstName, stud.GradeLevel, stud.SMidName \ `StudNum, stud.ShidName, stud.SpringshidName \ `StudNum, stud.ShidName, stud.SpringshidName, st
103
                                                                FROM student as stud, section as sec
WHERE stud. SectionID = sec. SectionID AND stud. Status="E" AND stud.
GradeLevel = "'.$grade.'" AND sec. SchoolYear="'.$school_year.'";
104
105
106
                             107
                             \begin{array}{c} \mbox{if($query->num\_rows()>0)} \\ \mbox{return $$query->result\_array()$}; \end{array}
108
109
110
                             else
111
                                               return false;
113
114
115
           function get_students_graduated($year){
116
                             sql = SELECT stud.StudNum, stud.SLastName, stud.SFirstName, stud.SMidName, stud.
117
                                       YearGraduated
                                                                FROM student as stud
118
                                                                 WHERE stud.Status="G" AND stud.YearGraduated="'.$year.'"';
119
120
                             121
122
                             if(squery->num\_rows()>0)
123
                                               return $query->result_array();
124
                             else
125
                                               return false;
126
127
128
          function get_students_not_enrolled($grade) {
    if($grade !='NA') {
        $sql = 'SELECT DISTINCT stud.StudNum, stud.SLastName, stud.SFirstName, stud.
129
130
131
                                                         GradeLevel, stud. SMidName
132
                                                                 FROM student as stud, section as sec
                                                                WHERE stud.SectionID = sec.SectionID AND stud.Status="NE" AND stud.
GradeLevel = "'.$grade.'";
133
134
135
                                               sql = SELECT DISTINCT stud.StudNum, stud.SLastName, stud.SFirstName, stud.
136
                                                         GradeLevel, stud.SMidName
FROM student as stud
WHERE stud.Status="NE";
137
138
139
140
141
142
                             143
144
                             if(query->num_rows()>0)
145
                                                return $query->result_array();
                             else
146
147
                                               return false;
148
149
150
           function get_students($grade){
151
152
153
                             query =   this ->db->get_where ("student", array ('GradeLevel' => $grade));
                             if($query->num_rows() > 0){
    foreach($query->result() as $row)
154
155
156
                                                                 $data[]= $row;
                                               return $data;
157
158
                             else
159
                                               return false;
160
162
163
           function get_all(){
164
                            165
166
167
168
169
```

```
170
                          return $data:
171
                 else
                          return false;
173
174
      function count_all(){
176
177
178
                return $this->db->count_all("student");
179
180
181
      function count_students($grade){
182
                $this->db->where('GradeLevel', $grade);
$this->db->from('student');
183
184
185
186
                return $this->db->count_all_results();
187
188
      }
189
      function check_club_member($clubid,$studentid){
190
      $sql = 'SELECT *
191
                                    \label{lem:from_club_members} $$ WHERE\ ClubID="'.$clubid.'" AND\ MemberID="'.$studentid.'"'; 
192
193
194
195
                196
          if(squery \rightarrow num_rows() == 1){
198
199
            return true;
200
201
202
203
          {
            return false:
204
205
206
207
208
       function check_class_member($id,$studentid){
      209
210
211
212
213
                query = \frac{\sinh - \sinh - \sinh - \sinh (sql)}{this}
214
215
          if ($query -> num_rows() ==1){
^{216}
            return true:
217
218
219
220
          else
221
          {
222
            return false;
          }
223
224
      function get_students_subjects($id){
$sql = 'SELECT DISTINCT stud.SLastName, stud.SFirstName, stud.StudNum
225
226
                                    FROM student as stud, subject_section as ss
WHERE stud.SectionID = ss.SectionID AND ss.ID = "'.$id.'"';
227
228
229
230
                231
232
                if ($query->num_rows() > 0){
                          foreach($query->result() as $row)

$data[]= $row;
233
234
                          return $data;
235
236
237
                else
238
                          return false;
239
       240
241
                                    FROM student as stud, section as ss       WHERE \ stud. SectionID = ss. SectionID \ AND \ ss. SectionID = "'.$id.'"'; 
242
243
244
                query = \frac{his}{db} - query(sql);
245
246
                \begin{array}{l} \mbox{if} \mbox{($query->num.rows() > 0)} \mbox{\{} \\ \mbox{foreach} \mbox{($query->result() as $row)$} \\ \mbox{$$\$data[]= $row;$} \end{array}
247
248
249
250
                          return $data;
251
252
                          return false;
253
254
255
       function get_offenses($studentid,$schoolyear){
                n get.offenses(\studentia,\scnoolyear){
\delta}
\$sql = \cdot \setminus \text{SELECT} \text{ off. DateCreated, sa.} \
SAFirstName, sa. \sALastName, \text{ off. OffenseID}
256
                                    FROM offense_property as off, school_admin as sa
WHERE StudNum="'.\studentid.'" AND off.SchoolYear = "'.\schoolyear.'" AND
off.PersonnelID=sa.SANum ORDER BY DateCreated';
257
258
```

```
259
                  $query = $this->db->query($sql);
260
261
                  if(\$query->num\_rows()>0)
                             return $query->result_array();
262
263
264
                              return false;
265
266
        function record_offenses($data){
267
                  \theta = \sinh(\theta) + \sinh(\theta)
268
269
270
        function record_offenses_guidance($data){
271
272
                  this-db-insert('offense-guidance', this);
273
274
        function edit_offenses($data){
276
                  % this -> db -> select();
% this -> db -> from('offense_property');
% this -> db -> where('OffenseID', %data['OffenseID']);
277
278
279
                  $this -> db -> limit(1);
280
281
                  $query = $this -> db -> get();
282
283
                   \begin{array}{l} \mbox{if (\$query -> num\_rows() == 1)} \{ \\ \mbox{\$this -> db -> where('OffenseID', \$data['OffenseID'])}; \\ \mbox{\$this ->db->update('offense\_property', \$data)}; \\ \end{array} 
284
285
286
287
288
289
        function edit_offenses_guidance($data){
290
                  n edit.offenses.guidance(sdata){
$this -> db -> select();
$this -> db -> from('offense_guidance');
$this -> db -> where('OffenseID', $data['OffenseID']);
$this -> db -> limit(1);
291
292
293
294
295
                  $query = $this -> db -> get();
296
                   \begin{array}{ll} \mbox{if($query -> num.rows() == 1)} \{ & \mbox{$this -> db -> where('OffenseID', $data['OffenseID'])}; \\ \mbox{$this -> db -> update('offense\_guidance', $data);} \end{array} 
298
299
301
302
303
        304
305
306
        function delete_guidance_offenses($id){
    $this->db->delete('offense_guidance', array('OffenseID' => $id));
307
309
        310
                  $sql = 'SELEC.
OffenseID
                                        FROM offense_guidance as off, school_admin as sa
WHERE StudNum="'.\$studentid.'" AND off.SchoolYear = "'.\$schoolyear.'" AND
off.PersonnelID=sa.SANum ORDER BY DateCreated';
312
314
                  query = \frac{his}{db} = query(\frac{sql}{sql});
316
                  if($query->num_rows()>0)
    return $query->result_array();
317
                  else
318
                             return false:
319
320
        321
322
                                        FROM offense_guidance as off, school_admin as sa, student as stud
WHERE stud.StudNum=off.StudNum AND off.SchoolYear = "'.\schoolyear.'" AND
off.PersonnelID=sa.SANum ORDER BY off.DateCreated';
323
324
325
                  $query = $this->db->query($sql);
326
327
                  if(\$query->num\_rows()>0)
328
                             return $query->result_array();
329
330
                             return false;
331
        function get_all_offenses_gl($schoolyear,$gradelevel){
333
                  if ( $gradelevel=="All")
334
                              $sql = 'SELECT off.StudNum, off.Equipment, off.NoEquipment, off.Status, off.
                                    DateCreated , sa . SAFirstName , sa . SALastName , off . OffenseID , stud . SFirstName , stud . SLastName , stud . GradeLevel
                                        FROM offense_property as off, school_admin as sa, student as stud WHERE stud.StudNum=off.StudNum AND off.SchoolYear = "'.\schooly off.PersonnelID=sa.SANum ORDER BY stud.DateCreated';
                                                                                                                       .$schoolyear.'" AND
337
                  else
338
                             $sql = 'SELECT off.StudNum, off.Equipment, off.NoEquipment, off.Status, off.DateCreated, sa.SAFirstName, sa.SALastName, off.OffenseID, stud.SFirstName, stud.
339
                                    SLastName, stud. GradeLevel
                                        FROM offense_property as off, school_admin as sa, student as stud
340
```

```
WHERE stud.StudNum=off.StudNum AND stud.GradeLevel="'.$gradelevel.'" AND off.SchoolYear = "'.$schoolyear.'" AND off.PersonnelID=sa.SANum ORDER BY stud.DateCreated';
341
342
                    query = \frac{\sinh - \sinh - \sinh - \sinh + \sinh (\sinh \sin \theta)}{\sinh + \sinh (\sinh \sin \theta)};
343
                    if(\$query->num\_rows()>0)
344
345
                                return $query->result_array();
346
347
348
349
                    n get_all_guidance_gl($schoolyear,$gradelevel){
if($gradelevel=="All")
$sql = 'SELECT off.StudNum,off.Offense,off.DateCreated,sa.SAFirstName,sa.
350
         function
351
                                       SALastName, off.OffenseID, stud.SFirstName, stud.SLastName, stud.GradeLevel FROM offense_guidance as off, school_admin as sa, student as stud WHERE stud.StudNum=off.StudNum AND off.SchoolYear = "'.$schoolyear.'" AND off.PersonneIID=sa.SANum ORDER BY off.DateCreated';
353
354
                    else
355
                                356
357
358
359
                    \label{eq:query} $$ query = $this->db->query($sql); $$ if($query->num_rows()>0) $$
360
                                return $query->result_array();
362
363
364
365
         function get_all_offenses($schoolyear){
366
367
                    $sql = 'SELECT off.StudNum, off.Equipment, off.NoEquipment, off.Status, off.DateCreated, sa
                          = 'SELECT' off.StudNum, off.Equipment, off.NoEquipment, off.Status, off.DateCreated, sa.

SAFirstName, sa.SALastName, off.OffenseID, stud.SFirstName, stud.SLastName, stud.GradeLevel
FROM offense.property as off, school_admin as sa,student as stud
WHERE stud.StudNum=off.StudNum AND off.SchoolYear = "'.$schoolyear.'" AND
off.PersonnelID=sa.SANum ORDER BY stud.DateCreated';
368
369
370
                    query = \frac{his}{db} = query( sql);
371
372
                    if (\$query->num\_rows()>0)
373
                                return $query->result_array();
374
                    else
375
                                return false;
376
377
         function get_clearance($studentid,$schoolyear){
378
                    379
380
381
382
383
                    if (\$query->num\_rows()>0)
384
                                return $query->result_array();
385
386
                    else
387
                                return false;
388
389
         function check_clearance2($studentid,$schoolyear,$clearancefor,$teachernum){
390
                    $sql = 'SELECT DISTINCT clear.ClearanceFor, clear.Status, clear.ClearanceID, clear.Date, clear
391
                           .ApprovedBy,sa.SAFirstName,sa.SALastName
FROM clearance as clear,school_admin as sa
                                            WHERE sa .SANum=clear .ApprovedBy AND clear .StudNum="'.$studentid.'" AND clear .Schoolyear = "'.$schoolyear.'" AND clear .ClearanceFor="'.$clearanceFor.'" AND clear .ApprovedBy = "'.$teachernum.'" ';
393
394
395
396
397
                    query = \frac{\sinh - \sinh - \sinh - \sinh \sin (\sinh \sin x)}{\sinh - \sinh \sin x}
398
                    if(\$query->num\_rows()>0){
399
                                $arr = $query->result_array();
400
                                return array('TeacherName'=>$arr[0]['SAFirstName']." ".$arr[0]['SALastName'],
401
                                       ClearanceFor'=>$arr[0]['ClearanceFor'], 'Status'=>$arr[0]['Status'], 'ClearanceID'=>$arr[0]['ClearanceID'], 'ApprovedBy'=>$arr[0]['ApprovedBy']);
402
403
                    else
                                return false:
404
406
         function check_clearance3($studentid,$schoolyear,$clearancefor){
407
                    $sql = 'SELECT DISTINCT clear. ClearanceFor, clear. Status, clear. ClearanceID, clear. Date, clear
                           . ApprovedBy, sa. SAFirstName, sa. SALastName
FROM clearance as clear, school_admin as sa
409
                                            WHERE sa.SANum=clear.ApprovedBy AND clear.StudNum="'.$studentid.'" AND clear.SchoolYear = "'.$schoolyear.'" AND clear.ClearanceFor="'.
410
                                                   clear.SchoolYear =
$clearancefor.'";
411
                    \label{eq:query} $$\sup = $this->db->query($sql);$ if ($query->num-rows()>0){} 
412
413
```

```
414
                               $arr = $query->result_array();
415
                               return array ('TeacherName'=>$arr[0]['SAFirstName']." ".$arr[0]['SALastName'],'
ClearanceFor'=>$arr[0]['ClearanceFor'],'Status'=>$arr[0]['Status'],'
ClearanceID'=>$arr[0]['ClearanceID'],'ApprovedBy'=>$arr[0]['ApprovedBy']);
416
417
                   }
else
418
419
                              return false;
420
        421
                         Clear ance For\ ,\ clear\ .\ Date\ ,\ clear\ .\ Status\ ,\ clear\ .\ File Name\ ,\ clear\ .\ File URL\ ,\ sa\ .\ SAL ast Name\ ,\ sa\ .\ SAFirst Name\ ,\ port\ .\ Port folio Name
                     FROM clearance as clear, school-admin as sa, portfolio as port

WHERE clear. ClearanceID="'.\school-admin as sa, portfolio as port

PortfolioID="0", clear. PortfolioID="0", port. PortfolioID=clear. PortfolioID) LIMIT
424
425
                   $query = $this->db->query($sql);
426
427
                   \begin{array}{l} \label{eq:continuous} \mbox{if($query->num\_rows()>0)} \{ \\ \mbox{return $$query->result\_array()$;} \end{array}
428
429
430
431
                   else
432
                              return false;
433
        function get_extra($studentid,$schoolyear){
    $sql = 'SELECT extra.StudNum,extra.Description,extra.Recognition,extra.Status,sa.
    SAFirstName,sa.SALastName,extra.ActivityID,extra.Date,extra.AddedBy
434
                                          FROM extra_activity as extra, school_admin as sa
WHERE extra.StudNum="'.\studentid.'" AND extra.Schoolyear="'.\schoolyear
.'" AND extra.ApprovedBy =sa.SANum ORDER BY DateCreated';
436
437
438
                   query = \frac{db}{db} = \frac{sql}{sql}
439
                   if($query->num_rows()>0)
    return $query->result_array();
440
441
442
                              return false:
443
444
        445
446
447
448
449
                   $query = $this->db->query($sql);
450
451
                   if(\$query->num\_rows()>0)
                              return $query->result_array();
452
454
                               return false;
455
456
        function view_extra($act_id){
                   Sql = 'SELECT extra. ActivityID, extra. StudNum, extra. Description, extra. Recognition, extra. Date, extra. Status, extra. FileName, extra. FileURL, sa. SALastName, sa. SAFirstName FROM extra_activity as extra, school_admin as sa

WHERE extra. ActivityID = "'. * act_id.'" AND extra. ApprovedBy = sa. SANum';
457
458
459
460
                   461
462
463
                   if ($query->num_rows()>0){
464
                               return $query->result_array();
465
466
                   else
467
                              return false;
468
469
       function get_portfolio_json($student_id){
470
             $query = $this->db->query('SELECT * FROM portfolio WHERE StudNum="'.$student_id.'"');
471
                472
473
474
475
                foreach ($query->result_array() as $row){
    $new_row['label'] = htmlentities(stripslashes($row['PortfolioID']));
    $new_row['value'] = htmlentities(stripslashes($row['PortfolioName']));
476
477
478
479
480
                   $row_set[] = $new_row;
481
                return $row_set;
482
484
            }
485
        486
487
488
489
                   if(\$query->num\_rows()>0){
490
                               return $query->result_array();
491
492
493
                   }
else
494
```

```
495
                        return false;
496
      497
498
499
500
        function record_extra($data){
               $this->db->insert('extra_activity', $data);
501
502
503
     function edit_clearance($data){
              $this -> db -> select();
$this -> db -> from('clearance');
$this -> db -> where('ClearanceID', $data['ClearanceID']);
$this -> db -> limit(1);
504
505
506
507
508
509
               $query = $this -> db -> get();
510
               \begin{array}{l} \mbox{if($query -> num\_rows() == 1)} \{ \\ \mbox{$this -> db -> where('ClearanceID', $$data['ClearanceID']);} \\ \mbox{$this -> db -> update('clearance', $$data);} \end{array}
512
513
514
515
516
      517
518
519
       function edit_extra($data){
520
              Sthis -> db -> select();
$this -> db -> from('extra_activity');
$this -> db -> where('ActivityID', $data['ActivityID']);
$this -> db -> limit(1);
521
523
524
525
               $query = $this -> db -> get();
526
527
               \begin{array}{l} \mbox{if (\$query -> num.rows() == 1)} \{ \\ \mbox{\$this -> db -> where ('ActivityID', \$data['ActivityID']);} \\ \mbox{\$this ->db->update('extra_activity', \$data);} \end{array}
528
529
530
531
532
533
      534
535
536
537
       function get_all_subjects($studentid){
538
               sql = 'SELECT' * FROM student as stud, subject_section as ss, subject as sub

WHERE stud.StudNum="'.\$studentid.'" and stud.SectionID=ss.SectionID and
sub.SubjectID=ss.SubjectID';
539
540
541
               \label{eq:query} $$\sup = $this -> db -> query($sql);$ if ($query -> num_rows() > 0){} 
542
543
                       return $query->result_array();
544
545
546
               else
547
                        return false;
548
549
      550
551
552
553
554
               $query = $this->db->query($sql);
               if ($query->num_rows()>0){
return true;
555
556
557
558
               else
                        return false;
559
560
561
      function get_final_grades($studentid){
562
563
      564
565
566
              567
568
569
570
571
572
               else
                        return false;
573
      function get_student_name_extra($studentid){
    $sql = 'SELECT s.StudNum, s.SFirstName, s.SLastName FROM student as s, extra_activity as ea
    WHERE
575
576
                s.StudNum=ea.StudNum AND ea.ActivityID="'.$studentid.'"';
577
578
579
               580
581
582
583
               }
else
584
```

```
585
                          return false;
586
587
       function get_student_section($studentid){
                $sql = 'SELECT ss. SectionID, ss. GradeLevel, s. SectionName, s. SchoolYear
FROM student as stud, student_section as ss, section as s
WHERE stud.StudNum = "'.$studentid.'" AND ss. StudNum = stud.StudNum AND s.
SectionID = ss. SectionID ';
588
589
590
591
592
                query = \frac{his}{db} = query(\frac{sql}{sql});
                if($query->num_rows()>0){
$arr = array();
593
594
                          595
596
597
                                    return $arr:
598
599
                else
600
                          return false;
601
602
603
604
       function get_current_student_section($studnum){
605
606
       \ rdl = 'SELECT SectionID FROM student WHERE StudNum = "'.\studnum.'"';
607
608
                609
611
                $arr = $query->result_array();
return $arr[0]['SectionID'];
612
613
614
                else
615
                          return false;
616
617
      }
618
619
      ?>
  2
      <?php
  3
      Class User extends CI_Model
  5
          public function --construct()
  6
                    parent:: __construct();
  8
                    $this->load->database();
 10
        function get_password($username) {
    $sql = 'SELECT DISTINCT Password FROM login_details WHERE Username=" '.$username.'" ';
 11
 12
 13
 14
 15
         query = \frac{his}{db} = query(sql);
 16
 17
         if(\$query->num\_rows() > 0){
           $arr = $query->result_array();
return $arr[0]['Password'];
 18
 19
 20
 21
         else
 22
          return false;
 23
 24
       function login ($username) {
 25
          $this -> db -> select();
$this -> db -> from('login_details');
$this -> db -> where('Username', $username);
 26
 27
 28
 29
          $this-> db->where('Status',"Active");
          this \rightarrow db \rightarrow limit(1);
 30
 31
          $query = $this -> db -> get();
 32
 33
 34
          if ($query -> num_rows() == 1) {
            35
 36
 37
                \$ s q l =
                         FROM student WHERE StudNum="'.\$result[0]['IDNum'].'" LIMIT 0,1';
 38
                $query = $this ->db->query($sql);
if($query->num_rows()==1){
    $result2 = $query->result_array();
}
 39
 40
 41
                  42
 43
 44
 45
 46
 47
 48
 49
                else
                  return false;
 50
 52
            else if($result[0]['Type']=='Guardian'){
    $sql = 'SELECT DISTINCT GLastName, GFirstName
 53
                         FROM guardian WHERE GuardianNum="'. $result[0]['IDNum'].'" LIMIT 0,1';
```

```
55
                  query = \frac{his}{\phi}
                  if($query->num_rows()==1){
    $result2 = $query->result_array();
 56
                     58
 59
 60
 61
 62
 63
 64
 65
 66
                     return false:
 67
 68
 69
              else {
                  $sql = 'SELECT DISTINCT SALastName, SAFirstName
 70
                  FROM school_admin WHERE SANum="'.$result[0]['IDNum'].'" LIMIT 0,1';
$query = $this->db->query($sql);
if($query->num_rows()==1){
 71
72
 73
 74
75
                     $result2 = $query->result_array();
                     $result2 = $query - result a.r.ay(),
$data = array(
    'Type' => $result [0]['Type'],
    'IDNum' => $result [0]['IDNum'],
    'Username' => $result [0]['Username'],
    'FirstName' => $result 2[0]['SAFirstName'],
    'LastName' => $result 2[0]['SALastName']);
 76
77
78
 79
 80
 81
 83
                     return false;
 84
 86
 87
              return $data;
 88
 89
 90
 91
           {
              return false:
 92
 93
 94
 95
 96
         function change_status($username,$status){
  if($status == 'Active') {
      $status='Inactive';
}
 97
 98
 99
100
101
         else {
                  $status='Active';
102
103
         }
                  $this->db->set('Status', $status);
104
                  $this ->db->where('Username', $username);
$this ->db->update('login_details');
105
106
108
109
        }
110
111
        function change_password($username,$password){
112
                  $this->db->set('Password', $password);
$this->db->where('Username', $username);
$this->db->update('login_details');
113
114
115
           return true;
117
118
        function unique_username($username){
    $sql = 'select 1
         $sql = 'select 1 FROM login_details WHERE Username="'.$username.'" LIMIT 0,1';
119
120
121
122
         $query = $this->db->query($sql);
123
124
          if(squery->num_rows()==1)
            return false;
125
126
127
          else
128
            return true;
129
130
       function get_all_users(){
131
                  $sql = 'SELECT login . Username , login . Type , login . Status , stud . SLastName , stud . SFirstName FROM
132
                     login_details as login, student as stud
WHERE stud.StudNum = login.IDNum';
133
134
         135
136
             foreach ($query->result() as $row){
138
               $data[] = $row;
139
140
141
          sql = 'SELECT login. Username, login. Type, login. Status, gua. GLastName, gua. GFirstName FROM
142
                login_details as login, guardian as gua
WHERE gua.GuardianNum = login.IDNum';
143
144
```

```
145
                           query = \frac{his}{db} = query(sql);
146
                           if(squery->num_rows()>0)
                                   foreach($query->result() as $row){
 147
                                         $data[] = $row;
148
149
 150
 151
                           sql = 'SELECT login. Username, login. Type, login. Status, sa. SALastName, sa. SAFirstName FROM
 152
                                            Use the second of the second o
153
154
155
                           if($query->num_rows()>0){
  foreach($query->result() as $row){
 156
 157
158
                                         $data[] = $row;
 159
161
                          }
162
                           return $data;
 163
164
 165
                   function get_user_details($username){
    $sql = 'SELECT Type,IDNum, Status FROM login_details WHERE Username="'.$username.'" LIMIT 0,1';
 166
 167
 168
 169
                           170
                            if ($query->num_rows() ==1){
 172
                                           result = query -> result_array();
173
                                           175
                                           elseif($result [0]['Type']=='Guardian')
$sql2 = 'SELECT GLastName as LastName, GFirstName as FirstName, GEmailAdd as EmailAdd FROM guardian WHERE GuardianNum="'.$result [0]['IDNum'].'" LIMIT 0,1';
 176
177
 178
                                                  $sql2 = 'SELECT SALastName as LastName, SAFirstName as FirstName, SAEmailAdd as EmailAdd FROM school_admin WHERE SANum="'.$result[0]['IDNum'].'" LIMIT 0,1';
179
 180
                                           181
183
                                           if(\$query2->num\_rows() ==1){\{}\\
                                                 $\text{\text{($\frac{1}{3}\text{dery2}-\text{result2} = $\text{query2}-\text{result2} = $\text{\text{(}'\text{LastName'}=\text{\text{sresult2}[0]['\text{LastName'}],} \\
\text{'FirstName'}=\text{\text{sresult2}[0]['\text{FirstName'}],} \\
\text{'EmailAdd'}=\text{\text{sresult2}[0]['\text{EmailAdd'}],} \\
\text{'EmailAdd'}=\text{\text{sresult2}[0]['\text{EmailAdd'}],} \\
\text{\text{'EmailAdd'}}=\text{\text{\text{sresult2}[0]['\text{EmailAdd'}],} \\
\text{\text{'EmailAdd'}}=\text{\text{\text{sresult2}[0]['\text{EmailAdd'}],} \\
\text{\text{\text{$\text{\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\tex{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$
 184
 185
186
 187
                                                                                                         'EmailAdd'=>$resultz[0]| EmailA

'Username'=>$username,

'Type'=>$result[0]['Type'],

'Status'=>$result[0]['Status'],

'IDNum'=>$result[0]['IDNum']);
 188
189
 190
 191
192
                                                  return $data;
 194
                                  }
 195
 196
197
                             else return false;
 198
 199
                   function get_all($q){
200
                          $this->db->select('*');
$this->db->like('Username', $q,'after');
$query = $this->db->get('login_details');
if($query->num_rows > 0){
201
202
203
204
205
                                          foreach ($query->result_array() as $row){
    $new_row['label']= htmlentities(stripslashes($row['Username']));
    $new_row['value']= htmlentities(stripslashes($row['IDNum']));
    $row_set[] = $new_row;
206
208
209
210
                                         header('Content-Type: application/json');
echo json_encode($row_set);
211
212
213
                                 }
214
215
216
217
                   function count_all_users(){
                                                  return $this->db->count_all('login_details');
219
220
221
                   function get_user($id){
                              $this -> db -> select();

$this -> db -> from('login.details');

$this -> db -> where('IDNum', $id);

$this -> db -> limit(1);
222
223
224
225
226
227
                               $query = $this -> db -> get();
228
 229
                               if($query -> num_rows() =
230
                                       return $query->result();
                               else
231
                                        return false;
```

```
233
234
235
                   function update_profile($data){
236
                             $this->db->where('IDNum', $data['IDNum']);
$this->db->update('login_details', $data);
237
238
239
240
241
                  function get_username($username,$id){
    $this->db->select();
    $this->db->from('login_details');
    $this->db->where('Username',$username);
    $this->db->where('IDNum'!=',$id);
242
243
244
245
246
                      $query=$this->db->get();
if($query -> num_rows() == 1)
  return true;
247
248
249
250
                          else
                                  return false;
251
252
253
                  }
254
255
                   function search_person_name($search)
256
                             $query = $this->db->select('cp.IDNum,cp.Username')->from('login_details cp')->like('cp.
257
                            Username', $search)->get();
foreach($query->result_array() as $name)
258
259
260
                                         $data[] = array('label' => $name['name'], 'value' => $name['name'], 'id' => $name['id']);
261
                            return $data;
262
263
264
                   function delete($username){
265
                      $this->db->delete('login_details', array('Username' => $username));
266
 267
                    function search($username) {
                         $this -> db -> select();
$this -> db -> from('login_details');
$this -> db -> where('Username', $username);
268
269
270
271
                         $this -> db -> limit(1);
272
273
                          $query = $this -> db -> get();
274
                         \begin{array}{ll} \mbox{if($query -> num\_rows() == 1)} \, \{ \\ \mbox{return true}; \end{array}
275
276
277
278
                          else {
                              return false;
279
280
                         }
281
                   }
282
283
284
                function get_student($q){
285
                286
                             CONCAT('
                                                            ', stud.SLastName)) AS SName
               FROM login_details AS login, student AS stud
WHERE login.IDNum = stud.StudNum
AND (stud.SLastName LIKE ? OR stud.SFirstName LIKE ?)
287
288
289
               LIMIT 0 , 30";
290
291
                $sql_params = array('%'.$q.'%','%'.$q.'%');
292
293
294
                query = \frac{1}{3} + \frac{1}{3} - \frac{1}{3
295
                             if ($query->num_rows > 0) {
                                   foreach ($query->result_array() as $row){
296
                                         % snew_row ['label'] = htmlentities (stripslashes ($row ['SName']));
$new_row ['value'] = htmlentities (stripslashes ($row ['SName']));
$new_row ['id'] = htmlentities (stripslashes ($row ['IDNum']));
297
298
299
300
301
                                         row_set[] = row_row;
302
303
                                   echo json_encode($row_set);
304
 305
                           }
306
                     }
307
 308
                   }
309
              ?>
310
     1
              <!-- views/add_record/add_students.php -->
               <ul class="nav nav-tabs">
                    <a href="<?php echo base_url(); ?>record/view_section/<?php echo $this->uri->segment(3);
?>">Section Information</a>
     4

     5
     6
```

```
8
         <a href="<?php echo base_url(); ?>record/reports/<?php echo $this->uri->segment(3); ?>">
                Reports </a>
 9
     10
     <div class="tab-content" >
11
        <div class="tab-pane fade in active" id="announcements" >
13
     <?php echo validation_errors(); ?>
<?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form');
echo form_open_multipart('record/record_students/'.$this->uri->segment(3),$attributes); ?>
14
15
16
17
18
        <div class="form-group">
          class= form-group > < label for="inputEmail3" class="col-sm-2 control-label">Find Student</label> < div class="col-sm-6">
19
20
            carv class="col-sm-o">
<input class="form-control" id="autocompletel" type="text" name="name">
<input id="autocomplete2-value" type="hidden" name="code">
21
22
24
           <div class="col-sm-2">
             <button type="button" class="btn btn-default" id="add"> Add Record </button>
25
           </div>
26
        </div>
27
28
        <?php
29
     if(isset($count)){
        echo $count;
30
     for (\$i=1;\$i<=\$count;\$i++){
32
     <div id="div_<?php echo $i; ?>">
33
     35
         36
37
38
               NameID[]" >
           </div>
39
40
            div class="col-sm-1" ><a num="<?php echo $i;?>" class="removeclass">&times;</a></div>
41
      </div>
42
     </div>
43
44
     <?php
45
     46
     <div class="form-group">
47
        <div id="add_subjects">
48
49
        </div>
     <\alpha\text{label class="col-sm-3 error"><?php echo form_error('SchoolYear[]'); ?></label>
<label class="col-sm-3 error"><?php echo form_error('Description[]'); ?></label>
<label class="col-sm-3 error"><?php echo form_error('Recognition[]'); ?></label>
50
51
52
     <label class="col-sm-3 col-sm-offset-4 error"><?php if(isset($upload_message))</pre>
53
            $upload_message; ?></label>
54
     </div><div class="form-group alert-dismissable">
55
        57
58
           </div>
59
60
        </div>
</form>
61
         </div>
62
63
     </div>

64
65
          $(function() {
66
             stanction() {
    source: "/VCSHSPortal2/blank/get_students",
    focus: function(event, ui) {
        event.preventDefault();
        $(this).val(ui.item.label);
    }
}
67
68
69
70
71
72
73
                select: function (event, ui) {
                   event.preventDefault();
$(this).val(ui.item.label);
74
75
76
                   $("#autocomplete2-value").val(ui.item.id);
77
78
              });
79
80
          });
82
        </script>
83
     < s c r i p t >
     $(document).ready(function() {
   $('#add').prop('disabled', true);
85
86
        $('#autocomplete1').on('input', function() {
88
89
                    if ($('#autocomplete1').val()=="") {
                          ('\#add').prop('disabled', true);
91
92
                   }
                     else {
                          $('#add').prop('disabled', false);
93
                   }
94
            });
```

```
96
                   \begin{tabular}{ll} \$(document).\,ready\,(function\,()\,\{& var\ i=<?php\ if\,(isset\,(\$count\,)\,)\ echo\ \$count\,;\ else\ echo\ '1';\ ?>; \end{tabular} 
 97
 98
                           var InputsWrapper = $("#add_subjects");
var x = <?php if(isset($count)) echo $count; else echo 'InputsWrapper.length';?>;
$('#add').click(function(){
 99
100
101
                               #add ).clrck(lunction(){
$('#add_subjects').append('<div id="div_'+ i +'">'
+'<div class="form-group"><label class="col-sm-2 control-label">Student Name</label><div
102
103
                               class="col-sm-6">;+

'<input type="text" readonly class="form-control" id="Name'+ i +'" value="<?php echo
    set_value("Name[]"); ?>" name="Name[]">'+

'<input type="hidden" class="form-control" id="NameID'+ i +'" value="<?php echo
    set_value("NameID[]"); ?>" name="NameID[]">'+

'</div><a num="'+i+'" class="removeclass">&times;</a>'+'</div>');
104
105
107
                             $('#add_subjects').append('</div');
$('#Name'+i).val($('#autocomplete1').val());
$('#NameID'+i).val($('#autocomplete2-value').val());</pre>
108
110
111
                             i + +:
              });
$("body").on("click",".removeclass", function(e){
113
114
                         if('x > 1 ) {
  var num = $(this).attr("num");
115
116
                         $("#div_"+num).remove();
117
118
119
          return false;
121
          į́);
122
          </script>
          <!-- views/add_record/change_section.php -->
             -- views/ add_record/change_section.pnp -->

<a href="<?php echo base_url(); ?>section/view">Announcements</a>
<a href="<?php echo base_url(); ?>section/fibow_students">Students</a>
<a href="<?php echo base_url(); ?>section/fibos_>Fibes</a>
<a href="<?php echo base_url(); ?>section/class_record">Grades</a>
<a href="<?php echo base_url(); ?>section/class_record">Grades</a>
</ir>
</a>
   2
   3
   5
   6

'\form-\form-\formale \text{ array ('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/save_new_section/'.$this->uri->segment(3).'/'.$this->uri->segment(4),

 10
         **sattributes); ?>

<div class="panel panel-default">

<div class="panel-heading clearfix">

<h4 class="panel-title pull-left" style="padding-top: 7.5px;">Attendance</h4>

<div class="btn-group pull-right">

<buttom type="submit" class="btn btn-default btn-sm">Save</button>
 11
 12
 13
  14
 15
 16
                  </div>
 18
         <div class="panel-body">
 19
 21
          22
          <tr>
 23
               Names
              Old Section 
 24
              Rating 

Status

 25
 26
               New Section 
 27
 28
          29
          <?php
 30
              \$i = 1:
 31
                  if (is_array ($student_grades))
 32
                   foreach($student_grades as $student){
 33
                      echo ''.$i.'';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';';</t
 34
 35
 36
 37
                           $options = array('Pass'
                                                                 'Pass' => 'Pass',
'Fail' => 'Fail',""=>"");
 38
 39
 40
                                  echo '>';
 41
  42
                       43
                                 ,
,,;
 44
                       echo
                                 '>';
 45
                       echo
                       echo form_dropdown('new_section['.$student['studnum'].']', $new_section, set_value('', isset ($new_section[$student['studnum']])? $new_section[$student['studnum']] : ""),'class="form-control" id="new_section'.$i.'"');
 46
 47
                       echo
                                 '';
 48
  49
                       $i++;
 50
                  }
 51
 52
 53
         ?>
```

```
<input type="hidden" value=<?php if(isset($new_gradelevel)) echo $new_gradelevel; ?> name="
new_gradelevel" ?>
55
56
   <?php
         form_close(); ?>
   </div>
57
58
59
   </form>
   2
3
     ?>">Section Information </a>
<a href="c?php echo base_url(); ?>record/view_subjects/<?php echo $this->uri->segment(3); ?>">Subjects</a>
4
     <!i><a href="c?php echo base_url(); ?>record/view_students/<?php echo $this->uri->segment(3);
?>">Students/a>
5
     <!>>students</a></i>< <!i>><a href="<?php echo base_url(); ?>record/class_record/<?php echo $this->uri->segment(3);
?>">Class Record</a>
6
     <a href="<?php echo base_url(); ?>record/reports/<?php echo $this->uri->segment(3); ?>">
Reports/a>
7
      <a href="<?php echo base_url(); ?>record/clearance/<?php echo $this->uri->
    segment(3); ?>">Clearance</a>
8
9
   10
11
         $attributes); ?>
   12
13
15
16
        </div>
18
19
      </div>
   <div class="panel-body">
20
21
   23
    Academic Clearance 
24
26
    Subject 
27
28
      Subject Teacher 
29
   </t.r>
30
   <?php
31
     \$i = 1;
      if(is_array($subjects))
foreach($subjects as $subject){
32
33
34
        echo ''.$i.'';
echo ''.$subject ['SubjectName'].'';
echo ''.$subject ['SAFirstName']." ".$subject ['SALastName'].'';
35
36
37
          $i++;
38
39
40
41
   43
    School Clearance 
44
45
   </\mathrm{tr}>
46
   <tr>
     Clearance For
Personnel/Teacher 
48
49
   \frac{51}{52}
    1 
   > Property Custodian 
    <?php echo $guidance; ?> 
53
54
   <\!/\operatorname{tr}\!>
55
   <tr>
    2 
   2 

57
58
59
   <\!/\operatorname{tr}\!>
60
   61
   3 
62
   Computer Laboratory 
    <?php echo $guidance; ?> 
63
   65
   4 
66
67
    Library 
   <td><?php echo $guidance; ?> </td>
68
   </\mathrm{tr}>
69
70
   5 
71
    Guidance Office 
73
    <?php echo $guidance; ?> 
74
   76
   </div>
77
```

```
79 </div>
80
  </form>
   <!-- views/add_record/club.php -->
         <?php $attributes = array('class' \Rightarrow 'form-horizontal well', 'role' \Rightarrow 'form');
echo form_open('record/record_club', $attributes); ?>
3
         <div class="form-group">
6
               9
10
               </div>
11
12
         </div>
         13
15
                     16
                              [ 'ClubName 'Club Name">
                     18
                        ?></label>
         </div>
19
         <div class="form-group">
20
               21
22
                           <textarea class="form-control" id="Description" name="Description</pre>
23
                              " rows="3"><?php echo set_value('Description', (isset($form[Description'])) ? $form['Description'] : ''); ?></textarea>
24
25
                     </div><label class="col-sm-4 error"><?php echo form_error('Description');</pre>
                        ?></label>
26
         </div>
27
         <div class="form-group">
28
               class = form-group /
</abel class="col-sm-2 control-label">Teacher<//abel>
</ar>

<a href="display: label">div class="col-sm-5"></a>

29
30
                        crass = Col-sin-o > p echo form_dropdown('TeacherNum', $form2, set_value('TeacherNum', isset($form['TeacherNum']) ? $form['TeacherNum'] : ''), 'class="form-
31
                     <?php
32
                     </div>
33
34
         </\mathrm{div}>
35
37
    38
40
      </div>
41
42
    </div>
43
     </form>
   <!-- views/add_record/edit_extra.php -->
   2
    5
6
   9
   <div class="tab-content">
  11
12
14
   </div>
   <div class="panel-body">
15
   <?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
    17
  19
     20
21
22
23

clabel class="col-sm-offset-3 col-sm-6 error"><?php echo form_error('schoolyear'); ?></label>
24
25
    </div>
26
    <div class="form-group">
27
28
     <label class="col-sm-3 control-label">Description </label><lass="col-sm-6">
29
```

```
30
31
              </div>
             <label class="col-sm-offset -3 col-sm-6 error"><?php echo form_error('description'); ?></label>
32
             <div class="form-group">
33
35
36
             </div>
37

clabel class="col-sm-offset -3 col-sm-6 error"><?php echo form_error('recognition'); ?></label>
38
39
          <div class="form-group">
  <label class="col-sm-3 control-label">File </label>
40
41
             < div class = "col - sm - 2" >
                 <a class="file" href="<?php echo base_url(); ?>students/download_file2/<?php echo $this->
functions->encrypt_url($row['ActivityID']); ?>"> <?php echo $row['FileName']; ?></a>
42
43
                    </div>
44
45
                    <div class="col-sm-6">
<input type="file" name="userfile" id="exampleInputFile">
47
48
                     </div>
49
             <label class="col-sm-4 error"><?php if(isset($error)) echo $error; ?></label>
          </div>
50
      <div class="form-group">
52
      53
          </div>
55
56
       </div>
          </div>
58
          </div>
59
      <script>
60
            $(document ).ready(function() {
   $('#dataTables-example').dataTable();
61
62
63
             });
64
65
66
             </\operatorname{script}>
           <!-- views/add_record/edit_no_class.php -
 2
 5
 6
          <div class="form-group">
          <label class="col-sm-2 control-label">Description</label>
             <div class="col-sm-6">
 9
             <div class="input-group"><span class="input-group-addon"> <span class="glyphicon glyphicon-</pre>
10
                      crass= Imput Stoup / Span / Class= Imput Stoup addon / (Fig. 1)
calendar"></span> (/span) / (span) / (span
11
12
             </div>
13
             </div>
14
15
             <label class="col-sm-4 error"><?php echo form_error('Start'); ?></label>
16
             </div>
                    <div class="form-group">
18
                     <label class="col-sm-2 control-label">Start</label>
19
                                  21
22
                             php echo set_value('Start',(isset($form[0]['Start'])) ? $form[0]['Start'] :
23
24
                                   </div>
25
                                   <label class="col-sm-4 error"><?php echo form_error('Start'); ?></label>
              </div>
26
             27
28
                                   <div class="col=sm-6">
<div class="col=sm-6">
<div class="input-group"><span class="input-group-addon"> <span class="glyphicon"</pre>
29
                    30
                                                                                                                                                              value="<?php
31
32
33
                                   </div>
34
35
                                   <label class="col-sm-4 error"><?php echo form_error('End'); ?></label>
              </div>
36
             <div class="form-group">
38
39
             <label class="col-sm-4 error"><?php echo form_error('End'); ?></label>
41
42
```

```
44
       <\!\operatorname{div}\ \operatorname{class}\!=\!\operatorname{"form-group"}\!>
         <div class="col-sm-offset -4 col-sm-5">
45
            <button type="submit" class="btn btn-success">Submit</button>
46
         </div>
47
48
       </div>
49
        </form>
50
    51
    <script>
53
    vsclipt/
var dom2 = {};
dom2.query = jQuery.noConflict(true);
54
55
    dom2.query = jQuery.noConflict(true);
dom2.query(function() {
   dom2.query("#Start").datepicker({
56
57
58
                       dateFormat: 'yy-mm-dd'
59
               change rear: true,
    change Month: true,
    yearRange: "-20:+20",
    on Select: function (selected) {
    dom2.query("#End").datepicker("option", "minDate", selected);
61
62
63
           }
64
65
        dom2.query("#End").datepicker({
66
                       #Dind ).datePricker(\{\datePricker(\dateFormat: 'yy-mm-dd', \changeYear: true, changeMonth: true, yearRange: "-20:+20",
67
68
               onSelect: function (selected) {
dom2.query("#Start").datepicker("option", "maxDate", selected)
69
70
72
73
     });
75
    </script>
    <h4>
     <?php echo $student; ?></h4>
    </div>
    <div class="panel-body">
10
    <input type="hidden" name="OffenseID" value="<?php if(isset($form['OffenseID'])) echo $form['</pre>
11
         OffenseID']; ?>">
<div class="form-group">
<label class="col-sm-3 control-label">SchoolYear</label>
12
13
         <div class="col-sm-6">
  <input type="text" class"
</pre>
14
               15
         </div>
16

clabel class="col-sm-3 error "><?php echo form_error('SchoolYear'); ?></label>
17
         </\mathrm{div}>
19
         <div class="form-group">
         <label class="col-sm-3 control-label">Equipment</label>
20
         <div class="col-sm-6">
<input type="text" cla</pre>
                :lass="col-sm-6">
it type="text" class="form-control" id="equip_1" value="<?php echo set_value('Equipment', (isset($form['Equipment'])) ? $form['Equipment'] : ''); ?>" name="Equipment" >
22
         </div>
</div>

class="col-sm-3 error"><?php echo form_error('Equipment'); ?></label>
23
24
25
         </div>
26
    27
29
30
         </div>
31
         //abel class="col-sm-3 error"><?php echo form_error('NoEquipment'); ?></label>
32
33

<div class="form-group">
<label class="col-sm-3 control-label">Status</label>
34
35
         <div class="col-sm-6">
  <input type="text" class"
</pre>
36
               Class = Col-sm-0' value="<?php echo set_value('Status',(isset($form[' Status'])) ? $form['Status'] : ''); ?>" id="stat_1" name="Status" >
37
38
         </\mathrm{div}>

clabel class="col-sm-3 error "><?php echo form_error('Status'); ?></label>
39
40
41
     </div>
42
    <div id="input">
44
    </\mathrm{div}>
45
    </div>
    47
           <button type="submit" class="btn btn-success" > Submit 
48
         </div>
49
50
       </div>
51
52
    </div>
53
    </form>
```

```
<!-- views/add_record/offenses_guidance.php -->
<?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
    echo form_open('record/save_edit_offenses/'.\form['StudNum'],\form\text{stutributes}); ?>
<div class="panel panel-default">
<div class="panel-heading">
3
 4
5
    <h4>
    <?php echo student; ?></h4></div>
9
    <div class="panel-body">
10
    <input type="hidden" name="OffenseID" value="<?php if(isset($form['OffenseID'])) echo $form['</pre>
11
        OffenseID ']; ?>">
<div class="form-group">
12
13
         <label class="col-sm-3 control-label">SchoolYear</label>
         14
15
         </div>
16
         </div>
17
        <div class="form-group">
<label class="col-sm-3 control-label">Offense</label>
<div class="col-sm-6">
19
20
          21
22
         <label class="col-sm-3 error"><?php echo form_error('Offense[]'); ?></label>
23
24
         </div>
          <div class="form-group">
26
    <label class="col-sm-3 control-label">Date</label>
         27
28
29
30
31
    <label class="col-sm-3 error"><?php echo form_error('Date'); ?></label>
32
         </div>
33
    </div>
34
35
    <div id="input">
36
37
    </div>
    </div>
39
    <div class="form-group">
40
41
         <div class="col-sm-2 col-sm-offset-4">
42
           <button type="submit" class="btn btn-default" > Submit 
43
44
45
       </div>
46
47
    </\mathrm{div}>
48
    </form>
49

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

'

50
       <script src="<?php echo base_url(); ?>assets/themes/default/js/jquery-ui.js"></script>
51
    <script>
      var dom3 = {};
    dom3.query = jQuery.noConflict(true);
dom3.query(function() {
    dom3.query('#date-1').datepicker({ dateFormat: 'yy-mm-dd',changeYear: true,changeMonth: true,
53
54
55
                yearRange: "-60:+0"});
56
    });
58
59
60
    </script>
61
    <!-- views/add_record/edit_student.php --> 
              s= nav nav-vaus /
<a href="#student" data-toggle="tab">Student</a>
<a href="#guardian" data-toggle="tab">Guardian</a>
3
5
    <?php $attributes = array('class' => 'form-horizontal well', 'record form-open('record student', $attributes); ?>
<div class="tab-content">
                                                                               'role ' => 'form'):
9
              <div class="tab-pane fade in active" id="student">
10
11
              <div class="form-group">
12
                        <label class="col-sm-2 control-label">Student Number</label>
13
                        < div class = "col - sm - 6" >
                        <input type="hidden" name="edit_student" value="true">
15
                        16
17
18
19
20
              </abel class="col-sm-4 error"><?php echo form_error('StudNum'); ?></label>
<div class="form-group">
21
22
                        <label class="col-sm-2 control-label">Last Name</label>
```

```
<div class="col-sm-6">
23
                                                                   24
25
26
                                                    </div>
                                                    label>
                      </div>
28
29
                      <div class="form-group">
                                     30
31
32
                                                                            SFirstName" value="<?php echo set_value('SFirstName',(isset(
$form['SFirstName'])) ? $form['SFirstName'] : ''); ?>"
placeholder="First Name">
33
                                                    </div>
34
                                                    <label class="col-sm-4 error"><?php echo form_error('SFirstName'); ?>
35
                                                             label>
36
                      </div>
                      <div class="form-group">
37

<|ass="form-group" |
<|ass="form-group" |
<|ass="col-sm-2 |
| control-label" |
| Middle Name</pre>

| class="col-sm-6" |
| class="form-control" |
| id="SMidName" |
| sMidName" |
| sMidName" |
| sMidName" |
| sform ['SMidName'] |
| middle Name" |
| mi
38
39
40
41
                                                     </div>
                                                    <label class="col-sm-4 error"><?php echo form_error('SMidName'); ?></label</pre>
43
44
                      </div>
                      45
46
47
                                                    < div class = "col - sm - 6" >
                                                                   48
                                                                             textarea>
49
50
                                                     </div>
                                                    <label class="col-sm-4 error"><?php echo form_error('SAddress'); ?></label</pre>
51
                      </div>
52
53
                      <div class="form-group">
54
                                     55
56
                                                                   57
59
60
                                                     </div>
                                                     </div><label class="col-sm-4 error"><?php echo form_error('SCellNum');</pre>
61
                                                             ?></1abel>
62
                       </div>
63
                      <div class="form-group">
64
65
                                                    <label class="col-sm-2 control-label">Home Number</label>div class="col-sm-4">
66
67
                                                                   68
69
                                                    </div>
70
71
                                                    </abel class="col-sm-4 error"><?php echo form_error('SHomeNum'); ?></label</pre>
72
                      </div>
                      <div class="form-group">
73
                                     74
75
                                                                   ass="co1-sm-6">
<input type="text" class="form-control" id="SEmailAdd" name="
SEmailAdd" value="<?php echo set_value('SEmailAdd',(isset(
$form['SEmailAdd'])) ? $form['SEmailAdd'] : ''); ?>"
placeholder="Email Address">
76
77
                                                    79
                                                            label>
                      </div>
80
                      81
82
83
84
                                                    <div class="radio">
85
```

```
<label><input type="radio" value='F' name="SGender" checked >
86
                                      Female </label>
                          </div>
88
                          <div class="radio">
                                 <label><input type="radio" value='M' name="SGender" <?php if((</pre>
89
                                      isset ($form ['SGender']) && $form ['SGender']=='M') |
('SGender')=='M') echo 'checked'; ?> > Male</label>
90
                          </div>
                  </div>
91
           </div>
92
93
94
           <div class="form-group">
<label class="col-sm-2 control-label">Date of Birth</label>
95
            96
97
98
                   </div>
           </div>
100
101
                   <label class="col-sm-4 error"><?php echo form_error('SBirthday'); ?></label>
102
        </div>
           <div class="form-group">
103
                   104
105
106
                                      SBirthplace" value="2"(php echo set_value('SBirthplace', (isset ($form['SBirthplace'])) ? $form['SBirthplace'] : ''); ?>" >
107
                          <\!\!/ {\rm div}\!\!> <\!\!/ {\rm abel~class}\!\!=\!\!"col\!-\!sm\!-\!4 error"><?php echo form_error('SBirthplace'); ?></
109
                              label>
110
            </div>
           111
112
113
                          <div class="col-sm-3">
114
                                  <?php
                                  116
117
                                  -/ None );
echo form_dropdown('SReligion', $options3, set_value('SReligion',
    isset($form['SReligion']) && isset($options3[$form['SReligion
']]) ? $form['SReligion'] : 'Other'), 'class="form-control" is
="SReligion"');
118
119
                          </div>
           120
121
                          e="display:none"' ?> > <input type="text" class="form-control" name="ReligionOther" value="<?php
122
123
                              echo set_value('ReligionOther',(isset($form['SReligion'])) ? $form[SReligion'] : ''); ?>">
                          </div>
</div>
<label class="col-sm-4 error"><?php echo form_error('SReligion'); ?><br>
php echo form_error('ReligionOther'); ?></label>
124
125
            </div>
126
           127
128
                          129
130
                                      "

"'<!php echo set_value('SCitizenship', (isset($form[SCitizenship'])) ? $form['SCitizenship'] : ''); ?>
SCitizenship" placeholder="Citizenship">
                                                                                ); ?>" name="
131
132
                          </div>
                          133
134
           </div>
135
           <div class="form-group">
136
                   137
                                 139
                                      Height">
140
142
                          </div>
143
                          <label class="col-sm-4 error"><?php echo form_error('SHeight'); ?></label>
            </div>
144
           <div class="form-group">
145
                   146
147
148
                                          value="<?php echo set_value('SWeight',(isset($form['
```

```
SWeight'])) \ ? \ \$form['SWeight'] : '' ); \ ?>" \ placeholder="Weight"]
149
150
          </div>
151
152
          </abel class="col-sm-4 error"><?php echo form_error('SWeight'); ?></label>
153
154
155
          <div class="form-group">
                 <label class="col-sm-2 control-label">Date Weighed</label>
<div class="col-sm-6">

156
157
                  158
159
                             DateWeighed value="<?php echo set_value('DateWeighed',(isset(
$form['DateWeighed'])) ? $form['DateWeighed'] : ''); ?>" name="Date
                             DateWeighed"
                              Weighed">
160
                 </div>
161
                 <label class="col-sm-4 error"><?php echo form_error('DateWeighed'); ?></label>
163
164
          </div>
165
166
          <div class="form-group">
167
                 <label class="col-sm-2 control-label">Elementary School</label>
168
                       169
                                  ElemSchool" value="<?php echo set_value('ElemSchool',(isset(
$form['ElemSchool']) ? $form['ElemSchool'] : ''); ?>"
placeholder="Elementary School">
171
172
173
                        <label class="col-sm-4 error"><?php echo form_error('ElemSchool'); ?></</pre>
                           label>
          </div>
          <div class="form-group">
175
                 <label class="col-sm-2 control-label">Elementary School Address</label>
176
                       <div class="col-sm-6">
                              178
                                  ; ?></textarea>
179
                       180
181
                           label>
182
          </div>
          183
                       185
186
                                  ElemGenAve" value="<?php echo set_value('ElemGenAve', (isset(
$form['ElemGenAve'])) ? $form['ElemGenAve'] : ''); ?>"
placeholder="Elementary General Average">
187
188
                        </div>
                        </arr>
<label class="col-sm-4 error"><?php echo form_error('ElemGenAve'); ?>
189
          </div>
190
          <div class="form-group">
191
                 192
193
194
195
196
                              <?php
                              197
198
199
                        ?>
</div>
200
201
202
                        <label class="col-sm-4 error"><?php echo form_error('Status'); ?></label>
203
204
          </div>
206
          207
208
209
                        < div class = "col - sm - 2" >
210
211
212
                              213
214
215
```

```
216
                                 <label class="col-sm-4 error"><?php echo form_error('GradeLevel'); ?>
217
218
                       </div>
<label class="col-sm-2" control-label">Section</label>
219
220
                                 < div class = "col - sm - 2" >
221
                                 <?php
222
                                 $options6 = array()
$options6[''] = '';
223
224
                                          foreach ($section as $row) {
225
226
                                                   $options6[$row->SectionID] = $row->SectionName;
227
                                          echo form_dropdown('Section', $options6, set_value('Section', isset($form3['SectionID']) ? $form3['SectionID'] : ''),'class = "form-control" id="Section"');
229
230
                                 ?>
231
                                          <!--<input type="text" class="form-control" id="Section" name="
Section" value="<?php echo set_value('Section',(isset($form['Section'])) ? $form['Section'] : ''); ?>" placeholder="
232
                                                Section">
233
234
235
                                 </div><label class="col-sm-4 error"><?php echo form_error('Section'); ?>
                                      label>
236
               </div>

<div class="form-group" id="Year" <?php if((isset($form['Status']) && $form['Status']=='G
') || (set_value('Status') !=NULL && set_value('Status')=='G') ) echo 'style="display:
    block";
</pre>
237
               238
239
240
                                 <div class="col-sm-3">
                                          241
242
243
244
245
                                                                               '2010'=> '2010',
'2011'=> '2011',
246
247
                                                                               '2012'=> '2012',
'2013'=> '2013');
249
                                          echo form_dropdown('YearGraduated', %options5, set_value('
YearGraduated', isset($form['StudNum']) && isset($form['Status
']) && $form['Status']=='G' ? substr($form['StudNum'],0,4) :
'2006'),'class="form-control" id="YearGraduated"');
250
251
                                 ?>
252
                                 </div><label class="col-sm-4 error"><?php echo form_error('YearGraduated')</pre>
                                      ; ?></label>
254
255
              </div>
256
     </div>
257
              <div class="tab-pane fade" id="guardian">
258
259
              <h3><a id="new" class="optional_has_click">Create</a> Guardian Record for a Student <small
260
                        id="list"
                                   class="optional_has_click">or select from list of guardians</a></small
                    ><a
                    ></h3>
261
              <?php %attributes = array('class' => 'form-horizontal', 'role' => 'form'); ?>
262
263
              264
265
266
267
                                268
269
270
                                 </div>
271
                                 </
                                      label>
273
              </div>
              <div class="form-group">
                        275
276
                                          <input type="text" class="form-control" id="GFirstName" name="</pre>
277
                                                GFirstName" value="<?php echo set_value('GFirstName',(isset(
$form2['GFirstName'])) ? $form2['GFirstName'] : '');?>"
                                                placeholder="First Name">
278
279
                                 <label class="col-sm-4 error"><?php echo form_error('GFirstName'); ?>
280
                                      label>
281
              </div>
```

```
<div class="form-group">
282
                        <label class="col-sm-2 control-label">Middle Name</label>
283
                                 284
285
286
287
                                 </div>
                                 <label class="col-sm-4 error"><?php echo form_error('GMidName'); ?></label</pre>
288
289
               </div>
               <div class="form-group">
290
                        <label class="col-sm-2 control-label">Address</label>
292
                                 293
                                                name="GAddress" rows="3"><?php echo set_value ('GAddress', (isset($form2['GAddress'])) ? $form2['GAddress'] ) ; ?></
                                                textarea>
                                 </div><label class="col-sm-4 error"><?php echo form_error('GAddress');</pre>
295
                                      ?></label>
296
               </div>
297
               <div class="form-group">
298
299
                        <label class="col-sm-2 control-label">Cellphone Number</label>
                                 <div class="col-sm-6">
300
                                          </div></div><label class="col-sm-4 error"
302
                                                                            "><?php echo form_error('GCellNum');
303
     </label>
304
               </div>
305
               <div class="form-group">
307
                        <label class="col-sm-2 control-label">Home Number</label>
308
                                          <input type="text" class="form-control" id="GHomeNum" name="
    GHomeNum" value="<?php echo set value('GH')</pre>
                                 <div class="col-sm-6">
310
                                                GHomeNum" value="<?php echo set_value('GHomeNum',(isset($form2['GHomeNum'])) ? $form2['GHomeNum'] : ''); ?>"
placeholder="Home Number">
311
312
                                 </div><label class="col-sm-4 error"><?php echo form_error('GHomeNum');</pre>
                                      ?></label>
               </div>
               <div class="form-group">
314
                        <label class="col-sm-2 control-label">Email Address</label>
315
                                          ass="col-sm-6">
<input type="text" class="form-control" id="GEmailAdd" name="
    GEmailAdd" value="<?php echo set_value('GEmailAdd',(isset(
    $form2['GEmailAdd'])) ? $form2['GEmailAdd'] : ''); ?>"
    placeholder="Email Address">
317
318
                                 </div><label class="col-sm-4 error"><?php echo form_error('GEmailAdd');</pre>
319
                                      ?></label>
320
               </div>
               321
322
323
                                 <div class="col-sm-6">
                                          324
325
                                  </div><label class="col-sm-4 error"><?php echo form_error('Occupation');
326
                                      ?></label>
               </div>
327
               </div>
328
               <div id="fromList" <?php if(set_value('Guardian')=='List') echo 'style="display:block";
    else echo 'style="display:none"; ?>>
329
330
               <div class="form-group">
<label class="col-sm-2 control-label">Guardian Name</label>
331
332
               <div class="col-sm-6">
<select id="letter" class="form-control">
333
334
               <steet id= letter class= loim=control /
<option> Starts With Letter (Required) </option>
<option> A </option>
<option> B </option>
336
337
              <option>C </option>
<option>D</option>
<option>E</option>
339
340
               <option>F</option>
341
               <option >G</option >
<option >H</option >
342
343
344
               <option>I</option>
               <option>J</option>
345
                        <option>K</option>
```

```
347
              <option>L</option>
              <option >M</option >
<option >N</option >

348
349
              <option >O</option >
<option >P</option >
<option >Q</option >

350
351
352
              <option >R</option >
<option >S</option >
353
354
355
              <option>T</option>
              <option>U</option>
<option>V</option>
356
358
              <option>S</option>
<option>T</option>
359
              <option>U</option>
361
              <option>V</option>
<option>W</option>
362
              <option>X</option>
              <option>Y</option>
<option>Z</option>
364
365
366
              </select>
          </div>
367
368
          369
370
                       <select class="form-control" name="GuardianList" id="i0"></select>
371
372
              </div>
     </div>
373
      .
<input type="hidden" id="Guardian" name="Guardian" value="New">
375
376
       378
379
380
          </div>
       </div>
381
382
383
        </form>
              \dot{</} \mathrm{div} >
384
     </div>
386
     387
      <script>
389
390
      $(function() {
391
     392
393
394
395
396
       $("#new").click(function(){
397
     $("#createNew").show();
$("#fromList").hide();
$('#Guardian').val("New");
398
399
400
       });
401
402
403
     });
404
      $(function() {
    $('#Status').change(function(){
405
406
407
                   if(\$("\#Status\ option:selected"\ ).text() == `Enrolled') \{
408
                                         1: selected '' ) . text() == 'Enro
$('# GradeSection ') . show();
$('# Year ') . hide();
409
410
411
412
                       else if ($("#Status option:selected" ).text()=='Graduated') { $('#GradeSection').hide(); $('#Year').show();
413
414
415
416
              }
417
                   else {
                                $('#GradeSection').hide();
$('#Year').hide();
418
419
420
421
              });
422
              423
424
425
                                $('#ReligionOther').show();
426
                        else
428
429
                                $('#ReligionOther').hide();
430
431
              });
432
433
     })
434
     var dom2 = {};
dom2.query = jQuery.noConflict(true);
dom2.query(function() {
435
436
437
```

```
438
439
440
    });
441
    442
443
444
              $.ajax({
ype: "POST"
445
             type: "POST",
url: "http://localhost/VCSHSPortal2/blank/get_guardian/"+this.value,
dataType: "json",
contentType: "application/json; charset=utf-8",
446
447
448
             450
451
453
                }):
454
          });
455
456
457
   });
          $('#GradeLevel').on('change', function() {
458
              $('#Section option').remove();
459
             460
461
463
464
                465
466
467
                      option >,);
468
                });
469
            }
470
          });
471
   });
473
         });
474
     </script>
   3
 5
 6
 8
                       10
11
12
13
14
15
                      16
18
19
20
                      </div><label class="col-sm-4 error"><?php echo form_error('SchoolYear');</pre>
21
                          ?></label>
          </div>
          <div class="form-group">
23
         24
25
             26
27
          <input
                </div>
29
30
31
                </div>
32
                <label class="col-sm-4 error"><?php echo form_error('Start'); ?></label>
33
34
       </div>
      </div>
</div class="form-group">
</div class="form-group">
</div class="col-sm-2 control-label">End</label>
</div class="col-sm-6">
</div class="input-group"><span class="input-group-addon"> <span class="glyphicon glyphicon-calendar"></span> </span>
</input readonly='true'type="text" class="form-control" id="End" name="End" value="<?php echo set_value('End',(isset($form[0]['End'])) ? $form[0]['End'] : '' ); ?>" >
</div.</pre>
35
37
38
39
                </div>
40
```

```
41
                                           </div>
 42
 43
                                            </abel class="col-sm-4 error"><?php echo form_error('End'); ?></label>
 44
                  </div>
                  <div class="form-group">
 45
 46
                  <label class="col-sm-2 control-label">Before </label>
<div class="col-sm-6">
 47
 48
                           <?php
                           $\text{Superposition} \text{Superposition} \te
 49
 50
 51
 52
                               if($row['SchoolYear'])
$sy[$row['ID']] = $row['SchoolYear'];
 53
 54
 55
                           echo form_dropdown('Before', $sy, set_value('Before'),'class="form-control" id="Before"')
 56
 57
                      ?>
                       </div>
 58
                           <input type="hidden" class="form-control" name="sy_hidden" id="sy_hidden">
 59
              </div>
 60
                  <div class="form-group">
 61
                  <label class="col-sm-2 control-label">Change Status</label>
<div class="col-sm-6">
 62
 63
                  <div class="input-group"><span class="input-group-addon"> <span class="glyphicon glyphicon-</pre>
 64
                            calendar"></span> </span>
 65
                           <?php
                                 67
 68
                  </div>
 69
 70
                  </div>
 71
 72
73
                  <label class="col-sm-4 error"><?php echo form_error('End'): ?></label>
                  </div>
 75
 76
              <div class="form-group">
                  <div class="col-sm-offset -4 col-sm-5">
    <button type="submit" class="btn btn-success">Submit</button>
 78
 79
 80
              </div>
                </form>
 81
 82
         83
 84
        <script>
var dom2 = {};
dom2.query = jQuery.noConflict(true);
dom2.query(function() {
   dom2.query("#Start").datepicker({
        dateFormat: 'yy-mm-dd'
        changeYear: true,
        changeMonth: true,
          <script>
 85
 86
 88
 89
 91
                                           changeMonth: true,
vearRange: "-20:+20"
 92
                            yearRange: "-20:+20",
    onSelect: function (selected) {
dom2.query("#End").datepicker("option", "minDate", selected);
 94
 95
                     }
              });
 97
               98
 99
100
101
102
                       }});
103
104
105
          });
$('#Before').change(function(){
106
107
                       if($("#Before option:selected").text()!='Select School Year (Optional)'){
108
109
                           ("\#sy\_hidden").val(("\#Before option:selected").text());
110
111
                      }
                });
112
113
          </script>
          <!-- views/add_record/extra.php -->
          2
   3
             4
   5
   7
```

```
11
    <div class="tab-content" >
      <div class="tab-pane fade in active" id="announcements" >
12

    class="breadcrumb">

13
      <a href="<?php echo base_url(); ?>record/view_student_extracurricular/<?php echo $this->uri
->segment(3);?>">Show All Extracurricular</a>
14
15
16
    17
    <?php echo validation_errors(); ?>
<?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form');
    echo form_open_multipart('record/record_extracurricular/'.$this->uri->segment(3),$attributes);
19
20
21
22
      <div class="form-group">
        <label for="inputEmail3" class="col-sm-2 control-label">Student Name</label>
<div class="col-sm-6">
23
24
         <input class="form-control" id="autocompletel" type="text" name="name">
<input id="autocomplete2-value" type="hidden" name="code">
26
27
        </div>

class="btn btn-default" id="add"> Add Record 
/button>
29
30
        </div>
31
      </div>
32
33
      <?php
    if (isset ($count)) {
34
      echo $count:
35
    for (\$i=1;\$i<=\$count;\$i++){
37
38
    <div id="div_<?php echo $i; ?>">
39
    40
41
        <div class="col-sm-6">
42
         43
       44
        </div>
45
         46
47
48
    <div class="form-group">
        <label class="col-sm-2 control-label">School Year</label>
49
        <div class="col-sm-10">
<input type="text" class"
</pre>
50
              ut type="text" class="form-control" value="<?php echo set_value('SchoolYear[]',(isset($schoolyear)) ? $schoolyear : ""); ?>" name="SchoolYear[]">
51
52
        </div>
    </div>
53
        55
56
        </div>
58
    </div>
59
60
    61
            ut type="text" class="form-control" value="<?php echo set_value('Recognition[]'); ?>" name ="Recognition[]">
       <div class="col-sm-10">
<input type="text" class</pre>
63
64
        </div>
    </div>
65
    66
67
68
       <input type="file" name="userfile <?php echo $i;?>">
69
70
        </div>
    </div>
71
72
73
74
75
    </div>
76
    <?php
78
    } }
79
80
    <div class="form-group">
81
        <div id="add_subjects">
82
        </div>
    </div>
<label class="col-sm-3 error"><?php echo form_error('SchoolYear[]'); ?></label>
<label class="col-sm-3 error"><?php echo form_error('Description[]'); ?></label>
<label class="col-sm-3 error"><?php echo form_error('Recognition[]'); ?></label>
<label class="col-sm-3 col-sm-offset-4 error"><?php if(isset($upload_message)) echo
$upload_message; ?></label>
84
85
87
    <div class="form-group alert-dismissable">
89
90
91
        <div class="col-sm-2">
          <button type="submit" class="btn btn-default" > Submit 
92
        </div>
```

```
94
         </div>
 95
         </div>
       </div>
 97
       </form>
 98
       </div>
 99
100
101
        <script src="<?php echo base_url(); ?>assets/themes/default/js/jquery-ui.js"></script>
102
103
104
            $(function() {
               $("#autocomplete1").autocomplete({
105
                              "/VCSHSPortal2/blank/get_students",
106
                  source:
                  focus: function (event, ui) {
108
                     event.preventDefault():
109
110
111
                    $(this).val(ui.item.label);
112
                  select: function(event, ui) {
113
114
                     event.preventDefault();
115
116
                     $(this).val(ui.item.label);
117
                     $("#autocomplete2-value").val(ui.item.id);
118
119
               });
120
122
            });
123
125
         </script>
126
127
       <script>
128
129
       $(document).ready(function() {
         $('#add').prop('disabled', true);
$('#autocompletel').on('input', function() {
130
131
132
133
                     if (\$('\#autocomplete1').val()=="") {
134
                            $('#add').prop('disabled', true);
136
                     } else
                            $('#add').prop('disabled', false);
137
138
139
             });
140
      });
141
            $ (document).ready(function(){
142
144
                  145
147
148
149
150
151
                    $('#add_subjects').append('<div id="div_'+ i +'">'
+'<div class="form-group"><label class="col-sm-2 control-label">Student Name</label><div class="col-sm-6">'+
153
                    class="col-sm-6">+
'<input type="text" readonly class="form-control" id="Name'+ i +" value="<?php
    set_value("Name[]"); ?>" name="Name[]">'+
    '<input type="hidden" class="form-control" id="NameID'+ i +" value="<?php echo
        set_value("NameID[]"); ?>" name="NameID[]">'+
    '</div>'+
154
                                                                                              id="Name'+ i +'" value="<?php echo
155
156
                   '<div class="col-sm-1"><a num="'+ i +'" class="removeclass">&times;</a></div>'+</div>'+
157
158
                  '<div class="form-group">'+
159
                  '<div class="form-group">'+
'<label class="col-sm-2 control-label">School Year</label>'+
'<div class="col-sm-2 control-label">School Year</label>'+
'<div class="col-sm-2 control-label">School Year
'<input type="text" class="form-control" value="<?php echo set_value("SchoolYear[]", (isset ($schoolyear)) ? $schoolyear: ""); ?>" name="SchoolYear[]">'+
160
161
162
                   '</div>'+
163
                  '</div>'+
164
      165
166
167
168
169
            ^{\prime }</\operatorname*{div}>^{\prime }+
       '</div>'+
'<div class="form-group">'+
170
171
           '<label class="col-sm-2 control-label">Recognition</label>'+
'<div class="col-sm-10">'+
'<input type="text" class="form-control" value="<?php echo set_value("Recognition[]"); ?>" name
173
174
            ="Recognition[]">'+
'</div>'+
175
      '</div>'+
176
      '<div class="form-group">'+
    '<label class="col-sm-2 control-label">File</label>'+
    '<div class="col-sm-10">'+
177
178
```

```
180
181
183
184
185
186
     });
$("body").on("click",".removeclass", function(e){
187
188
189
              if(x > 1)
190
191
                var num = $(this).attr("num");
192
194
             $("#div_"+num).remove();
195
     return false;
197
198
     });
         </\mathrm{script}>
              2
3
 5
6
                                        ass="col-sm-6">
<input type="text" class="form-control" id="GLastName" name="
GLastName" value="<?php echo set_value('GLastName',(isset(
$form2['GLastName'])) ? $form2['GLastName'] : ''); ?>"
placeholder="Last Name">
 8
                                </div>
                                <label class="col-sm-4 error"><?php echo form_error('GLastName'); ?>
10
                                     label>
11
              </div>
              <div class="form-group">
12
                       <label class="col-sm-2 control-label">First Name</label>
13
                                <div class="col-sm-6">
                                        <input type="text" class="form-control" id="GFirstName" name="</pre>
15
                                              GFirstName" value="<?php echo set_value('GFirstName',(isset($form2['GFirstName'])) ? $form2['GFirstName'] : '');?>" placeholder="First Name">
16
                                </div>
                                </abel class="col-sm-4 error"><?php echo form_error('GFirstName'); ?></</pre>
18
                                     label>
19
              </div>
              <div class="form-group">
20
21
                       <label class="col-sm-2 control-label">Middle Name</label>
                               22
23
                                              GMidName" value="<?php echo set_value('GMidName', (isset($form2 ['GMidName'])) ? $form2['GMidName'] : ''); ?>"placeholder="Middle Name">
                                </div>
25
                                <label class="col-sm-4 error"><?php echo form_error('GMidName'); ?></label</pre>
26
27
              </div>
              <div class="form-group">
                       29
30
                                         <textarea placeholder="Address" class="form-control" id="GAddress"
    name="GAddress" rows="3"><?php echo set_value('GAddress', (
    isset($form2['GAddress'])) ? $form2['GAddress'] : ''); ?>
32
33
                                </div><label class="col-sm-4 error"><?php echo form_error('GAddress');</pre>
                                     ?></label>
              </div>
34
35
              <div class="form-group">
36
                       <label class="col-sm-2 control-label">Cellphone Number</label>
37
38
                               < div class = "col - sm - 6" >
                                        39
                                                                   </div></div></div></div></div>
clase="col-sm-4 error"

"><?php echo form_error('GCellNum');</pre>
40
41
     </label>
42
43
              </div>
              <div class="form-group">
44
                       <label class="col-sm-2 control-label">Home Number</label>
45
47
                               48
                                              GHomeNum"
                                                         value="<?php echo set_value('GHomeNum',(isset(
```

```
$form2['GHomeNum'])) ? $form2['GHomeNum'] : ''); ?>"
placeholder="Home Number">
49
                           <\!/{\rm div}\!>\!<\!{\rm label~class}\!=\!"{\rm col}\!-\!{\rm sm}-4~{\rm error}"><\!?{\rm php~echo~form\_error}(\,'{\rm GHomeNum'})\;;
50
                               ?></label>
51
           </div>
           52
53
                           54
55
56
57
                           </div><label class="col-sm-4 error"><?php echo form_error('GEmailAdd');
                                ?></label>
           </div>
           <div class="form-group">
59
                   <label class="col-sm-2 control-label">Occupation</label>
60
                           62
                                       Occupation" value="<?php echo set_value('Occupation', (isset(
$form2['Occupation'])) ? $form2['Occupation'] : ''); ?>"
placeholder="Occupation">
63
64
                           </div><label class="col-sm-4 error"><?php echo form_error('Occupation');</pre>
                               ?></label>
65
           </div>
           66
67
                   69
70
71
                   </div>
                   </abel class="col-sm-4 error"><?php echo form_error('GUsername'); ?></label>
<!-- ,(isset($form[''])) ? $form[''] : '' -->
72
73
           </div>
           <div class="form-group">
74
                   <label class="col-sm-2 control-label">Password</label>
75
                   76
                   </div>
78
                   79
           </div>
80
82
     <div class="form-group">
    <div class="col-sm-offset-4 col-sm-5">
        <button type="submit" class="btn btn-success">Submit</button>
83
85
86
      </div>
88
       /
/form>
1
   <?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form');
echo form_open('record/submit_new_section', $attributes); ?>
4
5
      <div class="form-group">
    <input type="hidden" class="form-control" name="Type" id="Type" value="Top Students">
     <div class="form-group">
    <label class="col-sm-4 control-label">SchoolYear</label>
10
11
12
         < div class = "col - sm - 4" >
13
           <?php

$sy = array();
$sy[''] = 'Select School Year';
foreach($all_sy as $row){
    if($row['SchoolYear'])
14
15
16
17
              $sy[$row['ID']] = $row['SchoolYear'];
18
19
20
           echo form_dropdown('SchoolYear', $sy, set_value('SchoolYear'),'class="form-control" id="
21
                SchoolYear"
22
         </div>
23
           <input type="hidden" class="form-control" name="sy_hidden" id="sy_hidden">
24
     </div>
25
26
28
29
     <div class="form-group" id="GradeSection" >
       31
32
```

```
<?php
34
           35
36
37
         ?>
38
39
         <label class="col-sm-4 error"><?php echo form_error('GradeLevel'); ?></label>
40
          </div>
41
42
43
      </div>
      <div class="form-group" >
44
45
46
        <label class="col-sm-4 control-label">Section</label>
<div class="col-sm-4">
47
          <?php
          soptions6 = array();
soptions6[''] = '';
foreach($section as $row){
49
50
51
              $options6[$row->SectionID] = $row->SectionName;
52
53
54
55
           56
57
         ?>
59
60
          </div><label class="col-sm-4 error"><?php echo form_error('Section'); ?></label>
      </div>
      62
63
         <button type="submit" class="btn btn-success">Show Section</button>
64
        </div>
65
      </div>
66
67
    <?php form_close(); ?>
68
69
    70
71
     < s c r i p t >
73
74
75
76
77
78
    var dom2 = {};
dom2.query = jQuery.noConflict(true);
79
    81
82
        true, yearRange: "-60:+0"});
dom2.query( "#DateWeighed" ).datepicker({ dateFormat: 'yy-mm-dd',changeYear: true,changeMonth: true,yearRange: "-60:+0"});
83
84
     });
85
     86
88
89
                $.ajax({
               90
91
92
93
94
95
                       ach( json, function( key, val ) {
$('#i0').append('<option value='+json[key].label+'>'+json[key].value+'</option
96
                           >');
97
                   });
98
               }
            });
99
100
101
    });
             $('#GradeLevel').on('change', function() {
102
                $('#Section option').remove();
$vals = $("#SchoolYear option:selected" ).text();
103
104
105
                $.ajax({
               type: "POST",
url: "http://localhost/VCSHSPortal2/blank/get_section2/"+this.value+"/"+$vals,
dataType: "json",
106
107
108
               contentType: "application/json; charset=utf-8",
success: function(json){
109
110
                   $.each( json,function( key, val ) {
    $('# Section') .append('< option value='+json[key].label+'>'+json[key].value+'</
    option >');
112
113
                   });
$('#Section').append('<option value="All">All</option>');
114
115
116
            });
117
118
   });
```

```
119
      });
$('#SchoolYear').change(function(){
120
121
              if($("#SchoolYear option:selected").text()!='Select School Year'){
122
123
124
                ("\#sy\_hidden").val(("\#SchoolYear option:selected").text());
125
126
127
             }
        });
</script>
128
       <?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
      echo form_open('record/record_no_classes', $attributes); ?>
<div class="panel panel-default">
<div class="panel-heading">
  3
  4
  6
7
      <h4>
      </h4>
      </div>
      <div class="panel-body">
<div class="form-group">
  9
 10
        <label class="col-sm-3 col-sm-offset-1"><center>Description </center></label>
<label class="col-sm-3"><center>Start Date</center></label>
<label class="col-sm-3"><center>End Date</center></label>
 11
 12
 14
      </div>
 15
 16
      <?php
      if (isset ($count)) {
for ($i=1;$i<=$count;$i++){
 17
 18
 19
 20
 21
      <div id="div_<?php echo $i; ?>">
      22
 23
 24
 25
 26
           </div>

<div class="col-sm-3">
<input type="text" class="form-control datepicker" id="end_<?php echo $i;?>" value="<?php
echo set_value('End[]'); ?>" name="End[]" >
</div>
 27
 28
 29
 30
           <div class="col-sm-1" <?php if($i==1) echo 'style="display:none"'; else echo 'style="display:
    block"'; ?>><a num="<?php echo $i;?>" class="removeclass">&times;</a></div>
 31
 32
      </div>
 33
      </div>
 34
 35
      <?php
 36
      } } else
 37
 38
      {?>
 39
 40
      <div class="form-group">
 41
          42
           value = <:pnp echo set_value( Desc[] ); !> name= Desc[] ></div>
<div class="col-sm-3">
  <input type="text" class="form-control datepicker" id="start_1" value="<?php echo set_value(' Start[]'); ?>" name="Start[]" >
 43
 44
           </div>
 45
           <div class="col-sm-3">
            cinput type="text" class="form-control datepicker" id="end_1" value="<?php echo set_value('
End[]'); ?>" name="End[]" >
 47
 48
           </div>
 49
 50
      </div>
 52
 53
      <?php } ?>
 54
 55
 56
 57
 58
      <div id="input">
 59
 60
      </div>
      </abel class="col-sm-3 col-sm-offset-1 error"><?php echo form_error('Desc[]'); ?></label>
 61
     <label class="col-sm-3 col-sm-offset-1 error"><?php echo form_error('Start[]'); ?></label> <label class="col-sm-3 col-sm-offset-1 error"><?php echo form_error('End[]'); ?></label>
 63
 64
 65
      </div>
 66
 68
      <div class="form-group">
           <div class="col-sm-offset -4 col-sm-2">
 69
              <button type="button" class="btn btn-default" id="add"> Add Record </button>
 71
 72
           <div class="col-sm-2">
```

```
<button type="submit" class="btn btn-default" > Submit 
  74
                        </div>
  75
                  </div>
  77
            </div>
  78
  79
             </form>
            <script src="<?php echo base_url(); ?>assets/themes/default/js/jquery-1.9.1.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/jquery-ui.js"></script>
  80
  81
  82
  83
            $ (document).ready(function() {
  84
  85
                 var MaxInputs
var InputsWrapper
                                                                      = $("#input");
  86
  87
  88
                  var x = <?php if(isset($count)) echo $count; else echo 'InputsWrapper.length';?>;
  89
  91
  92
                  var FieldCount=<?php if(isset($count)) echo $count; else echo '1'; ?>
                 $("#add").click(function (e) {
  if(x <= MaxInputs){
    FieldCount++;
}</pre>
  94
  95
                              FieldCount++;

$(InputsWrapper).append('<div id="div_'+ FieldCount +"><div class="form-group">'+
'<div class="col-sm-3 col-sm-offset-1"><input type="text" id="desc_'+ FieldCount +" class
= "form-control" value="<?php echo set_value("Desc[]"); ?>" name="Desc[]"></div>'+
'<div class="col-sm-3"><input class="form-control datepicker" value="<?php echo set_value
("Start[]"); ?>" type="text" name="Start[]" id="start_'+ FieldCount +" /></div>'+
'<div class="col-sm-3"><input type="text" class="form-control datepicker" id="end_'+
FieldCount +" value="<?php echo set_value("End[]"); ?>" name="End[]" ></div><div class="col-sm-1"><a num=""+ FieldCount +" class="removeclass">&times;</a></div></div></div ></div >
  96
  97
  98
  99
100
101
                                             x++;
102
                            return false;
103
104
105
106
107
108
109
110
111
                  $("body").on("click",".removeclass", function(e){
112
113
                                  if(x > 1) {
114
115
116
                                       var num = $(this).attr("num");
117
                                                       $("#div_"+num).remove();
119
             return false;
120
            ś);
122
123
124
125
            var dom3 = {};
dom3.query = jQuery.noConflict(true);
126
            127
128
129
130
            })
});
131
132
133
134
135
            </\mathrm{script}>
            class = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/record_offenses/'.$this->uri->segment(3),$attributes); ?>
<div class="panel panel-default">
<div class="panel-heading">
</div class="panel-heading">
    2
    3
    5
            <h4>
             <?php echo $student;?></h4>
            </div>

<div class="panel-body">
<div class="form-group">
<label class="col-sm-3 col-sm-offset-1"><center>School Year</center></label>
  10
  11
                      <label class="col-sm-3"><center>Offense</center></label>
<label class="col-sm-3"><center>Date</center></label>
  12
  13
  14
  15
            </div>
            <?php
if(isset($count)){</pre>
  16
  17
  18
             for ($i=1;$i <=$count;$i++){
  19
  20
            <div id="div-<?php echo $i; ?>">
<div class="form-group">
  21
```

```
23
              24
25
26
              28
29
30
              $$ < {\rm div~class} = {\rm "col-sm-1"} < {\rm ?php~if} ( {\rm $i==1}) \ {\rm echo~'style} = {\rm "display:none"'; \ else~echo~'style} = {\rm "display:none"'; \ else~ec
31
32
       </div>
33
       </div>
35
        <?php
       } } else
36
37
38
       {?>
39
40
       <div class="form-group">
41
              43
44
45
               46
47
               </div>
48
49
       </div>
51
52
53
       <?php } ?>
54
55
56
57
58
       <div id="input">
59
60
       </div>
       <label class="col-sm-3 col-sm-offset-1 error"><?php echo form_error('Offense[]'); ?></label>
61
62
63
64
       </\mathrm{div}>
65
       <div class="form-group">
              67
68
               </div>
70
71
               <div class="col-sm-2">
               73
74
           </div>
       </div>
76
77
        </form>
       <script src="<?php echo base_url(); ?>assets/themes/default/js/jquery-1.9.1.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/jquery-ui.js"></script>
79
80
        <script>
81
        $(document).ready(function() {
82
           var MaxInputs
83
           var InputsWrapper = $("#input");
84
85
86
           var \ x = <?php \ if(isset(\$count)) \ echo \ \$count; \ else \ echo \ 'InputsWrapper.length';?>;
87
88
89
           var FieldCount=<?php if(isset($count)) echo $count; else echo '1'; ?>
90
92
           $("#add").click(function (e) {
  if(x <= MaxInputs){</pre>
93
                   FieldCount++;
                    95
96
97
98
                              ></div > ');
99
                              x++;
```

```
100
          }
return false;
101
102
      $("body").on("click",".removeclass", function(e){
103
104
105
            if(x > 1)
106
107
              var num = $(this).attr("num");
108
                   ("#div_"+num).remove();
109
110
111
    return false;
112
113
    })
114
    });
115
    117
118
120
121
122
123
124
125
127
    </\mathrm{script}>
     <?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
    echo form_open('record/record_offenses/'.$this->uri->segment(3),$attributes); ?> <div class="panel panel-default"> <div class="panel-heading">
    <h4>
    <?php echo $student;?></h4>
    </div>
    <div class="panel-body">
<div class="form-group">
<liv class="form-group">
<label class="col-sm-3"><center>School Year</center></label>
10
11
        <label class="col-sm-3"><center>Equipment//center>//abel>

<label class="col-sm-3"><center>Equipment//center>//abel>

<label class="col-sm-2"><center>No. Of Equipment//center>//abel>
13
14
    </div>
    <?php
if(isset($count)){</pre>
16
17
    for ($i=1;$i <=$count;$i++){
19
20
    21
22
        <div class="col-sm-3">
<input type="text" class"
</pre>
             25
        </div>
26
27
        29
30
        <div class="col-sm-2">
  <input type="text" class="form-control" id="stat_<?php echo $i;?>" value="<?php echo</pre>
31
32
             set_value('Status[]'); ?>" name="Status[]"
        33
34
    </div>
35
36
    </div>
37
    <?php
38
39
    } }
40
    else
41
    {?>
43
    <div class="form-group">
44
       div >
        <div class="col-sm-3">
<input type="text" class="form-control" id="equip_1" value="<?php echo set_value('Equipment
[]'); ?>" name="Equipment[]" >
46
47
48
49
         cinput type="text" class="form-control" id="no_1" value="<?php echo set_value('NoEquipment
[]'); ?>" name="NoEquipment[]" >
51
52
```

```
53
                     < div class = "col - sm - 2">
                       class="form-control" value="<?php echo set_value('Status[]'); ?>" id="
  54
  55
  56
            </div>
  58
  59
           <?php } ?>
  60
  61
  62
  63
  64
  65
           <div id="input">
          66
  67
  69
  70
 71
72
           </div>
  73
           74
  75
                          <button type="button" class="btn btn-default" id="add"> Add Record </button>
  76
  77
                      </div>
                     <div class="col-sm-2">
  78
                          <button type="submit" class="btn btn-default" > Submit 
                      </div>
  80
  81
                </div>
           </div>
  83
  84
           </form>
  85
  86
            <script>
  87
            $(document).ready(function() {
  88
                 var MaxInputs
  89
                var InputsWrapper
                                                               = $("#input");
  90
  91
  92
                var x = <?php if(isset($count)) echo $count; else echo 'InputsWrapper.length';?>;
  94
  95
                var FieldCount=<?php if(isset($count)) echo $count; else echo '1'; ?>
  97
                ("\#add"). click (function (e) {
  98
                      if (x <= MaxInputs) {
FieldCount++:
  99
                            FieldCount++;

$(InputsWrapper).append('<div id="div_'+ FieldCount +'"><div class="form-group">'+
'<div class="col-sm-3"><input type="text" id="sy_'+ FieldCount +'" class="form-control"
    value="<?php echo set_value("SchoolYear[]", isset($schoolyear)? $schoolyear: ""); ?>"
    name="SchoolYear[]"></div>'+
'<div class="col-sm-3"><input class="form-control" value="<?php echo set_value("Equipment
[]"); ?>" type="text" name="Equipment[]" id="equip_'+ FieldCount +'" /></div>'
+'<div class="col-sm-3"><input class="form-control" type="text" value="?php echo
    set_value("NoEquipment[]"); ?>" name="NoEquipment[]" id="no_'+ FieldCount +'" /></div
    >'
    *'<div class="col-sm-3"><input class="form-control" type="text" value="?php echo
    set_value("NoEquipment[]"); ?>" name="NoEquipment[]" id="no_'+ FieldCount +'" /></div
    *'<div class="col-sm-2"><input class="form-control" type="text" value=""?php echo
    *'<div class=""col-sm-2"><input class="form-control" type="text" value=""?php echo
    *'<div 
100
101
102
103
104
                               +'<div class="col-sm-2"><input class="form-control" type="text" value="<?php echo set_value("Status[]"); ?>" name="Status[]" id="stat_'+ FieldCount +'" /></div >'+'<div class="col-sm-1"><a num="'+ FieldCount +'" class="removeclass">&times;</a></div
105
106
                                        ></div></div>');
107
108
109
                          return false;
110
111
112
113
114
115
116
117
                ("body").on("click",".removeclass", function(e){}
118
119
120
                               if(x > 1)
121
122
                                    var num = $(this).attr("num");
123
                                                  $("#div_"+num).remove();
124
126
            return false;
127
           })
});
129
130
           </script>
                   <?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form');
   3
4
                               echo form_open('record/record_schooladmin', $attributes); ?>
```

```
5
6
         <div class="form-group">
               9
10
                           placeholder="Last Name">
12
                     </div>
13
                     <label class="col-sm-4 error"><?php echo form_error('SALastName'); ?>
                         label>
14
         </div>
         <div class="form-group">
               16
17
19
20
21
         </div>
22
         <div class="form-group">
               24
25
                               placeholder="Middle Name">
27
                     </div>
                     <label class="col-sm-4 error"><?php echo form_error('SAMidName'); ?>
28
                     label> <!-- <label class="col-sm-4 error"> </label> -->
29
30
31
         </div>
         <div class="form-group">
32
               <label class="col-sm-2 control-label">Address</label>
34
                     <div class="col-sm-6">
                           <textarea class="form-control" id="SAAddress" name="SAAddress"
rows="3"><?php echo set_value('SAAddress', (isset($form['
SAAddress'])) ? $form['SAAddress'] : ''); ?></textarea>
35
36
                     38
30
40
         </div>
         <div class="form-group">
               42
43
                     45
                     </div>
46
                      </abel class="col-sm-4 error"><?php echo form_error('SACellNum'); ?>
48
                         label>
49
         </div>

<div class="form-group">

<label class="col-sm-2 control-label">Email Address
/label>
50
51
                     52
53
                               placeholder="xxxx@xxx.com">
54
55
                     </div>
56
                      <label class="col-sm-4 error"><?php echo form_error('SAEmailAdd'); ?>
                         label>
57
         </div>
         <div class="form-group">
59
               <label class="col-sm-2 control-label">Gender</label>
<div class="col-sm-9">
60
                     62
63
                     <div class="radio">
                     <?php echo form_radio('SAGender', 'M', FALSE, preset_radio('SAGender', 'M
        ', isset($form['SAGender']) ?$form['SAGender']: '')); ?> <label>Male/
64
                         label>
65
66
                     </div>
               </div>
67
                <label class="col-sm-4 error"></label>
68
```

```
</div>
69
70
             <div class="form-group">
            72
73
                      <div class="input-group"><span class="input-group-addon"> <span class="glyphicon"</pre>
                           75
                                   dd-mm-yyyy">
76
                     </div>
77
78
                     </div>
                      clabel class="col-sm-4 error"> <?php echo form_error('SABirthday'); ?></label>
79
         </div>
80
            <div class="form-group">
                    82
83
                                    85
86
                              </abel class="col-sm-4 error"><?php echo form_error('SABirthplace'); ?></</pre>
87
                                  label>
88
             </div>
             <div class="form-group">
89
                    <label class="col-sm-2 control-label">Religion </label>
90
                             <div class="col-sm-3"</pre>
                             ">
<?php
92
93
94
                                     95
96
                                     christian = Other Christian , Other => Other , None '=>'None');
echo form_dropdown('SAReligion', $options, set_value('SAReligion', isset($form['SAReligion']) && isset($options3[$form['SAReligion']]) ? $form('SAReligion'] : 'Other'),'class="form-control" id="SAReligion");
97
98
                            ?>
</div>
99
            100
102
                            </div>
<label class="col-sm-4 error"><?php echo form_error('SAReligion'); ?><br/>><?php echo form_error('ReligionOther'); ?></label>
103
104
105
             </div>
106
             <div class="form-group">
107
                    108
109
110
                                     111
112
113
                            ?>
114
                             </div>
                            116
117
                                         set_value('SASpouseName', (isset($form['SASpouseName'])) ?
$form['SASpouseName'] : ''); ?>" name="SASpouseName"
placeholder="Spouse's Name" id="SASpouseName" name="Spouse
                             </div>
118
                             <label class="col-sm-4 error"><?php echo form_error('SASpouseName'); ?>
119
                                 label>
120
             </div>
             <div class="form-group">
                    <label class="col-sm-2 control-label">Citizenship</label>
122
                            <div class="col-sm-6">
123
                                    ass="col-sm-6">
<input type="text" class="form-control" id="SACitizenship" value
="<?php echo set_value('SACitizenship',(isset($form['
SACitizenship'])) ? $form['SACitizenship'] : ''); ?>" name="
SACitizenship" placeholder="Citizenship">
124
125
126
                             </div>
```

```
127
                    <label class="col-sm-4 error"><?php echo form_error('SACitizenship');</pre>
                       ?></label>
        </div>
128
129
        130
131
                   <div class="col-sm-5">
132
133
134
                         135
136
137
138
                               139
140
                               142
143
                               else
                                    $sa_type="Personnel";
145
                         146
                   ?>
148
                   </div>
149
                    <label class="col-sm-4 error"><?php echo form_error('SAType'); ?></label>
151
         </div>
        152
153
              <div class="col-sm-5">
<div class="checkbox" id="Club">
154
155

Club Administrator ', FALSE,
156
                       157
              </div>
              158
160
              </div>
161
              </div>
162
         </div>
163
        164
165
              <div class="col-sm-5">
<div class="radio">
166
167
                         168
169
                   </\mathrm{div}>
                   <div class="radio">
170
                         ss="radio">
<label><input type="radio" value='Gui' name="SAPersonnelType" <?
php if(isset($form['SAType']) && strpos($form['SAType'],'
Personnel') !== FALSE && strpos($form['SAType'],'Gui') !==
FALSE) echo 'checked'; ?>> Guidance Counselor</label>
171
                   </div>
172
173
174
              </div>
175
        </div>
176
177
178
        <div class="form-group">
179
              180
181
183
                   </div>
184
185
                    <label class="col-sm-4 error"><?php echo form_error('SADepartment'); ?></</pre>
                       label>
         </div>
186
        187
188
                   190
                            SAYearsService '])) ? $form['SAYearsService']:
SAYearsService" placeholder="Years in Service">
                                                             ','); ?>" name="
192
                   </div>
                    <label class="col-sm-4 error"><?php echo form_error('SAYearsService');</pre>
193
                       ?></label>
```

```
194
                             </div>
195
               197
198
199
                         <button type="submit" class="btn btn-success">Submit</button>
                     </div>
200
201
                </div>
202
                  </form>
203
204
205
           206
207
             < s c r i p t >
208
209
             $(function() {
                             $('#SAMaritalStatus').change(function(){
                                      if($("#SAMaritalStatus option:selected" ).text()=='Married') {
    $('#tohide').show();
211
212
213
214
                                                                  }
215
                                       else {
216
                                                                  $('#tohide').hide();
217
218
                             });
219
           })
220
221
             function()
                             222
223
                                                                                   " ) . text () == 'Personnel ') {
    $('#RoleMain') . hide();
224
225
226
                                       else {
227
                                                                   $('#RoleMain').show();
228
229
                                                                   231
                                                                                     $('#RolePersonnel').hide();
232
                                                                  }
233
                                       else {
234
                                                                  $('#RolePersonnel').show();
235
236
                             });
$('#SAReligion').change(function(){
    if($("#SAReligion option:selected").text()=='Other'){
237
238
240
                                                                  $('#ReligionOther').show();
241
242
243
                                                                  ('\#ReligionOther').hide();
244
245
                             });
246
           })
247
           var dom2 = {};
dom2.query = jQuery.noConflict(true);
249
250
           dom2.query(function() {
   dom2.query( "#SABirthday" ).datepicker({ dateFormat: 'yy-mm-dd',changeYear: true,changeMonth:
251
252
                            true, yearRange: "-60:+0"});
253
             });
254
255
256
                </\mathrm{script}>
   1 2
   3
                             <?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form');
echo form_open('record/record_section', $attributes); ?>
<div class="form-group">
   5
    6
                                                <div class="col-sm-6">
                                                                  <input type="hidden" class="form-control" id="SectionID" name="SectionID"</pre>
   8
                                                9
                                                          label>
  10
                             </div>
  11
  12
                             <div class="form-group">
                    <a... class="col-sm-group /
<label class="col-sm-2 control-label">School Year</label>
<div class="col-sm-6">
  13
                              <?php
  15
                             $\ \text{spip}
$\ \text{sy} = \text{array();}
$\ \text{sy} [''] = '\text{Select School Year';}
$\ \text{foreach(\sall_sy as \strow)} \{
$\ \text{if(\strowergy formall sy on sy ['schoolYear'])}
$\ \text{sy} [\strowergy formall sy ['ID']] = \strowergy formall sy ['SchoolYear'];}
$\ \text{sy} [\text{sy [srowergy formall sy sy ['schoolYear'];}
$\ \text{sy} [\text{sy [srowergy formall sy sy ['schoolYear'];}]
$\ \text{sy [srowergy formall sy ['schoolYear'];}
$\ \ext{sy [srowergy formall sy ['schoolYear']];}
$\ \ext{sy [srowergy formall sy ['schoolYear'];}
$\ \ext{sy [srowergy formall sy ['schoolYear']];}
$\ \ext{sy [srowergy formall sy ['schoolYear']];}
$\ \ext{sy [srowergy formall sy ['schoolYear']]}
$\ \ext{sy [srowergy formall sy ['schoolYear']];}
$\ \ext{sy [srowergy formall sy ['schoolYear']]}
$\ \ex
  16
  18
  19
```

```
21
22
23
           echo form_dropdown('SchoolYear', $sy, set_value('SchoolYear'),'class="form-control" id="
               SchoolYear"');
24
         ?>
</div>
25
         <input type="hidden" class="form-control" name="sy_hidden" id="sy_hidden">
26
27
28
           <label class="col-sm-4 error"><?php echo form_error('SchoolYear'); ?> </label>
     </div>
29
30
31
          32
33
                         <div class="col-sm-6">
34
35
                                 36
37
38
                         ?>
39
40
                         </div>
41
42
           </div>
43
           <div class="form-group">
                  45
46
                                     placeholder="Section Name">
48
                         </div><label class="col-sm-4 error"><?php echo form_error('SectionName');</pre>
49
                              ?></label>
50
           </div>
51
           <div class="form-group">
52
                  <label class="col-sm-2 control-label">Number of Students</label>
53
                         54
55
                                     NumStud' value="<?php echo set_value('NumStud',(isset(\form['NumStud'])) ? \form['NumStud'] : ''); ?>" placeholder="Number of Students">
56
57
                         </div><label class="col-sm-4 error"><?php echo form_error('NumStud'); ?>
                                     </label>
           </div>
58
59
60
           62
63
                         <?php echo form_dropdown('TeacherNum', $form2, set_value('TeacherNum',
    isset($form['TeacherNum']) ? $form['TeacherNum'] : ''),'class="form-control" '); ?>
65
                         </div>
66
67
           </div>
          68
69
70
                         <div class="col-sm-6">
                                 ss="co1-sm-o">
<input type="text" class="form-control" id="Room" name="Room"
    value="<?php echo set_value('Room',(isset($form['Room'])) ?
    $form['Room'] : '' ); ?>" placeholder="Room">
71
72
                         </div><label class="col-sm-4 error"><?php echo form_error('Room'); ?>
73
74
           </div>
75
76
77
78
79
     <div class="form-group">
       80
81
       </div>
82
     </div>
83
      /
/form>
85
    <script>
86
   $('#SchoolYear').change(function(){
88
89
         if($("#SchoolYear option:selected").text()!='Select School Year'){
91
92
           $("#sy_hidden").val($("#SchoolYear option:selected").text());
93
94
      });
```

```
96
    </script>
97
   ss= nav nav-taus /
<a href="#student" data-toggle="tab">Student</a>
<a href="#guardian" data-toggle="tab">Guardian</a>
3
4
   6
   9
         <div class="tab-pane fade in active" id="student">
10
         12
13
                15
16
                </div>
17
18
                <label class="col-sm-4 error"><?php echo form_error('StudNum'); ?></label>
         </div>
19
20
         <div class="form-group">
               21
22
24
25
                      </div>
                      <label class="col-sm-4 error"><?php echo form_error('SLastName'); ?>
26
                          label>
         </div>
28
         <div class="form-group">
                <label class="col-sm-2 control-label">First Name</label>
29
                      <div class="col-sm-6">
                             <input type="text" class="form-control" id="SFirstName" name="</pre>
31
                                SFirstName" value="<?php echo set_value('SFirstName',(isset($form['SFirstName'])) ? $form['SFirstName']: ''); ?>" placeholder="First Name">
32
                       </div>
33
                      </abel class="col-sm-4 error"><?php echo form_error('SFirstName'); ?></</pre>
34
                          label>
35
         </div>
         <div class="form-group">
36
37
                <label class="col-sm-2 control-label">Middle Name</label>
                      38
39
40
                      </div>
41
                      <label class="col-sm-4 error"><?php echo form_error('SMidName'); ?></label</pre>
42
         </div>
43
         <div class="form-group">
                45
46
                             textarea>
48
                      </div>
49
50
                      <label class="col-sm-4 error"><?php echo form_error('SAddress'); ?></label</pre>
51
         </div>
52
         <div class="form-group">
53
54
                <label class="col-sm-2 control-label">Cellphone Number</label>
55
                      <div class="col-sm-4">
                             <div class="input-group"><span class="input-group-addon">+</span>
56
                                57
58
59
                      </div>
                      </div><label class="col-sm-4 error"><?php echo form_error('SCellNum');</pre>
60
                          ?></label>
61
         </div>
62
         <div class="form-group">
64
                      <label class="col-sm-2 control-label">Home Number</label>
65
                      <div class="col-sm-4">
```

```
<input type="text" class="form-control" id="SHomeNum" name="
    SHomeNum" value="<?php echo set_value('SHomeNum',(isset(
    $form['SHomeNum'])) ?    $form['SHomeNum'] : ''); ?>"
    placeholder="XXXXXXX">
 67
 68
 69
                                  </div>
                                  <label class="col-sm-4 error"><?php echo form_error('SHomeNum'); ?></label</pre>
 70
               </div>
              72
73
 74
                                 SEmailAdd" value="<?php echo set_value('SEmailAdd',(isset(
$form['SEmailAdd'])) ? $form['SEmailAdd'] : ''); ?>"
placeholder="Email Address">
 76
 77
                                  </div>
                                  clabel class="col-sm-4 error">pre echo form_error('SEmailAdd'); ?>
 78
 79
               </div>
              80
 81
 82
 83
 84
                                  <div class="radio">
                                          <label><input type="radio" value='F' name="SGender" checked >
Female</label>
 85
 86
                                  </div>
 87
                                  <div class="radio">
                                           <label><input type="radio" value='M' name="SGender" <?php if((
    isset($form['SGender']) && $form['SGender']=='M') ||set_value
    ('SGender')=='M') echo 'checked'; ?>> Male</label>
 89
                                  </div>
                       </div>
 90
               </div>
 91
 92
              93
 94
 95
                        < div class = "col - sm - 6" >
 96
                                                        <div class="input-group"><span class="input-group-
    addon"> <span class="glyphicon glyphicon-calendar
    "></span> </span>
<input type="text" class="form-control" id="SBirthday"
    name="SBirthday"    value="<?php echo set_value('
    SBirthday', (isset($form['SBirthday'])) ? $form['
    SBirthday'] : ''); ?>">
 98
99
100
101
                                                     </\mathrm{div}>
102
104
                        </div>
105
                        <label class="col-sm-4 error"><?php echo form_error('SBirthday'); ?></label>
106
107
          </div>
               <div class="form-group">
108
                        109
110
111
                                                 SBirthplace" value="<?php echo set_value('SBirthplace',(isset ($form['SBirthplace'])) ? $form['SBirthplace']: ''); ?>">
112
113
                                  </div>
                                  <label class="col-sm-4 error"><?php echo form_error('SBirthplace'); ?>
114
115
               </div>
              116
117
118
119
120
                                           121
122
                                           '=>'None');
echo form_dropdown('SReligion',
                                                                                $options3, set_value('SReligion'
123
                                                isset ($form ['SReligion']) && isset ($options3 [$form ['SReligion']]) ? $form ['SReligion'] : 'Other'), 'class="form-control" is ="SReligion");
124
                                  ?>
</div>
125
              126
128
```

```
129
                         </div>
                         130
131
           </div>
           132
133
                         134
135
136
                         </div>
137
                         <label class="col-sm-4 error"><?php echo form_error('SCitizenship'); ?>
                             label>
139
           </div>
140
           <div class="form-group">
141
                  <label class="col-sm-2 control-label">Height</label>
142
                         144
                                     SHeight' value="<?php echo set_value('SHeight', (isset ($form ['SHeight'])) ? $form ['SHeight'] : ''); ?>" placeholder="
                                     Height">
145
146
                         </div>
147

clabel class="col-sm-4 error"><<?php echo form_error('SHeight'); ?></label>
149
           </div>
           <div class="form-group">
150
                  <label class="
                               col-sm-2 control-label">Weight</label>
                         152
                                     " value="<?php echo set_value('SWeight', (isset($form['SWeight'])) ? $form['SWeight'] : ''); ?>" placeholder="Weight
154
155
156
           </div>
157
           <label class="col-sm-4 error"><?php echo form-error('SWeight'); ?></label>
158
           <div class="form-group">
160
                  <label class="col-sm-2 control-label">Date Weighed</label>
161
                  <div class="col-sm-6">
                   <div class="input-group"><span class="input-group-addon"> <span class="glyphicon"</pre>
163
                        164
                               DateWeighed" value="<?php echo set_value('DateWeighed',(isset(
$form['DateWeighed'])) ? $form['DateWeighed'] : ''); ?>" name="Date
                               DateWeighed"
                                Weighed">
165
166
                  </div>
                  </div>
167

clabel class="col-sm-4 error"><?php echo form_error('DateWeighed'); ?></label>
168
           </div>
169
170
171
           <div class="form-group">
                  <label class="col-sm-2 control-label">Elementary School</label>
173
                         <div class="col-sm-6">
174
                                 175
176
177
                         </arc>/arc/
<label class="col-sm-4 error"><?php echo form_error('ElemSchool'); ?>
178
                             label>
179
           </div>
           <div class="form-group">
180
                  <label class="col-sm-2 control-label">Elementary School Address</label>
181
                         <div class="col-sm-6">
182
                                183
                                     ; ?></textarea>
184
185
                         </div>
<label class="col-sm-4 error"><?php echo form_error('ElemSchoolAdd'); ?>
186
                             label>
187
           </div>
           <div class="form-group">
188
                  <label class="col-sm-2 control-label">Elementary School Average</label>
189
                         190
191
                                     ElemGenAve" value="<?php echo set_value('ElemGenAve', (isset(
$form['ElemGenAve'])) ? $form['ElemGenAve'] : ''); ?>"
placeholder="Elementary General Average">
192
                         </div>
193
```

```
<label class="col-sm-4 error"><?php echo form_error('ElemGenAve'); ?>
194
                                            label>
195
                 </div>
                 <div class="form-group">
196
                           197
198
199
200
201
                                                 <?php
                                                 $options = array(''=>'','E'=>'Enrolled','NE' => 'Not Enrolled','G
' => 'Graduated');
202
                                                 203
204
                                      ?>
</div>
205
                                      <label class="col-sm-4 error"><?php echo form_error('Status'); ?></label>
207
208
209
                 </div>
210
                212
213
214
215
217

$options2 = array('NA'=>'','7'=>'7','8' => '8','9' =>
'9','10'=>'10','11'=>'11','12'=>'12');
echo form_dropdown('GradeLevel', $options2, set_value('GradeLevel'), ', isset('$form['GradeLevel'])','
class="form-control" id="GradeLevel");
', isset('Storm['GradeLevel'])', '
218
219
220
221
222
                                      <label class="col-sm-4 error"><?php echo form_error('GradeLevel'); ?>
                                            label>
223
224
                           </div>
<label class="col-sm-2 control-label">Section</label>
225
226
                                      < div class = "col - sm - 2" >
227
                                       <?php
                                      $options6 = array();
$options6[''] = '';
228
229
                                                 foreach($section as $row){
    $options6[$row->SectionID] = $row->SectionName;
230
231
232
233
                                                 cho form_dropdown('Section', $options6, set_value('Section',
    isset($form3['SectionID']) ? $form3['SectionID'] : ''),'class
    ="form-control" id="Section"');
235
                                                 236
237
238
239
                                      </div><label class="col-sm-4 error"><?php echo form_error('Section'); ?></</pre>
240
                                            label>
                 </div>
241
                 cdiv class="form-group" id="Year" <?php if((isset($form['Status']) && $form['Status']=='G') || (set_value('Status') !=NULL && set_value('Status')=='G') ) echo 'style="display: block";</pre>
242
                 else echo 'style="display:none"' ?>>
                           244
245
246
                                                                                            => '2006',
'2007' => '2007',
'2008' => '2008',
'2009' => '2009',
'2010'=> '2010',
'2011'=> '2011',
'2012'=> '2012',
'2013'=> '2013');
d' $partions5 set
                                                 soptions 5 = array(', =>, ', '2006')
247
248
249
250
252
253
                                                 echo form_dropdown('YearGraduated', %options5, set_value('
YearGraduated', isset($form['StudNum']) && isset($form['Status
']) && $form['Status']=='G' ? substr($form['StudNum'],0,4) :
'2006'),'class="form-control" id="YearGraduated"');
255
256
                                      </div><label class="col-sm-4 error"><?php echo form_error('YearGraduated')
258
                                            ; ?></label>
259
                 </div>
260
261
                 <hr>
262
      <!--<div class="form-group">
                           clabel class="col-sm-2 control-label">Username</label>
<div class="col-sm-6">
263
```

```
265
266
                 </div>
267
                 268
269
           <!--</div>
270
           <div class="form-group">
                 <label class="col-sm-2 control-label">Password</label>
<div class="col-sm-6">
271
                        273
274
                 </div>
275
                 277
           </div>--->
    <!--
    </div>
278
           <div class="tab-pane fade" id="guardian">
279
280
           <a href="character"></a> (h3><a id="new" class="optional_has_click">Create</a> Guardian Record for a Student <small ><a id="list" class="optional_has_click">or select from list of guardians</a></small
281
           ></ma>;
</php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
//echo form_open('record/record_guardian', $attributes); ?>
282
283
285
    <!--
           <label class="col-sm-4 error"></label> -->
286
          288
289
                 290
291
                              <input type="text" class="form-control" id="GLastName" name="</pre>
                                   GLastName" value="<?php echo set.value('GLastName',(isset($form2['GLastName']))? $form2['GLastName']: ''); ?>"
placeholder="Last Name">
293
294
                        </div>
                        <label class="col-sm-4 error"><?php echo form_error('GLastName'); ?>
295
                            label>
           </div>
296
           <div class="form-group">
297
                 298
                               ass="col-sm-6">
<input type="text" class="form-control" id="GFirstName" name="
GFirstName" value="<?php echo set_value('GFirstName',(isset(
$form2['GFirstName'])) ? $form2['GFirstName'] : '');?>"
placeholder="First Name">
300
301
302
                        </div>
303
                        <label class="col-sm-4 error"><?php echo form_error('GFirstName'); ?>
                            label>
           </div>
304
           305
306
                        307
308
310
                        </div>

clabel class="col-sm-4 error"><?php echo form_error('GMidName'); ?></label</pre>
311
312
           </div>
          313
314
315
                        <div class="col-sm-6">
                               316
                                   textarea>
317
                        </div><label class="col-sm-4 error"><?php echo form_error('GAddress');</pre>
318
                            ?></label>
319
           </div>
320
           <div class="form-group">
                 <label class="col-sm-2 control-label">Cellphone Number</label>
322
                        <div class="col-sm-6">
323
                               324
```

```
</div></div><label class="col-sm-4 error
"><?php echo form_error('GCellNum');</pre>
325
326
      </label>
327
                </div>
328
                329
330
331
332
                                     <div class="col-sm-6">
                                               <input type="text" class="form-control" id="GHomeNum" name=</pre>
                                                     GHomeNum"
                                                     placeholder="Home Number">
334
                                     </div><label class="col-sm-4 error"><?php echo form_error('GHomeNum');</pre>
335
                                           ?></label>
                </div>
336
                <div class="form-group">
337
                          <label class="col-sm-2 control-label">Email Address</label>
                                     339
340
                                                     GEmailAdd" value="<?php echo set_value('GEmailAdd',(isset(
$form2['GEmailAdd'])) ? $form2['GEmailAdd'] : ''); ?>"
placeholder="Email Address">
341
                                     </div><label class="col-sm-4 error"><?php echo form_error('GEmailAdd');</pre>
342
                                           ?></label>
343
                </div>
                <div class="form-group">
344
                           <label class="col-sm-2 control-label">Occupation</label>
                                     346
347
                                                     Occupation" value="<?php echo set_value('Occupation',(isset(
$form2['Occupation'])) ? $form2['Occupation'] : ''); ?>"
placeholder="Occupation">
348
                                     </div><label class="col-sm-4 error"><?php echo form_error('Occupation');
349
                                          ?></label>
350
                </div>
351
                <hr>
                <!--<div class="form-group">
                          <label class="col-sm-2 control-label">Username</label>
<div class="col-sm-6">
353
354
                                     <input type="text" class="form-control" id="GUsername" name="GUsername"
    value="<?php //echo set_value('GUsername',(isset($form['GUsername']))
    ? $form['GUsername'] : ''); ?>" >
355
356
357
                           </div>
                          </abel class="col-sm-4 error"><?php// echo form_error('GUsername'); ?></label>
<!-- ,(isset($form[''])) ? $form[''] : '' -->
359
      <!--
                </div>
360
                <div class="form-group">
                          <label class="col-sm-2 control-label">Password</label>
<div class="col-sm-6">
361
362
                                     <input type="password" class="form-control" id="GPass" name="GPass" value
="<?php //echo set_value('GPass',(isset($form['GPass'])) ? $form['
GPass'] : ''); ?>" >
363
                          </div>
<label class="col-sm-4 error"><?php //echo form_error('GPass'); ?></label>
<!-- ,(isset($form[''])) ? $form[''] : '' -->
364
365
366
                <!--</div> -->
                </div>
367
                <div id="fromList" <?php if(set_value('Guardian')=='List') echo 'style="display:block";
    else echo 'style="display:none"; ?>>
368
369
370
                <div class="form-group">
                <label class="col-sm-2 control-label">Guardian Name</label>
<div class="col-sm-6">
<select id="letter" class="form-control">
371
372
373
                374
375
376
377
378
379
                           <option>E</option>
                <option>F</option>
<option>G</option>
380
381
                <option>H</option>
<option>I </option>
<option>J</option>
382
383
                <option>K</option>
<option>L</option>
385
386
                <option>M</option>
<option>N</option>
<option>O</option>
388
389
                <option>P</option>
390
                <option>Q</option>
<option>R</option>
391
392
393
                <option>S</option>
                <option>T</option>
<option>U</option>
394
```

```
396
                                      <option>V</option>
                                     <option>V</option>
<option>T</option>
397
398
                                     <option>U</option>
<option>V</option>
<option>W</option>
399
400
401
                                     <option>X</option>
<option>Y</option>
402
403
404
                                      <option>Z</option>
                                     </select>
</div>
405
406
                        407
408
409
410
411
412
              </div>
413
414
415
416
417
418
419
420
421
                 <input type="hidden" id="Guardian" name="Guardian" value="New">
422
 423
                   <div class="form-group">
  <div class="col-sm-offset -4 col-sm-5">
      <button type="submit" class="btn btn-success">Submit</button>
  </div>
424
425
426
427
                     </div>
428
429
                      </form>
</div>
430
 431
432
              </div>
433
434
              < script src = "<?php echo base\_url(); ?> assets/themes/default/js/jquery - 1.9.1.js"></script> < script src = "<?php echo base\_url(); ?> assets/themes/default/js/jquery-ui.js"></script> < script src = "<?php echo base\_url(); ?> assets/themes/default/js/jquery-ui.js"></script> < script > (script) < scri
435
436
                 <script>
 437
438
                 $(function() {
439
              $("#list").click(function(){
$("#createNew").hide();
$("#fromList").show();
$('#Guardian').val("List");
 440
441
442
443
444
                    });
$("#new").click(function(){
              $("#createNew") . show ();

$("#fromList") . hide ();

$('#Guardian') . val ("New");
446
447
448
449
                    });
450
451
              });
452
453
                 $ (function() {
454
                                      $('#Status').change(function(){
455
                                                  \begin{array}{ll} \mbox{if} (\$("\#Status\ option:selected"\ ).text() == 'Enrolled\ ') \{ \\ \$('\#GradeSection\ ').show() ; \\ \$('\#Year\ ').hide() ; \\ \end{array} 
456
457
458
459
460
                                                                                     else if($("#Status option:selected").text()=='Graduated'){
461
                                                             $('#GradeSection').hide();
 462
463
                                                             $('#Year').show();
464
465
466
467
468
469
 470
                                                  else {
471
                                                                                    ('\#GradeSection'). hide();
                                                                                    $('#Year').hide();
472
 473
474
                                      });
475
                                      476
477
478
479
                                                                                    $('#ReligionOther').show();
480
481
482
                                                                                    $('#ReligionOther').hide();
483
484
                                      });
485
              })
486
487
```

```
488
    489
490
491
492
493
494
      });
495
      496
497
498
499
                 type: "POST",
url: "http://localhost/VCSHSPortal2/blank/get_guardian/"+this.value,
dataType: "json",
contentType: "application/json; charset=utf-8",
500
501
503
                  504
506
507
                      });
508
                 }
509
             });
510
511
     });
              ('\#GradeLevel').on('change', function() {
513
                  ('\#Section\ option').remove();
514
                  $.ajax({
vpe: "POST"
                 ""POST",
url: "POST",
url: "http://localhost/VCSHSPortal2/blank/get_section/"+this.value,
dataType: "json",
contentType: "application/json; charset=utf-8",
516
517
518
                 519
520
521
522
                      });
523
             });
524
525
526
     });
527
            });
528
529
       </script>
             <div class="alert alert-success">
 3
           <strong>Successfully added a record!</strong>
 4
         </div>
             <?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form');
echo form-open('record/record-subject', $attributes); ?>
<input type="hidden" name="time1" id="time1">
<div class="form-group"></div class="form-group"></div
 2
 4
 5
 6
 7
8
                      <div class="col-sm-9">
                              <input type="hidden" class="form-control" id="SubjectID" name="SubjectID"</pre>
                                   placeholder="Subject ID"
                              9
 10
 11
                      </div>
 12
             </div>
 13
 14
         16
 17
 18
             <?php
             $\text{Spin}$
$\text{sy} = \text{array();}
$\text{$sy [''] = 'Select School Year';}
$\text{foreach($all_sy as $row)}{\text{if ($row ['SchoolYear'])}}
$\text{$sy [$row ['ID']] = $row ['SchoolYear'];}$

 19
 20
 21
 22
 23
 24
 25
             , echo form_dropdown('SchoolYear', $sy, set_value('SchoolYear'),'class="form-control" id="Before"');
 26
 27
 28
           </div>
 29
 30
             <label class="col-sm-4 error"><?php echo form_error('SchoolYear'); ?>
                                                                                         </label>
 31
       </div>
             <div class="form-group">
 32
                      <label class="col-sm-2 control-label">Subject Name</label>
 34
                              35
                                           SubjectName
```

```
36
37
                     </div><label class="col-sm-4 error"><?php echo form_error('SubjectName');</pre>
38
                              </label>
         </div>
39
40
41
         42
43
44
                     < div class = "col - sm - 6" >
                           <textarea class="form-control" id="Description" name="Description</pre>
45
                               " rows="3"><?php echo set.value('Description', (isset($form['Description'])) ? $form['Description']: ''); ?></textarea>
46
                     </div><label class="col-sm-4 error"><?php echo form_error('Description');</pre>
47
                         ?></label>
48
         </div>
         <div class="form-group">
49
               50
51
52
53
                     </div><label class="col-sm-4 error"><?php echo form_error('Units'); ?>
54
55
         </div>
56
         <div class="form-group">
      <div class="col-md-offset-4 col-sm-5">
    <button type="submit" class="btn btn-success">Submit</button>
58
59
60
      </div>
61
    </div>
62
     </form>
   < s c r i p t >
63
   $(function() {
    $('#Hourl').change(function() {
64
65
66
      var x = $(this).val();
67
         $('#time1').val(x);
69
  });
70
71
   </script>
72
2
         <?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form');
         echo form_open('record/record_sy_details', $attributes); ?>
4
5
         <div class="form-group">
               <label class="col-sm-2 control-label">School Year</label>
                     <div class="col-sm-6">
8
9
                       10
11
12
13
                     15
16
18
19
20
                     21
         </div>
         <div class="form-group">
23
        24
25
26
27
               </div>
28
29
               </div>
30
               </abel class="col-sm-4 error"><?php echo form_error('Start'); ?></label>
31
32
      </div>
     33
35
36
37
```

```
39
                                            </div>
 40
                                            </abel class="col-sm-4 error"><?php echo form_error('End'); ?></label>
 42
                  </div>
                  <div class="form-group">
 43
 44
                  <label class="col-sm-2 control-label">Before </label>
<div class="col-sm-6">
 45
 46
                           <?php
                           $\text{Superposition} \text{Superposition} \te
 47
 48
 49
 50
                                if($row['SchoolYear'])
$sy[$row['ID']] = $row['SchoolYear'];
 51
 52
 53
                           echo form_dropdown('Before', $sy, set_value('Before'),'class="form-control" id="Before"')
 54
 55
                       ?>
                       </div>
 56
                           <input type="hidden" class="form-control" name="sy_hidden" id="sy_hidden">
 57
              </div>
 58
 59
              60
 61
 62
 63
                            calendar"></span> </span>
 64
                                  65
 66
 67
                  </div>
 68
 69
 \frac{70}{71}
                   </div>
                  <label class="col-sm-4 error"><?php echo form_error('End'); ?></label>
 72
                   </div>
 73
 74
              <div class="form-group">
                  <div class="col-sm-offset -4 col-sm-5">
    <button type="submit" class="btn btn-success">Submit</button>
 75
 76
 77
 78
               </div>
 79
                </form>
 80
         81
 82
        <script>
var dom2 = {};
dom2.query = jQuery.noConflict(true);
dom2.query(function() {
   dom2.query("#Start").datepicker({
        dateFormat: 'yy-mm-dd'
        changeYear: true,
        changeMonth: true,
          <script>
 83
 84
 86
 87
 89
                             changeMonth: true,
changeMonth: true,
yearRange: "-20:+20",
onSelect: function (selected) {
dom2.query("#End").datepicker("option", "minDate", selected);
 90
 92
 93
                     }
              });
 95
                96
 97
 98
 99
100
                       }});
101
102
103
          });
$('#Before').change(function(){
104
105
                       if($("#Before option:selected").text()!='Select School Year (Optional)'){
106
107
108
                           ("\#sy\_hidden").val(("\#Before option:selected").text());
109
                      }
                });
110
          </script>
111
            <?php $attributes = array('role' => 'form');
echo form_open('club/save_edited_announcement?ID='.$form['AnnouncementID'].'&ClubID='.$_GET['
   2
            3
                           Announcement
                            <?php echo $form['Title']; ?>
         8
   9
  10
                           <option>Class</option>
                           <option>Club</option>
<option>School</option>
 12
                           </select>
```

```
14
                                                             </div>
15
                                                             </div>
                                                             <div class="panel-body">
                                                                                                    17
                                                                                                                                        '); ?></textarea>
18
                                        </div>
                                       19
20
                                              </div>
21
                         </div>
                    segment(3,0);/>/Announcement(a>/11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>/2 | 11>
   3
   4
                                                                                    Club Information </a>
                    6
                                                           <div class="tab-pane fade in active" id="student">
<!php</pre>
10
                                                             if ($results!=null) {
                                                             foreach($results as $data){?>
     <div class="well">
11
12
                                                            13
14
15
                                                                                  $data['Name'];?></a>
<?php echo $data['Body']; ?>
16
17
18
                                                                  </div>
19
                                                             <?php
21
22
23
                     else{ ?>
                   <div class="well">
24
                    <h4>No posts!</h4>
25
26
                    </div>
27
                    <?php }
29
                                                           ?>
30
32
                                                             </div>
33
                    </div>
34
   2
                   <script>
                    var url="<?php echo base_url();?>"
   3
                                        function deleteAnnouncement(id){
   6
                                                        var r=confirm ("Do you want to delete this?");
   9
                                                                       window.location = url + "club/delete\_announcement? ID="+id+" \& Club ID="+<?php echo $this->urial original ori
                                                                                              -> segment (3, 0);?>;
10
                                                                     return false;
12
                                                              else
                                                                     return false;
13
                    </\operatorname{script}\overset{\cdot}{>}
15
                    16
                            18
                             | Members</a> | 
19
                             Club Applications /a>

20
21
22
                    <div class="tab-content">
23
                        24
25
26
27
28
30
                    <div class="form-group">
<input required type="text" class="form-control" id="title" name="title" placeholder="Title"
    value="<?php echo set_value('title',(isset($form['Title'])) ? $form['Title'] : ''); ?>">
31
33
                              </div>
```

```
35
     </div>
     36
37
38
39
       40
        </div>
41
42
    </div>
     <?php form_close(); ?>
43
44
     <?php $i = 0;
if($results!=null){</pre>
45
46
       foreach($results as $data){?>
48
     <div class="well">
<div class="blog-post">
49
         chass="blog-post-title"><?php echo $data['Title'];?></h2>
<?php echo $data['DateCreated'];?> by <a href="#"><?php echo $data
['Name'];?></a>
51
         52
53
            onclick="return deleteAnnouncement('<?php echo $data['AnnouncementID'];?>');"> <i class
          ="fa fa-trash-o"></i>>Delete</a>
54
55
      </div>
56
       </div>
     <?php
58
59
     $i++;
60
61
62
63
     ?>
64
65
      66
      <?php echo $links ?> </p>
67
     </div>
68
69
   </div>
   2
               Announcement </a> 
           3
4
               segment(3,0);?>">Club Information</a>
   <div class="tab-content">
           <div class="tab-pane fade in active" id="student">
<form class="form-horizontal">
10
           <fieldset disabled>
           <div class="form-group">
11
13
                   <div class="col-sm-9">
                          <input type="hidden" class="form-control" id="ClubID" name="ClubID"</pre>
14
                   15
16
                   </div>
17
           </div>
           19
20
                                  ass= coi-sm-6">
<input type="text" class="form-control" id="ClubName" name="
        ClubName" value="<fphp echo set_value('ClubName',(isset($form ['ClubName'])) ? $form['ClubName'] : ''); ?>" placeholder="
        Club Name">
                          <div class="col-sm-6">
22
23
                          </div><label class="col-sm-4 error"><?php echo form_error('ClubName');</pre>
24
                               ?></label>
           </div>
           <div class="form-group">
26
27
                   <label class="col-sm-2 control-label">Description </label>
                          <div class="col-sm-6">
                                  <textarea class="form-control" id="Description" name="Description</pre>
29
                                      " rows="3"><?/php echo set.value('Description', name="Description', disset($form[Description'])) ? $form['Description']: ''); ?></textarea>
30
                          </div><label class="col-sm-4 error"><?php echo form_error('Description');</pre>
31
                               ?></label>
           </div>
32
           <div class="form-group">
34
                   <label class="col-sm-2 control-label">Teacher</label>
<div class="col-sm-5">
35
                          cinput type="text" class="form-control" id="TeacherNum" name="TeacherNum"
  value="<?php if(isset($form['TeacherName'])) echo $form['TeacherName'];
  ; ?>" >
37
```

```
38
                           </div>
           </div>
39
40
41
      </fieldset>
42
43
     </form>
           </div>
44
   </div>
45
   <a href="<?php echo base_url(); ?>club/view/<?php echo $this->uri->segment(3,0);?>"></a>
3
          Announcements </a> 
     <a href=""<?php echo base_url(); ?>club/show_members/<?php echo $this->uri->segment(3,0);?>"> Members</a>
4
     All ><a href="c?php echo base_url(); ?>club/applications/<?php echo $this->uri->segment(3,0); ?>">Club Applications/a>

cli class="active"><a href="#information">Club Information</a>

5
   <div class="tab-content">
9
           <div class="tab-pane fade in active" id="information">
<form class="form-horizontal">
10
11
           <fieldset disabled>
12
           <div class="form-group">
13
14
15
                   <div class="col-sm-9">
                   16
17
18
19
           </div>
20
21
           <div class="form-group">
                   <label class="col-sm-2 control-label">Club Name</label>
                          23
24
25
                           </div><label class="col-sm-4 error"><?php echo form_error('ClubName');</pre>
26
                               ?></label>
27
           </div>
           <div class="form-group">
28
                   <label class="
                                col-sm-2 control-label">Description</label>
29
30
                           < div class = "col-sm-6">
                                  <textarea class="form-control" id="Description" name="Description</pre>
31
                                       32
33
                           </div><label class="col-sm-4 error"><?php echo form_error('Description');</pre>
                               ?></label>
           </div>
35
           <div class="form-group">
36
                   37
38
39
40
                           </div>
41
           </div>
42
43
44
      </fieldset>
45
     </form>
     </div>
47
     </div>
48
   49
50
        bootstrap.js"></script>
   <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
51
52
   $(document ).ready(function() {
$('#dataTables-example').dataTable();
54
55
   });
56
   </script>
   <a href="<?php echo base_url(); ?>club/view/<?php echo $this->uri->segment(3,0);?>"></a>
     Announcements/a>
cli class="active" ><a>Members</a>
cli class="active" ><a>Members</a>
cli>ca href="<?php echo base_url(); ?>club/info/<?php echo $this->uri->segment(3,0);?>">Club</a>
          Information </a>
```

```
<div class="tab-content">
       10
               11
12
13
14
                       <thead>
15
                          <tr>
16
                            <th> Student Name
                            <\!{
m th}\!>{
m\ Position\ }<\!/{
m\ th}\!>
17
18
19
                          20
^{21}
                       </thead>
22

<?php if($results !=NULL)</pre>
23
                          foreach ($results as $data) { ?>
25
                            <tr>
                               ///
<?php echo $data->SLastName; ?>, <?php echo $data->SFirstName; ?>
<?td>

26
27
28
                             </\mathrm{tr}>
29
                               <?php } ?>
30
                       31
32
                     33
                  </div>
34
                </div>
36
            </div>
37
38
        </div>
39
     </div>
40
41
42
       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
43
          dataTables.js"></script>

<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
44
45
          <!-- SB Admin Scripts - Include with every page --> <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
46
48
          <!-- Page-Level Demo Scripts - Tables - Use for reference -->
49
50
51
         $(document ).ready(function() {
    $('#dataTables-example').dataTable();
52
53
54
          }):
55
56
          </\operatorname{script}>
2
       <script>
3
         $(document ).ready(function() {
    $('#dataTables-example').dataTable();
5
6
          });
         function changeStatus(id, status) {
  var url = "<?php echo base_url(); ?>";
  var r=confirm("Do you want to change the status?");
8
10
11
               if (r==true)
                  window.location = url+"club/change_status/"+id+"/"+status;
                else
13
                return false;
14
15
16
          </\mathrm{script}>
17

<a href="<?php echo base_url(); ?>club/view/<?php echo $this->uri->segment(3,0);?>">
Announcements</a>
19
       Announcements (a>
An ref="??php echo base_url(); ?>club/show_members/<?php echo $this->uri->segment(3,0);?>"> Members</a>
class="active"><a href="<?php echo base_url(); ?>club/applications/<?php echo $this->uri-> segment(3,0);?>"> Club Applications </a>
<a href="c?php echo base_url(); ?>club/info/<?php echo $this->uri-> segment(3,0);?>"> Club Lagrantiana (a)</a>
</a>
20
21
22
             Information </a>
23
    24
25
     <div class="tab-content">
       26
27
28
29
31
                       <thead>
32
                          <tr>
                             Student Name
34
                            \begin{array}{l} <\!\! \mathrm{th}\!\! > \; \mathrm{Status} \;\; <\!\! /\!\! \mathrm{th}\!\! > \\ <\!\! \mathrm{th}\!\! > \; <\!\! /\!\! \mathrm{th}\!\! > \end{array}
35
```

```
</\mathrm{tr}>
37
                                   </thead>
38
39
                                   <?php if($results !=NULL)</pre>
40
                                       foreach ($results as $data) { ?>
41
42
                                              43
44
                                              ctd>ctd>ctd>button onclick="changeStatus('<?php echo $this->uri->segment(3,0);?>/<?
    php echo $data->MemberID;? >',' Reject '); ">Reject </button > (/td>

ctd>button onclick="changeStatus('<?php echo $this->uri->segment(3,0);?>/<?
    php echo $data->MemberID;? >',' Accept ');" > Accept </button > (/td>

45
46
                                                                                        </\mathrm{tr}>
47
                                   <?php } ?>
48
                                   49
                               50
51
                           </div>
52
                        </div>
53
                   </div>
54
55
56
            </div>
57
       </div>
58
59
60
           <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
               dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
62
63
               <!-- SB Admin Scripts - Include with every page -->
64
65
               <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
66
               <!-- Page-Level Demo Scripts - Tables - Use for reference -->
67
68
               <script>
69
             $(document ).ready(function() {
    $('#dataTables-example').dataTable();
70
71
               });
72
73
74
               </script>
 2
           <script>
             $(document ).ready(function() {
    $('#dataTables-example').dataTable();
 4
 5
 6
               });
 8
                var url="<?php echo base_url();?>";
10
               function delete_member(id){
11
12
                     var r=confirm("Do you want to delete this?");
13
                           window.location = url+"club/delete_member/"+id;
14
                       else
15
                          return false;
16
17
18
           function change_position(club_id, member_id){
19
                  var r=confirm("Do you want to change this student's position?");
                 var x = document.getElementById(member_id);
if (r==true)
21
22
                           window.location = url+"club/change_position/"+club_id+"/"+member_id+"/"+x.value;
23
24
                        else
25
                          return false;
26
                       }
27
28
29
30
31
32
               </\mathrm{script}>
      33
35
36
           Club Applications </a>
<l
37
                    Information </a>
38
       39
       <div class="tab-content">
40
           42
43
```

```
45
                                        <\!table\ class="table\ table-striped\ table-bordered\ table-hover"\ id="dataTables-example">
 46
                                             <thead>
                                                 <tr>
 48
                                                       Student Name
                                                      Position 
 49
 50
                                                       <th></th>
                                                      UpdateUpdateDelete
 \frac{51}{52}
 53
                                                 54
                                             </thead>
 55
 56

<?php if($results !=NULL)
 57
 58
                                                  foreach ($results as $data) { ?>
 59
                                                      <tr>
                                                           ///
<?php echo $data->SLastName; ?>, <?php echo $data->SFirstName; ?>
<?td>

 60
 61
 62
                                                           <select id="<?php echo $data->MemberID; ?>">
 63
                                                                     <option></option>
                                                                     <option > Member </option >
 65
                                                                     <option>President
 66
 67
                                                                     <option>Vice President
                                                                     <option>Secretary</option>
<option>Public Relations Officer</option>
 68
 69
 70
                                                                     <option>Treasurer
 71
                                                                     <option>Auditor
                                                                 </select>
 73
                                                            </d></d><br/>
<br/>
<
 74
 75
 76
                                             <?php } ?>
 77
78
                                             79
                                        80
 81
                                   </div>
 82
                               </div>
                         </div>
 83
 84
 85
                </div>
           </div>
 86
 87
 88
 89
 90
                <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
                    dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
 91
                                bootstrap.js"></script>
 92
 94
                    <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
 95
 97
                    <script>
 98
                  $(document ).ready(function() {
    $('#dataTables-example').dataTable();
 99
100
101
                    });
102
                    </script>
103
           <div class="panel panel-default">
   3
               <div class="panel-heading">
  <h3 class="panel-title">Admission</h3>
                </div>
                <div class="panel-body">
                Students who belong to upper 10% of the grade VI graduating class and who have been
                          recommended by their respective principals are qualified to take the entrance exam. Selection will be done in three stages.
   9
                            10
 11
               The first stage is the administration of the standardized mental ability and aptitude test. The student applicant belong to the top 40% of the first stage examinees will advance to the second stage. The second Stage is the proficiency test in Science, Mathematics and English. 
               <li>>The second stage qualifier should obtain at least a 75% proficiency level in order to
 13
                          advance to the last stage of the selection process. 
    The last stage is the interview of the student together with the parent to be conducted by the screening committee. The interview will be rated in accordance with the prepared rubric and shall be an integral part of score obtained by the student.

 14
 15
 16
           18
19
             </div>
             </div>
 20
```

```
21
22
23
24
      </div>
      <div class="panel-body">
25
26
       </div>
2
            <?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/edit_club/'.$form['ClubID'], $attributes); ?>
<fieldset disabled>
3
5
6
            <div class="form-group">
                     <div class="col-sm-9">
9
                             <input type="hidden" class="form-control" id="ClubID" name="ClubID"</pre>
                     10
11
                     </div>
12
13
            </div>
            14
15
                             16
17
19
                             </div><label class="col-sm-4 error"><?php echo form_error('ClubName');</pre>
                                  ?></label>
            </div>
            <div class="form-group">
21
22
                     <label class="col-sm-2 control-label">Description </label>
                             < div class = "col - sm - 6" >
                                     cs= col-sm-0">
<textarea class="form-control" id="Description" name="Description
" rows="3"><?php echo set_value('Description',(isset($form['Description'])) ? $form['Description'] : ''); ?></textarea>
24
25
                             </div><label class="col-sm-4 error"><?php echo form_error('Description');</pre>
26
                                  ?></label>
            </div>
27
            29
30
                             <div class="col-sm-5">
                             cinput type="text" class="form-control" id="TeacherNum" name="TeacherNum"
   value="<?php if(isset($form['TeacherName'])) echo $form['TeacherName']; ; >>" >
32
33
34
                             </div>
35
            </div>
36
37
     </fieldset>
<div class="form-group">
38
39
40
       <div class="col-sm-offset -2 col-sm-10">
     <button type="submit" class="btn btn-default">Save</button>
41
        </div>
42
      </div>
44
       </form>
45
    <thead>
                   class="info">
3
              <tr
                Subject Area
                Curriculum Year Level 1
Curriculum Year Level 2
Curriculum Year Level 3

6
7
                Curriculum Year Level 4
9
10
11
            </thead>
12
            13
              Science
14
                Integrated Science Std>Biological Science 
15
17
                Basic Chemistry 
                Advanced Physics 
18
19
              20
              22
                <th class="info">Mathematics
23
                <td>Elementary Algebra </td> <td>Advanced Algebra </td>
25
                Pre-Calculus and Trigonometry Calculus and Analytic Geometry 
26
```

```
28
                              29
                              >
                                  English
                                  English IEnglish II
31
32
33
                                   English III 
34
                                   English IV 
35
36
                              </{
m t} \, {
m r}>
37
                                <tr>
38
                                  Filipino
                                  Filipino I (Ibong Adarna)Filipino II (Florante at Laura)Filipino III (Noli Me Tangere)
39
40
41
42
                                  Filipino IV (El Filibusterismo 
43
                              </\mathrm{t\,r}>
45
                                Social Science
46
                                  Araling Panlipunan I (Philippine History)

Araling Panlipunan II (Asian History)
Araling Panlipunan III (World History)

47
48
49
                                  Araling Panlipunan IV (Economics)
50
51
52
                              </\mathrm{tr}>
53
                                 MAPEH
54
                                  MAPEH I

AMAPEH I

AMAPEH II

AMAPEH III

56
57
                                  MAPEH IV
59
                              </{
m t} \, {
m r}>
60
61
                                 Computer Education
Computer Education I (Office Productivity)

62
63
64
                                  Computer Education II (Microsoft Visual Basic)
65
                                  66
67
                              68
69
                              Additional Subjects
70
                                  Earth and Environmental <br > Research I (Technical Writing w/ basic Statistics) < br
71
                                            >
                                  Gometry
Advanced Statistics
Basic Physics
Advanced Chemistry
Triangle Physics
Advanced II 
Triangle Physics
Triangle Physics<
72
73
74
75
76
                              </\mathrm{tr}>
77
                              <\dot{t}\,r>
                                 Electives
General Mathematics
78
80
                                  <td>Botany<br>
        <br/>dology<br/>
81
         Advanced Technical Writing 
83
                                 Communication Arts w/ Basic JournalismLinear Algebra
84
86
                              </\mathrm{tr}>
87
                          88
                     <div class="row">
        2
                             <center> <img class="img-rounded" src="<?php echo base_url(); ?>facl.jpg" alt="Generic
    placeholder image"></center>
    </div> <div class="col-lg-8"><h2>VCSHS Building</h2>

class="text-justify">The VCSHS building is located at A. Marcelo Street, Dalandanan
    Valenzuela City. The building faces the beautiful sunrise every morning and houses
    the different venues for learning like the Computer laboratories, Science laboratory
    , Library, Filipino bureau, Mathematics Center, English Nook, Student Government
    Office and twelve (12) classrooms. The building houses also the administration
    offices such as the Office of the Principal, Registrar, Finance, Facilities and
    Faculty room.
/div>
 3
 4
                         </div>
        </div>
          <hr class="featurette-divider">
        9
10
                             <center><h2>Science Garden</h2><br><img class="img-rounded"src="<?php echo base_url();</pre>
12
                                       ?>fac2.jpg" alt="Generic placeholder image">
                              </ri>
13
                 \langle p \; class = "text-justify" \rangle The science garden is located near the canteen extension. The place is perfect for students
14
15
                           who love to see beautiful ornamental plants growing across the pathway. 
16
                               </div><!--
                                                     /.col-lg-4 -
                         18
19
```

```
20
              </re>
               21
22
        This office is located near the gate and the room for students who need advices from the
             guidance counselor about their problems in the school and even personal problems.
     </div>
23
              <!-- /.col-lg-4 -->
<div class="col-lg-4">
<center><h2>School Gazebo</h2><br><img class="img-rounded" src="<?php echo base_url();</pre>
25
26
                   ?>fac4.jpg" alt="Generic placeholder image">
              </re>
</center>
<br/>
class="text-justify">The Gazebo is adjacent to the school garden and opposite to the
27
                   administration building. The clinic is housed here and for some students, good place for relaxing and chatting with their friends. 
    </div>
30
31
33
     <hr class="featurette-divider">
34
    <div class="row">
             <div class="col-lg-4">
36
              37
38
               </re>
              39
40
41
             </div><!-- /.col-lg-4 -->
<div class="col-lg-4">
42
               <center><h2>Mathematics Corner</h2><br><img class="img-rounded" src="<?php echo base_url</pre>
               (); ?>fac6.jpg" alt="Generic placeholder image">
</center><br/>br>
45
               The place for mathematics teachers and math enthusiasts that
                   study the relationships among numbers, shapes, and quantities. The math center serves also as area for remedial classes. 
46
          </div><!-- /.col-lg-4-->
             <div class="col-lg-4">
47
              <center><h2>English Nook</h2><br> <img class="img-rounded" src="<?php echo base_url(); ?>
48
        49
50
51
              here during intensive preparation for reading proficiency competition and other English
              subject related contests.
52
               </div><!-- /.col-lg-4 -->
          </div>
53
54
    </div>
55
     <hr class="featurette-divider">
56
57
     <div class="row">
            <div class="col-lg-4">
58
               <center><h2>Computer Laboratory</h2><br><img class="img-rounded" src="<?php echo</pre>
                   base_url(); ?>fac8.jpg" alt="Generic placeholder image">
               </re>
60
               op class="text-justify">Located at the second floor of the academic building, this place
                    is for computer wizards of ValSci where the study of the mathematics and technology of computers and their applications are given meaning. 
             </div><!-- /.col-lg-4 -->
<div class="col-lg-4">
62
63
              64
              </re></re></re></re>
65
                    lass="text-justify">The Filipino bureau serves as the place for Filipino literature fanatics. This place is also for remedial classes and trainings for various contest in Filipino subject.
66
          </div><!-- /.col-lg-4 -->
<div class="col-lg-4">
68
              <center><h2>Library</h2><br> <img class="img-rounded" src="<?php echo base_url(); ?>fac10
69
                  .jpg" alt="Generic placeholder image">
70
               </re>

<
72
73
          </div>
    </div>
74
75
76
     <hr class="featurette-divider">
    <div class="panel panel-default">
      <h4>
3
      <div class="panel-body
      of the goals of education is to shape and produce globally competitive and morally upright individuals who will serve as foundation of a nation s great success. All these will be evident if the institution, which is the center of the individual s transformation, realizes its contribution and effort for this enormous endeavor.
                 To cater such venture, in school year 1996 1997, upon the direction of the Honorable Jose Emmanuel Carlos
```

former Municipal Mayor, a Science Oriented Experimental Class (SOEC) was organized and housed at Valenzuela National High School (VNHS) Compound, Marulas, Valenzuela City, with forty (40) academically outstanding students. The wait came finally over on May 14, 2003, after seven (7) years of SOEC s existence, an ordinance establishing the Valenzuela City Science High School (VCSHS) to be funded by the Local School Board of Valenzuela was approved, with Honorable Jose Emmanuel L. Carlos, former City Mayor of Valenzuela, leading the establishment together with the help of the City Council of Valenzuela and Dr. Aquilina S. Rivas, former Schools Division Superintendent, VCSHS finally started to fulfill every great man s dream in becoming a utilitarian citizen of Valenzuela on June 16, 2003. Valenzuela on June 16, 2003.

10 11

 And the entire attempts of p; And the entire attempts of the people behind this massive endeavor at last paid out. Having been optimistically engaging to prior actions such as, on February 08, 2003, a memorandum was sent to all principals of public and private elementary schools requesting them to inform the graduating students of their school to apply for the qualifying examination in preparation for the upcoming admission of first year students in VCSHS. Pushing through, on March 15, 2003, an Intelligent Quotient (IQ) Test was administered to 200 applicants. On March 22, 2003, passers of the IQ test took the second step of the qualifying examination, the Proficiency Test. And on April 14 and 15, 2003, the passers of the Proficiency Test proceed in the Division Office of Valenzuela City to have their interview with the Division Supervisors.

13 14

15

 The successful applicants who passed the interview were requested to undergo medical examination as part of the screening processes and at the end of it, a total of one hundred eight (108) students enrolled at VCSHS with Dr. Brian E. Ilan as the first School Principal. Entwined with this on June 9, 2003, the first VCSHS Parents, Teachers, and Community Association (PTCA) came into being.

17 18

19 20

%nbsp; &

22 23 </h4>24 </div> 25 </div> 1

15 16

17

<div class="col-sm-12"> <div class="panel panel-default">

9 10 foreach (\$results as \$
<div class="col-sm-12">
<div class="blog-post"> 12 13

chass="blog-post-title"><?php echo \$data['Title'];?></h2>
Posted at <?php echo date("d/m/Y", strtotime(\$data['DateCreated'])
);?> by <?php echo \$data['Name'];?>

<?php if(\$data['AnnouncerID']==\$this->session->userdata('logged_in')['ID']) echo
"<i class='fa
fa-pencil-square-o'> </i>Edit<a onclick='return deleteAnnouncement(".\$data['
AnnouncementID'].");'><i class='fa fa-trash-o'></i>Delete" ?>

```
</php if($data['FileName']!='null' && $data['FileName']!='' ) echo '<p><img src="'.base_url
().'uploads/announcement/'.$data['FileName'].'">' ?>' ?>' ?>' ?>' ?>
19
20
           <?php echo $data['Body']; ?>
21
22
23
24
    </div>
25
       </div><!-- /.blog-post -->
26
      <?php
27
      $ i++;
28
29
      }
30
31
32
      ?>
33
       <p class="pagination col-sm-12">
35
       <?php echo $links ?> 
36
37
      </div>
    </div>
38
39
40
41
     <div class="col-sm-4">
<div class="panel panel-default">
42
43
    </div>
44
   </div>
46
    <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
1
    <html xmlns="http://www.w3.org/1999/xhtml">
3
     <head>
       <title ><?php echo $page_title; ?></title>
     </head>
6
     <body>
8
      <div class="jumbotron">
      <h1>Welcome, <?php echo $this->session->userdata('logged_in')['Username']; ?></h1>
9
10
       ... 
11
   </div>
12
1
    <style>
          #map_canvas {
             width: 500px;
height: 400px;
3
6
7
        </style>
        <script src="https://maps.googleapis.com/maps/api/js?sensor=false"></script>
        <script>
          function initialize() {
  var map_canvas = document.getElementById('map_canvas');
9
10
             var map_options = {
11
               center: new google.maps.LatLng(14.7041768, 120.9612697), zoom: 16,
12
13
14
               mapTypeId: google.maps.MapTypeId.ROADMAP
15
16
             var map = new google.maps.Map(map_canvas, map_options)
17
        , google.maps.event.addDomListener(window, 'load', initialize); </script>
18
19
20
      </head>
      <br/>body>
21
22
      <div class="col-lg-6">
        <div id="map_canvas"></div>
</div>
23
24
25
      <div class="col-lg-6">
      <!rho class = col-ig = 0 / (class ' => 'well', 'role' => 'form');
echo form_open('home/send_contact', $attributes); ?>
26
27
      <div class="form-group">
  <label>Contact Us</label><br/>br>
28
29
           30
31
32
33
        <!-- ,(isset($form[','])) ? $form[','] : ',' -->
34
      </div>
35
36
      <div class="form-group">
37
38
        <label>Name</label>
          39
40
         <label class=" error"><?php echo form_error('Name'); ?></label>
41
42
43
       <!-- ,(isset($form[''])) ? $form[''] : '' -->
44
      </div>
      <div class="form-group">
45
        <label>Email Address</label>
```

```
47
48
49
50
51
        $form['']:
52
      <div class="form-group">
53
        <label>Comments
54
55
56
          <textarea type="text" class="form-control" name="Comment"><<?php echo set_value('Comment');</pre>
               ?></textarea>
57
58
        <label class="error"><?php echo form_error('Comment'); ?></label> <!-- ,(isset($form[''])) ?</pre>
59
             $form[',']:',' --->
      </div>
60
      <button type="submit" class="btn btn-default">Send</button>
61
    <?php form_close(); ?>
63
        </div>
64
      </body>
   3
      </div>
      <div class="panel-body">
       (div class="panel-body">
It shall direct its effort to provide the best possible resource to enhance student academic performance, broaden the student scheme through exposure to an enriched learning curriculum, enhances the level of understanding and awareness of students towards the rapid scientific and technological advances and to foster among student problem solving approach
            of critical thinking.
      </div>
    </div>
10
    <div class="panel panel-default">
     <div class="panel-heading">
<h3 class="panel-title">Vision</h3>
11
13
      </div>
      <div class="panel-body">
14
        "It is envisioned to provide opportunities to intellectually promising students with an enriched secondary education curriculum conformable to the educational mandate to encourage critical and creative thinking and broaden scientific technological knowledge.
15
16 </div>
    <html>
    <head>
    <title>Upload Form</title>
3
    </head>
    <body>
    <h3>Your file was successfully uploaded!</h3>
    <?php foreach ($upload_data as $item => $value):?>
<?php echo $item;?>: <?php echo $value;?>
10
11
12
    <?php endforeach; ?>
13
    <?php echo anchor('upload', 'Upload Another File!'); ?>
15
16
17
    </body>
18
    </html>
1
       2
 4
 5
                     6
7
 8
                     </\mathrm{div}>
        </div>
9
10
            <div class="form-group">
11
                    <label class="col-sm-2 control-label">Old Password</label>
<div class="col-sm-5">
12
                             <input type="password" class="form-control" id="old_password" name="</pre>
                                  old_password" placeholder="Password">
14
                     </div>
15
16
                     <label class="col-sm-3 error"><?php echo form_error('old_password'); ?> </label>
            </div>
17
            19
                     <div class="col-sm-5">
20
```

```
22
23
            </div>
25
       </div>
       26
27
28
29
30
31
            </div>
32
       </div>
33
34
     <div class="form-group">
35
    <div class="col-sm-offset-4 col-sm-5">
    <button type="submit" class="btn btn-success">Submit</button>
36
37
38
   </div>
39
    </form>
40
      <div class="alert alert-success">
<strong>Successfully changed password.</strong>
<strong>Username : <?php echo $username; ?></strong>
<strong>Password : <?php echo $password; ?></strong>
2
3
4
5
    </div>
  3
            6
7 8
            </div>
10
11
       </div>
       13
14
                 16
            </div>
17
            18
       </div>
19
       <div class="form-group">
            21
22
23
                         24
25
                 </div>
                 <label class="col-sm-3 error"><?php echo form_error('EmailAdd'); ?>
26
                                                               </
                    label>
       </div>
27
28
       <div class="form-group">
29
            <label class="col-sm-3 control-label">User Type</label>
                 30
32
33
                 </div>
34
                 <label class="col-sm-3 error"><?php echo form_error('Type'); ?></label>
35
       </div>
       <div class="form-group">
36
            37
38
                      39
40
41
                 </div>
<label class="col-sm-4 error"><?php echo form_error('Status'); ?></label>
42
       </div>
43
44
45
    47
48
49
     </div>
   </div>
50
51
52
       </form>
53
       </div>
```

```
<div class="alert alert-success">
<strong>Successfully changed password.</strong>
 3
               </div>
       cli class="active"><a href="#student" data-toggle="tab">User Profile </a>
<a href="#guardian" data-toggle="tab">Password </a>
 3
       5
       <div class="tab-content">
       <div class="tab-pane fade in active" id="student">
 6
         <?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form'); ?>
<?php echo form_open('profile/edit_profile', $attributes); ?>
<fieldset disabled>
 8
 9
10
11
             <div class="form-group">
                                     <label class="col-sm-3 control-label">Name</label>
12
                                     class= col-sm colstant colstan
13
14
15
                                     </div>
16
17
18
                       </div>
                      <div class="form-group">
19
                                     20
21
22
                                                             value="<?php echo $Username; ?>" >
23
                                     </div>
24
25
                                     <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
                      </div>
26
                      <div class="form-group">
28
                                      <label class="col-sm-3 control-label">Email Address</label>
                                                    <div class="col-sm-6">
29
                                                                   30
31
                                                     </div>
32
33
                                                    <label class="col-sm-4 error"><?php echo form_error('EmailAdd'); ?>
                                                                                                                                                                                             </
                                                             label>
34
                       </div>
                      <div class="form-group">
35
36
                                     <label class="col-sm-3 control-label">User Type</label>
                                                    37
38
39
                                                    </div>
40
41
                                                    <label class="col-sm-4 error"><?php echo form_error('Type'); ?></label>
42
                       </div>
                      <div class="form-group">
43
                                     <label class="col-sm-3 control-label">Status</label>
                                                    45
46
47
                                                    </div>
48
49
                                                    <label class="col-sm-4 error"><?php echo form_error('Status'); ?></label>
                      </div>
50
52
                      </fieldset>
53
       55
56
               </div>
                      </div>
58
59
60
                      </div>
61
62
64
65
       <div class="tab-pane fade in active" id="guardian">
66
67
       <?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form'); ?>
<?php echo form_open('profile/generate_password/'.$this->uri->segment(3),$attributes); ?>
68
69
70
       <div class="form-group">
71
                                     <label class="col-sm-3 control-label">Password</label>
72
                                                    73
74
                                                                            Password">
75
                                                    <\!/\operatorname{div}\!>
76
                                                    <label class="col-sm-4 error"><?php echo form_error('Status'); ?></label>
77
                      </div>
79
80
                      </fieldset>
```

```
82
                       <\!\mathrm{div}\ \mathrm{class}\!=\!\mathrm{"form}\!-\!\mathrm{group"}\!>
        83
                </div>
 85
 86
                       </div>
        87
 88
 89
                </div>
 90
 91
 92
          <?php form_close(): ?>
 93
 95
 96
        </div>
 98
 99
        </div>
100
101
          <script>
102
          $(function() {
103
             \begin{tabular}{ll} $("\#generate").click(function() \{ & $("\#Password").val(Math.random().toString(36).slice(-8)); \end{tabular} 
104
105
106
            });
107
109
        });
        </script>
110
        <div class="container">
  3
        <form class='form-horizontal well' role='form'>
  4
            corm class = loim=norizonear were lost = lost 
  6
                    <input type="text" class="form-control" value="<?php echo $SANum; ?>"disabled>
  9
                </div>
            </div>
<div class="form-group">
 10
               <label class="col-sm-2 control-label">Name</label>
<div class="col-sm-4">
 12
 13
                *SALastName; ?>" disabled>
 14
                   <input type="text" class="form-control" value="<?php echo $SAFirstName." ".$SAMidName." ".</pre>
 15
            </div>
<div class="form-group">
 16
 17
                <label class="col-sm-2 control-label">Type</label>
 18
               <div class="col-sm-3">
    <input type="text" class="form-control" value="<?php echo $SAType; ?>" disabled>
 19
 20
 ^{21}
                        <label class="col-sm-1 control-label">Department</label>
 22
                <div class="col-sm-3">
 23
                <incut type="text" class="form-control" value="<?php echo $SADepartment; ?>" disabled>
</div>
 25
 26
            </div>
            27
 28
                   <input type="text" class="form-control" value="<?php echo $SAAddress; ?>" disabled>
 30
                </div>
 31
            </div>
              33
 34
 35
                < div class = "col - sm - 5">
                   <input type="text" class="form-control" value="<?php echo $SACellNum; ?>" disabled>
 36
                </div>
 37
 38
            </div>
              <div class="form-group">
 39
                <label class="col-sm-2 control-label">Email Address</label>
 40
                <div class="col-sm-5">
    <input type="text" class="form-control" value="<?php echo $SAEmailAdd; ?>" disabled>
 41
 42
 43
                 </div>
 44
            </div>
 45
              <div class="form-group">
               46
 47
                                                     class="form-control" value="<?php if($SAGender=='F') echo 'Female'; else
 48
                           echo 'Male'; ?>" disabled>
 49
                </div>
            </div>
 50
            <div class="form-group">
 51
                <label class="col-sm-2 control-label">Birthday</label>
 52
               53
 54
 55
                </div>
 56
            </div>
<div class="form-group">
 57
                <label class="col-sm-2 control-label">Birthplace</label>
```

```
<div class="col-sm-5">
59
          cinput type="text" class="form-control" value="<?php echo $SABirthplace; ?>" disabled>
60
        </div>
61
    </div>
62
    63
65
66
67
        </div>
68
      </div>
      <div class="form-group">
69
70
        <label class="col-sm-2 control-label">Citizenship</label>
<div class="col-sm-5">
71
72
          <input type="text" class="form-control" value="<?php echo $SACitizenship; ?>" disabled>
        </div>
73
      </div>
74
      <div class="form-group">
75
        <label class="col-sm-2 control-label">Marital Status</label>
<div class="col-sm-5">
76
77
        <input type="text" class="form-control" value="<?php echo $SAMaritalStatus; ?>" disabled>
</div>
78
79
80
      </div>
    81
82
          <button type="submit" class="btn btn-default">Save</button>
83
        </div>
84
      </div>
85
87
      </div>
    <div class="container">
3
    <form class='form-horizontal' role='form'>
      <div class="form-group">
  <label class="col-sm-2 control-label">SA Num</label>
5
6
        < div class = "col - sm - 4" >
          <input type="text" class="form-control" value="<?php echo $SANum; ?>"disabled>
        </div>
8
      </div>
10
      <div class="form-group">
        <label class="col-sm-2 control-label">Name</label>
11
        12
13
        </div>
14
      </div>
<div class="form-group">
15
16
        <label class="col-sm-2 control-label">Type</label>
<div class="col-sm-3">
17
18
          <input type="text" class="form-control" value="<?php echo $SAType; ?>" disabled>
19
       </fiv>
</div>
</abel class="col-sm-1 control-label">Department</label>
</abel class="col-sm-3">
<input type="text" class="form-control" value="<?php echo $SADepartment; ?>" disabled>
...
20
21
23
24
25
      </div>
26
      <div class="form-group">
        27
28
29
30
        </div>
31
      </div>
32
       <div class="form-group">
        <label class="col-sm-2 control-label">Contact Number</label>
        <div class="col-sm-5">
    <input type="text" class="form-control" value="<?php echo $SACellNum; ?>" disabled>
34
35
        </div>
36
      </div>
<div class="form-group">
37
38
        <label class="col-sm-2 control-label">Email Address</label>
<div class="col-sm-5">
39
40
          <input type="text" class="form-control" value="<?php echo $SAEmailAdd; ?>" disabled>
41
42
        </div>
      </div>
43
44
       <div class="form-group">
45
        <label class="col-sm-2 control-label">Gender</label><div class="col-sm-5">
46
          <input type="text" class="form-control" value="<?php if($SAGender=='F') echo 'Female'; else</pre>
              echo 'Male'; ?>" disabled>
        </div>
48
      </div>
49
      <div class="form-group">
50
        <label class="col-sm-2 control-label">Birthday</label>
51
        52
53
        </div>
54
      </div>
55
56
      <div class="form-group">

<
57
58
```

```
60
      </div>
   </div>
61
   <div class="form-group">
      63
64
65
       </div>
66
67
     </div>
     <div class="form-group">
68
      class = form = group >
<label class = "col - sm - 2 control - label" > Citizenship </label >
<div class = "col - sm - 5" >
69
70
71
        <input type="text" class="form-control" value="<?php echo $SACitizenship; ?>" disabled>
       </div>
72
73
     </div>
74
     <div class="form-group">
    <label class="col-sm-2 control-label">Marital Status</label>
75
76
      < div class = "col - sm - 5">
        <input type="text" class="form-control" value="<?php echo $SAMaritalStatus; ?>" disabled>
77
       </div>
78
79
     </div>
   <div class="form-group">
80
      81
82
       </div>
83
     </div>
84
85
     </div>
86
1
    <?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form'); ?>
<?php echo form_open('profile/edit_profile', $attributes); ?>
<fieldset disabled>
3
     <div class="form-group">
                <label class="col-sm-3 control-label">Name</label>
<div class="col-sm-6">
6
                       9
10
                 </div>
11
          </div>
12
          <div class="form-group">
13
                14
16
17
                18
19
                    <!-- ,(isset($form[''])) ? $form['']:
20
          </div>
21
          <div class="form-group">
22
                 <label class="col-sm-3 control-label">Email Address</label>
                       <div class="col-sm-6">
     <input type="text" class="form-control" id="EmailAdd" name="</pre>
23
24
                                  EmailAdd" value="<?php echo $EmailAdd; ?>">
25
26
                       </div><label class="col-sm-4 error"><?php echo form_error('EmailAdd'); ?>
27
                                                                                     </
                           label>
          </div>
28

<div class="form-group">
29
                 <label class="col-sm-3 control-label">User Type</label>
30
                       31
32
                                  value="<?php echo $Type; ?>" placeholder="First Name">
33
34
                        </div>
                       </abel class="col-sm-4 error"><?php echo form_error('Type'); ?></label>
36
          </div>
          37
39
                       40
                                   value="<?php echo $Status; ?>"placeholder="Middle Name">
41
                       </div>
42
                       <label class="col-sm-4 error"><?php echo form_error('Status'); ?></label>
43
          </div>
44
45
46
47
          </fieldset>
   48
49
50
       </div>
52
          </div>
53
          </form>
2
     >Default Behavior<br>>
```

```
<input id="autocomplete1" type="text" placeholder="U.S. state name" name="code">
 3
               Modified Behavior<br>
                   >>Modified Benavior<or>
<input id="autocomplete2" type="text" placeholder="U.S. state name"></input id="autocomplete2-value" type="text" name="code">
 6
 9
         10
          <thead>
11
         </thead>
12
         13
          14
         15
16
17
               <script src="<?php echo base_url(); ?>assets/themes/default/js/jquery-ui.js"></script>
18
              <script>
19
20
                    $(function() {
                         $("#autocomplete1").autocomplete({
21
22
                              source: "/VCSHSPortal2/blank/get_students"
23
24
25
                   });
26
28
               </script>
29
 2
            <script>
                   var url="<?php echo base_url();?>";
function deleteUser(id){
 3
 4
 6
7
                            var r=confirm("Do you want to delete this?");
                              if (r==true)
                                   window.location = url+"manageusers/delete/"+id;
 9
                               else
                                   return false;
10
12
                              function changeStatus(id){
13
                            var r=confirm("Do you want to change the status?");
                              if (r==true)
window.location = url+"manageusers/change_status/"+id;
15
16
17
                               else
                             return false;
18
19
20
21
23
          </script>
         24
26
                            form-control">
27
          <div class="panel-body">
28
29
30
              31
            <thead>
            <tr>
                               Username      
33
34
36
                              <th> </th>
37
38
               </\mathrm{t\,r}>
39
            </thead>
40
            41
                  <?php foreach($results as $data){</pre>
42
43
                     $type= $data->Type;
44
                    $final_type="";
if(strpos($type,'Teacher') !== FALSE)
    $final_type=$final_type." Teacher<br/>if(strpos($type,'Adv') !== FALSE)
    $final_type=$final_type." Class Adviser<br/>if(strpos($type,'Guidance') !== FALSE)
    $final_type=$final_type." Guidance Counselor<br/>if(strpos($type,'Club') !== FALSE)
    $final_type=$final_type." Club Adviser<br/>if(strpos($type,'Club') !== FALSE)
                     $ final_type="";
45
46
47
48
50
51
52
53
               if($final_type==null)
$final_type = $type;
54
55
56
                 echo "<a href=".base_url().'manageusers/profile/'.$data->Username.">".$data->Username."</a>>".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username.">".$data->Username."<".$data->Username.">".$data->Username."<".$data->Username.">".$data->Username."<".$data->Username.">".$data->Username
58
59
               <?php
60
                 }
?>
```

```
62
      63
      </div>
65
      </div>
66
    <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
    dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
    collpt src= <:pnp echo base_url(); ?>assets/themes/default/js/plugins/dataTables/data
bootstrap.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
<script>
68
69
70
    71
72
73
                "bSort": true,
74
75
    "sDom": '<"top"l<"clear">>rt<"bottom"p<"clear">>',
76
77
      "aaSorting":[]});
$('#myInputTextField').keyup(function(){
oTable.fnFilter( $(this).val() );
78
79
80
81
82
    });
83
84
85
    </\mathrm{script}>
     2
             <?php echo $form['Title']; ?>
    8
9
             <option>Class
10
11
             <option>Club</option>
12
             <option>School</option>
13
             </select>
14
             </div>
15
             </div>
16
             <div class="panel-body">
                      17
                              '); ?></textarea>
18
         </div>
        <div class="panel-footer">
19
             <input type="submit" class="btn btn-warning btn-sm" id="btn-chat">
20
          </div>
21
     </div>
    <script>
    var url="<?php echo base_url();?>
3
         function deleteAnnouncement(id){
            var r=confirm ("Do you want to delete this?");
6
             if (r==true){
               window.location = url+"message/delete_announcement/"+id;
 9
               return false;
10
11
             else
               return false;
12
13
14
    </script>
     //script>
</phy Sattributes = array('role' => 'form', 'class'=>'form-horizontal');
echo form_open_multipart('message/post_announcement/', $attributes); ?>
15
17
18
     <div class="col-sm-12">
     19
20
21
             Announcement
22
23
    <input type="text" class="form-control" id="title" name="title" placeholder="Title" value="<?php
echo set_value('title',(isset($form['Title'])) ? $form['Title'] : ''); ?>">
25
26
27
             </div>
28
             <\!\operatorname{div}\ \operatorname{class}\!=\!\operatorname{"panel-body"}\!>
29
      <div class="form-group">
  <div class="col-sm-3">
30
             <input type="file" name="userfile" id="exampleInputFile">
32
33
           </div>

clabel class="col-sm-8 error"><?php echo $this->session->flashdata('error')['error']; ?>
</php echo form_error('title'); ?>
</php echo form_error('body'); ?> </label>
35
36
```

```
38
        </div>
                <textarea id="btn-input" name="body" id="body" rows="4" cols="50" class="form-
control"><?php echo set_value('body',(isset($form['Body'])) ? $form['Body'] :</pre>
39
                     '); ?></textarea>
40
41
      </div>
      42
43
       </div>
44
45
46
    <?php form_close(); ?>
47
   <br/>br><br>
48
49
     <?php $i=0;
50
     if(\$results!=null){
    51
53
54
        56
57
58
59
60
61
         <?php echo nl2br($data['Body']); ?>
63
   </div>
64
     </\mathrm{div}>
65
66
67
     <?php
     i + +;
68
69
70
71
    ?>
72
73
74
     <p class="pagination col-sm-12">
75
76
     <?php echo $links ?> </p>
77
     </div>
   </div>
78
   <div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-labelledby="myModalLabel"</pre>
1
       aria-hidden="true">
    2
3
         <div class="modal-body">
           5
6
8
9
               else
               \tilde{\$}\,\tilde{i}\,\tilde{d}=',';
10
11
12
               echo form_open('message/send_message/', $attributes); ?>
13
               <div class="panel panel-default">
<div class="panel-heading">
14
               <button type="button" class="close" data-dismiss="modal" aria-hidden="true">&times
16
                  :</button>
               <i class="fa fa-comments fa-fw"></i>
Chat : <input type="text" id="ReceiverName" placeholder="Receiver" class="form-control">
17
18
               <input type="hidden" name="Receiver" id="Receiver">
19
20
               </div>
               <div class="panel-body">
21
                22
               24
25
26
                </div>
27
              </div>
28
29
           </div>
          </div>
30
        </div>
31
32
     </div>
   </div>
<div class="col-lg-6">
33
35
   </div>
   <div class="col-lg-6">
<div class="panel panel-default">
36
38
     39
             ="form-control">
```

```
40
                     </div>
 41
 42
                     <div class="panel-body">
 43
                       <div class="table-responsive">
 44
 45
                             46
 47
                                     <thead>
 48
                                        <tr><th> Name</th>
                                        <th> Type
 49
 50
 51
                                        <?php if($schooladmin !=NULL)</pre>
 52
 53
                                               foreach ($schooladmin as $data) {
 54
 55
                                        <a class="name" num="<?php echo $data->SANum; ?>" name="<?php echo $data-> SALastName.",".$data->SAFirstName; ?>"><?php echo $data->SALastName.",".$data->SAFirstName; ?></a>
                                   58
                                   contoun. :/ cinput type="hidden" value="<?php echo $data->SALastName.",".$data->SAFirstName; ?>" class
="NameValue" name="NameValue[<?php echo $data->SANum; ?>]">
 59
 60
                                   <?php $i++; ?>
                                       61
                                        /tbody>
 62
 64
                                           </div>
 65
                     </div>
 67
 68
 69
            </div>
 \frac{70}{71}
            </div>
            <\!\!\mathrm{button} \  \  \mathrm{type} = \mathrm{"button"} \  \  \mathrm{data-toggle} = \mathrm{"modal"} \  \  \mathrm{data-target} = \mathrm{"\#myModal"} \  \  \mathrm{id} = \mathrm{"moood"} > < \mathrm{i} \  \  \mathrm{class} = \mathrm{"fa} \  \  \mathrm{fa-target} = \mathrm{"moood} = \mathrm{moood} = \mathrm{mooood} = \mathrm{moood} = \mathrm{mooood} = \mathrm{mooood} = \mathrm{mooood} = \mathrm{mooood} = \mathrm{mooood} 
 73
                         envelope-o"></i>>/button>
 74
                       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
 75
                                    dataTables.js"></script>
                       76
 77
                      <!-- SB Admin Scripts - Include with every page --> <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
 78
 79
 80
 81
                        <script>
                     $(document ).ready(function() {
   oTable = $('#dataTables-example').dataTable({
 83
                             oTable = $('#dataTables-exam' bLengthChange': false,
 84
                                           "bPaginate": false,
"bSort": false, "sDom": '<"top"l<"clear">>rt<"bottom"lp<"clear">>>', "aaSorting":[]});
oTable2 = $('#dataTables-example2').dataTable({"bLengthChange": false,"bPaginate":
 86
 87
 88
                                           false, "bSort": false, "sDom": '<"top"l<"clear">>rt<"bottom"lp<"clear">>>',"aaSorting":[]});
 89
               $('#myInputTextField'). keyup(function() {
   oTable.fnFilter( $(this).val() );
   oTable2.fnFilter( $(this).val() );
 91
 92
 93
 94
                        }):
                  95
 96
 97
 98
 99
100
                       });
101
102
                  });
103
                       </\mathrm{script}>
   2
   3
               <div class="col-lg-5">
               <div class="chat-panel panel panel-default">
   5
                     6
   8
                                Recent Messages
   9
                     </div>
  10
                     <div class="panel-body">
 11
                                class="chat">
 13
 14
                                <?php
 16
                                if (!isset($results['msg']) && $results2!=null){
 17
                                 foreach ($results2 as $data) { ?>
```

```
19
              >
20
21
                      <div class="chat-body">
       22
23
24
25
26
27
        else
      echo base_url().'message/view_message/'.$data['sender_id'];
?>"><?php echo $data['Name'] ?></a></strong>
28
29
30
                          </div>
31
32
                          <?php echo $data['body']; ?>
33
34
                          </div>
35
36
37
38
             <?php
39
40
     }
41
             ?>
42
43
44
45
             46
        </div>
47
      </div>
48
49
50
     </div>
         <div class="col-lg-7">
51
          <div class="panel panel-default">
     <div class="panel-heading">
     Search User
52
53
54
55
            </div>
           <div class="panel-body">
56
57
            <?php $attributes = array('role' => 'form');
58
             echo form_open('message/search_user/', $attributes); ?> <input type="text" name="search" id="search_box" class='search_box'/> <input type="submit" value="Search" class="search_button" /><br/>
59
60
61
62
     </form>
63
            </div>
64
          </div>
65
66
         </div>
67
         <div class="col-lg-7">
<div class="panel panel-default">
68
69
         70
72
73
                      <thead>
                           Name

75
76
                      </thead>
                      78
79
           <?php foreach($names as $data){ ?>
80

<?php echo $data['LastName'].",".$data['FirstName']; ?> 

<button type="button" data-toggle="modal" data-target="#myModal" class="name" num="<?php echo $data['Num']; ?>"

name="<?php echo $data['LastName'].",".$data['FirstName']; ?>" >

81
82
83
84
85
       Message </button>
86
    87
88
89
90
91
     <?php $i++; ?>
92
93
                          </\mathrm{tr}>
94
         <?php } ?>
95
96

</php } else{ ?>
97
98
     No records found!
100
101
                      <?php } ?>
                  </div>
103
104
105
          </div>
         106
                aria-hidden="true">

<div class="modal-dialog">
107
                      <div class="modal-content">
108
109
```

```
<div class="modal-body">
110
                         <div class="panel panel-default">
111
112
                                                                                             <?php \alpha = \alpha (') = \alpha 
113
114
115
                         id = form2['ID'];
                                                                                          else
116
117
                                                                                             id = ', ';
118
                                                                                             echo form_open('message/send_message/', $attributes); ?>
                            <div class="panel panel-default">
<div class="panel-heading">
119
120
                                121
122
123
                                           control">
<input type="hidden" name="Receiver" id="Receiver">
124
                            </div>
</div>
</-- /.panel-heading -->
<div class="panel-body">
125
126
127
                                                <textarea id="btn-input" name="body" id="body" rows="4" cols="50" class="form-control">
128
                                                                 {\rm Type\ your\ message\ here} \ldots < / \, {\rm textarea} >
129
                            </\mathrm{div}>
                            /.panel-body -->
<div class="panel-footer">
<input type="submit" class="btn btn-warning btn-sm" id="btn-chat">

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/***

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/**

/*

/*

/**

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

/*

<pr
130
131
132
133
134
136
                            </div>
137
 138
                                                                                            </div>
139
                            </div>
140
141
                                                                          </div>
142
143
144
                                                           </div>
145
                                           </div>
146
147
                            </div>
148
149
                  <input type="submit" class="delete" value="delete" style="display:none;">
150
151
                  <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
                  dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
153
                  <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
154
155
                            < s c r i p t >
                     156
157
                                                          "bPaginate": true,
"bSort": false,
159
160
 161
162
                  "sDom": \ '<"top"l<"clear">>rt<"bottom"lp<"clear">>',
163
164
                                                               "aaSorting":[]});
165
                  });
166
167
                  $(document).ready(function(){
168
169
170
                                (".name").click(function(){
171
172
                                       // do something
173
174
175
                     $('#Receiver').val( $(this).attr("num"));
$('#ReceiverName').val( $(this).attr("name"));
176
177
178
179
                                });
180
181
                                ,
$(document).ready(function(){
$('html').animate({scrollTop:0}, 1);
$('body').animate({scrollTop:0}, 1);
182
183
184
185
186
                  });
187
188
189
190
191
192
193
194
195
196
```

```
198 </script>
 1
2
     <div class="container">
            3
          </div>
     </div>
 5
              <?php
              3
 4
              <?php echo $data['DateCreated'];?> by <a href="#"><?php echo
$data['Name'];?></a>
<?php echo $data['Body']; ?>
               </\operatorname{div}>
 8
 10
              <?php
11
              }
?>
12
 13
14
15
16
              <button class="button" id="button"> </button>
17
18
      19
        <?php echo links ?> 
20
21
22
23
        <script>
         $(document).ready(function(){
     25
26
27
     });
        });
28
29
30
        </script>
     <?php $session_data = $this->session->userdata('logged_in');
$uri = $_SERVER["REQUEST_URI"];
 2
 3
     $\frac{\text{suriArray}}{\text{suriArray}} = \text{explode('/', \text{suri});} $\text{sid} = \text{suriArray}[4]; ?> $\text{class} = \text{col-lg} - 5">$
 5
 6
 8
      <div class="chat-panel panel panel-default">
         10
              Recent Contacts
11
          </div>
12
13
         14
 15
16
              <?php
17
              if (!isset($results['msg'])){
19
20
^{21}
              foreach(\$results2 \ as \$data)\{ ?>
22
23
              < l\,i>
24
                        <div class="chat-body">
     <div class="header">
25
         class="neader">
<strong class="primary-font"><a href="<?php
$session_data = $this->session->userdata('logged_in');
if($data['sender_id']==$session_data['ID'])
echo base_url().'message/view_message/'.$data['receiver_id'];
27
28
29
30
        echo base_url().'message/view_message/'.$data['sender_id'];
?>"><?php echo $data['Name'] ?></a></strong>
31
32
33
34
35
     <?php echo $data['body']; ?>
36
37
     </div>
38
39
40
              <?php
}
41
42
43
     }
44
               ?>
45
46
47
48
              </div>
49
50
```

```
51
52
                  </div>
54
55
    </div>
       <div class="col-lg-7">
57
58
      59
60
61
         Messages <a href="<?php echo base_url(); ?>message/delete/<?php echo $id; ?>">&times;</a>
62
63
64
       </\operatorname{div}>
65
66
67
68
       <div class="panel-body" id="ditolang">
69
70
71
           72
\frac{73}{74}
      <?php
           if (!isset($results['msg'])){
    foreach($results as $data){
75
76
77
              $date = $data->cdate;
             // echo substr($date, 0, 10);
if($data->sender_id != $session_data['ID']){
79
80
                  class="left clearfix">
<span class="chat-img pull-left">
82
83
    <img src="http://placehold.it/50/55C1E7/fff" alt="User Avatar" class="img-circle" />
84
                  </span>
<div class="chat-body clearfix"></span>
85
86
    87
88
       <small class="pull-right text-muted">
89
90
          <i class="fa fa-clock-o fa-fw"></i>'.$data->cdate.'
       </small>
91
    </div>'.$data->body.'
92
93
94
95
              </div>
96
97
98
99
100
              else{
                  echo '
101
    102
103
104
                  </span>
                  <div class="chat-body clearfix">
105
    106
107
108
109
    </div>
110
    '. $data->body.'
111
113
    114
              </div>
115
116
117
118
           }
119
120
121
122
123
124
125
126
           127
128
       </div>
129
130
131
132
       <div class="panel-footer">
133
       <?php $attributes = array('role' => 'form');
135
136
    echo form_open('message/send_message/'.$id, $attributes); ?>
          <div class="input-group">
137
138
      139
140
141
```

```
<input type="hidden" value="<?php echo $id; ?>" name="Receiver">
    <?php form_close(); ?>
142
143
             </span>
144
145
         </div>
146
147
     </div>
148
         </div>
149
150
     <input type="submit" class="delete" value="delete" style="display:none;">
151
152
153
        < s c r i p t >
        $(document).ready(function(){
154
         $\(\delta\text{discribit}()\)\\
$\(\delta\text{thil}')\text{.animate}(\{\text{scrollTop:0}\}, 1)\)\\
$\(\delta\text{body}')\text{.animate}(\{\text{scrollTop:0}\}, 1)\)\\
155
156
     });
157
        $ (function() {
159
160
161
         $ ( '. delete ') . click (function () {
         162
163
164
            165
166
167
        });
168
169
170
         return false;
});
171
172
173
174
175
176
         });
177
    setTimeout(function() {
    $('.delete').click();
}, 10000);
178
179
180
181
    </script>
182
    <div id="body">
<div id="content">
 1
     3
     <h1 style="text-align: right">Offense - Disciplinary</h1>
     9
     10
 11
     School Year <strong><?php echo $SchoolYear; ?></strong>
 12
 13
     </{
m t} \, {
m r}>
 14
 15
     <?php if(isset($GradeLevel))</pre>
 16
       echo "GradeLevel:<strong>".$GradeLevel."</strong>";
 17
 18
 19
20
    ?>
 21
     23
 24
 25
 26
     <\!/\,\mathrm{t}\,\mathrm{r}\!>
 27
     <tr>
     Generated By: <strong><?php echo $this->session->userdata('logged_in')['FirstName']." ".$this->session->userdata('logged_in')['LastName']; ?></strong>
 28
 29
     30
 31
 32
 33
 34
 35
     36
     <thead>
 37
     \langle tr \rangle
       Offense Number
 38
39
        Date 
       Student Name
 Offense 

 40
 41
 42
      < / tr >
 44
 45
     </thead>
     <?php $i=0; if(isset($guidance) && $guidance !=NULL)
foreach($guidance as $data){ ?>
 47
 48
 49
```

```
<?php echo $i+1; ?>
<?php echo $data 'DateCreated ']; ?>
<?php echo $data 'SFirstName ']; ".$data 'SLastName']; ?>
<?php echo $data 'Offense']; ?>
<?php echo $data 'SAFirstName']; ?>

50
51
53
54
55
\frac{56}{57}
      <?php
58
      $i++;
59
60
61
    62
    63
    </div>
64
    <div id="content">
    convent
page-break-before: always">

65
67
68
    <h1 style="text-align: right">Offenses - Property</h1>
69
    70
    71
72
    School Year <strong><?php echo $SchoolYear; ?></strong>
73
74
75
    / if (isset ($GradeLevel))
echo "GradeLevel:<strong >".$GradeLevel."</strong></rr>
76
78
79
80
81
82
     Date Created: <strong ><?php $mydate=getdate(date("U"));
    echo "$mydate[month] $mydate[mday], $mydate[year]"; ?></strong >
83
84
85
86
87
    Generated By: <strong ><?php echo $this ->session ->userdata('logged_in')['FirstName']." ".$this
88
         ->session->userdata('logged_in')['LastName']; ?></strong>
89
90
    91
92
93
94
95
96
    97
    <thead>
    Offense Number
99
100
       Date
      > Student Name
> Equipment
102
103
104
       No. of Equipment 
105
       Status   Personnel 
106
107

108
     </\mathrm{tr}>
109
    </thead>

(*soffenses) & *soffenses !=NULL)

foreach(*soffenses as *data){ ?>
110
111
112
113
        < ?php echo $i+1; ?> 
114
      115
116
117
118
119
120
121
122
123
      <?php
124
      $ i ++;
125
126
127
    128
    </div>
130
    </div>
131
    <div id="body">
<div id="content">
    <table style="width: 100%; font-size: 8pt;">
     Department of Education  
     National Capital Region
    <tr>
```

```
 Division of City Schools 
9
10
  <tr>
   VALENZUELA CITY SCIENCE HIGH SCHOOL 
12
13
   City of Valenzuela, Metro Manila
15
   <?php echo "S.Y. ".$schoolyear; ?> 
16
17
18
   MONTHLY ATTENDANCE - <?php echo $date; ?>
19
20
21
  <tr>
   <?php echo sectionname; ?> 
23
  24
  26
27
  <thead>
28
  <tr>
   No.
29
30
   <th>Name</th>
31
      if ($days !=NULL)
32
        foreach ($days as $day) {
    echo "". date('m/d', strtotime($day))." ";
33
34
35
37
   ?>
38
39
40
   </thead>
41
42
   <?php $i=0; if($students !=NULL)</pre>
43
   foreach ($students as $data) { ?>
44
45
    46
47
48
     <?php
if($days!=NULL)</pre>
49
        foreach($days as $day){
  if(isset($attendance[$data['StudNum']][$day]))
  echo "X
50
51
52
53
          echo "";
54
        }
55
56
57
     ?>
58
59
    60
    <?php
62
    $ i ++;
63
65
  66
  </div>
  <div id="body">
  <div id="content">
  3
5
   Department of Education 
6
   National Capital Region
   Division of City Schools 
10
   VALENZUELA CITY SCIENCE HIGH SCHOOL 
11
12
  13
   City of Valenzuela, Metro Manila
14
15
  <tr>
   SECONDARY STUDENTS PERMANENT RECORD 
16
17
  <?php
echo '<table style="width: 100%; font-size: 8pt;" class="header">
19
20
21
       22
23
24
25
      </\operatorname{tr}>
26
      Place of Birth:<u>'.$student[0]['SBirthplace
27
            ']. '</u>
28
      </{
m tr}>
29
```

```
Name of Guardian :<u> '.$student[0]['GLastName
'].", ".$student[0]['GFirstName'].'</u>

Address :<u>'.$student[0]['GAddress'].'</u>

Occupation :<u>'.$student[0]['Occupation'].'</u>
30
31
32
           33
34
           Elementary Course Completed :<u> </u>
</d>
<u>
</d>
<u>

style="text-align: left">School :<u> '.$student[0]['ElemSchool'].'</u>

35
36
             37
38
39
           40
        ';
41
42
43
    ?>
44
     <?php foreach($grades as $gradelevel=>$grade){
45
             if($grade!=NULL){
46
               echo '
47
48
             49
50
51
52
53
54
55
57
             else
               echo '';
58
59
       echo '
60
61
           </\mathrm{tr}>
62
63
             ctd style="text-align: left" colspan="2">Total number of years in school to date :<u> </u
64
             if(isset($sections[$gradelevel])){
  echo 'School Year:<u>'.$sections[$gradelevel]['SchoolYear'].'</u>';
65
66
67
68
69
             else.
70
               echo 'School Year:';
71
72
     echo '
73
          74
75
      </table >';
76
78
79
     ?>
81
         82
     84
    85
    SUBJECT 

 PERIODICAL RATING

>FINAL RATING

>ACTION TAKEN 

>UNITS EARNED 

87
88
89
90
91
     </\mathrm{tr}>
    92
93
94
     2
95
    \langle td \rangle 3 \langle /td \rangle
      4  
96
97
     <?php foreach($grade as $subjectname =>$subjectgrades){ ?>
98
        <tr>>
           <?php echo $subjectname."</td>";</rr>
99
100
            sum = 0;
101
             sum_units=0;
           foreach($grade[$subjectname] as $score){
102
103
104
           echo ">";
?> <a href="<?php echo base_url(); ?>section/view_grades/<?php echo $score['GradingPeriodID'] ?>">
<?php echo $score['Score'];
105
106
107
            $sum+=$score['Score'];
$sum_units+=$score['Units'];?></a>
108
109
             <?php
echo "";
110
111
             echo $this->session->set_flashdata('studno', $this->uri->segment(3,0));
112
113
114
115
116
           fecho "".round(($sum/4),2)."";
if(round(($sum/4),2) >=85)
117
118
```

```
echo "Passed ";
119
120
          else
          echo "";
echo ">", sum_units."";
echo "";
121
122
123
124
125
126
127
    ?>
128
129
130
    <?php }
echo "";
131
132
    if ($gradelevel=="7"){
      133
134
135
136
137
138
139
140
        echo ''; echo ''; echo 'Days of School'; foreach(\array as \ensuremath{\belowdex} svalue) { echo '', $days[\ensuremath{\belowdex}].'';
141
142
143
144
        echo '';
echo '';
echo 'Days Present';
146
147
148
149
        foreach($array as $key=>$value){
150
151
          echo '>';
          if (isset ($absent [$key]))
echo ($days [$key]-$absent [$key]);
152
153
154
          echo $days[$key];
echo '';
155
156
157
        echo '';
158
160
    //\operatorname{print\_r}\left(\operatorname{\$tardy}\left[\operatorname{\$student}\left[\operatorname{`StudNum'}\right]\right]\right);
161
162
      \verb|echo|'';
163
164
165
166
167
168
         ?>
169
170
171
    172
174
          <?php
175
176
177
178
       }
179
    </div></div>
180
    <div id="body">
<div id="content">
 3
     Department of Education 
     National Capital Region
     Division of City Schools 
10
    11
     VALENZUELA CITY SCIENCE HIGH SCHOOL 
12
    <tr>
13
     City of Valenzuela, Metro Manila
14
15
    <tr>
     GUIDANCE FORM 
16
17
18
     <?php echo $sectionname; ?> 
19
20
    21
    ^{23}
    <thead>
24
    Number
\frac{26}{27}
      <\!\!\mathrm{t}\,\mathrm{h}\!>\!\!\mathrm{LRN}\ <\!\!/\,\mathrm{t}\,\mathrm{h}\!>
      <th> Name <th> Age </th>
28
```

```
29
     Guardian Name 
     Address  Religion 
30
32
    33
   </thead>

</php $i=0; if($guidance_form !=NULL)
35
36
37
    foreach ($guidance_form as $data) { ?>
38
     39
     \langle td \rangle \langle php echo $i+1; ? \rangle \langle td \rangle
     40
41
43
44
45
46
      ?>
     ...\docsymbol{'dd}
ctd><?php echo $data['GLastName']." ".$data['GFirstName']; ?>
<?php echo $data['SAddress']; ?>
<</ph>
ctd><?php echo $data['SReligion'];?>
47
48
49
50
51
     52
53
     <?php
54
     $i++;
55
     }
?>
57
   58
   </div>
   <div id="body">
<div id="content">
    Department of Education 
   <tr>
    National Capital Region
    Division of City Schools 
    VALENZUELA CITY SCIENCE HIGH SCHOOL 
\frac{11}{12}
   13
   14
15
    <?php echo "S.Y.".$schoolyear; ?> 
16
17
   </\mathrm{tr}>
18
   <\dot{t}\,r>
    NUTRITIONAL STATUS 
19
20
   </\mathrm{tr}>
22
    <?php echo $sectionname; ?> 
23
   </\mathrm{tr}>
   25
26
27
   28
   <thead>
30
   <tr>
31
    Number
    NameNameDate of Birth Age 
33
34
     Age \/th>           
35
36
37
38
    39
   </thead>
40
41

<?php $i=0; if($nutritional_status !=NULL)</pre>
42
43
    foreach ($nutritional_status as $data) { ?>
44
    45
46
47
48
49
50
51
52
     ...\docsymbol{'dd}
<'php echo $data['SHeight']; ?>
<'php echo $data['SWeight']; ?>
<<td><'php $bmi = ($data['SWeight']/($data['SHeight']*$data['SHeight']))*10000; echo round($bmi)</pre>
53
55
          ,2); ?>
56
57
     </{
m tr}>
58
     <?php
```

```
60
     $i++;
61
      }
?>
62
   63
   64
65
   </div>
   <div id="body">
<div id="content">
2
   3
   5
6
   8
   10
11
   School Year <strong><?php echo $SchoolYear; ?></strong>
13
   14
15
   16
17
18
19
   </{
m t} \, {
m r}>
20
21
   Generated By: <strong><?php echo $this->session->userdata('logged_in')['FirstName']." ".$this->session->userdata('logged_in')['LastName']; ?></strong>
22
23
   24
25
   26
27
28
   29
30
   <thead>
31
    Offense Number
 Offense 

 Offense 

 Personnel 

32
33
34
35
36
37
    38
   </thead>
39
   <?php $i=0; if($guidance !=NULL)
foreach($guidance as $data){ ?>
40
41
      <\!{\rm t\,r}\!>
      <?php echo $i+1; ?><?php echo $data['DateCreated']; ?><?php echo $data['Offense']; ?><?php echo $data['SAFirstName']; ?> <?php echo $data['SALastName']; ?>
43
44
45
46
47
48
     <?\mathrm{php}
49
     $i++;
50
51
      }
?>
52
53
   54
   55
   </div>
   <div id="content">

57
58
59
   <h1 style="text-align: left"><?php echo $student; ?></h1><h1 style="text-align: right">Offenses - Property</h1>
60
61
62
   63
   64
65
   School Year <strong><?php echo $SchoolYear: ?></strong>
66
67
68
   </\mathrm{tr}>
69
70
    Date Created: <strong ><?php $mydate=getdate(date("U"));
    echo "$mydate[month] $mydate[mday], $mydate[year]"; ?></strong >
71
72
73
   74
75
   <tr>
   Generated By: <strong><?php echo $this->session->userdata('logged_in')['FirstName']." ".$this
->session->userdata('logged_in')['LastName']; '?></strong>
76
77
78
   79
81
82
```

```
84
    <thead>
85
     Offense Number
87
       Date
88
89
      <th> Equipment</th>
       No. of Equipment   
90
91
92
       Personnel 
     ^{\rm < t\, h>}_{\rm </t\, r>}
93
94
95
    </thead>
96
    <?php $i=0; if(isset($offenses) && $offenses!=NULL)</pre>
98
     foreach ($offenses as $data) { ?>
99
       <tr>
       <?php echo $i+1; ?><?php echo $data['DateCreated']; ?><?php echo $data['Equipment']; ?><?php echo $data['NoEquipment']; ?><?php echo $data['Status']; ?><<?php echo $data['SAFirstName']; ?> <?php echo $data['SALastName']; ?>
100
101
102
103
104
105
106
       107
108
      <?php
109
      $ i++;
       }
?>
110
112
    113
    </div>
115
    </div>
116
    <div id="body">
    <div id="content">
    3
     Department of Education  
 6
     National Capital Region
     Division of City Schools 
 9
 10
     VALENZUELA CITY SCIENCE HIGH SCHOOL 
11
12
    13
14
     City of Valenzuela, Metro Manila
15
    <tr>
     PROMOTIONS REPORT 
16
17
18
    <tr>
19
        align="center"> <?php echo "S.Y.". $schoolyear; ?> 
20
21
    <tr>
     <?php echo $sectionname; ?> 
23
24
    25
    table class="change_order_items" style="width: 100%; font-size: 8pt;" border="1">
26
    <thead>
    <tr>
28
      No.
29
      No.

 LRN 

 Name

 Address 

 Age (Mar)

 Total Number of Attendance

30
31
32
33
34
35
36
          if ($subjects !=NULL)
37
            foreach (*subjects as *subject) {
    echo "". *subject ['SubjectName']." ";
38
39
40
41
42
      Final Rating
43
44
45
     </{
m t} \, {
m r}>
46
47
48
       <?php
          if ($subjects !=NULL)
49
            foreach ($subjects as $subject) {
   echo "Final RatingAction Taken";
50
51
52
53
54
55
     56
    </thead>
57
    <?php $i=0; if($students !=NULL)</pre>
```

```
59
        foreach ($students as $data) {
60
         grade = 0;?>
61
           \tilde{<}\,\mathrm{t}\,\mathrm{r}\!>
         <?php echo $i+1; ?>
<?php echo $data['StudNum']; ?>
<?php echo $data['SLastName']." ".$data['SFirstName']; ?>
<?php echo $data['SAddress']; ?>

62
63
64
65
66
67
68
69
             < ?php
         $yr = substr($schoolyear,5);
$date =date('Y-m-d', strtotime('first day of March '.$yr));
echo date_diff(date_create($data['SBirthday']), date_create($date))->y;
if(date_diff(date_create($data['SBirthday']), date_create($date))->m<10)
echo ".0".date_diff(date_create($data['SBirthday']), date_create($date))->m;
else echo ".".date_diff(date_create($data['SBirthday']), date_create($date))->m
70
71
72
73
74
75
76
            ?>
            <?php echo ($num_days-$absent[$data['StudNum']]); ?>
77
78
79
80
               if($subjects!=NULL)
81
                  foreach ($subjects as $subject){
                     **Sgrade+=($student_grades[$data['StudNum']][$subject['ID']]['sum']/4);
echo "".($student_grades[$data['StudNum']][$subject['ID']]['sum']/4)."";
82
83
84
                     85
                     else
87
88
                       echo "";
89
90
                  }
91
92
93
94
95
           ?>
96
          <?php echo round($grade/(count($subjects)),2); ?>
98
           99
100
          <?php
101
         $i++;
102
          }
?>
103
      </thody>
104
105
      </div>
106
      <?php $this->session->set_flashdata('studentno', $this->uri->segment(3)); ?>
 2
 3
      <div class="tab-content">
 5

$ \text{?php $attributes} = array('class' => 'form-horizontal well', 'role' => 'form');
 6
      echo form-open ('reports/generate_class_reports/', $attributes); ?>
<div class="form-group">
<label class="col-sm-4 control-label">School Year</label>
10
      < div class = "col - sm - 4">
         <?php
11
                  $sy = array();
$sy[''] = 'Select School Year';
foreach($all_sy as $row){
   if($row['SchoolYear'])
   $sy[$row['ID']] = $row['SchoolYear'];
13
14
 15
16
17
19
                  20
                                                                                                                            id="SchoolYear2
21
22
                <input type="hidden" class="form-control" name="sy2_hidden" id="sy2_hidden">
23
24
      </div><label class="col-sm-4 error"><?php echo form_error('SchoolYear1'); ?></label>
25
      </div>
26
      <div class="form-group">
27
      <label class="col-sm-4 control-label">Grade Level</label>
<div class="col-sm-4">
28
        <?php
29
30
                           properties 1 = array(""=>"Select Grade Level (Required)","7"=>"7",
                                                  31
32
                               "10"=>"10",
'11' => '11',
'12'=>'12');
echo form_dropdown('GradeLevell', $optionsl, set_value('GradeLevell', isset(
$gradelevel)? $gradelevel: "Select Grade Level (Required)"),'class="form-
... "GradeLevel"');
33
34
36
37
38
                       ?>
39
```

```
40
    </div><label class="col-sm-4 error"><?php echo form_error('GradeLevel1'); ?></label>
41
     </div>
42
    <div class="form-group" >
43
        <label class="col-sm-4 control-label">Section</label>
<div class="col-sm-4">
44
45
46
           <?php
          47
48
49
50
51
52
            53
54
56
57
           </div><label class="col-sm-4 error"><?php echo form_error('Section1'); ?></label>
      </div>
59
60
      <div class="form-group" >
61
        <label class="col-sm-4 control-label">Type</label>
<div class="col-sm-4">
62
63
            <?php
64
                   $options2 = array(""=>"Type of Report(Required)",
  "Attendance"=>"Attendance","Promotion"=>"Promotions Report","ReportCard"=>"Report
65
                         Card"
                     Card"
," Nutrition"=>" Nutritional Report", "Guidance"=>"Guidance Report", "TopSection"=>"
Top Students Per Section", "TopLevel"=>"Top Students Per Year Level");
echo form_dropdown('Typel', $options2, set_value('Typel'), 'class="form-control" id="Typel"');
67
68
69
70
71
72
           </div><label class="col-sm-4 error"><?php echo form_error('Type1'); ?></label>
       </div>
73
      74
      =='Attendance') echo 'style="display:block";
else echo 'style="display:none"; ?>>
<|abel class="col-sm-4 control-label">Month</|label>
75
76
          < div class = "col - sm - 4" >
             <?php
78
           79
80
81
82
83
          </div><label class="col-sm-4 error"><?php echo form_error('YearGraduated'); ?></label>
84
      </div>
86
      87
88
89
91
             <?php
             Symple = array("M"=>"Male","F"=>"Female");
echo form_dropdown('Gender', $gender, set_value('Gender'),'class="form-control" id="
92
93
                 Gender"
95
          </div><label class="col-sm-4 error"><?php echo form_error('YearGraduated'); ?></label>
96
98
       </div>
    <div class="form-group">
99
        100
101
         </div>
102
103
       </div>
104
    </form>
105
106
107
108
    </div>
109
110
111
      <script>
112
     $ (document).ready(function(){
113
              ('\#GradeLevel').on('change', function() {
115
116
                  $('#Section option').remove();
                  $vals = $("#SchoolYear2 option:selected" ).text();
118
                  $ . ajax ({
                 type: "POST",
url: "http://localhost/VCSHSPortal/blank/get_section2/"+this.value+"/"+$vals,
dataType: "json",
119
120
121
                 contentType: "application/json; charset=utf-8",
```

```
123
                success: function(json){
                    124
125
                             option > ');
126
                    });
$('#Section').append('<option value="All">All</option>');
127
128
            });
129
130
131
    });
132
           });
133
    $('#SchoolYear2').change(function(){
134
135
          if($("#SchoolYear2 option:selected").text()!='Select School Year'){
136
137
            ("\#sy2\_hidden").val(("\#SchoolYear2 option:selected").text());
139
140
          }
    });
$('#Type1').change(function(){
142
143
144
145
          if($("#Type1 option:selected").text()=='Attendance'){
146
147
148
            $("#MonthDiv").show();
$("#GenderDiv").hide();
149
150
151
152
          else if($("#Type1 option:selected" ).text()=='Report Card'){
153
154
            $("#MonthDiv").hide();
$("#GenderDiv").show();
155
156
157
          felse {
    $("#MonthDiv").hide();
    $("#GenderDiv").hide();
158
159
160
161
162
      });
</script>
164
    <div id="body">
    <div id="content">
    No. 
    Name Score 
 9
 10
 11
 12
 13
 14
    </\mathrm{tr}>
 15
      <?php $i=1; if(isset($top_students) && $top_students!=null)</pre>
 16
             foreach($top-students as $key=>$score){
    echo 'rowspan="'.count($score).'">'.$i.'';
 17
 18
                j = 0;
 19
              foreach ($score as $student) {
 20
                if ($j=0){
    echo ''.$student ['SLastName'].''.$key.'</
 21
 22
                      td >  ';
23
                  echo ''.$student['SLastName'].'';
 25
 26
 27
                }
28
29
                $i++;
 30
31
32
              $i++;
 33
            }
    ?>
 34
 35
    style="page-break-before: always">
 37
    dsdasdasd
 38
    39
 40
     </div>
    <div id="body">
    <div id="content">
```

```
5
   <tr>
     Department of Education 
6
     National Capital Region
8
    <tr>
     Division of City Schools 
11
    12
     VALENZUELA CITY SCIENCE HIGH SCHOOL 
13
14
15
     City of Valenzuela, Metro Manila
16
    <?php
17
18
19
      if (isset ($section details)) {
20
      $header= "Grade ".$sectiondetails[0]['GradeLevel']." - ".$sectiondetails[0]['SectionName'];
if($sectiondetails[0]['GradingPeriod']=="1")
    $yr ="1st Grading Period";
elseif($sectiondetails[0]['GradingPeriod']=="2")
    $yr="2nd Grading Period";
elseif($sectiondetails[0]['GradingPeriod']=="3")
    $yr ="3rd Grading Period";
^{21}
22
23
25
26
27
        else
28
          $yr ="4th Grading Period";
29
30
      }
31
33
   ?>
34
    35
    <?php if(isset($header)) echo $header; ?> 
36
     <?php if(isset($yr)) echo $yr; ?> 
37
38
    39
40
    >
41
    <?php
    $col knowledge=0:
42
      if (is_array ($knowledge_grades))
43
44
        foreach($knowledge_grades as $data=>$value){
45
          if (is_array ($value))
46
             $col_knowledge =$col_knowledge + count($value)+1;
47
          else
48
            col_knowledge+=2;
49
      else
50
        $col_knowledge =1;
51
52
      col_process=0;
53
      if (is_array ($process_grades))
55
        foreach($process_grades as $data=>$value){
56
          if (is_array ($value))
             $col_process = $col_process + count($value)+1;
58
             $col_process+=2;
59
60
61
      else
62
        col_process = 1;
63
      col_product=0;
64
65
      if (is_array ($product_grades))
66
        foreach ($product_grades as $data=>$value){
67
          if (is_array ($value))
68
             $col_product = $col_product + count($value)+1;
69
            $col_product+=2;
70
71
72
        $col_product =1;
73
74
     $col_understanding=0;
75
      if (is_array($understanding_grades))
        foreach ($understanding_grades as $data=>$value) {
76
77
          if(is_array($value))
            \$col\_understanding \ = \$col\_understanding \ + \ count(\$value) + 1;
78
79
          else
80
            col_understanding+=2;
81
82
83
        col_understanding = 1;
84
86
    for ($loop = 0; $loop < 2; $loop ++){
87
   89
90
91
    92
    Name of Student
 1) echo $col_knowledge; ?>"> Knowledge
 1) echo $col_process; ?>"> Process/Skills 
 1) echo $col_understanding; ?>"> Understanding 

93
94
95
```

```
97
     <\!\!\!\text{td colspan}="<\!\!\!\text{?php if}\,(\$\text{col\_product}<\!\!\!>1)\quad\text{echo}\,\$\text{col\_product}\,;\,?\!\!\!>\!\!\!>\!\!\!\!>\text{Products/Performances}\,<\!\!\!/\text{th}\!\!\!>
 98
 99
       Total 
      </{
m t} \, {
m r}>
100
101
      102
103
104
      <?php
105
         if (isset ($knowledge) && count ($knowledge) > 0) {
           foreach ($knowledge as $row) {
    echo '<a href='.base_url().'
        subject/view_test_type/'.$row['TestID'].'>'.$row['TestType'].'</a>
    <a href='.base_url().'subject/edit_test_type/'.$row['TestID'].'><i class="fa fa-pencil"></i
106
107
108
                   ></a>
              <a onclick="return deleteTestType('.$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
109
                   td > ':
              echo ' Total ';
110
          }
111
112
        }
113
           echo '-';
114
115
116
         if (isset ($process) && count ($process) > 0){
           117
118
119
                    ></a>
120
              <a onclick="return deleteTestType('.$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
                    td> Total ':
121
          }
122
123
         else
124
           echo '-';
125
126
         if (isset ($understanding) && count ($understanding) > 0) {
           (isset (sunderstanding) & count (sunderstanding) > 0){
foreach (sunderstanding as $row) {
   echo '<a href='.base_url().'
   subject/view_test_type/'.$row['TestID'].'>'.$row['TestType'].'</a>
<a href='.base_url().'subject/edit_test_type/'.$row['TestID'].'><i class="fa fa-pencil"></i
127
128
129
                    ></a>
130
                  onclick="return deleteTestType('.$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
                    td> Total ';
131
          }
132
         else
133
           echo '-';
134
135
         if(isset(\$product) \&\& count(\$product) > 0)\{\\
136
           foreach ($product as $row) {
             echo '<a href='.base_url().'subject / view_test_type /'.$row['TestID'].'>'.$row['TestType'].'</a>
<a href='.base_url().'subject/edit_test_type/'.$row['TestID'].'><i class="fa fa-pencil"></i
138
139
                    ></a>
                  onclick="return deleteTestType('.$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
140
              < a
                    td> Total  ':
141
          }
142
143
           echo '-';
144
145
146
      ?>
147
148
      149
      <?php if ($loop==0) echo "Girls"; else echo "Boys"; ?>
150
     Last NameFirst Name
151
152
153
155
       \begin{array}{ll} if (isset(\$knowledge) \&\& count(\$knowledge) > 0) \{ \\ for each(\$knowledge \ as \ \$row) \{ \end{array} 
156
157
           if(isset($knowledge_grades) && count($knowledge_grades) > 0){
  foreach($knowledge_grades as $data=>$value){
    if($data == $row['TestID'])
158
159
160
161
                   if (is_array($value)){
162
                      \hat{sum} = 0;
163
                     164
                        $sum +=$score['Base_Score'];
165
166
                     echo ''.$sum.'';
167
168
169
                   else
170
                     echo  -k   -k  < ;
             }
          }
172
        }
173
174
      }
175
      else
        echo -k';
```

```
177
        \begin{array}{ll} \mbox{if(isset(\$process) \&\& count(\$process) > 0)\{} \\ \mbox{foreach(\$process as \$row)} \\ \end{array} 
178
179
             if (isset($process_grades) && count($process_grades) > 0)
foreach($process_grades as $data=>$value){
   if($data==$row['TestID']){
180
181
182
                      if (is_array($value)){
    $sum = 0;
183
184
185
                         for each (\$value \ as \ \$score) \{
                            echo '>'.$score ['Base_Score'].'';
$sum+=$score ['Base_Score'];
186
187
188
                         echo ''.$sum.'';
189
190
191
                      else
                         echo '-p1-td>-p1';
192
                   }
                }
194
195
          }
       else
197
198
          echo '-p1';
199
        \begin{array}{ll} & \text{if (isset (\$understanding) \&\& count (\$understanding) > 0) \{ \\ & \text{for each (\$understanding as \$row)} \\ & \text{if (isset (\$understanding\_grades) \&\& count (\$understanding\_grades) > 0)} \\ \end{array} 
200
201
202
                foreach($understanding_grades as $data=>$value)
if($data==$row['TestID']){
if(is_array($value)){
203
205
206
                         \$sum = 0;
207
                         foreach($value as $score){
    echo '>'.$score['Base_Score'].'';
208
209
210
                            $sum+=$score['Base_Score'];
211
212
213
                         echo ''.sum.'';
214
215
                      else
216
                         echo '-u-u';
217
218
219
       else
          echo '-u';
220
221
        \begin{array}{ll} \mbox{if(isset(\$product) \&\& count(\$product) > 0)\{} \\ \mbox{foreach(\$product as \$row)} \end{array} 
222
223
             if (isset ($product_grades) && count ($product_grades) > 0)
224
225
                foreach($product_grades as $data=>$value)
if($data==$row['TestID']){
226
                      if(is_array($value)){
227
228
                         \$sum = 0:
229
                          foreach ($value as $score) {
                            scho'<br/>
'<br/>
td>',<br/>
$score ['Base_Score'].'';<br/>
$sum+=$score ['Base_Score'];
230
231
232
233
                         echo ''.$sum.'';
234
235
                         echo '-p2-p2';
236
237
238
       else
239
240
          echo '-p2';
241
242
243
244
       ^{?>}_{</{
m t}\,{
m r}>}
245
246
247
248
249
       <?php
$student_g=1;
250
251
252
          student_b = 1;
253
254
          if($loop==0){
                              $Girls;
255
             $students = $Girls;
print_r($students);
256
257
258
           else
259
             $students = $Boys;
260
261
          foreach ($students as $student) {
262
263
                      op==0}
"'".$student_g."".$student['SLastName']."".$student['
SFirstName']."";
264
265
                \$\,s\,t\,u\,d\,e\,n\,t\,\_g\,++;
266
267
```

```
268
              else if ($loop==1){
269
270
                    echo "".$student_b."".$student [ 'SLastName']." ".$student [ 'SLastName']."
                           {\tt SFirstName~']."} < / \, {\tt td} > ";
271
272
                 $ s t u d e n t _ b ++;
273
           }
274
275
276
277
            total_k=0;
278
            $ total_p = 0;
$ total_p 2 = 0;
279
280
            total_u=0;
281
282
              if (isset ($knowledge) && count ($knowledge) > 0) {
283
                  if(isset($student_scores[$student['StudNum']]['knowledge_grades'] )
&& count($student_scores[$student['StudNum']]['knowledge_grades'] ) > 0){
  foreach($student_scores[$student['StudNum']]['knowledge_grades'] as $data2=>$value2){
284
285
286
287
                         \$i = 0;
288
                         total=0;
                          289
290
291
292
293
294
                                       if(is_array($value))
foreach($value as $column){
  if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
295
296
297
                                               ColumnID']) {
    echo ''.$grades['Raw_Score'].'';
298
                                              $total+=$grades['Raw_Score'];
$bs+=$grades['Base_Score'];
299
300
301
302
                                        }
                                     }
303
304
                                  }
305
                               }
306
                              $i++;
if($i==count($value2)){
  echo ">" $total." ";
  $total_k+=($total/$bs)*100;
308
309
310
311
                            }
312
313
314
316
                             echo '-k-k ';
                          }
317
319
                       echo -k-k<;
320
321
322
323
324
                       echo '-k';
325
326
327
              if(isset($process) && count($process) > 0){
328
                  if(isset($student_scores[$student['StudNum']]['process_grades'] )
&& count($student_scores[$student['StudNum']]['process_grades'] ) > 0){
  foreach($student_scores[$student['StudNum']]['process_grades'] as $d
329
330
331
                                                                                                                         as $data2=>$value2){
332
                           \$i = 0;
333
                           total=0;
                          $total=v,
$bs = 0;
if(is_array($value2)){
  foreach($value2 as $testid=>$grades){
  foreach($process as $row){
    if(isset($process_grades) && count($process_grades) > 0){
        foreach($process_grades) & stata=>$value){
334
335
336
337
338
339
340
                                        foreach ($value as $column) {
   if ($row['TestID'] == $grades['TestID'] && $column['ColumnID'] == $grades['
341
342
                                               ColumnID']) {
echo ''.$grades ['Raw_Score'].'';
$total+=$grades ['Raw_Score'];
343
344
                                               $bs+=$grades['Base_Score'];
346
                                        }
347
                                }
348
349
350
                               }
351
                               $i++:
352
                               if ($i==count($value2)){
echo ">".$total."";
$total_p+=($total/$bs)*100;
353
354
355
356
```

```
357
                     }
358
359
360
                   else
                       '-p1-p1';
361
                 echo
362
                    }
                }
363
364
365
                else
                 echo '-p1-p1';
366
367
              }
368
                else
                 echo '-p1';
369
370
371
          if (isset ($understanding) && count ($understanding) > 0) {
372
373
             374
375
376
                 foreach($student_scores[$student['StudNum']]['understanding_grades'] as $data2=>$value2)
377
                    {
$i=0:
378
379
                    \$ t o t a l = 0;
380
                    bs = 0;
                    if (is_array($value2)){
  foreach($value2 as $testid=>$grades){
381
382
                       383
384
385
386
387
                                   ColumnID']) {
echo ''.$grades ['Raw_Score'].'';
388
                                   $total+=$grades['Raw_Score'];
$bs+=$grades['Base_Score'];
389
390
391
                              }
392
                           }
393
394
                         }
                       }
395
397
                       $i++:
                       if($i==count($value2)){
    echo ">".$total." ";
398
399
                          total_u = (total/\$bs) *100;
400
401
402
403
                    }
404
405
                       echo '-u-u ';
406
407
408
                  }
409
410
                  else
411
                echo '-u-u';
412
413
               else
                 echo '-u';
414
415
          if(isset($product) && count($product) > 0){
    if(isset($student_scores[$student['StudNum']]['product_grades'] )
    && count($student_scores[$student['StudNum']]['product_grades'] ) > 0){
        foreach($student_scores[$student['StudNum']]['product_grades'] as $d
416
417
418
419
                                                                                            as $\data2=>$value2){
420
                   \$i = 0:
421
                    \$ total = 0;
                    422
423
424
425
426
427
                            foreach($product_grades as $data=>$value){
                              foreach($value as $column){
  if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
428
429
                                   ColumnID']) {
echo '>'.$grades['Raw_Score'].'';
$total+=$grades['Raw_Score'];
$bs+=$grades['Base_Score'];
430
431
432
433
                              }
434
435
                            }
436
                         }
                       }
437
438
439
                       $i++;
                       if($i==count($value2)){
    echo ">".$total."";
    $total_p2+=($total/$bs)*100;
440
441
442
443
                  }
444
445
```

```
446
                     echo '<td>-p2<math><td>-p2';
447
                 }
448
449
              }
                else
450
451
                  echo '-p2-p2';
452
            }
453
              else
454
               echo ' -p2 ';
455
456
457
       \begin{array}{lll} & \text{if } (\texttt{count}(\$\texttt{knowledge}) == 0 & || & \texttt{count}(\$\texttt{process}) == 0 & || & \texttt{count}(\$\texttt{product}) == 0 & || & \texttt{count}(\$\texttt{understanding}) == 0) \\ & & \texttt{echo} & "<\texttt{td}> - </\texttt{td}> "; \\ \end{array} 
458
459
       else {
         %k = $total_k/count($knowledge)*(0.15);

%p = $total_p/count($process)*(0.25);

%p2 = $total_p2/count($product)*(0.30);
460
461
         463
464
465
466
467
468
469
470
471
           //
472
474
       }
475
476
477
     ?>
478
479
480
481
482
     483
484
485
     <?php } ?>
486
488
     489
490
     </div>
491
     </div>
492
     dsdasdasd
493
494
     2
     </php $this->session->set_flashdata('studentno', $this->uri->segment(3)); ?>
     4
 5
           if(isset($panel_header)){
  // echo $panel_header;
 9
 10
           else echo ""; ?></h4>
 11
 12
     <div class="panel-body">
 13
    15
 16
 18
 19
                    20
 21
 22
 23
                       "2007-2008"=>"2007-2008",

'2006-2007' => '2006-2007');
echo form_dropdown('SchoolYear', $options, set_value('SchoolYear', isset(
$schoolyear)? $schoolyear: "Select School Year (Required)"), 'class="form-control" id=""');
                                     2007 - 2008 = 2007 - 2008
 24
 25
 26
 27
                 ?>
     </div>
 28
 29
     </div>
     <div class="form-group">
 30
     31
 32
 33
      <?php
                    35
 36
                                     "10" => "10", 
 '11' => '11', 
 '12' => '12',
 38
 39
```

```
41
42
                       $gradelevel)? $gradelevel:
control" id="GradeLevel"');
              ?>
43
44
    </div>
45
46
    </div>
47
    <div class="form-group">
   <label class="col-sm-4" control-label">Type of Offense</label>
<div class="col-sm-4">
48
49
50
    <?php
51
52
                $options2 = array(""=>"Select Type (Required)"," Disciplinary"=>"Disciplinary",
                   'Property' => 'Property',

'All'=>"All");

echo form_dropdown('Type', $options2, set_value('GradeLevel', isset($gradelevel)?

$gradelevel: "Select Type (Required)"),'class="form-control" id="Type"');
53
54
56
              ?>
    </div>
58
59
    </div>
    60
61
         <button type="submit" class="btn btn-success">Generate Report</button>
62
        </div>
63
      </div>
64
    <?php form_close(); ?>
66
    </\mathrm{div}>
67
    </div>
68
69
    70
71
72
73
               Offense </a>
75
         </h4>
         <div class="btn-group pull-right">
76
77
           <a href="<?php if(isset($SchoolYear) && isset($Type)){ echo base_url();?>reports/offenses
    /<?php echo $this->uri->segment(3,0).'/'.$SchoolYear.'/'.$Type;} else echo "#"; ?>"
    class="btn btn-default btn-sm">Generate Report</a>
78
         </div>
79
80
       </\mathrm{div}>
81
82
       <div id="collapseOne" class="panel-collapse collapse in ?>">
   84
85
87
88
    <thead>
    Offense NumberDate
89
٩n
91
92
93
      Offense 
94
      Personnel 
95
     96
    </thead>
    98
     <?php $i=0; if($guidance !=NULL)</pre>
99
100
     foreach($guidance as $data){ ?>
101
      102
103
104
      105
106
107
108
      </\mathrm{tr}>
     <?php
$i++;
109
110
111
      }
?>
112
113
    114
    </div>
115
117
118
         </div>
       </div>
119
      </div>
120
    121
122
```

```
<\!a\ data-toggle="collapse"\ data-parent="\#accordion"\ href="\#collapseTwo"> Property\ Offenses</
124
                 a>
125
         </h4>
       </div>
126
      <div id="collapseTwo" class="panel-collapse collapse in">
127
128
        <div class="panel-body">
129
130
        <div class="table-responsive">
     131
132
     <thead>
133
     134
       Offense Number
      > Offense NumberEquipmentNo. of Equipment
135
136
137
       Status   
138
      <th> </th>
139
140
      </t.r>
     </thead>
141
     142
      <?php $i=0; if($offenses !=NULL)</pre>
143
      foreach ($offenses as $data) { ?>
144
145
       146
147
148
149
150
151
       152
        <a onclick="return deleteOffenses('<?php echo $data['OffenseID'];?>');"> <i class="fa fa-</p>
             {\tt trash-o"}\!><\!/i\!>\!{\tt Delete}<\!/a\!><\!/td\!>
        153
154
       <?php
       $ i ++;
155
156
       }
157
     158
159
     160
     </div>
161
      </div>
163
     </div>
164
165
166
    <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
    dataTables.js"></script>
    <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
    bootstrap.js"></script>
167
168
169
        <!-- SB Admin Scripts - Include with every page --> <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
170
172
        <!-- Page-Level Demo Scripts - Tables - Use for reference -->
173
175
       $(document ).ready(function() {
    $('#dataTables-example').dataTable();
    $('#dataTables-example2').dataTable();
176
178
179
        });
180
181
182
        </script>
    <div id="body">
     <div id="content">
     6
    No. 
    Name Score 
 9
 10
 11
 12
     13
       <?php $i=1; if (isset (\$top\_students) \&\& \$top\_students!=null)
 14
             15
 17
                j = 0;
               foreach ($score as $student) {
 18
                 if ($j==0){
    echo ''.$student ['SLastName'].''.$student
 19
 20
                       ['Score'].'
 21
 22
                 else{
                   echo ''.$student['SLastName'].'';
 24
 25
                 $j++;
```

```
27
                                    }
$i++;
28
29
30
                             }
31
         \dot{<}/\tan b \log >
32
33
         34
         style="page-break-before: always">
35
         dsdasdasd
         36
37
38
         </div>
        <div id="body">
<div id="content">
 1
          TOP STUDENTS 
          <?php echo "S.Y. ".$schoolyear; ?> 
         </\mathrm{tr}>
10
11
         12
13
14
         15
16
17
         18
19
         No. 
20
         Name 

Score 

21
22
23
24
25
         </{
m t} \, {
m r}>
26
28
              <?php $ i=1; if (is\_array(\$student\_grades)) \\
                   foreach($student_grades as $student){
29
                        echo '>'.$i.'';
echo '>'.$student['name'].'';
echo '>'.round($student['sum'],2).'';
31
32
33
                      i++;
34
35
             }
36
        ?> 
37
38
         39
         \verb|style="page-break-before: always">|
40
41
         42
         </div>
         </div>
43

><a href="<?php echo base_url(); ?>section/view">Announcements</a>
><a href="<?php echo base_url(); ?>section/show_students">Students</a>
><a href="<?php echo base_url(); ?>section/files">Files</a>
><a href="<?php echo base_url(); ?>section/files">Files</a>
><a href="<?php echo base_url(); ?>section/class_record">Grades</a>

 3
  4
              6
            ./ui>
<!php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form.open('section/record_attendance/'.$this->uri->segment(3).'/'.$this->uri->segment(4),
 9
10
                          $attributes); ?>
        11
12
                        chass= panel-neading crearity > (4h class="panel-title pull-left" style="padding-top: 7.5px;">Attendance</h4> (4c) class="btn-group pull-right"> (5c) class="btn-group pull-right"> (5c) class="btn-group pull-right"> (5c) class="btn btn-default btn-sm"> (5c) class="btn-sm"> (5c) cl
13
14
15
16
17
                        </div>
         </div>
<div class="panel-body">
18
19
20
^{21}
         22
         <\!t\,r\!>
23
              Names
24
              if (is_array($date))
  foreach($date as $value)
   echo "".$value.";
25
26
27
              ?>
28
29
          30
         <?php
31
              \$i = 1;
                   if (is_array ($students))
```

```
33
                           foreach($students as $student){
34
                                  echo ''. $i.'';
                                  echo ''.$student['SLastName'].', '.$student['SFirstName'].'';
36
37
38
                                        foreach($date as $value){
39
40
                                               41
                                                                                                     'Tardy' => 'Tardy',
'Absent' => 'Absent');
42
43
44
                                               echo '>';
45
                                    echo form_dropdown('attendance['.$student['StudNum'].']['.$value.']', $options, set_value
('', isset($student_attendance[$student['StudNum']][$value])? $student_attendance[
$student['StudNum']][$value]['Type']: ""),'class="form-control" id="attendance['.
$student['StudNum'].']['.$value.']"');
46
47
                           echo '';
48
49
                                  $i++;
50
51
52
                                        }
53
             54
55
             </div>
56
58
             </div>
59
             </form>
             ul class="nav nav-tabs">
<a href="<?php echo base_url(); ?>section/view">Announcements</a>
<a href="<?php echo base_url(); ?>section/show_students">Students</a>
<a href="<?php echo base_url(); ?>section/files">Files</a>
<a href="<?php echo base_url(); ?>section/files">Files</a>
<a href="<?php echo base_url(); ?>section/class_record">Grades</a>
<a href="<?php echo base_url(); ?>section/reports">Files</a>
<a href="<?php echo base_url(); ?>section/reports">Files</a>
</a>
</a>
  3
  4
  6
  9
            <div class="panel panel-default">
<div class="panel-heading">
10
12
             Attendance
             </div>
13
14
             <form>
15
             <?php
16
                                        $options5 = array("June"=>"June"
'July' => 'Ju
17
                                                                                                     Jule => Jule,

'July' => 'July',

'August' => 'August',

'September' => 'September',

'October'=> 'October',
18
19
20
21
                                                                                                      'November'=> 'November'
'December'=> 'December'
'January'=> 'January',
23
24
                                                                                                      'February'=>'February',
'March'=>'March',
'April'=>'April',
25
26
27
                                        'May'=>'May');
echo form_dropdown('Year', $options5, set_value('Year', isset($current_month_w)?
$current_month_w : 'June'),'class="form-control" id="Year"');
28
29
30
                                ?>
31
                                 </form>
33
34
             <?php
35

<!min color 
36
37
38
39
40
                         <a href="<?php echo base_url(); ?>section/add_attendance/<?php
echo $start_date.'_'.date('Y-m-d', strtotime('next friday', strtotime($start_date))); ?>/<?
php echo $Section[0]['SectionID']; ?>">
41
42
                          <?php
                                 echo $start_date." to ".date('Y-m-d', strtotime('next friday', strtotime($start_date)));
43
44
45
46
                          ?></a>
47
48
49
                                  <?php
                          }
50
51
52
53
                        <?php
                        \hat{i} = 1;
55
                           foreach($days as $day){
56
                                  $date1 = new DateTime($day);
```

```
$end_date2= new DateTime($end_date);
$interval = $date1->diff($end_date2);
   58
   59
   60
                             if($i==count($days) && $interval->days>5){
   61
   62
   63
                                $last_day=date('Y-m-d', strtotime('last day of'.$day,strtotime($day)));
   64
   65
                                if (date ('N', strtotime ($last_day))!='5' && date ('N', strtotime ($last_day))!='6' && date ('N',
                                       strtotime($last_day))!='7')

$next_day = $next_day = date('Y-m-d', strtotime('last_day of'. $day, strtotime($day)));
   66
   67
   68
                                       $next_day = date('Y-m-d', strtotime('last friday of'.$day, strtotime($day)));
   69
   70
                               else {
  71
72
   73
74
                                       \ensuremath{\mbox{\tt Snext\_day}} = \ensuremath{\mbox{\tt date}} (\ensuremath{\mbox{\tt 'Y-m-d'}}, \ensuremath{\mbox{\tt strtotime}} (\ensuremath{\mbox{\tt "next}} \ensuremath{\mbox{\tt friday}} \ensuremath{\mbox{\tt "strtotime}} (\ensuremath{\mbox{\tt strtotime}} (\ensuremath{
   75
  76
77
                               <a href="<?php echo base_url(); ?>section/add_attendance/<?php
echo $day.'_'.$next_day; ?>/<?php echo $Section[0]['SectionID']; ?>">
   78
   79
                               <?php
   80
                                      echo $day." to ".$next_day;
   81
   82
   84
   85
                               ?></a>
   87
                  <?php
   88
                 $i++;
   89
   90
   91
                           ?>
   92
                           93
   94
   95
                        </div>
   96
                 <?php
   98
  99
100
                        }
101
102
103
                  </div>
104
                 <script>
105
106
                 $('#Year').change(function(){
107
                                       if($("#Year option:selected" ).text()=='June'){
    $('#6').show();
    $('#7').hide();
    $('#8').hide();
    $('#9').hide();
109
110
112
113
                                             $('#10').hide();
$('#11').hide();
$('#12').hide();
114
115
116
                                             $('#12').hide();
$('#1').hide();
$('#2').hide();
$('#3').hide();
$('#4').hide();
$('#5').hide();
117
118
119
120
121
122
123
                                        else if($("#Year option:selected").text()=='July'){
                                            lse if ($("#Year o
$('#6'). hide();
$('#7'). show();
$('#8'). hide();
$('#9'). hide();
$('#10'). hide();
$('#11'). hide();
$('#12'). hide();
$('#12'). hide();
$('#2'). hide();
$('#2'). hide();
$('#2'). hide();
$('#4'). hide();
124
125
126
127
128
129
130
131
132
133
134
135
136
                                       felse if($("#Year option:selected").text()=='August'){
   $('#6').hide();
   $('#7').hide();
   $('#8').show();
   $('#9').hide();
137
138
139
140
141
                                             $('#9').hide();
$('#11').hide();
$('#11').hide();
$('#12').hide();
$('#1').hide();
$('#2').hide();
$('#3').hide();
142
143
144
145
146
```

```
$('#4').hide();
$('#5').hide();
148
149
151
                                                           else if($("#Year option:selected").text()=='September'){
                                                                  lse if ($("#Year o

$('#6'). hide();

$('#7'). hide();

$('#8'). hide();

$('#9'). show();

$('#10'). hide();

$('#11'). hide();

$('#12'). hide();
152
 153
154
155
 156
157
 158
                                                                   $('#1').hide();
$('#2').hide();
$('#3').hide();
$('#4').hide();
$('#4').hide();
159
 160
 161
162
 163
                                                         165
166
 168
 169
170
171
172
173
174
176
177
                                                         }
else if($("#Year option:selected" ).text()=='November'){
    $('#6').hide();
    $('#7').hide();
    $('#8').hide();
    $('#8').hide();
    $('#10').hide();
    $('#11').show();
    $('#11').hide();
    $('#12').hide();
    $('#2').hide();
    $('#2').hide();
    $('#2').hide();
    $('#2').hide();
    $('#4').hide();
    $('#4').hide();
    $('#5').hide();
}
179
180
 181
182
183
 184
 185
 186
 187
 188
 190
 191
 192
                                                           else if($("#Year option:selected").text()=='December'){
                                                                  lse if($("#Year o
$('#6').hide();
$('#7').hide();
$('#8').hide();
$('#9').hide();
$('#10').hide();
$('#11').hide();
$('#12').show();
$('#12').hide();
$('#2').hide();
$('#2').hide();
$('#3').hide();
$('#3').hide();
$('#3').hide();
193
 194
 195
196
 197
 198
199
 200
201
202
203
204
205
206
                                                                 lse if (\$("\#Year o \$('\#6'). hide(); \$('\#7'). hide(); \$('\#8'). hide(); \$('\#9'). hide(); \$('\#10'). hide(); \$('\#11'). hide(); \$('\#12'). hide(); \$('\#12'). show(); \$('\#12'). show(); \$('\#2'). hide(); \$('\#3'). hide(); \$('\#3'). hide(); \$('\#3'). hide(); \$('\#5'). hide();
                                                           else if($("#Year option:selected").text()=='January'){
207
208
209
210
211
212
213
214
215
216
217
218
219
220
                                                         }
else if($("#Year option:selected" ).text()=='February'){
    $('#6').hide();
    $('#7').hide();
    $('#8').hide();
    $('#9').hide();
    $('#10').hide();
    $('#11').hide();
    $('#11').hide();
    $('#12').hide();
    $('#12').hide();
    $('#12').hide();
    $('#12').hide();
    $('#12').hide();
    $('#11').hide();
    $('#11')
221
222
223
224
 225
226
227
 228
229
230
 231
232
233
234
                                                           } else if($("#Year option:selected" ).text()=='March') {
   $('#6').hide();
   $('#7').hide();
   $('#8').hide();
   $('#9').hide();
235
236
237
238
```

```
$('#10').hide();
$('#11').hide();
$('#12').hide();
$('#1').hide();
$('#2').hide();
$('#3').show();
$('#4').hide();
$('#4').hide();
240
241
242
243
244
245
246
247
                                           }
else if ($("#Year option:selected" ).text()=='April') {
   $('#6').hide();
   $('#7').hide();
   $('#8').hide();
   $('#9').hide();
   $('#10').hide();
   $('#11').hide();
   $('#12').hide();
   $('#
248
249
 250
251
252
253
254
255
256
257
258
259
260
261
262
                                             else if($("#Year option:selected").text()=='May'){
263
                                                  lse if ($("#Year o
$('#6'). hide();
$('#7'). hide();
$('#8'). hide();
$('#9'). hide();
$('#10'). hide();
$('#11'). hide();
$('#11'). hide();
$('#12'). hide();
$('#1'). hide();
$('#2'). hide();
 264
265
266
 267
268
269
270
271
272
                                                   $('#3').hide();
$('#4').hide();
$('#5').show();
273
274
 275
276
277
278
                        });
279
                    </script>
      2
                           <script>
      3
                               $(document ).ready(function() {
    $('#dataTables-example').dataTable();
      5
6
      7
8
    10
    11
    12
    13
    14
    15
                                   </\operatorname{script}>
    16
                  </script>

<a href="<?php echo base_url(); ?>section/view">Announcements</a>
<a href="<?php echo base_url(); ?>section/show_students">Students</a>
<a href="<?php echo base_url(); ?>section/files">Files</a>
<a href="<?php echo base_url(); ?>section/files">Files</a>
</a>

<p
    17
    18
    19
    20
                           cli class="active"><a href="<?php echo base_url(); ?>section/class.record">Grades</a>
<a href="<?php echo base_url(); ?>section/attendance">Attendance</a>
<a href="<?php echo base_url(); ?>section/reports">Reports</a>

    21
    22
                    24
    25
    26
    27
                    <div class="tab-content">
    28
    29
                    <div class="panel panel-default">
                                  <div class="panel-heading">

    30
    31
                           32
    33
    34
                    35
                                    </div>
    36
    37
    38
                                    </div>
                                   39
    40
    41
    42
    43
    44
    45
    46
    47
                                                   <\!table\ class = "table\ table - striped\ table - bordered\ table - hover"\ id = "data Tables - example">
    49
                                                                            <thead>
    50
                                                                                    <tr>
                                                                                            Subject Name
```

```
52
 53
 55
 56
                          57
                        </thead>

<?php if(is_array($Subject))</pre>
 58
 59
 60
                          foreach ($Subject as $data) { ?>
 61
                            <tr>
 62
                               <a href="<?php echo base_url(); ?>section/subject_grades/<?php echo $data</pre>
                               ['ID']; ?>">
<?php echo $data['SubjectName']; ?></a>
 63
 64
                               </\mathrm{tr}>
 65
                        <?php } ?>
 66
 67
                        68
 69
 70
71
72
             </div>
 73
74
75
             </div>
             </div>
 76
 77
78
             <div class="tab-pane fade" id="guardian">
             <div class="panel panel-default">
  <div class="panel-heading clearfix">
  <div class="btn-group pull-right">
 79
 80
 82
             83
 84
 85
 86
              </div>
 87
 88
 89
             <div class="panel-body">
 90
      92
      <tr>
         Names
 93
 94
         Rating 
 95
      </{
m t} \, {
m r}>
 96
 97
      <?php
      //print_r($student_attendance); $i=1;
 98
           if (is_array($student_grades))
100
           foreach($student_grades as $student){
101
             echo ''.$i.'';
echo ''.$student['name'].'';
echo ''.$student['sum'].'';
103
104
105
106
107
108
109
110
111
112
113
114
             i ++;
115
116
                }
117
118
      119
120
121
122
      </div>
123
             </div>
124
125
             </div>
           </div>
126
127
128
129
130
131
132
        <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
    dataTables.js"></script>
    <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
    bootstrap.js"></script>
134
135
136
          <!-- SB Admin Scripts - Include with every page --> <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
137
138
139
```

```
140
          <!-- Page-Level Demo Scripts - Tables - Use for reference -->
141
          <script>
142
         $(document ).ready(function() {
          $('#dataTables-example').dataTable();
143
144
145
146
147
          </script>
        <script>
 3
         $(document ).ready(function() {
    $('#dataTables-example').dataTable();
 6
 9
      var url="<?php echo base_url();?>";
 10
 11
           function deleteFile(id,id2){
 12
              var r=confirm ("Do you want to delete this?");
 13
 14
               if (r==true) {
 15
                  window.location = url+"section/delete_file?FileID="+id+"&SectionID="+id2;
 16
 17
                  return false;
 18
 19
                else
                  return false:
 20
               }
 21
 22
     </script>

 23
 24
       <a href="<?php echo base_url(); ?>section/view">Announcements</a><a href="<?php echo base_url(); ?>section/show_students">Students</a></a>
 25
 26
        <!i ><a href="<?php echo base_url(); ?>section/show.students">students</a>
class="active"><a href="<?php echo base_url(); ?>section/files">Files</a>
<a href="<?php echo base_url(); ?>section/class_record">Grades</a>
<a href="<?php echo base_url(); ?>section/attendance">Attendance</a>
<a href="<?php echo base_url(); ?>section/reports">Reports</a>
</a>

 28
 29
 31
     32
     <div class="tab-content">
        34
 35
 36
               <a data-toggle="collapse" data-parent="#accordion" href="#collapseOne">Upload File </a>
 37
 38
             </h4>
 39
           </div>
          <div id="collapseOne" class="panel-collapse collapse <?php if(isset($errors['error'])) echo '</pre>
 40
                in '; ?>">
             <div class="panel-body">
 41
               crass= paner-body > ('class' => 'form-horizontal', 'role' => 'form');
echo form_open_multipart('section/upload_files/'.$Section[0]['SectionID']); ?>
 42
 43
               <div class="form-group">
<label class="col-sm-2 control-label">File input</label>
 44
 45
               47
 48
               </div>
 49
               <label class="col-sm-4 error"><?php echo $errors['error']; ?></label>
 50
               </div>
               <div class="form-group">
 52
               <div class="col-sm-offset-2 col-sm-10">
<button type="submit" class="btn btn-default">Upload</button>
 53
               </div>
 55
                </div>
             </form>
 56
 58
 59
             </div>
 60
           </div>
        </div>
 61
 62
     <div class="panel panel-default">
        <div class="panel-heading">
  <h4 class="panel-title">
 63
 64
 65
               <a data-toggle="collapse" data-parent="#accordion" href="#collapseTwo">Files </a>
           </h4>
 66
 67
        </div>
        <div id="collapseTwo" class="panel-collapse collapse in">
 68
          <div class="panel-body">

 69
 70
 71
 72
          if(\$results!=null){
 73
 75
 76
           78
           <?php
                    } }?>
 79
           <?php echo $links; ?>
```

```
81
          </div>
       </div>
82
     </div>
84
     </div>
85
86
       <\!\!\mathrm{script\ src}="<\!\!\mathrm{?php\ echo\ base\_url}()\,;\,?\!\!>\!\!\mathrm{assets/themes/default/js/plugins/dataTables/jquery}\,.
87
          dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
88
                bootstrap.js"></script>
89
90
         <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
91
92
93
          <script>
94
        $(document ).ready(function() {
    $('#dataTables-example').dataTable();
96
         });
97
99
          </script>
 2
     <script>
     var url="<?php echo base_url();?>";
          function deleteAnnouncement(id, id2){
              var r=confirm ("Do you want to delete this?"+id2);
               if (r==true){
 8
 9
                  window.location = url+"section/delete_announcement?ID="+id+"&SectionID="+id2;
10
                 return false:
11
12
               else
                 return false;
13
14
15
     </script>
     16
       <a href="<?php echo base_url(); ?>section/view">Announcements</a>
       cli class= active ><a href= <;pnp echo base_url(); !>section/show.students">>Students</a>
cli ><a href="c?php echo base_url(); ?>section/show.students">>Students</a>
cli ><a href="c?php echo base_url(); ?>section/files">>Files</a>
cli ><a href="c?php echo base_url(); ?>section/class_record">>Grades</a>
cli ><a href="c?php echo base_url(); ?>section/reports">>Stendanta</a>
cli ><a href="c?php echo base_url(); ?>section/reports">>Reports</a>
cli ><a href="c?php echo base_url(); ?>section/reports">>Reports</a>

18
19
21
22
23
     24
25
     <div class="tab-content">
       26
27
      <div class="panel panel-default">
<div class="panel-heading">
29
30
       Announcement
32
     <div class="form-group">
33
     35
36
       </div>
37
       </div>
       <div class="panel-body">
         class= panel-body /
ctextarea required id="btn-input" name="body" id="body" rows="4" cols="50" class="form-control
    "><?php echo set_value('title',(isset($form['Body'])) ? $form['Body'] : ''); ?></textarea>
39
40
          </div>
          41
42
           </div>
43
      </div>
44
45
      <?php form_close(); ?>
46
       <?php $i =0:
47
48
49
       if ( $results!=null ) {
       foreach($results as $data){?>
<div class="well">
<div class="blog-post">
50
51
52
            <h2 class="blog-post-title"><?php echo $data['Title'];?></h2>
53
            <?php echo $data['DateCreated'];?> by <a href="#"><<?php echo $data</pre>
                  ['Name'];? > </a>
            55
            <a onclick="return deleteAnnouncement('<?php echo $data['AnnouncementID'];?>','<?php echo
$Section[0]['SectionID'];?>');"> <i class="fa fa-trash-o"></i>Delete</a>
<?php echo $data['Body']; ?>
56
57
58
59
         </div>
60
          </div>
61
        <?php
62
       i++;
63
```

```
else { ?>
<div class="well">
65
66
      <h4> No posts! </h4>
67
        </div>
68
      <?php }
69
70
\frac{71}{72}
      ?>
73
\frac{74}{75}
       76
       <?php if(isset($links))echo $links ?> 
77
78
      </div>
79
    </div>

    <a href="<?php echo base_url(); ?>section/view">Announcements</a>
    <a href="<?php echo base_url(); ?>section/show_students">Students</a>
    <a href="<?php echo base_url(); ?>section/files">Files</a>
    <a href="<?php echo base_url(); ?>section/files">Files</a>
    <a href="<?php echo base_url(); ?>section/class_record">Grades</a>
    <a href="<?php echo base_url(); ?>section/attendance">Attendance</a>
    <a href="<?php echo base_url(); ?>section/reports">Reports</a>

10
    11
    12
13
14
    <div class="tab-content">
15
    16
17
18
         </div>
           <div class="panel-body">
19
           21
   23
25
27
29
30
    <i class="fa-file"></i> Nutritional Status</a>
31
      32
33
         </div>
34
         </div>
         </div>
35
2
      <script>
3
       $(document ).ready(function() {
    $('#dataTables-example').dataTable();
5
6
         </script>

    ><a href="<?php echo base_url(); ?>section/view">Announcements</a>
      11
12
13
14
15
17
18
    <div class="tab-content">
      <div class="panel panel-default">
<div class="panel-body">
<div class="panel-body">

19
20
22
               <div class="table-responsive">
                 23
24
                    <thead>
25
                      <tr>
                         Student Name
26
27
28
30
31
                      </thead>
33

<?php if($results !=NULL)
34
                       foreach ($results as $data) { ?>
```

```
36
                              <?php echo $data->SLastName; ?>, <?php echo $data->SFirstName; ?>
37
39
                         <?php } ?>
40
41
                         42
43
44
                   </div>
             </div>
45
46
47
        </div>
48
49
     </div>
50
51
        <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
53
           dataTables.js"></script>

<script src="c?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
54
55
56
          <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
57
58
59
          <script>
60
62
         $(document ).ready(function() {
          $('#dataTables-example').dataTable();
63
65
66
           </\mathrm{script}>
     <script>
var url="<?php echo base_url();?>";
  function deleteClearance(id){
 3
               var r=confirm ("Do you want to delete this?");
 6
                if (r==true) {
                   window.location = url+"students/delete_clearance/"+id;
 9
                   return false;
10
11
                 else
12
                   return false;
13
14
     </script>
15
16

><a href="<?php echo base_url(); ?>section/view">Announcements</a>
><a href="<?php echo base_url(); ?>section/show_students">Students</a>
><a href="<?php echo base_url(); ?>section/files">Files</a>
<a href="<?php echo base_url(); ?>section/files">Files</a>
<a href="<?php echo base_url(); ?>section/class_record">Grades</a>
<a href="<?php echo base_url(); ?>section/attendance">Attendance</a>
</a>
</a></a>
</a></a></a>
</a></a></a>
</a></a></a>
</a></a></a>
</a></a></a>
</a></a></a></a>
</a>
17
18
19
20
21
     23
24
25
     <div class="tab-content">
26
     <div class="panel panel-default">
<div class="panel-heading">
28
29
     </div>
     <div class="panel-body">
31
32
33
     <?php foreach($students as $student){ ?>
34
35
           36
37
           <?php echo $student['StudNum']; ?>
38
39
           </{
m t} \, {
m r}>
40
41
42
     </thead>
43
     Subject
45
     122
46
47
48
     3
     4
49
50
51
52

(?php foreach($student_scores[$student['StudNum']] as $subject=>$grades){ ?>
53
         <
             <?php echo $subject." </td>";
echo "";
54
55
56
57
     ?>
```

```
59
                 <?php } ?>
60
         62
63
64
                      <?php
65
66
67
              }
       ?>
68
69
70
         </div>
71
        </div>
72
73
        </div>
74
75
76
           <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
77
                 dataTables.js"></script> <script src="<?php echo base_url(); :>assets/themes/default/js/plugins/dataTables/jqdefy.
78
                            bootstrap.js"></script>
79
80
                 <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
81
82
83
85
               $(document ).ready(function() {
    $('#dataTables-example').dataTable();
86
88
                 });
89
90
                 </script>
 2
        <script>
        var url="<?php echo base_url();?>";
function deleteAnnouncement(id){
 3
 5
 6
                        var r=confirm ("Do you want to delete this?");
                          if (r==true) {
 8
 9
                               window.location = url+"subject/delete_announcement?ID="+id+"&SubjectID="+<?php echo
                                         this->uri->segment(3, 0);?>;
10
                              return false:
                          }
11
12
                           else
13
                              return false;
15
        </script>
        16
            ul class=nav nav-tabs>
<a href="</pre>
"?php echo base_url(); ?>section/view">Announcements</a>
<a href="</php echo base_url(); ?>section/show_students">Students</a>
<a href="</php echo base_url(); ?>section/files">Files</a>
<a href="</php echo base_url(); ?>section/files">Files</a>
<a href="</php echo base_url(); ?>section/class_record">Grades</a>
<a href="</php echo base_url(); ?>section/attendance">Attendance</a>
<a href="</php echo base_url(); ?>section/reports">Reports</a>

18
19
20
21
22
23
        24
25
        <div class="tab-content">
            26
27
28
                              <h4 class="panel-title">

ch4 class="panel-title">

/* class="panel-title">
29
30
                                         Class Records </a> /
                                                                                      '. $panel_header; ?>
                              </h4>
31
                          </div>
32
33
                            <div class="panel-body">
34
35
                            <?php if(isset($grading_periods)) ?>
36
37
38
                            <?php $i=0;
                            $\text{Siabel = array('1'=>"1st Grading Period",'2'=>"2nd Grading Period",'3'=>"3rd Grading
Period",'4'=>"4th Grading Period");
foreach($\text{grading_periods as $row)}{\text{?>}}
39
40
41
                                    <div class="panel panel-default">
42
43
                 <div class="panel-heading">
                     44
45
                      </h4>
46
                  </div>
47
                 <div id="collapse <?php echo $i; ?>" class="panel-collapse collapse <?php if(isset($errors['
        error'])) echo 'in'; ?>">
        <div class="panel-body">

            class="list-group">

48
49
50
51
```

```
52
53
54
56
58
59
60
     61
62
         </div>
63
           </div>
       </div>
65
            <?php $i++; } ?>
66
68
69
     </div>
70
   </div>
2
   < s c r i p t >
   var url="<?php echo base_url();?>"
3
       function deleteAnnouncement(id){
          var r=confirm ("Do you want to delete this?");
6
8
9
             window.\,location\,=\,url+"\,subject/\,delete\_announcement?ID="+id+"\&SubjectID="+<?php\end{picture}
                 this -> uri -> segment(3, 0);?>;
10
             return false;
11
12
           else
             return false:
13
15
   </script>
   16
     <a href="<?php echo base_url(); ?>record/view_section/<?php echo $sectionid; ?>">Section
          Information </a>
18
     <a href="<?php echo base_url(); ?>record/view_subjects/<?php echo $sectionid; ?>">Subjects/
          a>
19
     <a href="<?php echo base_url(); ?>record/view_students/<?php echo $sectionid; ?>">Students
          </a>
      20
      <a href="<?php echo base.url(); ?>record/reports/<?php echo $sectionid; ?>">Reports</a>
21
22
   24
   <div class="tab-content">
25
     <div class="tab-pane fade in active" id="announcements">
<div class="panel panel-default">
26
27
          <div class="panel-heading">
28
             29
30
             </h4>
31
           </div>
32
            <div class="panel-body">
33
34
            <?php if(isset($grading_periods)) ?>
35
36
37
38
            <?php $i=0;
            $\text{Spape $1-0,}
$\text{label = array('1'=>"1st Grading Period",'2'=>"2nd Grading Period",'3'=>"3rd Grading
Period",'4'=>"4th Grading Period");
foreach(\text{\text{\text{grading-periods}} as \text{\text{\text{row}}}\){ ?>
39
40
41
                <div class="panel panel-default">
42
43
       <div class="panel-heading">
         44
45
         </h4>
46
       </div>
47
48
       <div id="collapse <?php echo $i; ?>" class="panel-collapse collapse <?php if(isset($errors['</pre>
         error'])) echo'in'; ?>">
<div class="panel-body">
49
50
51
     <a href="<?php echo base_url(); ?>section/view_grades/<?php echo</pre>
   $row['GradingPeriodID']; ?>">
<i class="fa fa-eye"></i>    View Grades</a>
class="list-group-item"><a href="<?php echo base_url(); ?>reports/view_grades/<?php echo $row</pre>
53
54
   ['GradingPeriodID']; ?>">
<i class=" fa-file"></i> Generate Report</a>
```

```
<a href="<?php echo base_url(); ?>reports/view_top_students/<?php echo
$row['GradingPeriodID']; ?>">
<i class=" fa-file"></i>> Top Students</a>
56
57
58
59
60
       61
62
63
           </div>
         </div>
64
65
66
               <?php $i++; } ?>
67
69
    </div>
70
    < s c r i p t >
     var url="<?php echo base_url();?>"
3
         function deleteAnnouncement(id){
             var r=confirm("Do you want to delete this?");
 6
9
                 window.location = url+"subject/delete\_announcement?ID="+id+"\&SubjectID="+<?php echo \$this->uri->segment(3, 0);?>; \\
10
                return false;
11
              else
12
                return false;
13
14
15
    </script>

<
16
17
             Announcement </a>
         cli><a href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->segment(3,0);?>">
Files </a>
18
19
         <a href="<?php echo base_url(); ?>subject/portfolio/<?php echo $this->uri->segment(3,0)
               ;?>"> Portfolio </a>
         20
21
22
    23
24
25
    <div class="tab-content">
      <div class="tab-pane fade in active" id="announcements">
<div class="panel panel-default">
26
27
             <div class="panel-heading">
     <h4 class="panel-title">
28
29
                 <?php if(isset($panel_header)) echo $panel_header; ?>
31
                 </h4>
32
              </div>
               <div class="panel-body">
33
34
               <?php if(isset($grading_periods)) ?>
35
36
37
               <?php $i=0;
               $\text{Siabel = array('1'=>"1st Grading Period",'2'=>"2nd Grading Period",'3'=>"3rd Grading
Period",'4'=>"4th Grading Period");
foreach($\text{grading_periods as $row)}{\text{?>}}
39
40
41
42
                    <div class="panel panel-default">
         <div class="panel-heading">
43
            <h4 class="panel-title">
     <a data-toggle="collapse" data-parent="#accordion" href="#collapse<?php echo $i; ?>"><?</pre>
44
45
                    php echo $label[$row['GradingPeriod'']]; ?></a>
            </h4>
46
         </div>
47
48
         <div id="collapse <?php echo $i; ?>" class="panel-collapse collapse <?php if(isset($errors['</pre>
            error'])) echo 'in'; ?>">
<div class="panel-body">
49
50
51
    <a href="<?php echo base_url(); ?>section/view-grades/<?php echo
$row['GradingPeriodID']; ?>">
<i class="fa fa-eye"></i> View Grades</a>
52
53
55
       56
57
58
           </div>
59
60
              </div>
         </div>
61
               <?php $i++; } ?>
63
64
       </div>
```

```
66 < / \operatorname{div} >
 2
       <script>
       var url="<?php echo base_url();?>";
              function deleteAnnouncement(id){
 5
                    var r=confirm ("Do you want to delete this?");
                     if (r==true) {
 9
                         window.location = url+"subject/delete_announcement?ID="+id+"&SubjectID="+<?php echo
                                 this \rightarrow uri \rightarrow segment(3, 0);?>;
10
                        return false;
                     else
12
13
                         return false;
14
       </script>
15
       17
18
              <li>><a
                          href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->segment(3,0);?>">
              Files </a> 
Segment (3.0)
Files </a> 
Files 
Files </a> 
Files </a> 
Files </a> <
19

<
20
21
       23
24
       <div class="tab-content">
          <div class="tab-pane fade in active" id="announcements">
<div class="panel panel-default">
26
27
                   <div class="panel-heading">
29
                        <h4 class="panel-title">
30
                         <?php if(isset($panel_header)) echo $panel_header; ?>
31
                         </h
                     </div>
32
                       <div class="panel-body">
33
34
                       <?php if(isset($grading_periods)) ?>
35
37
38
                       <?php $i=0:
                       $\text{Simp $61-0,}
$label = array('1'=>"1st Grading Period",'2'=>"2nd Grading Period",'3'=>"3rd Grading
Period",'4'=>"4th Grading Period");
foreach($grading_periods as $row){ ?>
39
40
41
              42
43
44
                  <h4 class="panel-title
                      ca data-toggle="collapse" data-parent="#accordion" href="#collapse<?php echo $i; ?>"><?
    php echo $label[$row['GradingPeriod']]; ?></a>
45
              </h4>
46
47
48
              c/liv id="collapse <?php echo $i; ?>" class="panel-collapse collapse <?php if(isset($errors['</pre>
                 error'])) echo 'in'; ?>">

<div class="panel-body">

49
50
51
      <a href="<?php echo base_url(); ?>section/view_grades/<?php echo
$row['GradingPeriodID']; ?>">
<i class="fa fa-eye"></i> View Grades</a>
52
53
54
55
          56
58
                  </div>
59
                     </div>
              </div>
</php $i++; } ?>
61
62
63
64
           </div>
65
       </div>
66
 2
       <script>
       var url="<?php echo base_url();?>";
    function deleteTestType(id){
 3
                    var r=confirm("Do you want to delete this?");
                     if (r==true) {
                         window.location = url+"subject/delete_test_type/"+id+"/multiple";
10
                         return false;
11
12
                     }
```

```
13
                              else
                                  return false;
 14
 16
           </script>
 17
           19
 20
 21
 22
 23
 24
 25
           <div class="tab-content">
<div class="panel panel-default">
<div class="panel-heading">
 27
 28
          30
          </div>
<div class="panel-body" style="overflow-x:auto" >

 32
 33
 34
 35
           <?php
 36
 37
 38
 39
                col_knowledge=0;
               if(is_array($knowledge_grades))
foreach($knowledge_grades as $data=>$value){
   if(is_array($value))
 40
 41
 42
                              $col_knowledge + count($value)+1;
 43
 44
 45
                              col_knowledge+=2;
 46
 47
 48
                    col_knowledge = 1;
 49
 50
                \$ \operatorname{col} \operatorname{process} = 0;
 51
                if (is_array($process_grades))
                    foreach ($process_grades as $data=>$value){
 52
                        scol_process = $col_process + count($value)+1;
 53
 54
 55
                         else
 56
                              col_process+=2;
 57
 58
                else
 59
                     col_process = 1;
 60
                col_product=0;
 62
                if(is_array($product_grades))
                    foreach($product_grades as $data=>$value){
    if(is_array($value))
 63
 65
                              $col_product = $col_product + count($value)+1;
 66
                         else
 67
                              col_product += 2;
 68
 69
                     col_product = 1;
             $col_understanding=0;
if(is_array($understanding_grades))
 71
 72
                    foreach ($understanding_grades as $data=>$value) {
 74
                         if (is_array ($value))
 75
                              $col_understanding =$col_understanding + count($value)+1;
 76
                              col_understanding+=2;
 77
 78
 79
                else
                    col_understanding = 1:
 80
 82
 83
 84
 85
            Name 
 86
          cth colspan="2(?php if($col.knowledge <> 1) echo $col.knowledge; ?>"> Knowledge

 1) echo $col.process; ?>"> Process/Skills 

 1) echo $col.understanding; ?>"> Understanding 

 1) echo $col.product; ?>"> Products/Performances 

 87
 88
 90
 91
            Total 
 93
           </\mathrm{tr}>
 94
 96
 97
 98
                if (isset ($knowledge) && count ($knowledge) > 0) {
                    (This to which which is the strow of the strong of 
 99
100
101
                                   ></a>
```

```
<\!a\ \ onclick="return\ deleteTestType('.srow['TestID'].');"><\!i\ class="fa\ fa-trash-o"><\!/i><\!/a>><\!/i>
102
                 td>
103
            echo
                   ' Total ';
         }
104
105
106
        else
          echo '-';
107
108
109
        if(isset($process) && count($process) > 0){
          foreach ($process as $row){
    echo '<a href='.base_url().'subject
    /view_test_type/'.$row['TestID'].'>'.$row['TestType'].'</a>
<a href='.base_url().'subject/edit_test_type/'.$row['TestID'].'><i class="fa fa-pencil"></i
110
111
112
                onclick="return deleteTestType('.$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
113
         }
       }
115
        else
116
          echo '-';
118
119
        if (isset ($understanding) && count ($understanding) > 0) {
          120
121
122
                 ></a>
123
                onclick="return deleteTestType('.$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
                 td> Total ';
124
         }
125
126
        else
          echo '-';
127
128
129
        if (isset(\$product) \&\& count(\$product) > 0) \{\\
          foreach ($product as $row) {
130
            131
132
                 ></a>
                onclick="return deleteTestType('.\srow['TestID'].');"><i class="fa fa-trash-o"></i></a>
133
                 td> Total ';
134
         }
135
136
          echo '-';
137
138
139
140
     Girls Last Name
142
143
145
     First Name
146
148
     if (isset ($knowledge) && count ($knowledge) > 0) {
149
        foreach ($knowledge as $row) {
   if(isset($knowledge_grades) && count($knowledge_grades) > 0) {
151
            (Isset (Skinowledge-grades as $data=>$value){
    if ($data == $row['TestID'])
152
153
                 if (is_array ($value)) {
154
155
                   \hat{sum} = 0;
                   foreach ($value as $score) {
   echo ''.$score['Base_Score'].' '.$score['ColumnID'].'';
   $sum +=$score['Base_Score'];
156
157
158
159
                   echo '>'.$sum.'';
160
161
162
                 else
                   echo -k-k';
163
164
165
          }
166
       }
167
168
     else
169
       echo '-k';
170
     if(isset($process) && count($process) > 0){
171
       foreach ($process as $row) {
          if (isset($process as $row){
  if (isset($process_grades) && count($process_grades) > 0)
  foreach($process_grades as $data=>$value){
    if ($data==$row['TestID']){
      if (is.array($value)){
173
174
176
177
                   \$sum = 0;
                   foreach ($value as $score) {
    echo ''.$score['Base_Score'].' '.$score['ColumnID'].'';
    $sum+=$score['Base_Score'];
178
179
180
181
                   echo '>'.$sum.'';
182
183
```

```
else
184
                    echo '<td>-p1</td>-p1</td>';
185
186
            }
187
       }
188
189
190
      else
191
        echo  -p1  ';
192
      \begin{array}{ll} \mbox{if (isset (\$understanding) \&\& count(\$understanding) > 0)} \{ \\ \mbox{for each (\$understanding as $\$row)} \end{array} 
193
194
          if (isset($understanding_grades) && count($understanding_grades) > 0)
foreach($understanding_grades as $data=>$value)
   if($data==$row['TestID']){
195
196
197
198
                 if(is_array($value)){
    $sum = 0;
199
200
                    201
202
203
204
205
                    echo ''.$sum.'';
206
207
208
                  else
209
                    echo '-u-u';
               }
210
212
      else
        echo '-u';
213
214
     \begin{array}{ll} \mbox{if(isset(\$product) \&\& count(\$product) > 0)} \{ \\ \mbox{foreach(\$product as \$row)} \end{array}
215
216
217
          if(isset($product_grades) && count($product_grades) > 0)
             foreach($product_grades as $data=>$value)
  if($data==$row['TestID']){
218
219
220
                  if(is_array($value)){
221
                    \$sum = 0:
                    ssum = 0,
foreach ($value as $score){
  echo '>'.$score['Base_Score'].' '.$score['ColumnID'].'';
  $sum+=$score['Base_Score'];
222
223
224
225
                    echo ''.$sum.'';
226
227
228
                  else
                    echo '-p2-p2';
229
230
^{231}
232
      else
        echo '-p2';
234
235
236
237
238
239
      240
241
242
243
244
      <?php
      student_g=1;
245
246
      student_b=1:
247
        foreach ($students as $student) {
248
          249
250
251
252
             student_{-g}++;
253
          felse if ($student['SGender']) {
  if ($student_b==1){
254
255
256
               echo "
                      Boys
257
258
                       Last Name 
                      First Name
259
260
                      </\mathrm{tr}>
261
262
263
          }
               echo "".$student_b."".$student['SLastName']."".$student['SFirstName']."
264
265
266
             student_b++;
267
        }
268
269
270
271
         total_k=0:
         total_p = 0;
total_p = 0;
272
```

```
274
             total u=0:
275
276
               if (isset(\$knowledge) \&\& count(\$knowledge) > 0) \{\\
277
                   if(isset($student_scores[$student['StudNum']]['knowledge_grades'] )
&& count($student_scores[$student['StudNum']]['knowledge_grades'] ) > 0){
  foreach($student_scores[$student['StudNum']]['knowledge_grades'] as $data2=>$value2){
278
279
280
281
                          \$i = 0;
282
                          total=0;
                           283
284
285
286
288
                                       foreach($knowledge_grades as $data=>$value){
  if(is_array($value))
289
                                          if(\$\text{solumn}\) = \$\text{grades}['TestID'] \&& \$\text{column}['ColumnID'] = \$\text{grades}['
291
                                                (Srow | 'TestID'] == Sgrades ['TestID'] && Scolumn ['ColumnID'] == Sgrades
    ColumnID'] | {
    echo ''. Sgrades ['Raw_Score'].' '. Sgrades ['ColumnID'].'';
    $total += Sgrades ['Raw_Score'];
    $bs+= Sgrades ['Base_Score'];
292
293
294
295
                                         }
296
297
                                      }
298
                                   }
                                }
299
300
301
                                $i++;
                                51+++,
if ($i==count($value2)){
  echo ">".$total.'/'.$bs." ";
  $total_k+=($total/$bs)*100;
302
303
304
305
306
307
308
                         }
309
                               echo  -k   ':
310
311
312
313
                       else
                        echo '-k-k';
315
316
317
                        echo '-k';
318
319
320
321
               if (isset ($process) && count($process) > 0){
                   if(isset($student_scores[$student['StudNum']]['process_grades'] )
&& count($student_scores[$student['StudNum']]['process_grades'] ) > 0){
  foreach($student_scores[$student['StudNum']]['process_grades'] as $data2=>$value2){
323
324
325
326
                           \$i = 0;
                            \$ total = 0;
327
328
                            bs = 0;
                           if (is.array($value2)){
  foreach($value2 as $testid=>$grades){
  foreach($process as $row){
    if (isset($process_grades) && count($process_grades) > 0){
      foreach($process_grades as $data=>$value){
329
330
331
332
333
                                         if (is_array($value))
foreach($value as $column){
   if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
334
335
336
                                                 ColumnID']) {
echo ''.$grades['Raw_Score'].' '.$grades['ColumnID'].'';
337
                                                $total+=$grades['Raw_Score'];
$bs+=$grades['Base_Score'];
338
339
                                             }
340
341
342
                                      }
343
                                   }
344
345
346
                                if($i==count($value2)){
echo ">".$total.'/'.$bs." ";
$total_p+=($total/$bs)*100;
347
348
349
350
351
352
353
                          else
354
355
                        _{\rm echo}
                                "<\!td>\!-p1<\!/td>\!<\!td>\!-p1<\!/td>";
356
357
                      }
358
359
                       else
360
                        echo -p1-p1<;
361
                   }
                      else
362
                        echo '-p1';
```

```
365
366
          if (isset ($understanding) && count ($understanding) > 0) {
367
             if(isset($student_scores[$student['StudNum']]['understanding_grades'] && count($student_scores[$student['StudNum']]['understanding_grades']
368
369
370
371
                foreach ( $student_scores [ $student [ 'StudNum']] [ 'understanding_grades '] as $data2=>$value2 )
                    $i=0:
372
373
                    total=0;
                   $bs = 0;
if(is_array($value2)){
  foreach($value2 as $testid=>$grades){
374
375
376
377
                       378
                            foreach ($understanding_grades as $data=>$value) {
379
                              foreach($value as $column){
  if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
380
381
                                  ColumnID']) {
echo ''. $grades ['Raw_Score'].' '. $grades ['ColumnID'].'';
$total+=$grades ['Raw_Score'];
$bs+=$grades ['Base_Score'];
382
383
384
385
386
                             }
387
                           }
                         }
388
389
                       }
390
391
                       $i++;
                       if($i==count($value2)){
   echo "".$total.'/'.$bs." ";
   $total_u+=($total/$bs)*100;
392
393
394
395
396
                    }
397
                   }
398
                     else
                       echo '-u-u';
399
400
401
                  }
402
                }
404
                 else
                      '-u-u';
405
                echo
406
               else
407
                 echo '-u';
408
409
          410
412
413
                                                                                          as $data2=>$value2){
                  i = 0;
415
                   total=0;
416
                   $bs = 0;
417
                    if(is_array($value2)){
418
                      foreach($value2 as $testid=>$grades){
  foreach($product as $row){
419
420
                         if (isset ($product_grades) && count ($product_grades) > 0) {
421
                           foreach($product_grades as $data=>$value){
  foreach($value as $column){
422
423
                                if ($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
                                   ColumnID']) {
echo ''.$grades['Raw_Score'].' '.$grades['ColumnID'].'';
424
                                  $total+=$grades['Raw_Score'];
$bs+=$grades['Base_Score'];
425
426
427
428
                             }
                           }
429
430
                       }
431
432
                       $i++;
433
                       if($i==count($value2)){
    echo ">".$total.'/'.$bs." ";
434
435
                         $total_p2+=($total/$bs)*100;
436
437
438
                    }
439
440
                  else
                       echo '-p2-p2 ';
                   }
442
443
                }
                   echo '-p2-p2 ';
445
446
             }
447
                 echo '-p2';
448
449
450
       if (count (\$knowledge) == 0 \ || \ count (\$process) == 0 \ || \ count (\$product) == 0 \ || \ count (\$understanding) == 0) 
451
452
            echo "-";
```

```
453
               else {
                   $k = $total_k/count($knowledge)*1/4;
454
455
                   $p = $total_p/count($process)*1/4;
                   p2 = \frac{1}{2} \cot al_p 2 / count (product) * 1/4;
456
                   $\frac{\partial p^2}{\cdot \text{volume}} \text{volume} \t
457
458
459
460
461
               }
462
463
464
          ?>
465
466
467
468
469
          470
471
472
           </div>
473
          </div>
474
475
          </div>
476
478
            <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
479
                  dataTables.js"></script>

<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.bootstrap.js"></script>
480
481
482
483
                  <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
484
485
486
                   < s c r i p t >
487
                $(document ).ready(function() {
    $('#dataTables-example').dataTable();
488
489
490
                   });
491
492
                   </\mathrm{script}>
   2
          < s c r i p t >
          var url="<?php echo base_url();?>";
   function deleteTestType(id){
   3
                         var r=confirm("Do you want to delete this?");
   6
                           if (r==true){
   8
                                window.location = url+"subject/delete_test_type/"+id+"/multiple";
  10
                                return false;
  11
  12
  13
  14
                               return false;
  15
  16
          </script>
  17
          19
              <a href="<?php echo base_url(); ?>record/view_section/<?php echo $sectionid; ?>">Section
                        Information </a>
  20
               <a href="<?php echo base_url(); ?>record/view_subjects/<?php echo $sectionid; ?>">Subjects/
                        a>
               </p
  21
                        </a>

cli class="active"><a href="<?php echo base_url(); ?>record/class_record/<?php echo $sectionid;
?>">Class Record</a>

  22
  23
                <\!li><\!a\ href="<\!?php\ echo\ base\_url(); ?\!>\!record/reports/<\!?php\ echo\ \$sectionid; ?\!>\!">Reports<\!/a><\!/li>
          25
         <div class="tab-content">
  26
          <div class="panel panel-default">
<div class="panel-heading">
  27
  28
          29
                         >Class Record</a> /
                                                                      '. $panel_header; ?></h4>
          </div>
  30
          <div class="panel-body" style="overflow-x:auto" >

  31
  32
  33
          34
  35
          <?php
  36
  38
               col_knowledge=0;
               if(is_array($knowledge_grades))
foreach($knowledge_grades as $data=>$value){
  39
  41
                       if(is_array($value))
                           $col_knowledge = $col_knowledge + count($value)+1;
  42
  43
```

```
44
                               col_knowledge+=2;
  45
  46
                 else
  47
                     col_knowledge = 1;
  48
  49
                 col_process = 0;
                if(is_array($process_grades))
foreach($process_grades as $data=>$value){
  50
  51
  52
                          if(is_array($value))
                               col_{process} = col_{process} + count(svalue) + 1;
  53
  54
                          else
  55
                               $col_process+=2;
  56
  57
  58
                     col_process = 1;
  59
  60
                 col_product = 0;
                 if(is_array($product_grades))
foreach($product_grades as $data=>$value){
  61
  62
  63
                          if(is_array($value))
                               col_{product} = col_{product} + count(svalue) + 1;
  64
  65
                          else
                              col_product += 2;
  66
  67
  68
  69
                     col_product = 1;
              $col_understanding=0;
  70
                 if (is_array ($understanding_grades))
  72
                     foreach($understanding_grades as $data=>$value){
  73
                         if (is_array ($value))
                                $col_understanding =$col_understanding + count($value)+1;
 75
76
                          else
                               $col_understanding+=2;
  77
 78
79
                 else
                     col_understanding = 1;
  80
  81
  82
  83
  84
           Name 

 1) echo $col_knowledge; ?>"> Knowledge

 1) echo $col_process; ?>"> Process/Skills 

 1) echo $col_understanding; ?>"> Understanding 

 1) echo $col_product; ?>"> Products/Performances 

  85
  86
  87
  88
  89
  90
  91
            Total 
  92
           </\mathrm{t\,r}>
  93
  94
           <\!{\rm t\,r}\!>
  95
            <?php
                if(isset($knowledge) && count($knowledge) > 0){
  foreach($knowledge as $row){
    echo ''.$row['TestType'].'';
    echo 'T ';';

  97
  98
  99
100
101
                    }
102
103
                 else
                     echo '-';
104
105
                 if(isset($process) && count($process) > 0){
106
                     foreach($process as $row){
    echo ''.$row['TestType'].'
    '.'' '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' < '.'' <
107
108
109
110
111
112
                 else
113
                     echo '-';
114
                 if (isset ($understanding) && count ($understanding) > 0) {
115
                      (isset (winderstanding) by the foreach ($understanding) by the foreach ($understanding as $row) {
    echo ''.$row['TestType'].'

116
117
118
119
                    }
120
121
122
                     echo  -  ';
123
                 if(isset(\$product) \&\& count(\$product) > 0){
124
                     foreach ($product as $row) {
    echo '<td colspan="'.cou
125
                                                                           '.count($product_grades[$row['TestID']]).'">'.$row['TestType'].'
126
                         T ';
128
                    }
129
130
                     echo '-';
131
132
133
134
```

```
Girls 

Last Name

136
137
139
        First Name 
140
141
142
143
       if (isset ($knowledge) && count ($knowledge) > 0) {
144
          foreach ($knowledge as $row) {
             if (isset($knowledge_grades) && count($knowledge_grades) > 0){
  foreach($knowledge_grades as $data=>$value){
    if($data == $row['TestID'])
      if(is_array($value)){
145
146
147
148
149
                         \hat{sum} = 0;
                         foreach ($value as $score) {
  echo ''.$score['Base_Score'].' ';
  $sum +=$score['Base_Score'];
150
151
153
                         echo ''.$sum.'';
154
                      else
156
157
                         echo '-k-k';
158
159
             }
160
          }
161
162
       else
163
          echo '-k';
164
       if(isset($process) && count($process) > 0){
  foreach($process as $row){
   if(isset($process_grades) && count($process_grades) > 0)
    foreach($process_grades as $data=>$value){
    if($data==$row['TestID']){
      if(is_array($value)){
        $sum = 0;
      foreach($value, as $cases){
165
166
167
168
169
170
171
                         foreach ($value as $score) {
  echo ''.$score['Base_Score'].' ';
  $sum+=$score['Base_Score'];
172
173
174
175
                         echo ''.$sum.'';
176
177
178
                      else
179
                         echo  -p1   -p1  < :
180
                  }
                }
181
          }
182
183
184
       else
          echo '-p1';
185
186
        \begin{array}{ll} & \text{if (isset (\$understanding) \&\& count(\$understanding)} > 0) \{ \\ & \text{for each (\$understanding as \$row)} \\ \end{array} 
187
             189
190
191
192
193
194
                         foreach($value as $score){
  echo '>'.$score['Base_Score'].' ';
195
196
197
                            $sum+=$score['Base_Score'];
198
199
200
                         echo ''.sum.'';
                      }
201
202
203
                         echo '-u-u';
                   }
204
205
206
       else
          echo '-u';
207
208
       if(isset($product) && count($product) > 0){
  foreach($product as $row)
209
210
             if(isset($product_grades) && count($product_grades) > 0)
211
                foreach($product-grades as $data=>$value)
  if($data==$row['TestID']) {
   if(is_array($value)){
212
213
214
215
                         \$sum = 0:
                         foreach ($value as $score) {
   echo '>'.$score['Base_Score'].' ';
   $sum+=$score['Base_Score'];
216
217
218
219
                         echo ''.$sum.'';
220
221
222
                         echo '<td>-p2</td><td>-p2</td>';
223
224
225
226
       else
          echo '-p2';
```

```
229
230
231
232
233
       234
235
236
237
238
       <?php
       student_g=1;
239
240
       student_b=1:
241
          foreach ($students as $student) {
242
             243
244
245
246
               student_{-g}++;
247
             else if ($student ['SGender']) {
248
               if ($student_b==1){
echo "
249
250
                           Boys
251
                          Last Name
252
253
254
                           255
256
257
            }
                  echo "".$student_b."".$student['SLastName']."<".$student['SFirstName']."</td><".$student['Name']."</td>
258
259
260
               $student_b++:
261
         }
262
263
264
265
           total_k=0;
266
           total_p=0;
267
            \$ t o t a l - p 2 = 0;
268
           total_u=0:
269
270
             if (isset ($knowledge) && count ($knowledge) > 0) {
271
                if(isset($student_scores[$student['StudNum']]['knowledge_grades'] )
&& count($student_scores[$student['StudNum']]['knowledge_grades'] ) > 0){
  foreach($student_scores[$student['StudNum']]['knowledge_grades'] as $data2=>$value2){
272
273
274
275
                       i = 0;
276
                       total=0;
277
                        $bs = 0:
278
                        if(is_array($value2)){
                         foreach($value2 as $testid=>$grades){
  foreach($knowledge as $row){
    if(isset($knowledge_grades) && count($knowledge_grades) > 0){
279
280
281
                                  foreach ($knowledge_grades as $data=>$value){
    if (is_array ($value))
    foreach ($value as $column){
        if ($row['TestID'] == $grades['TestID'] && $column['ColumnID'] == $grades['
282
283
284
285
                                          ColumnID'] == $grades['TestID'] && $colu
ColumnID']) {
  echo '', $grades['Raw_Score'].' ';
  $total+=$grades['Raw_Score'];
  $bs+=$grades['Base_Score'];
286
287
288
289
                                    }
290
                                 }
291
292
                               }
                            }
293
294
295
                            $i++;
                            51++;
if ($i==count($value2)){
  echo ">".$total.'/'.$bs." ";
  $total_k+=($total/$bs)*100;
296
297
298
299
300
                         }
301
302
303
                       else
                           echo -k-k';
304
305
306
                    else
307
308
                     echo '-k-k';
309
310
311
                     echo '-k';
312
313
           // print_r($student_scores[$student['StudNum']]['process_grades'] ); if(isset($process) && count($process) > 0){
314
315
316
```

```
if(isset($student_scores[$student['StudNum']]['process_grades'] )
&& count($student_scores[$student['StudNum']]['process_grades'] ) > 0){
  foreach($student_scores[$student['StudNum']]['process_grades'] as $d
317
318
319
                                                                                                                                                                                                                         as $data2=>$value2){
320
                                               \$i = 0;
                                                \$ total = 0:
321
322
                                                bs = 0;
                                               if(is_array($value2)){
  foreach($value2 as $testid=>$grades){
323
324
                                                        foreach($process as $row){
    if(isset($process_grades) && count($process_grades) > 0){
        foreach($process_grades as $data=>$value){
325
326
327
                                                                      if(is_array($value))
foreach($value as $column){
  if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
328
329
330
                                                                                    ColumnID']) {
echo '>'.$grades['Raw_Score'].' ';
331
                                                                                   $total+=$grades['Raw_Score'];
$bs+=$grades['Base_Score'];
333
334
                                                                             }
335
                                                                 }
336
337
                                                            }
338
                                                       }
339
340
                                                       if($i==count($value2)){
echo ">".$total.'/'.$bs." ";
$total_p+=($total/$bs)*100;
341
342
344
345
                                                 }
346
347
                                            }
else
348
349
                                                       350
                                               }
                                      }
351
352
353
                                       else
354
                                         echo -p1-p1<;
355
                                 }
356
                                       else
                                         echo '-p1';
358
359
360
                         if (isset (\$understanding) && count(\$understanding) > 0){
361
                                362
363
364
365
                                        foreach ($student_scores [$student ['StudNum']] ['understanding_grades'] as $data2=>$value2)
                                               {
$i=0;
366
                                                total=0;
                                               368
369
370
                                                       foreach ($understanding as $row) {
  if (isset ($understanding_grades) && count($understanding_grades) > 0) {
    foreach ($understanding_grades as $data=>$value) {
      foreach ($value as $column) {
        if ($row ['TestID'] == $grades ['TestID'] && $column ['ColumnID'] == $grades ['TestID'] & $column ['ColumnID'] == $grades ['TestID'] & $column ['TestID'] 
371
372
373
374
375
                                                                                   ColumnID'] == sgrades['lestID'] && Scolu
ColumnID']) {
  echo '>'. *sgrades['Raw_Score'].' ';
  $total+=$grades['Raw_Score'];
  $bs+=$grades['Base_Score'];
376
377
378
                                                                             }
379
380
                                                                       }
381
                                                                  }
382
                                                            }
383
384
385
                                                        $i++;
                                                        if($i==count($value2)){
    echo "".$total.'/'.$bs." ";
    $total_u+=($total/$bs)*100;
386
387
388
389
390
                                                  }
391
                                               }
392
                                                  else
                                                       echo '-u-u';
393
394
395
                                            }
396
397
                                       }
                                          else
398
399
                                      echo '-u-td>-u';
400
401
                                     else
402
                                         echo '-u';
403
                         if(isset($product) && count($product) > 0){
   if(isset($student_scores[$student['StudNum']]['product_grades'])
404
405
```

```
&& count($student_scores[$student['StudNum']]['product_grades'] ) > 0){
foreach($student_scores[$student['StudNum']]['product_grades'] as $data2=>$value2){
406
407
408
409
                                                \$ t o t a l = 0;
410
                                                $bs = 0:
411
                                                 if(is_array($value2)){
                                                      foreach($value2 as $testid=>$grades){
  foreach($product as $row){
412
413
414
                                                               if (isset ($product_grades) && count ($product_grades) > 0){
                                                                    foreach($product-grades as $data=>$value){
  foreach($value as $column){
    if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
415
416
417
                                                                                      (Srow[ TestID ]==sgrades[ TestID ] && scott
ColumnID']) {
echo ''.$grades['Raw_Score'].' ';
418
419
                                                                                     $total+=$grades['Raw_Score'];
$bs+=$grades['Base_Score'];
420
                                                                         }
422
                                                                  }
423
424
                                                              }
                                                        }
425
426
427
                                                         $i++:
                                                        if($i==count($value2)){
   echo ">".$total.'/'.$bs." ";
   $total_p2+=($total/$bs)*100;
428
429
430
431
                                                  }
433
434
                                             else
435
                                                         echo '-p2-p2';
                                               }
436
437
                                       }
438
                                          else
                                                echo '-p2-p2';
439
440
                                 }
441
                                     else
                                          echo '<td>-p2</td > ':
442
443
444
                 if (count (\$knowledge) == 0 \ || \ count (\$process) == 0 \ || \ count (\$product) == 0 \ || \ count (\$understanding) == 0 ) 
445
446
                             echo "-";
                   else {
447
                         $k = $total_k/count($knowledge)*1/4;
$p = $total_p/count($process)*1/4;
448
449
                         $p2 = $total_p2/count($product)*1/4;
450
                         $\square \text{$\frac{1}{2}} \cdot \text{$\f
451
452
453
454
455
456
458
             ?>
459
460
461
462
463
             464
465
466
              </div>
467
              </div>
468
469
             </div>
470
471
472
                <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
473
                        dataTables.js"></script>

<script src="<?php echo base_url(); !>assets/themes/default/js/plugins/dataTables/jquery.

dataTables.js"></script src="<?php echo base_url(); !>assets/themes/default/js/plugins/dataTables/dataTables.

bootstrap.js"></script>
474
475
476
477
                         <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
478
479
480
                         <script>
481
                      $(document ).ready(function() {
    $('#dataTables-example').dataTable();
482
484
485
486
                         </\operatorname{script}>
             <script>
var url="<?php echo base_url();?>";
function deleteTestType(id){
    3
                                  var r=confirm("Do you want to delete this?");
    6
```

```
window.location = url+"subject/delete_test_type/"+id+"/multiple";
 9
10
11
12
13
                  else
                     return false;
14
15
16
      </script>
17
      <?php
18
     if($this->session->userdata('logged_in')['Type']=="Student")
echo '
  <a href=="'.base_url().'subject/view/'.$classid.'">Announcement</a>
  <a href=="'.base_url().'subject/files/'.$classid.'">Files</a>
  <a href="'.base_url().'subject/files/'.$classid.'">Files</a>
  <a href="'.base_url().'subject/portfolio/'.$classid.'">Portfolio</a>
  <a href="'.base_url().'subject/journal/'.$classid.'">Journal</a>
  class="active"><a href="'.base_url().'section/subject_grades/'.$classid.'">Grades</a>
</a>
19
20
21
22
23
25
26
27
28

';
      else
29
      echo '
30
        cli >a href="'.base_url().'record/view_student/'.$this->uri->segment(3).'">Student</a>
<a href="'.base_url().'record/view_student_offenses/'.$this->uri->segment(3).'">Offenses</a>

32
               >
         </i></i></i></i></i>
/ ". base_url() . 'record/view_student_extracurricular/'. $this ->uri ->segment(3) .'" >
33
        Extracurricular </a>
<a href="'.base_url().'record/view_student_clearance/'.$this->uri->segment(3).'" >Clearance</a>
34
               </a>
                  class="active"><a href="'.base_url().'record/view_grades/'.$this->uri->segment(3).'" >
         < 1 i
35
                Grades </a> 
36
      37
38
39
40
      <div class="tab-content">
41
     <div class="panel panel-default">
<div class="panel-heading">
42
43
      class = panel=neading /
ch4><?php if(isset($panel.header) && $this->session->userdata('logged_in')['Type']=="Student")
echo '<a href="'.base_url().'section/subject_grades/'.$classid.'">All Grades</a>/ '.
45
            $panel_header;
      elseif(isset($panel_header) && $this->session->userdata('logged_in')['Type']!="Student") echo '<a href="'.base_url().'record/view_grades/'.$this->uri->segment(3).'">All Grades<
46
                                                                                                                     >All Grades </a> / '.
47
            $panel_header; ?></h4>
      </div>
48
      <div class="panel-body" style="overflow-x:auto" >
49
50
51
52
      <?php
54
         col_knowledge=0;
         if(is_array($knowledge_grades))
55
            foreach ($knowledge_grades as $data=>$value) {
57
               if(is_array($value))
  $col_knowledge =$col_knowledge + count($value)+1;
58
59
                  col_knowledge+=2;
60
61
62
         else
            $col_knowledge =1;
63
64
65
         col_process = 0;
         if(is_array($process_grades))
66
            foreach ($process_grades as $data=>$value) {
67
68
               if(is_array($value))
$col_process = $col_process + count($value)+1;
69
70
71
                  col_process+=2;
72
73
         else
74
75
            col_process = 1;
76
         col_product=0;
         if(is_array($product_grades))
foreach($product_grades as $data=>$value){
77
79
               if(is_array($value))
  $col_product = $col_product + count($value)+1;
80
               e\,l\,s\,e
                  col_product += 2;
82
83
           $col product =1:
85
86
        $col_understanding=0;
         if (is_array ($understanding_grades))
            foreach ($understanding_grades as $data=>$value) {
88
89
               if(is_array($value))
                  $col_understanding =$col_understanding + count($value)+1;
90
               else
91
                  $col_understanding+=2;
```

```
93
          else
 94
 95
             $col_understanding =1;
 96
 97
       if(strpos($this->session->userdata('logged_in')['Type']," Teacher")!==FALSE || $this->session-> userdata('logged_in')['Type']=="Guardian" || $this->session->userdata('logged_in')['Type']=="Principal" || $this->session->userdata('logged_in')['Type']=="Registrar")
 98
             $studnum = $this -> uri -> segment(3);
 99
100
             else
101
102
       $studnum=$this->session->userdata('logged_in')['ID'];
           \$ total_k = 0:
103
104
           total_p=0;
105
           total_p 2 = 0;

total_u = 0;
106
      ?>
108
109
       110
111
        1) echo $col_knowledge; ?>"> Knowledge
112
113
       </\mathrm{tr}>
114
       115
       <?php
          if (isset ($knowledge) && count ($knowledge) > 0) {
foreach ($knowledge as $row) {
   echo ' '.$row['TestType'].'';
   echo ' Total ';
116
117
119
120
121
122
          else
            echo '-';
123
124
125
       126
127
       if(isset($knowledge) && count($knowledge) > 0){
128
          foreach ($knowledge as $row) {
129
130
             if (isset ($knowledge_grades) && count ($knowledge_grades) > 0) {
                foreach ($knowledge_grades as $data=>$value) {
  if ($data == $row['TestID'])
131
132
133
                     if(is_array($value)){
134
                        sum=0;
                        ssum = 0,
foreach ($value as $score) {
  echo '>'.$score ['Base_Score'].'';
  $sum +=$score ['Base_Score'];
135
136
137
138
                        echo '>'.$sum.'':
139
140
                     }
141
                      else
                        echo -k-k<;
142
143
               }
144
            }
         }
145
146
147
       else
         echo '-k';
148
      ?>
149
150
151
       152
        if(isset($knowledge) && count($knowledge) > 0){
153
154
                if(isset($student_scores[$studnum]['knowledge_grades'] )
&& count($student_scores[$studnum]['knowledge_grades'] ) > 0){
  foreach($student_scores[$studnum]['knowledge_grades'] as $data2=>$value2){
155
156
157
158
                       $i=0;
$total=0;
159
160
                        bs = 0;
                        if (is_array($value2)) {
foreach($value2 as $testid=>$grades) {
foreach($knowledge as $row) {
   if (isset($knowledge_grades) && count($knowledge_grades) > 0) {
     foreach($knowledge_grades as $data=>$value) {
161
162
163
164
165
166
                                    if(is_array($value))
                                     foreach($value as $column){
  if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
167
168
                                           ColumnID']) {
echo '>'.$grades['Raw_Score'].'';
169
                                           $total+=$grades['Raw_Score'];
$bs+=$grades['Base_Score'];
170
171
172
                                 }
174
                               }
175
176
                            }
177
178
                            if ($i==count($value2)){
   echo "".$total." "
   $total_k+=($total/$bs)*100;
179
                                                             \(\td>\);
180
181
```

```
182
                              }
                           }
183
184
                        }
else
185
186
187
                             echo -k-k';
                          }
188
189
190
                      else
                       echo -k-k';
191
192
193
                  }
else
194
                       echo '<td>>-k</td>';
196
       ?>
197
       199
200
201
       202
203
       <tr> <th colspan="<?php if($col_process <> 1) echo $col_process; ?>"> Process/Skills </th> </tr> <tr>
204
205
       <?php
206
          207
208
209
210
             }
211
212
           else
213
             echo '-';
214
       \dot{<}/\,\mathrm{t}\,\mathrm{r}>
215
216
217
       218
219
       <?php
220
221
        \begin{array}{l} \mbox{if(isset(\$process) \&\& count(\$process) > 0)\{} \\ \mbox{foreach(\$process as \$row)\{} \\ \mbox{if(isset(\$process\_grades) \&\& count(\$process\_grades) > 0)} \end{array} 
222
223
224
                 if ($process_grades as $data=>$value){
  if ($data==$row['TestID']) {
   if (is_array($value)) {
225
226
227
                          (1s_array($value)){
$sum = 0;
foreach($value as $score){
  echo '>'.$score['Base_Score'].'';
  $sum+=$score['Base_Score'];
228
229
230
231
232
233
                          echo ''.$sum.'';
234
235
236
                          echo -p1-p1<';
237
                   }
238
239
          }
       }
240
241
       else
242
          echo '-p1';
243
244
245
          </\mathrm{tr}>
246
247
       248
        \begin{array}{l} <?php \\ \text{ if (isset (\$process) \&\& count (\$process)} \ > \ 0) \, \{ \end{array} 
249
250
251
                  if(isset($student_scores[$studnum]['process_grades'] )
&& count($student_scores[$studnum]['process_grades'] ) > 0){
  foreach($student_scores[$studnum]['process_grades'] as $d
252
253
                                                                                                      as $data2=>$value2){
254
255
                          \$i = 0;
                          total=0;
256
                          $bs = 0;
if(is_array($value2)){
257
                               foreach($value2) as $testid=>$grades){
foreach($process as $row){
   if(isset($process_grades) && count($process_grades) > 0){
259
260
261
                                    if (sprocess_grades as $data=>$value){
  if (is_array($value))
  foreach($value as $column){
    if ($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
262
263
265
                                              ( ($row[ 'TestID'] == $grades[ 'TestID'] && $col
    ColumnID']) {
  echo ''.$grades[ 'Raw_Score'].'';
  $total+=$grades[ 'Raw_Score'];
  $bs+=$grades[ 'Base_Score'];
266
267
268
269
                                    }
270
```

```
272
                        }
273
274
275
                      $i++;
276
                      if ($i==count($value2)){
    echo "".$total." ";
    $total_p+=($total/$bs)*100;
277
278
279
280
                   }
281
282
283
                  else
                      '-p1-p1';
284
                echo
285
286
               }
287
288
                echo '-p1-p1 ';
289
290
             }
291
                echo '-p1';
292
293
     ?>
294
295
296
     297
     <table_class="table_table-bordered">
298
299
300
      1) echo $col_understanding; ?>"> Understanding 
          tr > 
301
     <?php
302
303
     if (isset ($understanding) && count ($understanding) > 0) {
          foreach ($understanding as $row) {
    echo ''.$row['TestType'].'
    //
    td> Total 
    // Total 
    // TestType '].' 
    //
304
305
306
         }
307
308
       else
309
         echo '-';
     ?>
310
     312
     313
     <?php
314
     if (isset ($understanding) && count ($understanding) > 0) {
       foreach($understanding as $row)
if(isset($understanding_grades) && count($understanding_grades) > 0)
315
316
            foreach($understanding_grades as $data=>$value)
if($data==$row['TestID']){
if(is_array($value)){
317
318
320
                  \$sum = 0;
321
322
                   foreach ($value as $score) {
                    echo '>'.$score['Base_Score'].'';
$sum+=$score['Base_Score'];
323
324
325
326
327
                  echo '>'.$sum.'';
328
329
                else
330
                  echo '-u-u';
331
332
     }
333
     else
334
       echo '-u';
     ?>
335
     336
337
     338
     <?php
339
      if (isset ($understanding) && count ($understanding) > 0) {
340
341
            342
343
344
               foreach($student_scores[$studnum]['understanding_grades'] as $data2=>$value2){
345
346
                  \$i = 0;
                   \$ total = 0;
                  $bs = 0;
if(is_array($value2)){
  foreach($value2 as $testid=>$grades){
348
349
350
                      351
352
                          foreach($understanding_grades as $data=>$value){
  foreach($value as $column){
    if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
353
354
355
                                 ColumnID']) {
echo ''.$grades ['Raw_Score'].'';
$total+=$grades ['Raw_Score'];
356
357
358
                                 $bs+=$grades['Base_Score'];
359
360
```

```
361
                              }
362
363
364
                            i++;
365
                            if($i==count($value2)){
    echo "".$total." 
    $total_u+=($total/$bs)*100;
366
                                                            ":
367
368
369
                         }
370
371
372
                         else
                           echo -u-u';
373
374
375
376
                     }
377
                     else
378
379
                   echo '-u-td>-u';
380
                  else
381
382
                    echo '-u';
383
      ?>
384
385
      </\mathrm{tr}>
      386
387
388
      389
      390
             \rm t\,r>
391
      <?php
if(isset($product) && count($product) > 0){
392
            foreach ($product as $row) {
    echo ''.$row['TestType'].'</a>

        >Total ';

393
394
395
           }
396
397
            echo  -  ';
398
399
400
      ?>
401
402
403
404
       <?php
405
       if (isset ($product) && count ($product) > 0) {
         406
407
408
409
410
                       foreach ($value as $score) {
   echo ''.$score['Base_Score'].'';
   $sum+=$score['Base_Score'];
412
413
414
415
                       echo '>'.$sum.'';
416
417
418
                     else
419
                       echo '-p2-td>-p2';
420
421
      }
422
       else
         echo '-p2';
423
424
425
      ?>
426
      427
428
429
      <?php
      if(isset($product) && count($product) > 0){
    if(isset($student_scores[$studnum]['product_grades'])
        && count($student_scores[$studnum]['product_grades']) > 0){
        foreach($student_scores[$studnum]['product_grades'] as $d
430
431
432
433
                                                                                            as $data2=>$value2){
434
                      i = 0;

    \text{$total = 0;} \\
    \text{$bs = 0;}

435
436
                       if (is_array($value2)){
  foreach($value2 as $testid=>$grades){
   foreach($product as $row){
437
438
439
                              reacn(sproduct as srow){
if(isset($product_grades) && count($product_grades) > 0){
  foreach($product_grades as $data=>$value){
    foreach($value as $column){
      if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades[']
440
441
443
                                         ( ($row[ 'TestID'] == $grades[ 'TestID'] && $col
    ColumnID']) {
  echo ''.$grades[ 'Raw_Score'].'';
  $total+=$grades[ 'Raw_Score'];
  $bs+=$grades[ 'Base_Score'];
444
445
446
447
                                }
448
```

```
450
                              }
451
452
                           \$\,i\,++;
453
                           if($i==count($value2)){
    echo ">".$total." ";
    $total_p2+=($total/$bs)*100;
454
455
456
457
458
                        }
459
460
                           echo '-p2-p2 ';
461
                       }
462
464
                     else
                       echo '<td>-p2</td><td>-p2</td>';
465
                }
                  else
467
                    echo '-p2';
468
469
470
471
      ?>
472
      473
474
       Total 
475
476
478
      <\!\mathrm{t}\,\mathrm{r}\!>
479
      <?php
480
         \begin{array}{lll} & \text{if} \ (\text{count} (\$ knowledge}) == 0 & || & \text{count} \ (\$ process}) == 0 & || & \text{count} \ (\$ product}) == 0 & || & \text{count} \ (\$ understanding}) == 0) \\ & & \text{echo} & \text{``-''}; \\ \end{array} 
481
482
483
            $k = $total_k/count($knowledge)*1/4;
$p = $total_p/count($process)*1/4;
484
485
            $p2 = $total_p2/count($product)*1/4;

$u = $total_u/count($understanding)*1/4;

echo "".round(($k+$u+$p2+$p),2)."";
486
487
488
489
490
      ^{?>}_{</\mathrm{tr}>}
492
493
      494
495
      </{
m t} \, {
m r}>
496
497
       498
499
500
      </\mathrm{div}>
      </div>
501
502
503
      </div>
504
505
506
        <script src="'.base_url().'assets/themes/default/js/plugins/dataTables/jquery.dataTables.js">
507
            script src="'.base_url().'assets/themes/default/js/plugins/dataTables/dataTables.bootstrap.js
"></script>
508
509
            <script src="'.base_url().'assets/themes/default/js/sb-admin.js"></script>
510
511
512
            <script>
513
514
          $(document ).ready(function() {
    $('#dataTables-example').dataTable();
515
516
517
518
            </script>
519
      <script>
var url="<?php echo base_url();?>";
   function deleteTestType(id){
  3
                var r=confirm("Do you want to delete this?");
  6
                     window.location = url+"subject/delete_test_type/"+id+"/multiple";
  9
 10
                     return false;
 11
 12
 13
 14
                    return false;
 15
 16
      </script>
 17
18
      <?php
```

```
20
     echo '
       21
22
23
24
25
26
27
     28
29
30
31
     <div class="tab-content">
     <div class= tab-content >
<div class="panel panel-default">
<div class="panel-heading">
32
33
     ch4><?php if(isset($panel_header)) echo '<a href="'.base_url().'record/view_grades/" >All Grades</a>
a / '.$panel_header; ?></h4>
34
     <div class="panel-body" style="overflow-x:auto" >
36
37
39
     <?php
40
41
        \$\operatorname{col} \_\operatorname{knowledge} = 0;
        if(is_array($knowledge_grades))
foreach($knowledge_grades as $data=>$value){
42
43
44
             if(is_array($value))
45
               $col_knowledge = $col_knowledge + count($value)+1;
47
               col_knowledge+=2;
48
49
50
          $col_knowledge =1;
51
52
        \$ \operatorname{col} p \operatorname{rocess} = 0;
        if(is_array($process_grades))
foreach($process_grades as $data=>$value){
53
54
55
             if (is_array($value))
               $col_process = $col_process + count($value)+1;
56
57
58
               col_process+=2;
59
60
61
          col_process = 1;
62
        \$\,c\,o\,l\,\_\,p\,r\,o\,d\,u\,c\,t=0\,;
63
        if (is.array($product_grades))
foreach($product_grades as $data=>$value){
64
65
             if(is_array($value))
66
               $col_product =$col_product + count($value)+1;
67
68
69
               \$\operatorname{col} \mathtt{\_product} += 2;
70
        else
72
73
          col_product = 1;
       $col_understanding=0;
        if (is_array ($understanding_grades))
75
76
          foreach($understanding_grades as $data=>$value){
             if (is_array ($value))
               $col_understanding = $col_understanding + count($value)+1;
78
             else
79
               $col_understanding+=2;
80
        else
81
82
          col_understanding = 1;
83
84
     if(strpos($this->session->userdata('logged.in')['Type']," Teacher")!==FALSE || $this->session->userdata('logged.in')['Type']=="Guardian" || $this->session->userdata('logged.in')['Type']=="Principal" || $this->session->userdata('logged.in')['Type']=="Registrar")
85
86
          $studnum = $this->uri->segment(3);
87
88
89
     $studnum=$this->session->userdata('logged_in')['ID'];
90
         \$ t o t a l k = 0;
         total_p=0;
92
         total_p 2 = 0;
93
         total_u=0;
95
     ?>
96
     98
99
      1) echo $col_knowledge; ?>"> Knowledge
100
     </\mathrm{tr}>
101
     102
     <?php
103
        if (isset ($knowledge) && count ($knowledge) > 0) {
          foreach ($knowledge as $row) {
    echo ''.$row['TestType'].'';
    echo ' Total ';
104
105
106
107
108
       }
```

```
109
            echo '-';
110
      ?>
</php
112
113
114
       if (isset ($knowledge) && count ($knowledge) > 0) {
foreach ($knowledge as $row) {
115
116
             if(isset($knowledge_grades) && count($knowledge_grades) > 0){
117
               foreach ($knowledge_grades as $data=>$value) {
    if ($data == $row['TestID'])
118
119
120
                     if(is_array($value)){
                        \hat{s}um = 0:
121
                        foreach($value as $score){
123
                          echo ''.$score['Base_Score'].'';
$sum +=$score['Base_Score'];
124
                        echo ''.$sum.'';
126
127
                     }
                       echo '<td>-k</td><td>-k</td> ';
129
130
               }
131
            }
         }
132
133
134
       else
         echo '-k';
135
       \frac{\cdot}{</}tr>
137
138
       139
       <?php
        if(isset($knowledge) && count($knowledge) > 0){
140
141
                if(isset($student_scores[$studnum]['knowledge_grades'] )
&& count($student_scores[$studnum]['knowledge_grades'] ) > 0){
  foreach($student_scores[$studnum]['knowledge_grades'] as $d
142
143
                                                                                                as $data2=>$value2){
144
145
                      \$i = 0;
                      \$ total = 0:
146
                        bs = 0;
147
                       $bs = 0;
if(is_array($value2)){
foreach($value2 as $testid=>$grades){
  foreach($knowledge as $row){
    if(isset($knowledge_grades) && count($knowledge_grades) > 0){
      foreach($knowledge_grades as $data=>$value){
        if(is_array($value))
        foreach($value as $column){
            if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['ColumnID']]
148
149
150
151
152
153
154
155
                                          ColumnID']) {
echo ''.$grades ['Raw_Score'].'';
$total+=$grades ['Raw_Score'];
156
157
158
                                          $bs+=$grades['Base_Score'];
159
                                       }
160
                                    }
                                 }
161
                              }
162
163
                            }
164
                            $i++;
165
                            if ($i==count($value2)) {
    echo "".$total." "
    $total_k+=($total/$bs)*100;
166
                                                            `":
167
168
169
                         }
170
171
172
173
                      else
                          echo  -k  -k  ';
174
175
176
177
                     echo -k-k';
178
179
180
181
                 else
                     echo '-k';
182
183
       ?>
       184
185
       186
187
       189
190
       <tr>
       191
192
       <?php
193
          if(isset($process) && count($process) > 0){
  foreach($process as $row){
    echo ''.$row['TestType'].'Total <';</td>
194
195
196
197
198
         }
```

```
199
            echo '-';
200
201
202
      </\mathrm{tr}>
203
204
      205
206
      <?php
207
208
209
       if (isset ($process) && count ($process) > 0) {
         210
211
212
213
214
                      (is_array($vaiue;);

$sum = 0;

foreach($value as $score){

  echo '>'.$score['Base_Score'].'';

  $sum+=$score['Base_Score'];
215
216
217
218
219
220
                      echo '>'.$sum.'';
221
                    else
222
                       echo '-p1-td>-p1';
223
224
                 }
225
226
         }
227
      }
228
       else
229
         echo '-p1';
230
231
232
         </\mathrm{tr}>
233
234
      235
236
       <?php
237
        if(isset(\$process) \&\& count(\$process) > 0)
238
               if(isset($student_scores[$studnum]['process_grades'] )
&& count($student_scores[$studnum]['process_grades'] ) > 0){
  foreach($student_scores[$studnum]['process_grades'] as $d
239
240
241
                                                                                        as $data2=>$value2){
242
                       \$i = 0;
243
                       total=0;
244
                       $bs = 0:
                      $bs = 0;
if(is_array($value2)){
  foreach($value2 as $testid=>$grades){
  foreach($process as $row){
    if(isset($process_grades) && count($process_grades) > 0){
245
246
247
249
                                foreach($process_grades as $data=>$value){
                                 if (is.array ($value))
foreach ($value as $column) {
  if (is.array ($value))
  foreach ($value as $column) {
    if ($row ['TestID'] == $grades ['TestID'] && $column['ColumnID'] == $grades ['ColumnID']) {
    echo ''.$grades ['Raw_Score'].'';
250
251
252
253
                                        $total+=$grades['Raw_Score'];
$bs+=$grades['Base_Score'];
\frac{254}{255}
256
                                  }
257
258
                               }
259
                             }
                          }
260
261
262
                          $i++;
                          263
264
265
266
267
                        }
268
269
                    }
else
270
                          "<\!td>\!-p1<\!/td>\!<\!td>\!-p1<\!/td>';
271
                    echo
272
273
274
275
                  else
276
                    echo '-p1-p1';
277
               }
278
                    echo '-p1';
279
280
281
      ?>
282
283
      284
      285
286
       1) echo $col_understanding; ?>"> Understanding 
287
            tr > 
      <?php
```

```
289
      if (isset ($understanding) && count ($understanding) > 0) {
290
            sset (winderstanding) as $row) {
    echo ''.$row['TestType'].'
    //
    td> Total 
';
291
292
293
           }
294
295
296
            echo '-';
      ?>
297
298
299
      300
      <?php
301
       if(isset(\$understanding) \&\& count(\$understanding) > 0){
302
         foreach($understanding as $row)
  if(isset($understanding_grades) && count($understanding_grades) > 0)
303
               if ($\frac{\text{standing_-grades}}{\text{standing_-grades}} \text{ as $\text{stand=}$$ value})
if ($\frac{\text{data}}{\text{standing}}$row ['TestID']) {
if (is_array ($\text{value})) {
305
306
307
                       sum = 0;
308
                       foreach($value as $score){
  echo '>'.$score['Base_Score'].'';
  $sum+=$score['Base_Score'];
309
310
311
312
313
                      echo '>'.$sum.'';
314
316
                    else
317
                      echo -u-u';
318
319
320
      else
321
         echo '-u';
      ?>
322
      323
324
325
      <?php
326
327
        if (isset (\$understanding) && count (\$understanding) > 0) {
328
                \begin{array}{l} \mbox{if (isset (\$student\_scores [\$studnum]['understanding\_grades']') \\ \&\& \mbox{ count (\$student\_scores [\$studnum]['understanding\_grades']') } > 0) \\ \end{array} 
329
330
331
332
                   foreach($student_scores[$studnum]['understanding_grades'] as $data2=>$value2){
333
                       \$i = 0
                       \$ total=0;
334
                      istal = 0;
bbs = 0;
if(is_array($value2)){
  foreach($value2 as $testid=>$grades){
335
336
                           foreach ($understanding as $row) {
   if (isset ($understanding_grades) && count ($understanding_grades) > 0) {
    foreach ($understanding_grades as $data=>$value) {
338
339
                                   foreach($value as $column){
  if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
341
342
                                        ColumnID']) {
  echo '': $grades ['Raw_Score'].'';
  $total+=$grades ['Raw_Score'];
  $bs+=$grades ['Base_Score'];
343
344
345
346
                                     }
347
                                  }
348
                                }
                             }
349
350
351
                           $i++:
352
                           if($i==count($value2)){
    echo "".$total." ";
    $total_u+=($total/$bs)*100;
353
354
355
356
357
                        }
358
                      }
359
                        else
                          echo '-u-td>-u';
360
361
362
                     }
363
364
                   }
365
                    else
                         '-u-u';
366
                   echo
367
                }
                  else
368
                    echo '-u';
369
370
      ?>
371
372
      373
      </table>
374
      375
376
      tr >
```

```
378
                  if(isset($product) && count($product) > 0){
379
                            | Section | Sproduct | Section | Sproduct | Section | Se
380
381
382
                           }
383
 384
                            echo '-';
385
386
 387
388
              ?>
389
390
               391
               <?php
if(isset($product) && count($product) > 0){
392
393
                      foreach ($product as $row)
                           394
395
396
397
                                                    (1s_array($value)){
$sum = 0;
foreach($value as $score){
  echo '>'.$score['Base_Score'].'';
  $sum+=$score['Base_Score'];
398
399
400
 401
402
                                                    echo ''.$sum.'';
403
405
                                               else
                                                    echo '-p2-p2';
406
 407
408
 409
               else
410
                     echo '-p2';
411
412
413
               414
415
               <tr>
              416
417
419
420
 421
422
                                                    $total=U;
$bs = 0;
if(is_array($value2)){
  foreach($value2 as $testid=>$grades){
    foreach($product as $row){
      if(isset($product_grades) && count($product_grades) > 0){
         foreach($product_grades as $data=>$value){
423
 424
425
427
                                                                         :(isset(sproduct_grades) && count($product_grades) > 0){
foreach($product_grades as $data=>$value){
  foreach($value as $column) {
    if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['ColumnID']) {
      echo '>'.$grades['Raw_Score'].'';
      $total+=$grades['Raw_Score'];
      $bs+=$grades['Base_Score'];
}
428
 429
430
431
432
433
434
                                                                               }
435
436
                                                                         }
437
                                                                   }
                                                             }
438
 439
440
                                                             if($i==count($value2)){
    echo ">".$total." ";
    $total_p2+=($total/$bs)*100;
441
443
444
445
                                                      }
446
447
                                                  else
448
                                                              echo '-p2-p2 ';
                                                    }
449
 450
                                           }
451
                                              else
                                                    echo '-p2-td>-p2';
452
 453
                                     }
                                        else
454
                                              echo '-p2';
455
457
458
              ?>
 459
               460
461
               462
              463
 464
               </\mathrm{tr}>
465
               466
               <?php
```

```
468
        if (count (\$knowledge) == 0 \ || \ count (\$process) == 0 \ || \ count (\$product) == 0 \ || \ count (\$understanding) == 0 ) 
             echo "-";
469
         else {
470
471
           $k = $total_k/count($knowledge)*1/4;
            $p = $total_p/count($process)*1/4;
472
473
            $p2 = $total_p2/count($product)*1/4;
           $u = $total_u/count($understanding)*1/4;
echo "".round(($k+$u+$p2+$p),2)."
474
475
476
477
478
479
      </\mathrm{t\,r}>
      480
481
      <\dot{t}\,r>
482
      483
485
486
487
488
489
490
491
492
493
      494
496
      </div>
497
      </div>
498
499
      </div>
500
501
502
       <script src="'.base_url().'assets/themes/default/js/plugins/dataTables/jquery.dataTables.js">
503
           <script src = "'. base_url().' assets/themes/default/js/plugins/dataTables/dataTables. bootstrap.js
    "></script>
504
505
506
           <script src="'.base_url().'assets/themes/default/js/sb-admin.js"></script>
508
509
510
           < s c r i p t >
511
          $(document ).ready(function() {
    $('#dataTables-example',).dataTable();
512
513
514
           });
516
           </\operatorname{script}>

  <a href="<?php echo base_url(); ?>students">Home</a>
  <a href="<?php echo base_url(); ?>students/offenses">Offenses </a>
  <a href="<?php echo base_url(); ?>students/offenses</a>
  <a href="<?php echo base_url(); ?>students/clearance">Clearance</a>
  <a href="<?php echo base_url(); ?>students/extracurricular">Extracurricular Act</a>
  <a href="<?php echo base_url(); ?>record/view_grades">Grades</a>
  5
  6
      10
      <div class="tab-content">
        <div class="tab-pane fade in active" id="announcements">
 11
      13
 14
      <div class="form-group">
  <label class="col-sm-3"><center>School Year</center></label>
  <label class="col-sm-3"><center>Clearance</center></label>
 16
 17
            <label class="col-sm-3"><center>Portfolio</center></label>
<label class="col-sm-3"><center>File</center></label>
 19
      </div>
 20
 21
 22
         <?php
 23
      if (isset ($clearance)) {
 24
         \hat{\mathbf{x}} = 0
 25
 26
      foreach($clearance as $clear){
 27
        ?>
 28
 29
      <div id="div_<?php echo $i; ?>">
 30
      <div class="form-group">
 31
           33
 34
                      <div class="col-sm-3"><select class="form-control" name="portfolio[]" id="i<?php echo</pre>
                      $i; ?>"></select></div>
<div class="col-sm-2"><input type="file" name="userfile <?php echo $i;?>"></div>
 36
```

```
38
           <div class="col-sm-1" ><a num="<?php echo $i;?>" class="removeclass">&times;</a></div>
39
 40
      </div>
 41
 42
      </div>
 43
 44
      <?php
 45
 46
      $i++;} }
 47
 48
 49
     50
 51
           </div>
      <label class="col-sm-3 error"><?php echo form_error('SchoolYear[]'); ?></label>
<label class="col-sm-3 error"><?php echo form_error('ClearanceFor[]'); ?></label>
<label class="col-sm-3 col-sm-offset-4 error"><?php if(isset($upload_message)) echo</pre>
 52
 53
            $upload_message; ?></label>
 55
      <div class="form-group">
 57
 58
           59
 60
            </div>
 61
 62
        </div>
 63
        </div>
 65
      </div>
 66
      </form>
      </div>
 68
 69
 70
\frac{71}{72}
     <script>
 73
           \label{eq:count} $$ (document).ready(function() { var } i=<?php if(isset($clearance)) echo count($clearance); else echo '1'; ?>; 
 74
 75
 76
               var j=0;
 77
               var x=0;
 78
               for (j=0; j < i; j++) {
 79
                                runAjax(j);
 80
                                x++;
 81
 82
 83
 84
                           function runAjax(num) {
                     $.ajax({
type: "POST",
 85
 86
                     type: "POST",
url: "http://localhost/VCSHSPortal2/blank/getall_portfolio/",
dataType: "json",
contentType: "application/json; charset=utf-8",
 87
 88
                     90
 91
                                %('#i'+num).append('<option value='+json[key].label+'>'+json[key].value+'
option >');
 92
 93
                           });
                     }
 95
                });
 96
                           }
 97
 98
 99
100
101
               $("body").on("click",".removeclass", function(e){
102
103
                if(x>=0){
104
105
                   var num = \$(this).attr("num");
106
107
108
                           ("#div_"+num).remove();
109
110
111
      return false;
})
112
113
114
115
116
117
118
120
      });
           </script>
121
      cli><a href="<?php echo base_url(); ?>students">Home</a><a href="<?php echo base_url(); ?>students/offenses">Offenses</a><a href="<?php echo base_url(); ?>students/offenses">Clearance</a>
  3
4
```

```
5
     <a href="<?php echo base_url(); ?>students/extracurricular">Extracurricular
          Act </a>
       <a href="<?php echo base_url(); ?>record/view_grades">Grades</a>
   10
   <div class="tab-content">
     <div class="tab-pane fade in active" id="announcements">
11
     12
     13
14
15
16
   <?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form');
    echo form_open_multipart('students/record_extracurricular', $attributes); ?>
17
18
   <div class="form-group">
    <label class="col-sm-3"><center>School Year</center></label>
    <label class="col-sm-3"><center>Description</center></label>
20
21
       <label class="col-sm-3"><center>Recognition</center></label>
</allel class="col-sm-3"><center>File</center></label>
23
24
       </div>
25
26
      <?php
    if (isset ($count)) {
    for ($i=1;$i <=$count;$i++){
28
29
   31
32
      Description [] '); '>" name="Description []"></div>
<div class="col-sm-3"><input type="text" class="form-control" value="<?php echo set_value('Recognition []'); '>" name="Recognition []"></div>
35
      37
   </div>
38
39
   </div>
40
41
    <?php
42
43
44
   {?>
45
46
   <div class="form-group">
47
    49
50
52
53
55
   <?php } ?>
56
58
59
60
61
62
       <div class="form-group">
63
64
65
66
       <div id="add_subjects">
67
68
69
70
71
72
73
   </div>
   <\div></div></div></div></div></div></div></div></div></div></div></div></div></div>
74
75
79
   </div>
   <div class="form-group alert-dismissable">
80
       <div class="col-sm-offset-4 col-sm-2">
    <button type="button" class="btn btn-default" id="add"> Add Record </button>
82
        </div>
83
84
       div class="col-sm-2">
         <button type="submit" class="btn btn-default" > Submit 
85
```

```
87
                  </div>
  88
                   </div>
  89
              </div>
  90
  91
  92
  93
  94
             </form>
  95
             </div>
  96
  98
             <script>
 99
100
                        $ (document).ready(function(){
101
102
                                   104
105
107
108
109
                     i++;
    $('#add_subjects').append('<div id="div_'+ i +"><div class="form-group">'
+' <div class="col-sm-3"><input type="text" class="form-control" value="<?php echo set_value("
    SchoolYear[]",(isset($schoolyear)) ? $schoolyear : ""); ?>" name="SchoolYear[]"></div><div class="col-sm-3"><input type="text" class="form-control" value="<?php echo set_value("
    Description[]"); ?>" name="Description[]"></div>+'
'<div class="col-sm-3"><input type="text" class="form-control" value="<?php echo set_value("
    Recognition[]"); ?>" name="Recognition[]"></div><div class="col-sm-2">'+
'<input type="file" name="userfile'+ i +'" ></div>'
+'<div class="col-sm-1"><a num="'+ i +'" class="removeclass">&times;</a></div>'+
'</div>/div>'):
110
111
112
113
114
                      '</div></div>');
115
116
117
118
119
                                      $('#add_subjects').append('</div');
120
122
             $("body").on("click",".removeclass", function(e){
123
125
                                   if(x > 1)
126
                                         var num = $(this).attr("num");
127
128
129
130
                                 $("#div_"+num).remove();
131
133
              return false;
134
             })
});
136
                        </\operatorname{script}>
    2
    3
             <ul class="nav nav-tabs">
                  class= nav nav nav nav rators
cli><a href=""?" php echo base_url(); ?>students">Home</a>
<a href=""?" php echo base_url(); ?>students/offenses">Offenses </a>
class="active"><a href=""<?php echo base_url(); ?>students/offenses">Students/clearance">Clearance</a>
<a href=""<?" php echo base_url(); ?>students/extracurricular">Extracurricular Act</a>
<a href=""<?" php echo base_url(); ?>record/view_grades">Grades</a>
  10
  11
  13
             14
             <div class="tab-content">
                  <div class="tab-pane fade in active" id="applications">
<div class="panel panel-default">
  16
  17
             <div class="panel-heading"> Information
             </div>
  19
  20
             <div class="panel-body">
             <div class="panel-body">

$\form -\text{butes} = \text{array('class'} => 'form-horizontal', 'role' => 'form');
echo form_open_multipart('students/save_edited_clearance/'.$this=>uri=>segment(3),$attributes);
  21
  22
  23
            24
  25
  26
  27
                        </div>
  28

<a href="class="col-sm-offset-3">col-sm-6
<a href="cror">cror">cror">cror</a>
<a href="cror">cror</a>
<a href="cror">cro
                   </div>
  30
  31
                   <div class="form-group">
                        <label class="col-sm-3 control-label">Clearance For</label>
                        33
```

```
</div>
35
36
         </abel class="col-sm-offset -3 col-sm-6 error"><?php echo form_error('clearanceFor'); ?></label</pre>
37
       </div>
38
39
40
41
       <div class="form-group">
42
         <label class="col-sm-3 control-label">File</label>
43
44
         lass="file" href="<?php echo base_url(); ?>students/download_file2/<?php echo $this-> functions->encrypt_url($row['ClearanceID']); ?>"> <?php echo $row['FileName']; ?></a>
45
46
              </div>
47
              <div class="col-sm-6">
<input type="file" name="userfile" id="exampleInputFile">
49
50
51
         <label class="col-sm-4 error"><?php if(isset($error)) echo $error; ?></label>
52
53
       </div>
54
       <div class="form-group">
         <label class="col-sm-3 control-label">Portfolio</label>
55
         <div class="col-sm-6">
56
            <select class="form-control" name="portfolio" id="i0"> </select>
57
         </div>
58
60
       </div>
    61
63
64
65
    </div>
       </div></div>
66
67
68
    <script>
         $(document).ready(function(){
69
70
              $ . ajax ({
                  71
72
73
74
                   75
                            acn( json, function( key, val ) {
$('#i0').append('<option value='+json[key].label+'>'+json[key].value+'</option
>');
76
77
78
                       });
79
                   }
              });
});
80
81
82
84
85
87
        $(document ).ready(function() {
$('#dataTables-example').dataTable();
88
89
90
         });
91
92
         </\mathrm{script}>
 2
    <?php
 3
       if ($this->session->userdata('logged_in')['Type']=="Student"){
      5
 6
 8
10
         <a href="'.base_url().'record/view_grades">Grades</a>
11
12

';
13
       else {
14
15
16
         echo '
       <a href="'.base_url().'record/view_student/'.$StudNum.'">Student</a>
<a href="'.base_url().'record/view_student_offenses/'.$StudNum.'">Offenses</a>
<a href="'.base_url().'record/view_student_offenses/'.$StudNum.'">Offenses</a>
<a href="'.base_url().'record/view_student_extracurricular/'.$StudNum.'"></a>
</a>
17
19
      Extracurricular </a>
<a href="'.base_url().'record/view_student_clearance/'.$StudNum.'" > Clearance</a>
<a href="'.base_url().'record/view_grades/'.$StudNum.'" > Grades</a>
</a>
20
21
^{23}
    </\operatorname{ul}>';
24
       }
\frac{26}{27}
    ?>
```

```
29
    <div class="tab-content">
      <div class="tab-pane fade in active" id="applications">
30

    class="breadcrumb">

      32
      Edit Extracurricular Activity
33
34
    35
      <div class="panel panel-default">
36
    <div class="panel-body">
37
    <arv crass-paner-body /
</pre>

$ sttributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open_multipart('students/save_edited_extracurricular/'.$this->uri->segment(3),
38
39
            $attributes); ?>
40
    <div class="form-group">
41
        43
44
               schoolyear', (isset ($row['SchoolYear'])) ? $row['SchoolYear'] : ''); ?>" >
45
46
         <label class="col-sm-offset-3 col-sm-6 error"><?php echo form_error('schoolyear'); ?></label>
47
      </div>
48
49
      <div class="form-group">
        <label class="col-sm-3" control-label">Description </label>
<div class="col-sm-6">
50
51
           <input type="text" class="form-control" name="description" value="<?php echo set_value('</pre>
52
                description ',(isset($row['Description'])) ? $row['Description'] :
53
         <label class="col-sm-offset -3 col-sm-6 error"><?php echo form_error('description'); ?></label>
      </div>
<div class="form-group">
55
56
57
         <label class="col-sm-3 control-label">Recognition</label>
         58
59
         recognition',(isset($row['Recognition'])) ? $row['Recognition'] : </div>
60
61
         <label class="col-sm-offset -3 col-sm-6 error"><?php echo form_error('recognition'); ?></label>
62
       </div>
      <div class="form-group">
63
        <label class="col-sm-3 control-label">File</label>
<div class="col-sm-2">
65
                lass="file" href="<?php echo base_url(); ?>students/download_file2/<?php echo $this->functions->encrypt_url($row['ActivityID']); ?>"> <?php echo $row['FileName']; ?></a>
           <a class="file"
66
67
             </div>
68
69
             <div class="col-sm-6">
70
             <input type="file" name="userfile" id="exampleInputFile">
72
             </div>
         <label class="col-sm-4 error"><?php if(isset($error)) echo $error; ?></label>
73
       </div>
75
    <div class="form-group">
76
    <div class="col-sm-offset -5 col-sm-2">
78
           <button type="submit" class="btn btn-success">Save</button>
       </div>
79
    </div>
      </div>
81
82
83
    <script>
84
85
86
        $(document ).ready(function() {
87
          $('#dataTables-example').dataTable();
88
89
         }):
90
91
92
        </script>
    <a href="<?php echo base_url(); ?>students">Home</a>
2
      <a href="<:php echo base_url(); ?>students/> Offenses </a>
<a href="<:php echo base_url(); ?>students/offenses </a>
<a href="<:php echo base_url(); ?>students/clearance"> Clearance </a>
<a href="<:php echo base_url(); ?>students/clearance"> Estracurricular Act</a>
<a href="<:php echo base_url(); ?>students/extracurricular"> Extracurricular Act</a>
</a>
</a>
</a>
5
    <div class="tab-content">
10
      <div class="tab-pane fade in active" id="announcements">
11
12
      <?php $attributes = array('class' => 'form-horizontal well ', 'role' => 'form'); ?>
<?php echo form_open('profile/edit_profile', $attributes); ?>
13
15
        <fieldset disabled>
       <div class="form-group">
  <label class="col-sm-3 control-label">Name</label>
16
                ut type="text" class="form-control"value="<?php echo $FirstName." ".$MidName." ".$LastName; ?>" >
18
        <div class="col-sm-6">
  <input type="text" c</pre>
19
```

```
20
          </div>
21
22
23
24
       </div>
25
       <div class="form-group">
         <label class="col-sm-3 control-label">Username</label>
<div class="col-sm-6">
26
27
            <input type="text" class="form-control" id="Username" name="Username" value="<?php echo
$Username; ?>" >
28
29
          </div>
30
          </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
31
32
       </div>
33
       <div class="form-group">
         class = form-group >
<label class="col-sm-3" control-label">Email Address</label>

<div class="col-sm-6">
34
35
                                      class="form-control" id="EmailAdd" name="EmailAdd" value="<?php echo
               <input type="text"</pre>
36
                    $EmailAdd; ?>">
37
            </div>
38
39
            <label class="col-sm-4 error"><?php echo form_error('EmailAdd'); ?> </label>
       </div>
40
         41
       <div class="form-group">
42
43
44
45
46
            </div>
            <label class="col-sm-4 error"><?php echo form_error('Type'); ?></label>
       </div>
<div class="form-group">
48
49

<
50
51
52
                     $Status; ?>"placeholder="Middle Name">
53
54
            </div>
55
            <label class="col-sm-4 error"><?php echo form_error('Status'); ?></label>
       </div>
56
57
58
59
60
       </fieldset>
          <div class="form-group">
61
     62
63
          </div>
64
          </div>
65
66
       </form>
67
69
       </div>
70
72
       </div>
     </div>
73

    <a href="<?php echo base_url(); ?>students">Home</a>
    class="active"><a href="<?php echo base_url(); ?>students/offenses">Offenses</a>
    <a href="<?php echo base_url(); ?>students/clearance">Clearance</a>
    <a href="<?php echo base_url(); ?>students/extracurricular">Extracurricular Act</a>
    <a href="<?php echo base_url(); ?>record/view_grades">Grades</a>

3
 4
6
10
    <div class="tab-content">
    <div class="tab-pane fade in active" id="announcements">
<div class="panel panel-default">
<div class="panel-body">
12
13
     <?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('students/offenses/', $attributes); ?>
15
16
     <div class="form-group">
    17
18
19
                       20
21
22
23
                          \label{eq:control} $$ '2007-2008'' = $$ '2007-2008'', $$ '2006-2007'); $$ echo form_dropdown('SchoolYear', $options, set_value('SchoolYear', isset($schoolyear)? $schoolyear: "Select School Year (Required)"), 'class="form-control" id=""'); $$
                                            2007 - 2008" = > "2007 - 2008"
24
25
26
27
                    ?>
     </div>
29
     </div>
     <div class="form-group">
30
     <label class="col-sm-4 control-label">Type of Offense</label>
```

```
<div class="col-sm-4">
  <select id="Type" name="Type" class="form-control">
  <option value=""> Type (Required)/option>
32
33
     <option > Disciplinary </option >
35
     <option>Property
36
37
     <option>Both Offenses
   </select>
</div>
38
39
40
   </div>
   41
42
43
       </div>
44
45
     </div>
46
   <?php form_close(); ?>
</div>
47
48
   </div>
49
50
   51
52
53
54
55
        </h4>
      </ri>
(/div)
<div id="collapseOne" class="panel-collapse collapse in ?>">
56
        58
59
   61
   <thead>
62
   <tr>
     No.
63
      Date   
64
65
66
     Personnel 
67
    68
69
   </thead>
70
   71
     <?php $i=1; if($guidance !=NULL)</pre>
72
    foreach($guidance as $data){ ?>
73
      <tr>

<?php echo $i; ?>
<?php echo $data['DateCreated']; ?>
<?php echo $data['Offense']; ?>
<?php echo $data['SAFirstName']; ?>

74
75
76
77
78
      80
     <?php
     i++;
81
      }
?>
83
   84
    86
   </div>
87
88
        </div>
89
90
       </div>
     </div>
   92
93
94
95
96
       </h4>
97
     </div>
     div id="collapseTwo" class="panel-collapse collapse in">
98
      <div class="panel-body">
99
100
   101
102
   <thead>
103
104
   <tr>
105
     No.
106
      Equipment   
107
     Status
108
     <th> Personnel </th>
109
110
112
   </thead>
113
   <?php i=1; if(fenses !=NULL)
foreach(fenses as fdata)
115
116
      <tr>
      ctd><?php echo $i; ?>
<?php echo $data['Equipment']; ?>
<?php echo $data['NoEquipment']; ?>
</d>

117
118
```

```
<?php echo $data['Status']; ?><?php echo $data['SAFirstName']; ?> <?php echo $data['SALastName']; ?>
120
121
122
        123
       <?php
$i++;
124
125
126
127
128
     129
     130
     </div>
131
         </div>
132
       </div>
133
     134
135
136
     </div>
137
      </div>
139
140
      </div>
    141
143
145
         146
148
         <script>
149
        $(document ).ready(function() {
    $('#dataTables-example').dataTable();
    $('#dataTables-example').dataTable();
150
151
152
153
154
156
         </\operatorname{script}>
     class= nav nav-tabs / (1>
<a href="</phpecho base_url(); ?>students">Home</a>
<a href="</phpecho base_url(); ?>students/offenses">Offenses</a>
<a href="</phpecho base_url(); ?>students/offenses">Students/clearance">Clearance</a>
<a href="</phpecho base_url(); ?>students/cstracurricular">Extracurricular Act</a>
<a href="</phpecho base_url(); ?>record/view_grades">Grades</a>

 2
 5
     10
     < div class = "tab-content">
       <div class="tab-pane fade in active" id="announcements">
11
13
      <div class="panel panel-default">
14
    <div class="panel-heading">
  <div class="panel-heading">
  <h4 class="panel-title">
  Clearance For S.Y. <?php echo $schoolyear; ?>
16
17
18
     </h4>
19
     </div>
21
    <div class="panel-body">

22
     <tr>
      Academic Clearance 
24
25
     </\mathrm{tr}>
26
     <\dot{t}\,r>
        Subject 
Subject Teacher 
27
28
29
        Clearance Status 
30
31
32
     <?php
     //print_r($student_attendance);
$i=1;
33
34
35
         if (is_array ($subjects))
36
         foreach($subjects as $subject){
37
           echo '<tr>'.$i.'</td>'
38
           39
40
41
42
43
             echo 'Cleared ':
44
46
             i++;
47
49
50
```

```
52
 53
       55
 56
      57
       School Clearance 
 58
       </\mathrm{tr}>
 59
       Clearance For
Personnel/Teacher 
Clearance Status 

 60
 61
 62
 63
      64
 65
       <?php
 66
      //print_r($student_attendance);
$i=1;
 67
            if(is_array($other_clearance))
foreach($other_clearance as $key=>$value){
 69
 70
71
72
               $clearance[$key]['ApprovedBy'] = $this->session->userdata('logged_in')['ID'];
               echo ''.$i.'';<br/>echo ''.$i.'';<br/>clearance[$key]['ClearanceFor'].'';<br/>if ($clearance[$key]['TeacherName']=="NULL NULL")<br/>echo '';
 73
74
75
 76
               else
 77
 78
               echo ''. $clearance [ $key ] [ 'TeacherName'].' '; if ($clearance [ $key ] [ 'Status'] =='NC') echo 'Not Cleared ';
 79
 80
 81
 82
                  echo 'Cleared ';
 83
 84
 85
 86
 87
                  $i++;
 88
 89
 90
 91
 92
 93
      ?>
 94
 95
 96
      97
      </div>
 98
 99
       </div>
100
      </div>
101
102
       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
    dataTables.js"></script>
    <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
    bootstrap.js"></script>
103
104
105
106
107
108
            <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
109
110
            < s c r i p t >
111
112
113
          $(document ).ready(function() {
    $('#dataTables-example').dataTable();
114
            });
115
116
117
            </\operatorname{script}>
      <script>
var url="<?php echo base_url();?>";
  function deleteAct(id){
  2
  3
                 var r=confirm("Do you want to delete this?");
  5
  6
                  if (r==true) {
  8
                     window.location = url+"students/delete_extracurricular/"+id;
                    return false;
 10
                  else
 11
 12
                    return false;
 13
      </script>
 14
 15
 16
        <a href="<?php echo base_url(); ?>students">Home</a>
<a href="<?php echo base_url(); ?>students/offenses">Offenses</a>
<a href="<?php echo base_url(); ?>students/clearance">Clearance</a>
<a href="<?php echo base_url(); ?>students/clearance</a>
</a>
 18
 19
 20
 21
                Act</a>
 22
            <a href="<?php echo base_url(); ?>record/view_grades">Grades</a>
```

```
23
           24
               <div class="tab-pane fade in active" id="announcements">
 26
 27
 28
           <div class="panel panel-default">
           29
 30
 31
                          if(isset($panel_header)){
 32
                           // echo $panel_header;
 33
 34
                          else echo ""; ?></h4>
 35
 36
                          <div class="btn-group pull-right">
                          <a href="<?php echo base_url(); ?>students/add-extracurricular<?php echo $this->uri->segment (3); ?>"> <button type="button" class="btn btn-default btn-sm" data-toggle="modal" data-target="#myModal">
 37
 38
                Add extracurricular
           </button></a>
 39
                    </div>
 40
 41
 42
 43
           <div class="panel-body">

% attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form-open('students/extracurricular', $attributes); ?>
 44
           <div class="form-group">
<label class="col-sm-4 control-label">School Year</label>
 46
 47
           <div class="col-sm-4">
 49
                     <?php
                                              \label{eq:soptions} \begin{array}{lll} \text{\$options} &=& \operatorname{array}(""=>"\$ \text{elect School Year (Required)","} 2013-2014"=>"2013-2014", \\ & & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & & \\ & & & & \\ & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & & \\ & & \\ & & & \\ &
 50
 52
 53
                                                    \label{eq:control} "2007-2008" => "2007-2008", \\ '2006-2007' => '2006-2007'); \\ echo \ form\_dropdown('SchoolYear', \$options, set_value('SchoolYear', isset($schoolyear)? $schoolyear: "Select School Year (Required)"),'class="form-control" id=""'); 
 54
 55
 56
 58
           </\mathrm{div}>
 59
 60
           </div>
 61
           <div class="form-group">
 62
                    <div class="col-sm-offset -4 col-sm-5">
    <button type="submit" class="btn btn-success">Show Extracurricular</button>
 63
 64
                      </div>
 65
                </\widetilde{\operatorname{div}}>
 66
 67
           <?php form_close(): ?>
           </div>
 68
 69
           </div>
          <div class="panel panel-default">
<div class="panel-heading">
 70
 72
             <h4 class="panel-title">
 73
 75
76
           <?php if(isset($selected_schoolyear))
echo "Extracurricular Activities for S.Y.".$selected_schoolyear; ?>
              </h4>
 78
           </div>
 79
           <div class="panel-body">
 80
 81
 82
           <div class="table-responsive" <?php if(isset($extra)&& $extra!=NULL) echo 'style="display:block"';
    else echo 'style="display:none"'; ?>>
 83
           else echo 'style="display:none"; ?>> 
 85
           <thead>
 86
            Activity Number  Description 
 88
               > Recognition > Recognition Date Status Personnel 
 89
 90
 91
 92
 93
                <th>>
 94
             </t.r>
           </thead>
 96

</ph>

$i = 0; if ($extra !=NULL)
 97
              foreach ($extra as $data){ ?>
 99
100
                  <a href="<?php echo base_url();?>students/view_extracurricular/<?php echo $data['ActivityID
                 101
102
103
104
105
106
                  >
```

```
107
108
               "></i>Delete</a>
        109
110
        <?php
111
       i + +;
112
        }
?>
113
     </thody>
114
     115
     </div>
116
     117
118
       <strong>No record found.
     </div>
119
     </div>
121
122
     </div>
123
     </div>
124
125
     </div>
126
127
      <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
128
         dataTables.js"></script>

<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
129
130
131
         <\!\!\mathrm{script\ src} = "<\!\!\mathrm{?php\ echo\ base\_url}\left(\right);\ ?\!\!>\!\!\mathrm{assets/themes/default/js/sb-admin.js"}\!\!>\!\!<\!\!\mathrm{/script}\!\!>
132
133
         <script>
134
135
        $(document ).ready(function() {
    $('#dataTables-example').dataTable();
136
137
138
         });
139
140
         </\mathrm{script}>
     <ul class="nav nav-tabs">
 2
        <a href="<?php echo base_url(); ?>record/view_student/<?php echo $studentno; ?>">Student</a>
 3
             >
 4
      <a href="<?php echo base_url(); ?>record/view_student_offenses/<?php echo $this->uri->segment
                ?>">Offenses </a>
           (3):
       <a href="<?php echo base_url(); ?>record/view_student_extracurricular/<?php echo $studentno;</pre>
 5
            ?>">Extracurricular </a>
class="active"><a href="<?php echo base_url(); ?>record/view_student_clearance/<?php echo $studentno; ?>" >Clearance</a>
 6
     ', --'
<!php $this -> session -> set_flashdata('studentno', $studentno); ?>
<div class="tab-content">
10
11
       <div class="panel panel-default">
 12
     <div class="panel-heading">Information
13
     </div>
14
     <div class="panel-body">

(all tributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('students/edit_clearance/'.$clearance[0]['ClearanceID'],$attributes); ?>
16
18
     <fieldset disabled>
19
20
         <?php foreach($clearance as $row){ ?>
       <div class="form-group">
    <label class="col-sm-3 control-label">Clearance For</label>
21
22
23
         <div class="col-sm-6">
           <input type="text" class="form-control" id="Username" name="Username" value="<?php echo
$row['ClearanceFor']; ?>">
24
          </div>
25
         </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
26
       </div>
28
       <div class="form-group">
29
         <label class="col-sm-3 control-label">Date Created</label>
                ut type="text" class="form-control" id="Username" name="Username" value="<?php echo $row['Date']; ?>">
         <div class="col-sm-6">
30
           <input type="text"</pre>
31
32
          </div>
33
         <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
       </div>
34
35
       <div
            class="form-group">
         <|abel class="col-sm-3 control-label">Status</label>
<|div class="col-sm-6">
36
37
         <input type="text" class="form-control" id="Username" name="Username" value="<?php echo</pre>
38
39
40
         <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
       </div>
41
       <div class="form-group">
         <label class="col-sm-3 control-label">Approved By</label>
<div class="col-sm-6">
43
```

```
\label{localized} $$ \ \ '' = "text" class = "form-control" id = "Username" name = "Username" value = "<?php echo $$ \ \ 'SALastName']; ?>"> $$
45
46
          </div>
         <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
47
48
       </div>
49
50
51
52
         </fieldset>
53
54
55
     </form>
56
     </div>
57
     </div>
58
     <div class="panel panel-default">
<div class="panel-heading"> File
59
     61
62
63

<a class="file" href="<?php echo base_url(); ?>students/download_file2/<?php echo $this
   ->functions->encrypt_url($row['ClearanceID']); ?>">Download</a>
<?php echo $row['FileName']; ?>
64
65
66
                67
       68
69
       </div>
71
       </div>
        <?php } ?>
72
     <div class="panel panel-default">
<div class="panel-heading"> Portfolios
\frac{74}{75}
     </div>
76
77
78
     79
       <?php if(isset($results))</pre>
       80
81
82
83
                <?php echo $row->FileName; ?>
84
85
86
87
                  <?php } ?>
88
89
       90
92
        <?php if(isset($links))echo $links; ?> </p>
93
       </div>
95
96
97
     </div>
98
99
100
101
       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
102
         dataTables.js"></script>
<script src="c?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
103
104
105
         <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
106
107
         <script>
108
109
        $(document ).ready(function() {
  $('#dataTables-example').dataTable();
110
111
112
113
         });
114
115
         </\mathrm{script}>
     3
 5
 6
     </111>
10
     <div class="tab-content">
11
       <div class="panel panel-default">
13
    <div class="panel-heading"> Information
</div>
14
     <div class="panel-body">
```

```
</php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('students/edit_clearance/'.$clearance[0]['ClearanceID'],$attributes); ?>
16
17
    <fieldset disabled>
19
       <?php foreach($clearance as $row){ ?>
20
        | class="form-group">
| clabel class="col-sm-3 control-label">Clearance For</label>
| cliv class="col-sm-6">
21
      <div
22
23
          <input type="text" class="form-control" id="Username" name="Username" value="<?php echo</pre>
        24
25
26
        <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
27
      </div>
      <div class="form-group">
        <label class="col-sm-3 control-label">Date Created</label>
<div class="col-sm-6">
29
        30
31
32
        </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
33
      </div>
34
      <div class="form-group">
35
        <label class="col-sm-3 control-label">Status</label><div class="col-sm-6">
36
        curv crass= co1-sm-6">
  <input type="text" class="form-control" id="Username" name="Username" value="<?php if($row ['Status']=='C') echo "Cleared"; else echo "Not Cleared"; ?>">
</div>
37
38
39
40
        </abel class="col-sm-4 error"><<?php echo form_error('Username'); ?></label>
41
      </div>
42
      <div class="form-group">
        43
44
45
        </div>
46
        </albel class="col-sm-4 error"><<?php echo form_error('Username'); ?></label>
47
48
      </div>
49
50
51
52
53
        </fieldset>
54
    <div class="form-group">
    55
      </div>
57
    </div>
58
59
    <?php form_close(); ?>
60
    </div>
    </div>
    <div class="panel panel-default">
<div class="panel-heading"> File
62
63
    </div>
    65
66
67
68

<a class="file" href="<?php echo base_url(); ?>students/download_file2/<?php echo $this</pre>
69
              ->functions->encrypt_url($row['ClearanceID']); ?>">Download</a> <?php echo $row['FileName']; ?>
70
71
              72
      73
74
75
      </div>
76
77
      </div>
78
       <?php } ?>
79
      <div class="panel panel-default">
80
    <div class="panel-heading"> Portfolio
81
82
    </div>
    83
84
85
      86
87
88
89
      90
91
92
                <?php } ?>
94
95
      97
98
       <?php if(isset($links)) echo $links; ?> 
99
      </div>
      </div>
100
```

```
102
        </div>
103
         <div class="panel panel-default">
<div class="panel-heading"> Information
  3
   4
         </div>
         <div class="panel-body">
   6
         <div crass= paner=long >

$\frac{1}{2} \text{ statished tes} = \text{array('class'} => 'form-horizontal', 'role' => 'form');
  echo form_open('students/change_clearance/'.$clearance[0]['ClearanceID']."/".$clearance[0]['
                       Status ], $attributes); ?>
 10
         <fieldset disabled>
               <?php foreach($clearance as $row){ ?>
 11
             <div class="form-group">
 12

<
 13
 14
 15
                 $ '... '.' | v | v | v | class = "form - c |
$ ' Clearance For ']; '?> " >
</div>
 16
                 </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
 17
 18
              </div>
             <div class="form-group">
 19
                 <label class="col-sm-3 control-label">Date Created</label>
<div class="col-sm-6">
 20
                 21
 22
 23
                 </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
 24
              </div>
 25
             <div class="form-group">
 26
                 <label class="col-sm-3 control-label">Status</label>
                 <div class="col-sm-6">
    <input type="text" class="form-control" id="Username" name="Username" value="<?php if($row)</pre>
 28
                 "Input type= text" class="form-control" id="Username" name="Username" ['Status']=='C') echo "Cleared"; else echo "Not Cleared"; ?>"
 29
 30
                 </pr
 31
 32
              </div>
 33
             <div class="form-group">
                 <label class="col-sm-3 control-label">Approved By</label>
 34
 35
                 < div class = "col-sm-6">
                     36
                  </div>
 37
                 </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
 38
 39
              </div>
 40
             <div class="form-group">
                 41
                     cincled since control con
 43
                 <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
 45
 46
              </div>
 47
 48
 49
        50
 51
 53
              </div>
 54
         </div>
 56
         </form>
 57
         </div>
 58
         </div>
         <div class="panel panel-default">
<div class="panel-heading"> Portfolio
 59
 60
 61
          </div>
         <div class="panel-body">

 62
 63
 64
                              class="list-group-item">
 65
                             <a class="file" href="<?php echo base_url(); ?>students/download_file2/<?php echo $this
    ->functions->encrypt_url($row['ClearanceID']); ?>">Download</a>
<?php echo $row['FileName']; ?>
 66
 67
 68
                              69
 70
 71
             </div>
 72
             </div>
               <?php } ?>
 73
 74
         <div class="panel panel-default">
<div class="panel-heading"> Portfolio
 75
 76
 77
         </div>
        </div>
<div class="panel-body">

<?php if(isset($results))
foreach($results as $row){ ?>

 78
 80
 81
 82
```

```
<a class="file" href="<?php echo base_url(); ?>students/download_file/<?php echo $this-> functions->encrypt_url($row->FileID); ?>" >Download</a>
83
               <?php echo $row->FileName; ?>
84
85
86
88
89
                 <?php } ?>
90
       91
      92
93
         <?php if(isset($links)) echo $links; ?> 
       </div>
94
95
       </div>
96
97
     </div>
98
99
100
102
103
       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
         dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.bootstrap.js"></script>
104
105
106
         <\!\!\mathrm{script} \quad \mathtt{src} = "<\!\!\mathrm{?php} \quad \mathtt{echo} \quad \mathtt{base\_url}\left(\right); \; ?\!\!> \!\!\! \mathtt{assets/themes/default/js/sb-admin.js}"><\!\!/\!\!\mathrm{script}> \right)
108
109
110
111
112
        $(document ).ready(function() {
113
          $('#dataTables-example').dataTable();
114
115
116
         </script>
117
 1
    <a href="???php echo base_url(); ?>students<?php if(isset($studentno)) echo "/".$studentno;</pre>
 2
            ?>">Home</a>
       <a href="<?php echo base_url(); ?>students/offenses<?php if(isset($studentno)) echo "/".
$studentno; ?>">Offenses</a>
 3
       4
 5
         $studentno)) echo "/".$studentno; ?>">Extracurricular Act</a>
<a href="<?php echo base_url(); ?>record/view_grades<?php if(isset($studentno)) echo "/".
$studentno; ?>">Grades</a>
 6
     8
10
    <div class="tab-content">
11
12
13
       <div class="panel panel-default">
     14
15
       class="active">Extracurricular Activity
16
18
    <div class="panel-body">
19
     <?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('students/edit_extracurricular/'.$clearance[0]['ActivityID'],$attributes); ?>
21
22
23
24
    <fieldset disabled>
        <?php foreach($clearance as $row){ ?>
25
         liv class="form-group">
<label class="col-sm-3 control-label">Description </label>
26
27
         28
29
               $row['Description']; ?>">
30
         </div>
31
         </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
32
       </div>
       <div class="form-group">
33
         <|abel class="col-sm-3 control-label">Recognition</label>
<div class="col-sm-6">
34
35
           cinput type="text" class="form-control" id="Username" name="Username" value="<?php echo
$row['Recognition']; ?>" >
36
37
         </div>
38
         <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
       </\operatorname{div}>
39
       <div class="form-group">
40
         41
42
 43
         $row['Date']; ?>" >
44
         <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
```

```
46
       </div>
        <div class="form-group">
47
         48
49
50
51
52
53
54
55
         <label class="col-sm-4 error"><?php echo form_error('File'); ?></label>
56
       </div>
       <div class="form-group">
57
         <label class="col-sm-3 control-label">Status</label>
         <div class="col-sm-6">
  <input type="text" class="form-control" id="Username" name="Username" value="<?php if($row ['Status']=='C') echo "Checked"; else echo "Not Checked"; ?>" >
59
60
61
         </div>
         <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
62
63
       </div>
64
       65
66
67
68
69
         </div>
70
         <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
71
       </div>
72
\frac{73}{74}
     </fieldset>
    <div class="form-group">
<div class="col-sm-offset-5 col-sm-2">
    <button type="submit" class="btn btn-success">Edit</button>
75
76
77
       </div>
79
     </div>
80
81
     </form>
82
83
     </div></div>
84
85
86
        <?php } ?>
87
88
89
90
     </div>
92
93
95
       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
96
         dataTables.js"></script>
<script src="c?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
97
98
99
100
         <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
101
102
103
         <script>
104
        $(document ).ready(function() {
105
          $('#dataTables-example').dataTable();
106
107
         }):
108
109
110
         </script>
     2
 4
             class="active"><a>Extracurricular Act</a>
 5
       < l i
     </111>
     <div class="tab-content">
10
       <div class="panel panel-default">
11
 12
     <div class="panel-heading"> Information
13
     </div>
     <div class="panel-body">
     class panel body /
c?php sattributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('students/edit_extracurricular/'.$this->uri->segment(3),$attributes); ?>
15
16
18
     <fieldset disabled>
<?php foreach($clearance as $row){ ?>
19
       <div class="form-group">
```

```
<label class="col-sm-3 control-label">Description</label>
21
        22
        $\ \text{" class="form-\}
\text{frow['Description']; ?>">
\( \div \)
</div>
23
24
25
         </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
      </div>
<div class="form-group">
26

<
28
29
        **row['Recognition']; ?>">
</div>
30
31
32
         </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
33
       </div>
      <div class="form-group">
34
        35
36
37
        </div>
38

clabel class="col-sm-4 error"><</pre>
php echo form_error('Username'); ?></label>
39
        40
       </div>
      <div class="form-group">
41
43
44
45
        </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
46
       </div>
      </div>
<div class="form-group">
    <label class="col-sm-3 control-label">Approved By</label>
48
49
50
        < div class = "col - sm - 6">
          <input type="text" class="form-control" id="Username" name="Username" value="<?php echo</pre>
51
              $row['SALastName']; ?>" >
         </div>
52
        <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
53
54
55
56
57
        </ fieldset >
    <div class="form-group">
58
    59
60
      </div>
61
    </div>
62
63
    </form>
64
    </div>
    </div>
    <div class="panel panel-default">
<div class="panel-heading"> File
66
67
    </div>
    69
70
72
73

<a class="file" href="<?php echo base_url(); ?>students/download_file3/<?php echo $this</pre>
               ->functions->encrypt_url($row['ActivityID']); ?>">Download</a>
<?php echo $row['FileName']; ?>
74
75
               76
      class="pagination">
77
78
79
      </div>
80
81
      </div>
        <?php } ?>
82
83
84
85
86
87
    </div>
88
89
90
91
92
      <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
        dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
93
             bootstrap.js"></script>
94
95
        <\!\!\mathrm{script\ src} = "<\!\!\mathrm{?php\ echo\ base\_url}\left(\right);\ ?\!\!>\!\!\mathrm{assets/themes/default/js/sb-admin.js"}\!\!>\!\!<\!\!\mathrm{/script}\!\!>
97
98
99
        <script>
100
101
        $(document ).ready(function() {
102
          $('#dataTables-example').dataTable();
103
104
        });
```

```
105
          </script>
106
     <a href="<?php echo base_url(); ?>record<?php if(isset($studentno)) echo "/".$studentno;</pre>
 2
             ?>">Home</a>
        <a href="<?php echo base_url(); ?>record/view_student_offenses<?php if(isset($studentno))</pre>
 3
       <a href="??php echo base_url(); ?>record/view_student_offenses<?php if(isset($studentno))
        echo "/".$studentno; ?>">Offenses</a>
<a href="??php echo base_url(); ?>record/view_student_clearance<?php if(isset($studentno))
        echo "/".$studentno; ?>">Clearance</a>
class="active"><a href="??php echo base_url(); ?>record/view_student_extracurricular<?php if
        (isset($studentno)) echo "/".$studentno; ?>">Extracurricular Act</a>
<a href="??php echo base_url(); ?>record/view_grades<?php if(isset($studentno)) echo "/".
        $studentno; ?>">Grades</a>

  4
  5
  6
 7
     <div class="tab-content">
 10

    class="breadcrumb">

 11
       12
 13
 14
     15
        <div class="panel panel-default">
 16
 17
     <div class="panel-body">
 18
     <?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('students/change_extracurricular/'.$this->uri->segment(3)."/".$clearance[0]['
Status'],$attributes); ?>
 20
 21
     <fieldset disabled>
 22
 23
         <?php foreach($clearance as $row){ ?>
          div class="form-group">
<label class="col-sm-3 control-label">Description </label>
 24
 25
 26
          <div class="col-sm-6">
            <input type="text" class="form-control" id="Username" name="Username" value="<?php echo
$row['Description']; ?>" >
 27
 28
          </div>
 29
          <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
 30
        </div>
             class="form-group">
 31
        <div
          <label class="col-sm-3 control-label">Recognition</label>
<div class="col-sm-6">
 32
 33
          sype= text" class="form-
$row['Recognition']; ?>" >
</div>
            <input type="text" class="form-control" id="Username" name="Username" value="<?php echo</pre>
 34
 35
 36
          <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
 37
        </div>
        <div class="form-group">
          <label class="col-sm-3 control-label">Date</label>
<div class="col-sm-6">
 39
          40
 41
 42
          </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
 43
        </div>
 44
        <div class="form-group">
 45
         46
 47
 48
 49
          </div>
          </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
 50
       </div>
<div class="form-group">
 51
 52
          <label class="col-sm-3 control-label">Approved By</label>
 53
          <div class="col-sm-6">
     <input type="text" class="form-control" id="Username" name="Username" value="<?php echo</pre>
 54
 55
                 $row['SALastName']; ?>" >
          </div>
 56
          <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
 57
 58
        </div>
 59
 60
 61
 62
         </fieldset>
     63
 64
 65
        </div>
     </div>
 67
 68
     </form>
 69
     </div>
 70
     </div>
     <div class="panel panel-default">
     <div class="panel-heading"> Portfolio
 72
 73
     </div>
     <div class="panel-body">
 75
       76
                 class="list-group-item">
```

```
<a class="file" href="<?php echo base_url(); ?>students/download_file3/<?php echo $this ->functions->encrypt_url($row['ActivityID'']); ?>">Download</a> <?php echo $row['FileName']; ?>
78
79
80
      81
82
      83
84
85
      </div>
      </div>
</php } ?>
86
87
88
89
90
91
    </div>
92
94
95
      97
        dataTables.js"></script>

<sript src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
98
99
100
        <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
101
102
103
        <script>
104
105
       $(document ).ready(function() {
   $('#dataTables-example').dataTable();
106
107
108
109
        });
110
111
        </script>
    <script>
var url="<?php echo base_url();?>";
  function deleteClearance(id){
 2
           var r=confirm("Do you want to delete this?"); if (r=true){
 5
              window.location = url+"students/delete_clearance/"+id;
 8
              return false;
10
            else
11
12
              return false;
13
    </script>
14
15
16
17
       19
20
21
22
24
    25
    <div class="tab-content">
<div class="panel panel-default">
27
28
    <div class="panel-body">
30
31
32
    <?php foreach($grades as $gradelevel=>$grade){ ?>
33
34
35
        <thead>
36
37
        <tr>
         Grade <?php echo $gradelevel; ?> 
38
39
40
41
       <?php if($gradelevel=="7") echo " S.Y. 2013-2014 "; ?> 
42
43
        44
45
46
47
49
    </thead>
50
    ctd rowspan="2" align="center">Subjectctd colspan="4" align="center"> Grading Period 
52
53
    </\mathrm{tr}>
```

```
55
     <\!{\rm t\,r}\!>
     1st2nd3rd
 56
 58
      4th
 59
 60
 61
 62
      <?php foreach($grade as $subjectname =>$subjectgrades){ ?>
 63
         <
             <?php echo $subjectname." </td>";
 64
 65
 66
              foreach($grade[$subjectname] as $score){
 67
              echo ">";

?> <a href="<?php echo base_url(); ?>section/view_grades2/<?php echo $score['GradingPeriodID'] ?>">

<?php echo $score['Score']; ?></a>
 68
 69
 70
                71
 72
73
74
      echo $this->session->set-flashdata('studno', $this->uri->segment(3,0));
 75
 76
 77
              echo "";
 78
 79
 80
 82
 83
     ?>
 85
           <?php } ?>
 86
 87
      88
      89
 90
              <?php
 91
 92
 93
         }
      ?>
 94
 95
 96
      </div>
 97
      </div>
 98
99
      </div>
100
101
102
       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
103
          dataTables.js"></script>

<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
104
105
106
107
           <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
108
109
110
           < s c r i p t >
111
         $(document ).ready(function() {
    $('#dataTables-example').dataTable();
112
113
           });
114
115
116
           </\operatorname{script}>
      n\ <\! \mathrm{script}>
      var url="<?php echo base_url();?>";
function deleteClearance(id){
 2
 3
               var r=confirm("Do you want to delete this?");
 5
 6
                if (r==true) {
                   window.location = url+"students/delete_clearance/"+id;
 8
                  return false;
 10
 11
                else
                  return false;
 13
      </script>
 14
 15
 16
        17
        <a href="<?php echo base_url(); ?>students/<?php echo $this->session->flashdata('studentno')</a>
        ; ?>">Home</a>
<a href="<?php echo base_url(); ?>students/offenses/<?php echo $this->session->flashdata(')</a>
 19
              studentno'); ?>">Offenses </a>
        studentno ); ?> Onlenses (a></in>
<a href="<?php echo base_url(); ?> students/clearance/<?php echo $this->session->flashdata('studentno');?"> Clearance</a>
<a href="<?php echo base_url(); ?> students/extracurricular/<?php echo $this->session-> flashdata('studentno'); ?>"> Extracurricular Act</a>

 20
 21
 22
                class="active"><a>Grades</a>
```

```
23
    24
26
    <div class="tab-content">
    <div class="panel panel-default">
<div class="panel-heading">
27
28
29
    </div>
    <div class="panel-body">
30
31
    32
    <thead>
33
    <tr>
34
       Subject Name
35
36
37
38
     </\mathrm{tr}>
39
    </thead>
40
    41
42
    43
    </div>
44
45
    </div>
46
47
48
    </div>
49
      dasdasdasd
     51
52
53
54
         <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
55
56
57
         <script>
58
59
        60
61
63
         </script>
64
    <script>
var url="<?php echo base_url();?>";
1
3
         function deleteClearance(id){
             var r=confirm("Do you want to delete this?");
 6
                window.location = url+"students/delete_clearance/"+id;
9
                return false;
10
              }
11
12
                return false;
13
14
    </script>
15
16

    <a href="<?php echo base_url(); ?>record/view_student/<?php echo $this->uri->segment(3);
    ?>">Student</a>

17
18
      <a href="<?php echo base_url(); ?>record/view_student_offenses/<?php echo $this->uri->
    segment(3); ?>">Offenses</a>
19
      segment(3); ?> Othenses(a)</i>
(1i) <a href="%2"(php echo base_url(); ?>record/view_student_extracurricular/<?php echo $this->uri_->segment(3); ?>"> Extracurricular </a>
(1i) <a href="%2"(php echo base_url(); ?>record/view_student_clearance/<?php echo $this->uri_-> segment(3); ?>"> Clearance </a>
(1i) class="active">(a) href="%2"(php echo base_url(); ?>record/view_grades/<?php echo $this->uri_-> segment(3); ?>"> Grades</a>

20
21
22
23
         24
25
26
    <div class="tab-content">
    <div class="panel panel-default">
27
           29
30
                 btn-default btn-sm" >
31
       Form 137
    </br></button></a></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div>
32
33
34
           ?>
35
37
38
    <div class="panel-body">
```

```
40
            <?php foreach($grades as $gradelevel=>$grade){ ?>
  41
  42
                     43
  44
  45
                       Grade <?php echo $gradelevel; ?> 
  46
  47
                      </{
m tr}>
  48
                 <?php if($gradelevel=="7") echo "S.Y. 2013-2014"; ?> 
  49
  50
  51
                      </\mathrm{tr}>
  52
  53
  54
  55
            </thead>
  56
  57
            58
           ctd rowspan="2" align="center">Subject

/td>

ctd colspan="4" align="center"> Grading Period 

  59
  60
  61
            </\mathrm{tr}>
  62
           <\dot{t}\,r>
           1st

4d align="center">2nd

4d align="center">3rd

4d align="center">4th

  63
  64
  65
  66
  68
            </\mathrm{tr}>

foreach($grade as $subjectname =>$subjectgrades){ ?>
  69
  70
                           <?php echo $subjectname."</td>";</rr>
 \frac{71}{72}
  73
                           for each \,(\,\$grade\,[\,\$subjectname\,]\ as\ \$score\,)\,\{
 \frac{74}{75}
                            echo ">";

?> <a href="<?php echo base_url(); ?>section/specific_grades/<?php echo $this->uri->segment
(3); ?>/<?php echo $score['GradingPeriodID'] ?>">

<?php echo $score['Score']; ?></a>
  76
  77
                                <?php
echo "":
  78
  79
  80
            $this->session->set_flashdata('studno', $this->uri->segment(3,0));
  81
  82
  83
  84
                           echo "";
  85
  86
  87
  88
  89
           ?>
  90
  92
                      <?php } ?>
  93
            95
            96
  97
                           <?php
  98
 99
100
                  }
           ?>
101
102
            </div>
103
104
            </div>
105
106
            </div>
107
108
109
              <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
110
                     dataTables.js"></script>

dataTables.js"></script>
dataTables.js"></script>

dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables.default/js/plugins/dataTables.default/js/plugins/dataTables.default/js/plugins/dataTables.default/js/plugins/dataTables.default/js/plugins/dataTables.default/js/plugins/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables.default/js/plugins/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/dataTables/
111
112
113
114
                     <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
115
                     <script>
116
117
                   $(document ).ready(function() {
    $('#dataTables-example').dataTable();
118
119
                      });
121
122
                      </script>
            <script>
var url="<?php echo base_url();?>";
   3
                      function deleteClearance(id){
    4
                              var r=confirm ("Do you want to delete this?");
```

```
if (r==true){
             window.location = url+"students/delete_clearance/"+id;
9
             return false;
10
           else
12
             return false;
13
14
    </script>
15
16

    <a href="<?php echo base_url(); ?>record/view_student/<?php echo $this->uri->segment(3); ?>">Student</a>

18
     <a href="<?php echo base_url(); ?>record/view_student_offenses/<?php echo $this->uri->
segment(3); ?>">Offenses</a>
19
     20
21
22
23
   24
25
26
   <div class="tab-content">
27
   <div class="panel panel-default">
<div class="panel-heading">
29
30
   </div>
   <div class="panel-body">
32
33
   <?php foreach($grades as $gradelevel=>$grade){ ?>
34
35
       36
37
38
       39
        Grade <?php echo $gradelevel; ?> 
40
       </{
m tr}>
41
42
43
44
45
   </thead>
46
   47
   Subject
48
49
   >1
50
51
   2
52
    3 
   4
54
   55
    <?php foreach($grade as $subjectname =>$subjectgrades){ ?>
57
58
         <?php echo $subjectname."</td>";
59
         foreach($grade[$subjectname] as $score){
60
61
          echo "";

?> <a href="<?php echo base_url(); ?>section/view_grades/<?php echo $score['GradingPeriodID'] ?>">
62
63
64
          <?php echo $score['Score']; ?></a>
65
           <?php
echo ""
66
67
    this -> session -> set_flashdata('studno', this -> uri -> segment(3,0));
68
69
70
71
         } echo "";
72
\frac{73}{74}
75
76
   ?>
78
79
       <?php } ?>
80
81
   82
   84
         <?php
85
87
      }
   ?>
88
89
   </div>
90
   </div>
```

```
92
93
    </div>
95
96
97
     <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
        dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
98
             bootstrap.js"></script>
99
100
101
        <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
102
103
104
        <script>
105
       $(document ).ready(function() {
    $('#dataTables-example').dataTable();
107
        });
108
109
110
        </script>
    <script>
var url="<?php echo base_url();?>";
function deleteClearance(id){
 2
            var r=confirm ("Do you want to delete this?");
 5
 8
               window.location = url+"students/delete_clearance/"+id;
 9
               return false;
10
             else
11
12
              return false;
13
    </script>
14
15
16
      18
19
20
           ->segment(3); ?>">Extracurricular </a>
      21
22
23
24
    25
    <div class="tab-content">
<div class="panel panel-default">
<div class="panel-heading">
26
27
28
    <div class="panel-body">
30
31
32
    33
    <tr>
35
36
    <?php $ col_knowledge = 0;
      if (is_array (%knowledge_grades))
foreach(%knowledge_grades as $data=>$value){
38
39
40
           if(is_array($value))
             $col_knowledge + count($value)+1;
41
42
43
             col_knowledge+=2;
44
45
       else
46
        col_knowledge = 1;
47
48
       \$ \operatorname{col-process} = 0;
49
       if(is_array($process_grades))
        foreach($process_grades as $data=>$value){
50
          scol_process = $col_process + count($value)+1;
51
52
53
           else
54
             col_process+=2;
55
        }
56
       else
57
         col_process = 1;
58
       col_product=0;
60
       if(is_array($product_grades))
        foreach($product_grades as $data=>$value){
  if(is_array($value))
61
63
             $col_product = $col_product + count($value)+1;
           else
64
             col_product = 2;
```

```
66
         else
 67
 68
            $col_product =1;
       $col.understanding = 0;
if(is_array($understanding_grades))
foreach($understanding_grades as $data=>$value){
 69
 70
72
73
              if(is_array($value))
  $col_understanding = $col_understanding + count($value) + 1;
 74
75
76
                 $col_understanding+=2;
 77
         else
 78
            $col_understanding =1:
 79
 80
 81
 83
 84
     cth colspan="<?php if($col_knowledge <> 1) echo $col_knowledge; ?>"> Knowledge

cth colspan="<?php if($col_process <> 1) echo $col_process; ?>"> Process/Skills 

cth colspan="<?php if($col_understanding <> 1) echo $col_understanding; ?>"> Understanding 

cth colspan="<?php if($col_product <> 1) echo $col_product; ?>"> Products/Performances 

 85
 86
 87
 88
       Total 
 89
 90
      </\mathrm{tr}>
 91
      92
      <?php
 94
         if(isset(\$knowledge) \&\& count(\$knowledge) > 0)\{\\
           95
 97
 98
 99
      else
100
        echo '-';
101
102
      if(isset($process) && count($process) > 0){
  foreach($process as $row)
   echo ''.$row['TestType'].'

103
105
106
107
        echo '-';
108
109
      if (isset ($understanding) && count ($understanding) > 0) {
        foreach ($understanding as $row)
echo ''.$row['TestType'].'T 
';
110
111
112
113
       echo '-';
114
115
      if(isset($product) && count($product) > 0){
        foreach($product as $row)
echo ''.$row['TestType'].'
117
118
                   119
120
      else
       echo '-';
121
122
123
124
      ?>
125
126
      127
      <tr>
128
129
      <?php
      if(isset($knowledge) && count($knowledge) > 0){
  foreach($knowledge as $row){
   if(isset($knowledge_grades) && count($knowledge_grades) > 0){
130
131
132
              foreach($knowledge.grades as $data=>$value){
  if($data == $row['TestID']){
133
134
                    if(is_array($value)){
135
136
                      \$sum = 0:
137
                      foreach($value as $score){
  echo ''.$score['Base_Score'].'';
  $sum +=$score['Base_Score'];
138
139
140
141
                      echo '>'.$sum.'';
142
                   }
                 }
else
144
145
                  echo '-k-k';
147
148
                 }
149
             }
           }
150
151
152
         else
                  echo '-k':
153
```

```
155
156
157
              if(isset($process) && count($process) > 0){
                158
159
160
161
162
                               11(1s_array(@value));
ssum = 0;
foreach($value as $score){
  echo '>'.$score['Base_Score'].'';
  $sum+=$score['Base_Score'];
163
164
165
166
167
168
                               echo ''.$sum.'';
169
170
                          }
171
                 echo '-p1-p1 ';
172
173
             }
else
175
176
                 echo '-p1';
177
178
179
180
              print_r($understanding);
if(isset($understanding) && count($understanding) > 0){
foreach($understanding as $row)
if(isset($understanding_grades) && count($understanding_grades) > 0)
foreach($understanding_grades as $data=>$value)
181
183
184
185
                          if($data==$row['TestID'])
if(is_array($value)){
186
187
                               11(1s_array(svalue));
ssum = 0;
foreach($value as $score){
  echo '>dsda'. $score['Base_Score'].'';
  $sum+=$score['Base_Score'];
188
189
190
191
192
                               echo ''.$sum.'';
193
194
195
                 echo '-u-u';
197
198
199
               }
else
200
                 echo '-u';
201
202
203
204
205
              206
207
208
209
210
211
212
213
214
                                  215
216
217
218
                               echo '>'.$sum.'';
219
220
                          }
                 \begin{array}{c} {\rm else} \\ {\rm echo} \\ {\rm '-p2-p2';} \end{array}
221
222
223
224
               else
225
                 echo '-p2';
226
227
228
229
230
231
      ?>
233
234
235
236
      <?php
237
238
         total_k = 0;
          total_p = 0;

total_p = 0;
239
240
241
          total_u=0;
242
243
      if (isset (\$knowledge) \&\& count (\$knowledge) > 0) \{\\
244
                foreach($knowledge as $row){
245
```

```
 \begin{array}{ll} & \text{if (isset (\$knowledge\_grades) \&\& count (\$knowledge\_grades) > 0)} \{ & \\ & \text{for each (\$knowledge\_grades as $$data=>$$value$)} \{ & \\ & \text{if (\$data == \$row [`TestID']) } \{ & \\ & \text{if (is\_array (\$value))} \{ \\ \end{array} 
247
248
249
250
251
                                              $sum = 0;
$bs = 0;
252
                                              sos = 0,
foreach ($value as $score) {
  echo '>'.$score ['Raw_Score'].'';
  $sum+=$score ['Raw_Score'];
  $bs+=$score ['Base_Score'];
253
254
255
256
257
                                              echo '>'.$sum.'';
$total_k+=($sum/$bs)*100;
258
259
260
261
                                       }
else
262
                                          echo '-k-k';
264
265
266
                                   }
267
268
269
270
                           }
else
271
272
                                           echo  -k  ';
273
                   }
274
275
                 else
                                           echo '-k';
276
277
278
279
280
                     \begin{array}{ll} \mbox{if(isset(\$process) \&\& count(\$process) > 0)\{} \\ \mbox{foreach(\$process as \$row)\{} \end{array} 
281
282
283
                            if (isset ($process_grades) && count ($process_grades) > 0){
284
285
                                               foreach ($process_grades as $data=>$value)
                                       if ($data==$row['TestID']) {
  if (is_array($value)){
286
287
288
                                              sum = 0;

bs = 0;
289
                                              *bs = 0;
foreach($value as $score){
    echo '>'.$score['Raw_Score'].'';
    $sum+=$score['Raw_Score'];
    $bs+=$score['Base_Score'];
290
291
292
293
294
                                              fecho ''.$sum.'';
$total_p+=($sum/$bs)*100;
295
296
297
298
299
300
                                          echo '-p1-p1';
301
302
303
304
305
                                           echo '-p1';
306
                           }
307
308
                    }
else
309
310
                                          echo '-p1';
311
312
313
                       \begin{array}{ll} & \text{if (isset (\$understanding) \&\& count (\$understanding) > 0) \{ \\ & \text{foreach (\$understanding as $$row$) \{ } \\ & \text{if (isset (\$understanding\_grades) \&\& count (\$understanding\_grades) > 0) \{ } \\ \end{array} 
314
315
316
                               foreach($understanding_grades as $data=>$value)
  if($data==$row['TestID']){
   if(is_array($value)){
317
318
319
                                              sum = 0;

bs = 0;
320
321
                                              foreach ($value as $score) {
  echo '>'.$score ['Raw_Score'].'';
  $sum+=$score ['Raw_Score'];
  $bs+=$score ['Base_Score'];
322
323
324
325
326
                                              echo ''.$sum.'';
$total_u+=($sum/$bs)*100;
327
328
329
330
                                        else
331
332
                                          echo '-u-u1';
333
334
335
                            else
                                echo '-u';
336
                     }
337
338
```

```
339
                                                                         echo '-u';
340
342
343
344
345
346
347
                                                    if (isset(\$product) \&\& count(\$product) > 0) \{\\
                                                        foreach($product as $row)
  if(isset($product_grades) && count($product_grades) > 0){
348
349
                                                                         foreach($product_grades as $data=>$value)
  if($data==$row['TestID']){
   if(is_array($value)){
350
351
352
353
                                                                                                            sum = 0;

bs = 0;
354
                                                                                                            $bs = 0;
foreach($value as $score){
   echo '>'.$score['Raw_Score'].'';
   $sum+=$score['Raw_Score'];
   $bs+=$score['Base_Score'];
355
356
357
358
359
                                                                                                            echo ''.$sum.'';
$total_p2+=($sum/$bs)*100;
360
361
362
363
                                                                                                              else
364
                                                                                                                    echo '-p2-p2';
365
366
367
368
                                                    }
else
369
                                                                                                                    echo '-p2';
370
371
372
                                                                                                                     echo '-p2';
373
374
375
                                   if(count(\$knowledge) == 0 \ || \ count(\$process) == 0 \ || \ count(\$product) == 0 \ || \ count(\$understanding) = 0 \ || \ count(\$u
                                                    ==0)
cho "-";
376
                                                echo
                               else {
    $k = $total_k/count($knowledge)*1/4;
377
378
                                      $p = $total_p/count($process)*1/4;
$p2 = $total_p2/count($product)*1/4;
379
380
                                      $\square \text{$\frac{1}{2}} \cdot \text{$\f
381
382
383
384
385
386
387
388
                     ?>
389
390
391
392
393
                     394
395
                     </div>
396
                      </div>
397
398
399
                     </div>
400
 401
                          <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
402
                                     dataTables.js"></script>

<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
403
404
 405
                                      <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
406
407
408
409
                                  $(document ).ready(function() {
    $('#dataTables-example').dataTable();
410
411
                                     });
412
413
414
                                      </\mathrm{script}>
                     <script >
var url="<?php echo base_url();?>";
       2
                                       function deleteClearance(id) {
       3
                                                    var r=confirm("Do you want to delete this?"); if (r=true){
       5
6
                                                                 window.location = url+"students/delete_clearance/"+id;
     10
                                                        else
    11
                                                                 return false;
```

```
13
   </script>
14
16
     17
18
     <a href="<?php echo base_url(); ?>students/<?php echo $this->session->flashdata('studentno')
     ; ?>">Home</a><a href="<?php echo base_url(); ?>students/offenses/<?php echo $this->session->flashdata(')</a>
19
     studentno'); ?>">Offenses</a>
<a href="<?php echo base_url(); ?>students/clearance/<?php echo $this->session->flashdata('studentno');?>">Clearance</a>
20
     21
23
   24
   <div class="tab-content">
<div class="panel panel-default">
<div class="panel-heading">
26
27
29
   </div>
30
   <div class="panel-body">

<thead>
31
32
33
   <tr>
34
    35
37
     $sum = 0;
foreach($value2 as $key=>$value){
38
39
     $sum+=count($value);
40
41
42
     echo "".$data."";
43
     i++;
44
45
      }
46
47
48
      foreach($grades as $gradingperiod){
49
50
51
      }
   ?>
52
    53
   </thead>
54
   55
56
   <tr>
57
58
59
      </\mathrm{tr}>
   60
   62
   </div>
63
   </div>
65
   </div>
66
68
    <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
69
       70
71
72
       <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
73
74
       <script>
75
76
      $(document ).ready(function() {
    $('#dataTables-example').dataTable();
77
78
79
80
       </script>
81
   <script >
var url="<?php echo base_url();?>"
3
       function deleteAnnouncement(id){
          var r=confirm("Do you want to delete this?");
6
              \begin{tabular}{ll} window.location = url+"subject/delete\_announcement?ID="+id+"\&SubjectID="+<?php echo $this->uri->segment(3,0);?>; \end{tabular} 
9
10
             return false;
11
           else
13
             return false;
14
   </script>
```

```
16
17
            Announcements </a> 
       <a href=""<!php echo base_url(); ?>subject/show_students/<?php echo $this->uri->segment(3,0)
;?>">Students</a>
18
19
       <a href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->segment(3,0);?>">
       Files </a> 
class="active"><a href="<?php echo base_url(); ?>subject/class_record/<?php echo $this->uri
20
            \rightarrowsegment (3,0);?>">Grades</a>
21
    22
23
    <div class="tab-content">
      class=tab-content > <div class="tab-pane fade in active" id="announcements"> <div class="panel panel-default">
24
25
26
             27
                 </h4>
29
              </div>
               <div class="panel-body">
30
               <?php if(isset($grading_periods))</pre>
31
                   foreach($grading_periods as $row)
  echo $row['GradingPeriod'];
32
33
34
35
               ?>
               </div>
36
       </div>
37
    </div>
38
    cli><a href="<?php echo base_url(); ?>record/view_section/<?php echo $SectionID; ?>">
2
               Section Information </a> 
<a href="c?php echo base_url(); ?>record/view_students/<?php echo $this->uri->segment (3); ?>">Students/a>
</a>
3
         <a>Subjects</a>
4
    5
6
      <div class="tab-content">
8
         <?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form');
10
         echo form_open('record/record_subjects/'.$SectionID, $attributes); ?>
11
12
         <div class="form-group">
         <label class="col-sm-2 control-label">Subject Teachers</label>
<div class="col-sm-6">
\frac{13}{14}
15
         <?php
              subject_teachers = array();
$subject_teachers[''] = '';
foreach($teachers as $row){
    $subject_teachers [$row['SANum']] = $row['SALastName'].", ".$row['SAFirstName'];
16
17
18
19
20
21
              fecho form_dropdown('teacher', $subject_teachers, set_value('teacher', isset($form['teacher']) ? $form['teacher'] : ''),'class="form-control" id="ClassAdviser"');
22
23
           ?>
24
25
26
27
         </div><label class="col-sm-4 error"><?php echo form_error('teacher'); ?></label>
28
         </div>
         <div class="form-group">
<label class="col-sm-2 control-label">Subject</label>
<div class="col-sm-6">
29
31
32
         <?php
              $subject = array();
$subject[''] = '';
if($subjects!=null)
34
35
              fiveabjects:= nun')
foreach($subjects as $row){
    $subject [$row ['SubjectID']] = $row ['SubjectName'];
36
37
38
39
              40
41
            ?>
42
43
44
45
         </div><label class="col-sm-4 error"><?php echo form_error('subject'); ?></label>
46
         </div>
         <div class="form-group" >
47
              <label class="col-md-2 col-sm-offset -1"> Schedule To</label>
48
49
                   < div class = "col-sm-2">
50
                        <?php

$Hour1 = array('7'=>'7',
    '8' => '8'
    ,'9' => '9'
    ,'10'=>'10'
    ,'11'=>'11'
    ,'12'=>'12'

51
52
53
54
55
                              '12'=>'12
56
                             , '13' = > '1'
, '14' = > '2'
, '15' = > '3'
58
59
                             ,'16' = >'4'
```

```
,'17'=>'5'
,'18S]'=>'6');
 61
 62
                      , 185] => 0 );
echo form_dropdown('Hourl', $Hourl, set_value('Hourl', isset($form['Hourl']) ?
$form['Hourl'] : ''),'class="form-control" id="Hourl" ');
 63
 64
 65
                  </div>
             < div \ class = "col - sm - 1" > : < / div >
 66
 67
 68
     < div class="col-sm-2">
                  69
 70
 71
 72
 73
             </div>
 74
 75
 76
                  <div class="form-group" >
 77
78
79
                  <label class="col-md-2 col-sm-offset-1"> From</label>
<div class="col-sm-2">
 80
 81
                      <?php
 82
 83
 84
 85
 87
 88
                           , '14' = > '2',
, '15' = > '3',
, '16' = > '4'
 89
 90
 91
 92
                            '17' = > '5'
                 93
 94
 95
 96
 97
                      < div class = "col - sm - 1">: </ div>
 98
 99
100
         <div class="col-sm-2">
101
102
                      *Min2 = array('00' = > '00','15' => '15','30' => '30','45' => '45');
echo form_dropdown('Min2', $Min2, set_value('Min2', isset($form['Min2']) ? $form['Min2'] : ''),'class="form-control" id="Min2" ');
103
104
105
                  /div><label class="col-sm-4 error"><?php echo form_error('time1'); ?> </label>
106
107
         </div>
108
109
             <div class="form-group">
<label class="col-sm-2 control-label">Room</label>
110
111
                  113
114
                  </div><label class="col-sm-4 error"><?php echo form_error('Room'); ?></label>
115
116
         </div>
117
118
119
120
121
122
     <div class="form-group alert-dismissable">
123
124
         <div class="col-sm-offset -4">
           <button type="submit" class="btn btn-success" > Submit 
125
          </div>
126
127
       </div>
128
       </div>
     </div>
129
130
131
132
133
     </div>
134
136
     </div>
     </form>
137
     </div>
 3
     <script>
     var url="<?php echo base_url();?>"
         function deleteAnnouncement(id){
 6
             var r=confirm ("Do you want to delete this?");
```

```
if (r==true){
                  window.location = url+"subject/delete_announcement?ID="+id+"&SubjectID="+<?php echo
10
                        this \rightarrow uri \rightarrow segment(3, 0);?>;
                  return false:
11
12
13
14
15
                  return false;
16
17
     </script>
18
     <?php
19
20
21
     if \, (\, isset \, (\, \$grading periodid \, )\, ) \, \{\,
22
       $id = $gradingperiodid;
24
25
       $id=$this->uri->segment(3,0); ?>
    <a href="<?php echo base_url(); ?>subject/view/<?php echo $classid;?>">Announcements</a>
27
28
29
       <a href="<?php echo base_url(); ?>subject/show_students/<?php echo $classid;?>">Students</a>
             >
       <a href="<?php echo base_url(); ?>subject/files/<?php echo $classid;?>">Files</a><a href="<?php echo base_url(); ?>subject/class_record/<?php echo $classid</pre>
30
31
            ;?>">Grades</a>
32
     33
     <div class="tab-content">
35
36
37
      <div class="panel panel-default" style="overflow:auto;">
38
39
      40
41
43
                   Column</h2>
44
45
          </div>
    46
47
48
49
50
       <div class="form-group">
  <label class="col-sm-2 control-label"> Type of Assessment</label>
51
52
          <div class="col-sm-6">
54
           <?php
55
               $options2 = array(''=>'','knowledge'=>'Knowledge','process'=>'Process/Skill','
    understanding'=>'Understanding','product'=>'Product/Performances');
echo form_dropdown('AssessmentType', $options2, set_value('AssessmentType', isset($form['
    AssessmentType']) && isset($options2[$form['AssessmentType']]) ? $form['AssessmentType
'] : ''),'class="form-control" id="AssessmentType"');
57
58
59
          </div>
60
61
          <label class="col-sm-4 error"><?php echo form_error('AssessmentType'); ?></label>
       </\mathrm{div}>
62
63
       <div class="form-group">
          64
65
66
               $c:pnp
$options3 = array(''=>'','Quiz'=>'Quiz','Seatwork'=>'Seatwork','Periodical Test'=>'
    Periodical Test','Project'=>'Project','Recitation'=>'Recitation',
'Practical Exam'=>'Practical Exam','Other'=>'Other');
echo form.dropdown('TypeTest', $options3, set_value('TypeTest', isset($form['TestType'])
    && isset($options3[$form['TestType']]) ? $form['TestType'] : 'Other'),'class="form-
    control" id="TypeTest"');
}
68
69
70
            ?>
71
             </div>
<div class="col-sm-3" id="TypeTestOther" <?php if((isset($form['TestType']) && !isset($options3[($form['TestType'])])) || set_value('TypeTest') =='Other') echo 'style='
73
74
       display:block";
else echo 'style="display:none" '?>>
75
                   <input type="text</pre>
76
77
            </abel class="col-sm-4 error"><?php echo form_error('TypeTest'); ?><br></label>
79
       </div>
80
81
       82
```

```
<button type="submit" class="btn btn-success">Submit</button>
84
       </div>
85
     </div>
86
    <?php form_close(); ?>
87
         </div>
88
89
       </div>
     </div>
90
91
92
93
94
95
          <script>
      $(function() {
96
98
     99
100
101
102
         $('#TypeTestOther').show();
103
       else
104
         $('#TypeTestOther').hide();
105
106
     });
107
108
109
    })
     </script>
110
   <script>
var url="<?php echo base_url();?>";
function deleteTestType(id){
 2
          var r=confirm("Do you want to delete this?");
if (r==true){
            window.location = url+"subject/delete_test_type_column/"+id;
 9
10
            return false:
12
           else
13
            return false;
\frac{15}{16}
    </script>
17
    <?php
18
19
20
    if(isset($gradingperiodid)){
21
     $id = $gradingperiodid;
22
23
     $id=$this->uri->segment(3,0); ?>
24

    <a href="<?php echo base_url(); ?>subject/view/<?php if(isset($class_id)) echo $class_id</pre>
26
     28
     29
30
31
    <div class="tab-content">
    <div class="tab-pane fade in active" id="announcements">
33
34
35
   36
37
38
39
          echo $panel_header;
40
41
42
         else echo ""; ?></h4>
43
44
       </div>
45
46
47
    <div style="overflow:auto;" >
48
49
     <div class="form-group">
50
       <div class="col-sm-offset-4 col-sm-5">
51
52
       </div>
53
     </div>
54
55
    56
58
    No. 
   Name Nore Score 
59
```

```
61
62
     64
65
       <?php $i=1; if (isset (\$top\_students) \&\& \$top\_students!=null)
             foreach($top.students as $key=>$score){
    echo ''.$i.'';
67
68
69
                 j = 0;
                foreach ($score as $student){
\frac{70}{71}
                  if ($j==0){
                    echo ''.$student['SLastName'].''.$key.'
72
73
74
75
                  else {
                    echo ''.$student['SLastName'].'';
76
77
78
                  $ j ++;
79
80
81
82
                }
83
84
85
               $i++:
86
88
     89
90
     </form>
     </div>
</div>
91
92
93
      </div>
94
95
96
         </div>
97
99
100
     <!-- Modal -->
     <div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-labelledby="myModalLabel"
aria-hidden="true">
       <div class="modal-dialog">
102
103
         <div class="modal-content">
           <div class="modal-header">
    <button type="button" class="close" data-dismiss="modal" aria-hidden="true">&times;/
104
105
106
           </div>
107
108
           <div class="modal-body">
109
       <div class="form-group">
    <label class="col-sm-2 control-label">Base Score</label>
111
112
113
         <div class="col-sm-6">
114
           <input type="text" class="form-control" name="BaseScore" required>
115
          <button type="submit" class="btn btn-success">Submit</button>
117
118
       </div>
119
120
121
122
123
124
         </div>
       </div>
125
     </div>
126
     <script>
var url="<?php echo base_url();?>";
function deleteAnnouncement(id){
 3
             var r=confirm("Do you want to delete this?"); if (r=true){
 6
                 window.location = url+"subject/delete\_announcement?ID="+id+"\&SubjectID="+<?php echo \$this->uri->segment(3, 0);?>; \\
 9
10
                return false;
\frac{11}{12}
              else
13
                return false;
14
15
     </script>
16
     17
       $$  a \ href="<?php echo base_url(); ?> subject/show_students/<?php echo $this->uri-> segment(3,0); ?> "> Students/a>
18
```

```
19
                      <\!1i>\!<\!a\ href="<?php\ echo\ base\_url();\ ?>subject/files/<?php\ echo\ \$this->uri->segment(3,0);?>">
                       Files </a>
Files <
20
                                        ->segment(3,0);?>">Grades</a>
21
               22
23
               <div class="tab-content">
                     <div class="tab-pane fade in active" id="announcements">
24
25
                      <div class="panel panel-default">
                                        <div class="panel-heading">
  <h4 class="panel-title">
26
27
28
                                                     Class Record (<?php echo $page_header; ?> For S.Y. <?php echo $schoolyear; ?>)
29
                                                      </h4>
30
                                             </div>
31
                                                 <div class="panel-body">
32
                                                 <?php if(isset($grading_periods)) ?>
34
35
                                                 <?php $i=0;
$label = array('1'=>"1st Grading Period",'2'=>"2nd Grading Period",'3'=>"3rd Grading
Period",'4'=>"4th Grading Period");
foreach($grading_periods as $row){ ?>
37
38
39
                                                                <div class="panel panel-default">
40
41
                              <div class="panel-heading">
                                    42
44
                                      </h4>

<
46
47
48
49
              $row['GradingPeriodID']; ?>">
<i class="fa fa-plus"></i> Add Grades</a>
cli class="list-group-item"><a href="<?php echo base_url(); ?>subject/view_grades/<?php echo</pre>
50
                                        $row['GradingPeriodID']; ?>">
             %row['GradingPeriodID']; '?>'>
i class="fa fa-eye"></i>    View Grades</a>
class="list-group-item"><a href="<?php echo base_url(); ?>reports/view_grades/<?php echo $row ['GradingPeriodID']; ?>">
<i class="fa-file"></i> Generate Report</a>
52
53
54
55
                      56
57
58
                                      </div>
59
60
                                             </div>
                               </div>
61
                                                 <?php $i++; } ?>
62
64
                       </div>
65
              </div>
66
   2
              <script>
               var url="<?php echo base_url();?>";
    function deleteAnnouncement(id){
   3
                                         var r=confirm("Do you want to delete this?"); if (r=true){
   6
   9
                                                      window.location = url+"subject/delete_announcement?ID="+id+"&SubjectID="+<?php echo
                                                                      this -> uri -> segment(3, 0);?>;
10
                                                    return false;
11
 12
                                             else
13
                                                     return false;
14
               </script>

(al class="nav nav-tabs">

<a href="<?php echo base_url(); ?>subject/view/<?php echo $this->uri->segment(3,0);?>">
16
17
                                        Announcements </a>
                     <a href="??php echo base_url(); ?>subject/show_students/<?php echo $this->uri->segment(3,0); ?>">Students/a>
18
                       \label{lischer} $$ < \text{lischer files} / < \text{php echo base\_url(); } ? > \text{subject/files} / < \text{php echo $this} - \text{vuri} - \text{segment(3,0);} ? > \text{vericles} / < \text{php echo $this} - \text{vericles} / < \text{php echo $this} / < \text{php echo $this} - \text{vericles} / < \text{php echo $this} - \text{vericles} / < \text{php echo $this} / < \text
19
                      Files </a>
Files </a>
Files </a>
$\frac{1}{2}$
Files </a>
$\frac{1}{2}$
$\frac{1}{2}
20
21
22
               23
               <div class="tab-content">
                      <div class="tab-pane fade in active" id="announcements">
<div class="panel panel-default">
25
26
                                         <div class="panel-heading">
  <h4 class="panel-title">
28
29
                                                     Class Record (<?php echo $page_header; ?> For S.Y. <?php echo $schoolyear; ?>)
                                                     </h4>
```

```
31
         </div>
         <div class="panel-body">
32
34
         <?php if(isset($grading_periods)) ?>
35
36
37
         <?php $i=0;
          Slabel = array('1'=>"1st Grading Period",'2'=>"2nd Grading Period",'3'=>"3rd Grading
38
            Period",'4'=>"4th Grading Period");
            foreach($grading_periods as $row){ ?>
39
40
41
            <div class="panel panel-default">
     <div class="panel-heading">
  <h4 class="panel-title">
42
43
        44
     </h4>
45
46
     47
48
49
  50
  View Grades </a>
51
52
53
       </div>
     </div>
54
56
         <?php $i++; } ?>
57
59
    </div>
  </div>
60

* attributes = array('role' => 'form');
echo form_open('subject/save_edited_announcement?ID='.$form['AnnouncementID'].'& SubjectID='.
   $_GET['SubjectID'], $attributes); ?>
<div class="panel panel-default">
<div class="panel-heading">
3
         Announcement <?php echo $form['Title']; ?>
  <div class="form-group">
<input type="text" class</pre>
      8
q
10
         <option>Class</option>
         <option>Club</option>
11
         <option>School</option>
12
13
         </select>
         </div>
15
         </div>
         <div class="panel-body">
16
              18
     19
20
21
      </div>
   </div>
22
   1
2
3
         Announcement
  <?php echo $form['Title']; ?>
<div class="form-group">
<input type="text" class="form-contro</pre>
6
      ctass= form-group > ut type="text" class="form-control" id="title" name="title" placeholder="Title" value="<?php echo set_value('title',(isset($form['Title'])) ? $form['Title'] : ''); ?>">
8
9
10
        </\mathrm{div}>
         </div>
11
         <div class="panel-body">
              13
      </div>
14
     15
16
      </div>
17
18
  2
3
     class="active"><a>Subjects</a>
      <a href="??php echo base.url(); ?>record/view_students/<?php echo $result[0]['SectionID
']; ?>">Students</a>
```

```
5
      <div class="tab-content">
<div class="panel panel-default">
<div class="panel-body">
<div class="panel-body">
<?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form.open('record/save_edit_subjects/'.$SectionID, $attributes); ?>
<input type="hidden" name="ID" value="<?php if(isset($result[0]['ID'])) echo $result[0]['ID']</pre>
 8
10
11
12
          13
14
          <div class="form-group">
15
16
          <label class="col-sm-2 control-label">Subject Teachers</label>
17
          <div class="col-sm-6">
18
          <?php
               $subject_teachers = array();
$subject_teachers[''] = '';
foreach($teachers as $row){
19
20
21
                  $subject_teachers[$row['SANum']] = $row['SALastName'].", ".$row['SAFirstName'];
22
23
               fecho form_dropdown('teacher', $subject_teachers, set_value('teacher', isset($result[0]['
TeacherNum']) ? $result[0]['TeacherNum'] : ''),'class="form-control" id="ClassAdviser
25
26
             ?>
27
29
          </div><label class="col-sm-4 error"><?php echo form_error('teacher'); ?></label>
30
          </div>
<div class="form-group">
<label class="col-sm-2 control-label">Subject</label>
32
33
34
          < div class = "col - sm - 6" >
          35
36
37
38
               fireach($subjects as $row){
    $subject [$row ['SubjectID']] = $row ['SubjectName'];
39
40
41
42
               }
echo form_dropdown('subject', $subject, set_value('subject', isset($result[0]['SubjectID
']) ? $result[0]['SubjectID'] : ''),'class="form-control" id="ClassAdviser"');
43
44
             ?>
45
46
47
          </div><label class="col-sm-4 error"><?php echo form_error('subject'); ?></label> </div> <div class="form-group" >
48
49
50
               <label class="col-md-2 col-sm-offset -1"> Schedule To</label>
51
                     <div class="col-sm-2">
53
                          <?php
                          54
56
57
                                , '11' = > '11',
, '12' = > '12',
, '13' = > '1'
59
60
                                '14'=>'2'
'15'=>'3'
61
62
63
64
                                '17' = > '5
                                '18' = > '6');
65
                          echo form_dropdown('Hourl', $Hourl, set_value('Hourl', isset($form['Hourl']) ?
$form['Hourl'] : ''),'class="form-control" id="Hourl" ');
66
67
68
                     </div>
               <div class="col-sm-1">:</div>
69
70
71
     < div class="col-sm-2">
                    72
73
74
75
                     ?>
76
               </div>
77
78
79
                     <div class="form-group" >
80
                    </pre
82
83
                          <?php
                          85
86
87
88
89
```

```
90
                      ,'12' = >'12'
                       , '13'=>'1',
, '14'=>'2'
91
92
                       '15' = > '3'
93
                       ,16'=>'4'
94
95
                       '18' = > '6'):
96
                  echo form_dropdown('Hour2', $Hour2, set_value('Hour2', isset($form['Hour2']) ?
$form['Hour2'] : ''),'class="form-control" id="Hour2" ');
97
               ?></div>
98
99
100
                  <div class="col-sm-1">: </div>
101
102
103
        <div class="col-sm-2">
104
               <?php
                  106
107
108
109
               </div><label class="col-sm-4 error"><?php echo form_error('time1'); ?> </label>
110
        </div>
111
112
           113
114
116
                                                                                      ); ?>"
117
118
               </div><label class="col-sm-4 error"><?php echo form_error('Room'); ?></label>
119
        </div>
120
121
122
123
124
125
    <div class="form-group alert-dismissable">
126
        <div class="col-sm-2">
         <button type="submit" class="btn btn-default" > Submit 
128
        </div>
129
130
      </div>
131
      </div>
    </div>
132
133
134
136
    </div>
137
139
    </\mathrm{div}>
    </form>
140
    </div>
      <script>
 3
       $(document ).ready(function() {
    $('#dataTables-example').dataTable();
 5
 6
7
       });
 8
 10
    var url="<?php echo base_url();?>";
11
        function deleteFile(id){
12
13
          var r=confirm("Do you want to delete this?");
           if (r==true) {
14
15
             16
17
             return false;
18
19
           else
             return false;
21
22
23
24
25
26
27
28
        </script>
29
    30
      <a href="<?php echo base_url(); ?>subject/show_students/<?php echo $this->uri->segment(3,0)
;?>">Students</a>
31
```

```
<a href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->
32
           segment(3,0);?>">Files </a>
a href="<?php echo base_url(); ?>subject/class_record/<?php echo $this->url->segment(3,0)
33
    ;?>">Grades</a>
     <a</li>
34
35
    <div class="tab-content">
36
37
38
    <div class="panel panel-default">
      39
40
             <a data-toggle="collapse" data-parent="#accordion" href="#collapseTwo">Files</a>
41
         </h4>
42
43
      </div>
44
      <div id="collapseTwo" class="panel-collapse collapse in">
        <div class="panel-body">
class="list-group">
45
46
47
        <?php
        if ($results!=null){
48
        49
50
51
52
                } }?>
53
        <?php
54
        .
<?php echo $links; ?>
55
        </div>
57
      </div>
    </div>
58
59
    </div>
60
61
62
      <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
        dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
63
              bootstrap.js"></script>
64
65
66
        <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
67
69
        <script>
70
       $(document ).ready(function() {
    $('#dataTables-example').dataTable();
71
72
        });
73
        </script>
75
2
      <script>
       4
5
6
9
    var url="<?php echo base_url();?>";
function deleteFile(id){
10
11
12
            var r=confirm("Do you want to delete this?"); if (r==true){
13
15
               window.location = url+"subject/delete_file?FileID="+id+"&SubjectID="+<?php echo $this->
16
                    uri->segment(3, 0);?>;
17
               return false;
18
19
20
               return false;
^{21}
22
23
24
25
26
28
        </script>
29
30
31
32

        <a href="<?php echo base_url(); ?>subject/view/<?php echo $this->uri->segment(3,0);?>"> Announcements</a>

33
34
      Announcements\/a\\/\li\/
class="active"><a href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->
segment(3,0);?>">Files</a>
35
36
       <a href=""<?php echo base_url(); ?>subject/portfolio/<?php echo $this->uri->segment(3,0)
        ;?>">Portfolio </a>>
<a href="c:php echo base_url(); //subject/portfolio/<.php echo base_url->segment(0,0)</a>;
<a href="c:php echo base_url(); //subject/journal/<?php echo $this->url->segment(3,0)</a>
</a>
37
             ;?>">Journal</a>
```

```
38
         <a href="<?php echo base_url(); ?>section/subject_grades/<?php echo $this->uri->segment
               (3,0);?>">Grades</a>
39
40
    41
42
      43
44
45
             <a data-toggle="collapse" data-parent="#accordion" href="#collapseOne">Upload File</a>
46
           </h4>
47
48
        </div>
<div id="collapseOne" class="panel-collapse collapse <?php if(isset($errors['error'])) echo';</p>
49
           in'; ?>">
<div class="panel-body">
50
             crass= panel-body >

$ attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open_multipart('subject/upload_files/'.$this->uri->segment(3,0),$attributes);
51
             <div class="form-group">
<label class="col-sm-2 control-label">File input</label>
53
54
             56
57
             </div>
58
             <label class="col-sm-4 error"><?php echo $errors['error']; ?></label>
59
             </div>
60
             <div class="form-group">
             <div class="col-sm-offset-2 col-sm-10">
<button type="submit" class="btn btn-default">Upload</button>
61
62
             </div>
64
             </div>
65
           </form>
67
68
           </div>
69
         </div>
\frac{70}{71}
    </div>
<div class="panel panel-default">
      <div class="panel-heading">
  <h4 class="panel-title">
72
73
74
             <a data-toggle="collapse" data-parent="#accordion" href="#collapseTwo">Files </a>
75
         </h4>
76
       </div>
77
       <div id="collapseTwo" class="panel-collapse collapse in">
78
        <div class="panel-body">

79
80
81
         if(\$results!=null){
        82
83
84
         85
                 } }?>
86
         <?php
         <?php echo $links; ?>
</div>
88
89
       </div>
91
    </div>
92
    </div>
93
94
95
      <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
97
         dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
98
             bootstrap.js"></script>
100
         <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
101
102
103
         <script>
104
105
       106
107
108
109
110
        </script>
      < s c r i p t >
 3
       $(document ).ready(function() {
    $('#dataTables-example').dataTable();
 6
         });
 9
10
     var url="<?php echo base_url();?>";
11
         function deleteFile(id){
12
            var r=confirm("Do you want to delete this?");
```

```
14
              if (r==true){
15
16
                 window.location = url+"subject/delete_file?FileID="+id+"&SubjectID="+<?php echo $this->
                       uri->segment(3, 0);?>;
17
                 return false:
19
               else
20
                 return false;
21
              }
22
23
24
25
26
27
         </script>
28
    30
31
       <a href="<?php echo base_url(); ?>subject/show_students/<?php echo $this->uri->segment(3,0)
             ;?>">Students</a>
       <lass="active"><a href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->
32
       segment(3,0);?>">Files <a><a href="<?php echo base_url(); ?>subject/class_record/<?php echo $this->uri->segment(3,0)</a>
33
            ;?>">Grades</a>
34
    35
    <div class="tab-content">
37
       <div class="panel panel-default">
38
         <div class="panel-heading">
  <h4 class="panel-title">
39
              <a data-toggle="collapse" data-parent="#accordion" href="#collapseOne">Upload File</a>
40
41
42
         <div id="collapseOne" class="panel-collapse collapse <?php if(isset($errors['error'])) echo '
    in'; ?>">
43
44
            <div class="panel-body">
              class= panel=body /
<?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open_multipart('subject/upload_files/'.$this->uri->segment(3,0),$attributes);?>
45
46
              <div class="form-group">
<label class="col-sm-2 control-label">File input</label>
47
48
              <div class="col=sm-3">
<input type="file" name="userfile" id="exampleInputFile">
49
50
51
              </div>
52
              <label class="col-sm-4 error"><?php echo $errors['error']; ?></label>
53
              </div>
              <div class="form-group">
<div class="col-sm-offset-2 col-sm-10">
<button type="submit" class="btn btn-default">Upload</button>
54
55
56
              </div>
58
               </div>
59
            </form>
60
61
            </div>
62
          </div>
63
64
    </div>
<div class="panel panel-default"></div
65
       <div class="panel-heading">
  <h4 class="panel-title">
67
              <a data-toggle="collapse" data-parent="#accordion" href="#collapseTwo">Files </a>
68
          </h4>
69
       </div>
70
71
       div id="collapseTwo" class="panel-collapse collapse in">
         <div class="panel-body">

72
73
74
          <?php
75
          if ($results!=null) {
         foreach ($results as $row) { ?>
cli class="list-group-item"> <?php echo $row->FileName; ?>
<a href="<?php echo base_url(); ?>subject/download?SubjectID=<?php echo $this->uri->segment
(3,0);?>&FileID=<?php echo $row->FileID; ?>"><i class="fa fa-download"></i></a>
76
78
          79
80
          <?php
                   } }?>
         81
82
           <?php echo $links; ?>
83
          </div>
       </div>
84
    </div>
85
86
    </div>
88
       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
89
         dataTables.js"></script>

<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
90
91
92
         <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
93
94
95
96
         < s c r i p t >
```

```
97
       $(document ).ready(function() {
    $('#dataTables-example').dataTable();
98
99
        });
100
101
102
         </script>
    2
 3
 4
      <a href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->segment(3,0);?>">
      Files </a>>
<a href="c?php echo base_url(); ?>subject/class_record/<?php echo $this->url->segment(3,0)</a>
 5
           ;?>">Grades</a>
    6
 9
    <div class="tab-content">
             <div class="tab-pane fade in active" id="student">
10
             <?php
12
13
             14
15
16
             18
19
20
    </div>
^{21}
22
             <?php
23
             }
             ?>
25
26
27
     28
30
       <?php echo $links ?> </p>
31
             </\mathrm{div}>
    </div>
33
    class="active"><a href="#student">Announcement</a>
 3
             <a href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->segment(3,0)
            :?">Files /(a>
<a href="<?php echo base_url(); ?>subject/files/<:php echo $this->url->segment(3,0); ?> Files /(a>
<a href="<?php echo base_url(); ?>subject/portfolio/<?php echo $this->url->segment(3,0); ?>">Portfolio </a>
<a href="<?php echo base_url(); ?>subject/journal/<?php echo $this->url->segment(3,0); ?>">Journal</a>

 4
 5

<
 6
    9
10
11
    <div class="tab-content">
12
             <div class="tab-pane fade in active" id="student">
13
14
             <?php
15
             if ( $ results!= null)
16
                     foreach($results as $data){?>
<div class="well">
17
18
19
             <div class="blog-post">
             20
^{21}
                 $data['Body']; ?>
<?php echo $data['Body']; ?>
22
23
              </div><
    </div>
24
             <?php
25
26
27
             else{ ?>
             <div class="well">
<h4> No Posts! </h4>
28
29
    </div>
30
31
    <?php
32
33
35
     36
        <?php echo $links ?> 
38
             </div>
39
    </div>
```

```
<script>
var url="<?php echo base_url();?>";
  4
                          function deleteAnnouncement(id){
                                     var r=confirm ("Do you want to delete this?");
                                        if (r==true) {
  9
                                               window.\,location\,=\,url+"\,subject/\,delete\_announcement?ID="+id+"\&SubjectID="+<?php\ echological content of the content of the
                                                              this \rightarrow uri \rightarrow segment(3, 0);?>;
10
                                              return false;
11
                                        else
12
13
                                              return false;
14
             </script>
15
             16
                  17
18
                                          href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->segment(3,0);?>">
19
                    <1i><1i><a
                                   Files </a>
                  cli>>a href="c?php echo base_url(); ?>subject/class_record/<?php echo $this->uri->segment(3,0)
    ;?>">Grades</a>
20
             21
22
             <div class="tab-content">
               24
25
27
28
29
                    Announcement
30
31
             <div class="form-group">
            <input required type="text" class="form-control" id="title" name="title" placeholder="Title"
    value="<?php echo set_value('title',(isset($form['Title']))) ? $form['Title'] : ''); ?>">
32
33
                    </div>
34
35
                    </div>
                    <div class="panel-body">
                         iiv class="panel-body">
  <textarea required id="btn-input" name="body" id="body" rows="4" cols="50" class="form-control
    "><?php echo set_value('title',(isset($form['Body']))) ? $form['Body'] : ''); ?></textarea>
37
                                                                                                                                                                                                                                                                                                '); ?></textarea>
                           </div>
38
                          <div class="panel-footer">
39
                                        <input type="submit" class="btn btn-warning btn-sm" id="btn-chat">
40
                              </div>
41
                </div>
42
                <?php form_close(); ?>
43
44
                   <?php $i=0;
45
                    if($results!=null){
47
                   | foresults:= null) {
| foresults:= null) {
| foresults:= null) {
| class="well"> (div class="blog-post"> (div class="blog-post"> (div class="blog-post"> (div class="blog-post"> (div class="blog-post-title"> (php echo $data['Title'];? > (h2) (div class="blog-post-meta"> (php echo $data['DateCreated'];? > by (div class="blog-post-meta"> (div class="blog-post-meta") (div class="blog-post-meta
48
49
50
51
52
                                                 ['Name'];?></a>
                                | Name |,: > </a>
<a href="<?php echo base_url();?>subject/edit_announcement?ID=<?php echo $data['
AnnouncementID']; ?>&SubjectID=<?php echo $this->uri->segment(3,0); ?>"><i class="fa fa-pencil-square-o"> </i>Edit</a>
53
                                ca onclick="return deleteAnnouncement('<?php echo $data['AnnouncementID'];?>');"> <i class
="fa fa-trash-o"></i>Delete</a>
<?php echo $data['Body']; ?>
54
55
56
57
                       </\mathrm{div}>
58
                           </div>
59
                     <?php
60
                    i++;
61
62
63
                     else { ?>
             <div class="well">
64
65
                   < h4 > No posts! < /h4 >
                          </div>
66
67
                    <?php }
68
69
70
                   ?>
71
72
                       74
75
                       <?php if(isset($links))echo $links ?> 
             </div>
             <script>
             var url="<?php echo base_url();?>";
```

```
function deleteJournal(id){
                         var r=confirm ("Do you want to delete this?");
                           if (r==true) {
 9
                                window.location = url + "subject/delete\_journal? ID="+id+" \& Subject ID="+<?php echo \$this -> 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 100 + 
                                          uri->segment(3, 0);?>;
10
                               return false;
11
12
                           else
13
                               return false;
14
         </script>
15
        16
17
18
19
             Files </a>
<a href="c?php echo base_url(); ?>subject/rhes/c.php echo wthis->url->segment(0,0); ?>subject/class_record/<?php echo $this->url->segment(3,0); ?>">Grades</a>
</a>
20
21
         22
23
24
         <div class="tab-content">
            <div class="tab-pane fade in active" id="announcements">
25
          27
28
29
30
                             student; ?>'s Journal </h3>
31
             </div>
             <div class="panel-body">
32
33
              <?php $i=0;
34
35
36
             if($results!=null){
             37
39
                      40
41
42
                        <?php echo $data['Content']; ?>
43
44
               </div>
45
46
47
              <?php
48
             i + +;
49
50
51
             ?>
53
               54
56
               <?php if(isset($links))echo $links ?> 
57
               </div>
                </div>
              </div>
59
60
         </div>
         < s c r i p t >
         var url="<?php echo base_url();?>";
   function deleteJournal(id){
 3
                         var r=confirm("Do you want to delete this?");
 6
                           if (r==true){
                                window.location = url+"subject/delete_journal?ID="+id+"&SubjectID="+<?php echo $this->
 9
                                          uri->segment(3, 0);?>;
10
                               return false;
11
                                return false;
13
14
         </script>
15
        </script>

<a href="<?php echo base_url(); ?>subject/view/<?php echo $this->uri->segment(3,0);?>">
        Announcements</a>
class="active"><a href="<?php echo base_url(); ?>subject/show_students/<?php echo $this->
        uri->segment(3,0);?>"> Students</a>

16
17
18
19
             <a href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->segment(3,0);?>">
                        \mathrm{Files} < /\mathrm{a} > < /\mathrm{li} >
20
^{21}
         22
        <div class="tab-content">
```

```
<div class="tab-pane fade in active" id="announcements">
24
25
            <?php form_close(); ?>
          27
28
29
30
              </div>
             <div class="panel-body">

31
32
33
34
              if($results!=null){
             foreach($results as $
<div class="well">
<div class="blog-post">
36
                                                         as $data){?>
37
                      class="blog-post">
<h2 class="blog-post-title"><?php echo $data['Title'];?></h2>
<?php echo $data['DateCreated'];?> </a>
39
40
41
                          <?php echo $data['Content']; ?>
42
43
                </div>
44
45
                   </div>
              <?php
46
47
              $i++;
48
49
50
51
             ?>
53
               <\!p\ class="pagination">
54
55
                <?php if(isset($links))echo $links ?> 
                </div></div>
56
57
58
              </div>
         </div>
59
         <script>
          var url="<?php echo base_url();?>";
                 function deleteJournal(id){
                          var r=confirm ("Do you want to delete this?");
                            if (r==true) {
 9
                                window.location = url+"subject/delete_journal?ID="+id+"&SubjectID="+<?php echo $this->
                                          uri->segment (3, 0);?>;
10
                                return false;
11
                            else
12
13
                                return false;
14
         </script>
15

><a href="<?php echo base_url(); ?>subject/view/<?php echo $this->uri->segment(3,0);?>">
17
                        Announcement </a> 
18
                  $$  < a href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->segment(3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"> (3,0);?>"
19
                             Files </a>
                  <a href="<?php echo base_url(); ?>subject/portfolio/<?php echo $this->uri->segment(3,0)
;?>">Portfolio</a>
class="active" ><a href="<?php echo base_url(); ?>subject/journal/<?php echo $this->uri-
20
                    (ii class="active" ><a href="<?php echo base_url(); ?>subject/journal/<?php echo $this->uri->
    segment(3,0);?>"> Journal</a>
<a href="<?php echo base_url(); ?>section/subject_grades/<?php echo $this->uri->segment
21
22
                                (3,0);?>">Grades</a>
23
24
         25
        <div class="tab-content">
26
           27
28
29
30
31
32
              Journal
        <div class="form-group">
<input required type="text" class="form-control" id="title" name="title" placeholder="Title"
    value="<?php echo set_value('title',(isset($form['Title'])) ? $form['Title'] : ''); ?>">>
34
35
36
              </div>
37
              </div>
38
              <div class="panel-body">
39
                  class = panel-body >
<textarea required id="btn-input" name="body" id="body" rows="4" cols="50" class="form-control
    "><?php echo set_value('title',(isset($form['Body']))) ? $form['Body'] : ''); ?></textarea>
40
                  </div>
41
42
                  <div class="panel-footer">
43
                           <input type="submit" class="btn btn-warning btn-sm" id="btn-chat">
                     </div>
44
           </div>
```

```
46
      <?php form_close(); ?>
47
48
       <?php $i=0;
49
       if($results!=null){
  foreach($results as $data){?>
50
51
       <div class="well">
<div class="blog-post">
52
53
            class="blog-post-title"><?php echo $data['Title'];?></h2>
<?php echo $data['DateCreated'];?> </a>
<a href="<?php echo base_url();?>subject/edit_journal?ID=<?php echo $data['JournalID']; ?>&
54
55
                  SubjectID=<?php echo $this->uri->segment(3,0); ?>"><i class="fa fa-pencil-square-o"> </i
                  >Edit</a>
57
            <a onclick="return deleteJournal('<?php echo $data['JournalID'];?>');"> <i class="fa fa-</pre>
             trash-o"></i>Delete</a>
<?php echo $data['Content']; ?>
58
        </div>
60
          </div>
61
       <?php
63
       i++;
64
65
66
67
       ?>
68
        69
71
        <?php if(isset($links))echo $links ?> 
72
       </div>
     </div>
2
       <script>
3
        $(document ).ready(function() {
   $('#dataTables-example').dataTable();
5
          });
6
     \label{eq:var_url} \verb|var url="<?php echo base_url();?>";
\frac{11}{12}
          function deleteFile(id){
13
      var r=confirm("Do you want to delete this?");
14
       if (r==true) {
15
          \label{location} window.location = url+"subject/delete\_portfolio\_file?FileID="+id+"\&ClassID="+<?php echo \$this->uri->segment(3,0);?>+"\&PortfolioID="+<?php echo \$this->uri->segment(4,0);?>;
16
17
          return false;
18
       else
19
20
         return false;
       }
21
22
24
25
26
27
          </\operatorname{script}>
29
30
32
     33
       <\!\!\mathrm{li}>\!\!<\!\!\mathrm{a\ href}="<\!\!\mathrm{?php\ echo\ base\_url}\left(\right);\ ?\!\!>\!\!\mathrm{subject/view}/<\!\!\mathrm{?php\ echo\ \$this}-\!\!\!>\!\!\mathrm{uri}-\!\!\!>\!\!\mathrm{segment}\left(3,0\right);\!?>">
34
             Announcements </a> 
       </pre
35
       Files </a>
class="active"><a href="<?php echo base_url(); ?>subject/portfolio/<?php echo $this->uri-> segment(3,0);?>">Portfolio</a>
</a>
36
       37
38
39
40
41
     42
43
     <div class="tab-content">
       <div class="tab-pane fade in active" id="applications">
44
          <div class="well">
45
46
       <?php\ echo\ form\_open\_multipart(`subject/upload\_portfolio\_files/`.\$this->uri->segment(3,0).'/`.\$this->uri->segment(4,0));?>
47
48
     <div class="form-group">
49
         <lass= notm=group >
<label for="exampleInputFile">File input </label>
<input type="file" name="userfile" id="exampleInputFile">

51
52
       </div>
```

```
54
55
   <button type="submit" value="upload" > Upload </button>
57
   </form>
58
59
60
61
     </div>
62
     <div class="well">
     <div class="well">

<?php if($results!=null)</pre>
63
64
     65
66
                 php echo $row->FileID; ?>">Download</a> <a onclick="return deleteFile('<?php echo $row->FileID; ?>');">
             <?php echo $row->FileName; ?></a>
68
             69
70
71
72
               <?php } ?>
73
     74
75
     76
      <?php echo $links ?> 
77
     </div>
79
     </div>
80
   </div>
82
83
84
     85
       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
86
87
88
       <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
89
90
91
92
       <script>
93
      (document).ready(function())
94
        $('#dataTables-example').dataTable();
95
96
97
98
       </\mathrm{script}>
     <script>
3
      $(document ).ready(function() {
4
        $('#dataTables-example').dataTable();
       });
6
7
9
10
    var url="<?php echo base_url();?>";
11
       function deleteFile(id){
12
13
    var r=confirm("Do you want to delete this?");
14
     if (r==true) {
15
16
       window.location = url+"subject/delete_portfolio_file?FileID="+id+"&ClassID="+<?php echo $this
           ->uri->segment(3,0);?>+"&PortfolioID="+<?php echo $this->uri->segment(4,0);?>;
17
       return false;
18
     else
19
20
       return false;
21
22
23
24
25
27
28
       </script>
29
30
31
32

    <a href="<?php echo base_url(); ?>subject/view/<?php echo $this->uri->segment(3,0);?>">
33
     Announcements</a>
class="active"><a href="<?php echo base_url(); ?>subject/show_students/<?php echo $this->uri ->segment(3,0);?>">Students</a>
</a>
35
     36
```

```
37
38
         39
40
41
         <div class="tab-content">
             <div class="tab-pane fade in active" id="applications">
42
43
44
                  <div class="panel panel-default">
                         45
46
47
           <a href="<?php echo base_url(); ?>subject/portfolio/<?php echo $this->uri->segment(3,0);?>/<?php
48
                      echo this \rightarrow uri \rightarrow segment(5,0);?>"> Portfolio </a>
49
           <i class="fa fa-angle-right"></i> <a href="#">Files</a>
50
51
52
                                </h4>
53
                            </div>
                              <div class="panel-body">
55
             <?php if($results!=null)</li>
56
57
             58
60
61
62
63
64
65
                                     <?php } ?>
66
              67
68
69
                <?php echo $links ?> </p>
             </div>
70
71
72
         </div>
73
74
75
76
77
             <\!\!\mathrm{script\ src}=^*<\!\!\mathrm{?php\ echo\ base\_url}\left(\right);\ ?\!\!>\!\!\mathrm{assets/themes/default/js/plugins/dataTables/jquery}.
                  dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.bootstrap.js"></script>
78
79
80
81
                  82
                  <script>
84
                $(document ).ready(function() {
85
                     $('#dataTables-example').dataTable();
87
                  });
88
89
                  </\mathrm{script}>
 2
             <script>
 3
                $(document ).ready(function() {
    $('#dataTables-example').dataTable();
 5
6
         var url="<?php echo base_url();?>";
function deletePortfolio(id){
10
11
12
           var r=confirm("Do you want to delete this?");
if (r==true){
13
14
15
                  window. \, location \, = \, url + "subject/delete\_portfolio? \, PortfolioID = "+id+" \& ClassID = "+<?php \, echo \, \$this \, PortfolioID = "+id+" & ClassID = "+<?php \, echo \, \$this \, PortfolioID = "+id+" & ClassID = "+<?php \, echo \, \$this \, PortfolioID = "+id+" & ClassID = "+<?php \, echo \, \$this \, PortfolioID = "+id+" & ClassID = "+<?php \, echo \, \$this \, PortfolioID = "+id+" & ClassID = "+<?php \, echo \, \$this \, PortfolioID = "+id+" & ClassID = "+<?php \, echo \, \$this \, PortfolioID = "+id+" & ClassID = "+<?php \, echo \, \$this \, PortfolioID = "+id+" & ClassID = "+<?php \, echo \, \$this \, PortfolioID = "+id+" & ClassID = "+id+" & ClassID = "+<?php \, echo \, \$this \, PortfolioID = "+id+" & ClassID = "+i
16
                            ->uri->segment(3, 0);?>;
17
                  return false;
18
19
              else
20
                 return false;
21
22
23
24
26
27
                  </\mathrm{script}>
29
30
```

```
32

     <a href="<?php echo base_url(); ?>subject/view/<?php echo $this->uri->segment(3,0);?>">
33
34
            Announcements </a> 
       <a href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->segment(3,0);?>">
35
       Files </a>
class="active" ><a href="<?php echo base_url(); ?>subject/portfolio/<?php echo $this->uri-> segment(3,0);?>">Portfolio</a>
</a>
36
37
       <a href="<?php echo base_url(); ?>subject/journal/<?php echo $this->uri->segment(3,0);?>">
         Journal </a>/li ><a href="<?php echo base_url(); ?>section/subject_grades/<?php echo $this->uri->segment
38
              (3,0);?>">Grades</a>
39
40
41
     42
43
     <div class="tab-content">
       class="tab-content">

<div class="tab-pane fade in active" id="applications">

<div class="panel-group" id="accordion">
44
45
           46
47
48
                    collapseOne">Create Portfolio </a></h4>
              </div>
49
              <div id="collapseOne" class="panel-collapse collapse in">
50
               51
52
54
                <div class="form-group">
                <label class="col-sm-2 control-label">Portfolio Name</label>
55
                <div class="col-sm-6">
                <input type="text" class="form-control" id="PortfolioName" name="PortfolioName" >
57
58
                </div>
59
                <label class="col-sm-4 error"><?php echo form_error('PortfolioName'); ?></label>
60
                </div>
61
                <div class="form-group">
62
                <div class="col-sm-offset -2 col-sm-10">
63
                <button type="submit" class="btn btn-default">Save</button>
64
65
                </div>
66
                </div>
67
68
69
70
                </form>
71
72
73
74
 75
                </div>
              </div>
76
            </div>
77
            <div class="panel panel-default">
             79
80
                    collapseTwo">Portfolios</a></h4>
81
              </div>
              <div id="collapseTwo" class="panel-collapse collapse in">
82
               <div class="panel-body">

84
85
                <?php
                if ($results!=null)
86
                foreach($results' as $row){ ?> 
87
88
                <a href="<?php echo base_url();?>subject/portfolio_files/<?php echo $this->uri->segment
(3,0);?>/<?php echo $row->PortfolioID;?>">
89

(3,0),://.php echo widw-->lortfolioName;?></a> <a onclick="return deletePortfolio('<?php echo
$row->PortfolioID; ?>');"> <i class="fa fa-trash-o"></i></a>
90
91
92
93
94
95
                  <?php } ?>
96
                <?php echo $links; ?>
98
99
                </div>
100
              </div>
101
           </div>
102
         </div>
103
       </div>
104
     </div>
105
106
107
108
109
       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
    dataTables.js"></script>
    <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
    bootstrap.js"></script>
110
111
```

```
113
                    <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
114
115
116
                    <script>
117
118
                  $(document ).ready(function() {
$('#dataTables-example').dataTable();
119
120
121
                     });
122
123
                    </script>
                < s c r i p t >
   3
                  $(document ).ready(function() {
    4
                       $('#dataTables-example').dataTable();
                    });
   6
7
   9
           var url="<?php echo base_url();?>";
  10
  11
                    function deletePortfolio(id){
  12
              var r=confirm ("Do you want to delete this?");
  13
  14
               if (r==true) {
  15
  16
                     window.location = url+"subject/delete_portfolio?PortfolioID="+id+"&ClassID="+<?php echo $this
                               ->uri->segment(3, 0);?>;
  17
                    return false;
                else
  19
  20
                   return false;
 21
22
  23
  24
  25
  27
  28
                    </script>
  29
  30
  31
  32

    <a href="<?php echo base_url(); ?>subject/view/<?php echo $this->uri->segment(3,0);?>">
  33
  34
               Announcements/a>

Announcements/a>

cli class="active"><a href="<?php echo base_url(); ?>subject/show_students/<?php echo $this->uri

->segment(3,0);?>">Students</a>

  35
               <a href="<?php echo base_url(); ?>subject/files/<?php echo $this->uri->segment(3,0);?>">
Files</a>>
  36
  37
                <a href="<?php echo base_url(); ?>subject/class_record/<?php echo $this->uri->segment(3,0)
                         ;?>">Grades</a>
  38
           39
           <div class="tab-content">
  40
               <div class="tab-pane fade in active" id="applications">
  41
  42
  43
                         <div class="panel panel-default">
    <div class="panel-heading">
        <h3 class="panel-title"><a href="<?php echo base_url(); ?>subject/show_students/<?php</pre>
  45
  46
                                            echo $\this-\uri-\segment(3,0);?\">\text{All Students}/\(\alpha\) / <\"?\"php echo $\text{$\text{students}'\; ?\'s <a href="<?\"php echo base_url(); ?\">\text{subject/portfolio}/<?\"php echo $\text{$\text{$\text{this}}-\uri-\segment(3,0)};?\'/<?\"php echo $\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\tex
                             </div>
  48
  49
  51
  52
                                  <div class="panel-body">
  53
                                   54
                                   <?php
  55
                                   if ($results!=null)
  56
                                  foreach ($results as $row) { ?> 
  57
                                  58
  59
  60
  61
  62
  63
                                       <?php } ?>
  64
  65
  66
                                   <?php echo $links; ?>
</div>
  67
  69
                         </div>
  70
```

```
</div>
72
73
         </div>
75
76
78
79
             <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
                  dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
80
81
82
83
                  <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
84
85
86
                  <script>
87
                $(document ).ready(function() {
88
89
                     $('#dataTables-example').dataTable();
                  });
90
92
                  </script>
 2
3
             <script>
                $(document ).ready(function() {
    $('#dataTables-example').dataTable();
 5
 6
                  });
         var url="<?php echo base_url();?>";
function deletePortfolio(id){
10
11
12
           var r=confirm("Do you want to delete this?");
if (r==true){
13
14
16
                  window.location = url+"subject/delete\_portfolio?PortfolioID="+id+"\&ClassID="+<?php echo \$this and the contraction of the cont
                             ->uri->segment(3, 0);?>;
17
                  return false;
\frac{18}{19}
20
                  return false;
21
             }
22
                  </script>
23
24
25
26
         27
             <a href="<?php echo base_url(); ?>subject/view/<?php echo $this->uri->segment(3,0);?>">
                        Announcements < /a > 
             color class="active"><a href="<?php echo base_url(); ?>subject/show_students/<?php echo $this->uri
29
             ->segment(3,0);?>">Students<a>/a>
->segment(3,0);?>">Students<a>/a>
->segment(3,0);?>">segment(3,0);?>">segment(3,0);?>">
30
                        Files </a>
             <a href="<?php echo base_url(); ?>subject/class_record/<?php echo $this->uri->segment(3,0)
;?>">Grades</a>
31
32
         33
         <div class="tab-content">
34
             <div class="tab-pane fade in active" id="applications">
36
37
38
                      <div class="panel panel-default">
     <div class="panel-heading">
39
40
                                chast = panel = title > <a href="<?php echo base_url(); ?>subject/show_students/<?php
echo $this->uri->segment(3,0);?>">All Students</a> / <?php echo $student; ?>'s <a
href="<?php echo base_url(); ?>subject/portfolio/<?php echo $this->uri->segment(3,0)
41
                           42
43
44
45
                                <div class="panel-body">

46
47
48
                                 <?php
49
                                 if ($results!=null)
                                foreach($results as $row){ ?> 
50
51
                                52
53
54
55
56
57
                                     <?php } ?>
58
```

```
60
                           <?php echo $links; ?>
61
62
                           </div>
63
                   </div>
64
65
66
               </div>
67
68
       </div>
69
70
71
72
73
           dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
74
75
76
77
78
               79
               < s c r i p t >
80
             (document).ready(function())
81
                 $('#dataTables-example').dataTable();
82
83
               });
84
85
               </script>
 2
           <script>
 3
             $(document ).ready(function() {
    $('#dataTables-example').dataTable();
 5
 6
               });
 8
 9
10
11
               </\operatorname{script}>
       12
           13
14
                    ;?>">Students</a>
           15
           <a href="""><| a href="">| a href
16
17
       18
       <div class="tab-content">
19
           20
21
22
                          <div class="table-responsive">
23
                              <\!table\ class="table\ table-striped\ table-bordered\ table-hover"\ id="dataTables-example">
24
25
                                  <thead>
26
                                      27
                                          Student Name
29
                                      30
                                   </thead>

<?php if($results !=NULL)</pre>
32
33
34
                                       foreach ($results as $data) { ?>
35
                                              <?php echo $data->SLastName; ?>, <?php echo $data->SFirstName; ?>
36
37
                                  <?php } ?>
38
39
40
                                   41
42
43
                          </div>
                        </div>
44
                   </div>
45
46
            </div>
47
48
       </div>
49
50
51
           52
53
                        bootstrap.js"></script>
54
55
               <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
56
```

```
58
                 <script>
59
60
               $(document ).ready(function() {
    $('#dataTables-example').dataTable();
61
62
63
64
65
                 </script>
             <script>
 3
               $(document ).ready(function() {
    $('#dataTables-example').dataTable();
 4
 6
7
 9
10
11
12
13
14
                 </script>
15

16
17
19
             20
21
22
        23
        <div class="tab-content">
             25
26
27
28
                              <div class="table-responsive">

29
30
                                        <thead>
31
                                            <tr>
32
                                                  Student Name
                                                 Student Name() of
Portfolio 
Journal 
33
34
35
36
37
                                             </\mathrm{tr}>
38
39
                                         </thead>
                                        40
                                         <?php if($results !=NULL)</pre>
41
42
                                              foreach ($results as $data) { ?>
43
                                                 45
                                                      "></i></a>
to base to
46
                                                                a > 
47
                                        <?php } ?>
                                    49
50
51
                           </div>
52
53
54
                      </div>
55
             </div>
56
57
         </div>
58
59
60
             <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
61
                 62
63
64
                 <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
65
66
67
68
                 < s c r i p t >
69
               $(document ).ready(function() {
    $('#dataTables-example').dataTable();
70
72
                 });
73
                 </\mathrm{script}>
```

```
<script>
3
       $(document ).ready(function() {
    $('#dataTables-example').dataTable();
4
5
6
7
8
9
10
11
12
13
14
15
        </\operatorname{script}>
    16
      <a href="<?php echo base_url(); ?>subject/view/<?php echo $this->uri->segment(3,0);?>">
      Announcements </a> 
class = "active" > <a href="<?php echo base_url(); ?>subject/show_students/<?php echo $this -></a>
18
      uri->segment(3,0);?>">Students</a>
<a href="c?php echo base_url(); ?>subject/files/<?php echo $this->uri->segment(3,0);?>"> Files </a>
19
      <a href="%?php echo base_url(); ?>subject/class_record/<?php echo $this->uri->segment(3,0); ?>">Grades</a>
20
21
    22
23
    <div class="tab-content">
      25
26
               <div class="table-responsive">

28
29
30
                   <thead>
                      Student Name
31
32
                         Portfolio Journal
33
34
35
36
37
                   </thead>
39
40
                   41
                    <?php if($results !=NULL)</pre>
42
                      foreach ($results as $data) { ?>
43
                        <tr>
                          44
45
                          "></i></a>
to base url ();?>subject/journal/<?php echo $this->uri-> segment(3);?>/<?php echo $data->StudNum; ?>"><i class="fa fa-book"></i></
46
                               a > 
                   <?php } ?>
47
48
49
                   50
               </div>
52
53
             </div>
           </div>
55
56
       </div>
57
    </div>
58
59
60
      <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
61
        | dataTables.js"></script>
| dataTables.js"></script>
| <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
| bootstrap.js"></script>
62
63
64
65
        <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
66
67
68
        <script>
69
       $(document ).ready(function() {
    $('#dataTables-example').dataTable();
70
72
73
        </\operatorname{script}>
    <script>
var url="<?php echo base_url();?>";
function deleteTestType(id){
3
            var r=confirm("Do you want to delete this?");
6
             if (r==true) {
```

```
8
                window.location = url+"subject/delete_test_type_column/"+id;
10
11
12
13
              else
\frac{14}{15}
                return false;
16
    </script>
17
18
    <?php
19
     if(isset($gradingperiodid)){
20
21
       $id = $gradingperiodid;
22
23
       $id=$this->uri->segment(3,0); ?>
25
    26
      class = nav nav-tabs >
<a href="<?php echo base_url(); ?>subject/view/<?php if(isset($class_id)) echo $class_id
;;>">Announcements</a>
<a href="<?php echo base_url(); ?>subject/show_students/<?php if(isset($class_id)) echo
$class_id;?>">Students</a>

27
28
      $class_id;(>">Students</a>
<a href="<?php echo base_url(); ?>subject/files/<?php if(isset($class_id)) echo $class_id; ?>">Files </a>
<a href="<?php echo base_url(); ?>subject/class_record/<?php if(isset($class_id)) echo $class_id;?>">Grades</a>
</a>
29
30
31
    32
    <div class="tab-content">
33
       <div class="tab-pane fade in active" id="announcements">
35
36
      <div class="panel panel-default">
    37
38
39
40
              echo $panel_header;
41
42
            else echo ""; ?></h4>
43
44
45
         </div>
46
47
48
      <div style="overflow:auto;" >
49
       <div class="form-group">
50
51
         <div class="col-sm-offset -4 col-sm-5">
52
          </div>
53
       < / \operatorname{div} >
54
     55
57
58
    No. 
    Name 

> Score 
59
60
61
62
63
    </{
m t} \, {
m r}>
64
65
       <?php $i=1; if(isset($top_students) && $top_students!=null)</pre>
66
              foreach($top.students as $score){
    echo ' '.$i.'';
67
68
                  \$i = 0:
69
                 foreach ($score as $student) {
70
                   if ($j==0){
    echo ''.$student ['SLastName'].''.$student
    ['Score'].'
71
72
73
74
                   else{
                     echo ''.$student['SLastName'].'';
75
76
77
                   $j++;
78
79
80
81
82
               }
$i++;
84
              }
85
    ?>
87
    </form>
88
89
     </div>
      </div>
90
91
      </div>
92
93
         </div>
```

```
95
96
98
     <!-- Modal -->
     <div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-labelledby="myModalLabel"</pre>
99
          aria-hidden="true">
       <div class="modal-dialog">
100
         <div class="modal-content">
101
102
           <div class="modal-header">
             <button type="button" class="close" data-dismiss="modal" aria-hidden="true">&times;
103
                  button>
104
           </div>
105
106
107
           <div class="modal-body">
108
109
       <div class="form-group">
         <label class="col-sm-2 control-label">Base Score</label>
<div class="col-sm-6">
110
111
           <input type="text" class="form-control" name="BaseScore" required>
113
114
          115
116
       </div>
117
           </div>
118
119
120
121
122
         </div>
123
       </div>
    </div>
124
    <script>
     var url="<?php echo base_url();?>";
    function deleteTestType(id){
            var r=confirm ("Do you want to delete this?");
             if (r==true) {
 8
               window.location = url+"subject/delete_test_type/"+id+"/multiple";
10
               return false;
11
 12
13
             else
14
               return false;
15
     } </script>
16
17
    <a href="<?php echo base_url(); ?>subject/view/<?php echo $this->session->flashdata('classid')
18
19
       ');?'>">Announcements</a>
<a href=""<?php echo base_url(); ?>subject/view/<.php echo $this->session->flashdata ('classid');?>">Students</a>
<a href=""<?php echo base_url(); ?>subject/show_students/<?php echo $this->session->flashdata ('classid');?>">Students</a>
20
      21
22
23
    25
    <div class="tab-content">
26

    class="breadcrumb">

      28
29
     30
31
     <div class="panel panel-default">
32
    <div style="overflow-x:auto" >
33
     34
35
    <tr>
36
37
     <?php
38
39
       $col_knowledge=0;
       if(is_array($knowledge_grades))
foreach($knowledge_grades as $data=>$value){
   if(is_array($value))
40
41
42
43
             $col_knowledge =$col_knowledge + count($value)+1;
44
           else
             col_knowledge+=2;
45
46
       else
47
         $col_knowledge =1;
49
       col_process=0;
50
       if (is_array ($process_grades))
52
         foreach($process_grades as $data=>$value){
  if(is_array($value))
53
             $col_process = $col_process + count($value)+1;
```

```
55
                 scol_process+=2:
 56
 58
         else
 59
           $col_process =1:
 60
 61
         col_product=0;
 62
         if (is_array ($product_grades))
 63
           foreach ($product_grades as $data=>$value){
 64
              if (is_array ($value))
 65
                 $col_product =$col_product + count($value)+1;
 66
                $col_product+=2;
 67
 68
 69
         else
           $col_product =1;
 70
 71
        $col_understanding=0;
 72
         if (is_array($understanding_grades))
           foreach ($understanding_grades as $data=>$value) {
 73
 74
75
              if(is_array($value))
                 $col_understanding = $col_understanding + count($value)+1;
 76
              else
                $col_understanding+=2:
 77
 78
 79
 80
           col_understanding = 1;
 81
 83
 84
      ?>
      Name  1) echo $col_knowledge; ?>"> Knowledge 1) echo $col_process; ?>"> Process/Skills  1) echo $col_understanding; ?>"> Understanding  1) echo $col_product; ?>"> Products/Performances 
 86
 87
 88
 89
 90
 91
       Total 
 92
 93
      </\operatorname{tr}>
 94
      95
 96
 97
      <?php
 98
         if (isset ($knowledge) && count ($knowledge) > 0) {
           (Isset (%knowledge) && count (%knowledge) > 0){
foreach (%knowledge as %row) {
    echo '<a href='.base_url().'
        subject/view_test_type/'.$row['TestID'].'>'.$row['TestType'].'</a>
<a href='.base_url().'subject/edit_test_type/'.$row['TestID'].'><i class="fa fa-pencil"></i</a>
 99
100
101
                    ></a>
              <a onclick="return deleteTestType('.$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
102
                    t\,\mathrm{d}>\dot{}
              echo ' Total ':
103
104
           }
105
         else
106
           echo '-';
107
108
         if(isset($process) && count($process) > 0){
109
           (lisset($process) && count($process) > 0){
foreach($process as $row){
   echo '<a href='.base_url().'subject
   /view_test_type/'.$row['TestID'].'>'.$row['TestType'].'</a>
<a href='.base_url().'subject/edit_test_type/'.$row['TestID'].'><i class="fa fa-pencil"></i</a>
110
111
112
                    ></a>
113
                  onclick="return deleteTestType('.$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
              < a.
                    td> Total 
114
           }
115
116
         else
           echo '-';
117
119
         if(isset(\$understanding) \&\& count(\$understanding) > 0){
           foreach ($understanding as $row){
    echo '<a href='.base_url().'
    subject/view_test_type/'.$row['TestID'].'>'.$row['TestType'].'</a>
    <a href='.base_url().'subject/edit_test_type/'.$row['TestID'].'><i class="fa fa-pencil"></i
120
121
122
                    ></a>
                   123
124
           }
125
126
           echo '-';
127
128
         if(isset(\$product) \&\& count(\$product) > 0){
           foreach ($product as $row) {
   echo '<a href='.base_url().'subject
130
131
             /view.test.type/'.$row['TestID'].'>'.$row['TestType'].'</a>
<a href='.base_url().'subject/edit_test_type/'.$row['TestID'].'><i class="fa fa-pencil"></i
132
                    ></a>
                  onclick="return deleteTestType('.$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
133
                    td> Total ';
134
           }
```

```
135
           }
else
136
137
              echo '-';
138
139
140
       141
142
143
        <td>Girls</td>
        Last NameFirst Name
144
145
146
147
148
         \begin{array}{ll} & \mbox{if (isset (\$knowledge) \&\& count (\$knowledge) > 0)} \{ \\ & \mbox{for each ($knowledge as $row)} \{ \\ & \mbox{if (isset ($knowledge\_grades) \&\& count ($knowledge\_grades) > 0)} \{ \end{array} 
149
150
151
                 foreach($knowledge_grades as $data=>$value){
    if($data == $row['TestID'])
152
153
                        if(is_array($value)){
155
                           sum=0;
                           $sum = 0;
foreach ($value as $score) {
  echo '>'. $score ['Base_Score'].' ';
  $sum +=$score ['Base_Score'];
156
157
158
159
                           echo ''.$sum.'';
160
161
163
                           e\,c\,h\,o\ '\!<\!t\,d\!>\!\!-k\!<\!\!/t\,d\!>\!\!-k\!<\!\!/t\,d\!>\!';
164
                 }
165
              }
          }
166
167
        }
168
           echo '-k';
169
170
171
        if(isset(\$process) \&\& count(\$process) > 0){
           foreach($process as $row){
  if(isset($process_grades) && count($process_grades) > 0)
172
173
                 if($data==$row['TestID']) {
  if(is_array($value)){
174
175
176
177
                           \$sum = 0:
                           ssum = 0,
foreach($value as $score){
  echo '>'.$score['Base_Score'].'';
  $sum+=$score['Base_Score'];
178
179
180
181
                           echo ''.$sum.'';
182
183
184
185
                           echo '-p1-p1';
186
                    }
187
188
          }
189
190
        else
191
           echo '-p1';
192
         \begin{array}{ll} & \text{if (isset (\$understanding) \&\& count (\$understanding) > 0) \{ \\ & \text{for each (\$understanding as \$row)} \\ & \text{if (isset (\$understanding\_grades) \&\& count (\$understanding\_grades) > 0)} \\ \end{array} 
193
194
195
                 if ($data==$row['TestID']) {
  if (is_array($value)) {
196
197
198
199
                           \hat{sum} = 0;
200
                           foreach($value as $score){
  echo '>'.$score['Base_Score'].'';
  $sum+=$score['Base_Score'];
201
202
203
204
205
                           echo '>'.$sum.'';
206
207
208
                        else
209
                           echo '-u-u';
210
                     }
211
212
        else
213
           echo '-u';
214
215
        if(isset(\$product) \&\& count(\$product) > 0){
           foreach($product as $row)
  if(isset($product_grades) && count($product_grades) > 0)
216
217
                 if ($product_grades) as $data=>$value)
if ($data==$row['TestID']) {
   if (is_array($value)) {
218
219
220
                           (1s_array(*value_/);
$sum = 0;
foreach($value as $score){
   echo '>'.$score['Base_Score'].'';
   $sum+=$score['Base_Score'];
221
222
223
224
225
226
                           echo ''.$sum.'';
```

```
227
                                                    else
228
229
                                                           echo '-p2-p2';
230
231
232
                  else
                        echo ' -p2 ';
233
234
235
236
 237
238
                ?>
239
240
241
242
243
244
                 <?php
                 $student_g=1;
245
246
                  $student_b=1;
                        foreach ($students as $student) {
247
248
                               249
250
251
252
                                      $student_g++;
253
                                254
255
256
                                                                BoysLast Name
257
 258
259
                                                                  First Name
                                                                  260
 261
262
263
                              }
264
                                             echo "".$student_b." ".$student [ 'SLastName']." ".$student [ '
                                                             {\tt SFirstName~']."} < / \, {\tt td} > ";
265
266
                                      $student_b++;
267
                        }
268
269
270
271
                            $total_k = 0;
272
                            total_p = 0;
273
                            \$ t o t a l - p 2 = 0;
274
275
                                if (isset ($knowledge) && count ($knowledge) > 0) {
276
277
                                        if(isset($student_scores[$student['StudNum']]['knowledge_grades'] )
&& count($student_scores[$student['StudNum']]['knowledge_grades'] ) > 0){
  foreach($student_scores[$student['StudNum']]['knowledge_grades'] as $d
278
279
280
                                                                                                                                                                                                                                                                                      as $data2=>$value2){
281
                                                        $ i = 0;
$ t o t a l = 0;
282
                                                           sbs = 0;
if (is_array($value2)){
  foreach($value2 as $testid=>$grades){
283
284
285
                                                                      foreach($knowledge as $row){
    if(isset($knowledge_grades) && count($knowledge_grades) > 0){
        foreach($knowledge_grades as $data=>$value){
286
287
288
                                                                                       if(is_array($value))
foreach($value as $column){
  if(srow['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
289
290
291
                                                                                                         ColumnID']) {
echo '>'.$grades['Raw_Score'].'';
292
                                                                                                       $total+=$grades['Raw_Score'];
$bs+=$grades['Base_Score'];
293
294
295
                                                                                                }
296
                                                                                         }
                                                                                   }
297
 298
                                                                            }
                                                                     }
200
300
 301
                                                                      $i++;
302
                                                                     if($i==count($value2)){
    echo ">".$total." ";
303
304
                                                                             \frac{1}{k} = (\frac{1}{k} + \frac{1}{k} + \frac{1
305
306
                                                              }
307
308
309
                                                        else
310
                                                                 echo '-k-k';
                                                           }
311
312
313
                                                  else
                                                    echo -k-k<;
314
315
```

```
316
317
                      echo '-k';
319
           // print_r($student_scores[$student['StudNum']]['process_grades'] ); if(isset($process) && count($process) > 0){
320
321
322
                 if(isset($student_scores[$student['StudNum']]['process_grades'] )
&& count($student_scores[$student['StudNum']]['process_grades'] ) > 0){
  foreach($student_scores[$student['StudNum']]['process_grades'] as $d
323
324
                                                                                                                 as $\data2=>$value2){
325
326
                         \$i = 0;
327
                         total=0;
328
                         bs = 0;
                        $bs = 0;
if(is_array($value2)){
  foreach($value2 as $testid=>$grades){
  foreach($process as $row){
    if(isset($process_grades) && count($process_grades) > 0){
329
330
331
                                   foreach($process_grades as $data=>$value){
  if(is_array($value))
333
334
                                      if("stailing ("walle")
foreach ("value as "scolumn) {
  if("srow" ['TestID'] == "sgrades" ['TestID'] && "scolumn" ['ColumnID'] == "sgrades" ['TestID']
335
336
                                           ( ($row[ 'TestID'] == $grades[ 'TestID'] && $col
    ColumnID']) {
  echo '>'. $grades[ 'Raw_Score'].' ';
  $total+=$grades[ 'Raw_Score'];
  $bs+=$grades[ 'Base_Score'];
337
338
339
340
                                        }
                                     }
341
                                  }
343
                               }
344
                             }
                             $i++;
346
                             51++,
if ($i==count($value2)){
echo ">".$total." ";
$total_p+=($total/$bs)*100;
347
348
349
350
351
352
353
                       }
354
                             '-p1-td>-p1';
355
                     echo
356
                        }
357
                    }
358
359
                     echo '-p1-td>-p1';
360
361
                 }
362
                     echo '-p1';
363
364
365
             if (isset ($understanding) && count ($understanding) > 0) {
366
                 368
369
370
371
                     foreach($student_scores[$student['StudNum']]['understanding_grades'] as $data2=>$value2)
                        \{ \{ i = 0;
372
373
                         \$ total = 0;
374
                         bs = 0;
                        375
376
377
378
                                   foreach($understanding_grades as $data=>$value){
  foreach($value as $column){
    if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades['
379
380
381
                                            ColumnID']) {
echo ''.$grades['Raw_Score'].'';
382
                                            $total+=$grades['Raw_Score'];
$bs+=$grades['Base_Score'];
383
384
385
                                     }
386
                                  }
387
388
                               }
                             }
389
390
391
                             i + +;
                             if($i==count($value2)){
    echo ">".$total." ";
    $total_u+=($total/$bs)*100;
392
393
394
395
                       }
396
397
398
                          else
399
                             echo '-u-td>-u';
400
401
402
                      }
                    }
403
404
```

```
405
                   echo '-u-u';
406
                }
407
                  else
408
                     echo '-u';
409
            if(isset($product) && count($product) > 0){
    if(isset($student_scores[$student['StudNum']]['product_grades'])
    && count($student_scores[$student['StudNum']]['product_grades']) > 0){
        foreach($student_scores[$student['StudNum']]['product_grades'] as $d
410
411
412
413
                                                                                                               as $\data2=>$value2){
414
                      \$i = 0;
415
                        \$ total = 0;
                       416
417
418
419
420
                                  foreach($product-grades as $data=>$value){
  foreach($value as $column) {
    if($row['TestID']==$grades['TestID'] && $column['ColumnID']==$grades[']
422
423
                                          ColumnID']) {
echo ''.' $grades ['Raw_Score'].' ';
$total+=$grades ['Raw_Score'];
$bs+=$grades ['Base_Score'];
424
425
426
427
428
                                    }
429
                                 }
                              }
430
                            }
432
433
                            $i++;
                            if($i==count($value2)){
    echo ">".$total." ";
    $total_p2+=($total/$bs)*100;
434
435
436
437
438
                         }
439
                      }
440
                            echo '-p2-p2';
441
442
                       }
443
                     else
444
445
                        echo '-p2-p2';
446
                }
447
                  else
448
                     echo '-p2';
449
450
         \begin{array}{lll} & \text{if (count(\$knowledge)==0} & || & \text{count(\$process)==0} & || & \text{count(\$product)==0} & || & \text{count(\$understanding)==0)} \\ & & \text{echo ">-} \end{array} 
451
452
453
          else {
454
            k = \frac{1}{4};
455
            p = \frac{1}{4};

p = \frac{1}{4};

p = \frac{1}{4};
456
            $u = $total_u/count($understanding)*1/4;
echo ">".($k+$u+$p2+$p)."
457
458
459
460
461
462
463
464
      ?>
465
466
467
468
469
      470
471
      </div>
472
473
474
      </div>
475
476
477
        <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
478
            dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
479
480
481
            <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
483
484
485
            <script>
486
           $(document ).ready(function() {
    $('#dataTables-example').dataTable();
487
488
489
            });
490
491
            </script>
```

```
2
    <script>
    var url="<?php echo base_url();?>";
3
        function deleteTestType(id){
5
            var r=confirm("Do you want to delete this?");
6
8
               window.location = url+"subject/delete_test_type_column/"+id;
10
               return false:
11
12
13
             else
               return false;
14
15
16
    </script>
17
    <?php
19
    if (isset ($gradingperiodid)) {
20
      $id = $gradingperiodid;
^{21}
22
23
24
      $id=$this->uri->segment(3,0); ?>
25
    26
      class = nav nav-taps">
<a href="<?php echo base_url(); ?>subject/view/<?php if(isset($class_id)) echo $class_id
;? ">Announcements</a>
<a href="<?php echo base_url(); ?>subject/show_students/<?php if(isset($class_id)) echo
$class_id;? ">>Students</a>

27
28
      cli>a href="<?php echo base_url(); ?>subject/files/<?php if(isset($class_id)) echo $class_id
;?>">Files</a>
29
      30
31
    32
33
    <div class="tab-content">
    <div class="tab-pane fade in active" id="announcements">
<?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('subject/add_grade_entry/'.$id,$attributes); ?>
34
35
36
37
     <div class="panel panel-default">
   38
40
41
            <?php
           if (isset ($panel_header)) {
42
43
             echo $panel_header;
44
           else echo ""; ?></h4>
46
          47
49
                 myModal">
50
      Add column
51
52
    </button> </div>
         </div>
54
55
     <div style="overflow:auto;" >
57
58
      <div class="form-group">
59
        <div class="col-sm-offset -4 col-sm-5">
60
61
      </div>
62
     63
65
     Name 
66
67
          <?php if(isset($scores) && $scores!=null){</pre>
68
69
             foreach($scores as $row){
    echo '>'.$test_type.' '.$i.' <a onclick="return deleteTestType('.$row['ColumnID'].')
    ;"><i class="fa fa-trash-o"></i></a> ';
70
71
72
73
            echo 'Total';
75
           else echo '';?>
76
    78
79
    <?php if(isset($scores) && $scores!=null){</pre>
81
      $sum
             =0:
             =0;
foreach($scores as $row){
    echo '><input size="3" type="text" name="base_score['.$row['ColumnID'].']" value="'.
    $row['Base_Score'].'">';
    $sum +=$row['Base_Score'];
82
83
```

```
85
               }
echo '>'.$sum.'';
 86
 88
 89
 90
             else echo '';?>
 91
 92
        <?php if(isset($students) && $students!=null)</pre>
 93
                foreach ($students as $student) {
                  $sum =0;
echo '';
echo '';
echo ''.$student['SLastName'].','.$student['SFirstName'].'';
if(isset($scores)&& $scores!=null){
foreach($scores as $score){
 94
 95
 96
 97
                       $temp = $student_scores[$student['StudNum']][$score['ColumnID']];
99
100
                       echo '<input type="text" size="3" name="student_score ['.$student ['StudNum'].'] ['.$score ['ColumnID'].']" value="'.$temp['Raw_Score'].'">';
101
102
103
                       \scriptstyle = \pm p['Raw\_Score'];
104
105
                     echo '>'.$sum.'';
                  }
106
107
108
                     else
                     echo '';
echo '';
109
110
112
113
               }
      115
116
117
      </div>
118
       </div>
119
120
       </div>
121
122
          </div>
123
124
125
126
     <div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-labelledby="myModalLabel" aria-hidden="true">
127
        <div class="modal-dialog">
128
          <div class="modal-content">
129
             <div class="modal-header">
  <button type="button" class="close" data-dismiss="modal" aria-hidden="true">&times;/
130
131
                     button>
132
             </div>
133
        <?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('subject/record_test_entry/'.$this->uri->segment(3),$attributes); ?>
<div class="modal-body">
135
136
        138
139
140
141
142
143
            <button type="submit" class="btn btn-success">Submit</button>
144
145
146
        </div>
             </div>
147
148
149
             <?php form_close(); ?>
150
          </div>
        </div>
152
      </div>
153
     <script>
var url="<?php echo base_url();?>";
  function deleteTestType(id){
 3
               var r=confirm("Do you want to delete this?");
 6
                  window.location = url+"subject/delete_test_type_column/"+id;
 9
 10
                  return false;
 11
 12
 13
 14
                  return false;
 15
      </script>
 17
 18
      <?php
```

```
20
               if(isset($gradingperiodid)){
                      $id = $gradingperiodid;
  21
  22
  23
                      $id=$this->uri->segment(3,0); ?>
  24
  25
              <a href="<?php echo base_url(); ?>subject/view/<?php echo $this->session->flashdata('classid')
  26
                                      ');?>">Announcements</a>
                     /;:/>Announcements/a></ii>
<a href="<pre>"pre ceho base_url(); ?>subject/show_students/<?php echo $this->session->flashdata ('classid');?>">Students/a>

  28
                     29
  30
                                   session -> flashdata ('classid');?>">Grades </a>
  31
               <div class="tab-content">
    <div class="tab-pane fade in active" id="announcements">
  33
  34
               <fieldset disabled>
                     <form class="form-horizontal">
  36
             <form class="form-horizontal">
    <div class="panel panel-default">
    <div class="panel panel-default">
    <div class="panel panel-default">
    <div class="panel panel-default">
    <div class="panel panel 
  38
  39
  40
                                   cphp
if(isset($panel_header)){
  41
  42
  43
                                          echo $panel_header;
  45
                                   } else echo ""; ?></h4>
  46
  47
                            </div>
  48
  49
  50
                  <div style="overflow:auto:" >
  51
  52
  53
                     <div class="form-group">
                           <div class="col-sm-offset -4 col-sm-5">
  54
  55
  56
                            </div>
                      </div>
  57
  58
                  59
  60
  61
               \langle th \rangle Name \langle /th \rangle
               <?php if(isset($scores) && $scores!=null){
    $sum =0;</pre>
  62
                                          continuous contin
  64
  65
                                                $sum +=$row['Base_Score'];
  66
  67
  68
                                       echo ''.$sum.'';
  69
  70
                                    else echo '';?>
  72
  73
  75
               <?php if(isset($students) && $students!=null)</pre>
  76
  77
                                          foreach ($students as $student) {
  78
                                                      sum = 0:
                                                79
  80
  81
  82
                                                              $temp = $student_scores[$student['StudNum']][$score['ColumnID']];
  83
  84
                                                              echo '<input type="text" size="3" name="student_score ['.$student ['StudNum '].'] ['.$score ['ColumnID'].']" value="'.$temp['Raw_Score'].'">';
  85
  86
  87
                                                              $sum+=$temp['Raw_Score'];
  88
                                                       echo '>'.$sum.'';
  90
                                                }
  91
                                                        else
                                                       echo '';
echo '';
  93
  94
  96
  97
                                         }
  98
               99
100
               </form>
101
               </fr></ra>
102
               </div>
                  </div>
```

```
104
     </div>
105
106
107
        </div>
108
109
110
111
    <div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-labelledby="myModalLabel"</pre>
112
      aria-hidden="true">
<div class="modal-dialog">
113
114
        115
116
           <button type="button" class="close" data-dismiss="modal" aria-hidden="true">&times;
               button>
117
           <h4 class="modal-title" id="myModalLabel">Modal title </h4>
      119
120
122
123
      <div class="form-group">
       <label class="col-sm-2 control-label">Base Score</label><div class="col-sm-6">
124
125
         <input type="text" class="form-control" name="BaseScore" required>
126
127
        </div>
128
      </div>
129
130
         <div class="modal-footer">
  <div class="form-group">
131
       <div class="col-sm-offset-4 col-sm-5">
    <button type="submit" class="btn btn-success">Submit</button>
133
134
135
        </div>
      </div>
136
137
138
         <?php form_close(); ?>
139
        </div>
140
141
      </div>
    </div>
142
      <script>
 3
       $(document ).ready(function() {
$('#dataTables-example').dataTable();
 4
 6
 9
    var url="<?php echo base_url();?>";
10
        function deletePortfolio(id){
11
12
13
     var r=confirm("Do you want to delete this?");
      if (r==true){
15
        window.location = url+"subject/delete_portfolio?PortfolioID="+id+"&ClassID="+<?php echo $this
16
            ->uri->segment(3, 0);?>;
17
        return false;
18
19
     return false;
20
22
       </script>
23
25
26
    28
      29
30
          Files </a>
31
    33
    <div class="tab-content">
      <div class="tab-pane fade in active" id="applications">
34
35
36
37
38
         <div class="panel panel-default">
          39
40
                  collapseOne">Portfolio</a></h4>
           </div>
41
42
         <br> <?php if($student!=null)
foreach($student as $row){
    echo $row->SFirstName." ".$row->SLastName;
43
44
```

```
} ?>
46
47
            48
49
50
51
                <?php
               if ( $results!=null)
52
               foreach($results as $row){ ?>

<a href="<?php echo base_url();?>subject/portfolio_files/<?php echo $this->uri->segment (3,0);?>/<?php echo $row->PortfolioID;?>/<?php echo $this->uri->segment (4,0);?>">
53
54
55
56
               <?php echo $row->PortfolioName;?></a> 
57
58
59
60
                 <?php } ?>
61
62
               63
               </div>
65
66
           </div>
           <div class="panel-heading">
67
                68
69
             </div>
70
            72
73
                <?php
               if($results!=null)
foreach($results as $row){ ?>
75
76
               78
79
               <?php echo $row->PortfolioName;?></a> 
80
81
82
83
84
                 <?php } ?>
85
86
               87
88
           </div>
89
90
         </div>
91
93
     </div>
94
     </div>
96
97
98
99
       <\!\!\mathrm{script\ src}=^*'<\!\!\mathrm{?php\ echo\ base\_url}\left(\right);\ ?\!\!>\!\!\mathrm{assets/themes/default/js/plugins/dataTables/jquery}\,.
         dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
100
101
102
         <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
103
104
105
         <script>
106
107
108
        (document).ready(function())
          $('#dataTables-example').dataTable();
109
110
111
         </script>
112
     <script>
var url="<?php echo base_url();?>";
 3
         function deleteSubjects(id){
            var r=confirm("Do you want to delete this?");
 6
             if (r==true) {
               window.location = url+"record/delete_subjects/"+id;
               return false;
 9
 10
 11
             else
12
               return false:
 13
14
     </script>

<a href="<?php echo base_url(); ?>record/view_section/<?php echo $this->uri->segment(3);
15
 16
      ?>">Section Information </a>

class="active"><a href="<?php echo base_url(); ?>record/view_subjects/<?php echo $this->uri
->segment(3); ?>">Subjects</a>

17
```

```
18
19
        <a href="<?php echo base_url(); ?>record/class_record/<?php echo $this->uri->segment(3);
        ?>">Class Record</a>
<a href=""<?php echo base_url(); ?>record/reports/<?php echo $this->uri->segment(3); ?>"></a>
20
              Reports </a>
    21
22
23
     <div class="tab-content">
24
25
      <div class="panel panel-default">
26
      <div class="panel-heading">
27
      <?php
         if ($this->session->userdata('logged_in')['Type'] =='Registrar')
echo '<a class="btn pull-right btn-success" id="add" value="Add Another Record" href="'.
base_url().'record/add_subjects/'.$this->uri->segment(3).'">Add Another Record </a>'
29
31
    <h4>Subjects</h4>
32
34
35
36
    </div>
       <div class="panel-body">
37
         38
39
40
              <thead>
                 <tr>
42
                   Section Name
                  <th>Adviser</th>
43
                  Schedule 

Room 

Php

45
46
47
                   if ($this->session->userdata('logged_in')['Type'] =='Registrar')
                      echo "";
48
49
50
                 51
52
              </thead>

(**result !=NULL)

53
54
55
               foreach ($result as $data) { ?>
56
                57
58
59
60
61
                   cho '<a onclick="return deleteSubjects('.$data['ID'].')"> Edit</a>
62
63
64
                                 "></i>Delete</a>';
65
66
          ?>
              </\mathrm{tr}>
67
              <?php } ?>
68
69
              70
          </div>
       </div>
72
73
    </div>
    <div class="form-group">
75
76
         <div class="col-sm-offset -2 col-sm-10">
            <input type="submit" value="Edit"> </input>
78
          </div>
79
       </div>
80
    </div>
    </form>
81
82
83
    </div>
84

dataTables.js">

dataTables.js">

<p
86
    bootstrap.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
<script>
87
89
    $(document ).ready(function() {
    $('#dataTables-example').dataTable();
90
    });
92
    </script>
2
    <script>
     var url="<?php echo base_url();?>";
         function deleteTestType(id){
             var r=confirm("Do you want to delete this?");
              if (r==true) {
                 window.location = url+"subject/delete_test_type/"+id+"/single";
```

```
10
                            return false;
11
12
13
                         else
                            return false:
14
16
        </script>
17
        <?php
19
20
        if (isset ($gradingperiodid)) {
21
            $id = $gradingperiodid
22
23
24
            $id=$this->uri->segment(3,0); ?>
25

    <a href="<?php echo base_url(); ?>subject/view/<?php if(isset($class_id)) echo $class_id; ?>">Announcements</a>

27

<a href="?"?"?hp echo base_url(); ?>subject/show_students/<?php if(isset($class_id)) echo
$class_id;?>">Students</a>
28
            <a href="<?php echo base_url(); ?>subject/files/<?php if(isset($class_id)) echo $class_id</a>
29
           ;?">Files /a>
class="active"><a href="<?php echo base_url(); ?>subject/class_record/<?php if(isset( $class_id)) echo $class_id;?>">Grades</a>

30
31
        32
        <div class="tab-content">
            <div class="tab-pane fade in active" id="announcements">
34
35
          <div class="panel panel-default">
         37
38
                    <a href="<?php echo base_url(); ?>subject/class_record/<?php if(isset($class_id)) echo
$class_id;?>">Class Record</a> / <?php echo $gp; ?></h2>
<div class="btn-group pull-right">
39
40
                        <a href="<?php echo base_url(); ?>subject/add_test_type/<?php echo $this->uri->segment(3); ?>">
41
42
43
                        <button type="button" class="btn btn-default btn-sm" >
            Add column
44
        </button></a>
46
                   </div>
                </div>
47
48
                </div>
49
       50
51
52
53
54
55
56
57
58
        <tr>
         Knowledge 
59
60
        <?php if(isset($knowledge) && count($knowledge) > 0)
61
                        foreach ($knowledge as $row)
echo 'a fref='.base_url().'subject/view_test_type/'.$row['TestID'].'>'.$row['TestType
62
63
                    cello \tag{c} \ta
64
                             ></a>
65
                        onclick="return deleteTestType('.\$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
66
                    ';
67
                    else
68
                        echo '-';
69
       ?>
       \dot{<}/\mathrm{tr}>
70
71
72
        Process/Skills 
73
74
        <?php
                   75
76
77
78
                             ></a>
                        onclick="return deleteTestType('.$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
79
                < a
80
                    ';
81
                    else
                       echo '-';
82
         ?>
84
85
           Understanding 
87
          <?php
                      if (isset ($understanding) && count ($understanding) > 0)
88
                        foreach($understanding as $row)
echo 'a href='.base_url().'subject/view_test_type/'.$row['TestID'].' > '.$row['TestType
'].'</a>
89
90
```

```
<\!a\ href='.base\_url().'subject/edit\_test\_type/'.\$row['TestID'].'><\!i\ class="fa\ fa-pencil"><\!/idrawarestriction | fa-pencil"></idrawarestriction | fa-pencil"></i
 91
                                        ></a>
                                 onclick="return deleteTestType('.$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
  92
                             </\mathrm{td}>;
  93
  94
                             else
  95
                                  echo '-';
            ?>
  96
  97
  98
            <\!\mathrm{t}\,\mathrm{r}\!>
              Products/Performances 
  99
100
             <?php
101
                                if (isset ($product) && count ($product) > 0)
102
                            foreach ($product as $row)
echo '<a href='.base_url().'subject/view_test_type/'.$row['TestID'].'>'.$row['TestType
'].'</a>
<a href='.base_url().'subject/edit_test_type/'.$row['TestID'].'><i class="fa fa-pencil"></i
103
104
105
                                  onclick="return deleteTestType('.\$row['TestID'].');"><i class="fa fa-trash-o"></i></a>
106
                             ';
107
108
                                  else
109
                                       echo '-';
110
111
112
            ^{?>}_{</\mathrm{tr}>}
113
114
             116
117
                             </div>
                       </div>
                  </div>
119
120
121
122
123
                                  <script>
124
                    $(function() {
125
126
127
                  $('#TypeTest').change(function() {
    if($("#TypeTest option:selected" ).text()=='Other') {
128
129
130
                            $('#TypeTestOther').show();
131
132
133
                        else
                             $('#TypeTestOther').hide();
134
135
136
                  });
138
            })
                  </script>
139
             <script>
             var url="<?php echo base_url();?>";
                       function deleteTestType(id){
                                var r=confirm("Do you want to delete this?");
    6
                                  if (r==true) {
    9
                                        window.location = url+"subject/delete_test_type/"+id;
  10
                                        return false:
  12
                                  }
else
  13
                                        return false;
  15
             </script>
  16
             <?php
  18
  19
  20
             if(isset($gradingperiodid)){
  21
                  $id = $gradingperiodid
  23
                    else
  24
                  $id=$this->uri->segment(3,0); ?>

    <a href="<?php echo base_url(); ?>subject/view/<?php echo $this->session->flashdata('classid ');?>">Announcements</a>
    <a href="<?php echo base_url(); ?>subject/show_students/<?php echo $this->session->flashdata ('classid');?>">Students</a>

  26
  27
  28
                 ('classid');?'>Students/a>
<a href="??php echo base_url(); ?>subject/files/<?php echo $this->session->flashdata('classid');?>">Files/a>
class="active"><a href="??php echo base_url(); ?>subject/class_record/<?php echo $this->session->flashdata('classid');?>">Grades</a>

  29
  30
  31
             33
  34
```

```
36
37
38
39
40
      </div>
41
42
43
   44
45
   <tr>
46
47
48
49
50
51
52
    Knowledge 
53
   55
56
57
        58
59
        else
         echo '-';
60
62
   <\!/\,\mathrm{t}\,\mathrm{r}\!>
63
   Process/Skills 
65
66
   <?php
67
        if(isset(process) && count(process) > 0)
         foreach($process as $row) echo '<a href='.base_url().'subject/view_test_type/'.$row['TestID'].'>'.$row['TestType'].
68
69
        '].'</a>
70
71
        else
         echo '-';
72
    ?>
73
74
75
    Understanding
76
77
        78
79
80
81
82
         echo '-';
83
   ?>
   85
86
    Products/Performances 
88
   <?php
89
         if(isset($product) && count($product) > 0)
foreach($product as $row)
echo '<a href='.base_url().'subject/view_test_type/'.$row['TestID'].' > '.$row['TestType</a>
90
91
92
             ,] \ . \ , </\ a>
93
      94
         else
           echo '-';
95
96
97
98
   ?>
99
100
101
   </div>
102
103
104
     </div>
105
106
107
108
109
         <script>
     $(function() {
110
111
112
     113
115
116
        $('#TypeTestOther').show();
117
118
      else
        $('#TypeTestOther').hide();
119
120
     });
121
```

```
})
</script>
123
124
 2
       <script>
 3
        $(document ).ready(function() {
    $('#dataTables-example').dataTable();
 6
     </script>

 9
       <a href="<?php echo base_url(); ?>record/view_section/<?php echo $this->uri->segment(3);
10
       ?>">Section Information </a>
<a href="c?php echo base_url(); ?>record/view_subjects/<?php echo $this->uri->segment(0);</a>;
11
            ?>">Subjects </a>

<pr
12
13
14
              Reports </a>
15
     16
     <div class="tab-content">
18
19
     20
21
23
                    <thead>
24
                       \langle tr \rangle
                        Subject Name
25
26
27
                     </thead>
                     <?php if(is_array($Subject))</pre>
29
                       foreach ($Subject as $data) { ?>
30
31
                           <a href="<?php echo base_url(); ?>section/subject_grades/<?php echo $data</a>
32
                            ['ID']; ?>"> <?php echo base_uri(), :>section ['ID']; ?></a>
33
34
                            </{
m tr}>
                     <?php } '?>
36
                     37
                   39
40
            </div>
41
            </div>
42
            </div>
43
44
45
46
47
       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
         dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
48
49
50
         <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
51
52
53
         <!-- Page-Level Demo Scripts - Tables - Use for reference -->
54
         <script>
55
        $(document ).ready(function() {
    $('#dataTables-example').dataTable();
56
57
59
         </script>
60
     ss = nav nav-tabs / cli class="active"><a href="#information" data-toggle="tab">Club Information</a>
<a href="#members" data-toggle="tab">Members</a>
 3
 6
     <div class="tab-content">
          9
10
          11
12
            <?php echo $warning ?>
13
        </div>
14
 15
16
              <form class="form-horizontal well">
17
              <fieldset disabled>
```

```
19
20
      21
22
               23
24
25
26
               </div>
         </div>
27
         <div class="form-group">
28
               <label class="col-sm-2 control-label">Club Name</label>
29
30
                     < div class = "col - sm - 6" >
                           31
                               Club Name">
32
                     </div><label class="col-sm-4 error"><?php echo form_error('ClubName');</pre>
33
                         ?></label>
34
         </div>
35
         <div class="form-group">
               <label class="col-sm-2 control-label">Description</label>
36
                     < div class = "col - sm - 6" >
                           38
39
40
                     </div><label class="col-sm-4 error"><?php echo form_error('Description');</pre>
                         ?></label>
         </div>
41
42
         <div class="form-group">
43
               44
45
46
                         , ]; ?>" >
47
                     </div>
         </div>
48
50
     </fieldset>
51
    </form>
52
53
    </div>
    </div>
54
55
    </div>
    56
58
59
61
             <thead>
62
               <tr>
                 Student Name
64
                 Position 
65
               67
68
              </thead>
69

<?php if($results !=NULL)
70
71
               foreach ($results as $data) { ?>
72
                  73
74
75
                 </\mathrm{tr}>
                  <?php } ?>
76
77
78
             79
            80
81
          </div>
         </div>
82
83
       </div>
84
85
    </div>
86
    </div>
   87
   <color=">

<color=">

<color=">

<color=">

<p
88
   <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
90
   <script>
91
   $(document).ready(function() {
    $('#dataTables-example').dataTable();
   });
</script>
93
94
   <script>
      var url="<?php echo base_url();?>";
```

```
function applyClub(id){
           var r=confirm ("Do you want to be a member of this club?");
6
            if (r==true) {
               window.location = url+"club/apply_member/"+id;
9
              return false;
10
11
             else
12
              return false;
13
14
   </script>
15
            s - nav nav-tabs / (1) cliss="active"><a href="#information" data-toggle="tab">Club Information</a>
<a href="#members" data-toggle="tab">Members</a>
16
17
18
19
    <div class="tab-content">
20
            <div class="tab-pane fade in active" id="information">
21
            <form class="form-horizontal well">
<fieldset disabled>
<div class="form-group">
23
24
25
26
28
                     <div class="col-sm-9">
                     29
30
32
                     </div>
            </div>
33
            <div class="form-group">
34
                     <label class="col-sm-2 control-label">Club Name</label>
<div class="col-sm-6">
35
36
                                      col-sm-o >
  <input type="text" class="form-control" id="ClubName" name="
        ClubName" value="<?php echo set_value('ClubName',(isset($form
        ['ClubName'])) ? $form['ClubName'] : ''); ?>" placeholder="
37
                                           Club Name">
38
39
                              </div><label class="col-sm-4 error"><?php echo form_error('ClubName');</pre>
                                  ?></label>
40
            </div>
            <div class="form-group">
41
                     42
43
                                      <textarea class="form-control" id="Description" name="Description</pre>
44
                                           " rows="3"><?php echo set_value('Description', (isset($form[Description'])) ? $form['Description'] : ''); ?></textarea>
45
                              </div><label class="col-sm-4 error"><?php echo form_error('Description');</pre>
46
                                  ?></label>
47
            </div>
48
49
            <div class="form-group">
50
                     51
                             <input type="text" class="form-control" id="TeacherNum" name="TeacherNum"
   value="<php if(isset($form['TeacherName'])) echo $form['TeacherName']; ; ?>" >
52
53
                              </div>
            </div>
54
55
56
       </fieldset>
57
58
    <div class="form-group">
        59
60
61
        </div>
      </div>
62
63
      </form>
64
65
      </div>
      66
67
68
69
              <div class="table-responsive">

70
71
                   <thead>
72
73
                        Student Name
74
75
                        Position 
76
                     </\mathrm{tr}>
                   </thead>
78
79
                   80
                   <?php if($results !=NULL)</pre>
                     foreach ($results as $data) { ?>
81
                      <tr>
```

```
83
84
                         </\mathrm{tr}>
86
                           <?php } ?>
87
88
                     89
                  90
91
                </div>
              </div>
92
93
           </div>
94
      </div>
95
96
       </div>
97
       </div>
2
3
             <?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/edit_guardian/'.$form['GuardianNum'], $attributes); ?>
<div class="form-group">
4
                       <label class="col-sm-2 control-label">Guardian Number</label>
<div class="col-sm-9">
8
                                <input type="text" class="form-control" disabled id="GuardianNum" name="</pre>
                                     GuardianNum" placeholder="Guardian Number" value="<?php echo set_value ('GuardianNum',(isset($form['GuardianNum'])) ? $form['GuardianNum'] : ''); ?>" >
                       ''); ?>" > <?php echo form_error('GuardianNum'); ?>
10
11
                       </div>
             </div>
13
             <div class="form-group">
14
15
                       <label class="col-sm-2 control-label">Last Name</label>
16
                                <div class="col-sm-9">
                                         ass="co1-sm-9">
<input type="text" class="form-control" id="GLastName" disabled
    name="GLastName" value="<?php echo set.value('GLastName',(
    isset($form['GLastName'])) ? $form['GLastName'] : ''); ?>"
    placeholder="Last Name">
18
                                          <?php echo form_error('GLastName'); ?>
                                </div>
19
              </div>
             <div class="form-group">
21
22
                       <label class="col-sm-2 control-label">First Name</label>
                                23
24
                                         <input type="text" class="form-control" id="GFirstName" disabled
    name="GFirstName" value="<?php echo set_value('GFirstName',(
    isset($form['GFirstName'])) ? $form['GFirstName'] : '');?>"
    placeholder="First Name">
<?php echo form_error('GFirstName'); ?>
26
                                </div>
             </div>
27
             <div class="form-group">
29
                       <label class="col-sm-2 control-label">Middle Name</label>
                                30
                                          <?php echo form_error('GMidName'); ?>
32
33
                                </div>
34
              </div>
             <div class="form-group">
35
                       <label class="
36
                                       \verb|col-sm-2| | \verb|control-label|| > Address < / label >
37
                                < div class = "col-sm-9">
                                         <textarea class="form-control" id="GAddress" name="GAddress"</pre>
38
                                         disabled rows="3"><?php echo set_value('GAddress',(isset($form ['GAddress'])) ? $form['GAddress'] : ''); ?></textarea>
39
40
                                </div>
             </div>
41
42
             <div class="form-group">
43
                       <label class="col-sm-2 control-label">Contact Number</label>
44
                                45
46
                                         <?php echo form_error('GCellNum'); ?>
47
48
                                </div>
                                <div class="col-sm-4">
49
                                         50
                                                "Home Number">
51
                                          <?php echo form_error('GHomeNum'); ?>
52
                                </div>
53
              </div>
             54
55
```

```
<input type="text" class="form-control" id="GEmailAdd" disabled
    name="GEmailAdd" value="<?php echo set_value('GEmailAdd')</pre>
57
                                              name="GEmailAdd" value="<?php echo set_value('GEmailAdd',(
    isset($form['GEmailAdd'])) ? $form['GEmailAdd'] : ''); ?>"
    placeholder="Email Address">
<?php echo form_error('GEmailAdd'); ?>
58
59
                                   </div>
               </div>
60
               <div class="form-group">
61
62
                         <label class="col-sm-2 control-label">Email Address</label>
                                   63
64
                                                   name="Occupation" value="<?php echo set_value('Occupation',(isset($form['Occupation']))? $form['Occupation']:''); ?>"placeholder="Occupation">
65
                                              <?php echo form_error('Occupation'); ?>
                                   </div>
66
               </div>
68
69
70
71
       <div class="form-group">
         72
73
          </div>
74
       </div>
75
76
         </form>
     <script>
var url="<?php echo base_url();?>";
  function deleteOffenses(id){
 2
 3
              var r=confirm ("Do you want to delete this?");
 5
 6
               if (r==true) {
                  window.location = url+"record/delete_offenses/"+id;
 8
                 return false;
10
               else
11
                  return false;
13
     </script>
14
      <?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
    echo form_open('record/add_offenses/'.$this->uri->segment(3),$attributes); ?>
16
17
    <div class="panel panel-default">
<div class="panel-heading">
19
20
     <input type="submit" class="btn pull-right btn-success" id="add" value="Add Another Record"> 
21
          input>
22
     <h4><?php echo $student; ?> </h4>
23
24
26
     </div>
27
     <div class="panel-body">
29
30
31
    <\!\operatorname{div}\ \operatorname{class} = "\operatorname{table} - \operatorname{responsive}" >
     32
     <thead>
34
      Offense Number
35
                Equipment
               No. of Equipment 

37
38
39
                Personnel 
40
       <\!\operatorname{th}\!>\,<\!/\operatorname{th}\!>
      41
42
     </thead>
43
     <?php $i=0; if($results !=NULL)</pre>
44
45
      foreach ($results as $data) { ?>
46
        <fr><?php echo $i; ?><?php echo $data['Equipment']; ?><?php echo $data['NoEquipment']; ?><?php echo $data['Status']; ?><?php echo $data['SAFirstName']; ?> <?php echo $data['SALastName']; ?>
47
48
49
50
51
52
        <a href="<?php echo base_url(); ?>record/edit_offenses/<?php echo $data['OffenseID']; ?>"> <i
    class="fa fa-trash-o"></i>Edit</a>
53
54
55
          <a onclick="return deleteOffenses('<?php echo $data['OffenseID'];?>');"> <i class="fa fa-trash</pre>
                -o"\!><\!/i\!>\!{\rm Delete}<\!/a\!><\!/td\!>
         56
57
        <?php
58
       i++;
        }
?>
60
     61
```

```
63
     </div>
64
     </div>
66
     </div>
67
     </form>
68
      <\!\!\mathrm{script\ src}=^*<\!\!\mathrm{?php\ echo\ base\_url\left(\right);\ ?}\!\!>\!\!\mathrm{assets/themes/default/js/plugins/dataTables/jquery}.
69
          dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
70
                 \verb|bootstrap.js"></script>
71
72
          <script src="<?php echo base_url(): ?>assets/themes/default/is/sb-admin.js"></script>
73
74
75
          <script>
76
         $(document ).ready(function() {
    $('#dataTables-example').dataTable();
77
78
          });
79
81
          </script>
 1
     3
        <\!1i><\!a\ href="<?php\ echo\ base\_url();\ ?\!>\!record/view\_section/<?php\ echo\ \$this-\!>\!uri-\!>\!segment(3);
        ?>">Section Information </a><array>\text{li><a href="<?php echo base_url(); ?>record/view_subjects/<?php echo $this->uri->segment(3);}
 4
        ?>">Subjects </a><a href="<?php echo base_url(); ?>record/view_students/<?php echo $this->uri->segment(3);
 5
              ?>">Students</a>
         6
7
8
     10
     <div class="tab-content">
<div class="panel panel-default">
11
12
13
          <div class="panel-heading">
14
15
          </div>
16
18
19
             <div class="panel-body">

21
22
23
        <a href="<?php echo base_url(); ?>reports/attendance/<?php echo
$this->uri->segment(3); ?>">
24
     25
26
    %this->uri->segment(3); ?>">
<i class=" fa-calculator"></i> Report Card</a>
class="fa-calculator"></i> Report Card</a>
cli class="list-group-item"><a href="<?php echo base_url(); ?>reports/promotions_report/<?php echo %this->uri->segment(3); ?>">
<i class=" fa-file"></i> Promotions</a>
class="fa-file"></i> Promotions</a>
cli class="list-group-item"><a href="<?php echo base_url(); ?>reports/guidance_form/<?php echo %this->uri->segment(3) ?>">
<i class=" fa-file"></i> Guidance Form</a>
cli class="fa-file"></i> Guidance Form</a>
cli class="list-group-item"><a href="<?php echo base_url(); ?>reports/putritional_status/<?php</li>

28
29
30
31
    <! class="list-group-item"><< href="<?php echo base_url(); ?>reports/nutritional_status/<?php
echo $this->uri->segment(3) ?>"></ir>

32
33
        34
35
          </div>
36
38
           </div>
         <?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form');
echo form_open('record/edit_schooladmin/'.$form['SANum'],$attributes); ?>
2
 3
 4
                <div class="form-group">
                           <label class="col-sm-2 control-label">SA Number
5
                           6
7
                                                                                         value="<?php echo set_value('SANum',(
SANum'] : ''); ?>" >
 8
                           <?php echo form_error('StudNum');</pre>
 9
                           </div>
10
                </div>
11
                <div class="form-group">
13
                           <label class="col-sm-2 control-label">Last Name</label>
14
                                      <div class="col-sm-9">
                                                 <input type="text" class="form-control" id="SALastName" disabled</pre>
                                                       name="SALastName" value="<?php echo set_value('SALastName',(
isset($form['SALastName'])) ? $form['SALastName'] : ''); ?>"
placeholder="Last Name">
```

```
16
                                     <?php echo form_error('SALastName'); ?>
                            </div>
17
            </div>
19
            <div class="form-group">
                    <label class="col-sm-2 control-label">First Name</label>
20
                            22
                                    cmput cype= text class="form-control" id="SAFirstName" disabled
    name="SAFirstName" value="<?php echo set_value('SAFirstName
',(isset($form['SAFirstName'])) ? $form['SAFirstName'] : '')
?>" placeholder="First Name">
<?php echo form_error('SAFirstName'); ?>
24
                            </div>
            </div>
25
26
            <div class="form-group">
27
                    < label \ class = "col-sm-2 \ control-label"> Middle \ Name </ label>
                            28
                                     cinput type= text crass="form-control" id="SAMidName" disabled
name="SAMidName" value="<?php echo set_value('SAMidName',(
    isset($form['SAMidName'])) ? $form['SAMidName'] : ''); ?>"
    placeholder="Middle Name">
<?php echo form_error('SAMidName'); ?>
30
                            </div>
31
32
            </div>
            <div class="form-group">
33
                    <label class="col-sm-2 control-label">Address</label>
35
                            <div class="col-sm-9">
                                    36
37
                            </div>
39
            </div>
40
            <div class="form-group">
41
                    <label class="col-sm-2 control-label">Contact Number</label>
                            42
43
                                         name="SACellNum" value="<?php echo set_value('SACellNum',(isset($form['SACellNum'])) ? $form['SACellNum'] : ''); ?>" placeholder="Cellphone Number">
44
                                     <?php echo form_error('SACellNum'); ?>
                            </div>
45
46
            </div>
            <div class="form-group">
47
                    <label class="col-sm-2 control-label">Email Address</label>
48
                            49
50
                                         name="SAEmailAdd" value="<?php echo set_value('SAEmailAdd', (isset($form['SAEmailAdd'])) ? $form['SAEmailAdd']: ''); ?>" placeholder="Email Address">
                                         name="SAEmailAdd"
                                     <?php echo form_error('SAEmailAdd'); ?>
51
52
                            </\mathrm{div}>
53
            </div>
            <div class="form-group">
                    <label class="col-sm-2 control-label">Gender</label><div class="col-sm-9">
55
56
                            58
                    </div>
            </div>
59
60
            <div class="form-group">
61
                   63
64
                                   SABirthday" value="<?php echo set_value('SABirthday', (isset($form ['SABirthday'])) ? $form['SABirthday'] : ''); ?>" data-date-format="
                              dd-mm-yyyy">
<?php echo form_error('SABirthday'); ?>
65
                    </div>
66
67
        </div>
            <div class="form-group">
68
                    <label class="col-sm-2 control-label">Place of Birth</label>
69
                            70
71
72
                                     <?php echo form_error('SABirthplace'); ?>
73
                            </div>
            </div>
74
75
            <div class="form-group">
                    76
77
                             <?php
                                     79
80
81
                            ?>
</div>
82
            </div>
83
```

```
84
         <div class="form-group">
               85
87
                      <?php
                            88
89
                      ?>
90
91
                     92
93
94
                      </div>
95
96
         </div>
         <div class="form-group">
97
               <label class="col-sm-2 control-label">Citizenship</label>
98
                     99
100
101
                      </div>
         </div>
103
104
         <div class="form-group">
105
               106
107
108
                      <?php
109
                            110
111
113
114
115
116
117
                                        $sa_type="Personnel";
119
                            121
199
                      ?>
123
                      </div>
124
125
         </div>
         <div class="form-group" id="RoleMain" <?php if(isset($form['SAType']) && strpos($form['SAType'], 'Teacher') !== FALSE) echo 'style="display:block"'; else echo 'style="display: none"' ?>>
126
127
               <label class="col-sm-2 control-label">Role</label>
               <div class="col-sm-4">
128
129
130
               <div class="checkbox" id="Property">
131
                      <?php
                if (isset ($form2 ['SAPropCustodian']))
132
               echo "cinput type='text' class='form-control' disabled value='".$form2[' SAPropCustodian']."'>";
133
134
                </div>
135
               <div class="checkbox" id="Guidance">
136
               <'php
if(isset($form2['SAGuidance']))
echo "<input type='text' class='form-control' disabled value='".$form2['SAGuidance
']."'>";
137
139
140
               </div>
141
               <div class="checkbox" id="Club">
               143
144
145
146
               </div>
               <br/>div class="checkbox" id="Club">
148
149
                     <?php
               151
152
               </div>
153
154
```

```
155
                                         </div>
                          </div>
156
                          158
159
160
161
                                         <div class="checkbox" id="Property">
                                         cds = checkor id= representation | continue | cont
162
163
164
                                                   Laboratory Personnel', >";
165
                                         </div>
166
                                         <div class="checkbox" id="Guidance">
168
                                                         <?php
                                         if (isset ($form['SAType']) && strpos($form['SAType'], 'Personnel') !== FALSE && strpos($form['SAType'], 'Gui') !== FALSE)
echo "<input type='text' class='form-control' disabled value='Guidance Counselor
169
170
                                         ?>
</div>
171
172
173
174
                                         </div>
175
                          </div>
177
178
                          <div class="form-group">
                                         <label class=
                                                                      col-sm-2 control-label">Department</label>
 179
                                                         180
181
                                                                                  182
                                                                          <?php echo form_error('SADepartment'); ?>
                                                          </div>
183
                          </div>
184
                          <div class="form-group">
185
                                         <label class="col-sm-2 control-label">Years in Service</label>
186
                                                         188
                                                                                  """"?"
""
""> exh est_value('SAYearsService', (isset($form['SAYearsService']')'); ?>"
disabled name="SAYearsService" placeholder="Years in Service">
                                                                          <?php echo form_error('SAYearsService'); ?>
189
190
                                                          </div>
                         </div>
191
193
             194
196
                  </div>
197
              </div>
198
199
                /
/form>
200
201
202
         </html>
         203
204
            <script>
205
206
            $ (function() {
207
                          $('#SAMaritalStatus').change(function(){
208
                                 209
210
211
212
213
                                  else {
                                                          $('#tohide').hide();
214
215
216
                          });
217
         })
218
            $(function() {
219
220
                          $('#SAType').change(function(){
                                 221
                                                                         $('#RoleMain').hide();
222
223
                                  else {
                                                          ('\#RoleMain').show();
225
226
227
                          });
228
         })
229
230
         var dom2 = {};
dom2.query = jQuery.noConflict(true);
231
```

```
dom2.query(function() {
   dom2.query("#SABirthday").datepicker({ dateFormat: 'yy-mm-dd',changeYear: true,changeMonth:
233
234
              true, yearRange: "-60:+0"});
235
      });
236
237
238
       </script>

    <a href="<?php echo base_url();?>record/show_enrolled"=>Enrolled</a>
    <a href="<?php echo base_url();?>record/show_not_enrolled">Not Enrolled</a>
    <a href="<?php echo base_url();?>record/show_graduated">Graduated</a>
    <a href="<?php echo base_url();?>record/show_graduated">Graduated</a>
    </a>

  4
 5
     <div class="panel panel-default">
<div class="panel-body">
 q
 10
     <div class="panel-body">

sattributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/search_student/', $attributes); ?>
<div class="form-group">
<label class="col-sm-4 control-label">Search</label>
<div class="col-sm-4">
<input type="text" name="name" class="form-control">
</di>

 12
 13
 15
 16
     </div>
 18
     </div>
 19
     <div class="form-group">
         <div class="col-sm-offset-5 col-sm-5">
    <button type="submit" class="btn btn-success">Search </button>
 20
 21
 23
        </div>
     <?php form_close(); ?>
 24
     </div>
 26
     </div>
     <div class="panel panel-default">
 27
     29
 30
 31
       <thead>
 32
     <tr>
 33
        Student Number
 34
        Name
        Grade Level
 36
      37
     </thead>

<?php if($results !=NULL)</pre>
 39
 40
 41
       foreach ($results as $data) { ?>
 42
        43
 44
     <?php echo $data['GradeLevel']; ?>
 45
 46
 47
 48
        <?php
        }
?>
 49
 50
 51
        52
     </div>
 53
     54
 55
 56
     </div>
     </div>
 58
     </div>
     59
 60
     <\!\!\mathrm{script\ src} = "<\!\!\mathrm{?php\ echo\ base\_url()};\ ?\!\!>\!\!\mathrm{assets/themes/default/js/plugins/dataTables/dataTables}.
           bootstrap.js"></script>
 61
     <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
 62
     <script>
        $(document ).ready(function()
 63
      $('#dataTables-example').dataTable({
    "bLengthChange": false,"bFilter":false});
 65
 66
     });
 67
     </script>
     <a href="<?php echo base_url();?>record/show_enrolled">Students</a>
 2
        <a href="<?php echo base_url();?>record/search_student">Search</a>
     <div class="panel panel-default">
     <div class="panel-body">
```

```
<?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/search_student/', $attributes); ?>
10
11
   <div class="form-group">
   <label class="col-sm-4 control-label">Search</label>
<div class="col-sm-4">
13
14
      <input type="text" name="name" class="form-control">
   </div>
16
17
   </div>
   <div class="form-group">
18
       <div class="col-sm-offset-5 col-sm-5">
    <button type="submit" class="btn btn-success">Search </button>
19
20
        </div>
21
22
      </div>
   <?php form_close(); ?>
24
   </div>
25
   </div>
   <div class="panel panel-default">
<div class="panel-body">
<div class="panel-body">
<div class="table-responsive" <?php_if(isset($results)&& $results !=NULL) echo 'style="display:</pre>
26
27
28
        block"; else echo 'style="display:none"; ?>>
29
      30
     <thead>
31
   <tr>
     > Student Number
32
     <th> Name
33
     > Grade Level
34
35
37
   </thead>
38
      <?php if($results !=NULL)</pre>
39
40
     foreach($results as $data){ ?>
41
   42
43
44
45
       46
47
     <?php
      }
?>
49
     50
51
       </div>
52
   53
     <strong>No record found.
54
55
56
   </div>
57
   </div>
   cscript src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
   dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
59
        bootstrap.js"></script>
60
   <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
   <script>
61
62
      $ (document ).ready(function()
    $('#dataTables-example').dataTable({
    "bLengthChange": false,"bFilter":false});
63
64
   });
    </script>
66
   <a href="<?php echo base_url(); ?>record/view_subjects/<?php echo $this->uri->segment(3);
?>">Subjects</a>
3
     <a href="<?php echo base_url(); ?>record/view_students/<?php echo $this->uri->segment(3);
?>">Students</a>
4
      <a href="<?php echo base_url(); ?>record/class_record/<?php echo $this->uri->segment(3);
5
      ?>">Class Record</a>
<a href="<?php echo base_url(); ?>record/reports/<?php echo $this->uri->segment(3); ?>"> Reports</a>
6
   8
    <div class="tab-content">
    10
                                                                 'role ' => 'form');
11
12
13
   <fieldset disabled>
14
15
16
           <div class="form-group">
18
                   <label class="col-sm-2 control-label">Section Name</label>
19
                           <div class="col-sm-9">
                                   <input type="text" class="form-control" id="SectionName" name="</pre>
                                        SectionName" value="<?php echo set_value('SectionName',(isset(
$form['SectionName'])) ? $form['SectionName'] : ''); ?>"
placeholder="Section Name">
```

```
21
                           <?php echo form_error('SectionName'); ?>
22
                     </div>
         </div>
24
         <div class="form-group" >
               25
26
27
28
                            <?php
                           29
30
32
33
                     </div>
35
         </div>
36
         <div class="form-group">
37
               <label class="col-sm-2 control-label">Number of Students</label>
38
                     39
40
41
42
                     </ l a b e l >
43
         </div>
         <div class="form-group">
               45
46
                           47
48
                     </div>
49
50
         </div>
51
         <div class="form-group">
               53
54
                   at type="text" class="form-control" id="TeacherNum" name="TeacherNum" value
="<?php if(isset($form['TeacherName'])) echo $form['TeacherName']; ?>" >
55
56
57
58
                     </div>
         </div>
59
60
         </fieldset>
61
63
     </form>
64
   </div>
66
   </div>
1
   <div class="panel panel-default">
    <div class="panel-body">
    <div class="table-responsive">
4
       5
         <thead>
6
          <tr>
                 Club Name
 Adviser
9
          </\mathrm{tr}>
         </thead>
10
11
         12
                            <?php if($results !=NULL)</pre>
         foreach($results as $data){ ?>
13
14
15
          <a href="<?php echo base_url().'club/view/'.$data->ClubID; ?>"><?php echo $data->
              ClubName; ?>
16
          <?php echo $data->SALastName; ?>, <?php echo $data->SAFirstName; ?>
17
         </\mathrm{tr}>
18
         <?php } ?>
         19
       20
      </div>
21
22
    </div>
   </div>
23
   ^{24}
   <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
25
26
   <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
27
   <script>
   $(document ).ready(function() {
29
    $('#dataTables-example').dataTable();
30
   });
   </script>
```

```
4
   <div class="panel panel-default">
<div class="panel-body">
</ip>

$ tatributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/show_enrolled/',$attributes); ?>
<div class="form-group">
<label class="form-group">
<label class="col-sm-4 control-label">School Year</label>
10
11
13
14
15
    <div class="col-sm-4">
     <?php
16
                  17
18
19
                                 "2007 - 2008" = > "2007 - 2008"
21
                    '2006-2007' => '2006-2007');
echo form_dropdown('SchoolYear', $options, set_value('SchoolYear', isset(
$schoolyear)? $schoolyear: "Select School Year (Required)"),'class="form-
23
                         $schoolyear)? $s
control" id=""');
24
               ?></div>
    </div>
25
    <div class="form-group">
27
   <label class="col-sm-4 control-label">Grade Level</label>
<div class="col-sm-4">
28
      <select id="GradeLevel" name="GradeLevel" class="form-control">
     contion value="NA"> Select Grade Level (Required)/option>
coption>7/option>
30
31
32
      <option>8</option>
     <option>9</option>
<option>10</option>
33
34
35
      <option >11</option >
     <option>12</option>
36
37
      </select>
38
    </div>
39
    </div>
40
    <div class="form-group">
       <div class="col-sm-offset-5 col-sm-5">
41
         <button type="submit" class="btn btn-success">Show Students</button>
42
        </div>
43
44
      </div>
    <?php form_close(); ?>
45
46
47
    </div>
   49
50
      51
     <thead>
52
    <tr>
54
      Student Number
 Name
55
      Grade Level
57
     </{
m t} \, {
m r}>
58
59
    </thead>
60
      61
     <?php if( isset($results) && $results !=NULL)</pre>
62
     foreach ($results as $data) { ?>
63
      <tr>
   64
65
66
67
68
      </\mathrm{tr}>
69
      <?php
70
      }
71
72
     73
74
       </div>
75
   77
   <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
    dataTables.js"></script>
79
    <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
80
    bootstrap.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
81
    <script>
82
      $(document).ready(function()
83
     $('#dataTables-example').dataTable({
```

```
"bLengthChange": false, "bFilter":false});
85
86
    });
</script>
    <a href="<?php echo base_url();?>record/show_enrolled"> Students</a>
3
       <a href="<?php echo base_url();?>record/search_student">Search</a>
 5
    6
8
    <div class="panel panel-default">
<div class="panel-body">
    11
12
13
    <label class="col-sm-4 control-label">School Year</label>
    <div class="col-sm-4">
14
        <?php
15
                    \label{eq:soptions} \begin{array}{lll} \mbox{\$options} &= \mbox{array(""=>"Select School Year (Required)","2013-2014"=>"2013-2014", \\ & \mbox{$'2012-2013'$} &= \mbox{$'2012-2013'$}, \\ & \mbox{$'2011-2012'$} &= \mbox{$'2011-2012'$}, \end{array}
16
17
18
19
                                      "2007-2008" = >"2007-2008"
'2006-2007" = >"2006-208"
20
                       2006-2007' => '2006-2007');
echo form_dropdown('SchoolYear', $options, set_value('SchoolYear', isset(
$schoolyear)? $schoolyear: "Select School Year (Required)"),'class="form-
22
                            $schoolyear)? $s
control" id =""');
                 ?>
23
    </div>
^{24}
25
    </div>
    <div class="form-group">
26
    <label class="col-sm-4 control-label">Grade Level</label>
27
28
    < div class = "col-sm-4" >
      <select id="GradeLevel" name="GradeLevel" class="form-control">
29
30
      <option value="NA"> Select Grade Level (Required)
31
      <option>7</option>
      <option >8</option >
32
33
      <option >9</option >
      <option > 10 </option >
<option > 11 </option >

34
35
36
      <option > 12 </option >
37
      </select>
38
    </div>
39
    </div>
40
    <div class="form-group">
        <div class="col-sm-offset -5 col-sm-5">
         <button type="submit" class="btn btn-success">Show Students</button>
</div>
42
43
       </div>
    <?php form_close(); ?>
</div>
45
46
    </div>
    <div class="panel panel-default">
<div class="panel-body">
48
49
    50
51
52
      <thead>
    53
       Student Number
       Name
 Grade Level
55
56
     <\!/\,\mathrm{t}\,\mathrm{r}\!>
58
59
    </thead>
60
        <?php if($results !=NULL)
foreach($results as $data){ ?>
61
62
63
    64
65
66
67
        68
69
       <?php
70
71
      \frac{73}{74}
        75
    <div class="alert alert-info" <?php if(isset($results)&& $results !=NULL) echo 'style="display:</pre>
       none"'; else echo 'style="display:block"'; ?>>
<strong>No record found.</strong>
76
    </div>
78
    </div>
    </div>

'script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.

dataTables.js"></script>

80
```

```
81 \quad <script \quad src="<?php \quad echo \quad base\_url(); \; ?>assets/themes/default/js/plugins/dataTables/dataTables.
       bootstrap.js"></script> < script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script> < script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script> < script > script | script |
82
83
       <script>
         84
86
87
       });
88
        </script>

    <a href="<?php echo base_url();?>record/show_enrolled"=>Enrolled</a>
    <a href="<?php echo base_url();?>record/show_not_enrolled">Not Enrolled</a>
    <a href="<?php echo base_url();?>record/show_graduated">Graduated</a>
    <a href="<?php echo base_url();?>record/search_student">Search</a>

 2
 3
       <div class="panel panel-default">
       <div class="panel-body">
10
       class = panel=body /

c?php sattributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/show_graduated/', sattributes); ?>
11
       <div class="form-group">
<label class="col-sm-4 control-label">Year Graduated</label>
13
14
       16
17
            <option > 2013 < /option >
           <option > 2012 </option >
<option > 2011 </option >

19
20
            <option > 2010 </option >
21
22
           <option > 2009 < /option >
23
            <option > 2008 < / option >
24
            <option > 2007 </option >
           <option > 2006 < /option >
25
26
            </select>
27
       </div>
28
29
        </div>
30
       <div class="form-group">
               <div class="col-sm-offset -5 col-sm-5">
31
                    <button type="submit" class="btn btn-success">Show Students</button>
                </div>
33
34
            </div>
35
       <?php form_close(); ?>
       </div>
36
37
      38
39
40
41
           <thead>
43
       <tr>
44
            Student Number
            Name
 Grade Level
46
47
48
          49
       </thead>
             51
          <?php if($results !=NULL)</pre>
52
          foreach($results as $data){ ?>
       54
55
56
             58
59
            <?php
             }
?>
60
61
            62
              .
63
64
       </div>
       66
       </div>
68
       </div>
69
       </div>
70
       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
       dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
                 bootstrap.js"></script>
       <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
<script>
72
73
          74
75
```

```
});
</script>
        <div class="panel panel-default">
     <div class="panel-body">
 2
             <dru crass= paner=body >
  <?php %attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/show_groups/', %attributes); ?>
 3
         <div class="form-group">
        6
                                        \label{eq:soptions} \begin{array}{lll} \text{\$options} &=& \operatorname{array}(""=>"\operatorname{Select} & \operatorname{School} & \operatorname{Year} & (\operatorname{Required})","2013-2014"=>"2013-2014",\\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & &
 9
10
12
                                              \label{eq:control} $$"2007-2008" = >"2007-2008", $$ $'2006-2007');$ echo form_dropdown('SchoolYear', $options, set_value('SchoolYear', isset( $schoolyear)? $schoolyear: "Select School Year (Required)"),'class="form-control" id=""');
13
14
15
                                   ?>
16
         </div>
        </div>
<div class="form-group">
18
19
        <label class="col-sm-4" control-label">Grade Level</label>
<div class="col-sm-4">
20
21
             <select id="GradeLevel" name="GradeLevel" class="form-control">
23
             <option value="NA"> Select Grade Level (Optional)
             <option >7</option >
24
25
             <option>8</option>
26
             <option >9</option >
<option >10</option >
27
             <option >11</option>
29
             < option > 12 < / option >
30
             </select>
32
        </div>
33
34
           <div class="form-group">
                <div class="col-sm-offset -4 col-sm-5">
35
                      <button type="submit" class="btn btn-success">Show Course Groups</button>
36
                  </div>
37
             </div>
38
        <?php form_close(); ?>
40
        </div>
41
        </div>
        <div class="panel panel-default" <?php if(isset($results)&& $results !=NULL) echo 'style="display:
    block"'; else echo 'style="display:none"'; ?>>
43
44
             <div class="panel-body">
                 <div class="table-responsive">

45
46
47
                          <thead>
48
                              49
                                               Subject Name
50
                                               Section Name
                               51
52
                           </thead>
53
                          <?php if($results !=NULL)</pre>
54
55
                          foreach ($results as $data) { ?>
56
                              <a href="<?php echo base_url().'subject/view/'.$data->ID; ?>"><?php echo $data->
57
                              SubjectName; ?>
<2php echo $data->SectionName; ?>
58
59
                          <?php } ?>
60
                          61
                  </div>
63
             </div>
        </div>
64
        66
         </div>
        < script \ \ src="<?php \ \ echo \ \ base\_url(); \ ?> assets/themes/default/js/plugins/dataTables/jquery.
68
                  dataTables.js"></script>
        69
70
72
        $(document).ready(function() {
             $('#dataTables-example').dataTable();
73
74
        });
         </script>
75
           < s c r i p t >
 3
                 var url="<?php echo base_url();?>";
function deleteUser(id){
 4
```

```
var r=confirm("Do you want to delete this?");
                                   (r==true)
                                 window.location = url+"manageusers/delete/"+id;
                            else
 9
                                return false;
10
                            function changeStatus(id){
12
13
14
                          var r=confirm ("Do you want to change the status?");
                            if (r==true)
window.location = url+"manageusers/change_status/"+id;
15
16
17
                             else
                                return false;
18
19
20
21
23
        </script>
        <div class="panel panel-default">
<div class="panel-body">
24
        <div class="panel-body">

pattributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form-open('record/show-guardians/', $attributes); ?>
26
        <div class="form-group">
<label class="col-sm-4 control-label">Surname</label>
28
        29
30
31
32
34
35
                       <option>E</option>
<option>F</option>
37
38
39
                       <option>G</option>
                       <option>H</option>
<option>I</option>
40
41
                       <option>J</option>
<option>K</option>
<option>L</option>
42
43
44
                       <option >M</option >
<option >N</option >

45
46
                       <option>O</option>
                       <option >P</option >
<option >Q</option >
<option >R</option >

48
49
50
                       <option>S</option>
<option>T</option>
<option>U</option>
51
52
53
                       <option>V</option>
<option>S</option>
54
55
56
                       <option>T</option>
                       <option>U</option>
<option>V</option>
57
                       <option>W</option>
<option>X</option>
59
60
                       <option>Y</option>
62
                       <option>Z</option>
63
                       </select>
         </div>
65
         </div>
66
         <div class="form-group">
                  <div class="col-sm-offset-5 col-sm-5">
68
69
                       <button type="submit" class="btn btn-success">Show Guardians</button>
70
                   </div>
71
              </div>
72
         <?php form_close(); ?>
73
         </div>
         </div>
74
        <div class="panel panel-default">
<div class="panel-body">
76
        78
79
           80
        <thead>
81
           <tr>
82
                             Guardian Number
83
                             Name
84
           </\mathrm{tr}>
86
            </thead>
87
           <?php foreach($results as $data){ ?>
89
                <a href="<?php echo base_url().'record/view_guardian/'.$data->GuardianNum; ?>"><?php echo
90
                $\data->\text{GuardianNum}; ?> <\frac{1}{2}\data->\text{GuardianNum}; ?> <\frac{1}{2}\data->\text{GLastName}; ?> , <?\text{php echo $data->GFirstName}; ?> <?\text{php echo $data->GMidName}; ?> <\text{Php echo $data->GMidName}; ?>
91
92
93
94
                </\mathrm{tr}>
```

```
95
             <?php
 96
               }
?>
 97
             98
 99
             100
101
               </div>
             102
103
104
105
         </div>
106
107
         </div>
108
109
110
111
112
         </html>
113
114
         <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
115
                   dataTables.js"></script>
         <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
116
                   bootstrap.js"></script>
         <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
117
118
         <script>
                $(document ).ready(function() {
           120
121
123
124
         "sDom": '<"top"l<"clear">>rt<"bottom"lp<"clear">>',
125
                                 "aaSorting":[]});
126
127
         });
128
         </script>
129
         3
                    4
                         <thead>
   6
                            <tr>
                                          \begin{array}{l} <\!\! \operatorname{th}\!\! > \ \operatorname{Club} \ \operatorname{Name} \\ <\!\! \operatorname{th}\!\! > \ \operatorname{Adviser} \end{array}
                             9
  10
                         </thead>
  11
                         12
 13
                            <a href="<?php echo base_url().'index.php/club/view/'.$data['ClubID']; ?>"><?php
echo $data['ClubName']; ?>
<<?php echo $data['SALastName']; ?>, <?php echo $data['SAFirstName']; ?>
 15
 16
                         17
                         <?php } ?>
  18
 19
                         20
 21
                  </div>
             </div>
 22
         </div>
 23
         <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
         dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.bootstrap.js"></script>
 25
         26
 28
         $(document ).ready(function() {
             $('#dataTables-example').dataTable();
 29
         });
 31
         </script>
         <div class="panel panel-default">
            class = panel = panel ( class ' = panel ( c
   2
         <div class="form-group">
         <label class="col-sm-4 control-label">School Year</label>
         <div class="col-sm-4">
             <?php
   8
                                     9
 10
  11
 12
                                                                    "2007-2008" => "2007-2008", \\ '2006-2007" => "2006-2007");
 13
                                           echo form_dropdown('SchoolYear', $options, set_value('SchoolYear', isset(
$schoolyear)? $schoolyear: "Select School Year (Required)"),'class="form-
 15
                                                    $schoolyear)? $s
control" id=""');
```

```
16
                  ?>
    </div>
17
    </div>
19
20
21
     <div class="form-group">
        <div class="col-sm-offset -4 col-sm-5">
    <button type="submit" class="btn btn-success">Show Course Groups</button>
22
23
24
         </div>
25
       </div>
26
    <?php form_close(); ?>
27
    </div>
28
    </div>
    c/div class="panel panel-default" <?php if(isset($results)&& $results !=NULL) echo 'style="display:</pre>
      block"; else echo 'style="display:none"; ?>> <div class="panel-body">
30
         <div class="table-responsive">
31
           32
             <thead>
33
35
                         Subject Name
                       Section Name
36
37
                </\mathrm{tr}>
              </thead>
38
39
             40
                                         <?php if($results !=NULL)</pre>
              foreach ($results as $data) { ?>
41
43
                <\!td>\!<\!a\ href="`<?php\ echo\ base\_url\ ()\ .'index.php/subject/view/'.\$data->ID\ ;\ ?>"><?php\ echo\ data->ID\ ;\ ?>"></php\ echo\ data->ID\ ;\ ?>"></php\ echo\ data->ID\ ;\ ?>"></php\ echo\ data->ID\ ;\ ?>"></php\ echo\ data->ID\ ;\ ?>">
                     $\data->SubjectName; ?>
<!php echo $\data->SectionName; ?>
44
                <ehp
              <?php } ?> 
45
46
47
           </div>
48
       </div>
49
50
    </div>
    51
52
       <strong>No record found.</strong>
53
    </div>
54
    dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
55
    <\!\!\mathrm{script\ src}=\stackrel{\text{\tiny{"}}}{\sim}? \\ \mathrm{php\ echo\ \hat{base\_url}()}; ?\!\!>\!\!\mathrm{assets/themes/default/js/sb-admin.js"}\!\!>\!<\!/\!\!\mathrm{script}\!\!>\!\!}
56
    <script>
57
58
    $(document ).ready(function() {
      $('#dataTables-example').dataTable();
59
    });
60
61
    </script>
    2
3
           >
      <a href="<?php echo base_url();?>record/show_graduated">Graduated</a><a href="<?php echo base_url();?>record/search_student">Search</a></a>
 4
6
    9
    <div class="panel panel-default">
<div class="panel-body">
10
    12
13
15
    <label class="col-sm-4 control-label">Grade Level</label>
    <div class="col-sm-5">
16
      < select id="GradeLevel" name="GradeLevel" class="form-control">
      <option value="NA"> Select Grade Level (Optional)
18
       <option >7</option>
19
20
       <option>8</option>
      <option >9</option >
21
       <option > 10 </option >
23
       <option >11</option >
24
      <option > 12 < /option >
       </select>
26
    </div>
    </div>
27
    <div class="form-group">
28
         <div class="col-sm-offset -5 col-sm-5">
29
           <button type="submit" class="btn btn-success">Show Students</button>
30
         </div>
31
32
       </div>
    <?php form_close(); ?>
34
    </div>
35
    </div>
    37
38
```

```
 table - table
39
          <thead>
40
       41
           Student Number
42
          Name
43
44
            Grade Level
45
46
         </\mathrm{tr}>
47
       </thead>
48
            <?php if($results !=NULL)</pre>
49
50
         foreach ($results as $data) { ?>
51
            <tr>
            53
       <; ?> ctd><; php echo $data['GradeLevel']; ?>
54
55
           <?php
57
58
            }
?>
59
          60
61
             62
       </div>
63
64
65
       </div>
67
       </div>
       <cript src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
68
                dataTables.js"></script>
       69
       <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
70
71
       <script>
72
            $(document ).ready(function() {
         73
74
75
       });
76
       </script>
 1
       <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
       <html xmlns="http://www.w3.org/1999/xhtml">
 3
            <title>Simple Login with CodeIgniter - Private Area</title>
         </head>
 6
         <body>
         <script>
              var url="<?php echo base_url();?>";
function deleteUser(id){
 9
10
                    var r=confirm("Do you want to delete this?");
12
13
                     if (r==true)
14
                         window.location = url+"index.php/manageusers/delete/"+id;
                      else
15
16
                         return false;
17
                     function changeStatus(id){
18
19
20
                    var r=confirm("Do you want to change the status?");
21
22
                         window.location = url+"index.php/manageusers/change_status/"+id;
23
24
                         return false;
25
26
28
29
       </script>
30
       <div class="table-responsive">
31
32
       34
         <thead>
35
         36
                       School Admin Number 
37
                     <th> Name </th> <th> Department </th>
38
39
                      Type 
         </{
m t} \, {
m r}>
40
         </thead>
41
42
         <?php foreach($results as $data){ ?>
43
            <a href="<?php echo base_url().'index.php/record/view_schooladmin/'.$data->SANum; ?>"><?php
echo $data->SANum; ?>
45
```

```
46
47
        <?php $type= $data->SAType;
$final_type="";
48
49
         # FALSE)
# final-type final-type Teacher ' !== FALSE)
# final-type final-type Teacher ';
# if (strpos($type, 'Adv') !== FALSE)
50
51
52
         $final_type=$final_type." Class Adviser<br/>;
if(strpos($type, 'Guidance') !== FALSE)
$final_type=$final_type." Guidance Counselor<br/>;
;
53
54
55
56
         if(strpos($type, 'Club') !== FALSE)
$final_type=$final_type." Club Adviser<br/>;;
57
58
59
         if ($final_type==null)
60
         echo $type;
61
       echo $final_type;
62
63
        ?>
        <?php
65
66
       }
?>
67
       </thody>
68
69
       70
    </div>
71
    <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
          {\tt dataTables.js"}{>}{</}{\tt script}{>}
73
    <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
          bootstrap.js"></script>
    <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
74
75
    <script>
        $(document ).ready(function() {
76
     77
78
                 "bSort": true,
79
80
    "sDom": \ '<"top"l<"clear">>rt<"bottom"lp<"clear">>>,
81
82
83
                   "aaSorting":[]});
    });
85
    </script>
86
 3
    <div class="panel panel-default">
    9
10
       <option value="NA">Select School Year (Required)</option>
<option>2013-2014</option>
<option>2012-2013</option>
12
13
       <option > 2011-2012 </option >
       <option > 2010 - 2011 </option >
<option > 2009 - 2010 </option >

15
16
17
       <option > 2008-2009 /option >
       <option > 2007 - 2008 </option >
<option > 2006 - 2007 </option >

18
19
20
       </select>
    </div>
21
22
     </div>
23
    <div class="form-group">
<label class="col-sm-4 control-label">Grade Level</label>
24
25
     <div class="col-sm-4">
       <select id="GradeLevel" name="GradeLevel" class="form-control">
26
       <option value="NA"> Select Grade Level (Optional)
28
       <option>7</option>
29
       <option>8</option>
       <option>9</option>
30
       <option > 10 </option >
<option > 11 </option >

31
32
       <option > 12 </option >
34
       </select>
35
    </div>
     </div>
37
    38
39
           < div class = "col - sm - 4">
40
              <?php
              <?pnp
$class_advisers = array();
$class_advisers['NA'] = 'Select Class Adviser (Optional)';
foreach($teachers as $row){
    $class_advisers[$row['SANum']] = $row['SALastName'].", ".$row['SAFirstName'];</pre>
41
42
43
45
              }
46
```

```
echo form_dropdown('ClassAdviser', $class_advisers, set_value('ClassAdviser'),'class="form -control" id="ClassAdviser');
47
48
             ?>
49
             </div>
        </div>
50
       <div class="form-group">
          <div class="col-sm-offset -4 col-sm-5">
    <button type="submit" class="btn btn-success">Show Section</button>
52
53
           </div>
54
55
        </div>
56
     <?php form_close(); ?>
57
     </div>
58
     </div>
     60
61
     </\operatorname{div}>
     <div class="panel-body">
<div class="table-responsive" >
62
63
         65
        <thead>
66
     67
         Section Name
         Grade Level
68
        Number of Students
69
         Room
70
71
73
     </thead>
74
         <?php if($results !=NULL)</pre>
       foreach($results as $data){ ?>
76
77
         <tr>
78
         <a href="<?php echo base_url().'index.php/record/view_section/'.$data['SectionID']; ?>"><? php echo $data['SectionName']; ?> <?php echo $data['GradeLevel']; ?> <?php echo $data['NumStud']; ?> <?php echo $data['Room']; ?> <?php echo $data['Room']; ?> <?php echo $data['Room']; ?> <?php echo $data['Room']; ?> <<php echo $data['Room']; ?> 
79
80
81
82
83
84
        85
86
87
         }
?>
88
        89
          90
91
     </div>
92
     </div>
     94
95
96
     </div>
97

<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
            dataTables.js"></script>
     <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
98
99
     <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
100
     <script>
         $(document ).ready(function()
101
       $('#dataTables-example').dataTable({
    "bLengthChange": false,"bFilter":false});
102
103
104
     });
</script>
105
     <div class="panel panel-default">
<div class="panel-body">
     <?php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/show_students/',$attributes); ?>
<div class="form-group">
     <label class="col-sm-4 control-label">School Year</label>
<div class="col-sm-4">
        <select id="SchoolYear" name="SchoolYear" class="form-control">
10
        <option value="NA">Select School Year (Required)/option>
<option>2013-2014</option>
11
        <option > 2012 - 2013 
13
        <option > 2011-2012 /option >
        <option > 2011 2012 
<option > 2010 - 2011 
<option > 2009 - 2010 
/ option >
14
 15
16
        <\!{\rm option}>\!{\rm 2008}\!-\!{\rm 2009}<\!/\,{\rm option}>
        <option > 2007 - 2008 
17
        <option > 2006-2007 </option >
19
        </select>
     </div>
^{21}
     </div>
     <div class="form-group">
<label class="col-sm-4 control-label">Grade Level</label>
22
     <div class="col-sm-4">
    <select id="GradeLevel" name="GradeLevel" class="form-control">
25
        <option value="NA"> Select Grade Level (Required)
```

```
27
     <option >7</option >
28
     <option >8</option >
29
     <option>9</option>
     <option > 10 </option >
<option > 11 </option >

30
31
32
     <option >12</option >
   </select>
33
34
35
   </div>
   36
37
38
         <button type="submit" class="btn btn-success">Show Students</button>
       </div>
39
40
     </div>
41
   <?php form_close(); ?>
</div>
42
   </div>
   44
45
47
48
     <thead>
49
   <tr>
      Student Number
50
      Name
 Grade Level
51
52
     Status
54
    <\!/\,\mathrm{t}\,\mathrm{r}\!>
55
   </thead>
      <?php if($results !=NULL){
foreach($results as $data){ ?>
57
58
59
      <a href="<?php echo base_url().'index.php/record/view_student/'.$data->StudNum; ?>"><?php echo $data->StudNum; ?>
60
   61
62
63
     <?php
}}
else
65
66
67
       echo '<div class="alert alert-success">
68
         <strong>No record found!</strong>
69
70
       </div>;
71
     73
      </div>
74
   76
   </div>
78
   </div>
79
   script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
80
   dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
   collpt src= <:pnp echo base_url(); ?>assets/themes/default/js/plugins/dataTables/data
bootstrap.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
<script>
81
82
83
84
      $(document ).ready(function()
    %('#dataTables-example').dataTable({"bLengthChange": false,
"bPaginate": false,
85
86
              "bSort
87
                   ": false
88
89
   "sDom": '<"top"l<"clear">>rt<"bottom"lp<"clear">>',
90
              "aaSorting":[]});
91
92
93
94
   </script>
   1
3
          </div>
          <\!\operatorname{div}\ \operatorname{class}\!=\!\operatorname{"panel-body"}\!>
6
             example">
9
     <thead>
10
                                                                        <tr>
11
            Student Number
           Name
13
            Grade Level
 Status
14
    </\mathrm{t\,r}>
```

```
16
                                                                                                                                                                   </thead>
              17
18
                                                                                                                                                                        <?php if($students !=</pre>
                                                                                                                                                                        NULL)
foreach ($students as
19
                                                                                                                                                                                  $data){ ?>
20
              <a href="<?php echo base_url().'record/view_student/'.$data['StudNum']; ?>"><?php echo
21
              $\data['StudNum']; ?> <\td>\frac{1}{2}\text{Php echo $\data['SFirstName']; ?> <?php echo $\data['SFirs
22
                23
24
25
               <?php
26
27
              }
?>
28
29
            30
                                </div>
31
32
33
                       </div>
34
35
36
              </div>
37
                <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
                           {\tt dataTables.js"}{>}{</}{\tt script}{>}
                39
40
41
42
                <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
43
44
45
                < s c r i p t >
46
47
               $(document ).ready(function(){
                     oTable = $('#dataTables-example').dataTable({"bLengthChange": false,"sDom": '<"top"l<"clear ">>rt<"bottom"lp<"clear">>>'});
48
49
50
                $('#myInputTextField').keyup(function(){
  oTable.fnFilter($(this).val());
51
52
53
                });
54
55
                </script>
56
 2
            <script>
              4
 5
                </\operatorname{script}>

    <a href="<?php echo base_url(); ?>record/view_section/<?php echo $this->uri->segment(3); ?>">Section Information</a>

 9
10
            :/ > Section information </a></i1>
<a href="<?php echo base_url(); ?>record/view_subjects/<?php echo $this->uri->segment(3); ?>">Subjects </a>
class="active"><a href="<?php echo base_url(); ?>record/view_students/<?php echo $this->uri->segment(3); ?>">Students </a>
<a href="<?php echo base_url(); ?>record/class_record/<?php echo $this->uri->segment(3); ?>">Class_Becord/ca>
</a>
11
12
13
                        ?>">Class Record</a>
              <a href="<?php echo base-url(); ?>record/reports/<?php echo $this->uri->segment(3); ?>"> Reports</a>
14
15
        16
        <div class="tab-content">
17
            19
20
                     21
22
24
25
                     </div>
26
                 </div>
27
28
                         <div class="panel-body">
                             <div class="table-responsive">

29
31
                                      <thead>
32
                                               > Student Name
34
35
```

```
37
                                         </thead>
38

<!php if($results !=NULL)
39
40
                                              foreach($results as $data){ ?>
41
42
                                                       <?php echo $data->SLastName; ?>, <?php echo $data->SFirstName; ?>
43
44
                                         <?php } ?>
45
                                         46
                                    47
48
                                </div>
49
                            </div>
50
51
                       </div>
52
               </div>
53
         </div>
54
55
57
58
             <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
                 dataTables.js"></script>

<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
59
60
61
62
                  <\!\!\mathrm{script\ src} = "<\!\!\mathrm{?php\ echo\ base\_url}\left(\right);\ ?\!\!>\!\!\mathrm{assets/themes/default/js/sb-admin.js"}\!\!>\!\!<\!\!\mathrm{/script}\!\!>
63
64
65
66
67
               $(document ).ready(function() {
    $('#dataTables-example').dataTable();
68
69
                  });
70
71
                  </script>
           <div class="panel panel-default">
 2
                      3
                         </div>
                         <!-- /.panel-heading --> 
<div class="panel-body">
 5
6
                                  8
                                                     example">
 9
             <thead>
10
                                                                                                                                                                                  11
                            Student Number
                            Name
 Grade Level
12
13
14
                           Status
           15
16
                                                                                                                                                                                </thead>
17
               <tbody>
18
                                                                                                                                                                                     <?php if($results !=NULL
                                                                                                                                                                                     foreach ($results as
19
                                                                                                                                                                                               $data) { ?>
20
21
               <a href="<?php echo base_url().'record/view_student/'.$data->StudNum; ?>"><?php echo $data
                          ->StudNum; ?>
               ->StudNum; ?>
<?php echo $data->SLastName; ?>, <?php echo $data->SFirstName; ?> <?pnp ecno ouava->
SMidName; ?>
<?php echo $data->GradeLevel; ?>
<?php echo $data->Status == 'E') echo "Enrolled"; elseif($data->Status=='NE') echo '
Not Enrolled'; else echo "Graduated"; ?>

**The state of the s
22
23
24
25
26
              <?php
27
28
29
              30
31
                                   </div>
32
33
                         </div>
34
35
               </div>
36
37
                 38
39
                             \verb|bootstrap.js"></script>
40
41
                  <\!\!\mathrm{script\ src} = "<\!\!\mathrm{?php\ echo\ base\_url}\left(\right);\ ?\!\!>\!\!\mathrm{assets/themes/default/js/sb-admin.js}"><\!\!/\mathrm{script}>
42
43
44
45
                  <script>
46
```

```
 \begin{tabular}{ll} \$(document \ ). \ ready (function () \{ & oTable = \$('\#dataTables-example') . \ dataTable (\{"bLengthChange": false ,"sDom": '<"top"l<"clear ">>rt <"bottom" lp <"clear">>>'); ); \\ \end{tabular} 
47
48
49
50
        });
$('#myInputTextField').keyup(function(){
  oTable.fnFilter( $(this).val() );
51
52
53
54
        });
55
56
        </script>
   <div class="panel panel-default">
      3
    <div class="form-group">
<label class="col-sm-4 control-label">School Year</label>
<div class="col-sm-4">
      < select id="SchoolYear" name="SchoolYear" class="form-control">
      <select ful School Feat name= School Feat (Required)</pre>
<option value="NA">Select School Year (Required)
<option>2013-2014

9
10
      11
12
13
14
      < option > 2009 - 2010 < / option >
      <option > 2008 - 2009 </option >
<option > 2007 - 2008 </option >

15
17
      < option > 2006 - 2007 < / option >
18
      </select>
19
    </div>
20
   </div>
21
    <div class="form-group">
       <div class="col-sm-offset -4 col-sm-5">
    <button type="submit" class="btn btn-success">Show Subjects</button>
22
23
        </div>
24
      </div>
</div>
</ form_close(); ?>
25
26
28
      </div>
    </div>
29
   30
31
32
    </div>
   <div class="panel-body">
<div class="table-responsive" >
33
34
      35
36
      <thead>
    <tr>
37
      Subject Name  Description
38
39
      Units
40
41
42
     </\mathrm{tr}>
43
    </thead>
44
       <?php if($results !=NULL)</pre>
45
     foreach($results as $data){ ?>
46
47
48
       <a href="<?php echo base_url().'index.php/record/view_subject/'.$data['SubjectID']; ?>"><?
      php echo $data['SubjectName']; ?>
<?php echo $data['Description']; ?>
<?php echo $data['Units']; ?>
49
50
51
52
       54
      <?php
55
57
58
      59
   </div>
60
61
    </div>
62
    </div>
   63
64
      <strong>No record found.
    </div>
65
    dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
67
   bootstrap.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
<script>
68
69
    70
71
72
73
    </script>
```

```
<script >
var url="<?php echo base_url();?>";
                function deleteOffenses(id){
 4
                      var r=confirm("Do you want to delete this?");
 5
                            window.location = url+"record/delete_offenses/"+id;
 9
                            return false:
10
11
12
                            return false;
                       }
13
14
15
        </script>
       16
                       cli class="active"><a href="#student" data-toggle="tab">Student</a>
<a href="<?php echo base_url(); ?>record/view_student_offenses/<?php echo $this->uri->segment(3); ?>">Offenses</a>

18
                       segment(3); ?>Olitenses\/a>
<a href="\circ*?\php echo base_url(); ?\circ*record/view_student_extracurricular/<?\php echo \text{sthis} \\
-\suri->\segment(3); ?\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*\circ*
19
20
21
                       22
       23
25
26
                       <div class="tab-pane fade in active" id="student">
       28
29
               30
31
32
                                                                                                                             href="#collapseOne">
33
                            Student Information
                       </a>
34
35
36
                   <div class="btn-group pull-right">
37
                       <button <?php if($this->session->userdata('logged_in')['Type']=='Registrar')
echo 'style="display:block"'; else echo 'style="display:none"';?> type="submit" class="
btn btn-default btn-sm">Edit Student & Guardian Record</button>
39
40
                    </div>
41
42
43
                </div>

<div class="panel-collapse collapse in">
<div class="panel-body">
44
                       <?php $attributes = array('class' => 'form-horizontal well', 'role' => 'form');
echo form-open('record/edit_student/'.$form['StudNum'],$attributes); ?>
<div class="form-group">
46
47
                                       <label class="col-sm-2 control-label">Student Number</label>
<div class="col-sm-9">
49
                                       50
52
53
                       </div>
54
                       <div class="form-group">
55
                                       <label class="col-sm-2 control-label">Last Name</label>
56
57
                                                       <div class="col-sm-9">
                                                                       58
59
                                                       </div>
60
                        </div>
61
                       <div class="form-group">
62
                                       <label class="col-sm-2 control-label">First Name</label>
63
                                                                      <div class="col-sm-9">
65
66
                                                                       <?php echo form_error('SFirstName'); ?>
67
                                                       </div>
                       </div>
68
                       <div class="form-group">
70
                                       < label \ class = "col-sm-2 \ control-label"> Middle \ Name</label>
                                                       <div class="col-sm-9">
                                                       71
73
74
                                                       </div>
75
                        </div>
                       <div class="form-group">
76
                                       <label class="col-sm-2 control-label">Address</label>
```

```
78
                                                         <div class="col-sm-9">
                                                                        <textarea class="form-control" id="SAddress" name="SAddress"</pre>
 79
                                                                         disabled rows="3"><?php echo set_value('SAddress',(isset($form ['SAddress']))) ? $form['SAddress'] : '' ); ?></textarea>
<?php echo form_error('SAddress'); ?>
 80
                                                         </div>
                         </div>
 82
 83
                         <div class="form-group">
 84
                                        85
 86
                                                                        87
 88
                                                         </div>
 90
                                                         <div class="col-sm-4">
 91
                                                                        93
                                                         </div>
 94
 95
                         </div>
                         <div class="form-group">
 96
                                         <label class="
                                                                     col-sm-2 control-label">Email Address</label>
 98
                                                        99
                                                                                  SEmailAdd" disabled value="<?php echo set_value('SEmailAdd',(isset($form['SEmailAdd'])) ? $form['SEmailAdd'] : ''); ?>" placeholder="Email Address">
100
                                                                         <?php echo form_error('SEmailAdd'); ?>
                                                         </div>
101
102
                         </div>
                         <div class="form-group">
103
                                         clabel class="col-sm-2 control-label">Gender</label>
<div class="col-sm-9">
104
105
                                         106
107
108
                                         <\!/\operatorname{div}\!>
                         </div>
109
110
                         <div class="form-group">
111
                         <label class="col-sm-2 control-label">Date of Birth</label>
112
                                         class="col-sm-2 control-label >Date of Bitth \( / \) label \( / \) class="col-sm-2" \( / \) class="col-sm-5" \( / \) cinput type="text" class="form-control" id="SBirthday" name="SBirthday" disabled value="<?php echo set_value('SBirthday', (isset(\$form[' SBirthday'])) ? \$form['SBirthday'] : '' ); ?>" > \( / \) class="col-sm-2" \( / \) cla
113
114
115
116
                                         </div>
117
                 </div>
                         <div class="form-group">
118
                                         <label class="col-sm-2 control-label">Place of Birth</label>
120
                                                        121
                                                                                  SBirthplace" disabled value="??php echo set_value('SBirthplace', (isset($form['SBirthplace'])) ? $form['SBirthplace'] : '');
?>">
                                                                         <?php echo form_error('SBirthplace'); ?>
122
                                                         </div>
123
124
                         </div>
125
                         <div class="form-group">
                                         <label class="col-sm-2 control-label">Religion </label>
126
                                                         <div class="col-sm-5">
127
128
                                                                         <?php
                                                                        129
130
131
                                                         <input type="text" class="form-control" disabled value="<?php echo
set_value('SReligion',(isset($form['SReligion'])) ? $form['SReligion']
: ''): '>" >" >"
133
                                                                             ); ?>">
134
                                                         </div>
135
                         </div>
                         <div class="form-group">
137
138
                                         <label class="col-sm-2 control-label">Citizenship</label>
                                                        139
140
```

```
142
                                 </div>
              </div>
143
               <div class="form-group">
144
                       <label class="col-sm-2 control-label">Height</label>
145
                                 <div class="col-sm-2">
                                          ass="col-sm-2">
<input type="text" class="form-control" id="SHeight" name="
SHeight" disabled value="<?php echo set_value('SHeight',(
    isset($form['SHeight'])) ? $form['SHeight'] : '' ); ?>"
placeholder="Height">
146
                                 <?php echo form_error('SWeight'); ?>
148
149
                                 </div>
                       <label class="col-sm-1 control-label">Weight</label>
150
                                 151
                                                " disabled value="<?php echo set_value('SWeight',(isset($form['SWeight'])) ? $form['SWeight'] : ''); ?>" placeholder="
                                                Weight">
                                 <?php echo form_error('SWeight'); ?>
153
154
               </div>
              <div class="form-group">
156
                       <label class="col-sm-1 control-label">Date Weighed</label>
157
                       <div class="col-sm-2">
158
                                   <= col-sm-2 >
<input type="text" class="form-control" id="DateWeighed"</pre>
159
                                                                                                       name='
                                        DateWeighed" disabled value=""?'php echo set_value('DateWeighed',(
isset($form['DateWeighed'])) ? $form['DateWeighed'] : ''); ?>" name
                                        ="Date Weighed">
160
                                  <?php echo form_error('DateWeighed'); ?>
                       </div>
161
              </div>
162
163
               </div>
              164
165
166
                                 <div class="col-sm-9">
                                          167
                                          <?php echo form_error('ElemSchool'); ?>
169
                                 </div>
              </div>
170
              <div class="form-group">
172
                       <label class=
                                       col-sm-2 control-label">Elementary School Address</label>
                                 <div class="col-sm-9">
173
                                          <?php echo form_error('ElemSchoolAdd'); ?>
175
                                 </div>
176
177
               </div>
              <div class="form-group">
178
                        <label class=
                                        col-sm-2 control-label">Elementary School Average </label>
180
                                 181
                                               ElemGenAve" disabled value="??php echo set_value('ElemGenAve', (isset($form['ElemGenAve'])) ? $form['ElemGenAve'] : '');
">" placeholder="ElemGenAve">
                                 <?php echo form_error('ElemGenAve'); ?>
182
183
                                 </div>
               </div>
184
              <div class="form-group">
185
                       <label class="col-sm-2 control-label">Status</label>
186
187
                                 <div class="col-sm-5">
188
189
190
                                          $options = array(''=>'','E'=>'Enrolled','NE' => 'Not Enrolled','G
' => 'Graduated');
191
                                          192
193
                                 </div>
194
195
                                 <?php echo form_error('GradeLevel'); ?>
196
197
               </div>
              </div class="form-group" id="GradeSection" <?php if((isset($form['Status']) && $form['Status']=='E')|| set_value('Status') !=NULL ) echo 'style="display:block"';
else echo 'style="display:none"' ?>>
199
200
                       201
202
203
204
                                          $options2 = array('NA'=>'','7'=>'7','8' => '8','9' =>
205
                                          $options2 = array('NA'=>'','7'=>'7','8' => '8','9' =>
    '9','10'=>'10','11'=>'11','12'=>'12');
echo form_dropdown('GradeLevel', $options2, set_value('GradeLevel', isset($form['GradeLevel']) ? $form['GradeLevel'] : ''),'
    class="form-control" id="GradeLevel" disabled');
206
207
                                 <?php echo form_error('GradeLevel'); ?>
208
```

```
209
                  <\!/{\rm div}\!> \\ <\!{\rm label \ class}\!=\!"{\rm col}\!-\!{\rm sm}-\!2 \ {\rm control}\!-\!{\rm label}"\!>\!{\rm Section}<\!/{\rm label}> 
210
                        212
213
214
                        <?php echo form_error('Section'); ?>
215
                        </div>
216
           </div>
217
218
          </div>
       </div>
220
221
     </div>
     <div class="panel panel-default">
<div class="panel-heading">
<h4 class="panel-title">
223
224
           <a data-toggle="collapse" data-parent="#accordion" href="#collapseTwo">
225
226
           Guardian Information
           </a>
228
         </h4>
       </div>
229
230
       <div id="collapseTwo" class="panel-collapse collapse">
231
         <div class="panel-body">
          <div class="form-group">
232
234
                 <label class="col-sm-2 control-label">Guardian Number</label>
                 <div class="col-sm-9">
235
                        <?php echo form_error('GuardianNum'); ?>
237
238
239
                 </div>
           </div>
240
           <div class="form-group">
242
                 <label class="col-sm-2 control-label">Last Name</label>
243
                        <div class="col-sm-9">
                               245
                        </div>
246
247
           </div>
          <div class="form-group">
248
                 <label class="col-sm-2 control-label">First Name</label>
                        250
251
                               252
253
                        </div>
254
           </div>
           <div class="form-group">
255
                 <label class="col-sm-2 control-label">Middle Name</label>
256
257
                        <div class="col-sm-9">
                               258
259
260
                        </div>
261
           </div>
          262
263
264
                        <div class="col-sm-9">
                               265
266
267
                        </div>
           </div>
268
269
           <div class="form-group">
270
                 <label class="col-sm-2 control-label">Contact Number</label>
271
                        < div class = "col - sm - 4" >
                               273
274
                        </div>
276
                        < div class = "col - sm - 4" >
                               <input type="text" class="form-control" id="GHomeNum" disabled name</pre>
                                   ="GHomeNum" value="<?php echo set_value('GHomeNum',(isset(
$form2['GHomeNum'])) ? $form2['GHomeNum'] : ''); ?>"
placeholder="Home Number">
```

```
278
                                                   <?php echo form_error('GHomeNum'); ?>
                                        </div>
279
280
                  </div>
                  <div class="form-group">
281
                             <label class="col-sm-2 control-label">Email Address</label>
282
                                        283
                                                   ..nput type= text" class="torm-control" id="GEmailAdd" disabled
    name="GEmailAdd" value="<?php echo set_value('GEmailAdd',(
    isset($form2['GEmailAdd'])) ? $form2['GEmailAdd'] : ''); ?>"
    placeholder="Email Address">
<?php echo form_error('GEmailAdd'); ?>
284
286
                                        </div>
                  </div>
287
                  <div class="form-group">
                            ass="form-group">
<label class="col-sm-2 control-label">Occupation</label>
<div class="col-sm-9">
<input type="text" class="form-control" id="Occupation" disabled name="Occupation" value="<?php echo set_value('Occupation' isset($form2['Occupation'])) ? $form2['Occupation'] : ''); placeholder="Occupation">

<p
289
290
292
                                        </div>
293
                  </div>
294
295
                 </div>
296
            </div>
297
298
299
         </div>
300
      <br><br><br><
301
302
303
304
305
           </form>
        306
307
308
309
310
      <div class="panel panel-default">
      <div class="panel-heading">
<iiv class="panel-heading">
<iinput type="submit" class="btn pull-right btn-success" id="add" value="Add Another Record"> <//>

311
312
            input>
      <h4><?php echo $student; ?> </h4>
313
314
315
316
       </div>
317
318
      <div class="panel-body">
319
321
      <div class="table-responsive">
322
      324
      <thead>
325
      <tr>
326
                   Offense Number
327
                  DateOffense
328
                   Personnel 
329
330
         {\rm < t\, h >} {\rm < / \, t\, h >}
331
        332
       </thead>
333
      334
        <?php $i = 0; if ($results!=null)</pre>
335
        foreach ($results as $data) { ?>
336
           <tr>
          337
338
339
340
341
342
           343
344
          <?php
         $i++;
}
?>
345
346
347
      348
      350
       </div>
351
      </div>
352
      </div>
353
354
      </form>
355
      <div class="tab-pane fade" id="extra">
<div class="panel panel-default">
<div class="panel-heading">
356
357
358
359
      <h4>dhad</h4>
```

```
361
      </div>
362
363
      <div class="panel-body">
364
365
366
     <div class="table-responsive">

367
368
369
     <thead>
370
     <tr>
                Activity Number  Description 
371
372
        > Description 

Recognition 

Oth

Date

Status

Personnel

373
374
375
376
377
       </{
m tr}>
378
      </thead>
379
380

$i = 0; if ($extra !=NULL)
381
       foreach ($extra as $data) { ?>
382
383
         <a href="<?php echo base_url();?>students/view_extracurricular/<?php echo $data['ActivityID
    ']; ?>"><?php echo $i+1; ?></a>

<?php echo $data['Description']; ?>

<?php echo $data['Recognition']; ?>

<?php echo $data['Date']; ?>

<?php echo $data['Status']; ?>

<?php echo $data['Status']; ?>

<?php echo $data['SAFirstName']; ?> <?php echo $data['SALastName']; ?>

384
385
386
387
388
389
390
         391
        <?php
392
393
        $i++;
394
395
396
      397
      </div>
398
399
      </div>
400
      </div>
402
       /div>

<div class="tab-pane fade" id="clearance">
<div class="panel panel-default">
<div class="panel-heading">

403
404
405
406
407
     <\!\mathrm{h4}\!>\!\mathrm{dhad}\!<\!/\mathrm{h4}\!>
408
409
410
      </div>
411
      <div class="panel-body">
413
414
415
\frac{416}{417}
     <div class="table-responsive">

418
      <thead>
419
      420
                 Clearance Number
               421
422
423
424
425
426
       </\mathrm{tr}>
      </thead>
427
428
      429
       <?php $i=0; if($clearance !=NULL)</pre>
430
       foreach($clearance as $data){ ?>
431
         432
433
434
435
436
437
         438
439
        <?php
440
        i + +;
441
      </thody>
443
444
      445
446
      </div>
447
448
      </div>
449
        </div>
```

```
451
    </div>
     452
453
454
        <!-- SB Admin Scripts - Include with every page --> <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
455
456
457
    458
459
460
     < s c r i p t >
      461
463
464
     $(function() {
466
            $('#Status').change(function(){
467
                if ($("#Status option: selected" ).text()=='Enrolled') {
469
470
                                    $('#GradeSection').show();
471
                            }
472
473
474
                            $('#GradeSection').hide();
475
            });
477
    })
    var dom = {};
dom.query = jQuery.noConflict(true);
dom.query(function() {
478
479
480
481
482
       dom.query("#SBirthday").datepicker({ dateFormat: 'yy-mm-dd',changeYear: true,changeMonth:
         m.query("#SBirthday").datepicker({ daterormat: 'yy-mm-dd',changerear: true,changeMonth:
true,yearRange: "-60:+0"});
dom.query("#DateWeighed").datepicker({ dateFormat: 'yy-mm-dd',changeYear: true,changeMonth:
483
               true, yearRange: "-60:+0"});
484
     });
485
486
      </\mathrm{script}>
    class="active"><a href="#information" data-toggle="tab">Subject Information</a><a href="#section" data-toggle="tab">Sections</a>
 5
     <div class="tab-content">
 8
            10
 11
            <fieldset disabled>
 12
 13
 14
            <div class="form-group"> <
                    16
 17
18
                                    SubjectName"
value="<?php echo set_value('SubjectName',(isset($form['
SubjectName'])) ? $form['SubjectName'] : ''); ?>" placeholder
="Subject Name">
<?php echo form_error('SubjectName'); ?>
19
20
                            </div>
21
22
            </div>
23
            24
25
                            <div class="col-sm-9">
                                   <textarea class="form-control" id="Description" name="Description</pre>
27
                                    " rows="3"><?php echo set_value('Description', (isset(\form['Description']))' \form['Description'] : ''); ?></textarea>
28
29
                            </div>
30
            </div>
            <div class="form-group">
31
                    <label class="col-sm-2 control-label">Units</label>
33
                            <div class="col-sm-9">
                            34
35
36
            </div>
37
39
40
42
      </ fieldset >
43
```

```
45
      <?php form\_close(); ?>
46
   </div>
<div class="tab-pane fade in" id="section">
47
   48
49
\frac{51}{52}
          <thead>
53
             <tr>
               Section Name
54
55
              56
              <th>Adviser</th>
57
             </\mathrm{tr}>
58
           </thead>
59

<!php if($results !=NULL)
60
           foreach ($results as $data) { ?>
62
             <a href="<?php echo base_url().'record/view_section/'.$data['SectionID']; ?>"><?php
63
             echo $data['SectionName']; ?> <?php echo $data['SAFirstName']; ?> <?php echo $data['SALastName']; ?>
64
65
           <?php } ?>
66
           67
68
          69
       </div>
      </div>
70
   </div>
72
   </div>
73
   </div>
    75
76
   <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
   bootstrap.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
78
    <script>
   $(document).ready(function() {
79
     $('#dataTables-example').dataTable();
80
   });
</script>
81
82
1
   <script>
    var url="<?php echo base_url();?>";
3
       function deleteSY(id){
6
          var r=confirm ("Do you want to delete this?");
           if (r==true){
9
             \label{eq:window.location} \mbox{window.location} \ = \ \mbox{url+"record/delete-sy/"+id} \, ;
10
             return false:
11
12
13
           else
             return false;
14
       }
15
16
17
18
19
       function deleteNoClasses(id){
20
          var r=confirm ("Do you want to delete this?");
21
           if (r==true){
23
24
             window.location = url+"record/delete_no_classes/"+id;
25
             return false;
26
27
28
             return false;
29
30
       }
31
    </script>
   <div class="panel panel-default">
32
33
       <div class="panel-heading">
34
       </div>
        <div class="panel-body">
35
   36
37
           <thead>
38
39
              School Year
40
              Start 
End 

41
42
43
              <\!\!{\rm t}\,{\rm h}\!><\!\!/{\rm t}\,{\rm h}\!>
             45
           </thead>
46
           48
           <?php if(isset($sy_details['Current']) && $sy_details['Current']!==NULL){ ?>
49
```

```
51
52
54
55
                       =" fa fa-trash-o"></i>>
              <?php } ?>
56
              57
              58
59
            60
     </div>
61
62
63
     </div>
64
66
     <div class="panel panel-default">
         <div class="panel-heading">
  <h4 class="panel-title">
67
               <a data-toggle="collapse" data-parent="#accordion" href="#collapse1">Old</a>
69
            </h4>
70
71
          </div>
         <div id="collapse1" class="panel-collapse collapse <?php if(isset($errors['error'])) echo 'in</pre>
72
            '; ?>">
<div class="panel-body">
73
             74
              <thead>
76
                <\!{\rm t\,r}\!>
                 School Year
77
                 Start 

End 

79
80
81
                 </\mathrm{tr}>
              </thead>
82
              83
84
85
              <?php if(isset($sy_details['Old']) && $sy_details['Old']!==NULL)</pre>
86
87
              foreach($sy_details['Old'] as $data){ ?>
88
             <tr>
                ctd><?php echo $data['SchoolYear']; ?>
<<pre><?php echo $data['Start']; ?>
<<pre><?php echo $data['Start']; ?>
<<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><<pre><
89
90
91
92
93
                      i><\!/a><\!/t\,d>
                 94
              <?php } ?>
95
96
              </\mathrm{t\,r}>
97
               aa
100
            </div>
101
102
         </div>
103
            class="panel panel-default">
      <div
104
         <div class="panel-heading clearfix">
  <h4 class="panel-title pull-left">
105
106
107
               <a data-toggle="collapse" data-parent="#accordion" href="#collapse1">No Classes </a>
            </h4>
108
            <div class="btn-group pull-right">
    <a href="<?php echo base_url().'record/no_classes'; ?>">
    <button type="button" class="btn btn-default btn-sm" > Add</button></a>
109
110
111
112
113
            </div>
114
          </div>
115
116
       <div class="panel-body">
             117
118
              <thead>
119
                <tr>
                  Description 
120
                 Start 
End 
121
122
123
                    124
                 </thead>
125
126
              127
              128
               <?php if(isset($no_classes) && $no_classes!==NULL)</pre>
129
130
              foreach($no_classes as $data){ ?>
131
             <tr>
                <?php echo $data['Description']; ?><?php echo $data['Start']; ?><?php echo $data['End']; ?>
132
133
134
                <a href="<?php echo base_url().'record/edit_no_classes/'.$data['ID']; ?>"> <i class
="fa fa-pencil"></i></a>
135
```

```
<a onclick="return deleteNoClasses('<?php echo $data['ID']; ?>');"><i class="fa fa-</pre>
136
                        trash-o"></i></a>
137
                  <?php } ?>
138
139
                </\mathrm{tr}>
140
                141
             142
143
             </div>
144
145
146
          </div>
      <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
147
            dataTables.js"></script>
      148
      bootstrap_is"></script src="<?php echo base_url(); !>assets/themes/default/js/prugins/data1arles/dat

<script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
150
      <script>
      $(document).ready(function()
151
        153
        $('#tableOld').dataTable({
    "bLengthChange": false," bFilter":false});
154
155
      });
156
      </script>
157
     <script>
 2
        function changeStatus(id){
 3
            var url="<?php echo base_url();?>";
               var r=confirm ("Do you want to change the status?");
  6
                   (r==true)
                  window.location = url+"record/change_status/"+id;
 9
                else
 10
                  return false;
                }
 11
 12
 13
        function changeStatus2(id){
 14
            var url="<?php echo base_url();?>";
 15
               var r=confirm ("Do you want to change the status?");
               if (r==true)
  window.location = url+"record/change_status2/"+id;
 17
 18
 19
                else
                 return false;
 20
 21
 22
 23
 24
 25
      </script>
 26

    ><a href="<?php echo base_url(); ?>record/view_student/<?php echo $this->uri->segment(3);
    ?>">Student</a>

 28

// Student / As / II >
/ Cli > a href="??php echo base_url(); ?>record/view_student_offenses/<?php echo $this->uri->
/ segment(3); ?>">Offenses </a> 
/ Cli > a href="??php echo base_url(); ?>record/view_student_extracurricular/<?php echo $this->uri->
/ segment(3); ?>">Extracurricular </a> 
/ Cli class="active"><a href="??php echo base_url(); ?>record/view_student_clearance/<?php echo
/ $this->uri->
/ Segment(3); ?>" >Clearance </a> 
/ Clearance </a> 
 29
 30
 31
        <a href="<?php echo base_url(); ?>record/view_grades/<?php echo $this->uri->segment(3); ?>"
 32
             >Grades</a>
 33
           34
      <?php $this->session->set_flashdata('studentno', $this->uri->segment(3)); ?>
 35
      <div class="tab-content">
        <div class="tab-pane fade in active" id="announcements">
 37
 38
 39
        <div class="panel panel-default">
<div class="panel-heading">
 40
 41
 42
        <h4 class="panel-title">
      Clearance For S.Y. <?php echo $schoolyear; ?>
 43
 44
      </h4>
 45
      </div>
 46
     <div class="panel-body">

 48
 49
 50
       Academic Clearance 
 51
 52
      </\mathrm{tr}>
 53
        Subject 
 54
        Subject Teacher 
 55
 56
         Clearance Status 
 57
        < (th>)
      59
      <?php
 60
        \$i = 1;
          if (is_array ($subjects))
```

```
62
                        foreach($subjects as $subject){
  63
                             echo ''.$i.'';
                            echo ''.%:...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '...', '..
  65
  66
  67
  68
                                  echo 'Not Cleared ';
                             else
  69
  70
                                  echo 'Cleared ';
                          echo '>';
 \frac{71}{72}
                          if ($this->session->userdata ('logged_in') ['ID']==$clearance[$subject['SubjectID']]['ApprovedBy
                            ']){
if ($clearance[$subject['SubjectID']]['ClearanceID']=="0")
$id = "'".$clearance[$subject['SubjectID']]['Status'].'/'.$clearance[$subject['SubjectID']]['ClearanceID'].'/'.$this->uri->segment(3).'/'.$clearance[$subject['SubjectID']]['ClearanceFor'].'/'.$clearance[$subject['SubjectID']]['YapprovedBy']."'";
  73
                             se $id = "'".$clearance[$subject['SubjectID']]['Status'].'/'.$clearance[$subject['SubjectID']]['ClearanceID'].'/'.$this->uri->segment(3)."'";
  76
                             echo '<button class="btn btn-success" onclick="changeStatus('.$id.')" >Change Status</button
  78
  79
                         }
?>
  80
  81
  82
                         <?php
acho '';
  83
  85
  86
                                  $i++;
  88
  89
  90
  91
  92
  93
            94
            95
  96
             School Clearance 
  97
  98
  99
             Clearance For
Personnel/Teacher 
Clearance Status 

100
101
102
                  103
104
            <?php
$i=1;
105
106
107
                       if(is_array($other_clearance))
foreach($other_clearance as $key=>$value){
108
109
110
                             $clearance[$key]['ApprovedBy'] = $this->session->userdata('logged_in')['ID'];
111
                             echo ''.$i.'';
112
                            ccho ''. $clearance[$key]['ClearanceFor'].'';
if ($clearance[$key]['TeacherName']=="NULL NULL")
echo '';
113
114
115
                             else
116
117
                             echo ''. $clearance [ $key ] [ 'TeacherName'].' '; if ($clearance [ $key ] [ 'Status'] =='NC') echo 'Not Cleared ';
118
119
120
                             else
191
                                 echo 'Cleared ';
122
123
                          echo '>';
124
                          125
126
127
                                  se sid = "'".$clearance[$key]['Status'].'/'.$clearance[$key]['ClearanceID'].'/'.$this->uri-> segment(3).'/'.$clearance[$key]['ApprovedBy']."'";
128
120
130
                             if($key=='Lib' && $this->session->userdata('logged_in')['Type']!="Principal" && $this->
    session->userdata('logged_in')['Type']!="Guardian")
    echo '<button class="btn btn-success" onclick="changeStatus2('.$id.')" >Change Status
131
132
                                                \verb|button>';
133
134
135
136
137
138
139
                         ?>
140
141
142
            <?php
143
```

```
echo '';
144
145
146
                               $i++;
147
148
149
150
151
152
          ?>
153
154
155
           156
157
           </div>
158
159
           </div>
161
           </div>
162
           </div>
164
165
166
167
             <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
168
                    dataTables.js"></script>

<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
169
                    \label{eq:constraint} $$ \sim \script > \script
170
171
172
                  $(document ).ready(function() {
    $('#dataTables-example').dataTable();
173
174
175
                    });
176
177
                     </\mathrm{script}>
           <script>
   3
   4
                function changeStatus2(id){
                       var url="<?php echo base_url();?>";
alert(id);
   6
7
                             var r=confirm("Do you want to change the status?");
   9
  10
                               if (r==true)
                                    window.location = url+"record/change_status2/"+id;
  11
                               else
  12
  13
                                   return false;
                               }
  14
  15
  16
  17
  18
           </script>
          20
               <a href="<?php echo base_url(); ?>record/view_student_offenses/<?php echo $this->uri->
    segment(3); ?>">Offenses</a>
class="active"><a href="<?php echo base_url(); ?>record/view_student_clearance/<?php echo
    $this->uri->segment(3); ?>" >Clearance</a>

  22
  23
              24
           <?php $this->session->set_flashdata('studentno', $this->uri->segment(3)); ?>
  26
  27
           <div class="tab-content">
  28
                <div class="tab-pane fade in active" id="announcements">
  29
  30
  31
                <div class="panel panel-default">
          32
  33
  34
           </div>
  35
  36
           <div class="panel-body">
  37
           38
           <tr>
            Academic Clearance 
  40
           <\!/\operatorname{tr}\!>
  41
           <tr>
  42
                Subject
               43
  44
  45
  46
            <?php
  48
           //print_r($student_attendance);
  49
                 \$i = 1;
                      if (is_array($subjects))
  51
                     foreach($subjects as $subject){
  52
                          echo ''.$i.'';
```

```
echo ''.$clearance [$subject ['SubjectID ']] ['ClearanceFor'].''; echo ''.$clearance [$subject ['SubjectID ']] ['TeacherName'].''; if ($clearance [$subject ['SubjectID ']] ['Status'] =='NC')
 54
 55
                 echo 'Not Cleared ';
 57
              else
 58
 59
                 echo 'Cleared ';
             echo '>';
 60
 61
 62
             echo\ '';
 63
 64
 65
                 $i++;
 66
 67
 68
 69
70
71
 72
73
74
      75
      <tr>
       School Clearance 
 76
 77
      78
      <tr>
         Clearance For
Personnel/Teacher 
Clearance Status 

 79
 80
 82
        <\!\!{\rm t}\,{\rm h}\!><\!\!/{\rm t}\,{\rm h}\!>
 83
      </\mathrm{tr}>
      <?php
 85
         \$i = 1:
 86
 87
            if(is_array($other_clearance))
           foreach (Sother-clearance as $key=>$value) {
    $clearance [$key]['ApprovedBy'] = $this->session->userdata('logged_in')['ID'];
 88
 89
 90
                      '>'.$i.'';
 91
 92
              echo '>'.$clearance[$key]['ClearanceFor'].'';
              if($clearance[$key]['TeacherName']=="NULL NULL")
echo'>';
 93
 94
 95
 96
              echo ''.$clearance[$key]['TeacherName'].''; if($clearance[$key]['Status'] =='NC') echo 'Not Cleared ';
 97
 98
99
100
              else
                 echo 'Cleared ';
101
102
             echo '>':
103
104
       105
107
                 $id = "'.".$clearance[$key]['Status'].'/'.$clearance[$key]['ClearanceID'].'/'.$this->uri->
segment(3).'/'.$clearance[$key]['ApprovedBy']."'";
108
109
110
              if(($key=='SciLab' || $key=='Prop' || $key=='ComLab') && $this->session->userdata('logged_in ')['Type'] =="PersonnelProp")
echo '<button class="btn btn-success" onclick="changeStatus2('.$id.')" >Change Status</
111
112
                      \texttt{button} > \text{'};
113
              elseif($key=='Gui' && $this->session->userdata('logged.in')['Type'] =="PersonnelGui") echo '<button class="btn btn-success" onclick="changeStatus2('.$id.')">Change Status</
114
115
              button >';
elseif($key=='Lib')
echo '<button class="btn btn-success" onclick="changeStatus2('.$id.')" >Change Status</
116
118
119
120
121
122
            ?>
123
124
125
126
      <?php
             echo '';
128
129
130
                 i ++;
131
132
133
134
135
136
      ?>
137
```

```
139
           140
           </div>
142
           </div>
143
144
           </div>
145
146
147
           </div>
148
149
150
             <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
151
                    dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
152
154
                    <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
155
156
157
158
                    <script>
159
                  $(document ).ready(function() {
    $('#dataTables-example').dataTable();
160
161
162
                    });
163
                    </script>
           <script >
var url="<?php echo base_url();?>";
   2
                    function deleteAct(id){
   3
                            var r=confirm ("Do you want to delete this?");
   6
                              if (r==true){
                                   window.location = url+"record/delete_extracurricular/"+id;
   9
                                   return false;
  10
  11
                               else
                                  return false;
  12
  13
           </script>
  14
  15
  16
  17
               18
  19
               <II \alpha nref='\circ{pnp} ecno base_url(); \circ{precord/view_student_offenses/\circ{pnp} ecno \stnis-\rightarrow{url-\sigma} \segment(3); \circ{pnp} \circ{pnp} ecno \stnis-\rightarrow{url-\sigma} \segment(3); \circ{pnp} echo \base_url(); \circ{pnp} echo \stnis-\rightarrow{url-\rightarrow{pnp} echo \stnis-\rightarrow{url-\rightarrow{url-\rightarrow{pnp} echo \stnis-\rightarrow{url-\rightarrow{url-\rightarrow{pnp} echo \stnis-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\rightarrow{url-\righ
  20
  21
  22
                               >Grades </a> 
                  23
  24
  25
           <div class="tab-content">
                <div class="tab-pane fade in active" id="announcements">
  26
  27
  28
          <div class="panel panel-default">
<div class="panel-heading clearfix">
  29
  30
                        class="panel-heading cleariix">

</pr
  31
  32
  33
  34
           Add extracurricular </button></a>';
  35
  36
  37
  38
                           ?>
  39
  40
                          </div>
                    </div>
  41
  42
           <?php $this->session->set_flashdata('studentno', $this->uri->segment(3)); ?>
  43
           <div class="panel-body">

$ attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/view_student_extracurricular/'.$this->uri->segment(3),$attributes); ?>
  44
  45
  47
           <div class="form-group">
<label class="col-sm-4 control-label">School Year</label>
  48
  49
           <div class="col-sm-5">
                  <?php
  50
                                             51
  52
  53
  54
                                                                                  "2007-2008" = > "2007-2008",

'2006-2007' = > '2006-2007');
  55
  56
```

```
57
 58
                           ?>
        </div>
 59
 60
 61
 62
        </div>
        <div class="form-group">
 63
              <div class="col-sm-offset-4 col-sm-5">
    <button type="submit" class="btn btn-success">Show Extracurricular Records</button>
 64
 65
               </div>
 66
           </div>
 67
        <?php form_close(); ?>
 69
       </div>
 70
       71
 72
 73
74
         <h4 class="panel-title">
 75
         <?php if(isset(\$selected\_schoolyear)) \\ echo "Extracurricular Activities for S.Y.".\$selected\_schoolyear; ?>
 76
 77
         </h4>
 78
 79
        </div>
        <div class="panel-body">
 80
 82
 83
        <div class="table-responsive" >

<thead>
 85
 86
 87
                     <th> No. <th> Description
 88
 89
            Recognition 
     Date 
     Status 
     Status 

 90
 91
 93
                     Personnel
 94
           \langle th \rangle \langle /th \rangle
 95
          96
        </thead>
 97
        98
          <?php $i = 0; if ($extra !=NULL)
 99
         foreach ($extra as $data) { ?>
100
            <tr>
101
             <\!\!\mathrm{td}\!>
             <?php if(strpos($this->session->userdata('logged_in')['Type'],'Teacher')!==FALSE || $this->
    session->userdata('logged_in')['Type']=='Student')
    echo '<a href="'.base_url().'students/view_extracurricular/'.$data['ActivityID'].'">'.($i+1)
102
103
                         .\ '</\ a>';
104
               else
105
                  echo (\$i+1);
106
107
108
109
           ?>
110
111
             112
            113
114
115
116
117
118
             >
              119
120
121
122
             </\mathrm{tr}>
           <?php
$i++;
123
124
125
            }
?>
126
        128
129
130
        </div>
131
132
        </div>
133
       134
135
           <strong>No record found.
136
        </div>
137
```

```
138
          </div>
139
          </div>
140
141
            <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
142
                  dataTables.js"></script>

<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
143
144
145
146
                  <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
147
148
149
                  <script>
150
                $(document ).ready(function() {
    $('#dataTables-example').dataTable();
151
153
154
155
                  </script>
         <a href="<?php echo base_url(); ?>record/view_student/<?php echo $this->uri->segment(3);
?>">Student</a>
   2
                           class="active"><a href="<?php echo base_url(); ?>record/view_student_offenses/<?php echo
   3
              $\text{sthis-\suri-\segment(3); ?>">Offenses</a>
<a href="<?php echo base_url(); ?>record/view_student_extracurricular/<?php echo $\text{sthis-\suri}-\segment(3); ?>">Extracurricular</a>
   4
              5
              <a href="<?php echo base_url(); ?>record/view-grades/<?php echo $this->uri->segment(3); ?>"
   6
                       >Grades</a>
                 <?php\ \$this->session->set\_flashdata\left(`studentno',\$this->uri->segment(3)\right);\ ?>
          <div class="tab-content">
   9
         <div class="tab-pane fade in active" id="announcements">
<div class="panel panel-default">
<div class="panel-body">
  10
 12
         <div class="panel-body">

$ attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/view_student_offenses/'.$this->uri->segment(3),$attributes); ?>
<div class="form-group">
<label class="col-sm-2 control-label">School Year</label>
 14
 15
         <div class="col-sm-4">
     <?php</pre>
 17
 18
                                        \label{eq:soptions} \begin{array}{lll} \text{\$options} &=& \operatorname{array}(""=>"\operatorname{Select} & \operatorname{School} & \operatorname{Year} & (\operatorname{Required})","2013-2014"=>"2013-2014",\\ & & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & & \\ & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\
 19
 20
 21
 22
                                                                         "2007\!-\!2008"\!=\!>"2007\!-\!2008"
 23
                                                                          '2006-2007'
                                                                                                   \Rightarrow '2006 - 2007');
                                              echo form_dropdown('SchoolYear', $options, set_value('SchoolYear', isset(
$schoolyear)? $schoolyear: "Select School Year (Required)"),'class="form-
 25
                                                       $schoolyear)? $s
control" id=""');
 26
                                   ?>
 27
          </div>
          <label class="col-sm-2 control-label">Type of Offense</label>
          <div class="col-sm-4">
  <select id="Type" name="Type" class="form-control">
  <option value="NA"> Type (Required)</option>
 29
 30
 31
              <option>Disciplinary
 32
              <option>Property
 34
              <option>Both Offenses
 35
              </select>
         </div>
<div class="form-group">
 37
 38
                  <div class="col-sm-offset-4 col-sm-5">
 39
                      <button type="submit" class="btn btn-success">Show Offense Record</button>
 40
                   </div>
 41
 42
              </div>
          <?php form_close(); ?>
</div>
 43
 44
 45
          </div>
 46
 47
         48
 49
 50
                          <a data-toggle="collapse" data-parent="#accordion" href="#collapseOne">Disciplinary
 51
                                     Offense For S.Y. <?php echo $selected_schoolyear; ?></a>
                       </h4>
 52
                  </div>
 53
 54
                  <div id="collapseOne" class="panel-collapse collapse in ?>">
                      <div class="panel-body">
     <div class="table-responsive">
 55
 56
          57
 58
          <thead>
           No.   Date
 60
 61
               Offense
```

```
63
      Personnel 
64
     66
    </thead>
67
    68
     <?php $i=0; if($guidance !=NULL)
69
     foreach($guidance as $data){ ?>
70
71
       < ?php echo $i+1; ?> 
      72
73
74
75
76
77
78
      <?php
     $ i ++;
79
      }
?>
80
    81
    83
    </div>
84
85
         </div>
86
       </div>
     </div>
88
   89
90
91
92
          <a data-toggle="collapse" data-parent="#accordion" href="#collapseTwo">Property Offenses
For S.Y. <?php echo $selected_schoolyear; ?></a>
       </h4>
93
94
      </div>

<div id="collapseTwo" class="panel-collapse collapse in">
<div class="panel-body">
95
96
98
       <div class="table-responsive">
    100
    <thead>
101
   <tr>
     No.
103
     <th> Equipment</th>
     Equipment 

No. of Equipment 

Status 
Personnel 

104
105
106
107
    </\mathrm{t\,r}>
108
109
    </thead>
    110
     <?php $i=0; if($offenses !=NULL)
foreach($offenses as $data){ ?>
111
112
      <tr>
      114
115
117
118
119
      120
121
      <?php
122
     $i++;
      }
?>
123
124
125
    126
    </div>
128
       </div>
129
130
     </div>
   </div>
131
132
    </div>
    134
135
    </div>
    </div></div>
136
    138
139
           bootstrap.js"></script>
140
       <\!\!\mathrm{script\ src} = "<\!\!\mathrm{?php\ echo\ base\_url}\left(\right);\ ?\!\!>\!\!\mathrm{assets/themes/default/js/sb-admin.js"}\!\!>\!\!<\!\!\mathrm{/script}\!\!>
142
143
144
       <script>
145
      $(document ).ready(function() {
    $('#dataTables-example').dataTable();
    $('#dataTables-example').dataTable();
146
147
148
       });
```

```
150
151
152
                  </script>
           <script>
         var url="<?php echo base_url();?>";
   function deleteOffenses(id,studno){
  3
                        var r=confirm("Do you want to delete this?");
                          if (r==true) {
  6
                              window.location \ = \ url + "record / delete\_offenses /" + id + " /" + studno \, ;
  8
   9
                              return false;
 10
                           else
 11
                              return false;
 12
          </script>
 14
          , Sthis -> session -> set_flashdata ('studentno', $this -> uri -> segment (3)); ?>
 15
 17
           <last="active"><a href="<?php echo base_url(); ?>record/view_student_offenses/<?php echo</pre>
             $\text{sthis->uri->segment(3); ?>">Offenses</a>
<a href="<?php echo base_url(); ?>record/view_student_clearance/<?php echo $\text{this->uri->segment(3); ?>">Clearance</a>

 19
 20
         21
 22
 23
         24
 25
 26
 28
                      else echo ""; ?></h4>
                     else ecno ; :>\/.u=/
</ri>

    <a href="c!php echo base_url(); ?>record/add_offenses/<?php echo $this->uri->segment(3);
    <a href="c!php echo base_url(); ?>record/add_offenses/<?php echo base_url(); ?>record/add_offenses/<?php echo $this->uri->segment(3);
    <a href="c!php echo base_url(); ?>record/add_offenses/<?php echo base_url(); ?>record/add_offenses/<?php echo base_url(); ?>record/add_offenses/<?php echo base_url(); ?>record/add_offenses/<?php echo base_url(); ?<a href="c!php echo base_url(); ?>record/add_offenses/<?php echo base_url(); ?<a href="c!php echo base_url(); ?>record/add_offenses/<?php echo base_url(); ?<a href="c!php e
 29
 30
                               target="#mvModal">
              Add offenses
 31
 32
         33
                 </div>
        <div class="panel-body">

$ attributes = array('class' => 'form-horizontal', 'role' => 'form');
 35
 36
              echo form_open('record/view_student_offenses/'. $this->uri->segment(3), $attributes); ?>
 37
         <div class="form-group">
<label class="col-sm-2 control-label">School Year</label>
 38
 39
         <div class="col-sm-4">
     <?php</pre>
 40
 41
                                       42
 43
 44
                                                                        2007 - 2008 = 2007 - 2008
 46
 47
                                                                        ^{,2006-2007}
                                                                                                 \Rightarrow '2006 - 2007');
                                             echo form-dropdown('SchoolYear', $options, set_value('SchoolYear', isset(
$schoolyear)? $schoolyear: "Select School Year (Required)"),'class="form-
control" id=""');
 49
         </div>
 50
         <label class="col-sm-2 control-label">Type of Offense</label>
         52
 53
 55
 56
             <option>Both Offenses</option>
         </select></div>
 58
 59
 60
         </div>
         <div class="form-group">
 61
                 <div class="col-sm-offset -4 col-sm-5">
 62
                     <button type="submit" class="btn btn-success">Show Offense Record</button>
 63
                  </div>
 64
 65
               </div>
 66
         <?php form_close(); ?>
 67
         </div>
 68
         </div>
 69
 70
        71
 72
 73
 74
 75
                      </h4>
 76
                      <div class="btn-group pull-right">
 78
                          <a href="<?php if(isset($SchoolYear) && isset($Type)){ echo base_url();?>reports/offenses /<?php echo $this->uri->segment(3,0).'/'.$SchoolYear.'/'.$Type;} else echo "#"; ?>"
```

```
\verb|class="btn-btn-default-btn-sm">Generate-Report</a>|
 80
         </div>
 82
 83
         <div id="collapseOne" class="panel-collapse collapse in ?>">
           <div class="panel-body">
     <div class="table-responsive">
 85
 86
 87
     88
 89
     <thead>
 90
     <tr>
        No.
 91
 92
       <th> Date
 93
        Offense 
 94
       Personnel 
      <??php if(strpos($this->session->userdata('logged_in')['Type'],'Gui') !== FALSE)
echo '>' ?>
 96
 97
 98
     </thead>
 99
100
     <?php $i=1; if($guidance !=NULL)
101
      foreach($guidance as $data){ ?>
102
103
        <a href="<?php echo base_url().'record/edit_offenses_gui/'.$data['OffenseID']; ?>"><?php</a>
104
        echo $i; ?></a>
<<td><<td>?>
105
106
       <?php echo $data['Offense']; ?>
<?php echo $data['SAFirstName']; ?> <?php echo $data['SALastName']; ?>
<?php if(strpos($this->session->userdata('logged_in')['Type'],'Gui') !== FALSE)
echo '<a onclick="return deleteTestType('.$data['OffenseID'].','.$this->uri->segment(3).',)
;"><i class="fa fa-trash-o"></i></a>?; ?>
107
108
109
110
111
112
        </{
m tr}>
       <?php
$i++;
113
114
115
        }
116
     117
     119
     </div>
120
121
           </div>
122
         </div>
123
124
       </div>
     125
       <div class="panel-heading">
126
127
         For S.Y. <?php echo $selected_schoolyear; ?></a>
         </h4>
129
       </div>
130
131
       132
134
         <div class="table-responsive">
     135
     <thead>
136
137
     138
       Offense Number
        Equipment    
139
140
       Status 
141
        Personnel 
142
       <?php if(strpos($this->session->userdata('logged_in')['Type'],'Prop') !== FALSE)
echo '>'; ?>
143
144
145
      </\mathrm{tr}>
     </thead>
146
     147
      <?php i=1; if (fine ses !=NULL)
148
      foreach ($offenses as $data) { ?>
149
150
        <a href="<?php echo base_url().'record/edit_offenses/'.$data['OffenseID']; ?>"><?php echo
151
             $i; ?></a>
       $i; ?></a>

152
153
154
155
156
157
        158
       <?php
$i++;
159
160
161
        }
?>
162
     </thody>
163
```

```
</div>
165
166
          </div>
167
       </div>
168
     </div>
169
170
171
     <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
172
         dataTables.js"></script>
<script src=""<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
bootstrap.js"></script>
173
174
175
176
          <\!\!\mathrm{script\ src} = "<\!\!\mathrm{?php\ echo\ base\_url}\left(\right);\ ?\!\!>\!\!\mathrm{assets/themes/default/js/sb-admin.js"}\!\!>\!\!<\!\!\mathrm{/script}\!\!>
177
178
179
         <script>
180
        $(document ).ready(function() {
    $('#dataTables-example').dataTable();
    $('#dataTables-example').dataTable();
181
183
184
          });
185
186
          </\mathrm{script}>
187
     <script>
var url="<?php echo base_url();?>";
function deleteClearance(id){
 3
             var r=confirm("Do you want to delete this?");
              if (r==true){
 6
                 window.location = url+"students/delete_clearance/"+id;
 9
                 return false:
 10
11
               else
                return false:
12
14
     </script>
15
      17
18
       <a href="<?php echo base_url(); ?>record/view_all_clearance">Clearance</a</pre>
             ></li>
19
       <a href="<?php echo base_url(); ?>record/view_all_extracurricular">Extracurricular Act</a>
20
21
     23
     </php $this->session->set_flashdata('studentno', $this->uri->segment(3)); ?>
24
     <div class="tab-content">
     <div class="tab-pane fade in active" id="announcements">
26
27
     <div class="panel panel-default">
29
     <div class="panel-body">
30
     <??php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/view_student_clearance/'.$this->uri->segment(3),$attributes); ?>
<div class="form-group">
31
32
     <label class="col-sm-4 control-label">School Year</label>
34
     <div class="col-sm-5">
35
       <?php
                     37
38
39
40
41
                                        "2007 - 2008" = > "2007 - 2008"
                         2006-2007' => '2006-2007');
echo form_dropdown('SchoolYear', Soptions, set_value('SchoolYear', isset(
$schoolyear)? $schoolyear: "Select School Year (Required)"), 'class="form-control" id=""');
42
43
                   ?>
44
45
     </div>
46
47
48
     </div>
     <div class="form-group">
49
         50
51
          </div>
52
        </div>
53
54
     <?php form_close(); ?>
55
     </div>
     </div>
56
     57
59
60
```

```
62
          </div>
 63
          <div class="panel-body">
 65
 66
         <div class="table-responsive">

 68
 69
 70
          <thead>
 \frac{71}{72}
          <tr>
                             Clearance Number
 73
                           <th>> Description </th>< <th>> Date </th>
 74
                           Status Status Personnel 
 75
 76
              < (th>)
 77
             </thead>
 79
 80
          <?php $i=0; if($clearance !=NULL)</pre>
 82
             foreach ($clearance as $data) { ?>
 83
                <tr>
 84
                <a href="<?php echo base_url();{>students/view_clearance; \pmp color \pm colo
                <\!td><\!a\ href="`<?php\ echo\ base\_url();?>students/view\_clearance/<?php\ echo\ \$data['ClearanceID'];
 85
 86
 87
 89
                <a href="<?php echo base_url(); ?>students/edit_clearance/<?php echo $data['ClearanceID']; ?>">
                           <i class="fa fa-trash-o"></i>>Edit</a>
onclick="return deleteClearance('<?php echo $data['ClearanceID'];?>');"> <i class="fa fa-</pre>
                             {\tt trash-o"></i>Delete</a>}
                 92
 93
               <?php
 94
               $i++;
 95
 96
 97
          98
          99
          </div>
100
          </div>
101
102
          </div>
103
          </form>
          </div>
104
105
          </div>
106
108
            <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
                   dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
109
                             bootstrap.js"></script>
110
112
                  <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
113
114
                  <script>
115
116
                $(document ).ready(function() {
    $('#dataTables-example').dataTable();
117
118
119
                  });
120
                   </script>
121
          <script>
var url="<?php echo base_url();?>";
   3
                   function deleteAct(id){
                          var r=confirm ("Do you want to delete this?");
   6
                            if (r==true) {
                                window.location = url+"record/delete_extracurricular/"+id;
   9
                                return false;
 10
 11
                                return false;
 12
 13
          </script>
 15
 16
  17
              <ul class="nav nav-tabs">
 18
              <a href="<?php echo base_url(); ?>record/view_all_clearance">Clearance</a>
  19
              20
 21
 22
 23
```

```
25
        <div class="tab-content">
            <div class="tab-pane fade in active" id="announcements">
<div class="tab-pane fade in active" id="announcements">
 26
                    ch4 class="panel-title pull-left" style="padding-top: 7.5 px;"> <?php
if(isset($panel-header)){
    // echo $panel_header;</pre>
 28
 29
 30
 31
 32
                     else echo ""; ?></h4>
 33
 34
 35
                    </php if(strpos($this->session->userdata('logged_in')['Type'], 'Teacher') !== FALSE)
 36
                    echo '<div class="btn-group pull-right"><a href="'.base_url().'record/extracurricular"><button type="button" class="btn btn-default btn-sm" data-toggle="modal" data-target="#
 37
                            myModal">Add extracurricular </button></a>
                     </div > '; ?>
 39
                 </div>
 40
 41
         <div class="panel panel-default">
 42
         <? php $this -> session -> set_flashdata ('studentno', $this -> uri -> segment(3)); ?> this -> uri -> segment(3)); ?> this -> this -> session -> set_flashdata ('studentno', $this -> uri -> segment(3)); ?> this -> this ->
 44
         <!php $this=>session=>set:liashdata( studentho , $this=>uiri=>segment(3)), !>
</php $attributes = array('class' => 'form-horizontal', 'role' => 'form');
   echo form_open('record/view_all_extracurricular/'.$this=>uri=>segment(3),$attributes); ?>
 45
 46
 47
        <div class="form-group">
<label class="col-sm-4 control-label">School Year</label>
<div class="col-sm-5">
 48
 49
 50
               <?php
                                    52
 53
 55
 56
                                                                    "2007 - 2008" = > "2007 - 2008"
                                          57
 58
 59
                                ?>
         </div>
 60
 61
 62
 63
         </div>
         <div class="form-group">
 64
                65
 66
                 </div>
 67
 68
             </div>
 69
         <?php form_close(); ?>
 70
         </div>
         </div>
         72
 73
         <div class="panel-heading">
 74
 75
         </div>
 77
78
         <div class="panel-body">
 79
 80
         <div class="table-responsive" >
 81
         82
         <thead>
 83
 84
          Activity Number  Description 
 85
 86
 87
             Recognition 
 88
                         Date   
 89
                         Personnel 
 90
 91
            \langle th \rangle \langle /th \rangle
 92
           93
         </thead>

  <?php $i = 0; if ($extra !=NULL)</pre>
 94
 96
           foreach ($extra as $data) { ?>
 97
 98
              <a href="<?php echo base_url();?>record/view_extracurricular/<?php echo $data['ActivityID
              99
100
101
102
103
              105
106
                         ?>
```

```
108
        <?php
109
        $ i++;
         }
?>
110
111
     112
113
      114
     </div>
115
     </div>
116
     </div>
117
119
      </div>
120
      </div>
122
       <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
123
          dataTables.js"></script> <script src="<?php echo base_url(); !>assets/themes/default/js/plugins/dataTables/jquery. dataTables.js"></script src="<?php echo base_url(); !>assets/themes/default/js/plugins/dataTables/dataTables.
124
                bootstrap.js"></script>
125
126
127
          <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
128
129
130
131
         $(document ).ready(function() {
    $('#dataTables-example').dataTable();
132
134
          });
135
          </script>
136
     <a href="<?php echo base_url(); ?>record/view_all_clearance">Clearance</a>
 3
        <a href="<?php echo base_url(); ?>record/view_all_extracurricular">
 4
             Extracurricular Act</a>
 5
     <div class="tab-content">
 10
        <div class="panel panel-default">
 11
     <div class="panel-heading clearfix"> Information
 12
     <?php if(strpos($this->session->userdata('logged_in')['Type'], 'Teacher') !== FALSE)
 13
 14
             echo '<div class="btn-group pull-right"><a href="'.base_url().'record/edit_extracurricular /'.$this->uri->segment(3).'"> <button type="button" class="btn btn-default btn-sm" data-toggle="modal" data-target="#
 15
 16
                  myModal">Edit</button></a>
 17
             </div > '; ?>
      </div>
 18
 19
     <div class="panel-body">
     class = paner=body /
c?php sattributes = array('class' => 'form-horizontal', 'role' => 'form');
echo form_open('record/change_extracurricular/'.$this->uri->segment(3)."/".$clearance[0]['Status
 20
 21
              '], $ attributes); ?>
 22
 23
     <fieldset disabled>
         certaget disabled 

foreach($clearance as $row){ ?>

class="form-group">

<p
 24
 26
 27
 28
          $\frac{\text{" class="form-\text{" class="form-\text{" class="form-\text{"}}}{\text{div}}$
 29
          </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
 30
        </div>
<div class="form-group">
 31
 32
          <label class="col-sm-3 control-label">Recognition</label>
<div class="col-sm-6">
 33
 34
            <input type="text" class="form-control" id="Username" name="Username" value="<?php echo</pre>
 35
                  $row['Recognition']; ?>" >
 36
          </div>
 37
          <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
 38
        </\mathrm{div}>
 39
        <div class="form-group">
          <label class="col-sm-3 control-label">Date</label>
<div class="col-sm-6">
 40
 41
            42
 43
          </div>
          </abel class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
 44
        </div>
 45
        <div class="form-group">
 46
          <label class="col-sm-3 control-label">Status</label>
 48
          <div class="col-sm-6">
                                   class="form-control" id="Username" name="Username"
            <input type="text"</pre>
 49
                                                                                                 value="<?php if($row
                  ['Status']=='C') echo 'Checked'; else echo 'Not Checked'; ?>"
          </div>
 50
          </pr
 51
 52
        </div>
```

```
53
      <div class="form-group">
        <label class="col-sm-3 control-label">Approved By</label>
54
        56
57
        </div>
        <label class="col-sm-4 error"><?php echo form_error('Username'); ?></label>
58
59
60
61
62
    63
64
66
67
    </div>
69
    </form>
    </div>
70
71
    </div>
72
    <div class="panel panel-default">
<div class="panel-heading"> Portfolio
73
    </div>
74
    75
76
77

<a class="file" href="<?php echo base_url(); ?>students/download_file3/<?php echo $this
    ->functions->encrypt_url($row['ActivityID'']); ?>">Download</a>
<?php echo $row['FileName']; ?>
78
79
80
             82
83
      84
85
      </div>
86
      </div>
87
       <?php } ?>
88
89
90
91
92
93
    </div>
94
95
96
97
98
      <script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/jquery.
        dataTables.js"></script>
<script src="<?php echo base_url(); ?>assets/themes/default/js/plugins/dataTables/dataTables.
99
            bootstrap.js"></script>
100
102
        <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
103
104
105
        <script>
106
       $(document ).ready(function() {
   $('#dataTables-example').dataTable();
107
108
109
110
        });
111
112
        </script>
    <!DOCTYPE html>
    <html>
 3
    <head>
        <meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
 6
 9
10
        <script src="<?php echo base_url(); ?>assets/themes/default/js/jquery-1.10.2.js"></script>
11
        12
13
14
15
        <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
16
17
18
19
^{21}
22
        <link href="<?php echo base_url(); ?>assets/css/bootstrap.min.css" rel="stylesheet">
        24
25
```

```
26
          <link href="<?php echo base_url(); ?>assets/css/sb-admin.css" rel="stylesheet">
27
28
           <link rel="stylesheet" href="<?php echo base_url(); ?>assets/themes/default/css/jquery-ui.css
29
30
            <link href="<?php echo base_url(); ?>assets/themes/default/css/datepicker.css" rel="
                  stylesheet">
31
32
        <title > VCSHS Portal </title >
33
34
     </head>
35
     <style>
36
37
     .error
38
          color:red;
39
      table td.fixed{
40
          max-width: 150px;
max-height: 150px;
41
42
           overflow: hidden;
43
44
45
     }
46
47
      body {
           tfont-family: Optima, Segoe, "Segoe UI", Candara, Calibri, Arial, sans-serif;
48
49
          margin: 0 auto;
50
        background-color:#D9DFFF;
52
53
          }
55
           .\;page\!-\!header\,\{
56
                padding:5px;
57
                padding-left:10px;
58
59
60
           .label-date{
                color: black;
61
62
     ul.nav a:hover { background-color: #fff !important; font-color":black;}
ul.nav a:focus { background-color: #fff !important; }
ul.nav a:active { background-color: #fff !important; }
.nav-second-level {
background-color: #fff !important; }
63
64
66
       background-color: #fff !important;
67
68
69
70
71
72
     </stvle>
73
74
     </head>
75
     <body>
77
       <div class="container">
78
79
          <div class="navbar navbar-default navbar-static-top" role="navigation" style="margin-bottom:</pre>
                0:">
                0, /

<
80
81
           </div>
          <div class="navbar navbar-default" role="navigation">
82
               <div class="container-fluid">
     <div class="navbar-header">
83
84
85
                    <button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".
                          navbar-collapse">
                       <span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
86
87
88
                       <span class="icon-bar"></span>
89
90
91
                  </div>
92
93
                  <div class="navbar-collapse collapse">
                    <a href="<?php echo base_url();?>home/announcements">Home</a>
94
                         <a href="#" class="dropdown-toggle" data-toggle="dropdown"> About <b class="caret"></b></a>
96
                      class="dropdown">
97

    <a href="<?php echo base_url(); ?>home/history">History</a>
    <a href="<?php echo base_url(); ?>home/mission_vision">Mission and Vision</a</li>

98
99
100
                                  >
101
                            <a href="<?php echo base_url(); ?>home/facilities">Facilities</a>
102
                         103
104
                       class="dropdown">
105
106
107
                            cli><a href="<?php echo base_url(); ?>home/curriculum">Curriculum</a><a href="<?php echo base_url(); ?>home/admission">Admission</a>
108
109
```

```
110
                      111
                    113
                    <a href="<?php echo base_url(); ?>home/contact"><i class="fa fa-phone fa-fw"></i
></i> Contact Us</a>
114
                    115
116
                  117
118
119
120
121
122
                      123
                      <!-- /.dropdown -->
                      class="dropdown">
125
                           <a class="dropdown-toggle" data-toggle="dropdown" href="#">
126
                           ci class="fa fa-user fa-fw"></i> class="fa fa-user fa-fw"></i> class="fa fa-user fa-fw"></i> class="fa fa-caret-down"></i></i>
127
128
129
                           130
                           <a>: class= aropaown-menu aropaown-user<a>: class="fa fa -user fa-fw"></i>></i><span> <?php echo $this->session->
userdata('logged_in')['FirstName']; ?>
<?php echo $this->session->userdata('logged_in')['LastName']; ?>
131
132
                               134
135
                               <?php
136
                                    if (strpos($type, 'Gui') !== FALSE)
137
138
                                        echo "            Guidance Counselor
                                    echo "            Property Custodian /<br/>br>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; Lab Personnel";
140
141
                               ?>
                               142
                               class="divider">
143
                               145
                               <a href="<?php echo base_url();?>profile/change_password"><i class="fa"><1</a>
146
                                     fa-gear fa-fw"></i>Change Password</a>
147

</ii class="divider">
</ii>
</ii>
</a>

<pre
148
149
                               150

151
                      153
                  154
                </div><!--/.nav-collapse -
155
156
              </div><!--/.container-fluid -->
            </div>
157
           <div class="navbar-default navbar-static-side" role="navigation" style="border-radius: 4px</pre>
159
                 160
161
162
163
164
165
166
167
                                        </button>
168
169
                                    </span>
                               </div>
</--/input-group -->
170
171
                               172
                           1 i >
173
                               <a href="<?php echo base_url();?>message/new_announcement"><i class="fa fa -dashboard fa-fw"></i> Dashboard</a>
174
175
                           176
177
                           <a href=""<?php echo base_url();?>record/show_students"><i class="fa fa-edit fa-fw"></i>Students</a>
179
180
                           181
182

<!-- /#side-menu -->
183
184
                  </div>
185
186
                  <!-- /.sidebar-collapse -->
             </div>
187
188
```

```
189
     190
191
192
193
194
195
196
                      <!-- /.col-lg-12 -->
                  </div>
197
198
199
                  <div class="row" >
200
201
                  <div class="container col-lg-12">
202
203
                  <?php echo $output:?>
              </div>
204
205
206
         </div>
207
                 </div>
              <!-- /.row -->
</div>
208
209
210
211
     </div>
213
     </div></body>
214
215
216
     </html>
217
     <!DOCTYPE html>
 1
     < html>
 3
 4
     <head>
         6
 9
          <script src="<?php echo base_url(); ?>assets/themes/default/js/jquery-1.10.2.js"></script>
 10
         $$ < \ ript \ src="<?php \ echo \ base\_url(); ?> assets/themes/default/js/bootstrap.min.js"></script>< script \ src="<?php \ echo \ base\_url(); ?> assets/themes/default/js/plugins/metisMenu/jquery.
 12
 13
              metisMenu.js"></script>
 14
 15
 16
         <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
 17
 18
         <link href="<?php echo base_url(); ?>assets/css/bootstrap.min.css" rel="stylesheet">
<link href="<?php echo base_url(); ?>assets/font-awesome/css/font-awesome.css" rel="stylesheet"
 19
 20
 21
 22
 23
         <link href="<?php echo base_url(); ?>assets/css/sb-admin.css" rel="stylesheet">
 24
          <link rel="stylesheet" href="<?php echo base_url(); ?>assets/themes/default/css/jquery-ui.css
 25
          " /> k href="<?php echo base_url(); ?>assets/themes/default/css/datepicker.css" rel="
 26
27
       <title > VCSHS Portal </title >
 28
 30
     </head>
 31
 32
     <style>
     .error{
 33
 34
         color:red;
 35
     table td.fixed{
 36
 37
          max-width: 150px;
         max-height: 150px;
overflow: hidden;
 38
 39
 40
 41
     }
 42
 43
          font-family: Optima, Segoe, "Segoe UI", Candara, Calibri, Arial, sans-serif;
 44
 45
         margin: 0 auto;
 46
       background-color:#D9DFFF;
 47
 48
 49
         }
 50
 51
         .page-header{
 52
             padding:5px;
 53
              padding-left:10px;
 55
          .label-date{
 56
```

```
58
     ul.nav a:hover { background-color: #fff !important; font-color":black;}
ul.nav a:focus { background-color: #fff !important; }
ul.nav a:active { background-color: #fff !important; }
.nav-second-level{
background-color: #fff !important;
}
 59
 61
 62
 63
 64
 65
 66
 67
 68
     </style>
 69
     </head>
 70
 71
 72
     <body>
 73
 74
       <div class="container">
          <div class="navbar navbar-default navbar-static-top" role="navigation" style="margin-bottom:</pre>
 75
                0;">

<
 76
           </div>
 77
          <div class="navbar navbar-default" role="navigation">
 78
               79
 80
                    < button \ type="button" \ class="navbar-toggle" \ data-toggle="collapse" \ data-target=".
 81
                         navbar-collapse">
                       82
 83
 84
                       <span class="icon-bar"></span>
 86
                     </button>
 87
 88
                  </div>
                  <div class="navbar-collapse collapse">

 89
 90
 91
                       <\!1i><\!a\ href="<?php\ echo\ base\_url();?>home/announcements">Home</a>
                      class="dropdown">
 92
                         <a href="#" class="dropdown-toggle" data-toggle="dropdown"> About <b class="caret"
    "></b></a>

class="dropdown"> About <b class="caret"</li>
class="dropdown-menu">

 93
 94
                            cli>ca bref="??php echo base_url(); ?>home/history">History</a>
cli>ca href="??php echo base_url(); ?>home/mission_vision">Mission and Vision
/a
 95
 96
                                 >
 97
                            <a href="<?php echo base_url(); ?>home/facilities">Facilities</a>
 98
                          99
100

class="dropdown">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">Student <b class=" caret"></b></a>

<a href="<?php echo base_url(); ?>home/curriculum">Curriculum</a>
<a href="<?php echo base_url(); ?>home/admission">Admission</a>

101
102
103
104
105
106
                          107
108
                       109
                       <1i>i>
                          <a href="<?php echo base_url(); ?>home/contact"><i class="fa fa-phone fa-fw"></i
></i> Contact Us</a>
110
111
                       112
                    class="nav navbar-nav navbar-right">
113
              114
115
116
117
                         118
119
                              <a class="dropdown-toggle" data-toggle="dropdown" href="#">
120
                                   <i class="fa fa-envelope fa-fw"></i> <i class="fa fa-caret-down"></i>
121
122
                              dropdown-menu dropdown-user">
123
124
                                   <a href="<?php echo base_url();?>message/create_message"><i class="fa
fa-edit fa-fw"></i>Create Message</a>
125
126

<
127
128
                                   129
                              130
                              <!-- /.dropdown-messages -->

132
133
                         class="dropdown">
134
                              135
136
137
                              </a>
138
```

```
    <a><i class="fa fa-user fa-fw"></i><span><?php echo $this->session->userdata('logged_in')['FirstName']; ?></php echo $this->session->userdata('logged_in')['LastName']; ?>

139
140
141
142
143
                                     <?php $type =$this->session->userdata
                               145
                                    if(strpos($type,'Gui') !== FALSE)
    echo "          Guidance Counselor
146
                                    148
149
                                              /<br/>/<br/>knbsp; &nbsp; &nbsp; &nbsp; &nbsp; Lab Personnel";
150
                               ?>

<
152
153
                               154
                               fa-gear fa-fw"></i>Change Password/a>
155
156
                               class="divider">
157
                               <a href="<?php echo base_url().'home/logout' ?>"><i class="fa fa-sign-
out fa-fw"></i> Logout</a>
158
159
                                160
                           <!-- /.dropdown-user -->
161
                      163
                </div><!--/.nav-collapse -->
164
165
              </div><!--/.container-fluid
            </div>
166
167
168
           <div class="navbar-default navbar-static-side" role="navigation" style="border-radius: 4px</pre>
                 169
170
171
173
174
175
176
177
178
                                    </span>
                               </div>
<!-- /input-group -->
179
                         <!-- </li>
181
182
                           1 >
                               <a href=""<?php echo base_url();?>message/new_announcement"><i class="fa fa
                                    -dashboard fa-fw"></i> Dashboard</a>
184
                           185
186
187
                           <1i>>
                               <a href=""<?php echo base_url();?>message/create_message"><i class="fa fa-edit fa-fw"></i> Messages</a>
188
                           189
190
                           <1i>>
191
                               <a href="<?php echo base_url();?>record/show_students/"><i class="fa fa-
edit fa-fw"></i></i>Record<span class="fa arrow"></span></a>
192
193
194
                               <!-- /.nav-second-level -->
                           195
                           <1ii>>
196
                               <a href=""<?php echo base_url();?>reports/view_offenses/"><i class="fa fa-edit fa-fw"></i></i>Reports<span class="fa arrow"></span></a>
198
199
                               <!-- /.nav-second-level -->
                           200
201
202
                       <!-- /#side-menu -->
203
204
                  </div>
205
                  <!-- /.sidebar-collapse -->
              </div>
206
208
209
              <!-- /.navbar-static-side -->
     <div class="col-sm-9 col-sm-offset-3" style="background-color:white;">
                  div class="col-lg-12" style="font-family: "Arial Rounded MT Bold", "Helvetica
211
212
                          Rounded", Arial, sans-serif;">
<h1 class="page-header"></h1>
213
^{214}
                       </div>
215
                      <!-- /.col-lg-12 -->
                  </div>
216
```

```
218
                  <div class="row" >
<div class="container col-lg-12">
219
220
221
                   <?php echo $output;?>
222
223
              </div>
224
225
         </div>
                 </div>
226
                   <!-- /.row -->
227
              </div>
229
230
232
     </div>
233
       </div>
     </body>
235
     </html>
236
     <!DOCTYPE html>
     <html>
     <head>
         <meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">

 6
 9
 10
          <script src="<?php echo base_url(); ?>assets/themes/default/js/jquery-1.10.2.js"></script>
         12
 13
 14
 15
 16
         <\!\!\mathrm{script\ src}="<\!?\mathrm{php\ echo\ base\_url}();\ ?\!\!>\!\!\mathrm{assets/themes/default/js/sb-admin.js"}\!\!>\!<\!/\mathrm{script}\!>
 17
 19
 20
 21
 22
 23
         24
 25
 26
 27
         <link href="<?php echo base_url(); ?>assets/css/sb-admin.css" rel="stylesheet">
 29
          <link rel="stylesheet" href="<?php echo base_url(); ?>assets/themes/default/css/jquery-ui.css
 30
          <link href="<?php echo base_url(); ?>assets/themes/default/css/datepicker.css" rel="
31
                stylesheet">
 33
          <head>
 34
 35
     </head>
 36
     < s t y l e >
 38
     .error{
 39
         color:red;
 40
 41
 42
          t
font-family: Optima, Segoe, "Segoe UI", Candara, Calibri, Arial, sans-serif;
 43
         margin: 0 auto;
 44
 45
       background-color:#D9DFFF;
 46
         }
 47
 48
         .page-header{
 49
              padding:5px;
 50
 51
 52
              \verb"padding-left": 10\,px";
 53
         .label-date{
 54
 55
              color:black;
 56
     ul.nav a:hover { background-color: #fff !important; font-color":black;}
ul.nav a:focus { background-color: #fff !important; }
ul.nav a:active { background-color: #fff !important; }
.nav-second-level{
 57
 58
 59
 60
      background-color: #fff !important;
 61
 62
 63
 64
 66
     </\mathrm{style}>
 67
     </head>
```

```
69
70
     <body>
      <div class="container">
72
         <div class="navbar navbar-default navbar-static-top" role="navigation" style="margin-bottom:</pre>
73
              74
75
          </div>
         76
 77
78
                <div class="navbar-header">
                  79
                     navbar-collapse">

<span class="sr-only">Toggle navigation</span>

<span class="icon-bar"></span>

<span class="icon-bar"></span>

<span class="icon-bar"></span>
80
81
83
84
                   </button>
85
86
                 </div>
                87
88
89
                    90
91
92
                       cli>cal ref="??php echo base_url(); ?>home/history">History</a>
cli>cal ref="??php echo base_url(); ?>home/mission_vision">Mission and Vision</a>
vision and Vision
vision and Vision
vision</pr
93
94
                         <a href="<?php echo base_url(); ?>home/facilities">Facilities</a>
95
96
97
                       98
                    class="dropdown">
99
                       100
                       class="dropdown-menu">
101
                         <a href="<?php echo base_url(); ?>home/curriculum">Curriculum</a><a href="<?php echo base_url(); ?>home/admission">Admission</a>
102
103
                       105
                     106
                     <1ii>>
107
                        <a href="<?php echo base_url(); ?>home/contact"><i class="fa fa-phone fa-fw"></i
></i> Contact Us</a>
108
109
                     </li>
                   110
                   112
113
114
                   >
115
                       117
118
119
                            </a>
120
                            class="dropdown-menu dropdown-user">
121
122
                                123
                                 124
                                class="divider">
125
                                <a href="<?php echo base_url();?>message/view_message"><i class="fa fa</pre>
126
                                      -envelope fa-fw"></i>View Messages</a>
                                 127
                            128
                            <!-- /.dropdown-messages -->
129
                       130
                             /.dropdown -->
131
                       class="dropdown">
132
                            <a class="dropdown-toggle" data-toggle="dropdown" href="#">
133
                             class="fa fa-user fa-fw"></i> class="fa fa-user fa-fw"></i> class="fa fa-user fa-fw"></i> class="fa fa-caret-down"></i></i>
134
135
136
                            137
                            <a> dropatown=ment dropatown=user
<a> i class="fa fa-user fa-fw"></i><span> <?php echo $this->session->
userdata('logged.in')['FirstName']; ?>
<?php echo $this->session->userdata('logged.in')['LastName']; ?><br/>b>
138
139
                                141
                                 142
                                class="divider">
143
                                <a href="<?ehp echo base_url();?>profile/view"><i class="fa fa-user fa
-fw"></i> User Profile </a>
144
                                 145
```

```
<a href="<?php echo base_url();?>profile/change_password"><i class="fa fa-gear fa-fw"></i>Change Password</a>
146
                                  147

<pr
148
149
                                  150
                             151
                        <!-- /.dropdown-user --> 
152
153
                    154
155
               </div><!--/.nav-collapse -->
</div><!--/.container-fluid -->
156
157
             </div>
158
            <div class="navbar-default navbar-static-side " role="navigation" >
159
                   161
162
                                 163
164
165
166
167
                                           </button>
168
169
                                      </span>
                                  </div>
170
                                 <!-- /input-group --> 
172
173
                             li>
                                  <a href="<?php echo base_url();?>message/new_announcement"><i class="fa fa
                                       -dashboard fa-fw"></i> Dashboard</a>
                             175
176
177
                             < l\,i>
                                 <a href=""<?php echo base_url();?>message/create_message"><i class="fa fa-edit fa-fw"></i> Messages</a>
179
                             181
182
                             li>
                                 <a href="#"><i class="fa fa-edit fa-fw"></i></i>Record<span class="fa arrow"></span></a>

184
185
                                   < l i >
186
187
188
                                                    <a href="<?php echo base_url();?>record/show_enrolled">
189
                                                          Student </a>
190
191
                                                <'li>>
193
                                                    <a href="<?php echo base_url();?>record/show_guardians">
194
                                                          Guardians </a>
                                                195
196
                                                li>
                                                    <a href="<?php echo base_url();?>record/show_schooladmins
">School Adminstrator</a>
197
198
                                                199
200
201
                                           <!-- /.nav-third-level -->
                                      202
                                  203
                                  <!-- /.nav-second-level -->
204
                             205
206
                             li >
207
                                  208
209
                                  <!-- /.nav-second-level -->
                             210
                             <1i>>
211
212
                                  <\!a\ href="<?php\ echo\ base\_url();?>record/show\_section"><\!i\ class="fa\ fa-record-show]
                                       \label{eq:files-ofa} \begin{array}{ll} \text{files-o} & \text{fa-fw"}{>}{</i>} & \text{Section}{</a>
                             <!-- /.nav-second-level --> 
213
214
215
                             <1i i >
                                 <a href=""<?php echo base_url();?>record/show_subject"><i class="fa fa-files-o fa-fw"></i> Subject</a>
217
218
219
                                 <!-- /.nav-second-level -->
                             220
221
                              .
1 i >
                                  222
223
                                 <!-- /.nav-second-level -->
224
                             225
```

```
226
                       <\!1\,\mathrm{i}>
                          227
                       228
229
230
                   <!-- /#side-menu -->
231
232
                </div>
233
               <!-- /.sidebar-collapse -->
            </div>
234
235
236
            <!-- /.navbar-static-side -->
237
238
    <div class="col-sm-9 col-sm-offset-3" style="background-color:white;">
239
               240
                       Rounded", Arial, sans-serif;"> <h1 class="page-header"><?php if(isset($page_header)) echo $page_header; ?>
241
                           h1>
242
                   </div>
                   <!-- /.col-lg-12 -->
243
               </div>
244
245
246
               248
249
250
                <?php echo $output;?>
            </div>
251
252
253
        <\!/\operatorname{div}\!>
              </div>
254
255
               <!-- /.row -->
256
            </div>
257
258
259
    </div>
260
      </div>
261
262
    </body>
263
    </html>
    <!DOCTYPE html>
 2
    <html>
 3
    <head>
        <meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
 5
6
 8
 10
        11
12
        13
14
15
16
        <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
18
19
        <link href="<?php echo base_url(); ?>assets/css/bootstrap.min.css" rel="stylesheet">
<link href="<?php echo base_url(); ?>assets/font-awesome/css/font-awesome.css" rel="stylesheet"
">
21
22
        <link href="<?php echo base_url(); ?>assets/css/sb-admin.css" rel="stylesheet">
23
24
25
         <link rel="stylesheet" href="<?php echo base_url(); ?>assets/themes/default/css/jquery-ui.css
         <link href="<?php echo base_url(); ?>assets/themes/default/css/datepicker.css" rel="
26
             stylesheet">
27
28
29
         <head>
30
    </head>
31
32
    < s t v l e >
33
34
35
        color:red:
36
37
        font-family: Optima, Segoe, "Segoe UI", Candara, Calibri, Arial, sans-serif;
38
        margin: 0 auto;
40
      \verb|background-color:#D9DFFF|;
41
42
43
        }
44
        .page-header{
```

```
46
               padding:5px;
 47
 48
               padding-left:10px;
 49
          .label-date{
 50
               color: black;
 52
     ul.nav a:hover { background-color: #fff !important; font-color":black; border-radius: 4px;} ul.nav a:focus { background-color: #fff !important; border-radius: 4px;} ul.nav a:active { background-color: #fff !important; border-radius: 4px; } .nav-second-level{
 53
 55
 56
 57
      background-color: #fff !important;
 58
 59
 60
 61
     </\mathrm{style}>
 63
 64
     </head>
 66
     <body>
 67
 68
      <div class="container">
          <div class="navbar navbar-default navbar-static-top" role="navigation" style="margin-bottom:</pre>
 69

<
 70
 71
          <div class="navbar navbar-default" role="navigation">
 72
               <div class="container-fluid">
 73
                 <div class="navbar-header">
                   75
                     <span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
 76
 77
78
                      <span class="icon-bar"></span>
 79
                   </button>
 80
 81
 82
                 </div>
 83
                 85
 86
                        <a href="#" class="dropdown-toggle" data-toggle="dropdown"> About <b class="caret"
    "></b></a>
 88
 89
                        <a href="<?php echo base_url(); ?>home/history">History</a><a href="<?php echo base_url(); ?>home/mission_vision">Mission and Vision</a></a>
 90
                          <a href="<?php echo base_url(); ?>home/facilities">Facilities</a>
 92
 94
                        95
                    class="dropdown">
                       97
 98
                        <a href="%("php echo base_url(); ?>home/curriculum">Curriculum </a><a href="%("php echo base_url(); ?>home/admission">Admission</a>
 99
100
101
                        102
103
                      104
                      <1ii>>
                         <a href="<?php echo base_url(); ?>home/contact"><i class="fa fa-phone fa-fw"></i</pre>
105
                              ></i> Contact Us</a>
                      106
                   107

class="nav navbar-nav navbar-right">

cli>ch4><span class="label label-date"><?php $mydate=getdate(date("U"));</li>
//echo "Today is $mydate[weekday], $mydate[month] $mydate[mday], $mydate[year]";
echo "You are logged in ".$this->session->userdata('logged_in')['Username']; ?></span></h4</li>

108
109
110
111
112
113
                        114
                        class="dropdown">
                            <a class="dropdown-toggle" data-toggle="dropdown" href="#">
115
116
                                 <i class="fa fa-envelope fa-fw"></i> <i class="fa fa-caret-down"></i></i>
                             </a>
117
118
                             dropdown-menu dropdown-user">
119
                                 120
                                 121
                                 class="divider">
122
                                 <a href="<?php echo base_url();?>message/view_message"><i class="fa fa -envelope fa-fw"></i>View Messages</a>
123
125
                             <!-- /.dropdown-messages -->
126
```

```
128
                   <!-- /.dropdown -->
                   class="dropdown">
129
                       <a class="dropdown-toggle" data-toggle="dropdown" href="#">
130
                        <i class="fa fa-user fa-fw"></i> </ph>
//echo $this->session->userdata('
logged_in')['Username']; ?><i class="fa fa-caret-down"></i>
131
132
133
134
                       135
136
137
                          138
139
                           class="divider">
140
                           <a href="<!pre>refile //i> User Profile //i> profile / view"><i class="fa fa-user fa
-fw"></i> User Profile /a>
                           142
                           </ir></a> href="<?php echo base_url();?>profile/change_password"><i class="fa
fa-gear fa-fw"></i>Change Password</a>
143
144
                           145
                           class="divider">
                          <a href=""<"><| i ><a href=""</a></ph> echo base_url().'home/logout' ?>"><i class="fa fa-sign-out fa-fw"></i></a>
Logout</a>
146
                           147
                       </111>
148
149
                       <!-- /.dropdown-user -->
                   150
151
                </div><!--/.nav-collapse -
153
            </div><!--/.container-fluid -->
          </div>
154
155
          <div class="navbar-default navbar-static-side" role="navigation" style="border-radius: 4px</pre>
156
               157
    font-family:
158
159
                      160
161
163
164
165
                                  </button>
166
                              </span>
167
168
                           </div>
                          <!-- /input-group --> 
169
170
171
                       < l\,i>
                          172
173
                       174
176
                       <\!1\,\mathrm{i}>
                           <a href="<?php echo base_url();?>message/create_message"><i class="fa fa-
177
                               edit fa-fw"></i> Messages</a>
                       178
179
                        .
                          <a href="<?php echo base_url();?>manageusers/show_all"><i class="fa fa-
edit fa-fw"></i> Users</a>
180
                       182
                       li>
183
                           <a href="#"><i class="fa fa-edit fa-fw"></i> </i> Record<span class="fa arrow"></span></a>
184
                           <l
185
186
                                  <a href="#">Add Record <span class="fa arrow"></span></a>
187
188
189
                                      < l\,i>
                                         <a href="<?php echo base_url();?>record/add_student">
190
                                              Student </a>
101
                                      192
                                      <1i>>
193
                                          <a href="<?php echo base_url();?>record/add_guardian">
                                              Guardian </a>
                                      194
                                      <li>>
                                         <a href="<?php echo base_url();?>record/add_schooladmin">
School Adminstrator</a>
196
197
                                      </111>
198
                                  <!-- /.nav-third-level -->
199
                              200
201
202
                              <a href="#">View Record <span class="fa arrow"></span></a>  >
203
204
```

```
<a href="<?php echo base_url();?>record/show_students">
Student Records</a>
206
207
                                      208
209
                                      > 1i >
210
                                          <a href="<?php echo base_url();?>record/show_guardians">
                                              Guardians </a>
211
                                      <1 i >
212
                                          <a href="<?php echo base_url();?>record/show_schooladmins
">School Adminstrator</a>
213
214
                                      215
216
                                   217
                               <!-- /.nav-third-level --> 
218
                               <1 i >
                                  <a href="<?php echo base_url();?>record/sy_details">School Details
220
                                       </a>
221
                                  <!-- /.nav-third-level -->
222
                               223
                           224
                           <!-- /.nav-second-level -->
225
                       226
227
                       i >
                           <a href="#"><i class="fa fa-files-o fa-fw"></i> Club<span class="fa arrow
228
                                ></span></a>
229
                           230
                               <a href="<?php echo base_url();?>record/add_club">Add Club</a>
231
                               232
                               <1i>>
233
234
                                  <\!a\ href="<?php\ echo\ base\_url();?\!>\!record/show\_club">\!View\ Club</a>
                               235
                           236
237
                           <!-- /.nav-second-level -->
                       238
                       <1i>>
                           240
241
                           242
                               < l\,i >
                                  <a href="<?php echo base_url();?>record/add_section">Add Section
243
                               244
245
                               ^{246}
                                  <\!a\ href=""<?php\ echo\ base\_url();?\!>\!record/show\_section">\!View\ Section
                                       </a>
247
                               248
                           <!-- /.nav-second-level -->
249
                       251
                       <li>>
                           <a href="#"><i class="fa fa-files-o fa-fw"></i> Subject<span class="fa
252
                           arrow"></span></a>

class="nav nav-second-level">

253
254
                               255
                                  <a href="<?php echo base_url();?>record/add_subject">Add Subject</
                                       a>
256
                                >
257
                                  <a href="<?php echo base_url();?>record/show_subject">View Subject
258
                                       </a>
259
                               </\,l\,i>
                           260
                           <!-- /.nav-second-level -->
261
                       262
263
                       <1ii>>
                           <a href="<?php echo base_url();?>reports/view_all_reports"><i class="fa fa -edit fa-fw"></i> Reports</a>
264
265
                       266
267
268
                   269
                   <!-- /#side-menu -->
                270
272
            </div>
273
    <!-- /.navbar-static-side -->
<div class="col-sm-9 col-sm-offset-3" style="background-color:white;">
275
276
               278
279
                   </div>
<!-- /.col-lg-12 -->
280
281
282
                </div>
283
284
```

```
<div class="row" >
<div class="container col-lg-12">
285
286
287
288
                   <?php echo \$output;?>
289
               </div>
290
          </div>
291
292
                  </div>
293
                    <!-- /.row --->
               </div>
294
295
296
297
298
     </div>
299
     </div>
300
     </html>
302
     <!DOCTYPE\ html>
  2
     <html>
  4
          <meta charset="utf-8">
  5
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
  8
           <script src="<?php echo base_url(); ?>assets/themes/default/js/jquery -1.10.2.js"></script>
 10
 11
          12
 13
 14
 15
 16
 17
          <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
 18
 19
 20
 21
 22
 23
 24
          <link href="<?php echo base_url(); ?>assets/css/bootstrap.min.css" rel="stylesheet">
<link href="<?php echo base_url(); ?>assets/font-awesome/css/font-awesome.css" rel="stylesheet"
">
 25
 26
 27
          <link href="<?php echo base_url(); ?>assets/css/sb-admin.css" rel="stylesheet">
 28
 29
           <link rel="stylesheet" href="<?php echo base_url(); ?>assets/themes/default/css/jquery-ui.css
 30
 31
           <link href="<?php echo base_url(); ?>assets/themes/default/css/datepicker.css" rel="
                 stylesheet">
 32
           <head>
 34
     </head>
 35
 36
     < s t v l e >
 37
 38
      .error{
 39
          color:red;
 40
      body {
          font-family: Optima, Segoe, "Segoe UI", Candara, Calibri, Arial, sans-serif;
 42
 43
          margin: 0 auto:
 44
        background-color:#D9DFFF;
 45
 46
 47
          }
 48
 49
          .page-header{
 50
               padding:5px;
 51
 52
               padding-left:10px;
 53
          .label-date{
 54
 55
               color:black;
 56
     ul.nav a:hover { background-color: #fff !important; font-color":black;}
ul.nav a:focus { background-color: #fff !important; }
ul.nav a:active { background-color: #fff !important; }
.nav-second-level{
 57
 58
 59
 60
 61
       background-color: #fff !important;
 62
 63
 64
 65
     </style>
 67
 68
     </head>
```

```
70
   <body>
71
     <div class="container">
       <div class="navbar navbar-default navbar-static-top" role="navigation" style="margin-bottom:</pre>
73
           74
75
       <div class="navbar navbar-default" role="navigation">
76
          77
78
79
              <span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
81
82
                <span class="icon-bar"></span>
84
              </button>
85
            87
88
89
90
                 <a href="#" class="dropdown-toggle" data-toggle="dropdown"> About <b class="caret" "></b></a>

        <a href="<?php echo base_url(); ?>home/history">History</a>
    <a href="<?php echo base_url(); ?>home/mission_vision">Mission and Vision</a></a>

92
94
95
                   <a href="<?php echo base_url(); ?>home/facilities">Facilities</a>
96
97
                 98
                99
100
101
102
103
104
                106
107
                <a href="<?php echo base_url(); ?>home/contact"><i class="fa fa-phone fa-fw"></i
                      ></i> Contact Us</a>
109
                110
              <h4><span class="label label-date"><?php $mydate=getdate(date("U"));</li>
111
           //echo "Today is $mydate[weekday], $mydate[month] $mydate[mday], $mydate[year]"; echo "You are logged in ".$this->session->userdata('logged_in')['Username']; ?></span></hd>
113
114
115
                 116
                 class="dropdown">
                     118
119
120
                     class="dropdown-menu dropdown-user">
121
122
                        123
                         class="divider">
125
                        <a href="<?php echo base_url();?>message/view_message"><i class="fa fa
-envelope fa-fw"></i>View Messages</a>
126
127
                         128
129
                     <!-- /.dropdown-messages -->
130
                  <!-- /.dropdown -->
131
                  class="dropdown">
132
                     133
134
135
136
137
                     <a href="<?php echo base_url();?>students"><i class="fa fa-user fa-fw"></i
><span> <?php echo $this->session->userdata('logged_in ')['FirstName']; ?>
138
139
                         <?php echo $this->session->userdata('logged_in')['LastName']; ?><br>
140

<
144
                         145
                        fa-gear fa-fw"></i>Change Password/a>
146
```

```
147
                                                           </li>
                                                           class="divider">
148
                                                           <a href="???php echo base_url().'home/logout' ?>"><i class="fa fa-sign-
out fa-fw"></i> Logout</a>
149
                                                           150
151
                                                   <!-- /.dropdown-user -->
152
153
154
                                   </div><!--/.nav-collapse -->
</div><!--/.container-fluid -->
155
156
157
                      </div>
158
159
                      <div class="navbar-default navbar-static-side " role="navigation" style="border-radius: 4px</pre>
160
          161
162
163
                                                          165
166
167
168
                                                                           </button>
169
170
                                                                   </span>
                                                           </div>
171
                                                                 - /input-group -->
                                                 <!-- </li>
173
174
                                                  <1i>>
                                                           <\!a\ href="index.html"><\!i\ class="fa-dashboard fa-fw"><\!/i>\ Dashboard<\!/a>>
 175
                                                   176
177
178
179
                                                   <1i>>
                                                           <a href="<?php echo base_url();?>message/create_message"><i class="fa fa-
180
                                                                    edit fa-fw"></i> Messages</a>
181
                                                   182
183
184
                                                  li>
                                                           <a href="#"><i class="fa fa-files-o fa-fw"></i> Club<span class="fa arrow
                                                                     "></span></a>
                                                           class="nav nav-second-level">
186
187
                                                                          <a href="<?php echo base_url();?>record/show_my_clubs">My Club
188
                                                                                    Groups </a>
                                                                   189
190
                                                                   <1ii>>
                                                                           <a href="<?php echo base_url();?>record/show_club">View All Clubs
191
                                                                                    </a>
                                                           192
                                                  <!-- /.nav-second-level -->
194
195
 196
197
                                                    < l\,i >
                                                           <a href="#"><i class="fa fa-files-o fa-fw"></i> Course Groups<span class="</p>
198
                                                           fa arrow"></span></a>
199
200
                                                                   201
                                                                           <\!a\ href="<?php\ echo\ base\_url();?\!>\!record/show\_groups">\!All\ Course
                                                                                    Groups </a>
202
                                                                   203
                                                                   <1ii>>
                                                                          <a href="<?php echo base_url();?>record/show_my_groups">My Course
204
                                                                                    Groups </a>
205
                                                                   206
207
                                                               -- /.nav-second-level -->
                                                   208
209
210
                                          211
                                          <!-- /#side-menu -->
212
                                  </div>
213
                                  <!-- /.sidebar-collapse -->
                          </div>
214
215
216
                          <!-- /.navbar-static-side -->
217
          <div class="col-sm-9 col-sm-offset-3" style="background-color:white;">
                                  column colu
219
220
                                                  Rounded", Arial, sans-serif;"> <h1 class="page-header"><?php echo $page_header; ?></h1>
221
222
                                          </div>
223
                                          <!-- /.col-lg-12 -->
                                  </div>
224
225
226
                                  <div class="row" >
227
                                  <div class="container col-lg-12">
```

```
229
                  <?php echo $output;?>
230
231
             </div>
232
233
         </div>
                </div>
234
235
                  <!-- /.row -->
             </div>
236
237
238
239
240
     </div>
     </div>
</div>
</body>
241
242
243
     </html>
244
     <!DOCTYPE_html>
     <html>
 3
     <head>

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
 6
 9
          <script src="<?php echo base_url(); ?>assets/themes/default/js/jquery-1.10.2.js"></script>
 10
         12
 13
 14
 15
 16
         <script src="<?php echo base_url(); ?>assets/themes/default/js/sb-admin.js"></script>
 17
 18
         <link href="<?php echo base_url(); ?>assets/css/bootstrap.min.css" rel="stylesheet">
<link href="<?php echo base_url(); ?>assets/font-awesome/css/font-awesome.css" rel="stylesheet">
 19
 20
 21
         <link href="<?php echo base_url(); ?>assets/css/sb-admin.css" rel="stylesheet">
 22
 23
          < link \ rel = "style sheet" \ href = "<?php \ echo \ base\_url(); ?> assets/themes/default/css/jquery-ui.css
 24
          <link href="<?php echo base_url(); ?>assets/themes/default/css/datepicker.css" rel="
25
               stylesheet">
 26
 27
       <title > VCSHS Portal </title >
 28
 29
     </head>
 30
     < s t y l e >
 31
 32
     .error
 33
         color:red;
 34
 35
     table td.fixed{
         max-width: 150px;
max-height: 150px;
 36
 37
 38
         overflow: hidden;
 39
 40
     }
 41
     body{
   font-family: Optima, Segoe, "Segoe UI", Candara, Calibri, Arial, sans-serif;
 42
 43
 44
         margin: 0 auto;
 45
 46
       background-color:#D9DFFF;
 47
 48
         }
 49
         .page-header{
 50
 51
             padding:5px;
 52
             padding-left:10px;
 53
 54
         .label-date{
 55
 56
             color: black;
 57
     58
 59
 60
 61
      background-color: #fff !important;
 62
 63
 64
 66
 67
     </\mathrm{style}>
69
     </head>
 70
     <body>
```

```
<div class="container">
73
        <div class="navbar navbar-default navbar-static-top" role="navigation" style="margin-bottom:</pre>
            0:">
            75
                                           width="550px"></img></header>
76
        </div>
77
        <div class="navbar navbar-default" role="navigation">
78
            <div class="container-fluid">
             79
80
                   navbar-collapse">
                 81
82
                 <span class="icon-bar"></span>
<span class="icon-bar"></span>
83
84
               </button>
86
             </div>
87
             89
90
91
                class="dropdown">
                   <a href="#" class="dropdown-toggle" data-toggle="dropdown"> About <b class="caret
92
                        ></b></a>
                   dropdown-menu">
93
                     <a href="<?php echo base_url(); ?>home/history">History</a><a href="<?php echo base_url(); ?>home/mission_vision">Mission and Vision</a></a></a>
94
95
                         >
                     96
98
                   99
                100
101
102
                   <a href="c?php echo base_url(); ?>home/curriculum">Curriculum </a><a href="c?php echo base_url(); ?>home/admission">Admission </a>
103
104
105
                   106
                 108
                 <1ii>>
                    <a href="<?php echo base_url(); ?>home/contact"><i class="fa fa-phone fa-fw"></i</pre>
109
                        ></i> Contact Us</a>
                 110
                111

cli class="nav navbar-nav navbar-right">

cli < h4>
span class="label label-date"><?php $mydate=getdate(date("U"));</li>

//echo "Today is $mydate[weekday], $mydate[month] $mydate[mday], $mydate[year]";
echo "You are logged in ".$this->session->userdata('logged_in')['Username']; ?></span></h4</li>

112
113
115
116
117
                   class="dropdown">
118
                       <a class="dropdown-toggle" data-toggle="dropdown" href="#">
119
120
                          <i class="fa fa-envelope fa-fw"></i> <i class="fa fa-caret-down"></i></i>
                       </a>
121
                       122
123
                          124
                           125
126
                          class="divider">
                          127
129
                       130
132
                       <!-- /.dropdown-messages -->
                   133
134
135
                   <!-- /.dropdown -->
                   class="dropdown">
136
                       ca class="dropdown-toggle" data-toggle="dropdown" href="#">
  <i class="fa fa-user fa-fw"></i> <?php //echo $this->session->userdata(' logged_in')['Username']; ?><i class="fa fa-caret-down"></i>
137
138
139
140
                       <a><i class="fa fa-user fa-fw"></i><span> <?php echo $this->session->
    userdata('logged.in')['FirstName']; ?>
142
                           <?php echo $this->session->userdata('logged_in')['LastName']; ?>
143
144
145
                                 <?php $type =$this->session->userdata
                               ('logged_in')['Type']; ?></i></span></a>
                           <?php
146
                              if(strpos($type,'Teacher') !== FALSE)
    echo "          Teacher <br/>if(strpos($type,'Adv') !== FALSE)
147
148
149
```

```
150
                                            echo "            Class Adviser <br
                                       if(strpos($type, 'Club') !== FALSE)
151
                                            echo "            Club";
152
                                  ?>
153
154

155
156
                                  157
                                  // 
cli ><a href="<?php echo base_url();?>profile/change_password"><i class="fa
fa-gear fa-fw"></i>Change Password</a>
158
159
                                  160
                                  class="divider">
                                  <a href="??php echo base_url().'home/logout' ?>"><i class="fa fa-sign-
out fa-fw"></i> Logout</a>
161
163
                        \(\frac{\pi_1}{<!--}\).dropdown-user -->

164
166
167
168
                    </div><!--/.nav-collapse -->
169
               </div><!--/.container-fluid -->
170
171
             </div>
172
             div class="navbar-default navbar-static-side" role="navigation" style="border-radius: 4px="
                   174
176
177
178
179
180
181
                                                 <i class="fa fa-search"></i>
                                            </button>
182
183
                                       </span>
                                  </div>
</-- /input-group -->

-->
184
185
                             < l i >
187
                                  <a href="<?php echo base_url();?>message/new_announcement"><i class="fa fa -dashboard fa-fw"></i> Dashboard</a>
188
                             189
190
191
192
                             <1i>>
                                  <a href="<?php echo base_url();?>message/create_message"><i class="fa fa-
193
                                       edit \quad fa-fw"></i> \quad Messages</a>
                             194
196
                             < l\,i>
                                  <a href="<?php echo base_url();?>record/show_students/"><i class="fa fa-
edit fa-fw"></i></i>Record<span class="fa arrow"></span></a>
197
198
199
                                  <!-- /.nav-second-level -->
200
                             201
202
                             <?php
203
                                  $type = $this->session->userdata('logged_in');
204
205
                                  $schoolyear = $this ->functions ->current_schoolyear();
                                   if ($this ->functions->check_adviser($type['Type'], $type['ID'], $schoolyear)
!== FALSE) {
206
208
                                                <a href="'.base_url().'section/view"><i class="fa fa-files-o"
209
                                                      fa-fw"></i>Advisory Class<span class="fa arrow"></span></a
210
211
                                            212
                                   }
213
                             ?>
214
215
                             li>
^{216}
                                  <a href="#"><i class="fa fa-files-o fa-fw"></i> Club<span class="fa arrow
                                  "></span></a>

217
                                      <a href="<?php echo base_url();?>record/show_club">View Club</a>
219
220
                                       221
222
223
                                           <a href="<?php echo base_url();?>record/show_my_clubs">My Club
                                                 Groups</a>
                                       224
225
                                  <!-- /.nav-second-level --> 
226
227
```

```
<\!1\,\mathrm{i}>
229
                           <a href="#"><i class="fa fa-files-o fa-fw"></i> Course Groups<span class="
    fa arrow"></span></a>

230
231
232
                               233
                                  <a href="<?php echo base_url();?>record/show_groups">All Course
                                       Groups</a>
234
                               235
                               <1ii>>
                                  <a href="<?php echo base_url();?>record/show_my_groups">My Course Groups</a>
236
                           237
238
239
                             -- /.nav-second-level -->

240
241
                           242
243
                       244

<!-- /#side-menu -->
245
246
                </div>

/div>
<!-- /.sidebar-collapse -->
247
248
            </div>
249
250
251
    252
253
254
255
256
257
                   </div>
                   <!-- /.col-lg-12 -->
258
259
                </div>
260
261
262
                <div class="row" >
                <div class="container col-lg-12">
^{263}
264
265
                <?php echo $output;?>
            </div>
266
267
268
        </\operatorname{div}>
              </div>
269
            <!-- /.row -->
</div>
270
271
272
            <!-- /#page-wrapper -->
273
274
        <!-- /#wrapper -->
275
276
277
278
279
280
    </div>
281
282
    </body>
283
284
    </html>
```

XII. Acknowledgement

I would like to take this opportunity to give thanks and praise to God for giving me strength and guidance to finish my thesis. Without Him, I wouldn't be able to pick it from where I left off and continue on working. I am grateful for the showers of blessings He has given me and my family.

I would like to express my sincere gratitude to my adviser, Dr. Magboo. Thank you the consideration and patience you've shown me and the wisdom you've shared. I am thankful for the opportunity to be able to work with you. Also, I would like to give thanks to the panel that composed my SP Proposal and Defense.

To Ms. Marilyn Soriano of Valenzuela City Science High School, thank you for giving me the chance to work on this. Also, to the other teachers who shared their insight on the project.

To Block 12 2010, most especially to Maris Dela Cruz, Liezl Santos, Nicole Lopez, Hainah Leus, Michelle Dela Cruz, etc. Thank you for all the support and encouragement. I'm grateful for the continued support and advice. I will forever treasure the friendship and experiences we shared together.

Lastly, I am extremely grateful to my family for their support, prayers, sacrifices and patience. Thank you for supporting my education. Honestly, it was hard for me to finish my thesis but thank you for giving me motivation. You made me feel that it's okay to make mistakes and helped me to learn from them. Thank you for believing and never giving up on me.