

UNIVERSITY OF THE PHILIPPINES MANILA  
COLLEGE OF ARTS AND SCIENCES  
DEPARTMENT OF PHYSICAL SCIENCES AND MATHEMATICS

**CBR-FM: THE UP MANILA CAMP  
COMMUNITY-BASED REHABILITATION FORM  
MANAGEMENT SYSTEM AND MOBILE APPLICATION**

A special problem in partial fulfillment  
of the requirements for the degree of  
**Bachelor of Science in Computer Science**

Submitted by:

Dionalei DC. Dadivo

May 2016

Permission is given for the following people to have access to this SP:

Available to the general public	Yes
Available only after consultation with author/SP adviser	No
Available only to those bound by confidentiality agreement	No

## ACCEPTANCE SHEET

The Special Problem entitled “CBR-FM: The UP Manila CAMP Community-Based Rehabilitation Form Management System and Mobile Application” prepared and submitted by Dionalei DC. Dadivo in partial fulfillment of the requirements for the degree of Bachelor of Science in Computer Science has been examined and is recommended for acceptance.

---

**Perlita E. Gasmien, M.Sc.(*candidate*)**  
Adviser

### EXAMINERS:

	Approved	Disapproved
1. Gregorio B. Baes, Ph.D. ( <i>candidate</i> )	_____	_____
2. Avegail D. Carpio, M.Sc.	_____	_____
3. Richard Bryann L. Chua, M.Sc.	_____	_____
4. Marvin John C. Ignacio, M.Sc. ( <i>candidate</i> )	_____	_____
5. Ma. Sheila A. Magboo, M.Sc.	_____	_____
6. Vincent Peter C. Magboo, M.D., M.Sc.	_____	_____

Accepted and approved as partial fulfillment of the requirements for the degree of Bachelor of Science in Computer Science.

---

**Ma. Sheila A. Magboo, M.Sc.**  
Unit Head  
Mathematical and Computing Sciences Unit  
Department of Physical Sciences  
and Mathematics

---

**Marcelina B. Lirazan, Ph.D.**  
Chair  
Department of Physical Sciences  
and Mathematics

---

**Leonardo R. Estacio Jr., Ph.D.**  
Dean  
College of Arts and Sciences

## **Abstract**

Community Based Rehabilitation is a rehabilitation program being implemented by CAMP, wherein interns will perform profiling and treatment in a community within a specific period of time. They fill out paper based forms (WHOQOL, WHODAS, WHODAS Proxy, CNA and FCP) which will later be encoded using Google Forms to be sent to the CBR Data Management Officer (DMO). UP CAMP CBR data is stored via: paper based forms and Google drive. Each storage option presents its own down sides, giving challenges to the users. Also, this setup obviously requires a lot of effort. CBR-FM is a system developed to address the challenges and problems in the current CBR Data Management. The CBR-FM system which composes of a web and mobile application facilitates easier profiling, storage, and overall management of the UP CAMP CBR data. The mobile application is a tool capable of automated profiling of the communities in rural areas. The system met its primary objectives and serves as an initial step in the transformation of UP CAMP CBR programs data management and form submission from paper-based scheme to a more developed automated system.

*Keywords:* community based rehabilitation, android, mobile application, form management, information system

# Contents

<b>Acceptance Sheet</b>	<b>i</b>
<b>Abstract</b>	<b>ii</b>
<b>List of Figures</b>	<b>v</b>
<b>List of Tables</b>	<b>vii</b>
<b>I. Introduction</b>	<b>1</b>
A. Background of the Study . . . . .	1
B. Statement of the Problem . . . . .	3
C. Objectives of the Study . . . . .	4
D. Significance of the Project . . . . .	7
E. Scope and Limitations . . . . .	7
F. Assumptions . . . . .	8
<b>II. Review of Related Literature</b>	<b>9</b>
<b>III. Theoretical Framework</b>	<b>13</b>
A. College of Allied Medical Profession University of the Philippines Manila . . . . .	13
B. Community Based Rehabilitation . . . . .	13
C. Smartphones . . . . .	14
D. Mobile Application . . . . .	14
E. Mobile Health . . . . .	14
F. Android Platform . . . . .	15
G. Database Management System . . . . .	15
<b>IV. Design and Implementation</b>	<b>16</b>

A.	Context Diagram . . . . .	16
B.	Use Case Diagram . . . . .	17
C.	Entity Relationship Diagram . . . . .	19
D.	Data Dictionary . . . . .	20
E.	System Architecture . . . . .	33
F.	Technical Architecture . . . . .	34
<b>V.</b>	<b>Results</b>	<b>36</b>
A.	The Mobile Application (Intern Access) . . . . .	36
B.	The Web Application (Intern Access) . . . . .	44
C.	The Web Application (DMO Access) . . . . .	48
<b>VI.</b>	<b>Discussions</b>	<b>57</b>
<b>VII.</b>	<b>Conclusions</b>	<b>59</b>
<b>VIII.</b>	<b>Recommendations</b>	<b>60</b>
<b>IX.</b>	<b>Bibliography</b>	<b>61</b>
<b>X.</b>	<b>Appendix</b>	<b>66</b>
A.	Forms . . . . .	66
B.	Source Code . . . . .	80
<b>XI.</b>	<b>Acknowledgement</b>	<b>328</b>

## List of Figures

1	Context Diagram of CBR-FM . . . . .	16
2	Use Case Diagram of CBR-FM . . . . .	18
3	Entity-Relationship Diagram of CBR-FM . . . . .	19
4	System Architecture of CBR-FM . . . . .	34
5	Blank List View and Floating Action Button, <i>CBR-FM Mobile</i> . . . . .	36
6	Form Options Popup, <i>CBR-FM Mobile</i> . . . . .	37
7	New WHOQOL Form, <i>CBR-FM Mobile</i> . . . . .	37
8	New WHODAS Form, <i>CBR-FM Mobile</i> . . . . .	38
9	New WHODAS Proxy Form, <i>CBR-FM Mobile</i> . . . . .	38
10	Error Checking, <i>CBR-FM Mobile</i> . . . . .	38
11	Folding of Sections, <i>CBR-FM Mobile</i> . . . . .	38
12	Cancel and Save Buttons, <i>CBR-FM Mobile</i> . . . . .	39
13	Compute Domain Functionality, <i>CBR-FM Mobile</i> . . . . .	39
14	List View of Saved Forms, <i>CBR-FM Mobile</i> . . . . .	40
15	Filtering of Forms, <i>CBR-FM Mobile</i> . . . . .	40
16	Sort Options, <i>CBR-FM Mobile</i> . . . . .	40
17	Pop-up Menu and Update Option, <i>CBR-FM Mobile</i> . . . . .	40
18	Details of Selected Form, <i>CBR-FM Mobile</i> . . . . .	41
19	Send as E-mail Chooser, <i>CBR-FM Mobile</i> . . . . .	41
20	E-mail Client, <i>CBR-FM Mobile</i> . . . . .	41
21	Log-in / Log-out in Navigation, <i>CBR-FM Mobile</i> . . . . .	42
22	Navigation Window when Logged In, <i>CBR-FM Mobile</i> . . . . .	42
23	List of Submitted Forms, <i>CBR-FM Mobile</i> . . . . .	43
24	User Profile Activity, <i>CBR-FM Mobile</i> . . . . .	43
25	Change Password Activity, <i>CBR-FM Mobile</i> . . . . .	43
26	Log-in Page, <i>CBR-FM Web</i> . . . . .	44

27	Intern Dashboard, <i>CBR-FM Web</i> . . . . .	45
28	Blank WHOQOL FROM, <i>CBR-FM Web</i> . . . . .	45
29	Blank WHODAS FROM, <i>CBR-FM Web</i> . . . . .	46
30	Blank WHODAS Proxy FROM, <i>CBR-FM Web</i> . . . . .	46
31	Submit Button, <i>CBR-FM Web</i> . . . . .	47
32	Link to Profile and Log-out, <i>CBR-FM Web</i> . . . . .	47
33	User Profile Edit Page, <i>CBR-FM Web</i> . . . . .	48
34	Change Password Page, <i>CBR-FM Web</i> . . . . .	48
35	DMO Dashboard, <i>CBR-FM Web</i> . . . . .	49
36	WHOQOL Raw Data, <i>CBR-FM Web</i> . . . . .	50
37	WHODAS Raw Data, <i>CBR-FM Web</i> . . . . .	50
38	WHODAS Proxy Raw Data, <i>CBR-FM Web</i> . . . . .	51
39	Users Tab and Active/Inactive Users List, <i>CBR-FM Web</i> . . . . .	52
40	Edit User, <i>CBR-FM Web</i> . . . . .	52
41	Blank Add User as Intern Form, <i>CBR-FM Web</i> . . . . .	53
42	Blank Add User as DMO Form, <i>CBR-FM Web</i> . . . . .	53
43	Communities Link and List, <i>CBR-FM Web</i> . . . . .	54
44	Add Community, <i>CBR-FM Web</i> . . . . .	54
45	View Community, <i>CBR-FM Web</i> . . . . .	55
46	Households Link and List, <i>CBR-FM Web</i> . . . . .	55
47	Add Household, <i>CBR-FM Web</i> . . . . .	56
48	Edit Household, <i>CBR-FM Web</i> . . . . .	56

# List of Tables

1	community table . . . . .	20
2	dmo table . . . . .	20
3	form table . . . . .	20
4	household table . . . . .	21
5	intern table . . . . .	21
6	user table . . . . .	21
7	whodas table . . . . .	27
8	whodas_proxy table . . . . .	29
9	whoqol table . . . . .	33



# I. Introduction

## A. Background of the Study

Community-Based Rehabilitation (CBR) is a program being implemented in the College of Allied Medical Professions (CAMP), one of the seven colleges in University of the Philippines Manila (UPM)[1].

CBR is "a strategy within general community development for rehabilitation, equalization of opportunities, and social inclusion of all people with disabilities...implemented through the combined efforts of people with disabilities themselves, their families and communities, and the appropriate health, education, vocational, and social services" [2].

Rehabilitation on hospital departments located in the major cities is not effective in our country because the majority of disabled people in the country (70% of the population) live in rural areas. CBR strategy in the Philippines was developed using local volunteers who had simple training in the field of rehabilitation. [3].

CBR program in UP CAMP started in 1973; it is first implemented in Bay, Laguna from 1973 to 1988 as a part of the UP-Comprehensive Community Health Program. CBR training program is formally launched on May, 1989. Preparatory activities like gathering data, finding families in the community for students to stay with, and inter-agency meetings are done prior to the launch (November 1988 to May 1989). The program aims to transfer the technology of rehabilitation to persons with disabilities and the community; to facilitate the integration of persons with disabilities in the mainstream of their community; and to facilitate prevention and early detection of disabilities through training, research and services [4].

In the present, an introduction of CBR to the students is implemented through a Course OPST 131: Introduction to Community-Based Rehabilitation (for BS Physical Therapy and BS Speech Pathology) and Introduction to Community Health and

Development (for BS Occupational Therapy)[5]. The actual rehabilitation is done as part of the students internship program. UP CAMP CBR has taken place in various communities such as Batangas, Rizal (Montalban), Bulacan (Bustos), and in the present, is taking place in San Mateo, Rizal.

The whole CBR program involves filling out of numerous forms: World Health Organization-Quality of Life (WHOQOL), World Health Organization -Disability Assessment Schedule (WHODAS), World Health Organization -Disability Assessment Schedule Proxy-Administered version (WHODAS-Proxy), Community Needs Assessment (CNA), and Family Care Plan (FCP)[6].

A CBR program for a certain community lasts for two months. A group of CAMP interns (20 to 25 interns consisting of PT, SP and OT) lives in the chosen community for a pre-determined time-frame. They are then divided into households. A household is defined as a group of 2 to 3 interns (ideally one PT, one SP and one OT) living in a predetermined house or place. The place where one household stays may or may not have a KMK (Kaibigang may Kapansanan)[7].

Preceptors (CAMP professors) are the ones who oversee and monitor the activities of interns in the community, wherein they act as supervisors. There are two types of preceptors: the one that is assigned to visit the community each day and oversee the daily activities of all the interns, and the one that is assigned to monitor the activities of a specific household[7].

Interns go to the chosen community every Monday and leave on Thursday afternoon. During their stay in the community, interns either do profiling (using WHOQOL and WHODAS form) or treat KMKs. From time to time, they also fill out the CNA and FCP forms. Every Friday, interns go to CAMP to input the data they gathered for the whole week. In the present, they are using Google Forms to input the data and Google Drive to store it. Along with this data stored online, they also have hard copies stored in folders of files in CAMP[6]. Approximately 100 forms

are submitted every week, all filled out manually by interns in the site, and then encoded in Google forms every Friday.

It is clear that the managing of these data takes a lot of time and effort. There are also parts in the form that include computation and are prone to errors. These problems can be prevented with the presence of a database and a lot of time is saved with the use of the this mobile application.

## **B. Statement of the Problem**

Currently, UP CAMP CBR Programs data is stored in two ways:

- Paper-based. After interviewing selected people in the community, interns fill out a paper-based form. This is checked by the preceptors and submitted to the data management officer at the end of the week. The profiled data of patients in the community submitted by the students are stored in folders in CAMP.
- Google drive. Students are given a Google form link where they encode the profiled data for the whole week. One day (Friday) is allotted for this activity along with other external activities of CAMP interns.

Paper-based data is prone to problems of storage (data loss) and retrieval of records (data search) while the filling out of Google form causes delay and duplication of effort of the students. Some part of the forms even include data that involves computation, wherein these parts are most prone to error[6].

There are also some problems encountered with Google form[7]. Input of long paragraphs may require the interns to submit multiple forms. There are times when the user needs to deselect a radio button, but Google form does not allow this. Also, since internet connection is needed, saving the data may be difficult when there is a slow or unstable connection.

Lastly, all reports are manually generated by the data management officer. Collating the information from hundreds of forms is difficult to handle and sometimes lead to erroneous reports.

### **C. Objectives of the Study**

The objective of this study is to create a web and mobile application to ease profiling, benefiting the interns, preceptors and data management officer, as well as the UP CAMP CBR program as a whole. The database stores CBR profiling data collected from the forms (WHOQOL, WHODAS, WHODAS-Proxy). It also stores personal information of the interns and preceptors, and needed information from the community. The mobile application, which contains the forms, is used by the interns during their stay in the community. It serves as a temporary storage of collected data in the absence of internet connectivity.

The system is designed to allow a user the following functionalities:

1. Mobile Application (Intern)
  - (a) User access
    - i. Log-in
    - ii. Log-out
  - (b) Manage user profile
    - i. View
    - ii. Edit personal information
    - iii. Change password
  - (c) Manage forms
    - i. Fill out a form
    - ii. Save form to device

- iii. Upload form
- iv. Edit and update form
- v. Delete form
- vi. Filter forms
- vii. Sort forms
- viii. Send form as email

## 2. Web Application (Intern)

### (a) User Access

- i. Log-in
- ii. Log-out

### (b) Manage user profile

- i. View
- ii. Edit personal information
- iii. Change password

### (c) Manage forms

- i. Fill up a form
- ii. Submit form
- iii. Filter forms
- iv. Sort forms
- v. Edit submitted form

## 3. Web Application (DMO)

### (a) User Access

- i. Log-in

- ii. Log-out
- (b) Manage user profile
  - i. View
  - ii. Edit personal information
  - iii. Change password
- (c) Manage user accounts
  - i. Add account(s)
  - ii. Deactivate and reactivate account(s)
  - iii. Assign type of account
  - iv. Edit specific account information
  - v. View accounts/profiles
- (d) Manage community data
  - i. Add community
  - ii. Add Household
  - iii. Edit Household
- (e) Manage data from forms
  - i. View raw data from submitted forms
  - ii. Edit form
  - iii. Search
  - iv. Export Form
    - A. Copy to clipboard
    - B. CSV
    - C. Excel
    - D. Print

## **D. Significance of the Project**

UP CAMP CBR mobile application is an initial step for the improvement of the UP CAMP CBR program data management. It reduces the time and effort spent in filling up of forms. The system provides a more convenient way for interns to profile the community. They can directly input the gathered data into the mobile application then save it to the device. When an internet connection is available, they simply upload the data and the data is then saved to the web server. Send form as e-mail functionality is enabled for the preceptors to keep track of the interns activities. Approximately 4 hours [6] of encoding data in Google Form can be saved. This amount of time can be allotted for other intern or student activities.

The system helps make the program data centralized, and prevents possible problems of data storage (e.g. data loss) and record retrieval. It also allows faster and easier data management (data search, generation of reports, lessen errors).

Proper electronic data storage leads to availability and accessibility of PWD and rehabilitation data that may be used for future research and studies[6].

## **E. Scope and Limitations**

The following are the scope and limitations of the system:

1. Only records from WHOQOL, WHODAS, and WHODAS-Proxy gathered from the communities under the program are contained in the system.
2. Forms can only be submitted by interns who have valid log-in credentials.
3. Deletion of data in the phone database can only be done by the intern.
4. Data export can only be done by the data management officer.
5. Accounts are created only by the data management officer.

6. A user account can be deactivated by the data management officer if the user is no longer a part of the CBR program.
7. A change in form format is not handled by the system.
8. Client is responsible for the maintenance of the system.
9. Mobile devices and server is provided by client.

## **F. Assumptions**

The following are the assumptions of the system:

1. Access is approved for all interns in a specific duration of time. Accounts will be deactivated after the internship period.
2. The fields and questions in the form will not change.



## II. Review of Related Literature

Technological advancement open new opportunities to making life easier and solving global problems. In some countries, this advancement is being used by the government to solve some widespread issues, from healthcare to education, and even to extending help to victims of natural calamities. Private institutions and non-governmental organizations (NGOs) are using the technology to carry out their day to day activities and field works[8].

One of these technological advancements is the ever growing use of mobile devices. The research done by the GSM Association (GSMA) Intelligence, a trade group that represents network operators that use GSM technology for their networks, shows that as of 2014, there are a total of 3.6 billion unique mobile subscribers[9]. This means that half of the worlds population now has a mobile subscription. By 2020, an additional one billion subscribers is predicted. In addition to this, the latest information and communication technologies (ICT) statistics (2014) by the International Telecommunication Union, states that there are almost 7 billion mobile-cellular users worldwide as of 2014 [10]. Asia Pacific dominates the global mobile industry, having 1.8 billion unique subscribers and nearly 3.8 billion connections (including M2M) as of the first quarter of 2015 [11].

There is a reason why mobile systems now rule the digital world, mobile devices overcome the limitation of a stationary computer systems. Due to their powerful computing capability, ample memory, wider screen and open operating systems, mobile devices are now viewed as handheld, portable computers rather than simply phones. Mobile has successfully penetrated and redefined user experience in a lot of aspects of daily life. Day to day, the alarm goes, we check the time, exercise, make a call, send messages, listen to music, take a photo, read e-books, socialize, browse the web, take notes, watch a video, play games; some, if not all, with the use of our mobile devices. There is now an app for almost every need available in the app store. As

of July 2015, there are approximately 1.6 million apps available in Google Play and approximately 1.5 million available apps in the Apples App Store[12].

Mobile technologies already yield numerous benefits and continue to hold promising potential use for the improvement of education, healthcare and medicine. Mobile health (also known as mHealth), a component of eHealth, brings significant change to provision of healthcare and improves the lives of patients [13, 14]. In the past years, many studies have been conducted for the overall improvement of healthcare services. Different technologies such as Hospital Information Systems (HIS), evidence-based resources, and clinical applications are mainly provided through stationary computers. To support the highly mobile nature of healthcare, different devices evolved: pagers, cellphones, and Personal Digital Assistants (PDAs)[14]. Then came the smartphones, which was quickly embraced by health professionals, practitioners, researchers, and patients, because it can provide all the functionalities the latter devices have.

As of 2014, more than 100 000 m health applications are now available in app stores[15]. Many of these apps target healthcare professionals (HCP) as their users. HCPs use mobile applications with functionalities for disease diagnosis, record management, drug reference, clinical communication, medical training, etc [16, 17, 18].

The use of mobile devices by HCP along with its advantages and challenges have been discussed in previous studies. The paper Mobile Devices and Apps for HCPs: Uses and Benefits enumerated benefits stated by the HCPs: better decision making, improved accuracy, increased efficiency, enhanced productivity and many others[16]. In the study Its on my iPhone: Attitudes to the Use of Mobile Computing Devices in Medical Education, a Mixed-Methods Study. Medical students, residents and faculty of a large Canadian school were interviewed. They stated advantages of using mobile devices, some are portability, flexibility, access to multimedia and quick access to information. Challenges include superficial learning, distraction and inappropriate use[18]. Jin-Hong Yoo also discussed the use of mobile devices from her perspective

as an Infectious Disease Physician. She enumerated several useful apps. Included are: Skyscape which includes a medical calculator, drug reference and medical information; Antimicrobial reference apps like Sanford Guide and HIV iChart[17].

There are also several apps used by the patients, these apps are usually used for chronic disease management, fall detection, personal health monitoring etc[19, 20, 21, 22, 23].

One example is a smartphone app within eCAALYX (Enhanced Complete Ambient Assisted Living Experiment), this is made for older people with multiple chronic conditions. The app uses different technology for the remote monitoring and management of the patient[19]. Another is mCHOIS (mobile Childhood Obesity Informatics System), a mobile application for the web-based CHOIS, used for used for determining at-risk and obese patients. The web-based application is often limited by internet access at the site. mCHOIS is made to overcome this limitation[20]. Diabeo is another example. This app is used for real-time calculation of insulin dose and for data transmission to allow tele monitoring. Diabeo is proven to give a substantial improvement to metabolic control in chronic, poorly controlled type 1 diabetic patients[21]. Despite the numerous opportunities of mHealth, accessing and selecting apps available in app stores should be done with caution. In the review Mobile Apps for Bipolar Disorder: A Systematic Review of Features and Content Quality, they came to a conclusion that the content of currently available apps for Bipolar Disorder is not in line with practice guidelines or established self-management principles. The studied apps also fail to provide important information to help users assess their quality, with most lacking source citation and a privacy policy[23].

Developing countries took advantage of the fast development in mobile technology and falling prices of handsets. Smartphones became very useful and accessible for data collection and collation. In a study comparing data collection using smartphones and pen-and-paper, it was shown that smartphones produced better results by eliminating

data recording and entry errors[24]. In line with data gathering using smartphones, several participatory systems for public health have been developed. Outbreaks Near Me, by HealthMap, utilized crowdsourcing to gather data, enabling the general public to report infectious disease events[25]. It is one of some promising mobile applications for health monitoring and information sharing. Others would be FrontlineSMS (2005), GeoChat (2008) and Asthmapolis (2010). Global Positioning System (GPS) and location enabled smartphones are also utilized in epidemiology/public health surveillance and community data collection[26, 27].

One of these is Schisto Track, a data capture and analysis tool that was designed to meet the needs of a traditional epidemiological survey. The system composed of the mobile application and a server. After testing in both real and simulated situations, the app proved to be capable of effective data management, with data standardization and easy recovery[27].

Many mobile applications developed in the past are clear proof of mobile devices being a very effective medium to ease a lot of activities in health.

### **III. Theoretical Framework**

#### **A. College of Allied Medical Profession University of the Philippines Manila**

The College of Allied Medical Professions (CAMP) is one of the seven colleges in University of the Philippines Manila (UPM), a constituent of the University of the Philippines System. Its area of responsibility includes occupational therapy (OT), physical therapy (PT), speech pathology (SP), audiology and other applied health sciences[1].

PT is a 5-year program, while OT and SP are both 4-year programs. Students in these program are required to undergo a clinical training in their final year. A part of this clinical training is the Community Based Rehabilitation.

#### **B. Community Based Rehabilitation**

Community-based rehabilitation is "a strategy within general community development for rehabilitation, equalization of opportunities, and social inclusion of all people with disabilities...implemented through the combined efforts of people with disabilities themselves, their families and communities, and the appropriate health, education, vocational, and social services" [2].

Rehabilitation on hospital departments located in the major cities is not effective in our country because the majority of disabled people in the Republic (70% of the population) live in rural areas. Community-based rehabilitation strategy in the Philippines was developed using local volunteers who had simple training in the field of rehabilitation[28].

## C. Smartphones

A smartphone can be defined as a highly advanced mobile phone or device that runs on an operating system (OS)[29]. There is no standard definition for the term smartphone, but it may be characterized by some (but not necessarily possess all) features such as:

- A high resolution touch screen display
- WiFi connectivity
- Web browsing capabilities
- Ability to accept/run applications
- Powerful CPU

These features along with the OS is what makes it smart and allows the smartphone to have advanced computing capabilities compared to a typical mobile phone.

## D. Mobile Application

A mobile application, also referred to as mobile app are software specifically built or designed to run on mobile devices, such as smartphones or tablets. They are built to provide a small scale and specific service sometimes similar to those accessed on PCs[30]. Examples of mobile app are games, calculator, messaging, and to do list. Mobile apps are sometimes preloaded on the mobile device or they can be downloaded by the user from the app store (provided by the OS) or from the internet[31].

## E. Mobile Health

According to the WHO, no standardized definition for mHealth has been established yet, but many came up with their own description of it. They stated that mHealth

is a component of eHealth. The National Institute of Health Consensus Group defines mHealth as the use of mobile and wireless devices to improve health outcomes, healthcare services, and health research. Global Observatory for eHealth (GOe) defined mHealth or mobile health as medical and public health practice supported by mobile devices, such as mobile phones, patient monitoring devices, personal digital assistants (PDAs), and other wireless devices. Sasan Adibi, author of Mobile Health: A Technology Road Map defined the coverage of mHealth to include the acquisition, manipulation, classification, and transmission of health related information.

## **F. Android Platform**

Android is an open source mobile operating system based on the Linux Kernel and currently being maintained by Google. It is also part of the Android Open Source Project where they provide a full application framework, allowing for third party apps to be built and installed, then made available for the users[32].

With more than a billion Android devices already activated, Android is advantageous and presents incredible opportunity to many developers across the globe. Resources are readily available to get you started with designing and developing for Android. Their rich application framework allows developers to build innovative apps for in a Java language environment[33].

## **G. Database Management System**

As stated in SearchSQLServer: A database management system (DBMS) is system software for creating and managing databases. The DBMS provides users and programmers with a systematic way to create, retrieve, update and manage data.[34]

## IV. Design and Implementation

### A. Context Diagram




Figure 1: Context Diagram of CBR-FM

The context diagram of CBR Mobile App is found in Figure 1.

Here we define system to be both the mobile application and web application. Its 3 external entities are intern, DMO and email application (not specific).

Intern passes log-in credentials to the system upon sign-in. In return, the system gives the intern his/her user profile data. User information is submitted to the system when the intern updated his/her profile. When an intern save and upload a form (WHOQOL/ WHODAS/ WHODAS-Proxy), these data are save to the system (mobile database and web database).



Same as intern, the DMO also passes his/her log-in credentials to the system upon sign-in. In return, the system gives the intern his/her user profile data. Since the DMO can add user and community, these information are also submitted from the entity to the system. When a data export is requested, the system gives the needed data to the DMO. This is also the case when the DMO requests for the raw data and other users (co-DMO and intern) information.

The last entity is an email application. Though it is not a user in the system, data flows from the system to it. Such thing occurs when an intern wanted to send a selected form outside the system. The form data is exported to the email application.


## **B. Use Case Diagram**

Figure 2 shows the use case diagram of the system.

There are 2 actors and 10 use cases. Actors are intern, and data management officer (DMO). Use cases are access account, manage profile, manage user account, receive notification, save and update form to device, submit form, manage raw data, export raw data, send form as email, and manage community.

Interns can access account. This is done upon log-in. They can manage (edit personal information and password) their own profile. With the use of mobile application, forms can be saved to the device, they can also update it when necessary. And when the form is final, they can upload it to the server. When an intern wanted to send a selected form outside the system, he/she can send it via email.

DMO can log-in and out of the web interface. DMO can access their own account and manage it. They can manage other users accounts as well. In this use case, the DMO can add or delete users to the system. He/she will be notified when form(s) is/are uploaded to the database. Only the DMO can manage raw data, export raw data and manage community information.



**FIGURE 2**

Figure 2: Use Case Diagram of CBR-FM

## C. Entity Relationship Diagram

The figure 3 below shows the entity-relationship diagram of the CBR Mobile App.




FIGURE 3

Figure 3: Entity-Relationship Diagram of CBR-FM

## D. Data Dictionary

The database schema for the system contains the following tables and their respective fields.

Column	Type	Description	Key
community_id	int(11)	unique identifier of the community table	PRIMARY
name	varchar(20)	name of the community	
address	varchar(50)	complete address of the community	
abbrev	varchar(3)	3-letter abbreviation of the community name	

Table 1: community table

Column	Type	Description	Key
dmo_id	int(11)	unique identifier of the dmo table	PRIMARY
user_id	int(11)	user id of the dmo	FOREIGN
staff_id	int(11)	id number of the staff/dmo	
position	varchar(30)	position of the dmo	

Table 2: dmo table

Column	Type	Description	Key
form_id	int(11)	unique identifier of the form table	PRIMARY
form_code	varchar(10)	code of the form given by the DMO	FOREIGN
form_type	enum('whoqol', 'whodas', 'who-das-proxy')	type of form	
date_completed	date	date the form is completed	
user_id	int(11)	id of te user who created the form	FOREIGN
last_name	varchar(20)	last name of the PWD	
first_name	varchar(20)	first name of the PWD	
middle_initial	varchar(3)	middle initial of the PWD	
name_ext	varchar(20)	name extension of the PWD	

Table 3: form table

Column	Type	Description	Key
household_id	int(11)	unique identifier of the household table	PRIMARY
community_id	int(11)	id of community which the household belongs	FOREIGN
house_addr	varchar(100)	full address of the household	
preceptor	varchar(50)	name of the households preceptor	

Table 4: household table

Column	Type	Description	Key
intern_id	int(11)	unique identifier of the intern table	PRIMARY
user_id	int(11)	id of user	FOREIGN
student_no	varchar(9)	student number of the intern	
course	enum('pt', 'ot', 'sp')	course of the intern	
address	varchar(100)	full address of the intern	
household_id	int(11)	household id where the intern belongs	FOREIGN
community_id	int(11)	community id of the intern	FOREIGN

Table 5: intern table

Column	Type	Description	Key
user_id	int(11)	unique identifier of the user table	PRIMARY
username	varchar(20)	username for login	
password	varchar(255)	password for login	
type	enum('intern', 'dmo')	type of user	
last_name	varchar(15)	last name of user	
first_name	varchar(20)	first name of user	
middle_name	varchar(15)	middle name of user	
name_ext	varchar(10)	name extension of user	
contact_no	varchar(14)	contact number of user	
e_add	varchar(30)	email address of user	
is_active	tinyint(1)	determines if a user is active or not	

Table 6: user table

Column	Type	Description	Key
who_form_id	int(11)	unique identifier of the whodas table	PRIMARY
form_id	int(11)	id of the whodas form	FOREIGN
pwd_id_no	int(11)	PWD or senior citizen id of the respondent	
interviewer_name	varchar(50)	name of the interviewer	
assessment_time	varchar(15)	assessment time point;from what time to what time	
interview_date_time	datetime	date and time of interview	
living_situation	enum('independent in community', 'assisted living', 'hospitalized')	living situation at the time of interview	
kasarian	enum('male', 'female', '')	A1 Itala ang kasarian ayon sa na-observerba	
edad	int(11)	A2 Ilang taon ka na ngayon	
taon_sa_pagaaral	int(11)	A3 Sa kabuuan, ilang taon ang ginugol mo sa pagaaral sa paaralan?	
estado_sibil	enum('hindi nakasal', 'kasalukuyang kasal', 'hiwalay sa asawa', 'diborsyado/a', 'biyudo/biyuda', 'nakikisama')	A4 Ano ngayon ang iyong estado sibil?	
hanapbuhay	varchar(50)	A5 Ano ang pinakamagandang paglalarawan ng kalagayan ng iyong hanapbuhay sa ngayon?	
dahilan_wala	varchar(20)	Kung ang sagot mo sa A5 ay "Walang trabaho (dahilan?)", isulat ang dahilan sa textbox sa baba.	
s1	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S1 Pagtayo nang matagal tulad ng 30 minuto	
s2	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S2 Paggawa ng mga responsabilidad sa tahanan	

s3	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S3 Pag-alam ng mga bagong gawain	
s4	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S4 Pagsali sa mga gawaing komunidad kung ikukumpara niyo sa pangkaraniwang araw	
s5	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S5 Gaano katindi naapektuhan ang iyong emosyon ng iyong kondisyon?	
s6	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S6 Pagtuon sa paggawa ng isang bagay sa loob ng 10 minuto	
s7	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S7 Paglakad nang malayo tulad ng 1 kilometro o katumbas nito	
s8	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S8 Pagpapaligo ng iyong buong katawan	
s9	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S9 Pagbibihis	
s10	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S10 Pakikisalamuha sa mga taong di niyo kilala	

s11	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S11 Pagpapanatili ng pagkakaibigan	
s12	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S12 Pang-araw-araw na gawain sa trabaho/paaralan	
d1.2	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D1.2 Pag-alala sa paggawa ng mga mahahalagang bagay	
d1.3	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D1.3 Pagsuri at paghanap ng solusyon sa mga problema sa pang-arawaraw na buhay	
d1.5	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D1.5 Pag-unawa kung ano ang pangkalahatang sinasabi ng mga tao	
d1.6	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D1.6 Pagsisimula at pagpapatuloy ng usapan	
d2.2	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D2.2 Pagtayo mula sa pagkakaupo	
d2.3	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D2.3 Pagkilos sa loob ng iyong bahay	



d2_4	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D2.4 Paglabas sa iyong bahay	
d3_3	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D3.3 Pagkain	
d3_4	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D3.4 Pagiging mag-isa sa buong araw	
d4_3	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D4.3 Pakikisama sa mga taong malapit sa inyo	
d4_4	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D4.4 Pakikipagkaibigan	
d4_5	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D4.5 Gawaing Sekswal	
d5_2	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D5.2 Maayos na pagsasagawa ng mahahalagang gawain sa bahay?	
d5_3	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D5.3 Pagtapos ng lahat ng mga kailangang gawin sa bahay?	

d5_4	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D5.4 Mabilis na pagtapos ng mga kailangang gawin sa bahay?	
d5_01	int(2)	D5.01 Sa nakaraang 30 araw, ilang araw mo binawasan o hindi ginawa ang mga gawaing-bahay dahil sa iyong kondisyong pangkalusugan?	
d5_6	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D5.6 Maayos na paggawa ng iyong mga pinakamahalagang gawain sa trabaho/paaralan?	
d5_7	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D5.7 Pagtapos ng lahat ng mga kailangang gawin?	
d5_8	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D5.8 Pagtapos ng iyong gawain sa angkop na bilis?	
d5_9	enum('oo', 'hindi')	D5.9 Kinailangan ka bang malagay sa mas mababang posisyon sa trabaho dahil sa iyong kalagayang pangkalusugan	
d5_10	enum('oo', 'hindi')	D5.10 Bumaba ba ang iyong sweldo dahil sa iyong kalagayang pangkalusugan	
d5_02	int(2)	D5.02 Sa nakaraang 30 araw, ilang araw kang lumiban ng kalahating araw o higit pa dahil sa iyong kalagayang pangkalusugan?	
d6_2	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D6.2 Gaano katinding hirap ang iyong naranasan dahil sa mga hadlang sa iyong kapaligiran?	

d6_3	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D6.3 Gaano katinding hirap ang mamuhay nang may dignidad dahil sa mga ugali at kilos ng iba?	
d6_4	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D6.4 Gaano karaming panahon ang iyong ginugugol sa pangangalaga sa iyong kondisyong pangkalusugan at mga naidulot nito?	
d6_6	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D6.6 Gaano kalabis ang nababawas sa pinansyal na kakayahan mo o ng iyong pamilya ng iyong kondisyong pangkalusugan?	
d6_7	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D6.7 Gaano kalaking problema ang naidulot ng iyong kondisyong pangkalusugan sa iyong pamilya?	
d6_8	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	D6.8 Gaano katindi ang hirap mong magkaroon ng pansariling libangan at pag-relaks dahil sa iyong kondisyong pangkalusugan?	
h1	int(2)	H1 Sa pangkalahatan, ilang araw mo naranasan ang mga problemang ito sa nakaraang 30 araw?	
h2	int(2)	H2 Sa nakaraang 30 araw, ilang araw mong hindi nagawa ang iyong mga pangkaraniwang gawain o trabaho dahil sa iyong kalagayang pangkalusugan?	
h3	int(2)	H3 Sa nakaraang 30 araw, bukod sa mga araw na di ka nakagawa, ilang araw mong binawasan ang iyong mga gawain dahil sa iyong kalagayang pangkalusugan?	

Table 7: whodas table

Column	Type	Description	Key
who_form_id	int(11)	unique identifier of the whodas proxy table	PRIMARY
form_id	int(11)	id of the whodas proxy form	FOREIGN
proxy_pangalan	varchar(50)	pangalan ng proxy	
proxy_relayon	varchar(50)	H4a. Ako ang relayon (pumili ng isa) ng taong ito.	
s1	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S1 Pagtayo nang matagal tulad ng 30 minuto	
s2	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S2 Paggawa ng mga responsabilidad sa tahanan	
s3	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S3 Pag-alam ng mga bagong gawain	
s4	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S4 Pagsali sa mga gawaing komunidad kung ikukumpara niyo sa pangkaraniwang araw	
s5	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S5 Gaano katindi naapektuhan ang iyong emosyon ng iyong kondisyon?	
s6	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S6 Pagtuon sa paggawa ng isang bagay sa loob ng 10 minuto	
s7	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S7 Paglakad nang malayo tulad ng 1 kilometro o katumbas nito	

s8	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S8 Pagpapaligo ng iyong buong katawan	
s9	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S9 Pagbibihis	
s10	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S10 Pakikisalamuha sa mga taong di niyo kilala	
s11	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S11 Pagpapanatili ng pagkakaibigan	
s12	enum('walang hirap', 'di masyadong hirap', 'katamtamang hirap', 'sobrang hirap', 'sobra sobrang hirap, di na kayang gawin', 'n.a.')	S12 Pang-araw-araw na gawain sa trabaho/paaralan	
h1	int(2)	H1 Sa pangkalahatan, ilang araw mo naranasan ang mga problemang ito sa nakaraang 30 araw?	
h2	int(2)	H2 Sa nakaraang 30 araw, ilang araw mong hindi nagawa ang iyong mga pangkaraniwang gawain o trabaho dahil sa iyong kalagayang pangkalusugan?	
h3	int(2)	H3 Sa nakaraang 30 araw, bukod sa mga araw na di ka nakagawa, ilang araw mong binawasan ang iyong mga gawain dahil sa iyong kalagayang pangkalusugan?	

Table 8: whodas\_proxy table

Column	Type	Description	Key
who_form_id	int(11)	unique identifier of the whoqol table	PRIMARY
form_id	int(11)	id of the whoqol form	FOREIGN
kasarian	enum('lalaki', 'babae')	kasarian ng PWD	
kapanganakan	date	petsa ng kapanganakan	
natapos	varchar(20)	pinakamataas na natapos sa pag-aaral	
estado_sibil	enum('binata/dalaga', 'may-asawa', 'nagsasama ng walang kasal', 'hiwalay', 'diborsyado/a', 'balo')	estado sibil ng PWD	
may_sakit	enum('meron', 'wala')	Kasalukuyan ka bang may sakit/karamdaman?	
sakit	varchar(200)	Kung kayo po ay may sakit/karamdaman, ano ito sa pagkakaalam mo? Isulat ang sakit o karamdaman.	
q1	enum('napakasama', 'masama', 'katamtaman', 'mabuti', 'napakabuti', 'n.a.')	1. Paano mo bibigyan ng grado ang kalidad ng iyong buhay?	
q2	enum('lubos na di kuntento', 'di kuntento', 'di matukoy', 'kuntento', 'lubos na kuntento', 'n.a.')	2. Gaano ka kakuntento sa iyong kalusugan?	
q3	enum('wala', 'kaunti', 'katamtaman', 'lubos', 'labis-labis', 'n.a.')	3. Gaano mo nararamdaman na nakakahadlang ang pananakit ng iyong katawan sa iyong mga dapat gawin?	
q4	enum('wala', 'kaunti', 'katamtaman', 'lubos', 'labis-labis', 'n.a.')	4. Gaano mo kinakailangan ang pagpapagamot para magawa ang mga pang-araw-araw na gawain?	
q5	enum('wala', 'kaunti', 'katamtaman', 'lubos', 'labis-labis', 'n.a.')	5. Gaano ka natutuwa sa buhay?	
q6	enum('wala', 'kaunti', 'katamtaman', 'lubos', 'labis-labis', 'n.a.')	6. Gaano mo nararamdaman na makahulugan ang iyong buhay?	
q7	enum('wala', 'kaunti', 'katamtaman', 'lubos', 'labis-labis', 'n.a.')	7. Gaano kabuti ang iyong pagtutok sa isang bagay o gawain?	

q8	enum('wala', 'kaunti', 'katamtaman', 'lubos', 'labis-labis', 'n.a.')	8. Gaano kaligtas ang pakiramdam mo sa iyong pang-araw-araw na buhay?	
q9	enum('wala', 'kaunti', 'katamtaman', 'lubos', 'labis-labis', 'n.a.')	9. Gaano kabuti at kaayos ang iyong pisikal na kapaligiran?	
q10	enum('wala', 'kaunti', 'katamtaman', 'lubos', 'labis-labis', 'n.a.')	10. May sapat ka bang lakas/enerhiya para sa pang-araw-araw?	
q11	enum('wala', 'kaunti', 'katamtaman', 'lubos', 'labis-labis', 'n.a.')	11. Tanggap mo ba ang iyong pisikal na anyo o pangangatawan?	
q12	enum('wala', 'kaunti', 'katamtaman', 'lubos', 'labis-labis', 'n.a.')	12. May sapat ka bang pera para mapunan ang iyong kailangan sa araw-araw?	
q13	enum('wala', 'kaunti', 'katamtaman', 'lubos', 'labis-labis', 'n.a.')	13. Gaano kadali sa iyo ang makakuha ng mga impormasyong iyong kailangan sa araw-araw?	
q14	enum('wala', 'kaunti', 'katamtaman', 'lubos', 'labis-labis', 'n.a.')	14. Gaano karami ang pagkakataon mo para makapaglibang?	
q15	enum('napakahirap', 'mahirap', 'di mahirap o madali', 'madali', 'napakadali', 'n.a.')	15. Gaano kadali sa iyo ang paggalaw sa paligid?	
q16	enum('lubos na di kuntento', 'di kuntento', 'di matukoy', 'kuntento', 'lubos na kuntento', 'n.a.')	16. Gaano ka kakuntento sa iyong pagtulog?	
q17	enum('lubos na di kuntento', 'di kuntento', 'di matukoy', 'kuntento', 'lubos na kuntento', 'n.a.')	17. Gaano ka kakuntento sa kakayahan mong magawa ang mga pang-araw-araw na gawain?	
q18	enum('lubos na di kuntento', 'di kuntento', 'di matukoy', 'kuntento', 'lubos na kuntento', 'n.a.')	18. Gaano ka kakuntento sa iyong kakayahang magtrabaho?	
q19	enum('lubos na di kuntento', 'di kuntento', 'di matukoy', 'kuntento', 'lubos na kuntento', 'n.a.')	19. Gaano ka kakuntento sa iyong sarili?	

q20	enum('lubos na di kuntento', 'di kuntento', 'di matukoy', 'kuntento', 'lubos na kuntento', 'n.a.')	20. Gaano ka kakuntento sa iyong personal na ugnayan (kapamilya, kamag-anak, kaibigan, etc.)?	
q21	enum('lubos na di kuntento', 'di kuntento', 'di matukoy', 'kuntento', 'lubos na kuntento', 'n.a.')	21. Gaano ka kakuntento sa sekswal na aspeto ng iyong buhay?	
q22	enum('lubos na di kuntento', 'di kuntento', 'di matukoy', 'kuntento', 'lubos na kuntento', 'n.a.')	22. Gaano ka kakuntento sa suporta na naibibigay ng iyong mga kaibigan	
q23	enum('lubos na di kuntento', 'di kuntento', 'di matukoy', 'kuntento', 'lubos na kuntento', 'n.a.')	23. Gaano kayo kakuntento sa kondisyon ng inyong tirahan	
q24	enum('lubos na di kuntento', 'di kuntento', 'di matukoy', 'kuntento', 'lubos na kuntento', 'n.a.')	24. Gaano ka kakuntento sa pagkuha mo ng mga serbisyong pangkalusugan?	
q25	enum('lubos na di kuntento', 'di kuntento', 'di matukoy', 'kuntento', 'lubos na kuntento', 'n.a.')	25. Gaano ka kakuntento sa iyong pagbiyahe?	
q26	enum('hindi kailanman', 'bihira', 'madalas-dalas', 'napakadalas', 'palagi', 'n.a.')	26. Gaano ka kadalas na may negatibong pakiramdam gaya ng pagkalungkot, kawalan ng pag-asa, pagkabalisa o pagkalumbay?	
puna	varchar(500)	Mayroon ka bang anumang puna tungkol sa mga katanungang ito?	
dom1_a	int(11)	Domain 1 a. Raw score	
dom1_b	int(11)	Domain 1 b. 4-20 Transformed scores	
dom1_c	int(11)	Domain 1 c. 0-100 Transformed scores	
dom2_a	int(11)	Domain 2 a. Raw score	
dom2_b	int(11)	Domain 2 b. 4-20 Transformed scores	
dom2_c	int(11)	Domain 2 c. 0-100 Transformed scores	
dom3_a	int(11)	Domain 3 a. Raw score	



dom3_b	int(11)	Domain 3 b. 4-20 Transformed scores	
dom3_c	int(11)	Domain 3 c. 0-100 Transformed scores	
dom4_a	int(11)	Domain 4 a. Raw score	
dom4_b	int(11)	Domain 4 b. 4-20 Transformed scores	
dom4_c	int(11)	Domain 4 c. 0-100 Transformed scores	

Table 9: whoqol table

## E. System Architecture

The system architecture of CBR Mobile App is found in Figure 4.

Figure 4(a) shows the data entry and how the processing of forms happen. Using the mobile application, interns can fill up a form, input the needed information and save it into the device. When an internet connection is available, the saved form in the device will be uploaded to the server and be submitted for the approval of the preceptor.

Figure 4(b) shows that after saving form data to the mobile devices, interns can send these forms as email. This functionality may be used to send emails to preceptors so they can check and give feedback.

Figure 4(c) shows the process of data management by the data management officer (DMO). In this section, the DMO can get raw data and can also exported them to a pdf or excel format.




FIGURE 4

Figure 4: System Architecture of CBR-FM

## F. Technical Architecture

System requirements:

1. Server
  - (a) PHP server
  - (b) MySQL 5 and above
  - (c) 1GHz processor or higher
  - (d) At least 32GB of dis space
  - (e) 1gb RAM or higher
2. Client (Web)
  - (a) 512 MB Ram or higher
  - (b) At least 100MB free disk space
  - (c) Browser and Internet Connectivity

3. Client (Mobile)

- (a) Android version 4.0.3 and above
- (b) At least 100MB free disk space

## V. Results

### A. The Mobile Application (Intern Access)

CBR-FM is a data management tool developed for the UP CAMP CBR program which contains blank electronic forms (WHOQOL, WHODAS, WHODAS-Proxy) and enables users to fill out forms then save and submit data through portable devices. It also serves as a temporary storage of collected data in the absence of internet connectivity.

The main activity of a newly-installed application shows a blank list view and a floating action button, as shown in Figure 5. It also contains the hamburger icon which shows the navigation view upon clicking.




Figure 5: Blank List View and Floating Action Button, *CBR-FM Mobile*

The floating action buttons function is to reveal a pop-up which displays a list of form options to be filled out for later storage (Figure 6). List of form options include WHOQOL-BREF (Filipino-revised) [WHOQOL], WHODAS 2.0 Filipino Version [WHODAS] and WHODAS 2.0 (12-item version, proxy administered) [WHODAS-Proxy]. Figures 7, 8 and 9 show the WHOQOL, WHODAS and WHODAS-Proxy

activities that serve as electronic versions of the paper-based forms. All of the aforementioned activities perform an error checking for each field, which checks for required input, correct data type and specific minimum and maximum numerical range (Figure 10). These activities also allows folding of sections to maximize the screen display, as shown in Figure 11. After filling out of forms, the user has the option to save form data or cancel the submission through the buttons found at the bottom of the activity (Figure 12)




Figure 6: Form Options Popup, *CBR-FM Mobile*




Figure 7: New WHOQOL Form, *CBR-FM Mobile*

Figure 8: New WHODAS Form, *CBR-FM Mobile*

Figure 9: New WHODAS Proxy Form, *CBR-FM Mobile*

Figure 10: Error Checking, *CBR-FM Mobile*

Figure 11: Folding of Sections, *CBR-FM Mobile*




Figure 12: Cancel and Save Buttons, *CBR-FM Mobile*




Figure 13: Compute Domain Functionality, *CBR-FM Mobile*

In Figure 13, a specific functionality of the WHOQOL activity is presented, which is the compute domain functionality for automation of score computation. This computation is based on the initial input data from the radio groups assigned per set of questions.

Upon completion of selected form, the user can save the data which is stored in the phone memory. All saved forms will populate the list view in the main activity (Figure 14). The list view can be filtered by selecting the type of form in the navigation view (Figure 15). The list can also be sorted by name and date of creation, both by ascending and descending order, through the action menu button (Figure 16). Should the user need to edit a saved form from the list, a selected item can be clicked to reveal a menu that includes an Update option (Figure 17). This options allows the modification of the original data stored in the applications local database.

A menu, accessed by clicking a list item as previously mentioned, contains other options aside from Update, namely Upload, Delete, Details and Send as e-mail (Figure 17). The Upload option enables connection to the server to upload data from the local




Figure 14: List View of Saved Forms, *CBR-FM Mobile*




Figure 15: Filtering of Forms, *CBR-FM Mobile*




Figure 16: Sort Options, *CBR-FM Mobile*




Figure 17: Pop-up Menu and Update Option, *CBR-FM Mobile*

database to the online database. Delete option controls removal of data from the local database. Details option allows viewing of form details such as form type, name of patient, and date of creation (Figure 18). Lastly, Send as e-mail option opens a



chooser to let the user select an e-mail client for sending forms as e-mail. (Figure 19 and 20)




Figure 18: Details of Selected Form, *CBR-FM Mobile*




Figure 19: Send as E-mail Chooser, *CBR-FM Mobile*




Figure 20: E-mail Client, *CBR-FM Mobile*

The user, however, must note that uploading of form is only possible when logged-in. To log-in, the user must click the Log-in button found in the navigation window,

leading to the log-in activity where input of username and password are required (Figure 21). After a successful log-in, user information such as username and user ID is stored to the local database. The Navigation window also changes, now including the Log-out and Change Password options (Figure 22). When logged-in, the user can now upload forms. To display a list of submitted forms, click the Submitted Forms option found in the navigation window (Figure 23). The user can edit specific information by clicking the Username button (previously appearing as Log-in button) in the navigation view which opens the user profile activity (Figure 24). They can also change password by clicking the Change password option that will open a new activity (Figure 25). It must also be noted that upload, log-in and edit profile functionalities need internet access. When the user is finished with all functionalities, logging out can be performed by clicking the Log-out button in the navigation window. (Figure 21)




Figure 21: Log-in / Log-out in Navigation, *CBR-FM Mobile*




Figure 22: Navigation Window when Logged In, *CBR-FM Mobile*




Figure 23: List of Submitted Forms, *CBR-FM Mobile*




Figure 24: User Profile Activity, *CBR-FM Mobile*




Figure 25: Change Password Activity, *CBR-FM Mobile*

## B. The Web Application (Intern Access)

The web based system (intern access) is an alternative to the mobile application for submission of forms. Unlike the mobile application, in which some activities and functionalities can be viewed and used without internet connectivity, the whole system requires an internet connection.




Figure 26: Log-in Page, *CBR-FM Web*

To access the system, users are required to log-in through the log-in page upon opening the website (Figure 26). An intern dashboard will appear upon successful log-in, containing certain information and links. The dashboard mainly displays a table of all the forms submitted by the current user. The user can specify the number of entries shown per page through a select option, search within the table through the search bar, sort rows through a button on the header of a column, and navigate through pages. Aside from this, the user can also view a completely-filled out form by clicking the View form button at the rightmost column of each row (Figure 27).

The system also displays a navigation sidebar on the left side of the page which allows user to submit new forms. To open and fill out a blank electronic form, the user must select a specific form listed in the navigation sidebar (WHOQOL, WHODAS,




Figure 27: Intern Dashboard, *CBR-FM Web*

WHODAS-Proxy) and click the corresponding button (Figure 28, 29, 30). The web-based form also performs an error checking for the required fields as with the mobile application. Upon completion of the form, the user must click the Submit button to submit the data that will automatically be saved to the online database. (Figure 31)




Figure 28: Blank WHOQOL FROM, *CBR-FM Web*

Figure 29: Blank WHODAS FROM, *CBR-FM Web*

Figure 30: Blank WHODAS Proxy FROM, *CBR-FM Web*




Figure 31: Submit Button, *CBR-FM Web*

A link to the users profile can also be found on the navigation bar on the top of the dashboard (Figure 32). To open the profile, the user must click the link provided, in which editing and updating personal information and changing password can be carried out (Figure 33, 34). When finished with using the system, the user may click the Logout link found beside the Profile link on the navigation bar (Figure 32).




Figure 32: Link to Profile and Log-out, *CBR-FM Web*

The screenshot shows the 'Edit Profile' page in the CBR-FM web application. The page has a red header with the CBR-FM logo and navigation links for 'Dashboard' and 'Sherwin Andrew Lucero'. A sidebar on the left contains 'Forms', 'Overview', and 'Submit New Form'. The main content area is titled 'Profile' and includes a link to change the password. The 'Edit Profile' form contains the following fields:

User Type	intern
Last Name	Lucero
First Name	Sherwin Andrew
Middle Name	Molina
Name Extension	Jr., II, III
Contact Number	09123456789
Email Address	intern2@cbr.com

A 'Submit' button is located at the bottom right of the form.

Figure 33: User Profile Edit Page, *CBR-FM Web*

The screenshot shows the 'Change Password' page in the CBR-FM web application. The page has a red header with the CBR-FM logo and navigation links for 'Dashboard' and 'Sherwin Andrew Lucero'. A sidebar on the left contains 'Forms', 'Overview', and 'Submit New Form'. The main content area is titled 'Profile' and includes a link to edit the profile. The 'Change Password' form contains the following fields:

New Password	<input type="password"/>
Confirm Password	<input type="password"/>

A 'Submit' button is located at the bottom right of the form.

Figure 34: Change Password Page, *CBR-FM Web*

### C. The Web Application (DMO Access)

The web based system (DMO Access) is a web repository of CBR-FM developed for DMOs (Data Management Officers) of UP CAMP CBR program, who are responsible for the overall management of the system and its database, both mobile application and web based systems.



To access the DMOs web based system and gain administrator access, the user must input the assigned log-in credentials through the log-in page upon opening the website (Figure Above). A DMO dashboard will appear upon successful log-in, displaying links to administrator functionalities such as accessing and editing own user profile and password (Profile) and managing forms, users, communities and households. The dashboard also shows an overview of all the submitted forms, where the user can view the completely-filled out form by clicking the View form button. (Figure 35)




Figure 35: DMO Dashboard, *CBR-FM Web*

The navigation sidebar on the left side of the page lists the options to view the complete WHOQOL, WHODAS and WHODAS-Proxy raw data or generally view all the data through the Overview link. Upon clicking the corresponding link, the dashboard will display a tabulated data collected from the submitted forms (Figure 36, 37, 38). As with the system used by the interns, the dashboard also allows user to specify the number of entries shown per page through a select option, search within the table through the search bar, sort rows through a button on the header of a column, and navigate through pages. Additional functionalities specially developed

for the DMO access include exporting of the complete table as PDF, CSV, and Excel, copying of table data to clipboard, and printing of the whole table assigned per form option.

Form ID	WHOQOL ID	Date Completed	Name	Kasarian	Kapanganakan	Natapos	Estado Sibil	May Sakit?	Sakit	1. Paano mo bibigyan ng grado ng kalidad ng iyong buhay?	2. Gaano ka kakuntento sa iyong kalusugan?	3. Gaano ka nakakuntento sa iyong buhay?
2	1	05/24/2016	Dela Cruz, Juana S	babae	06/17/2000	elementarya	binata/dalaga	meron	sinat	napakasama	di kuntento	kau

Figure 36: WHOQOL Raw Data, *CBR-FM Web*

Form ID	Form Code	Date Completed	Name	PWD ID no	Interviewer Name	Assessment Time	Interview Date & Time	Living Situation	Kasarian	Edad	Taon sa Pag-aaral	Estado Sibil
5	WD_CMP002	05/24/2016	De Jesus, Sandy L	56179523	Sherwin Lucero	8am to 10am	05/24/2016 12:00:00	hospitalized	lalaki	35	20	hindi nakasal

Figure 37: WHODAS Raw Data, *CBR-FM Web*

Form ID	Form Code	Date Completed	Name	Pangalan ng Proxy	Relasyon sa Proxy	S1. Pagtayo nang matagal tulad ng 30 minuto?	S2. Paggawang mga responsibilidad sa tahanan	S3. Pag-alam sa mga bagong gawain. Halimbawa, paanong pumunta sa bagong lugar	S4. Pagsali sa mga gawaing pangkomunidad (hal, pista, prusisyon, atbp.) kung ikukumpara niyo sa pangkaraniwang araw	S5. Gaano katindi naapektuhan ang kanyang emosyon ng kanyang kondisyon
1	WDP_CMP000	05/24/2016	Dela Cruz, Juana S	Julieta Dela Cruz	magulang	sobra sobrang hirap, di na kayang	sobrang hirap	katamtamang hirap	di mayasadong hirap	walang hirap

Figure 38: WHODAS Proxy Raw Data, *CBR-FM Web*

Aside from viewing the form data, the DMO can also manage users, communities and households through the navigation sidebar. Users and their corresponding profiles can be managed by clicking the Users tab, after which the system will show a list of all the active and inactive users. The active users rows lists all the current users of the mobile application and web based system, both interns and DMOs while the inactive users rows displays all the previous users of the systems who underwent the UP CAMP CBR program, both interns and DMOs, whose termination of accesses depend on the current DMO/s of the program (Figure 39). The corresponding buttons can be clicked, should the current DMO/s wish to activate or deactivate the account of the listed users or edit the information of a specific user on an editable form, which appears after clicking the Edit button (Figure 40). The user can also add a new intern or DMO, by clicking the corresponding buttons above the lists of users (Add DMO and Add Intern) that will open a blank form to be filled out by the DMO (Figure 41, 42). Once input is complete and verified, the added user will be saved to the database and can now access own account.

The screenshot shows the 'Users' tab in the CBR-FM web application. The header includes the CBR-FM logo, a menu icon, and the user's name 'Dionalei Dadivo'. The left sidebar contains navigation options: Forms, Raw Form Data, CBR MANAGEMENT, Users (selected), Communities, and Households. The main content area is titled 'Users List of all CBR-FM Users' and includes an 'Add a User' section with 'Add DMO' and 'Add Intern' buttons. Below this is a table of users with columns for User ID, Username, Name, Type, Status, Action, and Edit. The table lists four active users. A search bar and pagination controls are also visible.

User ID	Username	Name	Type	Status	Action	Edit
1	dionalei	Dadivo, Dionalei Dela Cruz	DMO	Active	Deactivate	Edit
2	sherwin	Lucero, Sherwin Andrew Molina	INTERN	Active	Deactivate	Edit
3	tin	Ocana, Christine Lol	INTERN	Active	Deactivate	Edit
4	kris	Silvestre, Kriselle Zamo	INTERN	Active	Deactivate	Edit

Figure 39: Users Tab and Active/Inactive Users List, *CBR-FM Web*

The screenshot shows the 'Edit User' form for 'Christine Lol Ocana', an INTERN. The form is divided into two main sections: 'User information' and 'Student information'. The 'User information' section includes fields for User Type (intern), Last Name (Ocana), First Name (Christine), Middle Name (Lol), Name Extension (Jr., II, III), and Contact Number (09123456789). The 'Student information' section includes radio buttons for Course (PT, OT, SP), Student Number (201145268), Address (Navotas City), Community (1 - Calumpang), and Household (2 - Household Purok 2).

Figure 40: Edit User, *CBR-FM Web*

Figure 41: Blank Add User as Intern Form, *CBR-FM Web*

Figure 42: Blank Add User as DMO Form, *CBR-FM Web*

Other options of the navigation sidebar include the Communities and Household links that shows a list of communities or households and allow addition of new community or household and editing of the specified community or household (Figure 43, 44, 45, 46, 47, 48)

**Communities** List of all Communities

Home > Communities

Add a Community

Add Community

Show 10 entries Search:

Community ID	Abbreviation	Community	Complete Address	Action
1	CLP	Calumpang	Brgy Calumpang, San Miguel, Bulacan	View
2	PBC	Poblacion C	Brgy Poblacion C, Batangas City	View

Showing 1 to 2 of 2 entries

Previous 1 Next

Figure 43: Communities Link and List, *CBR-FM Web*

**Add Community**

Home > Communities > Add Community

Community information

Name: Barangay/Community Name

Address:

Abbreviation:

Submit

Figure 44: Add Community, *CBR-FM Web*

The screenshot shows the 'View Community' page in the CBR-FM web application. The page title is 'View Community' and the community name is 'Calumpang'. The page displays the following information:

- Name:** Calumpang
- Abbreviation:** CLP
- Complete Address:** Brgy Calumpang, San Miguel, Bulacan

Below this information, there is a section titled 'Households in this community'. It includes a search bar and a table with the following data:

Household ID	Household Address	Preceptor	Action
1	Household Purok 1	Mr Dela Cruz	<a href="#">Edit</a>
2	Household Purok 2	Mr Santos	<a href="#">Edit</a>

Figure 45: View Community, *CBR-FM Web*

The screenshot shows the 'Households' page in the CBR-FM web application. The page title is 'Households' and it includes a link to 'List of all Households'. The page displays the following information:

- Add a Household:** A button labeled 'Add Household'.
- Search:** A search bar.
- Table:** A table with the following data:

Household ID	House Address	Community	Preceptor	Action
1	Household Purok 1	1	Mr Dela Cruz	<a href="#">Edit</a>
2	Household Purok 2	1	Mr Santos	<a href="#">Edit</a>
3	Household Sampaguita St	2	Ms. San Jose	<a href="#">Edit</a>

Below the table, there is a pagination bar showing 'Showing 1 to 3 of 3 entries' and buttons for 'Previous', '1', and 'Next'.

Figure 46: Households Link and List, *CBR-FM Web*

Figure 47: Add Household, *CBR-FM Web*

Figure 48: Edit Household, *CBR-FM Web*

When finished with using the system, the user may click the Logout link found beside the Profile link on the navigation bar.



## VI. Discussions

The current working version of CBR-FM (web and mobile application) was able to achieve the initial objectives of the project. One of its main objectives, implemented in the mobile application, is to enable CAMP interns to fill out profiling forms and save it temporarily in the devices storage using their mobile devices in the absence of an internet connection while in their respective communities, and submit it to the online database when an internet connection is available. The UP CAMP CBR program and its activities are primarily implemented in rural areas, most of them deprived of internet connection and this is where the mobile application becomes advantageous to the interns. Results above show how users can accurately and easily input the needed information with its user-friendly interface guiding them and check for errors. They also present how functionalities can be carried out instantly, for instance, saving and submitting or uploading data performed in a click. Furthermore, Android provides several structured storage options on top of the file system and the CBR-FM mobile application leverages SQLite Database, one of the developed storing options for form data storage. SQLite implements a lightweight relational database, thus supporting the application in organizing and finding data easily.

The system also verifies the credentials of a user wherein only registered users can submit data and access the system, ensuring the validity of data within the system. Logging in of registered user and uploading data from the mobile application are implemented by performing network operations and submitting http requests to the online server. Other running operations within the system can also be detected, for example, sending a form as email, an additional functionality of the mobile application. This functionality is useful for interns in submitting their forms to preceptors for checking. To fulfill this functionality, the application communicates with other applications, specifically mail apps such as Gmail and Yahoo Mail.

The objective of filling up forms is also achieved in the web application, but an

internet connection is required in order to execute this task. As with the mobile application, the web application also has the capabilities of saving, submitting and uploading data. But, using the web application has its advantages in terms of submitting form, as well as entering form data, that includes instantaneous transmission of data and wider screen for data input. Some users may find it more comfortable to type and submit data using their personal computers rather than a mobile device. Also, both the mobile application and web application allows users to edit their personal information and change their password. However, the difference between web and mobile application is that the web application does not provide the send form as email functionality, which is present in the mobile application.

Another main objective of the CBR-FM is to facilitate a more systematic yet easy way of managing data for the DMOs. The system provides DMOs a user-friendly interface to manage the overall data of the UP CAMP CBR program through the web applications use of various web technologies. The web application also allows DMOs to access the raw data of all submitted forms and export them, add users, communities and households, control user access to the system, and modify own and other users information.

The whole system, however, does not cover yet all the data of the UP CAMP CBR, wherein several other paper-based forms were not yet developed into electronic type and included in this version of the program. Therefore, the UP CAMP CBR personnel may have difficulties in incorporating these forms when needed. Another limitation of the system is its availability in few and selected Android versions. Android development is a relatively new platform in software development, thus, is frequently changing upon upgrading versions. The current version of the mobile application is developed for Android versions Ice Cream Sandwich to Marshmallow only.

## VII. Conclusions

The CBR-FM system which composes of a web and mobile application facilitates easier profiling, storage, and overall management of the UP CAMP CBR program data. The mobile application, which takes advantage of the populations inclination to mobile devices along with its portability and powerful computing abilities, is a tool capable of automated profiling of the communities in rural areas. It can serve as a replacement to Google Forms in terms of usage without internet connectivity. With its database management system (SQLite), it allows safe storage of data in the device and easier collation to the online database. Moreover, its presence along with the web application benefits the users, both interns and DMOs, by lessening the time for encoding and processing of all forms (WHOQOL, WHODAS, WHODAS-Proxy).

The value and contribution of the CBR-FM system to the UP CAMP CBR program will be significant because all data will be centralized and consolidated. It has a high level of data standardization and low level of human error since it minimizes erroneous inputs through its programmed functionalities such as error checking and automatic computation of domains. Because of this, the reliability of the data is increased, which in turn, can be confidently used for research purposes to further improve the implementation of the program and its beneficiaries (PWDs and senior citizens).

The whole system is a promising step in the transformation of UP CAMP CBR programs data management and form submission from paper-based scheme to a more developed automated system. With its better web interface, generation of raw data will be more efficient for making reports, benefitting the DMO/s. As for the interns, navigation of both mobile and web application will be easier due to its designed user-friendly and familiar interface.

## VIII. Recommendations

The CBR-FM application was able to serve its purpose and address the problem it aimed to solve. However, there are still a lot of ways to improve this system, making it more useful to all UP CAMP CBR personnel. One of the areas which can be a potential for future development of the application is the availability of service for other paper-based forms, since the current working version only allows submission of WHOQOL, WHODAS, and WHODAS Proxy forms. Adding the other important forms used in the program, namely Community Needs Assessment (CNA) and Family Care Plan (FCP), to the web and mobile application, will be very helpful in centralizing and digitizing all the data for UP CAMP CBR program. Another improvement that can further support the system is the creation of standard reports using the already provided functionality of exporting raw data from the system. Adding this functionality will make the task of the DMO and program heads easier and will allow standardization of reports in terms of format. Lastly, the CBR-FM application can be upgraded to a better version by programming the mobile application to auto save data without clicking the save button and generate a PDF file of a submitted form and send or share it to other concerned users.

## IX. Bibliography

- [1] “About the college: Mission, vision and core values. university of the philippines - college of allied medical professions.” <https://sites.google.com/site/upmcamp/about/mission-vision-and-core-values>, October 2014.
- [2] S. International Labour Office; United Nations Educational and C. O. W. H. Organization, “Cbr: A strategy for rehabilitation, equalization of opportunities, poverty reduction and social inclusion of people with disabilities.” Print, 2004.
- [3] “Community-based rehabilitation in the philippines.” <http://www.ncbi.nlm.nih.gov/pubmed/2534311>, October 2014.
- [4] M. L. M. Magalona and J. P. Datangel, “The community based rehabilitation programme of the university of the philippines manila, college of allied medical professions,” 2011.
- [5] “Programs: Undergraduate programs university of the philippines - college of allied medical professions.” <https://sites.google.com/site/upmcamp/programs>, October 2014.
- [6] “Camp: Community based rehabilitation, interview with m. penafrancia ching and ms. alma.” Personal interview, January 2015.
- [7] “Camp: Community based rehabilitation, interview with mr. sherwin andrew lucero.” Personal interview, January 2015.
- [8] K. Bulkley, “Mobile phones bring revolution to developing world..” <http://www.theguardian.com/activate/phones-revolution-developing-world>, June 2010.

- [9] D. George, J. Stryjak, M. Melon, and P. Castells, “The mobile economy 2015.” <https://gsmaintelligence.com/research/2015/03/the-mobile-economy-2015/491>, March 2015.
- [10] I. T. U. P. Support and K. M. Department., “Itu releases 2014 ict figures. itu: Committed to connecting the world..” [http://www.itu.int/net/pressoffice/press\\_releases/2014/23.aspx#.VT-NDZNPmW4](http://www.itu.int/net/pressoffice/press_releases/2014/23.aspx#.VT-NDZNPmW4), May 2014.
- [11] A. Sharma, M. Melon, and P. Castells, “The mobile economy asia pacific 2015.” <https://gsmaintelligence.com/research/2015/07/the-mobile-economy-asia-pacific-2015/515>, July 2015.
- [12] Statista, “Number of apps available in leading app stores 2015 — statistic.” <http://www.statista.com/statistics/276623/number-of-apps-available-in-leading-app-stores>, July 2015.
- [13] H. Chen and J. Xueqin, “New requirements and trends of mhealth,” *2012 IEEE 14th International Conference on E-Health Networking, Applications and Services (Healthcom)*, October 2012.
- [14] A. S. M. Mosa, I. Yoo, and L. Sheets, “New requirements and trends of mhealth,” *BMC Medical Informatics and Decision Making*, July 2012.
- [15] “Mhealth app developer economics 2014.” <http://research2guidance.com/r2g/research2guidance-mHealth-App-Developer-Economics-2014.pdf>, May 2014.
- [16] C. L. Ventola, “Mobile devices and apps for health care professionals: Uses and benefits,” *Pharmacy and Therapeutics* 39.5, 2014.

- [17] J.-H. Yoo, “The meaning of information technology (it) mobile devices to me, the infectious disease physician,” *Infection and Chemotherapy* 45.2, pp. 244–251, 2013.
- [18] S. Wallace, M. Clark, and J. White, “it’s on my iphone: attitudes to the use of mobile computing devices in medical education, a mixed-methods study,” *BMJ Open*, 2012.
- [19] M. N. K. Boulos, S. Wheeler, C. Tavares, and R. Jones, “How smartphones are changing the face of mobile and participatory healthcare: an overview, with example from ecaalyx,” *Biomed Engineering Online*, 2011.
- [20] A. K. Dattaa, A. Sumargoa, V. Jacksona, and P. P. Dey, “Mchois: An application of mobile technology for childhood obesity surveillance,” *The 2nd International Conference on Ambient Systems, Networks and Technologies (ANT-2011) / The 8th International Conference on Mobile Web Information Systems (MobiWIS 2011)*, 2011.
- [21] C. G1, B. PY, D. D, C. A, F. S, S.-B. P, C. B, M. V, C. L, F. A, B. JL, P. A, and T. S. Group., “The diabeo software enabling individualized insulin dose adjustments combined with telemedicine support improves hba1c in poorly controlled type 1 diabetic patients: a 6-month, randomized, open-label, parallel-group, multicenter trial (telediab 1 study).,” *Diabetes Care*, pp. 533–539, 2011.
- [22] C. Worringham, A. Rojek, and I. Stewart, “Development and feasibility of a smartphone, ecg and gps based system for remotely monitoring exercise in cardiac rehabilitation.,” *PLoS ONE*, 2011.
- [23] B. B. Jennifer Nicholas, D. Mark Erik Larsen, P. Judith Proudfoot, and P. Helen Christensen, “Mobile apps for bipolar disorder: A systematic review of features and content quality,” *Journal of Medical Internet Research* 17.8, 2015.

- [24] S. Zhang, Q. Wu, M. H. van Velthoven, L. Chen, J. Car, I. Rudan, Y. Zhang, Y. Li, and R. W. Scherpbier, "Smartphone versus pen-and-paper data collection of infant feeding practices in rural china," *Journal of Medical Internet Research* 17.8, 2012.
- [25] C. C. Freifeld, R. Chunara, S. R. Mekaru, E. H. Chan, T. Kass-Hout, A. A. Iacucci, and J. S. Brownstein, "Participatory epidemiology: Use of mobile phones for community-based health reporting," *PLoS Medicine*, 2010.
- [26] E. Boonchieng, W. Boonchieng, W. Senaratana, and J. Singkaew, "Development of mhealth for public health information collection, with gis, using private cloud: A case study of saraphi district, Chiang Mai, Thailand," *Computer Science and Engineering Conference (ICSEC)*, 2014.
- [27] M. Onicio B Leal Neto, M. Cesar M Albuquerque, P. Jones O Albuquerque, , and P. Constana S Barbosa, "The schisto track: A system for gathering and monitoring epidemiological surveys by connecting geographical information systems in real time," *JMIR Mhealth Uhealth*, 2014.
- [28] "Community-based rehabilitation in the Philippines." <http://www.ncbi.nlm.nih.gov/pubmed/2534311>, 2014.
- [29] C. Janssen, "What is a smartphone?." <http://www.techopedia.com/definition/2977/smartphone>, 2015.
- [30] "What is a mobile application?." <http://www.techopedia.com/definition/2953/mobile-application-mobile-app>, 2015.
- [31] P. Viswanathan, "Applications - mobile apps definition and examples." <http://mobiledevices.about.com/od/glossary/g/What-Is-A-Mobile-Application.htm>, 2015.



- [32] J. Hildenbrand, “What is android?.” <http://www.androidcentral.com/what-android>, 2015.
- [33] A. Developers, “Introduction to android.” <http://developer.android.com/guide/index.html>, 2015.
- [34] M. Rouse, “What is database management system (dbms)?.” <http://searchsqlserver.techtarget.com/definition/database-management-system>, 2015.

# X. Appendix

## A. Forms



### WHODAS 2.0

WORLD HEALTH ORGANIZATION  
DISABILITY ASSESSMENT SCHEDULE 2.0

12+24
Interview-Filipino

Form Number:
--------------

Instructions to the interviewer are written in regular type font – *do not read these aloud*. Text for the respondent to hear is written in **BOLD and italics**. Read this text aloud.

#### Section 1 Face sheet

Complete items F1–F5 before starting each interview			
F1	Respondent identity number (PWD ID #)		
F2	Interviewer identity number/Name		
F3	Assessment time point (1, 2, etc. – from what time to what time)		
F4	Interview date	day	month
F5	Living situation at time of interview (circle only one)	Independent in community	1
		Assisted living	2
		Hospitalized	3

Figure 49: WHODAS Form



**Section 2 Demographic and background information**

Ang panayam na ito ay nilikha ng WHO para higit na maunawaan ang hirap na maaaring maranasan ng mga tao dahil sa kanilang pangkalusugang kondisyon. Ang impormasyon na maibibigay niyo sa panayam na ito ay mananatiling lihim at gagamitin lamang sa aming pananaliksik. Ito ay tatagal ng 15-20 minutos.

Kahit na ikaw ay malasog at hindi hirap sa kahit anumang gawain, kailangan ko pa ring itanong ang lahat para makumpleto ang survey.

Magsisimula po ako sa mga tanong tungkol sa inyo.

A1	Itala ang kasarian ayon sa na-observerba	Female (Babae)	1
		Male (Lalaki)	2
A2	<b>Ilang taon ka na ngayon?</b>	_____ Years (Taon)	
A3	<b>Sa kabuuan, ilang taon ang ginugol mo sa pag-aaral sa paaralan?</b>	_____ Years (Taon)	
A4	<b>Ano ngayon ang iyong estado sibil?</b>  (Select the single best option)	Hindi nakasal (never married)	1
		Kasalukuyang kasal (currently married)	2
		Hiwalay sa asawa (separated)	3
		Diborsiyado/a (divorced)	4
		Biyudo/biyuda (widowed)	5
		Nakikisama (cohabiting)	6
5	<b>Ano ang pinakamagandang paglalarawan ng kalagayan ng iyong hanapbuhay sa ngayon?</b>  (Select the single best option)	May bayad/sweldo (paid work)	1
		Sariling pinagkakakitaan (Self employed, such as own your business or farming)	2
		Walang bayad o boluntaryong gawain (Non-paid work, such as volunteer or charity)	3
		Student (mag-aaral)	4
		Gawaing-bahay (Keeping house/homemaker)	5

Figure 50: WHODAS Form

	Retirado/a (Retired)	6
	Walang trabaho dahil sa problema sa kalusugan (Unemployed; health reasons)	7
	Walang trabaho (dahilan?) (Unemployed – reasons?)	8
	Iba pa _____ -tukuyin kung ano (Others – specify)	9

### Section 3 Preamble

Say to respondent:

**Ang panayam na ito ay tungkol sa mga problema/hirap na nararanasan ng mga tao dahil sa kanilang kalagayang pang-kalusugan**

Hand flashcard #1 to respondent and say:

**Ang ibig kong sabihin ng kalagayang pangkalusugan ay ang mga karamdamang maaaring daglian o matagalan tulad ng mga sugat, problema sa pag-iisip o emosyon at problemang pang-alkohol o droga.**

**Isaisip ang lahat ng iyong problemang pangkalusugan habang sinasagot mo ang mga tanong. Kapag tinanong ko ang iyong kahirapan sa pagsasagawa ng mga gawain isipin mo ang:**

Point to flashcard #1 and explain that "difficulty with an activity" means:

- **Nangangailangan ng mas maraming lakas** (Increased effort)
- **Hindi magandang pakiramdam o sakit na nararamdaman** (Discomfort or pain)
- **Kabagalan** (Slowness)
- **May pagbabago sa paggawa ng gawain** (Changes in the way you do the activity)

Say to respondent:

**Sa inyong pagsagot, nais kong isipin niyo ang nakaraang 30 araw(o isang buwan). Sa loob ng panahong ito, isipin niyo kung gaano ang hirap na inyong nararanasan sa nakagawiang paggawa ng gawain.**

Hand flashcard #2 to respondent and say:

**Gamitin itong pamantayan sa inyong pagsagot**

Read the scale aloud:

**Wala, kaunti, katamtaman, sobra, sobra-sobra o di kayang gawin**

Ensure that the respondent can easily see flashcards #1 and #2 throughout the interview

Figure 51: WHODAS Form



# WHODAS 2.0

WORLD HEALTH ORGANIZATION  
DISABILITY ASSESSMENT SCHEDULE 2.0

12+24

Interview-  
Filipino

## Section 4 Core Questions

Show Flashcard # 2

<i>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</i>		None	Mild	Moderate	Severe	Extreme or cannot do
S1 (mobility)	<i>Pagtayo nang matagal tulad ng 30 minuto?</i>	1	2	3	4	5
S2 (life & work)	<i>Paggawa ng mga responsibilidad sa tahanan?</i>	1	2	3	4	5
S3 (cognition)	<i>Pag-alam ng mga bagong gawain: Halimbawa paanong pumunta sa bagong lugar.</i>	1	2	3	4	5
S4 (participation)	<i>Pagsali sa mga gawaing pang-komunidad (tulad ng mga pista, prusisyon, atbp.) kung ikukumpara niyo sa pangkaraniwanang mamayan?</i>	1	2	3	4	5
S5 (participation)	<i>Gaano katindi naapektuhan ang iyong emosyon ng iyong kondisyon?</i>	1	2	3	4	5

If any of S1–S5 are endorsed (rated greater than none), continue with S6–S12. Otherwise, this is the end of the interview, in which case say:

*Diyan po nagtatapos ang ating panayam. Maraming salamat po sa pagsagot.*

<i>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</i>		None	Mild	Moderate	Severe	Extreme or cannot do
S6 (cognition)	<i>Pagtuon sa paggawa ng isang bagay sa loob ng 10 minuto</i>	1	2	3	4	5
S7 (mobility)	<i>Paglakad nang malayo tulad ng 1 kilometro [o katumbas nito]?</i>	1	2	3	4	5
S8 (self-care)	<i>Pagpapaligo ng iyong buong katawan?</i>	1	2	3	4	5
S9 (self-care)	<i>Pagbibihis?</i>	1	2	3	4	5
S10 (getting along)	<i>Pakikisalamuha sa mga taong di niyo kakilala?</i>	1	2	3	4	5
S11 (getting along)	<i>Pagpapanatili ng pagkakaibigan?</i>	1	2	3	4	5
S12 (life and work)	<i>Iyong pang-araw-araw na gawain sa trabaho/paaralan?</i>	1	2	3	4	5

Please continue to next page...

Figure 52: WHODAS Form



# WHODAS 2.0

WORLD HEALTH ORGANIZATION  
DISABILITY ASSESSMENT SCHEDULE 2.0

12+24

Interview-  
Filipin

## Domain 1 Cognition

**Magtatanong ako ngayon tungkol sa pag-unawa at komunikasyon.**

Show flashcards #1 and #2 to respondent

<i>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</i>		None	Mild	Moderate	Severe	Extreme or cannot do
D1.2	<i>Pag-alala sa paggawa ng mga mahalagang bagay?</i>	1	2	3	4	5
D1.3	<i>Pagsuri at paghanap ng solusyon sa mga problema sa pang-araw-araw na buhay?</i>	1	2	3	4	5
D1.5	<i>Pag-unawa kung ano ang pangkalahatang sinasabi ng mga tao</i>	1	2	3	4	5
D1.6	<i>Pagsisimula at pagpapatuloy ng usapan</i>	1	2	3	4	5

## Domain 2 Mobility

**Tatanungin ko naman po ngayon ang tungkol sa problema sa paggalaw.**

Show flashcards #1 and #2

<i>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</i>		None	Mild	Moderate	Severe	Extreme or cannot do
D2.2	<i>Pagtayo mula sa pagkakaupo?</i>	1	2	3	4	5
D2.3	<i>Pagkilos sa loob ng iyong bahay?</i>	1	2	3	4	5
D2.4	<i>Paglabas sa iyong bahay?</i>	1	2	3	4	5

## Domain 3 Self-care

**Tatanungin kita ngayon tungkol sa probkema mo sa pangangalaga ng iyong sarili.**

Show flashcards #1 and #2

<i>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</i>		None	Mild	Moderate	Severe	Extreme or cannot do
D3.3	<i><u>Pagkain?</u></i>	1	2	3	4	5
D3.4	<i>Pagiging mag-isa sa loob ng ilang araw?</i>	1	2	3	4	5

Figure 53: WHODAS Form

**Domain 4 Getting along**

*Tatanungin kita ngayon ng tungkol sa iyong problema sa pakaikisalamuha sa labng tao. Isaisip na ang tatanong ay tungkol lamang sa problemang may kaugnayan sa kalusugan. Ang ibig kong sabihin nito ay ang mga karamdamang tulad ng mga sugat, problema sa pag-iisip o emosyon at problemang pang-alkohol o droga*

Show flashcards #1 and #2

<i>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</i>		None	Mild	Moderate	Severe	Extreme or cannot do
D4.3	<i>Pakikisama sa mga taong malapit sa inyo?</i>	1	2	3	4	5
D4.4	<i>Pakikipagkaibigan?</i>	1	2	3	4	5
D4.5	<i>Gawaing sekswal?</i>	1	2	3	4	5

Please continue to next page...

**Domain 5 Life activities**

5(1) Household activities

*Ang tatanungin ko ngayon ay tungkol sa pangangalaga ng iyong kabahayan at pangangalaga sa iyong mga kasama sa bahay o mga taong malapit sa iyo. Kasama sa mga gawaing ito ay pagluluto, paglilinis, pamimili, pag-aaruga sa iba at pag-aalaga sa iyong gamit.*

Show flashcards #1 and #2

<i>Dahil sa iyong kalagayang pangkalusugan, nitong nakaraang 30 araw, gaano katinding hirap ang naranasan. niyo sa:</i>		None	Mild	Moderate	Severe	Extreme or cannot do
D5.2	<i>Maayos na pagsasagawa ng mahahalagang gawain sa bahay?</i>	1	2	3	4	5
D5.3	<i>Pagtapos ng lahat ng mga kailangang gawin sa bahay?</i>	1	2	3	4	5
D5.4	<i>Mabilis na pagtapos ng mga kailangang gawin sa bahay?</i>	1	2	3	4	5

If any of the responses to D5.2–D5.5 are rated greater than none (coded as "1"), ask:

D5.01	<i>Sa nakaraang 30 araw, ilang araw mo binawasan o hindi ginawa ang mga gawaing-bahay dahil sa iyong kondisyong pangkalusugan?</i>	Record number of days: _____
-------	--	------------------------------

If respondent works (paid, non-paid, self-employed) or goes to school, complete questions D5.5–D5.10 on the next page. Otherwise, skip to D6.1 on the following page.

Figure 54: WHODAS Form

5(2) Work or school activities

**Ngayon, ang tatanungin ko ay ang tungkol sa iyong trabaho o ang iyong mga gawain sa paaralan.**

Show flashcards #1 and #2

<b>Dahil sa iyong kalagayang pangkalusugan, nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa</b>		None	Mild	Moderate	Severe	Extreme or cannot do
D5.6	<b>Maayos na paggawa ng iyong mga pinakamahahalagang gawain sa trabaho/paaralan?</b>	1	2	3	4	5
D5.7	<b>Pagtapos ng lahat ng mga kailangang gawin?</b>	1	2	3	4	5
D5.8	<b>Pagtapos ng iyong gawain sa angkop na bilis?</b>	1	2	3	4	5
D5.9	<b>Kinailangan ka bang malagay sa mas mababang posisyon sa trabaho dahil sa iyong kalagayang pangkalusugan?</b>				No	1
					Yes	2
D5.10	<b>Bumaba ba ang iyong sweldo dahil sa iyong kalagayang pangkalusugan?</b>				No	1
					Yes	2

If any of D5.5–D5.8 are rated greater than none (coded as "1"), ask:

D5.02	<b>Sa nakaraang 30 araw, ilang araw kang lumiban ng kalahating araw o higit pa dahil sa iyong kalagayang pangkalusugan?</b>	Record number of days _____
-------	---	-----------------------------

Domain 6 Participation

**Ngayon, tatanungin kita tungkol sa iyong pakikilahok sa lipunan at ang naidulot ng iyong problema sa kalusugan sa iyo at sa iyong pamilya. Ilan sa mga tanong ay maaaring tumukoy sa mga problemang naranasan nang higit pa sa nakaraang 30 araw, pero ituon lang ang pansin sa nakaraang 30 araw. Muli, pakisagot ang mga tanong habang iniisp niyo ang inyong kalagayang pisikal, sa pag-iisip, o emosyon, o kung may kaugnayan ito sa alcohol o droga.**

Show flashcards #1 and #2

<b>Nitong nakaraan 30 araw:</b>		None	Mild	Moderate	Severe	Extreme or cannot do
D6.2	<b>Gaano katinding hirap ang iyong naranasan dahil sa mga hadlang sa iyong kapaligiran?</b>	1	2	3	4	5
D6.3	<b>Gaano katinding hirap ang mamuhay nang may dignidad dahil sa mga ugali at kilos ng iba?</b>	1	2	3	4	5

Figure 55: WHODAS Form



D6.4	<b>Gaano karaming panahon ang iyong ginugugol sa pangangalaga sa iyong kondisyong pangkalusugan at mga naidulot nito?</b>	1	2	3	4	5
D6.6	<b>Gaano kalabis ang nababawas sa pinansyal na kakayahan mo o ng iyong pamilya ng iyong kondisyong pangkalusugan?</b>	1	2	3	4	5
D6.7	<b>Gaano kalaking problema ang naidulot ng iyong kondisyong pangkalusugan sa iyong pamilya?</b>	1	2	3	4	5
D6.8	<b>Gaano katindi ang hirap mong magkaroon ng pansariling libangan at pag-relaks dahil sa iyong kondisyong pangkalusugan?</b>	1	2	3	4	5

H1	<b>Sa pangkalahatan, ilang araw mo naranasan ang mga problemang ito sa nakaraang 30 araw?</b>	Record number of days ____
H2	<b>Sa nakaraang 30 araw, ilang araw mong hindi nagawa ang iyong mga pangkaraniwang gawain o trabaho dahil sa iyong kalagayang pangkalusugan?</b>	Record number of days ____
H3	<b>Sa nakaraang 30 araw, bukod sa mga araw na di ka nakagawa, ilang araw mong binawasan ang iyong mga gawain dahil sa iyong kalagayang pangkalusugan?</b>	Record number of days ____

**Dito nagtatapos ang panayam. Maraming salamat sa iyong pakikilahok.**

Figure 56: WHODAS Form



# WHODAS 2.0

WORLD HEALTH ORGANIZATION  
DISABILITY ASSESSMENT SCHEDULE 2.0

12
Proxy-Filipino

Form Number: \_\_\_\_\_

## 12-item version, proxy-administered

Ang mga katanungang nakapaloob dito ay tungkol sa kahirapan ng kalagayang pangkalusugan na nararanasan ng taong kilala mo at iyong pananaw bilang kaibigan, kamag-anak o tagapag-alaga. Ang kalagayang pangkausugan ay maaaring isang karamdamang pansamantala o pangmatagalan tulad ng mga sugat, problema sa pag-iisip o emosyon at problemang pang-alkohol o droga.

Pag-isipan mo ang nakaang 30 araw at sagutin mo ang sumusunod na tanong kung gaano ang kahirapan ng iyong kaibigan, kamag-anak o alaga sa pasasagawa ng sumusunod na gampanin (Bigyang pansin: ang talatanungan ay gumagamit ng kamag-anak para na rin sa kaibigan o taga-alaga). Sa bawa't tanong, isang sagot lamang ang bilugan.

H4 <sup>a</sup>	Ako ang _____ (pumili ng isa) ng taong ito.	1 =	asawa o kaibiyak	5 =	iba pang kamag-anak
		2 =	magulang	6 =	kaibigan
		3 =	anak na lalaki o anak na babae	7 =	Propesyonal na tagapag-alaga
		4 =	kapatid na babae o lalaki)	8 =	Iba pa (tukuyin)

Nitong nakaraang 30 araw, gaanong hirap ang dinanas ng iyong kamag-anak sa:						
S1	Pagtayo nang matagal tulad ng 30 minuto?	Walang hirap	Di masyadong mahirap	katamtamang hirap	sobrang hirap	Sobra sobrang hirap; di na kayang gawin
S2	Paggawa ng mga responsibilidad sa tahanan?	Walang hirap	Di masyadong mahirap	katamtamang hirap	sobrang hirap	Sobra sobrang hirap; di na kayang gawin
S3	Pag-alam ng mga bagong gawain: Halimbawa paanong pumunta sa bagong lugar.	Walang hirap	Di masyadong mahirap	katamtamang hirap	sobrang hirap	Sobra sobrang hirap; di na kayang gawin
S4	Pagsali sa mga gawaing pang-komunidad (tulad ng mga pista, prusisyon, atbp.) kung ikukumpara niyo sa pangkaraniwanang mamayan?	Walang hirap	Di masyadong mahirap	katamtamang hirap	sobrang hirap	Sobra sobrang hirap; di na kayang gawin
S5	Gaano katindi naapektuhan ang kanyang emosyon ng kanyang kondisyon?	Walang hirap	Di masyadong mahirap	katamtamang hirap	sobrang hirap	Sobra sobrang hirap; di na kayang gawin

Figure 57: WHODAS Proxy Form

<b>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan ng kamag-anak niyo sa:</b>						
S6	<b>Pagtuon sa paggawa ng isang bagay sa loob ng 10 minuto</b>	Walang hirap	Di masyadong mahirap	katamtamang hirap	sobrang hirap	Sobra sobrang hirap; di na kayang gawin
S7	<b>Paglakad nang malayo tulad ng 1 kilometro [o katumbas nito]?</b>	Walang hirap	Di masyadong mahirap	katamtamang hirap	sobrang hirap	Sobra sobrang hirap; di na kayang gawin
S8	<b>Pagpapaligo ng kanyong buong katawan?</b>	Walang hirap	Di masyadong mahirap	katamtamang hirap	sobrang hirap	Sobra sobrang hirap; di na kayang gawin
S9	<b>Pagbibihis?</b>	Walang hirap	Di masyadong mahirap	katamtamang hirap	sobrang hirap	Sobra sobrang hirap; di na kayang gawin
S10	<b>Pakikisalamuha sa mga taong di niya kakilala?</b>	Walang hirap	Di masyadong mahirap	katamtamang hirap	sobrang hirap	Sobra sobrang hirap; di na kayang gawin
S11	<b>Pagpapanatili ng pagkakaibigan?</b>	Walang hirap	Di masyadong mahirap	katamtamang hirap	sobrang hirap	Sobra sobrang hirap; di na kayang gawin
S12	<b>Pang-araw-araw na gawain sa trabaho/paaralan?</b>	Walang hirap	Di masyadong mahirap	katamtamang hirap	sobrang hirap	Sobra sobrang hirap; di na kayang gawin

H1	<b>Sa pangkalahatan, ilang araw niyang naranasan ang mga problemang ito sa nakaraang 30 araw?</b>	Ilang araw? _____
H2	<b>Sa nakaraang 30 araw, ilang araw niyang hindi nagawa ang kanyang mga pangkaraniwang gawain o trabaho dahil sa iyong kalagayang pangkalusugan?</b>	Ilang araw? _____
H3	<b>Sa nakaraang 30 araw, bukod sa mga araw na di siya nakagawa, ilang araw niyang binawasan ang kanang mga gawain dahil sa kanyang kalagayang pangkalusugan?</b>	Ilang araw? _____

**Dito nagtatapos ang mga tanong. Maraming salamat sa iyong pakikilahok!**

Figure 58: WHODAS Proxy Form



WHOQOL-BREF  
(Filipino-revised)

Form Number: \_\_\_\_\_

Ang mga katanungang ito ay tungkol sa iyong nararamdaman sa kalidad ng iyong pamumuhay, kalusugan, o iba pang aspeto ng iyong buhay. Sagutan ang lahat ng katanungan. Kung hindi sigurado, pumili lang ng isang pinakaangkop para sa iyo. Kadalasang ito ang una mong sagot.

Isaalang-alang ang iyong mga pamantayan, inaaasam, kasiyahan at aialahanin. Isipin lang ang mga nangyari sa nakaraang **apat na linggo**.

		Napakasama	Masama	Katamtaman	Mabuti	Napakabuti
1	Paano mo bibigyan ng grado ang kalidad ng iyong buhay?	1	2	3	4	5

		Lubos na di kumtento	Di kumtento	Di matukoy	Kumtento	Lubos na kumtento
2	Gaano ka kakumtento sa iyong kalusugan?	1	2	3	4	5

Ang mga sumusunod na katanungan ay tungkol sa **kung gaano** mo naranasan ang ilang bagay nitong nakaraang **apat na linggo**.

		Wala	Kaunti	Katamtaman	Lubos	Labis-labis
3	Gaano mo nararamdaman na nakakahadlang ang pananakit ng iyong katawan sa iyong mga dapat gawin?	5	4	3	2	1
4	Gaano mo kinakailangan ang pagpapagamot para magawa ang mga pang-araw-araw na gawain?	5	4	3	2	1
5	Gaano ka natutuwa sa buhay?	1	2	3	4	5
6	Gaano mo nararamdaman na makahulugan ang iyong buhay?	1	2	3	4	5

		Wala	Kaunti	Katamtaman	Lubos	Labis-labis
7	Gaano kabuti ang iyong pagtutok sa isang bagay o gawain?	1	2	3	4	5
8	Gaano kaligtas ang pakiramdam mo sa iyong pang-araw-araw na buhay?	1	2	3	4	5
9	Gaano kabuti at kaayos ang iyong pisikal na kapaligiran?	1	2	3	4	5

Figure 60: WHOQOL Form

**WHOQOL-BREF**  
(Filipino-revised)

Form Number: \_\_\_\_\_

Ang mga sumusunod na katanungan ay tungkol sa kung gaano kabuo ang iyong naranasan o kung gaano mo nakayanang gawin ang ilang bagay nitong nakaraang apat na linggo.

		Wala	Kaunti	Katamtaman	Halos lubos	Lubos
10	May sapat ka bang lakas/enerhiya para sa pang-araw-araw?	1	2	3	4	5
11	Tanggap mo ba ang iyong pisikal na anyo o pangangatawan?	1	2	3	4	5
12	May sapat ka bang pera para mapunan ang iyong mga pangangailangan?	1	2	3	4	5
13	Gaano kadali sa iyo ang makakuha ng mga impormasyong iyong kailangan sa araw-araw?	1	2	3	4	5
14	Gaano kerami ang pagkakataon mo para makapaglibang?	1	2	3	4	5

		Napakahirap	Mahirap	Di mahirap o madali	Madali	Napakadali
15	Gaano kadali sa iyo ang paggalaw sa paligid?	1	2	3	4	5

		Lubos na di kumtento	Di kumtento	Di matukoy	Kumtento	Lubos na kumtento
16	Gaano ka kakumtento sa iyong pagtulog?	1	2	3	4	5
17	Gaano ka kakumtento sa kakayahan mong magawa ang mga pang-araw-araw na gawain?	1	2	3	4	5
18	Gaano ka kakumtento sa iyong kakayahang magtrabaho?	1	2	3	4	5
19	Gaano ka kakumtento sa iyong sarili?	1	2	3	4	5

Figure 61: WHOQOL Form

WHOQOL-BREF  
(Filipino-revised)

Form Number: \_\_\_\_\_

		Lubos na di kuntento	Di kuntento	Di matukoy	Kuntento	Lubos na kuntento
20	Gaano ka kakontento sa iyong mga personal na ugnayan (kapamilya, kamag-anak, kaibigan, etc.)	1	2	3	4	5
21	Gaano ka kakuntento sa sekswal na aspeto ng iyong buhay?	1	2	3	4	5
22	Gaano ka kakuntento sa suporta na naibibigay ng iyong mga kaibigan?	1	2	3	4	5
23	Gaano kayo kakontento sa kondisyon ng inyong tinitirahan?	1	2	3	4	5
24	Gaano ka kakuntento sa pagkuha mo ng mga serbisyong pangkalusugan?	1	2	3	4	5
25	Gaano ka kakuntento sa iyong paraan ng pagbiyahe?	1	2	3	4	5

Ang susunod na katanungan ay may kinalaman sa kung gaano mo kadalas naramdaman o naranasan ng ilang mga bagay nitong nakaraang apat na linggo.

		Hindi kailanman	Bihira	Madalas- dalas	Napakadalas	Palagi
26	Gaano ka kadalas na may negatibong pakiramdam gaya ng pagkalungkot, kawalan ng pag-asa, pagkabalisa o pagkalumbay?	5	4	3	2	1

Mayroon ka bang anumang puha tungkol sa mga katanungang ito?

---



---



---

SALAMAT SA IYONG PAGSAGOT!

Figure 62: WHOQOL Form

		Equations for computing domain scores	Raw score	Transformed scores*	
				4-20	0-100
27.	Domain 1	$(6-Q3) + (6-Q4) + Q10 + Q15 + Q16 + Q17 + Q18$ <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/>	a. =	b:	c:
28.	Domain 2	$Q5 + Q6 + Q7 + Q11 + Q19 + (6-Q26)$ <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/>	a. =	b:	c:
29.	Domain 3	$Q20 + Q21 + Q22$ <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/>	a. =	b:	c:
30.	Domain 4	$Q8 + Q9 + Q12 + Q13 + Q14 + Q23 + Q24 + Q25$ <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/> + <input type="checkbox"/>	a. =	b:	c:

Figure 63: WHOQOL Form

## B. Source Code

### AndroidManifest.xml

```
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    package="com.example.android.cbrfm" >

    <!-- To auto-complete the email text field in the login form with the user's emails -->
    <uses-permission android:name="android.permission.GET_ACCOUNTS" />
    <uses-permission android:name="android.permission.READ_PROFILE" />
    <uses-permission android:name="android.permission.READ_CONTACTS" />
    <uses-permission android:name="android.permission.ACCESS_NETWORK_STATE" />
    <uses-permission android:name="android.permission.INTERNET" />

    <application
        android:allowBackup="true"
        android:icon="@mipmap/ic_launcher"
        android:label="@string/app_name"
        android:supportRtl="true"
        android:theme="@style/AppTheme" >
        <activity
            android:name="com.example.android.cbrfm.MainActivity"
            android:label="@string/app_name"
            android:theme="@style/AppTheme.NoActionBar" >
            <intent-filter >
                <action android:name="android.intent.action.MAIN" />

                <category android:name="android.intent.category.LAUNCHER" />
            </intent-filter >
        </activity>
        <activity
            android:name="com.example.android.cbrfm.WHODASPROXYActivity"
```



```

        android:label="@string/title_activity_whodasproxy"
        android:noHistory="true"
        android:parentActivityName="com.example.android.cbrfm.MainActivity"
        android:theme="@style/AppTheme.NoActionBar" >
        <meta-data
            android:name="android.support.PARENT_ACTIVITY"
            android:value="com.example.android.cbrfm.MainActivity" />
    </activity>
    <activity
        android:name="com.example.android.cbrfm.WHODASActivity"
        android:label="@string/title_activity_whodas"
        android:noHistory="true"
        android:parentActivityName="com.example.android.cbrfm.MainActivity"
        android:theme="@style/AppTheme.NoActionBar" >
        <meta-data
            android:name="android.support.PARENT_ACTIVITY"
            android:value="com.example.android.cbrfm.MainActivity" />
    </activity>
    <activity
        android:name="com.example.android.cbrfm.WHOQOLActivity"
        android:label="@string/title_activity_whoqol"
        android:noHistory="true"
        android:parentActivityName="com.example.android.cbrfm.MainActivity"
        android:theme="@style/AppTheme.NoActionBar" >
        <meta-data
            android:name="android.support.PARENT_ACTIVITY"
            android:value="com.example.android.cbrfm.MainActivity" />
    </activity>
    <provider
        android:name="com.example.android.cbrfm.data.CBRProvider"
        android:authorities="@string/content_authority"
        android:exported="false" />

    <activity
        android:name="com.example.android.cbrfm.UserProfileActivity"
        android:label="@string/title_activity_user_profile"
        android:parentActivityName="com.example.android.cbrfm.MainActivity"
        android:theme="@style/AppTheme.NoActionBar" >
        <meta-data
            android:name="android.support.PARENT_ACTIVITY"
            android:value="com.example.android.cbrfm.MainActivity" />
    </activity>
    <activity
        android:name="com.example.android.cbrfm.LoginActivity"
        android:label="@string/title_activity_login"
        android:noHistory="true"
        android:parentActivityName="com.example.android.cbrfm.MainActivity" >
        <meta-data
            android:name="android.support.PARENT_ACTIVITY"
            android:value="com.example.android.cbrfm.MainActivity" />
    </activity>
    <activity
        android:name="com.example.android.cbrfm.ChangePasswordActivity"
        android:label="@string/title_activity_change_password"
        android:parentActivityName="com.example.android.cbrfm.MainActivity"
        android:theme="@style/AppTheme.NoActionBar" >
        <meta-data
            android:name="android.support.PARENT_ACTIVITY"
            android:value="com.example.android.cbrfm.MainActivity" />
    </activity>
    <activity
        android:name="com.example.android.cbrfm.AboutActivity"
        android:label="@string/title_activity_about"
        android:parentActivityName="com.example.android.cbrfm.MainActivity"
        android:theme="@style/AppTheme.NoActionBar" >
        <meta-data
            android:name="android.support.PARENT_ACTIVITY"
            android:value="com.example.android.cbrfm.MainActivity" />
    </activity>
    <activity
        android:name="com.example.android.cbrfm.SubmittedFormsActivity"
        android:label="@string/title_activity_submitted_forms"
        android:parentActivityName="com.example.android.cbrfm.MainActivity"
        android:theme="@style/AppTheme.NoActionBar" >
        <meta-data
            android:name="android.support.PARENT_ACTIVITY"
            android:value="com.example.android.cbrfm.MainActivity" />
    </activity>
</application>
</manifest>

```

## box\_outline.xml

```

<?xml version="1.0" encoding="utf-8"?>
<shape xmlns:android="http://schemas.android.com/apk/res/android"
    android:shape="rectangle">
    <solid android:color="#00000000" />
    <stroke

```

```

        android:width="1dp"
        android:color="@color/colorAccent" />
</shape>

```

## side\_nav\_bar.xml

```

<shape xmlns:android="http://schemas.android.com/apk/res/android"
    android:shape="rectangle" >
    <gradient
        android:startColor="@color/colorAccent"
        android:centerColor="@color/colorPrimary"
        android:endColor="@color/colorPrimaryDark"
        android:type="linear"
        android:angle="180" />
</shape>

```

## activity\_about.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.design.widget.CoordinatorLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools" android:layout_width="match_parent"
    android:layout_height="match_parent" android:fitsSystemWindows="true"
    tools:context="com.example.android.cbrfm.AboutActivity">

    <android.support.design.widget.AppBarLayout android:layout_height="wrap_content"
        android:layout_width="match_parent" android:theme="@style/AppTheme.AppBarOverlay">

        <android.support.v7.widget.Toolbar android:id="@+id/toolbar"
            android:layout_width="match_parent" android:layout_height="?attr/actionBarSize"
            android:background="?attr/colorPrimary" app:popupTheme="@style/AppTheme.PopupOverlay"
            />

    </android.support.design.widget.AppBarLayout>

    <include layout="@layout/content_about" />

</android.support.design.widget.CoordinatorLayout>

```

## activity\_change\_password.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.design.widget.CoordinatorLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools" android:layout_width="match_parent"
    android:layout_height="match_parent" android:fitsSystemWindows="true"
    tools:context="com.example.android.cbrfm.ChangePasswordActivity">

    <android.support.design.widget.AppBarLayout android:layout_height="wrap_content"
        android:layout_width="match_parent" android:theme="@style/AppTheme.AppBarOverlay">

        <android.support.v7.widget.Toolbar android:id="@+id/toolbar"
            android:layout_width="match_parent" android:layout_height="?attr/actionBarSize"
            android:background="?attr/colorPrimary" app:popupTheme="@style/AppTheme.PopupOverlay"
            />

    </android.support.design.widget.AppBarLayout>

    <include layout="@layout/content_change_password" />

    <android.support.design.widget.FloatingActionButton android:id="@+id/fab"
        android:layout_width="wrap_content" android:layout_height="wrap_content"
        android:layout_gravity="bottom|end" android:layout_margin="@dimen/fab_margin"
        android:src="@android:drawable/ic_dialog_email" />

</android.support.design.widget.CoordinatorLayout>

```

## activity\_login.xml

```

<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:gravity="center_horizontal"
    android:orientation="vertical"
    android:paddingBottom="@dimen/activity_vertical_margin"
    android:paddingLeft="@dimen/activity_horizontal_margin"
    android:paddingRight="@dimen/activity_horizontal_margin"
    android:paddingTop="@dimen/activity_vertical_margin"
    tools:context="com.example.android.cbrfm.LoginActivity">

<LinearLayout

```

```

        android:id="@+id/login_form"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="vertical">
<android.support.design.widget.TextInputLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content">
    <AutoCompleteTextView
        android:id="@+id/username"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:hint="Username"
        android:maxLines="1"
        android:singleLine="true" />
</android.support.design.widget.TextInputLayout>
<android.support.design.widget.TextInputLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content">
    <EditText
        android:id="@+id/password"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:hint="Password"
        android:inputType="textPassword"
        android:maxLines="1"
        android:singleLine="true" />
</android.support.design.widget.TextInputLayout>
<Button
    android:id="@+id/log_in_button"
    style="?android:textAppearanceSmall"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginTop="16dp"
    android:text="Log in"
    android:textStyle="bold" />
</LinearLayout>
</LinearLayout>

```

## activity\_about.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.design.widget.CoordinatorLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools" android:layout_width="match_parent"
    android:layout_height="match_parent" android:fitsSystemWindows="true"
    tools:context="com.example.android.cbrfm.AboutActivity">
<android.support.design.widget.AppBarLayout android:layout_height="wrap_content"
    android:layout_width="match_parent" android:theme="@style/AppTheme.AppBarOverlay">
    <android.support.v7.widget.Toolbar android:id="@+id/toolbar"
        android:layout_width="match_parent" android:layout_height="?attr/actionBarSize"
        android:background="?attr/colorPrimary" app:popupTheme="@style/AppTheme.PopupOverlay"
        />
</android.support.design.widget.AppBarLayout>
<include layout="@layout/content_about" />
</android.support.design.widget.CoordinatorLayout>

```

## activity\_change\_password.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.design.widget.CoordinatorLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools" android:layout_width="match_parent"
    android:layout_height="match_parent" android:fitsSystemWindows="true"
    tools:context="com.example.android.cbrfm.ChangePasswordActivity">
<android.support.design.widget.AppBarLayout android:layout_height="wrap_content"
    android:layout_width="match_parent" android:theme="@style/AppTheme.AppBarOverlay">
    <android.support.v7.widget.Toolbar android:id="@+id/toolbar"
        android:layout_width="match_parent" android:layout_height="?attr/actionBarSize"
        android:background="?attr/colorPrimary" app:popupTheme="@style/AppTheme.PopupOverlay"
        />

```

```

</android.support.design.widget.AppBarLayout>

<include layout="@layout/content_change_password" />

<android.support.design.widget.FloatingActionButton android:id="@+id/fab"
    android:layout_width="wrap_content" android:layout_height="wrap_content"
    android:layout_gravity="bottom|end" android:layout_margin="@dimen/fab_margin"
    android:src="@android:drawable/ic_dialog_email" />

</android.support.design.widget.CoordinatorLayout>

```

## activity\_login.xml

```

<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:gravity="center_horizontal"
    android:orientation="vertical"
    android:paddingBottom="@dimen/activity_vertical_margin"
    android:paddingLeft="@dimen/activity_horizontal_margin"
    android:paddingRight="@dimen/activity_horizontal_margin"
    android:paddingTop="@dimen/activity_vertical_margin"
    tools:context="com.example.android.cbrfm.LoginActivity">

    <LinearLayout
        android:id="@+id/login_form"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="vertical">

        <android.support.design.widget.TextInputLayout
            android:layout_width="match_parent"
            android:layout_height="wrap_content">

            <AutoCompleteTextView
                android:id="@+id/username"
                android:layout_width="match_parent"
                android:layout_height="wrap_content"
                android:hint="Username"
                android:maxLines="1"
                android:singleLine="true" />

        </android.support.design.widget.TextInputLayout>

        <android.support.design.widget.TextInputLayout
            android:layout_width="match_parent"
            android:layout_height="wrap_content">

            <EditText
                android:id="@+id/password"
                android:layout_width="match_parent"
                android:layout_height="wrap_content"
                android:hint="Password"
                android:inputType="textPassword"
                android:maxLines="1"
                android:singleLine="true" />

        </android.support.design.widget.TextInputLayout>

        <Button
            android:id="@+id/log_in_button"
            style="?android:textAppearanceSmall"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:layout_marginTop="16dp"
            android:text="Log in"
            android:textStyle="bold" />

    </LinearLayout>
</LinearLayout>

```

## activity\_main.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.v4.widget.DrawerLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/drawer_layout"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:fitsSystemWindows="true"
    tools:openDrawer="start">

    <include
        layout="@layout/app_bar_main"
        android:layout_width="match_parent"
        android:layout_height="match_parent" />

```

```

<android.support.design.widget.NavigationView
    android:id="@+id/nav_view"
    android:layout_width="wrap_content"
    android:layout_height="match_parent"
    android:layout_gravity="start"
    android:clickable="true"
    android:fitsSystemWindows="true"
    app:headerLayout="@layout/nav_header_main"
    app:menu="@menu/activity_main_drawer" />
</android.support.v4.widget.DrawerLayout>

```

## activity\_submitted\_forms.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.design.widget.CoordinatorLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools" android:layout_width="match_parent"
    android:layout_height="match_parent" android:fitsSystemWindows="true"
    tools:context="com.example.android.cbrfm.SubmittedFormsActivity">

    <android.support.design.widget.AppBarLayout android:layout_height="wrap_content"
        android:layout_width="match_parent" android:theme="@style/AppTheme.AppBarOverlay">

        <android.support.v7.widget.Toolbar android:id="@+id/toolbar"
            android:layout_width="match_parent" android:layout_height="?attr/actionBarSize"
            android:background="?attr/colorPrimary" app:popupTheme="@style/AppTheme.PopupOverlay"
            />

    </android.support.design.widget.AppBarLayout>

    <include layout="@layout/content_submitted_forms" />
</android.support.design.widget.CoordinatorLayout>

```

## activity\_user\_profile.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.design.widget.CoordinatorLayout xmlns:android="http://schemas.android.com/apk/res
    /android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:fitsSystemWindows="true"
    tools:context="com.example.android.cbrfm.UserProfileActivity">

    <android.support.design.widget.AppBarLayout
        android:id="@+id/app_bar"
        android:layout_width="match_parent"
        android:layout_height="@dimen/app_bar_height"
        android:fitsSystemWindows="true"
        android:theme="@style/AppTheme.AppBarOverlay">

        <android.support.design.widget.CollapsingToolbarLayout
            android:id="@+id/toolbar_layout"
            android:layout_width="match_parent"
            android:layout_height="match_parent"
            android:fitsSystemWindows="true"
            app:contentScrim="?attr/colorPrimary"
            app:layout_scrollFlags="scroll|exitUntilCollapsed">

            <LinearLayout
                android:id="@+id/user_details_header"
                android:layout_width="match_parent"
                android:layout_height="match_parent"
                android:orientation="vertical">

                <TextView
                    android:layout_width="match_parent"
                    android:layout_height="0dp"
                    android:layout_weight="2"
                    android:text="" />

                <TextView
                    android:id="@+id/full_name_tv"
                    android:layout_width="match_parent"
                    android:layout_height="0dp"
                    android:layout_weight="2"
                    android:gravity="center"
                    android:textColor="#ffffff"
                    android:text="Full Name"
                    android:textSize="@dimen/text_medium" />

                <TextView
                    android:id="@+id/username_tv"

```

```

        android:layout_width="match_parent"
        android:layout_height="0dp"
        android:layout_weight="1"
        android:gravity="center"
        android:textColor="#c0ffff"
        android:text="username"
        android:layout_marginBottom="@dimen/activity_horizontal_margin_small"
        android:textSize="@dimen/text_regular" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="0dp"
    android:layout_weight="1"
    android:text="" />
</LinearLayout>

<android.support.v7.widget.Toolbar
    android:id="@+id/toolbar"
    android:layout_width="match_parent"
    android:layout_height="?attr/actionBarSize"
    android:background="?attr/colorPrimary"
    app:popupTheme="@style/AppTheme.PopupOverlay" />

</android.support.design.widget.CollapsingToolbarLayout>
</android.support.design.widget.AppBarLayout>

<include layout="@layout/content_user_profile" />

<android.support.design.widget.FloatingActionButton
    android:id="@+id/fab"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/fab_margin"
    android:src="@android:drawable/ic_menu_edit"
    android:layout_gravity="bottom|end" />

</android.support.design.widget.CoordinatorLayout>

```

## activity\_whodas.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.design.widget.CoordinatorLayout xmlns:android="http://schemas.android.com/apk/res
/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:fitsSystemWindows="true"
    tools:context="com.example.android.cbrfm.WHODASActivity">

    <android.support.design.widget.AppBarLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:theme="@style/AppTheme.AppBarOverlay">

        <android.support.v7.widget.Toolbar
            android:id="@+id/toolbar"
            android:layout_width="match_parent"
            android:layout_height="?attr/actionBarSize"
            android:background="?attr/colorPrimary"
            app:popupTheme="@style/AppTheme.PopupOverlay" />

    </android.support.design.widget.AppBarLayout>

    <include layout="@layout/content_whodas" />

</android.support.design.widget.CoordinatorLayout>

```

## activity\_whodasproxy.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.design.widget.CoordinatorLayout xmlns:android="http://schemas.android.com/apk/res
/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:fitsSystemWindows="true"
    tools:context="com.example.android.cbrfm.WHODASPROXYActivity">

    <android.support.design.widget.AppBarLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:theme="@style/AppTheme.AppBarOverlay">

```

```

        <android.support.v7.widget.Toolbar
            android:id="@+id/toolbar"
            android:layout_width="match_parent"
            android:layout_height="?attr/actionBarSize"
            android:background="?attr/colorPrimary"
            app:popupTheme="@style/AppTheme.PopupOverlay" />

    </android.support.design.widget.AppBarLayout>

    <include layout="@layout/content_whodasproxy" />

</android.support.design.widget.CoordinatorLayout>

```

## activity\_whoqol.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.design.widget.CoordinatorLayout xmlns:android="http://schemas.android.com/apk/res
/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:fitsSystemWindows="true"
    tools:context="com.example.android.cbrfm.WHOQOLActivity">

    <android.support.design.widget.AppBarLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:theme="@style/AppTheme.AppBarOverlay">

        <android.support.v7.widget.Toolbar
            android:id="@+id/toolbar"
            android:layout_width="match_parent"
            android:layout_height="?attr/actionBarSize"
            android:background="?attr/colorPrimary"
            app:popupTheme="@style/AppTheme.PopupOverlay" />

    </android.support.design.widget.AppBarLayout>

    <include layout="@layout/content_whoqol" />

</android.support.design.widget.CoordinatorLayout>

```

## app\_bar\_main.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.design.widget.CoordinatorLayout xmlns:android="http://schemas.android.com/apk/res
/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:fitsSystemWindows="true"
    tools:context=".MainActivity">

    <android.support.design.widget.AppBarLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:theme="@style/AppTheme.AppBarOverlay">

        <android.support.v7.widget.Toolbar
            android:id="@+id/toolbar"
            android:layout_width="match_parent"
            android:layout_height="?attr/actionBarSize"
            android:background="?attr/colorPrimary"
            app:popupTheme="@style/AppTheme.PopupOverlay" />

    </android.support.design.widget.AppBarLayout>

    <include layout="@layout/content_main" />

    <android.support.design.widget.FloatingActionButton
        android:id="@+id/fab"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_gravity="bottom|end"
        android:layout_margin="@dimen/fab_margin"
        android:src="@drawable/ic_plus" />

</android.support.design.widget.CoordinatorLayout>

```

## content\_about.xml

```

<?xml version="1.0" encoding="utf-8"?>
<ScrollView xmlns:android="http://schemas.android.com/apk/res/android"

```

```

xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
android:paddingBottom="@dimen/activity_vertical_margin"
android:paddingLeft="@dimen/activity_horizontal_margin"
android:paddingRight="@dimen/activity_horizontal_margin"
android:paddingTop="@dimen/activity_vertical_margin"
app:layout_behavior="@string/appbar_scrolling_view_behavior"
tools:context="com.example.android.cbrfm.AboutActivity"
tools:showIn="@layout/activity_about">
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">
    <ImageView
        android:layout_width="100dp"
        android:layout_height="100dp"
        android:layout_gravity="center"
        android:src="@drawable/cbr_logo" />
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="@string/cbrfm"
        android:textAlignment="center"
        android:textSize="@dimen/text_large" />
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:padding="20dp"
        android:text="The Mobile Component of UP CAMP CBR Form Management System"
        android:textSize="@dimen/text_regular" />
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="
CBR-FM is a tool used by UP CAMP interns to fill out profiling forms while in the
assigned communities.
The tool is capable of storing form data to the phone memory. Forms can be submitted
online whenever and internet connection is available."
        android:textSize="@dimen/text_small" />
    <include layout="@layout/horizontal_line" />
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_marginTop="30dp"
        android:text="Developed by: Dionalei DC. Dadivo"
        android:textSize="@dimen/text_small" />
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Version number: 1.0.0"
        android:textSize="@dimen/text_small" />
</LinearLayout>
</ScrollView>

```

## content\_change\_password.xml

```

<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools"
    xmlns:app="http://schemas.android.com/apk/res-auto" android:layout_width="match_parent"
    android:layout_height="match_parent" android:paddingLeft="@dimen/activity_horizontal_margin"
    android:paddingRight="@dimen/activity_horizontal_margin"
    android:paddingTop="@dimen/activity_vertical_margin"
    android:paddingBottom="@dimen/activity_vertical_margin"
    app:layout_behavior="@string/appbar_scrolling_view_behavior"
    tools:showIn="@layout/activity_change_password"
    tools:context="com.example.android.cbrfm.ChangePasswordActivity">
<LinearLayout
    android:id="@+id/login_form"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">
    <android.support.design.widget.TextInputLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content">

```



```

        <AutoCompleteTextView
            android:id="@+id/new_password"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:hint="New Password"
            android:inputType="textPassword"
            android:maxLines="1"
            android:singleLine="true" />
    </android.support.design.widget.TextInputLayout>

    <android.support.design.widget.TextInputLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content">

        <EditText
            android:id="@+id/confirm_password"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:hint="Confirm Password"
            android:inputType="textPassword"
            android:maxLines="1"
            android:singleLine="true" />

    </android.support.design.widget.TextInputLayout>

    <Button
        android:id="@+id/change_pw_button"
        style="?android:textAppearanceSmall"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_marginTop="16dp"
        android:text="Change Password"
        android:textStyle="bold" />

</LinearLayout>

</RelativeLayout>

```

## content\_main.xml

```

<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:fitsSystemWindows="true"
    android:orientation="vertical"
    android:padding="@dimen/activity_horizontal_margin"
    app:layout_behavior="@string/appbar_scrolling_view_behavior"
    tools:context=".MainActivity"
    tools:showIn="@layout/activity_main">

    <TextView
        android:id="@+id/form_header"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:background="@color/colorPrimary"
        android:gravity="center"
        android:padding="@dimen/activity_horizontal_margin_small"
        android:textAllCaps="true"
        android:textColor="@android:color/white"
        android:textSize="@dimen/text_regular" />

    <ListView
        android:id="@+id/form_list_view"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:longClickable="true" />

</LinearLayout>

```

## content\_submitted\_forms.xml

```

<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:fitsSystemWindows="true"
    android:orientation="vertical"
    android:padding="@dimen/activity_horizontal_margin"
    app:layout_behavior="@string/appbar_scrolling_view_behavior"

```

```

tools:context="com.example.android.cbrfm.SubmittedFormsActivity"
tools:showIn="@layout/activity_submitted_forms">

<ListView
    android:id="@+id/submitted_form_list_view"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:longClickable="true" />

</RelativeLayout>

```

## content\_user\_profile.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.v4.widget.NestedScrollView xmlns:android="http://schemas.android.com/apk/res/
    android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    app:layout_behavior="@string/appbar_scrolling_view_behavior"
    tools:context="com.example.android.cbrfm.UserProfileActivity"
    tools:showIn="@layout/activity_user_profile">

<LinearLayout
    android:id="@+id/user_details"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical"
    android:paddingLeft="@dimen/activity_vertical_margin"
    android:paddingRight="@dimen/activity_vertical_margin"
    android:paddingTop="@dimen/activity_horizontal_margin">

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginTop="@dimen/activity_horizontal_margin_small"
    android:padding="@dimen/activity_horizontal_margin_small"
    android:text="Student #:" />

<TextView
    android:id="@+id/student_no_tv"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginLeft="20dp"
    android:textSize="@dimen/text_regular" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginTop="@dimen/activity_horizontal_margin_small"
    android:padding="@dimen/activity_horizontal_margin_small"
    android:text="Course:" />

<TextView
    android:id="@+id/course_tv"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginLeft="20dp"
    android:textSize="@dimen/text_regular" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginTop="@dimen/activity_horizontal_margin_small"
    android:padding="@dimen/activity_horizontal_margin_small"
    android:text="Contact No.:" />

<EditText
    android:id="@+id/contact_no_et"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:focusable="false"
    android:singleLine="true"
    android:inputType="number"
    android:textSize="@dimen/text_regular" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginTop="@dimen/activity_horizontal_margin_small"
    android:padding="@dimen/activity_horizontal_margin_small"
    android:text="E-mail Address:" />

<EditText
    android:id="@+id/e_add_et"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:focusable="false"

```

```

        android:singleLine="true"
        android:textSize="@dimen/text_regular" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginTop="@dimen/activity_horizontal_margin_small"
    android:padding="@dimen/activity_horizontal_margin_small"
    android:text="Address:" />

<EditText
    android:id="@+id/address_et"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:focusable="false"
    android:singleLine="true"
    android:textSize="@dimen/text_regular" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content">

    <Button
        android:id="@+id/cancel_btn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="@string/button_cancel"
        android:visibility="gone" />

    <Button
        android:id="@+id/update_btn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="@string/button_update"
        android:visibility="gone" />

</LinearLayout>

</LinearLayout>

</android.support.v4.widget.NestedScrollView>

```

## content\_whodas.xml

```

<?xml version="1.0" encoding="utf-8"?>
<ScrollView xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    app:layout_behavior="@string/appbar_scrolling_view_behavior"
    tools:context="com.example.android.cbrfm.WHODASActivity"
    tools:showIn="@layout/activity_whodas">

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="vertical"
        android:padding="@dimen/activity_vertical_margin">

        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="WHODAS 2.0 Filipino version"
            android:textSize="@dimen/text_large" />

        <!--

        <include layout="@layout/horizontal_line"/>

        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:layout_marginBottom="@dimen/activity_horizontal_margin_small"
            android:text="@string/whodas_proxy_text"
            android:textSize="14sp" />

        <include layout="@layout/horizontal_line"/>
        -->
        <include layout="@layout/horizontal_line" />

        <LinearLayout
            android:layout_width="match_parent"
            android:layout_height="match_parent"
            android:orientation="horizontal">

            <TextView

```

```

        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_margin="@dimen/activity_horizontal_margin_small"
        android:layout_weight="1"
        android:text="Form Code:"
        android:textAllCaps="true"
        android:textSize="@dimen/text_small" />

<EditText
    android:id="@+id/wd_form_code_et"
    android:layout_width="0dp"
    android:layout_height="wrap_content"
    android:layout_weight="3"
    android:hint="Given by DMO"
    android:imeOptions="actionNext"
    android:inputType="textPersonName"
    android:textSize="@dimen/text_small" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:padding="10dp"
    android:text="KMK / PWD:"
    android:textAllCaps="true"
    android:textColor="@android:color/white"
    android:textSize="@dimen/text_regular" />

<include layout="@layout/horizontal_line" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="Name of PWD"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="horizontal">

    <EditText
        android:id="@+id/wd_first_name_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="2"
        android:hint="First Name"
        android:imeOptions="actionNext"
        android:inputType="textPersonName"
        android:textSize="@dimen/text_small" />

    <EditText
        android:id="@+id/wd_last_name_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="2"
        android:hint="Last Name"
        android:imeOptions="actionNext"
        android:inputType="textPersonName"
        android:textSize="@dimen/text_small" />

    <EditText
        android:id="@+id/wd_m_i_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:hint="M. I."
        android:imeOptions="actionNext"
        android:inputType="textPersonName"
        android:textSize="@dimen/text_small" />

</LinearLayout>

<EditText
    android:id="@+id/wd_name_ext_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:hint="Name Extension"
    android:imeOptions="actionDone"
    android:inputType="textPersonName"
    android:textSize="@dimen/text_small" />

<include layout="@layout/horizontal_line" />

<TextView
    android:layout_width="match_parent"

```

```

        android:layout_height="wrap_content"
        android:background="@color/colorPrimary"
        android:padding="10dp"
        android:text="Section 1. Face Sheet:"
        android:textAllCaps="true"
        android:textColor="@android:color/white"
        android:textSize="@dimen/text_regular" />

<include layout="@layout/horizontal_line" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="F1. Respondent identity number"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />

<EditText
    android:id="@+id/wd_pwd_id_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:hint="PWD ID no."
    android:inputType="number"
    android:minWidth="150dp"
    android:textSize="@dimen/text_small" />

<include layout="@layout/horizontal_line" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="F2. Interviewer identity name"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />

<EditText
    android:id="@+id/wd_interviewer_et"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Name"
    android:inputType="textPersonName"
    android:textSize="@dimen/text_small" />

<include layout="@layout/horizontal_line" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="F3. Assessment time point"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />

<EditText
    android:id="@+id/wd_assessment_time_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:hint="from what time to what time"
    android:inputType="text"
    android:singleLine="true"
    android:textSize="@dimen/text_small" />

<include layout="@layout/horizontal_line" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="F4. Interview date and time"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="horizontal">

    <EditText
        android:id="@+id/wd_interview_date_et"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:hint="date"
        android:imeOptions="actionNext"
        android:inputType="date"
        android:minWidth="100dp"
        android:textSize="@dimen/text_small" />

    <EditText
        android:id="@+id/wd_interview_time_et"
        android:layout_width="wrap_content"

```

```

        android:layout_height="wrap_content"
        android:hint="time"
        android:imeOptions="actionDone"
        android:inputType="time"
        android:minWidth="100dp"
        android:textSize="@dimen/text_small" />
</LinearLayout>
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wd_living_situation_text"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="F5. Living situation at time of interview"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />
<RadioGroup
    android:id="@+id/wd_f5_radio"
    android:layout_width="match_parent"
    android:layout_height="wrap_content">
    <RadioButton
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Independent in community" />
    <RadioButton
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Assisted living" />
    <RadioButton
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Hospitalized" />
</RadioGroup>
<include layout="@layout/horizontal_line" />
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:clickable="true"
    android:onClick="toggle_section2"
    android:orientation="horizontal">
    <ImageView
        android:id="@+id/wd_section2_btn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:scaleType="fitCenter"
        android:src="@android:drawable/arrow_down_float" />
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:padding="10dp"
        android:text="Section 2. Demographic and background information:"
        android:textAllCaps="true"
        android:textColor="@android:color/white"
        android:textSize="@dimen/text_regular" />
</LinearLayout>
<include layout="@layout/horizontal_line" />
<LinearLayout
    android:id="@+id/wd_section2_content"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">
    <TextView
        android:id="@+id/wd_a1_text"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_margin="@dimen/activity_horizontal_margin_small"
        android:text="A1.Itala ang kasarian ayon sa na-observerba"
        android:textAllCaps="true"
        android:textSize="@dimen/text_small" />
    <RadioGroup
        android:id="@+id/wd_a1_radio"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="horizontal">

```

```

<RadioButton
    android:layout_width="0dp"
    android:layout_height="wrap_content"
    android:layout_weight="1"
    android:text="Babae"
    android:textSize="@dimen/text_small" />

<RadioButton
    android:layout_width="0dp"
    android:layout_height="wrap_content"
    android:layout_weight="1"
    android:text="Lalaki"
    android:textSize="@dimen/text_small" />
</RadioGroup>
<include layout="@layout/horizontal_line" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="A2. Ilang taon ka na ngayon?"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />
<EditText
    android:id="@+id/wd_a2_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:hint="taon"
    android:imeOptions="actionNext"
    android:inputType="number"
    android:minWidth="100dp"
    android:textSize="@dimen/text_small" />
<include layout="@layout/horizontal_line" />
<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="A3. Sa kabuuan, ilang taon nag ginugol mo sa pag-aaral sa paaralan?"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />
<EditText
    android:id="@+id/wd_a3_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:hint="taon"
    android:imeOptions="actionDone"
    android:inputType="number"
    android:minWidth="100dp"
    android:textSize="@dimen/text_small" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wd_a4_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="A4. Ano ngayon ang iyong estado sibil?"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />
<RadioGroup
    android:id="@+id/wd_a4_radio"
    android:layout_width="match_parent"
    android:layout_height="wrap_content">
    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Hindi nakasal" />
    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Kasalukuyang kasal" />
    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Hiwalay sa asawa" />
    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Diborsyado/a" />

```

```

<RadioButton
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Biyudo/Biyuda" />

<RadioButton
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Nakikisama" />

</RadioGroup>

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_a5_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="A5. Ano ang pinakamagandang paglalarawan ng kalagayan ng iyong
    hanapbuhay sa ngayon?"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />

<RadioGroup
    android:id="@+id/wd_a5_radio"
    android:layout_width="match_parent"
    android:layout_height="wrap_content">

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="May bayad/sweldo" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Sariling pinagkakakitaan" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Walang bayad o boluntaryong gawain" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Mag-aaral (Student)" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Gawaing-bahay" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Retirado/a" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Walang problema dahil sa problema sa kalusugan" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Walang trabaho" />

    <EditText
        android:id="@+id/wd_a5_dahilan_et"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:hint="dahilan?"
        android:imeOptions="actionDone"
        android:minWidth="200dp"
        android:singleLine="true"
        android:textSize="@dimen/text_small" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Iba pa" />

    <EditText
        android:id="@+id/wd_a5_ibapa_et"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:hint="tukuyin"
        android:imeOptions="actionDone"
        android:minWidth="200dp"

```



```

        android: singleLine="true"
        android: textSize="@dimen/text_small" />

</RadioGroup>

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android: layout_width="match_parent"
    android: layout_height="wrap_content"
    android: background="@color/colorPrimary"
    android: clickable="true"
    android: onClick="toggle_section4"
    android: orientation="horizontal">

    <ImageView
        android: id="@+id/wd_section4_btn"
        android: layout_width="wrap_content"
        android: layout_height="wrap_content"
        android: scaleType="fitCenter"
        android: src="@android:drawable/arrow_down_float" />

    <TextView
        android: layout_width="match_parent"
        android: layout_height="wrap_content"
        android: padding="10dp"
        android: text="Section 4. Core Questions:"
        android: textAllCaps="true"
        android: textColor="@android:color/white"
        android: textSize="@dimen/text_regular" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android: id="@+id/wd_section4_content"
    android: layout_width="match_parent"
    android: layout_height="wrap_content"
    android: orientation="vertical">

    <TextView
        android: layout_width="wrap_content"
        android: layout_height="wrap_content"
        android: text="Nitong nakaraang 30 araw, gaanong hirap ang dinanas ng iyong kamag-
        anak sa:" />

    <include
        android: id="@+id/wd_header1"
        layout="@layout/radio_6_header" />

    <TextView
        android: id="@+id/wd_s1_text"
        android: layout_width="match_parent"
        android: layout_height="wrap_content"
        android: text="S1. Pagtayo nang matagal tulad ng 30 minuto?"
        android: textStyle="italic" />

    <include
        android: id="@+id/wd_s1_radio"
        layout="@layout/radio_6" />

    <include layout="@layout/horizontal_line" />

    <TextView
        android: id="@+id/wd_s2_text"
        android: layout_width="match_parent"
        android: layout_height="wrap_content"
        android: text="S2. Paggawa ng mga responsibilidad sa tahanan?"
        android: textStyle="italic" />

    <include
        android: id="@+id/wd_s2_radio"
        layout="@layout/radio_6" />

    <include layout="@layout/horizontal_line" />

    <TextView
        android: id="@+id/wd_s3_text"
        android: layout_width="match_parent"
        android: layout_height="wrap_content"
        android: text="S3. Pag-alam ng mga bagong gawain"
        android: textStyle="italic" />

    <include
        android: id="@+id/wd_s3_radio"
        layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

```

```

<TextView
    android:id="@+id/wd_s4_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S4. Pagsali sa mga gawaing pangkomunidad kung ikukumpara niyo sa pangkaraniwang araw"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_s4_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_s5_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S5. Gaano katindi naapektuhan ang iyong emosyon sa iyong kondisyon"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_s5_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_s6_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S6. Pagtuon sa paggawa ng isang bagay sa loob ng 10 minuto"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_s6_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_s7_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S7. Paglakad ng malayo tulad ng 1 kilometro o katumbas nito"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_s7_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_s8_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S8. Pagpapaligo ng iyong buong katawan"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_s8_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_s9_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S9. Pagbibihis"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_s9_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_s10_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S10. Pakikisalamuha sa mga taong di niyo kilala"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_s10_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

```

```

<TextView
    android:id="@+id/wd_s11_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S11. Pagpapanatili ng pagkakaibigan"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_s11_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_s12_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S12. Pang-araw-araw na gawain sa trabaho/paaralan"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_s12_radio"
    layout="@layout/radio_6" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:clickable="true"
    android:onClick="toggle_domain1"
    android:orientation="horizontal">

<ImageView
    android:id="@+id/wd_domain1_btn"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:scaleType="fitCenter"
    android:src="@android:drawable/arrow_down_float" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:padding="10dp"
    android:text="Domain 1. Cognition:"
    android:textAllCaps="true"
    android:textColor="@android:color/white"
    android:textSize="@dimen/text_regular" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:id="@+id/wd_domain1_content"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">

<include
    android:id="@+id/wd_header2"
    layout="@layout/radio_6_header" />

<TextView
    android:id="@+id/wd_d1_2_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D1.2. Pag-alala sa paggawa ng mga mahahalagang bagay"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d1_2_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_d1_3_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D1.3. Pagsuri at paghahanap ng solusyon sa mga problema sa pang-araw
    -araw na buhay"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d1_3_radio"
    layout="@layout/radio_6" />

```

```

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_d1_5_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D1.5. Pag-unawa kung ano ang pangkalahatang sinasabi ng mga tao"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d1_5_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_d1_6_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D1.6. Pagsisimula at pagpapatuloy ng usapan"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d1_6_radio"
    layout="@layout/radio_6" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:clickable="true"
    android:onClick="toggle_domain2"
    android:orientation="horizontal">

<ImageView
    android:id="@+id/wd_domain2_btn"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:scaleType="fitCenter"
    android:src="@android:drawable/arrow_down_float" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:padding="10dp"
    android:text="Domain 2. Mobility:"
    android:textAllCaps="true"
    android:textColor="@android:color/white"
    android:textSize="@dimen/text_regular" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:id="@+id/wd_domain2_content"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">

<include
    android:id="@+id/wd_header3"
    layout="@layout/radio_6_header" />

<TextView
    android:id="@+id/wd_d2_2_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D2.2. Pagtayo mula sa pagkaka-upo"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d2_2_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_d2_3_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D2.3. Pagkilos sa loob ng iyong bahay"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d2_3_radio"
    layout="@layout/radio_6" />

```

```

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_d2_4_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D2.4. Paglabas sa iyong bahay"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d2_4_radio"
    layout="@layout/radio_6" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:clickable="true"
    android:onClick="toggle_domain3"
    android:orientation="horizontal">

<ImageView
    android:id="@+id/wd_domain3_btn"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:scaleType="fitCenter"
    android:src="@android:drawable/arrow_down_float" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:padding="10dp"
    android:text="Domain 3. Self-Care:"
    android:textAllCaps="true"
    android:textColor="@android:color/white"
    android:textSize="@dimen/text_regular" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:id="@+id/wd_domain3_content"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">

<include
    android:id="@+id/wd_header4"
    layout="@layout/radio_6_header" />

<TextView
    android:id="@+id/wd_d3_3_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D3.3. Pagkain"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d3_3_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_d3_4_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D3.4. Pagiging mag-isa sa buong araw"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d3_4_radio"
    layout="@layout/radio_6" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:clickable="true"
    android:onClick="toggle_domain4"
    android:orientation="horizontal">

<ImageView

```

```

        android:id="@+id/wd_domain4_btn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:scaleType="fitCenter"
        android:src="@android:drawable/arrow_down_float" />
<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:padding="10dp"
    android:text="Domain 4. Getting Along:"
    android:textAllCaps="true"
    android:textColor="@android:color/white"
    android:textSize="@dimen/text_regular" />
</LinearLayout>
<include layout="@layout/horizontal_line" />
<LinearLayout
    android:id="@+id/wd_domain4_content"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">
    <include
        android:id="@+id/wd_header5"
        layout="@layout/radio_6_header" />
    <TextView
        android:id="@+id/wd_d4_3_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="D4.3. Pakikisama sa mga taong malapit sa inyo"
        android:textStyle="italic" />
    <include
        android:id="@+id/wd_d4_3_radio"
        layout="@layout/radio_6" />
    <include layout="@layout/horizontal_line" />
    <TextView
        android:id="@+id/wd_d4_4_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="D4.4. Pakikipagkaibigan"
        android:textStyle="italic" />
    <include
        android:id="@+id/wd_d4_4_radio"
        layout="@layout/radio_6" />
    <include layout="@layout/horizontal_line" />
    <TextView
        android:id="@+id/wd_d4_5_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="D4.5. Gawaing sekswal"
        android:textStyle="italic" />
    <include
        android:id="@+id/wd_d4_5_radio"
        layout="@layout/radio_6" />
</LinearLayout>
<include layout="@layout/horizontal_line" />
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:clickable="true"
    android:onClick="toggle_domain51"
    android:orientation="horizontal">
    <ImageView
        android:id="@+id/wd_domain51_btn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:scaleType="fitCenter"
        android:src="@android:drawable/arrow_down_float" />
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:padding="10dp"
        android:text="Domain 5.1. Household Activities:"
        android:textAllCaps="true"
        android:textColor="@android:color/white"

```

```

        android:textSize="@dimen/text_regular" />
</LinearLayout>
<include layout="@layout/horizontal_line" />
<LinearLayout
    android:id="@+id/wd_domain51_content"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">
    <include
        android:id="@+id/wd_header6"
        layout="@layout/radio_6_header" />
    <TextView
        android:id="@+id/wd_d5_2_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="D5.2. Maayos na pagsasagawa ng mahahalagang gawain sa bahay"
        android:textStyle="italic" />
    <include
        android:id="@+id/wd_d5_2_radio"
        layout="@layout/radio_6" />
    <include layout="@layout/horizontal_line" />
    <TextView
        android:id="@+id/wd_d5_3_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="D5.3. Pagtapos ng lahat ng mga kailangang gawain sa bahay"
        android:textStyle="italic" />
    <include
        android:id="@+id/wd_d5_3_radio"
        layout="@layout/radio_6" />
    <include layout="@layout/horizontal_line" />
    <TextView
        android:id="@+id/wd_d5_4_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="D5.4. Mabilis na pagtapos ng mga kailangang gawain sa bahay"
        android:textStyle="italic" />
    <include
        android:id="@+id/wd_d5_4_radio"
        layout="@layout/radio_6" />
    <include layout="@layout/horizontal_line" />
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="D5.01. Sa nakaraang 30 araw, ilang araw mo binawasan o hindi ginawa
            ang mga gawaing bahay dahil sa iyong kondisyong pangkalusugan" />
    <EditText
        android:id="@+id/wd_d5_01_et"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:hint="araw"
        android:inputType="number"
        android:minWidth="200dp"
        android:textSize="@dimen/text_small" />
</LinearLayout>
<include layout="@layout/horizontal_line" />
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:clickable="true"
    android:onClick="toggle_domain52"
    android:orientation="horizontal">
    <ImageView
        android:id="@+id/wd_domain52_btn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:scaleType="fitCenter"
        android:src="@android:drawable/arrow_down_float" />
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"

```

```

        android:padding="10dp"
        android:text="Domain 5.2. Work or School Activities:"
        android:textAllCaps="true"
        android:textColor="@android:color/white"
        android:textSize="@dimen/text_regular" />
</LinearLayout>
<include layout="@layout/horizontal_line" />
<LinearLayout
    android:id="@+id/wd_domain52_content"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">
    <include
        android:id="@+id/wd_header7"
        layout="@layout/radio_6_header" />
    <TextView
        android:id="@+id/wd_d5_6_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="D5.6. Maayos na paggawa ng iyong mga pinakamahalagang gawain sa
        trabaho/paaralan"
        android:textStyle="italic" />
    <include
        android:id="@+id/wd_d5_6_radio"
        layout="@layout/radio_6" />
    <include layout="@layout/horizontal_line" />
    <TextView
        android:id="@+id/wd_d5_7_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="D5.7. Pagtapos ng lahat ng mga kailangang gawin"
        android:textStyle="italic" />
    <include
        android:id="@+id/wd_d5_7_radio"
        layout="@layout/radio_6" />
    <include layout="@layout/horizontal_line" />
    <TextView
        android:id="@+id/wd_d5_8_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="D5.8. Pagtapos ng iyong gawain sa angkop na bilis"
        android:textStyle="italic" />
    <include
        android:id="@+id/wd_d5_8_radio"
        layout="@layout/radio_6" />
    <include layout="@layout/horizontal_line" />
    <TextView
        android:id="@+id/wd_d5_9_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_margin="@dimen/activity_horizontal_margin_small"
        android:text="D5.9. Kinakailangan ka bang malagay sa mas mababang posisyon sa
        trabaho dahil sa iyong kalagayang pangkalusugan"
        android:textAllCaps="true"
        android:textSize="@dimen/text_small" />
    <RadioGroup
        android:id="@+id/wd_d5_9_radio"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="horizontal">
        <RadioButton
            android:layout_width="0dp"
            android:layout_height="wrap_content"
            android:layout_weight="1"
            android:text="Oo" />
        <RadioButton
            android:layout_width="0dp"
            android:layout_height="wrap_content"
            android:layout_weight="1"
            android:text="Hindi" />
    </RadioGroup>
</LinearLayout>
<include layout="@layout/horizontal_line" />

```



```

<TextView
    android:id="@+id/wd_d5_10_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="D5.10. Bumaba ba ang iyong sweldo dahil sa iyong kalagayang
    pangkalusagan"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />

<RadioGroup
    android:id="@+id/wd_d5_10_radio"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="horizontal">

    <RadioButton
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Oo" />

    <RadioButton
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Hindi" />

</RadioGroup>

<include layout="@layout/horizontal_line" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="D5.02. Sa nakaraang 30 araw, ilang araw kang lumiban ng kalahating
    araw o higit pa dahil sa iyong kalagayang pangkalusagan"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />

<EditText
    android:id="@+id/wd_d5_02_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:hint="araw"
    android:inputType="number"
    android:minWidth="200dp"
    android:textSize="@dimen/text_small" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:clickable="true"
    android:onClick="toggle_domain6"
    android:orientation="horizontal">

    <ImageView
        android:id="@+id/wd_domain6_btn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:scaleType="fitCenter"
        android:src="@android:drawable/arrow_down_float" />

    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:padding="10dp"
        android:text="Domain 6. Participation:"
        android:textAllCaps="true"
        android:textColor="@android:color/white"
        android:textSize="@dimen/text_regular" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:id="@+id/wd_domain6_content"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">

    <include
        android:id="@+id/wd_header8"
        layout="@layout/radio_6_header" />

```

```

<TextView
    android:id="@+id/wd_d6_2_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D6.2. Gaano katinding hirap ang iyong naranasan dahil sa mga hadlang
        sa iyong kapaligiran?"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d6_2_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_d6_3_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D6.3. Gaano katinding hirap ang mamuhay nang may dignidad dahil sa
        mga ugali at kilos ng iba?"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d6_3_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_d6_4_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D6.4. Gaano karaming panahon ang iyong ginugugol sa pangangalaga sa
        iyong kondisyong pangkalusugan at mga naidulot nito"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d6_4_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_d6_6_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D6.6. Gaano kalabis ang nababawas sa pinansyal na kakayahan mo o ng
        iyong pamilya ng iyong kondisyong pangkalusugan?"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d6_6_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_d6_7_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D6.7. Gaano kalaking problema ang naidudulot ng iyong kondisyong
        pangkalusugan sa iyong pamilya?"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d6_7_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wd_d6_8_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="D6.8. Gaano katindi ang hirap mong magkaroon ng pansariling libangan
        at pag-relaks dahil sa iyong kondisyon?"
    android:textStyle="italic" />

<include
    android:id="@+id/wd_d6_8_radio"
    layout="@layout/radio_6" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:padding="10dp"
    android:text="H:"

```

```

        android:textAllCaps="true"
        android:textColor="@android:color/white"
        android:textSize="@dimen/text_regular" />
<include layout="@layout/horizontal_line" />
<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="H1. Sa pangkalahatan, ilang araw niyang naranasan ang mga problemang ito
        sa nakaraang 30 araw? *" />
<EditText
    android:id="@+id/wd_h1_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:imeOptions="actionNext"
    android:inputType="number"
    android:minWidth="200dp" />
<include layout="@layout/horizontal_line" />
<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="H2. Sa nakaraang 30 araw, ilang araw niyang hindi nagawa ang kanyang
        mgapangkaraniwang gawain o trabaho dahil sa kalagayang pangkalusugan? *" />
<EditText
    android:id="@+id/wd_h2_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:imeOptions="actionNext"
    android:inputType="number"
    android:minWidth="200dp" />
<include layout="@layout/horizontal_line" />
<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="H3. Sa nakaraang 30 araw, bukod sa mga araw na di siya nakagawa, ilang
        araw niyang binawasan ang kanyang mga gawain dahil sa kanyang kalagayang
        pangkalusugan? *" />
<EditText
    android:id="@+id/wd_h3_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:imeOptions="actionDone"
    android:inputType="number"
    android:minWidth="200dp" />
<include layout="@layout/horizontal_line" />
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="horizontal">
    <Button
        android:id="@+id/wd_cancel_btn"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="@string/button_cancel" />
    <Button
        android:id="@+id/wd_save_btn"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="@string/button_save" />
    <Button
        android:id="@+id/wd_update_btn"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="@string/button_update" />
</LinearLayout>
<include layout="@layout/horizontal_line" />
</LinearLayout>
</ScrollView>

```

content\_whodasproxy.xml

```

<?xml version="1.0" encoding="utf-8"?>
<ScrollView xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    app:layout_behavior="@string/appbar_scrolling_view_behavior"
    tools:context="com.example.android.cbrfm.WHODASPROXYActivity"
    tools:showIn="@layout/activity_whodasproxy">

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical"
    android:padding="@dimen/activity_vertical_margin">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginBottom="@dimen/activity_horizontal_margin"
        android:text="WHODAS 2.0 \n(12-item version, proxy administered)"
        android:textSize="@dimen/text_large" />

    <include layout="@layout/horizontal_line" />

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:orientation="horizontal">

        <TextView
            android:layout_width="0dp"
            android:layout_height="wrap_content"
            android:layout_margin="@dimen/activity_horizontal_margin_small"
            android:layout_weight="1"
            android:text="Form Code:"
            android:textAllCaps="true"
            android:textSize="@dimen/text_small" />

        <EditText
            android:id="@+id/wdp_form_code_et"
            android:layout_width="0dp"
            android:layout_height="wrap_content"
            android:layout_weight="3"
            android:hint="Given by DMO"
            android:imeOptions="actionNext"
            android:inputType="textPersonName"
            android:textSize="@dimen/text_small" />

    </LinearLayout>

    <include layout="@layout/horizontal_line" />

    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:background="@color/colorPrimary"
        android:padding="10dp"
        android:text="Proxy at KMK:"
        android:textAllCaps="true"
        android:textColor="@android:color/white"
        android:textSize="@dimen/text_regular" />

    <include layout="@layout/horizontal_line" />

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_margin="@dimen/activity_horizontal_margin_small"
        android:text="Pangalan ng KMK?"
        android:textAllCaps="true"
        android:textSize="@dimen/text_small" />

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="horizontal">

        <EditText
            android:id="@+id/wdp_first_name_et"
            android:layout_width="0dp"
            android:layout_height="wrap_content"
            android:layout_weight="2"
            android:hint="First Name"
            android:imeOptions="actionNext"
            android:inputType="textPersonName"
            android:textSize="@dimen/text_small" />

        <EditText
            android:id="@+id/wdp_last_name_et"
            android:layout_width="0dp"
            android:layout_height="wrap_content"

```

```

        android:layout_weight="2"
        android:hint="Last Name"
        android:imeOptions="actionNext"
        android:inputType="textPersonName"
        android:textSize="@dimen/text_small" />

<EditText
    android:id="@+id/wdp_m_i_et"
    android:layout_width="0dp"
    android:layout_height="wrap_content"
    android:layout_weight="1"
    android:hint="M. I."
    android:imeOptions="actionNext"
    android:inputType="textPersonName"
    android:textSize="@dimen/text_small" />

</LinearLayout>

<EditText
    android:id="@+id/wdp_name_ext_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:hint="Name Extension"
    android:imeOptions="actionNext"
    android:inputType="textPersonName"
    android:textSize="@dimen/text_small" />

<include layout="@layout/horizontal_line" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="Proxy"
    android:textAllCaps="true"
    android:imeOptions="actionDone"
    android:textSize="@dimen/text_small" />

<EditText
    android:id="@+id/wdp_proxy_name_et"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Pangalan ng Proxy"
    android:imeOptions="actionDone"
    android:inputType="textPersonName"
    android:textSize="@dimen/text_small" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/rel_text"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="H4a. Ako ang ----- ng taong ito"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />

<RadioGroup
    android:id="@+id/wdp_relasyon_radio"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content">

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="asawa o kabiyak" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="magulang" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="anak na lalaki o anak na babae" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="kapatid na lalaki o babae" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="iba pang kamag-anak" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="kaibigan" />

```

```

<RadioButton
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="propesyunal na tagapag-alaga" />

<RadioButton
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="iba pa" />

</RadioGroup>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:orientation="horizontal">

    <ImageView
        android:id="@+id/wdp_expand_btn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:scaleType="fitCenter"
        android:src="@android:drawable/arrow_down_float" />

    <TextView
        android:id="@+id/wdp_tanong_expand_header"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:clickable="true"
        android:onClick="toggle_contents"
        android:padding="10dp"
        android:text="Mga tanong:"
        android:textAllCaps="true"
        android:textColor="@android:color/white"
        android:textSize="@dimen/text_regular" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:id="@+id/wdp_tanong_expand_layout"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Nitong nakaraang 30 araw, gaanong hirap ang dinanas ng iyong kamag-
        anak sa:" />

    <include
        android:id="@+id/wdp_header"
        layout="@layout/radio_6_header" />

    <TextView
        android:id="@+id/wdp_s1_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="S1. Pagtayo nang matagal tulad ng 30 minuto?"
        android:textStyle="italic" />

    <include
        android:id="@+id/wdp_s1_radio"
        layout="@layout/radio_6" />

    <include layout="@layout/horizontal_line" />

    <TextView
        android:id="@+id/wdp_s2_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="S2. Paggawa ng mga responsibilidad sa tahanan?"
        android:textStyle="italic" />

    <include
        android:id="@+id/wdp_s2_radio"
        layout="@layout/radio_6" />

    <include layout="@layout/horizontal_line" />

    <TextView
        android:id="@+id/wdp_s3_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="S3. Pag-alam ng mga bagong gawain: Halimbawa paanong pumunta sa
        bagong lugar"

```

```

        android:textStyle="italic" />
<include
    android:id="@+id/wdp_s3_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wdp_s4_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S4. Pagsali sa mga gawaing pangkomunidad (tulad ng mga pista ,
        prusiyon , atbp.) kung ikukumpara ninyo sa pangkaraniwang mamamayan"
    android:textStyle="italic" />
<include
    android:id="@+id/wdp_s4_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wdp_s5_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S5. Gaano katindi naapektuhan ang kanyang emosyon sa kanyang
        kondisyon?"
    android:textStyle="italic" />
<include
    android:id="@+id/wdp_s5_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wdp_s6_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S6. Pagtuon sa paggawa ng isang bagay sa loob ng isang minuto"
    android:textStyle="italic" />
<include
    android:id="@+id/wdp_s6_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wdp_s7_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S7. Paglakad ng malayo tulad ng 1 kilometro {o katumbas nito}?"
    android:textStyle="italic" />
<include
    android:id="@+id/wdp_s7_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wdp_s8_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S8. Pagpapaligo sa kanyang buong katawan?"
    android:textStyle="italic" />
<include
    android:id="@+id/wdp_s8_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wdp_s9_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S9. Pagbibihis?"
    android:textStyle="italic" />
<include
    android:id="@+id/wdp_s9_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wdp_s10_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"

```

```

        android:text="S10. Pakikisalamuha sa mga taong di nya kilala?"
        android:textStyle="italic" />
<include
    android:id="@+id/wdp_s10_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wdp_s11_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S11. Pagpapanatili ng pagkakaibigan?"
    android:textStyle="italic" />
<include
    android:id="@+id/wdp_s11_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wdp_s12_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="S12. Pang-araw-araw na gawain sa trabaho/paaralan?"
    android:textStyle="italic" />
<include
    android:id="@+id/wdp_s12_radio"
    layout="@layout/radio_6" />
</LinearLayout>
<include layout="@layout/horizontal_line" />
<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:padding="10dp"
    android:text="H:"
    android:textAllCaps="true"
    android:textColor="@android:color/white"
    android:textSize="@dimen/text_regular" />
<include layout="@layout/horizontal_line" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="H1. Sa pangkalahatan, ilang araw niyang naranasan ang mga problemang ito
    sa nakaraang 30 araw? *" />
<EditText
    android:id="@+id/wdp_h1_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:imeOptions="actionNext"
    android:inputType="number"
    android:minWidth="200dp" />
<include layout="@layout/horizontal_line" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="H2. Sa nakaraang 30 araw, ilang araw niyang hindi nagawa ang kanyang
    mgapangkaraniwang gawain o trabaho dahil sa kalagayang pangkalusugan? *" />
<EditText
    android:id="@+id/wdp_h2_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:imeOptions="actionNext"
    android:inputType="number"
    android:minWidth="200dp" />
<include layout="@layout/horizontal_line" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="H3. Sa nakaraang 30 araw, bukod sa mga araw na di siya nakagawa, ilang
    araw niyang binawasan ang kanyang mga gawain dahil sa kanyang kalagayang
    pangkalusugan? *" />
<EditText
    android:id="@+id/wdp_h3_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"

```



```

        android:imeOptions="actionDone"
        android:inputType="number"
        android:minWidth="200dp" />
</include layout="@layout/horizontal_line" />
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="horizontal">
    <Button
        android:id="@+id/wdp_cancel_btn"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="@string/button_cancel" />
    <Button
        android:id="@+id/wdp_save_btn"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="@string/button_save" />
    <Button
        android:id="@+id/wdp_update_btn"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="@string/button_update" />
</LinearLayout>
</include layout="@layout/horizontal_line" />
</LinearLayout>
</ScrollView>

```

## content\_whoqol.xml

```

<?xml version="1.0" encoding="utf-8"?>
<ScrollView xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    app:layout_behavior="@string/appbar_scrolling_view_behavior"
    tools:context="com.example.android.cbrfm.WHOQOLActivity"
    tools:showIn="@layout/activity_whoqol">
    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="vertical"
        android:padding="@dimen/activity_vertical_margin">
        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="WHOQOL-BREF\n(Filipino-revised)"
            android:textSize="@dimen/text_large" />
        </include layout="@layout/horizontal_line" />
        <TextView
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:background="@color/colorPrimary"
            android:padding="10dp"
            android:text="Tungkol sa iyo:"
            android:textAllCaps="true"
            android:textColor="@android:color/white"
            android:textSize="@dimen/text_regular" />
        <!--
        <TextView
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:layout_marginBottom="@dimen/activity_horizontal_margin"
            android:text="Bago ka magsimula, nais naming sagutan mo ang ilang mga katanungan
            tungkol sa iyong sarili sa pamamagitan ng pagbilog sa tamang saot o sa pagsulat ng
            sagot sa nakalaang patlang" />
        </include layout="@layout/horizontal_line"/>
    </LinearLayout>
</ScrollView>

```

```

-->
<include layout="@layout/horizontal_line" />
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="horizontal">
    <TextView
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_margin="@dimen/activity_horizontal_margin_small"
        android:layout_weight="1"
        android:text="Form Code:"
        android:textAllCaps="true"
        android:textSize="@dimen/text_small" />
    <EditText
        android:id="@+id/wq_form_code_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="3"
        android:hint="Given by DMO"
        android:imeOptions="actionNext"
        android:inputType="textPersonName"
        android:textSize="@dimen/text_small" />
</LinearLayout>
<include layout="@layout/horizontal_line" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="Ano ang iyong pangalan?"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="horizontal">
    <EditText
        android:id="@+id/wq_first_name_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="2"
        android:hint="First Name"
        android:imeOptions="actionNext"
        android:inputType="textPersonName"
        android:textSize="@dimen/text_small" />
    <EditText
        android:id="@+id/wq_last_name_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="2"
        android:hint="Last Name"
        android:imeOptions="actionNext"
        android:inputType="textPersonName"
        android:textSize="@dimen/text_small" />
    <EditText
        android:id="@+id/wq_m_i_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:hint="M. I."
        android:imeOptions="actionNext"
        android:inputType="textPersonName"
        android:textSize="@dimen/text_small" />
</LinearLayout>
<EditText
    android:id="@+id/wq_name_ext_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:hint="Name Extension"
    android:imeOptions="actionDone"
    android:inputType="textPersonName"
    android:textSize="@dimen/text_small" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq_sex_text"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"

```

```

        android:layout_margin="@dimen/activity_horizontal_margin_small"
        android:text="Ano ang iyong kasarian?"
        android:textAllCaps="true"
        android:textSize="@dimen/text_small" />
<RadioGroup
    android:id="@+id/wq_sex_radio"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="horizontal">
    <RadioButton
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Babae"
        android:textSize="@dimen/text_small" />
    <RadioButton
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Lalaki"
        android:textSize="@dimen/text_small" />
</RadioGroup>
<include layout="@layout/horizontal_line" />
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="Ano ang petsa ng iyong kapanganakan?"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />
<EditText
    android:id="@+id/wq_birthday_et"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:hint="mm/dd/yy"
    android:imeOptions="actionDone"
    android:inputType="date"
    android:minWidth="200dp"
    android:textSize="@dimen/text_small" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq_education_text"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="Ano ang pinakamataas na natapos mo sa pag-aaral?"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />
<RadioGroup
    android:id="@+id/wq_education_radio"
    android:layout_width="match_parent"
    android:layout_height="wrap_content">
    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Walang natapos" />
    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Elementarya" />
    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="High School" />
    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Kolehiyo" />
</RadioGroup>
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq_civil_status_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"

```

```

        android:text="Ano ang iyong estado sibil?"
        android:textAllCaps="true"
        android:textSize="@dimen/text_small" />
<RadioGroup
    android:id="@+id/wq_civil_status_radio"
    android:layout_width="match_parent"
    android:layout_height="wrap_content">

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Binata/Dalaga" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="May-asawa" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Nagsasama ng walang kasal" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Hiwalay" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Diborsyado/a" />

    <RadioButton
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Balo" />

</RadioGroup>

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wq_sick_text"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="Kasalukuyan ka bang may sakit/karadaman"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />

<RadioGroup
    android:id="@+id/wq_sick_radio"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="horizontal">

    <RadioButton
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Meron" />

    <RadioButton
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Wala" />

</RadioGroup>

<include layout="@layout/horizontal_line" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="@dimen/activity_horizontal_margin_small"
    android:text="Kung kayo po ay may sakit/karamdaman, ano ito sa pagkakaalam mo?"
    android:textAllCaps="true"
    android:textSize="@dimen/text_small" />

<EditText
    android:id="@+id/wq_sick_et"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Isulat ang sakit o karamdaman."
    android:imeOptions="actionDone"
    android:inputType="textMultiLine"
    android:textSize="@dimen/text_small" />

<!--

```

```

<include layout="@layout/horizontal_line" />

<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="Ang mga katanungang ito ay tungkol sa iyong nararamdaman sa kalidad ng
    iyong pamumuhay, kalusugan, o iba pang aspeto ng iyong buhay. Sagutan ang lahat ng
    katanungan, Kung hindi sigurado, pumili lang ng isang pinakaangkoppara sa iyo.
    Kadalasang ito ang una mong sagot. \n\n Isaalang-alang ang iyong mg pamantayan,
    inaasam, kasiyahan, at alalahanin. Isipin lang ang mga nangyari sa nakaraang apat
    na linggo." />

-->

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:clickable="true"
    android:onClick="toggle_questions"
    android:orientation="horizontal">

    <ImageView
        android:id="@+id/wq_questions_btn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:scaleType="fitCenter"
        android:src="@android:drawable/arrow_down_float" />

    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:padding="10dp"
        android:text="Mga Tanong:"
        android:textAllCaps="true"
        android:textColor="@android:color/white"
        android:textSize="@dimen/text_regular" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:id="@+id/wq_questions_content"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">

    <include
        android:id="@+id/wq_header1"
        layout="@layout/radio_6_header" />

    <TextView
        android:id="@+id/wq_q1_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="1. Paano mo bibigyan ng grado ang kalidad ng iyong buhay?"
        android:textStyle="italic" />

    <include
        android:id="@+id/wq_q1_radio"
        layout="@layout/radio_6"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />

    <include layout="@layout/horizontal_line" />

    <include
        android:id="@+id/wq_header2"
        layout="@layout/radio_6_header" />

    <TextView
        android:id="@+id/wq_q2_text"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="2. Gaano ka kakauntento sa iyong kalusugan?"
        android:textStyle="italic" />

    <include
        android:id="@+id/wq_q2_radio"
        layout="@layout/radio_6"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />

    <include layout="@layout/horizontal_line" />
    <!--
        <TextView
            android:layout_width="match_parent"
            android:layout_height="wrap_content"

```

```

        android:text="Ang mga sumusunod na katanungan ay tungkol sa kung gaano mo
        nararanasan ang ilang bagay nitong nakaraang apat na linggo." />
    -->

<include
    android:id="@+id/wq_header3"
    layout="@layout/radio_6_header" />

<TextView
    android:id="@+id/wq_q3_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="3. Gaano mo nararamdaman na nakakahadlang ang pananakit ng iyong
    katawan sa iyong dapat gawin?"
    android:textStyle="italic" />

<include
    android:id="@+id/wq_q3_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wq_q4_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="4. Gaano mo kinakailangan ang pagpapagamot para magawa ang mga pang-
    araw-araw na gawain?"
    android:textStyle="italic" />

<include
    android:id="@+id/wq_q4_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wq_q5_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="5. Gaano ka natutuwa sa buhay?"
    android:textStyle="italic" />

<include
    android:id="@+id/wq_q5_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wq_q6_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="6. Gaano mo nararamdaman na makahulugan ang iyong buhay?"
    android:textStyle="italic" />

<include
    android:id="@+id/wq_q6_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wq_q7_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="7. Gaano kabuti ang iyong pagtutok sa isang bagay o gawain?"
    android:textStyle="italic" />

<include
    android:id="@+id/wq_q7_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wq_q8_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="8. Gaano kaligtas ang pakiramdam mo sa iyong pang-araw-araw na buhay
    ?"
    android:textStyle="italic" />

<include
    android:id="@+id/wq_q8_radio"
    layout="@layout/radio_6" />

<include layout="@layout/horizontal_line" />

<TextView
    android:id="@+id/wq_q9_text"

```

```

        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="9. Gaano kabuti at kaayos ang iyong pisikal na kapaligiran?"
        android:textStyle="italic" />
<include
    android:id="@+id/wq_q9_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<!--
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Ang mga sumusunod na katanungan ay tungkol sa kung gaano
        kabuo ang iyong naranasan o kung gaano mo nakayanang gawin ang ilang
        bagay nitong nakaraang apat na linggo." />
-->

<include
    android:id="@+id/wq_header4"
    layout="@layout/radio_6_header" />
<TextView
    android:id="@+id/wq_q10_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="10. May sapat ka bang lakas/enerhiya para sa pang-araw-araw?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq_q10_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq_q11_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="11. Tanggap mo ba ang iyong pisikal na anyo o pangangatawan?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq_q11_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq_q12_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="12. May sapat ka bang pera para mapunan ang iyong kailangan sa araw-
    araw?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq_q12_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq_q13_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="13. Gaano kadali sa iyo ang makakuha ng mga impormasyong iyong
    kailangan sa araw-araw?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq_q13_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq_q14_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="14. Gaano karami ang pagkakataon mo para makapaglibang?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq_q14_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<include

```

```

        android:id="@+id/wq_header5"
        layout="@layout/radio_6_header" />
<TextView
    android:id="@+id/wq_q15_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="15. Gaano kadali sa iyo ang paggalaw sa paligid"
    android:textStyle="italic" />
<include
    android:id="@+id/wq_q15_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<include
    android:id="@+id/wq_header6"
    layout="@layout/radio_6_header" />
<TextView
    android:id="@+id/wq_q16_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="16. Gaano ka kakuntento sa iyong pagtulog?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq_q16_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq_q17_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="17. Gaano ka kakuntento sa kakayahan mong magawa ang mga pang-araw-
        araw na gawain?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq_q17_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq_q18_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="18. Gaano ka kakuntento sa iyong kakayahang magtrabaho?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq_q18_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq_q19_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="19. Gaano ka kakuntento sa iyong sarili?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq_q19_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq_q20_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="20. Gaano ka kakuntento sa iyong personal na ugnayan (kapamilya,
        kamag-anak, kaibigan, etc.)?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq_q20_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq_q21_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="21. Gaano ka kakuntento sa sekswal na aspeto ng iyong buhay?"

```



```

        android:textStyle="italic" />
<include
    android:id="@+id/wq-q21_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq-q22_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="22. Gaano ka kakuntento sa suporta na naibibigay ng iyong mga
    kaibigan?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq-q22_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq-q23_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="23. Gaano kayo kakuntento sa kondisyon ng inyong tirahan"
    android:textStyle="italic" />
<include
    android:id="@+id/wq-q23_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq-q24_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="24. Gaano ka kakuntento sa pagkuha mo ng mga serbisyong
    pangkalusugan?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq-q24_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<TextView
    android:id="@+id/wq-q25_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="25. Gaano ka kakuntento sa iyong pagbiyahe?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq-q25_radio"
    layout="@layout/radio_6" />
<include layout="@layout/horizontal_line" />
<!--
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="Ang susunod na katanungan ay may kinalaman sa kung gaano mo
        kadalas naramdaman o naranasan ng ilang mga bagay na ito sa apat na
        linggo." />
-->

<include
    android:id="@+id/wq_header7"
    layout="@layout/radio_6_header" />
<TextView
    android:id="@+id/wq-q26_text"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="26. Gaano ka kadalas na may negatibong pakiramdam gaya ng
    pagkalungkot, kawalan ng pag-asa, pagkabalisa o pagkalumbay?"
    android:textStyle="italic" />
<include
    android:id="@+id/wq-q26_radio"
    layout="@layout/radio_6" />
</LinearLayout>
<include layout="@layout/horizontal_line" />
<TextView

```

```

        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:inputType="textMultiLine"
        android:text="Mayroon ka bang anumang puna tungkol sa mga katanungang ito?"
        android:textAllCaps="true" />
<EditText
    android:id="@+id/wq_puna_et"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:inputType="textMultiLine"
    android:textSize="@dimen/text_small" />
<include layout="@layout/horizontal_line" />
<TextView
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="@color/colorPrimary"
    android:padding="10dp"
    android:text="Pagtatasa:"
    android:textAllCaps="true"
    android:textColor="@android:color/white"
    android:textSize="@dimen/text_regular" />
<include layout="@layout/horizontal_line" />
<Button
    android:id="@+id/wq_compute_btn"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="Compute Domain" />
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginBottom="@dimen/activity_horizontal_margin_small"
    android:layout_marginTop="@dimen/activity_horizontal_margin_small">
    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="2"
        android:background="@drawable/box_outline"
        android:gravity="center"
        android:padding="5dp"
        android:text="Domain"
        android:textSize="12sp" />
    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="1"
        android:background="@drawable/box_outline"
        android:gravity="center"
        android:padding="5dp"
        android:text="raw score"
        android:textSize="12sp" />
    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="1"
        android:background="@drawable/box_outline"
        android:gravity="center"
        android:padding="5dp"
        android:text="transformed score (4-20)"
        android:textSize="12sp" />
    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="1"
        android:background="@drawable/box_outline"
        android:gravity="center"
        android:padding="5dp"
        android:text="transformed score (0-100)"
        android:textSize="12sp" />
</LinearLayout>
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginBottom="@dimen/activity_horizontal_margin_small">
    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="2"
        android:gravity="center"
        android:text="Domain 1" />

```

```

<EditText
    android:id="@+id/wq_dom1_a_et"
    android:layout_width="0dp"
    android:layout_height="wrap_content"
    android:layout_weight="1"
    android:focusable="false"
    android:imeOptions="actionNext"
    android:inputType="number" />

<EditText
    android:id="@+id/wq_dom1_b_et"
    android:layout_width="0dp"
    android:layout_height="wrap_content"
    android:layout_weight="1"
    android:focusable="false"
    android:imeOptions="actionNext"
    android:inputType="number" />

<EditText
    android:id="@+id/wq_dom1_c_et"
    android:layout_width="0dp"
    android:layout_height="wrap_content"
    android:layout_weight="1"
    android:focusable="false"
    android:imeOptions="actionNext"
    android:inputType="number" />

</LinearLayout>

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginBottom="@dimen/activity_horizontal_margin_small">

    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="2"
        android:gravity="center"
        android:text="Domain 2" />

    <EditText
        android:id="@+id/wq_dom2_a_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:focusable="false"
        android:imeOptions="actionNext"
        android:inputType="number" />

    <EditText
        android:id="@+id/wq_dom2_b_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:focusable="false"
        android:imeOptions="actionNext"
        android:inputType="number" />

    <EditText
        android:id="@+id/wq_dom2_c_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:focusable="false"
        android:imeOptions="actionNext"
        android:inputType="number" />

</LinearLayout>

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginBottom="@dimen/activity_horizontal_margin_small">

    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="2"
        android:gravity="center"
        android:text="Domain 3" />

    <EditText
        android:id="@+id/wq_dom3_a_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:focusable="false"
        android:imeOptions="actionNext"
        android:inputType="number" />

```

```

<EditText
    android:id="@+id/wq_dom3_b_et"
    android:layout_width="0dp"
    android:layout_height="wrap_content"
    android:layout_weight="1"
    android:focusable="false"
    android:imeOptions="actionNext"
    android:inputType="number" />

<EditText
    android:id="@+id/wq_dom3_c_et"
    android:layout_width="0dp"
    android:layout_height="wrap_content"
    android:layout_weight="1"
    android:focusable="false"
    android:imeOptions="actionNext"
    android:inputType="number" />

</LinearLayout>

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginBottom="@dimen/activity_horizontal_margin_small">

    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="2"
        android:gravity="center"
        android:text="Domain 4" />

    <EditText
        android:id="@+id/wq_dom4_a_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:focusable="false"
        android:imeOptions="actionNext"
        android:inputType="number" />

    <EditText
        android:id="@+id/wq_dom4_b_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:focusable="false"
        android:imeOptions="actionNext"
        android:inputType="number" />

    <EditText
        android:id="@+id/wq_dom4_c_et"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:focusable="false"
        android:imeOptions="actionDone"
        android:inputType="number" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="horizontal">

    <Button
        android:id="@+id/wq_cancel_btn"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="@string/button_cancel" />

    <Button
        android:id="@+id/wq_save_btn"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="@string/button_save" />

    <Button
        android:id="@+id/wq_update_btn"
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="@string/button_update" />

</LinearLayout>

<include layout="@layout/horizontal_line" />

```

```

    </LinearLayout>
</ScrollView>

```

## horizontal\_line.xml

```

<?xml version="1.0" encoding="utf-8"?>
<View xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="1dp"
    android:layout_marginBottom="@dimen/activity_horizontal_margin_small"
    android:layout_marginTop="@dimen/activity_horizontal_margin_small"
    android:background="@color/colorAccent"/>

```

## list\_item\_form.xml

```

<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="horizontal"
        android:padding="@dimen/activity_horizontal_margin_small">

        <TextView
            android:id="@+id/last_name_text"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="last_name"
            android:textAllCaps="true"
            android:textSize="@dimen/text_regular"
            android:textStyle="bold" />

        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text=","
            android:textAllCaps="true"
            android:textSize="@dimen/text_regular"
            android:textStyle="bold" />

        <TextView
            android:id="@+id/first_name_text"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="first_name"
            android:textAllCaps="true"
            android:textSize="@dimen/text_regular"
            android:textStyle="bold" />

        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text=" "
            android:textAllCaps="true"
            android:textSize="@dimen/text_regular"
            android:textStyle="bold" />

        <TextView
            android:id="@+id/m_i_text"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="m_i"
            android:textAllCaps="true"
            android:textSize="@dimen/text_regular"
            android:textStyle="bold" />

    </LinearLayout>

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:orientation="horizontal">

        <LinearLayout
            android:layout_width="0dp"
            android:layout_height="wrap_content"
            android:layout_weight="3"
            android:orientation="horizontal"
            android:paddingBottom="@dimen/activity_horizontal_margin_small"
            android:paddingLeft="@dimen/activity_horizontal_margin">

```

```

<TextView
    android:id="@+id/form_type_text"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="FORM.TYPE"
    android:textSize="@dimen/text_small" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text=" "
    android:textSize="@dimen/text_small" />

<TextView
    android:id="@+id/form_id_text"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="ID"
    android:textSize="@dimen/text_small" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text=" ("
    android:textSize="@dimen/text_small" />

<TextView
    android:id="@+id/form_date_text"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Date"
    android:textSize="@dimen/text_small" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text=")"
    android:textSize="@dimen/text_small" />

</LinearLayout>

<LinearLayout
    android:layout_width="0dp"
    android:layout_height="wrap_content"
    android:layout_weight="1"
    android:orientation="horizontal"
    android:paddingBottom="@dimen/activity_horizontal_margin_small"
    android:paddingLeft="@dimen/activity_horizontal_margin">

    <TextView
        android:id="@+id/form_upload_status"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Status:"
        android:textColor="#0000FF"
        android:textSize="@dimen/text_small" />

</LinearLayout>
</LinearLayout>

<View xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="1dp"
    android:background="@color/colorAccent" />

</LinearLayout>

```

## list\_item\_submitted\_form.xml

```

<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="vertical">

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="horizontal"
    android:padding="@dimen/activity_horizontal_margin_small">

<TextView
    android:id="@+id/last_name_text"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="last_name"
    android:textAllCaps="true"
    android:textSize="@dimen/text_regular"
    android:textStyle="bold" />

```

```

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text=", "
    android:textAllCaps="true"
    android:textSize="@dimen/text_regular"
    android:textStyle="bold" />

<TextView
    android:id="@+id/first_name_text"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="first_name"
    android:textAllCaps="true"
    android:textSize="@dimen/text_regular"
    android:textStyle="bold" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text=" "
    android:textAllCaps="true"
    android:textSize="@dimen/text_regular"
    android:textStyle="bold" />

<TextView
    android:id="@+id/m_i_text"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="m_i"
    android:textAllCaps="true"
    android:textSize="@dimen/text_regular"
    android:textStyle="bold" />

</LinearLayout>

<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:orientation="horizontal">

    <LinearLayout
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:orientation="horizontal"
        android:paddingBottom="@dimen/activity_horizontal_margin_small"
        android:paddingLeft="@dimen/activity_horizontal_margin">

        <TextView
            android:id="@+id/form_type_text"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="FORMTYPE"
            android:textSize="@dimen/text_small" />

        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text=" "
            android:textSize="@dimen/text_small" />

        <TextView
            android:id="@+id/form_id_text"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="ID"
            android:textSize="@dimen/text_small" />

        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text=" ("
            android:textSize="@dimen/text_small" />

        <TextView
            android:id="@+id/form_date_text"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text="Date"
            android:textSize="@dimen/text_small" />

        <TextView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:text=")"
            android:textSize="@dimen/text_small" />

    </LinearLayout>

</LinearLayout>

<View xmlns:android="http://schemas.android.com/apk/res/android"

```

```

        android:layout_width="match_parent"
        android:layout_height="1dp"
        android:background="@color/colorAccent" />
</LinearLayout>

```

## nav\_header\_main.xml

```

<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="@dimen/nav_header_height"
    android:background="@drawable/side_nav_bar"
    android:gravity="bottom"
    android:orientation="vertical"
    android:paddingBottom="@dimen/activity_vertical_margin"
    android:paddingLeft="@dimen/activity_horizontal_margin"
    android:paddingRight="@dimen/activity_horizontal_margin"
    android:paddingTop="@dimen/activity_vertical_margin"
    android:theme="@style/ThemeOverlay.AppCompat.Light">

    <ImageView
        android:layout_weight="2"
        android:id="@+id/user_image_view"
        android:layout_width="match_parent"
        android:layout_height="0dp"
        android:scaleType="fitStart"
        android:clickable="true"/>

    <Button
        android:id="@+id/user_button"
        android:layout_weight="1"
        android:layout_width="match_parent"
        android:layout_height="0dp"
        android:textSize="@dimen/text_regular"
        android:text="Username"
        android:clickable="true"
        android:textAllCaps="true"
        android:textAppearance="@style/TextAppearance.AppCompat.Body1" />

</LinearLayout>

```

## radio\_6.xml

```

<?xml version="1.0" encoding="utf-8"?>
<RadioGroup xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginTop="5dp"
    android:orientation="horizontal">

    <RadioButton
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1" />

    <RadioButton
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1" />

    <RadioButton
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1" />

    <RadioButton
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1" />

    <RadioButton
        android:layout_width="0dp"
        android:layout_height="wrap_content"
        android:layout_weight="1" />

</RadioGroup>

```

## radio\_6\_header.xml



```

<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginBottom="@dimen/activity_horizontal_margin_small"
    android:layout_marginTop="@dimen/activity_horizontal_margin_small">

    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="1"
        android:background="@drawable/box_outline"
        android:gravity="center"
        android:padding="5dp"
        android:textSize="12sp" />

    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="1"
        android:background="@drawable/box_outline"
        android:gravity="center"
        android:padding="5dp"
        android:textSize="12sp" />

    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="1"
        android:background="@drawable/box_outline"
        android:gravity="center"
        android:padding="5dp"
        android:textSize="12sp" />

    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="1"
        android:background="@drawable/box_outline"
        android:gravity="center"
        android:padding="5dp"
        android:textSize="12sp" />

    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="1"
        android:background="@drawable/box_outline"
        android:gravity="center"
        android:padding="5dp"
        android:textSize="12sp" />

    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="1"
        android:background="@drawable/box_outline"
        android:gravity="center"
        android:padding="5dp"
        android:textSize="12sp" />

    <TextView
        android:layout_width="0dp"
        android:layout_height="match_parent"
        android:layout_weight="1"
        android:background="@drawable/box_outline"
        android:gravity="center"
        android:padding="5dp"
        android:textSize="12sp" />

</LinearLayout>

```

## activity\_main\_drawer.xml

```

<?xml version="1.0" encoding="utf-8"?>
<menu xmlns:android="http://schemas.android.com/apk/res/android"
    android:id="@+id/form_type_nav">

    <group android:checkableBehavior="single">
        <item
            android:checked="true"
            android:id="@+id/nav_all"
            android:title="ALL" />
        <item
            android:id="@+id/nav_whoqol"
            android:title="WHOQOL" />
        <item
            android:id="@+id/nav_whodas"
            android:title="WHODAS" />
        <item
            android:id="@+id/nav_whodas_proxy"
            android:title="WHODAS Proxy" />
    </group>

    <item android:title="Others">
        <menu>
            <item
                android:id="@+id/nav_submitted"
                android:title="Submitted Forms" />
        </menu>
    </item>

```

```

        <item
            android:id="@+id/nav_about"
            android:title="About" />
        <item
            android:id="@+id/nav_change_pw"
            android:title="Change Password" />
        <item
            android:id="@+id/nav_logout"
            android:title="Log-out" />
    </menu>
</item>
</menu>

```

## main.xml

```

<menu xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    tools:context=".MainActivity">
    <item
        android:id="@+id/action_sort"
        android:icon="@android:drawable/ic_menu_sort_by_size"
        android:title="@string/action_sort"
        app:showAsAction="ifRoom" />
</menu>

```

## menu\_list.xml

```

<menu xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    tools:context="com.example.android.cbrfm.ListActivity">
    <item
        android:id="@+id/list_update"
        android:title="@string/menu_update"/>
    <item
        android:id="@+id/list_upload"
        android:title="@string/menu_upload"/>
    <item
        android:id="@+id/list_delete"
        android:title="@string/menu_delete"/>
    <item
        android:id="@+id/list_details"
        android:title="@string/menu_details"/>
    <item
        android:id="@+id/list_send"
        android:title="@string/menu_send"/>
</menu>

```

## menu\_user\_profile.xml

## new\_form.xml

```

<?xml version="1.0" encoding="utf-8"?>
<menu xmlns:android="http://schemas.android.com/apk/res/android">
    <item
        android:id="@+id/new_whoqol"
        android:title="WHOQOL" />
    <item
        android:id="@+id/new_whodas"
        android:title="WHODAS" />
    <item
        android:id="@+id/new_whodasproxy"
        android:title="WHODAS-PROXY" />
</menu>

```

## colors.xml

```

<?xml version="1.0" encoding="utf-8"?>
<resources>
    <color name="colorPrimary">#b2172e</color>
    <color name="colorPrimaryDark">#800013</color>
    <color name="colorAccent">#dc143c</color>
</resources>

```

## strings.xml

```
<resources>
  <string name="app_name">CBR-FM</string>
  <string name="content_authority">com.example.android.cbrfm</string>

  <string name="title_activity_list">ListActivity</string>
  <string name="title_activity_form">FormActivity</string>
  <string name="title_activity_whodasproxy">WHODAS PROXY</string>
  <string name="title_activity_whodas">WHODAS</string>
  <string name="title_activity_whoqol">WHOQOL</string>
  <string name="title_activity_user_profile">UserProfileActivity</string>
  <string name="title_activity_change_password">ChangePasswordActivity</string>
  <string name="title_activity_about">About Activity</string>
  <string name="title_activity_submitted_forms">Submitted Forms Activity</string>

  <string name="navigation_drawer_open">Open navigation drawer</string>
  <string name="navigation_drawer_close">Close navigation drawer</string>

  <string name="action_settings">Settings</string>
  <string name="action_search">Search</string>
  <string name="action_sort">Sort</string>

  <string name="whodas_proxy_text">
    "Ang mga katanungan nakapaloob dito ay tungkol sa kahirapan ng kalagayang pangkalusugan na
    "nararanasan ng taong kilala mo at iyong pananaw bilang kaibigan, kamag-anak o tagapag-
    alaga."
    "Ang kalagayang ay maaring pangkalusugan ay maaring isang karamdamang pansamantala o"
    "pangmatagalan tulad ng mga sugat, problema sa pag-iisip o emosyon at problemang pang-
    alkohol"
    "o droga. Pag-isipan mo ang nakaaang 30 araw at sagutin mo ang sumusunod na tanong kung
    gaano"
    "ang kahirapan ng iyong kaibigan kamag-anak o alaga sa pasasagawa ng sumusunod na
    gamapanin"
    "(Bigyang pansin: ang talatanungan ay gumagamit ng kamag-anak para na rin sa kaibigan o
    taga-alaga)."
    "Sa bawa't tanong, isang sagot lamang ang bilugan."
  </string>

  <string name="button_save">Save</string>
  <string name="button_update">Update</string>
  <string name="button_cancel">Cancel</string>

  <string-array name="header_whodas">
    <item>walang hirap</item>
    <item>di masyadong hirap</item>
    <item>katamtamang hirap</item>
    <item>sobrang hirap</item>
    <item>sobra sobrang hirap, di na kayang gawin</item>
    <item>n.a.</item>
  </string-array>

  <string-array name="header_whoqol1">
    <item>napakasama</item>
    <item>masama</item>
    <item>katamtaman</item>
    <item>mabuti</item>
    <item>napakabuti</item>
    <item>n.a.</item>
  </string-array>

  <string-array name="header_whoqol26">
    <item>lubos na di kuntento</item>
    <item>di kuntento</item>
    <item>di matukoy</item>
    <item>kuntento</item>
    <item>lubos na kuntento</item>
    <item>n.a.</item>
  </string-array>

  <string-array name="header_whoqol3">
    <item>wala</item>
    <item>kaunti</item>
    <item>katamtaman</item>
    <item>lubos</item>
    <item>labis-labis</item>
    <item>n.a.</item>
  </string-array>

  <string-array name="header_whoqol4">
    <item>wala</item>
    <item>kaunti</item>
    <item>katamtaman</item>
    <item>halos lubos</item>
    <item>lubos</item>
    <item>n.a.</item>
  </string-array>

  <string-array name="header_whoqol5">
```

```

        <item>napakahirap</item>
        <item>mahirap</item>
        <item>di mahirap o madali</item>
        <item>madali</item>
        <item>napakadali</item>
        <item>n.a.</item>
    </string-array>

    <string-array name="header_whoqol7">
        <item>hindi kailanman</item>
        <item>bihira</item>
        <item>madalasdadas</item>
        <item>napakdadas</item>
        <item>palagi</item>
        <item>n.a.</item>
    </string-array>

    <string name="menu_update">Update</string>
    <string name="menu_upload">Upload</string>
    <string name="menu_delete">Delete</string>
    <string name="menu_details">Details</string>
    <string name="menu_send">Send as e-mail</string>

    <string name="title_activity_login">Sign in</string>

    <string name="prompt_email">Email</string>
    <string name="prompt_password">Password (optional)</string>
    <string name="action_sign_in">Sign in or register</string>
    <string name="action_sign_in_short">Sign in</string>
    <string name="error_invalid_email">This email address is invalid</string>
    <string name="error_invalid_password">This password is too short</string>
    <string name="error_incorrect_password">This password is incorrect</string>
    <string name="error_field_required">This field is required</string>
    <string name="permission_rationale">"Contacts permissions are needed for providing email
    completions."
    </string>
    <string name="login">Log-in</string>
    <string name="cbrfm">CBR-FM</string>
</resources>

```

## AboutActivity.java

```

package com.example.android.cbrfm;

import android.os.Bundle;
import android.support.v7.app.AppCompatActivity;
import android.support.v7.widget.Toolbar;

public class AboutActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_about);
        Toolbar toolbar = (Toolbar) findViewById(R.id.toolbar);
        setSupportActionBar(toolbar);

        assert getSupportActionBar() != null;
        getSupportActionBar().setDisplayHomeAsUpEnabled(true);
    }
}

```

## CBRContract.java

```

package com.example.android.cbrfm.data;

import android.content.ContentResolver;
import android.content.ContentUris;
import android.net.Uri;
import android.provider.BaseColumns;

/**
 * Defines table and column names for the CBR database.
 */
public class CBRContract {
    public static final String CONTENT_AUTHORITY = "com.example.android.cbrfm";
    public static final Uri BASE_CONTENT_URI = Uri.parse("content://" + CONTENT_AUTHORITY);

    public static final String PATH_USER = "user";
    public static final String PATH_WHODAS_PROXY = "whodas_proxy";
    public static final String PATH_WHODAS = "whodas";
    public static final String PATH_WHOQOL = "whoqol";
    public static final String PATH_ALL_FORMS = "all_forms";
    public static final String PATH_SUBMITTED_FORMS = "submitted_forms";

    /*

```

```

Inner class that defines the contents of the User table
*/
public static final class UserEntry implements BaseColumns {
    public static final Uri CONTENT_URI =
        BASE.CONTENT_URI.buildUpon().appendPath(PATH_USER).build();
    public static final String CONTENT_TYPE =
        ContentResolver.CURSOR_DIR_BASE_TYPE + "/" + CONTENT_AUTHORITY + "/" + PATH_USER;
    public static final String CONTENT_ITEM_TYPE =
        ContentResolver.CURSOR_ITEM_BASE_TYPE + "/" + CONTENT_AUTHORITY + "/" + PATH_USER;

    public static final String TABLE_NAME = "user";
    public static final String COLUMN_USER_NAME = "username";
    public static final String COLUMN_LAST_NAME = "last_name";
    public static final String COLUMN_FIRST_NAME = "first_name";
    public static final String COLUMN_MIDDLE_NAME = "middle_name";
    public static final String COLUMN_NAME_EXTENSION = "name_extension";
    public static final String COLUMN_CONTACT_NO = "contact_no";
    public static final String COLUMN_EMAIL_ADD = "email_add";
    public static final String COLUMN_STUDENT_NO = "student_no";
    public static final String COLUMN_COURSE = "course";
    public static final String COLUMN_ADDRESS = "address";

    public static Uri buildUserUri(long id) {
        return ContentUris.withAppendedId(CONTENT_URI, id);
    }

    public static String getIdFromUri(Uri uri) {
        return uri.getPathSegments().get(1);
    }
}

/*
Inner class that defines the contents of the submitted forms table
*/
public static final class SubmittedFormsEntry implements BaseColumns {
    public static final Uri CONTENT_URI =
        BASE.CONTENT_URI.buildUpon().appendPath(PATH_SUBMITTED_FORMS).build();
    public static final String CONTENT_TYPE =
        ContentResolver.CURSOR_DIR_BASE_TYPE + "/" + CONTENT_AUTHORITY + "/" +
        PATH_SUBMITTED_FORMS;
    public static final String CONTENT_ITEM_TYPE =
        ContentResolver.CURSOR_ITEM_BASE_TYPE + "/" + CONTENT_AUTHORITY + "/" +
        PATH_SUBMITTED_FORMS;
    public static final String TABLE_NAME = "submitted_forms";
    public static final String COLUMN_FORM_CODE = "form_code";
    public static final String COLUMN_FORM_TYPE = "form_type";
    public static final String COLUMN_DATE_UPLOADED = "date_uploaded";
    public static final String COLUMN_FIRST_NAME = "first_name";
    public static final String COLUMN_LAST_NAME = "last_name";
    public static final String COLUMN_MIDDLE_INITIAL = "middle_initial";
    public static final String COLUMN_NAME_EXTENSION = "name_extension";

    public static Uri buildSubmittedFormsUri(long id) {
        return ContentUris.withAppendedId(CONTENT_URI, id);
    }

    public static String getIdFromUri(Uri uri) {
        return uri.getPathSegments().get(1);
    }
}

/*
Inner class that defines the contents of the whodas proxy table
*/
public static final class WhodasProxyEntry implements BaseColumns {
    public static final Uri CONTENT_URI =
        BASE.CONTENT_URI.buildUpon().appendPath(PATH_WHODAS_PROXY).build();
    public static final String CONTENT_TYPE =
        ContentResolver.CURSOR_DIR_BASE_TYPE + "/" + CONTENT_AUTHORITY + "/" +
        PATH_WHODAS_PROXY;
    public static final String CONTENT_ITEM_TYPE =
        ContentResolver.CURSOR_ITEM_BASE_TYPE + "/" + CONTENT_AUTHORITY + "/" +
        PATH_WHODAS_PROXY;

    public static final String TABLE_NAME = "whodas_proxy";
    public static final String COLUMN_TABLE_NAME = "table_name";
    public static final String COLUMN_TABLE_DATE = "table_date";
    public static final String COLUMN_FORM_CODE = "form_code";
    public static final String COLUMN_STATUS = "status";
    public static final String COLUMN_FIRST_NAME = "first_name";
    public static final String COLUMN_LAST_NAME = "last_name";
    public static final String COLUMN_MIDDLE_INITIAL = "middle_initial";
    public static final String COLUMN_NAME_EXTENSION = "name_extension";
    public static final String COLUMN_PROXY_NAME = "proxy_name";
    public static final String COLUMN_PROXY_RELATIONSHIP = "proxy_relationship";
    public static final String COLUMN_S1 = "s1";
    public static final String COLUMN_S2 = "s2";
    public static final String COLUMN_S3 = "s3";
    public static final String COLUMN_S4 = "s4";
    public static final String COLUMN_S5 = "s5";
    public static final String COLUMN_S6 = "s6";
    public static final String COLUMN_S7 = "s7";
}

```

```

public static final String COLUMN_S8 = "s8";
public static final String COLUMN_S9 = "s9";
public static final String COLUMN_S10 = "s10";
public static final String COLUMN_S11 = "s11";
public static final String COLUMN_S12 = "s12";
public static final String COLUMN_H1 = "h1";
public static final String COLUMN_H2 = "h2";
public static final String COLUMN_H3 = "h3";

public static Uri buildWhodasProxyUri(long id) {
    return ContentUris.withAppendedId(CONTENT_URI, id);
}

public static String getIdfromUri(Uri uri) {
    return uri.getPathSegments().get(1);
}
}

/*
Inner class that defines the contents of the whodas table
*/
public static final class WhodasEntry implements BaseColumns {
    public static final Uri CONTENT_URI =
        BASE.CONTENT_URI.buildUpon().appendPath(PATH.WHODAS).build();

    public static final String CONTENT_TYPE =
        ContentResolver.CURSOR_DIR_BASE_TYPE + "/" + CONTENT.AUTHORITY + "/" + PATH.WHODAS
        ;
    public static final String CONTENT_ITEM_TYPE =
        ContentResolver.CURSOR_ITEM_BASE_TYPE + "/" + CONTENT.AUTHORITY + "/" +
        PATH.WHODAS;

    public static final String TABLE_NAME = "whodas";
    public static final String COLUMN_TABLE_NAME = "table_name";
    public static final String COLUMN_TABLE_DATE = "table_date";
    public static final String COLUMN_FORM_CODE = "form_code";
    public static final String COLUMN_STATUS = "status";
    public static final String COLUMN_FIRST_NAME = "first_name";
    public static final String COLUMN_LAST_NAME = "last_name";
    public static final String COLUMN_MIDDLE_INITIAL = "middle_initial";
    public static final String COLUMN_NAME_EXTENSION = "name_extension";
    public static final String COLUMN_PWD_ID = "pwd_id";
    public static final String COLUMN_INTERVIEWER_NAME = "interviewer_name";
    public static final String COLUMN_ASSESSMENT_TIME_POINT = "assessment_time_point";
    public static final String COLUMN_INTERVIEW_DATE_TIME = "interview_date_time";
    public static final String COLUMN_LIVING_SITUATION = "living_situation";

    //section 2
    public static final String COLUMN_A1 = "a1";
    public static final String COLUMN_A2 = "a2";
    public static final String COLUMN_A3 = "a3";
    public static final String COLUMN_A4 = "a4";
    public static final String COLUMN_A5 = "a5";
    public static final String COLUMN_A5_DAHILAN = "a5_dahilan";
    public static final String COLUMN_A5_IBA_PA = "a5_iba_pa";
    public static final String COLUMN_S1 = "s1";
    public static final String COLUMN_S2 = "s2";
    public static final String COLUMN_S3 = "s3";
    public static final String COLUMN_S4 = "s4";
    public static final String COLUMN_S5 = "s5";
    public static final String COLUMN_S6 = "s6";
    public static final String COLUMN_S7 = "s7";
    public static final String COLUMN_S8 = "s8";
    public static final String COLUMN_S9 = "s9";
    public static final String COLUMN_S10 = "s10";
    public static final String COLUMN_S11 = "s11";
    public static final String COLUMN_S12 = "s12";
    public static final String COLUMN_D12 = "d12";
    public static final String COLUMN_D13 = "d13";
    public static final String COLUMN_D15 = "d15";
    public static final String COLUMN_D16 = "d16";
    public static final String COLUMN_D22 = "d22";
    public static final String COLUMN_D23 = "d23";
    public static final String COLUMN_D24 = "d24";
    public static final String COLUMN_D33 = "d33";
    public static final String COLUMN_D34 = "d34";
    public static final String COLUMN_D43 = "d43";
    public static final String COLUMN_D44 = "d44";
    public static final String COLUMN_D45 = "d45";
    public static final String COLUMN_D52 = "d52";
    public static final String COLUMN_D53 = "d53";
    public static final String COLUMN_D54 = "d54";
    public static final String COLUMN_D501 = "d501";
    public static final String COLUMN_D56 = "d56";
    public static final String COLUMN_D57 = "d57";
    public static final String COLUMN_D58 = "d58";
    public static final String COLUMN_D59 = "d59";
    public static final String COLUMN_D510 = "d510";
    public static final String COLUMN_D502 = "d502";
    public static final String COLUMN_D62 = "d62";
    public static final String COLUMN_D63 = "d63";
    public static final String COLUMN_D64 = "d64";
}

```

```

public static final String COLUMN_D66 = "d66";
public static final String COLUMN_D67 = "d67";
public static final String COLUMN_D68 = "d68";
public static final String COLUMN_H1 = "h1";
public static final String COLUMN_H2 = "h2";
public static final String COLUMN_H3 = "h3";

public static Uri buildWhodasUri(long id) {
    return ContentUris.withAppendedId(CONTENT_URI, id);
}

public static String getIdfromUri(Uri uri) {
    return uri.getPathSegments().get(1);
}
}

/*
Inner class that defines the contents of the whodas proxy table
*/
public static final class WhoqolEntry implements BaseColumns {
    public static final Uri CONTENT_URI =
        BASE_CONTENT_URI.buildUpon().appendPath(PATH_WHOQOL).build();
    public static final String CONTENT_TYPE =
        ContentResolver.CURSOR_DIR_BASE_TYPE + "/" + CONTENT_AUTHORITY + "/" + PATH_WHOQOL;
    public static final String CONTENT_ITEM_TYPE =
        ContentResolver.CURSOR_ITEM_BASE_TYPE + "/" + CONTENT_AUTHORITY + "/" +
        PATH_WHOQOL;

    public static final String TABLE_NAME = "whoqol";
    public static final String COLUMN_TABLE_NAME = "table_name";
    public static final String COLUMN_TABLE_DATE = "table_date";
    public static final String COLUMN_FORM_CODE = "form_code";
    public static final String COLUMN_STATUS = "status";
    public static final String COLUMN_FIRST_NAME = "first_name";
    public static final String COLUMN_LAST_NAME = "last_name";
    public static final String COLUMN_MIDDLE_INITIAL = "middle_initial";
    public static final String COLUMN_NAME_EXTENSION = "name_extension";
    public static final String COLUMN_KASARIAN = "kasarian";
    public static final String COLUMN_KAPANGANAKAN = "kapanganakan";
    public static final String COLUMN_NATAPOS = "natapos";
    public static final String COLUMN_ESTADO_SIBIL = "estado_sibil";
    public static final String COLUMN_MAY_SAKIT = "may_sakit";
    public static final String COLUMN_KARAMDAMAN = "karamdaman";
    public static final String COLUMN_Q1 = "q1";
    public static final String COLUMN_Q2 = "q2";
    public static final String COLUMN_Q3 = "q3";
    public static final String COLUMN_Q4 = "q4";
    public static final String COLUMN_Q5 = "q5";
    public static final String COLUMN_Q6 = "q6";
    public static final String COLUMN_Q7 = "q7";
    public static final String COLUMN_Q8 = "q8";
    public static final String COLUMN_Q9 = "q9";
    public static final String COLUMN_Q10 = "q10";
    public static final String COLUMN_Q11 = "q11";
    public static final String COLUMN_Q12 = "q12";
    public static final String COLUMN_Q13 = "q13";
    public static final String COLUMN_Q14 = "q14";
    public static final String COLUMN_Q15 = "q15";
    public static final String COLUMN_Q16 = "q16";
    public static final String COLUMN_Q17 = "q17";
    public static final String COLUMN_Q18 = "q18";
    public static final String COLUMN_Q19 = "q19";
    public static final String COLUMN_Q20 = "q20";
    public static final String COLUMN_Q21 = "q21";
    public static final String COLUMN_Q22 = "q22";
    public static final String COLUMN_Q23 = "q23";
    public static final String COLUMN_Q24 = "q24";
    public static final String COLUMN_Q25 = "q25";
    public static final String COLUMN_Q26 = "q26";
    public static final String COLUMN_PUNA = "puna";
    public static final String COLUMN_DOMAIN_1A = "domain_1a";
    public static final String COLUMN_DOMAIN_1B = "domain_1b";
    public static final String COLUMN_DOMAIN_1C = "domain_1c";
    public static final String COLUMN_DOMAIN_2A = "domain_2a";
    public static final String COLUMN_DOMAIN_2B = "domain_2b";
    public static final String COLUMN_DOMAIN_2C = "domain_2c";
    public static final String COLUMN_DOMAIN_3A = "domain_3a";
    public static final String COLUMN_DOMAIN_3B = "domain_3b";
    public static final String COLUMN_DOMAIN_3C = "domain_3c";
    public static final String COLUMN_DOMAIN_4A = "domain_4a";
    public static final String COLUMN_DOMAIN_4B = "domain_4b";
    public static final String COLUMN_DOMAIN_4C = "domain_4c";

    public static Uri buildWhoqolUri(long id) {
        return ContentUris.withAppendedId(CONTENT_URI, id);
    }

    public static String getIdfromUri(Uri uri) {
        return uri.getPathSegments().get(1);
    }
}
}

```

```

/*
Inner class that defines the contents of the whodas proxy table
*/
public static final class AllForms {
    public static final Uri CONTENT_URI =
        BASE.CONTENT_URI.buildUpon().appendPath(PATH_ALL_FORMS).build();

    public static final String CONTENT_TYPE =
        ContentResolver.CURSOR_DIR_BASE_TYPE + "/" + CONTENT_AUTHORITY + "/" +
        PATH_ALL_FORMS;
    public static final String CONTENT_ITEM_TYPE =
        ContentResolver.CURSOR_ITEM_BASE_TYPE + "/" + CONTENT_AUTHORITY + "/" +
        PATH_ALL_FORMS;
}
}

```

## CBRDBHelper.java

```

package com.example.android.cbrfm.data;

import android.content.Context;
import android.database.sqlite.SQLiteDatabase;
import android.database.sqlite.SQLiteOpenHelper;

import com.example.android.cbrfm.data.CBRContract.SubmittedFormsEntry;
import com.example.android.cbrfm.data.CBRContract.UserEntry;
import com.example.android.cbrfm.data.CBRContract.WhodasEntry;
import com.example.android.cbrfm.data.CBRContract.WhodasProxyEntry;
import com.example.android.cbrfm.data.CBRContract.WhoqolEntry;

/**
 * Manages a local database for CBR data.
 */
public class CBRDBHelper extends SQLiteOpenHelper {

    private static final int DATABASE_VERSION = 1;
    public static final String DATABASE_NAME = "cbrfm.db";

    public CBRDBHelper(Context context) {
        super(context, DATABASE_NAME, null, DATABASE_VERSION);
    }

    @Override
    public void onCreate(SQLiteDatabase sqLiteDatabase) {

        final String SQL_CREATE_USER_TABLE = "CREATE TABLE " + UserEntry.TABLE_NAME + " (" +
            UserEntry._ID + " INTEGER PRIMARY KEY, " +
            UserEntry.COLUMN_USER_NAME + " CHAR(20) NOT NULL, " +
            UserEntry.COLUMN_LAST_NAME + " CHAR(20) NOT NULL, " +
            UserEntry.COLUMN_FIRST_NAME + " CHAR(20) NOT NULL, " +
            UserEntry.COLUMN_MIDDLE_NAME + " CHAR(15) NOT NULL, " +
            UserEntry.COLUMN_NAME_EXTENSION + " CHAR(10), " +
            UserEntry.COLUMN_CONTACT_NO + " CHAR(14) NOT NULL, " +
            UserEntry.COLUMN_EMAIL_ADD + " CHAR(30) NOT NULL, " +
            UserEntry.COLUMN_STUDENT_NO + " CHAR(9) NOT NULL, " +
            UserEntry.COLUMN_COURSE + " CHAR(2) NOT NULL, " +
            UserEntry.COLUMN_ADDRESS + " CHAR(100) NOT NULL);";
        sqLiteDatabase.execSQL(SQL_CREATE_USER_TABLE);

        final String SQL_CREATE_SUBMITTED_FORMS_TABLE = "CREATE TABLE " + CBRContract.
            SubmittedFormsEntry.TABLE_NAME + " (" +
            SubmittedFormsEntry._ID + " INTEGER PRIMARY KEY, " +
            SubmittedFormsEntry.COLUMN_FORM_CODE + " CHAR(15) NOT NULL, " +
            SubmittedFormsEntry.COLUMN_FORM_TYPE + " CHAR(15) NOT NULL, " +
            SubmittedFormsEntry.COLUMN_DATE_UPLOADED + " CHAR(20) NOT NULL, " +
            SubmittedFormsEntry.COLUMN_LAST_NAME + " CHAR(20) NOT NULL, " +
            SubmittedFormsEntry.COLUMN_FIRST_NAME + " CHAR(20) NOT NULL, " +
            SubmittedFormsEntry.COLUMN_MIDDLE_INITIAL + " CHAR(15) NOT NULL, " +
            SubmittedFormsEntry.COLUMN_NAME_EXTENSION + " CHAR(10));";
        sqLiteDatabase.execSQL(SQL_CREATE_SUBMITTED_FORMS_TABLE);

        final String SQL_CREATE_WHODAS_PROXY_TABLE = "CREATE TABLE " + WhodasProxyEntry.TABLE_NAME
            + " (" +
            WhodasProxyEntry._ID + " INTEGER PRIMARY KEY AUTOINCREMENT, " +
            WhodasProxyEntry.COLUMN_TABLE_NAME + " CHAR(20) NOT NULL, " +
            WhodasProxyEntry.COLUMN_TABLE_DATE + " CHAR(50) NOT NULL, " +
            WhodasProxyEntry.COLUMN_FORM_CODE + " CHAR(20) NOT NULL, " +
            WhodasProxyEntry.COLUMN_STATUS + " CHAR(20) NOT NULL, " +
            WhodasProxyEntry.COLUMN_FIRST_NAME + " CHAR(20) NOT NULL, " +
            WhodasProxyEntry.COLUMN_LAST_NAME + " CHAR(20) NOT NULL, " +
            WhodasProxyEntry.COLUMN_MIDDLE_INITIAL + " CHAR(2) NOT NULL, " +
            WhodasProxyEntry.COLUMN_NAME_EXTENSION + " CHAR(10), " +
            WhodasProxyEntry.COLUMN_PROXY_NAME + " CHAR(50) NOT NULL, " +
            WhodasProxyEntry.COLUMN_PROXY_RELATIONSHIP + " CHAR(30) NOT NULL, " +
            WhodasProxyEntry.COLUMN_S1 + " CHAR(20) NOT NULL, " +
            WhodasProxyEntry.COLUMN_S2 + " CHAR(20) NOT NULL, " +
            WhodasProxyEntry.COLUMN_S3 + " CHAR(20) NOT NULL, " +
            WhodasProxyEntry.COLUMN_S4 + " CHAR(20) NOT NULL, " +
            WhodasProxyEntry.COLUMN_S5 + " CHAR(20) NOT NULL, " +

```



```

WhodasProxyEntry.COLUMN_S6 + " CHAR(20) NOT NULL, " +
WhodasProxyEntry.COLUMN_S7 + " CHAR(20) NOT NULL, " +
WhodasProxyEntry.COLUMN_S8 + " CHAR(20) NOT NULL, " +
WhodasProxyEntry.COLUMN_S9 + " CHAR(20) NOT NULL, " +
WhodasProxyEntry.COLUMN_S10 + " CHAR(20) NOT NULL, " +
WhodasProxyEntry.COLUMN_S11 + " CHAR(20) NOT NULL, " +
WhodasProxyEntry.COLUMN_S12 + " CHAR(20) NOT NULL, " +
WhodasProxyEntry.COLUMN_H1 + " INTEGER NOT NULL, " +
WhodasProxyEntry.COLUMN_H2 + " INTEGER NOT NULL, " +
WhodasProxyEntry.COLUMN_H3 + " INTEGER NOT NULL );";
sqliteDatabase.execSQL(SQL_CREATE_WHODAS_PROXY_TABLE);

final String SQL_CREATE_WHODAS_TABLE = "CREATE TABLE " + WhodasEntry.TABLE_NAME + " (" +
WhodasEntry._ID + " INTEGER PRIMARY KEY AUTOINCREMENT," +
WhodasEntry.COLUMN_TABLE_NAME + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_TABLE_DATE + " CHAR(50) NOT NULL, " +
WhodasEntry.COLUMN_FORM_CODE + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_STATUS + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_FIRST_NAME + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_LAST_NAME + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_MIDDLE_INITIAL + " CHAR(2) NOT NULL, " +
WhodasEntry.COLUMN_NAME_EXTENSION + " CHAR(10), " +
WhodasEntry.COLUMN_PWD_ID + " INTEGER NOT NULL, " +
WhodasEntry.COLUMN_INTERVIEWER_NAME + " CHAR(50) NOT NULL, " +
WhodasEntry.COLUMN_ASSESSMENT_TIME_POINT + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_INTERVIEW_DATE_TIME + " CHAR(30) NOT NULL, " +
WhodasEntry.COLUMN_LIVING_SITUATION + " CHAR(30) NOT NULL, " +
WhodasEntry.COLUMN_A1 + " CHAR(10) NOT NULL, " +
WhodasEntry.COLUMN_A2 + " INTEGER NOT NULL, " +
WhodasEntry.COLUMN_A3 + " INTEGER NOT NULL, " +
WhodasEntry.COLUMN_A4 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_A5 + " CHAR(40) NOT NULL, " +
WhodasEntry.COLUMN_A5_DAHILAN + " CHAR(40) NOT NULL, " +
WhodasEntry.COLUMN_A5_IBA_PA + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_S1 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_S2 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_S3 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_S4 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_S5 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_S6 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_S7 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_S8 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_S9 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_S10 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_S11 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_S12 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D12 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D13 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D15 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D16 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D22 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D23 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D24 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D33 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D34 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D43 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D44 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D45 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D52 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D53 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D54 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D501 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D56 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D57 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D58 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D59 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D510 + " INTEGER NOT NULL, " +
WhodasEntry.COLUMN_D502 + " INTEGER NOT NULL, " +
WhodasEntry.COLUMN_D62 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D63 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D64 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D66 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D67 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_D68 + " CHAR(20) NOT NULL, " +
WhodasEntry.COLUMN_H1 + " INTEGER NOT NULL, " +
WhodasEntry.COLUMN_H2 + " INTEGER NOT NULL, " +
WhodasEntry.COLUMN_H3 + " INTEGER NOT NULL );";
sqliteDatabase.execSQL(SQL_CREATE_WHODAS_TABLE);

final String SQL_CREATE_WHOQOL_TABLE = "CREATE TABLE " + WhoqolEntry.TABLE_NAME + " (" +
WhoqolEntry._ID + " INTEGER PRIMARY KEY AUTOINCREMENT," +
WhoqolEntry.COLUMN_TABLE_NAME + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_TABLE_DATE + " CHAR(50) NOT NULL, " +
WhoqolEntry.COLUMN_FORM_CODE + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_STATUS + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_FIRST_NAME + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_LAST_NAME + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_MIDDLE_INITIAL + " CHAR(2) NOT NULL, " +
WhoqolEntry.COLUMN_NAME_EXTENSION + " CHAR(10), " +
WhoqolEntry.COLUMN_KASARIAN + " CHAR(10) NOT NULL, " +
WhoqolEntry.COLUMN_KAPANGANAKAN + " CHAR(10) NOT NULL, " +
WhoqolEntry.COLUMN_NATAPOS + " CHAR(20) NOT NULL, " +

```

```

WhoqolEntry.COLUMN_ESTADO_SIBIL + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_MAY_SAKIT + " CHAR(10) NOT NULL, " +
WhoqolEntry.COLUMN_KARAMDAMAN + " CHAR(100), " +
WhoqolEntry.COLUMN_Q1 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q2 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q3 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q4 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q5 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q6 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q7 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q8 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q9 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q10 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q11 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q12 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q13 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q14 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q15 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q16 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q17 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q18 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q19 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q20 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q21 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q22 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q23 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q24 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q25 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_Q26 + " CHAR(20) NOT NULL, " +
WhoqolEntry.COLUMN_PUNA + " CHAR(100) NOT NULL, " +
WhoqolEntry.COLUMN_DOMAIN_1A + " INTEGER NOT NULL, " +
WhoqolEntry.COLUMN_DOMAIN_1B + " INTEGER NOT NULL, " +
WhoqolEntry.COLUMN_DOMAIN_1C + " INTEGER NOT NULL, " +
WhoqolEntry.COLUMN_DOMAIN_2A + " INTEGER NOT NULL, " +
WhoqolEntry.COLUMN_DOMAIN_2B + " INTEGER NOT NULL, " +
WhoqolEntry.COLUMN_DOMAIN_2C + " INTEGER NOT NULL, " +
WhoqolEntry.COLUMN_DOMAIN_3A + " INTEGER NOT NULL, " +
WhoqolEntry.COLUMN_DOMAIN_3B + " INTEGER NOT NULL, " +
WhoqolEntry.COLUMN_DOMAIN_3C + " INTEGER NOT NULL, " +
WhoqolEntry.COLUMN_DOMAIN_4A + " INTEGER NOT NULL, " +
WhoqolEntry.COLUMN_DOMAIN_4B + " INTEGER NOT NULL, " +
WhoqolEntry.COLUMN_DOMAIN_4C + " INTEGER NOT NULL );";
sqliteDatabase.execSQL(SQL_CREATE_WHOQOL_TABLE);
}

@Override
public void onUpgrade(SQLiteDatabase sqLiteDatabase, int oldVersion, int newVersion) {
    sqLiteDatabase.execSQL("DROP TABLE IF EXISTS " + WhodasProxyEntry.TABLE_NAME);
    sqLiteDatabase.execSQL("DROP TABLE IF EXISTS " + WhodasEntry.TABLE_NAME);
    sqLiteDatabase.execSQL("DROP TABLE IF EXISTS " + WhoqolEntry.TABLE_NAME);
    sqLiteDatabase.execSQL("DROP TABLE IF EXISTS " + UserEntry.TABLE_NAME);
    sqLiteDatabase.execSQL("DROP TABLE IF EXISTS " + SubmittedFormsEntry.TABLE_NAME);
    onCreate(sqLiteDatabase);
}
}

```

## CBRProvider.java

```

package com.example.android.cbrfm.data;

import android.annotation.TargetApi;
import android.content.ContentProvider;
import android.content.ContentValues;
import android.content.UriMatcher;
import android.database.Cursor;
import android.database.sqlite.SQLiteDatabase;
import android.net.Uri;

public class CBRProvider extends ContentProvider {

    private static final UriMatcher sUriMatcher = buildUriMatcher();
    private CBRDBHelper mOpenHelper;

    public static final int USER = 90;
    public static final int SUBMITTED_FORMS = 99;
    public static final int WHODAS_PROXY = 100;
    public static final int WHODAS = 101;
    public static final int WHOQOL = 102;
    public static final int ALL_FORMS_UNION = 105;

    public static final int SUBMITTED_FORMS_WITH_ID = 108;
    public static final int USER_WITH_ID = 109;
    public static final int WHODAS_PROXY_WITH_ID = 110;
    public static final int WHODAS_WITH_ID = 111;
    public static final int WHOQOL_WITH_ID = 112;

    private static final String sUserWithIdSelection =
        CBRContract.UserEntry.TABLE_NAME +
        "." + CBRContract.UserEntry._ID + " = ?";
}

```

```

private static final String sSubmittedFormsWithIdSelection =
    CBRContract.SubmittedFormsEntry.TABLE_NAME +
        "." + CBRContract.SubmittedFormsEntry._ID + " = ?";
private static final String sWhodasProxyWithIdSelection =
    CBRContract.WhodasProxyEntry.TABLE_NAME +
        "." + CBRContract.WhodasProxyEntry._ID + " = ?";
private static final String sWhodasWithIdSelection =
    CBRContract.WhodasEntry.TABLE_NAME +
        "." + CBRContract.WhodasEntry._ID + " = ?";
private static final String sWhoqolWithIdSelection =
    CBRContract.WhoqolEntry.TABLE_NAME +
        "." + CBRContract.WhoqolEntry._ID + " = ?";

private Cursor getUserById(Uri uri, String[] projection, String sortOrder) {
    String id = CBRContract.UserEntry.getIdfromUri(uri);

    String[] selectionArgs = new String[]{id};
    String selection = sUserWithIdSelection;

    return mOpenHelper.getReadableDatabase().query(
        CBRContract.UserEntry.TABLE_NAME,
        projection,
        selection,
        selectionArgs,
        null,
        null,
        sortOrder
    );
}

;

private Cursor getSubmittedFormById(Uri uri, String[] projection, String sortOrder) {
    String id = CBRContract.SubmittedFormsEntry.getIdfromUri(uri);

    String[] selectionArgs = new String[]{id};
    String selection = sSubmittedFormsWithIdSelection;

    return mOpenHelper.getReadableDatabase().query(
        CBRContract.SubmittedFormsEntry.TABLE_NAME,
        projection,
        selection,
        selectionArgs,
        null,
        null,
        sortOrder
    );
}

;

private Cursor getWhodasProxyById(Uri uri, String[] projection, String sortOrder) {
    String id = CBRContract.WhodasProxyEntry.getIdfromUri(uri);

    String[] selectionArgs = new String[]{id};
    String selection = sWhodasProxyWithIdSelection;

    return mOpenHelper.getReadableDatabase().query(
        CBRContract.WhodasProxyEntry.TABLE_NAME,
        projection,
        selection,
        selectionArgs,
        null,
        null,
        sortOrder
    );
}

;

private Cursor getWhodasById(Uri uri, String[] projection, String sortOrder) {
    String id = CBRContract.WhodasEntry.getIdfromUri(uri);

    String[] selectionArgs = new String[]{id};
    String selection = sWhodasWithIdSelection;

    return mOpenHelper.getReadableDatabase().query(
        CBRContract.WhodasEntry.TABLE_NAME,
        projection,
        selection,
        selectionArgs,
        null,
        null,
        sortOrder
    );
}

;

private Cursor getWhoqolById(Uri uri, String[] projection, String sortOrder) {
    String id = CBRContract.WhoqolEntry.getIdfromUri(uri);

```

```

String[] selectionArgs = new String[]{id};
String selection = sWhoqolWithIdSelection;

return mOpenHelper.getReadableDatabase().query(
    CBRContract.WhoqolEntry.TABLE_NAME,
    projection,
    selection,
    selectionArgs,
    null,
    null,
    sortOrder
);
}

public static UriMatcher buildUriMatcher() {

    final UriMatcher matcher = new UriMatcher(UriMatcher.NO_MATCH);
    final String authority = CBRContract.CONTENT_AUTHORITY;

    matcher.addURI(authority, CBRContract.PATH_USER, USER);
    matcher.addURI(authority, CBRContract.PATH_SUBMITTED_FORMS, SUBMITTED_FORMS);
    matcher.addURI(authority, CBRContract.PATH_WHODAS_PROXY, WHODAS_PROXY);
    matcher.addURI(authority, CBRContract.PATH_WHODAS, WHODAS);
    matcher.addURI(authority, CBRContract.PATH_WHOQOL, WHOQOL);
    matcher.addURI(authority, CBRContract.PATH_ALL_FORMS, ALL_FORMS_UNION);

    matcher.addURI(authority, CBRContract.PATH_USER + "/"#, USER_WITH_ID);
    matcher.addURI(authority, CBRContract.PATH_SUBMITTED_FORMS + "/"#, SUBMITTED_FORMS_WITH_ID);
    matcher.addURI(authority, CBRContract.PATH_WHODAS_PROXY + "/"#, WHODAS_PROXY_WITH_ID);
    matcher.addURI(authority, CBRContract.PATH_WHODAS + "/"#, WHODAS_WITH_ID);
    matcher.addURI(authority, CBRContract.PATH_WHOQOL + "/"#, WHOQOL_WITH_ID);
    return matcher;
}

@Override
public boolean onCreate() {
    mOpenHelper = new CBRDBHelper(getContext());
    return true;
}

@Override
public String getType(Uri uri) {

    final int match = sUriMatcher.match(uri);

    switch (match) {
        case USER:
            return CBRContract.UserEntry.CONTENT_TYPE;
        case SUBMITTED_FORMS:
            return CBRContract.SubmittedFormsEntry.CONTENT_TYPE;
        case WHODAS_PROXY:
            return CBRContract.WhodasProxyEntry.CONTENT_TYPE;
        case WHODAS:
            return CBRContract.WhodasEntry.CONTENT_TYPE;
        case WHOQOL:
            return CBRContract.WhoqolEntry.CONTENT_TYPE;
        case ALL_FORMS_UNION:
            return CBRContract.AllForms.CONTENT_TYPE;
        case USER_WITH_ID:
            return CBRContract.UserEntry.CONTENT_ITEM_TYPE;
        case SUBMITTED_FORMS_WITH_ID:
            return CBRContract.SubmittedFormsEntry.CONTENT_ITEM_TYPE;
        case WHODAS_PROXY_WITH_ID:
            return CBRContract.WhodasProxyEntry.CONTENT_ITEM_TYPE;
        case WHODAS_WITH_ID:
            return CBRContract.WhodasEntry.CONTENT_ITEM_TYPE;
        case WHOQOL_WITH_ID:
            return CBRContract.WhoqolEntry.CONTENT_ITEM_TYPE;
        default:
            throw new UnsupportedOperationException("Unknown uri: " + uri);
    }
}

@Override
public Cursor query(Uri uri, String[] projection, String selection, String[] selectionArgs,
    String sortOrder) {
    Cursor retCursor;

    switch (sUriMatcher.match(uri)) {
        case USER: {
            retCursor = mOpenHelper.getReadableDatabase().query(
                CBRContract.UserEntry.TABLE_NAME,
                projection,
                selection,
                selectionArgs,
                null,
                null,
                sortOrder
            );
            break;
        }
    }
}

```

```

case SUBMITTED_FORMS: {
    retCursor = mOpenHelper.getReadableDatabase().query(
        CBRContract.SubmittedFormsEntry.TABLE_NAME,
        projection,
        selection,
        selectionArgs,
        null,
        null,
        sortOrder
    );
    break;
}
case WHODAS_PROXY: {
    retCursor = mOpenHelper.getReadableDatabase().query(
        CBRContract.WhodasProxyEntry.TABLE_NAME,
        projection,
        selection,
        selectionArgs,
        null,
        null,
        sortOrder
    );
    break;
}
case WHODAS: {
    retCursor = mOpenHelper.getReadableDatabase().query(
        CBRContract.WhodasEntry.TABLE_NAME,
        projection,
        selection,
        selectionArgs,
        null,
        null,
        sortOrder
    );
    break;
}
case WHOQOL: {
    retCursor = mOpenHelper.getReadableDatabase().query(
        CBRContract.WhoqolEntry.TABLE_NAME,
        projection,
        selection,
        selectionArgs,
        null,
        null,
        sortOrder
    );
    break;
}
case ALL_FORMS_UNION: {
    retCursor = mOpenHelper.getReadableDatabase().rawQuery(
        "SELECT " +
        CBRContract.WhodasProxyEntry.COLUMN_TABLE_NAME + ", " +
        CBRContract.WhodasProxyEntry.COLUMN_TABLE_DATE + ", " +
        CBRContract.WhodasProxyEntry.ID + ", " +
        CBRContract.WhodasProxyEntry.COLUMN_STATUS + ", " +
        CBRContract.WhodasProxyEntry.COLUMN_FIRST_NAME + ", " +
        CBRContract.WhodasProxyEntry.COLUMN_MIDDLE_INITIAL + ", " +
        CBRContract.WhodasProxyEntry.COLUMN_LAST_NAME +
        " FROM " + CBRContract.WhodasProxyEntry.TABLE_NAME +
        " UNION " +
        "SELECT " +
        CBRContract.WhodasEntry.COLUMN_TABLE_NAME + ", " +
        CBRContract.WhodasEntry.COLUMN_TABLE_DATE + ", " +
        CBRContract.WhodasEntry.ID + ", " +
        CBRContract.WhodasEntry.COLUMN_STATUS + ", " +
        CBRContract.WhodasEntry.COLUMN_FIRST_NAME + ", " +
        CBRContract.WhodasEntry.COLUMN_MIDDLE_INITIAL + ", " +
        CBRContract.WhodasEntry.COLUMN_LAST_NAME +
        " FROM " + CBRContract.WhodasEntry.TABLE_NAME +
        " UNION " +
        "SELECT " +
        CBRContract.WhoqolEntry.COLUMN_TABLE_NAME + ", " +
        CBRContract.WhoqolEntry.COLUMN_TABLE_DATE + ", " +
        CBRContract.WhoqolEntry.ID + ", " +
        CBRContract.WhoqolEntry.COLUMN_STATUS + ", " +
        CBRContract.WhoqolEntry.COLUMN_FIRST_NAME + ", " +
        CBRContract.WhoqolEntry.COLUMN_MIDDLE_INITIAL + ", " +
        CBRContract.WhoqolEntry.COLUMN_LAST_NAME +
        " FROM " + CBRContract.WhoqolEntry.TABLE_NAME +
        " ORDER BY " + sortOrder
        , null
    );
    break;
}
//whodas_proxy/#
case USER_WITH_ID: {
    retCursor = getUserById(uri, projection, sortOrder);
    break;
}
//whodas_proxy/#
case SUBMITTED_FORMS_WITH_ID: {

```

```

        retCursor = getSubmittedFormById(uri, projection, sortOrder);
        break;
    }
    //whodas_proxy/#
    case WHODAS_PROXY_WITH_ID: {
        retCursor = getWhodasProxyById(uri, projection, sortOrder);
        break;
    }
    //whodas/#
    case WHODAS_WITH_ID: {
        retCursor = getWhodasById(uri, projection, sortOrder);
        break;
        //whoqol/#
    }
    case WHOQOL_WITH_ID: {
        retCursor = getWhoqolById(uri, projection, sortOrder);
        break;
    }
    default:
        throw new UnsupportedOperationException("Unknown uri:" + uri);
}
retCursor.setNotificationUri(getContext().getContentResolver(), uri);
return retCursor;
}

@Override
public Uri insert(Uri uri, ContentValues values) {
    final SQLiteDatabase db = mOpenHelper.getWritableDatabase();
    final int match = sUriMatcher.match(uri);
    Uri returnUri;

    switch (match) {
        case USER: {
            long _id = db.insert(CBRContract.UserEntry.TABLE_NAME, null, values);
            if (_id > 0)
                returnUri = CBRContract.UserEntry.buildUserUri(_id);
            else
                throw new android.database.SQLException("Failed to insert row onto " + uri);
            break;
        }
        case SUBMITTED_FORMS: {
            long _id = db.insert(CBRContract.SubmittedFormsEntry.TABLE_NAME, null, values);
            if (_id > 0)
                returnUri = CBRContract.SubmittedFormsEntry.buildSubmittedFormsUri(_id);
            else
                throw new android.database.SQLException("Failed to insert row onto " + uri);
            break;
        }
        case WHODAS_PROXY: {
            long _id = db.insert(CBRContract.WhodasProxyEntry.TABLE_NAME, null, values);
            if (_id > 0)
                returnUri = CBRContract.WhodasProxyEntry.buildWhodasProxyUri(_id);
            else
                throw new android.database.SQLException("Failed to insert row onto " + uri);
            break;
        }
        case WHODAS: {
            long _id = db.insert(CBRContract.WhodasEntry.TABLE_NAME, null, values);
            if (_id > 0)
                returnUri = CBRContract.WhodasEntry.buildWhodasUri(_id);
            else
                throw new android.database.SQLException("Failed to insert row onto " + uri);
            break;
        }
        case WHOQOL: {
            long _id = db.insert(CBRContract.WhoqolEntry.TABLE_NAME, null, values);
            if (_id > 0)
                returnUri = CBRContract.WhoqolEntry.buildWhoqolUri(_id);
            else
                throw new android.database.SQLException("Failed to insert row onto " + uri);
            break;
        }
        default:
            throw new UnsupportedOperationException("Unknown uri: " + uri);
    }
    getContext().getContentResolver().notifyChange(uri, null);
    return returnUri;
}

@Override
public int delete(Uri uri, String selection, String[] selectionArgs) {
    final SQLiteDatabase db = mOpenHelper.getWritableDatabase();
    final int match = sUriMatcher.match(uri);
    int rowsDeleted;

    //this makes delete all rows return the number of rows deleted
    if (null == selection)
        selection = "1";
    switch (match) {
        case USER: {
            rowsDeleted = db.delete(CBRContract.UserEntry.TABLE_NAME, selection, selectionArgs);
        }
    }
}

```

```

        break;
    }
    case SUBMITTED_FORMS: {
        rowsDeleted = db.delete(CBRContract.SubmittedFormsEntry.TABLE_NAME, selection,
            selectionArgs);
        break;
    }
    case WHODAS_PROXY: {
        rowsDeleted = db.delete(CBRContract.WhodasProxyEntry.TABLE_NAME, selection,
            selectionArgs);
        break;
    }
    case WHODAS: {
        rowsDeleted = db.delete(CBRContract.WhodasEntry.TABLE_NAME, selection,
            selectionArgs);
        break;
    }
    case WHOQOL: {
        rowsDeleted = db.delete(CBRContract.WhoqolEntry.TABLE_NAME, selection,
            selectionArgs);
        break;
    }
    default:
        throw new UnsupportedOperationException("Unknown uri: " + uri);
}
if (rowsDeleted != 0) {
    getContext().getContentResolver().notifyChange(uri, null);
}
return rowsDeleted;
}

@Override
public int update(Uri uri, ContentValues values, String selection, String[] selectionArgs) {
    final SQLiteDatabase db = mOpenHelper.getWritableDatabase();
    final int match = sUriMatcher.match(uri);
    int rowsUpdated;

    switch (match) {
        case USER:
            rowsUpdated = db.update(CBRContract.UserEntry.TABLE_NAME, values, selection,
                selectionArgs);
            break;
        case SUBMITTED_FORMS:
            rowsUpdated = db.update(CBRContract.SubmittedFormsEntry.TABLE_NAME, values,
                selection, selectionArgs);
            break;
        case WHODAS_PROXY:
            rowsUpdated = db.update(CBRContract.WhodasProxyEntry.TABLE_NAME, values, selection,
                selectionArgs);
            break;
        case WHODAS:
            rowsUpdated = db.update(CBRContract.WhodasEntry.TABLE_NAME, values, selection,
                selectionArgs);
            break;
        case WHOQOL:
            rowsUpdated = db.update(CBRContract.WhoqolEntry.TABLE_NAME, values, selection,
                selectionArgs);
            break;
        default:
            throw new UnsupportedOperationException("Unknown uri: " + uri);
    }
    return rowsUpdated;
}

@Override
@TargetApi(11)
public void shutdown() {
    mOpenHelper.close();
    super.shutdown();
}
}
}

```

## ChangePasswordActivity.java

```

package com.example.android.cbrfm;

import android.app.ProgressDialog;
import android.content.Context;
import android.content.Intent;
import android.content.SharedPreferences;
import android.net.ConnectivityManager;
import android.net.NetworkInfo;
import android.os.AsyncTask;
import android.os.Bundle;
import android.support.v7.app.AppCompatActivity;
import android.support.v7.widget.Toolbar;
import android.util.Log;
import android.view.View;
import android.widget.Button;

```

```

import android.widget.EditText;
import android.widget.Toast;

import org.json.JSONException;
import org.json.JSONObject;

import java.util.HashMap;

public class ChangePasswordActivity extends AppCompatActivity {
    public static final String CBR_PREFERENCES = "CBRPreferences";

    private long id;
    Boolean noError = true;

    private ChangePasswordTask mAuthTask = null;
    private ProgressDialog pDialog;
    private static final String UPLOAD_URL = "http://192.168.43.32/cbr5/mobile-change-password.php";
    private static final String TAG_SUCCESS = "success";
    private static final String TAG_MESSAGE = "message";

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_change_password);
        Toolbar toolbar = (Toolbar) findViewById(R.id.toolbar);
        setSupportActionBar(toolbar);

        assert getSupportActionBar() != null;
        getSupportActionBar().setDisplayHomeAsUpEnabled(true);

        SharedPreferences cbrPreferences = getSharedPreferences(CBR_PREFERENCES, Context.MODE_PRIVATE);
        id = cbrPreferences.getInt("userID", 0);

        final Button submitBtn = (Button) findViewById(R.id.change_pw_button);
        final EditText password1 = (EditText) findViewById(R.id.new_password);
        final EditText password2 = (EditText) findViewById(R.id.confirm_password);

        submitBtn.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {

                if(isOnline()) {
                    String pass1 = checkTextToString(password1);
                    String pass2 = checkTextToString(password2);

                    if(!pass1.equals(pass2)){
                        noError=false;
                        Toast.makeText(getApplicationContext(), "Passwords do not match!", Toast.LENGTH_SHORT).show();
                    }

                    if (noError) {
                        HashMap<String, String> params = new HashMap<>();
                        params.put("id", String.valueOf(id));
                        params.put("password1", pass1);
                        params.put("password2", pass2);
                        attemptUpdate(String.valueOf(id), params);
                    } else {
                        noError = true;
                        Toast.makeText(getApplicationContext(), "Errors found in your input!", Toast.LENGTH_SHORT).show();
                    }
                } else {
                    Toast.makeText(getApplicationContext(), "No internet connection.", Toast.LENGTH_LONG).show();
                }
            }
        });
    }

    public String checkTextToString(EditText et) {
        String str = et.getText().toString().trim();
        if (str.equals("")) {
            noError = false;
            et.setError("Field required.");
        }
        return str;
    }

    public boolean isOnline() {
        ConnectivityManager cm =
            (ConnectivityManager) getSystemService(Context.CONNECTIVITY_SERVICE);
        NetworkInfo netInfo = cm.getActiveNetworkInfo();
        return netInfo != null && netInfo.isConnectedOrConnecting();
    }

    private void attemptUpdate(String uid, HashMap<String, String> params) {
        if (mAuthTask != null) {
            return;
        }
        boolean is_logged_in = true;

```



```

        if ("0".equals(uid)) {
            is_logged_in = false;
        }

        if (!is_logged_in) {
            Toast.makeText(getApplicationContext(), "You are not logged in.", Toast.LENGTHSHORT).
                show();
        } else {
            mAuthTask = new ChangePasswordTask(params);
            mAuthTask.execute();
        }
    }

    public class ChangePasswordTask extends AsyncTask<String, String, JSONObject> {

        HashMap<String, String> params;
        public ChangePasswordTask(HashMap<String, String> params) {
            this.params = params;
        }
        JSONParser jsonParser = new JSONParser();

        @Override
        protected void onPreExecute() {
            progressDialog = new ProgressDialog(ChangePasswordActivity.this);
            progressDialog.setMessage("Attempting change...");
            progressDialog.setIndeterminate(false);
            progressDialog.setCancelable(true);
            progressDialog.show();
        }

        @Override
        protected JSONObject doInBackground(String... args) {
            try {
                JSONObject json = jsonParser.makeHttpRequest(
                    UPLOAD_URL, "POST", params);
                if (json != null) {
                    Log.d("JSON result", json.toString());
                    return json;
                }
            } catch (Exception e) {
                e.printStackTrace();
            }
            return null;
        }

        @Override
        protected void onPostExecute(JSONObject json) {
            mAuthTask = null;
            int success = 0;
            String message = "";
            if (progressDialog != null && progressDialog.isShowing()) {
                progressDialog.dismiss();
            }
            if (json != null) {
                Toast.makeText(ChangePasswordActivity.this, json.toString(),
                    Toast.LENGTHLONG).show();
                try {
                    success = json.getInt(TAG_SUCCESS);
                    message = json.getString(TAG_MESSAGE);
                } catch (JSONException e) {
                    e.printStackTrace();
                }
            } else {
                Toast.makeText(getApplicationContext(), "Cannot Change Password", Toast.
                    LENGTHLONG).show();
            }

            if (success == 1) {
                finish();
                startActivity(new Intent(ChangePasswordActivity.this, MainActivity.class));
            } else {
                Log.e("Failure", message);
            }
        }

        @Override
        protected void onCancelled() {
            mAuthTask = null;
        }
    }
}

```

## JSONParser.java

```

package com.example.android.cbrfm;

import android.util.Log;

import org.json.JSONException;
import org.json.JSONObject;

```

```

import java.io.BufferedInputStream;
import java.io.BufferedReader;
import java.io.DataOutputStream;
import java.io.IOException;
import java.io.InputStream;
import java.io.InputStreamReader;
import java.io.UnsupportedEncodingException;
import java.net.HttpURLConnection;
import java.net.URL;
import java.net.URLEncoder;
import java.util.HashMap;

public class JSONParser {

    String charset = "UTF-8";
    HttpURLConnection conn;
    DataOutputStream wr;
    StringBuilder result;
    URL urlObj;
    JSONObject jsonObj = null;
    StringBuilder sbParams;
    String paramsString;

    public JSONObject makeHttpRequest(String url, String method, HashMap<String, String> params) {

        sbParams = new StringBuilder();
        int i = 0;
        for (String key : params.keySet()) {
            try {
                if (i != 0) {
                    sbParams.append("&");
                }
                sbParams.append(key).append("=")
                    .append(URLEncoder.encode(params.get(key), charset));
            } catch (UnsupportedEncodingException e) {
                e.printStackTrace();
            }
            i++;
        }

        if (method.equals("POST")) {
            // request method is POST
            try {
                urlObj = new URL(url);
                conn = (HttpURLConnection) urlObj.openConnection();
                conn.setDoOutput(true);
                conn.setRequestMethod("POST");
                conn.setRequestProperty("Accept-Charset", charset);
                conn.setReadTimeout(10000);
                conn.setConnectTimeout(15000);
                conn.connect();
                paramsString = sbParams.toString();
                wr = new DataOutputStream(conn.getOutputStream());
                wr.writeBytes(paramsString);
                wr.flush();
                wr.close();
            } catch (IOException e) {
                e.printStackTrace();
            }
        } else if (method.equals("GET")) {
            if (sbParams.length() != 0) {
                url += "?" + sbParams.toString();
            }
            try {
                urlObj = new URL(url);
                conn = (HttpURLConnection) urlObj.openConnection();
                conn.setDoOutput(false);
                conn.setRequestMethod("GET");
                conn.setRequestProperty("Accept-Charset", charset);
                conn.setConnectTimeout(15000);
                conn.connect();
            } catch (IOException e) {
                e.printStackTrace();
            }
        }
        try {
            InputStream in = new BufferedInputStream(conn.getInputStream());
            BufferedReader reader = new BufferedReader(new InputStreamReader(in));
            result = new StringBuilder();
            String line;
            while ((line = reader.readLine()) != null) {
                result.append(line);
            }
            Log.d("JSON Parser", "result: " + result.toString());
        } catch (IOException e) {
            e.printStackTrace();
        }

        conn.disconnect();

        try {

```

```

        jsonObj = new JSONObject(result.toString());
    } catch (JSONException e) {
        Log.e("JSON Parser", "Error parsing data " + e.toString());
    }
    return jsonObj;
}
}

```

## LoginActivity.java

```

package com.example.android.cbrfm;

import android.app.ProgressDialog;
import android.content.ContentResolver;
import android.content.ContentUris;
import android.content.ContentValues;
import android.content.Context;
import android.content.Intent;
import android.database.Cursor;
import android.net.ConnectivityManager;
import android.net.NetworkInfo;
import android.net.Uri;
import android.os.AsyncTask;
import android.os.Bundle;
import android.support.v7.app.AppCompatActivity;
import android.text.TextUtils;
import android.util.Log;
import android.view.View;
import android.view.View.OnClickListener;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

import com.example.android.cbrfm.data.CBRContract;

import org.json.JSONException;
import org.json.JSONObject;

import java.util.HashMap;

public class LoginActivity extends AppCompatActivity {

    private UserLoginTask mAuthTask = null;
    private ProgressDialog pDialog;
    private static final String LOGIN_URL = "http://192.168.43.32/cbr5/mobile-login.php";
    private static final String TAG_SUCCESS = "success";
    private static final String TAG_MESSAGE = "message";
    private static final String TAG_USERID = "userid";
    private static final String TAG_USERNAME = "username";
    private static final String TAG_LASTNAME = "lastname";
    private static final String TAG_FIRSTNAME = "firstname";
    private static final String TAG_MIDDLENAME = "middlename";
    private static final String TAG_NAMEEXT = "nameext";
    private static final String TAG_CONTACTNO = "contactno";
    private static final String TAG_EADD = "eadd";
    private static final String TAG_STUDENTNO = "studentno";
    private static final String TAG_COURSE = "course";
    private static final String TAG_ADDRESS = "address";

    private EditText mUsernameView;
    private EditText mPasswordView;

    String username = "", lastname = "", firstname = "", middlename = "", nameext = "",
        contactno = "", eadd = "", studentno = "", course = "", address = "";
    int id = 0;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_login);

        mUsernameView = (EditText) findViewById(R.id.username);
        mPasswordView = (EditText) findViewById(R.id.password);

        Button mLoginButton = (Button) findViewById(R.id.log_in_button);
        mLoginButton.setOnClickListener(new OnClickListener() {
            @Override
            public void onClick(View view) {
                if (isOnline()) {
                    attemptLogin();
                } else {
                    Toast.makeText(getApplicationContext(), "No internet connection.", Toast.
                        LENGTH_LONG).show();
                }
            }
        });
    }

    public boolean isOnline() {
        ConnectivityManager cm =

```

```

        (ConnectivityManager) getSystemService(Context.CONNECTIVITY_SERVICE);
        NetworkInfo netInfo = cm.getActiveNetworkInfo();
        return netInfo != null && netInfo.isConnectedOrConnecting();
    }

    private void attemptLogin() {
        if ( mAuthTask != null ) {
            return;
        }
        mUsernameView.setError( null );
        mPasswordView.setError( null );
        String username = mUsernameView.getText().toString();
        String password = mPasswordView.getText().toString();

        boolean cancel = false;
        View focusView = null;

        if (TextUtils.isEmpty(password)) {
            mPasswordView.setError( getString(R.string.error_field_required) );
            focusView = mPasswordView;
            cancel = true;
        }

        if (TextUtils.isEmpty(username)) {
            mUsernameView.setError( getString(R.string.error_field_required) );
            focusView = mUsernameView;
            cancel = true;
        }

        if (cancel) {
            focusView.requestFocus();
        } else {
            mAuthTask = new UserLoginTask();
            mAuthTask.execute( username, password );
        }
    }

    public class UserLoginTask extends AsyncTask<String, String, JSONObject> {

        JSONParser jsonParser = new JSONParser();

        @Override
        protected void onPreExecute() {
            pDialog = new ProgressDialog(LoginActivity.this);
            pDialog.setMessage(" Attempting login...");
            pDialog.setIndeterminate(false);
            pDialog.setCancelable(true);
            pDialog.show();
        }

        @Override
        protected JSONObject doInBackground( String... args ) {
            try {
                HashMap<String, String> params = new HashMap<>();
                params.put("username", args[0]);
                params.put("password", args[1]);

                Log.d("request", "starting");

                JSONObject json = jsonParser.makeHttpRequest(
                    LOGIN_URL, "POST", params);
                if (json != null) {
                    Log.d("JSON result", json.toString());
                    return json;
                }
            } catch (Exception e) {
                e.printStackTrace();
            }
            return null;
        }

        @Override
        protected void onPostExecute(JSONObject json) {
            mAuthTask = null;
            int success = 0;
            String message = "";

            if (pDialog != null && pDialog.isShowing()) {
                pDialog.dismiss();
            }
            if (json != null) {
                Toast.makeText(LoginActivity.this, json.toString(),
                    Toast.LENGTH_LONG).show();
                try {
                    success = json.getInt(TAG_SUCCESS);
                    message = json.getString(TAG_MESSAGE);
                } catch (JSONException e) {
                    e.printStackTrace();
                }
            } else {
                Toast.makeText(getApplicationContext(), "Cannot Log-in.", Toast.LENGTH_LONG).show();
            }
        }
    }

```

```

    }
    if (success == 1) {
        try {
            id = json.getInt(TAG.USERID);
            username = json.getString(TAG.USERNAME);
            lastname = json.getString(TAG.LASTNAME);
            firstname = json.getString(TAG.FIRSTNAME);
            middlename = json.getString(TAG.MIDDLENAME);
            nameext = json.getString(TAG.NAMEEXT);
        } catch (JSONException e) {
            e.printStackTrace();
        }
        try {
            contactno = json.getString(TAG.CONTACTNO);
            eadd = json.getString(TAG.EADD);
            studentno = json.getString(TAG.STUDENTNO);
            course = json.getString(TAG.COURSE);
            address = json.getString(TAG.ADDRESS);
        } catch (JSONException e) {
            e.printStackTrace();
        }
        if (id != 0) {
            Cursor c = getContentResolver().query(
                CBRContract.UserEntry.buildUserUri(id),
                null, null, null, null
            );
            if (c != null) {
                if (!c.moveToFirst()) {
                    ContentResolver resolver = getContentResolver();
                    Uri wpUri = resolver.insert(CBRContract.UserEntry.CONTENT_URI,
                        createUserValues());
                    long wpRowId = ContentUris.parseId(wpUri);

                    if (wpRowId != -1)
                        Toast.makeText(getApplicationContext(), "Insert successful!",
                            Toast.LENGTH_SHORT).show();
                    else
                        Toast.makeText(getApplicationContext(), "Insert not successful.",
                            Toast.LENGTH_SHORT).show();
                }
            }

            Intent intent = new Intent(LoginActivity.this, MainActivity.class);
            Bundle extras = new Bundle();
            extras.putString("EXTRA_USERNAME", username);
            extras.putInt("EXTRA_USERID", id);
            intent.putExtras(extras);
            startActivity(intent);
        }
        } else {
            Log.e("Failure", message);
        }
    }
}

@Override
protected void onCancelled() {
    mAuthTask = null;
}

}

public ContentValues createUserValues() {
    ContentValues userValues = new ContentValues();

    userValues.put(CBRContract.UserEntry.ID, id);
    userValues.put(CBRContract.UserEntry.COLUMN_USERNAME, username);
    userValues.put(CBRContract.UserEntry.COLUMN_LAST_NAME, lastname);
    userValues.put(CBRContract.UserEntry.COLUMN_FIRST_NAME, firstname);
    userValues.put(CBRContract.UserEntry.COLUMN_MIDDLE_NAME, middlename);
    userValues.put(CBRContract.UserEntry.COLUMN_NAME_EXTENSION, nameext);
    userValues.put(CBRContract.UserEntry.COLUMN_CONTACT_NO, contactno);
    userValues.put(CBRContract.UserEntry.COLUMN_EMAIL_ADD, eadd);
    userValues.put(CBRContract.UserEntry.COLUMN_STUDENT_NO, studentno);
    userValues.put(CBRContract.UserEntry.COLUMN_COURSE, course);
    userValues.put(CBRContract.UserEntry.COLUMN_ADDRESS, address);
    return userValues;
}
}
}

```

## MainActivity.java

```

package com.example.android.cbrfm;

import android.app.AlertDialog;
import android.content.ContentResolver;
import android.content.Context;
import android.content.DialogInterface;
import android.content.Intent;
import android.content.SharedPreferences;
import android.database.Cursor;

```

```

import android.os.Bundle;
import android.support.design.widget.FloatingActionButton;
import android.support.design.widget.NavigationView;
import android.support.v4.view.GravityCompat;
import android.support.v4.widget.DrawerLayout;
import android.support.v7.app.ActionBarDrawerToggle;
import android.support.v7.app.AppCompatActivity;
import android.support.v7.widget.Toolbar;
import android.view.ContextMenu;
import android.view.Menu;
import android.view.MenuInflater;
import android.view.MenuItem;
import android.view.View;
import android.widget.AdapterView;
import android.widget.Button;
import android.widget.ListView;
import android.widget.PopupMenu;
import android.widget.SimpleCursorAdapter;
import android.widget.TextView;
import android.widget.Toast;

import com.example.android.cbrfm.data.CBRContract;

import java.text.DateFormat;
import java.util.Calendar;

public class MainActivity extends AppCompatActivity
    implements NavigationView.OnNavigationItemSelectedListener {

    public static final String CBR_PREFERENCES = "CBRPreferences";
    public static final String FORM_TYPE = "formType";
    public static final String SORT_ORDER = "sortOrder";
    public static final String USER_ID = "userID";
    public static final String USER_NAME = "userName";
    SharedPreferences cbrSharedPreferences;

    private static String[] COLUMNS_TO_BE_BOUND = new String[]{
        CBRContract.WhodasProxyEntry._ID,
        CBRContract.WhodasProxyEntry.COLUMN_LAST_NAME,
        CBRContract.WhodasProxyEntry.COLUMN_FIRST_NAME,
        CBRContract.WhodasProxyEntry.COLUMN_MIDDLE_INITIAL,
        CBRContract.WhodasProxyEntry.COLUMN_TABLE_NAME,
        CBRContract.WhodasProxyEntry.COLUMN_TABLE_DATE,
        CBRContract.WhodasProxyEntry.COLUMN_STATUS
    };

    private static final int[] LAYOUT_ITEMS_TO_FILL = new int[]{
        R.id.form_id_text,
        R.id.last_name_text,
        R.id.first_name_text,
        R.id.m_i_text,
        R.id.form_type_text,
        R.id.form_date_text,
        R.id.form_upload_status
    };

    ListView formListView;
    Menu nav_menu;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        Toolbar toolbar = (Toolbar) findViewById(R.id.toolbar);
        setSupportActionBar(toolbar);

        DrawerLayout drawer = (DrawerLayout) findViewById(R.id.drawer_layout);
        ActionBarDrawerToggle toggle = new ActionBarDrawerToggle(
            this, drawer, toolbar, R.string.navigation_drawer_open, R.string
            .navigation_drawer_close);
        drawer.setDrawerListener(toggle);
        toggle.syncState();

        cbrSharedPreferences = this.getSharedPreferences(CBR_PREFERENCES, Context.MODE_PRIVATE);

        NavigationView navigationView = (NavigationView) findViewById(R.id.nav_view);
        navigationView.setNavigationItemSelectedListener(this);
        nav_menu = navigationView.getMenu();

        Intent intent = getIntent();
        if (intent != null && intent.hasExtra("EXTRA_USERNAME") && intent.hasExtra("EXTRA_USERID"))
        {
            Bundle extras = getIntent().getExtras();

            SharedPreferences.Editor editor = cbrSharedPreferences.edit();
            editor.putInt(USER_ID, extras.getInt("EXTRA_USERID"));
            editor.putString(USER_NAME, extras.getString("EXTRA_USERNAME"));
            editor.apply();
        }

        if (cbrSharedPreferences.getInt(USER_ID, 0) != 0 && !cbrSharedPreferences.getString(
            USER_NAME, "").equals("")) {
            navigationView.getMenu().findItem(R.id.nav_logout).setVisible(true);
        }
    }

```

```

        navigationView.getMenu().findItem(R.id.nav_change_pw).setVisible(true);
    } else {
        navigationView.getMenu().findItem(R.id.nav_logout).setVisible(false);
        navigationView.getMenu().findItem(R.id.nav_change_pw).setVisible(false);
    }
}

formListView = (ListView) findViewById(R.id.form_list_view);

fillListView(
    cbrSharedPreferences.getString(FORM_TYPE, "all"),
    cbrSharedPreferences.getString(SORT_ORDER, "Name (asc)")
);

formListView.setTextFilterEnabled(true);
registerForContextMenu(formListView);
formListView.setOnItemClickListener(new AdapterView.OnItemClickListener() {

    @Override
    public void onItemClick(AdapterView<?> adapterView, View view, int position, long l) {
        view.showContextMenu();
    }
});

final FloatingActionButton fab = (FloatingActionButton) findViewById(R.id.fab);
fab.setOnClickListener(new View.OnClickListener() {

    @Override
    public void onClick(View v) {
        PopupMenu popup = new PopupMenu(MainActivity.this, fab);
        popup.getMenuInflater().inflate(R.menu.new_form, popup.getMenu());

        popup.setOnMenuItemClickListener(new PopupMenu.OnMenuItemClickListener() {
            public boolean onOptionsItemSelected(MenuItem item) {
                switch (item.getItemId()) {
                    case R.id.new_whoqol:
                        Intent whoqolIntent = new Intent(MainActivity.this, WHOQOLActivity.class);
                        startActivity(whoqolIntent);
                        return true;
                    case R.id.new_whodas:
                        Intent whodasIntent = new Intent(MainActivity.this, WHODASActivity.class);
                        startActivity(whodasIntent);
                        return true;
                    case R.id.new_whodasproxy:
                        Intent whodasproxyIntent = new Intent(MainActivity.this, WHODASPROXYActivity.class);
                        startActivity(whodasproxyIntent);
                        return true;
                    default:
                        return true;
                }
            }
        });

        popup.show();
    }
});

Button userButton = (Button) findViewById(R.id.user_button);
if (cbrSharedPreferences.getInt(USER_ID, 0) == 0 && cbrSharedPreferences.getString(
    USER_NAME, "").equals("")) {
    userButton.setText(R.string.login);
} else {
    userButton.setText(cbrSharedPreferences.getString(USER_NAME, ""));
}

userButton.setOnClickListener(new View.OnClickListener() {
    public void onClick(View v) {
        if (cbrSharedPreferences.getInt(USER_ID, 0) != 0) {
            Intent userIntent = new Intent(MainActivity.this, UserProfileActivity.class);
            startActivity(userIntent);
        } else {
            Intent userIntent = new Intent(MainActivity.this, LoginActivity.class);
            startActivity(userIntent);
        }
    }
});
}

public void updateForm(Cursor cursor) {
    String item_id;
    String item_form_type = cursor.getString(cursor.getColumnIndex(CBRContract.
        WhodasProxyEntry.COLUMN_TABLE_NAME)).trim();

    switch (item_form_type) {
        case "WHODAS - PROXY": {
            item_id = Integer.toString(cursor.getInt(cursor.getColumnIndex(CBRContract.
                WhodasProxyEntry._ID)));
            cursor.close();
            Intent intent = new Intent(MainActivity.this, WHODASPROXYActivity.class).putExtra(
                Intent.EXTRA_TEXT, item_id);
        }
    }
}

```

```

        startActivity(intent);
        break;
    }
    case "WHODAS": {
        item_id = Integer.toString(cursor.getInt(cursor.getColumnIndex(CBRContract.
            WhodasEntry._ID)));
        cursor.close();
        Intent intent = new Intent(MainActivity.this, WHODASActivity.class).putExtra(
            Intent.EXTRA_TEXT, item_id);
        startActivity(intent);
        break;
    }
    case "WHOQOL": {
        item_id = Integer.toString(cursor.getInt(cursor.getColumnIndex(CBRContract.
            WhoqolEntry._ID)));
        cursor.close();
        Intent intent = new Intent(MainActivity.this, WHOQOLActivity.class).putExtra(
            Intent.EXTRA_TEXT, item_id);
        startActivity(intent);
        break;
    }
}
cursor.close();
}

@Override
public void onCreateContextMenu(ContextMenu menu, View v, ContextMenu.ContextMenuInfo menuInfo) {
    super.onCreateContextMenu(menu, v, menuInfo);
    if (v.getId() == R.id.form_list_view) {
        MenuInflater inflater = getMenuInflater();
        inflater.inflate(R.menu.menu_list, menu);
    }
}

@Override
public boolean onOptionsItemSelected(MenuItem item) {
    AdapterView.AdapterContextMenuInfo info = (AdapterView.AdapterContextMenuInfo) item.
        getMenuInfo();
    Cursor cursor = (Cursor) formListView.getAdapter().getItem(info.position);
    String item_id = Integer.toString(cursor.getInt(cursor.getColumnIndex(CBRContract.
        WhodasProxyEntry._ID)));
    String item_form_type = cursor.getString(cursor.getColumnIndex(CBRContract.
        WhodasProxyEntry.COLUMN_TABLE_NAME)).trim();
    String item_form_lName = cursor.getString(cursor.getColumnIndex(CBRContract.
        WhodasProxyEntry.COLUMN_LAST_NAME)).trim();
    String item_form_fName = cursor.getString(cursor.getColumnIndex(CBRContract.
        WhodasProxyEntry.COLUMN_FIRST_NAME)).trim();
    String item_form_mi = cursor.getString(cursor.getColumnIndex(CBRContract. WhodasProxyEntry.
        COLUMN_MIDDLE_INITIAL)).trim();
    ContentResolver resolver = getContentResolver();

    switch (item.getItemId()) {
        case R.id.list_update:
            updateForm(cursor);
            return true;
        case R.id.list_upload:
            switch (item_form_type) {
                case "WHODAS - PROXY": {
                    Intent intent = new Intent(MainActivity.this, WHODASPROXYActivity.class);
                    intent.putExtra("upload", true);
                    intent.putExtra(Intent.EXTRA_TEXT, item_id);
                    startActivity(intent);
                    break;
                }
                case "WHODAS": {
                    Intent intent = new Intent(MainActivity.this, WHODASActivity.class);
                    intent.putExtra("upload", true);
                    intent.putExtra(Intent.EXTRA_TEXT, item_id);
                    startActivity(intent);
                    break;
                }
                case "WHOQOL": {
                    Intent intent = new Intent(MainActivity.this, WHOQOLActivity.class);
                    intent.putExtra("upload", true);
                    intent.putExtra(Intent.EXTRA_TEXT, item_id);
                    startActivity(intent);
                    break;
                }
            }
            return true;
        case R.id.list_delete:
            int deleted;
            switch (item_form_type) {
                case "WHODAS - PROXY":
                    deleted = resolver.delete(CBRContract. WhodasProxyEntry.CONTENT_URI,
                        CBRContract. WhodasProxyEntry._ID + " = ? ", new String [] { item_id });
                    cursor.close();
                    fillListView(
                        cbrSharedPreferences.getString(FORMTYPE, "all"),
                        cbrSharedPreferences.getString(SORTORDER, "Name (asc)"));
            }
    }
}

```



```

        Toast.makeText(getApplicationContext(), "Deleted " + deleted + " row/s. "
            + item_form_type + " #" + item_id, Toast.LENGTH_LONG).show();
        break;
    case "WHODAS":
        deleted = resolver.delete(CBRContract.WhodasEntry.CONTENT_URI, CBRContract
            .WhodasEntry._ID + " = ? ", new String[]{ item_id});
        cursor.close();
        fillListView(
            cbrSharedPreferences.getString(FORM_TYPE, "all"),
            cbrSharedPreferences.getString(SORT_ORDER, "Name (asc)");
        );
        Toast.makeText(getApplicationContext(), "Deleted " + deleted + " row/s. "
            + item_form_type + " #" + item_id, Toast.LENGTH_LONG).show();
        break;
    case "WHOQOL":
        deleted = resolver.delete(CBRContract.WhoqolEntry.CONTENT_URI, CBRContract
            .WhoqolEntry._ID + " = ? ", new String[]{ item_id});
        cursor.close();
        fillListView(
            cbrSharedPreferences.getString(FORM_TYPE, "all"),
            cbrSharedPreferences.getString(SORT_ORDER, "Name (asc)");
        );
        Toast.makeText(getApplicationContext(), "Deleted " + deleted + " row/s. "
            + item_form_type + " #" + item_id, Toast.LENGTH_LONG).show();
        break;
    }
    return true;
}
case R.id.list_details:

    Calendar current = Calendar.getInstance();
    DateFormat format = DateFormat.getDateInstance();
    String timestamp = format.format(current.getTimeInMillis());

    String detailsStr = "Form Type: \n" + item_form_type +
        "\n\n Name: \n" + item_form_lName + ", " + item_form_fName + " " +
            item_form_mi + ". " +
        "\n\n Date Created: \n" + timestamp;

    AlertDialog.Builder alert = new AlertDialog.Builder(this);
    alert.setTitle("Details ");
    alert.setCancelable(true);
    alert.setMessage(detailsStr)
        .setPositiveButton("OK", new DialogInterface.OnClickListener() {
            public void onClick(DialogInterface dialog, int id) {
            }
        });
    alert.show();
    return true;
}
case R.id.list_send:
    switch (item_form_type) {
        case "WHODAS - PROXY": {
            Intent intent = new Intent(MainActivity.this, WHODASPROXYActivity.class);
            intent.putExtra("SendAsEmail", true);
            intent.putExtra(Intent.EXTRA_TEXT, item_id);
            startActivity(intent);
            break;
        }
        case "WHODAS": {
            Intent intent = new Intent(MainActivity.this, WHODASActivity.class);
            intent.putExtra("SendAsEmail", true);
            intent.putExtra(Intent.EXTRA_TEXT, item_id);
            startActivity(intent);
            break;
        }
        case "WHOQOL": {
            Intent intent = new Intent(MainActivity.this, WHOQOLActivity.class);
            intent.putExtra("SendAsEmail", true);
            intent.putExtra(Intent.EXTRA_TEXT, item_id);
            startActivity(intent);
            break;
        }
    }
}
return true;
default:
    return super.onContextItemSelected(item);
}
}

/**
 * fill list view by the form type and sort order specified.
 * called whenever form type and sort order is changed and everytime main activity starts
 *
 * @param formType
 * @param sortOrder
 */
public void fillListView(String formType, String sortOrder) {

    TextView header = (TextView) findViewById(R.id.form_header);
    header.setText(String.format("%s by %s", formType, sortOrder));
    int index = 0;
    String order = null;
    if (sortOrder.equalsIgnoreCase("Name (asc)"))

```

```

        order = CBRContract.WhodasProxyEntry.COLUMN_LAST_NAME + " ASC";
    else if (sortOrder.equalsIgnoreCase("Name (desc)"))
        order = CBRContract.WhodasProxyEntry.COLUMN_LAST_NAME + " DESC";
    else if (sortOrder.equalsIgnoreCase("Date (asc)"))
        order = CBRContract.WhodasProxyEntry.COLUMN_TABLE_DATE + " ASC";
    else if (sortOrder.equalsIgnoreCase("Date (desc)"))
        order = CBRContract.WhodasProxyEntry.COLUMN_TABLE_DATE + " DESC";

SimpleCursorAdapter formAdapter;
Cursor cursor;
ContentResolver resolver = getContentResolver();
switch (formType) {
    case "all forms":
        index = 0;
        cursor = resolver.query(CBRContract.AllForms.CONTENT_URI,
            null, null, null, order);
        break;
    case "whoqol":
        index = 1;
        COLUMNS_TO_BE_BOUND = new String[]{
            CBRContract.WhoqolEntry._ID,
            CBRContract.WhoqolEntry.COLUMN_LAST_NAME,
            CBRContract.WhoqolEntry.COLUMN_FIRST_NAME,
            CBRContract.WhoqolEntry.COLUMN_MIDDLE_INITIAL,
            CBRContract.WhoqolEntry.COLUMN_TABLE_NAME,
            CBRContract.WhoqolEntry.COLUMN_TABLE_DATE,
            CBRContract.WhoqolEntry.COLUMN_STATUS
        };
        cursor = resolver.query(CBRContract.WhoqolEntry.CONTENT_URI, null, null, null,
            order);
        break;
    case "whodas":
        index = 2;
        COLUMNS_TO_BE_BOUND = new String[]{
            CBRContract.WhodasEntry._ID,
            CBRContract.WhodasEntry.COLUMN_LAST_NAME,
            CBRContract.WhodasEntry.COLUMN_FIRST_NAME,
            CBRContract.WhodasEntry.COLUMN_MIDDLE_INITIAL,
            CBRContract.WhodasEntry.COLUMN_TABLE_NAME,
            CBRContract.WhodasEntry.COLUMN_TABLE_DATE,
            CBRContract.WhodasEntry.COLUMN_STATUS
        };
        cursor = resolver.query(CBRContract.WhodasEntry.CONTENT_URI, null, null, null,
            order);
        break;
    case "whodas proxy":
        index = 3;
        COLUMNS_TO_BE_BOUND = new String[]{
            CBRContract.WhodasProxyEntry._ID,
            CBRContract.WhodasProxyEntry.COLUMN_LAST_NAME,
            CBRContract.WhodasProxyEntry.COLUMN_FIRST_NAME,
            CBRContract.WhodasProxyEntry.COLUMN_MIDDLE_INITIAL,
            CBRContract.WhodasProxyEntry.COLUMN_TABLE_NAME,
            CBRContract.WhodasProxyEntry.COLUMN_TABLE_DATE,
            CBRContract.WhodasProxyEntry.COLUMN_STATUS
        };
        cursor = resolver.query(CBRContract.WhodasProxyEntry.CONTENT_URI, null, null, null,
            order);
        break;
    default:
        index = 0;
        cursor = resolver.query(CBRContract.AllForms.CONTENT_URI, null, null, null, order)
            ;
        break;
}
nav_menu.getItem(index).setChecked(true);
formAdapter = new SimpleCursorAdapter(
    this,
    R.layout.list_item_form,
    cursor,
    COLUMNS_TO_BE_BOUND,
    LAYOUT_ITEMS_TO_FILL,
    0
);
formListView.setAdapter(formAdapter);
}

@Override
public void onBackPressed() {
    DrawerLayout drawer = (DrawerLayout) findViewById(R.id.drawer_layout);
    if (drawer.isDrawerOpen(GravityCompat.START)) {
        drawer.closeDrawer(GravityCompat.START);
    } else {
        super.onBackPressed();
    }
}

@Override
public boolean onCreateOptionsMenu(Menu menu) {
    getMenuInflater().inflate(R.menu.main, menu);
    return true;
}
}

```

```

@Override
public boolean onOptionsItemSelected(MenuItem item) {
    switch (item.getItemId()) {
        case R.id.action_sort:
            setUpSort();
            return true;
        default:
            return super.onOptionsItemSelected(item);
    }
}

public void setUpSort() {
    final CharSequence[] sort = {"Name (asc)", "Name (desc)", "Date (asc)", "Date (desc)"};

    int selected = 0;
    switch (cbrSharedPreferences.getString(SORT_ORDER, "Name (asc)")) {
        case "Name (asc)":
            selected = 0;
            break;
        case "Name (desc)":
            selected = 1;
            break;
        case "Date (asc)":
            selected = 2;
            break;
        case "Date (desc)":
            selected = 3;
            break;
    }

    AlertDialog.Builder alert = new AlertDialog.Builder(this);
    alert.setTitle(" Sort by: ");
    alert.setCancelable(true);
    alert.setSingleChoiceItems(sort, selected,
        new DialogInterface.OnClickListener() {
            @Override
            public void onClick(DialogInterface dialog, int item) {
                SharedPreferences.Editor editor = cbrSharedPreferences.edit();
                if (item == 0)
                    editor.putString(SORT_ORDER, "Name (asc)");
                else if (item == 1)
                    editor.putString(SORT_ORDER, "Name (desc)");
                else if (item == 2)
                    editor.putString(SORT_ORDER, "Date (asc)");
                else if (item == 3)
                    editor.putString(SORT_ORDER, "Date (desc)");
                editor.apply();
                dialog.dismiss();
                fillListView(
                    cbrSharedPreferences.getString(FORM_TYPE, "all"),
                    cbrSharedPreferences.getString(SORT_ORDER, "Name (asc)"));
            }
        });
    alert.show();
}

@SuppressWarnings("StatementWithEmptyBody")
@Override
public boolean onOptionsItemSelected(MenuItem item) {

    SharedPreferences.Editor editor = cbrSharedPreferences.edit();
    int id = item.getItemId();

    if (id == R.id.nav_all) {
        editor.putString(FORM_TYPE, "all forms");
    } else if (id == R.id.nav_whoqol) {
        editor.putString(FORM_TYPE, "whoqol");
    } else if (id == R.id.nav_whodas) {
        editor.putString(FORM_TYPE, "whodas");
    } else if (id == R.id.nav_whodas_proxy) {
        editor.putString(FORM_TYPE, "whodas proxy");
    } else if (id == R.id.nav_submitted) {
        startActivity(new Intent(MainActivity.this, SubmittedFormsActivity.class));
    } else if (id == R.id.nav_about) {
        startActivity(new Intent(MainActivity.this, AboutActivity.class));
    } else if (id == R.id.nav_logout) {
        editor.putInt(USER_ID, 0);
        editor.putString(USER_NAME, "");
        finish();
        startActivity(new Intent(MainActivity.this, MainActivity.class));
    } else if (id == R.id.nav_change_pw) {
        if (cbrSharedPreferences.getInt(USER_ID, 0) != 0) {
            startActivity(new Intent(MainActivity.this, ChangePasswordActivity.class));
        } else {
            Toast.makeText(getApplicationContext(), "You are not logged in.", Toast.
                LENGTH_SHORT).show();
        }
    }
}
}

```

```

        editor.apply();
        fillListView(
            cbrSharedPreferences.getString(FORM.TYPE, "all"),
            cbrSharedPreferences.getString(SORT.ORDER, "Name (asc)")
        );

        DrawerLayout drawer = (DrawerLayout) findViewById(R.id.drawer_layout);
        drawer.closeDrawer(GravityCompat.START);
        return true;
    }
}

```

## SubmittedFormsActivity.java

```

package com.example.android.cbrfm;

import android.content.ContentResolver;
import android.database.Cursor;
import android.os.Bundle;
import android.support.v7.app.AppCompatActivity;
import android.support.v7.widget.Toolbar;
import android.widget.ListView;
import android.widget.SimpleCursorAdapter;

import com.example.android.cbrfm.data.CBRContract;

public class SubmittedFormsActivity extends AppCompatActivity {

    private static final int[] LAYOUT_ITEMS_TO_FILL = new int[]{
        R.id.form_id_text,
        R.id.last_name_text,
        R.id.first_name_text,
        R.id.m_i_text,
        R.id.form_type_text,
        R.id.form_date_text,
    };

    ListView submittedFormListView;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_submitted_forms);
        Toolbar toolbar = (Toolbar) findViewById(R.id.toolbar);
        setSupportActionBar(toolbar);

        assert getSupportActionBar() != null;
        getSupportActionBar().setDisplayHomeAsUpEnabled(true);

        submittedFormListView = (ListView) findViewById(R.id.submitted_form_list_view);

        SimpleCursorAdapter formAdapter;
        Cursor cursor;
        ContentResolver resolver = getContentResolver();
        String[] COLUMNS_TO_BE_BOUND = new String[]{
            CBRContract.SubmittedFormsEntry.COLUMN_FORM_CODE,
            CBRContract.SubmittedFormsEntry.COLUMN_LAST_NAME,
            CBRContract.SubmittedFormsEntry.COLUMN_FIRST_NAME,
            CBRContract.SubmittedFormsEntry.COLUMN_MIDDLE_INITIAL,
            CBRContract.SubmittedFormsEntry.COLUMN_FORM_TYPE,
            CBRContract.SubmittedFormsEntry.COLUMN_DATE_UPLOADED
        };
        cursor = resolver.query(CBRContract.SubmittedFormsEntry.CONTENT_URI, null, null, null,
            null);

        formAdapter = new SimpleCursorAdapter(
            this,
            R.layout.list_item_submitted_form,
            cursor,
            COLUMNS_TO_BE_BOUND,
            LAYOUT_ITEMS_TO_FILL,
            0
        );
        submittedFormListView.setAdapter(formAdapter);
    }
}

```

## UserProfileActivity.java

```

package com.example.android.cbrfm;

import android.app.ProgressDialog;
import android.content.ContentValues;
import android.content.Context;
import android.content.SharedPreferences;
import android.database.Cursor;
import android.net.ConnectivityManager;
import android.net.NetworkInfo;

```

```

import android.os.AsyncTask;
import android.os.Bundle;
import android.support.design.widget.FloatingActionButton;
import android.support.v7.app.AppCompatActivity;
import android.support.v7.widget.Toolbar;
import android.util.Log;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;
import android.widget.Toast;

import com.example.android.cbrfm.data.CBRContract;

import org.json.JSONException;
import org.json.JSONObject;

import java.util.HashMap;

public class UserProfileActivity extends AppCompatActivity {

    public static final String CBR_PREFERENCES = "CBRPreferences";
    FloatingActionButton fab;
    Boolean noError = true;
    private long id;
    private String username, firstname, lastname, middlename, nameext, studentno, course, contactno, eadd,
        address;
    private UpdateProfileTask mAuthTask = null;
    private ProgressDialog pDialog;
    private static final String UPLOAD_URL = "http://192.168.43.32/cbr5/mobile-update-user.php";
    private static final String TAG_SUCCESS = "success";
    private static final String TAG_MESSAGE = "message";

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_user_profile);
        Toolbar toolbar = (Toolbar) findViewById(R.id.toolbar);
        setSupportActionBar(toolbar);

        assert getSupportActionBar() != null;
        getSupportActionBar().setDisplayHomeAsUpEnabled(true);
        getSupportActionBar().setDisplayShowTitleEnabled(false);

        final TextView fullNameTv = (TextView) findViewById(R.id.full_name_tv);
        final TextView userNameTv = (TextView) findViewById(R.id.username_tv);
        final TextView studentNoTv = (TextView) findViewById(R.id.student_no_tv);
        final TextView courseTv = (TextView) findViewById(R.id.course_tv);

        final Button cancelBtn = (Button) findViewById(R.id.cancel_btn);
        final Button updateBtn = (Button) findViewById(R.id.update_btn);

        final EditText addressEt = (EditText) findViewById(R.id.address_et);
        final EditText contactNoEt = (EditText) findViewById(R.id.contact_no_et);
        final EditText eAddEt = (EditText) findViewById(R.id.e_add_et);

        SharedPreferences cbrPreferences = getSharedPreferences(CBR_PREFERENCES, Context.MODE_PRIVATE);
        id = cbrPreferences.getInt("userID", 0);

        getIntent();
        if (id!=0) {
            Cursor c = getContentResolver().query(
                CBRContract.UserEntry.buildUserUri(id),
                null, null, null, null
            );

            if (c != null) {
                if (c.moveToFirst()) {

                    username = c.getString(c.getColumnIndex(CBRContract.UserEntry.COLUMN_USER_NAME));
                    lastname = c.getString(c.getColumnIndex(CBRContract.UserEntry.COLUMN_LAST_NAME));
                    firstname = c.getString(c.getColumnIndex(CBRContract.UserEntry.COLUMN_FIRST_NAME));
                    middlename = c.getString(c.getColumnIndex(CBRContract.UserEntry.COLUMN_MIDDLE_NAME));
                    nameext = c.getString(c.getColumnIndex(CBRContract.UserEntry.COLUMN_NAME_EXTENSION));
                    contactno = c.getString(c.getColumnIndex(CBRContract.UserEntry.COLUMN_CONTACT_NO));
                    eadd = c.getString(c.getColumnIndex(CBRContract.UserEntry.COLUMN_EMAIL_ADD));
                    studentno = c.getString(c.getColumnIndex(CBRContract.UserEntry.COLUMN_STUDENT_NO));
                    course = c.getString(c.getColumnIndex(CBRContract.UserEntry.COLUMN_COURSE));
                    address = c.getString(c.getColumnIndex(CBRContract.UserEntry.COLUMN_ADDRESS));

                    String fullName = firstname + " " + middlename + " " + lastname + " " + nameext;
                    fullNameTv.setText(fullName);
                    userNameTv.setText(username);
                }
            }
        }
    }
}

```

```

        studentNoTv.setText(studentno);
        courseTv.setText(course);
        contactNoEt.setText(contactno);
        eAddEt.setText(eadd);
        addressEt.setText(address);
    }
}

if (c != null) {
    c.close();
}
}

fab = (FloatingActionButton) findViewById(R.id.fab);
fab.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View view) {
        cancelBtn.setVisibility(View.VISIBLE);
        updateBtn.setVisibility(View.VISIBLE);
        addressEt.setFocusableInTouchMode(true);
        contactNoEt.setFocusableInTouchMode(true);
        eAddEt.setFocusableInTouchMode(true);
        fab.hide();
    }
});

cancelBtn.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {

        cancelBtn.setVisibility(View.GONE);
        updateBtn.setVisibility(View.GONE);
        addressEt.setFocusableInTouchMode(false);
        contactNoEt.setFocusableInTouchMode(false);
        eAddEt.setFocusableInTouchMode(false);
        addressEt.setFocusable(false);
        contactNoEt.setFocusable(false);
        eAddEt.setFocusable(false);
        fab.show();
    }
});

updateBtn.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {

        if (isOnline()) {
            contactno = checkTexttoString(contactNoEt);
            eadd = checkTexttoString(eAddEt);
            address = checkTexttoString(addressEt);
            if (noError) {
                HashMap<String, String> params = new HashMap<>();
                params.put("id", String.valueOf(id));
                params.put("contactno", contactno);
                params.put("eadd", eadd);
                params.put("address", address);
                attemptUpdate(String.valueOf(id), params);
            } else {
                noError = true;
                Toast.makeText(getApplicationContext(), "Errors found in your input!",
                    Toast.LENGTH_SHORT).show();
            }
        } else {
            Toast.makeText(getApplicationContext(), "No internet connection.", Toast.
                LENGTH_LONG).show();
        }
    }
});
}

/**
 * Checks if the contents of an EditText is empty and returns its value as String
 *
 * @param et Edit Text to check
 * @return the string value of the content of ET
 */
public String checkTexttoString(EditText et) {
    String str = et.getText().toString().trim();
    if (str.equals("")) {
        noError = false;
        et.setError("Field required.");
    }
    return str;
}

/**
 * create content values for the user table
 * @return content values of user
 */
public ContentValues createUserValues() {
    ContentValues userValues = new ContentValues();

```

```

        userValues.put(CBRContract.UserEntry._ID, id);
        userValues.put(CBRContract.UserEntry.COLUMN_USER_NAME, username);
        userValues.put(CBRContract.UserEntry.COLUMN_LAST_NAME, lastname);
        userValues.put(CBRContract.UserEntry.COLUMN_FIRST_NAME, firstname);
        userValues.put(CBRContract.UserEntry.COLUMN_MIDDLE_NAME, middlename);
        userValues.put(CBRContract.UserEntry.COLUMN_NAME_EXTENSION, nameext);
        userValues.put(CBRContract.UserEntry.COLUMN_CONTACT_NO, contactno);
        userValues.put(CBRContract.UserEntry.COLUMN_EMAIL_ADD, eadd);
        userValues.put(CBRContract.UserEntry.COLUMN_STUDENT_NO, studentno);
        userValues.put(CBRContract.UserEntry.COLUMN_COURSE, course);
        userValues.put(CBRContract.UserEntry.COLUMN_ADDRESS, address);

    }

    return userValues;
}

/**
 * Update the user information in local database
 * @param cp content values to be used in updating
 * @param id id of the row to update
 */
public void update(ContentValues cp, long id) {
    int count = getContentResolver().update(
        CBRContract.UserEntry.CONTENT_URI,
        cp,
        CBRContract.UserEntry._ID + "= ?",
        new String[]{Long.toString(id)});
    if (count != 0) {
        Log.v("User Profile ACTIVITY", String.valueOf(count));
        Toast.makeText(getApplicationContext(), "Update User for " + firstname + " " +
            lastname + " successful!", Toast.LENGTH_SHORT).show();
    } else
        Toast.makeText(getApplicationContext(), "Update not successful.", Toast.LENGTH_SHORT).
            show();
}

/**
 * Checks if the app is connected to the network
 * @return a boolean of the net information
 */
public boolean isOnline() {
    ConnectivityManager cm =
        (ConnectivityManager) getSystemService(Context.CONNECTIVITY_SERVICE);
    NetworkInfo netInfo = cm.getActiveNetworkInfo();
    return netInfo != null && netInfo.isConnectedOrConnecting();
}

/**
 * Attempts Update of the user profile form to the online database
 *
 * @param uid the Form ID of the row to get data
 * @param params parameters to the submitted in the httprequest
 */
private void attemptUpdate(String uid, HashMap<String, String> params) {
    if ( mAuthTask != null) {
        return;
    }
    boolean is_logged_in = true;
    if ("0".equals(uid)) {
        is_logged_in = false;
    }
    if (!is_logged_in) {
        Toast.makeText(getApplicationContext(), "You are not logged in.", Toast.LENGTH_SHORT).
            show();
    } else {
        mAuthTask = new UpdateProfileTask(params);
        mAuthTask.execute();
    }
}

/**
 * Represents an asynchronous login/registration task used to authenticate
 * the user.
 */
public class UpdateProfileTask extends AsyncTask<String, String, JSONObject> {

    HashMap<String, String> params;
    public UpdateProfileTask(HashMap<String, String> params) {
        this.params = params;
    }
    JSONParser jsonParser = new JSONParser();

    @Override
    protected void onPreExecute() {
        pDialog = new ProgressDialog(UserProfileActivity.this);
        pDialog.setMessage(" Attempting update...");
        pDialog.setIndeterminate(false);
        pDialog.setCancelable(true);
        pDialog.show();
    }

    @Override

```

```

protected JSONObject doInBackground(String... args) {
    try {
        JSONObject json = jsonParser.makeHttpRequest(
            UPLOAD_URL, "POST", params);
        if (json != null) {
            Log.d("JSON result", json.toString());
            return json;
        }
    } catch (Exception e) {
        e.printStackTrace();
    }
    return null;
}

@Override
protected void onPostExecute(JSONObject json) {
    mAuthTask = null;
    int success = 0;
    String message = "";
    if (pDialog != null && pDialog.isShowing()) {
        pDialog.dismiss();
    }
    if (json != null) {
        Toast.makeText(UserProfileActivity.this, json.toString(),
            Toast.LENGTH_LONG).show();
        try {
            success = json.getInt(TAG_SUCCESS);
            message = json.getString(TAG_MESSAGE);
        } catch (JSONException e) {
            e.printStackTrace();
        }
    } else {
        Toast.makeText(getApplicationContext(), "Cannot Upload Form", Toast.LENGTH_LONG).
            show();
    }
    if (success == 1) {
        update(createUserValues(), id);
        finish();
        startActivity(getIntent());
    } else {
        Log.e("Failure", message);
    }
}

@Override
protected void onCancelled() {
    mAuthTask = null;
}
}
}
}

```

## WHODASActivity.java

```

package com.example.android.cbrfm;

import android.app.ProgressDialog;
import android.content.ContentResolver;
import android.content.ContentUris;
import android.content.ContentValues;
import android.content.Context;
import android.content.Intent;
import android.content.SharedPreferences;
import android.database.Cursor;
import android.net.ConnectivityManager;
import android.net.NetworkInfo;
import android.net.Uri;
import android.os.AsyncTask;
import android.os.Bundle;
import android.support.v7.app.AppCompatActivity;
import android.support.v7.widget.Toolbar;
import android.util.Log;
import android.view.View;
import android.view.WindowManager;
import android.widget.Button;
import android.widget.EditText;
import android.widget.ImageView;
import android.widget.LinearLayout;
import android.widget.RadioButton;
import android.widget.RadioGroup;
import android.widget.TextView;
import android.widget.Toast;

import com.example.android.cbrfm.data.CBRContract;

import org.json.JSONException;
import org.json.JSONObject;

import java.text.DateFormat;
import java.util.Calendar;
import java.util.HashMap;

```



```

public class WHODASActivity extends AppCompatActivity {

    boolean noError = true;
    String [] headerStr;
    private LinearLayout section2, section4, domain1, domain2, domain3, domain4, domain51,
        domain52, domain6;
    private String formCodeStr, firstNameStr, lastNameStr, middleInitialStr, nameExtensionStr,
        pwdIDStr, interviewerStr, assessmentTimeStr, interviewDateStr, interviewTimeStr,
        livingSituationStr,
        a1Str, a2Str, a3Str, a4Str, a5OthersStr, a5ReasonStr, a5Str,
        s1, s2, s3, s4, s5, s6, s7, s8, s9, s10, s11, s12,
        d12, d13, d15, d16, d22, d23, d24, d33, d34, d43, d44, d45,
        d52, d53, d54, d56, d57, d58, d59, d510,
        d62, d63, d64, d66, d67, d68;
    private int h1Int, h2Int, h3Int, d501Int, d502Int;
    private long id;

    public static final String CBR_PREFERENCES = "CBRPreferences";
    private UploadWhodasTask mAuthTask = null;
    private ProgressDialog pDialog;
    private static final String UPLOAD_URL = "http://192.168.43.32/cbr5/mobile-upload-whodas.php";
    private static final String TAG_SUCCESS = "success";
    private static final String TAG_MESSAGE = "message";

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_whodas);
        this.getWindow().setSoftInputMode(WindowManager.LayoutParams.
            SOFT_INPUT_STATE_ALWAYS_HIDDEN);

        Toolbar toolbar = (Toolbar) findViewById(R.id.toolbar);
        setSupportActionBar(toolbar);

        assert getSupportActionBar() != null;
        getSupportActionBar().setDisplayHomeAsUpEnabled(true);

        SharedPreferences cbrPreferences = getSharedPreferences(CBR_PREFERENCES, Context.
            MODE_PRIVATE);
        int user_id = cbrPreferences.getInt("userID", 0);

        section2 = (LinearLayout) findViewById(R.id.wd_section2_content);
        section2.setVisibility(View.GONE);
        section4 = (LinearLayout) findViewById(R.id.wd_section4_content);
        section4.setVisibility(View.GONE);
        domain1 = (LinearLayout) findViewById(R.id.wd_domain1_content);
        domain1.setVisibility(View.GONE);
        domain2 = (LinearLayout) findViewById(R.id.wd_domain2_content);
        domain2.setVisibility(View.GONE);
        domain3 = (LinearLayout) findViewById(R.id.wd_domain3_content);
        domain3.setVisibility(View.GONE);
        domain4 = (LinearLayout) findViewById(R.id.wd_domain4_content);
        domain4.setVisibility(View.GONE);
        domain51 = (LinearLayout) findViewById(R.id.wd_domain51_content);
        domain51.setVisibility(View.GONE);
        domain52 = (LinearLayout) findViewById(R.id.wd_domain52_content);
        domain52.setVisibility(View.GONE);
        domain6 = (LinearLayout) findViewById(R.id.wd_domain6_content);
        domain6.setVisibility(View.GONE);

        headerStr = getResources().getStringArray(R.array.header_whodas);
        LinearLayout header1 = (LinearLayout) findViewById(R.id.wd_header1);
        setRadioHeaders(headerStr, header1);
        LinearLayout header2 = (LinearLayout) findViewById(R.id.wd_header2);
        setRadioHeaders(headerStr, header2);
        LinearLayout header3 = (LinearLayout) findViewById(R.id.wd_header3);
        setRadioHeaders(headerStr, header3);
        LinearLayout header4 = (LinearLayout) findViewById(R.id.wd_header4);
        setRadioHeaders(headerStr, header4);
        LinearLayout header5 = (LinearLayout) findViewById(R.id.wd_header5);
        setRadioHeaders(headerStr, header5);
        LinearLayout header6 = (LinearLayout) findViewById(R.id.wd_header6);
        setRadioHeaders(headerStr, header6);
        LinearLayout header7 = (LinearLayout) findViewById(R.id.wd_header7);
        setRadioHeaders(headerStr, header7);
        LinearLayout header8 = (LinearLayout) findViewById(R.id.wd_header8);
        setRadioHeaders(headerStr, header8);

        Intent intent = getIntent();
        if (intent != null && intent.hasExtra(Intent.EXTRA_TEXT)) {
            id = Long.parseLong(intent.getStringExtra(Intent.EXTRA_TEXT));
            findViewById(R.id.wd_save_btn).setVisibility(View.GONE);

            Cursor c = getContentResolver().query(
                CBRContract.WhodasEntry.buildWhodasUri(id),
                null, null, null, null);
            if (c != null) {
                if (c.moveToFirst()) {
                    String cTableName = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
                        COLUMN_TABLE_NAME));
                }
            }
        }
    }
}

```

```

String cTableDate = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.TABLE_DATE));
String cFormCode = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.FORM_CODE));

String cFirstName = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.FIRST_NAME));
String cLastName = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.LAST_NAME));
String cMI = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.MIDDLE_INITIAL));
String cNameExt = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.NAME_EXTENSION));
String cPwdId = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.PWD_ID));
String cInterviewerName = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.INTERVIEWER_NAME));
String cAssessment = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.ASSESSMENT_TIME_POINT));
String cInterviewDate = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.INTERVIEW_DATE_TIME));
String cLivingSituation = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.LIVING_SITUATION));

String cA1 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.A1));
String cA2 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.A2));
String cA3 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.A3));
String cA4 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.A4));
String cA5 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.A5));
String cA5IbaPa = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.A5_IBA_PA));
String cA5Dahilan = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.A5_DAHILAN));

String cS1 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.S1));
String cS2 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.S2));
String cS3 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.S3));
String cS4 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.S4));
String cS5 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.S5));
String cS6 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.S6));
String cS7 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.S7));
String cS8 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.S8));
String cS9 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.S9));
String cS10 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.S10));
);
String cS11 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.S11));
);
String cS12 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.S12));
);

String cD12 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D12));
);
String cD13 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D13));
);
String cD15 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D15));
);
String cD16 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D16));
);
String cD22 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D22));
);
String cD23 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D23));
);
String cD24 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D24));
);
String cD33 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D33));
);
String cD34 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D34));
);
String cD43 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D43));
);
String cD44 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D44));
);
String cD45 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D45));
);
String cD52 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D52));
);
String cD53 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D53));
);
String cD54 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D54));
);
String cD501 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.D501));
String cD56 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D56));
);
String cD57 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D57));
);
String cD58 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D58));
);
String cD59 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN.D59));
);
String cD510 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN.D510));
);

```

```

String cD502 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.
    COLUMN_D502));
String cD62 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN_D62)
);
String cD63 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN_D63)
);
String cD64 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN_D64)
);
String cD66 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN_D66)
);
String cD67 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN_D67)
);
String cD68 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN_D68)
);

String cH1 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN_H1));
String cH2 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN_H2));
String cH3 = c.getString(c.getColumnIndex(CBRContract.WhodasEntry.COLUMN_H3));

((EditText) findViewById(R.id.wd_form_code_et)).setText(cFormCode);
((EditText) findViewById(R.id.wd_first_name_et)).setText(cFirstName);
((EditText) findViewById(R.id.wd_last_name_et)).setText(cLastName);
((EditText) findViewById(R.id.wd_m_i_et)).setText(cMI);
((EditText) findViewById(R.id.wd_name_ext_et)).setText(cNameExt);

((EditText) findViewById(R.id.wd_pwd_id_et)).setText(cPwdId);
((EditText) findViewById(R.id.wd_interviewer_et)).setText(cInterviewerName);
((EditText) findViewById(R.id.wd_assessment_time_et)).setText(cAssessment);

String[] interviewDateTime = cInterviewDate.split(",");
((EditText) findViewById(R.id.wd_interview_date_et)).setText(interviewDateTime
[0]);
((EditText) findViewById(R.id.wd_interview_time_et)).setText(interviewDateTime
[1]);

int index;
RadioGroup rg;

String[] livingArray = {"Independent in community", "Assisted living", "
Hospitalized"};
index = getSelectedIndex(cLivingSituation, livingArray);
rg = (RadioGroup) findViewById(R.id.wd_f5_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

String[] a1Array = {"Babae", "Lalaki"};
index = getSelectedIndex(cA1, a1Array);
rg = (RadioGroup) findViewById(R.id.wd_a1_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
((EditText) findViewById(R.id.wd_a2_et)).setText(cA2);
((EditText) findViewById(R.id.wd_a3_et)).setText(cA3);
String[] a4Array = {"Hindi nakasal", "Kasalukuyang Kasal", "Hiwalay sa asawa",
"Diborsyado/a", "Biyudo/Biyuda", "Nakikisama"};
index = getSelectedIndex(cA4, a4Array);
rg = (RadioGroup) findViewById(R.id.wd_a4_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
String[] a5Array = {"May bayad/sweldo", "Sariling pinagkakakitaan", "Walang
bayad o boluntaryong gawain", "Mag-aaral (Student)", "Gawaing-bahay", "
Retirado/a", "Walang problema dahil sa problema sa kalusugan", "Walang
trabaho", "Iba pa"};
index = getSelectedIndex(cA5, a5Array);
rg = (RadioGroup) findViewById(R.id.wd_a5_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
((EditText) findViewById(R.id.wd_a5_dahilan_et)).setText(cA5Dahilan);
((EditText) findViewById(R.id.wd_a5_ibapa_et)).setText(cA5IbaPa);

index = getSelectedIndex(cS1, headerStr);
rg = (RadioGroup) findViewById(R.id.wd_s1_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS2, headerStr);
rg = (RadioGroup) findViewById(R.id.wd_s2_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS3, headerStr);
rg = (RadioGroup) findViewById(R.id.wd_s3_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS4, headerStr);
rg = (RadioGroup) findViewById(R.id.wd_s4_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS5, headerStr);
rg = (RadioGroup) findViewById(R.id.wd_s5_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS6, headerStr);
rg = (RadioGroup) findViewById(R.id.wd_s6_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS7, headerStr);
rg = (RadioGroup) findViewById(R.id.wd_s7_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS8, headerStr);
rg = (RadioGroup) findViewById(R.id.wd_s8_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS9, headerStr);
rg = (RadioGroup) findViewById(R.id.wd_s9_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

```



```

index = getSelectedIndex(cD68, headerStr);
rg = (RadioGroup) findViewById(R.id.wd_d6_8_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

((EditText) findViewById(R.id.wd_h1_et)).setText(cH1);
((EditText) findViewById(R.id.wd_h2_et)).setText(cH2);
((EditText) findViewById(R.id.wd_h3_et)).setText(cH3);

c.close();

if (intent.getBooleanExtra("SendAsEmail", false)) {
    String message;

    message = "FORM TYPE: " + cTableName +
        "\nDate Created: " + cTableDate +
        "\nFORM CODE:\t " + cFormCode +
        "\nPangalan ng KMK: \n\t\t" + cFirstName + " " + cMI + ". " +
        cLastName + ", " + cNameExt +
        "\n\nSECTION 1. FACE SHEET\n" +
        "\nF1 Respondent Identity Number: \n\t\t" + cPwdId +
        "\nF2 Interviewer Identity Name: \n\t\t" + cInterviewerName +
        "\nF3 Assessment Time Point: \n\t\t" + cAssessment +
        "\nF4 Date and Time of Interview: \n\t\t" + cInterviewDate +
        "\nF5 Living situation at time of interview: \n\t\t" +
        cLivingSituation +
        "\n\nSECTION 2. DEMOGRAPHIC AND BACKGROUND INFORMATION\n" +
        "\nA1 Itala ang kasarian ayon sa na-observer: \n\t\t" + cA1 +
        "\nA2 Ilang taon ka na ngayon: \n\t\t" + cA2 +
        "\nA3 Sa kabuuan, ilang taon ang ginugol mo sa pagaaral sa
        paaralan? \n\t\t" + cA3 +
        "\nA4 Ano ngayon ang iyong estado sibil? \n\t\t" + cA4 +
        "\nA5 Ano ang pinakamagandang paglalarawan ng kalagayan ng iyong
        hanapbuhay sa ngayon? \n\t\t" + cA5 +
        "\nA5 Iba pa? \n\t\t" + cA5IbaPa +
        "\nKung ang sagot mo sa A5 ay \"Walang trabaho (dahilan?)\",
        isulat ang dahilan sa textbox sa baba. \n\t\t" + cA5Dahilan +
        "\n\nSECTION 4. CORE QUESTIONS\n" +
        "\nNitong nakaraang 30 araw, gaanong hirap ang dinanas ng iyong
        kamag-anak sa:\n" +
        "\nS1.\tPagtayo ng matagal tulad ng 30 minuto? \n\t\t" + cS1 +
        "\nS2.\tPaggawa ng mgaresponsibilidad sa tahanan? \n\t\t" + cS2 +
        "\nS3.\tPag-alam ng mga bagong gawain: Halimbawa paanong pumunta
        sa bagong lugar? \n\t\t" + cS3 +
        "\nS4.\tPagsali sa mga gawaing pangkomunidad (tulad ng mga pista,
        prusisyon, atbp.) kung ikukumpara ninyo sa pangkaraniwang
        mamamayan? \n\t\t" + cS4 +
        "\nS5.\tGaano katindi naapektuhan ang kanyang emosyon sa kanyang
        kondisyon? \n\t\t" + cS5 +
        "\nS6.\tPagtuon sa paggawa ng isang bagay sa loob ng isang minuto?
        \n\t\t" + cS6 +
        "\nS7.\tPaglakad ng malayo tulad ng 1 kilometro (o katumbas nito)?
        \n\t\t" + cS7 +
        "\nS8.\tPagpapaligo sa kanyang buong katawan? \n\t\t" + cS8 +
        "\nS9.\tPagbibihis? \n\t\t" + cS9 +
        "\nS10. Pakikisalamuha sa mga taong di nya kilala? \n\t\t" + cS10
        +
        "\nS11. Pagpapanatili ng pagkakaibigan? \n\t\t" + cS11 +
        "\nS12. Pang-araw-araw na gawain sa trabaho/paaralan? \n\t\t" +
        cS12 +
        "\n\nDOMAIN 1. COGNITION\n" +
        "\nNitong nakaraang 30 araw, gaanong hirap ang dinanas ng iyong
        kamag-anak sa:\n" +
        "\nD1.2 Pag-alala sa paggawa ng mga mahahalagang bagay? \n\t\t" +
        cD12 +
        "\nD1.3 Pagsuri at paghanap ng solusyon sa mga problema sa pang-
        araw-araw na buhay? \n\t\t" + cD13 +
        "\nD1.5 Pag-unawa kung ano ang pangkalahatang sinasabi ng mga tao?
        \n\t\t" + cD15 +
        "\nD1.6 Pagsisimula at pagpapatuloy ng usapan? \n\t\t" + cD16 +
        "\n\nDOMAIN 2. MOBILITY\n" +
        "\nNitong nakaraang 30 araw, gaanong hirap ang dinanas ng iyong
        kamag-anak sa:\n" +
        "\nD2.2 Pagtayo mula sa pagkaka-upo? \n\t\t" + cD22 +
        "\nD2.3 Pagkilos sa loob ng iyong bahay? \n\t\t" + cD23 +
        "\nD2.4 Paglabas sa iyong bahay? \n\t\t" + cD24 +
        "\n\nDOMAIN 3. SELF-CARE\n" +
        "\nNitong nakaraang 30 araw, gaanong hirap ang dinanas ng iyong
        kamag-anak sa:\n" +
        "\nD3.3 Pagkain? \n\t\t" + cD33 +
        "\nD3.4 Pagiging mag-isa sa buong araw? \n\t\t" + cD34 +
        "\n\nDOMAIN 4. GETTING ALONG\n" +
        "\nNitong nakaraang 30 araw, gaanong hirap ang dinanas ng iyong
        kamag-anak sa:\n" +
        "\nD4.3 Pakikisama sa mga taong malapit sa inyo? \n\t\t" + cD43 +
        "\nD4.4 Pakikipagkaibigan? \n\t\t" + cD44 +
        "\nD4.5 Gawaing Sekswal? \n\t\t" + cD45 +
        "\n\nDOMAIN 5.1. HOUSEHOLD ACTIVITIES\n" +
        "\nDahil sa iyong kalagayang pangkalusugan nitong nakaraang 30
        araw, gaano katinding hirap ang naranasan niyo sa:\n" +
        "\nD5.2 Maayos na pagsasagawa ng mahahalagang gawain sa bahay? \n\t\t" + cD52 +

```

```

        "\nD5.3 Pagtapos ng lahat ng mga kailangang gawin sa bahay? \n\t\t" + cD53 +
        "\nD5.4 Mabilis na pagtapos ng mga kailangang gawin sa bahay? \n\t\t" + cD54 +
        "\nD5.01 Sa nakaraang 30 araw, ilang araw mo binawasan o hindi ginawa ang mga gawaing-bahay dahil sa iyong kondisyong pangkalusugan? \n\t\t" + cD501 +
        "\n\n\nDOMAIN 5.2. WORK OR SCHOOL ACTIVITIES\n" +
        "\nDahil sa iyong kalagayang pangkalusugan nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:\n" +
        "\nD5.6 Maayos na paggawa ng iyong mga pinakamahalagang gawain sa trabaho/paaralan? \n\t\t" + cD56 +
        "\nD5.7 Pagtapos ng lahat ng mga kailangang gawin? \n\t\t" + cD57 +
        "\nD5.8 Pagtapos ng iyong gawain sa angkop na bilis? \n\t\t" + cD58 +
        "\nD5.9 Kinailangan ka bang malagay sa mas mababang posisyon sa trabaho dahil sa iyong kalagayang pangkalusugan? \n\t\t" + cD59 +
        "\nD5.10 Bumaba ba ang iyong sweldo dahil sa iyong kalagayang pangkalusugan? \n\t\t" + cD510 +
        "\nD5.02 Sa nakaraang 30 araw, ilang araw kang lumiban ng kalahating araw o higit pa dahil sa iyong kalagayang pangkalusugan? \n\t\t" + cD502 +
        "\n\n\nDOMAIN 6. PARTICIPATION\n" +
        "\nNitong nakaraan 30 araw:\n" +
        "\nD6.2 Gaano katinding hirap ang iyong naranasan dahil sa mga hadlang sa iyong kapaligiran? \n\t\t" + cD62 +
        "\nD6.3 Gaano katinding hirap ang mamuhay nang may dignidad dahil sa mga ugali at kilos ng iba? \n\t\t" + cD63 +
        "\nD6.4 Gaano karaming panahon ang iyong ginugugol sa pangangalaga sa iyong kondisyong pangkalusugan at mga naidulot nito? \n\t\t" + cD64 +
        "\nD6.6 Gaano kalabis ang nababawas sa pinansyal na kakayahan mo o ng iyong pamilya ng iyong kondisyong pangkalusugan? \n\t\t" + cD66 +
        "\nD6.7 Gaano kalaking problema ang naidulot ng iyong kondisyong pangkalusugan sa iyong pamilya? \n\t\t" + cD67 +
        "\nD6.8 Gaano katindi ang hirap mong magkaroon ng pansariling libangan at pag-relaks dahil sa iyong kondisyong pangkalusugan? \n\t\t" + cD68 +

        "\n\n\nH1.\tSa pangkalahatan, ilang araw niyang naranasan ang mga problemang ito sa nakaraang 30 araw? \n\t\t" + cH1 +
        "\nH2.\tSa nakaraang 30 araw, ilang araw niyang hindi nagawa ang kanyang mgapangkaraniwang gawain o trabaho dahil sa kalagayang pangkalusugan? \n\t\t" + cH2 +
        "\nH3.\tSa nakaraang 30 araw, bukod sa mga araw na di siya nakagawa, ilang araw niyang binawasan ang kanyang mga gawain dahil sa kanyang kalagayang pangkalusugan? \n\t\t" + cH3 +
        "\n" +
        "\n\n Submitted by: \n\t\t" +
        "user";

    Intent i = new Intent(Intent.ACTION_SEND);
    i.setType("message/rfc822");
    i.putExtra(Intent.EXTRA_SUBJECT, "Form Submission: WHODAS");
    i.putExtra(Intent.EXTRA_TEXT, message);
    try {
        startActivity(Intent.createChooser(i, "Send mail..."));
    } catch (android.content.ActivityNotFoundException ex) {
        Toast.makeText(WHODASActivity.this, "There are no email clients installed.", Toast.LENGTH_SHORT).show();
    }
}

if (intent.getBooleanExtra("upload", false)) {
    if (isOnline()) {
        HashMap<String, String> params = new HashMap<>();
        params.put("formcode", cFormCode);
        params.put("datecompleted", cTableDate);
        params.put("userid", String.valueOf(user_id));
        params.put("lastname", cLastName);
        params.put("firstname", cFirstName);
        params.put("middleinitial", cMI);
        params.put("nameext", cNameExt);
        params.put("pwdidno", cPwdId);
        params.put("interviewername", cInterviewerName);
        params.put("assessmenttime", cAssessment);
        params.put("interviewdatetime", cInterviewDate);
        params.put("livingsituation", cLivingSituation.toLowerCase());
        params.put("kasarian", cA1.toLowerCase());
        params.put("edad", cA2);
        params.put("taosapagaaral", cA3);
        params.put("estadosibil", cA4.toLowerCase());
        params.put("hanapbuhay", cA5.toLowerCase());
        params.put("dahilanwala", cA5Dahilan);

        params.put("s1", cS1);
        params.put("s2", cS2);
        params.put("s3", cS3);
        params.put("s4", cS4);
    }
}

```

```

        params.put("s5", cS5);
        params.put("s6", cS6);
        params.put("s7", cS7);
        params.put("s8", cS8);
        params.put("s9", cS9);
        params.put("s10", cS10);
        params.put("s11", cS11);
        params.put("s12", cS12);

        params.put("d12", cD12);
        params.put("d13", cD13);
        params.put("d15", cD15);
        params.put("d16", cD16);

        params.put("d22", cD22);
        params.put("d23", cD23);
        params.put("d24", cD24);

        params.put("d33", cD33);
        params.put("d34", cD34);

        params.put("d43", cD43);
        params.put("d44", cD44);
        params.put("d45", cD45);

        params.put("d52", cD52);
        params.put("d53", cD53);
        params.put("d54", cD54);
        params.put("d501", cD501);
        params.put("d56", cD56);
        params.put("d57", cD57);
        params.put("d58", cD58);
        params.put("d59", cD59.toLowerCase());
        params.put("d510", cD510.toLowerCase());
        params.put("d502", cD502);

        params.put("d62", cD62);
        params.put("d63", cD63);
        params.put("d64", cD64);
        params.put("d66", cD66);
        params.put("d67", cD67);
        params.put("d68", cD68);

        params.put("h1", cH1);
        params.put("h2", cH2);
        params.put("h3", cH3);
        attemptUpload(user_id, cFormCode, params);
    } else {
        Toast.makeText(getApplicationContext(), "No internet connection.",
            Toast.LENGTHLONG).show();
    }
}
}
} else {
    findViewById(R.id.wd.update_btn).setVisibility(View.GONE);
}

Button cancelBtn = (Button) findViewById(R.id.wd.cancel_btn);
cancelBtn.setOnClickListener(new View.OnClickListener() {
    public void onClick(View v) {
        startActivity(new Intent(WHODASActivity.this, MainActivity.class));
    }
});

Button saveBtn = (Button) findViewById(R.id.wd.save_btn);
saveBtn.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        getAndValidateData();
        if (noError) {
            insert(createWhodasValues("Saved"));
            startActivity(new Intent(WHODASActivity.this, MainActivity.class));
            Toast.makeText(getApplicationContext(), "Form <form_name> successfully saved
                !", Toast.LENGTHLONG).show();
        } else {
            noError = true;
            Toast.makeText(getApplicationContext(), "Errors found in your input!", Toast.
                LENGTHSHORT).show();
        }
    }
});

Button updateBtn = (Button) findViewById(R.id.wd.update_btn);
updateBtn.setOnClickListener(new View.OnClickListener() {
    public void onClick(View v) {
        getAndValidateData();
        if (noError) {
            update(createWhodasValues("Updated"), id);
            startActivity(new Intent(WHODASActivity.this, MainActivity.class));
            Toast.makeText(getApplicationContext(), "Form <form_name> successfully saved
                !", Toast.LENGTHLONG).show();
        }
    }
});

```

```

        } else {
            noError = true;
            Toast.makeText(getApplicationContext(), "Errors found in your input!", Toast.
                LENGTH_SHORT).show();
        }
    });
}

/**
 * gets and validate the input in the form
 */
public int getSelectedIndex(String selected, String[] strArray) {
    int index = 0;
    for (int i = 0; i < strArray.length; i++) {
        if (selected.equalsIgnoreCase(strArray[i])) {
            index = i;
            break;
        }
    }
    return index;
}

public void toggle_section2(View v) {
    section2.setVisibility(section2.isShown()
        ? View.GONE
        : View.VISIBLE);
    if (section2.isShown())
        ((ImageView) findViewById(R.id.wd_section2_btn)).setImageResource(android.R.drawable.
            arrow_up_float);
    else
        ((ImageView) findViewById(R.id.wd_section2_btn)).setImageResource(android.R.drawable.
            arrow_down_float);
}

public void toggle_section4(View v) {
    section4.setVisibility(section4.isShown()
        ? View.GONE
        : View.VISIBLE);
    if (section4.isShown())
        ((ImageView) findViewById(R.id.wd_section4_btn)).setImageResource(android.R.drawable.
            arrow_up_float);
    else
        ((ImageView) findViewById(R.id.wd_section4_btn)).setImageResource(android.R.drawable.
            arrow_down_float);
}

public void toggle_domain1(View v) {
    domain1.setVisibility(domain1.isShown()
        ? View.GONE
        : View.VISIBLE);
    if (domain1.isShown())
        ((ImageView) findViewById(R.id.wd_domain1_btn)).setImageResource(android.R.drawable.
            arrow_up_float);
    else
        ((ImageView) findViewById(R.id.wd_domain1_btn)).setImageResource(android.R.drawable.
            arrow_down_float);
}

public void toggle_domain2(View v) {
    domain2.setVisibility(domain2.isShown()
        ? View.GONE
        : View.VISIBLE);
    if (domain2.isShown())
        ((ImageView) findViewById(R.id.wd_domain2_btn)).setImageResource(android.R.drawable.
            arrow_up_float);
    else
        ((ImageView) findViewById(R.id.wd_domain2_btn)).setImageResource(android.R.drawable.
            arrow_down_float);
}

public void toggle_domain3(View v) {
    domain3.setVisibility(domain3.isShown()
        ? View.GONE
        : View.VISIBLE);
    if (domain3.isShown())
        ((ImageView) findViewById(R.id.wd_domain3_btn)).setImageResource(android.R.drawable.
            arrow_up_float);
    else
        ((ImageView) findViewById(R.id.wd_domain3_btn)).setImageResource(android.R.drawable.
            arrow_down_float);
}

public void toggle_domain4(View v) {
    domain4.setVisibility(domain4.isShown()
        ? View.GONE
        : View.VISIBLE);
    if (domain4.isShown())
        ((ImageView) findViewById(R.id.wd_domain4_btn)).setImageResource(android.R.drawable.
            arrow_up_float);
    else

```



```

        ((ImageView) findViewById(R.id.wd_domain4_btn)).setImageResource(android.R.drawable.
            arrow_down_float);
    }

    public void toggle_domain51(View v) {
        domain51.setVisibility(domain51.isShown()
            ? View.GONE
            : View.VISIBLE);
        if (domain51.isShown())
            ((ImageView) findViewById(R.id.wd_domain51_btn)).setImageResource(android.R.drawable.
                arrow_up_float);
        else
            ((ImageView) findViewById(R.id.wd_domain51_btn)).setImageResource(android.R.drawable.
                arrow_down_float);
    }

    public void toggle_domain52(View v) {
        domain52.setVisibility(domain52.isShown()
            ? View.GONE
            : View.VISIBLE);
        if (domain52.isShown())
            ((ImageView) findViewById(R.id.wd_domain52_btn)).setImageResource(android.R.drawable.
                arrow_up_float);
        else
            ((ImageView) findViewById(R.id.wd_domain52_btn)).setImageResource(android.R.drawable.
                arrow_down_float);
    }

    public void toggle_domain6(View v) {
        domain6.setVisibility(domain6.isShown()
            ? View.GONE
            : View.VISIBLE);
        if (domain6.isShown())
            ((ImageView) findViewById(R.id.wd_domain6_btn)).setImageResource(android.R.drawable.
                arrow_up_float);
        else
            ((ImageView) findViewById(R.id.wd_domain6_btn)).setImageResource(android.R.drawable.
                arrow_down_float);
    }

    public void setRadioHeaders(String[] str, LinearLayout ll) {
        for (int i = 0; i < str.length; i++) {
            TextView tv = (TextView) ll.getChildAt(i);
            tv.setText(str[i]);
        }
    }

    /**
     * gets and validate the input in the form
     */
    public void getAndValidateData() {

        EditText formCode = (EditText) findViewById(R.id.wd_form_code_et);
        formCodeStr = formCode.getText().toString().trim();
        EditText firstName = (EditText) findViewById(R.id.wd_first_name_et);
        firstNameStr = checkTexttoString(firstName);
        EditText lastName = (EditText) findViewById(R.id.wd_last_name_et);
        lastNameStr = checkTexttoString(lastName);
        EditText middleInitial = (EditText) findViewById(R.id.wd_m_i_et);
        middleInitialStr = checkTexttoString(middleInitial);
        nameExtensionStr = ((EditText) findViewById(R.id.wd_name_ext_et)).getText().toString().
            trim();

        //SECTION 1: Face Sheet
        EditText pwdID = (EditText) findViewById(R.id.wd_pwd_id_et);
        pwdIDStr = checkTexttoString(pwdID);
        EditText interviewer = (EditText) findViewById(R.id.wd_interviewer_et);
        interviewerStr = checkTexttoString(interviewer);
        EditText assessmentTime = (EditText) findViewById(R.id.wd_assessment_time_et);
        assessmentTimeStr = checkTexttoString(assessmentTime);
        EditText interviewDate = (EditText) findViewById(R.id.wd_interview_date_et);
        interviewDateStr = checkTexttoString(interviewDate);
        EditText interviewTime = (EditText) findViewById(R.id.wd_interview_time_et);
        interviewTimeStr = checkTexttoString(interviewTime);
        livingSituationStr = getRadioValue((TextView) findViewById(R.id.wd_living_situation_text),
            (RadioGroup) findViewById(R.id.wd_f5_radio));

        //SECTION 2: Demographic and background information
        int rbSex = ((RadioGroup) findViewById(R.id.wd_a1_radio)).getCheckedRadioButtonId();
        if (rbSex != -1) {
            a1Str = ((RadioButton) findViewById(rbSex)).getText().toString().trim();
            ((TextView) findViewById(R.id.wd_a1_text)).setError(null);
        } else {
            noError = false;
            ((TextView) findViewById(R.id.wd_a1_text)).setError("Field required.");
        }
        EditText a2 = (EditText) findViewById(R.id.wd_a2_et);
        a2Str = checkTexttoString(a2);
        EditText a3 = (EditText) findViewById(R.id.wd_a3_et);
        a3Str = checkTexttoString(a3);
        a4Str = getRadioValue((TextView) findViewById(R.id.wd_a4_text), (RadioGroup) findViewById(
            R.id.wd_a4_radio));
    }

```

```

int rbOccupation = ((RadioGroup) findViewById(R.id.wd_a5_radio)).getCheckedRadioButtonId()
;
View radioButton = findViewById(R.id.wd_a5_radio).findViewById(rbOccupation);
int idx = ((RadioGroup) findViewById(R.id.wd_a5_radio)).indexOfChild(radioButton);
a5Str = "";
a5OthersStr = "";
a5ReasonStr = "";
if (rbOccupation != -1) {
    a5Str = ((RadioButton) findViewById(rbOccupation)).getText().toString().trim();
    ((TextView) findViewById(R.id.wd_a5_text)).setError(null);
} else {
    if (idx == 7)
        a5ReasonStr = ((EditText) findViewById(R.id.wd_a5_dahilan_et)).getText().toString()
            .trim();
    if (idx == 8)
        a5OthersStr = ((EditText) findViewById(R.id.wd_a5_ibapa_et)).getText().toString()
            .trim();
    noError = false;
    ((TextView) findViewById(R.id.wd_a5_text)).setError("Field required.");
}

//SECTION 4: Core questions
s1 = getRadio6Value((TextView) findViewById(R.id.wd_s1_text), (RadioGroup) findViewById(R.
id.wd_s1_radio), headerStr);
s2 = getRadio6Value((TextView) findViewById(R.id.wd_s2_text), (RadioGroup) findViewById(R.
id.wd_s2_radio), headerStr);
s3 = getRadio6Value((TextView) findViewById(R.id.wd_s3_text), (RadioGroup) findViewById(R.
id.wd_s3_radio), headerStr);
s4 = getRadio6Value((TextView) findViewById(R.id.wd_s4_text), (RadioGroup) findViewById(R.
id.wd_s4_radio), headerStr);
s5 = getRadio6Value((TextView) findViewById(R.id.wd_s5_text), (RadioGroup) findViewById(R.
id.wd_s5_radio), headerStr);
s6 = getRadio6Value((TextView) findViewById(R.id.wd_s6_text), (RadioGroup) findViewById(R.
id.wd_s6_radio), headerStr);
s7 = getRadio6Value((TextView) findViewById(R.id.wd_s7_text), (RadioGroup) findViewById(R.
id.wd_s7_radio), headerStr);
s8 = getRadio6Value((TextView) findViewById(R.id.wd_s8_text), (RadioGroup) findViewById(R.
id.wd_s8_radio), headerStr);
s9 = getRadio6Value((TextView) findViewById(R.id.wd_s9_text), (RadioGroup) findViewById(R.
id.wd_s9_radio), headerStr);
s10 = getRadio6Value((TextView) findViewById(R.id.wd_s10_text), (RadioGroup) findViewById(
R.id.wd_s10_radio), headerStr);
s11 = getRadio6Value((TextView) findViewById(R.id.wd_s11_text), (RadioGroup) findViewById(
R.id.wd_s11_radio), headerStr);
s12 = getRadio6Value((TextView) findViewById(R.id.wd_s12_text), (RadioGroup) findViewById(
R.id.wd_s12_radio), headerStr);

//DOMAIN 1: Cognition
d12 = getRadio6Value((TextView) findViewById(R.id.wd_d1_2_text), (RadioGroup) findViewById
(R.id.wd_d1_2_radio), headerStr);
d13 = getRadio6Value((TextView) findViewById(R.id.wd_d1_3_text), (RadioGroup) findViewById
(R.id.wd_d1_3_radio), headerStr);
d15 = getRadio6Value((TextView) findViewById(R.id.wd_d1_5_text), (RadioGroup) findViewById
(R.id.wd_d1_5_radio), headerStr);
d16 = getRadio6Value((TextView) findViewById(R.id.wd_d1_6_text), (RadioGroup) findViewById
(R.id.wd_d1_6_radio), headerStr);

//DOMAIN 2: Mobility
d22 = getRadio6Value((TextView) findViewById(R.id.wd_d2_2_text), (RadioGroup) findViewById
(R.id.wd_d2_2_radio), headerStr);
d23 = getRadio6Value((TextView) findViewById(R.id.wd_d2_3_text), (RadioGroup) findViewById
(R.id.wd_d2_3_radio), headerStr);
d24 = getRadio6Value((TextView) findViewById(R.id.wd_d2_4_text), (RadioGroup) findViewById
(R.id.wd_d2_4_radio), headerStr);

//DOMAIN 3: Self-Care
d33 = getRadio6Value((TextView) findViewById(R.id.wd_d3_3_text), (RadioGroup) findViewById
(R.id.wd_d3_3_radio), headerStr);
d34 = getRadio6Value((TextView) findViewById(R.id.wd_d3_4_text), (RadioGroup) findViewById
(R.id.wd_d3_4_radio), headerStr);

//DOMAIN 4: Getting along
d43 = getRadio6Value((TextView) findViewById(R.id.wd_d4_3_text), (RadioGroup) findViewById
(R.id.wd_d4_3_radio), headerStr);
d44 = getRadio6Value((TextView) findViewById(R.id.wd_d4_4_text), (RadioGroup) findViewById
(R.id.wd_d4_4_radio), headerStr);
d45 = getRadio6Value((TextView) findViewById(R.id.wd_d4_5_text), (RadioGroup) findViewById
(R.id.wd_d4_5_radio), headerStr);

//DOMAIN 5.1: Household Activities
d52 = getRadio6Value((TextView) findViewById(R.id.wd_d5_2_text), (RadioGroup) findViewById
(R.id.wd_d5_2_radio), headerStr);
d53 = getRadio6Value((TextView) findViewById(R.id.wd_d5_3_text), (RadioGroup) findViewById
(R.id.wd_d5_3_radio), headerStr);
d54 = getRadio6Value((TextView) findViewById(R.id.wd_d5_4_text), (RadioGroup) findViewById
(R.id.wd_d5_4_radio), headerStr);
EditText d501 = (EditText) findViewById(R.id.wd_d5_01_et);
d501Int = checkTextToInt(d501);

//DOMAIN 5.2: Work or School activities

```

```

d56 = getRadio6Value((TextView) findViewById(R.id.wd_d5_6_text), (RadioGroup) findViewById(R.id.wd_d5_6_radio), headerStr);
d57 = getRadio6Value((TextView) findViewById(R.id.wd_d5_7_text), (RadioGroup) findViewById(R.id.wd_d5_7_radio), headerStr);
d58 = getRadio6Value((TextView) findViewById(R.id.wd_d5_8_text), (RadioGroup) findViewById(R.id.wd_d5_8_radio), headerStr);
d59 = getRadioValue((TextView) findViewById(R.id.wd_d5_9_text), (RadioGroup) findViewById(R.id.wd_d5_9_radio));
d510 = getRadioValue((TextView) findViewById(R.id.wd_d5_10_text), (RadioGroup) findViewById(R.id.wd_d5_10_radio));
EditText d502 = (EditText) findViewById(R.id.wd_d5_02_et);
d502Int = checkTextttoInt(d502);

//DOMAIN 6: Participation
d62 = getRadio6Value((TextView) findViewById(R.id.wd_d6_2_text), (RadioGroup) findViewById(R.id.wd_d6_2_radio), headerStr);
d63 = getRadio6Value((TextView) findViewById(R.id.wd_d6_3_text), (RadioGroup) findViewById(R.id.wd_d6_3_radio), headerStr);
d64 = getRadio6Value((TextView) findViewById(R.id.wd_d6_4_text), (RadioGroup) findViewById(R.id.wd_d6_4_radio), headerStr);
d66 = getRadio6Value((TextView) findViewById(R.id.wd_d6_6_text), (RadioGroup) findViewById(R.id.wd_d6_6_radio), headerStr);
d67 = getRadio6Value((TextView) findViewById(R.id.wd_d6_7_text), (RadioGroup) findViewById(R.id.wd_d6_7_radio), headerStr);
d68 = getRadio6Value((TextView) findViewById(R.id.wd_d6_8_text), (RadioGroup) findViewById(R.id.wd_d6_8_radio), headerStr);

//H edit text values
EditText h1 = (EditText) findViewById(R.id.wd_h1_et);
h1Int = checkTextttoInt(h1);
EditText h2 = (EditText) findViewById(R.id.wd_h2_et);
h2Int = checkTextttoInt(h2);
EditText h3 = (EditText) findViewById(R.id.wd_h3_et);
h3Int = checkTextttoInt(h3);
}

/**
 * Checks if the contents of an EditText is empty and returns its value as String
 *
 * @param et Edit Text to check
 * @return the string value of the content of ET
 */
public String checkTextttoString(EditText et) {
    String str = et.getText().toString().trim();
    if (str.equals("")) {
        noError = false;
        et.setError("Field required.");
    }
    return str;
}

/**
 * Checks if the contents of an EditText is empty and returns its value as Integer
 *
 * @param et Edit Text to check
 * @return the integer value of the content of ET
 */
public int checkTextttoInt(EditText et) {
    String str = et.getText().toString().trim();
    int value = 0;

    if (str.equals("")) {
        et.setError("Field required.");
        noError = false;
    } else {
        value = Integer.parseInt(str);
        if (value > 30 || value < 0) {
            et.setError("Please input a number between 0 to 30");
            noError = false;
        } else {
            et.setError(null);
        }
    }
    return value;
}

/**
 * gets the radio value of the checked radio button in a radio group
 *
 * @param tv text view to focus when there's an error
 * @param rg radio group where the button belongs
 * @return the string value of the selected radio button
 */
public String getRadioValue(TextView tv, RadioGroup rg) {
    String str = null;
    int rb = rg.getCheckedRadioButtonId();
    if (rb != -1) {
        str = ((RadioButton) findViewById(rb)).getText().toString().trim();
        tv.setError(null);
    } else {
        noError = false;
        tv.setError("Field required.");
    }
}

```

```

        return str;
    }

/**
 * gets the radio value of the checked radio button in a radio group
 * @param tv      text view to focus when there's an error
 * @param rg      radio group where the button belongs
 * @param strArray array to get values from
 * @return the string value of the selected radio button
 */
public String getRadio6Value(Textview tv, RadioGroup rg, String[] strArray) {
    int radioButtonID = rg.getCheckedRadioButtonId();
    View radioButton = rg.findViewById(radioButtonID);

    String str = null;

    if (radioButtonID != -1) {
        tv.setError(null);
        int idx = rg.indexOfChild(radioButton);
        str = strArray[idx];
    } else {
        tv.setError(" Field Required");
        noError = false;
    }
    return str;
}

/**
 * creates the content values for the whodas table
 * @param status the status of the entry to be passed
 * @return the content values of whodas
 */
public ContentValues createWhodasValues(String status) {

    ContentValues testValues = new ContentValues();
    Calendar current = Calendar.getInstance();
    DateFormat format = DateFormat.getDateTimeInstance();
    String timestamp = format.format(current.getTimeInMillis());

    testValues.put(CBRContract.WhodasEntry.COLUMN_TABLE_NAME, "WHODAS");
    testValues.put(CBRContract.WhodasEntry.COLUMN_TABLE_DATE, timestamp);

    testValues.put(CBRContract.WhodasEntry.COLUMN_FORM_CODE, formCodeStr);
    testValues.put(CBRContract.WhodasEntry.COLUMN_STATUS, status);

    testValues.put(CBRContract.WhodasEntry.COLUMN_FIRST_NAME, firstNameStr);
    testValues.put(CBRContract.WhodasEntry.COLUMN_LAST_NAME, lastNameStr);
    testValues.put(CBRContract.WhodasEntry.COLUMN_MIDDLE_INITIAL, middleInitialStr);
    testValues.put(CBRContract.WhodasEntry.COLUMN_NAME_EXTENSION, nameExtensionStr);

    testValues.put(CBRContract.WhodasEntry.COLUMN_PWD_ID, pwdIDStr);
    testValues.put(CBRContract.WhodasEntry.COLUMN_INTERVIEWER_NAME, interviewerStr);
    testValues.put(CBRContract.WhodasEntry.COLUMN_ASSESSMENT_TIME_POINT, assessmentTimeStr);
    testValues.put(CBRContract.WhodasEntry.COLUMN_INTERVIEW_DATE_TIME, interviewDateStr + ", "
        + interviewTimeStr);
    testValues.put(CBRContract.WhodasEntry.COLUMN_LIVING_SITUATION, livingSituationStr);

    testValues.put(CBRContract.WhodasEntry.COLUMN_A1, a1Str);
    testValues.put(CBRContract.WhodasEntry.COLUMN_A2, a2Str);
    testValues.put(CBRContract.WhodasEntry.COLUMN_A3, a3Str);
    testValues.put(CBRContract.WhodasEntry.COLUMN_A4, a4Str);
    testValues.put(CBRContract.WhodasEntry.COLUMN_A5, a5Str);
    testValues.put(CBRContract.WhodasEntry.COLUMN_A5_DAHILAN, a5ReasonStr);
    testValues.put(CBRContract.WhodasEntry.COLUMN_A5_IBA_PA, a5OthersStr);

    testValues.put(CBRContract.WhodasEntry.COLUMN_S1, s1);
    testValues.put(CBRContract.WhodasEntry.COLUMN_S2, s2);
    testValues.put(CBRContract.WhodasEntry.COLUMN_S3, s3);
    testValues.put(CBRContract.WhodasEntry.COLUMN_S4, s4);
    testValues.put(CBRContract.WhodasEntry.COLUMN_S5, s5);
    testValues.put(CBRContract.WhodasEntry.COLUMN_S6, s6);
    testValues.put(CBRContract.WhodasEntry.COLUMN_S7, s7);
    testValues.put(CBRContract.WhodasEntry.COLUMN_S8, s8);
    testValues.put(CBRContract.WhodasEntry.COLUMN_S9, s9);
    testValues.put(CBRContract.WhodasEntry.COLUMN_S10, s10);
    testValues.put(CBRContract.WhodasEntry.COLUMN_S11, s11);
    testValues.put(CBRContract.WhodasEntry.COLUMN_S12, s12);

    testValues.put(CBRContract.WhodasEntry.COLUMN_D12, d12);
    testValues.put(CBRContract.WhodasEntry.COLUMN_D13, d13);
    testValues.put(CBRContract.WhodasEntry.COLUMN_D15, d15);
    testValues.put(CBRContract.WhodasEntry.COLUMN_D16, d16);

    testValues.put(CBRContract.WhodasEntry.COLUMN_D22, d22);
    testValues.put(CBRContract.WhodasEntry.COLUMN_D23, d23);
    testValues.put(CBRContract.WhodasEntry.COLUMN_D24, d24);

    testValues.put(CBRContract.WhodasEntry.COLUMN_D33, d33);
    testValues.put(CBRContract.WhodasEntry.COLUMN_D34, d34);

    testValues.put(CBRContract.WhodasEntry.COLUMN_D43, d43);
    testValues.put(CBRContract.WhodasEntry.COLUMN_D44, d44);
}

```

```

        testValues.put(CBRContract.WhodasEntry.COLUMN_D45, d45);

        testValues.put(CBRContract.WhodasEntry.COLUMN_D52, d52);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D53, d53);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D54, d54);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D501, d501Int);

        testValues.put(CBRContract.WhodasEntry.COLUMN_D56, d56);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D57, d57);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D58, d58);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D59, d59);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D510, d510);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D502, d502Int);

        testValues.put(CBRContract.WhodasEntry.COLUMN_D62, d62);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D63, d63);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D64, d64);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D66, d66);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D67, d67);
        testValues.put(CBRContract.WhodasEntry.COLUMN_D68, d68);

        testValues.put(CBRContract.WhodasProxyEntry.COLUMN_H1, h1Int);
        testValues.put(CBRContract.WhodasProxyEntry.COLUMN_H2, h2Int);
        testValues.put(CBRContract.WhodasProxyEntry.COLUMN_H3, h3Int);

    }

    return testValues;
}

/**
 * Inserts a new row to the WHODAS Table
 * @param cp Content Values to be used in inserting
 */
public void insert(ContentValues cp) {

    ContentResolver resolver = getContentResolver();
    Uri wpUri = resolver.insert(CBRContract.WhodasEntry.CONTENT_URI, cp);
    long wpRowId = ContentUris.parseId(wpUri);
    if (wpRowId != -1)
        Toast.makeText(getApplicationContext(), "Insert Whodas form for " + firstNameStr + " "
            + lastNameStr + " successful!", Toast.LENGTH_SHORT).show();
    else
        Toast.makeText(getApplicationContext(), "Insert not successful.", Toast.LENGTH_SHORT).
            show();
}

/**
 * Updates a specified row in the WHODAS Table
 * @param cp new Content Values of row to be updated
 * @param id specifier ID of the row to be updated
 */
public void update(ContentValues cp, long id) {

    int count = getContentResolver().update(
        CBRContract.WhodasEntry.CONTENT_URI,
        cp,
        CBRContract.WhodasEntry._ID + "= ?",
        new String[]{Long.toString(id)});
    if (count != 0) {
        Log.v("WHODAS ACTIVITY", String.valueOf(count));
        Toast.makeText(getApplicationContext(), "Update Whodas form for " + firstNameStr + " "
            + lastNameStr + " successful!", Toast.LENGTH_SHORT).show();
    } else
        Toast.makeText(getApplicationContext(), "Update not successful.", Toast.LENGTH_SHORT).
            show();
}

/**
 * Checkes if the app is connectd to the network
 * @return a boolean of the net information
 */
public boolean isOnline() {
    ConnectivityManager cm =
        (ConnectivityManager) getSystemService(Context.CONNECTIVITY_SERVICE);
    NetworkInfo netInfo = cm.getActiveNetworkInfo();
    return netInfo != null && netInfo.isConnectedOrConnecting();
}

/**
 * Attempts Upload of the WHODAS form to the online database
 * @param uid the Form ID of the row to get data
 * @param formCode uique identifier used to determinme if form is uploaded or not
 * @param params parameters to the submitted in the httprequest
 */
private void attemptUpload(int uid, String formCode, HashMap<String, String> params) {
    if ( mAuthTask != null) {
        return;
    }
    boolean is_logged_in = true;
    boolean has_form_code = true;

    if (uid == 0)
        is_logged_in = false;
}

```

```

        if (formCode.equals(""))
            has_form_code = false;

        if (!is_logged_in) {
            Toast.makeText(getApplicationContext(), "You are not logged in.", Toast.LENGTH_SHORT).
                show();
        } else if (!has_form_code) {
            Toast.makeText(getApplicationContext(), "Please input FORM CODE.", Toast.LENGTH_SHORT)
                .show();
        } else {
            mAuthTask = new UploadWhodasTask(params);
            mAuthTask.execute();
        }
    }

/**
 * Represents an asynchronous upload whodas task used to upload the filled out
 * whodas form to the online database
 */
public class UploadWhodasTask extends AsyncTask<String, String, JSONObject> {

    HashMap<String, String> params;
    public UploadWhodasTask(HashMap<String, String> params) {
        this.params = params;
    }
    JSONObject jsonParser = new JSONObject();

    @Override
    protected void onPreExecute() {
        progressDialog = new ProgressDialog(WHODASActivity.this);
        progressDialog.setMessage("Attempting upload...");
        progressDialog.setIndeterminate(false);
        progressDialog.setCancelable(true);
        progressDialog.show();
    }

    @Override
    protected JSONObject doInBackground(String... args) {
        try {
            JSONObject json = jsonParser.makeHttpRequest(
                UPLOAD_URL, "POST", params);
            if (json != null) {
                Log.d("JSON result", json.toString());
                return json;
            }
        } catch (Exception e) {
            e.printStackTrace();
        }
        return null;
    }

    @Override
    protected void onPostExecute(JSONObject json) {
        mAuthTask = null;
        int success = 0;
        String message = "";
        if (progressDialog != null && progressDialog.isShowing()) {
            progressDialog.dismiss();
        }
        if (json != null) {
            Toast.makeText(WHODASActivity.this, json.toString(),
                Toast.LENGTH_LONG).show();
            try {
                success = json.getInt(TAG_SUCCESS);
                message = json.getString(TAG_MESSAGE);
            } catch (JSONException e) {
                e.printStackTrace();
            }
        } else {
            Toast.makeText(getApplicationContext(), "Cannot Upload Form", Toast.LENGTH_LONG).
                show();
        }

        if (success == 1) {
            ContentValues cValues = new ContentValues();
            cValues.put(CBRContract.WhodasEntry.COLUMN_STATUS, "Uploaded");
            int count = getContentResolver().update(
                CBRContract.WhodasEntry.CONTENT_URI,
                cValues,
                CBRContract.WhodasEntry._ID + " = ?",
                new String[] { Long.toString(id) });
            if (count != 0) {
                Toast.makeText(getApplicationContext(), "Update Whodas form successful!",
                    Toast.LENGTH_SHORT).show();
                Calendar current = Calendar.getInstance();
                DateFormat format = DateFormat.getDateTimeInstance();
                String timestamp = format.format(current.getTimeInMillis());

                Cursor c = getContentResolver().query(
                    CBRContract.SubmittedFormsEntry.CONTENT_URI,
                    null,
                    CBRContract.SubmittedFormsEntry.COLUMN_FORM_CODE + " = ?",

```

```

        new String [] { params.get("formcode") },
        null
    );
    if (c != null) {
        if (!c.moveToFirst()) {
            ContentValues values = new ContentValues();
            values.put(CBRContract.SubmittedFormsEntry.COLUMN_FORM_CODE, params.get("formcode"));
            values.put(CBRContract.SubmittedFormsEntry.COLUMN_FORM_TYPE, "WHODAS");
            ;
            values.put(CBRContract.SubmittedFormsEntry.COLUMN_DATE_UPLOADED, timestamp);
            values.put(CBRContract.SubmittedFormsEntry.COLUMN_LAST_NAME, params.get("lastname"));
            values.put(CBRContract.SubmittedFormsEntry.COLUMN_FIRST_NAME, params.get("firstname"));
            values.put(CBRContract.SubmittedFormsEntry.COLUMN_MIDDLE_INITIAL, params.get("middleinitial"));
            values.put(CBRContract.SubmittedFormsEntry.COLUMN_NAME_EXTENSION, params.get("nameextension"));

            ContentResolver resolver = getContentResolver();
            Uri wpUri = resolver.insert(CBRContract.SubmittedFormsEntry.CONTENT_URI, values);
            long wpRowId = ContentUris.parseId(wpUri);

            if (wpRowId != -1)
                Log.e("Insert submitted forms", "success");
        }
    } else {
        ContentValues values2 = new ContentValues();
        values2.put(CBRContract.SubmittedFormsEntry.COLUMN_DATE_UPLOADED, timestamp);

        getContentResolver().update(
            CBRContract.SubmittedFormsEntry.CONTENT_URI,
            values2,
            CBRContract.SubmittedFormsEntry.COLUMN_FORM_CODE + "= ?",
            new String [] { params.get("formcode") });
    }
    Toast.makeText(getApplicationContext(), "Update not successful.", Toast.LENGTH_SHORT).show();

    Intent intent = new Intent(WHODASActivity.this, MainActivity.class);
    startActivity(intent);
} else {
    Log.e("Failure", message);
}
}

@Override
protected void onCancelled() {
    mAuthTask = null;
}
}
}
}

```

## WHODASProxyActivity.java

```

package com.example.android.cbrfm;

import android.app.ProgressDialog;
import android.content.ContentResolver;
import android.content.ContentUris;
import android.content.ContentValues;
import android.content.Context;
import android.content.Intent;
import android.content.SharedPreferences;
import android.database.Cursor;
import android.net.ConnectivityManager;
import android.net.NetworkInfo;
import android.net.Uri;
import android.os.AsyncTask;
import android.os.Bundle;
import android.support.v7.app.AppCompatActivity;
import android.support.v7.widget.Toolbar;
import android.util.Log;
import android.view.View;
import android.view.WindowManager;
import android.widget.Button;
import android.widget.EditText;
import android.widget.ImageView;
import android.widget.LinearLayout;
import android.widget.RadioButton;
import android.widget.RadioGroup;
import android.widget.TextView;
import android.widget.Toast;

```

```

import com.example.android.cbrfm.data.CBRContract.SubmittedFormsEntry;

import org.json.JSONException;
import org.json.JSONObject;

import java.text.DateFormat;
import java.util.Calendar;
import java.util.HashMap;

import static com.example.android.cbrfm.data.CBRContract.WhodasProxyEntry;

public class WHODASPROXYActivity extends AppCompatActivity {

    boolean noError = true;
    private LinearLayout questionsExpand;
    String[] headerStr;
    private String formCodeStr, firstNameStr, lastNameStr, middleInitialStr, nameExtensionStr,
        proxyNameStr, relationshipStr, s1, s2, s3, s4, s5, s6, s7, s8, s9, s10, s11, s12;
    private int h1Int, h2Int, h3Int;
    private long id;

    public static final String CBR_PREFERENCES = "CBRPreferences";
    private UploadWhodasProxyTask mAuthTask = null;
    private ProgressDialog pDialog;
    private static final String UPLOAD_URL = "http://192.168.43.32/cbr5/mobile-upload-whodas-proxy
        .php";
    private static final String TAG_SUCCESS = "success";
    private static final String TAG_MESSAGE = "message";

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_whodasproxy);

        this.getWindow().setSoftInputMode(WindowManager.LayoutParams.
            SOFT_INPUT_STATE_ALWAYS_HIDDEN);

        Toolbar toolbar = (Toolbar) findViewById(R.id.toolbar);
        setSupportActionBar(toolbar);

        assert getSupportActionBar() != null;
        getSupportActionBar().setDisplayHomeAsUpEnabled(true);

        SharedPreferences cbrPreferences = getSharedPreferences(CBR_PREFERENCES, Context.
            MODE_PRIVATE);
        int user_id = cbrPreferences.getInt("userID", 0);

        questionsExpand = (LinearLayout) findViewById(R.id.wdp_tanong_expand_layout);
        questionsExpand.setVisibility(View.GONE);

        headerStr = getResources().getStringArray(R.array.header_whodas);
        LinearLayout header = (LinearLayout) findViewById(R.id.wdp_header);
        for (int i = 0; i < headerStr.length; i++) {
            TextView tv = (TextView) header.getChildAt(i);
            tv.setText(headerStr[i]);
        }

        Intent intent = getIntent();
        if (intent != null && intent.hasExtra(Intent.EXTRA_TEXT)) {
            id = Long.parseLong(intent.getStringExtra(Intent.EXTRA_TEXT));
            findViewById(R.id.wdp_save_btn).setVisibility(View.GONE);
            Cursor c = getContentResolver().query(
                WhodasProxyEntry.buildWhodasProxyUri(id),
                null, null, null, null
            );

            if (c != null) {
                if (c.moveToFirst()) {
                    int index;
                    RadioGroup rg;

                    String cTableName = c.getString(c.getColumnIndex(WhodasProxyEntry.
                        COLUMN_TABLE_NAME));
                    String cTableDate = c.getString(c.getColumnIndex(WhodasProxyEntry.
                        COLUMN_TABLE_DATE));

                    String cFormCode = c.getString(c.getColumnIndex(WhodasProxyEntry.
                        COLUMN_FORM_CODE));

                    String cFirstName = c.getString(c.getColumnIndex(WhodasProxyEntry.
                        COLUMN_FIRST_NAME));
                    String cLastName = c.getString(c.getColumnIndex(WhodasProxyEntry.
                        COLUMN_LAST_NAME));
                    String cMI = c.getString(c.getColumnIndex(WhodasProxyEntry.
                        COLUMN_MIDDLE_INITIAL));
                    String cNameExt = c.getString(c.getColumnIndex(WhodasProxyEntry.
                        COLUMN_NAME_EXTENSION));
                    String cProxyName = c.getString(c.getColumnIndex(WhodasProxyEntry.
                        COLUMN_PROXY_NAME));
                    String cRelationship = c.getString(c.getColumnIndex(WhodasProxyEntry.
                        COLUMN_PROXY_RELATIONSHIP));
                    String cS1 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_S1));
                }
            }
        }
    }
}

```



```

String cS2 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_S2));
String cS3 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_S3));
String cS4 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_S4));
String cS5 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_S5));
String cS6 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_S6));
String cS7 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_S7));
String cS8 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_S8));
String cS9 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_S9));
String cS10 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_S10));
String cS11 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_S11));
String cS12 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_S12));

String cH1 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_H1));
String cH2 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_H2));
String cH3 = c.getString(c.getColumnIndex(WhodasProxyEntry.COLUMN_H3));

((EditText) findViewById(R.id.wdp_form_code_et)).setText(cFormCode);
((EditText) findViewById(R.id.wdp_first_name_et)).setText(cFirstName);
((EditText) findViewById(R.id.wdp_last_name_et)).setText(cLastName);
((EditText) findViewById(R.id.wdp_mi_et)).setText(cMI);
((EditText) findViewById(R.id.wdp_name_ext_et)).setText(cNameExt);
((EditText) findViewById(R.id.wdp_proxy_name_et)).setText(cProxyName);

String[] relationshipArray = {"asawa o kabiyak", "magulang", "anak na lalaki o
babae", "kapatid na lalaki o babae", "iba pang kamag-anak", "kaibigan", "
propesyunal na tagapag-alaga", "iba pa"};
index = getSelectedIndex(cRelationship, relationshipArray);
rg = (RadioGroup) findViewById(R.id.wdp_relasyon_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

index = getSelectedIndex(cS1, headerStr);
rg = (RadioGroup) findViewById(R.id.wdp_s1_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS2, headerStr);
rg = (RadioGroup) findViewById(R.id.wdp_s2_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS3, headerStr);
rg = (RadioGroup) findViewById(R.id.wdp_s3_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS4, headerStr);
rg = (RadioGroup) findViewById(R.id.wdp_s4_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS5, headerStr);
rg = (RadioGroup) findViewById(R.id.wdp_s5_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS6, headerStr);
rg = (RadioGroup) findViewById(R.id.wdp_s6_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS7, headerStr);
rg = (RadioGroup) findViewById(R.id.wdp_s7_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS8, headerStr);
rg = (RadioGroup) findViewById(R.id.wdp_s8_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS9, headerStr);
rg = (RadioGroup) findViewById(R.id.wdp_s9_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS10, headerStr);
rg = (RadioGroup) findViewById(R.id.wdp_s10_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS11, headerStr);
rg = (RadioGroup) findViewById(R.id.wdp_s11_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cS12, headerStr);
rg = (RadioGroup) findViewById(R.id.wdp_s12_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

((EditText) findViewById(R.id.wdp_h1_et)).setText(cH1);
((EditText) findViewById(R.id.wdp_h2_et)).setText(cH2);
((EditText) findViewById(R.id.wdp_h3_et)).setText(cH3);

c.close();

if (intent.getBooleanExtra("SendAsEmail", false)) {
    String message;

    message = "FORM TYPE: " + cTableName +
"\nDate Created: " + cTableDate +
"\nFORM CODE:\t " + cFormCode +
"\n\nPangalan ng KMK: \n\t\t" + cFirstName + " " + cMI + ". " +
cLastName + " " + cNameExt +
"\n\nPangalan ng Proxy: \n\t\t" + cProxyName +
"\n\nAko ang ----- ng taong ito: \n\t\t" + cRelationship +
"\n\nMGA TANONG:\n" +
"\nNitong nakaraang 30 araw, gaanong hirap ang dinanas ng iyong
kamag-anak sa:\n" +
"\nS1.\tPagtayo ng matagal tulad ng 30 minuto? \n\t\t" + cS1 +
"\nS2.\tPaggawa ng mgaresponsibilidad sa tahanan? \n\t\t" + cS2 +
"\nS3.\tPag-alam ng mga bagong gawain: Halimbawa paanong pumunta
sa bagong lugar? \n\t\t" + cS3 +
"\nS4.\tPagsali sa mga gawaing pangkomunidad (tulad ng mga pista,
prusisyon, atbp.) kung ikukumpara ninyo sa pangkaraniwang

```

```

        mamamayan? \n\t\t" + cS4 +
        "\nS5.\tGaano katindi naapektuhan ang kanyang emosyon sa kanyang
        kondisyon? \n\t\t" + cS5 +
        "\nS6.\tPagtuon sa paggawa ng isang bagay sa loob ng isang minuto?
        \n\t\t" + cS6 +
        "\nS7.\tPaglakad ng malayo tulad ng 1 kilometro (o katumbas nito)?
        \n\t\t" + cS7 +
        "\nS8.\tPagpapaligo sa kanyang buong katawan? \n\t\t" + cS8 +
        "\nS9.\tPagbibihis? \n\t\t" + cS9 +
        "\nS10. Pakikisalamuha sa mga taong di nya kilala? \n\t\t" + cS10
        +
        "\nS11. Pagpapanatili ng pagkakaibigan? \n\t\t" + cS11 +
        "\nS12. Pang-araw-araw na gawain sa trabaho/paaralan? \n\t\t" +
        cS12 +
        "\n\nH1.\tSa pangkalahatan, ilang araw niyang naranasan ang mga
        problemang ito sa nakaraang 30 araw? \n\t\t" + cH1 +
        "\nH2.\tSa nakaraang 30 araw, ilang araw niyang hindi nagawa ang
        kanyang mgapangkaraniwang gawain o trabaho dahil sa kalagayang
        pangkalusugan? \n\t\t" + cH2 +
        "\nH3.\tSa nakaraang 30 araw, bukod sa mga araw na di siya
        nakagawa, ilang araw niyang binawasan ang kanyang mga gawain
        dahil sa kanyang kalagayang pangkalusugan? \n\t\t" + cH3 +
        "\n" +
        "\n\n Submitted by: \n\t\t" +
        "user";

Intent i = new Intent(Intent.ACTION_SEND);
i.setType("message/rfc822");
i.putExtra(Intent.EXTRA_SUBJECT, "Form Submission: WHODAS-PROXY");
i.putExtra(Intent.EXTRA_TEXT, message);
try {
    startActivity(Intent.createChooser(i, "Send mail..."));
} catch (android.content.ActivityNotFoundException ex) {
    Toast.makeText(WHODASPROXYActivity.this, "There are no email clients
    installed.", Toast.LENGTH_SHORT).show();
}
}

if (intent.getBooleanExtra("upload", false)) {
    if (isOnline()) {
        HashMap<String, String> params = new HashMap<>();
        params.put("formcode", cFormCode);
        params.put("datecompleted", cTableDate);
        params.put("userid", String.valueOf(user_id));
        params.put("lastname", cLastName);
        params.put("firstname", cFirstName);
        params.put("middleinitial", cMI);
        params.put("nameext", cNameExt);
        params.put("proxypangalan", cProxyName);
        params.put("proxyrelyasyon", cRelationship);
        params.put("s1", cS1);
        params.put("s2", cS2);
        params.put("s3", cS3);
        params.put("s4", cS4);
        params.put("s5", cS5);
        params.put("s6", cS6);
        params.put("s7", cS7);
        params.put("s8", cS8);
        params.put("s9", cS9);
        params.put("s10", cS10);
        params.put("s11", cS11);
        params.put("s12", cS12);
        params.put("h1", cH1);
        params.put("h2", cH2);
        params.put("h3", cH3);
        attemptUpload(user_id, cFormCode, params);
    } else {
        Toast.makeText(getApplicationContext(), "No internet connection.",
        Toast.LENGTH_LONG).show();
    }
}
}
} else {
    findViewById(R.id.wdp_update_btn).setVisibility(View.GONE);
}

Button cancelBtn = (Button) findViewById(R.id.wdp_cancel_btn);
cancelBtn.setOnClickListener(new View.OnClickListener() {
    public void onClick(View v) {
        startActivity(new Intent(WHODASPROXYActivity.this, MainActivity.class));
    }
});

Button saveBtn = (Button) findViewById(R.id.wdp_save_btn);
saveBtn.setOnClickListener(new View.OnClickListener() {
    public void onClick(View v) {
        getAndValidateData();
        if (noError) {
            insert(createWhodasProxyValues("Saved"));
            startActivity(new Intent(WHODASPROXYActivity.this, MainActivity.class));
        }
    }
});

```

```

        Toast.makeText(getApplicationContext(), "Form <form.name> successfully saved
        !", Toast.LENGTHLONG).show();
    } else {
        noError = true;
        Toast.makeText(getApplicationContext(), "Errors found in your input!", Toast.
        LENGTHSHORT).show();
    }
}
});

Button updateBtn = (Button) findViewById(R.id.wdp_update_btn);
updateBtn.setOnClickListener(new View.OnClickListener() {
    public void onClick(View v) {
        getAndValidateData();
        if (noError) {
            update(createWhodasProxyValues(" Updated"), id);
            startActivity(new Intent(WHODASPROXYActivity.this, MainActivity.class));
            Toast.makeText(getApplicationContext(), "Form <form.name> successfully saved
            !", Toast.LENGTHLONG).show();
        } else {
            noError = true;
            Toast.makeText(getApplicationContext(), "Errors found in your input!", Toast.
            LENGTHSHORT).show();
        }
    }
});
}

/**
 * Toggle folded views
 *
 * @param v View ot be toggled
 */
public void toggle_contents(View v) {
    questionsExpand.setVisibility(questionsExpand.isShown()
    ? View.GONE
    : View.VISIBLE);
    if (questionsExpand.isShown())
        ((ImageView) findViewById(R.id.wdp_expand_btn)).setImageResource(android.R.drawable.
        arrow_up_float);
    else
        ((ImageView) findViewById(R.id.wdp_expand_btn)).setImageResource(android.R.drawable.
        arrow_down_float);
}

/**
 * get the index of the selected radio button from a radio group based on the given string
 * array
 *
 * @param selected selected radio button
 * @param strArray array to get values from
 * @return integer index of the selected radiobutton
 */
public int getSelectedIndex(String selected, String[] strArray) {
    int index = 0;
    for (int i = 0; i < strArray.length; i++) {
        if (selected.equalsIgnoreCase(strArray[i])) {
            index = i;
            break;
        }
    }
    return index;
}

/**
 * gets and validate the input in the form
 */
public void getAndValidateData() {
    // Full name of KMK/PWD
    EditText formCode = (EditText) findViewById(R.id.wdp_form_code_et);
    formCodeStr = formCode.getText().toString().trim();
    EditText firstName = (EditText) findViewById(R.id.wdp_first_name_et);
    firstNameStr = checkTexttoString(firstName);
    EditText lastName = (EditText) findViewById(R.id.wdp_last_name_et);
    lastNameStr = checkTexttoString(lastName);
    EditText middleInitial = (EditText) findViewById(R.id.wdp_m.i.et);
    middleInitialStr = checkTexttoString(middleInitial);
    nameExtensionStr = ((EditText) findViewById(R.id.wdp_name_ext_et)).getText().toString().
    trim();

    //Proxy
    EditText proxyName = (EditText) findViewById(R.id.wdp_proxy_name_et);
    proxyNameStr = checkTexttoString(proxyName);
    int rbRelationship = ((RadioGroup) findViewById(R.id.wdp_relasyon_radio)).
    getCheckedRadioButtonId();
    if (rbRelationship != -1) {
        relationshipStr = ((RadioButton) findViewById(rbRelationship)).getText().toString();
        ((TextView) findViewById(R.id.rel_text)).setError(null);
    } else {
        noError = false;
        ((TextView) findViewById(R.id.rel_text)).setError("Field Required");
    }
}

```

```

//S Radio values
s1 = getRadio6Value((TextView) findViewById(R.id.wdp_s1_text), (RadioGroup) findViewById(R
.id.wdp_s1_radio), headerStr);
s2 = getRadio6Value((TextView) findViewById(R.id.wdp_s2_text), (RadioGroup) findViewById(R
.id.wdp_s2_radio), headerStr);
s3 = getRadio6Value((TextView) findViewById(R.id.wdp_s3_text), (RadioGroup) findViewById(R
.id.wdp_s3_radio), headerStr);
s4 = getRadio6Value((TextView) findViewById(R.id.wdp_s4_text), (RadioGroup) findViewById(R
.id.wdp_s4_radio), headerStr);
s5 = getRadio6Value((TextView) findViewById(R.id.wdp_s5_text), (RadioGroup) findViewById(R
.id.wdp_s5_radio), headerStr);
s6 = getRadio6Value((TextView) findViewById(R.id.wdp_s6_text), (RadioGroup) findViewById(R
.id.wdp_s6_radio), headerStr);
s7 = getRadio6Value((TextView) findViewById(R.id.wdp_s7_text), (RadioGroup) findViewById(R
.id.wdp_s7_radio), headerStr);
s8 = getRadio6Value((TextView) findViewById(R.id.wdp_s8_text), (RadioGroup) findViewById(R
.id.wdp_s8_radio), headerStr);
s9 = getRadio6Value((TextView) findViewById(R.id.wdp_s9_text), (RadioGroup) findViewById(R
.id.wdp_s9_radio), headerStr);
s10 = getRadio6Value((TextView) findViewById(R.id.wdp_s10_text), (RadioGroup) findViewById
(R.id.wdp_s10_radio), headerStr);
s11 = getRadio6Value((TextView) findViewById(R.id.wdp_s11_text), (RadioGroup) findViewById
(R.id.wdp_s11_radio), headerStr);
s12 = getRadio6Value((TextView) findViewById(R.id.wdp_s12_text), (RadioGroup) findViewById
(R.id.wdp_s12_radio), headerStr);

//H edit text values
EditText h1 = (EditText) findViewById(R.id.wdp_h1_et);
h1Int = checkTextttoInt(h1);
EditText h2 = (EditText) findViewById(R.id.wdp_h2_et);
h2Int = checkTextttoInt(h2);
EditText h3 = (EditText) findViewById(R.id.wdp_h3_et);
h3Int = checkTextttoInt(h3);
}

/**
 * Checks if the contents of an EditText is empty and returns its value as String
 *
 * @param et Edit Text to check
 * @return the string value of the content of ET
 */
public String checkTextttoString(EditText et) {
    String str = et.getText().toString().trim();
    if (str.equals("")) {
        noError = false;
        et.setError("Field required.");
    }
    return str;
}

/**
 * Checks if the contents of an EditText is empty and returns its value as Integer
 * @param et Edit Text to check
 * @return the integer value of the content of ET
 */
public int checkTextttoInt(EditText et) {
    String str = et.getText().toString().trim();
    int value = 0;

    if (str.equals("")) {
        et.setError("Field required.");
        noError = false;
    } else {
        value = Integer.parseInt(str);
        if (value > 30 || value < 0) {
            et.setError("Please input a number between 0 to 30");
            noError = false;
        } else {
            et.setError(null);
        }
    }
    return value;
}

/**
 * gets the radio value of the checked radio button in a radio group
 * @param tv      text view to focus when there's an error
 * @param rg      radio group where the button belongs
 * @param strArray array to get values from
 * @return the string value of the selected radio button
 */
public String getRadio6Value(TextView tv, RadioGroup rg, String[] strArray) {
    int radioButtonID = rg.getCheckedRadioButtonId();
    View radioButton = rg.findViewById(radioButtonID);
    String str = null;

    if (radioButtonID != -1) {
        tv.setError(null);
        int idx = rg.indexOfChild(radioButton);
        str = strArray[idx];
    } else {

```

```

        tv.setError(" Field Required");
        noError = false;
    }
    return str;
}

/**
 * creates the content values for the whodas proxy table
 *
 * @param status the status of the entry to be passed
 * @return the content values of whodas proxy
 */
public ContentValues createWhodasProxyValues(String status) {
    ContentValues testValues = new ContentValues();
    Calendar current = Calendar.getInstance();
    DateFormat format = DateFormat.getDateTimeInstance();
    String timestamp = format.format(current.getTimeInMillis());

    testValues.put(WhodasProxyEntry.COLUMN_TABLE_NAME, "WHODAS - PROXY");
    testValues.put(WhodasProxyEntry.COLUMN_TABLE_DATE, timestamp);

    testValues.put(WhodasProxyEntry.COLUMN_FORM_CODE, formCodeStr);
    testValues.put(WhodasProxyEntry.COLUMN_STATUS, status);

    testValues.put(WhodasProxyEntry.COLUMN_FIRST_NAME, firstNameStr);
    testValues.put(WhodasProxyEntry.COLUMN_LAST_NAME, lastNameStr);
    testValues.put(WhodasProxyEntry.COLUMN_MIDDLE_INITIAL, middleInitialStr);
    testValues.put(WhodasProxyEntry.COLUMN_NAME_EXTENSION, nameExtensionStr);
    testValues.put(WhodasProxyEntry.COLUMN_PROXY_NAME, proxyNameStr);
    testValues.put(WhodasProxyEntry.COLUMN_PROXY_RELATIONSHIP, relationshipStr);
    testValues.put(WhodasProxyEntry.COLUMN_S1, s1);
    testValues.put(WhodasProxyEntry.COLUMN_S2, s2);
    testValues.put(WhodasProxyEntry.COLUMN_S3, s3);
    testValues.put(WhodasProxyEntry.COLUMN_S4, s4);
    testValues.put(WhodasProxyEntry.COLUMN_S5, s5);
    testValues.put(WhodasProxyEntry.COLUMN_S6, s6);
    testValues.put(WhodasProxyEntry.COLUMN_S7, s7);
    testValues.put(WhodasProxyEntry.COLUMN_S8, s8);
    testValues.put(WhodasProxyEntry.COLUMN_S9, s9);
    testValues.put(WhodasProxyEntry.COLUMN_S10, s10);
    testValues.put(WhodasProxyEntry.COLUMN_S11, s11);
    testValues.put(WhodasProxyEntry.COLUMN_S12, s12);
    testValues.put(WhodasProxyEntry.COLUMN_H1, h1Int);
    testValues.put(WhodasProxyEntry.COLUMN_H2, h2Int);
    testValues.put(WhodasProxyEntry.COLUMN_H3, h3Int);

    return testValues;
}

/**
 * Inserts a new row to the WHODAS Proxy Table
 * @param cp Content Values to be used in inserting
 */
public void insert(ContentValues cp) {

    ContentResolver resolver = getContentResolver();
    Uri wpUri = resolver.insert(WhodasProxyEntry.CONTENT_URI, cp);
    long wpRowId = ContentUris.parseId(wpUri);

    if (wpRowId != -1)
        Toast.makeText(getApplicationContext(), "Insert Whodas Proxy form for " + firstNameStr
            + " " + lastNameStr + " successful!", Toast.LENGTH_SHORT).show();
    else
        Toast.makeText(getApplicationContext(), "Insert not successful.", Toast.LENGTH_SHORT).
            show();
}

/**
 * Updates a specified row in the WHODAS Proxy Table
 * @param cp new Content Values of row to be updated
 * @param id specifier ID of the row to be updated
 */
public void update(ContentValues cp, long id) {

    int count = getContentResolver().update(
        WhodasProxyEntry.CONTENT_URI,
        cp,
        WhodasProxyEntry._ID + "= ?",
        new String[] { Long.toString(id) });
    if (count != 0) {
        Log.v("WHODAS PROXY ACTIVITY", String.valueOf(count));
        Toast.makeText(getApplicationContext(), "Update Whodas Proxy form for " + firstNameStr
            + " " + lastNameStr + " successful!", Toast.LENGTH_SHORT).show();
    } else
        Toast.makeText(getApplicationContext(), "Update not successful.", Toast.LENGTH_SHORT).
            show();
}

/**
 * Checks if the app is connectd to the network
 * @return a boolean of the net information
 */

```

```

public boolean isOnline() {
    ConnectivityManager cm =
        (ConnectivityManager) getSystemService(Context.CONNECTIVITY_SERVICE);
    NetworkInfo netInfo = cm.getActiveNetworkInfo();
    return netInfo != null && netInfo.isConnectedOrConnecting();
}

/**
 * Attempts Upload of the WHODAS Proxy form to the online database
 *
 * @param uid        the Form ID of the row to get data
 * @param formCode   uique identifier used to determinine if form is uploaded or not
 * @param params     parameters to the submitted in the httprequest
 */
private void attemptUpload(int uid, String formCode, HashMap<String, String> params) {
    if ( mAuthTask != null)
        return;
    boolean is_logged_in = true;
    boolean has_form_code = true;

    if (uid == 0)
        is_logged_in = false;
    if (formCode.equals(""))
        has_form_code = false;

    if (!is_logged_in) {
        Toast.makeText(getApplicationContext(), "You are not logged in.", Toast.LENGTH.SHORT).
            show();
    } else if (!has_form_code) {
        Toast.makeText(getApplicationContext(), "Please input FORM CODE.", Toast.LENGTH.SHORT)
            .show();
    } else {
        mAuthTask = new UploadWhodasProxyTask(params);
        mAuthTask.execute();
    }
}

/**
 * Represents an asynchronous upload whodas proxy task used to upload the filled out
 * whodas proxy form to the online database
 */
public class UploadWhodasProxyTask extends AsyncTask<String, String, JSONObject> {

    HashMap<String, String> params;

    public UploadWhodasProxyTask(HashMap<String, String> params) {
        this.params = params;
    }

    JSONParser jsonParser = new JSONParser();

    @Override
    protected void onPreExecute() {
        pDialog = new ProgressDialog(WHODASPROXYActivity.this);
        pDialog.setMessage(" Attempting upload...");
        pDialog.setIndeterminate(false);
        pDialog.setCancelable(true);
        pDialog.show();
    }

    @Override
    protected JSONObject doInBackground(String... args) {
        try {
            JSONObject json = jsonParser.makeHttpRequest(UPLOAD_URL, "POST", params);
            if (json != null) {
                Log.d("JSON result", json.toString());
                return json;
            }
        } catch (Exception e) {
            e.printStackTrace();
        }
        return null;
    }

    @Override
    protected void onPostExecute(JSONObject json) {
        mAuthTask = null;
        int success = 0;
        String message = "";

        if (pDialog != null && pDialog.isShowing()) {
            pDialog.dismiss();
        }
        if (json != null) {
            Toast.makeText(WHODASPROXYActivity.this, json.toString(),
                Toast.LENGTH.LONG).show();
            try {
                success = json.getInt(TAG_SUCCESS);
                message = json.getString(TAG_MESSAGE);
            } catch (JSONException e) {
                e.printStackTrace();
            }
        }
    }
}

```

```

    } else {
        Toast.makeText(getApplicationContext(), "Cannot Upload Form", Toast.LENGTH_LONG).
            show();
    }
}

if (success == 1) {
    ContentValues cValues = new ContentValues();
    cValues.put(WhodasProxyEntry.COLUMN_STATUS, "Uploaded");
    int count = getContentResolver().update(
        WhodasProxyEntry.CONTENT_URI,
        cValues,
        WhodasProxyEntry._ID + "= ?",
        new String[]{Long.toString(id)});
    if (count != 0) {
        Calendar current = Calendar.getInstance();
        DateFormat format = DateFormat.getDateTimeInstance();
        String timestamp = format.format(current.getTimeInMillis());
        Toast.makeText(getApplicationContext(), "Update Whodas Proxy form successful
            !", Toast.LENGTH_SHORT).show();
        Cursor c = getContentResolver().query(
            SubmittedFormsEntry.CONTENT_URI,
            null,
            SubmittedFormsEntry.COLUMN_FORM_CODE + "= ?",
            new String[]{params.get("formcode")},
            null
        );
        if (c != null) {
            if (!c.moveToFirst()) {
                ContentValues values = new ContentValues();
                values.put(SubmittedFormsEntry.COLUMN_FORM_CODE, params.get("formcode
                    "));
                values.put(SubmittedFormsEntry.COLUMN_FORM_TYPE, "WHODAS Proxy");
                values.put(SubmittedFormsEntry.COLUMN_DATE_UPLOADED, timestamp);
                values.put(SubmittedFormsEntry.COLUMN_LAST_NAME, params.get("lastname
                    "));
                values.put(SubmittedFormsEntry.COLUMN_FIRST_NAME, params.get("
                    firstname"));
                values.put(SubmittedFormsEntry.COLUMN_MIDDLE_INITIAL, params.get("
                    middleinitial"));
                values.put(SubmittedFormsEntry.COLUMN_NAME_EXTENSION, params.get("
                    nameextension"));

                ContentResolver resolver = getContentResolver();
                Uri wpUri = resolver.insert(SubmittedFormsEntry.CONTENT_URI, values);
                long wpRowId = ContentUris.parseId(wpUri);

                if (wpRowId != -1)
                    Log.e("Insert submitted forms", "success");
            }
        } else {
            ContentValues values2 = new ContentValues();
            values2.put(SubmittedFormsEntry.COLUMN_DATE_UPLOADED, timestamp);

            getContentResolver().update(
                SubmittedFormsEntry.CONTENT_URI,
                values2,
                SubmittedFormsEntry.COLUMN_FORM_CODE + "= ?",
                new String[]{params.get("formcode")});
        }
    } else
        Toast.makeText(getApplicationContext(), "Update not successful.", Toast.
            LENGTH_SHORT).show();

    Intent intent = new Intent(WHODASPROXYActivity.this, MainActivity.class);
    startActivity(intent);
} else {
    Log.e("Failure", message);
}
}

@Override
protected void onCancelled() {
    mAuthTask = null;
}
}
}
}

```

## WHOQOLActivity.java

```

package com.example.android.cbrfm;

import android.app.ProgressDialog;
import android.content.ContentResolver;
import android.content.ContentUris;
import android.content.ContentValues;
import android.content.Context;
import android.content.Intent;
import android.content.SharedPreferences;
import android.database.Cursor;

```

```

import android.net.ConnectivityManager;
import android.net.NetworkInfo;
import android.net.Uri;
import android.os.AsyncTask;
import android.os.Bundle;
import android.support.v7.app.AppCompatActivity;
import android.support.v7.widget.Toolbar;
import android.util.Log;
import android.view.View;
import android.view.WindowManager;
import android.widget.Button;
import android.widget.EditText;
import android.widget.ImageView;
import android.widget.LinearLayout;
import android.widget.RadioButton;
import android.widget.RadioGroup;
import android.widget.TextView;
import android.widget.Toast;

import com.example.android.cbrfm.data.CBRContract;

import org.json.JSONException;
import org.json.JSONObject;

import java.text.DateFormat;
import java.util.Calendar;
import java.util.HashMap;

public class WHOQOLActivity extends AppCompatActivity {

    boolean noError = true;
    String[] header1Str, header26Str, header3Str, header4Str, header5Str, header7Str;
    LinearLayout questions;
    private String formCodeStr, firstNameStr, lastNameStr, middleInitialStr, nameExtensionStr,
        sexStr, birthdayStr, educationStr, civilStatusStr, sickStr, sicknessStr,
        q1, q2, q3, q4, q5, q6, q7, q8, q9, q10, q11, q12, q13, q14, q15, q16, q17, q18, q19,
        q20, q21, q22, q23, q24, q25, q26, punaStr;
    private int dom1aInt, dom1bInt, dom1cInt, dom2aInt, dom2bInt, dom2cInt, dom3aInt, dom3bInt,
        dom3cInt, dom4aInt, dom4bInt, dom4cInt;
    private long id;

    public static final String CBR_PREFERENCES = "CBRPreferences";
    private UploadWhoqolTask mAuthTask = null;
    private ProgressDialog pDialog;
    JSONParser jsonParser = new JSONParser();
    private static final String UPLOAD_URL = "http://192.168.43.32/cbr5/mobile-upload-whoqol.php";
    private static final String TAG_SUCCESS = "success";
    private static final String TAG_MESSAGE = "message";

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_whoqol);
        this.getWindow().setSoftInputMode(WindowManager.LayoutParams.
            SOFT_INPUT_STATE_ALWAYS_HIDDEN);

        Toolbar toolbar = (Toolbar) findViewById(R.id.toolbar);
        setSupportActionBar(toolbar);

        assert getSupportActionBar() != null;
        getSupportActionBar().setDisplayHomeAsUpEnabled(true);

        SharedPreferences cbrPreferences = getSharedPreferences(CBR_PREFERENCES, Context.
            MODE_PRIVATE);
        int user_id = cbrPreferences.getInt("userID", 0);

        questions = (LinearLayout) findViewById(R.id.wq_questions_content);
        questions.setVisibility(View.GONE);

        header1Str = getResources().getStringArray(R.array.header_whoqol1);
        header26Str = getResources().getStringArray(R.array.header_whoqol26);
        header3Str = getResources().getStringArray(R.array.header_whoqol3);
        header4Str = getResources().getStringArray(R.array.header_whoqol4);
        header5Str = getResources().getStringArray(R.array.header_whoqol5);
        header7Str = getResources().getStringArray(R.array.header_whoqol7);

        LinearLayout header1 = (LinearLayout) findViewById(R.id.wq_header1);
        setRadioHeaders(header1Str, header1);
        LinearLayout header2 = (LinearLayout) findViewById(R.id.wq_header2);
        setRadioHeaders(header26Str, header2);
        LinearLayout header3 = (LinearLayout) findViewById(R.id.wq_header3);
        setRadioHeaders(header3Str, header3);
        LinearLayout header4 = (LinearLayout) findViewById(R.id.wq_header4);
        setRadioHeaders(header4Str, header4);
        LinearLayout header5 = (LinearLayout) findViewById(R.id.wq_header5);
        setRadioHeaders(header5Str, header5);
        LinearLayout header6 = (LinearLayout) findViewById(R.id.wq_header6);
        setRadioHeaders(header26Str, header6);
        LinearLayout header7 = (LinearLayout) findViewById(R.id.wq_header7);
        setRadioHeaders(header7Str, header7);

        Intent intent = getIntent();

```



```

if (intent != null && intent.hasExtra(Intent.EXTRA_TEXT)) {
    id = Long.parseLong(intent.getStringExtra(Intent.EXTRA_TEXT));
    findViewById(R.id.wq_save_btn).setVisibility(View.GONE);

    Cursor c = getContentResolver().query(
        CBRContract.WhoqolEntry.buildWhoqolUri(id),
        null, null, null, null);
    if (c != null) {
        if (c.moveToFirst()) {
            int index;
            RadioGroup rg;

            String cTableName = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_TABLE_NAME));
            String cTableDate = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_TABLE_DATE));
            String cFormCode = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_FORM_CODE));

            String cFirstName = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_FIRST_NAME));
            String cLastName = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_LAST_NAME));
            String cMI = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_MIDDLE_INITIAL));
            String cNameExt = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_NAME_EXTENSION));
            String cKasarian = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_KASARIAN));
            String cKapanganakan = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_KAPANGANAKAN));
            String cNatapos = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_NATAPOS));
            String cEstadoSibil = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_ESTADO_SIBIL));
            String cMaySakit = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_MAY_SAKIT));
            String cKaramdaman = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_KARAMDAMAN));
            String cQ1 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q1));
            String cQ2 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q2));
            String cQ3 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q3));
            String cQ4 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q4));
            String cQ5 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q5));
            String cQ6 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q6));
            String cQ7 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q7));
            String cQ8 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q8));
            String cQ9 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q9));
            String cQ10 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q10));
            );
            String cQ11 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q11));
            );
            String cQ12 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q12));
            );
            String cQ13 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q13));
            );
            String cQ14 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q14));
            );
            String cQ15 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q15));
            );
            String cQ16 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q16));
            );
            String cQ17 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q17));
            );
            String cQ18 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q18));
            );
            String cQ19 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q19));
            );
            String cQ20 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q20));
            );
            String cQ21 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q21));
            );
            String cQ22 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q22));
            );
            String cQ23 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q23));
            );
            String cQ24 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q24));
            );
            String cQ25 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q25));
            );
            String cQ26 = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.COLUMN_Q26));
            );
            String cPuna = c.getString(c.getColumnIndex(CBRContract.WhoqolEntry.
                COLUMN_PUNA));

            String cDom1a = String.valueOf(c.getInt(c.getColumnIndex(CBRContract.
                WhoqolEntry.COLUMN_DOMAIN_1A)));
            String cDom1b = String.valueOf(c.getInt(c.getColumnIndex(CBRContract.
                WhoqolEntry.COLUMN_DOMAIN_1B)));
            String cDom1c = String.valueOf(c.getInt(c.getColumnIndex(CBRContract.
                WhoqolEntry.COLUMN_DOMAIN_1C)));

```

```

String cDom2a = String.valueOf(c.getInt(c.getColumnIndex(CBRContract.
    WhoqolEntry.COLUMN_DOMAIN_2A)));
String cDom2b = String.valueOf(c.getInt(c.getColumnIndex(CBRContract.
    WhoqolEntry.COLUMN_DOMAIN_2B)));
String cDom2c = String.valueOf(c.getInt(c.getColumnIndex(CBRContract.
    WhoqolEntry.COLUMN_DOMAIN_2C)));
String cDom3a = String.valueOf(c.getInt(c.getColumnIndex(CBRContract.
    WhoqolEntry.COLUMN_DOMAIN_3A)));
String cDom3b = String.valueOf(c.getInt(c.getColumnIndex(CBRContract.
    WhoqolEntry.COLUMN_DOMAIN_3B)));
String cDom3c = String.valueOf(c.getInt(c.getColumnIndex(CBRContract.
    WhoqolEntry.COLUMN_DOMAIN_3C)));
String cDom4a = String.valueOf(c.getInt(c.getColumnIndex(CBRContract.
    WhoqolEntry.COLUMN_DOMAIN_4A)));
String cDom4b = String.valueOf(c.getInt(c.getColumnIndex(CBRContract.
    WhoqolEntry.COLUMN_DOMAIN_4B)));
String cDom4c = String.valueOf(c.getInt(c.getColumnIndex(CBRContract.
    WhoqolEntry.COLUMN_DOMAIN_4C)));

((EditText) findViewById(R.id.wq_form_code_et)).setText(cFormCode);
((EditText) findViewById(R.id.wq_first_name_et)).setText(cFirstName);
((EditText) findViewById(R.id.wq_last_name_et)).setText(cLastName);
((EditText) findViewById(R.id.wq_m_i_et)).setText(cMI);
((EditText) findViewById(R.id.wq_name_ext_et)).setText(cNameExt);

String[] sexArray = {"Babae", "Lalaki"};
index = getSelectedIndex(cKasarian, sexArray);
rg = (RadioGroup) findViewById(R.id.wq_sex_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

((EditText) findViewById(R.id.wq_birthday_et)).setText(cKapanganakan);

String[] educArray = {"Walang natapos", "Elementarya", "High school", "
    Kolehiyo"};
index = getSelectedIndex(cNatapos, educArray);
rg = (RadioGroup) findViewById(R.id.wq_education_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

String[] statusArray = {"Binata/Dalaga", "May-asawa", "Nagsasama ng walang
    kasal", "Hiwalay", "Diborsyado/a", "Balo"};
index = getSelectedIndex(cEstadoSibil, statusArray);
rg = (RadioGroup) findViewById(R.id.wq_civil_status_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

String[] sickArray = {"Meron", "Wala"};
index = getSelectedIndex(cMaySakit, sickArray);
rg = (RadioGroup) findViewById(R.id.wq_sick_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

((EditText) findViewById(R.id.wq_sick_et)).setText(cKaramdaman);

index = getSelectedIndex(cQ1, header1Str);
rg = (RadioGroup) findViewById(R.id.wq_q1_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

index = getSelectedIndex(cQ2, header26Str);
rg = (RadioGroup) findViewById(R.id.wq_q2_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

index = getSelectedIndex(cQ3, header3Str);
rg = (RadioGroup) findViewById(R.id.wq_q3_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ4, header3Str);
rg = (RadioGroup) findViewById(R.id.wq_q4_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ5, header3Str);
rg = (RadioGroup) findViewById(R.id.wq_q5_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ6, header3Str);
rg = (RadioGroup) findViewById(R.id.wq_q6_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ7, header3Str);
rg = (RadioGroup) findViewById(R.id.wq_q7_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ8, header3Str);
rg = (RadioGroup) findViewById(R.id.wq_q8_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ9, header3Str);
rg = (RadioGroup) findViewById(R.id.wq_q9_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

index = getSelectedIndex(cQ10, header4Str);
rg = (RadioGroup) findViewById(R.id.wq_q10_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ11, header4Str);
rg = (RadioGroup) findViewById(R.id.wq_q11_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ12, header4Str);
rg = (RadioGroup) findViewById(R.id.wq_q12_radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ13, header4Str);
rg = (RadioGroup) findViewById(R.id.wq_q13_radio);

```

```

((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ14, header4Str);
rg = (RadioGroup) findViewById(R.id.wq-q14-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

index = getSelectedIndex(cQ15, header5Str);
rg = (RadioGroup) findViewById(R.id.wq-q15-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

index = getSelectedIndex(cQ16, header26Str);
rg = (RadioGroup) findViewById(R.id.wq-q16-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ17, header26Str);
rg = (RadioGroup) findViewById(R.id.wq-q17-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ18, header26Str);
rg = (RadioGroup) findViewById(R.id.wq-q18-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ19, header26Str);
rg = (RadioGroup) findViewById(R.id.wq-q19-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ20, header26Str);
rg = (RadioGroup) findViewById(R.id.wq-q20-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ21, header26Str);
rg = (RadioGroup) findViewById(R.id.wq-q21-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ22, header26Str);
rg = (RadioGroup) findViewById(R.id.wq-q22-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ23, header26Str);
rg = (RadioGroup) findViewById(R.id.wq-q23-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ24, header26Str);
rg = (RadioGroup) findViewById(R.id.wq-q24-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);
index = getSelectedIndex(cQ25, header26Str);
rg = (RadioGroup) findViewById(R.id.wq-q25-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

index = getSelectedIndex(cQ26, header7Str);
rg = (RadioGroup) findViewById(R.id.wq-q26-radio);
((RadioButton) rg.getChildAt(index)).setChecked(true);

((EditText) findViewById(R.id.wq-puna-et)).setText(cPuna);

((EditText) findViewById(R.id.wq-dom1-a-et)).setText(cDom1a);
((EditText) findViewById(R.id.wq-dom1-b-et)).setText(cDom1b);
((EditText) findViewById(R.id.wq-dom1-c-et)).setText(cDom1c);

((EditText) findViewById(R.id.wq-dom2-a-et)).setText(cDom2a);
((EditText) findViewById(R.id.wq-dom2-b-et)).setText(cDom2b);
((EditText) findViewById(R.id.wq-dom2-c-et)).setText(cDom2c);

((EditText) findViewById(R.id.wq-dom3-a-et)).setText(cDom3a);
((EditText) findViewById(R.id.wq-dom3-b-et)).setText(cDom3b);
((EditText) findViewById(R.id.wq-dom3-c-et)).setText(cDom3c);

((EditText) findViewById(R.id.wq-dom4-a-et)).setText(cDom4a);
((EditText) findViewById(R.id.wq-dom4-b-et)).setText(cDom4b);
((EditText) findViewById(R.id.wq-dom4-c-et)).setText(cDom4c);

c.close();

if (intent.getBooleanExtra("SendAsEmail", false)) {
    String message;

    message = "FORM TYPE: " + cTableName +
        "\nDate Created: " + cTableDate +
        "\nFORM CODE:\t" + cFormCode +
        "\n\nAno ang iyong pangalan? \n\t\t" + cFirstName + " " + cMI + ".
            " + cLastName + ", " + cNameExt +
        "\n\nAno ang iyong kasarian? \n\t\t" + cKasarian +
        "\n\nAno ang petsa ng iyong kapanganakan? \n\t\t" + cKapanganakan
            +
        "\n\nAno ang pinakamataas na natapos mo sa pag-aaral? \n\t\t" +
            cNatapos +
        "\n\nAno ang iyong estado sibil? \n\t\t" + cEstadoSibil +
        "\n\nKasalukuyan ka bang may sakit/karamdaman? \n\t\t" + cMaySakit
            +
        "\n\nKung kayo po ay may sakit/karamdaman, ano ito sa pagkakaalam
            mo? Isulat ang sakit o karamdaman. \n\t\t" + cKaramdaman +
        "\n\nMGA TANONG:\n" +
        "\nAng mga katanunang ito ay tungkol sa iyong nararamdaman sa
            kalidad ng iyong pamumuhay, kalusugan, o iba pang aspeto ng
            iyong buhay. Sagutan ang lahat ng katanungan. Kung hindi
            sigurado, pumili lang ng isang pinakaangkop para saiyo.
            Kadalasang ito ang unang sagot mo.\n" +
        "\nIsaalang-alang ang iyong mga pamantayan, inaasam, kasiyahan at
            alalahanin. Isipin lang ang mga nangyari sa nakaraang apat na
            linggo.\n" +

```

```

\n1. Paano mo bibigyan ng grado ang kalidad ng iyong buhay? \n\
\t" + cQ1 +
\n2. Gaano ka kakuntento sa iyong kalusugan? \n\t\t" + cQ2 +
\n Ang sumusunod na katanungan ay tungkol sa kung gaano mo
naranasan ang ilang bagay nitong nakaraang apat na linggo.\n"
+
\n3. Gaano mo nararamdaman na nakakahadlang ang pananakit ng
iyong katawan sa iyong mga dapat gawin? \n\t\t" + cQ3 +
\n4. Gaano mo kinakailangan ang pagpapagamot para magawa ang mga
pang-araw-araw na gawain? \n\t\t" + cQ4 +
\n5. Gaano ka natutuwa sa buhay? \n\t\t" + cQ5 +
\n6. Gaano mo nararamdaman na makahulugan ang iyong buhay? \n\t\t
" + cQ6 +
\n7. Gaano kabuti ang iyong pagtutok sa isang bagay o gawain? \n\
\t\t" + cQ7 +
\n8. Gaano kaligtas ang pakiramdam mo sa iyong pang-araw-araw na
buhay? \n\t\t" + cQ8 +
\n9. Gaano kabuti at kaayos ang iyong pisikal na kapaligiran? \n\
\t\t" + cQ9 +
\n10. May sapat ka bang lakas/enerhiya para sa pang-araw-araw? \n
\t\t" + cQ10 +
\n11. Tanggap mo ba ang iyong pisikal na anyo o pangangatawan? \n
\t\t" + cQ11 +
\n12. May sapat ka bang pera para mapunan ang iyong kailangan sa
araw-araw? \n\t\t" + cQ12 +
\n13. Gaano kadali sa iyo ang makakuha ng mga impormasyong iyong
kailangan sa araw-araw? \n\t\t" + cQ13 +
\n14. Gaano karami ang pagkakataon mo para makapaglibang? \n\t\t"
+ cQ14 +
\n15. Gaano kadali sa iyo ang paggalaw sa paligid? \n\t\t" +
cQ15 +
\n16. Gaano ka kakuntento sa iyong pagtulog? \n\t\t" + cQ16 +
\n17. Gaano ka kakuntento sa kakayahang mong magawa ang mga pang-
araw-araw na gawain? \n\t\t" + cQ17 +
\n18. Gaano ka kakuntento sa iyong kakayahang magtrabaho? \n\t\t"
+ cQ18 +
\n19. Gaano ka kakuntento sa iyong sarili? \n\t\t" + cQ19 +
\n20. Gaano ka kakuntento sa iyong personal na ugnayan (kapamilya
, kamag-anak, kaibigan, etc.)? \n\t\t" + cQ20 +
\n21. Gaano ka kakuntento sa sekswal na aspeto ng iyong buhay? \n
\t\t" + cQ21 +
\n22. Gaano ka kakuntento sa suporta na naibibigay ng iyong mga
kaibigan \n\t\t" + cQ22 +
\n23. Gaano kayo kakuntento sa kondisyon ng inyong tirahan \n\t\t
" + cQ23 +
\n24. Gaano ka kakuntento sa pagkuha mo ng mga serbisyong
pangkalusugan? \n\t\t" + cQ24 +
\n25. Gaano ka kakuntento sa iyong pagbiyahe? \n\t\t" + cQ25 +
\n26. Gaano ka kadalas na may negatibong pakiramdam gaya ng
pagkalungkot, kawalan ng pag-asa, pagkabalisa o pagkalumbay? \
n\t\t" + cQ26 +
\nMayroon ka bang anumang puna tungkol sa mga katanungang ito? \n
\t\t" + cPuna +
\n\n\n\nPAGTATASA:\n" +
\n\n\n\nDomain 1 *\n" +
"a. Raw score \n\t\t" + cDom1a +
\nDomain 1 *\n" +
"b. 4-20 Transformed scores \n\t\t" + cDom1b +
\nDomain 1 *\n" +
"c. 0-100 Transformed scores \n\t\t" + cDom1c +
\n\n\n\nDomain 2 *\n" +
"a. Raw score \n\t\t" + cDom2a +
\nDomain 2 *\n" +
"b. 4-20 Transformed scores \n\t\t" + cDom2b +
\nDomain 2 *\n" +
"c. 0-100 Transformed scores \n\t\t" + cDom2c +
\n\n\n\nDomain 3 *\n" +
"a. Raw score \n\t\t" + cDom3a +
\nDomain 3 *\n" +
"b. 4-20 Transformed scores \n\t\t" + cDom3b +
\nDomain 3 *\n" +
"c. 0-100 Transformed scores \n\t\t" + cDom3c +
\n\n\n\nDomain 4 *\n" +
"a. Raw score \n\t\t" + cDom4a +
\nDomain 3 *\n" +
"b. 4-20 Transformed scores \n\t\t" + cDom4b +
\nDomain 3 *\n" +
"c. 0-100 Transformed scores \n\t\t" + cDom4c +
\n\n" +
\n\n Submitted by: \n\t\t" +
"user";

```

```

Intent i = new Intent(Intent.ACTION_SEND);
i.setType("message/rfc822");
i.putExtra(Intent.EXTRA.SUBJECT, "Form Submission: WHOQOL");
i.putExtra(Intent.EXTRA.TEXT, message);
try {
    startActivity(Intent.createChooser(i, "Send mail..."));
} catch (android.content.ActivityNotFoundException ex) {
    Toast.makeText(WhoQOLActivity.this, "There are no email clients
    installed.", Toast.LENGTH_SHORT).show();
}

```

```

    }
    if (intent.getBooleanExtra("upload", false)) {
        if (isOnline()) {
            HashMap<String, String> params = new HashMap<>();
            params.put("formcode", cFormCode);
            params.put("datecompleted", cTableDate);
            params.put("userid", String.valueOf(user_id));
            params.put("lastname", cLastName);
            params.put("firstname", cFirstName);
            params.put("middleinitial", cMI);
            params.put("nameext", cNameExt);

            params.put("kasarian", cKasarian);
            params.put("kapanganakan", cKapanganakan);
            params.put("natapos", cNatapos);
            params.put("estadosibil", cEstadoSibil);
            params.put("maysakit", cMaySakit.toLowerCase());
            params.put("sakit", cKaramdaman);

            params.put("q1", cQ1);
            params.put("q2", cQ2);
            params.put("q3", cQ3);
            params.put("q4", cQ4);
            params.put("q5", cQ5);
            params.put("q6", cQ6);
            params.put("q7", cQ7);
            params.put("q8", cQ8);
            params.put("q9", cQ9);
            params.put("q10", cQ10);
            params.put("q11", cQ11);
            params.put("q12", cQ12);
            params.put("q13", cQ13);
            params.put("q14", cQ14);
            params.put("q15", cQ15);
            params.put("q16", cQ16);
            params.put("q17", cQ17);
            params.put("q18", cQ18);
            params.put("q19", cQ18);
            params.put("q20", cQ20);
            params.put("q21", cQ21);
            params.put("q22", cQ22);
            params.put("q23", cQ23);
            params.put("q24", cQ24);
            params.put("q25", cQ25);
            params.put("q26", cQ26);
            params.put("puna", cPuna);
            params.put("dom1a", cDom1a);
            params.put("dom1b", cDom1b);
            params.put("dom1c", cDom1c);
            params.put("dom2a", cDom2a);
            params.put("dom2b", cDom2b);
            params.put("dom2c", cDom2c);
            params.put("dom3a", cDom3a);
            params.put("dom3b", cDom3b);
            params.put("dom3c", cDom3c);
            params.put("dom4a", cDom4a);
            params.put("dom4b", cDom4b);
            params.put("dom4c", cDom4c);
            attemptUpload(user_id, cFormCode, params);
        } else {
            Toast.makeText(getApplicationContext(), "No internet connection.",
                Toast.LENGTHLONG).show();
        }
    }
}
} else {
    findViewById(R.id.wq.update_btn).setVisibility(View.GONE);
}

Button cancelBtn = (Button) findViewById(R.id.wq_cancel_btn);
cancelBtn.setOnClickListener(new View.OnClickListener() {
    public void onClick(View v) {
        startActivity(new Intent(WHOQOLActivity.this, MainActivity.class));
    }
});

Button saveBtn = (Button) findViewById(R.id.wq_save_btn);
saveBtn.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        getAndValidateData();
        getAndValidateDomains();
        if (noError) {
            insert(createWhoqolValues("Saved"));
            startActivity(new Intent(WHOQOLActivity.this, MainActivity.class));
            Toast.makeText(getApplicationContext(), "Form <form.name> successfully saved
                !", Toast.LENGTHLONG).show();
        } else {
            noError = true;

```

```

        Toast.makeText(getApplicationContext(), "Errors found in your input!", Toast.
            LENGTH_SHORT).show();
    }
}
});

Button updateBtn = (Button) findViewById(R.id.wq_update_btn);
updateBtn.setOnClickListener(new View.OnClickListener() {
    public void onClick(View v) {
        getAndValidateData();
        getAndValidateDomains();
        if (noError) {
            update(createWhoqolValues("Updated"), id);
            startActivity(new Intent(WHOQOLActivity.this, MainActivity.class));
            Toast.makeText(getApplicationContext(), "Form <form_name> successfully saved
                !", Toast.LENGTH_LONG).show();
        } else {
            noError = true;
            Toast.makeText(getApplicationContext(), "Errors found in your input!", Toast.
                LENGTH_SHORT).show();
        }
    }
});

Button computeBtn = (Button) findViewById(R.id.wq_compute_btn);
computeBtn.setOnClickListener(new View.OnClickListener() {
    public void onClick(View v) {
        noError = true;
        getAndValidateData();
        if (noError) {
            RadioGroup[] dom1rg = new RadioGroup[]{
                (RadioGroup) findViewById(R.id.wq_q3_radio),
                (RadioGroup) findViewById(R.id.wq_q4_radio),
                (RadioGroup) findViewById(R.id.wq_q10_radio),
                (RadioGroup) findViewById(R.id.wq_q15_radio),
                (RadioGroup) findViewById(R.id.wq_q16_radio),
                (RadioGroup) findViewById(R.id.wq_q17_radio),
                (RadioGroup) findViewById(R.id.wq_q18_radio)};
            int[] dom1 = computeDomain(dom1rg);
            ((EditText) findViewById(R.id.wq_dom1_a_et)).setText(String.valueOf(dom1[0]));
            ((EditText) findViewById(R.id.wq_dom1_b_et)).setText(String.valueOf(dom1[1]));
            ((EditText) findViewById(R.id.wq_dom1_c_et)).setText(String.valueOf(dom1[2]));

            RadioGroup[] dom2rg = new RadioGroup[]{
                (RadioGroup) findViewById(R.id.wq_q5_radio),
                (RadioGroup) findViewById(R.id.wq_q6_radio),
                (RadioGroup) findViewById(R.id.wq_q7_radio),
                (RadioGroup) findViewById(R.id.wq_q11_radio),
                (RadioGroup) findViewById(R.id.wq_q19_radio),
                (RadioGroup) findViewById(R.id.wq_q26_radio)};
            int[] dom2 = computeDomain(dom2rg);
            ((EditText) findViewById(R.id.wq_dom2_a_et)).setText(String.valueOf(dom2[0]));
            ((EditText) findViewById(R.id.wq_dom2_b_et)).setText(String.valueOf(dom2[1]));
            ((EditText) findViewById(R.id.wq_dom2_c_et)).setText(String.valueOf(dom2[2]));

            RadioGroup[] dom3rg = new RadioGroup[]{
                (RadioGroup) findViewById(R.id.wq_q20_radio),
                (RadioGroup) findViewById(R.id.wq_q21_radio),
                (RadioGroup) findViewById(R.id.wq_q22_radio)};
            int[] dom3 = computeDomain(dom3rg);
            ((EditText) findViewById(R.id.wq_dom3_a_et)).setText(String.valueOf(dom3[0]));
            ((EditText) findViewById(R.id.wq_dom3_b_et)).setText(String.valueOf(dom3[1]));
            ((EditText) findViewById(R.id.wq_dom3_c_et)).setText(String.valueOf(dom3[2]));

            RadioGroup[] dom4rg = new RadioGroup[]{
                (RadioGroup) findViewById(R.id.wq_q8_radio),
                (RadioGroup) findViewById(R.id.wq_q9_radio),
                (RadioGroup) findViewById(R.id.wq_q12_radio),
                (RadioGroup) findViewById(R.id.wq_q13_radio),
                (RadioGroup) findViewById(R.id.wq_q14_radio),
                (RadioGroup) findViewById(R.id.wq_q23_radio),
                (RadioGroup) findViewById(R.id.wq_q24_radio),
                (RadioGroup) findViewById(R.id.wq_q25_radio)};
            int[] dom4 = computeDomain(dom4rg);
            ((EditText) findViewById(R.id.wq_dom4_a_et)).setText(String.valueOf(dom4[0]));
            ((EditText) findViewById(R.id.wq_dom4_b_et)).setText(String.valueOf(dom4[1]));
            ((EditText) findViewById(R.id.wq_dom4_c_et)).setText(String.valueOf(dom4[2]));

            Toast.makeText(getApplicationContext(), "no error!", Toast.LENGTH_LONG).show();
        } else {
            noError = true;
            Toast.makeText(getApplicationContext(), "Errors found in your input!", Toast.
                LENGTH_SHORT).show();
        }
    }
});
}

/**
 * get the index of the selected value
 * @param selected string of the selected value

```

```

    * @param strArray array to choose from
    * @return integer value of selected string
    */
    public int getSelectedIndex(String selected, String[] strArray) {
        int index = 0;
        for (int i = 0; i < strArray.length; i++) {
            if (selected.equalsIgnoreCase(strArray[i])) {
                index = i;
                break;
            }
        }
        return index;
    }
}

/**
 * Toggle the folded view of questions
 * @param v view to toggle
 */
public void toggle_questions(View v) {
    questions.setVisibility(questions.isShown()
        ? View.GONE
        : View.VISIBLE);
    if (questions.isShown())
        ((ImageView) findViewById(R.id.wq-questions-btn)).setImageResource(android.R.drawable
            .arrow_up_float);
    else
        ((ImageView) findViewById(R.id.wq-questions-btn)).setImageResource(android.R.drawable
            .arrow_down_float);
}

/**
 * sets the radio header of the radio groups
 * @param str string array to be set as headers
 * @param ll the layout to put the header
 */
public void setRadioHeaders(String[] str, LinearLayout ll) {
    for (int i = 0; i < str.length; i++) {
        TextView tv = (TextView) ll.getChildAt(i);
        tv.setText(str[i]);
    }
}

/**
 * gets and validate the input in the form
 */
public void getAndValidateData() {
    //Tungkol sa iyo
    EditText formCode = (EditText) findViewById(R.id.wq-form-code-et);
    formCodeStr = formCode.getText().toString().trim();
    EditText firstName = (EditText) findViewById(R.id.wq-first_name-et);
    firstNameStr = checkTexttoString(firstName);
    EditText lastName = (EditText) findViewById(R.id.wq-last_name-et);
    lastNameStr = checkTexttoString(lastName);
    EditText middleInitial = (EditText) findViewById(R.id.wq-m_i-et);
    middleInitialStr = checkTexttoString(middleInitial);
    nameExtensionStr = ((EditText) findViewById(R.id.wq_name_ext-et)).getText().toString().
        trim();
    sexStr = getRadioValue((TextView) findViewById(R.id.wq-sex-text), (RadioGroup)
        findViewById(R.id.wq-sex-radio));
    EditText birthday = (EditText) findViewById(R.id.wq-birthday-et);
    birthdayStr = checkTexttoString(birthday);
    educationStr = getRadioValue((TextView) findViewById(R.id.wq_education_text), (RadioGroup)
        findViewById(R.id.wq_education_radio));
    civilStatusStr = getRadioValue((TextView) findViewById(R.id.wq_civil_status_text), (
        RadioGroup) findViewById(R.id.wq_civil_status_radio));
    sickStr = getRadioValue((TextView) findViewById(R.id.wq_sick_text), (RadioGroup)
        findViewById(R.id.wq_sick_radio));
    sicknessStr = ((EditText) findViewById(R.id.wq_sick-et)).getText().toString().trim();

    //MGA TANONG
    q1 = getRadio6Value((TextView) findViewById(R.id.wq-q1-text), (RadioGroup) findViewById(R.
        id.wq-q1-radio), header1SStr);

    q2 = getRadio6Value((TextView) findViewById(R.id.wq-q2-text), (RadioGroup) findViewById(R.
        id.wq-q2-radio), header26SStr);

    q3 = getRadio6Value((TextView) findViewById(R.id.wq-q3-text), (RadioGroup) findViewById(R.
        id.wq-q3-radio), header3SStr);
    q4 = getRadio6Value((TextView) findViewById(R.id.wq-q4-text), (RadioGroup) findViewById(R.
        id.wq-q4-radio), header3SStr);
    q5 = getRadio6Value((TextView) findViewById(R.id.wq-q5-text), (RadioGroup) findViewById(R.
        id.wq-q5-radio), header3SStr);
    q6 = getRadio6Value((TextView) findViewById(R.id.wq-q6-text), (RadioGroup) findViewById(R.
        id.wq-q6-radio), header3SStr);
    q7 = getRadio6Value((TextView) findViewById(R.id.wq-q7-text), (RadioGroup) findViewById(R.
        id.wq-q7-radio), header3SStr);
    q8 = getRadio6Value((TextView) findViewById(R.id.wq-q8-text), (RadioGroup) findViewById(R.
        id.wq-q8-radio), header3SStr);
    q9 = getRadio6Value((TextView) findViewById(R.id.wq-q9-text), (RadioGroup) findViewById(R.
        id.wq-q9-radio), header3SStr);
}

```

```

q10 = getRadio6Value((TextView) findViewById(R.id.wq-q10-text), (RadioGroup) findViewById(
R.id.wq-q10-radio), header4Str);
q11 = getRadio6Value((TextView) findViewById(R.id.wq-q11-text), (RadioGroup) findViewById(
R.id.wq-q11-radio), header4Str);
q12 = getRadio6Value((TextView) findViewById(R.id.wq-q12-text), (RadioGroup) findViewById(
R.id.wq-q12-radio), header4Str);
q13 = getRadio6Value((TextView) findViewById(R.id.wq-q13-text), (RadioGroup) findViewById(
R.id.wq-q13-radio), header4Str);
q14 = getRadio6Value((TextView) findViewById(R.id.wq-q14-text), (RadioGroup) findViewById(
R.id.wq-q14-radio), header4Str);

q15 = getRadio6Value((TextView) findViewById(R.id.wq-q15-text), (RadioGroup) findViewById(
R.id.wq-q15-radio), header5Str);

q16 = getRadio6Value((TextView) findViewById(R.id.wq-q16-text), (RadioGroup) findViewById(
R.id.wq-q16-radio), header26Str);
q17 = getRadio6Value((TextView) findViewById(R.id.wq-q17-text), (RadioGroup) findViewById(
R.id.wq-q17-radio), header26Str);
q18 = getRadio6Value((TextView) findViewById(R.id.wq-q18-text), (RadioGroup) findViewById(
R.id.wq-q18-radio), header26Str);
q19 = getRadio6Value((TextView) findViewById(R.id.wq-q19-text), (RadioGroup) findViewById(
R.id.wq-q19-radio), header26Str);
q20 = getRadio6Value((TextView) findViewById(R.id.wq-q20-text), (RadioGroup) findViewById(
R.id.wq-q20-radio), header26Str);
q21 = getRadio6Value((TextView) findViewById(R.id.wq-q21-text), (RadioGroup) findViewById(
R.id.wq-q21-radio), header26Str);
q22 = getRadio6Value((TextView) findViewById(R.id.wq-q22-text), (RadioGroup) findViewById(
R.id.wq-q22-radio), header26Str);
q23 = getRadio6Value((TextView) findViewById(R.id.wq-q23-text), (RadioGroup) findViewById(
R.id.wq-q23-radio), header26Str);
q24 = getRadio6Value((TextView) findViewById(R.id.wq-q24-text), (RadioGroup) findViewById(
R.id.wq-q24-radio), header26Str);
q25 = getRadio6Value((TextView) findViewById(R.id.wq-q25-text), (RadioGroup) findViewById(
R.id.wq-q25-radio), header26Str);

q26 = getRadio6Value((TextView) findViewById(R.id.wq-q26-text), (RadioGroup) findViewById(
R.id.wq-q26-radio), header7Str);

punaStr = ((EditText) findViewById(R.id.wq-puna-et)).getText().toString().trim();
}

/**
 * get the values of the domains and validate them
 */
public void getAndValidateDomains() {

    //Pagtatasa
    EditText dom1a = (EditText) findViewById(R.id.wq-dom1-a-et);
    dom1aInt = checkTextttoInt(dom1a);
    EditText dom1b = (EditText) findViewById(R.id.wq-dom1-b-et);
    dom1bInt = checkTextttoInt(dom1b);
    EditText dom1c = (EditText) findViewById(R.id.wq-dom1-c-et);
    dom1cInt = checkTextttoInt(dom1c);
    EditText dom2a = (EditText) findViewById(R.id.wq-dom2-a-et);
    dom2aInt = checkTextttoInt(dom2a);
    EditText dom2b = (EditText) findViewById(R.id.wq-dom2-b-et);
    dom2bInt = checkTextttoInt(dom2b);
    EditText dom2c = (EditText) findViewById(R.id.wq-dom2-c-et);
    dom2cInt = checkTextttoInt(dom2c);
    EditText dom3a = (EditText) findViewById(R.id.wq-dom3-a-et);
    dom3aInt = checkTextttoInt(dom3a);
    EditText dom3b = (EditText) findViewById(R.id.wq-dom3-b-et);
    dom3bInt = checkTextttoInt(dom3b);
    EditText dom3c = (EditText) findViewById(R.id.wq-dom3-c-et);
    dom3cInt = checkTextttoInt(dom3c);
    EditText dom4a = (EditText) findViewById(R.id.wq-dom4-a-et);
    dom4aInt = checkTextttoInt(dom4a);
    EditText dom4b = (EditText) findViewById(R.id.wq-dom4-b-et);
    dom4bInt = checkTextttoInt(dom4b);
    EditText dom4c = (EditText) findViewById(R.id.wq-dom4-c-et);
    dom4cInt = checkTextttoInt(dom4c);
}

/**
 * Checks if the contents of an EditText is empty and returns its value as String
 *
 * @param et Edit Text to check
 * @return the string value of the content of ET
 */
public String checkTextttoString(EditText et) {
    String str = et.getText().toString().trim();
    if (str.equals("")) {
        noError = false;
        et.setError("Field required.");
    }
    return str;
}

/**
 * Checks if the contents of an EditText is empty and returns its value as Integer
 * @param et Edit Text to check
 * @return the integer value of the content of ET

```



```

*/
public int checkTexttoInt(EditText et) {
    String str = et.getText().toString().trim();
    int value = 0;
    if (str.equals("")) {
        et.setError("Field required.");
        noError = false;
    } else {
        value = Integer.parseInt(str);
        et.setError(null);
    }
    return value;
}

/**
 * gets the radio value of the checked radio button in a radio group
 * @param tv      text view to focus when there's an error
 * @param rg      radio group where the button belongs
 * @return the string value of the selected radio button
 */
public String getRadioValue(Textview tv, RadioGroup rg) {
    String str = null;
    int rb = rg.getCheckedRadioButtonId();
    if (rb != -1) {
        str = ((RadioButton) findViewById(rb)).getText().toString().trim();
        tv.setError(null);
    } else {
        noError = false;
        tv.setError("Field required.");
    }
    return str;
}

/**
 * gets the radio value of the checked radio button in a radio group
 * @param tv      text view to focus when there's an error
 * @param rg      radio group where the button belongs
 * @param strArray array to get values from
 * @return the string value of the selected radio button
 */
public String getRadio6Value(Textview tv, RadioGroup rg, String[] strArray) {
    int radioButtonID = rg.getCheckedRadioButtonId();
    View radioButton = rg.findViewById(radioButtonID);
    String str = null;

    if (radioButtonID != -1) {
        tv.setError(null);
        int idx = rg.indexOfChild(radioButton);
        str = strArray[idx];
    } else {
        tv.setError("Field Required");
        noError = false;
    }
    return str;
}

/**
 * Computes all the domain scores given the radio group values
 * @param rg radio group
 * @return and array of integer
 */
public int[] computeDomain(RadioGroup[] rg) {
    int count = 0;
    double sum = 0;

    for (RadioGroup aRg : rg) {
        int radioButtonID = aRg.getCheckedRadioButtonId();
        View radioButton = aRg.findViewById(radioButtonID);
        int idx = aRg.indexOfChild(radioButton);
        if (idx < 5) {
            count++;
            if (aRg.equals(findViewById(R.id.wq_q3_radio)) || aRg.equals(findViewById(R.id.wq_q4_radio)) || aRg.equals(findViewById(R.id.wq_q26_radio))) {
                sum += 6 - (idx + 1);
            } else {
                sum += (idx + 1);
            }
        }
    }
    double average = sum / count;
    while (count < rg.length) {
        sum += average;
        count++;
    }
    int domA = (int) Math.round(sum);
    int domB = (int) Math.round(average * 4);
    int domC = 0;
    switch (domB) {
        case 4:
            domC = 0;
            break;
        case 5:

```

```

        domC = 6;
        break;
    case 6:
        domC = 13;
        break;
    case 7:
        domC = 19;
        break;
    case 8:
        domC = 25;
        break;
    case 9:
        domC = 31;
        break;
    case 10:
        domC = 38;
        break;
    case 11:
        domC = 44;
        break;
    case 12:
        domC = 50;
        break;
    case 13:
        domC = 56;
        break;
    case 14:
        domC = 63;
        break;
    case 15:
        domC = 69;
        break;
    case 16:
        domC = 75;
        break;
    case 17:
        domC = 81;
        break;
    case 18:
        domC = 88;
        break;
    case 19:
        domC = 94;
        break;
    case 20:
        domC = 100;
        break;
    }
    return new int[]{domA, domB, domC};
}

/**
 * creates the content values for the whoqol table
 * @param status the status of the entry to be passed
 * @return the content values of whoqol
 */
public ContentValues createWhoqolValues(String status) {
    ContentValues testValues = new ContentValues();
    Calendar current = Calendar.getInstance();
    DateFormat format = DateFormat.getDateTimeInstance();
    String timestamp = format.format(current.getTimeInMillis());

    testValues.put(CBRContract.WhoqolEntry.COLUMN_TABLE_NAME, "WHOQOL");
    testValues.put(CBRContract.WhoqolEntry.COLUMN_TABLE_DATE, timestamp);

    testValues.put(CBRContract.WhoqolEntry.COLUMN_FORM_CODE, formCodeStr);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_STATUS, status);

    testValues.put(CBRContract.WhoqolEntry.COLUMN_FIRST_NAME, firstNameStr);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_LAST_NAME, lastNameStr);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_MIDDLE_INITIAL, middleInitialStr);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_NAME_EXTENSION, nameExtensionStr);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_KASARIAN, sexStr);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_KAPANGANAKAN, birthdayStr);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_NATAPOS, educationStr);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_ESTADO_SIBIL, civilStatusStr);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_MAY_SAKIT, sickStr);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_KARAMDAMAN, sicknessStr);

    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q1, q1);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q2, q2);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q3, q3);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q4, q4);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q5, q5);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q6, q6);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q7, q7);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q8, q8);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q9, q9);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q10, q10);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q11, q11);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q12, q12);
    testValues.put(CBRContract.WhoqolEntry.COLUMN_Q13, q13);
}

```

```

        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q14, q14);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q15, q15);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q16, q16);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q17, q17);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q18, q18);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q19, q19);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q20, q20);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q21, q21);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q22, q22);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q23, q23);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q24, q24);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q25, q25);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_Q26, q26);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_PUNA, punaStr);

        testValues.put(CBRContract.WhoqolEntry.COLUMN_DOMAIN_1A, dom1aInt);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_DOMAIN_1B, dom1bInt);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_DOMAIN_1C, dom1cInt);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_DOMAIN_2A, dom2aInt);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_DOMAIN_2B, dom2bInt);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_DOMAIN_2C, dom2cInt);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_DOMAIN_3A, dom3aInt);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_DOMAIN_3B, dom3bInt);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_DOMAIN_3C, dom3cInt);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_DOMAIN_4A, dom4aInt);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_DOMAIN_4B, dom4bInt);
        testValues.put(CBRContract.WhoqolEntry.COLUMN_DOMAIN_4C, dom4cInt);

    }

    return testValues;
}

/**
 * Inserts a new row to the WHOQOL Table
 * @param cp Content Values to be used in inserting
 */
public void insert(ContentValues cp) {

    ContentResolver resolver = getContentResolver();
    Uri wpUri = resolver.insert(CBRContract.WhoqolEntry.CONTENT_URI, cp);
    long wpRowId = ContentUris.parseId(wpUri);
    if (wpRowId != -1)
        Toast.makeText(getApplicationContext(), "Insert Whoqol form for " + firstNameStr + " "
            + lastNameStr + " successful!", Toast.LENGTH_SHORT).show();
    else
        Toast.makeText(getApplicationContext(), "Insert not successful.", Toast.LENGTH_SHORT).
            show();
}

/**
 * Updates a specified row in the WHOQOL Table
 * @param cp new Content Values of row to be updated
 * @param id specifier ID of the row to be updated
 */
public void update(ContentValues cp, long id) {
    int count = getContentResolver().update(
        CBRContract.WhoqolEntry.CONTENT_URI,
        cp,
        CBRContract.WhoqolEntry._ID + "= ?",
        new String[]{Long.toString(id)});
    if (count != 0) {
        Log.v("WHOQOL ACTIVITY", String.valueOf(count));
        Toast.makeText(getApplicationContext(), "Update Whoqol form for " + firstNameStr + " "
            + lastNameStr + " successful!", Toast.LENGTH_SHORT).show();
    } else
        Toast.makeText(getApplicationContext(), "Update not successful.", Toast.LENGTH_SHORT).
            show();
}

/**
 * Checks if the app is connected to the network
 * @return a boolean of the net information
 */
public boolean isOnline() {
    ConnectivityManager cm =
        (ConnectivityManager) getSystemService(Context.CONNECTIVITY_SERVICE);
    NetworkInfo netInfo = cm.getActiveNetworkInfo();
    return netInfo != null && netInfo.isConnectedOrConnecting();
}

/**
 * Attempts Upload of the WHOQOL form to the online database
 *
 * @param uid the Form ID of the row to get data
 * @param formCode unique identifier used to determine if form is uploaded or not
 * @param params parameters to the submitted in the httprequest
 */
private void attemptUpload(int uid, String formCode, HashMap<String, String> params) {
    if (mAuthTask != null) {
        return;
    }
    boolean is_logged_in = true;
    boolean has_form_code = true;
}

```

```

    if (uid == 0)
        is_logged_in = false;
    if (formCode.equals(""))
        has_form_code = false;

    if (!is_logged_in) {
        Toast.makeText(getApplicationContext(), "You are not logged in.", Toast.LENGTH_SHORT).
            show();
    } else if (!has_form_code) {
        Toast.makeText(getApplicationContext(), "Please input FORM CODE.", Toast.LENGTH_SHORT)
            .show();
    } else {
        mAuthTask = new UploadWhoqolTask(params);
        mAuthTask.execute();
    }
}

/**
 * Represents an asynchronous upload whoqol task used to upload the filled out
 * whoqol form to the online database
 */
public class UploadWhoqolTask extends AsyncTask<String, String, JSONObject> {

    HashMap<String, String> params;

    public UploadWhoqolTask(HashMap<String, String> params) {
        this.params = params;
    }

    JSONParser jsonParser = new JSONParser();

    @Override
    protected void onPreExecute() {
        pDialog = new ProgressDialog(WHOQOLActivity.this);
        pDialog.setMessage("Attempting upload...");
        pDialog.setIndeterminate(false);
        pDialog.setCancelable(true);
        pDialog.show();
    }

    @Override
    protected JSONObject doInBackground(String... args) {
        try {
            JSONObject json = jsonParser.makeHttpRequest(
                UPLOAD_URL, "POST", params);
            if (json != null) {
                Log.d("JSON result", json.toString());
                return json;
            }
        } catch (Exception e) {
            e.printStackTrace();
        }
        return null;
    }

    @Override
    protected void onPostExecute(JSONObject json) {
        mAuthTask = null;
        int success = 0;
        String message = "";

        if (pDialog != null && pDialog.isShowing()) {
            pDialog.dismiss();
        }
        if (json != null) {
            Toast.makeText(WHOQOLActivity.this, json.toString(),
                Toast.LENGTH_LONG).show();

            try {
                success = json.getInt(TAG_SUCCESS);
                message = json.getString(TAG_MESSAGE);
            } catch (JSONException e) {
                e.printStackTrace();
            }
        } else {
            Toast.makeText(getApplicationContext(), "Cannot Upload Form", Toast.LENGTH_LONG).
                show();
        }

        if (success == 1) {
            ContentValues cValues = new ContentValues();
            cValues.put(CBRContract.WhoqolEntry.COLUMN_STATUS, "Uploaded");

            int count = getContentResolver().update(
                CBRContract.WhoqolEntry.CONTENT_URI,
                cValues,
                CBRContract.WhoqolEntry._ID + " = ?",
                new String[]{Long.toString(id)});
            if (count != 0) {
                Calendar current = Calendar.getInstance();
                DateFormat format = DateFormat.getDateTimeInstance();
                String timestamp = format.format(current.getTimeInMillis());
            }
        }
    }
}

```

```

Toast.makeText(getApplicationContext(), "Update WHOQOL form successful!",
    Toast.LENGTH_SHORT).show();

Cursor c = getContentResolver().query(
    CBRContract.SubmittedFormsEntry.CONTENT_URI,
    null,
    CBRContract.SubmittedFormsEntry.COLUMN_FORM_CODE + "= ?",
    new String[]{params.get("formcode")},
    null
);

if (c != null) {
    if (!c.moveToFirst()) {
        ContentValues values = new ContentValues();
        values.put(CBRContract.SubmittedFormsEntry.COLUMN_FORM_CODE, params.get("formcode"));
        values.put(CBRContract.SubmittedFormsEntry.COLUMN_FORM_TYPE, "WHOQOL");
        values.put(CBRContract.SubmittedFormsEntry.COLUMN_DATE_UPLOADED, timestamp);
        values.put(CBRContract.SubmittedFormsEntry.COLUMN_LAST_NAME, params.get("lastname"));
        values.put(CBRContract.SubmittedFormsEntry.COLUMN_FIRST_NAME, params.get("firstname"));
        values.put(CBRContract.SubmittedFormsEntry.COLUMN_MIDDLE_INITIAL, params.get("middleinitial"));
        values.put(CBRContract.SubmittedFormsEntry.COLUMN_NAME_EXTENSION, params.get("nameextension"));

        ContentResolver resolver = getContentResolver();
        Uri wpUri = resolver.insert(CBRContract.SubmittedFormsEntry.CONTENT_URI, values);
        long wpRowId = ContentUris.parseId(wpUri);

        if (wpRowId != -1)
            Log.e("Insert submitted forms", "success");
    } else {
        ContentValues values2 = new ContentValues();
        values2.put(CBRContract.SubmittedFormsEntry.COLUMN_DATE_UPLOADED, timestamp);

        getContentResolver().update(
            CBRContract.SubmittedFormsEntry.CONTENT_URI,
            values2,
            CBRContract.SubmittedFormsEntry.COLUMN_FORM_CODE + "= ?",
            new String[]{params.get("formcode")});
    }
} else {
    Toast.makeText(getApplicationContext(), "Update not successful.", Toast.LENGTH_SHORT).show();

    Intent intent = new Intent(WHOQOLActivity.this, MainActivity.class);
    startActivity(intent);
} else {
    Log.e("Failure", message);
}
}

@Override
protected void onCancelled() {
    mAuthTask = null;
}
}
}

```

## new-custom.css

```

.login-page{
    background: #d9d9d9;
}

.login-box, .register-box{
    margin: 2% auto;
}

a {
    color: #1e978b;
}

#maroon{
    color: #FFF;
    background: #C12736;
    padding-bottom: 24px;
}

#maroon h2{
    font-size: 300%;
}

```

```

.btn-primary{
    background: #27C1B2;
    border-color: #23ADA0;
}

.btn-primary:hover {
    background: #23ADA0;
    border-color: #23AC9E;
}

.btn-primary:active {
    background-color: #23AC9E;
}

.pagination > .active > a, .pagination > .active > a:focus, .pagination > .active > a:hover, .
    pagination > .active > span, .pagination > .active > span:focus, .pagination > .active > span:
    hover {
        background-color: #C12736;
        border-color: #9F0914;
    }

.login-box {
    margin-bottom: 5px;
}

.box.box-theme {
    border-top-color: #2ed5c5;
}

#buttons{
    padding-bottom: 20px;
}

#buttons a{
    color: #FFF;
    background: #27c1b2 none repeat scroll 0 0;
    border: 1px solid;
    border-color: #23ada0;
    line-height: 2;
    padding: 5px 10px;
    border-radius: 2px;
    margin: 10px;
    cursor: pointer;
}

#buttons a:hover{
    background: #23ADA0;
}

input{
    border-radius: 2px !important;
}

.border-bottom{
    border-bottom: 1px solid #999;
}

.theme-color-teal{
    color: #FFF;
    background: #23AC9E;
}

#floating{
    position: fixed;
    bottom: 40px;
    right: 100px;
    cursor: pointer;
    background: rgba(39,193,178,0.5);
    border-color: rgba(46,213,197,0.4);
    box-shadow: 0 8px 16px 0 rgba(0,0,0,0.24),0 17px 50px 0 rgba(0,0,0,0.19);
}

#floating:hover{
    background: rgba(46,213,197,1);
}

#floating .fa {margin-right: 5px;}

#sbmtbtn {
    display: none;
}

```

## skin-maroon-light.css

```

/*
 * Skin: maroon
 * -----
 */
.skin-maroon-light .main-header .navbar {
    background-color: #C12736;
}

```

```

}
.skin-maroon-light .main-header .navbar .nav > li > a {
  color: #ffffff;
}
.skin-maroon-light .main-header .navbar .nav > li > a:hover,
.skin-maroon-light .main-header .navbar .nav > li > a:active,
.skin-maroon-light .main-header .navbar .nav > li > a:focus,
.skin-maroon-light .main-header .navbar .nav .open > a,
.skin-maroon-light .main-header .navbar .nav .open > a:hover,
.skin-maroon-light .main-header .navbar .nav .open > a:focus,
.skin-maroon-light .main-header .navbar .nav > .active > a {
  background: rgba(0, 0, 0, 0.1);
  color: #f6f6f6;
}
.skin-maroon-light .main-header .navbar .sidebar-toggle {
  color: #ffffff;
}
.skin-maroon-light .main-header .navbar .sidebar-toggle:hover {
  color: #f6f6f6;
  background: rgba(0, 0, 0, 0.1);
}
.skin-maroon-light .main-header .navbar .sidebar-toggle {
  color: #fff;
}
.skin-maroon-light .main-header .navbar .sidebar-toggle:hover {
  background-color: #9F0914;
}
@media (max-width: 767px) {
  .skin-maroon-light .main-header .navbar .dropdown-menu li.divider {
    background-color: rgba(255, 255, 255, 0.1);
  }
  .skin-maroon-light .main-header .navbar .dropdown-menu li a {
    color: #fff;
  }
  .skin-maroon-light .main-header .navbar .dropdown-menu li a:hover {
    background: #9F0914;
  }
}
.skin-maroon-light .main-header .logo {
  background-color: #C12736;
  color: #ffffff;
  border-bottom: 0 solid transparent;
}
.skin-maroon-light .main-header .logo:hover {
  background-color: #A30E1C;
}
.skin-maroon-light .main-header li.user-header {
  background-color: #C12736;
}
.skin-maroon-light .content-header {
  background: transparent;
}
.skin-maroon-light .wrapper,
.skin-maroon-light .main-sidebar,
.skin-maroon-light .left-side {
  background-color: #f9fafc;
}
.skin-maroon-light .content-wrapper,
.skin-maroon-light .main-footer {
  border-left: 1px solid #d2d6de;
}
.skin-maroon-light .user-panel > .info,
.skin-maroon-light .user-panel > .info > a {
  color: #444444;
}
.skin-maroon-light .sidebar-menu > li {
  -webkit-transition: border-left-color 0.3s ease;
  -o-transition: border-left-color 0.3s ease;
  transition: border-left-color 0.3s ease;
}
.skin-maroon-light .sidebar-menu > li.header {
  color: #848484;
  background: #f9fafc;
}
.skin-maroon-light .sidebar-menu > li > a {
  border-left: 3px solid transparent;
  font-weight: 600;
}
.skin-maroon-light .sidebar-menu > li: hover > a,
.skin-maroon-light .sidebar-menu > li.active > a {
  color: #000000;
  background: #f4f4f5;
}
.skin-maroon-light .sidebar-menu > li.active {
  border-left-color: #C12736;
}
.skin-maroon-light .sidebar-menu > li.active > a {
  font-weight: 600;
}
.skin-maroon-light .sidebar-menu > li > .treeview-menu {
  background: #f4f4f5;
}

```

```

.skin-maroon-light .sidebar a {
    color: #444444;
}
.skin-maroon-light .sidebar a:hover {
    text-decoration: none;
}
.skin-maroon-light .treeview-menu > li > a {
    color: #777777;
}
.skin-maroon-light .treeview-menu > li.active > a,
.skin-maroon-light .treeview-menu > li > a:hover {
    color: #000000;
}
.skin-maroon-light .treeview-menu > li.active > a {
    font-weight: 600;
}
.skin-maroon-light .sidebar-form {
    border-radius: 3px;
    border: 1px solid #d2d6de;
    margin: 10px 10px;
}
.skin-maroon-light .sidebar-form input[type="text"],
.skin-maroon-light .sidebar-form .btn {
    box-shadow: none;
    background-color: #fff;
    border: 1px solid transparent;
    height: 35px;
    -webkit-transition: all 0.3s ease-in-out;
    -o-transition: all 0.3s ease-in-out;
    transition: all 0.3s ease-in-out;
}
.skin-maroon-light .sidebar-form input[type="text"] {
    color: #666;
    border-top-left-radius: 2px;
    border-top-right-radius: 0;
    border-bottom-right-radius: 0;
    border-bottom-left-radius: 2px;
}
.skin-maroon-light .sidebar-form input[type="text"]:focus,
.skin-maroon-light .sidebar-form input[type="text"]:focus + .input-group-btn .btn {
    background-color: #fff;
    color: #666;
}
.skin-maroon-light .sidebar-form input[type="text"]:focus + .input-group-btn .btn {
    border-left-color: #fff;
}
.skin-maroon-light .sidebar-form .btn {
    color: #999;
    border-top-left-radius: 0;
    border-top-right-radius: 2px;
    border-bottom-right-radius: 2px;
    border-bottom-left-radius: 0;
}
@media (min-width: 768px) {
    .skin-maroon-light .sidebar-mini.sidebar-collapse .sidebar-menu > li > .treeview-menu {
        border-left: 1px solid #d2d6de;
    }
}

```

## add-community.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$errors = [];
if (isset($_GET["err"])) {
    $errors = json_decode(urldecode($_GET["err"]), true);
}

if (isset($_GET["msg"])) {
    $message = $_GET["msg"];
}

$query = "SELECT * FROM community";
$communityq = mysqli_query($con, $query) or die(mysqli_error($con));
if ($user['type'] == "dmo") {

?>
</html>

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | Add Community</title>
<!-- Tell the browser to be responsive to screen width -->

```



```

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="
viewport">
<!-- Bootstrap 3.3.6 -->
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<!-- Font Awesome -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-
awesome.min.css">
<!-- Ionicons -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.
min.css">
<!-- Theme style -->
<link rel="stylesheet" href="css/AdminLTE.min.css">
<!-- AdminLTE custom Maroon Skin. -->
<link rel="stylesheet" href="css/skin-maroon-light.css">
<!-- DataTables -->
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<!-- Custom style -->
<link rel="stylesheet" href="css/new-custom.css">
<!-- Favicon -->
<link rel="icon" href="img/favicon.ico"> </head>

<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo"> <span class="logo-mini"></span> <span class="logo-lg"> <b>CBR</b>-FM</span> </a>
<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button"> <span class="sr-
only">Toggle navigation</span> <span class="icon-bar"></span> <span class="icon-bar
"></span> <span class="icon-bar"></span> </a>
<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="dmo-dashboard.php"> <i class="fa fa-dashboard"></i> <span class="hidden-xs
">Dashboard</span> </a>
</li>
<li class="dropdown user user-menu">
<a href="#" class="dropdown-toggle" data-toggle="dropdown"> <i class="fa fa-user"></
i> <span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['
last_name']; ?></span> </a>
<ul class="dropdown-menu">
<div class="box box-widget widget-user">
<!-- Add the bg color to the header using any of the bg-* classes -->
<div class="widget-user-header bg-aqua-active">
<h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['
middle_name'] . " " . $user['last_name']; ?></h3>
<h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5> </
div>
</div>
<li class="user-footer">
<div class="pull-left"> <a href="profile.php" class="btn btn-default btn-flat">
Edit Profile</a> </div>
<div class="pull-right"> <a href="logout.php" class="btn btn-default btn-flat">
Log out</a> </div>
</li>
</ul>
</div>
</nav>
</header>
<!-- ===== -->
<aside class="main-sidebar">
<section class="sidebar">
<ul class="sidebar-menu">
<li class="treeview"> <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i
class="fa fa-angle-left pull-right"></i></a>
<ul class="treeview-menu">
<li class="active"><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i>
Overview</a>
</li>
</ul>
</li>
<li class="treeview">
<a href="#"> <i class="fa fa-files-o"></i> <span>Raw Form Data</span> <span class="
label label-primary pull-right"></span> </a>
<ul class="treeview-menu">
<li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
</li>
<li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
</li>
<li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
</li>
</ul>
</li>
<li class="header">CBR MANAGEMENT</li>
<li>
<a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
</li>
<li class="active">

```

```

        <a href="communities.php"> <i class="fa fa-institution "></i> <span>Communities</span>
        </li>
        <li>
        <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
        </li>
    </ul>
</section>
</aside>
<!-- ===== -->
<div class="content-wrapper">
<section class="content-header">
<h1>Add Community<small></small> </h1>
<ol class="breadcrumb">
<li><a href="dmo-dashboard.php"><i class="fa fa-dashboard"></i> Home</a>
</li>
<li><a href="communities.php">Communities</a>
</li>
<li class="active"><a href="#">Add Community</a>
</li>
</ol>
</section>
<section class="content">
<?php
if (isset($message)){
echo "<div class='login-box'>";
if ($message=="success")
echo "<div class='alert alert-success alert-dismissible'> <button type='button' class
='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='
icon fa fa-check'></i> Alert!</h4>Update is Successful!</div>";
if ($message=="fail")
echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='
close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon
fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
echo "</div>";
}
?>
<form class="form-horizontal" action="p-add-community.php" method="post">
<div class="box box-theme">
<div class="box-header with-border">
<h3 class="box-title">Community information </h3> </div>
<div class="box-body">
<div class="form-group">
<label for="name" class="col-sm-3 control-label">Name</label>
<div class="col-sm-9">
<input class="form-control" type="text" name="name" placeholder="Barangay/
Community Name" required/> </div>
</div>
<div class="form-group">
<label for="address" class="col-sm-3 control-label">Address</label>
<div class="col-sm-9">
<input class="form-control" type="text" name="address" required/> </div>
</div>
<div class="form-group">
<label for="abbrev" class="col-sm-3 control-label">Abbreviation</label>
<div class="col-sm-9">
<input class="form-control" type="text" name="abbrev" required/> </div>
</div>
</div>
<div class="box-footer">
<button type="submit" class="btn btn-primary pull-right">Submit</button>
</div>
</form>
</section>
</div>
<div class="control-sidebar-bg"></div>
</div>
<!-- jQuery 2.2.0 -->
<script src="js/jquery-1.12.0.min.js"></script>
<!-- Bootstrap 3.3.6 -->
<script src="bootstrap/js/bootstrap.min.js"></script>
<!-- DataTables -->
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<!-- SlimScroll -->
<script src="../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<!-- FastClick -->
<script src="js/fastclick.js"></script>
<!-- AdminLTE App -->
<script src="js/app.min.js"></script>
<!-- AdminLTE for demo purposes -->
<script src="../dist/js/demo.js"></script>
</body>
</html>
<?php } else{ echo "You cannot access this page." ; } ?>

```

add-dmo.php

```

<!DOCTYPE html>
<?php
require_once(" session.php");
require_once(" connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$errors = [];
if(isset($_GET["err"])){
    $errors = json_decode(urldecode($_GET["err"]), true);
}

if(isset($_GET["msg"]))
    $message=$_GET["msg"];

if($user['type']=="dmo"){

?>
<html>

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | Add DMO</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<!-- Ionicons -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="css/AdminLTE.min.css">
<!-- AdminLTE Skins. Choose a skin from the css/skins folder instead of downloading all of them to reduce the load. -->
<link rel="stylesheet" href="css/skin-maroon-light.css">
<!-- DataTables -->
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<!-- Custom style -->
<link rel="stylesheet" href="css/new-custom.css">
<!-- Favicon -->
<link rel="icon" href="img/favicon.ico">

</head>

<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>

<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</a>

<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="dmo-dashboard.php">
<i class="fa fa-dashboard"></i>
<span class="hidden-xs">Dashboard</span>
</a>
</li>

<li class="dropdown user user-menu">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">
<i class="fa fa-user"></i>
<span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name']; ?></span>
</a>

<ul class="dropdown-menu">
<div class="box box-widget widget-user">
<!-- Add the bg color to the header using any of the bg-* classes -->
<div class="widget-user-header bg-aqua-active">
<h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['middle_name'] . " " . $user['last_name']; ?></h3>
<h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
</div>
</div>
<li class="user-footer">
<div class="pull-left">

```

```

        <a href="profile.php" class="btn btn-default btn-flat">Edit Profile </a>
    </div>
    <div class="pull-right">
        <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
    </div>
</li>
</ul>
</li>
</ul>
</div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
    <section class="sidebar">
        <ul class="sidebar-menu">
            <li class="treeview">
                <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-left pull-right"></i></a>
                <ul class="treeview-menu">
                    <li class="active"><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i> Overview</a>
                </ul>
            </li>
            <li class="treeview">
                <a href="#">
                    <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
                    <span class="label label-primary pull-right"></span>
                </a>
                <ul class="treeview-menu">
                    <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
                    </li>
                    <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
                    </li>
                    <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
                    </li>
                </ul>
            </li>
            <li class="header">CBR MANAGEMENT</li>
            <li class="active">
                <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
            </li>
            <li>
                <a href="communities.php"> <i class="fa fa-institution"></i> <span>Communities</span>
                </a>
            </li>
            <li>
                <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
            </li>
        </ul>
    </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
    <section class="content-header">
        <h1>Add DMO</small></small> </h1>
        <ol class="breadcrumb">
            <li><a href="dmo-dashboard.php"><i class="fa fa-dashboard"></i> Home</a>
            </li>
            <li><a href="users.php">Users</a>
            </li>
            <li class="active"><a href="#">Add DMO</a>
            </li>
        </ol>
    </section>

    <section class="content">
        <?php
        if(isset($message)){
            echo "<div class='login-box'>";
            if($message=="success")
                echo "<div class='alert alert-success alert-dismissible'> <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-check'></i> Alert!</h4>Update is Successful!</div>";
            if($message=="fail")
                echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
            echo "</div>";
        }
        ?>
        <form class="form-horizontal" action="p-add-dmo.php" method="post">

        <div class="row">
            <div class="col-md-6">
                <div class="box box-theme">
                    <div class="box-header with-border">

```

```

    <h3 class="box-title">Account information </h3>
  </div>

  <div class="box-body">
    <div class="form-group">
      <label for="username" class="col-sm-3 control-label">Username</label>
      <div class="col-sm-9">
        <input class="form-control" type="text" name="username" placeholder="
          Username" required/>
      </div>
    </div>
    <div class="form-group">
      <label for="password" class="col-sm-3 control-label">Password</label>
      <div class="col-sm-9">
        <input class="form-control" type="text" name="password" placeholder="
          Password" required/>
      </div>
    </div>
  </div>
</div>
<div class="box box-theme">
  <div class="box-header with-border">
    <h3 class="box-title">User information </h3>
  </div>

  <div class="box-body">
    <div class="form-group">
      <label for="lastname" class="col-sm-3 control-label">Last Name</label>
      <div class="col-sm-9">
        <input class="form-control" type="text" name="lastname" placeholder="Dela
          Cruz" required/>
      </div>
    </div>
    <div class="form-group">
      <label for="firstname" class="col-sm-3 control-label">First Name</label>
      <div class="col-sm-9">
        <input class="form-control" type="text" name="firstname" placeholder="Juan"
          required/>
      </div>
    </div>
    <div class="form-group">
      <label for="middlename" class="col-sm-3 control-label">Middle Name</label>
      <div class="col-sm-9">
        <input class="form-control" type="text" name="middlename" placeholder="Sipag
          " required/>
      </div>
    </div>
    <div class="form-group">
      <label for="nameext" class="col-sm-3 control-label">Name Extension</label>
      <div class="col-sm-9">
        <input class="form-control" type="text" name="nameext" placeholder="Jr. II
          III" />
      </div>
    </div>
  </div>
</div>
</div>
<div class="col-md-6">
  <div class="box box-theme">
    <div class="box-header with-border">
      <h3 class="box-title">Contact information </h3>
    </div>

    <div class="box-body">
      <div class="form-group">
        <label for="contactno" class="col-sm-3 control-label">Contact Number</label>
        <div class="col-sm-9">
          <input class="form-control" type="text" name="contactno" placeholder
            ="09123456789" />
        </div>
      </div>
      <div class="form-group">
        <label for="eadd" class="col-sm-3 control-label">Email Address</label>
        <div class="col-sm-9">
          <input class="form-control" type="email" name="eadd" placeholder="
            juandelacruz@cbr.com" required/>
        </div>
      </div>
    </div>
  </div>
</div>
<div class="box box-theme">
  <div class="box-header with-border">
    <h3 class="box-title">Other information </h3>
  </div>

  <div class="box-body">
    <div class="form-group">
      <label for="staffid" class="col-sm-3 control-label">Staff ID</label>
      <div class="col-sm-9">
        <input class="form-control" type="text" name="staffid" placeholder
          ="201245897" required/>
      </div>
    </div>
  </div>
</div>

```

```

        </div>
        <div class="form-group">
            <label for="position" class="col-sm-3 control-label">Position</label>
            <div class="col-sm-9">
                <input class="form-control" type="text" name="position" placeholder="Faculty
                    " />
            </div>
        </div>
    </div>
</div>
<div class="box-footer">
    <button type="submit" class="btn btn-primary pull-right">Submit</button>
</div>
</form>
</section>
</div>

<div class="control-sidebar-bg"></div>
</div>

<!-- jQuery 2.2.0 -->
<script src="js/jquery-1.12.0.min.js"></script>
<!-- Bootstrap 3.3.6 -->
<script src="bootstrap/js/bootstrap.min.js"></script>
<!-- DataTables -->
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<!-- SlimScroll -->
<script src="../../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<!-- FastClick -->
<script src="js/fastclick.js"></script>
<!-- AdminLTE App -->
<script src="js/app.min.js"></script>
<!-- AdminLTE for demo purposes -->
<script src="../../dist/js/demo.js"></script>

</body>
</html>

<?php } else{ echo "You cannot access this page."; } ?>

```

## add-household.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user.id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$errors = [];
if (isset($_GET["err"])){
    $errors = json_decode(urldecode($_GET["err"]), true);
}

if (isset($_GET["msg"]))
    $message=$_GET["msg"];

$query = "SELECT * FROM community";
$communityq = mysqli_query($con, $query) or die(mysqli_error($con));

if ($user['type']=="dmo"){
?>
<html>

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | Add Household</title>

<!-- Tell the browser to be responsive to screen width -->
<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<!-- Bootstrap 3.3.6 -->
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<!-- Font Awesome -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<!-- Ionicons -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<!-- Theme style -->
<link rel="stylesheet" href="css/AdminLTE.min.css">
<!-- AdminLTE Skins. Choose a skin from the css/skins

```

```

    folder instead of downloading all of them to reduce the load. -->
<link rel="stylesheet" href="css/skin-maroon-light.css">
<!-- DataTables -->
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<!-- Custom style -->
<link rel="stylesheet" href="css/new-custom.css">
<!-- Favicon -->
<link rel="icon" href="img/favicon.ico">
</head>
<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
  <header class="main-header">
    <a href="dmo-dashboard.php" class="logo">
      <span class="logo-mini"></span>
      <span class="logo-lg"> <b>CBR</b>-FM</span>
    </a>
    <nav class="navbar navbar-static-top">
      <a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </a>
      <div class="navbar-custom-menu">
        <ul class="nav navbar-nav">
          <li class="dropdown user user-menu">
            <a href="dmo-dashboard.php">
              <i class="fa fa-dashboard"></i>
              <span class="hidden-xs">Dashboard</span>
            </a>
          </li>
          <li class="dropdown user user-menu">
            <a href="#" class="dropdown-toggle" data-toggle="dropdown">
              <i class="fa fa-user"></i>
              <span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
              ?></span>
            </a>
            <ul class="dropdown-menu">
              <div class="box box-widget widget-user">
                <!-- Add the bg color to the header using any of the bg-* classes -->
                <div class="widget-user-header bg-aqua-active">
                  <h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['
                  middle_name'] . " " . $user['last_name']; ?></h3>
                  <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
                </div>
                <div class="user-footer">
                  <div class="pull-left">
                    <a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
                  </div>
                  <div class="pull-right">
                    <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
                  </div>
                </div>
              </li>
            </ul>
          </li>
        </ul>
      </div>
    </header>
    <!-- ===== -->
    <aside class="main-sidebar">
      <section class="sidebar">
        <ul class="sidebar-menu">
          <li class="treeview">
            <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-
            left pull-right"></i></a>
            <ul class="treeview-menu">
              <li class="active"><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i>
              Overview</a>
            </li>
            </ul>
          </li>
          <li class="treeview">
            <a href="#">
              <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
              <span class="label label-primary pull-right"></span>
            </a>
            <ul class="treeview-menu">
              <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
              </li>
              <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
              </li>
              <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
            </ul>
          </li>
        </ul>
      </section>
    </aside>

```

```

        </li>
    </ul>
</li>
<li class="header">CBR MANAGEMENT</li>
<li>
    <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
</li>
<li>
    <a href="communities.php"> <i class="fa fa-institution"></i> <span>Communities</span>
    </a>
</li>
<li class="active">
    <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
</li>
</ul>
</section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
    <section class="content-header">
        <h1>Add Household<small></small></h1>
        <ol class="breadcrumb">
            <li><a href="dmo-dashboards.php"><i class="fa fa-dashboard"></i> Home</a>
            </li>
            <li><a href="households.php">Households</a>
            </li>
            <li class="active"><a href="#">Add Household</a>
            </li>
        </ol>
    </section>

    <section class="content">
        <?php
        if (isset($message)) {
            echo "<div class='login-box'>";
            if ($message=="success")
                echo "<div class='alert alert-success alert-dismissible'> <button type='button' class
                ='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='
                icon fa fa-check'></i> Alert!</h4>Update is Successful!</div>";
            if ($message=="fail")
                echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='
                close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon
                fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
            echo "</div>";
        }
        ?>
        <form class="form-horizontal" action="p-add-household.php" method="post">
            <div class="box box-theme">
                <div class="box-header with-border">
                    <h3 class="box-title">Household information</h3>
                </div>

                <div class="box-body">
                    <div class="form-group">
                        <label for="houseaddr" class="col-sm-3 control-label">House Address</label>
                        <div class="col-sm-9">
                            <input class="form-control" type="text" name="houseaddr" placeholder="Complete
                            Address" required/>
                        </div>
                    </div>
                    <div class="form-group">
                        <label for="preceptor" class="col-sm-3 control-label">Preceptor</label>
                        <div class="col-sm-9">
                            <input class="form-control" type="text" name="preceptor" placeholder="Name/s"
                            required/>
                        </div>
                    </div>
                    <div class="form-group">
                        <label for="communityid" class="col-sm-3 control-label">Community</label>
                        <div class="col-sm-9">
                            <select class="form-control" name="communityid" required>
                                <option value=""> Please select. </option>
                                <?php
                                while ($cmnty = mysqli_fetch_array($communityq)) {
                                    if ($cid==$cmnty['community_id']) {
                                        echo "<option selected value='". $cmnty['community_id']. "'> ". $cmnty
                                        ['community_id']. " - " . $cmnty['name']. " </option>";
                                    } else {
                                        echo "<option value='". $cmnty['community_id']. "'> ". $cmnty['
                                        community_id']. " - " . $cmnty['name']. " </option>";
                                    }
                                }
                                ?>
                            </select>
                        </div>
                    </div>
                </div>
                <div class="box-footer">
                    <button type="submit" class="btn btn-primary pull-right">Submit</button>
                </div>
            </div>
        </form>
    </section>
</div>

```



```

        </div>
    </form>
</section>
</div>

<div class="control-sidebar-bg"></div>
</div>

<!-- jQuery 2.2.0 -->
<script src="js/jquery-1.12.0.min.js"></script>
<!-- Bootstrap 3.3.6 -->
<script src="bootstrap/js/bootstrap.min.js"></script>
<!-- DataTables -->
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<!-- SlimScroll -->
<script src=" ../.. / plugins / slimScroll / jquery.slimscroll.min.js"></script>
<!-- FastClick -->
<script src="js/fastclick.js"></script>
<!-- AdminLTE App -->
<script src="js/app.min.js"></script>
<!-- AdminLTE for demo purposes -->
<script src=" ../.. / dist / js / demo.js"></script>

</body>
</html>

<?php } else{ echo "You cannot access this page." ; } ?>

```

## add-intern.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id ";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$errors = [];
if (isset($_GET["err"])){
    $errors = json_decode(urldecode($_GET["err"]), true);
}

if (isset($_GET["msg"]))
    $message=$_GET["msg"];

$query = "SELECT * FROM community";
$communityq = mysqli_query($con, $query) or die(mysqli_error($con));

$query = "SELECT * FROM household";
$householdq = mysqli_query($con, $query) or die(mysqli_error($con));

if ($user['type']=="dmo"){
?>
<html>

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | Add Intern</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<!-- Favicon -->
<link rel="icon" href="img/favicon.ico">

</head>

<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>

<nav class="navbar navbar-static-top">

```

```

<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
  <span class="sr-only">Toggle navigation</span>
  <span class="icon-bar"></span>
  <span class="icon-bar"></span>
  <span class="icon-bar"></span>
</a>

<div class="navbar-custom-menu">
  <ul class="nav navbar-nav">
    <li class="dropdown user user-menu">
      <a href="dmo-dashboard.php">
        <i class="fa fa-dashboard"></i>
        <span class="hidden-xs">Dashboard</span>
      </a>
    </li>
    <li class="dropdown user user-menu">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">
        <i class="fa fa-user"></i>
        <span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
          ?></span>
      </a>
      <ul class="dropdown-menu">
        <div class="box box-widget widget-user">
          <div class="widget-user-header bg-aqua-active">
            <h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['
              middle_name'] . " " . $user['last_name']; ?></h3>
            <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
          </div>
          <div class="user-footer">
            <li class="user-footer">
              <div class="pull-left">
                <a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
              </div>
              <div class="pull-right">
                <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
              </div>
            </li>
          </ul>
        </div>
      </li>
    </ul>
  </div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
  <section class="sidebar">
    <ul class="sidebar-menu">
      <li class="treeview">
        <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-
          left pull-right"></i></a>
        <ul class="treeview-menu">
          <li class="active"><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i>
            Overview</a>
          </li>
        </ul>
      </li>
      <li class="treeview">
        <a href="#">
          <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
          <span class="label label-primary pull-right"></span>
        </a>
        <ul class="treeview-menu">
          <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
          </li>
          <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
          </li>
          <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
          </li>
        </ul>
      </li>
      <li class="header">CBR MANAGEMENT</li>
      <li class="active">
        <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
      </li>
      <li>
        <a href="communities.php"> <i class="fa fa-institution"></i> <span>Communities</span>
        </a>
      </li>
      <li>
        <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
      </li>
    </ul>
  </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">

```



```

<div class="box-header with-border">
  <h3 class="box-title">Contact information</h3>
</div>

<div class="box-body">
  <div class="form-group">
    <label for="contactno" class="col-sm-3 control-label">Contact Number</label>
    <div class="col-sm-9">
      <input class="form-control" type="text" name="contactno" placeholder="09123456789" />
    </div>
  </div>
  <div class="form-group">
    <label for="eadd" class="col-sm-3 control-label">Email Address</label>
    <div class="col-sm-9">
      <input class="form-control" type="email" name="eadd" placeholder="juandelacruz@cbr.com" required />
    </div>
  </div>
</div>
</div>
</div>
<div class="box box-theme">
<div class="box-header with-border">
  <h3 class="box-title">Student information</h3>
</div>

<div class="box-body">
  <div class="form-group">
    <div class="form-group">
      <label for="course" class="col-sm-3 control-label">Course</label>
      <div class="col-sm-9">
        <div class="radio">
          <label>
            <input type="radio" name="course" value="pt" checked>PT</label>
          </div>
          <div class="radio">
            <label>
              <input type="radio" name="course" value="ot">OT</label>
            </div>
          <div class="radio">
            <label>
              <input type="radio" name="course" value="sp">SP</label>
            </div>
          </div>
        </div>
      </div>
    </div>
    <div class="form-group">
      <label for="studentno" class="col-sm-3 control-label">Student Number</label>
      <div class="col-sm-9">
        <input class="form-control" type="text" name="studentno" placeholder="201234567" required />
      </div>
    </div>
    <div class="form-group">
      <label for="address" class="col-sm-3 control-label">Address</label>
      <div class="col-sm-9">
        <input class="form-control" type="text" name="address" />
      </div>
    </div>
    <div class="form-group">
      <label for="community" class="col-sm-3 control-label">Community</label>
      <div class="col-sm-9">
        <select class="form-control" name="community" required>
          <option value=""> Please select. </option>
          <?php
            while ($cmnty = mysqli_fetch_array($communityq)) {
              $cid = $cmnty['community_id'];
              echo "<option value="" . $cid. "' ' > " . $cid. " - " . $cmnty['name']. " </option>";
            } ?>
        </select>
      </div>
    </div>
    <div class="form-group">
      <label for="household" class="col-sm-3 control-label">Household</label>
      <div class="col-sm-9">
        <select class="form-control" name="household" required>
          <option value=""> Please select. </option>
          <?php
            while ($shld = mysqli_fetch_array($householdq)) {
              $hid = $shld['household_id'];
              echo "<option value="" . $hid. "' ' > " . $hid. " - " . $shld['house_addr']. " </option>";
            } ?>
        </select>
      </div>
    </div>
  </div>
</div>
</div>
</div>
</div>
</div>
<div class="box-footer">
  <button type="submit" class="btn btn-primary pull-right">Submit</button>
</div>

```

```

        </form>
    </section>
</div>

<div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<script src="../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../dist/js/demo.js"></script>

</body>
</html>

<?php } else{ echo "You cannot access this page."; } ?>

```

## change-password.php

```

<!DOCTYPE html>
<?php
include("session.php");
include("connect.php");

$errors = [];
if (isset($_GET["err"])){
    $errors = json_decode(urldecode($_GET["err"]), true);
}

if (isset($_GET["msg"]))
    $message=$_GET["msg"];

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

if($_SESSION['user_type'] == "dmo"){
    $backlink = "dmo-dashboard.php";
}
if($_SESSION['user_type'] == "intern"){
    $backlink = "intern-dashboard.php";
}

?>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | Change Password</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">
</head>
<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="<?php echo $backlink;?>" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>

<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</a>

<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="<?php echo $backlink;?>">

```

```

        <i class="fa fa-dashboard "></i>
      <span class="hidden-xs">Dashboard</span>
    </a>
  </li>
  <li class="dropdown user user-menu">
    <a href="#" class="dropdown-toggle" data-toggle="dropdown">
      <i class="fa fa-user"></i>
      <span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
        ?></span>
    </a>
    <ul class="dropdown-menu">
      <div class="box box-widget widget-user">
        <!-- Add the bg color to the header using any of the bg-* classes -->
        <div class="widget-user-header bg-aqua-active">
          <h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['
            middle_name'] . " " . $user['last_name']; ?></h3>
          <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
        </div>
      </div>
      <li class="user-footer">
        <div class="pull-left">
          <a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
        </div>
        <div class="pull-right">
          <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
        </div>
      </li>
    </ul>
  </li>
</ul>
</div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
  <section class="sidebar">
    <ul class="sidebar-menu">
      <li class="treeview active">
        <a href="#"><i class="active fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-
          angle-left pull-right"></i></a>
        <ul class="treeview-menu">
          <li><a href="<?php echo $backlink?>"><i class="fa fa-circle-o"></i> Overview</a>
            </li>
        </ul>
      </li>
      <li class="treeview">
        <a href="#">
          <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
          <span class="label label-primary pull-right"></span>
        </a>
        <ul class="treeview-menu">
          <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
            </li>
          <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
            </li>
          <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
            </li>
        </ul>
      </li>
      <li class="header">CBR-M MANAGEMENT</li>
      <li>
        <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
      </li>
      <li>
        <a href="communities.php"> <i class="fa fa-institution "></i> <span>Communities</span>
        </a>
      </li>
      <li>
        <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
      </li>
      <?php } if ($SESSION['user_type']=="intern" ){ ?>
      <li class="treeview">
        <a href="#">
          <i class="fa fa-edit"></i> <span>Submit New Form</span>
          <i class="fa fa-angle-left pull-right"></i>
          <span class="label label-primary pull-right"></span>
        </a>
        <ul class="treeview-menu">
          <li><a href="new-whoqol.php"><i class="fa fa-plus"></i> WHOQOL</a>
            </li>
          <li><a href="new-whodas.php"><i class="fa fa-plus"></i> WHODAS</a>
            </li>
          <li><a href="new-whodas-proxy.php"><i class="fa fa-plus"></i> WHODAS-Proxy</a>
            </li>
        </ul>
      </li>

```

```

        </ul>
      </li>
    <?php } ?>
  </ul>
</section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
  <section class="content-header">
    <h1>Profile<small>Edit your information and change your password.</small> </h1>
    <ol class="breadcrumb">
      <li><a href="<?php echo $backlink;?>"><i class="fa fa-dashboard"></i> Home</a>
      </li>
      <li class="active">Profile </li>
    </ol>
  </section>

  <section class="content">
    <?php
      if (isset($message)) {
        echo "<div class='login-box'>";
        if ($message=="success")
          echo "<div class='alert alert-success alert-dismissible'> <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-check'></i> Alert!</h4>Update is Successful!</div>";
        if ($message=="fail")
          echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
        echo "</div>";
      }
    ?>
    <p>
      Click <a href="profile.php">here</a> to edit your profile.<br>
    </p>
    <?php
      if (count($errs) != 0) {
        if ($errs["not_match"])
          echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-ban'></i> Alert!</h4>Password do not match!</div>";
      }
    ?>

    <div class="box box-theme">
      <div class="box-header with-border">
        <h3 class="box-title">Change Password</h3>
      </div>
      <form class="form-horizontal" action="p-change-password.php" method="post">
        <div class="box-body">
          <div class="form-group">
            <label for="newpass" class="col-sm-3 control-label">New Password</label>
            <div class="col-sm-9">
              <input type="password" class="form-control" name="newpass" required/>
            </div>
          </div>
          <div class="form-group">
            <label for="confirmpass" class="col-sm-3 control-label">Confirm Password</label>
            <div class="col-sm-9">
              <input type="password" class="form-control" name="confirmpass" required/>
            </div>
          </div>
        </div>
        <div class="box-footer">
          <button type="submit" class="btn btn-primary pull-right">Submit</button>
        </div>
      </form>
    </div>
  </section>
</div>

  <div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="../.. / plugins / slimScroll / jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../.. / dist / js / demo.js"></script>

</body>
</html>

```

communities.php

<!DOCTYPE html>

```

<?php
require_once("session.php");
require_once("connect.php");

if(isset($_GET["msg"]))
    $message=$_GET["msg"];

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$query = "SELECT * FROM community";
$communityq = mysqli_query($con, $query) or die(mysqli_error($con));

if($user['type']=="dmo"){

?>
<html>

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | Communities</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">

</head>

<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>

<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</a>

<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="dmo-dashboard.php">
<i class="fa fa-dashboard"></i>
<span class="hidden-xs">Dashboard</span>
</a>
</li>

<li class="dropdown user user-menu">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">
<i class="fa fa-user"></i>
<span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name']; ?></span>
</a>

<ul class="dropdown-menu">
<div class="box box-widget widget-user">
<div class="widget-user-header bg-aqua active">
<h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['middle_name'] . " " . $user['last_name']; ?></h3>
<h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
</div>
</div>
<li class="user-footer">
<div class="pull-left">
<a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
</div>
<div class="pull-right">
<a href="logout.php" class="btn btn-default btn-flat">Log out</a>
</div>
</li>
</ul>
</li>
</ul>
</div>
</nav>

```



```

</header>
<!-- ===== -->
<aside class="main-sidebar">
  <section class="sidebar">
    <ul class="sidebar-menu">
      <li class="treeview">
        <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-left pull-right"></i></a>
        <ul class="treeview-menu">
          <li><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i> Overview</a>
          </li>
        </ul>
      </li>
      <li class="treeview">
        <a href="#">
          <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
          <span class="label label-primary pull-right"></span>
        </a>
        <ul class="treeview-menu">
          <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
          </li>
          <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
          </li>
          <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
          </li>
        </ul>
      </li>
      <li class="header">CBR MANAGEMENT</li>
      <li>
        <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
      </li>
      <li class="active">
        <a href="communities.php"> <i class="fa fa-institution"></i> <span>Communities</span>
        </a>
      </li>
      <li>
        <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
      </li>
    </ul>
  </section>
</aside>
<!-- ===== -->
<div class="content-wrapper">
  <section class="content-header">
    <h1>Communities<small>List of all Communities</small> </h1>
    <ol class="breadcrumb">
      <li><a href="dmo-dashboard"><i class="fa fa-dashboard"></i> Home</a>
      </li>
      <li class="active">Communities</li>
    </ol>
  </section>
  <section class="content">
    <?php
    if (isset($message)) {
      echo "<div class='login-box'>";
      if ($message=="fail")
        echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
      echo "</div>";
    }
    ?>
    <div class="box box-theme">
      <div class="box-header">
        <i class="fa fa-map-o"></i>
        <h3 class="box-title">Add a Community</h3>
      </div>
      <div class="box-body pad">
        <a href='add-community.php' class='btn btn-primary'>Add Community</a>
      </div>
    </div>
    <div class="row">
      <div class="col-xs-12">
        <div class="box">
          <div class="box-body table-responsive">
            <table id="example1" class="table table-bordered table-striped table-condensed">
              <thead>
                <tr>
                  <th>Community ID</th>
                  <th>Abbreviation</th>
                  <th>Community</th>
                  <th>Complete Address</th>
                  <th>Action</th>
                </tr>
              </thead>
            </table>
          </div>
        </div>
      </div>
    </div>
  </section>

```

```

</thead>
<tfoot>
<tr>
<th>Community ID</th>
<th>Abbreviation</th>
<th>Community</th>
<th>Complete Address</th>
<th>Action</th>
</tr>
</tfoot>
<tbody>
<?php
while($communities = mysqli_fetch_array($communityq)){
    $cid = $communities['community_id'];
    echo "<tr>
<td>
<a href='view-community.php?cid=".$cid."'>" . $cid . "
</a></td>
<td>".$communities['abbrev']."'</td>
<td>".$communities['name']."'</td>
<td>".$communities['address']."'</td>
<td><a href='view-community.php?cid=".$cid."'><button class='btn btn-
block btn-primary btn-xs'>View</button></a></td>
</tr>";
} ?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</section>
</div>

<div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<script src="../../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../../dist/js/demo.js"></script>

<script>
$(function()
{
    $("#example1")
        .DataTable();
});
</script>
</body>
</html>

<?php } else{ echo "You cannot access this page."; } ?>

```

## connect.php

```

<?php
function connect(){
    $host = "localhost";
    $user = "root";
    $pass = "";
    $db = "cbr_fm";

    $con = mysqli_connect($host, $user, $pass, $db);
    if (mysqli_connect_errno($con)){
        echo "Failed to connect to MySQL: " . mysqli_connect_error();
        die();
    }
    return $con;
}
$con = connect();
?>

```

## dmo-dashboard.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

```

```

$query = "SELECT * FROM form";
$formq = mysqli_query($con, $query) or die(mysqli_error($con));

if ($user['type']=="dmo"){

?>
<html>

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | DMO DashBoard</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">

</head>

<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>

<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</a>

<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="#">
<i class="fa fa-dashboard"></i>
<span class="hidden-xs">Dashboard</span>
</a>
</li>

<li class="dropdown user user-menu">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">
<i class="fa fa-user"></i>
<span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
?></span>
</a>

<ul class="dropdown-menu">
<div class="box box-widget widget-user">
<!-- Add the bg color to the header using any of the bg-* classes -->
<div class="widget-user-header bg-aqua-active">
<h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['middle_name'] . " " . $user['last_name']; ?></h3>
<h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
</div>
</div>
<li class="user-footer">
<div class="pull-left">
<a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
</div>
<div class="pull-right">
<a href="logout.php" class="btn btn-default btn-flat">Log out</a>
</div>
</li>
</ul>
</li>
</ul>
</div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
<section class="sidebar">
<ul class="sidebar-menu">
<li class="treeview active">

```

```

    <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-
      left pull-right"></i></a>
    <ul class="treeview-menu">
      <li class="active"><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i>
        Overview</a>
      </li>
    </ul>
  </li>
</li class="treeview">
  <a href="#">
    <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
    <span class="label label-primary pull-right"></span>
  </a>
  <ul class="treeview-menu">
    <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
    </li>
    <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
    </li>
    <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
    </li>
  </ul>
</li>
<li class="header">CBR MANAGEMENT</li>
<li>
  <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
</li>
<li>
  <a href="communities.php"> <i class="fa fa-institution"></i> <span>Communities</span>
  </a>
</li>
<li>
  <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
</li>
</ul>
</section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
  <section class="content-header">
    <h1>Overview<small>Table of all submitted forms</small> </h1>
    <ol class="breadcrumb">
      <li><a href="#"><i class="fa fa-dashboard"></i> Home</a>
      </li>
    </ol>
  </section>

  <section class="content">
    <div class="row">
      <div class="col-xs-12">
        <div class="box">
          <div class="box-body table-responsive">
            <table id="example1" class="table table-bordered table-striped table-condensed">
              <thead>
                <tr>
                  <th>Form ID</th>
                  <th>Form Type</th>
                  <th>Name</th>
                  <th>Date Completed</th>
                  <th>Action</th>
                </tr>
              </thead>
              <tfoot>
                <tr>
                  <th>Form ID</th>
                  <th>Form Type</th>
                  <th>Name</th>
                  <th>Date Completed</th>
                  <th>Action</th>
                </tr>
              </tfoot>
              <tbody>
                <?php
                  while($forms = mysqli_fetch_array($formq)){
                    $fid = $forms['form_id'];
                    $date=date_create($forms['date_completed']);

                    echo "<tr>
                  <td>
                    <a href='view-form.php?fid=".$fid."'> . $forms['form_id'] . "
                  </a></td>
                  <td>" . strtoupper($forms['form_type']) . "</td>
                  <td>" . $forms['last_name'] . ", " . $forms['first_name'] . " " . $forms
                    ['middle_initial'] . "</td>
                  <td>" . date_format($date, 'm/d/Y') . "</td>
                  <td> <a href='view-form.php?fid=".$fid."'><button class='btn btn-block
                    btn-primary btn-xs'> View Form </button></a></td>
                  </tr>";
                  }
                </tbody>
              </tbody>
            </table>
          </div>
        </div>
      </div>
    </div>
  </section>

```

```

        </table>
      </div>
    </div>
  </div>
</section>
</div>

<div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<script src="../../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../../dist/js/demo.js"></script>

<script>
$(function()
{
  $("#example1")
    .DataTable();
  $('#dataTables_filter input')
    .attr("placeholder", "id,name,form type,date");
});
</script>
</body>

</html>

<?php } else{ echo "You cannot access this page."; } ?>

```

## edit-household.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$errors = [];
if(isset($_GET["err"])){
  $errors = json_decode(urldecode($_GET["err"]), true);
}

if(isset($_GET["msg"]))
  $message=$_GET["msg"];

$hid = $_GET["hid"];

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$query = "SELECT * FROM household WHERE household_id=$hid";
$householdq = mysqli_query($con, $query) or die(mysqli_error($con));
$household = mysqli_fetch_array($householdq);
$cid = $household["community_id"];

$query = "SELECT * FROM community WHERE community_id=$cid";
$communityq = mysqli_query($con, $query) or die(mysqli_error($con));
$community = mysqli_fetch_array($communityq);

$query = "SELECT * FROM intern WHERE household_id=$hid";
$internq = mysqli_query($con, $query) or die(mysqli_error($con));

if($user['type']=="dmo"){
?>
<html>

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title><CBR-FM | Edit Household</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/ionicons@2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">

```

```

<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">

</head>

<body class="hold-transition skin-maroon-light fixed sidebar-mini">
  <div class="wrapper">
    <header class="main-header">
      <a href="dmo-dashboard.php" class="logo">
        <span class="logo-mini"></span>
        <span class="logo-lg"> <b>CBR</b>-FM</span>
      </a>

      <nav class="navbar navbar-static-top">
        <a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
        </a>

        <div class="navbar-custom-menu">
          <ul class="nav navbar-nav">
            <li class="dropdown user user-menu">
              <a href="dmo-dashboard.php">
                <i class="fa fa-dashboard"></i>
                <span class="hidden-xs">Dashboard</span>
              </a>
            </li>

            <li class="dropdown user user-menu">
              <a href="#" class="dropdown-toggle" data-toggle="dropdown">
                <i class="fa fa-user"></i>
                <span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
                ?></span>
              </a>

              <ul class="dropdown-menu">
                <div class="box box-widget widget-user">
                  <!-- Add the bg color to the header using any of the bg-* classes -->
                  <div class="widget-user-header bg-aqua-active">
                    <h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['middle_name'] . " " . $user['last_name']; ?></h3>
                    <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
                  </div>
                  <li class="user-footer">
                    <div class="pull-left">
                      <a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
                    </div>
                    <div class="pull-right">
                      <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
                    </div>
                  </li>
                </ul>
              </li>
            </ul>
          </div>
        </nav>
      </header>

      <!-- ===== -->

      <aside class="main-sidebar">
        <section class="sidebar">
          <ul class="sidebar-menu">
            <li class="treeview">
              <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-left pull-right"></i></a>
              <ul class="treeview-menu">
                <li class="active"><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i> Overview</a>
              </ul>
            </li>
            <li class="treeview">
              <a href="#">
                <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
                <span class="label label-primary pull-right"></span>
              </a>
              <ul class="treeview-menu">
                <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
                </li>
                <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
                </li>
                <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
                </li>
              </ul>
            </li>
            <li class="header">CBR MANAGEMENT</li>
          </ul>
        </section>
      </aside>
    </div>
  </body>
</html>

```

```

        </li>
        <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
    </li>
    <li>
        <a href="communities.php"> <i class="fa fa-institution"></i> <span>Communities</span>
        </a>
    </li>
    <li class="active">
        <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
    </li>
</ul>
</section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
    <section class="content-header">
        <h1>Edit Household<small></small> </h1>
        <ol class="breadcrumb">
            <li><a href="dmo-dashboard.php"><i class="fa fa-dashboard"></i> Home</a>
            </li>
            <li><a href="households.php">Households</a>
            </li>
            <li class="active"><a href="#">Edit Household</a>
            </li>
        </ol>
    </section>

    <section class="content">
        <?php
        if(isset($message)){
            echo "<div class='login-box'>";
            if($message=="success")
                echo "<div class='alert alert-success alert-dismissible'> <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-check'></i> Alert!</h4>Update is Successful!</div>";
            if($message=="fail")
                echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
            echo "</div>";
        }
        ?>
        <div class="row">
            <div class="col-xs-12">
                <div class="box box-widget widget-user">
                    <div class="widget-user-header theme-color-teal">
                        <h3 class="widget-user-username"> Household # <?php echo $household["household_id"]; ?></h3>
                        <h5><?php echo $community["name"]; ?></h5>
                    </div>
                    <div class="box-footer">
                        <form class="form-horizontal" action="p-edit-household.php" method="post">
                            <div class="form-group">
                                <label for="householdid" class="col-sm-3 control-label">Household ID</label>
                                <div class="col-sm-9">
                                    <input class="form-control" type="text" name="householdid" value="<?php echo $household["household_id"]; ?>" readonly/>
                                </div>
                            </div>
                            <div class="form-group">
                                <label for="communityid" class="col-sm-3 control-label">Community</label>
                                <div class="col-sm-9">
                                    <select class="form-control" name="communityid" readonly>
                                        <option selected value="<?php echo $community["community_id"]; ?>">
                                            <?php echo $community["community_id"] . " - " . $community["name"]; ?>
                                        </option>
                                    </select>
                                </div>
                            </div>
                            <div class="form-group">
                                <label for="houseaddr" class="col-sm-3 control-label">House Address</label>
                                <div class="col-sm-9">
                                    <input class="form-control" type="text" name="houseaddr" value="<?php echo $household["house_addr"]; ?>" class="<?php echo isset($errs["houseaddr"]) ? "error" : "" ;?>" required/>
                                </div>
                            </div>
                            <div class="form-group">
                                <label for="preceptor" class="col-sm-3 control-label">Preceptor</label>
                                <div class="col-sm-9">
                                    <input class="form-control" type="text" name="preceptor" value="<?php echo $household["preceptor"]; ?>" class="<?php echo isset($errs["preceptor"]) ? "error" : "" ;?>" required/>
                                </div>
                            </div>
                        </form>
                    </div>
                </div>
            </div>
        </div>
        <div class="box-footer">
            <button type="submit" class="btn btn-primary pull-right">Submit</button>
        </div>
    </div>
</div>

```





```

$user = mysqli_fetch_array($userq);

$errors = [];
if (isset($_GET["err"])){
    $errors = json_decode(urldecode($_GET["err"]), true);
}

if (isset($_GET["msg"]))
    $message=$_GET["msg"];

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$id = $_GET["uid"];

$query = "SELECT * FROM user WHERE user_id=$id";
$userview = mysqli_query($con, $query) or die(mysqli_error($con));
$usererv = mysqli_fetch_array($userview);
$type = $usererv["type"];

if ($type == "dmo"){
    $query = "SELECT * FROM dmo WHERE user_id=$id";
    $dmoq = mysqli_query($con, $query) or die(mysqli_error($con));
    $dmo = mysqli_fetch_array($dmoq);
}

if ($type == "intern"){
    $query = "SELECT * FROM intern WHERE user_id=$id";
    $internq = mysqli_query($con, $query) or die(mysqli_error($con));
    $intern = mysqli_fetch_array($internq);
    $communityid = $intern['community_id'];
    $householdid = $intern['household_id'];

    $query = "SELECT * FROM community";
    $communityq = mysqli_query($con, $query) or die(mysqli_error($con));

    $query = "SELECT * FROM household";
    $householdq = mysqli_query($con, $query) or die(mysqli_error($con));
}

if ($user['type']=="dmo"){
    ?>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | Edit User</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">
</head>
<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>
<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</a>
<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="dmo-dashboard.php">
<i class="fa fa-dashboard"></i>
<span class="hidden-xs">Dashboard</span>
</a>
</li>
<li class="dropdown user user-menu">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">

```

```

        <i class="fa fa-user"></i>
        <span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
            ?></span>
    </a>

    <ul class="dropdown-menu">
        <div class="box box-widget widget-user">
            <!-- Add the bg color to the header using any of the bg-* classes -->
            <div class="widget-user-header bg-aqua-active">
                <h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['
                    middle_name'] . " " . $user['last_name']; ?></h3>
                <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
            </div>
            </div>
            <li class="user-footer">
                <div class="pull-left">
                    <a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
                </div>
                <div class="pull-right">
                    <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
                </div>
            </li>
        </ul>
    </li>
</ul>
</div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
    <section class="sidebar">
        <ul class="sidebar-menu">
            <li class="treeview">
                <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-
                    left pull-right"></i></a>
                <ul class="treeview-menu">
                    <li class="active"><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i>
                        Overview</a>
                    </li>
                </ul>
            </li>
            <li class="treeview">
                <a href="#">
                    <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
                    <span class="label label-primary pull-right"></span>
                </a>
                <ul class="treeview-menu">
                    <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
                    </li>
                    <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
                    </li>
                    <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
                    </li>
                </ul>
            </li>
            <li class="header">CBR MANAGEMENT</li>
            <li class="active">
                <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
            </li>
            <li>
                <a href="communities.php"> <i class="fa fa-institution "></i> <span>Communities</span>
                </a>
            </li>
            <li>
                <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
            </li>
        </ul>
    </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
    <section class="content-header">
        <h1>Edit User<small></small> </h1>
        <ol class="breadcrumb">
            <li><a href="dmo-dashboard.php"><i class="fa fa-dashboard"></i> Home</a>
            </li>
            <li><a href="users.php">Users</a>
            </li>
            <li class="active"><a href="#">Edit User</a>
            </li>
        </ol>
    </section>

    <section class="content">
        <?php
        if(isset($message)){
            echo "<div class='login-box'>";
            if($message=="success")

```

```

echo "<div class='alert alert-success alert-dismissible'> <button type='button' class
='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='
icon fa fa-check'></i> Alert!</h4>Update is Successful!</div>";
if($message=="fail")
echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='
close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon
fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
echo "</div>";
}
?>
<div class="box box-widget widget-user ">
<div class="widget-user-header theme-color-teal">
<h3 class="widget-user-username"><?php echo $userv['first_name'],' ".$userv['
middle_name'],' " . $userv['last_name'],' " . $userv['name_ext']; ?></h3>
<h5 class="widget-user-desc"><?php echo strtoupper($userv['type']); ?></h5>
</div>
<div class="box-footer">
<form class="form-horizontal" action="p-edit-user.php" method="post">

<div class="row">
<div class="col-md-6">
<div class="box box-danger">
<div class="box-header with-border">
<h3 class="box-title">User information</h3>
</div>

<input type="hidden" name="uid" value="<?php echo $id; ?>" />
<input type="hidden" name="type" value="<?php echo $type; ?>" />

<div class="box-body">
<div class="form-group">
<label for="usertype" class="col-sm-3 control-label">User Type</label>
<div class="col-sm-9">
<input type="text" class="form-control" name="usertype" value="<?php
echo $userv[" type "]; ?>" readonly/>
</div>
</div>
<div class="form-group">
<label for="lastname" class="col-sm-3 control-label">Last Name</label>
<div class="col-sm-9">
<input type="text" class="form-control" name="lastname" placeholder="
Dela Cruz" value="<?php echo $userv[" last_name "]; ?>" required/>
</div>
</div>
<div class="form-group">
<label for="firstname" class="col-sm-3 control-label">First Name</label>
<div class="col-sm-9">
<input type="text" class="form-control" name="firstname" placeholder="
Juan" value="<?php echo $userv[" first_name "]; ?>" required/>
</div>
</div>
<div class="form-group">
<label for="middlename" class="col-sm-3 control-label">Middle Name</label>
<div class="col-sm-9">
<input type="text" class="form-control" name="middlename" placeholder="
Sipag" value="<?php echo $userv[" middle_name "]; ?>" required/>
</div>
</div>
<div class="form-group">
<label for="nameext" class="col-sm-3 control-label">Name Extension</label>
<div class="col-sm-9">
<input type="text" class="form-control" name="nameext" placeholder="Jr.,
II, III " value="<?php echo $userv[" name_ext "]; ?>" />
</div>
</div>
<div class="form-group">
<label for="contactno" class="col-sm-3 control-label">Contact Number</
label>
<div class="col-sm-9">
<input type="text" class="form-control" name="contactno" placeholder
="09123456789" value="<?php echo $userv[" contact_no "]; ?>"
maxlength="11" />
</div>
</div>
<div class="form-group">
<label for="eadd" class="col-sm-3 control-label">Email Address</label>
<div class="col-sm-9">
<input type="email" class="form-control" name="eadd" placeholder="
juandelacruz@gmail.com" value="<?php echo $userv[" e_add "]; ?>"
required/>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="col-md-6">

<div class="box box-danger">
<?php if ($type=="intern") { $courses=array( "pt", "ot", "sp"); ?>

<div class="box-header with-border">
<h3 class="box-title">Student information</h3>

```

```

</div>
<div class="box-body">
  <!-- radio -->
  <div class="form-group">
    <label for="course" class="col-sm-3 control-label">Course</label>
    <div class="col-sm-9">
      <?php
        for ($i=0; $i < 3; $i++) {
          echo "<div class='radio'>";
          <label>";
          if ($intern["course"] == $courses[$i]){
            echo "<input type='radio' type='radio' checked name='course' value
              ='" . $courses[$i] ."' /> ". strtoupper($courses[$i]);
          }else{
            echo "<input type='radio' type='radio' checked name='course' value
              ='" . $courses[$i] ."' /> ". strtoupper($courses[$i]);
          }
          echo "</label>";
        }
      </div>";
    </div>
  </div>

  <div class="form-group">
    <label for="studentno" class="col-sm-3 control-label">Student Number</label>
    <div class="col-sm-9">
      <input class="form-control" type="text" name="studentno" value="<?php
        echo $intern["student_no"]; ?>" required />
    </div>
  </div>

  <div class="form-group">
    <label for="address" class="col-sm-3 control-label">Address</label>
    <div class="col-sm-9">
      <input class="form-control" type="text" name="address" value="<?php
        echo $intern["address"]; ?>" />
    </div>
  </div>

  <div class="form-group">
    <label for="community" class="col-sm-3 control-label">Community</label>
    <div class="col-sm-9">
      <select class="form-control" name="community" required>
        <option value=""> Please select. </option>
        <?php
          while ($cmnty = mysqli_fetch_array($communityq)) {
            $cid = $cmnty['community.id'];
            if ($cid==$intern['community.id']){
              echo "<option selected value='" . $cid. "' > " . $cid. " - " .
                $cmnty['name']. " </option>";
            }else{
              echo "<option value='" . $cid. "' > " . $cid. " - " . $cmnty['name'].
                " </option>";
            }
          }
        </select>
      </div>
    </div>

  <div class="form-group">
    <label for="household" class="col-sm-3 control-label">Household</label>
    <div class="col-sm-9">
      <select class="form-control" name="household" required>
        <option value=""> Please select. </option>
        <?php
          while ($shld = mysqli_fetch_array($householdq)) {
            $hid = $shld['household.id'];
            if ($hid==$intern['household.id']){
              echo "<option selected value='" . $hid. "' > " . $hid. " - " .
                $shld['house_addr']. " </option>";
            }else{
              echo "<option value='" . $hid. "' > " . $hid. " - " . $shld['
                house_addr']. " </option>";
            }
          }
        </select>
      </div>
    </div>
  </div>
  <?php }else if ($type=="dmo") { ?>
  <div class="box-body">
    <!-- radio -->

    <div class="form-group">
      <label for="staffid" class="col-sm-3 control-label">Staff ID</label>
      <div class="col-sm-9">
        <input class="form-control" type="text" name="staffid" value="<?php echo
          $dmo["staff_id"]; ?>" required />
      </div>
    </div>
  </div>
  <div class="form-group">

```

```

        <label for="position" class="col-sm-3 control-label">Position</label>
        <div class="col-sm-9">
            <input class="form-control" type="text" name="position" value="<?php
                echo $dmo[" position "]; ?>" />
        </div>
    </div>
</div>
<?php } ?>
</div>
</div>
<div class="box-footer">
    <button type="submit" class="btn btn-primary pull-right">Submit</button>
</div>
</form>
</div>
</div>
</section>
</div>
<div class="control-sidebar-bg"></div>
</div>
<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<script src="../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../dist/js/demo.js"></script>
</body>
</html>
<?php } else{ echo "You cannot access this page."; } ?>

```

## households.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

if (isset($_GET["msg"]))
    $message=$_GET["msg"];

$query = "SELECT * FROM user WHERE user.id=$user_id ";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$query = "SELECT * FROM household ";
$householdq = mysqli_query($con, $query) or die(mysqli_error($con));

if ($user['type']=='dmo'){
?>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | Households</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">
</head>
<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>
<nav class="navbar navbar-static-top">

```

```

<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
  <span class="sr-only">Toggle navigation</span>
  <span class="icon-bar"></span>
  <span class="icon-bar"></span>
  <span class="icon-bar"></span>
</a>

<div class="navbar-custom-menu">
  <ul class="nav navbar-nav">
    <li class="dropdown user user-menu">
      <a href="dmo-dashboard.php">
        <i class="fa fa-dashboard"></i>
        <span class="hidden-xs">Dashboard</span>
      </a>
    </li>
    <li class="dropdown user user-menu">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">
        <i class="fa fa-user"></i>
        <span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
          ?></span>
      </a>
      <ul class="dropdown-menu">
        <div class="box box-widget widget-user">
          <!-- Add the bg color to the header using any of the bg-* classes -->
          <div class="widget-user-header bg-aqua-active">
            <h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['
              middle_name'] . " " . $user['last_name']; ?></h3>
            <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
          </div>
          </div>
          <li class="user-footer">
            <div class="pull-left">
              <a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
            </div>
            <div class="pull-right">
              <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
            </div>
          </li>
        </ul>
      </li>
    </ul>
  </div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
  <section class="sidebar">
    <ul class="sidebar-menu">
      <li class="treeview">
        <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-
          left pull-right"></i></a>
        <ul class="treeview-menu">
          <li><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i> Overview</a>
          </li>
          <li class="treeview">
            <a href="#">
              <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
              <span class="label label-primary pull-right"></span>
            </a>
            <ul class="treeview-menu">
              <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
              </li>
              <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
              </li>
              <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
              </li>
            </ul>
          </li>
          <li class="header">CBR MANAGEMENT</li>
          <li>
            <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
          </li>
          <li>
            <a href="communities.php"> <i class="fa fa-institution"></i> <span>Communities</span>
            </a>
          </li>
          <li class="active">
            <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
          </li>
        </ul>
      </li>
    </ul>
  </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">

```

```

<section class="content-header">
<h1>Households<small>List of all Households</small> </h1>
<ol class="breadcrumb">
<li><a href="dmo-dashboard"><i class="fa fa-dashboard"></i> Home</a>
</li>
<li class="active">Households</li>
</ol>
</section>

<section class="content">
<?php
if(isset($message)){
echo "<div class='login-box'>";
if($message=="fail")
echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='
close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon
fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
echo "</div>";
}
?>

<div class="box box-theme">
<div class="box-header">
<i class="fa fa-group"></i>
<h3 class="box-title">Add a Household</h3>
</div>
<div class="box-body pad">
<a href='add-household.php' class='btn btn-primary'>Add Household</a>
</div>
</div>

<div class="row">
<div class="col-xs-12">
<div class="box">
<div class="box-body table-responsive">
<table id="example1" class="table table-bordered table-striped table-condensed">
<thead>
<tr>
<th>Household ID</th>
<th>House Address</th>
<th>Community</th>
<th>Preceptor</th>
<th>Action</th>
</tr>
</thead>
<tbody>
<tr>
<th>Household ID</th>
<th>House Address</th>
<th>Community</th>
<th>Preceptor</th>
<th>Action</th>
</tr>
</tbody>
</table>
<?php
while($households = mysqli_fetch_array($householdq)){
$hid = $households['household_id'];
echo "<tr>
<td>
<a href='edit-household.php?hid=".$hid."'> . $hid . "
</a></td>
<td>".$households['house_addr']."' </td>
<td>
<a href='view-community.php?cid=".$households['community_id']."'> . "
$households['community_id'] . "
</a></td>
<td>".$households['preceptor']."' </td>
<td> <a href='edit-household.php?hid=".$hid."'><button class='btn btn-
block btn-primary btn-xs'>Edit</button></a></td>
</tr>";
}
?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</section>
</div>

<div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<script src="../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>

```

```

<script src="../../../dist/js/demo.js"></script>

<script>
  $(function()
  {
    $("#example1")
      .DataTable();
  });
</script>
</body>
</html>

<?php } else{ echo "You cannot access this page."; } ?>

```

## index.php

```

<!DOCTYPE html>
<?php
  $errs = [];
  if (isset($_GET["err"])){
    $errs = json_decode(urldecode($_GET["err"]), true);
  }

  require_once("session.php");

  session_start();
  if (isset($_SESSION["user_id"]) && isset($_SESSION["user_type"])){
    $user_id = $_SESSION["user_id"];
    $user_type = $_SESSION["user_type"];
    if ($user_type == "dmo")
      header("Location: dmo-dashboard.php");
    else if ($user_type == "intern")
      header("Location: intern-dashboard.php");
  } else{
    unset($user_id);
    unset($user_type);
    header("Location: login.php");
    die();
  }
?>

<html>
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>CBR-M</title>

  <link href="bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link href="bootstrap/css/bootstrap-responsive.css" rel="stylesheet">
  <link href="css/custom.css" rel="stylesheet">

  <link rel="icon" href="img/favicon.ico">
</head>
<body>
  <div class="jumbotron" id="grad1">
    <div class="container">
      <center>
        
        <h1>Welcome to CBR-M!</h1>
      </center>
    </div>
  </div>

  <div class="container">
    <form action="login.php" method="post" class="form-signin">
      <fieldset>
        <legend>
          <h4 class="form-signin-heading">Please sign in</h4>
        </legend>

        <?php
          if (count($errs) != 0){
            echo "<div class='errorBox'>Error:<br/>";

            if (isset($errs["empty"])){
              echo "Fill in the required fields.<br/>";
            }
            if (isset($errs["login_invalid"])){
              echo "Your login is invalid.<br/>";
            }
          }
        ?>

        <label for="username" class="sr-only">Username</label>

```



```

        <input type="text" id="username" class="form-control" placeholder="Username" name="
            username" required autofocus>

        <label for="password" class="sr-only">Password</label>
        <input type="password" id="password" class="form-control" placeholder="Password" name="
            password" required>

    </fieldset>
    <button class="btn btn-lg btn-primary btn-block" type="submit">Log-in</button>
</form>

</div>
</body>
</html>

```

## intern-dashboard.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$query = "SELECT * FROM form WHERE user_id=$user_id";
$formq = mysqli_query($con, $query) or die(mysqli_error($con));

if(isset($_GET["msg"]))
    $message=$_GET["msg"];

if($user['type']=="intern"){

?>
<html>

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | Intern Dashboard</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="
    viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-
    awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.
    min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">

</head>

<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
    <header class="main-header">
        <a href="intern-dashboard.php" class="logo">
            <span class="logo-mini"></span>
            <span class="logo-lg"> <b>CBR</b>-FM</span>
        </a>

        <nav class="navbar navbar-static-top">
            <a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
                <span class="sr-only">Toggle navigation</span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
                <span class="icon-bar"></span>
            </a>
            <div class="navbar-custom-menu">
                <ul class="nav navbar-nav">
                    <li class="dropdown user user-menu">
                        <a href="#" class="dropdown-toggle" data-toggle="dropdown">
                            <i class="fa fa-dashboard"></i>
                            <span class="hidden-xs">Dashboard</span>
                        </a>
                        </li>
                    <li class="dropdown user user-menu">
                        <a href="#" class="dropdown-toggle" data-toggle="dropdown">
                            <i class="fa fa-user"></i>
                            <span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
                                ?></span>
                        </a>
                    </li>
                </ul>
            </div>
        </nav>
    </header>

```

```

        <div class="box box-widget widget-user">
            <div class="widget-user-header bg-aqua-active">
                <h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['
                    middle_name'] . " " . $user['last_name']; ?></h3>
                <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
            </div>
            </div>
            <li class="user-footer">
                <div class="pull-left">
                    <a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
                </div>
                <div class="pull-right">
                    <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
                </div>
            </li>
        </ul>
    </li>
</ul>
</div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
    <section class="sidebar">
        <ul class="sidebar-menu">
            <li class="treeview active">
                <a href="#"><i class="active fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-
                    angle-left pull-right"></i></a>
                <ul class="treeview-menu">
                    <li><a href="#"><i class="fa fa-circle-o"></i> Overview</a>
                    </li>
                </ul>
            </li>
            <li class="treeview">
                <a href="#">
                    <i class="fa fa-edit"></i> <span>Submit New Form</span>
                    <i class="fa fa-angle-left pull-right"></i>
                    <span class="label label-primary pull-right"></span>
                </a>
                <ul class="treeview-menu">
                    <li><a href="new-whoqol.php"><i class="fa fa-plus"></i> WHOQOL</a>
                    </li>
                    <li><a href="new-whodas.php"><i class="fa fa-plus"></i> WHODAS</a>
                    </li>
                    <li><a href="new-whodas-proxy.php"><i class="fa fa-plus"></i> WHODAS-Proxy</a>
                    </li>
                </ul>
            </li>
        </ul>
    </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
    <section class="content-header">
        <h1>Overview<small>Table of all your submitted forms</small> </h1>
        <ol class="breadcrumb">
            <li><a href="#"><i class="fa fa-dashboard"></i> Home</a>
            </li>
        </ol>
    </section>

    <section class="content">
        <?php
            if(isset($message)){
                echo "<div class='login-box'>";
                if($message=="success")
                    echo "<div class='alert alert-success alert-dismissible'> <button type='button' class
                        ='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='
                            icon fa fa-check'></i> Alert!</h4>Insert is Successful!</div>";
                if($message=="fail")
                    echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='
                        close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon
                            fa fa-ban'></i> Alert!</h4>Insert is NOT successful!</div>";
                echo "</div>";
            }
            ?>

        <div class="row">
            <div class="col-xs-12">
                <div class="box">
                    <div class="box-body table-responsive">
                        <table id="example1" class="table table-bordered table-striped table-condensed">
                            <thead>
                                <tr>
                                    <th>Form ID</th>
                                    <th>Form Type</th>
                                    <th>Name</th>
                                    <th>Date Completed</th>
                                </tr>
                            </thead>
                        </table>
                    </div>
                </div>
            </div>
        </div>
    </section>

```



```

<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">
</head>

<body class="hold-transition login-page">
<div class="jumbotron" id="maroon">
  <center>
    
    <h2>Welcome to CBR-FM</h2>
    <p> Form Management System of UP CAMP CBR</p>
  </center>
</div>

<div class="login-box">
  <?php
    if(count($errs) != 0){
      echo "<div class='alert alert-danger alert-dismissible'>
        <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</
          button>
        <h4><i class='icon fa fa-ban'></i> Alert!</h4>";

      if(isset($errs["empty"]))
        echo "Fill in the required fields.<br/>";
      if(isset($errs["login_invalid"]))
        echo "Your login is invalid.<br/>";
      echo "</div>";
    }
  ?>
  <div class="login-box-body">
    <p class="login-box-msg">Log in to start your session</p>
    <form action="p-login.php" method="post">
      <div class="form-group has-feedback">
        <input type="text" class="form-control" name="username" placeholder="Username" required>
        <span class="glyphicon glyphicon-user form-control-feedback"></span>
      </div>
      <div class="form-group has-feedback">
        <input type="password" class="form-control" name="password" placeholder="Password"
          required>
        <span class="glyphicon glyphicon-lock form-control-feedback"></span>
      </div>
      <div class="form-group">
        <button type="submit" class="btn btn-primary btn-block btn-flat">Log In</button>
      </div>
    </form>
  </div>
</div>

<script src="js/jquery-2.2.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
</body>
</html>

```

## logout.php

```

<?php
require_once("session.php");
require_once("connect.php");

unset($_SESSION["user_id"]);
unset($_SESSION["user_type"]);

header("Location: index.php");
die();

?>

```

## mobile-change-password.php

```

<?php
require_once("connect.php");

extract($_POST, EXTR_SKIP);

if (!empty($_POST)) {
  if (empty($password1) || empty($password2)) {
    $response["success"] = 0;
    $response["message"] = "One or both of the fields are empty .";
  }
  die(json_encode($response));
  if ($password1==$password2){
    $password_enc = sha1($password1);
    $updateuser = "UPDATE user SET password='".$password_enc' WHERE user_id=$id";

```

```

        $query = mysqli_query($con, $updateuser) or die(mysqli_error($con));

        if($query){
            $response["success"] = 1;
            $response["message"] = "Password successfully changed";
        } else {
            $response["success"] = 0;
            $response["message"] = "Cannot update password ";
        }
        die(json_encode($response));
    } else {
        $response["success"] = 0;
        $response["message"] = "Passwords do not match ";
        die(json_encode($response));
    }
} else {
    $response["success"] = 0;
    $response["message"] = "One or both of the fields are empty ";
    die(json_encode($response));
}

mysql_close();

?>

```

## mobile-login.php

```

<?php
require_once("connect.php");

extract($_POST, EXTR_SKIP);

if (!empty($_POST)) {
    if (empty($username) || empty($password)) {
        $response["success"] = 0;
        $response["message"] = "One or both of the fields are empty .";
        die(json_encode($response));
    }
    $password_enc = sha1($password);
    $query = "SELECT * FROM user WHERE username = '$username' AND password='$password_enc' AND
        type='intern' ";

    $sql = mysqli_query($con, $query) or die(mysqli_error($con));
    $row = mysqli_fetch_array($sql);
    if (!empty($row)) {
        $sid = $row['user_id'];
        $response["success"] = 1;
        $response["message"] = "You have been successfully login";

        $response["username"] = $username;
        $response["userid"] = $sid;

        $query = "SELECT * FROM intern WHERE user_id = $id";
        $internq = mysqli_query($con, $query) or die(mysqli_error($con));
        $intern = mysqli_fetch_array($internq);

        $response["lastname"] = $row['last_name'];
        $response["firstname"] = $row['first_name'];
        $response["middlename"] = $row['middle_name'];
        $response["nameext"] = $row['name_ext'];
        $response["contactno"] = $row['contact_no'];
        $response["eadd"] = $row['e_add'];
        $response["studentno"] = $intern['student_no'];
        $response["course"] = $intern['course'];
        $response["address"] = $intern['address'];

        die(json_encode($response));
    }
    else{
        $response["success"] = 0;
        $response["message"] = "invalid username or password ";
        die(json_encode($response));
    }
} else {
    $response["success"] = 0;
    $response["message"] = "One or both of the fields are empty ";
    die(json_encode($response));
}

mysql_close();

?>

```

## mobile-update-user.php

```

<?php
require_once("connect.php");

extract($_POST, EXTR_SKIP);

$response["success"] = 0;
$response["message"] = "Cannot process .";

if (!empty($_POST)) {
    if (empty($id) || empty($eadd)) {
        $response["success"] = 0;
        $response["message"] = "One or both of the fields are empty .";
    }
    die(json_encode($response));

$updateuser = "UPDATE user SET contact_no='$contactno', e_add='$eadd' WHERE user_id=$id";
$query1 = mysqli_query($con, $updateuser) or die(mysqli_error($con));

$updateintern = "UPDATE intern SET address='$address' WHERE user_id=$id";
$query2 = mysqli_query($con, $updateintern) or die(mysqli_error($con));

if($query1 && $query2){
    $response["success"] = 1;
    $response["message"] = "Profile successfully updated";
} else {
    $response["success"] = 0;
    $response["message"] = "Cannot update profile ";
}
die(json_encode($response));
} else{
    $response["success"] = 0;
    $response["message"] = " One or both of the fields are empty ";
    die(json_encode($response));
}

die(json_encode($response));

mysql_close();

?>

```

## mobile-upload-whodas.php

```

<?php
require_once("connect.php");

extract($_POST, EXTR_SKIP);

$formtype = "whodas";
$response["success"] = 0;
$response["message"] = "Cannot process .";

if (!empty($_POST)) {
    if (empty($formcode) ||
        empty($datecompleted) ||
        empty($userid) ||
        empty($lastname) ||
        empty($firstname) ||
        empty($middleinitial) ||
        empty($pwdidno) ||
        empty($interviewername) ||
        empty($assessmenttime) ||
        empty($interviewdatetime) ||
        empty($livingsituation) ||
        empty($kasarian) ||
        empty($edad) ||
        empty($taonsapagaaral) ||
        empty($estadosibil) ||
        empty($hanapbuhay) ||
        empty($s1) ||
        empty($s2) ||
        empty($s3) ||
        empty($s4) ||
        empty($s5) ||
        empty($s6) ||
        empty($s7) ||
        empty($s8) ||
        empty($s9) ||
        empty($s10) ||
        empty($s11) ||
        empty($s12) ||
        empty($d12) ||
        empty($d13) ||
        empty($d15) ||
        empty($d16) ||
        empty($d22) ||
        empty($d23) ||
        empty($d24) ||

```

```

empty($d33) ||
empty($d34) ||
empty($d43) ||
empty($d44) ||
empty($d45) ||
empty($d52) ||
empty($d53) ||
empty($d54) ||
empty($d501) ||
empty($d56) ||
empty($d57) ||
empty($d58) ||
empty($d59) ||
empty($d510) ||
empty($d502) ||
empty($d62) ||
empty($d63) ||
empty($d64) ||
empty($d66) ||
empty($d67) ||
empty($d68) ||

empty($h1) ||
empty($h2) ||
empty($h3) {

// Create some data that will be the JSON response
$response["success"] = 0;
$response["message"] = "One or both of the fields are empty .";

//display the parameter, that is the json data which our android application
will parse to be //shown to the users
die(json_encode($response));
}

$query = "SELECT * FROM form WHERE form_code = '$formcode'";

$sql = mysqli_query($con, $query) or die(mysqli_error($con));
$row = mysqli_fetch_array($sql);
if (!empty($row)) {
    $formid = $row['form-id'];

    $updateform = "UPDATE form SET
date_completed=CURDATE(),
user_id='$userid ',
last_name='$lastname ',
first_name='$firstname ',
middle_initial='$middleinitial ',
name_ext='$nameext '
WHERE form_id=$formid";
$query = mysqli_query($con, $updateform) or die(mysqli_error($con));

    $updatewhodas = "UPDATE whodas SET
pwd_id_no='$pwdidno ',
interviewer_name='$interviewername ',
assessment_time='$assessmenttime ',
interview_date_time='$interviewdatetime ',
living_situation='$livingsituation ',
kasarian='$kasarian ',
edad='$edad ',
taon_sa_pagaaral='$taonsapagaaral ',
estado_sibil='$estadosibil ',
hanapbuhay='$hanapbuhay ',
dahilan_wala='$dahilanwala ',
s1='$s1 ',
s2='$s2 ',
s3='$s3 ',
s4='$s4 ',
s5='$s5 ',
s6='$s6 ',
s7='$s7 ',
s8='$s8 ',
s9='$s9 ',
s10='$s10 ',
s11='$s11 ',
s12='$s12 ',
d1_2='$d12 ',
d1_3='$d13 ',
d1_5='$d15 ',
d1_6='$d16 ',
d2_2='$d22 ',
d2_3='$d23 ',
d2_4='$d24 ',
d3_3='$d33 ',
d3_4='$d34 ',
d4_3='$d43 ',
d4_4='$d44 ',
d4_5='$d45 ',
d5_2='$d52 ',
d5_3='$d53 ',
d5_4='$d54 ',
d5_01='$d501 ',

```

```

d5_6='d56',
d5_7='d57',
d5_8='d58',
d5_9='d59',
d5_10='d510',
d5_02='d502',
d6_2='d62',
d6_3='d63',
d6_4='d64',
d6_6='d66',
d6_7='d67',
d6_8='d68',
h1='h1',
h2='h2',
h3='h3'
WHERE form_id=$formid";
$query2 = mysqli_query($con, $updatewhodas) or die(mysqli_error($con));

if($query && $query2){
    $response["success"] = 1;
    $response["message"] = "Form successfully uploaded";
} else {
    $response["success"] = 0;
    $response["message"] = "Cannot upload form ";
}
die(json_encode($response));

} else {
//insert new form
$insert = "INSERT INTO form VALUES(
NULL,
'". $formcode ."',
'". $formtype ."', CURDATE(),
'". $userid ."',
'". $lastname ."',
'". $firstname ."',
'". $middleinitial ."',
'". $nameext ."')";
$query = mysqli_query($con, $insert) or die (mysqli_error($con));

//insert new whodas
$newformid = mysqli_insert_id($con);
$newwhodas = "INSERT INTO whodas VALUES (
NULL,
'". $newformid ."',
'". $pwdidno ."',
'". $interviewername ."',
'". $assessmenttime ."',
'". $interviewdatetime ."',
'". $livingsituation ."',
'". $ksarian ."',
'". $edad ."',
'". $taonsapagaaral ."',
'". $estadosibil ."',
'". $hanapbuhay ."',
'". $dahilanwala ."',
'". $s1 ."',
'". $s2 ."',
'". $s3 ."',
'". $s4 ."',
'". $s5 ."',
'". $s6 ."',
'". $s7 ."',
'". $s8 ."',
'". $s9 ."',
'". $s10 ."',
'". $s11 ."',
'". $s12 ."',
'". $d12 ."',
'". $d13 ."',
'". $d15 ."',
'". $d16 ."',
'". $d22 ."',
'". $d23 ."',
'". $d24 ."',
'". $d33 ."',
'". $d34 ."',
'". $d43 ."',
'". $d44 ."',
'". $d45 ."',
'". $d52 ."',
'". $d53 ."',
'". $d54 ."',
'". $d501 ."',
'". $d56 ."',
'". $d57 ."',
'". $d58 ."',
'". $d59 ."',
'". $d510 ."',
'". $d502 ."',
'". $d62 ."',
'". $d63 ."',

```



```

        ". $d64 ."',
        ". $d66 ."',
        ". $d67 ."',
        ". $d68 ."',
        ". $h1 ."',
        ". $h2 ."',
        ". $h3 .'')";
$query2 = mysqli_query($con, $newwhodas) or die(mysqli_error($con));

        if($query && $query2){
            $response["success"] = 1;
            $response["message"] = "Form successfully uploaded";
        } else {
            $response["success"] = 0;
            $response["message"] = "Cannot upload form ";
        }
        die(json_encode($response));
    } else{
        $response["success"] = 0;
        $response["message"] = " One or both of the fields are empty ";
        die(json_encode($response));
    }

    $response["success"] = 0;
    $response["message"] = " One or both of the fields are empty ";
    die(json_encode($response));

    mysqli_close();
?>

```

## mobile-upload-whodas-proxy.php

```

<?php
require_once("connect.php");

extract($_POST, EXTR_SKIP);

$formtype = "whodas-proxy";
$response["success"] = 0;
$response["message"] = "Cannot process .";

if (!empty($_POST)) {
    if (empty($formcode) || empty($datecompleted) || empty($userid) || empty($lastname) ||
        empty($firstname) || empty($middleinitial) || empty($proxypangalan) || empty(
            $proxyrelasyon) || empty($s1) || empty($s2) || empty($s3) || empty($s4) || empty($s5)
            || empty($s6) || empty($s7) || empty($s8) || empty($s9) || empty($s10) || empty($s11)
            || empty($s12) || empty($h1) || empty($h2) || empty($h3)) {
                $response["success"] = 0;
                $response["message"] = "One or both of the fields are empty .";
            }

            die(json_encode($response));

        $query = "SELECT * FROM form WHERE form_code = '$formcode'";

        $sql = mysqli_query($con, $query) or die(mysqli_error($con));
        $row = mysqli_fetch_array($sql);
        if (!empty($row)) {
            $formid = $row['form_id'];

            $updateform = "UPDATE form SET date_completed=CURDATE(), user_id='$userid',
                last_name='$lastname', first_name='$firstname', middle_initial='$middleinitial',
                name_ext='$nameext' WHERE form_id=$formid";
            $query = mysqli_query($con, $updateform) or die(mysqli_error($con));

            $updatewhodasproxy = "UPDATE whodas-proxy SET proxy_pangalan='$proxypangalan',
                proxy_relasyon='$proxyrelasyon', s1='$s1', s2='$s2', s3='$s3', s4='$s4', s5='
                $s5', s6='$s6', s7='$s7', s8='$s8', s9='$s9', s10='$s10', s11='$s11', s12='
                $s12', h1='$h1', h2='$h2', h3='$h3' WHERE form_id=$formid";
            $query2 = mysqli_query($con, $updatewhodasproxy) or die(mysqli_error($con));

            if($query && $query2){
                $response["success"] = 1;
                $response["message"] = "Form successfully uploaded";
            } else {
                $response["success"] = 0;
                $response["message"] = "Cannot upload form ";
            }
            die(json_encode($response));
        } else {
            //insert new form
            $insert = "INSERT INTO form VALUES(
                NULL,
                ". $formcode ."',

```

```

        '". $formtype ."', CURDATE(),
        '". $userid ."',
        '". $lastname ."',
        '". $firstname ."',
        '". $middleinitial ."',
        '". $nameext ."'");
$query = mysql_query($con, $insert) or die (mysql_error($con));

//insert new whodas
$newformid = mysql_insert_id($con);
$newwhodasproxy = "INSERT INTO whodas_proxy VALUES (
NULL,
        '". $newformid ."',
        '". $proxypangalan ."',
        '". $proxyrelasyon ."',
        '". $s1 ."',
        '". $s2 ."',
        '". $s3 ."',
        '". $s4 ."',
        '". $s5 ."',
        '". $s6 ."',
        '". $s7 ."',
        '". $s8 ."',
        '". $s9 ."',
        '". $s10 ."',
        '". $s11 ."',
        '". $s12 ."',
        '". $h1 ."',
        '". $h2 ."',
        '". $h3 ."'");
$query2 = mysql_query($con, $newwhodasproxy) or die(mysql_error($con));

        if($query && $query2){
                $response["success"] = 1;
                $response["message"] = "Form successfully uploaded";
        } else {
                $response["success"] = 0;
                $response["message"] = "Cannot upload form ";
        }
        die(json_encode($response));
} else{
        $response["success"] = 0;
        $response["message"] = " One or both of the fields are empty ";
        die(json_encode($response));
}

        $response["success"] = 0;
        $response["message"] = " One or both of the fields are empty ";
        die(json_encode($response));

mysql_close();

?>

```

## mobile-upload-whoqol.php

```

<?php
require_once("connect.php");

extract($_POST, EXTR_SKIP);

$formtype = "whoqol";
$response["success"] = 0;
$response["message"] = "Cannot process .";

if (!empty($_POST)) {
        if (empty($formcode) ||
                empty($datecompleted) ||
                empty($userid) ||
                empty($lastname) ||
                empty($firstname) ||
                empty($middleinitial) ||
                empty($kasarian) ||
                empty($kapanganakan) ||
                empty($natapos) ||
                empty($estadosibil) ||
                empty($maysakit) ||
                empty($q1) ||
                empty($q2) ||
                empty($q3) ||
                empty($q4) ||
                empty($q5) ||
                empty($q6) ||
                empty($q7) ||
                empty($q8) ||
                empty($q9) ||
                empty($q10) ||
                empty($q11) ||

```

```

empty($q12) ||
empty($q13) ||
empty($q14) ||
empty($q15) ||
empty($q16) ||
empty($q17) ||
empty($q18) ||
empty($q19) ||
empty($q20) ||
empty($q21) ||
empty($q22) ||
empty($q23) ||
empty($q24) ||
empty($q25) ||
empty($q26) ||

empty($dom1a) ||
empty($dom1b) ||
empty($dom1c) ||
empty($dom2a) ||
empty($dom2b) ||
empty($dom2c) ||
empty($dom3a) ||
empty($dom3b) ||
empty($dom3c) ||
empty($dom4a) ||
empty($dom4b) ||
empty($dom4c) {

// Create some data that will be the JSON response
$response["success"] = 0;
$response["message"] = "One or both of the fields are empty .";

//display the parameter, that is the json data which our android application
will parse to be //shown to the users
die(json_encode($response));
}

$query = "SELECT * FROM form WHERE form_code = '$formcode'";
$sql = mysqli_query($con, $query) or die(mysqli_error($con));
$row = mysqli_fetch_array($sql);
if (!empty($row)) {
    $formid = $row['form_id'];

    $updateform = "UPDATE form SET
date_completed=CURDATE(),
user_id='$userid',
last_name='$lastname',
first_name='$firstname',
middle_initial='$middleinitial',
name_ext='$nameext'
WHERE form_id=$formid";
    $query = mysqli_query($con, $updateform) or die(mysqli_error($con));

    $updatewhoqol = "UPDATE whoqol SET
kasarian='$kasarian',
kapanganakan='$kapanganakan',
natapos='$natapos',
may_sakit='$maysakit',
sakit='$sakit',
q1='$q1',
q2='$q2',
q3='$q3',
q4='$q4',
q5='$q5',
q6='$q6',
q7='$q7',
q8='$q8',
q9='$q9',
q10='$q10',
q11='$q11',
q12='$q12',
q13='$q13',
q14='$q14',
q15='$q15',
q16='$q16',
q17='$q17',
q18='$q18',
q19='$q19',
q20='$q20',
q21='$q21',
q22='$q22',
q23='$q23',
q24='$q24',
q25='$q25',
q26='$q26',
puna='$puna',
dom_1a='$dom1a',
dom_1b='$dom1b',
dom_1c='$dom1c',
dom_2a='$dom2a',

```

```

dom_2b='$dom2b',
dom_2c='$dom2c',
dom_3a='$dom3a',
dom_3b='$dom3b',
dom_3c='$dom3c',
dom_4a='$dom4a',
dom_4b='$dom4b',
dom_4c='$dom4c'
WHERE form_id=$formid";
$query2 = mysqli_query($con, $updatewhoqol) or die(mysqli_error($con));

if($query && $query2){
    $response["success"] = 1;
    $response["message"] = "Form successfully uploaded";
} else {
    $response["success"] = 0;
    $response["message"] = "Cannot upload form ";
}
die(json_encode($response));

} else {
//insert new form
$insert = "INSERT INTO form VALUES(
NULL,
'" . $formcode . "',
'" . $formtype . "', CURDATE(),
'" . $userid . "',
'" . $lastname . "',
'" . $firstname . "',
'" . $middleinitial . "',
'" . $nameext . "')";
$query = mysqli_query($con, $insert) or die (mysqli_error($con));

//insert new whodas
$newformid = mysqli_insert_id($con);
$newwhoqol = "INSERT INTO whoqol VALUES (
NULL,
'" . $newformid . "',
'" . $kasarian . "',
'" . $kapanganakan . "',
'" . $natapos . "',
'" . $estadosibil . "',
'" . $maysakit . "',
'" . $sakit . "',
'" . $q1 . "',
'" . $q2 . "',
'" . $q3 . "',
'" . $q4 . "',
'" . $q5 . "',
'" . $q6 . "',
'" . $q7 . "',
'" . $q8 . "',
'" . $q9 . "',
'" . $q10 . "',
'" . $q11 . "',
'" . $q12 . "',
'" . $q13 . "',
'" . $q14 . "',
'" . $q15 . "',
'" . $q16 . "',
'" . $q17 . "',
'" . $q18 . "',
'" . $q19 . "',
'" . $q20 . "',
'" . $q21 . "',
'" . $q22 . "',
'" . $q23 . "',
'" . $q24 . "',
'" . $q25 . "',
'" . $q26 . "',
'" . $puna . "',
'" . $dom1a . "',
'" . $dom1b . "',
'" . $dom1c . "',
'" . $dom2a . "',
'" . $dom2b . "',
'" . $dom2c . "',
'" . $dom3a . "',
'" . $dom3b . "',
'" . $dom3c . "',
'" . $dom4a . "',
'" . $dom4b . "',
'" . $dom4c . "')";
$query2 = mysqli_query($con, $newwhoqol) or die(mysqli_error($con));

if($query && $query2){
    $response["success"] = 1;
    $response["message"] = "Form successfully uploaded";
} else {
    $response["success"] = 0;
    $response["message"] = "Cannot upload form ";
}

```

```

        }
        die(json_encode($response));
    }
} else{
    $response["success"] = 0;
    $response["message"] = " One or both of the fields are empty ";
    die(json_encode($response));
}

    $response["success"] = 0;
    $response["message"] = " One or both of the fields are empty ";
    die(json_encode($response));

mysql_close();
?>

```

## new-whodas.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$serrs = [];
if(isset($_GET["err"])){
    $serrs = json_decode(urldecode($_GET["err"]), true);
}

if(isset($_GET["msg"]))
    $message=$_GET["msg"];

$score_questions = array(
    "S1. Pagtayo nang matagal tulad ng 30 minuto?",
    "S2. Paggawa ng mga responsibilidad sa tahanan",
    "S3. Pag-alam sa mga bagong gawain. Halimbawa, paanong pumunta sa bagong lugar",
    "S4. Pagsali sa mga gawaing pangkomunidad (hal. pista, prusisyon, atbp.) kung ikukumpara niyo sa pangkaraniwang araw",
    "S5. Gaano katindi naapektuhan ang kanyang emosyon ng kanyang kondisyon",
    "S6. Pagtuon sa paggawa ng isang bagay sa loob ng 10 minuto",
    "S7. Paglakad ng malayo tulad ng 1 kilometro o katumbas nito",
    "S8. Pagpapaligo ng kanyang buong katawan",
    "S9. Pagbibihis",
    "S10. Pakikisalamuha sa mga taong di niya kilala",
    "S11. Pagpapanatili ng pagkakaibigan",
    "S12. Pag-araw-araw na gawain sa trabaho o paaralan"
);

$score_questions_name = array("s1","s2","s3","s4","s5","s6","s7","s8","s9","s10","s11","s12");

$domain1_questions = array(
    "D1.2. Pag-alala sa paggawa ng mga mahalagang bagay",
    "D1.3. Pagsuri at paganap ng solusyon sa mga problema sa pang-araw-araw na buhay",
    "D1.5. Pag-unawa kung ano ang pangkalahatang sinsabi ng mga tao",
    "D1.6. PAgsisimula at pagpapatuloy ng usapan"
);

$domain1_name = array("d12","d13","d15","d16");

$domain2_questions = array(
    "D2.2. Pagtayo smula sa pagkakaupo",
    "D2.3. Pagkilos sa loob ng iyong bahay",
    "D2.4. Paglabas sa iyong bahay"
);

$domain2_name = array("d22","d23","d24");

$domain3_questions = array(
    "D3.3. Pagkain",
    "D3.4. Pagiging mag-isa sa buong araw"
);

$domain3_name = array("d33","d34");

$domain4_questions = array(
    "D4.3. Pakikisama sa mga taong malapit sa iyo",
    "D4.4. Pakikipagkaibigan",
    "D4.5. Gawaing Sekswal"
);

$domain4_name = array("d43","d44","d45");

$domain51_questions = array(
    "D5.2. Maayos na pagsasagawa ng mahahalagang gawain sa bahay",
    "D5.3. Pagtatapos ng lahat ng mga kailangang gawain sa bahay",
    "D5.4. Mabilis na pagtapos ng mga kailangang gawain sa bahay"
);

```

```

);
$domain51_name = array("d52","d53","d54");
$domain52_questions = array(
    "D5.6. Maayos na paggawa ng iyong mga pinakamahalagang gawain sa trabaho/paaralan",
    "D5.7. Pagtapos ng lahat ng mga kailangang gawain",
    "D5.8. Pagtapos ng iyong mga gawain sa angkop na bilis"
);
$domain52_name = array("d56","d57","d58");
$domain6_questions = array(
    "D6.2. Gaano katinding hirap ang iyong naranasan dahil sa mga hadlang sa iyong kapaligiran?",
    "D6.3. Gaano katinding hirap ang mamuhay ng may dignidad dahil sa mga ugali at kilos ng iba?",
    "D6.4. Gaano karaming panahon ang iyong ginugugol sa pangangalaga sa iyong kondisyong pangkalusugan at mga naidulot nito?",
    "D6.6. Gaano kalabis ang nababawas sa pinansyal na kakayahan mo o ng iyong pamilya ng iyong kondisyong pangkalusugan?",
    "D6.7. Gaano kalaking problema ang naidulot ng iyong kondisyong pangkalusugan sa iyong pamilya?",
    "D6.8. Gaano katindi ang hirap mong magkaroon ng pansariling libangan at pang-relaks dahil sa iyong kondisyon?"
);
$domain6_name = array("d62","d63","d64","d66","d67","d68");
$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);
$extremity = array("walang hirap","di masyadong hirap","katamtamang hirap","sobrang hirap","sobra sobrang hirap, di na kayang gawin","n.a.");
?>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | New WHODAS</title>
<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">
</head>
<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="intern-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>
<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</a>
<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="intern-dashboard.php">
<i class="fa fa-dashboard"></i>
<span class="hidden-xs">Dashboard</span>
</a>
</li>
<li class="dropdown user user-menu">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">
<i class="fa fa-user"></i>
<span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name']; ?></span>
</a>
<ul class="dropdown-menu">
<div class="box box-widget widget-user">
<div class="widget-user-header bg-aqua-active">
<h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['middle_name'] . " " . $user['last_name']; ?></h3>
<h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>

```

```

        </div>
    </div>
    <li class="user-footer">
        <div class="pull-left">
            <a href="profile.php" class="btn btn-default btn-flat">Edit Profile </a>
        </div>
        <div class="pull-right">
            <a href="logout.php" class="btn btn-default btn-flat">Log out </a>
        </div>
    </li>
</ul>
</li>
</ul>
</div>
</nav>
</header>
<!-- ===== -->
<aside class="main-sidebar">
    <section class="sidebar">
        <ul class="sidebar-menu">
            <li class="treeview">
                <a href="#"><i class="active fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-left pull-right"></i></a>
                <ul class="treeview-menu">
                    <li><a href="intern-dashboard.php"><i class="fa fa-circle-o"></i> Overview </a>
                    </li>
                </ul>
            </li>
            <li class="treeview active">
                <a href="#">
                    <i class="fa fa-edit"></i> <span>Submit New Form</span>
                    <i class="fa fa-angle-left pull-right"></i>
                    <span class="label label-primary pull-right"></span>
                </a>
                <ul class="treeview-menu">
                    <li><a href="new-whoqol.php"><i class="fa fa-plus"></i> WHOQOL </a>
                    </li>
                    <li class="active"><a href="new-whodas.php"><i class="fa fa-plus"></i> WHODAS </a>
                    </li>
                    <li><a href="new-whodas-proxy.php"><i class="fa fa-plus"></i> WHODAS-Proxy </a>
                    </li>
                </ul>
            </li>
        </ul>
    </section>
</aside>
<!-- ===== -->
<div class="content-wrapper">
    <section class="content-header">
        <h1>Submit New WHODAS Form<small></small> </h1>
        <ol class="breadcrumb">
            <li><a href="intern-dashboard.php"><i class="fa fa-dashboard"></i> Home </a>
            </li>
            <li class="active"><a href="#">New WHODAS Form </a>
            </li>
        </ol>
    </section>
    <section class="content">
        <?php
            if(isset($message)){
                echo "<div class='login-box'>";
                if($message=="success")
                    echo "<div class='alert alert-success alert-dismissible'> <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-check'></i> Alert!</h4>Update is Successful!</div>";
                if($message=="fail")
                    echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
                echo "</div>";
            }
        ?>
        <form class="form-horizontal" action="p-new-whodas.php" method="post">
            <div class="box box-theme">
                <div class="box-body">
                    <div class="form-group">
                        <label for="formcode" class="col-sm-2 control-label">Form Code</label>
                        <div class="col-sm-10">
                            <input class="form-control" type="text" name="formcode" required/>
                        </div>
                    </div>
                    <div class="form-group">
                        <label for="firstname" class="col-sm-2 control-label">Ano ang iyong pangalan?</label>
                        <div class="col-sm-3">
                            <input class="form-control" type="text" name="firstname" placeholder="First Name" required/>
                        </div>
                    </div>
                </div>
            </div>
        </form>
    </section>

```

```

</div>
<div class="col-sm-2">
  <input class="form-control" type="text" name="middleinitial" placeholder="M.I"
    required/>
</div>
<div class="col-sm-3">
  <input class="form-control" type="text" name="lastname" placeholder="Last Name"
    required/>
</div>
<div class="col-sm-2">
  <input class="form-control" type="text" name="nameext" placeholder="Ext" />
</div>
</div>
</div>
<div class="row">
  <div class="col-md-6">
    <div class="box box-theme">
      <div class="box-header with-border">
        <h3 class="box-title">Section 1. Face Sheet</h3>
      </div>
      <div class="box-body">
        <div class="form-group">
          <label for="pwdidno" class="col-sm-5 control-label">F1. Respondent Identity
            Number</label>
          <div class="col-sm-7">
            <input class="form-control" type="text" name="pwdidno" placeholder="PWD ID
              No." required/>
          </div>
        </div>
        <div class="form-group">
          <label for="interviewername" class="col-sm-5 control-label">F2. Interviewer
            Identity Name</label>
          <div class="col-sm-7">
            <input class="form-control" type="text" name="interviewername" required/>
          </div>
        </div>
        <div class="form-group">
          <label for="assessmenttime" class="col-sm-5 control-label">F3. Assessment Time
            Point</label>
          <div class="col-sm-7">
            <input class="form-control" type="text" name="assessmenttime" placeholder="
              from what time to what time" required/>
          </div>
        </div>
        <div class="form-group">
          <label for="interviewdatetime" class="col-sm-5 control-label">F4. Date & Time
            of Interview</label>
          <div class="col-sm-7">
            <input class="form-control" type="datetime" name="interviewdatetime" value
              ="<?php echo date('m/d/Y H:i:s'); ?>" required/>
          </div>
        </div>
        <div class="form-group">
          <label for="livingsituation" class="col-sm-5 control-label">F5. Living
            Situation at Time of Interview</label>
          <div class="col-sm-7">
            <select class="form-control" name="livingsituation" required>
              <option selected value=""> Please select </option>
              <option value='independent in community'> Independent in Community </
                option>
              <option value='assisted living'> Assisted Living </option>
              <option value='hospitalized'> Hospitalized </option>
            </select>
          </div>
        </div>
        <br><br><br><br><br><br><br><br>
      </div>
    </div>
  </div>
  <div class="col-md-6">
    <div class="box box-theme">
      <div class="box-header with-border">
        <h3 class="box-title">Section 2. Demographic and Background Information</h3>
      </div>
      <div class="box-body">
        <div class="form-group">
          <label for="kasarian" class="col-sm-6 control-label">A1. Itala ang kasarian
            ayon sa na-observerba.</label>
          <div class="col-sm-6">
            <select class="form-control" name="kasarian" required>
              <option selected value=""> Please select. </option>
              <option value="lalaki">Lalaki</option>;
              <option value="babae">Babae</option>;
            </select>
          </div>
        </div>
        <div class="form-group">
          <label for="edad" class="col-sm-6 control-label">A2. Ilan taon ka na ngayon?</
            label>
          <div class="col-sm-6">

```





```

</div>
</div>
</div>
<div class="col-xs-12">
  <div class="box box-theme">
    <div class="box-header with-border">
      <h3 class="box-title">Domain 1 . Cognition</h3>
      <p>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</p>
    </div>
    <div class="box-body">
      <table class="table table-striped table-condensed">
        <thead>
          <tr>
            <th width="40%"> </th>
            <?php
              for($i = 0; $i < count($extremity); $i++){
                echo "<th width='10%'>". $extremity[$i] . "</th>";
              }?>
          </tr>
        </thead>
        <tbody>
          <?php
            for($i=0 ; $i < count($domain1-questions); $i++){
              echo "<tr>
                <td><input class='radio' type='radio' name='". $domain1_name[$i].
                  "' value='". $extremity[$j] . "' required/> &nbsp; &nbsp; &nbsp; </td>
                <td><input class='radio' type='radio' name='". $domain1_name[$i].
                  "' value='". $extremity[$j] . "' required/> &nbsp; &nbsp; &nbsp; </td>";
            }?>
          </tbody>
        </table>
      </div>
    </div>
  </div>
</div>
<div class="col-xs-12">
  <div class="box box-theme">
    <div class="box-header with-border">
      <h3 class="box-title">Domain 2. Mobility</h3>
      <p>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</p>
    </div>
    <div class="box-body">
      <table class="table table-striped table-condensed">
        <thead>
          <tr>
            <th width="40%"> </th>
            <?php
              for($i = 0; $i < count($extremity); $i++){
                echo "<th width='10%'>". $extremity[$i] . "</th>";
              }?>
          </tr>
        </thead>
        <tbody>
          <?php
            for($i = 0; $i < count($domain2-questions); $i++){
              echo "
                <tr>
                  <td>". $domain2-questions[$i] . "
                  </td>";
              for($j = 0; $j < count($extremity); $j++){
                echo "<td><input class='radio' type='radio' name='". $domain2_name[$i].
                  ". ' value='". $extremity[$j] . "' required/> &nbsp; &nbsp; &nbsp; </td>";
              }
              echo "</tr>";
            }?>
          </tbody>
        </table>
      </div>
    </div>
  </div>
</div>
<div class="col-xs-12">
  <div class="box box-theme">
    <div class="box-header with-border">
      <h3 class="box-title">Domain 3. Self-care</h3>
      <p>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</p>
    </div>
    <div class="box-body">

```

```

<
td
>".
$domai
[
$i
]
.
"</
td
>";

```

```

<table class="table table-striped table-condensed">
  <thead>
    <tr>
      <th width="40%"> </th>
      <?php
        for($i = 0; $i < count($extremity); $i++){
          echo "<th width='10%'>". $extremity[$i] . "</th>";
        }?>
    </tr>
  </thead>
  <tbody>
    <?php
      for($i = 0; $i < count($extremity); $i++){
        echo "<th width='10%'>". $extremity[$i] . "</th>";
      }?>
    </tr>
  </thead>
  <tbody>
    <?php
      for($i = 0; $i < count($domain3_questions); $i++){
        echo "
          <tr>
            <td>". $domain3_questions[$i] ."
            </td>";
        for($j = 0; $j < count($extremity); $j++){
          echo "<td><input class='radio' type='radio' name='". $domain3_name[$i]
            ]." ' value='". $extremity[$j] ." ' required/> &nbsp; &nbsp; &nbsp;</td>";
        }
        echo "</tr>";
      }?>
    </tbody>
  </table>
</div>
</div>
</div>
<div class="col-xs-12">
  <div class="box box-theme">
    <div class="box-header with-border">
      <h3 class="box-title">Domain 4. Getting Along</h3>
      <p>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</p>
    </div>
    <div class="box-body">
      <table class="table table-striped table-condensed">
        <thead>
          <tr>
            <th width="40%"> </th>
            <?php
              for($i = 0; $i < count($extremity); $i++){
                echo "<th width='10%'>". $extremity[$i] . "</th>";
              }?>
          </tr>
        </thead>
        <tbody>
          <?php
            for($i = 0; $i < count($domain4_questions); $i++){
              echo "
                <tr>
                  <td>". $domain4_questions[$i] ."
                  </td>";
              for($j = 0; $j < count($extremity); $j++){
                echo "<td><input class='radio' type='radio' name='". $domain4_name[$i]
                  ]." ' value='". $extremity[$j] ." ' required/> &nbsp; &nbsp; &nbsp;</td>";
              }
              echo "</tr>";
            }?>
          </tbody>
        </table>
      </div>
    </div>
  </div>
  <div class="col-xs-12">
    <div class="box box-theme">
      <div class="box-header with-border">
        <h3 class="box-title">Domain 5.1. Household Activities</h3>
        <p>Dahil sa iyong kalagayan nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</p>
      </div>
      <div class="box-body">
        <table class="table table-striped table-condensed">
          <thead>
            <tr>
              <th width="40%"> </th>
              <?php
                for($i = 0; $i < count($extremity); $i++){
                  echo "<th width='10%'>". $extremity[$i] . "</th>";
                }?>
            </tr>
          </thead>
          <tbody>
            <?php
          </tbody>
        </table>
      </div>
    </div>
  </div>

```

```

        for($i = 0; $i < count($domain51-questions); $i++){
            echo "
            <tr>
            <td>". $domain51-questions[$i] ."
            </td>";
            for($j = 0; $j < count($extremity); $j++){
                echo "<td><input class='radio' type='radio' name='". $domain51_name[$i
                ]."' value='". $extremity[$j] .".' required/> &nbsp; &nbsp; &nbsp;</td
                >";
            }
            echo "</tr>";
        }?>
    </tbody>
</table>

<div class="form-group">
    <label for="d501" class="col-sm-5 control-label">D5.01. Sa nakaraang 30 araw,
    ilang araw mo binawasa o hindi ginawa ang mga gawaing-bahay dahil sa iyong
    kondisyong pangkalusugan</label>
    <div class="col-sm-7">
        <input class="form-control" type="number" max="30" min="0" name="d501"
        required/>
    </div>
</div>
</div>
</div>
<div class="col-xs-12">
    <div class="box box-theme">
        <div class="box-header with-border">
            <h3 class="box-title">Domain 5.2. Work or School Activities</h3>
            <p>Dahil sa iyong kalagayan nitong nakaraang 30 araw, gaano katinding hirap ang
            naranasan niyo sa:</p>
        </div>
        <div class="box-body">
            <table class="table table-striped table-condensed">
                <thead>
                    <tr>
                        <th width="40%"> </th>
                        <?php
                        for($i = 0; $i < count($extremity); $i++){
                            echo "<th width='10%'>". $extremity[$i] ." </th>";
                        }?>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    for($i = 0; $i < count($domain52-questions); $i++){
                        echo "
                        <tr>
                        <td>". $domain52-questions[$i] ."
                        </td>";
                        for($j = 0; $j < count($extremity); $j++){
                            echo "<td><input class='radio' type='radio' name='". $domain52_name[$i
                            ]."' value='". $extremity[$j] .".' required/> &nbsp; &nbsp; &nbsp;</td
                            >";
                        }
                        echo "</tr>";
                    }?>
                </tbody>
            </table>

            <div class="form-group">
                <label for="d59" class="col-sm-5 control-label">D5.9. Kinailangan ka bang
                malagay sa mas mababang posisyon sa trabaho dahil sa iyong kalagayan</
                label>
                <div class="col-sm-7">
                    <div class="radio">
                        <label>
                            <input class="radio" type="radio" name="d59" value="hindi" required/>
                            Hindi</label>
                        </div>
                    <div class="radio">
                        <label>
                            <input class="radio" type="radio" name="d59" value="oo" /> Oo</label>
                        </div>
                    </div>
                </div>
            </div>

            <div class="form-group">
                <label for="d510" class="col-sm-5 control-label">D5.10. Bumaba ba ang iyong
                sweldo dahil sa iyong kalagayang pangkalusugan</label>
                <div class="col-sm-7">
                    <div class="radio">
                        <label>
                            <input class="radio" type="radio" name="d510" value="hindi" required/>
                            Hindi</label>
                        </div>
                    <div class="radio">
                        <label>
                            <input class="radio" type="radio" name="d510" value="oo" /> Oo</label>
                        </div>
                    </div>
                </div>
            </div>

```

```

        </div>
    </div>
</div>
<div class="form-group">
    <label for="d502" class="col-sm-5 control-label">D5.02. Sa nakaraang 30 araw,
        ilang araw kang lumiban ng kalahating araw o higit a dahil sa iyong
        kalagayang pangkalusugan</label>
    <div class="col-sm-7">
        <input class="form-control" type="number" max="30" min="0" name="d502"
            required />
    </div>
</div>
</div>
</div>
</div>
<div class="col-xs-12">
    <div class="box box-theme">
        <div class="box-header with-border">
            <h3 class="box-title">Domain 6. Participation</h3>
            <p>Nitong nakaraang 30 araw:</p>
        </div>
        <div class="box-body">
            <table class="table table-striped table-condensed">
                <thead>
                    <tr>
                        <th width="40%"> </th>
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <td>
                            <?php
                            for($i = 0; $i < count($extremity); $i++){
                                echo "<th width='10%'>". $extremity[$i] ."</th>";
                            }?>
                        </td>
                    </tr>
                </tbody>
            </table>
            <table border="1">
                <tbody>
                    <tr>
                        <td>
                            <?php
                            for($i = 0; $i < count($domain6_questions); $i++){
                                echo "
                                    <tr>
                                        <td>". $domain6_questions[$i] ."
                                        </td>";
                                    for($j = 0; $j < count($extremity); $j++){
                                        echo "<td><input class='radio' type='radio' name='". $domain6_name[$i]
                                            ]." ' value='". $extremity[$j] ." ' required/> &nbsp; &nbsp; &nbsp;</td>";
                                    }
                                echo "</tr>";
                            }?>
                        </td>
                    </tr>
                </tbody>
            </table>
        </div>
    </div>
</div>
<div class="col-xs-12">
    <div class="box box-theme">
        <div class="box-body pad">
            <div class="form-group">
                <label for="h1" class="col-sm-7 control-label">H1. Sa pangkalahatan, ilang
                    araw mo naranasan ang mga problemang ito sa nakaraang 30 araw?</label>
                <div class="col-sm-5">
                    <input class="form-control" type="number" max="30" min="0" name="h1"
                        required/>
                </div>
            </div>
            <div class="form-group">
                <label for="h2" class="col-sm-7 control-label">H2. Sa nakaraang 30 araw, ilang
                    araw mong hindi nagawa ang iyong mga pangkaraniwang gawain o trabaho
                    dahil sa iyong kalagayang pangkalusugan?</label>
                <div class="col-sm-5">
                    <input class="form-control" type="number" max="30" min="0" name="h2"
                        required/>
                </div>
            </div>
            <div class="form-group">
                <label for="h3" class="col-sm-7 control-label">H3. Sa nakaraang 30 araw, bujod
                    sa mga araw na di ka nakagawa, ilang araw mong binawasan ang iyong mga
                    gawain dahil sa iyong kalagayang pangkalusugan?</label>
                <div class="col-sm-5">
                    <input class="form-control" type="number" max="30" min="0" name="h3"
                        required/>
                </div>
            </div>
        </div>
    </div>
</div>
</div>
</div>
<div class="box-footer">
    <button type="submit" class="btn btn-primary pull-right">Submit</button>
</div>
</form>
</section>
</div>

```

```

    <div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<script src="../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../dist/js/demo.js"></script>

</body>
</html>

```

## new-whodas-proxy.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$serrs = [];
if(isset($_GET["err"])){
    $serrs = json_decode(urldecode($_GET["err"]), true);
}

if(isset($_GET["msg"]))
    $message=$_GET["msg"];

$score-questions = array(
    "S1. Pagtayo nang matagal tulad ng 30 minuto?",
    "S2. Paggawa ng mga responsibilidad sa tahanan",
    "S3. Pag-alam sa mga bagong gawain. Halimbawa, paanong pumunta sa bagong lugar",
    "S4. Pagsali sa mga gawaing pangkomunidad (hal. pista, prusisyon, atbp.) kung ikukumpara niyo sa pangkaraniwang araw",
    "S5. Gaano katindi naapektuhan ang kanyang emosyon ng kanyang kondisyon",
    "S6. Pagtuon sa paggawa ng isang bagay sa loob ng 10 minuto",
    "S7. Paglakad ng malayo tulad ng 1 kilometro o katumbas nito",
    "S8. Pagpapaligo ng kanyang buong katawan",
    "S9. Pagbibihis",
    "S10. Pakikisalamuha sa mga taong di niya kilala",
    "S11. Pagpapanatili ng pagkakaibigan",
    "S12. Pag-araw-araw na gawain sa trabaho o paaralan"
);

$score-questions-name = array("s1","s2","s3","s4","s5","s6","s7","s8","s9","s10","s11","s12");

$extremity = array("walang hirap","di masyadong hirap","katamtamang hirap","sobrang hirap","sobra sobrang hirap, di na kayang gawin","n.a.");

$relasyon = array("asawa o kabiyak", "magulang", "anak na lalaki o babae", "kapatid na babae o lalaki", "iba pang kamag-anak", "kaibigan", "propesyonal na tagapag-alaga", "iba pa");
?>

<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | New WHODAS Proxy</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">
</head>

<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="intern-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>

```

```

<nav class="navbar navbar-static-top">
  <a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
    <span class="sr-only">Toggle navigation </span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
  </a>

  <div class="navbar-custom-menu">
    <ul class="nav navbar-nav">
      <li class="dropdown user user-menu">
        <a href="intern-dashboard.php">
          <i class="fa fa-dashboard"></i>
          <span class="hidden-xs">Dashboard</span>
        </a>
      </li>

      <li class="dropdown user user-menu">
        <a href="#" class="dropdown-toggle" data-toggle="dropdown">
          <i class="fa fa-user"></i>
          <span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
            ?></span>
        </a>

        <ul class="dropdown-menu">
          <div class="box box-widget widget-user">
            <div class="widget-user-header bg-aqua-active">
              <h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['
                middle_name'] . " " . $user['last_name']; ?></h3>
              <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
            </div>
            <div class="user-footer">
              <div class="pull-left">
                <a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
              </div>
              <div class="pull-right">
                <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
              </div>
            </div>
          </li>
        </ul>
      </li>
    </ul>
  </div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
  <section class="sidebar">
    <ul class="sidebar-menu">
      <li class="treeview">
        <a href="#"><i class="active fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-
          angle-left pull-right"></i></a>
        <ul class="treeview-menu">
          <li><a href="intern-dashboard.php"><i class="fa fa-circle-o"></i> Overview</a>
          </li>
        </ul>
      </li>
      <li class="treeview active">
        <a href="#">
          <i class="fa fa-edit"></i> <span>Submit New Form</span>
          <i class="fa fa-angle-left pull-right"></i>
          <span class="label label-primary pull-right"></span>
        </a>
        <ul class="treeview-menu">
          <li><a href="new-whoqol.php"><i class="fa fa-plus"></i> WHOQOL</a>
          </li>
          <li><a href="new-whodas.php"><i class="fa fa-plus"></i> WHODAS</a>
          </li>
          <li class="active"><a href="new-whodas-proxy.php"><i class="fa fa-plus"></i> WHODAS-
            Proxy</a>
          </li>
        </ul>
      </li>
    </ul>
  </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
  <section class="content-header">
    <h1>Submit New WHODAS Proxy Form<small></small> </h1>
    <ol class="breadcrumb">
      <li><a href="intern-dashboard.php"><i class="fa fa-dashboard"></i> Home</a>
      </li>
      <li class="active"><a href="#">New WHODAS Proxy Form</a>
      </li>
    </ol>
  </div>

```

```

</section>
<section class="content">
<?php
if(isset($message)){
echo "<div class='login-box'>";
if($message=="success")
echo "<div class='alert alert-success alert-dismissible'> <button type='button' class
='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='
icon fa fa-check'></i> Alert!</h4>Update is Successful!</div>";
if($message=="fail")
echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='
close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon
fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
echo "</div>";
}
?>
<form class="form-horizontal" action="p-new-whodas-proxy.php" method="post">
<div class="box box-theme">
<div class="box-body">
<div class="form-group">
<label for="formcode" class="col-sm-2 control-label">Form Code</label>
<div class="col-sm-10">
<input class="form-control" type="text" name="formcode" required/>
</div>
</div>
<div class="form-group">
<label for="firstname" class="col-sm-2 control-label">Ano ang iyong pangalan?</
label>
<div class="col-sm-3">
<input class="form-control" type="text" name="firstname" placeholder="First Name"
" required/>
</div>
<div class="col-sm-2">
<input class="form-control" type="text" name="middleinitial" placeholder="M.I"
required/>
</div>
<div class="col-sm-3">
<input class="form-control" type="text" name="lastname" placeholder="Last Name"
required/>
</div>
<div class="col-sm-2">
<input class="form-control" type="text" name="nameext" placeholder="Ext" />
</div>
</div>
<div class="form-group">
<label for="proxy" class="col-sm-2 control-label">Pangalan ng proxy</label>
<div class="col-sm-10">
<input class="form-control" type="text" name="proxy" required/>
</div>
</div>
<div class="form-group">
<label for="relasyon" class="col-sm-2 control-label">Relasyon</label>
<div class="col-sm-10">
<select class="form-control" name="relasyon" required>
<?php foreach ($relasyon as $value){ echo "<option value='". $value . "' >".
$value . "</option>"; } ?>
</select>
</div>
</div>
<div class="form-group">
<label for="ibapa" class="col-sm-2 control-label">Iba pa</label>
<div class="col-sm-10">
<input class="form-control" type="text" name="ibapa" />
</div>
</div>
</div>
</div>
<div class="row">
<div class="col-xs-12">
<div class="box box-theme">
<div class="box-header with-border">
<h3 class="box-title">Section 4. Core Questions</h3>
<p>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</p>
</div>
<div class="box-body">
<table class="table table-striped table-condensed">
<thead>
<tr>
<th width="40%"> </th>
<?php for($i=0 ; $i < count($extremity); $i++){ echo "<th width='10%'>".
$extremity[$i] . "</th>"; }?>
</tr>
</thead>
<tbody>
<?php

```



```

        for($i = 0; $i < count($score_questions); $i++){
            echo "
            <tr>
            <td>". $score_questions[$i] ."
            </td>";
            for($j = 0; $j < count($extremity); $j++){
                echo "<td><input class='radio' type='radio' name='".
                $score_questions_name[$i]." ' value='". $extremity[$j] ." ' required
                /> &nbsp; &nbsp; &nbsp;</td>";
            }
            echo "</tr>";
        }?>
    </tbody>
</table>
</div>
</div>
<div class="col-xs-12">
    <div class="box box-theme">
        <div class="box-body pad">
            <div class="form-group">
                <label for="h1" class="col-sm-7 control-label">H1. Sa pangkalahatan, ilang
                araw mo naranasan ang mga problemang ito sa nakaraang 30 araw?</label>
                <div class="col-sm-5">
                    <input class="form-control" type="number" max="30" min="0" name="h1"
                    required/>
                </div>
            </div>
            <div class="form-group">
                <label for="h2" class="col-sm-7 control-label">H2. Sa nakaraang 30 araw, ilang
                araw mong hindi nagawa ang iyong mga pangkaraniwang gawain o trabaho
                dahil sa iyong kalagayang pangkalusugan?</label>
                <div class="col-sm-5">
                    <input class="form-control" type="number" max="30" min="0" name="h2"
                    required/>
                </div>
            </div>
            <div class="form-group">
                <label for="h3" class="col-sm-7 control-label">H3. Sa nakaraang 30 araw, bujod
                sa mga araw na di ka nakagawa, ilang araw mong binawasan ang iyong mga
                gawain dahil sa iyong kalagayang pangkalusugan?</label>
                <div class="col-sm-5">
                    <input class="form-control" type="number" max="30" min="0" name="h3"
                    required/>
                </div>
            </div>
        </div>
    </div>
    <div class="box-footer">
        <button type="submit" class="btn btn-primary pull-right">Submit</button>
    </div>
</form>
</section>
</div>

    <div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<script src="../../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../../dist/js/demo.js"></script>

</body>
</html>

```

## new-whoqol.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$errors = [];
if (isset($_GET["err"])){
    $errors = json_decode(urldecode($_GET["err"]), true);
}

if (isset($_GET["msg"]))

```

```

$message=$_GET["msg"];

$questions1 = array(
    "1. Paano mo bibigyan ng grado ang kalidad ng iyong buhay?"
);

$questions2 = array(
    "2. Gaano ka kakuntento sa iyong kalusugan?"
);

$questions3 = array(
    "3. Gaano mo nararamdaman na nakakahadlang ang pananakit ng iyong katawan sa iyong mga dapat gawin?",
    "4. Gaano mo kinakailangan ang pagpapagamot para magawa ang mga pang-araw-araw na gawain?",
    "5. Gaano ka natutuwa sa buhay?",
    "6. Gaano mo nararamdaman na makahulugan ang iyong buhay?",
    "7. Gaano kabuti ang iyong pagtutok sa isang bagay o gawain?",
    "8. Gaano kaligtas ang pakiramdam mo sa iyong pang-araw-araw na buhay?",
    "9. Gaano kabuti at kaayos ang iyong pisikal na kapaligiran?"
);

$questions4 = array(
    "10. May sapat ka bang lakas/enerhiya para sa pang-araw-araw?",
    "11. Tanggap mo ba ang iyong pisikal na anyo o pangangatawan?",
    "12. May sapat ka bang pera para mapunan ang iyong kailangan sa araw-araw?",
    "13. Gaano kadali sa iyo ang makakuha ng mga impormasyong iyong kailangan sa araw-araw?",
    "14. Gaano karami ang pagkakataon mo para makapaglibang?"
);

$questions5 = array(
    "15. Gaano kadali sa iyo ang paggalaw sa paligid?"
);

$questions6 = array(
    "16. Gaano ka kakuntento sa iyong pagtulog?",
    "17. Gaano ka kakuntento sa kakayahan mong magawa ang mga pang-araw-araw na gawain?",
    "18. Gaano ka kakuntento sa iyong kakayahang magtrabaho?",
    "19. Gaano ka kakuntento sa iyong sarili?",
    "20. Gaano ka kakuntento sa iyong personal na ugnayan (kapamilya, kamag-anak, kaibigan, etc.)?",
    "21. Gaano ka kakuntento sa sekswal na aspeto ng iyong buhay?",
    "22. Gaano ka kakuntento sa suporta na naibibigay ng iyong mga kaibigan",
    "23. Gaano kayo kakuntento sa kondisyon ng inyong tirahan",
    "24. Gaano ka kakuntento sa pagkuha mo ng mga serbisyong pangkalusugan?",
    "25. Gaano ka kakuntento sa iyong pagbiyahe?"
);

$questions7 = array(
    "26. Gaano ka kadalas na may negatibong pakiramdam gaya ng pagkalungkot, kawalan ng pag-asa, pagkabalisa o pagkalumbay?"
);

$questions1_name = array("q1");
$questions2_name = array("q2");
$questions3_name = array("q3","q4","q5","q6","q7","q8","q9");
$questions4_name = array("q10","q11","q12","q13","q14");
$questions5_name = array("q15");
$questions6_name = array("q16","q17","q18","q19","q20","q21","q22","q23","q24","q25");
$questions7_name = array("q26");

$mamamabuti = array("napakasama", "masama", "katamtaman", "mabuti", "napakabuti", "n.a.");
$kuntento = array("lubos na di kuntento", "di kuntento", "di matukoy", "kuntento", "lubos na kuntento", "n.a.");
$swalalabis = array("wala", "kaunti", "katamtaman", "lubos", "labis-labis", "n.a.");
$swalalubos = array("wala", "kaunti", "katamtaman", "halos lubos", "lubos", "n.a.");
$hirap = array("napakahirap", "mahirap", "di mahirap o madali", "madali", "napakadali", "n.a.");
$dalas = array("hindi kailanman", "bihira", "madalas-dalas", "napakadalas", "palagi", "n.a.");
?>
<html>

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>CBR-FM | New WHOQOL</title>

    <meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
    <link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
    <link rel="stylesheet" href="css/AdminLTE.min.css">
    <link rel="stylesheet" href="css/skin-maroon-light.css">
    <link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
    <link rel="stylesheet" href="css/datepicker3.css">
    <link rel="stylesheet" href="css/new-custom.css">
    <link rel="icon" href="img/favicon.ico">

</head>

<body class="hold-transition skin-maroon-light fixed sidebar-mini">
    <div class="wrapper">

```

```

<header class="main-header">
<a href="intern-dashboard.php" class="logo">
  <span class="logo-mini"></span>
  <span class="logo-lg"> <b>CBR</b>-FM</span>
</a>
<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
  <span class="sr-only">Toggle navigation</span>
  <span class="icon-bar"></span>
  <span class="icon-bar"></span>
  <span class="icon-bar"></span>
</a>
<div class="navbar-custom-menu">
  <ul class="nav navbar-nav">
    <li class="dropdown user user-menu">
      <a href="intern-dashboard.php">
        <i class="fa fa-dashboard"></i>
        <span class="hidden-xs">Dashboard</span>
      </a>
    </li>
    <li class="dropdown user user-menu">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">
        <i class="fa fa-user"></i>
        <span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
          ?></span>
      </a>
      <ul class="dropdown-menu">
        <div class="box box-widget widget-user">
          <div class="widget-user-header bg-aqua-active">
            <h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['
              middle_name'] . " " . $user['last_name']; ?></h3>
            <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
          </div>
          <div class="user-footer">
            <li class="user-footer">
              <div class="pull-left">
                <a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
              </div>
              <div class="pull-right">
                <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
              </div>
            </li>
          </div>
        </div>
      </li>
    </ul>
  </div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
  <section class="sidebar">
    <ul class="sidebar-menu">
      <li class="treeview">
        <a href="#"><i class="active fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-
          angle-left pull-right"></i></a>
        <ul class="treeview-menu">
          <li><a href="intern-dashboard.php"><i class="fa fa-circle-o"></i> Overview</a>
          </li>
        </ul>
      </li>
      <li class="treeview active">
        <a href="#">
          <i class="fa fa-edit"></i> <span>Submit New Form</span>
          <i class="fa fa-angle-left pull-right"></i>
          <span class="label label-primary pull-right"></span>
        </a>
        <ul class="treeview-menu">
          <li class="active"><a href="new-whoqol.php"><i class="fa fa-plus"></i> WHOQOL</a>
          </li>
          <li><a href="new-whodas.php"><i class="fa fa-plus"></i> WHODAS</a>
          </li>
          <li><a href="new-whodas-proxy.php"><i class="fa fa-plus"></i> WHODAS-Proxy</a>
          </li>
        </ul>
      </li>
    </ul>
  </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
  <section class="content-header">
    <h1>Submit New WHOQOL Form<small></small></h1>
    <ol class="breadcrumb">
      <li><a href="intern-dashboard.php"><i class="fa fa-dashboard"></i> Home</a>
      </li>
      <li class="active"><a href="#">New WHOQOL Form</a>
      </li>
    </ol>
  </div>

```

```

</section>
<section class="content">
<?php if(isset($message)){ echo "<div class='login-box'>"; if($message=="success" ) echo
"<div class='alert alert-success alert-dismissible'> <button type='button' class='
close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa
fa-check'></i> Alert!</h4>Update is Successful!</div>"; if($message=="fail" ) echo "<
div class='alert alert-danger alert-dismissible'> <button type='button' class='close'
data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-ban
'></i> Alert!</h4>Update is NOT successful!</div>"; echo "</div>"; } ?>
<form class="form-horizontal" id="whoqolform" action="p-new-whoqol.php" method="post">
<div class="box box-theme">
<div class="box-body">
<div class="form-group">
<label for="formcode" class="col-sm-2 control-label">Form Code</label>
<div class="col-sm-10">
<input class="form-control" type="text" name="formcode" required/>
</div>
</div>
<div class="form-group">
<label for="firstname" class="col-sm-2 control-label">Ano ang iyong pangalan?</
label>
<div class="col-sm-3">
<input class="form-control" type="text" name="firstname" placeholder="First Name"
required/>
</div>
<div class="col-sm-2">
<input class="form-control" type="text" name="middleinitial" placeholder="M.I"
required/>
</div>
<div class="col-sm-3">
<input class="form-control" type="text" name="lastname" placeholder="Last Name"
required/>
</div>
<div class="col-sm-2">
<input class="form-control" type="text" name="nameext" placeholder="Ext" />
</div>
</div>
</div>
</div>
<div class="row">
<div class="col-md-6">
<div class="box box-theme">
<div class="box-header with-border">
<h3 class="box-title">Tungkol sa iyo</h3>
<p>Bago ka magsimula, nais naming sagutan mo ang ilang nga katanungan tungkol sa
iyong sarili sa pamamagitan ng pagbilog sa tamang sagot o pagsulat ng sagot
sa nakalaang patlang.</p>
</div>
<div class="box-body">
<div class="form-group">
<label for="kasarian" class="col-sm-5 control-label">Ano ang iyong kasarian?</
label>
<div class="col-sm-7">
<select class="form-control" name="kasarian" required ">
<option selected value=""></option>
<option value="lalaki" >Lalaki</option>; <option value="babae">Babae</
option>;
</select>
</div>
</div>
<div class="row">
<div class="col-lg-5">
<div class="input-group">
<label for="kapanganakan" class="control-label">Ano ang petsa ng iyong
kapanganakan?</label>
</div>
</div>
<div class="col-lg-7">
<div class="input-group">
<div class="input-group-addon">
<i class="fa fa-calendar"></i>
</div>
<input type="text" class="form-control pull-right" id="datepicker" name="
kapanganakan" required>
</div>
</div>
</div>
<div class="form-group">
<label for="natapos" class="col-sm-5 control-label">Ano ang pinakamataas na
natapos mo sa pag-aaral?</label>
<div class="col-sm-7">
<select class="form-control" name="natapos" required>
<option selected value=""> Please select </option>
<option value='walang natapos'> Walang Natapos </option>
<option value='elementarya'> Elementarya </option>
<option value='high school'> High School </option>
<option value='kolehiyo'> Kolehiyo </option>
</select>
</div>
</div>
</div>

```

```

<div class="form-group">
  <label for="estadosibil" class="col-sm-5 control-label">Ano ngayon ang iyong
  estado sibil?</label>
  <div class="col-sm-7">
    <select class="form-control" name="estadosibil" required>
      <option selected value=""> Please select. </option>
      <option value="binata/dalaga">Binata/Dalaga</option>;
      <option value="may-asawa">May Asawa</option>;
      <option value="nagsasama ng walang kasal">Nagsasama ng Walang Kasal</
      option>;
      <option value="hiwalay">Hiwalay</option>;
      <option value="diborsyado/a">Diborsyado/a</option>;
      <option value="balo">Balo</option>;
    </select>
  </div>
</div>
</div>
</div>
</div>
<div class="col-md-6">
  <div class="box box-theme">
    <div class="box-header with-border">
      <h3 class="box-title">Sakit o Karamdaman</h3>
    </div>
    <br>
    <br>
    <br>
    <div class="box-body">
      <div class="form-group">
        <label for="maysakit" class="col-sm-5 control-label">Kasalukuyan ka bang may
        sakit/karamdaman?</label>
        <div class="col-sm-7">
          <div class="radio">
            <input class="radio" type='radio' name='maysakit' value='wala' required
            /> Wala</label>
          </div>
          <div class="radio">
            <input class="radio" type='radio' name='maysakit' value='meron' /> Meron
            </label>
          </div>
        </div>
      </div>
      <div class="form-group">
        <label for="sakit" class="col-sm-5 control-label">Kung kayo po ay may sakit/
        karamdaan, ano ito sa pagkakaalam mo? Isulat ang sakit o karamdaman.</
        label>
        <div class="col-sm-7">
          <textarea class="form-control" rows="6" cols="35" name="sakit" form="
          whoqolform"></textarea>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
</div>
</div>
</div>
<div class="row">
  <div class="col-xs-12">
    <div class="box box-theme">
      <div class="box-header with-border">
        <h3 class="box-title">Mga Tanong</h3>
        <p>Isaalang-alang ang iyong mga pamantayan, inaasam, kasiyahan at alalahanin.
        Isipin lang ang mga nangyari sa nakaraang apat na linggo.</p>
      </div>
      <div class="box-body">
        <table class="table table-striped table-condensed">
          <thead>
            <tr>
              <th width="40%"> </th>
              <?php for($i=0 ; $i < count($masamamabuti); $i++){ echo "<th width
              ='10%'>". $masamamabuti[$i] . "</th>"; }?>
            </tr>
          </thead>
          <tbody>
            <?php
            for($i = 0; $i < count($questions1); $i++){
              echo "
              <tr>
                <td>". $questions1[$i] ."
                </td>";
              for($j = 0; $j < count($masamamabuti); $j++){
                echo "<td><input class='radio' type='radio' name='". $questions1_name[
                $i]."' id='". $questions1_name[$i]."' value='". $masamamabuti[$j]
                ."' required/> &nbsp; &nbsp; &nbsp; &nbsp;</td>";
              }
              echo "</tr>";
            }?>
            </tbody>
          </table>
        <table class="table table-striped table-condensed">

```

```

<thead>
<tr>
<th width="40%"> </th>
<?php for($i=0 ; $i < count($kuntento); $i++){ echo "<th width='10%'>".
    $kuntento[$i] . "</th>"; }?>
</tr>
</thead>
<tbody>
<?php
for($i = 0; $i < count($questions2); $i++){
    echo "
    <tr>
    <td>". $questions2[$i] ."
    </td>";
    for($j = 0; $j < count($kuntento); $j++){
        echo "<td><input class='radio' type='radio' name='". $questions2_name[
            $i]." ' id='". $questions2_name[$i]." ' value='". $kuntento[$j] ." '
            required/> &nbsp; &nbsp; &nbsp;</td>";
    }
    echo "</tr>";
}
?>
</tbody>
</table>

<br>
<p>Ang sumusunod na katanungan ay tungkol sa kung gaano mo naranasan ang ilang
bagay nitong nakaraang apat na linggo.</p>

<table class="table table-striped table-condensed">
<thead>
<tr>
<th width="40%"> </th>
<?php for($i=0 ; $i < count($walalabis); $i++){ echo "<th width='10%'>".
    $walalabis[$i] . "</th>"; }?>
</tr>
</thead>
<tbody>
<?php
for($i = 0; $i < count($questions3); $i++){
    echo "
    <tr>
    <td>". $questions3[$i] ."
    </td>";
    for($j = 0; $j < count($walalabis); $j++){
        echo "<td><input class='radio' type='radio' name='". $questions3_name[
            $i]." ' id='". $questions3_name[$i]." ' value='". $walalabis[$j] ." '
            required/> &nbsp; &nbsp; &nbsp;</td>";
    }
    echo "</tr>";
}
?>
</tbody>
</table>

<br>
<p>Ang mga sumusunod na katanungan ay tungkol sa kung gaano kabuo ang iyong
naranasan o kung gaano mo nakayanang gawin ang ilang bagay nitong nakaraang
apat na linggo.</p>

<table class="table table-striped table-condensed">
<thead>
<tr>
<th width="40%"> </th>
<?php for($i=0 ; $i < count($walalubos); $i++){ echo "<th width='10%'>".
    $walalubos[$i] . "</th>"; }?>
</tr>
</thead>
<tbody>
<?php
for($i = 0; $i < count($questions4); $i++){
    echo "
    <tr>
    <td>". $questions4[$i] ."
    </td>";
    for($j = 0; $j < count($walalubos); $j++){
        echo "<td><input class='radio' type='radio' name='". $questions4_name[
            $i]." ' id='". $questions4_name[$i]." ' value='". $walalubos[$j] ." '
            required/> &nbsp; &nbsp; &nbsp;</td>";
    }
    echo "</tr>";
}
?>
</tbody>
</table>

<table class="table table-striped table-condensed">
<thead>
<tr>
<th width="40%"> </th>
<?php for($i=0 ; $i < count($hirap); $i++){ echo "<th width='10%'>".
    $hirap[$i] . "</th>"; }?>
</tr>
</thead>
<tbody>

```

```

<?php
for($i = 0; $i < count($questions5); $i++){
    echo "
    <tr>
    <td>". $questions5[$i] ."
    </td>";
    for($j = 0; $j < count($hirap); $j++){
        echo "<td><input class='radio' type='radio' name='". $questions5_name[
            $i]."' id='". $questions5_name[$i]."' value='". $hirap[$j] ." '
            required/> &nbsp; &nbsp; &nbsp;</td>";
        }
    echo "</tr>";
    }?>
</tbody>
</table>

<table class="table table-striped table-condensed">
<thead>
<tr>
<th width="40%"> </th>
<?php for($i=0 ; $i < count($kuntento); $i++){ echo "<th width='10%'>".
    $kuntento[$i] . " </th>"; }?>
</tr>
</thead>
<tbody>
<?php
for($i = 0; $i < count($questions6); $i++){
    echo "
    <tr>
    <td>". $questions6[$i] ."
    </td>";
    for($j = 0; $j < count($kuntento); $j++){
        echo "<td><input class='radio' type='radio' name='". $questions6_name[
            $i]."' id='". $questions6_name[$i]."' value='". $kuntento[$j] ." '
            required/> &nbsp; &nbsp; &nbsp;</td>";
        }
    echo "</tr>";
    }?>
</tbody>
</table>

<br>
<p>Ang susunod na katanungan ay may kinalaman sa kung gaano mo kadalas
naramdaman o naranasan ng ilang mga bagay na ito sa apat na linggo.</p>

<table class="table table-striped table-condensed">
<thead>
<tr>
<th width="40%"> </th>
<?php for($i=0 ; $i < count($daldas); $i++){ echo "<th width='10%'>".
    $daldas[$i] . " </th>"; }?>
</tr>
</thead>
<tbody>
<?php
for($i = 0; $i < count($questions7); $i++){
    echo "
    <tr>
    <td>". $questions7[$i] ."
    </td>";
    for($j = 0; $j < count($daldas); $j++){
        echo "<td><input class='radio' type='radio' name='". $questions7_name[
            $i]."' id='". $questions7_name[$i]."' value='". $daldas[$j] ." '
            required/> &nbsp; &nbsp; &nbsp;</td>";
        }
    echo "</tr>";
    }?>
</tbody>
</table>

<div class="form-group">
<label for="puna" class="col-sm-5 control-label">Mayroon ka bang anumang puna
tungkol sa mga katanungang ito?</label>
<div class="col-sm-6">
<textarea class="form-control" rows="4" cols="35" name="puna" form="
whoqolform"></textarea>
</div>
</div>
</div>
</div>
<div class="col-xs-12">
<div class="box box-theme">
<div class="box-header">
<i class="fa fa-calculator"></i>
<h3 class="box-title">Compute Domain</h3>
</div>
<div class="box-body pad">
<button id="compute_domain" class="btn btn-primary">ComputeDomain</button>
<div id="output"></div>
</div>
</div>

```

```

</div>
</div>
<div class="col-xs-12">
  <div class="box box-theme">
    <div class="box-header with-border">
      <h3 class="box-title">Pagtatasa</h3>
      <br>
      <p>Idagdag ang Raw score at Transformed scores (4-20 at 0-100) sa bawat domain.
        Ibase ang kalkulasyon sa formula na naiuulat sa original form.</p>
    </div>
    <div class="box-body">
      <table class="table table-striped table-condensed">
        <thead>
          <tr>
            <th width='30%'>Domain</th>
            <th>a. Raw Score</th>
            <th>4-20 Transformed Scores</th>
            <th>0-100 Transformed Scores</th>
          </tr>
        </thead>
        <tbody>
          <tr>
            <td>Domain 1</td>
            <td>
              <input class="form-control" type="number" name="dom1a" id="dom1a"
                readonly required/>
            </td>
            <td>
              <input class="form-control" type="number" name="dom1b" id="dom1b"
                readonly required/>
            </td>
            <td>
              <input class="form-control" type="number" name="dom1c" id="dom1c"
                readonly required/>
            </td>
          </tr>
          <tr>
            <td>Domain 2</td>
            <td>
              <input class="form-control" type="number" name="dom2a" id="dom2a"
                readonly required/>
            </td>
            <td>
              <input class="form-control" type="number" name="dom2b" id="dom2b"
                readonly required/>
            </td>
            <td>
              <input class="form-control" type="number" name="dom2c" id="dom2c"
                readonly required/>
            </td>
          </tr>
          <tr>
            <td>Domain 3</td>
            <td>
              <input class="form-control" type="number" name="dom3a" id="dom3a"
                readonly required/>
            </td>
            <td>
              <input class="form-control" type="number" name="dom3b" id="dom3b"
                readonly required/>
            </td>
            <td>
              <input class="form-control" type="number" name="dom3c" id="dom3c"
                readonly required/>
            </td>
          </tr>
          <tr>
            <td>Domain 4</td>
            <td>
              <input class="form-control" type="number" name="dom4a" id="dom4a"
                readonly required/>
            </td>
            <td>
              <input class="form-control" type="number" name="dom4b" id="dom4b"
                readonly required/>
            </td>
            <td>
              <input class="form-control" type="number" name="dom4c" id="dom4c"
                readonly required/>
            </td>
          </tr>
        </tbody>
      </table>
    </div>
  </div>
</div>
<div class="box-footer">
  <button type="submit" class="btn btn-primary pull-right">Submit</button>
</div>

```



```

        </form>
    </section>
</div>

<div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<script src="../.. / plugins / slimScroll / jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../.. / dist / js / demo.js"></script>
<script src="js/bootstrap-datepicker.js"></script>

<script type="text/javascript">
$(function()
{
    //Date picker
    $('#datepicker')
    .datepicker(
    {
        autoclose: true
    });
});
$("#compute_domain")
    .click(function()
    {
        var q1 = $("#q1: checked")
            .val();
        var q2 = $("#q2: checked")
            .val();
        var q3 = $("#q3: checked")
            .val();
        var q4 = $("#q4: checked")
            .val();
        var q5 = $("#q5: checked")
            .val();
        var q6 = $("#q6: checked")
            .val();
        var q7 = $("#q7: checked")
            .val();
        var q8 = $("#q8: checked")
            .val();
        var q9 = $("#q9: checked")
            .val();
        var q10 = $("#q10: checked")
            .val();
        var q11 = $("#q11: checked")
            .val();
        var q12 = $("#q12: checked")
            .val();
        var q13 = $("#q13: checked")
            .val();
        var q14 = $("#q14: checked")
            .val();
        var q15 = $("#q15: checked")
            .val();
        var q16 = $("#q16: checked")
            .val();
        var q17 = $("#q17: checked")
            .val();
        var q18 = $("#q18: checked")
            .val();
        var q19 = $("#q19: checked")
            .val();
        var q20 = $("#q20: checked")
            .val();
        var q21 = $("#q21: checked")
            .val();
        var q22 = $("#q22: checked")
            .val();
        var q23 = $("#q23: checked")
            .val();
        var q24 = $("#q24: checked")
            .val();
        var q25 = $("#q25: checked")
            .val();
        var q26 = $("#q26: checked")
            .val();
        $.ajax(
        {
            type: "POST",
            url: "test-compute-whoqol.php",
            data:
            {
                q1: q1,
                q2: q2,
                q3: q3,
                q4: q4,

```

```

q5: q5,
q6: q6,
q7: q7,
q8: q8,
q9: q9,
q10: q10,
q11: q11,
q12: q12,
q13: q13,
q14: q14,
q15: q15,
q16: q16,
q17: q17,
q18: q18,
q19: q19,
q20: q20,
q21: q21,
q22: q22,
q23: q23,
q24: q24,
q25: q25,
q26: q26
},
//dataType: 'json',
success: function(result)
{
    if (result == "error")
    {
        alert("Errors found in your input!");
        $("#output")
            .html("");
    }
    else
    {
        alert("Domain Scores Computed!");
        $("#output")
            .html("");
        var domain = result.split(" ");
        $("#dom1a")
            .val(domain[1]);
        $("#dom2a")
            .val(domain[2]);
        $("#dom3a")
            .val(domain[3]);
        $("#dom4a")
            .val(domain[4]);
        $("#dom1b")
            .val(domain[5]);
        $("#dom2b")
            .val(domain[6]);
        $("#dom3b")
            .val(domain[7]);
        $("#dom4b")
            .val(domain[8]);
        $("#dom1c")
            .val(domain[9]);
        $("#dom2c")
            .val(domain[10]);
        $("#dom3c")
            .val(domain[11]);
        $("#dom4c")
            .val(domain[12]);
    }
},
error: function(result)
{
    alert("Errors found in your input!");
    $("#output")
        .html("");
},
beforeSend: function()
{
    $("#output")
        .html("Computing...");
}
});
return false;
});
</script>
</body>
</html>

```

p-add-community.php

```

<?php
require_once("session.php");
require_once("connect.php");

```

```

extract($_POST, EXTR_SKIP);

//error checking
$errors = [];

if(!isset($name) || $name == ""){
    $errors["name"] = true;
    $errors["empty"] = true;
}

if(!isset($address) || $address == ""){
    $errors["address"] = true;
    $errors["empty"] = true;
}

if(!isset($abbrev) || $abbrev == ""){
    $errors["abbrev"] = true;
    $errors["empty"] = true;
}

if(count($errors) != 0){
    $errors_code = urlencode(json_encode($errors));
    header("Location: add-community.php?err=" . $errors_code);
    die();
}

//check if user is dmo and is qualified to add user
$query = "SELECT type FROM user WHERE user_id=$user_id";
$pinQuery = mysqli_query($con, $query) or die(mysqli_error($con));

$insert = "INSERT INTO community VALUES(
    NULL,
    '". $name ." ',
    '". $address ." ',
    '". $abbrev ." ' )";
echo $insert . "<br>";
$query = mysqli_query($con, $insert) or die (mysqli_error($con));

$msg="";
if ($query){
    $msg = "success";
} else {
    $msg = "fail";
}

header("Location: add-community.php?msg=".$msg);
die();
?>

```

## p-add-dmo.php

```

<?php
require_once("session.php");
require_once("connect.php");

extract($_POST, EXTR_SKIP);

//error checking
$errors = [];
$type = "dmo";

if(!isset($username) || $username == ""){
    $errors["username"] = true;
    $errors["empty"] = true;
}

if(!isset($password) || $password == ""){
    $errors["password"] = true;
    $errors["empty"] = true;
}

if(!isset($lastname) || $lastname == ""){
    $errors["lastname"] = true;
    $errors["empty"] = true;
}

if(!isset($firstname) || $firstname == ""){
    $errors["firstname"] = true;
    $errors["empty"] = true;
}

if(!isset($middlename) || $middlename == ""){
    $errors["middlename"] = true;
    $errors["empty"] = true;
}

if(!isset($eadd) || $eadd == ""){
    $errors["eadd"] = true;
    $errors["empty"] = true;
}

```

```

}

if(!isset($staffid) || $staffid == ""){
    $errs["staffid"] = true;
    $errs["empty"] = true;
}

if(count($errs) != 0){
    $errs_code = urlencode(json_encode($errs));
    header("Location: add-dmo.php?err=" . $errs_code);
    die();
}

//check if user is dmo and is qualified to add user
$query = "SELECT type FROM user WHERE user_id=$user_id";
$pinQuery = mysqli_query($con, $query) or die(mysqli_error($con));

if(mysqli_num_rows($pinQuery) == 0){
    //user not dmo
    header("Location: logout.php");
    die();
}

else{
    $insert = "INSERT INTO user VALUES(
        NULL,
        '". $username ." ',
        '". sha1($password) ." ',
        '". $type ." ',
        '". $lastname ." ',
        '". $firstname ." ',
        '". $middlename ." ',
        '". $nameext ." ',
        '". $contactno ." ',
        '". $seadd ." ',
        '1')";
    echo $insert . "<br>";
    $query1 = mysqli_query($con, $insert) or die (mysqli_error($con));

    $newuserid = mysqli_insert_id($con);
    echo $newuserid . "<br>";
    $newdmo = "INSERT INTO dmo VALUES (
        NULL,
        '". $newuserid ." ',
        '". $staffid ." ',
        '". $position ." ')" ;
    echo $newdmo . "<br>";
    $query2 = mysqli_query($con, $newdmo) or die(mysqli_error($con));

    $msg="";
    if($query1 && $query2){
        $msg = "success";
    }
    else{
        $msg = "fail";
    }
}

header("Location: add-dmo.php?msg=".$msg);
die();
}
?>

```

## p-add-household.php

```

<?php
require_once("session.php");
require_once("connect.php");

extract($_POST, EXTR_SKIP);

//error checking
$errs = [];

if(!isset($houseaddr) || $houseaddr == ""){
    $errs["houseaddr"] = true;
    $errs["empty"] = true;
}

if(!isset($preceptor) || $preceptor == ""){
    $errs["preceptor"] = true;
    $errs["empty"] = true;
}

if(!isset($communityid) || $communityid == ""){
    $errs["communityid"] = true;
    $errs["empty"] = true;
}

if(count($errs) != 0){
    $errs_code = urlencode(json_encode($errs));
    header("Location: add-household.php?err=" . $errs_code);
    die();
}

```

```

$insert = "INSERT INTO household VALUES(
        NULL,
        '". $communityid ." ',
        '". $houseaddr ." ',
        '". $preceptor ." ' )";
echo $insert . "<br>";
$query = mysqli_query($con, $insert) or die (mysqli_error($con));

$msg="";
if ($query)
    $msg = "success";
else
    $msg = "fail";

header("Location: households.php?msg=".$msg);
die();
?>

```

## p-add-intern.php

```

<?php
require_once("session.php");
require_once("connect.php");

extract($_POST, EXTR_SKIP);

//error checking
$errors = [];
$type = "intern";

if (!isset($username) || $username == ""){
    $errors["username"] = true;
    $errors["empty"] = true;
}

if (!isset($password) || $password == ""){
    $errors["password"] = true;
    $errors["empty"] = true;
}

if (!isset($lastname) || $lastname == ""){
    $errors["lastname"] = true;
    $errors["empty"] = true;
}

if (!isset($firstname) || $firstname == ""){
    $errors["firstname"] = true;
    $errors["empty"] = true;
}

if (!isset($middlename) || $middlename == ""){
    $errors["middlename"] = true;
    $errors["empty"] = true;
}

if (!isset($eadd) || $eadd == ""){
    $errors["eadd"] = true;
    $errors["empty"] = true;
}

if (!isset($course) || $course == ""){
    $errors["course"] = true;
    $errors["empty"] = true;
}

if (!isset($studentno) || $studentno == ""){
    $errors["studentno"] = true;
    $errors["empty"] = true;
}

if (!isset($community) || $community == ""){
    $errors["community"] = true;
    $errors["empty"] = true;
}

if (!isset($household) || $household == ""){
    $errors["household"] = true;
    $errors["empty"] = true;
}

if (count($errors) != 0){
    $errors_code = urlencode(json_encode($errors));
    header("Location: add-intern.php?err=" . $errors_code);
    die();
}

//check if user is dmo and is qualified to add user
$query = "SELECT type FROM user WHERE user_id=$user_id";
$pinQuery = mysqli_query($con, $query) or die(mysqli_error($con));

```

```

if(mysqli_num_rows($pinQuery) == 0){
    //user not dmo
    header("Location: logout.php");
    die();
} else{
    $insert = "INSERT INTO user VALUES(
        NULL,
        '". $username ." ',
        '". sha1($password) ." ',
        '". $type ." ',
        '". $lastname ." ',
        '". $firstname ." ',
        '". $middlename ." ',
        '". $nameext ." ',
        '". $contactno ." ',
        '". $seadd ." ',
        '1')";
    echo $insert . "<br>";
    $query1 = mysqli_query($con, $insert) or die (mysqli_error($con));

    //insert new intern
    $newuserid = mysqli_insert_id($con);
    echo $newuserid . "<br>";
    $newintern = "INSERT INTO intern VALUES (
        NULL,
        '". $newuserid ." ',
        '". $studentno ." ',
        '". $course ." ',
        '". $address ." ',
        '". $household ." ',
        '". $community ." ')" ;
    echo $newintern . "<br>";
    $query2 = mysqli_query($con, $newintern) or die(mysqli_error($con));

    $msg="";
    if($query1 && $query2){
        $msg = "success";
    } else{
        $msg = "fail";
    }
    header("Location: add-intern.php?msg=".$msg);
    die();
}
?>

```

## p-change-password.php

```

<?php
require_once("session.php");
require_once("connect.php");

extract($_POST, EXTR_SKIP);

// Validation
$errors = [];

if(!isset($newpass) || $newpass == ""){
    $errors["newpass"] = true;
    $errors["pass.empty"] = true;
}

if(!isset($confirmpass) || $confirmpass == ""){
    $errors["confirmpass"] = true;
    $errors["pass.empty"] = true;
}

if(isset($confirmpass) && isset($newpass) && $confirmpass!=$newpass){
    $errors["not_match"] = true;
}

if(count($errors) != 0){
    $errors_code = urlencode(json_encode($errors));
    header("Location: profile.php?err=".$errors_code);
    die();
}
// Validation done

$password = sha1($newpass);
$update = "UPDATE user SET password='".$password' WHERE user_id=$user_id";
$query = mysqli_query($con, $update) or die(mysqli_error($con));

$msg="";
if($query){
    $msg = "success";
} else{
    $msg = "fail";
}

```

```
header("Location: profile.php?msg=".$msg);
die();
?>
```

## p-deac-reac-user.php

```
<?php
require_once("session.php");
require_once("connect.php");

extract($_GET, EXTR_SKIP);

$query = "SELECT is_active FROM user WHERE user_id=$uid";
$statusq = mysqli_query($con, $query) or die(mysqli_error($con));

$user = mysqli_fetch_array($statusq);
$status = $user['is_active'];

if($status==1){
    $update = "UPDATE user SET is_active='0' WHERE user_id=$uid";
}else{
    $update = "UPDATE user SET is_active='1' WHERE user_id=$uid";
}

//update database
$query = mysqli_query($con, $update) or die(mysqli_error($con));

$msg="";
if($query){
    $msg = "success";
}else{
    $msg = "fail";
}
header("Location: users.php?msg=".$msg);
die();
?>
```

## p-edit-household.php

```
<?php
require_once("session.php");
require_once("connect.php");

extract($_POST, EXTR_SKIP);
// Validation
$errors = [];

if(!isset($householdid) || $householdid == ""){
    $errors["householdid"] = true;
    $errors["empty"] = true;
}
if(!isset($communityid) || $communityid == ""){
    $errors["communityid"] = true;
    $errors["empty"] = true;
}
if(!isset($houseaddr) || $houseaddr == ""){
    $errors["houseaddr"] = true;
    $errors["empty"] = true;
}
if(!isset($preceptor) || $preceptor == ""){
    $errors["preceptor"] = true;
    $errors["empty"] = true;
}

if(count($errors) != 0){
    $errors_code = urlencode(json_encode($errors));
    header("Location: edit-household.php?hid=".$householdid);
    die();
}

$update = "UPDATE household SET house_addr='".$houseaddr"', preceptor='".$preceptor' WHERE household_id=$householdid";
$query = mysqli_query($con, $update) or die(mysqli_error($con));

$msg="";
if($query)
    $msg = "success";
else
    $msg = "fail";

header("Location: edit-household.php?hid=".$householdid."&msg=".$msg);
die();
?>
```

## p-edit-profile.php

```
<?php
require_once("session.php");
require_once("connect.php");

extract($_POST, EXTR_SKIP);

// Validation
$errors = [];

if(!isset($lastname) || $lastname == ""){
    $errors["lastname"] = true;
    $errors["empty"] = true;
}
if(!isset($firstname) || $firstname == ""){
    $errors["firstname"] = true;
    $errors["empty"] = true;
}
if(!isset($middlename) || $middlename == ""){
    $errors["middlename"] = true;
    $errors["empty"] = true;
}
if(!isset($eadd) || $eadd == ""){
    $errors["eadd"] = true;
    $errors["empty"] = true;
}

if(count($errors) != 0){
    $errors_code = urlencode(json_encode($errors));
    header("Location: profile.php?err=".$errors_code);
    die();
}

$update = "UPDATE user SET
    last_name='".$lastname."',
    first_name='".$firstname."',
    middle_name='".$middlename."',
    name_ext='".$nameext."',
    contact_no='".$contactno."',
    e_add='".$eadd'
WHERE user_id='.$user_id";

$query = mysqli_query($con, $update) or die(mysqli_error($con));

$msg="";
if($query){
    $msg = "success";
} else {
    $msg = "fail";
}

header("Location: profile.php?msg=".$msg);

die();

?>
```

## p-edit-user.php

```
<?php
require_once("session.php");
require_once("connect.php");

extract($_POST, EXTR_SKIP);
// Validation
$errors = [];
echo $course;

if(!isset($lastname) || $lastname == ""){
    $errors["lastname"] = true;
    $errors["empty"] = true;
}
if(!isset($firstname) || $firstname == ""){
    $errors["firstname"] = true;
    $errors["empty"] = true;
}
if(!isset($middlename) || $middlename == ""){
    $errors["middlename"] = true;
    $errors["empty"] = true;
}
if(!isset($eadd) || $eadd == ""){
    $errors["eadd"] = true;
    $errors["empty"] = true;
}

if($type == "intern"){
    if(!isset($studentno) || $studentno == ""){
        $errors["studentno"] = true;
        $errors["empty"] = true;
    }
}
```



```

        if(!isset($community) || $community == ""){
            $errs["community"] = true;
            $errs["empty"] = true;
        }
        if(!isset($household) || $household == ""){
            $errs["household"] = true;
            $errs["empty"] = true;
        }
    } else if($type == "dmo"){
        if(!isset($staffid) || $staffid == ""){
            $errs["staffid"] = true;
            $errs["empty"] = true;
        }
    }
}

if(count($errs) != 0){
    $errs_code = urlencode(json_encode($errs));
    header("Location: edit-user.php?err=".$errs_code);
    die();
}

$update = "UPDATE user SET last_name='".$lastname', first_name='".$firstname', middle_name='
    $middlename', name_ext='".$nameext', contact_no='".$contactno', e_add='".$eadd' WHERE user_id=$uid";
$query1 = mysqli_query($con, $update) or die(mysqli_error($con));

if($type == "intern"){
    $updateintern = "UPDATE intern
    SET
    student_no='".$studentno',
    course='".$course',
    address='".$address',
    household_id='".$household',
    community_id='".$community',
    WHERE user_id=$uid";
    $query2 = mysqli_query($con, $updateintern) or die(mysqli_error($con));
}

if($type == "dmo"){
    $updatedmo = "UPDATE dmo SET staff_id='".$staffid', position='".$position' WHERE user_id=$uid
    ";
    $query2 = mysqli_query($con, $updatedmo) or die(mysqli_error($con));
}

$msg="";
if($query1 && $query2){
    $msg = "success";
} else {
    $msg = "fail";
}

header("Location: edit-user.php?msg=".$msg."&uid=".$uid);
die();
?>

```

## p-login.php

```

<?php
require_once("connect.php");

extract($_POST, EXTR_SKIP);

//validation start
$errors = [];

//check if username and password has value
if(!isset($username) || $username == ""){
    $errs["username"] = true;
    $errs["empty"] = true;
}
if(!isset($password) || $password == ""){
    $errs["password"] = true;
    $errs["empty"] = true;
}

//error found, send errors to index
if(count($errs) != 0){
    $errs_code = urldecode(json_encode($errs));
    header("Location: login.php?err=" . $errs_code);
    die();
}
//validation done

$password_enc = sha1($password);
//extra validation
$query = "SELECT user_id, type FROM user WHERE username='".$username' AND password='".$password_enc'
    AND is_active=1";

$logins = mysqli_query($con, $query) or die(mysqli_error($con));

```

```

if(mysqli_num_rows($login) == 0){
    $errs["username"] = true;
    $errs["password"] = true;
    $errs["login_invalid"] = true;
}

if(count($errs) != 0){
    $errs_code = urlencode(json_encode($errs));
    header("Location: ".$ROOT."login.php?err=".$errs_code);
    die();
}
// Extra validation done

$user = mysqli_fetch_array($login);

session_start();
$_SESSION["user_id"] = $user[0];
$_SESSION["user_type"] = $user[1];

if($_SESSION["user_type"] == "dmo"){
    header("Location: dmo-dashboard.php");
}
if($_SESSION["user_type"] == "intern"){
    header("Location: intern-dashboard.php");
}
die();
?>

```

## p-new-whodas.php

```

<?php
require_once("session.php");
require_once("connect.php");

extract($_POST, EXTR_SKIP);

//error checking
$errs = [];
$formtype = "whodas";

if(!isset($formcode) || $formcode == ""){
    $errs["formcode"] = true;
    $errs["empty"] = true;
}

if(!isset($lastname) || $lastname == ""){
    $errs["lastname"] = true;
    $errs["empty"] = true;
}

if(!isset($firstname) || $firstname == ""){
    $errs["firstname"] = true;
    $errs["empty"] = true;
}

if(!isset($middleinitial) || $middleinitial == ""){
    $errs["middleinitial"] = true;
    $errs["empty"] = true;
}

if(!isset($pwdidno) || $pwdidno == ""){
    $errs["pwdidno"] = true;
    $errs["empty"] = true;
}

if(!isset($interviewername) || $interviewername == ""){
    $errs["interviewername"] = true;
    $errs["empty"] = true;
}

if(!isset($assessmenttime) || $assessmenttime == ""){
    $errs["assessmenttime"] = true;
    $errs["empty"] = true;
}

if(!isset($interviewdatetime) || $interviewdatetime == ""){
    $errs["interviewdatetime"] = true;
    $errs["empty"] = true;
}

if(!isset($livingsituation) || $livingsituation == ""){
    $errs["livingsituation"] = true;
    $errs["empty"] = true;
}

if(!isset($kasarian) || $kasarian == ""){
    $errs["kasarian"] = true;
    $errs["empty"] = true;
}
}

```

```

if(!isset($edad) || $edad == ""){
    $errs["edad"] = true;
    $errs["empty"] = true;
}

if(!isset($taonsapagaaral) || $taonsapagaaral == ""){
    $errs["taonsapagaaral"] = true;
    $errs["empty"] = true;
}

if(!isset($estadosibil) || $estadosibil == ""){
    $errs["estadosibil"] = true;
    $errs["empty"] = true;
}

if(!isset($shanapbuhay) || $shanapbuhay == ""){
    $errs["hanapbuhay"] = true;
    $errs["empty"] = true;
}

if(count($errs) != 0){
    $errs_code = urlencode(json_encode($errs));
    header("Location: new-whodas.php?err=" . $errs_code);
    die();
}

//error checking done
//insert new form
if(isset($formid)){
    $updateform = "UPDATE form
SET
form_code='$formcode',
date_completed= CURDATE(),
last_name='$lastname',
first_name='$firstname',
middle_initial='$middleinitial',
name_ext='$nameext'
WHERE form_id=$formid";
$query1 = mysqli_query($con, $updateform) or die(mysqli_error($con));

$updatewho = "UPDATE whodas
SET
pwd_id_no='$pwdidno',
interviewer_name= '$interviewername',
assessment_time='$assessmenttime',
interview_date_time= STR_TO_DATE('$interviewdatetime', '%m/%d/%Y %h:%i:%s'),
living_situation='$livingsituation',
kasarian='$kasarian',
edad='$edad',
taon_sa_pagaaral='$taonsapagaaral',
estado_sibil='$estadosibil',
hanapbuhay='$shanapbuhay',
dahilan_wala='$dahilanwala',
s1='$s1',
s2='$s2',
s3='$s3',
s4='$s4',
s5='$s5',
s6='$s6',
s7='$s7',
s8='$s8',
s9='$s9',
s10='$s10',
s11='$s11',
s12='$s12',
d1_2='$d12',
d1_3='$d13',
d1_5='$d15',
d1_6='$d16',
d2_2='$d22',
d2_3='$d23',
d2_4='$d24',
d3_3='$d33',
d3_4='$d34',
d4_3='$d43',
d4_5='$d45',
d5_2='$d52',
d5_3='$d53',
d5_4='$d53',
d5_01='$d501',
d5_6='$d56',
d5_7='$d57',
d5_8='$d58',
d5_9='$d59',
d5_10='$d510',
d5_02='$d502',
d6_2='$d62',
d6_3='$d63',
d6_4='$d64',
d6_6='$d66',
d6_7='$d67',

```

```

d6.8='$d68',
h1='$h1',
h2='$h2',
h3='$h3'
WHERE form_id=$formid";
$query2 = mysqli_query($con, $updatewho) or die(mysqli_error($con));

$msg="";
if($query1 && $query2)
    $msg = "success";
else
    $msg = "fail";

header("Location: view-form.php?msg=".$msg."&fid=".$formid);
die();

} else {

$insert = "INSERT INTO form VALUES(
NULL,
'". $formcode ."',
'". $formtype ."', CURDATE(),
'". $user_id ."',
'". $lastname ."',
'". $firstname ."',
'". $middleinitial ."',
'". $nameext ."')";
echo $insert . "<br>";
$query1 = mysqli_query($con, $insert) or die (mysqli_error($con));

//insert new whodas
$newformid = mysqli_insert_id($con);
echo $newformid . "<br>";
$newwhodas = "INSERT INTO whodas VALUES (
NULL,
'". $newformid ."',
'". $pwdidno ."',
'". $interviewername ."',
'". $assessmenttime ."',
STR_TO_DATE('". $interviewdatetime ."', '%m/%d/%Y %h:%i:%s'),
'". $livingsituation ."',
'". $kasarian ."',
'". $edad ."',
'". $taonsapagaaral ."',
'". $estadosibil ."',
'". $hanapbuhay ."',
'". $dahilanwala ."',
'". $s1 ."',
'". $s2 ."',
'". $s3 ."',
'". $s4 ."',
'". $s5 ."',
'". $s6 ."',
'". $s7 ."',
'". $s8 ."',
'". $s9 ."',
'". $s10 ."',
'". $s11 ."',
'". $s12 ."',
'". $d12 ."',
'". $d13 ."',
'". $d15 ."',
'". $d16 ."',
'". $d22 ."',
'". $d23 ."',
'". $d24 ."',
'". $d33 ."',
'". $d34 ."',
'". $d43 ."',
'". $d44 ."',
'". $d45 ."',
'". $d52 ."',
'". $d53 ."',
'". $d54 ."',
'". $d501 ."',
'". $d56 ."',
'". $d57 ."',
'". $d58 ."',
'". $d59 ."',
'". $d510 ."',
'". $d502 ."',
'". $d62 ."',
'". $d63 ."',
'". $d64 ."',
'". $d66 ."',
'". $d67 ."',
'". $d68 ."',
'". $h1 ."',
'". $h2 ."',
'". $h3 ."')";
echo $newwhodas . "<br>";
$query2 = mysqli_query($con, $newwhodas) or die(mysqli_error($con));

```

```

$msg="";
if($query1 && $query2)
    $msg = " success ";
else
    $msg = " fail ";

header(" Location: intern-dashboards.php?msg=".$msg);
die();
}
?>

```

## p-new-whodas-proxy.php

```

<?php
require_once(" session.php");
require_once(" connect.php");

extract($_POST, EXTR_SKIP);

//error checking
$errors = [];
$formtype = " whodas-proxy ";

if(!isset($formcode) || $formcode == ""){
    $errors[" formcode "] = true;
    $errors[" empty "] = true;
}

if(!isset($lastname) || $lastname == ""){
    $errors[" lastname "] = true;
    $errors[" empty "] = true;
}

if(!isset($firstname) || $firstname == ""){
    $errors[" firstname "] = true;
    $errors[" empty "] = true;
}

if(!isset($middleinitial) || $middleinitial == ""){
    $errors[" middleinitial "] = true;
    $errors[" empty "] = true;
}

if(!isset($proxy) || $proxy == ""){
    $errors[" proxy "] = true;
    $errors[" empty "] = true;
}

if(!isset($relasyon) || $relasyon == ""){
    $errors[" relasyon "] = true;
    $errors[" empty "] = true;
}

if(count($errors) != 0){
    $errors_code = urlencode(json_encode($errors));
    header(" Location: new-whodas-proxy.php?err=" . $errors_code);
    die();
}

if($relasyon=="iba pa"){
    $relasyon = $ibapa;
}

if(isset($formid)){
    $updateform = "UPDATE form
SET
form_code='$formcode ',
date_completed= CURDATE(),
last_name='$lastname ',
first_name='$firstname ',
middle_initial='$middleinitial ',
name_ext='$nameext '
WHERE form_id=$formid";
$query1 = mysqli_query($con, $updateform) or die(mysqli_error($con));

$updatewho = "UPDATE whodas-proxy
SET
proxy_pangalan='$proxy ',
proxy_relasyon= '$relasyon ',
s1='$s1 ',
s2='$s2 ',
s3='$s3 ',
s4='$s4 ',
s5='$s5 ',
s6='$s6 ',
s7='$s7 ',
s8='$s8 ',

```

```

s9='$s9',
s10='$s10',
s11='$s11',
s12='$s12',
h1='$h1',
h2='$h2',
h3='$h3'
WHERE form_id=$formid";
$query2 = mysqli_query($con, $updatewho) or die(mysqli_error($con));

$msg="";
if($query1 && $query2)
    $msg = "success";
else
    $msg = "fail";

header(" Location: view-form.php?msg=".$msg."&fid=".$formid);
die();

} else {
$insert = "INSERT INTO form VALUES(
NULL,
'" . $formcode . "',
'" . $formtype . "', CURDATE(),
'" . $user_id . "',
'" . $lastname . "',
'" . $firstname . "',
'" . $middleinitial . "',
'" . $nameext . "')";
echo $insert . "<br>";
$query1 = mysqli_query($con, $insert) or die (mysqli_error($con));

//insert new whodas
$newformid = mysqli_insert_id($con);
echo $newformid . "<br>";
$newwhodasproxy = "INSERT INTO whodas-proxy VALUES (
NULL,
'" . $newformid . "',
'" . $proxy . "',
'" . $relasyon . "',
'" . $s1 . "',
'" . $s2 . "',
'" . $s3 . "',
'" . $s4 . "',
'" . $s5 . "',
'" . $s6 . "',
'" . $s7 . "',
'" . $s8 . "',
'" . $s9 . "',
'" . $s10 . "',
'" . $s11 . "',
'" . $s12 . "',
'" . $h1 . "',
'" . $h2 . "',
'" . $h3 . "')";
echo $newwhodasproxy . "<br>";
$query2 = mysqli_query($con, $newwhodasproxy) or die(mysqli_error($con));

$msg="";
if($query1 && $query2)
    $msg = "success";
else
    $msg = "fail";

header(" Location: intern-dashboard.php?msg=".$msg);
die();

}
?>

```

## p-new-whoqol.php

```

<?php
require_once("session.php");
require_once("connect.php");

extract($_POST, EXTR_SKIP);

//error checking
$errors = [];
$formtype = "whoqol";

if(!isset($formcode) || $formcode == ""){
    $errors["formcode"] = true;
    $errors["empty"] = true;
}

if(!isset($lastname) || $lastname == ""){
    $errors["lastname"] = true;
    $errors["empty"] = true;
}

```

```

}

if(!isset($firstname) || $firstname == ""){
    $errs["firstname"] = true;
    $errs["empty"] = true;
}

if(!isset($middleinitial) || $middleinitial == ""){
    $errs["middleinitial"] = true;
    $errs["empty"] = true;
}

if(!isset($kasarian) || $kasarian == ""){
    $errs["kasarian"] = true;
    $errs["empty"] = true;
}

if(!isset($kapanganakan) || $kapanganakan == ""){
    $errs["kapanganakan"] = true;
    $errs["empty"] = true;
}

if(!isset($natapos) || $natapos == ""){
    $errs["natapos"] = true;
    $errs["empty"] = true;
}

if(!isset($estadosibil) || $estadosibil == ""){
    $errs["estadosibil"] = true;
    $errs["empty"] = true;
}

if(!isset($maysakit) || $maysakit == ""){
    $errs["maysakit"] = true;
    $errs["empty"] = true;
}

if(count($errs) != 0){
    $errs_code = urlencode(json_encode($errs));
    header("Location: new-whoqol.php?err=" . $errs_code);
    die();
}

if(isset($formid)){
    $updateform = "UPDATE form
SET
form_code='$formcode ',
date_completed= CURDATE(),
last_name='$lastname ',
first_name='$firstname ',
middle_initial='$middleinitial ',
name_ext='$nameext '
WHERE form_id=$formid";
$query1 = mysqli_query($con, $updateform) or die(mysqli_error($con));
echo "updateform: " . $updateform;

$updatewho = "UPDATE whoqol
SET
kasarian='$kasarian ',
kapanganakan= STR_TO_DATE('$kapanganakan ', '%m/%d/%Y') ,
natapos='$natapos ',
estado_sibil='$estadosibil ',
may_sakit='$maysakit ',
sakit='$sakit ',
q1='$q1 ',
q2='$q2 ',
q3='$q3 ',
q4='$q4 ',
q5='$q5 ',
q6='$q6 ',
q7='$q7 ',
q8='$q8 ',
q9='$q9 ',
q10='$q10 ',
q11='$q11 ',
q12='$q12 ',
q13='$q13 ',
q14='$q14 ',
q15='$q15 ',
q16='$q16 ',
q17='$q17 ',
q18='$q18 ',
q19='$q19 ',
q20='$q20 ',
q21='$q21 ',
q22='$q22 ',
q23='$q23 ',
q24='$q24 ',
q25='$q25 ',
q26='$q26 ',
puna='$puna ',
dom_la='$domla ',

```

```

dom_1b='$dom1b',
dom_1c='$dom1c',
dom_2a='$dom2a',
dom_2b='$dom2b',
dom_2c='$dom2c',
dom_3a='$dom3a',
dom_3b='$dom3b',
dom_3c='$dom3c',
dom_4a='$dom4a',
dom_4b='$dom4b',
dom_4c='$dom4c'
WHERE form_id=$formid";
$query2 = mysqli_query($con, $updatewho) or die(mysqli_error($con));
echo "updatewho: " . $updatewho;

$msg="";
if ($query1 && $query2)
    $msg = "success";
else
    $msg = "fail";

header(" Location: view-form.php?msg=".$msg."&fid=".$formid);
die();
} else{

$insert = "INSERT INTO form VALUES(
NULL,
'', $formcode .''',
'', $formtype .''', CURDATE(),
'', $user_id .''',
'', $lastname .''',
'', $firstname .''',
'', $middleinitial .''',
'', $nameext .''')";
echo $insert . "<br>";
$query1 = mysqli_query($con, $insert) or die (mysqli_error($con));

//insert new whodas
$newformid = mysqli_insert_id($con);
echo $newformid . "<br>";
$newwhoqol = "INSERT INTO whoqol VALUES (
NULL,
'', $newformid .''',
'', $kasarian .''',
STR_TO_DATE(''$kapanganakan.''', '%m/%d/%Y'),
'', $natapos .''',
'', $estadosibil .''',
'', $maysakit .''',
'', $sakit .''',
'', $q1 .''',
'', $q2 .''',
'', $q3 .''',
'', $q4 .''',
'', $q5 .''',
'', $q6 .''',
'', $q7 .''',
'', $q8 .''',
'', $q9 .''',
'', $q10 .''',
'', $q11 .''',
'', $q12 .''',
'', $q13 .''',
'', $q14 .''',
'', $q15 .''',
'', $q16 .''',
'', $q17 .''',
'', $q18 .''',
'', $q19 .''',
'', $q20 .''',
'', $q21 .''',
'', $q22 .''',
'', $q23 .''',
'', $q24 .''',
'', $q25 .''',
'', $q26 .''',
'', $puna .''',
'', $dom1a .''',
'', $dom1b .''',
'', $dom1c .''',
'', $dom2a .''',
'', $dom2b .''',
'', $dom2c .''',
'', $dom3a .''',
'', $dom3b .''',
'', $dom3c .''',
'', $dom4a .''',
'', $dom4b .''',
'', $dom4c .''')";
echo $newwhoqol . "<br>";
$query2 = mysqli_query($con, $newwhoqol) or die(mysqli_error($con));

```



```

$msg = "";
if ($query1 && $query2)
    $msg = "success";
else
    $msg = "fail";

header("Location: intern-dashboard.php?msg=".$msg);
die();
}
?>

```

## profile.php

```

<!DOCTYPE html>
<?php
include("session.php");
include("connect.php");

$errors = [];
if (isset($_GET["err"])){
    $errors = json_decode(urldecode($_GET["err"]), true);
}

if (isset($_GET["msg"]))
    $message = $_GET["msg"];

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

if ($_SESSION['user_type'] == "dmo"){
    $backlink = "dmo-dashboard.php";
}
if ($_SESSION['user_type'] == "intern"){
    $backlink = "intern-dashboard.php";
}
?>
<html>

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | Profile </title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicicons/2.0.1/css/ionicicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">

</head>

<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="#"?php echo $backlink;?>" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>

<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation </span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</a>
<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="#"?php echo $backlink;?>
<i class="fa fa-dashboard"></i>
<span class="hidden-xs">Dashboard </span>
</a>
</li>
<li class="dropdown user user-menu">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">
<i class="fa fa-user"></i>
<span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];?></span>
</a>
<ul class="dropdown-menu">

```

```

<div class="box box-widget widget-user">
  <div class="widget-user-header bg-aqua-active">
    <h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['middle_name'] . " " . $user['last_name']; ?></h3>
    <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
  </div>
  </div>
  <li class="user-footer">
    <div class="pull-left">
      <a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
    </div>
    <div class="pull-right">
      <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
    </div>
  </li>
</ul>
</li>
</ul>
</div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
  <section class="sidebar">
    <ul class="sidebar-menu">
      <li class="treeview active">
        <a href="#"><i class="active fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-left pull-right"></i></a>
        <ul class="treeview-menu">
          <li><a href="?"><?php echo $backlink;?>><i class="fa fa-circle-o"></i> Overview</a>
          </li>
        </ul>
      </li>

      <?php if($_SESSION['user_type']=="dmo" ){ ?>

      <li class="treeview">
        <a href="#">
          <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
          <span class="label label-primary pull-right"></span>
        </a>
        <ul class="treeview-menu">
          <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
          </li>
          <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
          </li>
          <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
          </li>
        </ul>
      </li>
      <li class="header">CBR-M MANAGEMENT</li>
      <li>
        <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
      </li>
      <li>
        <a href="communities.php"> <i class="fa fa-institution"></i> <span>Communities</span>
        </a>
      </li>
      <li>
        <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
      </li>

      <?php } if($_SESSION['user_type']=="intern" ){ ?>
      <li class="treeview">
        <a href="#">
          <i class="fa fa-edit"></i> <span>Submit New Form</span>
          <i class="fa fa-angle-left pull-right"></i>
          <span class="label label-primary pull-right"></span>
        </a>
        <ul class="treeview-menu">
          <li><a href="new-whoqol.php"><i class="fa fa-plus"></i> WHOQOL</a>
          </li>
          <li><a href="new-whodas.php"><i class="fa fa-plus"></i> WHODAS</a>
          </li>
          <li><a href="new-whodas-proxy.php"><i class="fa fa-plus"></i> WHODAS-Proxy</a>
          </li>
        </ul>
      </li>
    </ul>
  </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
  <section class="content-header">
    <h1>Profile<small>Edit your information and change your password.</small> </h1>
    <ol class="breadcrumb">
      <li><a href="?"><?php echo $backlink;?>><i class="fa fa-dashboard"></i> Home</a>

```

```

        </li>
        <li class="active">Profile</li>
    </ol>
</section>

<section class="content">
    <?php
    if(isset($message)){
        echo "<div class='login-box'>";
        if($message=="success")
            echo "<div class='alert alert-success alert-dismissible'> <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-check'></i> Alert!</h4>Update is Successful!</div>";
        if($message=="fail")
            echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
        echo "</div>";
    }
    ?>
</p>
    Click <a href="change-password.php">here</a> to change your password.
</p>
    <div class="box box-theme">
        <div class="box-header with-border">
            <h3 class="box-title">Edit Profile</h3>
        </div>
        <form class="form-horizontal" action="p-edit-profile.php" method="post">
            <div class="box-body">
                <div class="form-group">
                    <label for="usertype" class="col-sm-3 control-label">User Type</label>
                    <div class="col-sm-9">
                        <input type="text" class="form-control" name="usertype" value="<?php echo $user[" type "]; ?>" readonly/>
                    </div>
                </div>
                <div class="form-group">
                    <label for="lastname" class="col-sm-3 control-label">Last Name</label>
                    <div class="col-sm-9">
                        <input type="text" class="form-control" name="lastname" placeholder="Dela Cruz" value="<?php echo $user[" last_name "]; ?>" required/>
                    </div>
                </div>
                <div class="form-group">
                    <label for="firstname" class="col-sm-3 control-label">First Name</label>
                    <div class="col-sm-9">
                        <input type="text" class="form-control" name="firstname" placeholder="Juan" value="<?php echo $user[" first_name "]; ?>" required/>
                    </div>
                </div>
                <div class="form-group">
                    <label for="middlename" class="col-sm-3 control-label">Middle Name</label>
                    <div class="col-sm-9">
                        <input type="text" class="form-control" name="middlename" placeholder="Sipag" value="<?php echo $user[" middle_name "]; ?>" required/>
                    </div>
                </div>
                <div class="form-group">
                    <label for="nameext" class="col-sm-3 control-label">Name Extension</label>
                    <div class="col-sm-9">
                        <input type="text" class="form-control" name="nameext" placeholder="Jr., II, III" value="<?php echo $user[" name_ext "]; ?>" />
                    </div>
                </div>
                <div class="form-group">
                    <label for="contactno" class="col-sm-3 control-label">Contact Number</label>
                    <div class="col-sm-9">
                        <input type="text" class="form-control" name="contactno" placeholder="09123456789" value="<?php echo $user[" contact_no "]; ?>" maxlength="11" />
                    </div>
                </div>
                <div class="form-group">
                    <label for="eadd" class="col-sm-3 control-label">Email Address</label>
                    <div class="col-sm-9">
                        <input type="email" class="form-control" name="eadd" placeholder="juandelacruz@gmail.com" value="<?php echo $user[" e_add "]; ?>" required/>
                    </div>
                </div>
            </div>
            <div class="box-footer">
                <button type="submit" class="btn btn-primary pull-right">Submit</button>
            </div>
        </form>
    </div>
</section>
</div>

<div class="control-sidebar-bg"></div>
</div>

```

```

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="../../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../../dist/js/demo.js"></script>

</body>
</html>

```

## session.php

```

<?php
session_start();
if(isset($_SESSION["user_id"]) && isset($_SESSION["user-type"])){
    $user_id = $_SESSION["user_id"];
    $user_type = $_SESSION["user-type"];
} else {
    unset($user_id);
    unset($user_type);
    header("Location: login.php");
    die();
}
?>

```

## test-compute-whoqol.php

```

<?php

$masamamabuti = array("napakasama", "masama", "katamtaman", "mabuti", "napakabuti", "n.a.");
$skuntento = array("lubos na di kuntento", "di kuntento", "di matukoy", "kuntento", "lubos na
kuntento", "n.a.");
$walalabis = array("wala", "kaunti", "katamtaman", "lubos", "labis-labis", "n.a.");
$walalubos = array("wala", "kaunti", "katamtaman", "halos lubos", "lubos", "n.a.");
$hirap = array("napakahirap", "mahirap", "di mahirap o madali", "madali", "napakadali", "n.a.");
$dalas = array("hindi kailanman", "bihira", "madalas-dalas", "napakadalas", "palagi", "n.a.");
$doma = array();

extract($_POST, EXTR_SKIP);

if(isset($q1) && isset($q2) && isset($q3) && isset($q4) && isset($q5) && isset($q6) && isset($q7)
&& isset($q8) && isset($q9) && isset($q10) && isset($q11) && isset($q12) && isset($q13) &&
isset($q14) && isset($q15) && isset($q16) && isset($q17) && isset($q18) && isset($q19) &&
isset($q20) && isset($q21) && isset($q22) && isset($q23) && isset($q24) && isset($q25) &&
isset($q26)){

    for ($i = 0; $i < count($masamamabuti); $i++) {
        if ($q1===$masamamabuti[$i])
            $q1int = $i + 1;
    }

    for ($i = 0; $i < count($skuntento); $i++) {
        if ($q2===$skuntento[$i])
            $q2int = $i + 1;
    }

    for ($i = 0; $i < count($walalabis); $i++) {
        if ($q3===$walalabis[$i])
            $q3int = $i + 1;
    }

    for ($i = 0; $i < count($walalabis); $i++) {
        if ($q4===$walalabis[$i])
            $q4int = $i + 1;
    }

    for ($i = 0; $i < count($walalabis); $i++) {
        if ($q5===$walalabis[$i])
            $q5int = $i + 1;
    }

    for ($i = 0; $i < count($walalabis); $i++) {
        if ($q6===$walalabis[$i])
            $q6int = $i + 1;
    }

    for ($i = 0; $i < count($walalabis); $i++) {
        if ($q7===$walalabis[$i])

```

```

        $q7int = $i + 1;
    }
    for ($i = 0; $i < count($walalabis); $i++) {
        if ($q8==$walalabis[$i])
            $q8int = $i + 1;
    }
    for ($i = 0; $i < count($walalabis); $i++) {
        if ($q9==$walalabis[$i])
            $q9int = $i + 1;
    }
    for ($i = 0; $i < count($walalubos); $i++) {
        if ($q10==$walalubos[$i])
            $q10int = $i + 1;
    }
    for ($i = 0; $i < count($walalubos); $i++) {
        if ($q11==$walalubos[$i])
            $q11int = $i + 1;
    }
    for ($i = 0; $i < count($walalubos); $i++) {
        if ($q12==$walalubos[$i])
            $q12int = $i + 1;
    }
    for ($i = 0; $i < count($walalubos); $i++) {
        if ($q13==$walalubos[$i])
            $q13int = $i + 1;
    }
    for ($i = 0; $i < count($walalubos); $i++) {
        if ($q14==$walalubos[$i])
            $q14int = $i + 1;
    }
    for ($i = 0; $i < count($hirap); $i++) {
        if ($q15==$hirap[$i])
            $q15int = $i + 1;
    }
    for ($i = 0; $i < count($kuntento); $i++) {
        if ($q16==$kuntento[$i])
            $q16int = $i + 1;
    }
    for ($i = 0; $i < count($kuntento); $i++) {
        if ($q17==$kuntento[$i])
            $q17int = $i + 1;
    }
    for ($i = 0; $i < count($kuntento); $i++) {
        if ($q18==$kuntento[$i])
            $q18int = $i + 1;
    }
    for ($i = 0; $i < count($kuntento); $i++) {
        if ($q19==$kuntento[$i])
            $q19int = $i + 1;
    }
    for ($i = 0; $i < count($kuntento); $i++) {
        if ($q20==$kuntento[$i])
            $q20int = $i + 1;
    }
    for ($i = 0; $i < count($kuntento); $i++) {
        if ($q21==$kuntento[$i])
            $q21int = $i + 1;
    }
    for ($i = 0; $i < count($kuntento); $i++) {
        if ($q22==$kuntento[$i])
            $q22int = $i + 1;
    }
    for ($i = 0; $i < count($kuntento); $i++) {
        if ($q23==$kuntento[$i])
            $q23int = $i + 1;
    }
    for ($i = 0; $i < count($kuntento); $i++) {
        if ($q24==$kuntento[$i])
            $q24int = $i + 1;
    }
    for ($i = 0; $i < count($kuntento); $i++) {
        if ($q25==$kuntento[$i])
            $q25int = $i + 1;
    }
}

```

```

for ($i = 0; $i < count($dalas); $i++) {
    if ($q26==$dalas[$i])
        $q26int = $i + 1;
}

$q3int = 6 - $q3int;
$q4int = 6 - $q4int;
$q26int = 6 - $q26int;

$dom1 = array($q3int, $q4int, $q10int, $q15int, $q16int, $q17int, $q18int);
$dom2 = array($q5int, $q6int, $q7int, $q11int, $q19int, $q26int);
$dom3 = array($q20int, $q21int, $q22int);
$dom4 = array($q8int, $q9int, $q12int, $q13int, $q14int, $q23int, $q24int, $q25int);

$count1 = 0;
$sum1 = 0;
for($i = 0; $i < count($dom1); $i++){
    if($dom1[$i] != 0 && $dom1[$i] < 6){
        $count1++;
        $sum1 = $sum1 + $dom1[$i];
    }
}
$ave1 = $sum1/$count1;
while ($count1 < count($dom1)) {
    $count1++;
    $sum1 = $sum1 + $ave1;
}

$count2 = 0;
$sum2 = 0;
for($i = 0; $i < count($dom2); $i++){
    if($dom2[$i] != 0 && $dom2[$i] < 6){
        $count2++;
        $sum2 = $sum2 + $dom2[$i];
    }
}
$ave2 = $sum2/$count2;
while ($count2 < count($dom2)) {
    $count2++;
    $sum2 = $sum2 + $ave2;
}

$count3 = 0;
$sum3 = 0;
for($i = 0; $i < count($dom3); $i++){
    if($dom3[$i] != 0 && $dom3[$i] < 6){
        $count3++;
        $sum3 = $sum3 + $dom3[$i];
    }
}
$ave3 = $sum3/$count3;
while ($count3 < count($dom3)) {
    $count3++;
    $sum3 = $sum3 + $ave3;
}

$count4 = 0;
$sum4 = 0;
for($i = 0; $i < count($dom4); $i++){
    if($dom4[$i] != 0 && $dom4[$i] < 6){
        $count4++;
        $sum4 = $sum4 + $dom4[$i];
    }
}
$ave4 = $sum4/$count4;
while ($count4 < count($dom4)) {
    $count4++;
    $sum4 = $sum4 + $ave4;
}

$doma = array(round($sum1), round($sum2), round($sum3), round($sum4));
$domb = array(round($ave1*4), round($ave2*4), round($ave3*4), round($ave4*4));
$domc = array();
for($i = 0; $i < count($domb); $i++){
    if($domb[$i]==4)
        $domc[$i]=0;
    if($domb[$i]==5)
        $domc[$i]=6;
    if($domb[$i]==6)
        $domc[$i]=13;
    if($domb[$i]==7)
        $domc[$i]=19;
    if($domb[$i]==8)
        $domc[$i]=25;
    if($domb[$i]==9)
        $domc[$i]=31;
    if($domb[$i]==10)
        $domc[$i]=38;
    if($domb[$i]==11)
        $domc[$i]=44;
    if($domb[$i]==12)

```

```

                $domc[$i]=50;
            if ($domb[$i]==13)
                $domc[$i]=56;
            if ($domb[$i]==14)
                $domc[$i]=63;
            if ($domb[$i]==15)
                $domc[$i]=69;
            if ($domb[$i]==16)
                $domc[$i]=75;
            if ($domb[$i]==17)
                $domc[$i]=81;
            if ($domb[$i]==18)
                $domc[$i]=88;
            if ($domb[$i]==19)
                $domc[$i]=94;
            if ($domb[$i]==20)
                $domc[$i]=100;
        }

        foreach ($doma as $key) {
            echo " " . $key;
        }
        foreach ($domb as $key) {
            echo " " . $key;
        }
        foreach ($domc as $key) {
            echo " " . $key;
        }
    } else {
        echo "error";
    }
?>

```

## users.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$query = "SELECT * FROM user";
$usersq = mysqli_query($con, $query) or die(mysqli_error($con));

if (isset($_GET["msg"]))
    $message=$_GET["msg"];

if ($user['type']=="dmo"){
?>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | Users</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">
</head>
<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>

<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>

```

```

        <span class="icon-bar"></span>
    </a>
    <div class="navbar-custom-menu">
        <ul class="nav navbar-nav">
            <li class="dropdown user user-menu">
                <a href="dmo-dashboard.php">
                    <i class="fa fa-dashboard "></i>
                    <span class="hidden-xs">Dashboard</span>
                </a>
            </li>
            <li class="dropdown user user-menu">
                <a href="#" class="dropdown-toggle" data-toggle="dropdown">
                    <i class="fa fa-user"></i>
                    <span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
                    ?></span>
                </a>
                <ul class="dropdown-menu">
                    <div class="box box-widget widget-user">
                        <div class="widget-user-header bg-aqua-active">
                            <h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['
                            middle_name'] . " " . $user['last_name']; ?></h3>
                            <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
                        </div>
                        <div>
                            <li class="user-footer">
                                <div class="pull-left">
                                    <a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
                                </div>
                                <div class="pull-right">
                                    <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
                                </div>
                            </li>
                        </div>
                    </ul>
                </li>
            </ul>
        </div>
    </nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
    <section class="sidebar">
        <ul class="sidebar-menu">
            <li class="treeview">
                <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-
                left pull-right"></i></a>
                <ul class="treeview-menu">
                    <li><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i> Overview</a>
                    </li>
                </ul>
            </li>
            <li class="treeview">
                <a href="#">
                    <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
                    <span class="label label-primary pull-right"></span>
                </a>
                <ul class="treeview-menu">
                    <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
                    </li>
                    <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
                    </li>
                    <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
                    </li>
                </ul>
            </li>
            <li class="header">CBR MANAGEMENT</li>
            <li class="active">
                <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
            </li>
            <li>
                <a href="communities.php"> <i class="fa fa-institution "></i> <span>Communities</span>
                </a>
            </li>
            <li>
                <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
            </li>
        </ul>
    </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
    <section class="content-header">
        <h1>Users<small>List of all CBR-FM Users</small> </h1>
        <ol class="breadcrumb">
            <li><a href="dmo-dashboard"><i class="fa fa-dashboard"></i> Home</a>
            </li>
            <li class="active">Users</li>
        </ol>
    </section>

```



```

<section class="content">
  <?php
    if (isset($message)){
      echo "<div class='login-box'>";
      if($message=="fail")
        echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='
          close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon
          fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
      echo "</div>";
    }
  ?>

  <div class="box box-theme">
    <div class="box-header">
      <i class="fa fa-user-plus"></i>
      <h3 class="box-title">Add a User</h3>
    </div>
    <div class="box-body pad">
      <a href='add-dmo.php' class='btn btn-primary'>Add DMO</a>
      <a href='add-intern.php' class='btn btn-primary'>Add Intern</a>
    </div>
  </div>

  <div class="row">
    <div class="col-xs-12">
      <div class="box">
        <div class="box-body table-responsive">
          <table id="example1" class="table table-bordered table-striped table-condensed">
            <thead>
              <tr>
                <th>User ID</th>
                <th>Username</th>
                <th>Name</th>
                <th>Type</th>
                <th>Status</th>
                <th>Action</th>
                <th>Edit</th>
              </tr>
            </thead>
            <tfoot>
              <tr>
                <th>User ID</th>
                <th>Username</th>
                <th>Name</th>
                <th>Type</th>
                <th>Status</th>
                <th>Action</th>
                <th>Edit</th>
              </tr>
            </tfoot>
            <tbody>
              <?php
                while($users = mysqli_fetch_array($usersq)){
                  $uid = $users['user_id'];
                  $status = "Inactive";
                  $activate = "Activate";
                  $class="btn-success";
                  if($users['is_active']){
                    $status = "Active";
                    $activate = "Deactivate";
                    $class="btn-danger";
                  }
                  echo "<tr>
                    <td>
                      <a href='view-user.php?uid=".$uid."'> . $users['user_id'] . "
                    </a></td>
                    <td>". $users['username'] . "</td>
                    <td> . $users['last_name'] . ", " . $users['first_name'] . " . $users
                      ['middle_name'] . "</td>
                    <td> . strtoupper($users['type']) . "</td>
                    <td> . $status . "</td>
                    <td> <a href='p-deac-reac-user.php?uid=".$uid."'><button class='btn btn-
                      block ". $class." btn-xs'> ". $activate." </button></a></td>
                    <td> <a href='edit-user.php?uid=".$uid."'><button class='btn btn-block
                      btn-primary btn-xs'>Edit</button></a></td>
                    </tr>";
                }
              ?>
            </tbody>
          </table>
        </div>
      </div>
    </div>
  </div>
</section>
</div>

<div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>

```

```

<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<script src="../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../dist/js/demo.js"></script>

<script>
$(function()
{
    $("#example1")
        .DataTable();
});
</script>
</body>

</html>

<?php } else{ echo "You cannot access this page."; } ?>

```

## view-community.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$errors = [];
if(isset($_GET["err"])){
    $errors = json_decode(urldecode($_GET["err"]), true);
}

if(isset($_GET["msg"]))
    $message=$_GET["msg"];

$cid = $_GET["cid"];

$query = "SELECT * FROM community WHERE community_id=$cid";
$communityq = mysqli_query($con, $query) or die(mysqli_error($con));
$community = mysqli_fetch_array($communityq);

$query = "SELECT * FROM household WHERE community_id=$cid";
$householdq = mysqli_query($con, $query) or die(mysqli_error($con));

$query = "SELECT * FROM intern WHERE community_id=$cid";
$internsq = mysqli_query($con, $query) or die(mysqli_error($con));

if($user['type']=="dmo"){
    ?>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | View Community</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">
</head>
<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>
<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>

```

```

</a>
<div class="navbar-custom-menu">
  <ul class="nav navbar-nav">
    <li class="dropdown user user-menu">
      <a href="dmo-dashboard.php">
        <i class="fa fa-dashboard "></i>
        <span class="hidden-xs">Dashboard</span>
      </a>
    </li>
    <li class="dropdown user user-menu">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">
        <i class="fa fa-user"></i>
        <span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
          ?></span>
      </a>
      <ul class="dropdown-menu">
        <div class="box box-widget widget-user">
          <div class="widget-user-header bg-aqua-active">
            <h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['
              middle_name'] . " " . $user['last_name']; ?></h3>
            <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
          </div>
          </div>
          <li class="user-footer">
            <div class="pull-left">
              <a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
            </div>
            <div class="pull-right">
              <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
            </div>
          </li>
        </ul>
      </li>
    </ul>
  </div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
  <section class="sidebar">
    <ul class="sidebar-menu">
      <li class="treeview">
        <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-
          left pull-right"></i></a>
        <ul class="treeview-menu">
          <li class="active"><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i>
            Overview</a>
          </li>
        </ul>
      </li>
      <li class="treeview">
        <a href="#">
          <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
          <span class="label label-primary pull-right"></span>
        </a>
        <ul class="treeview-menu">
          <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
          </li>
          <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
          </li>
          <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
          </li>
        </ul>
      </li>
      <li class="header">CBR MANAGEMENT</li>
      <li>
        <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
      </li>
      <li class="active">
        <a href="communities.php"> <i class="fa fa-institution "></i> <span>Communities</span>
        </a>
      </li>
      <li>
        <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
      </li>
    </ul>
  </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
  <section class="content-header">
    <h1>View Community<small></small></h1>
    <ol class="breadcrumb">
      <li><a href="dmo-dashboard.php"><i class="fa fa-dashboard"></i> Home</a>
      </li>
      <li><a href="communities.php">Communities</a>
      </li>
      <li class="active"><a href="#">View Community</a>
    </ol>
  </section>

```

```

        </li>
    </ol>
</section>

<section class="content">
    <div class="row">
        <div class="col-xs-12">
            <div class="box box-widget widget-user">
                <div class="widget-user-header theme-color-teal">
                    <h3 class="widget-user-username"><?php echo $community['name']; ?></h3>
                </div>
                <div class="box-footer">
                    <table class="table">
                        <tr>
                            <th style="width: 150px"> </th>
                            <th> </th>
                        </tr>
                        <tr>
                            <td>Name</td>
                            <td>
                                <?php echo $community['name']; ?>
                            </td>
                        </tr>
                        <tr>
                            <td>Abbreviation</td>
                            <td>
                                <?php echo $community['abbrev']; ?>
                            </td>
                        </tr>
                        <tr>
                            <td>Complete Address</td>
                            <td>
                                <?php echo $community['address']; ?>
                            </td>
                        </tr>
                    </table>
                </div>
            </div>
        </div>
        <div class="col-xs-12">
            <div class="box">
                <div class="box-header with-border">
                    <h3 class="box-title">Households in this community</h3>
                </div>
                <div class="box-body table-responsive">
                    <table id="example1" class="table table-bordered table-striped table-condensed">
                        <thead>
                            <tr>
                                <th>Household ID</th>
                                <th>Household Address</th>
                                <th>Preceptor</th>
                                <th>Action</th>
                            </tr>
                        </thead>
                        <tfoot>
                            <tr>
                                <th>Household ID</th>
                                <th>Household Address</th>
                                <th>Preceptor</th>
                                <th>Action</th>
                            </tr>
                        </tfoot>
                        <tbody>
                            <?php
                            while($households = mysqli_fetch_array($householdq)){
                                $hid = $households['household_id'];
                                echo "<tr>
                                    <td>" . $hid . "</td>
                                    <td>" . $households['house_addr'] . "</td>
                                    <td>" . $households['preceptor'] . "</td>
                                    <td><a href='edit-household.php?hid=".$hid."'><button class='btn btn-
                                        block btn-primary btn-xs'> Edit </button></a></td>
                                </tr>";
                            }
                            <?>
                        </tbody>
                    </table>
                </div>
            </div>
        </div>
    </section>
</div>

<div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>

```

```

<script src="../../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../../dist/js/demo.js"></script>

<script>
    $(function()
    {
        $("#example1")
            .DataTable();
        $("#example2")
            .DataTable();
    });
</script>
</body>
</html>
<?php } else{ echo "You cannot access this page."; } ?>

```

## view-form.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$usera = mysqli_fetch_array($userq);

$fid = $_GET["fid"];
if(isset($_GET["msg"]))
    $message=$_GET["msg"];

$query = "SELECT * FROM form WHERE form_id=$fid";
$formq = mysqli_query($con, $query) or die(mysqli_error($con));
$form = mysqli_fetch_array($formq);

$formtype=$form["form_type"];

if($formtype=="whodas"){
    $query = "SELECT * FROM whodas WHERE form_id=$fid";
    $submitlink="p-new-whodas.php";
}
if($formtype=="whodas-proxy"){
    $query = "SELECT * FROM whodas_proxy WHERE form_id=$fid";
    $submitlink="p-new-whodas-proxy.php";
}
if($formtype=="whoqol"){
    $query = "SELECT * FROM whoqol WHERE form_id=$fid";
    $submitlink="p-new-whoqol.php";
}
$formdetailsq = mysqli_query($con, $query) or die(mysqli_error($con));
$formdetails = mysqli_fetch_array($formdetailsq);

$internid = $form["user_id"];
$query = "SELECT user_id FROM intern WHERE intern_id=$internid";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$userid = $user["user_id"];
$query = "SELECT * FROM user WHERE user_id=$userid";
$internq = mysqli_query($con, $query) or die(mysqli_error($con));
$intern = mysqli_fetch_array($internq);

if($_SESSION['user_type'] == "dmo"){
    $backlink = "dmo-dashboard.php";
}
if($_SESSION['user_type'] == "intern"){
    $backlink = "intern-dashboard.php";
}

$relasyon = array("asawa o kabiyak", "magulang", "anak na lalaki o babae", "kapatid na babae o
    lalaki", "iba pang kamag-anak", "kaibigan", "propesyonal na tagapag-alaga", "iba pa");

$score_questions = array(
    "S1. Pagtayo nang matagal tulad ng 30 minuto?",
    "S2. Paggawa ng mga responsibilidad sa tahanan",
    "S3. Pag-alam sa mga bagong gawain. Halimbawa, paanong pumunta sa bagong lugar",
    "S4. Pagsali sa mga gawaing pangkomunidad (hal. pista, prusisyon, atbp.) kung ikukumpara niyo sa
        pangkaraniwang araw",
    "S5. Gaano katindi naapektuhan ang kanyang emosyon ng kanyang kondisyon",
    "S6. Pagtuon sa paggawa ng isang bagay sa loob ng 10 minuto",
    "S7. Paglakad ng malayo tulad ng 1 kilometro o katumbas nito",
    "S8. Pagpapaligo ng kanyang buong katawan",
    "S9. Pagbibihis",
    "S10. Pakikisalamuha sa mga taong di niya kilala",
    "S11. Pagpapanatili ng pagkakaibigan",

```

```

    "S12. Pag-araw-araw na gawain sa trabaho o paaralan"
  );
Score_questions_name = array("s1","s2","s3","s4","s5","s6","s7","s8","s9","s10","s11","s12");
if($formtype=="whodas_proxy" || $formtype=="whodas")
Score_questions_value = array($formdetails["s1"], $formdetails["s2"], $formdetails["s3"],
    $formdetails["s4"], $formdetails["s5"], $formdetails["s6"], $formdetails["s7"], $formdetails["
s8"], $formdetails["s9"], $formdetails["s10"], $formdetails["s11"], $formdetails["s12"]);
Sextremity = array("walang hirap","di masyadong hirap","katamtamang hirap","sobrang hirap","sobra
sobrang hirap, di na kayang gawin","n.a.");
$domain1-questions = array(
    "D1.2. Pag-alala sa paggawa ng mga mahalagang bagay",
    "D1.3. Pagsuri at paganap ng solusyon sa mga problema sa pang-araw-araw na buhay",
    "D1.5. Pag-unawa kung ano ang pangkalahatang sinsabi ng mga tao",
    "D1.6. Pagsisimula at pagpapatuloy ng usapan"
);
$domain2-questions = array(
    "D2.2. Pagtayo smula sa pagkakaupo",
    "D2.3. Pagkilos sa loob ng iyong bahay",
    "D2.4. Paglabas sa iyong bahay"
);
$domain3-questions = array(
    "D3.3. Pagkain",
    "D3.4. Pagiging mag-isa sa buong araw"
);
$domain4-questions = array(
    "D4.3. Pakikisama sa mga taong malapit sa iyo",
    "D4.4. Pakikipagkaibigan",
    "D4.5. Gawaing Sekswal"
);
$domain51-questions = array(
    "D5.2. Maayos na pagsasagawa ng mahahalagang gawain sa bahay",
    "D5.3. Pagtatapos ng lahat ng mga kailangang gawain sa bahay",
    "D5.4. Mabilis na pagtapos ng mga kailangang gawain sa bahay"
);
$domain52-questions = array(
    "D5.6. Maayos na paggawa ng iyong mga pinakamahalagang gawain sa trabaho/paaralan",
    "D5.7. Pagtapos ng lahat ng mga kailangang gawain",
    "D5.8. Pagtapos ng iyong mga gawain sa angkop na bilis"
);
$domain6-questions = array(
    "D6.2. Gaano katinding hirap ang iyong naranasan dahil sa mga hadlang sa iyong kapaligiran?",
    "D6.3. Gaano katinding hirap ang mamuhay ng may dignidad dahil sa mga ugali at kilos ng iba?",
    "D6.4. Gaano karaming panahon ang iyong ginugugol sa pangangalaga sa iyong kondisyongg
    pangkalusugan at mga naidulot nito?",
    "D6.6. Gaano kalabis ang nababawas sa pinansyal na kakayahan mo o ng iyong pamilya ng iyong
    kondisyong pangkalusugan?",
    "D6.7. Gaano kalaking problema ang naidulot ng iyong kondisyong pangkalusugan sa iyong pamilya?",
    "D6.8. Gaano katindi ang hirap mong magkaroon ng pansariling libangan at pang-relaks dahil sa
    iyong kondisyon?"
);
$domain1_name = array("d12","d13","d15","d16");
$domain2_name = array("d22","d23","d24");
$domain3_name = array("d33","d34");
$domain4_name = array("d43","d44","d45");
$domain51_name = array("d52","d53","d54");
$domain52_name = array("d56","d57","d58");
$domain6_name = array("d62","d63","d64","d66","d67","d68");
if($formtype=="whodas"){
    $domain1_values = array($formdetails["d1.2"], $formdetails["d1.3"], $formdetails["d1.5"],
        $formdetails["d1.6"]);
    $domain2_values = array($formdetails["d2.2"], $formdetails["d2.3"], $formdetails["d2.4"]);
    $domain3_values = array($formdetails["d3.3"], $formdetails["d3.4"]);
    $domain4_values = array($formdetails["d4.3"], $formdetails["d4.4"], $formdetails["d4.5"]);
    $domain51_values = array($formdetails["d5.2"], $formdetails["d5.3"], $formdetails["d5.4"]);
    $domain52_values = array($formdetails["d5.6"], $formdetails["d5.7"], $formdetails["d5.8"]);
    $domain6_values = array($formdetails["d6.2"], $formdetails["d6.3"], $formdetails["d6.4"],
        $formdetails["d6.6"], $formdetails["d6.7"], $formdetails["d6.8"]);
}
$masamamabuti = array("napakasama", "masama", "katamtaman", "mabuti", "napakabuti", "n.a.");
$kontento = array("lubos na di kontento", "di kontento", "di matukoy", "kontento", "lubos na
kontento", "n.a.");
$swalalabis = array("wala", "kaunti", "katamtaman", "lubos", "labis-labis", "n.a.");
$swalalubos = array("wala", "kaunti", "katamtaman", "halos lubos", "lubos", "n.a.");
$hirap = array("napakahirap", "mahirap", "di mahirap o madali", "madali", "napakadali", "n.a.");
$dalas = array("hindi kailanman", "bihira", "madalas-dalas", "napakadalas", "palagi", "n.a.");
$questions1 = array(
    "1. Paano mo bibigyan ng grado ang kalidad ng iyong buhay?"
);

```

```

Questions2 = array(
    "2. Gaano ka kakuntento sa iyong kalusugan?"
);

Questions3 = array(
    "3. Gaano mo nararamdaman na nakakahadlang ang pananakit ng iyong katawan sa iyong mga dapat
    gawin?",
    "4. Gaano mo kinakailangan ang pagpapagamot para magawa ang mga pang-araw-araw na gawain?",
    "5. Gaano ka natutuwa sa buhay?",
    "6. Gaano mo nararamdaman na makahulugan ang iyong buhay?",
    "7. Gaano kabuti ang iyong pagtutok sa isang bagay o gawain?",
    "8. Gaano kaligtas ang pakiramdam mo sa iyong pang-araw-araw na buhay?",
    "9. Gaano kabuti at kaayos ang iyong pisikal na kapaligiran?"
);

Questions4 = array(
    "10. May sapat ka bang lakas/enerhiya para sa pang-araw-araw?",
    "11. Tanggap mo ba ang iyong pisikal na anyo o pangangatawan?",
    "12. May sapat ka bang pera para mapunan ang iyong kailangan sa araw-araw?",
    "13. Gaano kadali sa iyo ang makakuha ng mga impormasyong iyong kailangan sa araw-araw?",
    "14. Gaano karami ang pagkakataon mo para makapaglibang?"
);

Questions5 = array(
    "15. Gaano kadali sa iyo ang paggalaw sa paligid?"
);

Questions6 = array(
    "16. Gaano ka kakuntento sa iyong pagtulog?",
    "17. Gaano ka kakuntento sa kakayahan mong magawa ang mga pang-araw-araw na gawain?",
    "18. Gaano ka kakuntento sa iyong kakayahang magtrabaho?",
    "19. Gaano ka kakuntento sa iyong sarili?",
    "20. Gaano ka kakuntento sa iyong personal na ugnayan (kapamilya, kamag-anak, kaibigan, etc.)?",
    "21. Gaano ka kakuntento sa sekswal na aspeto ng iyong buhay?",
    "22. Gaano ka kakuntento sa suporta na naibibigay ng iyong mga kaibigan",
    "23. Gaano kayo kakuntento sa kondisyon ng inyong tirahan",
    "24. Gaano ka kakuntento sa pagkuha mo ng mga serbisyong pangkalusugan?",
    "25. Gaano ka kakuntento sa iyong pagbiyahe?"
);

Questions7 = array(
    "26. Gaano ka kadalas na may negatibong pakiramdam gaya ng pagkalungkot, kawalan ng pag-asa,
    pagkabalisa o pagkalumbay?"
);

Questions1_name = array("q1");
Questions2_name = array("q2");
Questions3_name = array("q3","q4","q5","q6","q7","q8","q9");
Questions4_name = array("q10","q11","q12","q13","q14");
Questions5_name = array("q15");
Questions6_name = array("q16","q17","q18","q19","q20","q21","q22","q23","q24","q25");
Questions7_name = array("q26");

if ($formtype=="whoqol"){
    $questions1_values = array($formdetails["q1"]);
    $questions2_values = array($formdetails["q2"]);
    $questions3_values = array($formdetails["q3"], $formdetails["q4"], $formdetails["q5"],
        $formdetails["q6"], $formdetails["q7"], $formdetails["q8"], $formdetails["q9"]);
    $questions4_values = array($formdetails["q10"], $formdetails["q11"], $formdetails["q12"],
        $formdetails["q13"], $formdetails["q14"]);
    $questions5_values = array($formdetails["q15"]);
    $questions6_values = array($formdetails["q16"], $formdetails["q17"], $formdetails["q18"],
        $formdetails["q19"], $formdetails["q20"], $formdetails["q21"], $formdetails["q22"],
        $formdetails["q23"], $formdetails["q24"], $formdetails["q25"]);
    $questions7_values = array($formdetails["q26"]);
}

$estadovalue = array('single', 'married', 'separated', 'divorced', 'widowed', 'cohabitating');
$estadoname = array('Hindi Nakasal', 'Kasalukuyang Kasal', 'Hiwalay sa Asawa', 'Diborsyado/a', '
    Biyudo/a', 'Nakikisama');

?>

<html>

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>CBR-FM | View Form</title>

    <meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="
        viewport">
    <link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-
        awesome.min.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.
        min.css">
    <link rel="stylesheet" href="css/AdminLTE.min.css">
    <link rel="stylesheet" href="css/skin-maroon-light.css">
    <link rel="stylesheet" href="css/dataTables.bootstrap.min.css">

```

```

<link rel="stylesheet" href="css/datepicker3.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="icon" href="img/favicon.ico">
</head>
<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="<?php echo $backlink; ?>" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>
<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</a>
<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="<?php echo $backlink; ?>">
<i class="fa fa-dashboard"></i>
<span class="hidden-xs">Dashboard</span>
</a>
</li>
<li class="dropdown user user-menu">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">
<i class="fa fa-user"></i>
<span class="hidden-xs"><?php echo $usera['first_name'] . " " . $usera['last_name']; ?></span>
</a>
<ul class="dropdown-menu">
<div class="box box-widget widget-user">
<div class="widget-user-header bg-aqua-active">
<h3 class="widget-user-username"><?php echo $usera['first_name'] . " " . $usera['middle_name'] . " " . $usera['last_name']; ?></h3>
<h5 class="widget-user-desc"><?php echo strtoupper($usera['type']); ?></h5>
</div>
</div>
<li class="user-footer">
<div class="pull-left">
<a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
</div>
<div class="pull-right">
<a href="logout.php" class="btn btn-default btn-flat">Log out</a>
</div>
</li>
</ul>
</li>
</ul>
</div>
</nav>
</header>
<!-- ===== -->
<aside class="main-sidebar">
<section class="sidebar">
<ul class="sidebar-menu">
<li class="treeview active">
<a href="#"><i class="active fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-left pull-right"></i></a>
<ul class="treeview-menu">
<li><a href="<?php echo $backlink; ?>"><i class="fa fa-circle-o"></i> Overview</a>
</li>
</ul>
</li>
<li class="treeview">
<a href="#">
<i class="fa fa-files-o"></i> <span>Raw Form Data</span>
<span class="label label-primary pull-right"></span>
</a>
<ul class="treeview-menu">
<li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
</li>
<li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
</li>
<li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
</li>
</ul>
</li>
<li class="header">CBR MANAGEMENT</li>
<li>
<a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
</li>
</ul>

```



```

        <a href="communities.php"> <i class="fa fa-institution "></i> <span>Communities</span>
    </li>
    <li>
        <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
    </li>

    <?php } if($_SESSION[ 'user.type' ]=="intern" ){ ?>
    <li class="treeview">
        <a href="#">
            <i class="fa fa-edit"></i> <span>Submit New Form</span>
            <i class="fa fa-angle-left pull-right"></i>
            <span class="label label-primary pull-right"></span>
        </a>
        <ul class="treeview-menu">
            <li><a href="new-whoqol.php"><i class="fa fa-plus"></i> WHOQOL</a>
            </li>
            <li><a href="new-whodas.php"><i class="fa fa-plus"></i> WHODAS</a>
            </li>
            <li><a href="new-whodas-proxy.php"><i class="fa fa-plus"></i> WHODAS-Proxy</a>
            </li>
        </ul>
    </li>
    <?php } ?>
</ul>
</section>
</aside>

<!-- ===== -->

<div class="content-wrapper">

    <section class="content-header">
        <h1>View/Edit Form<small></small></h1>
        <ol class="breadcrumb">
            <li><a href="<?php echo $backlink; ?>"><i class="fa fa-dashboard"></i> Home</a>
            </li>
            <li><a href="#">Forms</a>
            </li>
            <li class="active"><a href="#">View Form</a>
            </li>
        </ol>
    </section>

    <section class="content">
        <?php
        if(isset($message)){
            echo "<div class='login-box'>";
            if($message=="success")
            echo "<div class='alert alert-success alert-dismissible'> <button type='button' class
            ='close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='
            icon fa fa-check'></i> Alert!</h4>Update is Successful!</div>";
            if($message=="fail")
            echo "<div class='alert alert-danger alert-dismissible'> <button type='button' class='
            close' data-dismiss='alert' aria-hidden='true'>&times;</button><h4><i class='icon
            fa fa-ban'></i> Alert!</h4>Update is NOT successful!</div>";
            echo "</div>";
        }
        ?>
        <form class="form-horizontal" action="<?php echo $submitlink;?>" method="post">
            <input type="hidden" name="formid" value="<?php echo $fid; ?>" disabled>

            <div class="box box-widget widget-user ">
                <div class="widget-user-header theme-color-teal">
                    <h3 class="widget-user-username"><?php echo strtoupper($formtype . " - " . $form["
                    form_code"]); ?></h3>
                    <h5 class="widget-user-desc"><?php
                    echo strtoupper($form["last_name"] . ", " . $form["first_name"] . " " . $form["
                    middle_initial"] . " " . $form["name_ext"]) . "</br>";
                    $date=date_create($form["date_completed"]);
                    echo "Date Submitted: " . date_format($date, 'm/d/Y');
                    echo "</br>Submitted by: " . $intern["last_name"] . ", " . $intern["first_name"]
                    . " " . $intern["name_ext"] . "</br>";
                    ?></h5>
                </div>
            </div>

            <div class="box box-theme">
                <div class="box-body">
                    <div class="form-group">
                        <label for="formcode" class="col-sm-2 control-label">Form Code</label>
                        <div class="col-sm-10">
                            <input class="form-control" type="text" name="formcode" value="<?php echo $form
                            ["form_code"]; ?>" required disabled/>
                        </div>
                    </div>

                    <div class="form-group">
                        <label for="firstname" class="col-sm-2 control-label">Ano ang iyong pangalan?</
                        label>
                        <div class="col-sm-3">

```

```

        <input class="form-control" type="text" name="firstname" placeholder="First Name"
        value="<?php echo $form[" first_name "]; ?>" required disabled/>
    </div>
    <div class="col-sm-2">
        <input class="form-control" type="text" name="middleinitial" placeholder="M.I"
        value="<?php echo $form[" middle_initial "]; ?>" required disabled/>
    </div>
    <div class="col-sm-3">
        <input class="form-control" type="text" name="lastname" placeholder="Last Name"
        value="<?php echo $form[" last_name "]; ?>" required disabled/>
    </div>
    <div class="col-sm-2">
        <input class="form-control" type="text" name="nameext" placeholder="Ext" value
        ="<?php echo $form[" name_ext "]; ?>" disabled/>
    </div>
</div>
<?php if($formtype=="whodas-proxy" ){ ?>
<div class="form-group">
    <label for="proxy" class="col-sm-2 control-label">Pangalan ng proxy</label>
    <div class="col-sm-10">
        <input class="form-control" type="text" name="proxy" value="<?php echo
        $formdetails[" proxy-pangalan "]; ?>" required disabled/>
    </div>
</div>
<div class="form-group">
    <label for="relasyon" class="col-sm-2 control-label">Relasyon</label>
    <div class="col-sm-10">
        <select class="form-control" name="relasyon" required disabled>
            <?php foreach ($relasyon as $value){ echo "<option value='". $value . "' >".
            $value . "</option>"; if($value==$formdetails[" proxy-relasyon"]) echo "<
            option value='". $value . "' selected>". $value . "</option>"; } ?>
        </select>
    </div>
</div>
<?php } ?>
</div>
</div>
<div class="row">
    <?php if($formtype=="whodas" ){ ?>
    <div class="col-md-6">
        <div class="box box-theme">
            <div class="box-header with-border">
                <h3 class="box-title">Section 1. Face Sheet</h3>
            </div>
            <div class="box-body">
                <div class="form-group">
                    <label for="pwdidno" class="col-sm-5 control-label">F1. Respondent Identity
                    Number</label>
                    <div class="col-sm-7">
                        <input class="form-control" type="text" name="pwdidno" placeholder="PWD ID
                        No." value="<?php echo $formdetails[" pwd_id_no "]; ?>" disabled
                        required/>
                    </div>
                </div>
                <div class="form-group">
                    <label for="interviewername" class="col-sm-5 control-label">F2. Interviewer
                    Identity Name</label>
                    <div class="col-sm-7">
                        <input class="form-control" type="text" name="interviewername" value="<?php
                        echo $formdetails[" interviewer_name "]; ?>" disabled required/>
                    </div>
                </div>
                <div class="form-group">
                    <label for="assessmenttime" class="col-sm-5 control-label">F3. Assessment Time
                    Point</label>
                    <div class="col-sm-7">
                        <input class="form-control" type="text" name="assessmenttime" placeholder="
                        from what time to what time" value="<?php echo $formdetails["
                        assessment_time "]; ?>" disabled required/>
                    </div>
                </div>
                <div class="form-group">
                    <label for="interviewdatetime" class="col-sm-5 control-label">F4. Date & Time
                    of Interview</label>
                    <div class="col-sm-7">
                        <input class="form-control" type="datetime" name="interviewdatetime" value="
                        <?php
                        $date=date_create($formdetails[" interview_date_time "]);
                        echo date_format($date, 'm/d/Y h:i:s'); ?>"
                        disabled required/>
                    </div>
                </div>
                <div class="form-group">
                    <label for="livingsituation" class="col-sm-5 control-label">F5. Living
                    Situation at Time of Interview</label>
                    <div class="col-sm-7">
                        <select class="form-control" name="livingsituation" disabled required>
                            <option value=""> Please select </option>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <?php
        $livingsit = array('independent in community', 'assisted living', '
            hospitalized');
        for ($i=0; $i < count($livingsit); $i++) {
            if ($formdetails["living_situation"] == $livingsit[$i])
                echo "<option value='$livingsit[$i]' selected> $livingsit[$i] </
                    option>";
            else
                echo "<option value='$livingsit[$i]'> $livingsit[$i] </option>";
        } ??
    </select>
</div>
</div>
<br><br><br><br><br><br><br><br>
</div>
</div>
<div class="col-md-6">
<div class="box box-theme">
<div class="box-header with-border">
<h3 class="box-title">Section 2. Demographic and Background Information </h3>
</div>
<div class="box-body">
<div class="form-group">
<label for="kasarian" class="col-sm-6 control-label">A1. Itala ang kasarian
    ayon sa na-observerba.</label>
<div class="col-sm-6">
<select class="form-control" name="kasarian" disabled required>
<option value=""> Please select. </option>
<?php
    $sex = array('lalaki', 'babae');
    for ($i=0; $i < count($sex); $i++) {
        if ($formdetails["kasarian"] == $sex[$i])
            echo "<option value='$sex[$i]' selected> $sex[$i] </option>";
        else
            echo "<option value='$sex[$i]'> $sex[$i] </option>";
    } ??
</select>
</div>
</div>
<div class="form-group">
<label for="edad" class="col-sm-6 control-label">A2. Ilan taon ka na ngayon?</
    label>
<div class="col-sm-6">
<input class="form-control" type="text" name="edad" value="<?php echo
    $formdetails["edad"]; ?>" disabled required/>
</div>
</div>
<div class="form-group">
<label for="taonsapagaaral" class="col-sm-6 control-label">A3. Sa kabuuan,
    ilang taon ang ginugol mo sa pagaaral sa paaralan?</label>
<div class="col-sm-6">
<input class="form-control" type="text" name="taonsapagaaral" required value
    ="<?php echo $formdetails["taon-sa-pagaaral"]; ?>" disabled/>
</div>
</div>
<div class="form-group">
<label for="estadosibil" class="col-sm-6 control-label">A4. Ano ngayon ang
    iyong estado sibil?</label>
<div class="col-sm-6">
<select class="form-control" name="estadosibil" required disabled>
<option value=""> Please select. </option>
<?php
    $estadovalue = array('hindi nakasal', 'kasalukuyang kasal', 'hiwalay sa
        asawa', 'diborsyado/a', 'biyudo/biyuda', 'nakikisama');
    for ($i=0; $i < count($estadovalue); $i++) {
        if ($formdetails["estado_sibil"] == $estadovalue[$i])
            echo "<option value='$estadovalue[$i]' selected> $estadoname[$i] </
                option>";
        else
            echo "<option value='$estadovalue[$i]'> $estadoname[$i] </option>";
    } ??
</select>
</div>
</div>
<div class="form-group">
<label for="hanapbuhay" class="col-sm-6 control-label">A5. Ano ang
    pinakamagandang paglalarawan ng kalagayan ng iyong hanapbuhay sa ngayon?</
    label>
<div class="col-sm-6">
<select class="form-control" name="hanapbuhay" disabled required>
<option value=""> Please select. </option>
<?php
    $hanapbuhayvalue = array('paid work', 'self employed', 'non-paid work',
        'student', 'house keeper', 'retired', 'unemployed - health', '
        unemployed - other', 'other');
    $hanapbuhayname = array('May bayad/sweldo', 'Sariling pinagkakakitaan',
        'Walang bayad o boluntaryong gawain', 'Estudyante', 'Gawaing Bahay',
        'Retirado/a', 'Walang trabaho dahil sa problema sa kalusugan', '
        Walang trabaho (dahilan)', 'Iba pa');
    for ($i=0; $i < count($hanapbuhayvalue); $i++) {
        if ($formdetails["hanapbuhay"] == $hanapbuhayvalue[$i])

```

```

        echo "<option value='$Shanapbuhayvalue[$i]' selected> $Shanapbuhayname
        [$i] </option>";
    else
        echo "<option value='$Shanapbuhayvalue[$i]'> $Shanapbuhayname[$i] </
        option>";
    } ?>
</select>
</div>
</div>
<div class="form-group">
<label for="dahilanwala" class="col-sm-6 control-label">Kung ang sagot mo sa
A5 ay "Walang trabaho(dahilan)", isulat ang dahilan sa textbox sa baba.</
label>
<div class="col-sm-6">
<input class="form-control" type="text" name="dahilanwala" value="<?php echo
$formdetails[" dahilan_wala "]; ?>" disabled/>
</div>
</div>
</div>
</div>
<?php } if($formtype=="whoqol" ){ ?>
<div class="col-md-6">
<div class="box box-theme">
<div class="box-header with-border">
<h3 class="box-title">Tungkol sa iyo</h3>
<p>Bago ka magsimula, nais naming sagutan mo ang ilang nga katanungan tungkol sa
iyong sarili sa pamamagitan ng pagbilog sa tamang sagot o pagsulat ng sagot
sa nakalaang patlang.</p>
</div>
<div class="box-body">
<div class="form-group">
<label for="kasarian" class="col-sm-5 control-label">Ano ang iyong kasarian?</
label>
<div class="col-sm-7">
<select class="form-control" name="kasarian" required disabled>
<option value=""></option>
<option value="lalaki" <?php echo ($formdetails[ 'kasarian']==" lalaki" ) ?
" selected" : ""; ?> >Lalaki</option>";
<option value="babae" value="babae" <?php echo ($formdetails[ 'kasarian
']==" babae" ) ? " selected" : ""; ?> >Babae</option>";
</select>
</div>
</div>
<div class="row">
<div class="col-lg-5">
<div class="input-group">
<label for="kapanganakan" class="control-label">Ano ang petsa ng iyong
kapanganakan?</label>
</div>
</div>
<div class="col-lg-7">
<div class="input-group">
<div class="input-group-addon">
<i class="fa fa-calendar"></i>
</div>
<input type="text" class="form-control pull-right" id="datepicker" name="
kapanganakan" value="
<?php
$date=date_create($formdetails[" kapanganakan "]);
echo date_format($date, 'm/d/Y'); ?>"
disabled required>
</div>
</div>
</div>
<div class="form-group">
<label for="natapos" class="col-sm-5 control-label">Ano ang pinakamataas na
natapos mo sa pag-aaral?</label>
<div class="col-sm-7">
<select class="form-control" name="natapos" disabled required>
<option selected value=""> Please select </option>
<?php
$nataposvalue = array('walang natapos', 'elementarya', 'high school', '
kolehiyo', );
for ($i=0; $i < count($nataposvalue); $i++) {
if ($formdetails[" natapos" ] == $nataposvalue[$i])
echo "<option value='$nataposvalue[$i]' selected> $nataposvalue[$i]
</option>";
else
echo "<option value='$nataposvalue[$i]'> $nataposvalue[$i] </option
>";
} ?>
<option value='walang natapos'> Walang Natapos </option>
<option value='elementarya'> Elementarya </option>
<option value='high school'> High School </option>
<option value='kolehiyo'> Kolehiyo </option>
</select>
</div>
</div>
<div class="form-group">

```

```

<label for="estadosibil" class="col-sm-5 control-label">Ano ngayon ang iyong
estado sibil?</label>
<div class="col-sm-7">
  <select class="form-control" name="estadosibil" required disabled>
    <option value=""> Please select. </option>
    <?php
      $estadovalue = array('binata/dalaga', 'may-asawa', 'nagsasama ng walang
        kasal', 'hiwalay', 'diborsyado/a', 'balo');
      for ($i=0; $i < count($estadovalue); $i++) {
        if ($formdetails["estado_sibil"] == $estadovalue[$i])
          echo "<option value='$estadovalue[$i]' selected> $estadovalue[$i] </
            option>";
        else
          echo "<option value='$estadovalue[$i]'> $estadovalue[$i] </option>";
        } ?>
    </select>
  </div>
</div>
</div>
</div>
<div class="col-md-6">
  <div class="box box-theme">
    <div class="box-header with-border">
      <h3 class="box-title">Sakit o Karamdaman</h3>
    </div>
    <br>
    <br>
    <br>
    <div class="box-body">
      <div class="form-group">
        <label for="maysakit" class="col-sm-5 control-label">Kasalukuyan ka bang may
          sakit/karamdaman?</label>
        <div class="col-sm-7">
          <div class="radio">
            <label>
              <input class="radio" type='radio' name='maysakit' value='wala' <?php
                echo ($formdetails[ 'may_sakit']=="wala" ) ? "checked" : ""; ?>
              </input> Wala</label>
            </div>
            <div class="radio">
              <label>
                <input class="radio" type='radio' name='maysakit' value='meron' <?php
                  echo ($formdetails[ 'may_sakit']=="meron" ) ? "checked" : ""; ?>
                </input> Meron</label>
              </div>
            </div>
          </div>
          <div class="form-group">
            <label for="sakit" class="col-sm-5 control-label">Kung kayo po ay may sakit/
              karamdaan, ano ito sa pagkakaalam mo? Isulat ang sakit o karamdaman.</
              label>
            <div class="col-sm-7">
              <textarea class="form-control" rows="6" cols="35" name="sakit" form="
                whoqolform" disabled>
                <?php echo $formdetails[ "sakit"]; ?>
              </textarea>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
<?php } echo "</div>"; if ($formtype=="whodas" || $formtype=="whodas-proxy" ){ ?>
<div class="row">
  <div class="col-xs-12">
    <div class="box box-theme">
      <div class="box-header with-border">
        <h3 class="box-title">Section 4. Core Questions</h3>
        <p>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</p>
      </div>
      <div class="box-body">
        <table class="table table-striped table-condensed">
          <thead>
            <tr>
              <th width="40%"> </th>
              <?php for ($i=0 ; $i < count($extremity); $i++){ echo "<th width='10%'>".
                $extremity[$i] . "</th>"; }?>
            </tr>
          </thead>
          <tbody>
            <?php
              for ($i = 0; $i < count($score_questions); $i++){
                echo "
                  <tr>
                    <td>". $score_questions[$i] ."
                    </td>";
                for ($j = 0; $j < count($extremity); $j++){
                  if ($score_questions_value[$i] == $extremity[$j]){
                    echo "<td><input class='radio' type='radio' name='".
                      $score_questions_name[$i]."' value='". $extremity[$j] ." ' required
                      checked disabled/> &nbsp; &nbsp; &nbsp; &nbsp;</td>";
                  }
                }
              }
            </?php
          </tbody>
        </table>
      </div>
    </div>
  </div>
</div>

```

```

        }else{
        echo "<td><input class='radio' type='radio' name='".
            Score_questions_name[$i]."' value='". $Sextremity[$j] ."' required
            disabled/> &nbsp; &nbsp; &nbsp;</td>";
        }
    }
    echo "</tr>";
}??
</tbody>
</table>
</div>
</div>
</div>

<?php } if($formtype=="whodas" ){ ?>
<div class="col-xs-12">
    <div class="box box-theme">
        <div class="box-header with-border">
            <h3 class="box-title">Domain 1 . Cognition</h3>
            <p>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</p>
        </div>

        <div class="box-body">
            <table class="table table-striped table-condensed">
                <thead>
                    <tr>
                        <th width="40%"> </th>
                        <?php for($i=0 ; $i < count($Sextremity); $i++){ echo "<th width='10%'>".
                            $Sextremity[$i] . " </th>"; }??
                    </tr>
                </thead>
                <tbody>
                    <?php
                    for($i = 0; $i < count($domain1_questions); $i++){
                        echo "
                        <tr>
                        <td>". $domain1_questions[$i] ."
                        </td>";
                        for($j = 0; $j < count($Sextremity); $j++){
                            if($domain1_values[$i] == $Sextremity[$j]){
                                echo "<td><input class='radio' type='radio' name='". $domain1_name[$i]
                                    ]."' value='". $Sextremity[$j] ."' required checked disabled/> &
                                    nbsp &nbsp; &nbsp;</td>";
                            }else{
                                echo "<td><input class='radio' type='radio' name='". $domain1_name[$i]
                                    ]."' value='". $Sextremity[$j] ."' required disabled/> &nbsp; &nbsp; &nbsp;
                                    &nbsp;</td>";
                            }
                        }
                        echo "</tr>";
                    }??
                </tbody>
            </table>
        </div>
    </div>
</div>
<div class="col-xs-12">
    <div class="box box-theme">
        <div class="box-header with-border">
            <h3 class="box-title">Domain 2. Mobility</h3>
            <p>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</p>
        </div>

        <div class="box-body">
            <table class="table table-striped table-condensed">
                <thead>
                    <tr>
                        <th width="40%"> </th>
                        <?php for($i=0 ; $i < count($Sextremity); $i++){ echo "<th width='10%'>".
                            $Sextremity[$i] . " </th>"; }??
                    </tr>
                </thead>
                <tbody>
                    <?php
                    for($i = 0; $i < count($domain2_questions); $i++){
                        echo "
                        <tr>
                        <td>". $domain2_questions[$i] ."
                        </td>";
                        for($j = 0; $j < count($Sextremity); $j++){
                            if($domain2_values[$i] == $Sextremity[$j]){
                                echo "<td><input class='radio' type='radio' name='". $domain2_name[$i]
                                    ]."' value='". $Sextremity[$j] ."' required checked disabled/> &
                                    nbsp &nbsp; &nbsp;</td>";
                            }else{
                                echo "<td><input class='radio' type='radio' name='". $domain2_name[$i]
                                    ]."' value='". $Sextremity[$j] ."' required disabled/> &nbsp; &nbsp; &nbsp;
                                    &nbsp;</td>";
                            }
                        }
                        echo "</tr>";
                    }??
                </tbody>
            </table>
        </div>
    </div>
</div>

```

```

        </tbody>
    </table>
</div>
</div>
</div>
<div class="col-xs-12">
    <div class="box box-theme">
        <div class="box-header with-border">
            <h3 class="box-title">Domain 3. Self-care</h3>
            <p>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</p>
        </div>

        <div class="box-body">
            <table class="table table-striped table-condensed">
                <thead>
                    <tr>
                        <th width="40%"> </th>
                        <?php for($i=0 ; $i < count($extremity); $i++){ echo "<th width='10%'>".
                            $extremity[$i] . "</th>"; }?>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    for($i = 0; $i < count($domain3_questions); $i++){
                        echo "
                    <tr>
                    <td>". $domain3_questions[$i] ."
                    </td>";
                        for($j = 0; $j < count($extremity); $j++){
                            if($domain3_values[$i] == $extremity[$j]){
                                echo "<td><input class='radio' type='radio' name='". $domain3_name[$i]
                                    ]." ' value='". $extremity[$j] ." ' required checked disabled/> &
                                    nbsp &nbsp; &nbsp; </td>";
                            } else {
                                echo "<td><input class='radio' type='radio' name='". $domain3_name[$i]
                                    ]." ' value='". $extremity[$j] ." ' required disabled/> &nbsp; &nbsp; &nbsp;
                                    &nbsp; </td>";
                            }
                        }
                    }
                    echo "</tr>";
                }?>
                </tbody>
            </table>
        </div>
    </div>
</div>
<div class="col-xs-12">
    <div class="box box-theme">
        <div class="box-header with-border">
            <h3 class="box-title">Domain 4. Getting Along</h3>
            <p>Nitong nakaraang 30 araw, gaano katinding hirap ang naranasan niyo sa:</p>
        </div>

        <div class="box-body">
            <table class="table table-striped table-condensed">
                <thead>
                    <tr>
                        <th width="40%"> </th>
                        <?php for($i=0 ; $i < count($extremity); $i++){ echo "<th width='10%'>".
                            $extremity[$i] . "</th>"; }?>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    for($i = 0; $i < count($domain4_questions); $i++){
                        echo "
                    <tr>
                    <td>". $domain4_questions[$i] ."
                    </td>";
                        for($j = 0; $j < count($extremity); $j++){
                            if($domain4_values[$i] == $extremity[$j]){
                                echo "<td><input class='radio' type='radio' name='". $domain4_name[$i]
                                    ]." ' value='". $extremity[$j] ." ' required checked disabled/> &
                                    nbsp &nbsp; &nbsp; </td>";
                            } else {
                                echo "<td><input class='radio' type='radio' name='". $domain4_name[$i]
                                    ]." ' value='". $extremity[$j] ." ' required disabled/> &nbsp; &nbsp; &nbsp;
                                    &nbsp; </td>";
                            }
                        }
                    }
                    echo "</tr>";
                }?>
                </tbody>
            </table>
        </div>
    </div>
</div>
<div class="col-xs-12">
    <div class="box box-theme">
        <div class="box-header with-border">
            <h3 class="box-title">Domain 5.1. Household Activities</h3>

```

```

        <p>Dahil sa iyong kalagayan nitong nakaraang 30 araw, gaano katinding hirap
        ang naranasan niyo sa:</p>
    </div>
    <div class="box-body">
        <table class="table table-striped table-condensed">
            <thead>
                <tr>
                    <th width="40%"> </th>
                    <?php for($i=0 ; $i < count($extremity); $i++){ echo "<th width='10%'>".
                        $extremity[$i] . "</th>"; }?>
                </tr>
            </thead>
            <tbody>
                <?php
                for($i = 0; $i < count($domain51-questions); $i++){
                    echo "
                    <tr>
                    <td>". $domain51-questions[$i] ."
                    </td>";
                    for($j = 0; $j < count($extremity); $j++){
                        if($domain51-values[$i] == $extremity[$j]){
                            echo "<td><input class='radio' type='radio' name='". $domain51-name[$i]
                                ." ' value='". $extremity[$j] ." ' required checked disabled/> &
                                nbsp &nbsp; &nbsp;</td>";
                        }else{
                            echo "<td><input class='radio' type='radio' name='". $domain51-name[$i]
                                ." ' value='". $extremity[$j] ." ' required disabled/> &nbsp; &nbsp; &nbsp;
                                &nbsp;</td>";
                        }
                    }
                    echo "</tr>";
                }?>
            </tbody>
        </table>

        <div class="form-group">
            <label for="d501" class="col-sm-5 control-label">D5.01. Sa nakaraang 30 araw
            , ilang araw mo binawasa o hindi ginawa ang mga gawaing-bahay dahil sa
            iyong kondisyong pangkalusugan</label>
            <div class="col-sm-7">
                <input class="form-control" type="number" max="30" min="0" name="d501"
                required value="<?php echo $formdetails[" d5_01 "; ]?>" disabled/>
            </div>
        </div>

    </div>
</div>
</div>
<div class="col-xs-12">
    <div class="box box-theme">
        <div class="box-header with-border">
            <h3 class="box-title">Domain 5.2. Work or School Activities</h3>
            <p>Dahil sa iyong kalagayan nitong nakaraang 30 araw, gaano katinding hirap
            ang naranasan niyo sa:</p>
        </div>
        <div class="box-body">
            <table class="table table-striped table-condensed">
                <thead>
                    <tr>
                        <th width="40%"> </th>
                        <?php for($i=0 ; $i < count($extremity); $i++){ echo "<th width='10%'>".
                            $extremity[$i] . "</th>"; }?>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    for($i = 0; $i < count($domain52-questions); $i++){
                        echo "
                        <tr>
                        <td>". $domain52-questions[$i] ."
                        </td>";
                        for($j = 0; $j < count($extremity); $j++){
                            if($domain52-values[$i] == $extremity[$j]){
                                echo "<td><input class='radio' type='radio' name='". $domain52-name[$i]
                                    ." ' value='". $extremity[$j] ." ' required checked disabled/> &
                                    nbsp &nbsp; &nbsp;</td>";
                            }else{
                                echo "<td><input class='radio' type='radio' name='". $domain52-name[$i]
                                    ." ' value='". $extremity[$j] ." ' required disabled/> &nbsp; &nbsp; &nbsp;
                                    &nbsp;</td>";
                            }
                        }
                        echo "</tr>";
                    }?>
                </tbody>
            </table>

            <div class="form-group">
                <label for="d59" class="col-sm-5 control-label">D5.9. Kinailangan ka bang
                malagay sa mas mababang posisyon sa trabaho dahil sa iyong kalagayan</
                label>
            </div>
        </div>
    </div>
</div>

```



```

<div class="col-sm-7">
  <div class="radio">
    <label>
      <input class="radio" type='radio' name='d59' value='hindi' <?php echo
        ($formdetails[ 'd5_9' ]=="hindi" ) ? "checked" : ""; ?> required
        disabled/> Hindi</label>
    </div>
    <div class="radio">
      <label>
        <input class="radio" type='radio' name='d59' value='oo' <?php echo (
          $formdetails[ 'd5_9' ]=="oo" ) ? "checked" : ""; ?> required
          disabled/> Oo</label>
        </div>
      </div>
    </div>
  <div class="form-group">
    <label for="d510" class="col-sm-5 control-label">D5.10. Bumaba ba ang iyong
      sweldo dahil sa iyong kalagayang pangkalusugan</label>
    <div class="col-sm-7">
      <div class="radio">
        <label>
          <input class="radio" type='radio' name='d510' value='hindi' <?php echo
            ($formdetails[ 'd5_10' ]=="hindi" ) ? "checked" : ""; ?> disabled
            required/> Hindi</label>
          </div>
          <div class="radio">
            <label>
              <input class="radio" type='radio' name='d510' value='oo' <?php echo (
                $formdetails[ 'd5_10' ]=="hindi" ) ? "checked" : ""; ?> disabled
                required/> Oo</label>
              </div>
            </div>
          </div>
        <div class="form-group">
          <label for="d502" class="col-sm-5 control-label">D5.02. Sa nakaraang 30 araw
            , ilang araw kang lumiban ng kalahating araw o higit a dahil sa iyong
            kalagayang pangkalusugan</label>
          <div class="col-sm-7">
            <input class="form-control" type="number" max="30" min="0" name="d502"
              required value="<?php echo $formdetails[ " d5_02 " ]; ?>" disabled />
            </div>
          </div>
        </div>
      </div>
    </div>
  <div class="col-xs-12">
    <div class="box box-theme">
      <div class="box-header with-border">
        <h3 class="box-title">Domain 6. Participation</h3>
        <p>Nitong nakaraang 30 araw:</p>
      </div>
      <div class="box-body">
        <table class="table table-striped table-condensed">
          <thead>
            <tr>
              <th width="40%"> </th>
              <?php for($i=0 ; $i < count($extremity); $i++){ echo "<th width='10%'>".
                $extremity[$i] . "</th>"; }?>
            </tr>
          </thead>
          <tbody>
            <?php
              for($i = 0; $i < count($domain6_questions); $i++){
                echo "
                <tr>
                <td>". $domain6_questions[$i] ."
                </td>";
                for($j = 0; $j < count($extremity); $j++){
                  if($domain6_values[$i] == $extremity[$j]){
                    echo "<td><input class='radio' type='radio' name='". $domain6_name[$i]
                      ]." ' value='". $extremity[$j] ." ' required checked disabled/> &
                      nbsp &nbsp; &nbsp; </td>";
                  } else {
                    echo "<td><input class='radio' type='radio' name='". $domain6_name[$i]
                      ]." ' value='". $extremity[$j] ." ' required disabled/> &nbsp; &nbsp; &nbsp;
                      &nbsp; </td>";
                  }
                }
              }
            }?>
            </tbody>
          </table>
        </div>
      </div>
    <?php } if($formtype=="whodas" || $formtype=="whodas-proxy" ){ ?>
  <div class="col-xs-12">
    <div class="box box-theme">
      <div class="box-body pad">
        <div class="form-group">

```



```

        echo "<td><input class='radio' type='radio' name='". $questions2_name
            [ $i ]."' id='". $questions2_name[ $i ]."' value='". $kuntento[ $j
            ."' disabled/> &nbsp; &nbsp; &nbsp;</td>";
    }
}
echo "</tr>";
}?>
</tbody>
</table>

<br>
<p>Ang sumusunod na katanungan ay tungkol sa kung gaano mo naranasan ang
    ilang bagay nitong nakaraang apat na linggo.</p>
<table class="table table-striped table-condensed">
    <thead>
        <tr>
            <th width="40%"> </th>
            <?php for( $i=0 ; $i < count( $walalabis ); $i++){ echo "<th width
                ='10%'>". $walalabis[ $i ] . "</th>"; }?>
        </tr>
    </thead>
    <tbody>
        <?php
        for( $i = 0; $i < count( $questions3 ); $i++){
            echo "
            <tr>
            <td>". $questions3[ $i ] . "
            </td>";
            for( $j = 0; $j < count( $walalabis ); $j++){
                if( $questions3_values[ $i ] == $walalabis[ $j ] ){
                    echo "<td><input class='radio' type='radio' name='". $questions3_name[
                        $i ]."' id='". $questions3_name[ $i ]."' value='". $walalabis[ $j ] ."'
                        checked disabled/> &nbsp; &nbsp; &nbsp;</td>";
                } else {
                    echo "<td><input class='radio' type='radio' name='". $questions3_name
                        [ $i ]."' id='". $questions3_name[ $i ]."' value='". $walalabis[ $j ]
                        ."' disabled/> &nbsp; &nbsp; &nbsp;</td>";
                }
            }
            echo "</tr>";
        }?>
    </tbody>
</table>

<br>
<p>Ang mga sumusunod na katanungan ay tungkol sa kung gaano kabuo ang iyong
    naranasan o kung gaano mo nakayanang gawin ang ilang bagay nitong
    nakaraang apat na linggo.</p>

<table class="table table-striped table-condensed">
    <thead>
        <tr>
            <th width="40%"> </th>
            <?php for( $i=0 ; $i < count( $walalubos ); $i++){ echo "<th width
                ='10%'>". $walalubos[ $i ] . "</th>"; }?>
        </tr>
    </thead>
    <tbody>
        <?php
        for( $i = 0; $i < count( $questions4 ); $i++){
            echo "
            <tr>
            <td>". $questions4[ $i ] . "
            </td>";
            for( $j = 0; $j < count( $walalubos ); $j++){
                if( $questions4_values[ $i ] == $walalubos[ $j ] ){
                    echo "<td><input class='radio' type='radio' name='". $questions4_name[
                        $i ]."' id='". $questions4_name[ $i ]."' value='". $walalubos[ $j ] ."'
                        checked disabled/> &nbsp; &nbsp; &nbsp;</td>";
                } else {
                    echo "<td><input class='radio' type='radio' name='". $questions4_name
                        [ $i ]."' id='". $questions4_name[ $i ]."' value='". $walalubos[ $j ]
                        ."' disabled/> &nbsp; &nbsp; &nbsp;</td>";
                }
            }
            echo "</tr>";
        }?>
    </tbody>
</table>

<table class="table table-striped table-condensed">
    <thead>
        <tr>
            <th width="40%"> </th>
            <?php for( $i=0 ; $i < count( $hirap ); $i++){ echo "<th width='10%'>".
                $hirap[ $i ] . "</th>"; }?>
        </tr>
    </thead>
    <tbody>
        <?php
        for( $i = 0; $i < count( $questions5 ); $i++){
            echo "

```



```

        </textarea>
    </div>
</div>

</div>
</div>
</div>
<div class="col-xs-12">
    <div class="box box-theme">
        <div class="box-header">
            <i class="fa fa-calculator"></i>
            <h3 class="box-title">Compute Domain</h3>
        </div>
        <div class="box-body pad">
            <button id="compute_domain" class='btn btn-primary' disabled>ComputeDomain</button>
            <div id="output"></div>
        </div>
    </div>
</div>
</div>
<div class="col-xs-12">
    <div class="box box-theme">
        <div class="box-header with-border">
            <h3 class="box-title">Pagtatasa</h3>
            <br>
            <p>Idagdag ang Raw score at Transformed scores (4-20 at 0-100) sa bawat domain. Ibase ang kalkulasyon sa formula na naiulat sa original form.</p>
        </div>
        <!-- /.box-header -->
        <div class="box-body">
            <table class="table table-striped table-condensed">
                <thead>
                    <tr>
                        <th width='30%'>Domain</th>
                        <th>a. Raw Score</th>
                        <th>4-20 Transformed Scores</th>
                        <th>0-100 Transformed Scores</th>
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <td>Domain 1</td>
                        <td>
                            <input class="form-control" type="number" name="dom1a" id="dom1a" value="<?php echo $formdetails['dom_1a']; ?>" disabled required />
                        </td>
                        <td>
                            <input class="form-control" type="number" name="dom1b" id="dom1b" value="<?php echo $formdetails['dom_1b']; ?>" disabled required />
                        </td>
                        <td>
                            <input value="<?php echo $formdetails['dom_1c']; ?>" disabled class="form-control" type="number" name="dom1c" id="dom1c" required />
                        </td>
                    </tr>
                    <tr>
                        <td>Domain 2</td>
                        <td>
                            <input class="form-control" type="number" name="dom2a" id="dom2a" value="<?php echo $formdetails['dom_2a']; ?>" disabled required />
                        </td>
                        <td>
                            <input value="<?php echo $formdetails['dom_2b']; ?>" disabled class="form-control" type="number" name="dom2b" id="dom2b" required />
                        </td>
                        <td>
                            <input value="<?php echo $formdetails['dom_2c']; ?>" disabled class="form-control" type="number" name="dom2c" id="dom2c" required />
                        </td>
                    </tr>
                    <tr>
                        <td>Domain 3</td>
                        <td>
                            <input value="<?php echo $formdetails['dom_3a']; ?>" disabled class="form-control" type="number" name="dom3a" id="dom3a" required />
                        </td>
                        <td>
                            <input class="form-control" type="number" name="dom3b" id="dom3b" value="<?php echo $formdetails['dom_3b']; ?>" disabled required />
                        </td>
                        <td>
                            <input class="form-control" type="number" name="dom3c" id="dom3c" value="<?php echo $formdetails['dom_3c']; ?>" disabled required />
                        </td>
                    </tr>
                </tbody>
            </table>
        </div>
    </div>
</div>

```

```

        </tr>
        <tr>
            <td>Domain 4</td>
            <td>
                <input class="form-control" type="number" name="dom4a" id="dom4a"
                    value="<?php echo $formdetails['dom_4a']; ?>" disabled required />
            </td>
            <td>
                <input value="<?php echo $formdetails['dom_4b']; ?>" disabled class
                    ="form-control" type="number" name="dom4b" id="dom4b" required />
            </td>
            <td>
                <input value="<?php echo $formdetails['dom_4c']; ?>" disabled class
                    ="form-control" type="number" name="dom4c" id="dom4c" required />
            </td>
        </tr>
    </tbody>
</table>

</div>
</div>
</div>
</div>
<?php } ?>

</div>
<div class="box-footer">
    <button type="submit" id="sbmtbtn" class="btn btn-primary pull-right">Submit</button
    >
</div>
</form>
</section>
</div>

<div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<script src="../../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="js/bootstrap-datepicker.js"></script>

<script type="text/javascript">
$(function () {
//Date picker
$('#datepicker').datepicker({
    autoclose: true
});
});

$(document).ready(function () {
    $('body').append('<div id="floating" class="btn btn-info"><i class="fa fa-pencil"></i>Edit</div>');
    $('#floating').click(function () {
        $('#sbmtbtn').toggle('show');
        $('#compute_domain').removeAttr('disabled');
        $('input').each(function () {
            if ($('#this').attr('disabled')) {
                $('#this').removeAttr('disabled');
            }
            else {
                $('#this').attr({
                    'disabled': 'disabled' });
            }
        });
    });
    $('select').each(function () {
        if ($('#this').attr('disabled')) {
            $('#this').removeAttr('disabled');
        }
        else {
            $('#this').attr({
                'disabled': 'disabled' });
        }
    });
    $('textarea').each(function () {
        if ($('#this').attr('disabled')) {
            $('#this').removeAttr('disabled');
        }
        else {
            $('#this').attr({
                'disabled': 'disabled' });
        }
    });
});
});

$('#compute_domain').click(function () {

```

```

var q1=$("#q1:checked").val();
var q2=$("#q2:checked").val();
var q3=$("#q3:checked").val();
var q4=$("#q4:checked").val();
var q5=$("#q5:checked").val();
var q6=$("#q6:checked").val();
var q7=$("#q7:checked").val();
var q8=$("#q8:checked").val();
var q9=$("#q9:checked").val();
var q10=$("#q10:checked").val();
var q11=$("#q11:checked").val();
var q12=$("#q12:checked").val();
var q13=$("#q13:checked").val();
var q14=$("#q14:checked").val();
var q15=$("#q15:checked").val();
var q16=$("#q16:checked").val();
var q17=$("#q17:checked").val();
var q18=$("#q18:checked").val();
var q19=$("#q19:checked").val();
var q20=$("#q20:checked").val();
var q21=$("#q21:checked").val();
var q22=$("#q22:checked").val();
var q23=$("#q23:checked").val();
var q24=$("#q24:checked").val();
var q25=$("#q25:checked").val();
var q26=$("#q26:checked").val();
$.ajax({
  type: "POST",
  url: "test-compute-whoqol.php",
  data: {q1: q1, q2: q2, q3: q3, q4: q4, q5: q5, q6: q6, q7: q7, q8: q8, q9: q9, q10: q10,
        q11: q11, q12: q12, q13: q13, q14: q14, q15: q15, q16: q16, q17: q17, q18: q18, q19:
        q19, q20: q20, q21: q21, q22: q22, q23: q23, q24: q24, q25: q25, q26: q26},
  //dataType: 'json',
  success: function(result){
    if(result=="error"){
      alert("Errors found in your input!");
      $("#output").html("");
    }else{
      alert("Domain Scores Computed!");
      $("#output").html("");
      var domain = result.split(" ");
      $("#dom1a").val(domain[1]);
      $("#dom2a").val(domain[2]);
      $("#dom3a").val(domain[3]);
      $("#dom4a").val(domain[4]);
      $("#dom1b").val(domain[5]);
      $("#dom2b").val(domain[6]);
      $("#dom3b").val(domain[7]);
      $("#dom4b").val(domain[8]);
      $("#dom1c").val(domain[9]);
      $("#dom2c").val(domain[10]);
      $("#dom3c").val(domain[11]);
      $("#dom4c").val(domain[12]);
    }
  },
  error: function(result){
    alert("Errors found in your input!");
    $("#output").html("");
  },
  beforeSend: function() {
    $("#output").html("Computing...");
  }
});
return false;
});
</script>
</body>
</html>

```

## view-user.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$errors = [];
if(isset($_GET["err"])){
    $errors = json_decode(urldecode($_GET["err"]), true);
}

if(isset($_GET["msg"]))
    $message=$_GET["msg"];

$query = "SELECT * FROM user WHERE user_id=$user_id";

```

```

$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$id = $_GET["uid"];

$query = "SELECT * FROM user WHERE user_id=$id";
$userview = mysqli_query($con, $query) or die(mysqli_error($con));
$userv = mysqli_fetch_array($userview);
$type = $userv["type"];

if($type == "dmo"){
    $query = "SELECT * FROM dmo WHERE user_id=$id";
    $dmoq = mysqli_query($con, $query) or die(mysqli_error($con));
    $dmo = mysqli_fetch_array($dmoq);
}

if($type == "intern"){
    $query = "SELECT * FROM intern WHERE user_id=$id";
    $internq = mysqli_query($con, $query) or die(mysqli_error($con));
    $intern = mysqli_fetch_array($internq);
    $communityid = $intern['community_id'];
    $householdid = $intern['household_id'];

    $query = "SELECT * FROM community WHERE community_id=$communityid";
    $communityq = mysqli_query($con, $query) or die(mysqli_error($con));

    $query = "SELECT * FROM household WHERE household_id=$householdid";
    $householdq = mysqli_query($con, $query) or die(mysqli_error($con));
}
if($user['type']=="dmo"){
?>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | View User</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css"> =
<link rel="icon" href="img/favicon.ico">
</head>
<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>
<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</a>
<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="dmo-dashboard.php">
<i class="fa fa-dashboard"></i>
<span class="hidden-xs">Dashboard</span>
</a>
</li>
<li class="dropdown user user-menu">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">
<i class="fa fa-user"></i>
<span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name']; ?></span>
</a>
<ul class="dropdown-menu">
<div class="box box-widget widget-user">
<div class="widget-user-header bg-aqua-active">
<h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['middle_name'] . " " . $user['last_name']; ?></h3>
<h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
</div>
</div>
<li class="user-footer">
<div class="pull-left">

```



```

        <a href="profile.php" class="btn btn-default btn-flat">Edit Profile </a>
    </div>
    <div class="pull-right">
        <a href="logout.php" class="btn btn-default btn-flat">Log out</a>
    </div>
</li>
</ul>
</li>
</ul>
</div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
    <section class="sidebar">
        <ul class="sidebar-menu">
            <li class="treeview">
                <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-left pull-right"></i></a>
                <ul class="treeview-menu">
                    <li class="active"><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i> Overview</a>
                </ul>
            </li>
            <li class="treeview">
                <a href="#">
                    <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
                    <span class="label label-primary pull-right"></span>
                </a>
                <ul class="treeview-menu">
                    <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
                    </li>
                    <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
                    </li>
                    <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
                    </li>
                </ul>
            </li>
            <li class="header">CBR MANAGEMENT</li>
            <li class="active">
                <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
            </li>
            <li>
                <a href="communities.php"> <i class="fa fa-institution"></i> <span>Communities</span>
                </a>
            </li>
            <li>
                <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
            </li>
        </ul>
    </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
    <section class="content-header">
        <h1>View User<small></small></h1>
        <ol class="breadcrumb">
            <li><a href="dmo-dashboard.php"><i class="fa fa-dashboard"></i> Home</a>
            </li>
            <li><a href="users.php">Users</a>
            </li>
            <li class="active"><a href="#">View User</a>
            </li>
        </ol>
    </section>

    <section class="content">
        <div class="box box-widget widget-user">
            <div class="widget-user-header theme-color-teal">
                <h3 class="widget-user-username"><?php echo $user['first_name']. " ".$user['middle_name']. " ".$user['last_name']. " ".$user['name_ext']; ?></h3>
                <h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
            </div>
            <div class="box-footer">
                <div class="box">
                    <div class="box-header">
                        <h3 class="box-title">Profile </h3>
                    </div>
                    <div class="box-body">
                        <table class="table">
                            <tr>
                                <th style="width: 150px"> </th>
                                <th> </th>
                            </tr>
                            <tr>
                                <td>Username</td>

```

```

        <td>
            <?php echo $userv[ 'username' ]; ?>
        </td>
    </tr>
    <tr>
        <td>Contact Number</td>
        <td>
            <?php echo $userv[ 'contact_no' ]; ?>
        </td>
    </tr>
    <tr>
        <td>Email Address</td>
        <td>
            <?php echo $userv[ 'e-add' ]; ?>
        </td>
    </tr>
    <?php if ( $type=="intern" ) { ?>
    <tr>
        <td>Course</td>
        <td>
            <?php echo $intern[ "course" ]; ?>
        </td>
    </tr>
    <tr>
        <td>Student Number</td>
        <td>
            <?php echo $intern[ "student_no" ]; ?>
        </td>
    </tr>
    <tr>
        <td>Address</td>
        <td>
            <?php echo $intern[ "address" ]; ?>
        </td>
    </tr>
    <tr>
        <td>Community</td>
        <td>
            <?php $cmnty=mysqli_fetch_array($communityq); echo $cmnty[ 'name' ]; ?>
        </td>
    </tr>
    <tr>
        <td>Household</td>
        <td>
            <?php $shhld=mysqli_fetch_array($householdq); echo $shhld[ 'house_addr' ];
            ?>
        </td>
    </tr>
    <?php } else if ( $type=="dmo" ){ ?>
    <tr>
        <td>Staff ID</td>
        <td>
            <?php echo $dmo[ "staff_id" ]; ?>
        </td>
    </tr>
    <tr>
        <td>Position</td>
        <td>
            <?php echo $dmo[ "position" ]; ?>
        </td>
    </tr>
    <?php } ?>
</table>
</div>
</div>
</div>
</div>
</section>
</div>

<div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<script src="../../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../../dist/js/demo.js"></script>

<script>
$(function ()
{
    $("#example1")
        .DataTable();
});
</script>
</body>
</html>

```

```
<?php } else{ echo "You cannot access this page."; } ?>
```

## whodas-forms.php

```
<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$query = "SELECT * FROM form a INNER JOIN whodas b ON a.form_type='whodas' AND a.form_id=b.form_id";
$whodasq = mysqli_query($con, $query) or die(mysqli_error($con));

if($user['type']=="dmo"){
?>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | WHODAS Data</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="stylesheet" href="css/buttons.bootstrap.min.css">
<link rel="icon" href="img/favicon.ico">
</head>
<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>
<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</a>
<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="dmo-dashboard.php">
<i class="fa fa-dashboard"></i>
<span class="hidden-xs">Dashboard</span>
</a>
</li>
<li class="dropdown user user-menu">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">
<i class="fa fa-user"></i>
<span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name']; ?></span>
</a>
<ul class="dropdown-menu">
<div class="box box-widget widget-user">
<div class="widget-user-header bg-aqua-active">
<h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['middle_name'] . " " . $user['last_name']; ?></h3>
<h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
</div>
</div>
<li class="user-footer">
<div class="pull-left">
<a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
</div>
<div class="pull-right">
<a href="logout.php" class="btn btn-default btn-flat">Log out</a>
</div>
</li>
</ul>
</li>
</ul>
</div>
```

```

    </div>
  </nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
  <section class="sidebar">
    <ul class="sidebar-menu">
      <li class="treeview">
        <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-left pull-right"></i></a>
        <ul class="treeview-menu">
          <li><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i> Overview</a>
          </li>
        </ul>
      </li>
      <li class="treeview active">
        <a href="#">
          <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
          <span class="label label-primary pull-right"></span>
        </a>
        <ul class="treeview-menu">
          <li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
          </li>
          <li class="active"><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS
          </a>
          </li>
          <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
          </li>
        </ul>
      </li>
      <li class="header">CBR MANAGEMENT</li>
      <li>
        <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
      </li>
      <li>
        <a href="communities.php"> <i class="fa fa-institution"></i> <span>Communities</span>
        </a>
      </li>
      <li>
        <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
      </li>
    </ul>
  </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
  <section class="content-header">
    <h1>WHODAS<small>WHODAS Raw Data</small> </h1>
    <ol class="breadcrumb">
      <li><a href="#"><i class="fa fa-dashboard"></i> Home</a>
      </li>
      <li><a href="#">Raw Form data</a>
      </li>
      <li class="active">WHODAS</li>
    </ol>
  </section>

  <section class="content">
    <div class="box box-theme">
      <div class="box-header">
        <i class="fa fa-share-square-o"></i>
        <h3 class="box-title">Export Options</h3>
      </div>
      <div class="box-body pad">
        <div id="buttons"></div>
      </div>
    </div>
    <div class="row">
      <div class="col-xs-12">
        <div class="box box-danger">
          <div class="box-body table-responsive">
            <table id="example1" class="table table-bordered table-striped table-condensed">
              <thead>
                <tr>
                  <th>Form ID</th>
                  <th>Form Code</th>
                  <th>Date Completed</th>
                  <th>Name</th>
                  <th>PWD ID no</th>
                  <th>Interviewer Name</th>
                  <th>Assessment Time</th>
                  <th>Interview Date & Time</th>
                  <th>Living Situation</th>
                  <th>Kasarian</th>
                  <th>Edad</th>
                  <th>Taon sa Pag-aaral</th>
                  <th>Estado Sibil</th>
                  <th>Hanapbuhay</th>
                </tr>
              </thead>
            </table>
          </div>
        </div>
      </div>
    </div>
  </section>

```

```

<th>Dahilan</th>
<th>S1. Pagtayo nang matagal tulad ng 30 minuto?</th>
<th>S2. Paggawa ng mga responsibilidad sa tahanan</th>
<th>S3. Pag-alam sa mga bagong gawain. Halimbawa, paanong pumunta sa bagong
    lugar</th>
<th>S4. Pagsali sa mga gawaing pangkomunidad (hal. pista, prusisyon, atbp.)
    kung ikukumpara niyo sa pangkaraniwang araw</th>
<th>S5. Gaano katindi naapektuhan ang kanyang emosyon ng kanyang kondisyon</
    th>
<th>S6. Pagtuon sa paggawa ng isang bagay sa loob ng 10 minuto</th>
<th>S7. Paglakad ng malayo tulad ng 1 kilometro o katumbas nito</th>
<th>S8. Pagpapaligo ng kanyang buong katawan</th>
<th>S9. Pagbibihis</th>
<th>S10. Pakikisalamuha sa mga taong di niya kilala</th>
<th>S11. Pagpapanatili ng pagkakaibigan</th>
<th>S12. Pag-araw-araw na gawain sa trabaho o paaralan</th>
<th>D1.2. Pag-alala sa paggawa ng mga mahalagang bagay</th>
<th>D1.3. PAgsure at paganap ng solusyon sa mga problema sa pang-araw-araw
    na buhay</th>
<th>D1.5. Pag-unawa kung ano ang pangkalahatang sinsabi ng mga tao</th>
<th>D1.6. PAgsisimula at pagpapatuloy ng usapan</th>
<th>D2.2. Pagtayo smula sa pagkakaupo</th>
<th>D2.3. Pagkilos sa loob ng iyong bahay</th>
<th>D2.4. Paglabas sa iyong bahay</th>
<th>D3.3. Pagkain</th>
<th>D3.4. Pagiging mag-isa sa buong araw</th>
<th>D4.3. Pakikisama sa mga taong malapit sa iyo</th>
<th>D4.4. Pakikipagkaibigan</th>
<th>D4.5. Gawaing Sekswal</th>
<th>D5.2. Maayos na pagsasagawa ng mahahalagang gawain sa bahay</th>
<th>D5.3. Pagtatapos ng lahat ng mga kailangang gawain sa bahay</th>
<th>D5.4. Mabilis na pagtapos ng mga kailangang gawain sa bahay</th>
<th>D5.01</th>
<th>D5.6. Maayos na paggawa ng iyong mga pinakamahalagang gawain sa trabaho/
    paaralan</th>
<th>D5.7. Pagtapos ng lahat ng mga kailangang gawain</th>
<th>D5.8. Pagtapos ng iyong mga gawain sa angkop na bilis</th>
<th>D5.9</th>
<th>D5.10</th>
<th>D5.02</th>
<th>D6.2. Gaano katinding hirap ang iyong naranasan dahil sa mga hadlang sa
    iyong kapaligiran?</th>
<th>D6.3. Gaano katinding hirap ang mamuhay ng may dignidad dahil sa mga
    ugali at kilos ng iba?</th>
<th>D6.4. Gaano karaming panahon ang iyong ginugulog sa pangangalaga sa
    iyong kondisyong pangkalusugan at mga naidulot nito?</th>
<th>D6.6. Gaano kalabis ang nababawas sa pinansyal na kakayahan mo o ng
    iyong pamilya ng iyong kondisyong pangkalusugan?</th>
<th>D6.7. Gaano kalaking problema ang naidulot ng iyong kondisyong
    pangkalusugan sa iyong pamilya?</th>
<th>D6.8. Gaano katindi ang hirap mong magkaroon ng pansariling libangan at
    pang-relaks dahil sa iyong kondisyon?</th>
<th>H1</th>
<th>H2</th>
<th>H3</th>
<th>Action</th>
</tr>
</thead>
<tfoot>
<tr>
<th>Form ID</th>
<th>Form Code</th>
<th>Date Completed</th>
<th>Name</th>
<th>PWD ID no</th>
<th>Interviewer Name</th>
<th>Assessment Time</th>
<th>Interview Date & Time</th>
<th>Living Situation</th>
<th>Kasarian</th>
<th>Edad</th>
<th>Taon sa Pag-aaral</th>
<th>Estado Sibil</th>
<th>Hanapbuhay</th>
<th>Dahilan</th>
<th>S1</th>
<th>S2</th>
<th>S3</th>
<th>S4</th>
<th>S5</th>
<th>S6</th>
<th>S7</th>
<th>S8</th>
<th>S9</th>
<th>S10</th>
<th>S11</th>
<th>S12</th>
<th>D1.2</th>
<th>D1.3</th>
<th>D1.5</th>
<th>D1.6</th>
<th>D2.2</th>

```

```

<th>D2.3</th>
<th>D2.4</th>
<th>D3.3</th>
<th>D3.4</th>
<th>D4.3</th>
<th>D4.4</th>
<th>D4.5</th>
<th>D5.2</th>
<th>D5.3</th>
<th>D5.4</th>
<th>D5.01</th>
<th>D5.6</th>
<th>D5.7</th>
<th>D5.8</th>
<th>D5.9</th>
<th>D5.10</th>
<th>D5.02</th>
<th>D6.2</th>
<th>D6.3</th>
<th>D6.4</th>
<th>D6.6</th>
<th>D6.7</th>
<th>D6.8</th>
<th>H1</th>
<th>H2</th>
<th>H3</th>
<th>Action</th>
</tr>
</tfoot>
<tbody>
<?php
while($whodas = mysqli_fetch_array($whodasq)){
    $fid = $whodas['form_id'];
    $date=date_create($whodas['date_completed']);
    $date2=date_create($whodas['interview_date_time']);
    echo "
<tr>
<td>
<a href='view-form.php?fid=".$fid."'> . $whodas['form_id'] . "
</a></td>
<td> . $whodas['form_code'] . "</td>
<td> . date_format($date, 'm/d/Y') . "</td>
<td> . $whodas['last_name'] . ", " . $whodas['first_name'] . " " .
    $whodas['middle_initial'] . " " . $whodas['name_ext'] . "</td>
<td> . $whodas['pwd_id.no'] . "</td>
<td> . $whodas['interviewer_name'] . "</td>
<td> . $whodas['assessment_time'] . "</td>
<td> . date_format($date, 'm/d/Y h:i:s') . "</td>
<td> . $whodas['living_situation'] . "</td>
<td> . $whodas['kasarian'] . "</td>
<td> . $whodas['edad'] . "</td>
<td> . $whodas['taon_sa_pagaaral'] . "</td>
<td> . $whodas['estado_sibil'] . "</td>
<td> . $whodas['hanapbuhay'] . "</td>
<td> . $whodas['dahilan_wala'] . "</td>
<td> . $whodas['s1'] . "</td>
<td> . $whodas['s2'] . "</td>
<td> . $whodas['s3'] . "</td>
<td> . $whodas['s4'] . "</td>
<td> . $whodas['s5'] . "</td>
<td> . $whodas['s6'] . "</td>
<td> . $whodas['s7'] . "</td>
<td> . $whodas['s8'] . "</td>
<td> . $whodas['s9'] . "</td>
<td> . $whodas['s10'] . "</td>
<td> . $whodas['s11'] . "</td>
<td> . $whodas['s12'] . "</td>
<td> . $whodas['d1.2'] . "</td>
<td> . $whodas['d1.3'] . "</td>
<td> . $whodas['d1.5'] . "</td>
<td> . $whodas['d1.6'] . "</td>
<td> . $whodas['d2.2'] . "</td>
<td> . $whodas['d2.3'] . "</td>
<td> . $whodas['d2.4'] . "</td>
<td> . $whodas['d3.3'] . "</td>
<td> . $whodas['d3.4'] . "</td>
<td> . $whodas['d4.3'] . "</td>
<td> . $whodas['d4.4'] . "</td>
<td> . $whodas['d4.5'] . "</td>
<td> . $whodas['d5.2'] . "</td>
<td> . $whodas['d5.3'] . "</td>
<td> . $whodas['d5.4'] . "</td>
<td> . $whodas['d5.01'] . "</td>
<td> . $whodas['d5.6'] . "</td>
<td> . $whodas['d5.7'] . "</td>
<td> . $whodas['d5.8'] . "</td>
<td> . $whodas['d5.9'] . "</td>
<td> . $whodas['d5.10'] . "</td>
<td> . $whodas['d5.02'] . "</td>
<td> . $whodas['d6.2'] . "</td>
<td> . $whodas['d6.3'] . "</td>
<td> . $whodas['d6.4'] . "</td>

```

```

        <td>" . $whodas['d6.6'] . "</td>
        <td>" . $whodas['d6.7'] . "</td>
        <td>" . $whodas['d6.8'] . "</td>
        <td>" . $whodas['h1'] . "</td>
        <td>" . $whodas['h2'] . "</td>
        <td>" . $whodas['h3'] . "</td>
        <td><a href='view-form.php?fid=".$fid."'><button class='btn btn-block btn
        -primary btn-xs'> View Form </button></a></td>
    </tr>";
    }
    <tbody>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</section>
</div>

<div class="control-sidebar-bg"></div>
</div>

<script src="js/jquery-1.12.0.min.js"></script>
<script src="bootstrap/js/bootstrap.min.js"></script>
<script src="js/buttons.bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js"></script>
<script src="js/dataTables.bootstrap.min.js"></script>
<script src="js/dataTables.buttons.js"></script>
<script src="../plugins/slimScroll/jquery.slimscroll.min.js"></script>
<script src="js/fastclick.js"></script>
<script src="js/app.min.js"></script>
<script src="../dist/js/demo.js"></script>
<script src="js/jszip.min.js"></script>
<script src="js/pdfmake.min.js"></script>
<script src="js/vfs_fonts.js"></script>
<script src="js/buttons.html5.js"></script>
<script src="js/buttons.print.js"></script>

<script>
    $(function() {
        var table = $('#example1').DataTable();
        var buttons = new $.fn.dataTable.Buttons(table, {
            buttons: [
                'copyHtml5',
                'excelHtml5',
                'csvHtml5',
                'print'
            ]
        }).container().appendTo($('#buttons'));
    });
</script>
</body>
</html>

<?php } else{ echo "You cannot access this page."; } ?>

```

## whodas-proxy-forms.php

```

<!DOCTYPE html>
<?php
require_once("session.php");
require_once("connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$query = "SELECT * FROM form a INNER JOIN whodas_proxy b ON a.form_type='whodas_proxy' AND a.
form_id=b.form_id";
$whodasproxyq = mysqli_query($con, $query) or die(mysqli_error($con));

if ($user['type']=='dmo'){
    ?>
<html>

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title><C&Ouml;R&Ouml;FM | WHODAS Proxy Data</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="
viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-
awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.
min.css">

```

```

<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="stylesheet" href="css/buttons.bootstrap.min.css">
<link rel="icon" href="img/favicon.ico">

</head>

<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>
<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</a>
<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="dmo-dashboard.php">
<i class="fa fa-dashboard"></i>
<span class="hidden-xs">Dashboard</span>
</a>
</li>
<li class="dropdown user user-menu">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">
<i class="fa fa-user"></i>
<span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name'];
?></span>
</a>
<ul class="dropdown-menu">
<div class="box box-widget widget-user">
<div class="widget-user-header bg-aqua-active">
<h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['
middle_name'] . " " . $user['last_name']; ?></h3>
<h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
</div>
</div>
<li class="user-footer">
<div class="pull-left">
<a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
</div>
<div class="pull-right">
<a href="logout.php" class="btn btn-default btn-flat">Log out</a>
</div>
</li>
</ul>
</li>
</ul>
</div>
</nav>
</header>

<!-- ===== -->

<aside class="main-sidebar">
<section class="sidebar">
<ul class="sidebar-menu">
<li class="treeview">
<a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-
left pull-right"></i></a>
<ul class="treeview-menu">
<li><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i> Overview</a>
</li>
</ul>
</li>
<li class="treeview active">
<a href="#">
<i class="fa fa-files-o"></i> <span>Raw Form Data</span>
<span class="label label-primary pull-right"></span>
</a>
<ul class="treeview-menu">
<li><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL</a>
</li>
<li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
</li>
<li class="active"><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i>
WHODAS-Proxy</a>
</li>
</ul>
</li>
<li class="header">CBR MANAGEMENT</li>
<li>
<a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
</li>

```



```

        <li>
            <a href="communities.php"> <i class="fa fa-institution "></i> <span>Communities</span>
            </a>
        </li>
        <li>
            <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
        </li>
    </ul>
</section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
    <section class="content-header">
        <h1>WHODAS Proxy<small>WHODAS Proxy Raw Data</small> </h1>

        <ol class="breadcrumb">
            <li><a href="#"><i class="fa fa-dashboard"></i> Home</a>
            </li>
            <li><a href="#">Raw Form data</a>
            </li>
            <li class="active">WHODAS Proxy</li>
        </ol>
    </section>
    <section class="content">

        <div class="box box-theme">
            <div class="box-header">
                <i class="fa fa-share-square-o"></i>
                <h3 class="box-title">Export Options</h3>
            </div>
            <div class="box-body pad">
                <div id="buttons"></div>
            </div>
        </div>

        <div class="row">
            <div class="col-xs-12">
                <div class="box box-danger">
                    <div class="box-body table-responsive">
                        <table id="example1" class="table table-bordered table-striped table-condensed">
                            <thead>
                                <tr>
                                    <th>Form ID</th>
                                    <th>Form Code</th>
                                    <th>Date Completed</th>
                                    <th>Name</th>
                                    <th>Pangalan ng Proxy</th>
                                    <th>Relasyon sa Proxy</th>
                                    <th>S1. Pagtayo nang matagal tulad ng 30 minuto?</th>
                                    <th>S2. Paggawa ng mga responsibilidad sa tahanan</th>
                                    <th>S3. Pag-alam sa mga bagong gawain. Halimbawa, paanong pumunta sa bagong
                                        lugar</th>
                                    <th>S4. Pagsali sa mga gawaing pangkomunidad (hal. pista, prusisyon, atbp.)
                                        kung ikukumpara niyo sa pangkaraniwang araw</th>
                                    <th>S5. Gaano katindi naapektuhan ang kanyang emosyon ng kanyang kondisyon</th>
                                    <th>S6. Pagtuon sa paggawa ng isang bagay sa loob ng 10 minuto</th>
                                    <th>S7. Paglakad ng malayo tulad ng 1 kilometro o katumbas nito</th>
                                    <th>S8. Pagpapaligo ng kanyang buong katawan</th>
                                    <th>S9. Pagbibihis</th>
                                    <th>S10. Pakikisalamuha sa mga taong di niya kilala</th>
                                    <th>S11. Pagpapanatili ng pagkakaibigan</th>
                                    <th>S12. Pag-araw-araw na gawain sa trabaho o paaralan</th>
                                    <th>H1</th>
                                    <th>H2</th>
                                    <th>H3</th>
                                    <th>Action</th>
                                </tr>
                            </thead>
                            <tfoot>
                                <tr>
                                    <th>Form ID</th>
                                    <th>WHODAS Proxy ID</th>
                                    <th>Date Completed</th>
                                    <th>Name</th>
                                    <th>Pangalan ng Proxy</th>
                                    <th>Relasyon sa Proxy</th>
                                    <th>S1</th>
                                    <th>S2</th>
                                    <th>S3</th>
                                    <th>S4</th>
                                    <th>S5</th>
                                    <th>S6</th>
                                    <th>S7</th>
                                    <th>S8</th>
                                    <th>S9</th>
                                    <th>S10</th>
                                    <th>S11</th>
                                    <th>S12</th>
                                    <th>H1</th>
                                </tr>
                            </tfoot>
                        </table>
                    </div>
                </div>
            </div>
        </div>
    </section>

```



```

<!DOCTYPE html>
<?php
require_once(" session.php");
require_once(" connect.php");

$query = "SELECT * FROM user WHERE user_id=$user_id";
$userq = mysqli_query($con, $query) or die(mysqli_error($con));
$user = mysqli_fetch_array($userq);

$query = "SELECT * FROM form a INNER JOIN whoqol b ON a.form_type='whoqol' AND a.form_id=b.form_id";
$whoqolq = mysqli_query($con, $query) or die(mysqli_error($con));

if($user['type']=='dmo'){

?>
<html>

<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title>CBR-FM | WHOQOL Data</title>

<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
<link rel="stylesheet" href="css/AdminLTE.min.css">
<link rel="stylesheet" href="css/skin-maroon-light.css">
<link rel="stylesheet" href="css/dataTables.bootstrap.min.css">
<link rel="stylesheet" href="css/new-custom.css">
<link rel="stylesheet" href="css/buttons.bootstrap.min.css">
<link rel="icon" href="img/favicon.ico">

</head>

<body class="hold-transition skin-maroon-light fixed sidebar-mini">
<div class="wrapper">
<header class="main-header">
<a href="dmo-dashboard.php" class="logo">
<span class="logo-mini"></span>
<span class="logo-lg"> <b>CBR</b>-FM</span>
</a>
<nav class="navbar navbar-static-top">
<a href="#" class="sidebar-toggle" data-toggle="offcanvas" role="button">
<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</a>
<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li class="dropdown user user-menu">
<a href="dmo-dashboard.php">
<i class="fa fa-dashboard"></i>
<span class="hidden-xs">Dashboard</span>
</a>
</li>
<li class="dropdown user user-menu">
<a href="#" class="dropdown-toggle" data-toggle="dropdown">
<i class="fa fa-user"></i>
<span class="hidden-xs"><?php echo $user['first_name'] . " " . $user['last_name']; ?></span>
</a>
<ul class="dropdown-menu">
<div class="box box-widget widget-user">
<!-- Add the bg color to the header using any of the bg-* classes -->
<div class="widget-user-header bg-aqua-active">
<h3 class="widget-user-username"><?php echo $user['first_name'] . " " . $user['middle_name'] . " " . $user['last_name']; ?></h3>
<h5 class="widget-user-desc"><?php echo strtoupper($user['type']); ?></h5>
</div>
</div>
<li class="user-footer">
<div class="pull-left">
<a href="profile.php" class="btn btn-default btn-flat">Edit Profile</a>
</div>
<div class="pull-right">
<a href="logout.php" class="btn btn-default btn-flat">Log out</a>
</div>
</li>
</ul>
</li>
</ul>
</div>
</nav>
</header>

<!-- ===== -->

```

```

<aside class="main-sidebar">
  <section class="sidebar">
    <ul class="sidebar-menu">
      <li class="treeview">
        <a href="#"><i class="fa fa-list-alt"></i> <span>Forms</span> <i class="fa fa-angle-left pull-right"></i></a>
        <ul class="treeview-menu">
          <li><a href="dmo-dashboard.php"><i class="fa fa-circle-o"></i> Overview</a>
          </li>
        </ul>
      </li>
      <li class="treeview active">
        <a href="#">
          <i class="fa fa-files-o"></i> <span>Raw Form Data</span>
          <span class="label label-primary pull-right"></span>
        </a>
        <ul class="treeview-menu">
          <li class="active"><a href="whoqol-forms.php"><i class="fa fa-circle-o"></i> WHOQOL
          </a>
          </li>
          <li><a href="whodas-forms.php"><i class="fa fa-circle-o"></i> WHODAS</a>
          </li>
          <li><a href="whodas-proxy-forms.php"><i class="fa fa-circle-o"></i> WHODAS-Proxy</a>
          </li>
        </ul>
      </li>
      <li class="header">CBR MANAGEMENT</li>
      <li>
        <a href="users.php"> <i class="fa fa-users"></i> <span>Users</span> </a>
      </li>
      <li>
        <a href="communities.php"> <i class="fa fa-institution"></i> <span>Communities</span>
        </a>
      </li>
      <li>
        <a href="households.php"> <i class="fa fa-home"></i> <span>Households</span> </a>
      </li>
    </ul>
  </section>
</aside>

<!-- ===== -->

<div class="content-wrapper">
  <section class="content-header">
    <h1>WHOQOL<small>WHOQOL Raw Data</small> </h1>

    <ol class="breadcrumb">
      <li><a href="#"><i class="fa fa-dashboard"></i> Home</a>
      </li>
      <li><a href="#">Raw Form data</a>
      </li>
      <li class="active">WHOQOL</li>
    </ol>
  </section>

  <section class="content">
    <div class="box box-theme">
      <div class="box-header">
        <i class="fa fa-share-square-o"></i>
        <h3 class="box-title">Export Options</h3>
      </div>
      <div class="box-body pad">
        <div id="buttons"></div>
      </div>
    </div>
    <div class="row">
      <div class="col-xs-12">
        <div class="box box-danger">
          <div class="box-body table-responsive">
            <table id="example1" class="table table-bordered table-striped table-condensed">
              <thead>
                <tr>
                  <th>Form ID</th>
                  <th>WHOQOL ID</th>
                  <th>Date Completed</th>
                  <th>Name</th>
                  <th>Kasarian</th>
                  <th>Kapanganakan</th>
                  <th>Natapos</th>
                  <th>Estado Sibil</th>
                  <th>May Sakit?</th>
                  <th>Sakit</th>
                </tr>
                <tr>
                  <th>1. Paano mo bibigyan ng grado ang kalidad ng iyong buhay?</th>
                  <th>2. Gaano ka kakuntento sa iyong kalusugan?</th>
                  <th>3. Gaano mo nararamdaman na nakakahadlang ang pananakit ng iyong katawan sa iyong mga dapat gawin?</th>
                  <th>4. Gaano mo kinakailangan ang pagpapagamot para magawa ang mga pang-araw-araw na gawain?</th>
                  <th>5. Gaano ka natutuwa sa buhay?</th>
                  <th>6. Gaano mo nararamdaman na makahulugan ang iyong buhay?</th>
                </tr>
              </thead>
            </table>
          </div>
        </div>
      </div>
    </div>
  </section>

```

```

<th>7. Gaano kabuti ang iyong pagtutok sa isang bagay o gawain?</th>
<th>8. Gaano kaligtas ang pakiramdam mo sa iyong pang-araw-araw na buhay?</th>
<th>9. Gaano kabuti at kaayos ang iyong pisikal na kapaligiran?</th>
<th>10. May sapat ka bang lakas/enerhiya para sa pang-araw-araw?</th>
<th>11. Tanggap mo ba ang iyong pisikal na anyo o pangangatawan?</th>
<th>12. May sapat ka bang pera para mapunan ang iyong kailangan sa araw-araw?</th>
<th>13. Gaano kadali sa iyo ang makakuha ng mga impormasyong iyong kailangan sa araw-araw?</th>
<th>14. Gaano karami ang pagkakataon mo para makapaglibang?</th>
<th>15. Gaano kadali sa iyo ang paggalaw sa paligid?</th>
<th>16. Gaano ka kakuntento sa iyong pagtulog?</th>
<th>17. Gaano ka kakuntento sa kakayahan mong magawa ang mga pang-araw-araw na gawain?</th>
<th>18. Gaano ka kakuntento sa iyong kakayahang magtrabaho?</th>
<th>19. Gaano ka kakuntento sa iyong sarili?</th>
<th>20. Gaano ka kakuntento sa iyong personal na ugnayan (kapamilya, kamag-anak, kaibigan, etc.)?</th>
<th>21. Gaano ka kakuntento sa sekswal na aspeto ng iyong buhay?</th>
<th>22. Gaano ka kakuntento sa suporta na naibibigay ng iyong mga kaibigan?</th>
<th>23. Gaano kayo kakuntento sa kondisyon ng inyong tirahan?</th>
<th>24. Gaano ka kakuntento sa pagkuha mo ng mga serbisyong pangkalusugan?</th>
<th>25. Gaano ka kakuntento sa iyong pagbiyahe?</th>
<th>26. Gaano ka kadalas na may negatibong pakiramdam gaya ng pagkalungkot, kawalan ng pag-asa, pagkabalisa o pagkalumbay?</th>
<th>Puna</th>
<th>Domain 1.A</th>
<th>Domain 1.B</th>
<th>Domain 1.C</th>
<th>Domain 2.A</th>
<th>Domain 2.B</th>
<th>Domain 2.C</th>
<th>Domain 3.A</th>
<th>Domain 3.B</th>
<th>Domain 3.C</th>
<th>Domain 4.A</th>
<th>Domain 4.B</th>
<th>Domain 4.C</th>
<th>Action</th>
</tr>
</thead>
<tfoot>
<tr>
<th>Form ID</th>
<th>WHOQOL ID</th>
<th>Date Completed</th>
<th>Name</th>
<th>Kasarian</th>
<th>Kapanganakan</th>
<th>Natapos</th>
<th>Estado Sibil</th>
<th>May Sakit?</th>
<th>Sakit</th>
<th>Q1</th>
<th>Q2</th>
<th>Q3</th>
<th>Q4</th>
<th>Q5</th>
<th>Q6</th>
<th>Q7</th>
<th>Q8</th>
<th>Q9</th>
<th>Q10</th>
<th>Q11</th>
<th>Q12</th>
<th>Q13</th>
<th>Q14</th>
<th>Q15</th>
<th>Q16</th>
<th>Q17</th>
<th>Q18</th>
<th>Q19</th>
<th>Q20</th>
<th>Q21</th>
<th>Q22</th>
<th>Q23</th>
<th>Q24</th>
<th>Q25</th>
<th>Q26</th>
<th>Puna</th>
<th>Domain 1.A</th>
<th>Domain 1.B</th>
<th>Domain 1.C</th>
<th>Domain 2.A</th>
<th>Domain 2.B</th>
<th>Domain 2.C</th>
<th>Domain 3.A</th>
<th>Domain 3.B</th>
<th>Domain 3.C</th>

```



```
<script src="js/jzip.min.js"></script>
<script src="js/pdfmake.min.js"></script>
<script src="js/vfs_fonts.js"></script>
<script src="js/buttons.html5.js"></script>
<script src="js/buttons.print.js"></script>

<script>
$(function() {
  var table = $('#example1').DataTable();
  var buttons = new $.fn.dataTable.Buttons(table, {
    buttons: [
      'copyHtml5',
      'excelHtml5',
      'csvHtml5',
      'print'
    ]
  }).container().appendTo($('#buttons'));
});
</script>
</body>
</html>
<?php } else{ echo "You cannot access this page."; } ?>
```

## **XI. Acknowledgement**

I would like to express my deepest gratitude towards God who guided me through the completion of my SP. Certainly, completing this SP is such a great challenge to me, but along with it came the knowledge and learning. I learned a lot in the past few months, and I know this would greatly contribute to my future career.

I take this opportunity to thank each and every person who gave me all the help they can offer.

Among these people is my adviser who guided me well. Ma'am Perl, thank you for advising me from the start to end. Thank you for the time and effort you allotted to me despite your busy schedule as a lecturer and as a Masters student. I will always be grateful to you.

To my computer science block mates and friends, I truly appreciate your presence. I'm thankful and proud that we got through this together. We have been each other's company during the good and the bad times. Thanks for the guidance and the reminders you gave me.

To my closest friends - Christine, Kriselle and Sheila. Thank you for always being there. Thank you for cheering me up when I wanted to give up. Thank you for being one of my sources of inspiration. We may not be able to march together, but look at us. We made it! Finally, we graduated! Yehey!

To my condo buddies, Jaimee, Larisse, Jaira, and Christine, thank you for encouraging me to maximize the time left that I had. Because of you girls, I was able to finish my SP on time. Special thanks to Jaimee's Aunt for letting us use her condo for 11 days.

I would also like to thank my UP MOrg friends, DAE friends, Art and Calligraphy friends, Cancervants PH friends, for being always so supportive. Thank you for believing in me. Thank you for cheering me and making me smile when I feel pressured and stressed in academic works.



To my Filhome family, especially Ma'am Jen, who has been very understanding, thank you. I am nothing but grateful to you. Your prayers helped me a lot and gave me the strength I need. Thank you for accepting me and helping me grow as a person.

Ma'am Alma and Ma'am Penny, I would also like to thank you for guiding me in the CBR Program. Thank you for patiently meeting me for interviews and answering my questions. I hope this system that I developed would be helpful to the CBR program.

I give my biggest thanks to my family. Thank you for simply being there. Mama, thank you for always believing in me. Thank you for not pressuring me and trusting me that I can finish this and I will do it on my own. Thank you for being a stage mom who has always been very supportive in everything I do. To my brothers who are very understanding and cooperative, thank you very much.

Lastly, I would like to thank Sherwin Lucero for being the largest contributor in this SP. Thank you for introducing me to CAMP CBR and for giving me an Idea for my topic proposal. Thank you for answering my questions about CBR. Thank you for always reminding me to finish my SP. Huge thanks to all the assistance you gave. Thanks for being the proofreader and editor of my paper. I would also like to thank your family who also supported and assisted me. Special mention: Marie's "Dashboard" term while viewing my system. :D

Thanks to everyone. I may not have mentioned you here, but please remember that I will always be grateful to you.