

UNIVERSITY OF THE PHILIPPINES MANILA
COLLEGE OF ARTS AND SCIENCES
DEPARTMENT OF PHYSICAL SCIENCES AND MATHEMATICS

ONLINE STUDENT EVALUATION OF TEACHERS 3.0:
INTEGRATING DYNAMIC QUESTIONS

A special problem in partial fulfillment
of the requirements for the degree of
Bachelor of Science in Computer Science

Submitted by:

Ishmael Z. Viñas

April 2012

ACCEPTANCE SHEET

The Special Problem entitled “Online Student Evaluation of Teachers 3.0: Integrating Dynamic Questions” prepared and submitted by Ishmael Z. Viñas in partial fulfillment of the requirements for the degree of Bachelor of Science in Computer Science has been examined and is recommended for acceptance.

Richard Bryann L. Chua, M.Sc.
Adviser

EXAMINERS:

	Approved	Disapproved
1. Gregorio B. Baes, Ph.D. (<i>candidate</i>)	_____	_____
2. Avegail D. Carpio, M.Sc.	_____	_____
3. Aldrich Colin K. Co, M.Sc. (<i>candidate</i>)	_____	_____
4. Ma. Sheila A. Magboo, M.Sc.	_____	_____
5. Vincent Peter C. Magboo, M.D., M.Sc.	_____	_____
6. Geoffrey A. Solano, M.Sc.	_____	_____
7. Bernie B. Terrado, M.Sc. (<i>candidate</i>)	_____	_____

Accepted and approved as partial fulfillment of the requirements for the degree of Bachelor of Science in Computer Science.

<hr/> Avegail D. Carpio, M.Sc. Unit Head Mathematical and Computing Sciences Unit Department of Physical Sciences and Mathematics	<hr/> Marcelina B. Lirazan, Ph.D. Chair Department of Physical Sciences and Mathematics
--	---

Reynaldo H. Imperial, Ph.D.
Dean
College of Arts and Sciences

Abstract

Online Student Evaluation of Teachers 3.0 (OSET 3.0) brings new advantage over the previous versions by making the questionnaires of Student Evaluation of Teachers (SET) dynamic. This allows for each subject to have its own type of SET questionnaire since different colleges in UP Manila use its own type of evaluation tool. OSET 3.0 allows the colleges to conduct their own evaluation process independent of other colleges within their own evaluation period. It also allows changes within classes like changing or assigning of instructors. Management of students who have dropped subjects or have applied for LOA is a new feature of the system.

Keywords: OSET, Teacher evaluation system, dynamic question construction

Contents

Acceptance Sheet	i
Abstract	ii
List of Figures	viii
List of Tables	xi
I. Introduction	1
A. Background of the Study	1
B. Statement of the Problem	1
C. Objectives of the Study	3
D. Significance of the Project	4
E. Scope and Limitations	5
F. Assumptions	6
II. Review of Related Literature	7
III. Theoretical Framework	13
A. Course Evaluation	13
B. UP SET(Student Evaluation of Teachers)	13
C. Online Surveys	16
D. Database Management System	18
IV. Design and Implementation	20
A. System Functionality	20
1. Top Level Use Case Diagram	20
2. Course Evaluation	21
3. SET Pre- and Post- Course Evaluation Management	22
4. Start Evaluation Mode	22
5. Stop Evaluation Mode	23

6.	Management of Classes that Will Undergo SET process . . .	23
7.	Modify SET Questionnaire Type per Course	24
8.	View SET Scores	24
9.	Management of students who will evaluate	25
10.	SET System Management	26
11.	Manage SET Questionnaire Types	27
12.	Edit SET Questionnaire Types	27
13.	Delete Part from a SET Questionnaire	28
14.	Add Part to a SET Questionnaire	28
15.	Edit SET Questionnaire Parts	29
16.	Delete Question from a SET Questionnaire Part	30
17.	Add Question to a SET Questionnaire Part	30
18.	Edit Question from a SET Questionnaire Part	31
19.	Manage Default SET Questionnaire Type for each Course .	32
20.	Set default SET Questionnaire Type for all courses	32
21.	Modify a Course's Default SET Questionnaire Type	33
22.	Account Management	33
23.	Automatic Creation of User Accounts for Students	34
24.	User Management	35
25.	Add Users	35
26.	Delete Users	36
27.	Edit Users	36
B.	Database Structure	37
1.	Entity Relationship Diagram	37
2.	Data Dictionary	41
V.	Architecture	46
A.	System Architecture	46
B.	Technical Architecture	46

VI. Results	48
A. General View	48
1. Home Page	48
B. Administrator View	49
1. Admin Home Page	49
2. View Accounts	50
3. Update Account	51
4. Student Accounts - Pre Generation	52
5. Student Accounts - Post Generation	53
6. View Colleges	54
7. Update College	55
8. View Departments	56
9. Update Department	57
10. SET Setup	58
C. Evaluation System Manager View	59
1. Evaluation System Manager Home Page	59
2. Evaluation Mode	60
3. Modify Course's Default SET Questionnaire Type	61
4. View SET Questionnaire Types	62
5. Update SET Questionnaire Type	63
6. Preview SET Questionnaire Type	64
7. View SET Questionnaire Parts	65
8. Update SET Questionnaire Parts	66
9. View SET Questionnaire Questions	67
10. Update SET Questionnaire Question	68
11. View Answer Types	69
12. Update Answer Type (Multiple Choice)	70
13. Update Answer Type (Textbox)	71
14. College Evaluation Status	72

15.	Student Evaluation Status	73
D.	College Clerk View	74
1.	College Clerk Home Page	74
2.	Download Classes	75
3.	Classes / Faculty Selection	76
4.	Add Faculty to a Class Form	76
5.	Management of students	77
6.	Evaluation Mode	79
7.	Assignment of SET Questionnaire Types	80
8.	View SET Scores	81
9.	Class Evaluation Status	83
10.	Subject Evaluation Status	84
E.	Student View	85
1.	View Subjects	85
2.	Agreement Form	86
3.	Evaluation Form	87
VII.	Discussion	88
VIII.	Conclusion	90
IX.	Recommendations	92
X.	References	93
XI.	Appendix	95
A.	Source Code	95
1.	Configs	95
2.	Controllers	95
3.	Forms	182
4.	Layout	207
5.	Models - Database Tables	208

6.	View Helpers	226
7.	View Scripts	228
8.	Bootstrap	342
9.	Cascading Style Sheet	342

XII. Acknowledgement 350

List of Figures

1	Database Design SurveyProject 2001	10
2	Deterministic Finite Automaton of SurveyProject 2001	11
3	Top Level Use Case Diagram of OSET 3.0	20
4	Activity Diagram: Course Evaluation	21
5	Use Case(SET Pre- and Post- Course Evaluation Management)	22
6	Activity Diagram(Start Evaluation Mode)	22
7	Activity Diagram(Stop Evaluation Mode)	23
8	Activity Diagram(Management of classes that will undergo SET process)	23
9	Activity Diagram(Modify SET Questionnaire Type per Course)	24
10	Use Case(View SET Scores)	24
11	Activity Diagram (Management of students who will evaluate)	25
12	Use Case(SET System Management)	26
13	Use Case(Manage SET Questionnaire Types)	27
14	Use Case(Edit SET Questionnaire Type)	27
15	Activity Diagram(Delete Part from a SET Questionnaire)	28
16	Activity Diagram(Add Part to a SET Questionnaire)	28
17	Use Case(Edit SET Questionnaire Parts)	29
18	Activity Diagram(Delete question From a SET questionnaire Part)	30
19	Activity Diagram(Add question to a SET Questionnaire Part)	30
20	Activity Diagram(Edit question from a SET Questionnaire Part)	31
21	Use Case(Manage default SET Questionnaire Type for each course)	32
22	Activity Diagram(Set default SET Questionnaire Type for all courses)	32
23	Activity Diagram(Modify a course's default SET Questionnaire Type)	33
24	Use Case(Account Management)	33
25	Activity Diagram(Automatic creation of user account for students)	34
26	Use Case(User Management)	35
27	Activity Diagram(Add user)	35
28	Activity Diagram(Delete users)	36

29	Activity Diagram(Edit user)	36
30	OSET 3.0 Entity Relationship Diagram	37
31	OSET 3.0 System Architecture	46
32	Home Page	48
33	Admin Home Page	49
34	View Accounts	50
35	Update Account	51
36	Student Accounts - Pre Generation	52
37	Student Accounts - Post Generation	53
38	View Colleges	54
39	Update College	55
40	View Departments	56
41	Update Department	57
42	SET Setup	58
43	Evaluation System Manager Home Page	59
44	Evaluation Mode	60
45	Modify Course's Default SET Questionnaire Type	61
46	Modify Course's Default SET Questionnaire Type (Form)	61
47	View SET Questionnaire Types	62
48	Update SET Questionnaire Types	63
49	Preview SET Questionnaire Type	64
50	View SET Questionnaire Parts	65
51	Update SET Questionnaire Parts	66
52	View SET Questionnaire Questions	67
53	Update SET Questionnaire Question	68
54	View Answer Types	69
55	Update Answer Type (Multiple Choice)	70
56	Update Answer Type (Textbox)	71
57	College Evaluation Status	72

58	Class Evaluation Status	72
59	Student Evaluation Status	73
60	College Clerk Home Page	74
61	Download Classes	75
62	Classes / Faculty Selection	76
63	Add Faculty to a Class Form	76
64	Management of students	77
65	Management of student's classes	78
66	Evaluation Mode	79
67	Assignment of SET Questionnaire Types	80
68	Assignment of SET Questionnaire Types (Form)	80
69	View SET Scores (List of Faculty)	81
70	View SET Scores (Full Report of a Class)	82
71	Class Evaluation Status	83
72	Subject Evaluation Status	84
73	View Subjects	85
74	Agreement Form	86
75	Evaluation Form	87

List of Tables

1	Scoring for the SET forms	14
2	Format of the report for Lecture SET	16
3	Score Interpretation	16
4	(Student table)	41
5	Classlists table	41
6	Class table	42
7	Faculty table	42
8	SET_Questionnaire table	42
9	Subject_Questionnaire_Lists table	42
10	SET_Questionnaire_Parts table	42
11	SET_Questionnaire_Type_Questions table	43
12	Answer_Types table	43
13	Answer_Value table	43
14	Results_Per_Respondent table	43
15	Text_Results_Per_Respondent table	43
16	Class_Results_Per_Question table	44
17	Class_Average_Per_Question table	44
18	Class_Average_Per_Part table	44
19	Class_Average table	45
20	Instructor_Average table	45
21	Semestral_Average table	45

I. Introduction

A. Background of the Study

The University of the Philippines uses the Student Evaluation of Teachers or SET as a tool to improve the performance of every teacher based on the students' perception regarding the teacher's attitude towards teaching and his/her teaching skills. The SET also serves as a basis for promotion and reappointment of the teachers[1].

The SET UP Manila is using is also the SET UP Diliman is using[1]. The SET is composed of three evaluation sections: the student's participation on the course, the course itself, and also the teacher's effectiveness in teaching[1]. It is structured in such a way that it is to enhance the quality of teaching for the departments in general.

UP Manila continues to implement the SET in paper forms. These forms are then submitted to the Office of the Associate Dean of Academic Affairs (OADAA) for encoding and manual calculation of overall results. There have been projects in the past that attempted to make the SET online. The only projects that were near usage were the OSET 1.0 of Herbert Eumage et. al. under Professor Sheila Magboo in CMSC 128 class, and the OSET 2.0 of Mark Donell Patio under Professor Richard Bryann Chua. However there were unresolved problems that hinder the OSET to be used.

B. Statement of the Problem

In the manual set up of SET in UP Manila, an instructor code and a class code are announced by the monitor for the students to write on the paper form to maintain the confidentiality of the class and the teacher. The evaluation is conducted minutes before the class ends and requires the instructor to be outside

of the classroom while the evaluation is still going on. After the evaluation, the forms are then collected by the monitor to be submitted to the OADAA.

Organization of the class and teacher using the student's input, is sometimes misleading because the codes are wrong and sometimes they are empty, thus invalidating some papers[1]. The current set up also creates a toilsome task for the monitor collecting evaluation forms from different sections of the same professor[1]. The monitor allots one day for an evaluation of a subject thus completing the whole evaluation of an academic unit barely in a week since subjects are done concurrently and there are only few monitors for an academic unit. The monitors or student assistants of the academic unit will calculate the SET scores of laboratory evaluations and Part III of the lecture evaluation part. The staff and some student assistants in the OADAA will be responsible for the encoding and manual calculation of overall results. SET scores for every subject are then printed and distributed to the faculty. All these series of actions contribute to the reason why SET takes a long time to finish.

Although there were projects to make the SET online like the OSET 1.0 and OSET 2.0, OSET 1.0 was no longer used since there were problems when adding a new department to the system and it uses an old version of PHP. The old version of PHP could access `HTTP_GET`, `HTTP_POST`, `HTTP_COOKIE` and `HTTP_POST_FILES` values directly as globals. This made scripts very easy to code but is considered a bad security practice. With `register_globals` on, uninitialized variables are allowed and are set to false. For example you have a variable `$auth` which serves as your flag for authentication for a particular page, a hacker can simply type `http://your.domain.com/login.php?auth= 1&login=bar&password=foo`, then the GET - variable 'auth' is introduced into the system, initializing `$auth` to true and the hacker no longer need a valid login name and password to get in. This is also the reason why some students and staff using OSET 1.0

can use other people's account. With `register_globals` set to off, the value `$_GET['auth']` will be set, but `$auth` won't, so it will remain uninitialized, still evaluating `$auth` to false. The OSET 2.0, on the other hand, though it was already using a new version of PHP with `register_globals` off, was neither used because the scoring system in the laboratory part is wrong and there are missing questions in lecture part of the evaluation. More so, if there is an initiative to change the questions in the OSET 2.0, it requires an overhaul or recoding of the system since the questions and scoring mechanisms are static.

C. Objectives of the Study

To create Online Student Evaluation of Teachers(OSET) 3.0, with the following functionalities:

1. Allow student to evaluate the faculty of the subjects he/she is taking for the current semester.
2. Allow the College Clerk to:
 - (a) Download the classes and faculty of his/her college for the current semester from the CRS.
 - (b) Select the faculty and the classes of the faculty that will undergo student evaluation.
 - (c) Import list of students that will undergo SET process.
 - (d) Modify the type of SET question for a subject.
 - (e) Start and stop the evaluation mode of the system for the whole college.
 - (f) View and print the SET scores of the faculty.
 - (g) Manage the list of students that will take the SET.
 - (h) View status of classes when evaluation mode has started.
 - (i) Print list of students who still have subjects to be evaluated.

3. Allow Evaluation System Manager to:
 - (a) Open and close the evaluation mode for all colleges.
 - (b) Manage SET questionnaire types.
 - (c) Manage default SET questionnaire type for each course.
 - (d) Manage questions
 - (e) View and print the list of students who still have subjects to be evaluated in a per college basis.

4. Allow Administrator to:
 - (a) Manage users and their respective roles.
 - (b) Create user accounts for students that will undergo the SET process and print the students' login information.

D. Significance of the Project

This system will lessen the time processing the evaluation as compared to the manual set up. Instead of monitors catching up with the students for the evaluation, the evaluation will be conducted online at the most convenient time of the student during the evaluation period and the system can automatically download the list of students that will undergo SET process and get responses in just minutes.

There would be an increase in accuracy if the SET is done using an online system. Instead of manual calculation of the SET scores by the student assistants and staff, which makes the SET likely to have errors, the system will generate SET scores faster and less prone to errors.

It is cost-effective since respondents enter their answers directly into the survey, this saves the monitor and student assistants' time and energy in entering data themselves and also makes analysis quicker and easier. Besides, the system makes

the SET cheaper to process since there would be no more printing expenses except only for the printing of the SET scores for each faculty.

A change in a questionnaire whether on the questions or on the choices creates overhaul on the paper system and even on the OSET 2.0. This system makes changes in the questionnaires and choices an easy thing to do. Considering UP Manila, with different colleges, the university does not use the same kind of SET questionnaires for every college. To support this, OSET 3.0 makes way for creating different sets of questionnaire per subject.

E. Scope and Limitations

1. SET scores are computed right after the evaluation mode of the system has been stopped.
2. Evaluation process for a semester can no longer be restarted after it has been stopped.
3. In the SET questions, the supported types of questions are:
 - (a) Multiple-choice question
 - (b) Open-ended or comment type question
4. The scoring system for each type of SET question is included in the management of SET questions by the evaluation system manager.
5. To maintain anonymity, a student who has already evaluated a subject will be marked as having evaluated that subject but his/her identifier will not be matched to the details he/she has input.
6. Initially OSET 3.0 will be implemented in CAS. If successful, it may be implemented to other colleges.

F. Assumptions

1. Students who fail to undergo the SET process after the evaluation mode of the system has been turned off will no longer be allowed to evaluate.
2. It will be upon the discretion of the college what to do to the students who have not evaluated after the given period.
3. If a course doesn't have a default SET questionnaire type assigned to it, nothing will be assigned. It is the college clerk who will assign the SET questionnaire type to that course during the enabling of the SET process.
4. The SET is administered during the last two weeks of classes of the semester, generally. Classes handled during summer semester do not undergo SET process, generally.
5. The process of adding a question, choices and its scoring are encapsulated in the Add Question functionality of the College Clerk.
6. The College Clerk will be provided by the Office of the College Secretary (OCS) regarding the list of students who applied for Leave of Absence (LOA) or dropping of subjects prior to the evaluation process.
7. The College Clerk of College of Arts and Sciences will be someone assigned from the OADAA.
8. CAS subjects that will be evaluated are those subjects that are given clearance by the OADAA.

II. Review of Related Literature

As part of the institution-wide assessment process, most universities ask students to complete course evaluations [2, 3]. The student evaluations of faculty members were first used at the University of Wisconsin in the early 1920s primarily for “informational feedback so that faculty might be more aware of student needs” [2, 3]. In the 1960s as more universities began to use these instruments in their curricula, the purpose clearly changed to a decision-making tool regarding salary, promotion, and tenure [2]. Considerable efforts have been done recently to compare the effectiveness of traditional course formats to Web based formats. At this time when online course methods such as teaching, testing, grading, and discussion are no longer new, online course evaluation brings the advantage of saving time and resources over the traditional paper-and-pencil scan sheet method. Thus, instructors are encourage to bring the evaluations online, especially those in higher education [2, 4]. The online method of collecting course and teaching evaluations offers numerous advantages over the in-class or paper-based method of evaluation: it is cheaper to administer, requires less class time, permits the processing of data quickly and is less vulnerable to professorial influence [5]. In terms of cost-effectiveness, it clearly shows that online course evaluation is more favorable since it does not need papers and personnel to conduct the evaluation [6].

However, upon changing the medium of evaluation from paper-based to online, the students’ perception about it must be taken into consideration especially anonymity and convenience. Anonymity, for the student is very important because their answers are confidential and this is the factor that makes them answer on their own will [6]. Convenience, on the other hand, is also of utmost consideration of online course evaluation since this will help in increasing the response rate of the students, in terms of quality and quantity [6]. Nevertheless, online course evaluations give students the freedom when and where to evaluate thus creating a more constructive and meaningful feedback and comments for the teachers [2, 4, 6]. Most of the students favor online course evaluations because of the benefit

of convenience, but some students still prefer it paper-based because they believe that their answers in online course evaluations can be tracked, thus losing their confidence in answering the questions and that some students lack experience on online access and they have greater familiarity on paper-based evaluations [6]. In spite of these barriers, Donovan et. al. in [6] showed that these can all be easily overcome with small amount of practice and experience [6].

Regardless of convenience or efficiency, however, instructors' resistance to online evaluations has been well documented, especially perceptions of lower return rates and higher percentage of negative responses [4]. However, Donoval et. al. in [4] showed that there is no significant difference between the mean scores of the traditional evaluation and the online course evaluation and that there is no increase in percentage of negative responses [4, 5]. Although the response rates in online course evaluations are lower compared to that of the paper-based method, there is an increase in the quality of response in the online course evaluation than the traditional [4, 7]. This is good news for departments concerned that changing to a Web based delivery system will affect promotion and tenure procedures for faculty in the midst of the tenure process [7]. Regarding the low response rate for online course evaluations, Liegle and McDonald in [8] showed that the more experience students have with online evaluations the more they prefer this format, leading to more students over time preferring to complete online evaluations of faculty online [7, 8]. Anderson et. al. in [9] also showed that low response rates are themselves critical indicator of student and teacher engagement [9]. The lack of a shared understanding of the purpose of evaluation among students, faculty, and administration underlies this concern. Anderson et. al. in [9] said that universities must find ways to dignify student evaluation of teachers and to make the process thoughtful and reflective rather than mechanical which is the real solution for greater response rate [9].

Moving the evaluations online requires a system that will support course evaluations' processes such as gathering the data, calculating the results and data maintenance. Online course evaluation is just like an online survey form that has questions pertaining to a course and teacher and there are already online survey tools available in the internet. Online survey tools offer fairly extensive functionalities to support the development of the online assessment instrument. These tools do, through their menu of predefined item types, provide easy ways of implementing items in an online environment and place to store data with means to download it for analysis. For instance, when a user selects a type of question that requires one answer only, the tool creates an item that only allows users to check one of the choices and further displays the item using radio buttons which are the standard for a set of buttons that allows only one choice. It also allows the user to insert blocks of text for instructions or other messages [10]. This dynamic property of online survey tools makes it easy to create and maintain online surveys. Thus, an online course evaluation tool as a type of a survey tool, must inherit this property so that it takes also the advantages of these online survey tools. There are several advantages to Web based surveys. To begin with, as with all forms of computer-assisted survey research, a Web based instrument allows for complicated skip patterns that tailor the survey to the respondent and eliminate redundant or irrelevant questions [11]. For example, a student whose majors are computer science courses must not be asked about biochemistry related issues. Moreover, this kind of flaw is eradicated since surveys can be customized by these tools with a high degree of accuracy and transparency [11]. Dynamic surveys benefit both survey respondent and administrator through the use of interactive forms. With such forms, feedback can be displayed that is specifically tailored to the content of the responses supplied by the user, thereby giving the respondent instant feedback. If respondents know that the feedback they receive is about them, and based on the data that they provide, then they are likely to supply accurate and thoughtful responses. The Survey2001 Project in [11] made a survey

about the effect of the internet in people’s lives using a dynamic survey tool. The database tables of the project are divided into five general groups, supporting (a) questions and answers, (b) question blocks, (c) responses and comments, (d) presentation format and layout, and (e) overall survey information [11]. Different question blocks are assigned for every answer a respondent will supply, making the respondents at ease in answering the survey. This simple mechanism is a powerful tool. The author may now view the entire survey as a directed graph representing a deterministic finite state (DFA) automaton where nodes are questions blocks and transitions are controlled by Boolean expressions[11], as shown in Figure 1.

In the Survey Project 2001 in [11], the database was designed in such a way that data will flow in a manner like that of a deterministic finite automaton or DFA. The database is composed of two main tables, Question Table and Question Block Table. Questions are stored in the Questions Table and the Question Block table is where blocks of questions taken from the Question table are stored [11] as shown in Figure 2.

```

table question_block;
+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default |
+-----+-----+-----+-----+-----+
| q_block_id     | bigint(20)    |      | PRI | 0        |
| q_block_seq    | text          | YES  |     | NULL     |
| rand_type      | bigint(20)    | YES  |     | NULL     |
| rand_parameter | bigint(20)    | YES  |     | NULL     |
+-----+-----+-----+-----+-----+

table block_sequence;
+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default |
+-----+-----+-----+-----+-----+
| survey_type_id | bigint(20)    |      |     | 0        |
| current_q_block_id | bigint(20)    |      | PRI | 0        |
| boolean_expression | text          | YES  |     | NULL     |
| next_q_block_id | bigint(20)    |      |     | 0        |
| sequence_number | bigint(20)    |      | PRI | 0        |
+-----+-----+-----+-----+-----+

```

Figure 1: Database Design SurveyProject 2001




Figure 2: Deterministic Finite Automaton of SurveyProject 2001

Every answer in the survey will lead the respondent to another block of question. This structure is basically to present a dynamic approach on making surveys to give respondents immediate feedback to their answers thus creating a more effective and efficient manner of gathering significant data.

In spring of 2002 the School of Nursing at the University of North Carolina Chapel Hill convened a committee to consider moving the School's course and teaching paper-and-pencil evaluation instrument online. To increase the response rate of the students, the Blackboard's course evaluation feature was used because the students are used to it since they use it for course related activities. Blackboard's survey feature makes questions easy to generate as it enables every department or subject to have different set of questionnaire and question layout. The Blackboard will be used for the authentication, then the student will go on to the evaluation page then the html pages will be submitted and parsed in the Cold Fusion server. The parsed raw data will be stored in a backend database for the results generation. Blackboard is also used for the viewing of results, on the part of the faculty. Given the flourishing use of computers and Internet technologies in higher education, moving administration student evaluations of course and teaching from pencil-and-paper format to an online system would seem a logical evolution of a system that has become a fundamental tool for improving instruction and component for administrative personnel decisions[12].

Mercury is an online course evaluation tool of McGill University implemented at their site, Minerva. Course evaluations, as one indicator of teaching effectiveness, are used to help instructors improve the future delivery of courses and inform students about courses and instructors. Mercury is flexible enough that each faculty will determine whether a faculty-wide questionnaire will be used. There can be different default questionnaires for different course types, e.g., lectures and labs and different subjects. Thus, each academic unit can have the choice of the set questions and can also create their own. The system also allows for different evaluation period for every academic unit provided that the chair of that academic unit permits. The administrator can easily add, edit or delete a question in the questionnaire form, even when the evaluation mode is on or not. This great flexibility of Mercury makes McGill University ready for changes in the online course evaluation at any time during and outside the evaluation period[13].

III. Theoretical Framework

A. Course Evaluation

Course evaluation is a paper or an electronic questionnaire, which requires written or selected response answers to a series of questions in order to evaluate the proficiency of an instructor and the instructions of a given course. The term may also refer to the completed survey form or a summary of responses to questionnaires regarding a particular course. End-of-course evaluations support teaching improvement, provide information to students about courses, and are one indicator of teaching performance.

The process of gathering information about the impact of learning and of teaching practice on student learning, analyzing and interpreting this information, and responding to and acting on the results, is valuable for several reasons. They are beneficial because teachers can review how their students interpret their teaching methods, thus enhancing their teaching skills. The information can be also used by department heads or administrator, to make summative decisions, for instance, decisions about promotion, tenure, salary increases, etc. Course evaluation can also help administrators to make formative recommendations like identifying areas where a faculty member needs to improve.

B. UP SET(Student Evaluation of Teachers)

UP Student Evaluation of Teachers (SET) is a process wherein students evaluate his/her current subjects regarding the subject itself and the teacher. This is done at the middle of the semester. The process is done manually through printed forms but taking into consideration the anonymity of the student.

This is to ensure confidence of the respondents to answer the question in his/her own will. The SET form covers evaluation for the student, the course, and most importantly to the teacher for both lecture and laboratory type of class.

There are two different types of SET, the lecture SET and laboratory SET.

They both have the same layout and scoring only that they differ in the set of questions. Laboratory SET questions includes questions that ask about experiments and post-lab discussions while lecture SET question set only refers to a lecture type of class.

Student Evaluation of Teacher (SET) format

The SET is divided into three parts:

1. The Student

Part I asks about the student's participation in the course, the extent to which his/her expectations have been met and his/her self-rated performance[1].

2. The Course

Part II elicits his/her perceptions and feelings about the course, its pacing, and the extent to which the course syllabus was followed. This part includes open-ended questions to enable the student to express his/her views freely[1].

3. The Teacher

Part III inquires into the teacher's method of teaching. It consists of 26 statements with which the student either agrees or disagrees mildly or strongly. Part III also elicits information on the teacher's observance of class schedule, evaluation practices, and instructional management. It asks the student to identify the teacher's strong points and aspects of the course, which needs to be improved.

Scoring Mechanisms[1]

Description	Abbreviation	Score
Strongly Agree	SA	1
Agree	A	2
Disagree	D	3
Strongly Disagree	SD	4
Not Applicable	NA	0

***Reverse Scoring for negatively oriented questions*

Table 1: Scoring for the SET forms

Procedure for computing SET Scores:

1. Get the number of respondents which has the same answer for the same question Ex. Get the number of respondents who answered Strongly Agree for the first question in Part III-A[1].
2. For the same question, multiply the number of respondents for every answer with their corresponding factor[1].
3. Get the rating for that question by dividing it with the total number of respondents[1].
4. Add the ratings for all questions and average them up to get the final rating for the particular part of the evaluation[1].

Format of Reporting for Lecture SET

1. Part I - Mean ratings per item, 1-9.
2. Part IIA - Mean ratings per item, 1-7.
3. Part IIB - Frequencies of responses for Items 1, 1.1, 2, 3, and 4
4. Part IIIA - Mean rating per item, 1-26 and overall mean rating
5. Part IIIB - Frequencies per item, 1-7

Format of Reporting for Laboratory SET

1. Part I - Mean ratings per item, 1-9.
2. Part IIA - Mean ratings per item, 1-5.
3. Part IIB - Frequencies of responses for Items 1, 1.1, 2, 3, and 4
4. Part IIIA - Mean rating per item, 1-16 and overall mean rating
5. Part IIIB - Frequencies per item, 1-5

The overall mean rating in Part III-A will be interpreted as follows:

Faculty Name	Course Title	Class Size		Course Type		SET Scores			
		No. of Respondents	No. of Students	Lab	Lec	I	II	III	IV

Table 2: Format of the report for Lecture SET

Score	Description
1.0 - 1.24	Outstanding
1.25 - 1.75	Very Satisfactory
1.76 - 2.25	Satisfactory
2.26 - 2.75	Fair
Below 2.75	Needs improvement

Table 3: Score Interpretation

C. Online Surveys

A survey can take many forms depending on the outcomes that one wishes to assess. For example, educational policymakers use assessment to set standards, monitor the quality of education, or formulate policies, while teachers may use assessment to perform individual diagnosis of performance problems, monitor overall student progress and to plan and improve curriculum and teaching or businessmen can use it for support for their plans. Although the survey process has many components, developing, distributing and collecting those data are significant portions of the process. The expense can be large for small programs or activities if data gathering is done manually. The recent advent of online survey tools can facilitate the data gathering aspects of the process. A wide variety of these tools that vary significantly in terms of cost and functionality are currently available such as Survey Monkey ¹, SurveyPro ², CoolSurveys ³, SurveyGold ⁴, Survey Anywhere ⁵ etc[10].

¹<http://www.surveymonkey.com/>

²<http://www.surveypro.com/>

³<http://www.coolsurveys.com/>

⁴<http://surveygold.com/>

⁵<http://www.surveyanywhere.com/>

Here are some functionalities that most of the online survey tools provide:

1. Developing instruments. These tools offer fairly extensive functionality to support the development of the online assessment instrument. In most cases these activities are conducted directly using the tool's website.
2. Support for instrument item development. These tools provide easy ways of implementing items in an online environment.
3. Providing spaces for instructions and other pure text material. In addition to supporting the creation of instrument items, tools allow the user to insert blocks of text for instructions or other messages.
4. Instrument formatting. The tools arrange the items on the page (in the order defined by the user) setting up appropriate margins, item and choice spacing.
5. Ability to preview instruments and test data collection processes. While instruments are under development and before users have made them available to targeted respondents they can preview the finished product and test its functionality.
6. Implementing Instruments. Once the instrument is developed and tested, tools provide a means for gathering data from respondents.
7. Data Access / Download. Once you have collected data, online assessment tools provide both a place to store data, and means to download it for analysis.

In general these tools provide an online way to develop, deliver and collect data for assessments that use forced response or short questions. Most tools require minimal technical ability to use them. One sets up an account with the tool provider and then proceeds to use the main tool functions, which are often accompanied with online help and other support systems[10].

D. Database Management System

A Database Management System (DBMS) is a suite of programs, which typically manage large structured sets of persistent data, offering ad hoc query facilities to many users. They are widely used in business applications. A DBMS can be extremely complex set of software programs that controls the organization, storage and retrieval of data (fields, records and files) in a database. It also controls the security and integrity of the database. The DBMS accepts requests for data from the application program and instructs the operating system to transfer the appropriate data[14].

When a DBMS is used, information system can be changed much more easily as the organizations information requirements change. New categories of data can be added to the database without disruption to the existing system.

Data security prevents unauthorized users from viewing or updating the database. Using passwords, users are allowed access to the entire database or subsets of the database, called subschemas. As an example, consider a student with information same as the other students, but some group of students may have an access to the CRS while other can only access his/her own profile and nothing more.

The DBMS can maintain the integrity of the database by not allowing more than one user to update the same record at the same time. The DBMS can keep duplicate records out of the database; for example, no two students with the same student number (primary key field) can be entered into the database. Query languages and report writers allow users to interactively interrogate the database and analyze its data.

If the DBMS provides a way to interactively enter and update the database, as well as interrogate it, this capability allows for managing personal databases.

However, it may not leave an audit trail of actions or provide the kind of controls necessary in a multi-user organization. These controls are only available when a set of application programs is customized for each data entry and updating function[15].

A business information system is made up of objects and activities. Database design is the process of deciding how to organize this data into record types and how will they relate to each other. The DMS should mirror the organizations data structure and process transactions efficiently. Data administrators and system analysts perform overall system design decisions. Database administrators perform detailed database design[15].

IV. Design and Implementation

A. System Functionality

1. Top Level Use Case Diagram




Figure 3: Top Level Use Case Diagram of OSET 3.0

Figure 3 shows the four actors in the OSET 3.0 Project. The student's main role is to fill up and submit the SET forms of the subjects they are taking. The College Clerk is responsible for the setting up of the SET with regards to its evaluation period, the courses to be evaluated, modification of the SET Questionnaire Type per course and calculation of SET Scores. The Evaluation System Manager is the one that manages the questions for every SET Questionnaire Type and assigns the default SET Questionnaire Type for courses that will be evaluated. The Administrator manages the accounts for all actors that uses OSET 3.0 and the colleges that will be using it.

2. Course Evaluation




Figure 4: Activity Diagram: Course Evaluation

The student logs in with his/her student number and password given by the administrator then chooses a course he/she wants to evaluate. After choosing a course, the first part of the SET, also called as “The Student”, is then shown. The student can only move on to the next part of the SET once he/she has completely filled up the current part of the SET he/she is answering. The student has the option to go back to the previous part of the SET in case that he/she wants to have some changes in his/her answers. After completing all the forms, the student can finally submit his/her answers and finish the evaluation for that subject as shown in Figure 4.

3. SET Pre- and Post- Course Evaluation Management




Figure 5: Use Case(SET Pre- and Post- Course Evaluation Management)

Figure 5 shows the subexplosion of the SET Pre- and Post- Course Evaluation Management use case. The College Clerk manually starts or stops the evaluation mode of the SET Process. Once the evaluation mode has started, the courses are open for evaluation and the students can login as shown in Figure 6. When the evaluation mode of the SET process stops, the SET Scores are automatically calculated and the results are ready for printing (Figure 7).

4. Start Evaluation Mode




Figure 6: Activity Diagram(Start Evaluation Mode)

5. Stop Evaluation Mode




Figure 7: Activity Diagram(Stop Evaluation Mode)

6. Management of Classes that Will Undergo SET process




Figure 8: Activity Diagram(Management of classes that will undergo SET process)

The College Clerk downloads all the classes of his/her college of the current semester from the CRS2 database to the OSET database. Upon downloading the classes, the students enrolled in these classes are also imported. The College Clerk then selects classes or faculty (all classes handled by the faculty) that will be evaluated as shown in Figure 8.

7. Modify SET Questionnaire Type per Course




Figure 9: Activity Diagram(Modify SET Questionnaire Type per Course)

When the evaluation mode of the SET process has already been started, the courses are assumed to have their default SET Questionnaire Type. For instance that a course does not have any or has wrong SET Questionnaire Type, the College Clerk can assign the appropriate SET Questionnaire Type for that course like what is shown in Figure 9.

8. View SET Scores




Figure 10: Use Case(View SET Scores)

When the evaluation mode of the SET process has already been stopped, SET scores are automatically created and can be viewed in different ways. SET scores can be viewed and printed as averages of every faculty, or averages of every course handled by a faculty, or detailed SET scores of every course handled by a faculty, as illustrated in Figure 10.

9. Management of students who will evaluate




Figure 11: Activity Diagram (Management of students who will evaluate)

Once the College Clerk already has the list of students who have applied for LOA or have dropped some subjects, he/she can deactivate the student's account or drop the student from the subjects he/she have dropped.

10. SET System Management




Figure 12: Use Case(SET System Management)

In Figure 12, the Evaluation System Manager manages the SET Questionnaire Types used by the courses in the whole SET process and tracks students who have already evaluated their courses and those who have not yet evaluated. Management of SET Questionnaire Types includes Add/Edit SET Questionnaire Type function where the System Evaluation Manager can add a new SET Questionnaire Type or edit an existing one (Figure 13).

11. Manage SET Questionnaire Types




Figure 13: Use Case(Manage SET Questionnaire Types)

12. Edit SET Questionnaire Types




Figure 14: Use Case(Edit SET Questionnaire Type)

Figure 14 is the subexplosion of the Add/Edit SET Questionnaire Type use case in Figure 13 wherein the Evaluation System Manager can add, edit and delete parts in an existing or newly added SET Questionnaire Type.

13. Delete Part from a SET Questionnaire




Figure 15: Activity Diagram(Delete Part from a SET Questionnaire)

A part can be deleted from a questionnaire by selecting them and simply triggering the delete function (Figure 15). After deleting, the Evaluation System Manager will be back to SET Questionnaire Type showing the current parts in it and the option to add, edit, or delete some parts again.

14. Add Part to a SET Questionnaire




Figure 16: Activity Diagram(Add Part to a SET Questionnaire)

When the Evaluation System Manager wants to add a new part to the SET Questionnaire Type, he will be redirected to the Add Part Form (Figure 16). After adding a new part, the Evaluation System Manager will be back to the SET Questionnaire Type showing the new updated list of parts of the SET Questionnaire Type and the options to edit, delete or add a new part again.

15. Edit SET Questionnaire Parts




Figure 17: Use Case(Edit SET Questionnaire Parts)

Figure 17 is the subexplosion of the Edit SET Questionnaire Part use case in Figure 14 wherein the Evaluation System Manager can add, edit and delete questions in an existing or newly added SET Questionnaire Part.

16. Delete Question from a SET Questionnaire Part




Figure 18: Activity Diagram(Delete question From a SET questionnaire Part)

Figure 18 depicts how question/s can be deleted from a part by selecting them and simply triggering the delete function. After deleting, the Evaluation System Manager will be back to SET Questionnaire Part showing the current questions in it and the option to add, edit, or delete some questions again.

17. Add Question to a SET Questionnaire Part




Figure 19: Activity Diagram(Add question to a SET Questionnaire Part)

When the Evaluation System Manager wants to add a new question to the SET Questionnaire Part, he/she will be redirected to the Add Question Form having an empty question field and a question type option (multiple choice/open-ended question) as depicted in 19. After adding a new question, the Evaluation System Manager will be back to the SET Questionnaire Part showing the new updated list of questions of the SET Questionnaire Part and the options to edit, delete or add a new question again.

18. Edit Question from a SET Questionnaire Part




Figure 20: Activity Diagram(Edit question from a SET Questionnaire Part)

When the Evaluation System Manager wants to edit a question from a SET Questionnaire Part, he/she is redirected to the Edit Question Form having pre-entered values. From then, the Evaluation System Manager can make the necessary changes to the question and save it (Figure 20). After editing a question, the Evaluation System Manager will be back to the SET Questionnaire Part showing the new updated list of questions of the SET Questionnaire Part and the options to delete, add or edit a question again.

19. Manage Default SET Questionnaire Type for each Course




Figure 21: Use Case(Manage default SET Questionnaire Type for each course)

Courses can have different default SET Questionnaire Types and it is the System Evaluation Manager that assigns them to the courses. Figure 21 shows how the Evaluation System Manager assigns a default SET Questionnaire Type for every course and changes it whenever needed.

20. Set default SET Questionnaire Type for all courses




Figure 22: Activity Diagram(Set default SET Questionnaire Type for all courses)

The Evaluation System Manager selects a SET Questionnaire Type that would be treated as the default SET Questionnaire Type for all courses, as in Figure 22.

21. Modify a Course's Default SET Questionnaire Type




Figure 23: Activity Diagram(Modify a course's default SET Questionnaire Type)

The Evaluation System manager chooses a course then modifies its default SET Questionnaire Type. This will be set as the default SET Questionnaire Type of the course (Figure 23).

22. Account Management




Figure 24: Use Case(Account Management)

The Administrator creates and manages all the accounts that uses OSET 3.0 (Figure 24). Administrators, College Clerks and Evaluation System Managers can be added manually by the Administrator (Figure 26). Creation of user accounts for students are generated automatically since it is too numerous to be handled manually (Figure 25).

23. Automatic Creation of User Accounts for Students




Figure 25: Activity Diagram(Automatic creation of user account for students)

The Administrator triggers OSET 3.0 to create user accounts for all students that will undergo SET process then OSET 3.0 will make the student numbers the username for every student and generate random passwords for them. After the automatic creation of user accounts for students, their login information can be viewed and printed by the Administrator.

24. User Management




Figure 26: Use Case(User Management)

Figure 26 as in illustration of how the Administrator can add, edit, delete a college clerk, evaluation system manager or an administrator type of user.

25. Add Users




Figure 27: Activity Diagram(Add user)

The Administrator can add a user by providing a user type, name, username and password to the Add User Form (Figure 27).

26. Delete Users




Figure 28: Activity Diagram(Delete users)

The Administrator can delete users by selecting them and simply triggering the delete function (Figure 28).

27. Edit Users




Figure 29: Activity Diagram(Edit user)

The Administrator can edit a user by selecting it and changing any of its details (Figure 29).

Figure 30 shows an entity relationship diagram of the whole OSET 3.0. A student that will undergo SET process can be enrolled in one or many classes and a class can have many students. The Classlists table contains the list of all matches of all students with all their classes. Thus, a student enrolled in many classes can appear many times in the Classlists table and so does a class. A class can have one or more teacher and at the same time a faculty can handle one or more classes. Data for the Student, Classlists, Class and Faculty table are downloaded by the college clerk from the crs2 database through an SSH tunnel coming from the berdugo server. Crs2 database offers a view of the classes registered, students officially enrolled, and classlists of the current semester and past semesters. Crs2 also shares a view of the table that holds the data of the faculty of the whole university. Downloading of classes is on a per college basis, eg. a college clerk for CAS can only download classes of CAS.

A subject or a course has a default SET Questionnaire Type. The mapping of a subject to its SET Questionnaire Type is found in the Subject_Questionnaire_List table. Subject's SET Questionnaire Type can be altered by the evaluation system manager or a college clerk whenever needed. SET Questionnaire Types are handled by the evaluation system manager. A SET Questionnaire Type can have many parts, eg. the standard SET questionnaire has three parts namely The Student, The Course, and The Teacher. Parts of a SET Questionnaire Type can be added, edited or deleted from the SET Questionnaire Type. A part can have many questions. Questions are stored in the SET_Questionnaire_Questions table where a question has its unique id, namely SET_Questionnaire_Question_ID and it is mapped with the SET_Questionnaire_Part_ID field to identify which part the question belongs to. Likewise, a question can be edited, added or deleted from a SET Questionnaire Part. A question can have different Answer Types. Answer Types can be of a multiple choice type or comment type. An Answer Type has a name and it must be unique. Answer Types that are of multiple choice type can have many choices. Choices for an Answer Type are stored in the An-

swer_Values table where each choice has its unique id, namely Answer_Value_ID. Answer_Value_ID is mapped with the field Answer_Type_ID, the unique identifier of an Answer Type, to identify what Answer Type does a choice belong to. A question has a weight and a choice has a value; these are for scoring purposes.

To start an evaluation process, the administrator must first set the academic year and semester to the current academic year and semester so the system will have a filter for the classes which is to enable download for those classes that belong to the academic year and semester set by the administrator only. Once academic year and semester have been set and the SET Questionnaire Types have already been well prepared, the evaluation system manager can now open the evaluation mode for all the colleges. Once the evaluation mode is open for the colleges, a college clerk can now download the classes of his/her college. The college clerk can make necessary changes to a class with regards to its instructors or if it would be activated or not. Refer to the Class Table on Figure 30. Also, a college clerk can check out for students who have dropped subjects or applied for LOA and have them blocked from evaluating their dropped subjects or from the evaluation process itself. Once changes have already been accurately set or if changes are not anymore necessary, the college clerk can now decide to activate SET for his/her college.

When the SET is activated for a particular college, students who have enrolled subjects for that college can now evaluate those subjects. Answers to questions with multiple choices and comment type questions are stored in the Result_Per_Respondent table and Text_Results_Per_Respondent Table respectively. The “Count” for an answer value or choice of a question of a particular class of an instructor increases by one as a student chooses that particular choice as his/her answer. See Results_Per_Question table. For instance, a row in the Results_Per_Question table has a count of ten (10) for an Answer_Value_ID of 21, SET_Questionnaire_Question_ID of 432, Instructor_Code of AHCRUZ and Class_ID of 2011112345, this means that 10 students in a class, with Class_ID

2011112345, evaluated their instructor with Instructor_Code AHCRUZ and answered the question with SET_Questionnaire.Question_ID 432 and chooses the choice which has an Answer_Value.ID of 123.

When the SET is deactivated for a particular college, SET scores are immediately calculated and students can no more evaluate the subjects of this college. SET scores are calculated in a specific to general pattern. Since the calculation of SET score, is only concerned for those questions that have multiple choice and accept single answer only, only those questions with Answer Type of type “Multiple Choice, Single Answer” are considered. First stage of calculating SET Scores is to calculate the average for each question in a questionnaire of a particular class of an instructor. The Count field in the Results_Per_Question table is used for this stage. To calculate the average score of a question, the numeric value for each choice is multiplied to the count it got during the evaluation, these are all added up and then divided to the total number of respondents of that question. For an instance, the question, with SET_Questionnaire.Question_ID of 432 has an Answer Type with choices Strongly agree with numeric value of 1, Agree with numeric value of 2, Disagree with numeric value of 3, and Strongly disagree with numeric value of 4 got counts of 10,4,6 and 9 respectively after the evaluation, will generate 2.4828 as its question average. The equation derived from the said formula is $[(1*10)+(2*4)+(3*6)+(4*9)]/(10+4+6+9)$. Question averages are stored in the Average_Per_Question table. Once all the question averages have been generated for those questions that have been answered, the calculation of part averages will come next. Questions that were not answered are considered as null and will not be included in the calculation for part average. To get the average for a part, the average of each question is multiplied to its weight then all these values are added and then divided by the combined weights of all questions of that part. For example, a part contains four questions, Question 1 with weight of 4, Question 2 with weight of 3, Question 3 with weight of 2, and Question 4 with weight of 1, and their averages are 2.4, 3.4, 1.2, 1.75 respectively, the part average will be 2.395. The

equation is $[(4*2.4)+(3*3.4)+(2*1.2)+(1*1.75)]/(4+3+2+1)$. Averages per parts are stored in the Average_Per_Part table. Getting the SET score for the whole class is just simply getting the mean of the averages of the parts that has been calculated. Calculation of the part average is optional, eg. in the standard SET, the averages for Part I.The Student and Part II. The Course are not calculated. The SET scores of classes are stored in the Class_Average table. Calculation of SET score for an instructor is simply done by getting the mean of all the SET scores of his/her classes that were evaluated. SET score for an instructor for the currently set academic year and semester is stored in the Instructor_Average table. The same SET score is also saved in the Semestral_Average table along with the details of the academic year and semester. The Semestral_Average table serves as a record of the SET scores of instructors on previous semesters.

2. Data Dictionary

1. Student table

Attribute	Data Type	Description
Student_ID	Varchar(10)	
Name	Varchar(150)	
Password	varchar(50)	
College_Code	varchar(10)	

Table 4: (Student table)

2. Classlists table

Attribute	Data Type	Description
Classlist_ID	Varchar(21)	Class ID+ Student ID
<i>Student_ID</i>	Varchar(10)	
<i>Class_ID</i>	Integer(11)	
Evaluated	Boolean	1 = Evaluated, 0 = Still not evaluated
Editable	Boolean	
Dropped	Boolean	1 = Dropped

Table 5: Classlists table

3. Class table

Attribute	Data Type	Description
Class_ID	Integer(10)	Year+semester+code ex. 2011174096
Subject	Varchar(20)	Subject name ex. CMSC197, CHEM16
Section	Varchar(10)	Its a code following UP's rule for section naming. ex WEG
Instructors	Varchar(100)	Intstructor codes delimited with a semi-colon(instructors of the subject)
College_Code	Varchar(10)	

Table 6: Class table

4. Faculty table

Attribute	Data Type	Description
Employee_ID	Integer(10)	Unique identifier of a faculty.
Name	Varchar(25)	
Instructor_Code	Varchar(20)	

Table 7: Faculty table

5. SET_Questionnaire table

Attribute	Data Type	Description
SET_Questionnaire_Type_ID	Integer(10)	Unique identifier of a SET Questionnaire Type.
SET_Questionnaire_Type_Name	Varchar(20)	Name of a specific SET Questionnaire ex. CAS Lecture etc.
Weight	Int(2)	

Table 8: SET_Questionnaire table

6. Subject_Questionnaire_Lists table

Attribute	Data Type	Description
<i>SET_Questionnaire_Type_ID</i>	Integer(10)	
Subject	Varchar(25)	
College_Code	Varchar(10)	
Department_Code	Varchar(10)	
Editable	Boolean	

Table 9: Subject_Questionnaire_Lists table

7. SET_Questionnaire_Parts table

Attribute	Data Type	Description
SET_Questionnaire_Part_ID	Integer(10)	
<i>SET_Questionnaire_Type_ID</i>	Integer(10)	
SET_Questionnaire_Part_Name	Varchar(50)	Name of the part of the evaluation. ex. The Student
Part_Orientation_ID	Int(5)	Sequencing of parts
Calculate_Average	Boolean	If part average is to be calculated

Table 10: SET_Questionnaire_Parts table

8. SET_Questionnaire_Type_Questions table

Attribute	Data Type	Description
<i>SET_Questionnaire_Part_ID</i>	Integer(10)	
SET_Questionnaire_Question_ID	Integer(10)	Unique identifier of a question.
<i>Answer_Type_ID</i>	Integer(10)	Unique identifier of an answer type.
Question	Varchar(150)	
Question_Orientation_ID	Int(5)	Sequencing of questions

Table 11: SET_Questionnaire_Type_Questions table

9. Answer_Types table

Attribute	Data Type	Description
Answer_Type_ID	Integer(5)	Unique identifier of an answer type.
Answer_Type_Name	Varchar(20)	Aggre to Disagree/ Race. etc
Type	Varchar(2)	MM = Multiple Choice / Multiple Answer , T = Textbox

Table 12: Answer_Types table

10. Answer_Value table

Attribute	Data Type	Description
Answer_Value_ID	Integer(10)	Unique identifier of an answer value.
<i>Answer_Type_ID</i>	Integer(10)	
Value	Varchar(50)	ex. SA, A, D, SA, choice1, choice2
Numeric_Value	Int(2)	Corresponding Score
Value_Orientation_ID	Int(5)	Sequencing of choices

Table 13: Answer_Value table

11. Results_Per_Respondent table

Attribute	Data Type	Description
Result_ID	Int(10)	
Result_Sequence	Varchar(50)	
<i>SET_Questionnaire_Part_ID</i>	Integer(10)	
<i>SET_Questionnaire_Question_ID</i>	Integer(10)	
<i>Class_ID</i>	Integer(10)	
Instructors	Varchar(50)	
<i>Answer_Value_ID</i>	Integer(10)	Respondent's answer to a question with choices

Table 14: Results_Per_Respondent table

12. Text_Results_Per_Respondent table

Attribute	Data Type	Description
Result_ID	Int(10)	
Result_Sequence	Varchar(50)	
<i>SET_Questionnaire_Part_ID</i>	Integer(10)	
<i>SET_Questionnaire_Question_ID</i>	Integer(10)	
<i>Class_ID</i>	Integer(10)	
Instructors	Varchar(50)	
Text_Answer	Varchar(100)	Respondent's answer to a comment type question

Table 15: Text_Results_Per_Respondent table

13. Class_Results_Per_Question table

Attribute	Data Type	Description
Class_Result_ID	Varchar(100)	Instructor Code + Class ID + Part ID + Question ID + Answer Value ID
<i>SET_Questionnaire_Type_ID</i>	Integer(10)	
<i>SET_Questionnaire_Part_ID</i>	Integer(10)	
<i>SET_Questionnaire_Question_ID</i>	Integer(10)	
<i>Class_ID</i>	Integer(10)	
<i>Instructor_Code</i>	Varchar(20)	
<i>College_Code</i>	Varchar(10)	
<i>Department_Code</i>	Varchar(10)	
<i>Answer_Type_ID</i>	Int(10)	
<i>Answer_Value_ID</i>	Int(10)	
<i>Answered</i>	Boolean	1 = if Answered
<i>Count</i>	Int(5)	Number of those who answered a particular answer for a particular question.

Table 16: Class_Results_Per_Question table

14. Class_Average_Per_Question table

Attribute	Data Type	Description
Average_Per_Question_ID	Varchar(100)	Instructor Code + Class ID + Part ID + Question ID
<i>SET_Questionnaire_Type_ID</i>	Integer(10)	
<i>SET_Questionnaire_Part_ID</i>	Integer(10)	
<i>SET_Questionnaire_Question_ID</i>	Integer(10)	
<i>Class_ID</i>	Integer(10)	
<i>Instructor_Code</i>	Varchar(20)	
<i>College_Code</i>	Varchar(10)	
<i>Department_Code</i>	Varchar(10)	
<i>Answer_Type_ID</i>	Int(10)	
<i>Answered</i>	Boolean	1 = if Answered
<i>Question_Average</i>	Float(5)	Average score for a particular question.

Table 17: Class_Average_Per_Question table

15. Class_Average_Per_Part table

Attribute	Data Type	Description
Average_Per_Part_ID	Varchar(100)	Instructor Code + Class ID + Part ID
<i>SET_Questionnaire_Type_ID</i>	Integer(10)	
<i>SET_Questionnaire_Part_ID</i>	Integer(10)	
<i>Class_ID</i>	Integer(10)	
<i>Instructor_Code</i>	Varchar(50)	
<i>College_Code</i>	Varchar(10)	
<i>Department_Code</i>	Varchar(10)	
<i>Answered</i>	Boolean	1 = if Answered
<i>Part_Average</i>	Float(5)	Average score for a particular part.

Table 18: Class_Average_Per_Part table

16. Class_Average table

Attribute	Data Type	Description
Class_Average_ID	Varchar(100)	Instructor Code + Class ID
<i>SET_Questionnaire_Type_ID</i>	Integer(10)	
<i>Class_ID</i>	Integer(10)	
<i>Instructor_Code</i>	Varchar(50)	
<i>College_Code</i>	Varchar(10)	
<i>Department_Code</i>	Varchar(10)	
Answered	Boolean	1 = if Answered
Class_Average	Float(5)	Overall Score of an instructor for a particular class.
Number_Of_Respondents	Integer(3)	Number of students enrolled in the class
Respondents_Evaluated	Integer(3)	Number of those who answered

Table 19: Class_Average table

17. Instructor_Average table

Attribute	Data Type	Description
Instructor_Code	Varchar(50)	
<i>College_Code</i>	Varchar(10)	
<i>Department_Code</i>	Varchar(10)	
Answered	Boolean	1 = if Answered
Instructor_Average	Float(5)	Overall Score of an instructor for a the current semester.

Table 20: Instructor_Average table

18. Semestral_Average table

Attribute	Data Type	Description
Semestral_Average_ID	Integer(5)	
<i>Instructor_Code</i>	Varchar(20)	
<i>Semester_AY</i>	Integer(10)	ex. 20111
Average	Float	Average of all the SET Scores for a particular semester

Table 21: Semestral_Average table

V. Architecture

A. System Architecture




Figure 31: OSET 3.0 System Architecture

Figure 31 shows the three main domains of OSET. The OSET's web interface is encoded in html and Javascript. It is linked to the Service Layer using the Zend Framework. OSET implements the MVC (Model - View - Controller) pattern of the Zend Framework. OSET uses PHP language to connect to its databases and perform other services. The OSET connects to the crs database, which uses PostgreSQL, through a tunnel from berdugo. OSET uses MySQL for its main database.

B. Technical Architecture

The server machine should have the following specifications:

1. 500+ MHz processor speed
2. 128+ MB RAM
3. At least 500 MB free disk space

The server machine needs the following applications/operating system:

1. Linux
2. Windows Server 2008
3. PHP (Version 4 and up)
4. PHP Module for MySQL Access
5. PHP Module for PgSQL Access
6. MySQL (Version 5 and up)
7. Apache (at least 1.3.23)

The users of the system should have the following specifications:

1. 233+ MHz processor speed
2. 128+ MB RAM
3. Web browser (preferably Google Chrome 19.0)
4. Acrobat Reader (Version 5 and up)

VI. Results

A. General View

1. Home Page




Figure 32: Home Page

Figure 32 shows the home page of Online Student Evaluation of Teachers 3.0. The administrator, evaluation system manager, college clerk, and students can login to their respective accounts through this page.

B. Administrator View

1. Admin Home Page




Figure 33: Admin Home Page

Figure 33 shows the home page of an administrator. Administrative functions are displayed on the left tabs. He/She can manage accounts and colleges.

2. View Accounts

The screenshot displays the 'View Accounts' interface. At the top, there is a navigation menu with 'Administration' (Home, Logout), 'User Accounts' (View Accounts), 'Student Accounts' (Generate Accounts), 'Colleges' (View Colleges), and 'Account Management'. The main content area is titled 'User Accounts' and features a search bar with a 'Search' button and a '+ Add new user' link. Below this is a table listing user accounts.

First Name	Last Name	Username	User Role	
Administrator	Administrator	Administrator	Administrator	Edit Delete Change Password
Alex1	Gonzaga1	agonzaga	Administrator	Edit Delete Change Password
asdsa	adas	123asdas	Evaluation System Manager,College Clerk	Edit Delete Change Password
camper	camper	camper	College Clerk	Edit Delete Change Password
Championa1	CAS112	berdugo	Evaluation System Manager,College Clerk	Edit Delete Change Password
dentist	dentist	dentist	College Clerk	Edit Delete Change Password
evaluation	evaluation	evaluationtemp	Evaluation System Manager	Edit Delete Change Password
Geoffrey	Solano	gasolano	Administrator,Evaluation System Manager,College Clerk	Edit Delete Change Password
geoffrey	solano	geoffrey	Administrator	Edit Delete Change Password
hello	world	testusername	Evaluation System Manager,College Clerk	Edit Delete Change Password
Hello1	World2	Hello	Evaluation System Manager,College Clerk	Edit Delete Change Password
hmmsa	hasdass	Hmm	Administrator,Evaluation System Manager,College Clerk	Edit Delete Change Password
ishmael	ishmael	ishmael	Administrator,Evaluation System Manager,College Clerk	Edit Delete Change Password
Jose Mariasda	Chanasda	evaluation	Administrator,Evaluation System Manager,College Clerk	Edit Delete Change Password
Maria Sheila	Magboo	msamagboo	Evaluation System Manager,College Clerk	Edit Delete Change Password
Mark	Zenarosa	Eval	Evaluation System Manager	Edit Delete Change Password
medicine	medicine	medicine	College Clerk	Edit Delete Change Password

Figure 34: View Accounts

An administrator can view existing accounts, along with their details, which he/she can edit or delete (Figure 34).

3. Update Account

The screenshot shows the 'Edit User' interface. On the left is a navigation menu with categories: Administration (Home, Logout), User Accounts (View Accounts), Student Accounts (Generate Accounts), Colleges (View Colleges), and Account Management. The main content area is titled 'Edit User' and contains the following fields:

- Username:
- First Name*:
- Last Name*:
- User Role*: Administrator, Evaluation System Manager, College Clerk
- If College Clerk choose College:

At the bottom of the form are 'Save' and 'Cancel' buttons.

Figure 35: Update Account

Figure 35 shows the form for the user details. This form is also used for the add user function. The administrator can edit all the details of a particular user except for its username.

4. Student Accounts - Pre Generation

ONLINE STUDENT EVALUATION OF TEACHERS
University of the Philippines Manila

Welcome Administrator. [Logout.](#)

Administration
[Home](#)
[Logout](#)

User Accounts
[View Accounts](#)

Student Accounts
[Generate Accounts](#)

Colleges
[View Colleges](#)

SET
[Setup](#)

Account Management

Generate Accounts

Students' information have already been downloaded. **Generate random passwords** for the students.

- Generating passwords for student accounts may take several minutes.

Figure 36: Student Accounts - Pre Generation

Figure 36 shows the page for viewing student accounts. In this case the accounts are not yet generated.

5. Student Accounts - Post Generation

ONLINE STUDENT EVALUATION OF TEACHERS
University of the Philippines Manila

Welcome Administrator. Logout.

Administration
Home
Logout

User Accounts
View Accounts

Student Accounts
Generate Accounts

Colleges
View Colleges

SET
Setup

Account Management

Print SET Student Login Information PDF

Online SET Student's Login Information. Log on to http://berdugo.upm.edu.ph/~ivinas/oset/		
Name: GUTIERREZ, LOUIS MYKAEL	Username: 2008-66528	Password: CuZ6fQIK
Online SET Student's Login Information. Log on to http://berdugo.upm.edu.ph/~ivinas/oset/		
Name: MANGULABNAN, DESEREE	Username: 2008-66535	Password: M9E5IXed
Online SET Student's Login Information. Log on to http://berdugo.upm.edu.ph/~ivinas/oset/		
Name: DE ROXAS, DIANNE MELODY	Username: 2008-66596	Password: rsR9c8A0
Online SET Student's Login Information. Log on to http://berdugo.upm.edu.ph/~ivinas/oset/		
Name: LEONIDAS, MARIA KARISA JOY	Username: 2008-66598	Password: VJq3Wysr
Online SET Student's Login Information. Log on to http://berdugo.upm.edu.ph/~ivinas/oset/		

Back

Figure 37: Student Accounts - Post Generation

Figure 37 shows the page for viewing student accounts. In this case the accounts are generated. The list of students can be printed or downloaded in pdf format.

6. View Colleges

The screenshot shows the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The header includes the university logo and the text 'Welcome Administrator Logout'. The left sidebar contains a navigation menu with the following items: Administration (Home, Logout), User Accounts (View Accounts), Student Accounts (Generate Accounts), Colleges (View Colleges), SET (Setup), and Account Management. The main content area is titled 'Colleges' and includes a '+ Add new College' button. Below this is a table listing the colleges:

College Name	College Code	
College of Allied Medical Professions	CAMP	View Departments Edit Delete
College of Arts and Sciences	CAS	View Departments Edit Delete
College of Dentistry	CD	View Departments Edit Delete
College of Medicine	CM	View Departments Edit Delete
College of Nursing	CN	View Departments Edit Delete
College of Pharmacy	CP	View Departments Edit Delete
College of Public Health	CPH	View Departments Edit Delete

Figure 38: View Colleges

Figure 38 shows all the colleges the administrator added for the SET. Colleges that are registered here can have a college clerk and can therefore perform SET process.

7. Update College

The screenshot shows the 'Edit College' page of the 'ONLINE STUDENT EVALUATION OF TEACHERS' system. The header features the University of the Philippines Manila logo and the text 'ONLINE STUDENT EVALUATION OF TEACHERS' and 'University of the Philippines Manila'. A user greeting 'Welcome Administrator Logout.' is visible in the top right. The left sidebar contains a menu with categories: Administration (Home, Logout), User Accounts (View Accounts), Student Accounts (Generate Accounts), Colleges (View Colleges), SET (Setup), and Account Management. The main content area is titled 'Edit College' and contains two required fields: 'College Name' (with a red asterisk) containing 'College of Arts and Sciend' and 'College Code' (with a red asterisk) containing 'CAS'. Below these fields are 'Save' and 'Cancel' buttons.

Figure 39: Update College

Figure 39 shows the form used for updating/adding a college. A college must have a College Code and a name.

8. View Departments

Welcome Administrator [Logout](#)

Administration

- [Home](#)
- [Logout](#)

User Accounts

- [View Accounts](#)

Student Accounts

- [Generate Accounts](#)

Colleges

- [View Colleges](#)

SET

- [Setup](#)

Account Management

Departments (College of Arts and Sciences)

[+ Add new Department](#)

Department Name	Department Unit	
Department of Arts and Communication	DAC	 Edit Delete
Department of Biology	DB	 Edit Delete
Department of Behavioral Science	DBS	 Edit Delete
Department of Physical Education	DPE	 Edit Delete
Department of Physical Sciences and Mathematics	DPSM	 Edit Delete
Department of Social Sciences	DSS	 Edit Delete
Graduate Studies Department - CAS	GDCAS	 Edit Delete

[Back to View Colleges](#)

Figure 40: View Departments

Figure 40 shows all the departments the administrator added for the SET. The downloading of classes for the college clerk will depend on the departments added for his/her college.

9. Update Department

The screenshot shows the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The header is red with the university logo and name. The main content area is titled 'Edit Department'. On the left, there is a navigation menu with categories: Administration (Home, Logout), User Accounts (View Accounts), Student Accounts (Generate Accounts), Colleges (View Colleges), SET (Setup), and Account Management. The 'Edit Department' form has two required fields: 'Department Name' (containing 'Department of Physical Sci') and 'Department Unit' (containing 'DPSM'). Below these fields are 'Save' and 'Cancel' buttons.

Figure 41: Update Department

Figure 41 shows the form used for updating/adding a department. A department must have a Department Code and a name.

10. SET Setup

The screenshot shows the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The page is titled 'SET Setup' and displays the current configuration: 'The SET is currently set for 2nd Semester Academic Year 2011'. The 'Academic Year' is set to '2011' via a dropdown menu. The 'Semester' is set to 'Second' via radio buttons. A 'Save' button is present at the bottom of the form. The left sidebar contains navigation links for Administration, User Accounts, Student Accounts, Colleges, SET (with 'Setup' highlighted), and Account Management. The top right corner shows 'Welcome Administrator Logout'.

Figure 42: SET Setup

Figure 42 shows the primary setup for the Student Evaluation of Teachers, which is to choose the academic year and semester on which the OSET will process.

C. Evaluation System Manager View

1. Evaluation System Manager Home Page




Figure 43: Evaluation System Manager Home Page

Figure 43 shows the home page of an evaluation system manager's account. Functions of an evaluation system manager are showed on the tabs at the left side of the page. An evaluation system manager can assign the default SET Questionnaire for all subjects. Evaluation system manager also manages the SET Questionnaire Types and monitors the status of classes and students.

2. Evaluation Mode

The screenshot displays the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The header includes the university logo and the text 'Welcome EvalSysManager. Logout.' The left sidebar contains a navigation menu with the following sections:

- Evaluation System Management**
 - Home
 - Logout
- Evaluation Mode** (highlighted)
 - SET Setup** (highlighted)
 - Courses' SET Questionnaire
 - Default Assignment
- SET Questionnaire Management**
 - SET Questionnaire Types
 - Answer Types
- Status**
 - Class Evaluation
 - Student Evaluation
- Subjects Management**
 - View All Subjects
- Account Management**

The main content area is titled 'Evaluation Mode' and contains the following text and form elements:

Evaluation Mode

Evaluation Mode for all colleges is closed.

- To open evaluation, select first a default SET Questionnaire for all subjects.

SET Questionnaire:*

Figure 44: Evaluation Mode

Figure 44 shows that before any college can start the SET process, the evaluation system manager must set first a default SET Questionnaire for all subjects.

3. Modify Course's Default SET Questionnaire Type

Default Assignment of SET Questionnaire Type to Subjects

Subject	SET Questionnaire Type	
ACCTG I	New SET	Change SET Questionnaire Type
ANAT 12A	New SET	Change SET Questionnaire Type
ANAT 12B	New SET	Change SET Questionnaire Type
ANAT 12C	New SET	Change SET Questionnaire Type
ANESTH 220	New SET	Change SET Questionnaire Type
ANESTH 250 (OSI)	New SET	Change SET Questionnaire Type
ANESTH 251 (OSI)	New SET	Change SET Questionnaire Type
ANESTH 32	New SET	Change SET Questionnaire Type
ANTHRO 123	New SET	Change SET Questionnaire Type
ANTHRO 179	New SET	Change SET Questionnaire Type
ANTHRO 185	New SET	Change SET Questionnaire Type
ANTHRO I	New SET	Change SET Questionnaire Type
AREA ST 121	New SET	Change SET Questionnaire Type
AREA ST 123	New SET	Change SET Questionnaire Type
AREA ST 124	New SET	Change SET Questionnaire Type
AREA ST 125	New SET	Change SET Questionnaire Type
AREA ST 131	New SET	Change SET Questionnaire Type
AREA ST 141	New SET	Change SET Questionnaire Type
BEH SCI 145	New SET	Change SET Questionnaire Type
BEH SCI 155	New SET	Change SET Questionnaire Type

Figure 45: Modify Course's Default SET Questionnaire Type

Default Assignment of SET Questionnaire Type to Subjects

Subject:

SET Questionnaire Type:

Figure 46: Modify Course's Default SET Questionnaire Type (Form)

Figure 45 shows all subjects with their corresponding default SET Questionnaire Type. When the evaluation system manager wants to change the default SET Questionnaire Type for a subject he/she is redirected to the page that shows the form for changing the default SET Questionnaire Type (Figure 46). Modification is inherited to the succeeding SET processes until it is modified again.

4. View SET Questionnaire Types

The screenshot shows the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The page title is 'SET Questionnaire Types'. On the left, there is a navigation menu with categories: Evaluation System Management (Home, Logout), Evaluation Mode (SET Setup), Courses' SET Questionnaire (Default Assignment), SET Questionnaire Management (SET Questionnaire Types, Answer Types), Status (Class Evaluation, Student Evaluation), Subjects Management (View All Subjects), and Account Management.

The main content area displays a table titled 'SET Questionnaire Types' with a '+ Add New SET Questionnaire Type' link. The table has three columns: Name, Max Weight, and a set of actions (View Parts, Edit, Delete, Preview). The data rows are as follows:

Name	Max Weight	
Standard SET	6	View Parts Edit Delete Preview
New SET	4	View Parts Edit Delete Preview
Another SET2	5	View Parts Edit Delete Preview

Figure 47: View SET Questionnaire Types

Figure 47 shows the page for viewing existing SET Questionnaire Types. The evaluation system manager can add, edit, delete a SET Questionnaire Type.

5. Update SET Questionnaire Type

The screenshot shows the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The user is logged in as 'EvalSysManager'. The main heading is 'Edit SET Questionnaire Type'. On the left is a sidebar menu with categories: 'Evaluation System Management' (Home, Logout), 'Evaluation Mode' (SET Setup), 'Courses' SET Questionnaire' (Default Assignment), 'SET Questionnaire Management' (SET Questionnaire Types, Answer Types), 'Status' (Class Evaluation, Student Evaluation), 'Subjects Management' (View All Subjects), and 'Account Management'. The main form area contains two required fields: 'Name' with the value 'New SET' and 'Max Weight' with the value '4'. Below these fields are 'Save' and 'Cancel' buttons.

Figure 48: Update SET Questionnaire Types

Figure 48 shows the form for updating or adding a SET Questionnaire Type.

6. Preview SET Questionnaire Type

ONLINE STUDENT EVALUATION OF TEACHERS
University of the Philippines Manila

Welcome EvalSysManager Logout.

Evaluation System Management

- Home
- Logout

Evaluation Mode

- SET Setup

Courses' SET Questionnaire

- Default Assignment

SET Questionnaire Management

- SET Questionnaire Types**
- Answer Types

Status

- Class Evaluation
- Student Evaluation

Subjects Management

- View All Subjects

Account Management

Preview of SET Questionnaire (Standard SET)

The Student | **The Course** | The Teacher |

How many class meetings have you missed

- 0
- 1
- 2 to 3
- 4 to 5
- 6

Did you learn new ideas from your interactions with your teacher and classmates?*

- Very much
- Much
- Moderately
- Little
- Not at all

How receptive were you to new ideas presented by your teacher and classmates?*

- Very much
- Much
- Moderately
- Little
- Not at all

Hello World Question*

- Strongly Agree
- Agree
- Disagree
- Strongly Disagree
- Neutral

Figure 49: Preview SET Questionnaire Type

Figure 49 shows the page for the preview of a SET Questionnaire Type.

7. View SET Questionnaire Parts

The screenshot displays the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The main content area is titled 'SET Questionnaire Parts (Standard SET)'. It features a table with the following data:

Name	
The Student	View Questions Edit Delete
The Course	View Questions Edit Delete
The Teacher	View Questions Edit Delete

Below the table, there is a 'Save order of parts' button and a 'Back to SET Questionnaires' link. The left sidebar contains the following navigation options:

- Evaluation System Management**
 - Home
 - Logout
- Evaluation Mode**
 - SET Setup
- Courses' SET Questionnaire**
 - Default Assignment
- SET Questionnaire Management**
 - SET Questionnaire Types**
 - Answer Types
- Status**
 - Class Evaluation
 - Student Evaluation
- Subjects Management**
 - View All Subjects
- Account Management**

Figure 50: View SET Questionnaire Parts

Figure 50 shows the page for viewing all the listed parts of a particular SET Questionnaire Type.

8. Update SET Questionnaire Parts

The screenshot shows the 'Edit SET Questionnaire Part' interface. At the top, there is a red header with the University of the Philippines Manila logo and the text 'ONLINE STUDENT EVALUATION OF TEACHERS' and 'University of the Philippines Manila'. A user greeting 'Welcome EvalSysManager Logout.' is visible in the top right. On the left, a sidebar menu lists various management options: 'Evaluation System Management' (Home, Logout), 'Evaluation Mode' (SET Setup), 'Courses' SET Questionnaire' (Default Assignment), 'SET Questionnaire Management' (SET Questionnaire Types, Answer Types), 'Status' (Class Evaluation, Student Evaluation), 'Subjects Management' (View All Subjects), and 'Account Management'. The main content area is titled 'Edit SET Questionnaire Part' and contains a form with the following elements: 'Part Name*' with a text input field containing 'The Student'; 'Calculate Average:' with a checked checkbox; and 'Save' and 'Cancel' buttons.

Figure 51: Update SET Questionnaire Parts

Figure 51 shows the form for updating/adding a SET Questionnaire Part.

9. View SET Questionnaire Questions

Welcome EvalSysManager Logout.

ONLINE STUDENT EVALUATION OF TEACHERS
University of the Philippines Manila

Evaluation System Management

- [Home](#)
- [Logout](#)

Evaluation Mode

- [SET Setup](#)

Courses' SET Questionnaire

- [Default Assignment](#)

SET Questionnaire Management

- [SET Questionnaire Types](#)
- [Answer Types](#)

Status

- [Class Evaluation](#)
- [Student Evaluation](#)

Subjects Management

- [View All Subjects](#)

Account Management

SET Questionnaire Questions (Standard SET)

[+ Add New Question](#)

Question	Answer Type	
How many class meetings have you missed	Frequency of being late or abs	Edit Delete
Did you learn new ideas from your interactions with your teacher and classmates?	Very Much - Little (5)	Edit Delete
How receptive were you to new ideas presented by your teacher and classmates?	Very Much - Little (5)	Edit Delete
Hello World Question	Agree or Disagree	Edit Delete
Do you feel that you have performed well in this course?	Very Much - Little (5)	Edit Delete
How actively did you participate in class discussions and activities?	Very Much - Little (5)	Edit Delete
Yeah you know what it is...	Agree or Disagree	Edit Delete
How many times have you been late?	Frequency of being late or abs	Edit Delete
Just Another Question.	Agree or Disagree	Edit Delete
How much effort did you give to meeting the requirements in this course? (eg. term papers, reports, assigned readings)	Very Much - Little (5)	Edit Delete
Have your expectations of this course been met?	Very Much - Little (5)	Edit Delete
What final grade will you give yourself in this course? edited	Grades	Edit Delete
hmm Question	Agree or Disagree	Edit Delete

[Back to SET Questionnaire Parts](#)

Figure 52: View SET Questionnaire Questions

Figure 52 shows the page for viewing all the listed questions of a particular SET Questionnaire Part.

10. Update SET Questionnaire Question

The screenshot shows the 'Edit Question' interface. On the left is a navigation menu with categories: Evaluation System Management (Home, Logout), Evaluation Mode (SET Setup), Courses' SET Questionnaire (Default Assignment), SET Questionnaire Management (SET Questionnaire Types, Answer Types), Status (Class Evaluation, Student Evaluation), Subjects Management (View All Subjects), and Account Management. The main content area is titled 'Edit Question' and contains the following fields:

- Question.***: A text area containing the question: "Did you learn new ideas from your interactions with your teacher and classmates?"
- Answer Type.***: A dropdown menu set to "Very Much - Little (5)".
- Required**: A checked checkbox.
- Weight**: A dropdown menu set to "1".
- Included for calculation of Part Average**: A checked checkbox.
- Buttons**: "Save" and "Cancel" buttons.

Figure 53: Update SET Questionnaire Question

Figure 53 shows the form for updating/adding a SET Questionnaire Questions.

11. View Answer Types

The screenshot displays the 'View Answer Types' interface. At the top, there is a header with the University of the Philippines Manila logo and the text 'ONLINE STUDENT EVALUATION OF TEACHERS' and 'University of the Philippines Manila'. A user greeting 'Welcome EvalSysManager Logout.' is visible in the top right corner.

On the left side, there is a sidebar menu with the following sections:

- Evaluation System Management**
 - Home
 - Logout
- Evaluation Mode**
 - SET Setup
- Courses' SET Questionnaire**
 - Default Assignment
- SET Questionnaire Management**
 - SET Questionnaire Types
 - Answer Types** (highlighted)
- Status**
 - Class Evaluation
 - Student Evaluation
- Subjects Management**
 - View All Subjects
- Account Management**

The main content area is titled 'Answer Types' and includes a link '+ Add New Answer Type'. Below this is a table with the following data:

Name	Type	
Agree or Disagree	Multiple Choice, Single Answer	Edit Delete
Yes or No	Multiple Choice, Single Answer	Edit Delete
Very Much - Little (5)	Multiple Choice, Single Answer	Edit Delete
Textbox Medium	Textbox	Edit Delete
Multiple Answer (Grades Basis)	Multiple Choice, Multiple Answer	Edit Delete
Activeness	Multiple Choice, Single Answer	Edit Delete
Test Answer Type	Multiple Choice, Multiple Answer	Edit Delete
Race	Multiple Choice, Single Answer	Edit Delete
Frequency of being late or abs	Multiple Choice, Single Answer	Edit Delete
Grades	Multiple Choice, Multiple Answer	Edit Delete
Pacing	Multiple Choice, Single Answer	Edit Delete
Very Much - Slightly (5)	Multiple Choice, Single Answer	Edit Delete
Small Textbox	Textbox	Edit Delete
Textbox Integer	Textbox	Edit Delete
Days of Classes	Multiple Choice, Single Answer	Edit Delete
Time of the day	Multiple Choice, Single Answer	Edit Delete
Class Hours	Multiple Choice, Single Answer	Edit Delete
Class Nature	Multiple Choice, Single Answer	Edit Delete
Interesting - Not	Multiple Choice, Single Answer	Edit Delete
Difficult - Easy (4)	Multiple Choice, Single Answer	Edit Delete

Figure 54: View Answer Types

Figure 54 shows the page for viewing answer types. The evaluation system manager can add, edit or delete an Answer Type.

12. Update Answer Type (Multiple Choice)

The screenshot shows the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The page title is 'Edit Answer Type'. On the left is a sidebar menu with categories: Evaluation System Management (Home, Logout), Evaluation Mode (SET Setup), Courses' SET Questionnaire (Default Assignment), SET Questionnaire Management (SET Questionnaire Types, Answer Types), Status (Class Evaluation, Student Evaluation), Subjects Management (View All Subjects), and Account Management. The main content area contains the following form elements:

- Name :*** with a text input field containing 'Yes or No'.
- Type :*** with two radio button options:
 - Multiple Choice, Single Answer
 - Multiple Choice, Multiple Answer
- Edit Choices** button
- Save** and **Cancel** buttons

Figure 55: Update Answer Type (Multiple Choice)

Figure 55 displays the form for updating/adding an Answer Type of type MM (multiple choice).

13. Update Answer Type (Textbox)

ONLINE STUDENT EVALUATION OF TEACHERS
University of the Philippines Manila

Welcome EvalSysManager Logout

Evaluation System Management

- Home
- Logout

Evaluation Mode

- SET Setup

Courses' SET Questionnaire

- Default Assignment

SET Questionnaire Management

- SET Questionnaire Types
- Answer Types**

Status

- Class Evaluation
- Student Evaluation

Subjects Management

- View All Subjects

Account Management

Edit Answer Type

Answer Type Name : *

Input type : * Varchar Integer

Number of rows : *

Number of columns : *

Figure 56: Update Answer Type (Textbox)

Figure 56 displays the form for updating/adding an Answer Type of type T(textbox).

14. College Evaluation Status

College	Status	Classes Downloaded	
College of Arts and Sciences	Deactivated	Yes	View status of classes
College of Medicine	Deactivated	No	View status of classes
College of Public Health	Deactivated	No	View status of classes
College of Pharmacy	Deactivated	No	View status of classes
College of Nursing	Deactivated	No	View status of classes
College of Dentistry	Deactivated	No	View status of classes
College of Allied Medical Professions	Deactivated	No	View status of classes

Figure 57: College Evaluation Status

Subject	Section	Instructor	Number of Respondents	Respondents who evaluated
ACCTG I	FJK	EMCARDENAS	5	0
ANTHRO 123	MHI	MJLBOLUNIA	35	0
ANTHRO 179	MHC	MTGDEGUZMAN	40	0
ANTHRO 185	MHB	MTGDEGUZMAN	39	0
ANTHRO 185	TFJ	MJLBOLUNIA	26	0
ANTHRO I	TFB	MTGDEGUZMAN	41	0
ANTHRO I	MHE	MTGDEGUZMAN	42	0
ANTHRO I	TFE	RHIMPERIAL	40	0
AREA ST 121	WBYDX	MASVELUZ	24	0
AREA ST 123	MHD	ANESGUERRA	33	0
AREA ST 124	TFJ	DMARAGON	35	0
AREA ST 125	TFI	BLMIKARGANILLA	34	0
AREA ST 131	MHC	CPBONCAN	32	0
AREA ST 141	WEG	SACARINGAL	22	0
BEH SCI 145	TFE	ABMARTINEZ	40	0
BEH SCI 156	MHD	LIHERNANDEZ	41	0
BEH SCI 175	TFG	LIHERNANDEZ	41	0
BEH SCI 183	TJK	RAADUPAYA	10	0
BEH SCI 185	WBYDX1	JCDELMUNDO	9	0
BEH SCI 185	WBYDX3	SGPADILLA, AIR	10	0

Figure 58: Class Evaluation Status

Figure 57 shows the page where the evaluation system manager can view the status of each college while Figure 58 the status of all classes of a college.

15. Student Evaluation Status

ONLINE STUDENT EVALUATION OF TEACHERS
University of the Philippines Manila

Welcome EvalSysManager. Logout.

Student Evaluation Status

Student Evaluation of Teachers - College of Arts and Sciences
The following students still have subjects yet to be evaluated:

AO, JOSE LOUIE MARK	CHEM 32LAB, CHEM 32LEC, CMSC 141, CMSC 191 (CS), CMSC 191 (ISP), CMSC 198 (SP), HI 192,
ABA, MARY ROSE ANGELICA	PE 2 MFT, PHIL ARTS 102, PHIL ARTS 131, PHIL ARTS 140, PHIL ARTS 163, PHIL ARTS 199, SPANISH 2,
ABALOS, EUNICE ANNE	HISTORY 5, PE 2 SW, SOC SCI 150, SSCI RES 192, STS,
ABALOS, MARIA ISABEL	PM 231,
ABELEDA, CHELSEA JILLIAN	COMM II, HISTORY 4, MATH 11, NAT SCI 3, NAT SCI II, NSTP, PE 2 ARNIS, PSYCH 10,
ABELEDA, GABRIEL	KOM II, MATH I, NSTP, PE 2 ARNIS, PHIL ARTS 110, PHIL ARTS 113, PHILO I,
ABELGAS, FRANZ JUDE	ANTHRO I, COMM III ENG, HISTORY 101, HISTORY 114, PE 2 TBT, POL SCI 14, SOCIO 101,
ABELLA, VANESSA	BM 201, MGT 202,
ABERIN, MARVIN ANGELO	CHEM 14, CHEM 14.1, COMM II, GEO 11, MATH 73LAB, MATH 73LEC, NAT SCI 4, NSTP, PE 1 FPF, PSYCH 10,

Print
Back to Colleges

Figure 59: Student Evaluation Status

Figure 59 shows the page where the evaluation system manager can view and print the list of students of a particular college who still have subjects to be evaluated.

D. College Clerk View

1. College Clerk Home Page




Figure 60: College Clerk Home Page

Figure 60 shows the home page of a college clerk's account. The functionalities of the college clerk is shown on the tabs on the left of the page. A college clerk can download the classes of his/her college, manage the classes that will undergo set process, manage list of students that will undergo SET process, start and stop the evaluation mode of the college, modify the SET Questionnaire Type of a subject, view SET Scores, and monitor the status of the evaluation.

2. Download Classes

The screenshot shows the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The header includes the university logo and the text 'Welcome CAS Clerk. Logout.' The left sidebar contains a navigation menu with sections: 'College Clerk Utilities' (Home, Logout), 'Classes Management' (Download Classes, Classes/Faculty Selection, List of Students), 'SET' (Evaluation Mode, Assignment of SET Questions, SET Scores, Class Evaluation Status, Student Evaluation Status), and 'Account Management'. The main content area is titled 'Download Classes' and contains the message: 'Classes for College of Arts and Sciences this semester have not yet been downloaded. Download the classes.' Below this message is a bullet point: '• Downloading can take several minutes.'

Figure 61: Download Classes

Figure 61 shows the page where the college clerk can download the classes of his/her college.

3. Classes / Faculty Selection

ONLINE STUDENT EVALUATION OF TEACHERS
University of the Philippines Manila

Welcome CAS Clerk Logout

College Clerk Utilities
Home
Logout

Classes Management
Download Classes
Classes/Faculty Selection
List of Students

SET
Evaluation Mode
Assignment of SET Questions
SET Scores
Class Evaluation Status
Student Evaluation Status

Account Management

Classes Management
Search Subject
Check All | Uncheck All

Subject	Section	Instructors	Activated	
BNF 300	X	TBA	<input checked="" type="checkbox"/>	Edit
HPS 280	HJKX	LIHERNANDEZ	<input checked="" type="checkbox"/>	Edit
HPS 202	FJKX	LSRAMIRO	<input checked="" type="checkbox"/>	Edit
HPS 201	TJKX	TBA	<input checked="" type="checkbox"/>	Edit
MGT 203	HJK2	LSCLAVEL	<input checked="" type="checkbox"/>	Edit
MGT 202	WJK	MASVELUZ	<input checked="" type="checkbox"/>	Edit
MGT 201 (BM)	WJLY2	SMCCUA	<input checked="" type="checkbox"/>	Edit
BM 220	SBYDX	LOTRINIDAD	<input checked="" type="checkbox"/>	Edit
HI 298	WIKY	ADBMARCELO	<input checked="" type="checkbox"/>	Edit
HI 299	WEG	TBA	<input checked="" type="checkbox"/>	Edit
BNF 234	SEZG	EMENDOZA	<input checked="" type="checkbox"/>	Edit
BNF 241	SCD	TBA	<input checked="" type="checkbox"/>	Edit
BNF 240	SAB	GASOLANO	<input checked="" type="checkbox"/>	Edit
BNF 231	SCD	JBILLONES;MCOCCARRILLO;MGNICOLAS	<input checked="" type="checkbox"/>	Edit
BNF 216	LEC/LAB	TBA	<input checked="" type="checkbox"/>	Edit
BNF 201	LEC/LAB	MSAMAGBOO;VPCMAGBOO	<input checked="" type="checkbox"/>	Edit
BM 259	HJK	TBA	<input checked="" type="checkbox"/>	Edit

Figure 62: Classes / Faculty Selection

4. Add Faculty to a Class Form

ONLINE STUDENT EVALUATION OF TEACHERS
University of the Philippines Manila

Welcome CAS Clerk Logout

College Clerk Utilities
Home
Logout

Classes Management
Download Classes
Classes/Faculty Selection
List of Students
Class Evaluation Status
Student Evaluation Status

SET
Evaluation Mode
Assignment of SET Questions
SET Scores

Account Management

Add Instructor

Subject: CMSC 198 (SP)

Instructor*: Chu

JIMMY CHU
JOVEN TANCHUCO
CHERRY CAROLINE CHUA
CARLOS CHUA
RICHARD BRYANN CHUA

Figure 63: Add Faculty to a Class Form

Figure 62 shows the page where the college clerk can activate or deactivate a class. A deactivated class will not be evaluated. College clerk can add faculty to the class (Figure 63).

5. Management of students

The screenshot displays the 'List of Students - College of Arts and Sciences' interface. At the top, there is a search bar with the text 'marian' and a 'Search' button. Below the search bar is a table with three columns: 'Name', 'LOA', and 'View Classes'. The table lists ten students, each with a checkbox in the 'LOA' column and a 'View Classes' link. At the bottom of the table, there is a 'Save LOA status' button. The left sidebar contains a menu with the following items: 'College Clerk Utilities' (Home, Logout), 'Classes Management' (Download Classes, Classes/Faculty Selection, List of Students), 'SET' (Evaluation Mode, Assignment of SET Questions, SET Scores, Class Evaluation Status, Student Evaluation Status), and 'Account Management'.

Name	LOA	View Classes
BARRO, MARIAN	<input type="checkbox"/>	View Classes
CRUZ, DENISE MARIAN	<input type="checkbox"/>	View Classes
FERNANDEZ, JARDINE MARIAN	<input type="checkbox"/>	View Classes
MARIANO, ANABELLE	<input type="checkbox"/>	View Classes
MARIANO, CHARMEE MEA	<input type="checkbox"/>	View Classes
MARIANO, PORTIA ANDREA	<input type="checkbox"/>	View Classes
OCCENO, CAMILLE MARIANNE	<input type="checkbox"/>	View Classes
RIZON, MARIANNE MITCHELLE	<input type="checkbox"/>	View Classes
YARISANTOS, MARIAN FELICE	<input type="checkbox"/>	View Classes
YOROBE, MARIAN JUSTINE	<input type="checkbox"/>	View Classes

Figure 64: Management of students

College Clerk Utilities

- [Home](#)
- [Logout](#)

Classes Management

- [Download Classes](#)
- [Classes/ Faculty Selection](#)
- List of Students**

SET

- [Evaluation Mode](#)
- [Assignment of SET Questions](#)
- [SET Scores](#)
- [Class Evaluation Status](#)
- [Student Evaluation Status](#)

Account Management

List of Classes (MARIANO, CHARMEE MEA)

Subject	Section	Dropped
HUM II	TFG	<input type="checkbox"/>
DEV ST 112	TFB	<input type="checkbox"/>
DEV ST 122	TFI	<input type="checkbox"/>
DEV ST 152	SEG	<input type="checkbox"/>
ECON 109	MHG	<input type="checkbox"/>
SOC SCI 192	HJK	<input type="checkbox"/>

Back

Figure 65: Management of student's classes

Figure 64 shows the page where the college clerk can block students who applied for LOA. From then, college clerk can also block a student from his/her dropped classes (Figure 65).

6. Evaluation Mode

The screenshot shows the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The header includes the university logo, the title 'ONLINE STUDENT EVALUATION OF TEACHERS', and the text 'University of the Philippines Manila' and 'Welcome CAS Clerk. Logout.'.

The main content area is titled 'Evaluation Mode' and contains the message: 'Student Evaluation of Teachers for College of Arts and Sciences is currently deactivated. Activate SET.'

The left sidebar contains the following menu items:

- College Clerk Utilities**
 - Home
 - Logout
- Classes Management**
 - Download Classes
 - Classes/Faculty Selection
 - List of Students
- SET**
 - Evaluation Mode**
 - Assignment of SET Questions
 - SET Scores
 - Class Evaluation Status
 - Student Evaluation Status
- Account Management**

Figure 66: Evaluation Mode

Figure 66 shows the page where the college clerk can activate or deactivate the SET of his college.

7. Assignment of SET Questionnaire Types

The screenshot shows the 'Assignment of SET Questionnaire' page. The header includes the University of the Philippines Manila logo and the text 'ONLINE STUDENT EVALUATION OF TEACHERS' and 'University of the Philippines Manila'. The user is logged in as 'Welcome CAS Clerk'. The left sidebar contains navigation menus for 'College Clerk Utilities', 'Classes Management', 'SET', and 'Account Management'. The 'Assignment of SET Questionnaire' menu item is highlighted. The main content area displays a table with the following data:

Subject	SET Questionnaire Type	
ACCTG I	New SET	Change SET Questionnaire Type
ANTHRO 123	New SET	Change SET Questionnaire Type
ANTHRO 179	Standard SET	Change SET Questionnaire Type
ANTHRO 185	New SET	Change SET Questionnaire Type
ANTHRO I	Standard SET	Change SET Questionnaire Type
AREA ST 121	Standard SET	Change SET Questionnaire Type
AREA ST 123	Standard SET	Change SET Questionnaire Type
AREA ST 124	Standard SET	Change SET Questionnaire Type
AREA ST 125	Standard SET	Change SET Questionnaire Type
AREA ST 131	Standard SET	Change SET Questionnaire Type
AREA ST 141	Standard SET	Change SET Questionnaire Type
BEH SCI 145	Standard SET	Change SET Questionnaire Type
BEH SCI 155	Standard SET	Change SET Questionnaire Type
BEH SCI 156	Standard SET	Change SET Questionnaire Type
BEH SCI 175	Standard SET	Change SET Questionnaire Type
BEH SCI 183	Standard SET	Change SET Questionnaire Type
BEH SCI 185	Standard SET	Change SET Questionnaire Type
BEH SCI 199.1	Standard SET	Change SET Questionnaire Type
BEH SCI 200	Standard SET	Change SET Questionnaire Type

Figure 67: Assignment of SET Questionnaire Types

The screenshot shows the 'Assignment of SET Questionnaire' form. The header and sidebar are identical to Figure 67. The main content area displays a form with the following fields and controls:

- Subject:** A text input field containing 'CMSC 198 (SP)'.
- SET Questionnaire Type:*** A dropdown menu with 'New SET' selected.
- Buttons:** 'Save' and 'Cancel' buttons.

Figure 68: Assignment of SET Questionnaire Types (Form)

Figure 67 shows the page of all subjects with their corresponding SET Questionnaire Type. The college clerk can modify their default SET Questionnaire Type, as illustrated in Figure 68.

8. View SET Scores

The screenshot shows the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The page is titled 'SET Scores' and features a search area for instructors. The search results are displayed in a table with the following data:

Instructor Name	SET Average		
ANTONIO MANILA	0	Classes for this semester were not evaluated.	View SET Scores of previous semesters
BENJAMIN MANGUBAT	0	Classes for this semester were not evaluated.	View SET Scores of previous semesters
CHRISTOPHER GEORGE DUMANON	0	Classes for this semester were not evaluated.	View SET Scores of previous semesters
JPAUL MANZANILLA	2.7	View SET Scores of each class this semester	View SET Scores of previous semesters
LANI MANAHAN	0	Classes for this semester were not evaluated.	View SET Scores of previous semesters
MA. TERESA DE GUZMAN	0	Classes for this semester were not evaluated.	View SET Scores of previous semesters
MANUEL TORRES	0	Classes for this semester were not evaluated.	View SET Scores of previous semesters

Below the table, there is a link to [Print Instructors' Score](#).

Figure 69: View SET Scores (List of Faculty)

College Clerk Utilities

[Home](#)

[Logout](#)

Classes Management

[Download Classes](#)

[Classes/Faculty Selection](#)

[List of Students](#)

SET

[Evaluation Mode](#)

[Assignment of SET Questions](#)

SET Scores

[Class Evaluation Status](#)

[Student Evaluation Status](#)

Account Management

SET Scores (JPAUL MANZANILLA - COMM II)

University of the Philippines Manila
Student Evaluation of Teachers

Teacher : JPAUL MANZANILLA	Course : COMM II
Section : MHI2	Semester/AY : 2nd Sem, 2011
Respondents Answered : 1 out of 25	Score : 2.7

The Student

1.) How many class meetings have you missed

- 0 - 0
- 1 - 0
- 2 to 3 - 1
- 4 to 5 - 0
- 6 - 0

2.) Did you learn new ideas from your interactions with your teacher and classmates?

- Very much - 0
- Much - 1
- Moderately - 0
- Little - 0
- Not at all - 0

Question Average : 2

[Print](#)

Figure 70: View SET Scores (Full Report of a Class)

Figure 69 shows the list of all faculty of the college. College clerk can view who are the instructors who have and have not been evaluated and which class were evaluated and which were not. Figure 70 shows a full report of a class for a particular instructor.

9. Class Evaluation Status

ONLINE STUDENT EVALUATION OF TEACHERS
University of the Philippines Manila

Welcome CAS Clerk. Logout.

College Clerk Utilities

- Home
- Logout

Classes Management

- Download Classes
- Classes/Faculty Selection
- List of Students

SET

- Evaluation Mode
- Assignment of SET Questions
- SET Scores
- Class Evaluation Status**
- Student Evaluation Status

Account Management

Evaluation Status (College of Arts and Sciences)

Subject:

Subject	Section	Instructor	Number of Respondents	Respondents who evaluated
CMSC 191 (CS)	SAB	ACKCO	12	0
CMSC 191 (ISP)	TAB	PEGASMEN	11	0
CMSC 191 (ISP)	TAB	ACGONZAGA	11	0
CMSC 191 (ITPM)	HIZKY	RBLCHUA	11	0
CMSC 197 (SEMINAR)	TIZIX	MSAMAGBOO	8	0
CMSC 197 (SEMINAR)	TIZIX	VPCMAGBOO	8	0
CMSC 198 (SP)	MJK	ADCARPIO	10	0
CMSC 198 (SP)	MJK	ACKCO	10	0
CMSC 198 (SP)	MJK	RBLCHUA	10	0
CMSC 198 (SP)	MGI	MSAMAGBOO	10	0
CMSC 198 (SP)	MGI	VPCMAGBOO	10	0
CMSC 198 (SP)	MCD	ADCARPIO	11	0
CMSC 198 (SP)	MCD	ACKCO	11	0
CMSC 198 (SP)	MCD	RBLCHUA	11	0
CMSC 198 (SP)	MJK	MSAMAGBOO	10	0
CMSC 198 (SP)	MJK	VPCMAGBOO	10	0

Figure 71: Class Evaluation Status

Figure 71 shows the page where college clerk can check the status of all classes of the college.

10. Subject Evaluation Status

ONLINE STUDENT EVALUATION OF TEACHERS
University of the Philippines Manila

Welcome CAS Clerk. Logout.

College Clerk Utilities
Home
Logout

Classes Management
Download Classes
Classes/Faculty Selection
List of Students

SET
Evaluation Mode
Assignment of SET Questions
SET Scores
Class Evaluation Status
Student Evaluation Status

Account Management

Evaluation Status

Student Evaluation of Teachers - College of Arts and Sciences
The following students still have subjects yet to be evaluated:

AO, JOSE LOUIE MARK	CHEM 32LAB, CHEM 32LEC, CMSC 141, CMSC 191 (CS), CMSC 191 (ISP), CMSC 198 (SP), HI 192,
ABA, MARY ROSE ANGELICA	PE 2 MFT, PHIL ARTS 102, PHIL ARTS 131, PHIL ARTS 140, PHIL ARTS 163, PHIL ARTS 199, SPANISH 2,
ABALOS, EUNICE ANNE	HISTORY 5, PE 2 SW, SOC SCI 150, SSCI RES 192, STS,
ABALOS, MARIA ISABEL	PM 231,
ABELEDA, CHELSEA JILLIAN	COMM II, HISTORY 4, MATH 11, NAT SCI 3, NAT SCI II, NSTP, PE 2 ARNIS, PSYCH 10,
ABELEDA, GABRIEL	KOM II, MATH I, NSTP, PE 2 ARNIS, PHIL ARTS 110, PHIL ARTS 113, PHILO I,
ABELGAS, FRANZ JUDE	ANTHRO I, COMM III ENG, HISTORY 101, HISTORY 114, PE 2 TBT, POL SCI 14, SOCIO 101,
ABELLA, VANESSA	BM 201, MGT 202,
ABERIN, MARVIN ANGELO	CHEM 14, CHEM 14.1, COMM II, GEO 11, MATH 73LAB, MATH 73LEC, NAT SCI 4, NSTP, PE 1 FPF, PSYCH 10,


Print

Figure 72: Subject Evaluation Status

Figure 72 shows the page where the college clerk can view and print the list of students who still have subjects to be evaluated.

E. Student View

1. View Subjects



Subject	Section	Instructor Code	Evaluate
HUM II	TFG	CMBONILLA	Evaluate
DEV ST 122	TFI	EMVILLEGAS	Evaluate
ECON 109	MHG	SGSEVILLAJR	Evaluate
SOC SCI 192	HJK	JLDEJESUS	Evaluate
DEV ST 112	TFB	JNPONSARAN	Evaluate
DEV ST 152	SEG	LSCLAVEL	Evaluate

Figure 73: View Subjects

Figure 73 shows the page where student can view his/her subjects that are to be evaluated. A subject will have a link to its evaluation form if it is valid for evaluation. Deactivated or evaluated subjects will have no link to their evaluation form.

2. Agreement Form

The screenshot shows the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The header is red with the university logo on the left and 'Welcome Student Logout.' on the right. Below the header is a green bar with the university name. On the left side, there is a navigation menu with 'Main' (selected), 'Home', and 'Logout' under the 'Main' section, and 'SET' with a 'View Subjects' button under the 'SET' section. The main content area is titled 'Evaluation Agreement' and contains a text box with the following text: 'To improve the degree programs of our College and maximize the benefits that you get from your classes, may we request you to share with us your thoughts, feelings and suggestions on how this course can be improved. On the next page are series of questions which you need to answer as honestly as you can. Kindly answer all items. Be assured that your answers will be treated with utmost confidentiality. Data will be analyzed as a group and there is no way in which your teacher can identify you. Hence, your grade in this subject will not, in anyway, be affected by your responses. As data analysis takes quite a time, the results of this survey will only be shown to your teacher in the next semester.' Below this text is a 'Thank you for your participation.' message and two buttons: 'I Do Not Agree' and 'I Have Read And I Agree'.

Figure 74: Agreement Form

Figure 74 shows the page wherein the student is prompted to an Agreement Form before actually going to the evaluation form.

3. Evaluation Form

The screenshot shows the 'ONLINE STUDENT EVALUATION OF TEACHERS' interface for the University of the Philippines Manila. The page title is 'Evaluate Subject HUM II - CMBONILLA'. The navigation menu includes 'Main', 'Home', 'Logout', and 'SET' with a 'View Subjects' button. The evaluation form contains four statements, each with five radio button options: 'Strongly Agree', 'Agree', 'Disagree', 'Strongly Disagree', and 'Neutral'. The statements are: 1. 'This Course Stimulates me to study beyond the lessons assigned.' 2. 'Even if this course were not required, it would still be worthwhile taking it.' 3. 'I am fully satisfied with the way this course was handled/conducted.' 4. 'I have worked more conscientiously in this course more than in most other courses.'

Figure 75: Evaluation Form

Figure 75 shows the evaluation form of a class. The student can skip from part to part. He/She can only submit the whole evaluation form on the last part given that he/she have saved his/her answers on the previous parts.

VII. Discussion

The Online Student Evaluation of Teachers or OSET is an automation of the Student Evaluation of Teachers that is being implemented in UP Manila every semester. In this special problem, a new version of OSET has been developed as an advancement of previous versions of the OSET as much as programming style, interface and database design are concerned in its attempt to be functional in the whole university. With the bulk application of The Model-View-Controller or MVC pattern, an object-oriented approach of the Zend Framework, there was not much difficulty experienced in creating the new system and integrating dynamic questions in support to the main goal of the system. The `Zend_DB_Table` class made it easy to supplement queries to the database since tables were treated like objects with built-in methods such as `insert`, `delete`, `update`, `fetchrow`, etc. This class can be referred to as that which handles the connection from the service layer to the database layer in the system architecture of OSET 3.0. Creation of forms, insertion of elements to forms with appropriate filters and validators was easily done using the `Zend_Form` class while designing the form was done via the `Zend_Decorator`. Meanwhile, the `Zend_View` class contains the codes for the interface, mainly html and javascript codes. This can be referred to as the class that handles the presentation layer in the system architecture. Lastly, the `Zend_Controller` class is where all of the classes used for a specific module meet and organized. This can be referred to as that which supervises the service layer in the system architecture. Therefore, it can be visualized that every part or module of OSET 3.0 is a combination of these four classes. In addition, it can be inferred that with the convenience of reusing the Zend database models and forms, making another module would not be too difficult. The framework's strong support for database access made it possible to store all the data in the database thus making them all accessible for changes through queries, which is the main logic behind the creation of dynamic questionnaires. On the other hand, debugging in this new version of OSET was facile was well since classes in the modules allowed immediate

identification as to which class did a certain bug occurred. Furthermore, the OSET 3.0 does not only offer a great advantage in creating questionnaires for the SET itself, but it also gives less burden for its maintenance.

As OSET 3.0 inherits the strengths of Zend Framework, it was also affected by the framework's weakness or loopholes. A problem was encountered in handling the standard session management of Zend Framework. `Zend_Session` implements a one-to-one relationship between an IP address and the server. Therefore, when a user logs on two different system but of the same server, only one instance of a user will be considered. Another mishap of Zend Framework is the strain to insert plugins, ajax, or javascript codes in the `Zend_Form` because it is treated as a separate class. Thus, insertion of dependencies among questions is hard to implement since this feature would have needed javascript or ajax plugins. The framework, however, does not offer a way to implement it. This problem was encountered in the making of questionnaires, an example of which is when a user answers YES to a previous question, a textbox must appear. A possible solution was to use the `ZendX` library, an open source library that contains jquery plugins that was created to enhance elements of `Zend_Form`, but it also does not have the feature. Nevertheless, these problems are not hindrances to attain the goals of the system. Advantages overwhelmingly outweigh the minor drawbacks that it has.

VIII. Conclusion

The Online Student Evaluation of Teachers allows students to measure their teachers' performance based on the subjects that they have handled. Students will gain access of the OSET using their own student number as their username and a password generated by the administrator and provided that these two conditions are met: 1) the SET of the college college concerned is activated, and 2) the student has not dropped the subject.

The OSET system can be implemented in a university wide scale as it is capable of accepting college clerks from different colleges. Generally, the college clerk will have the authority to activate the evaluation mode of his/her college. The college clerk can download the classes belonging to his/her college and along with the list of students enrolled in those classes. Once classes are downloaded, the college clerk can select what subjects will have an activated SET and manage the list of students who are allowed to undergo the SET process of a certain subject. In addition, he/she can view and print a list of students who have unevaluated subjects remaining. SET scores will be automatically calculated and available for viewing and printing once the college clerk chooses to deactivate the evaluation mode.

An evaluation system manager commands the availability of the evaluation mode for the colleges. When he/she opens the evaluation mode, the college clerks are allowed to download the classes of their respective college. He/she can add, edit, and/or delete a SET Questionnaire Type/s, Part/s, and/or Question/s. Just like the college clerk, the evaluation system manager can also view and print a list of students who still have evaluation deficiencies.

Finally, an administrator is responsible for adding, editing or deleting user roles. He/She is capable of allowing users to have multiple roles, e.g. a user can be an administrator and/or an evaluation system manager and/or a college clerk simultaneously. The administrator also generate accounts for students. He/She can view and print the login information of the students. In needed circumstances,

the administrator can generate new passwords for all types of user roles.

IX. Recommendations

Online Evaluation of Teachers is an example of an online survey intended to gather data from the students for knowing their teachers' attitude towards teaching and learning, competency, strengths and weaknesses and level of performance. Teachers' performance are based on their SET Scores which are computed from specific questions. Using these scores per question, an innovative feature can be done, which is to have a regression model that can show what student-related, course-related and teacher-related factors have affected the teachers SET Score. The SET score of an instructor for his/her class can be treated as the dependent variable and the questions will be the independent variables. Regression models will also help find out which questions are interesting the students and which questions are not of necessity. To have a more comprehensive OSET, a graphical representation of the SET Scores of the instructors of the previous semesters up to the current semester along with a regression analysis can be a part of the system.

X. References

- [1] M. D. Patio, "Online student evaluation of teachers." Undergraduate Thesis, 2008.
- [2] H. M. Anderson, J. C. MS, and E. Bird, "Online student course evaluations: Review of literature and a pilot study," *American Journal of Pharmaceutical Education*, 2005.
- [3] L. H. Ludlow, C. E. Mader, and J. Shinsky, "A longitudinal approach to understanding course evaluations," *Practical Assessment, Research and Evaluation*, vol. 10, no. 1, 2005.
- [4] J. Donovan, C. E. Mader, and J. Shinsky, "Constructive student feedback: Online vs. traditional course evaluations," *Journal of Interactive Online Learning*, vol. 5, no. 3, 2006.
- [5] C. J. Dommeyer, P. Baum, R. W. Hanna, and K. S. Chapman, "Gathering faculty teaching evaluations by in-class and online surveys: their effects on response rates and evaluations," *Assessment and Evaluation in Higher Education*, vol. 29, no. 5, 2004.
- [6] J. Donovan, C. E. Mader, and J. Shinsky, "Online vs. traditional course evaluation formats: Student perceptions," *Journal of Interactive Online Learning*, vol. 5, no. 3, 2007.
- [7] R. J. Avery, W. K. Bryant, A. Mathios, H. Kang, and D. Bell, "Electronic course evaluations: Does an online delivery system influence student evaluations?," *Journal of Economic Education*, 2005.
- [8] J. Liegle and D. S. McDonald, eds., *Lessons Learned From Online vs. Paper-based Computer Information Students' Evaluation System*, 2007.
- [9] J. Anderson, G. Brown, and S. Spaeth, "Online student evaluations and response rates reconsidered," *Innovate*, vol. 2, 2006.

- [10] R. M. Marra and B. Bogue, eds., *A Critical Assessment of Online Survey Tools*, 2006.
- [11] R. P. Pargas, J. C. Witte, K. Jaganathan, and J. S. Davis, “Database design for dynamic online surveys,” in *ITCC’03*, pp. 665–671, 2003.
- [12] K. J. Morgan, “An online system for evaluation of classroom instruction: Design and implementation,” Master’s thesis, University of North Carolina at Chapel Hill, 2002.
- [13] “Course evaluations at mcgill.” <http://www.mcgill.ca/tls/courseevaluations/>, October 2011.
- [14] “Database management system.” <http://www.webopedia.com>, October 2011.
- [15] “Database management system.” <http://foldoc.doc.ic.ac.uk/foldoc/folodoc.cgi?DBMS>, October 2011.

XI. Appendix

A. Source Code

1. Configs

```
[production]
phpSettings.display_startup_errors = "0"
phpSettings.display_errors = "0"
phpSettings.date.timezone = "Europe/London"
includePaths.library = "/home/ivinas/public_html/ose/application/../library"
bootstrap.path = "/home/ivinas/public_html/ose/application/Bootstrap.php"
bootstrap.class = "Bootstrap"
appnamespace = "Application"
resources.frontController.controllerDirectory = "/home/ivinas/public_html/ose/application/controllers"
resources.frontController.params.displayExceptions = "0"
resources.multidb.db1.adapter = "PDO_MYSQL"
resources.multidb.db1.host = "localhost"
resources.multidb.db1.port = "5432"
resources.multidb.db1.username = "OSET"
resources.multidb.db1.password = "xbcuqSPKmsua4QhW"
resources.multidb.db1.dbname = "OSET"
resources.multidb.db1.default = "1"
resources.multidb.db2.adapter = "PDO_PGSQL"
resources.multidb.db2.host = "202.92.148.131"
resources.multidb.db2.port = "5432"
resources.multidb.db2.username = "osetuser"
resources.multidb.db2.password = "2008resuteso"
resources.multidb.db2.dbname = "crs2"
resources.layout.layoutPath = "/home/ivinas/public_html/ose/application/layouts/scripts/"
resources.view.doctype = "XHTML1_STRICT"

[staging : production]

[testing : production]
phpSettings.display_startup_errors = "1"
phpSettings.display_errors = "1"

[development : production]
phpSettings.display_startup_errors = "1"
phpSettings.display_errors = "1"
resources.frontController.params.displayExceptions = "1"
```

2. Controllers

```
<?php

class AccountManagementChangePasswordController extends Zend_Controller_Action
{

    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
    }

    public function indexAction()
    {

        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            try{
                $Username = $auth->getIdentity()->Username;
            } catch (Exception $e) {
                //$Username = "Student";
            }
        }

        $form = new Application_Form_AccountChangePassword();
        $this->view->form = $form;
        $form->Password->addValidator(new Zend_Validate_Callback(function($value) {
            $auth = Zend_Auth::getInstance();
            if ($auth->hasIdentity()) {
                try{
                    $Password = $auth->getIdentity()->Password;
                } catch (Exception $e) {
                    //$Username = "Student";
                }
            }
            if($Password == sha1($value)){
                return true;
            }else{
                return false;
            }
        }));

        if ($this->getRequest()->isPost() {
```

```

        $formData = $this->getRequest()->getPost();

        if($formData['cancel']!=null){
            $this->_helper->redirector('index','account-managementhome');
        }
        if ($form->isValid($formData)) {

            $New_Password= sha1($form->getValue('New_Password'));
            $Users = new Application_Model_DbTable_Users();
            $Users->changePassword($New_Password,$Username);
            $this->_helper->redirector('index','account-managementhome');
        } else {
            $form->populate($formData);
        }
    }
}
}

```

```

<?php
class AccountManagementhomeController extends Zend_Controller_Action
{
    public function init()
    {
        //$auth = Zend_Auth::getInstance();
        //$this->view->Evaluation = false;
        //$this->view->College = false;
        //if ($auth->hasIdentity()) {

        //}
    }

    public function indexAction()
    {
        // action body
    }
}

```

```

<?php
class AdminCollegesController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
    }

    public function indexAction()
    {
        $College = new Application_Model_DbTable_College();
        $this->view->Colleges = $College->fetchAll(null,'College_Name');
    }

    public function addAction()
    {
        $form = new Application_Form_College();
        $form->submit->setLabel('Add');
        $this->view->form = $form;
        $form->College_Name->addValidator(new ValidCollegeName());
        $form->College_Code->addValidator(new ValidCollegeCode());
        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();
            if($formData['cancel']!=null){
                $this->_helper->redirector('index');
            }
            if ($form->isValid($formData)) {
                $College_Name = $form->getValue('College_Name');
                $College_Code = $form->getValue('College_Code');
                $users = new Application_Model_DbTable_College();
                $users->addCollege($College_Name, $College_Code);
                $this->_helper->redirector('index');
            } else {
                $form->populate($formData);
            }
        }
    }
}

function editAction()
{
    $form = new Application_Form_College();
    $form->submit->setLabel('Save');
    $College_Name_Param = $this->_getParam('College_Name', 0);
    $College_Code_Orig = $this->_getParam('College_Code', 0);
}

```



```

        $this->view->form = $form;
    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();
        if (strtoupper($formData['College_Name']) != strtoupper($College_Name_Param)) {
            $form->College_Name->addValidator(new ValidCollegeName());
        }

        if (strtoupper($formData['College_Code']) != strtoupper($College_Code_Orig)) {
            $form->College_Code->addValidator(new ValidCollegeCode());
        }

        if ($formData['cancel'] != null) {
            $this->_helper->redirector('index', null, null, array('Answer_Type_ID' => $Answer_Type_ID));
        }

        if ($form->isValid($formData)) {
            $College_Code = $form->getValue('College_Code');
            $College_Name = $form->getValue('College_Name');
            $College = new Application_Model_DbTable_College();
            $College->updateCollege($College_Name, $College_Code, $College_Code_Orig);
            $this->_helper->redirector('index');
        } else {
            $form->populate($formData);
        }
    } else {
        $College_Code = $this->_getParam('College_Code', null);
        if ($College_Code != null) {
            $College = new Application_Model_DbTable_College();
            $form->populate($College->getCollege($College_Code));

            //echo $College_Code;
        }
    }
}

public function deleteAction()
{
    if ($this->getRequest()->isPost()) {
        $del = $this->getRequest()->getPost('del');
        if ($del == 'Yes') {
            $College_Code = $this->getRequest()->getPost('College_Code');
            $College = new Application_Model_DbTable_College();
            $College->deleteCollege($College_Code);
        }
        $this->_helper->redirector('index');
    } else {
        $College_Code = $this->_getParam('College_Code', 0);
        $College = new Application_Model_DbTable_College();
        $this->view->College = $College->getCollege($College_Code);
    }
}

}

}

class ValidCollegeName extends Zend_Validate_Abstract
{
    const DUPLICATE = 'Duplicate';

    protected $_messageTemplates = array(
        self::DUPLICATE => "'%value%' already exists."
    );

    public function isValid($value)
    {
        $this->_setValue($value);
        $College = new Application_Model_DbTable_College();

        if (!$College->isExist($value)) {

            return true;
        }
        $this->_error(self::DUPLICATE);
        return false;
    }
}

class ValidCollegeCode extends Zend_Validate_Abstract
{
    const DUPLICATE = 'Duplicate';

    protected $_messageTemplates = array(
        self::DUPLICATE => "'%value%' already exists."
    );

    public function isValid($value)
    {
        $this->_setValue($value);
        $College = new Application_Model_DbTable_College();

        if (!$College->isCodeExist($value)) {

            return true;
        }
        $this->_error(self::DUPLICATE);
        return false;
    }
}

}

```

```

<?php
class AdminController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        $OSET = Zend_Db_Table::getDefaultAdapter();
    }

    public function indexAction()
    {
        $form = new Application_Form_SearchUser();
        $this->view->form = $form;

        $Name = $this->_getParam('Name', "");
        $Flag = $this->_getParam('Flag', 1);
        $Sort = $this->_getParam('Sort', 'First_Name');
        $this->view->Flag = $Flag;
        $this->view->Sort = $Sort;
        $Users = new Application_Model_DbTable_Users();

        $Select = $Users->select();
        $Select->where('First_Name LIKE ?', '%' .strtoupper($Name) . '%');
        $Select->orWhere('Last_Name LIKE ?', '%' .strtoupper($Name) . '%');
        $Select->orWhere('Username LIKE ?', '%' .strtoupper($Name) . '%');
        $Select->order($Sort);
        $Results = $Users->fetchAll($Select);
        $this->view->users = $Results;

        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();
            if ($form->isValid($formData)) {
                $Name = $form->getValue('Name');
                $this->_helper->redirector('index', null, null, array('Name'=>$Name, 'Flag'=>0));
            } else {
                $form->populate($formData);
            }
        } else {
            $Name = $this->_getParam('Name');
            $form->Name->setValue($Name);
        }
    }

    public function addAction()
    {
        $form = new Application_Form_User();
        $form->submit->setLabel('Add');
        $this->view->form = $form;
        $form->Username->addValidator(new ValidUsername());
        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();

            if ($formData['cancel']!=null) {
                $this->_helper->redirector('index');
            }

            if ($form->isValid($formData)) {
                $Password = sha1($form->getValue('Password'));
                $Username = $form->getValue('Username');
                $College_Code = $form->getValue('College_Code');
                $User_Type_Array = $form->getValue('User_Type');
                $counter=0;
                $User_Type =0;
                while($counter<count($User_Type_Array)){
                    $User_Type = $User_Type + (int)$User_Type_Array[$counter];
                    $counter++;
                }
                $First_Name = $form->getValue('First_Name');
                $Last_Name = $form->getValue('Last_Name');
                $Users = new Application_Model_DbTable_Users();
                $Users->addUser($Password, $Username, $User_Type, $First_Name, $Last_Name, $College_Code);
                $this->_helper->redirector('index');
            } else {
                $form->populate($formData);
            }
        }
    }

    function editAction()
    {
        $form = new Application_Form_User2();
        $form->submit->setLabel('Save');
        $this->view->form = $form;

        $form->Username->setAttrib('disabled', 'disabled');
        $Username = $this->_getParam('Username', "hello");
        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();

            //if (strtoupper($formData['Username'])!=strtoupper($Username_Param)) {

```

```

// $form->Username->addValidator(new ValidUsername());
//}

if($formData['cancel']!=null){
    $this->_helper->redirector('index');
}
    if ($form->isValid($formData)) {

        $User_Type_Array = $form->getValue('User_Type');
        $College_Code = $form->getValue('College_Code');
        $counter=0;
        $User_Type =0;
        while($counter<count($User_Type_Array)){
            $User_Type = $User_Type + (int)$User_Type_Array[$counter];
            $counter++;
        }
        $First_Name = $form->getValue('First_Name');
        $Last_Name = $form->getValue('Last_Name');
        $Users = new Application_Model_DbTable_Users();
        $Users->updateUser($Username, $User_Type, $First_Name, $Last_Name, $College_Code);
        $this->_helper->redirector('index');
    } else {
        $form->populate($formData);
    }
} else {
    // $Username = $this->_getParam('Username', 0);

    if ($Username != "hello") {
        $Users = new Application_Model_DbTable_Users();
        $User_Details = $Users->getUser($Username);
        $form->populate($User_Details);

        if($User_Details['User_Type']==5){
            $form->User_Type->setValue(array(2,3));
        }
        if($User_Details['User_Type']==6){
            $form->User_Type->setValue(array(2,4));
        }
        if($User_Details['User_Type']==7){
            $form->User_Type->setValue(array(3,4));
        }
        if($User_Details['User_Type']==9){
            $form->User_Type->setValue(array(2,3,4));
        }
    }
}

public function deleteAction()
{
    if ($this->getRequest()->isPost()) {
        $del = $this->getRequest()->getPost('del');
        if ($del == 'Yes') {
            $Username = $this->getRequest()->getPost('Username');
            $Users = new Application_Model_DbTable_Users();
            $Users->deleteUser($Username);
        }
        $this->_helper->redirector('index');
    } else {
        $Username = $this->_getParam('Username', "hello");
        $Users = new Application_Model_DbTable_Users();
        $this->view->user = $Users->getUser($Username);
    }
}

public function changepasswordAction(){
    $form = new Application_Form_ChangePassword();
    $this->view->form = $form;
    $form->submit->setLabel('Save');
    $Username = $this->_getParam('Username', "hello");

    $Users = new Application_Model_DbTable_Users();
    $User_Details = $Users->getUser($Username);

    $this->view->Username = $User_Details['Username'];

    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();
        if($formData['cancel']!=null){
            $this->_helper->redirector('index');
        }
        if ($form->isValid($formData)) {
            $Password = sha1($form->getValue('Password'));

            $Users = new Application_Model_DbTable_Users();
            $Users->changePassword($Password, $Username);
            $this->_helper->redirector('index');
        } else {
            $form->populate($formData);
        }
    }
}
}

```

```

}

class ValidUsername extends Zend_Validate_Abstract
{
    const DUPLICATE = 'Duplicate';

    protected $_messageTemplates = array(
        self::DUPLICATE => "'%value%' already exists."
    );

    public function isValid($value)
    {
        $this->_setValue($value);
        $User = new Application_Model_DbTable_Users();

        if (!$User->isExist($value)) {

            return true;
        }
        $this->_error(self::DUPLICATE);
        return false;
    }
}

```

<?php

```

class AdminDepartmentsController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
    }

    public function indexAction()
    {
        $College_Code = $this->_getParam('College_Code',0);
        $College_Name = $this->_getParam('College_Name',0);
        $this->view->College_Code = $College_Code;
        $this->view->College_Name = $College_Name;
        $Department = new Application_Model_DbTable_Department ();
        $this->view->Departments = $Department->fetchAll('College_Code=' .Chr(34).$College_Code.Chr(34));
    }

    public function addAction()
    {
        $form = new Application_Form_Department ();
        $College_Code = $this->_getParam('College_Code',0);
        $College_Name = $this->_getParam('College_Name',0);
        $form->submit->setLabel('Add');
        $this->view->form = $form;
        $form->Department_Name->addValidator(new ValidDepartmentName());
        $form->Department_Code->addValidator(new ValidDepartmentUnit());
        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();
            if ($formData['cancel']!=null){
                $this->_helper->redirector('index', null,null,array('College_Code'=>$College_Code, 'College_Name'=>
                    $College_Name));
            }
            if ($form->isValid($formData)) {
                $Department_Name = $form->getValue('Department_Name');
                $Department_Code = $form->getValue('Department_Code');
                $users = new Application_Model_DbTable_Department ();
                $users->addDepartment($Department_Name, $Department_Code, $College_Code);
                $this->_helper->redirector('index', null,null,array('College_Code'=>$College_Code, 'College_Name'=>
                    $College_Name));
            } else {
                $form->populate($formData);
            }
        }
    }

    function editAction()
    {
        $form = new Application_Form_Department ();
        $form->submit->setLabel('Save');
        $Department_Name_Param = $this->_getParam('Department_Name', 0);
        $Department_Code_Orig = $this->_getParam('Department_Code', 0);
        $College_Code = $this->_getParam('College_Code',0);
        $College_Name = $this->_getParam('College_Name',0);
        $this->view->form = $form;
        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();
            if (strtoupper($formData['Department_Name'])!=strtoupper($Department_Name_Param)){
                $form->Department_Name->addValidator(new ValidDepartmentName());
            }

            if (strtoupper($formData['Department_Code'])!=strtoupper($Department_Code_Orig)){
                $form->Department_Code->addValidator(new ValidDepartmentUnit());
            }
        }

        if ($formData['cancel']!=null){
            $this->_helper->redirector('index', null,null,array('College_Code'=>$College_Code, 'College_Name'=>
                $College_Name));
        }

        if ($form->isValid($formData)) {

```

```

$Department_Code = $form->getValue('Department_Code');
$Department_Name = $form->getValue('Department_Name');
$Department = new Application_Model_DbTable_Department();
$Department->updateDepartment($Department_Name, $Department_Code, $Department_Code_Orig);
$this->_helper->redirector('index', null,null,array('College_Code'=>$College_Code, 'College_Name'=>
$College_Name));
} else {
    $form->populate($formData);
}
} else {
    $Department_Code = $this->_getParam('Department_Code', null);
if ($Department_Code!=null) {
    $Department= new Application_Model_DbTable_Department();
    $form->populate($Department->getDepartment($Department_Code));

    //echo $Department_Code;
}
}
}

public function deleteAction()
{
$College_Code = $this->_getParam('College_Code',0);
$College_Name = $this->_getParam('College_Name',0);
if ($this->getRequest()->isPost()) {
    $del = $this->getRequest()->getPost('del');
    if ($del == 'Yes') {
        $Department_Code = $this->getRequest()->getPost('Department_Code');
        $Department = new Application_Model_DbTable_Department();
        $Department->deleteDepartment($Department_Code);
    }
    $this->_helper->redirector('index', null,null,array('College_Code'=>$College_Code, 'College_Name'=>
$College_Name));
} else {
    $Department_Code = $this->_getParam('Department_Code', 0);
    $Department = new Application_Model_DbTable_Department();
    $this->view->Department = $Department->getDepartment($Department_Code);
}
}
}

class ValidDepartmentName extends Zend_Validate_Abstract
{
    const DUPLICATE = 'Duplicate';

    protected $_messageTemplates = array(
        self::DUPLICATE => "'%value%' already exists."
    );

    public function isValid($value)
    {
        $this->_setValue($value);
        $Department = new Application_Model_DbTable_Department();

        if (!$Department->isExist($value)) {
            return true;
        }
        $this->_error(self::DUPLICATE);
        return false;
    }
}

class ValidDepartmentUnit extends Zend_Validate_Abstract
{
    const DUPLICATE = 'Duplicate';

    protected $_messageTemplates = array(
        self::DUPLICATE => "'%value%' already exists."
    );

    public function isValid($value)
    {
        $this->_setValue($value);
        $Department = new Application_Model_DbTable_Department();

        if (!$Department->isUnitExist($value)) {
            return true;
        }
        $this->_error(self::DUPLICATE);
        return false;
    }
}
}

```

```

<?php
class AdminRegenerateController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
    }
}

```

```

public function indexAction()
{
    $form = new Application_Form_Regenerate();
    $this->view->form = $form;
    $Name = $this->_getParam('Name',0);
    $Flag = $this->_getParam('Flag',0);
    $this->view->Flag = $Flag;
    $Students = new Application_Model_DbTable_Students();
    $Select = $Students->select();
    $Select->where('Name LIKE ?', '%'.strtoupper($Name).'%');
    $Select->order('Student_ID');
    $Results = $Students->fetchAll($Select);
    $this->view->Results = $Results;

    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();
        if ($form->isValid($formData)) {
            // $Subject = $form->getValue('Subject');
            $Name = $form->getValue('Name');
            $this->_helper->redirector('index',null,null,array('Name'=>$Name));
        } else {
            $form->populate($formData);
        }
    } else {
        $Name = $this->_getParam('Name');
        $form->Name->setValue($Name);
    }
}

public function regenerateAction()
{
    include 'Text/Password.php';
    $tp = new Text_Password();

    $Name = $this->_getParam('Name',0);
    $Student_ID = $this->_getParam('Student_ID',0);
    $Password = $tp->create(8, 'unpronounceable', 'alphanumeric');

    $this->view->Name = $Name;
    $this->view->Student_ID = $Student_ID;
    $this->view->Password = $Password;

    $Students = new Application_Model_DbTable_Students();
    $Students->updateStudentByStudentID($Student_ID, sha1($Password));
}
}
}

```

```

<?php
class AdminSetupController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
    }

    public function indexAction()
    {
        $form = new Application_Form_Setup();
        $this->view->form = $form;

        $oSET = Zend_Db_Table::getDefaultAdapter();

        // $sql = 'DROP TABLE IF EXISTS Flags';
        // $result = $oSET->getConnection()->exec($sql);

        $sql = "CREATE TABLE IF NOT EXISTS `Flags` (
            `Flag_ID` int(11) NOT NULL AUTO_INCREMENT,
            `Flag_Name` varchar(20) NOT NULL,
            `Value` tinyint(1) NOT NULL,
            `Extended_Value` varchar(20) NOT NULL,
            PRIMARY KEY (`Flag_ID`),
            UNIQUE KEY `Flag_Name` (`Flag_Name`)
        )";

        $result = $oSET->getConnection()->exec($sql);

        $Flags = new Application_Model_DbTable_Flags();
        $Flagsx = $Flags->fetchAll();

        if(count($Flagsx)==0){
            $sql = "INSERT INTO `Flags` (`Flag_ID`, `Flag_Name`, `Value`, `Extended_Value`) VALUES

```

```

        (1, 'classes_downloaded', 0, ''),
        (2, 'semester', 1, '20112'),
        (3, 'passwords_generated', 0, ''),
        (4, 'Evaluation_Mode', 0, ''),
        (5, 'SET_Scores_On', 0, '');
    }

    $result = $OSET->getConnection()->exec($sql);
}

$Semester = $Flags->getFlag(2);
$Academic_Year = (int)substr($Semester['Extended_Value'],0,4);
$Semester_Num = (int)substr($Semester['Extended_Value'],4,1);
if($Semester_Num==1){
    $Semester_Words = "1st Semester";
}else if($Semester_Num==2){
    $Semester_Words = "2nd Semester";
}else if($Semester_Num==3){
    $Semester_Words = "Summer";
}

$this->view->Semester_Words = $Semester_Words;
$this->view->Academic_Year = $Academic_Year;

if ($this->getRequest()->isPost() ) {
    $formData = $this->getRequest()->getPost();

    if ($form->isValid($formData)) {
        $Semester = $form->getValue('Semester');
        $Academic_Year = $form->getValue('Academic_Year');
        $AY = $Academic_Year.$Semester;
        $Flags->updateFlagx(2,true, (int)$AY);

        $this->_helper->redirector('index');
    } else {
        $form->populate($formData);
    }
}
else{
    $form->Academic_Year->setValue($Academic_Year);
    $form->Semester->setValue($Semester_Num);
}

}

}

```

```

<?php
class AdminStudentAccountsController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
    }

    public function indexAction()
    {
        $flags = new Application_Model_DbTable_Flags();

        $this->view->flags = $flags->getFlag(1);
        $this->view->flags2 = $flags->getFlag(3);
    }

    public function generateAction()
    {
        ini_set("memory_limit","250M");
        require_once 'Zend/Pdf.php';
        require_once 'My/Pdf.php';
        require_once 'My/Pdf/Document.php';
        require_once 'My/Pdf/Page.php';
        require_once 'My/Pdf/Table.php';
        require_once 'My/Pdf/Table/Row.php';
        require_once 'My/Pdf/Table/Cell.php';
        require_once 'My/Pdf/Table/Column.php';
        require_once 'My/Pdf/Table/HeaderRow.php';

        set_time_limit(0);

        $flags = new Application_Model_DbTable_Flags();

        include 'Text/Password.php';
        $stp = new Text_Password();

        $student = new Application_Model_DbTable_Students();
        $OSET = Zend_Db_Table::getDefaultAdapter();
    }
}

```

```

$sql = 'DROP TABLE IF EXISTS Dummy';
$result = $OSET->getConnection()->exec($sql);

$sql = 'CREATE TABLE `Dummy` (
    `ID` INT( 11 ) NOT NULL ,
    `Password` VARCHAR( 20 ) NOT NULL,
    Primary Key (`ID`));';

$result = $OSET->getConnection()->exec($sql);

$dummy = new Application_Model_DbTable_Dummy();

$counter = 1;
while($counter<=$student->countStudent()){
    $password = $tp->create(8, 'unpronounceable','alphanumeric');
    $student->updateStudent($counter,shal($password));
    $dummy->addDummy($counter, $password);
    $counter++;
}
$loader = Zend_Loader_Autoloader::getInstance();

try {
    $sql = "SELECT Student.Name, Student.Student_ID, Dummy.Password
    FROM Dummy
    LEFT JOIN Student
    ON Dummy.ID = Student.ID
    ORDER BY Student.Student_ID;";

    $Name_of_PDF = "temp/SET_Student-Accounts";
    $stmt = $OSET->query($sql);
    $pdf = new My_Pdf_Document($Name_of_PDF.'.pdf', '.');
    $this->view->Name_of_PDF = $Name_of_PDF;
    // create page
    $page = $pdf->createPage();

    // define font resource
    $font = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_HELVETICA);
    $font2 = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_COURIER);

    $style = new Zend_Pdf_Style();
    $style->setLineColor( new Zend_Pdf_Color_Rgb( 0, 0, 0 ) );
    $style->setLineWidth( 1 );
    // set font
    $page->setFont($font, 12);

    // create table
    $table = new My_Pdf_Table(3);

    while ($record = $stmt->fetch()) {
        $row = new My_Pdf_Table_Row();
        $cols = array();
        $col = new My_Pdf_Table_Column();
        $col->setText("Online SET Student's Login Information. ". "Log on to ". $this->view->serverUrl() . substr
            ($this->view->baseUrl(),0,-6));
        $col->setWidth(250);
        $cols[] = $col;
        $col = new My_Pdf_Table_Column();
        $col->setText(" ");
        $cols[] = $col;
        $col = new My_Pdf_Table_Column();
        $col->setText(" ");
        $cols[] = $col;
        $row->setColumns($cols);
        $row->setFont($font, 11);
        $row->setBorder(My_Pdf::TOP, $style);
        $row->setCellPaddings(array(10,10,10,10));
        $table->addRow($row);

        $row = new My_Pdf_Table_Row();
        $cols = array();
        $adjuster = 0;
        foreach ($record as $k => $v) {

            $col = new My_Pdf_Table_Column();
            if($adjuster == 0){
                $col->setText('Name: ' . $v);
                $col->setWidth(300);
            }else if($adjuster==1){
                $col->setText('Username: ' . $v);
            }else{
                $col->setText('Password: ' . $v);
            }
            $cols[] = $col;
            $adjuster++;
        }

        $row->setColumns($cols);
        $row->setFont($font, 12);
        // $row->setBorder(My_Pdf::BOTTOM, $style);
        $row->setCellPaddings(array(10,10,10,10));
        $table->addRow($row);
    }
}

```



```

    }

    // add table to page
    $page->addTable($table, 0, 0);
    // add page to document
    $pdf->addPage($page);

    // save as file
    $pdf->save($Name_of_PDF.'.pdf');

} catch (Zend_Pdf_Exception $e) {
    die ('PDF error: ' . $e->getMessage());
} catch (Exception $e) {
    die ('Application error: ' . $e->getMessage());
}

$sql = 'DROP TABLE IF EXISTS Dummy';
$result = $OSET->getConnection()->exec($sql);

$flags->updateFlag(3 , TRUE);

}

public function printAction(){
    $Name_of_PDF = "temp/SET_Student-Accounts";
    $this->view->Name_of_PDF = $Name_of_PDF;
}

public function downloadAction(){

    /* if (userHasNoPermissions) {
        $this->view->msg = 'This file cannot be downloaded!';
        $this->_forward('error', 'download');
        return FALSE;
    }*/

    header('Content-Type: pdf');
    header('Content-Disposition: attachment; filename="SET_Student-Accounts.pdf"');
    readfile('temp/SET_Student-Accounts.pdf');

    // disable layout and view
    $this->view->layout()->disableLayout();
    $this->_helper->viewRenderer->setNoRender(true);

}

}

```

```

<?php

class CollegeClerkAssignmentController extends Zend_Controller_Action
{

    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            $College_Code = $auth->getIdentity()->College_Code;
        }

        $College = new Application_Model_DbTable_College();
        $College_Details = $College->getCollege($College_Code);

        if($action!='index' && ($College_Details['Activated']==TRUE || $College_Details['Downloaded']==FALSE)){
            $this->_helper->redirector('index');
        }
    }

    public function indexAction()
    {

        $OSET = Zend_Db_Table::getDefaultAdapter();

        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            try{
                $College_Code = $auth->getIdentity()->College_Code;
            } catch (Exception $e) {
                //$username = "Student";
            }
        }

        $Flag = $this->_getParam('Flag',0);
        $Subject = $this->_getParam('Subject', " ");
        $this->view->Flag = $Flag;
        $form = new Application_Form_SearchSubject();
        $this->view->form = $form;

        $Department_Code = $this->_getParam('Department','DPSM');
    }
}

```

```

$Departments_Table = new Application_Model_DbTable_Department();
$Departments = $Departments_Table->fetchAll('College_Code = '. Chr(34).$College_Code.Chr(34));

$counter=0;
while($counter < count($Departments)){
    $form->Department->addMultiOption($Departments[$counter]['Department_Code'],$Departments[$counter]['Department_Code']);
    $counter++;
}
$form->Department->addMultiOption('x','All Departments');

if ($this->getRequest()->isPost()) {
    $formData = $this->getRequest()->getPost();
    if ($form->isValid($formData)) {

        $Subject = $form->getValue('Subject');
        $Department_Code = $form->getValue('Department');
        $this->_helper->redirector('index',null,null,array('Subject'=>$Subject, 'Flag'=>1, 'Department'=>$Department_Code));
    } else {
        $form->populate($formData);
    }
} else {
    $Subject = $this->_getParam('Subject');
    $form->Subject->setValue($Subject);
    $form->Department->setValue($Department_Code);
}

$College = new Application_Model_DbTable_College();
$College_Details = $College->getCollege($College_Code);

$this->view->College_Name = $College_Details['College_Name'];

$this->view->DFlag = $College_Details['Downloaded'];
$this->view->Activated_Flag = $College_Details['Activated'];

if($Department_Code!='x'){
    $sql = "SELECT Subject_Questionnaire_Lists.Subject, SET_Questionnaire.SET_Questionnaire_Type_Name,
    Subject_Questionnaire_Lists.SET_Questionnaire_Type_ID
    FROM Subject_Questionnaire_Lists
    LEFT JOIN SET_Questionnaire ON Subject_Questionnaire_Lists.SET_Questionnaire_Type_ID =
    SET_Questionnaire.SET_Questionnaire_Type_ID
    WHERE Subject_Questionnaire_Lists.College_Code = '$College_Code' AND Subject_Questionnaire_Lists.
    Department_Code = '$Department_Code' AND Subject_Questionnaire_Lists.Subject LIKE '%$Subject%'
    ;" ;
}else{
    $sql = "SELECT Subject_Questionnaire_Lists.Subject, SET_Questionnaire.SET_Questionnaire_Type_Name,
    Subject_Questionnaire_Lists.SET_Questionnaire_Type_ID
    FROM Subject_Questionnaire_Lists
    LEFT JOIN SET_Questionnaire ON Subject_Questionnaire_Lists.SET_Questionnaire_Type_ID =
    SET_Questionnaire.SET_Questionnaire_Type_ID
    WHERE Subject_Questionnaire_Lists.College_Code = '$College_Code' AND Subject_Questionnaire_Lists.
    Subject LIKE '%$Subject%' ;" ;
}

$this->view->Subject = $OSET->fetchAll($sql);

}

public function editAction()
{
    $form = new Application_Form_Subject();
    $form->submit->setLabel('Save');
    $this->view->form = $form;
    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();

        if($formData['cancel']!=null){
            $this->_helper->redirector('index');
        }

        if ($form->isValid($formData)) {
            //$Subject = $form->getValue('Subject');
            $SET_Questionnaire_Type_ID = $form->getValue('SET_Questionnaire_Type_ID');
            $Subjects = new Application_Model_DbTable_Subject();
            $Subject = $this->_getParam('Subject');
            $Subjects->updateSubject($Subject, $SET_Questionnaire_Type_ID);
            $this->_helper->redirector('index');
        } else {
            $form->populate($formData);
        }
    } else {
        $Subjects = $this->_getParam('Subject');
        $Subject = new Application_Model_DbTable_Subject();
        $form->populate($Subject->getSubject($Subjects));
    }
}
}
}

```

```

<?php
class CollegeClerkClassManagementController extends Zend_Controller_Action
{
    public function init()
    {
        set_time_limit(0);
        error_reporting(E_ALL ^ E_NOTICE);

        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            $College_Code = $auth->getIdentity()->College_Code;
        }

        $College = new Application_Model_DbTable_College();
        $College_Details = $College->getCollege($College_Code);

        if($action!='index' && $College_Details['Activated']==TRUE ){
            $this->_helper->redirector('index');
        }

    }

    public function indexAction()
    {
        $flags = new Application_Model_DbTable_Flags();

        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            try{
                $College_Code = $auth->getIdentity()->College_Code;
            } catch (Exception $e) {
                //$username = "Student";
            }
        }
        $Evaluation_Mode = $flags->getFlag(4);
        $College = new Application_Model_DbTable_College();
        $College_Details = $College->getCollege($College_Code);

        $this->view->College_Name = $College_Details['College_Name'];
        $this->view->Activated_Flag = $College_Details['Activated'];
        $this->view->Evaluation_Mode_Flag = $Evaluation_Mode['Value'];
        $this->view->flags = $College_Details['Downloaded'];
    }

    public function downloadAction()
    {
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            try{
                $College_Code = $auth->getIdentity()->College_Code;
            } catch (Exception $e) {
                //$username = "Student";
            }
        }

        $Class = new Application_Model_DbTable_Class();
        $Classlist = new Application_Model_DbTable_Classlists();
        $Department = new Application_Model_DbTable_Department();
        $Departments = $Department->fetchAll('College_Code = '.Chr(34).$College_Code.Chr(34));
        //echo $Departments;
        //echo $Departments[0]['Department_Name'];

        $flags = new Application_Model_DbTable_Flags();

        $flag = $flags->getFlag(2);

        $flags->updateFlag(1,True);

        $session = Zend_Registry::get('session');
        $CRS = $session->dbBB;

        $OSET = Zend_Db_Table::getDefaultAdapter();
        /** CREATE TABLE Class **/
        // $sql = 'DROP TABLE IF EXISTS Class';
        //$result = $OSET->getConnection()->exec($sql);

        $sql = 'CREATE TABLE IF NOT EXISTS `Class` (
        `Class_ID` INT( 11 ) NOT NULL AUTO_INCREMENT,
        `Subject` VARCHAR( 20 ) NOT NULL ,
        `Section` VARCHAR( 20 ) NOT NULL ,
        `Activated` BOOLEAN NOT NULL DEFAULT 1,
        `Department_Code` VARCHAR( 10 ) NOT NULL ,
        `Instructors` VARCHAR( 100 ) NOT NULL ,
        `College_Code` VARCHAR(10) NOT NULL,
        `Editable` BOOLEAN NOT NULL DEFAULT 0,
        PRIMARY KEY ( `Class_ID` )
    
```

```

    );
$result = $OSET->getConnection()->exec($sql);
$class->deleteByCollegeCode($College_Code);

    /** GET Data and Insert to Class **/

    $sem = (int)$flag['Extended_Value'];
    $sem1 = $sem + 1;
    $sem = (int)$sem * 100000;
    $sem1 = (int)$sem1 * 100000;

    $sql = "SELECT classid,extracode,section,subject,instructors,unit,unitname from osetuser_classes_view
    WHERE classid>'$sem'
    AND subject NOT LIKE '%RESIDEN%'
    and classid<'$sem1' and (";
    $dcounter=0;
    while($dcounter<count($Departments)){
        $sql = $sql . " unit = '" . $Departments[$dcounter]['Department_Code'] . "'";
        $dcounter++;
        if($dcounter < count($Departments)){
            $sql = $sql . " or ";
        }
    }
    $sql = $sql . ")";

    $result = $CRS->fetchAll($sql);

    $rowCount = count($result);
    $counter = 0 ;
    $instructor = "";
    $subject = "";
    while($counter<$rowCount){
        if($result[$counter]['instructors']=="TBA"){
            $instructor = "";
        }else{
            $instructor = $result[$counter]['instructors'];
        }
        $subject = $result[$counter]['subject'];

        if($result[$counter]['extracode']!=""){
            if(substr($result[$counter]['extracode'],0,3)=="LAB"){
                $subject = $subject . "LAB";
            }else if(substr($result[$counter]['extracode'],0,3)=="LEC"){
                $subject = $subject . "LEC";
            }
        }
    }

    $data = array(
        'Class_ID' => $result[$counter]['classid'],
        'Section' => $result[$counter]['section'],
        'Subject' => $subject,
        'Instructors' => str_replace(chr(32),'',$instructor),
        'Department_Code' => $result[$counter]['unit'],
        'College_Code' => $College_Code
    );

    $OSET->insert('Class', $data);
    $counter++;
}

    $sql = "SELECT MAX(Class_ID) FROM Class";
    $result = $OSET->fetchAll($sql);

    if($result[0]['MAX(Class_ID)'] < 2100000000){
        $data = array(
            'Class_ID' => 2100000000,
            'Subject' => 'dummy',
            'Activated' => 0,
            'Section' => 'dummy',
            'Department_Code' => 'dummy',
            'Instructors' => 'dummy',
            'College_Code'=>'dummy'
        );

        $OSET->insert('Class',$data);
    }else{

        $data = array(
            'Subject' => 'dummy',
            'Activated' => 0,
            'Section' => 'dummy',
            'Department_Code' => 'dummy',
            'Instructors' => 'dummy',
            'College_Code'=>'dummy'
        );

        $OSET->insert('Class',$data);
    }

    /******* GET DISTINCT SUBJECTS *****/

```

```

/*
$sql = 'DROP TABLE IF EXISTS Dummy_Subject';
$result = $OSET->getConnection()->exec($sql);

$sql = 'CREATE TABLE `Dummy_Subject` (
  `Subject` VARCHAR( 50 ) NOT NULL,
  `College_Code` VARCHAR( 10 ) NOT NULL
) ENGINE = MYISAM ;';

$result = $OSET->getConnection()->exec($sql);

$sql = "SELECT subject,unit,extracode from osetuser_classes_view
WHERE classid>'$sem'
and classid<'$seml'
and subject NOT LIKE '%RESIDENC%';";

$result = $CRS->fetchAll($sql);

$rowCount = count($result);
$count = 0 ;
while($count<$rowCount){
  if($Department->mapCollege($result[$count]['unit'] )){
    if($result[$count]['subject']!="NSTP" && $result[$count]['subject']!="RESIDENCY" && $result[
      $count]['subject']!="RESIDENCE W/ LIBRARY" && $result[$count]['subject']!="HPS 202" &&
      $result[$count]['subject']!="HPS 201" && $result[$count]['subject']!="HI 298" && $result[
        $count]['subject']!="HI 299" && $result[$count]['subject']!="EPIDEM 201" && $result[$count
          ]['subject']!="HI 271" && $result[$count]['subject']!="HI 210"){
      $Subject = $result[$count]['subject'];
    }else{
      $Subject = $result[$count]['subject'].$Department->mapCollege($result[$count]['unit']);
    }
    //$subject = $result[$count]['subject'];
    if($result[$count]['extracode']!=""){
      if(substr($result[$count]['extracode'],0,3)=="LAB"){
        $Subject = $Subject . "LAB";
      }else if(substr($result[$count]['extracode'],0,3)=="LEC"){
        $Subject = $Subject . "LEC";
      }
    }
  }

  $data = array(
    'Subject' => $Subject,
    'College_Code' => $Department->mapCollege($result[$count]['unit'])
  );
  $OSET->insert('Dummy_Subject', $data);
}

$count++;

$sql = "SELECT DISTINCT Subject, College_Code from Dummy_Subject;";
$result = $OSET->fetchAll($sql);

$rowCount = count($result);
$count = 0 ;
while($count<$rowCount){

  $data = array(
    'Subject' => $result[$count]['Subject'],
    'SET_Questionnaire_Type_ID' => 34,
    'College_Code' => $result[$count]['College_Code']
  );

  $OSET->insert('Subject_Questionnaire_Lists', $data);
  $count++;
}

$sql = 'DROP TABLE IF EXISTS Dummy_Subject';
$result = $OSET->getConnection()->exec($sql);

$sql = "SELECT DISTINCT Subject, College_Code from Class;";
$result = $OSET->fetchAll($sql);

$rowCount = count($result);
$count = 0 ;
while($count<$rowCount){

  $data = array(
    'Subject' => $result[$count]['Subject'],
    'SET_Questionnaire_Type_ID' => 34,
    'College_Code' => $result[$count]['College_Code']
  );

  $OSET->insert('Subject_Questionnaire_Lists', $data);
  $count++;
}

```

```

*/

$College = new Application_Model_DbTable_College();
$College->updateFlag($College_Code, true);
//$flags->updateFlag(3,False);

}

}

}

<?php

class CollegeClerkEvaluationModeController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        set_time_limit(0);
        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            $College_Code = $auth->getIdentity()->College_Code;
        }

        $College = new Application_Model_DbTable_College();
        $College_Details = $College->getCollege($College_Code);

        if($action!='index' && $College_Details['Downloaded']==FALSE){
            $this->_helper->redirector('index');
        }
    }

    public function indexAction()
    {
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            try{
                $College_Code = $auth->getIdentity()->College_Code;
            } catch (Exception $e) {
                //$username = "Student";
            }
        }

        $College = new Application_Model_DbTable_College();
        $College_Details = $College->getCollege($College_Code);
        $Evaluation_Mode = $College_Details['Activated'];
        $this->view->Evaluation_Mode = $Evaluation_Mode ;
        $this->view->College_Code = $College_Code;
        $this->view->College_Name = $College_Details['College_Name'];
        $this->view->Downloaded_Flag = $College_Details['Downloaded'];
    }

    public function activateAction(){
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            try{
                $College_Code = $auth->getIdentity()->College_Code;
            } catch (Exception $e) {
                //$username = "Student";
            }
        }

        $College = new Application_Model_DbTable_College();
        $this->view->College_Code = $College_Code;

        $OSET = Zend_Db_Table::getDefaultAdapter();

        //$sql = 'DROP TABLE IF EXISTS Class_Results_Per_Question';
        //$result = $OSET->getConnection()->exec($sql);

        $sql = "CREATE TABLE IF NOT EXISTS `class_Results_Per_Question` (
            `SET_Questionnaire_Type_ID` int(10) NOT NULL,
            `SET_Questionnaire_Part_ID` int(10) NOT NULL,
            `SET_Questionnaire_Question_ID` int(10) NOT NULL,
            `Class_ID` int(10) NOT NULL,
            `Instructor_Code` varchar(50) NOT NULL,
            `Count` int(5) NOT NULL,
            `Class_Result_ID` varchar(100) NOT NULL,

```

```

        'College_Code' varchar(10) NOT NULL,
        'Department_Code' varchar(10) NOT NULL,
        'Answer_Type_ID' int(10) NOT NULL,
        'Answer_Value_ID' int(5) NOT NULL,
        'Answered' Boolean not null,
        PRIMARY KEY ('Class_Result_ID')
    ) ENGINE=MyISAM DEFAULT CHARSET=latin1 AUTO_INCREMENT=1;";

$result = $OSET->getConnection()->exec($sql);

$class_Results_Per_Question = new Application_Model_DbTable_ClassResultsPerQuestion();
$class_Results_Per_Question->deleteByCollegeCode($College_Code);

// $sql = 'DROP TABLE IF EXISTS Class_Average_Per_Question';
// $result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS 'Class_Average_Per_Question' (
    'SET_Questionnaire_Type_ID' int(10) NOT NULL,
    'SET_Questionnaire_Part_ID' int(10) NOT NULL,
    'SET_Questionnaire_Question_ID' int(10) NOT NULL,
    'Class_ID' int(10) NOT NULL,
    'Answer_Type_ID' int(10) NOT NULL,
    'Instructor_Code' varchar(50) NOT NULL,
    'College_Code' varchar(10) NOT NULL,
    'Department_Code' varchar(10) NOT NULL,
    'Question_Average' float NOT NULL,
    'Average_Per_Question_ID' varchar(100) NOT NULL,
    'Answered' Boolean not null,
    PRIMARY KEY ('Average_Per_Question_ID')
) ENGINE=MyISAM DEFAULT CHARSET=latin1 AUTO_INCREMENT=1 ;
";
$result = $OSET->getConnection()->exec($sql);

$class_Average_Per_Question = new Application_Model_DbTable_ClassAveragePerQuestion();
$class_Average_Per_Question->deleteByCollegeCode($College_Code);

// $sql = 'DROP TABLE IF EXISTS Class_Average_Per_Part';
// $result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS 'Class_Average_Per_Part' (
    'SET_Questionnaire_Type_ID' int(10) NOT NULL,
    'SET_Questionnaire_Part_ID' int(10) NOT NULL,
    'Class_ID' int(10) NOT NULL,
    'Instructor_Code' varchar(50) NOT NULL,
    'College_Code' varchar(10) NOT NULL,
    'Department_Code' varchar(10) NOT NULL,
    'Part_Average' float NOT NULL,
    'Average_Per_Part_ID' varchar(100) NOT NULL,
    'Answered' Boolean not null,
    PRIMARY KEY ('Average_Per_Part_ID')
) ENGINE=MyISAM DEFAULT CHARSET=latin1 AUTO_INCREMENT=1 ;
";
$result = $OSET->getConnection()->exec($sql);

$class_Average_Per_Part = new Application_Model_DbTable_ClassAveragePerPart();
$class_Average_Per_Part->deleteByCollegeCode($College_Code);

// $sql = 'DROP TABLE IF EXISTS Class_Average';
// $result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS 'Class_Average' (
    'SET_Questionnaire_Type_ID' int(10) NOT NULL,
    'Class_ID' int(10) NOT NULL,
    'Instructor_Code' varchar(50) NOT NULL,
    'College_Code' varchar(10) NOT NULL,
    'Department_Code' varchar(10) NOT NULL,
    'Class_Average' float NOT NULL,
    'Class_Average_ID' varchar(100) NOT NULL,
    'Answered' Boolean not null,
    'Number_Of_Respondents' int(3) NOT NULL,
    'Respondents_Evaluated' int(3) NOT NULL,
    PRIMARY KEY ('Class_Average_ID')
) ENGINE=MyISAM DEFAULT CHARSET=latin1 AUTO_INCREMENT=1 ;
";
$result = $OSET->getConnection()->exec($sql);

$class_Average = new Application_Model_DbTable_ClassAverage();
$class_Average->deleteByCollegeCode($College_Code);

// $sql = 'DROP TABLE IF EXISTS Instructor_Average';
// $result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS 'Instructor_Average' (
    'Instructor_Code' varchar(50) NOT NULL,
    'College_Code' varchar(10) NOT NULL,
    'Answered' Boolean not null,
    'Department_Code' varchar(10) NOT NULL,
    'Instructor_Average' float NOT NULL,
    PRIMARY KEY ('Instructor_Code')
) ENGINE=MyISAM DEFAULT CHARSET=latin1 AUTO_INCREMENT=1 ;
";
$result = $OSET->getConnection()->exec($sql);
$Instructor_Average = new Application_Model_DbTable_InstructorAverage();
$Instructor_Average->deleteByCollegeCode($College_Code);

// $sql = 'DROP TABLE IF EXISTS Semestral_Average';

```

```

//$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS 'Semestral_Average' (
  'Instructor_Code' varchar(50) NOT NULL,
  'Average' Float not null,
  'Semester_AY' int(10) NOT NULL,
  'Semestral_Average_ID' int(5) NOT NULL AUTO_INCREMENT,
  PRIMARY KEY ('Semestral_Average_ID')
) ENGINE=MyISAM DEFAULT CHARSET=latin1 AUTO_INCREMENT=1 ;
";
$result = $OSET->getConnection()->exec($sql);

$class_Table = new Application_Model_DbTable_Class();
$class = $class_Table->fetchAll('College_Code = '.Chr(34).$College_Code.Chr(34));

$list_of_faculty_string = "";
$count = 0;
while($count < count($class)){
  if($list_of_faculty_string.$class[$count]['Instructors']!=" " || $list_of_faculty_string.$class[
    $count]['Instructors']!=" " || $list_of_faculty_string.$class[$count]['Instructors']!=null)
  {
    $list_of_faculty_string = $list_of_faculty_string.$class[$count]['Instructors'].",";
    $count++;
  }
}

$faculty_array = explode(";", $list_of_faculty_string);

$sql = 'DROP TABLE IF EXISTS Dummy_Faculty';
$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS 'Dummy_Faculty' (
  'Instructor_Code' varchar(50) NOT NULL
) ENGINE=MyISAM DEFAULT CHARSET=latin1 AUTO_INCREMENT=1 ;
";
$result = $OSET->getConnection()->exec($sql);

$count = 0;
while($count < count($faculty_array)){
  if($faculty_array[$count]!=""){
    $data = array('Instructor_Code'=>$faculty_array[$count]);
    $OSET->insert('Dummy_Faculty', $data);
  }
  $count++;
}

$sql = "SELECT DISTINCT Instructor_Code From Dummy_Faculty;";
$result = $OSET->fetchAll($sql);

$count = 0;
while($count < count($result)){
  $data = array(
    'Instructor_Code'=>$result[$count]['Instructor_Code'],
    'College_Code' => $College_Code,
    'Department_Code'=>'xxxx'
  );
  $OSET->insert('Instructor_Average', $data);
  $count++;
}

$sql = 'DROP TABLE IF EXISTS Dummy_Faculty';
$result = $OSET->getConnection()->exec($sql);

$sql = "SELECT Instructor_Code From Instructor_Average WHERE College_Code = '$College_Code';";
$result = $OSET->fetchAll($sql);

$subject = new Application_Model_DbTable_Subject();

$count = 0;
$subjects_of_instructor = array();
while($count < count($result)){
  $instructor = Chr(34).$result[$count]['Instructor_Code'].Chr(34);
  $sql = "SELECT Class_ID,Subject,Department_Code FROM Class WHERE Instructors LIKE '%$instructor%'";
  $result2 = $OSET->fetchall($sql);
  $count2 = 0;
  if($result2[$count2]['Class_ID']!=null){
    while($count2 < count($result2)){
      $data = array(
        'Instructor_Code' => $result[$count]['Instructor_Code'],
        'Class_ID' => $result2[$count2]['Class_ID'],
        'Department_Code'=>$result2[$count2]['Department_Code'],
        'SET_Questionnaire_Type_ID'=> $subject->getSETQuestionnaire($result2[$count2]['Subject']),
        'College_Code' => $College_Code,
        'Class_Average_ID'=>$result[$count]['Instructor_Code'].$result2[$count2]['Class_ID']
      );
      $OSET->insert('Class_Average', $data);
      if(substr($result2[$count2]['Department_Code'],0,1)=='D'){
        $data2 = array('Department_Code'=>$result2[$count2]['Department_Code']);
        $OSET->update('Instructor_Average', $data2, 'Instructor_Code = '.Chr(34).$result[$count]['Instructor_Code'].Chr(34));
      }
    }
  }
}

```



```

        $counter2++;
    }

    $counter++;
}

$sql = "SELECT SET_Questionnaire_Type_ID, Class_ID, Department_Code, Instructor_Code From Class_Average
        WHERE College_Code = '$College_Code';";
$result = $OSET->fetchAll($sql);

$counter = 0;
//Subjects_Of_Instructor = array();
while($counter < count($result)){

    $sql = "SELECT SET_Questionnaire_Part_ID FROM SET_Questionnaire_Parts WHERE SET_Questionnaire_Type_ID
            =". $result[$counter]['SET_Questionnaire_Type_ID'] . ";";
    $result2 = $OSET->fetchall($sql);
    $counter2 = 0;
    if($result2[$counter2]['SET_Questionnaire_Part_ID']!=null){
        while($counter2 < count($result2)){
            $data = array(
                'Instructor_Code' => $result[$counter]['Instructor_Code'],
                'Class_ID' => $result[$counter]['Class_ID'],
                'Department_Code'=>$result[$counter]['Department_Code'],
                'SET_Questionnaire_Part_ID' => $result2[$counter2]['SET_Questionnaire_Part_ID'],
                'College_Code' => $College_Code,
                'Average_Per_Part_ID'=>$result[$counter]['Instructor_Code'].$result[$counter]['Class_ID'].
                    $result2[$counter2]['SET_Questionnaire_Part_ID']
            );
            $OSET->insert('Class_Average_Per_Part', $data);
            $counter2++;
        }
        $counter++;
    }
}

$sql = "SELECT SET_Questionnaire_Part_ID, Class_ID, Instructor_Code, Department_Code From
        Class_Average_Per_Part WHERE College_Code = '$College_Code';";
$result = $OSET->fetchAll($sql);

$counter = 0;

while($counter < count($result)){

    $sql = "SELECT SET_Questionnaire_Question_ID, Answer_Type_ID FROM SET_Questionnaire_Questions WHERE
            SET_Questionnaire_Part_ID =". $result[$counter]['SET_Questionnaire_Part_ID'] . ";";
    $result2 = $OSET->fetchall($sql);
    $counter2 = 0;
    if($result2[$counter2]['SET_Questionnaire_Question_ID']!=null){
        while($counter2 < count($result2)){
            $data = array(
                'Instructor_Code' => $result[$counter]['Instructor_Code'],
                'Class_ID' => $result[$counter]['Class_ID'],
                'Department_Code'=>$result[$counter]['Department_Code'],
                'SET_Questionnaire_Part_ID' => $result[$counter]['SET_Questionnaire_Part_ID'],
                'SET_Questionnaire_Question_ID'=>$result2[$counter2]['SET_Questionnaire_Question_ID'],
                'Answer_Type_ID'=>$result2[$counter2]['Answer_Type_ID'],
                'College_Code' => $College_Code,
                'Average_Per_Question_ID'=>$result[$counter]['Instructor_Code'].$result[$counter]['Class_ID'].
                    $result2[$counter2]['SET_Questionnaire_Question_ID']
            );
            $OSET->insert('Class_Average_Per_Question', $data);
            $counter2++;
        }
        $counter++;
    }
}

$sql = "SELECT SET_Questionnaire_Question_ID, Class_ID,SET_Questionnaire_Part_ID, Answer_Type_ID,
        Instructor_Code, Department_Code From Class_Average_Per_Question WHERE College_Code = '
        $College_Code';";
$result = $OSET->fetchAll($sql);

$counter = 0;

while($counter < count($result)){

    $sql = "SELECT Answer_Value_ID FROM Answer_Values WHERE Answer_Type_ID =". $result[$counter]['
        Answer_Type_ID'] . ";";
    $result2 = $OSET->fetchall($sql);
    $counter2 = 0;

    while($counter2 < count($result2)){
        $data = array(
            'Instructor_Code' => $result[$counter]['Instructor_Code'],
            'Class_ID' => $result[$counter]['Class_ID'],
            'Department_Code'=>$result[$counter]['Department_Code'],
            'SET_Questionnaire_Part_ID' => $result[$counter]['SET_Questionnaire_Part_ID'],
            'SET_Questionnaire_Question_ID'=>$result[$counter]['SET_Questionnaire_Question_ID'],
            'Answer_Type_ID'=>$result[$counter]['Answer_Type_ID'],
            'Answer_Value_ID'=>$result2[$counter2]['Answer_Value_ID'],
            'College_Code' => $College_Code,

```

```

        'Class_Result_ID'=>$result[$counter]['Instructor_Code'].$result[$counter]['Class_ID'].$result[
            $counter]['SET_Questionnaire_Question_ID'].$result2[$counter2]['Answer_Value_ID']
    );
    $OSET->insert('Class_Results_Per_Question', $data);
    $counter2++;
}
$counter++;
}

//$sql = 'DROP TABLE IF EXISTS Master_Classlist';
//$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS 'Master_Classlist' (
    'Instructor_Code' varchar(50) NOT NULL,
    'Class_ID' int(10) NOT NULL,
    'Student_ID' varchar(10) NOT NULL,
    'Master_Classlist_ID' varchar(50) NOT NULL,
    'Evaluated' Boolean NOT NULL,
    'College_Code' varchar(10) NOT NULL,
    'Dropped' Boolean NOT NULL,
    PRIMARY KEY ('Master_Classlist_ID')
) ENGINE=MyISAM DEFAULT CHARSET=latin1 AUTO_INCREMENT=1 ;
";

$result = $OSET->getConnection()->exec($sql);

$MasterClasslist = new Application_Model_DbTable_MasterClasslist();
$MasterClasslist->delete('College_Code ='. Chr(34).$College_Code.Chr(34));

$sql = "SELECT Class_Average.Class_ID, Class_Average.Instructor_Code, Classlists.Student_ID,
    Class_Average.College_Code, Classlists.Dropped
FROM Class_Average
LEFT JOIN Classlists
ON Class_Average.Class_ID = Classlists.Class_ID
WHERE Class_Average.College_Code = '". $College_Code . "'";

$result = $OSET->fetchAll($sql);

$counter=0;
while($counter < count($result)){
    if($result[$counter]['Instructor_Code']!=null && $result[$counter]['Class_ID']!=null && $result[
        $counter]['Student_ID']!=null ){
        $data = array(
            'Instructor_Code'=>$result[$counter]['Instructor_Code'],
            'Class_ID'=>$result[$counter]['Class_ID'],
            'Student_ID'=>$result[$counter]['Student_ID'],
            'Master_Classlist_ID'=>$result[$counter]['Instructor_Code'].$result[$counter]['Class_ID'].$result
                [$counter]['Student_ID'],
            'College_Code'=>$result[$counter]['College_Code'],
            'Dropped'=>$result[$counter]['Dropped']
        );
        $OSET->insert('Master_Classlist',$data);
    }
    $counter++;
}

$sql = "SELECT * FROM Class_Average WHERE College_Code = '$College_Code'";
$result = $OSET->fetchAll($sql);
$Number_Of_Respondents = 0;
$counter=0;
while($counter < count($result)){
    $sql = "SELECT Master_Classlist_ID FROM Master_Classlist WHERE Master_Classlist_ID LIKE '". $result
        [$counter]['Class_Average_ID']. "%'";
    $Number_Of_Respondents = $OSET->fetchAll($sql);

    $data = array(
        'Number_Of_Respondents' => count($Number_Of_Respondents)
    );
    $OSET->update('Class_Average',$data, 'Class_Average_ID ='.Chr(34).$result[$counter]['Class_Average_ID']
        .Chr(34));
    $counter++;
}

$College->updateActivatedFlag($College_Code, TRUE);
$College->updateSETScoreFlag($College_Code, FALSE);
$Flags = new Application_Model_DbTable_Flags();

$Flags->updateFlag(4,TRUE);

$this->_helper->redirector('index');
}

```

```

public function deactivateAction(){

    set_time_limit(0);
    ini_set("memory_limit","500M");

    $auth = Zend_Auth::getInstance();
    if ($auth->hasIdentity()) {
        try{
            $College_Code = $auth->getIdentity()->College_Code;
        } catch (Exception $e) {
            //$username = "Student";
        }
    }

    $Flags = new Application_Model_DbTable_Flags();
    $$Sem_Flag = $Flags->getFlag(2);
    $$Sem_AY = $$Sem_Flag['Extended_Value'];

    $College = new Application_Model_DbTable_College();
    $this->view->College_Code = $College_Code;
    $College_Details = $College->getCollege($College_Code);
    $this->view->College_Name = $College_Details['College_Name'];
    $Department = new Application_Model_DbTable_Department();
    $Departments = $Department->fetchall('College_Code ='. Chr(34).$College_Code.Chr(34));
    $this->view->Departments = $Departments;
    $OSET = Zend_Db_Table::getDefaultAdapter();

    $Answer_Values = new Application_Model_DbTable_AnswerValues();
    $Answers = $Answer_Values->fetchAll();

    $SET_Quiznaire_Question = new Application_Model_DbTable_SETQuiznaireQuestion();
    $SET_Quiznaire_Questions = $SET_Quiznaire_Question->fetchAll();

    $Answers_Array = array();

    $ACounter =0;
    while($ACounter < count($Answers)){
        $Answers_Array[$Answers[$ACounter]['Answer_Value_ID']]=$Answers[$ACounter]['Numeric_Value'];
        //echo $Answers[$ACounter]['Answer_Value_ID']."=".$Answers_Array[$Answers[$ACounter]['Answer_Value_ID']]
        //echo "\n";
        $ACounter++;
    }

    $Questions_Array = array();

    $QCounter=0;
    while($QCounter < count($SET_Quiznaire_Questions)){
        $Questions_Array[$SET_Quiznaire_Questions[$QCounter]['SET_Quiznaire_Question_ID']] =
            $SET_Quiznaire_Questions[$QCounter]['Weight'];
        $QCounter++;
    }

    $Questions_Included_Array = array();
    $QCounter=0;
    while($QCounter < count($SET_Quiznaire_Questions)){
        $Questions_Included_Array[$SET_Quiznaire_Questions[$QCounter]['SET_Quiznaire_Question_ID']] =
            $SET_Quiznaire_Questions[$QCounter]['Included'];
        $QCounter++;
    }

    $SET_Quiznaire_Part = new Application_Model_DbTable_SETQuiznairePart();
    $SET_Quiznaire_Parts = $SET_Quiznaire_Part->fetchAll();

    $Parts_Array = array();
    $PCounter=0;
    while($PCounter < count($SET_Quiznaire_Parts)){
        $Parts_Array[$SET_Quiznaire_Parts[$PCounter]['SET_Quiznaire_Part_ID']] =
            $SET_Quiznaire_Parts[$PCounter]['Calculate_Average'];
        $PCounter++;
    }

    //$Department_Index = $this->getParam('Department_Index',0);
    $Department_Index=0;
    while($Department_Index<count($Departments)){
        $Department_Code = $Departments[$Department_Index]['Department_Code'];
        //echo $Department_Code;

        //if($Department_Index==0){

        //}
    }
}

```

```

$select = $OSET->select();
$select->from('Class_Average_Per_Question');
$select->where('Department_Code = ' . Chr(34).$Department_Code.Chr(34));
$select->where('Answered = 1');

$result = $OSET->fetchAll($select);
$counter = 0;

while($counter < count($result)){
    $Instructor_Code = $result[$counter]['Instructor_Code'];
    $Class_ID = $result[$counter]['Class_ID'];
    $SET_Questionnaire_Question_ID = $result[$counter]['SET_Questionnaire_Question_ID'];
    $select = $OSET->select();
    $select->from('Class_Results_Per_Question', array('Answer_Value_ID', 'Count', '
        SET_Questionnaire_Question_ID'));
    $select->where('Class_Result_ID LIKE ?', '%'.$Instructor_Code.$Class_ID.
        $SET_Questionnaire_Question_ID.'%');

    $result2 = $OSET->fetchAll($select);
    $counter2=0;
    $Average = 0;
    $BIGCOUNT = 0;
    $Ans = 0.00;
    if($Questions_Included_Array[$SET_Questionnaire_Question_ID]){
        while($counter2 < count($result2)){
            if($result2[$counter2]['Count']>0){
                if($Answers_Array[$result2[$counter2]['Answer_Value_ID']]!=0){
                    $Average = $Average + $result2[$counter2]['Count'] * $Answers_Array[$result2[$counter2]['
                        Answer_Value_ID']]; // * $Questions_Array[$result2[$counter2]['
                        SET_Questionnaire_Question_ID']];
                    $BIGCOUNT = $BIGCOUNT + $result2[$counter2]['Count'];
                } //echo $Average;
            }
            $counter2++;
        }
        if($BIGCOUNT!=0){
            $Ans = $Average/$BIGCOUNT;
        }
        else{
            $Ans = 0;
        }
    }
    else{
        $Ans = 0;
    }
}

$data = array('Question_Average'=>$Ans);

$n = $OSET->update('Class_Average_Per_Question', $data, 'Average_Per_Question_ID = ' . Chr(34).$result[
    $counter]['Average_Per_Question_ID'].Chr(34));
$counter++;
}

$select = $OSET->select();
$select->from('Class_Average_Per_Part');
$select->where('Department_Code = ' . Chr(34).$Department_Code.Chr(34));
$select->where('Answered = 1');

$result = $OSET->fetchAll($select);
$counter = 0;
while($counter < count($result)){
    $Instructor_Code = $result[$counter]['Instructor_Code'];
    $Class_ID = $result[$counter]['Class_ID'];
    $SET_Questionnaire_Part_ID = $result[$counter]['SET_Questionnaire_Part_ID'];
    $select = $OSET->select();
    $select->from('Class_Average_Per_Question', array('Question_Average', 'SET_Questionnaire_Question_ID'))
    ;
    $select->where('Average_Per_Question_ID LIKE ?', '%'.$Instructor_Code.$Class_ID.'%');
    $select->where('SET_Questionnaire_Part_ID = ' . $SET_Questionnaire_Part_ID);

    $result2 = $OSET->fetchAll($select);
    $counter2=0;
    $Average = 0;
    $BIGCOUNT = 0;
    if($Parts_Array[$SET_Questionnaire_Part_ID]==TRUE){
        while($counter2 < count($result2)){
            if($result2[$counter2]['Question_Average']>0){
                $Average = $Average + $result2[$counter2]['Question_Average'] * $Questions_Array[$result2[
                    $counter2]['SET_Questionnaire_Question_ID']];
                $BIGCOUNT = $BIGCOUNT + $Questions_Array[$result2[$counter2]['SET_Questionnaire_Question_ID
                    ']];
            } //echo $Average;
        }
        // $BIGCOUNT++;
        $counter2++;
    }
    if($BIGCOUNT!=0){
        $Ans = $Average/$BIGCOUNT;
    }
    else{
        $Ans = 0.00;
    }
}

```

```

}
$data = array('Part_Average'=>$Ans);

$n = $OSET->update('Class_Average_Per_Part', $data, 'Average_Per_Part_ID =' . Chr(34).$result[$counter]
    ['Average_Per_Part_ID'].Chr(34));
$counter++;
}

$select = $OSET->select();
$select->from('Class_Average');
$select->where('Department_Code = ' . Chr(34).$Department_Code.Chr(34));
$select->where('Answered = 1' );

$result = $OSET->fetchAll($select);
$counter = 0;
while($counter < count($result)){
    $Instructor_Code = $result[$counter]['Instructor_Code'];
    $Class_ID = $result[$counter]['Class_ID'];
    $select = $OSET->select();
    $select->from('Class_Average_Per_Part',array('Part_Average'));
    $select->where('Average_Per_Part_ID LIKE ?', '%'.$Instructor_Code.$Class_ID.'%');

    $result2 = $OSET->fetchAll($select);
    $counter2=0;
    $Average = 0;
    $BIGCOUNT = 0;
    while($counter2 < count($result2)){
        if($result2[$counter2]['Part_Average']>0){
            $Average = $Average + $result2[$counter2]['Part_Average'];
            $BIGCOUNT++;
        }

        $counter2++;
    }

    $Ans = 0.00;
    if($BIGCOUNT!=0){
        $Ans = $Average/$BIGCOUNT;
    }
    $data = array('Class_Average'=>$Ans);

    $n = $OSET->update('Class_Average', $data, 'Class_Average_ID =' . Chr(34).$result[$counter]['
        Class_Average_ID'].Chr(34));
    $counter++;
}

$select = $OSET->select();
$select->from('Instructor_Average');
$select->where('Department_Code = ' . Chr(34).$Department_Code.Chr(34));
$select->where('Answered = 1' );

$result = $OSET->fetchAll($select);
$counter = 0;
while($counter < count($result)){
    $Instructor_Code = $result[$counter]['Instructor_Code'];

    $select = $OSET->select();
    $select->from('Class_Average',array('Class_Average'));
    $select->where('Instructor_Code =' . Chr(34).$Instructor_Code.Chr(34));

    $result2 = $OSET->fetchAll($select);
    $counter2=0;
    $Average = 0;
    $BIGCOUNT = 0;
    while($counter2 < count($result2)){
        if($result2[$counter2]['Class_Average']>0){
            $Average = $Average + $result2[$counter2]['Class_Average'];
            $BIGCOUNT++;
        }

        $counter2++;
    }

    $Ans = 0.00;
    if($BIGCOUNT!=0){
        $Ans = $Average/$BIGCOUNT;
    }
    $data = array('Instructor_Average'=>$Ans);
    $data2 = array(
        'Average'=>$Ans,
        'Instructor_Code'=>$Instructor_Code,
        'Semester_AY'=>$Sem_AY
    );

    $n = $OSET->update('Instructor_Average', $data, 'Instructor_Code =' . Chr(34).$result[$counter]['
        Instructor_Code'].Chr(34));
    $s = $OSET->insert('Semestral_Average', $data2);
    $counter++;
}
//echo $counter;

$Department->updateSETScoresCalculatedFlag($Department_Code,True);

$this->view->SET_Score_Complete = FALSE;

```

```

        $Department_Index++;
        //$this->_helper->redirector('deactivate',null,null,array('Department_Index'=>$Department_Index));
    }

    $this->view->SET_Score_Complete = TRUE;
    $College->updateActivatedFlag($College_Code, FALSE);
    $College->updateSETScoreFlag($College_Code,TRUE);

    $Colleges = $College->fetchAll();

    $counter=0;
    $Activated_Flag = FALSE;
    while($counter < count($Colleges)){
        if($Colleges[$counter]['Activated']==TRUE){
            $Activated_Flag = TRUE;
            break;
        }
        $counter++;
    }

    if($Activated_Flag == FALSE){
        $sql = "TRUNCATE TABLE `Result_Sequence`";

        $result = $OSET->getConnection()->exec($sql);

        $sql = "TRUNCATE TABLE `Results_Per_Respondent`";

        $result = $OSET->getConnection()->exec($sql);

        $sql = "TRUNCATE TABLE `Result_Sequence_Part`";

        $result = $OSET->getConnection()->exec($sql);
    }

    $Departments = $Department->fetchall('College_Code ='. Chr(34).$College_Code.Chr(34));
    $this->view->Departments = $Departments;

}

}

```

```

<?php
class CollegeClerkhomeController extends Zend_Controller_Action
{
    public function init()
    {
        $OSET = Zend_Db_Table::getDefaultAdapter();
        $Flags = new Application_Model_DbTable_Flags();
        $Flagsx = $Flags->fetchAll();

        if(count($Flagsx)==0){

            $sql = "INSERT INTO `Flags` (`Flag_ID`, `Flag_Name`, `Value`, `Extended_Value`) VALUES
            (1, 'classes_downloaded', 0, ''),
            (2, 'semester', 1, '20112'),
            (3, 'passwords_generated', 0, ''),
            (4, 'Evaluation_Mode', 0, ''),
            (5, 'SET_Scores_On', 0, '');";

            $result = $OSET->getConnection()->exec($sql);
        }

        public function indexAction()
        {
            // action body
        }
    }
}

```

```

<?php
class CollegeClerkSelectionController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            $College_Code = $auth->getIdentity()->College_Code;
        }

        $College = new Application_Model_DbTable_College();
    }
}

```

```

$College_Details = $College->getCollege($College_Code);

if($action!='index' && ($College_Details['Activated']==TRUE || $College_Details['Downloaded']==FALSE)){
    $this->_helper->redirector('index');
}
}

public function indexAction()
{
    $auth = Zend_Auth::getInstance();
    if ($auth->hasIdentity()) {
        $College_Code = $auth->getIdentity()->College_Code;
    }

    $Flag = $this->_getParam('Flag',0);
    $Subject = $this->_getParam('Subject', " ");
    $this->view->Subject = $Subject;
    $Array_Flag = $this->_getParam('Array_Flag',0);
    $this->view->Flag = $Flag;
    $form = new Application_Form_SearchSubject();
    $this->view->form = $form;

    $Department_Code = $this->_getParam('Department','DPSM');
    $Departments_Table = new Application_Model_DbTable_Department();
    $Departments = $Departments_Table->fetchAll('College_Code = '. Chr(34).$College_Code.Chr(34));

    $counter=0;
    while($counter < count($Departments)){
        $form->Department->addMultiOption($Departments[$counter]['Department_Code'],$Departments[$counter]['Department_Code']);
        $counter++;
    }
    $form->Department->addMultiOption('x','All Departments');

    $form->Subject->setLabel('Subject / Instructor Code :');

    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();
        if ($form->isValid($formData)) {
            if ($formData['submit']!=null){
                $Subject = $form->getValue('Subject');
                $Department_Code = $form->getValue('Department');
                $this->_helper->redirector('index',null,null,array('Subject'=>$Subject, 'Flag'=>1, 'Department'=>$Department_Code));
            }
        }
        else if ($formData['saveactivate']!=null){
            $counter=0;
            while($counter<count($Results)){
                echo $this->getRequest()->getPost($Results[$counter]['Class_ID']);
                $Activated_Flag = $this->getRequest()->getPost($Results[$counter]['Class_ID']);
                if ($Activated_Flag!=null){
                    $Classes->updateActivatedFlag($Results[$counter]['Class_ID'], TRUE);
                }else{
                    $Classes->updateActivatedFlag($Results[$counter]['Class_ID'], FALSE);
                }
                $counter++;
            }
            $this->_helper->redirector('index',null,null,array('Subject'=>$Subject, 'Flag'=>1));
        }
    }
    else {
        $form->populate($formData);
    }
    } else {
        $Subject = $this->_getParam('Subject');
        $form->Subject->setValue($Subject);
        $form->Department->setValue($Department_Code);
    }
}

$College = new Application_Model_DbTable_College();
$College_Details = $College->getCollege($College_Code);

$this->view->College_Name = $College_Details['College_Name'];
$this->view->Activated_Flag = $College_Details['Activated'];
$this->view->DFlag = $College_Details['Downloaded'];

    $Classes = new Application_Model_DbTable_Class();

/*$Select = $Classes->select();

$Select->where('College_Code = '.Chr(34).$College_Code.Chr(34));
if ($Department_Code!='x'){
    $Select->where('Department_Code = '.Chr(34).$Department_Code.Chr(34));
}
    $Select->where('Subject LIKE ?', '%'.strtoupper($Subject).'%');

$Select->orWhere('Instructors LIKE ?', '%'.strtoupper($Subject).'%');
```

```

$Results = $Classes->fetchAll($Select);

*/
$OSET = Zend_Db_Table::getDefaultAdapter();
if($Department_Code!='x'){
    $Sql = "SELECT * FROM Class WHERE (Subject LIKE '%$Subject%' OR Instructors LIKE '%$Subject%') AND
        College_Code = '$College_Code' AND Department_Code = '$Department_Code' ORDER BY Subject;";
}else{
    $Sql = "SELECT * FROM Class WHERE (Subject LIKE '%$Subject%' OR Instructors LIKE '%$Subject%') AND
        College_Code = '$College_Code' ORDER BY Subject;";
}
$Results = $OSET->fetchAll($Sql);

$Activated_Array=array();
$counter =0;
if($Array_Flag==0){

    while($counter<count($Results)){
        $Activated_Array[]=$Results[$counter]['Activated'];
        $counter++;
    }
}
else if($Array_Flag==1){
    while($counter<count($Results)){
        $Activated_Array[]=1;
        $counter++;
    }
}
else if($Array_Flag==2){
    while($counter<count($Results)){
        $Activated_Array[]=0;
        $counter++;
    }
}

}

$this->view->Classes = $Results;
$this->view->Activated_Array = $Activated_Array;

}

public function editclassAction(){

    $Class_ID = $this->_getParam('Class_ID');
    $Class = new Application_Model_DbTable_Class();
    $Class_Details = $Class->getClass($Class_ID);

    $this->view->Class_ID = $Class_ID;
    $Activated_Flag = $Class_Details['Activated'];
    $Subject = $Class_Details['Subject'];
    $this->view->Subject = $Subject;
    $Section = $Class_Details['Section'];
    $this->view->Section = $Section;
    $Instructors = $Class_Details['Instructors'];
    $this->view->Instructors = $Instructors;
    $Instructors_Array = explode(";", $Instructors);

    if($Instructors==""){
        $this->view->Instructor_Flag = false;
    }
    else{
        $this->view->Instructor_Flag=TRUE;
        $Faculty = new Application_Model_DbTable_Faculty();
        $Select = $Faculty->select();
        $Select->where('Instructor_Code ='. Chr(34).$Instructors_Array[0].Chr(34));

        if(count($Instructors_Array)>1){
            $counter = 1;
            while($counter<count($Instructors_Array)){
                $Select->orWhere('Instructor_Code ='. Chr(34).$Instructors_Array[$counter].Chr(34));
                $counter++;
            }
        }

        $Results = $Faculty->fetchAll($Select);
        $this->view->Instructors_Details = $Results;
    }
}

/*public function editAction()
{

    set_time_limit(0);
    $form = new Application_Form_Class2();
    $this->view->form = $form;
    $Instructors = $this->_getParam('Instructors',0);
    $Activated_Flag = $this->_getParam('Activated',0);
    $Subject = $this->_getParam('Subject',0);
    $Instructors_Array = explode(";", $Instructors);

    $Faculty = new Application_Model_DbTable_Faculty();
    $AllFaculty = $Faculty->fetchAll();
    $rowcount = count($AllFaculty);
}
}

```



```

$counter = 0;

while($counter<$rowcount){
    $row[] = $AllFaculty[$counter]['Name'];
    $counter++;
}

$Subject_Elt = new Zend_Form_Element_Text('Subject');
$Subject_Elt->setLabel('Subject')
    ->addFilter('StripTags')
    ->addFilter('StringTrim')
    ->setAttrib('disabled','disabled')
    ->setValue($Subject);
$form->addElement($Subject_Elt);

$Instructor_Index=0;
ZendX_JQuery_View_Helper_JQuery::enableNoConflictMode();
while($Instructor_Index < count($Instructors_Array)){
    if($Instructors_Array[$Instructor_Index]){
        $Faculty = new Application_Model_DbTable_Faculty();
        $Faculty_Name = $Faculty->getFacultyName(trim($Instructors_Array[$Instructor_Index]));

        $Instructor_Element = new ZendX_JQuery_Form_Element_AutoComplete($Instructors_Array[$Instructor_Index])
            ;
        $Instructor_Element->setJQueryParams(array('source' => $row));
        $Instructor_Element->setLabel('Instructor')
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->setValue($Faculty_Name)
            ->addValidator(new MyValid_Faculty());

        $form->addElement($Instructor_Element);
    }
    $Instructor_Index++;
}
$Activated_Element = new Zend_Form_Element_Radio('Activated');
$Activated_Element->setLabel('Status')
    ->setRequired(true)
    ->setValue($Activated_Flag)
    ->addMultiOption(0,'Deactivate')
    ->addMultiOption(1,'Activate')
    ->addValidator('NotEmpty');

$submit = new Zend_Form_Element_Submit('submit');
$submit->setAttrib('Class_ID', 'submitbutton')
    ->setLabel('Save');

$cancel = new Zend_Form_Element_Submit('cancel');
$cancel->setLabel('Cancel');

$add = new Zend_Form_Element_Submit('add');
$add->setLabel('Add Instructor');

$form->addElements(array($Activated_Element,$submit, $cancel));

$form->setElementDecorators(array(
    'ViewHelper','Errors',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array('Label', array('tag' => 'td')),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$form->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'table')),
    'Form'
));

$cancel->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', 'placement' => 'PREPEND')
    ),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$add->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', 'placement' => 'PREPEND')
    ),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$submit->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', 'placement' => 'PREPEND')
    ),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

if($Instructors!="")
{
    $countr=0;
    while($countr < count($Instructors_Array)){
        $form->getElement($Instructors_Array[$countr])->setDecorators(array(
            array('UiWidgetElement', array('tag' => 'tr')), // it necessary to include for jquery elements
            array('Errors'),

```

```

        array('Description', array('tag' => 'span')),
        array('HtmlTag', array('tag' => 'td')),
        array('Label', array('tag' => 'td', 'class' => 'element')),
        array(array('row' => 'HtmlTag'), array('tag' => 'tr')),
    ));
    $count++;
}
}

if ($this->getRequest()->isPost()) {
    $formData = $this->getRequest()->getPost();

    if($formData['cancel']!=null){
        $this->_helper->redirector('index');
    }

    if ($form->isValid($formData)) {
        $Index=0;
        $Instructors_New = array();
        while($Index <count($Instructors_Array) ){

            $Faculty = new Application_Model_DbTable_Faculty();
            if($form->getValue($Instructors_Array[$Index])){
                $Instructors_New[] = $Faculty->getInstructorCode($form->getValue($Instructors_Array[$Index]));
            }
            $Index++;
        }
        $Instructors = implode(";", $Instructors_New);
        $Class_ID = $this->_getParam('Class_ID',0);
        $Activated = $form->getValue('Activated');

        $Class = new Application_Model_DbTable_Class();
        $Class->updateClass($Class_ID, $Instructors, $Activated);
        $this->_helper->redirector('index');
    } else {
        $form->populate($formData);
    }
}
}*/
public function addAction(){

    $form = new Application_Form_AddInstructor();
    $this->view->form = $form;
    $Instructors = $this->_getParam('Instructors',"hello");
    $Class_ID = $this->_getParam('Class_ID', 0);
    $Subject = $this->_getParam('Subject', 0);

    $form->Subject->setValue($Subject);
    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();

        if($formData['cancel']!=null){
            $this->_helper->redirector('editclass',null,null,array('Class_ID'=>$Class_ID));
        }

        if ($form->isValid($formData))
        {
            $Faculty = new Application_Model_DbTable_Faculty();
            if($Instructors!="hello"){
                $Instructors = $Instructors. ' '. $Faculty->getInstructorCode($form->getValue('Instructor'));
            }
            else{
                $Instructors = $Faculty->getInstructorCode($form->getValue('Instructor'));
            }
            $Class = new Application_Model_DbTable_Class();
            $Class->updateClass($Class_ID, $Instructors);
            $this->_helper->redirector('editclass',null,null,array('Class_ID'=>$Class_ID));
        }
        else
        {
            $form->populate($formData);
        }
    }
}

public function deleteAction()
{
    $Class_ID = $this->_getParam('Class_ID');
    $Class = new Application_Model_DbTable_Class();
    $Class_Details = $Class->getClass($Class_ID);
    $Instructors = $Class_Details['Instructors'];
    $Instructors_Array = explode(";", $Instructors);

    $this->view->Class_ID = $Class_ID;
    $Instructor_To_Delete = $this->_getParam('Instructor_To_Delete','efsd');
    $Instructor_To_Delete_Name = $this->_getParam('Instructor_To_Delete_Name','efsd');
    $this->view->Instructor_To_Delete_Name = $Instructor_To_Delete_Name;

    if ($this->getRequest()->isPost()) {
        $del = $this->getRequest()->getPost('del');
        if ($del == 'Yes') {
            $Class_ID = $this->getRequest()->getPost('Class_ID');

```

```

        $counter = 0;
        $New_Instructors_Array = array();
        while($counter < count($Instructors_Array){
            if($Instructors_Array[$counter]!=$Instructor_To_Delete){
                $New_Instructors_Array[]=$Instructors_Array[$counter];
            }
            $counter++;
        }
        $New_Instructors = implode(";", $New_Instructors_Array);
        $Class->updateClass($Class_ID,$New_Instructors);
        //the deletion process
    }
    $this->_helper->redirector('editclass',null,null,array('Class_ID'=>$Class_ID));
} else {

$this->view->Class_Details = $Class_Details;
}

}

}

class MyValid_Faculty extends Zend_Validate_Abstract
{
    const MSGERROR = 'msgError';

    protected $_messageTemplates = array(
        self::MSGERROR => "'%value%' is not a member of the faculty."
    );

    public function isValid($value)
    {
        $this->_setValue($value);

        $isValid = true;
        if($value){
            $Faculty = new Application_Model_DbTable_Faculty();
            $isValid = $Faculty->getFacultyByName($value);
        }
        if($isValid==false){
            $this->_error(self::MSGERROR);
        }

        return $isValid;
    }
}
}

```

<?php

```

class CollegeClerkSetScoresController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        ini_set("memory_limit","250M");

        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            $College_Code = $auth->getIdentity()->College_Code;
        }

        $College = new Application_Model_DbTable_College();
        $College_Details = $College->getCollege($College_Code);

        if($action!='index' && ($College_Details['Activated']==TRUE || $College_Details['Downloaded']==FALSE)){
            $this->_helper->redirector('index');
        }

    }

    public function indexAction()
    {
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            try{
                $College_Code = $auth->getIdentity()->College_Code;
            } catch (Exception $e) {
                //$username = "Student";
            }
        }

        $SearchInstructorFlag = $this->_getParam('SearchInstructorFlag',0);
        $SearchInstructor = $this->_getParam('SearchInstructor', "");

        $this->view->SearchInstructorFlag = $SearchInstructorFlag;
        $form = new Application_Form_SearchInstructor();

        $Department_Code = $this->_getParam('Department','x');
    }
}

```

```

$Departments_Table = new Application_Model_DbTable_Department();
$Departments = $Departments_Table->fetchAll('College_Code = '. Chr(34).$College_Code.Chr(34));

$counter=0;
while($counter < count($Departments)){
    $form->Department->addMultiOption($Departments[$counter]['Department_Code'],$Departments[$counter]['
        Department_Code']);
    $counter++;
}
$form->Department->addMultiOption('x','All Departments');

$this->view->form = $form;

if ($this->getRequest()->isPost()) {
    $formData = $this->getRequest()->getPost();
    if ($form->isValid($formData)) {
        $Department_Code = $form->getValue('Department');
        $SearchInstructor = $form->getValue('Instructor');
        $this->_helper->redirector('index',null,null,array('SearchInstructor'=>$SearchInstructor, '
            SearchInstructorFlag'=>1, 'Department'=>$Department_Code));
        } else {
            $form->populate($formData);
        }
    } else {
        $SearchInstructor = $this->_getParam('SearchInstructor','');
        $Department_Code = $this->_getParam('Department','x');
        $form->Instructor->setValue($SearchInstructor);
        $form->Department->setValue($Department_Code);
    }
}

$OSET = Zend_Db_Table::getDefaultAdapter();

$College = new Application_Model_DbTable_College();
$College_Details = $College->getCollege($College_Code);
$SET_Scores_Calculated = $College_Details['SET_Scores_Calculated'];
$Activated = $College_Details['Activated'];
$this->view->Activated_Flag = $Activated;
$this->view->Downloaded_Flag = $College_Details['Downloaded'];
$this->view->SET_Scores_Calculated = $SET_Scores_Calculated;
$this->view->College_Code = $College_Code;
$this->view->College_Name = $College_Details['College_Name'];

if($Department_Code!='x'){
    $sql = "SELECT Instructor_Average.Instructor_Code, Instructor_Average.Instructor_Average, Faculty.Name,
        Instructor_Average.Answered
        FROM Instructor_Average
        LEFT JOIN Faculty ON Instructor_Average.Instructor_Code = Faculty.Instructor_Code
        WHERE Instructor_Average.College_Code = ".Chr(34).$College_Code.Chr(34). " AND Faculty.Name LIKE '%" .
            $SearchInstructor . "%' AND Instructor_Average.Department_Code = '$Department_Code' ".
            "ORDER BY Faculty.Name";
}
else{
    $sql = "SELECT Instructor_Average.Instructor_Code, Instructor_Average.Instructor_Average, Faculty.Name,
        Instructor_Average.Answered
        FROM Instructor_Average
        LEFT JOIN Faculty ON Instructor_Average.Instructor_Code = Faculty.Instructor_Code
        WHERE Instructor_Average.College_Code = ".Chr(34).$College_Code.Chr(34). " AND Faculty.Name LIKE '%" .
            $SearchInstructor . "%' ".
            "ORDER BY Faculty.Name";
}

$this->view->Instructors = $OSET->fetchAll($sql);
$this->view->Instructor = $SearchInstructor;
$this->view->College_Code = $College_Code;
$this->view->Department_Code = $Department_Code;
}

public function printinstructorsAction(){

$OSET = Zend_Db_Table::getDefaultAdapter();

$College_Code=$this->_getParam('College_Code','');
$Department_Code = $this->_getParam('Department_Code','x');
$SearchInstructor = $this->_getParam('SearchInstructor','');

if($Department_Code!='x'){
    $sql = "SELECT Instructor_Average.Instructor_Code, Instructor_Average.Instructor_Average, Faculty.Name,
        Instructor_Average.Answered
        FROM Instructor_Average
        LEFT JOIN Faculty ON Instructor_Average.Instructor_Code = Faculty.Instructor_Code
        WHERE Instructor_Average.College_Code = ".Chr(34).$College_Code.Chr(34). " AND Faculty.Name LIKE '%" .
            $SearchInstructor . "%' AND Instructor_Average.Department_Code = '$Department_Code' AND
            Instructor_Average.Answered=1 ".
            "ORDER BY Faculty.Name";
}
}

```

```

}
else{
    $sql = "SELECT Instructor_Average.Instructor_Code, Instructor_Average.Instructor_Average, Faculty.Name,
            Instructor_Average.Answered
            FROM Instructor_Average
            LEFT JOIN Faculty ON Instructor_Average.Instructor_Code = Faculty.Instructor_Code
            WHERE Instructor_Average.College_Code = ".Chr(34).$College_Code.Chr(34). " AND Faculty.Name LIKE '%" .
                $SearchInstructor . "%' AND Instructor_Average.Answered=1 ".
            "ORDER BY Faculty.Name";
}
$result = $oSet->fetchAll($sql);

$College = new Application_Model_DbTable_College();
$College_Details = $College->getCollege($College_Code);

if($Department_Code!='x'){
    $Department = new Application_Model_DbTable_Department();
    $Department_Details = $Department->getDepartment($Department_Code);
    $Department_Name = $Department_Details['Department_Name'];
}
else{
    $Department_Name = "All Departments";
}

$Flags = new Application_Model_DbTable_Flags();
$Semester = $Flags->getFlag(2);
$Academic_Year = substr($Semester['Extended_Value'],0,4);
$Semester_Num = substr($Semester['Extended_Value'],4,1);
if($Semester_Num==1){
    $Semester_Words = "1st Semester";
}
else if($Semester_Num==2){
    $Semester_Words = "2nd Semester";
}
else if($Semester_Num==3){
    $Semester_Words = "Summer";
}

require_once 'Zend/Pdf.php';
require_once 'My/Pdf.php';
require_once 'My/Pdf/Document.php';
require_once 'My/Pdf/Page.php';
require_once 'My/Pdf/Table.php';
require_once 'My/Pdf/Table/Row.php';
require_once 'My/Pdf/Table/Cell.php';
require_once 'My/Pdf/Table/Column.php';
require_once 'My/Pdf/Table/HeaderRow.php';

set_time_limit(0);

try {
    $Name_of_PDF = 'temp/Instructors';
    $pdf = new My_Pdf_Document($Name_of_PDF.'.pdf', '.');
    $this->view->Name_of_PDF = $Name_of_PDF;

    // create page
    $page = $pdf->createPage();

    // define font resource
    $font = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_HELVETICA);
    $font2 = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_COURIER);

    $style = new Zend_Pdf_Style();
    $style->setLineColor( new Zend_Pdf_Color_Rgb( 0, 0, 0 ) );
    $style->setLineWidth( 1 );
    // set font
    $page->setFont($font, 12);

    // create table
    $table = new My_Pdf_Table(1);

    $row = new My_Pdf_Table_Row();
    $cols = array();

    $col = new My_Pdf_Table_Column();
    $col->setText("University of the Philippines Manila");
    $col->setWidth(1000);
    $cols[]=$col;

    $row->setColumns($cols);
    $row->setCellPaddings(array(10,10,0,10));
    $row->setFont($font, 11);
    $table->addRow($row);

    $row = new My_Pdf_Table_Row();
    $cols = array();

    $col = new My_Pdf_Table_Column();
    $col->setText("Student Evaluation of Teachers ");
    $col->setWidth(1000);
    $cols[]=$col;

    $row->setColumns($cols);
    $row->setFont($font, 11);
    $row->setCellPaddings(array(5,5,10,10));
    $table->addRow($row);
}

```

```

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText($College_Details['College_Name']." - ". $Department_Name);
$col->setWidth(1000);
$cols[]=$col;

$row->setColumns($cols);
$row->setFont($font, 11);
$row->setCellPaddings(array(5,5,10,10));
$table->addRow($row);

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("Instructors' Average for ". $Semester_Words. " Academic Year ". $Academic_Year);
$col->setWidth(1000);
$cols[]=$col;

$row->setColumns($cols);
$row->setFont($font, 11);
$row->setCellPaddings(array(5,5,10,10));
$table->addRow($row);

$page->addTable($table, 0, 0);
if(count($result) > 0){
    $table = new My_Pdf_Table(2);
    $counter=0;
    while($counter < count($result)){

        if($counter==0){
            $row = new My_Pdf_Table_Row();
            $cols = array();

            $col = new My_Pdf_Table_Column();
            $col->setText("Instructor Name");
            $col->setWidth(250);
            $cols[]=$col;

            $col = new My_Pdf_Table_Column();
            $col->setText("SET Average for all classes");
            $col->setWidth(250);
            $cols[]=$col;

            $row->setColumns($cols);
            $row->setFont($font, 11);
            $row->setCellPaddings(array(5,5,10,10));
            // $row->setBorder(My_Pdf::BOTTOM, $style);
            $row->setBorder(My_Pdf::TOP, $style);
            $row->setBorder(My_Pdf::RIGHT, $style);
            $row->setBorder(My_Pdf::LEFT, $style);
            $table->addRow($row);

        }

        $row = new My_Pdf_Table_Row();
        $cols = array();

        $col = new My_Pdf_Table_Column();
        $col->setText($result[$counter]['Name']);
        $col->setWidth(250);
        $cols[]=$col;

        $col = new My_Pdf_Table_Column();
        $col->setText($result[$counter]['Instructor_Average']);
        $col->setWidth(250);
        $cols[]=$col;

        $row->setColumns($cols);
        $row->setFont($font, 11);
        $row->setCellPaddings(array(5,5,10,10));
        $row->setBorder(My_Pdf::BOTTOM, $style);
        $row->setBorder(My_Pdf::TOP, $style);
        $row->setBorder(My_Pdf::RIGHT, $style);
        $row->setBorder(My_Pdf::LEFT, $style);
        $table->addRow($row);
        $counter++;

    }
}
else{
    $table = new My_Pdf_Table(1);
    $row = new My_Pdf_Table_Row();
    $cols = array();

    $col = new My_Pdf_Table_Column();
    $col->setText("There were no instructors that were evaluated");
    $col->setWidth(500);
    $cols[]=$col;

    $row->setColumns($cols);

```

```

        $row->setFont($font2, 11);
        $row->setCellPaddings(array(5,5,10,10));
        //$row->setBorder(My_Pdf::BOTTOM, $style);
        //$row->setBorder(My_Pdf::TOP, $style);
        //$row->setBorder(My_Pdf::RIGHT, $style);
        //$row->setBorder(My_Pdf::LEFT, $style);
        $table->addRow($row);
    }

    $page->addTable($table, 0, 100);

    // add page to document
    $pdf->addPage($page);
    // save as file
    $pdf->save($Name_of_PDF.'.pdf');
} catch (Zend_Pdf_Exception $e) {
    die ('PDF error: ' . $e->getMessage());
} catch (Exception $e) {
    die ('Application error: ' . $e->getMessage());
}
}

public function classdetailsAction() {

    $oSET = Zend_Db_Table::getDefaultAdapter();

    $Faculty = new Application_Model_DbTable_Faculty();

    $Instructor_Code = $this->_getParam('Instructor_Code', "hello World");
    $this->view->Instructor_Code = $Instructor_Code;

    //$Name = $this->_getParam('Name', "hello world");
    $this->view->Instructor_Name = $Faculty->getFacultyName($Instructor_Code);

    $sql = "SELECT Class_Average.Class_ID, Class_Average.Class_Average, Class.Subject, Class.Section,
        Class_Average.SET_Questionnaire_Type_ID, Class_Average.Answered
        FROM Class_Average
        LEFT JOIN Class ON Class_Average.Class_ID = Class.Class_ID
        WHERE Class_Average.Instructor_Code = ".Chr(34).$Instructor_Code.Chr(34).
        "ORDER BY Class.Subject";

    $this->view->Classes = $oSET->fetchAll($sql);
}

public function partdetailsAction(){

$oSET = Zend_Db_Table::getDefaultAdapter();

    $Class = new Application_Model_DbTable_Class();

    $Instructor_Code = $this->_getParam('Instructor_Code', "hello World");
    $this->view->Instructor_Code = $Instructor_Code;
    $Class_ID= $this->_getParam('Class_ID', 0);
    $this->view->Subject = $Class->getSubject($Class_ID);
    $this->view->Class_ID = $Class_ID;
    //$Subject = $this->_getParam('Subject', "hello world");
    //$this->view->Instructor_Name = $Name;

    $sql = "SELECT Class_Average_Per_Part.Class_ID, Class_Average_Per_Part.Part_Average ,
        SET_Questionnaire_Parts.SET_Questionnaire_Part_Name, SET_Questionnaire_Parts.SET_Questionnaire_Part_ID
        FROM Class_Average_Per_Part
        LEFT JOIN SET_Questionnaire_Parts ON Class_Average_Per_Part.SET_Questionnaire_Part_ID =
            SET_Questionnaire_Parts.SET_Questionnaire_Part_ID
        WHERE Class_Average_Per_Part.Instructor_Code = ".Chr(34).$Instructor_Code.Chr(34). " AND
            Class_Average_Per_Part.Class_ID = ". (int)$Class_ID.
            " ORDER BY SET_Questionnaire_Parts.Part_Orientation_ID";

    //echo $sql;

    $this->view->Parts = $oSET->fetchAll($sql);
}

public function questiondetailsAction(){

    $oSET = Zend_Db_Table::getDefaultAdapter();

    $Class = new Application_Model_DbTable_Class();

    $Instructor_Code = $this->_getParam('Instructor_Code', "hello World");
    $this->view->Instructor_Code = $Instructor_Code;
    $Class_ID= $this->_getParam('Class_ID', 0);
    $this->view->Subject = $Class->getSubject($Class_ID);
    $SET_Questionnaire_Part_ID = $this->_getParam('SET_Questionnaire_Part_ID', 0);
    $this->view->SET_Questionnaire_Part_ID = $SET_Questionnaire_Part_ID;
    $this->view->Class_ID = $Class_ID;
}

```

```

$sql = "SELECT Class_Average_Per_Question.Question_Average, SET_Questionnaire_Questions.Question,
Class_Average_Per_Question.SET_Questionnaire_Question_ID
FROM Class_Average_Per_Question
LEFT JOIN SET_Questionnaire_Questions ON Class_Average_Per_Question.SET_Questionnaire_Question_ID =
SET_Questionnaire_Questions.SET_Questionnaire_Question_ID
WHERE Class_Average_Per_Question.Instructor_Code = ".Chr(34).$Instructor_Code.Chr(34). " AND
Class_Average_Per_Question.Class_ID = ". (int)$Class_ID.
" AND Class_Average_Per_Question.SET_Questionnaire_Part_ID = ". (int)$SET_Questionnaire_Part_ID .
" ORDER BY SET_Questionnaire_Questions.Question_Orientation_ID";

//echo $sql;

$this->view->Questions = $OSET->fetchAll($sql);
}

public function answerdetailsAction(){

$OSET = Zend_Db_Table::getDefaultAdapter();

$class = new Application_Model_DbTable_Class();

$Instructor_Code = $this->_getParam('Instructor_Code', "hello World");
$this->view->Instructor_Code = $Instructor_Code;
$class_ID= $this->_getParam('Class_ID',0);
$this->view->Class_ID = $class_ID;
$this->view->Subject = $class->getSubject($class_ID);
$SET_Questionnaire_Question_ID = $this->_getParam('SET_Questionnaire_Question_ID',0);
$SET_Questionnaire_Part_ID = $this->_getParam('SET_Questionnaire_Part_ID',0);
$this->view->SET_Questionnaire_Part_ID = $SET_Questionnaire_Part_ID;

$sql = "SELECT Class_Results_Per_Question.Count, Answer_Values.Value
FROM Class_Results_Per_Question
LEFT JOIN Answer_Values ON Class_Results_Per_Question.Answer_Value_ID = Answer_Values.Answer_Value_ID
WHERE Class_Results_Per_Question.Instructor_Code = ".Chr(34).$Instructor_Code.Chr(34). " AND
Class_Results_Per_Question.Class_ID = ". (int)$Class_ID.
" AND Class_Results_Per_Question.SET_Questionnaire_Question_ID = ". (int)$SET_Questionnaire_Question_ID
";

//echo $sql;

$this->view->Answers = $OSET->fetchAll($sql);
}

public function fullreportAction(){
require_once 'Zend/Pdf.php';;
require_once 'My/Pdf.php';
require_once 'My/Pdf/Document.php';
require_once 'My/Pdf/Page.php';
require_once 'My/Pdf/Table.php';
require_once 'My/Pdf/Table/Row.php';
require_once 'My/Pdf/Table/Cell.php';
require_once 'My/Pdf/Table/Column.php';
require_once 'My/Pdf/Table/HeaderRow.php';

set_time_limit(0);

$class= new Application_Model_DbTable_Class();

$Instructor_Code = $this->_getParam('Instructor_Code', "hello World");
$this->view->Instructor_Code = $Instructor_Code;
$class_ID= $this->_getParam('Class_ID',0);
$this->view->Class_ID = $class_ID;
$Subject = $class->getSubject($class_ID);

$Faculty = new Application_Model_DbTable_Faculty();

$Instructor_Name = $Faculty->getFacultyName($Instructor_Code);
$this->view->Instructor_Name = $Instructor_Name;

// $class = new Application_Model_DbTable_Class();
$class_Details = $class->getClass($class_ID);
$this->view->Subject = $class_Details['Subject'];

$Flags = new Application_Model_DbTable_Flags();
$Semester = $Flags->getFlag(2);
$Academic_Year = substr($Semester['Extended_Value'],0,4);
$Semester_Num = substr($Semester['Extended_Value'],4,1);
if($Semester_Num==1){
    $Semester_Words = "1st Sem";
}else if($Semester_Num==2){
    $Semester_Words = "2nd Sem";
}else if($Semester_Num==3){
    $Semester_Words = "Summer";
}

$SET_Questionnaire_Type_ID = $this->_getParam('SET_Questionnaire_Type_ID',0);

$this->view->Subject = $Subject;

```



```

$Instructor_Class = $Instructor_Code.$Class_ID;

$Class_Results_Per_Question = new Application_Model_DbTable_ClassResultsPerQuestion();
$Class_Average_Per_Question = new Application_Model_DbTable_ClassAveragePerQuestion();
$Class_Average_Per_Part = new Application_Model_DbTable_ClassAveragePerPart();
$Class_Average = new Application_Model_DbTable_ClassAverage();

$select = $Class_Results_Per_Question->select();
// $select->from(null,array('Count','Answer_Value_ID'));
$select->where('Class_Result_ID LIKE ?', '%'.($Instructor_Class).'%');
$Class_Results = $Class_Results_Per_Question->fetchAll($select);

$Class_Results_Array = array();
$count=0;
while($count < count($Class_Results)){
    $Class_Results_Array[$Class_Results[$count]['SET_Questionnaire_Question_ID'].'x'.$Class_Results[$count]['Answer_Value_ID']] = $Class_Results[$count]['Count'];
    $count++;
}

$select = $Class_Average_Per_Question->select();
// $select->from(null,array('Question_Average','SET_Questionnaire_Question_ID'));
$select->where('Average_Per_Question_ID LIKE ?', '%'.($Instructor_Class).'%');
$Average_Per_Question = $Class_Average_Per_Question->fetchAll($select);

$Average_Per_Question_Array = array();
$count=0;
while($count < count($Average_Per_Question)){
    $Average_Per_Question_Array[$Average_Per_Question[$count]['SET_Questionnaire_Question_ID']] = $Average_Per_Question[$count]['Question_Average'];
    $count++;
}

$select = $Class_Average_Per_Part->select();
// $select->from(null,array('Part_Average','SET_Questionnaire_Part_ID'));
$select->where('Average_Per_Part_ID LIKE ?', '%'.($Instructor_Class).'%');
$Average_Per_Part = $Class_Average_Per_Part->fetchAll($select);

$Average_Per_Part_Array = array();
$count=0;
while($count < count($Average_Per_Part)){
    $Average_Per_Part_Array[$Average_Per_Part[$count]['SET_Questionnaire_Part_ID']] = $Average_Per_Part[$count]['Part_Average'];
    $count++;
}

$select = $Class_Average->select();
$select->where('Class_Average_ID LIKE ?', '%'.($Instructor_Class).'%');
$Class_Average = $Class_Average->fetchAll($select);

$SET_Questionnaire_Part = new Application_Model_DbTable_SETQuestionnairePart();
$SET_Questionnaire_Parts = $SET_Questionnaire_Part->getParts($SET_Questionnaire_Type_ID);

try {
    // $Name_of_PDF = "temp/".$Instructor_Code . "-" . $Class_ID;
    $Name_of_PDF = "temp/Full_Report";
    $pdf = new My_Pdf_Document($Name_of_PDF.'.pdf', '.');
    $this->view->Name_of_PDF = $Name_of_PDF;

    // create page
    $page = $pdf->createPage();

    // define font resource
    $font = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_HELVETICA);
    $font2 = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_COURIER);

    $style = new Zend_Pdf_Style();
    $style->setLineColor(new Zend_Pdf_Color_Rgb(0, 0, 0));
    $style->setLineWidth(1);
    // set font
    $page->setFont($font, 12);

    // create table
    $table = new My_Pdf_Table(1);

    $row = new My_Pdf_Table_Row();
    $cols = array();

    $col = new My_Pdf_Table_Column();
    $col->setText("University of the Philippines Manila");
    $col->setWidth(300);
    $cols[]=$col;

    $col = new My_Pdf_Table_Column();
    $col->setText("");
}

```

```

$col->setWidth(300);
$cols[]=$col;

$row->setColumns($cols);
$row->setCellPaddings(array(10,10,0,10));
$row->setFont($font, 11);
$table->addRow($row);

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("Student Evaluation of Teachers ");
$col->setWidth(300);
$cols[]=$col;

$col = new My_Pdf_Table_Column();
$col->setText("");
$col->setWidth(300);
$cols[]=$col;

$row->setColumns($cols);
$row->setFont($font, 11);
$row->setCellPaddings(array(5,5,10,10));
$table->addRow($row);

$page->addTable($table, 0, 0);

$table = new My_Pdf_Table(2);

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("Teacher : ". $Instructor_Name);
$col->setWidth(300);
$cols[]=$col;

$col = new My_Pdf_Table_Column();
$col->setText("Course : ". $Class_Details['Subject']);
$col->setWidth(300);
$cols[]=$col;

$row->setColumns($cols);
$row->setFont($font, 11);
$row->setCellPaddings(array(5,5,10,10));
$table->addRow($row);

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("Section : ". $Class_Details['Section']);
$col->setWidth(300);
$cols[]=$col;

$col = new My_Pdf_Table_Column();
$col->setText("Semester/AY : ". $Semester_Words.', '. $Academic_Year);
$col->setWidth(300);
$cols[]=$col;

$row->setColumns($cols);
$row->setFont($font, 11);
// $row->setBorder(My_Pdf::BOTTOM, $style);
$row->setCellPaddings(array(5,5,10,10));
$table->addRow($row);

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("Respondents Answered : ". $Class_Average[0]['Respondents_Evaluated']. " out of ".
    $Class_Average[0]['Number_Of_Respondents']);
$col->setWidth(300);
$cols[]=$col;

$col = new My_Pdf_Table_Column();
$col->setText("Score : ". $Class_Average[0]['Class_Average']);
$col->setWidth(300);
$cols[]=$col;

$row->setColumns($cols);
$row->setFont($font, 11);
$row->setBorder(My_Pdf::BOTTOM, $style);
$row->setCellPaddings(array(5,5,10,10));
$table->addRow($row);

$page->addTable($table, 0, 50);

$Text_Results_Per_Respondent = new Application_Model_DbTable_TextResultsPerRespondent();

```

```

$Table = new My_Pdf_Table(1);

$counter=0;
while ($counter < count($SET_Questionnaire_Parts)) {

$SET_Questionnaire_Part_ID = $SET_Questionnaire_Parts[$counter]['SET_Questionnaire_Part_ID'];
$SET_Questionnaire_Part_Details = $SET_Questionnaire_Part->getSETQuestionnairePart(
    $SET_Questionnaire_Part_ID);

    $row = new My_Pdf_Table_Row();
    $cols = array();
    $col = new My_Pdf_Table_Column();
    $partnum = $counter+1;
    $col->setText($SET_Questionnaire_Part_Details['SET_Questionnaire_Part_Name']);
    $col->setWidth(300);
    $cols[] = $col;

    $row->setColumns($cols);
    $row->setFont($font, 11);
    // $row->setBorder(My_Pdf::TOP, $style);
    $row->setCellPaddings(array(10,10,10,10));
    $Table->addRow($row);

$SET_Questionnaire_Question = new Application_Model_DbTable_SETQuestionnaireQuestion();
$SET_Questionnaire_QUESTIONS = $SET_Questionnaire_Question->getQuestions($SET_Questionnaire_Part_ID);
$counter2=0;
while ($counter2<count($SET_Questionnaire_QUESTIONS)){

    $row = new My_Pdf_Table_Row();
    $cols = array();
    $col = new My_Pdf_Table_Column();
    $question_num = $counter2+1;
    $col->setText($question_num.'. ' . $SET_Questionnaire_QUESTIONS[$counter2]['Question']);
    $col->setWidth(600);
    $cols[] = $col;

    $row->setColumns($cols);
    $row->setFont($font, 11);
    // $row->setBorder(My_Pdf::TOP, $style);
    $row->setCellPaddings(array(10,0,10,30));
    $Table->addRow($row);

    $Answer_Type = new Application_Model_DbTable_AnswerType;
    $Answer_Type_Details = $Answer_Type->getAnswerType($SET_Questionnaire_QUESTIONS[$counter2]['
        Answer_Type_ID']);

    if($Answer_Type_Details['Type']=='MS' || $Answer_Type_Details['Type']=='MM'){

        $Answer_Value = new Application_Model_DbTable_AnswerValues();
        $Answer_Values = $Answer_Value->getAnswerValues($SET_Questionnaire_QUESTIONS[$counter2]['
            Answer_Type_ID']);

        $counter3=0;
        $Text = "";
        $row = new My_Pdf_Table_Row();
        while ($counter3<count($Answer_Values)){

            $Text = $Text . $Answer_Values[$counter3]['Value'].' - '.$Class_Results_Array[
                $SET_Questionnaire_QUESTIONS[$counter2]['SET_Questionnaire_Question_ID'].'x'. $Answer_Values[
                    $counter3]['Answer_Value_ID']];
            $Text = $Text . "\n";
            $Text = $Text . "\n";
            $counter3++;

        }

        $cols = array();
        $col = new My_Pdf_Table_Column();
        $col->setText($Text);
        // $col->setWidth(600);
        $cols[] = $col;

        $row->setColumns($cols);
        $row->setFont($font, 11);
        // $row->setBorder(My_Pdf::TOP, $style);
        $row->setCellPaddings(array(3,10,3,50));
        $Table->addRow($row);

    }

    $row = new My_Pdf_Table_Row();
    $cols = array();
    $col = new My_Pdf_Table_Column();
    if($SET_Questionnaire_QUESTIONS[$counter2]['Included']==TRUE){
        $col->setText("Question Average : ". $Average_Per_Question_Array[$SET_Questionnaire_QUESTIONS[
            $counter2]['SET_Questionnaire_Question_ID']]);
    }else{
        $col->setText("");
    }

    // $col->setWidth(600);
    $cols[] = $col;

    $row->setColumns($cols);
    $row->setFont($font, 11);
    // $row->setBorder(My_Pdf::TOP, $style);

```

```

        $row->setCellPaddings(array(3,3,3,50));
        $table->addRow($row);

    }else if($Answer_Type_Details['Type']=='T'){
        $Answers = $Text_Results_Per_Respondent->getAccumulatedAnswers($Class_ID, $Instructor_Code,
            $SET_Questionnaire_Questions[$counter2]['SET_Questionnaire_Question_ID']);
        $counter4 = 0;
        while($counter4 < count($Answers)){

            $Text_Answers = $Text_Answers . $Answers[$counter4]['Text_Answer'] . "...\\n";
            $counter4++;
        }
        $row = new My_Pdf_Table_Row();
        $cols = array();
        $col = new My_Pdf_Table_Column();
        $col->setText($Text_Answers);
        //$col->setWidth(600);
        $cols[] = $col;

        $row->setColumns($cols);
        $row->setFont($font, 11);
        /*
        $row->setBorder(My_Pdf::TOP, $style);
        $row->setBorder(My_Pdf::BOTTOM, $style);
        $row->setBorder(My_Pdf::RIGHT, $style);
        $row->setBorder(My_Pdf::LEFT, $style);*/
        $row->setCellPaddings(array(3,10,3,50));
        $table->addRow($row);
        $Text_Answers = "";
    }

    $counter2++;

}

    $row = new My_Pdf_Table_Row();
    $cols = array();
    $col = new My_Pdf_Table_Column();
    if($SET_Questionnaire_Parts[$counter]['Calculate_Average']==TRUE){
        $col->setText("Part_Average : ". $Average_Per_Part_Array[$SET_Questionnaire_Parts[$counter]['
            SET_Questionnaire_Part_ID']]);
    }else{
        $col->setText("");
    }
    //$col->setWidth(600);
    $cols[] = $col;

    $row->setColumns($cols);
    $row->setFont($font, 11);
    //$row->setBorder(My_Pdf::TOP, $style);
    $row->setCellPaddings(array(3,3,3,50));
    $table->addRow($row);

$counter++;

}

// add table to page
$page->addTable($table, 0, 130);
// add page to document
$pdf->addPage($page);
// save as file
$pdf->save($Name_of_PDF.'.pdf');

} catch (Zend_Pdf_Exception $e) {
    die ('PDF error: ' . $e->getMessage());
} catch (Exception $e) {
    die ('Application error: ' . $e->getMessage());
}

}

public function previoussetscoresAction(){

    $Faculty = new Application_Model_DbTable_Faculty();
    $Instructor_Code = $this->getParam('Instructor_Code',0);

    $Instructor_Name = $Faculty->getFacultyName($Instructor_Code);

    $Semestral_Average = new Application_Model_DbTable_SemestralAverage();

    $Semestral_Averages = $Semestral_Average->fetchAll('Instructor_Code ='. Chr(34).$Instructor_Code.Chr(34)
        , 'Semester_AY');

    require_once 'Zend/Pdf.php';
    require_once 'My/Pdf.php';
    require_once 'My/Pdf/Document.php';
    require_once 'My/Pdf/Page.php';
    require_once 'My/Pdf/Table.php';
    require_once 'My/Pdf/Table/Row.php';
    require_once 'My/Pdf/Table/Cell.php';
    require_once 'My/Pdf/Table/Column.php';
}

```

```

require_once 'My/Pdf/Table/HeaderRow.php';

set_time_limit(0);

try {
$Name_of_PDF = 'temp/Previous_SET_Scores';
$pdf = new My_Pdf_Document($Name_of_PDF.'.pdf', '.');
$this->view->Name_of_PDF = $Name_of_PDF;

// create page
$page = $pdf->createPage();

// define font resource
$font = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_HELVETICA);
$font2 = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_COURIER);

$style = new Zend_Pdf_Style();
$style->setLineColor( new Zend_Pdf_Color_Rgb( 0, 0, 0 ) );
$style->setLineWidth( 1 );
// set font
$page->setFont($font, 12);

// create table
$table = new My_Pdf_Table(1);

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("University of the Philippines Manila");
$col->setWidth(1000);
$cols[]=$col;

$row->setColumns($cols);
$row->setCellPaddings(array(10,10,0,10));
$row->setFont($font, 11);
$table->addRow($row);

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("Student Evaluation of Teachers - Instructor's SET Scores Record ");
$col->setWidth(1000);
$cols[]=$col;

$row->setColumns($cols);
$row->setFont($font, 11);
$row->setCellPaddings(array(5,5,10,10));
$table->addRow($row);

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("Instructor Name: ". $Instructor_Name);
$col->setWidth(1000);
$cols[]=$col;

$row->setColumns($cols);
$row->setFont($font, 11);
$row->setCellPaddings(array(5,5,10,10));
$table->addRow($row);

$page->addTable($table, 0, 0);

$table = new My_Pdf_Table(3);
$count=0;
while($count<count($Semestral_Averages)){

//Semester = $Flags->getFlag(2);
$Academic_Year = substr($Semestral_Averages[$count]['Semester_AY'],0,4);
$Semester_Num = substr($Semestral_Averages[$count]['Semester_AY'],4,1);
if($Semester_Num==1){
$Semester_Words = "1st Sem";
}else if($Semester_Num==2){
$Semester_Words = "2nd Sem";
}else if($Semester_Num==3){
$Semester_Words = "Summer";
}
if($count==0){
$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("Academic Year");
$col->setWidth(150);
$cols[]=$col;

$col = new My_Pdf_Table_Column();
$col->setText("Semester");
$col->setWidth(150);
$cols[]=$col;
}
}
}

```

```

        $col = new My_Pdf_Table_Column();
        $col->setText("Average");
        $col->setWidth(150);
        $cols[]=$col;

        $row->setColumns($cols);
        $row->setFont($font, 11);
        $row->setBorder(My_Pdf::BOTTOM, $style);
        $row->setBorder(My_Pdf::TOP, $style);
        $row->setBorder(My_Pdf::RIGHT, $style);
        $row->setBorder(My_Pdf::LEFT, $style);
        $row->setCellPaddings(array(5,5,10,10));
        $table->addRow($row);
    }

    $row = new My_Pdf_Table_Row();
    $cols = array();

    $col = new My_Pdf_Table_Column();
    $col->setText($Academic_Year);
    $col->setWidth(150);
    $cols[]=$col;

    $col = new My_Pdf_Table_Column();
    $col->setText($Semester_Words);
    $col->setWidth(150);
    $cols[]=$col;

    $col = new My_Pdf_Table_Column();
    $col->setText($Semestral_Averages[$counter]['Average']);
    $col->setWidth(150);
    $cols[]=$col;

    $row->setColumns($cols);
    $row->setFont($font, 11);
    if($counter==count($Semestral_Averages)-1){
        $row->setBorder(My_Pdf::BOTTOM, $style);
    }
    // $row->setBorder(My_Pdf::BOTTOM, $style);
    // $row->setBorder(My_Pdf::TOP, $style);
    $row->setBorder(My_Pdf::RIGHT, $style);
    $row->setBorder(My_Pdf::LEFT, $style);
    $row->setCellPaddings(array(5,5,10,10));
    $table->addRow($row);

    $counter++;
}

$page->addTable($table, 0, 70);

// add page to document
$pdf->addPage($page);
// save as file
$pdf->save($Name_of_PDF.'.pdf');
} catch (Zend_Pdf_Exception $e) {
    die ('PDF error: ' . $e->getMessage());
} catch (Exception $e) {
    die ('Application error: ' . $e->getMessage());
}

}

}

```

```

<?php
class CollegeClerkSetStatusController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        set_time_limit(0);
    }

    public function indexAction()
    {
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            try{
                $College_Code = $auth->getIdentity()->College_Code;
            } catch (Exception $e) {
                //$username = "Student";
            }
        }

        $College = new Application_Model_DbTable_College();
        $College_Details = $College->getCollege($College_Code);

        $this->view->College_Name = $College_Details['College_Name'];
    }
}

```

```

$this->view->Downloaded_Flag = $College_Details['Downloaded'];
$this->view->Activated_Flag = $College_Details['Activated'];
$this->view->College_Code = $College_Code;
$class_Average = new Application_Model_DbTable_ClassAverage();

$Flag = $this->_getParam('Flag',0);
$Subject = $this->_getParam('Subject', " ");
$this->view->Flag = $Flag;
$form = new Application_Form_SearchSubject();
$this->view->form = $form;
$form->Subject->setLabel('Subject / Instructor Code : ');
$Department_Code = $this->_getParam('Department','DPSM');
$Departments_Table = new Application_Model_DbTable_Department();
$Departments = $Departments_Table->fetchAll('College_Code = '. Chr(34).$College_Code.Chr(34));

$counter=0;
while($counter < count($Departments)){
    $form->Department->addMultiOption($Departments[$counter]['Department_Code'],$Departments[$counter]['
        Department_Code']);
    $counter++;
}
$form->Department->addMultiOption('x','All Departments');

if ($this->getRequest()->isPost()) {
    $formData = $this->getRequest()->getPost();
    if ($form->isValid($formData)) {
        $Subject = $form->getValue('Subject');
        $Department_Code = $form->getValue('Department');
        $this->_helper->redirector('index',null,null,array('Subject'=>$Subject, 'College_Code'=>$College_Code,
            'Flag'=>1, 'Department'=>$Department_Code));
    } else {
        $form->populate($formData);
    }
} else {
    $Subject = $this->_getParam('Subject');
    $form->Subject->setValue($Subject);
    $form->Department->setValue($Department_Code);
}

}

$OSET = Zend_Db_Table::getDefaultAdapter();

if($Department_Code!='x'){
    $sql = "SELECT Class.Subject, Class.Activated, Class_Average.Instructor_Code, Class_Average.
        Number_Of_Respondents, Class.Section, Class_Average.Respondents_Evaluated
        FROM Class_Average
        LEFT JOIN Class
        ON Class_Average.Class_ID = Class.Class_ID
        WHERE Class_Average.College_Code = '$College_Code' AND Class_Average.Department_Code = '
            $Department_Code' AND (Subject LIKE '%$Subject%' OR Instructor_Code LIKE '%$Subject%')
        ORDER BY Class.Subject; ";
}else{
    $sql = "SELECT Class.Subject, Class.Activated, Class_Average.Instructor_Code, Class_Average.
        Number_Of_Respondents, Class.Section, Class_Average.Respondents_Evaluated
        FROM Class_Average
        LEFT JOIN Class
        ON Class_Average.Class_ID = Class.Class_ID
        WHERE Class_Average.College_Code = '$College_Code' AND (Subject LIKE '%$Subject%' OR Instructor_Code
            LIKE '%$Subject%')
        ORDER BY Class.Subject; ";
}
$Classes = $OSET->fetchAll($sql);
$this->view->Classes = $Classes;
}

}

```

```
<?php
```

```

class CollegeClerkSetStudentStatusController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        set_time_limit(0);
    }

    public function indexAction()
    {
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            try{
                $College_Code = $auth->getIdentity()->College_Code;
            } catch (Exception $e) {
                //$username = "Student";
            }
        }

        //$College_Code = $this->_getParam('College_Code',0);
    }
}

```

```

$College = new Application_Model_DbTable_College();
$College_Details = $College->getCollege($College_Code);
$College_Name = $College_Details['College_Name'];

$this->view->College_Code = $College_Code;
$this->view->Downloaded_Flag = $College_Details['Downloaded'];
$this->view->Activated_Flag = $College_Details['Activated'];
$this->view->College_Name = $College_Details['College_Name'];
$OSET = Zend_Db_Table::getDefaultAdapter();

ini_set("memory_limit", "250M");
require_once 'Zend/Pdf.php';
require_once 'My/Pdf.php';
require_once 'My/Pdf/Document.php';
require_once 'My/Pdf/Page.php';
require_once 'My/Pdf/Table.php';
require_once 'My/Pdf/Table/Row.php';
require_once 'My/Pdf/Table/Cell.php';
require_once 'My/Pdf/Table/Column.php';
require_once 'My/Pdf/Table/HeaderRow.php';

$sql = "SELECT Student.Name, Class.Subject FROM Master_Classlist
LEFT JOIN (Student,Class)
ON (Master_Classlist.Student_ID = Student.Student_ID AND Master_Classlist.Class_ID=Class.Class_ID)
WHERE Master_Classlist.Evaluated=0 AND Student.College_Code = '$College_Code' AND Master_Classlist.
Dropped=0 AND Student.LOA=0
ORDER BY Student.Name, Class.Subject ";

$result=$OSET->fetchAll($sql);
try{
    $Name_of_PDF = "temp/Students_Incomplete_Evaluation";
    $pdf = new My_Pdf_Document($Name_of_PDF.'.pdf', '.');
    $this->view->Name_of_PDF = $Name_of_PDF;

    $page = $pdf->createPage();

    // define font resource
    $font = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_HELVETICA);
    $font2 = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_COURIER);

    $style = new Zend_Pdf_Style();
    $style->setLineColor( new Zend_Pdf_Color_Rgb( 0, 0, 0 ) );
    $style->setLineWidth( 1 );
    // set font
    $page->setFont($font, 14);

    // create table
    $table = new My_Pdf_Table(1);

    $row = new My_Pdf_Table_Row();
    $cols = array();

    $col = new My_Pdf_Table_Column();
    $col->setText("Student Evaluation of Teachers - ". $College_Name);
    $col->setWidth(1000);
    $cols[]=$col;

    $row->setColumns($cols);
    $row->setCellPaddings(array(10,10,0,10));
    $row->setFont($font, 13);
    $table->addRow($row);

    $row = new My_Pdf_Table_Row();
    $cols = array();

    $col = new My_Pdf_Table_Column();
    $col->setText("The following students still have subjects yet to be evaluated:");
    $col->setWidth(1000);
    $cols[]=$col;

    $row->setColumns($cols);
    $row->setCellPaddings(array(10,10,0,10));
    $row->setFont($font, 13);
    $table->addRow($row);
    $page->addTable($table, 0, 0);

    if(count($result)>0){
        $table = new My_Pdf_Table(2);
        $Subject = "";
        $counter=0;

        while($counter<count($result)){
            $Name = $result[$counter]['Name'];
            $Curr_Subj = $result[$counter]['Subject'];
            if($Curr_Subj!=$result[$counter+1]['Subject']){
                $Subjects = $Subjects . $result[$counter]['Subject'] . ", ";
            }
            if($Name!=$result[$counter+1]['Name']){
                $row = new My_Pdf_Table_Row();
                $cols = array();

                $col = new My_Pdf_Table_Column();
                $col->setText($Name);

```



```

        $col->setWidth(200);
        $cols[]=$col;

        $col = new My_Pdf_Table_Column();
        $col->setText($Subjects );

        $cols[]=$col;

        $row->setColumns($cols);
        $row->setCellPaddings(array(10,10,10,10));
        $row->setFont($font, 11);
        $table->addRow($row);
        $Subjects = "";
    }
    $counter++;
}
}else{
    $table = new My_Pdf_Table(1);
    $row = new My_Pdf_Table_Row();
    $cols = array();

    $col = new My_Pdf_Table_Column();
    $col->setText("No information about the students of this college is available.");
    $col->setWidth(1000);
    $cols[]=$col;

    $row->setColumns($cols);
    $row->setCellPaddings(array(10,10,0,10));
    $row->setFont($font2, 14);
    $table->addRow($row);
}

$page->addTable($table, 0, 50);

$pdf->addPage($page);
// save as file
$pdf->save($Name_of_PDF.'.pdf');
} catch (Zend_Pdf_Exception $e) {
die ('PDF error: ' . $e->getMessage());
} catch (Exception $e) {
die ('Application error: ' . $e->getMessage());
}
}
}
}

```

```

<?php

class CollegeClerkStudentsListController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            $College_Code = $auth->getIdentity()->College_Code;
        }

        $College = new Application_Model_DbTable_College();
        $College_Details = $College->getCollege($College_Code);

        if($action!='index' && ($College_Details['Activated']==TRUE || $College_Details['Downloaded']==FALSE)){
            $this->helper->redirector('index');
        }
    }

    public function indexAction()
    {
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            try{
                $College_Code = $auth->getIdentity()->College_Code;
            } catch (Exception $e) {
                //$username = "Student";
            }
        }

        $College = new Application_Model_DbTable_College();
        $College_Details = $College->getCollege($College_Code);

        $this->view->College_Name = $College_Details['College_Name'];
        $this->view->Activated_Flag = $College_Details['Activated'];
        $this->view->Downloaded_Flag = $College_Details['Downloaded'];
    }
}

```

```

$form = new Application_Form_SearchUser();
$form->Name->setLabel(' Search Student: ');
$this->view->form = $form;

$Name = $this->_getParam('Name', "");
$Flag = $this->_getParam('Flag',1);
$this->view->Flag = $Flag;

    $Student = new Application_Model_DbTable_Students();

//$Students = $Student->fetchAll('College_Code =' .Chr(34).$College_Code.Chr(34), 'Name');

$select = $Student->select();
$select->where('Name LIKE ?', '%' .strtoupper($Name) .'%');
$select->where('College_Code = ' .Chr(34).$College_Code.Chr(34));
$select->order('Name');
$Students = $Student->fetchAll($select);
    $this->view->Students = $Students;

$Activated_Array = array();

$counter=0;
while($counter<count($Students)){
    $Activated_Array[]=$Students[$counter]['LOA'];
    $counter++;
}

$this->view->Activated_Array = $Activated_Array;

if ($this->getRequest()->isPost()) {
    $formData = $this->getRequest()->getPost();
    if ($form->isValid($formData)) {
        if ($formData['Search']!=null){
            $Name = $form->getValue('Name');
            $this->_helper->redirector('index',null,null,array('Name'=>$Name, 'Flag'=>0));
        }
        else if ($formData['saveactivate']!=null){
            $counter=0;
            while($counter< count($Students)){

                $Activated_Flag = $this->getRequest()->getPost($Students[$counter]['Student_ID']);

                //echo "<br/>".$Activated_Flag."-".$Students[$counter]['Student_ID'] ;
                if($Activated_Flag!=null){
                    $Student->updateLOAFlag($Students[$counter]['Student_ID'],TRUE);
                    //echo "true <br/>";
                }else{
                    $Student->updateLOAFlag($Students[$counter]['Student_ID'],FALSE);
                    //echo "false <br />";
                }
                $counter++;
            }
            $this->_helper->redirector('index',null,null,array('Name'=>$Name, 'Flag'=>0));
        }
    }

    } else {
        $form->populate($formData);
    }
    } else {
        $Name = $this->_getParam('Name');
        $form->Name->setValue($Name);
    }

}

//$this->view->Students = $Students;

}

public function viewClassesAction(){

    $Students = new Application_Model_DbTable_Students();

    $Student_ID = $this->_getParam('Student_ID',0);

    $Student_Details = $Students->getStudent($Student_ID);

    $this->view->Student_Name = $Student_Details['Name'];

    $OSET = Zend_Db_Table::getDefaultAdapter();

    $sql = "SELECT Class.Subject, Class.Section, Classlists.Dropped, Classlists.Student_ID, Classlists.
        Classlist_ID
        FROM Classlists
        LEFT JOIN Class
        ON Classlists.Class_ID = Class.Class_ID
        WHERE Classlists.Student_ID = '$Student_ID'";

    $Classes = $OSET->fetchAll($sql);

    $Classlists = new Application_Model_DbTable_Classlists();

    $Activated_Array = array();

    $counter=0;
    while($counter<count($Classes){
        $Activated_Array[]=$Classes[$counter]['Dropped'];
        $counter++;
    }
}

```

```

    }

    $this->view->Activated_Array = $Activated_Array;
    $this->view->Classes = $Classes;
    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();

        if($formData['saveactivate']!=null){
            $counter=0;
            while($counter<count($Classes){

                $Activated_Flag = $this->getRequest()->getPost($Classes[$counter]['Classlist_ID']);
                if($Activated_Flag!=null){
                    $Classlists->updateDroppedFlag($Classes[$counter]['Classlist_ID'], TRUE);
                }else{
                    $Classlists->updateDroppedFlag($Classes[$counter]['Classlist_ID'], FALSE);
                }
                $counter++;
            }
            $this->_helper->redirector('viewclasses', null, null, array('Student_ID'=>$Student_ID));
        }
    }

}

}

}

```

```

<?php
class ErrorController extends Zend_Controller_Action
{
    public function errorAction()
    {
        $errors = $this->_getParam('error_handler');

        if (!$errors || !$errors instanceof ArrayObject) {
            $this->view->message = 'You have reached the error page';
            return;
        }

        switch ($errors->type) {
            case Zend_Controller_Plugin_ErrorHandler::EXCEPTION_NO_ROUTE:
            case Zend_Controller_Plugin_ErrorHandler::EXCEPTION_NO_CONTROLLER:
            case Zend_Controller_Plugin_ErrorHandler::EXCEPTION_NO_ACTION:
                // 404 error -- controller or action not found
                $this->getResponse()->setHttpResponseCode(404);
                $priority = Zend_Log::NOTICE;
                $this->view->message = 'Page not found';
                break;
            default:
                // application error
                $this->getResponse()->setHttpResponseCode(500);
                $priority = Zend_Log::CRIT;
                $this->view->message = 'Application error';
                break;
        }

        // Log exception, if logger available
        if ($log = $this->getLog()) {
            $log->log($this->view->message, $priority, $errors->exception);
            $log->log('Request Parameters', $priority, $errors->request->getParams());
        }

        // conditionally display exceptions
        if ($this->getInvokeArg('displayExceptions') == true) {
            $this->view->exception = $errors->exception;
        }

        $this->view->request = $errors->request;
    }

    public function getLog()
    {
        $bootstrap = $this->getInvokeArg('bootstrap');
        if (!$bootstrap->hasResource('Log')) {
            return false;
        }
        $log = $bootstrap->getResource('Log');
        return $log;
    }
}

```

```

<?php
class EvaluationSystemManagerAnswerController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);

        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();

        $college = new Application_Model_DbTable_College();
        $colleges = $college->fetchAll();

        $counter=0;
        $activated_Flag = FALSE;
        while($counter < count($colleges)){
            if($colleges[$counter]['Activated']==TRUE){
                $activated_Flag = TRUE;
                break;
            }
            $counter++;
        }
        if($action!='index' && $activated_Flag == TRUE){
            $this->_helper->redirector('index');
        }
    }

    public function indexAction()
    {
        $answer_Type = new Application_Model_DbTable_AnswerType();
        $this->view->Answer_Type = $answer_Type->fetchAll();
        $college = new Application_Model_DbTable_College();
        $colleges = $college->fetchAll();

        $counter=0;
        $activated_Flag = FALSE;
        while($counter < count($colleges)){
            if($colleges[$counter]['Activated']==TRUE){
                $activated_Flag = TRUE;
                break;
            }
            $counter++;
        }
        $this->view->Activated_Flag = $activated_Flag;
    }

    public function chooseaddAction()
    {
        $form = new Application_Form_ChooseAnswerType();
        $this->view->form = $form;

        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();
            if($formData['cancel']!=null){
                $this->_helper->redirector('index', null,null,array('Answer_Type_ID'=>$Answer_Type_ID));
            }
            if ($form->isValid($formData)) {
                if($form->getValue('Type')==1){
                    $this->_helper->redirector('adddtextbox');
                }
                else{
                    $this->_helper->redirector('add');
                }
            } else {
                $form->populate($formData);
            }
        }
    }

    public function editAction()
    {
        $form = new Application_Form_EditAnswerType();
        $form->submit->setLabel('Save');
        $this->view->form = $form;
        $Answer_Type_ID = $this->getParam('Answer_Type_ID', 0);
        $this->view->Answer_Type_ID = $Answer_Type_ID;

        $Answer_Type = new Application_Model_DbTable_AnswerType();
        $Answer_Type_Details = $Answer_Type->getAnswerType($Answer_Type_ID);
        $this->view->Answer_Type_Name = $Answer_Type_Details['Answer_Type_Name'];

        $Answer_Type_Name_Param = $Answer_Type_Details['Answer_Type_Name'];// $this->getParam('Answer_Type_Name',
        0);

        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();

```

```

if(strtoupper($formData['Answer_Type_Name'])!=strtoupper($Answer_Type_Name_Param)){
    $form->Answer_Type_Name->addValidator(new ValidAnswerTypeName());
}

if($formData['editchoices']!=null){
    $this->_helper->redirector('index','evaluation-system-manager-value',null, array('Answer_Type_ID'=>
        $Answer_Type_ID, 'flag'=>1));
}

if($formData['cancel']!=null){
    $this->_helper->redirector('index');
}

    if ($form->isValid($formData)) {
        $Answer_Type_ID = (int)$form->getValue('Answer_Type_ID');
        $Answer_Type_Name = $form->getValue('Answer_Type_Name');
        $Type = $form->getValue('Type');
        $Answer_Type = new Application_Model_DbTable_AnswerType();
        $Answer_Type->updateAnswerType($Answer_Type_ID, $Answer_Type_Name, $Type, null);
        $this->_helper->redirector('index');
    } else {
        $form->populate($formData);
    }
} else {

    if ( $Answer_Type_ID > 0) {
        $Answer_Type = new Application_Model_DbTable_AnswerType();
        $form->populate($Answer_Type->getAnswerType($Answer_Type_ID));
    }
}

public function addAction()
{
    $form = new Application_Form_AnswerType();
    $form->submit->setLabel('Save');
    $this->view->form = $form;
    $form->Answer_Type_Name->addValidator(new ValidAnswerTypeName());

    if ($this->getRequest()->isPost()) {

        $formData = $this->getRequest()->getPost();

        if($formData['cancel']!=null){
            $this->_helper->redirector('index');
        }

        if ($form->isValid($formData)) {
            //$Answer_Type_ID = (int)$form->getValue('Answer_Type_ID');
            $Answer_Type_Name = $form->getValue('Answer_Type_Name');
            $Type = $form->getValue('Type');
            $Answer_Type = new Application_Model_DbTable_AnswerType();
            $Answer_Type->addAnswerType($Answer_Type_Name, $Type, null);
            $Answer_Type_ID = $Answer_Type->getID($Answer_Type_Name);
            $this->_helper->redirector('index', 'evaluation-system-manager-value',null,array('Answer_Type_ID'=>
                $Answer_Type_ID));
        } else {
            $form->populate($formData);
        }
    }
}

public function addtextboxAction()
{
    $form = new Application_Form_AnswerTypeTextbox();
    $form->submit->setLabel('Save');
    $this->view->form = $form;
    $form->Answer_Type_Name->addValidator(new ValidAnswerTypeName());
    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();
        if($formData['cancel']!=null){
            $this->_helper->redirector('index');
        }

        if ($form->isValid($formData)) {
            $Answer_Type_ID = (int)$form->getValue('Answer_Type_ID');
            $Answer_Type_Name = $form->getValue('Answer_Type_Name');
            $Type = 'T';
            $Input_Type = $form->getValue('Input_Type');
            $Row = $form->getValue('Row');
            $Column = $form->getValue('Column');
            $Extra_Code = $Input_Type . ';' . $Row . ';' . $Column;
            $Answer_Type = new Application_Model_DbTable_AnswerType();
            $Answer_Type->addAnswerType($Answer_Type_Name, $Type, $Extra_Code);
            $this->_helper->redirector('index');
        } else {
            $form->populate($formData);
        }
    }
}

public function edittextboxAction(){

    $form = new Application_Form_AnswerTypeTextbox();
    $form->submit->setLabel('Save');
    $this->view->form = $form;
    $Answer_Type_Name_Param = $this->getParam('Answer_Type_Name', 0);

    if ($this->getRequest()->isPost()) {

```

```

        $formData = $this->getRequest()->getPost();

if(strtoupper($formData['Answer_Type_Name'])!=strtoupper($Answer_Type_Name_Param)){
    $form->Answer_Type_Name->addValidator(new ValidAnswerTypeName());
}

if($formData['cancel']!=null){
    $this->_helper->redirector('index');
}

    if ($form->isValid($formData)) {
        $Answer_Type_ID = (int)$form->getValue('Answer_Type_ID');
        $Answer_Type_Name = $form->getValue('Answer_Type_Name');
        $Type = 'T';
        $Input_Type = $form->getValue('Input_Type');
        $Row = $form->getValue('Row');
        $Column = $form->getValue('Column');
        $Extra_Code = $Input_Type . ';' . $Row . ';' . $Column;
        $Answer_Type = new Application_Model_DbTable_AnswerType();
        $Answer_Type->updateAnswerType($Answer_Type_ID, $Answer_Type_Name, $Type, $Extra_Code);
        $this->_helper->redirector('index');
    } else {
        $form->populate($formData);
    }
} else {
    $Answer_Type_ID = $this->getParam('Answer_Type_ID', 0);
    if ( $Answer_Type_ID > 0) {
        $Answer_Type = new Application_Model_DbTable_AnswerType();
        $Answer_Type_Details = $Answer_Type->getAnswerType($Answer_Type_ID);
        $form->populate($Answer_Type_Details);
        $Extra_Code_Array = explode(";", $Answer_Type_Details['Extra_Code']);
        $form->Input_Type->setValue($Extra_Code_Array[0]);
        $form->Row->setValue($Extra_Code_Array[1]);
        $form->Column->setValue($Extra_Code_Array[2]);
    }
}
}

public function deleteAction()
{
    if ($this->getRequest()->isPost()) {
        $del = $this->getRequest()->getPost('del');
        if ($del == 'Yes') {
            $Answer_Type_ID = $this->getRequest()->getPost('Answer_Type_ID');
            $Answer_Type = new Application_Model_DbTable_AnswerType();
            $Answer_Type->deleteAnswerType($Answer_Type_ID);
        }
        $this->_helper->redirector('index');
    } else {
        $Answer_Type_ID = $this->getParam('Answer_Type_ID', 0);
        $Answer_Type = new Application_Model_DbTable_AnswerType();
        $this->view->Answer_Type = $Answer_Type->getAnswerType($Answer_Type_ID);
    }
}

}

class ValidAnswerTypeName extends Zend_Validate_Abstract
{
    const DUPLICATE = 'Duplicate';

    protected $_messageTemplates = array(
        self::DUPLICATE => "'%value%' already exists."
    );

    public function isValid($value)
    {
        $this->_setValue($value);
        $Answer_Type = new Application_Model_DbTable_AnswerType();

        if (!$Answer_Type->isExist($value)) {

            return true;
        }
        $this->_error(self::DUPLICATE);
        return false;
    }
}

```

```

<?php

class EvaluationSystemManagerAssignmentController extends Zend_Controller_Action
{

    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();

        $College = new Application_Model_DbTable_College();
        $Colleges = $College->fetchAll();

        $counter=0;
        $Activated_Flag = FALSE;
        while($counter < count($Colleges)){
            if($Colleges[$counter]['Activated']==TRUE){

```

```

        $Activated_Flag = TRUE;
    }
    break;
}
$counter++;
}
if($action!='index' && $Activated_Flag == TRUE){
    $this->_helper->redirector('index');
}
}

}

public function indexAction()
{

$College = new Application_Model_DbTable_College();
$Colleges = $College->fetchAll();

$counter=0;
$Activated_Flag = FALSE;
while($counter < count($Colleges)){
    if($Colleges[$counter]['Activated']==TRUE){
        $Activated_Flag = TRUE;
        break;
    }
    $counter++;
}
$this->view->Activated_Flag = $Activated_Flag;

$OSET = Zend_Db_Table::getDefaultAdapter();

$Flag = $this->_getParam('Flag',0);
$Subject = $this->_getParam('Subject', " ");
$this->view->Flag = $Flag;
$form = new Application_Form_SearchSubject();
$this->view->form = $form;

$Department_Code = $this->_getParam('Department','DPSM');
$Departments_Table = new Application_Model_DbTable_Department();

$counter2=0;
while($counter2 < count($Colleges)){
    $Departments = $Departments_Table->fetchAll('College_Code = '. Chr(34).$Colleges[$counter2]['College_Code']
        ').Chr(34));
    $counter=0;
    while($counter < count($Departments)){
        $form->Department->addMultiOption($Departments[$counter]['Department_Code'],$Departments[$counter]['Department_Code']);
        $counter++;
    }
    $counter2++;
}

$form->Department->addMultiOption('x','All Departments');

if ($this->getRequest()->isPost() ) {
    $formData = $this->getRequest()->getPost();
    if ($form->isValid($formData)) {

        $Subject = $form->getValue('Subject');
        $Department_Code = $form->getValue('Department');
        $this->_helper->redirector('index',null,null,array('Subject'=>$Subject, 'Flag'=>1, 'Department'=>$Department_Code));
    } else {
        $form->populate($formData);
    }
} else {
    $Subject = $this->_getParam('Subject');
    $form->Subject->setValue($Subject);
    $form->Department->setValue($Department_Code);
}

}

if($Department_Code!='x'){
    $sql = "SELECT Subject_Questionnaire_Lists.Subject, SET_Questionnaire.SET_Questionnaire_Type_Name,
        Subject_Questionnaire_Lists.SET_Questionnaire_Type_ID
        FROM Subject_Questionnaire_Lists
        LEFT JOIN SET_Questionnaire ON Subject_Questionnaire_Lists.SET_Questionnaire_Type_ID =
        SET_Questionnaire.SET_Questionnaire_Type_ID
        WHERE Subject_Questionnaire_Lists.Department_Code = '$Department_Code' AND
        Subject_Questionnaire_Lists.Subject LIKE '%$Subject%' ";
}else{
    $sql = "SELECT Subject_Questionnaire_Lists.Subject, SET_Questionnaire.SET_Questionnaire_Type_Name,
        Subject_Questionnaire_Lists.SET_Questionnaire_Type_ID
        FROM Subject_Questionnaire_Lists
        LEFT JOIN SET_Questionnaire ON Subject_Questionnaire_Lists.SET_Questionnaire_Type_ID =
        SET_Questionnaire.SET_Questionnaire_Type_ID
        WHERE Subject_Questionnaire_Lists.Subject LIKE '%$Subject%' ";
}

}

$this->view->Subject = $OSET->fetchAll($sql);
}

public function editAction()
{
    $form = new Application_Form_Subject();
}

```

```

        $form->submit->setLabel('Save');
        $this->view->form = $form;
        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();
            if ($form->isValid($formData)) {
                // $Subject = $form->getValue('Subject');
                $SET_Questionnaire_Type_ID = $form->getValue('SET_Questionnaire_Type_ID');
                $Subjects = new Application_Model_DbTable_Subject();
                $Subject = $this->_getParam('Subject');
                $Subjects->updateSubject($Subject, $SET_Questionnaire_Type_ID);
                $this->_helper->redirector('index');
            } else {
                $form->populate($formData);
            }
        } else {
            $Subjects = $this->_getParam('Subject');
            $Subject = new Application_Model_DbTable_Subject();
            $form->populate($Subject->getSubject($Subjects));
        }
    }
}
}

```

```
<?php
```

```

class EvaluationSystemManagerClassesController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        $College = new Application_Model_DbTable_College();
        $Colleges = $College->fetchAll('Downloaded ='. 1);
        $Downloaded_Flag = TRUE;
        if(count($Colleges)==0){
            $Downloaded_Flag = FALSE;
        }
        if($Downloaded_Flag== FALSE){
            $this->_helper->redirector('index','evaluation-system-manager-subjects');
        }
    }

    public function indexAction()
    {
        $Subject = $this->_getParam('Subject', "hello");
        $Subject_Table = new Application_Model_DbTable_Subject();
        $Subject_Details = $Subject_Table->getSubject($Subject);

        $Class = new Application_Model_DbTable_Class();
        $Classes = $Class->fetchAll('Subject ='. Chr(34). $Subject. Chr(34));
        $this->view->Classes = $Classes;
        $this->view->Subject = $Subject;
    }

    public function addAction(){
        $form = new Application_Form_PlainClass();
        $this->view->form = $form;
        $Subject = $this->_getParam('Subject',"asdas");
        $Subject_Table = new Application_Model_DbTable_Subject();
        $Subject_Details = $Subject_Table->getSubject($Subject);

        $Department = new Application_Model_DbTable_Department();
        $Departments = $Department->fetchAll('College_Code ='.Chr(34).$Subject_Details['College_Code'].Chr(34));

        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();

            if($formData['cancel']!=null){
                $this->_helper->redirector('index',null,null,array('Subject'=>$Subject));
            }
            if ($form->isValid($formData)) {
                $College_Code = $Subject_Details['College_Code'];
                $Department_Code = $Subject_Details['Department_Code'];
                $Section = $form->getValue('Section');

                $Class = new Application_Model_DbTable_Class();
                $Class->addClass($Subject, $Section, $College_Code, $Department_Code);
                $this->_helper->redirector('index',null,null,array('Subject'=>$Subject));
            } else {
                $form->populate($formData);
            }
        }
    }

    public function deleteAction(){
        $Subject = $this->_getParam('Subject',"dasdas");
        if ($this->getRequest()->isPost()) {
            $del = $this->getRequest()->getPost('del');

```



```

        if ($del == 'Yes') {
            $Class_ID = $this->getRequest()->getPost('Class_ID');
            $Class = new Application_Model_DbTable_Class();
            $Class->deleteClass($Class_ID);
        }
        $this->_helper->redirector('index', null, null, array('Subject'=>$Subject));
    } else {
        $Class_ID = $this->_getParam('Class_ID', "hello");
        $Class = new Application_Model_DbTable_Class();
        $this->view->Classes = $Class->getClass($Class_ID);
    }
}

}

}

class ValidSubject extends Zend_Validate_Abstract
{
    const DUPLICATE = 'Duplicate';

    protected $_messageTemplates = array(
        self::DUPLICATE => "'%value%' already exists."
    );

    public function isValid($value)
    {
        $this->_setValue($value);
        $Subject = new Application_Model_DbTable_Subject();

        if (!$Subject->isExist($value)) {
            return true;
        }
        $this->_error(self::DUPLICATE);
        return false;
    }
}
}

```

```

<?php

class EvaluationSystemManagerEvaluationModeController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        set_time_limit(0);
    }

    public function indexAction()
    {
        /** CREATE TABLE Subject */

        $Flags = new Application_Model_DbTable_Flags();
        $Semester_Flag = $Flags->getFlag(2);
        $Evaluation_Mode = $Flags->getFlag(4);
        $this->view->Evaluation_Mode = $Evaluation_Mode['Value'];

        $form = new Application_Form_EvaluationMode();
        $this->view->form = $form;

        $Setup_Flag = $Semester_Flag['Value'];
        $this->view->Setup_Flag = $Setup_Flag;

        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();

            if ($form->isValid($formData)) {
                $SET_Questionnaire_Type_ID = $form->getValue('SET_Questionnaire_Type_ID');
                $this->_helper->redirector('open', null, null, array('SET_Questionnaire_Type_ID'=>
                    $SET_Questionnaire_Type_ID));
            } else {
                $form->populate($formData);
            }
        }

        $College = new Application_Model_DbTable_College();
        $Colleges = $College->fetchAll();

        $counter=0;
        $Activated_Flag = FALSE;
        while($counter < count($Colleges)){
            if($Colleges[$counter]['Activated']==TRUE){
                $Activated_Flag = TRUE;
                break;
            }
            $counter++;
        }
    }
}

```

```

}

$this->view->Activated_Flag = $Activated_Flag;
}

public function openAction(){

    $Flags = new Application_Model_DbTable_Flags();

    $Semester_Flag = $Flags->getFlag(2);

    $SET_Quiz_Type_ID = $this->_getParam('SET_Quiz_Type_ID',2);
    $session = Zend_Registry::get('session');
    $CRS = $session->dbBB;

    $OSET = Zend_Db_Table::getDefaultAdapter();

    $sql = 'DROP TABLE IF EXISTS Subject_Quiz_Type_Lists';
    $result = $OSET->getConnection()->exec($sql);

    $sql = 'CREATE TABLE `Subject_Quiz_Type_Lists` (
        `Subject` varchar(50) NOT NULL,
        `SET_Quiz_Type_ID` int(5) NOT NULL,
        `College_Code` varchar(10) NOT NULL,
        `Department_Code` varchar(10) NOT NULL,
        `Editable` Boolean NOT NULL,
        PRIMARY KEY (`Subject`)
    ) ENGINE=MyISAM DEFAULT CHARSET=latin1;';

    $result = $OSET->getConnection()->exec($sql);

    $Subject = new Application_Model_DbTable_Subject();

    $sem = (int)$Semester_Flag['Extended_Value'];
    $sem1 = $sem + 1;
    $sem = (int)$sem * 100000;
    $sem1 = (int)$sem1 * 100000;

    $sql = 'DROP TABLE IF EXISTS Dummy_Subject';
    $result = $OSET->getConnection()->exec($sql);

    $sql = 'CREATE TABLE `Dummy_Subject` (
        `Subject` VARCHAR( 50 ) NOT NULL,
        `College_Code` VARCHAR( 10 ) NOT NULL,
        `Department_Code` VARCHAR(10) NOT NULL
    ) ENGINE = MYISAM ;';

    $result = $OSET->getConnection()->exec($sql);

    $Department = new Application_Model_DbTable_Department();
    $Departments = $Department->fetchAll();

    $sql = "SELECT classid,extracode,section,subject,instructors,unit,unitname from osetuser_classes_view
    WHERE classid>'$sem'
    AND subject NOT LIKE '%RESIDEN%'
    and classid<'$sem1' and ("
    $dcounter=0;
    while($dcounter<count($Departments)){
        $sql = $sql . " unit = '" . $Departments[$dcounter]['Department_Code'] . "'";
        $dcounter++;
        if($dcounter < count($Departments)){
            $sql = $sql . " or ";
        }
    }
    $sql = $sql . ")";

    $result = $CRS->fetchAll($sql);

    $rowCount = count($result);
    $counter = 0 ;
    $instructor = "";
    $subject = "";
    while($counter<$rowCount){
        if($Department->mapCollege($result[$counter]['unit'] )){
            $subject = $result[$counter]['subject'];
            if($result[$counter]['extracode']!=""){
                if(substr($result[$counter]['extracode'],0,3)=="LAB"){
                    $subject = $subject . "LAB";
                }else if(substr($result[$counter]['extracode'],0,3)=="LEC"){
                    $subject = $subject . "LEC";
                }
            }
        }

        $data = array(
            'Subject' => $subject,
            'Department_Code'=>$result[$counter]['unit'],
            'College_Code' => $Department->mapCollege($result[$counter]['unit'])
        );

        $OSET->insert('Dummy_Subject', $data);
    }
    $counter++;
}
}

```

```

$sql = "SELECT Subject,College_Code, Department_Code FROM Dummy_Subject GROUP BY Subject ORDER BY Subject
";
$result = $OSET->fetchAll($sql);

$counter =0;
while($counter < count($result)){
    $data = array (
        'Subject' => $result[$counter]['Subject'],
        'College_Code'=>$result[$counter]['College_Code'],
        'Department_Code'=>$result[$counter]['Department_Code'],
        'SET_Questionnaire_Type_ID'=> $SET_Questionnaire_Type_ID,
        'Editable' => FALSE
    );

    $OSET->insert('Subject_Questionnaire_Lists', $data);
    $counter++;

}
$sql = 'DROP TABLE IF EXISTS Dummy_Subject';
$result = $OSET->getConnection()->exec($sql);

$StaticSubject = new Application_Model_DbTable_StaticSubject();
$Subject = new Application_Model_DbTable_Subject();

$StaticSubjects = $StaticSubject->fetchAll();
$counter=0;
while($counter < count($StaticSubjects)){
    //$data = $StaticSubjects[$counter];
    $Subject->updateSubject($StaticSubjects[$counter]['Subject'],$StaticSubjects[$counter]['
        SET_Questionnaire_Type_ID']);
    $counter++;
}

        /** CREATE TABLE Student */
$sql = 'DROP TABLE IF EXISTS Student';
$result = $OSET->getConnection()->exec($sql);

$sql = 'CREATE TABLE `Student` (
    `ID` INT(9) NOT NULL AUTO_INCREMENT,
    `Student_ID` VARCHAR( 10 ) NOT NULL ,
    `Name` VARCHAR( 150 ) NOT NULL,
    `Password` VARCHAR( 50 ) NOT NULL ,

    `College_Code` VARCHAR(50) NOT NULL,
    `LOA` BOOLEAN NOT NULL ,
    PRIMARY KEY ( `Student_ID` ),
    UNIQUE KEY ( `ID` )
) ENGINE = MYISAM ;';

$result = $OSET->getConnection()->exec($sql);

        /** CREATE TABLE Classlists */
$sql = 'DROP TABLE IF EXISTS Classlists';
$result = $OSET->getConnection()->exec($sql);

$sql = 'CREATE TABLE IF NOT EXISTS `Classlists` (
    `Class_ID` INT NOT NULL ,
    `Student_ID` VARCHAR( 10 ) NOT NULL ,
    `Classlist_ID` VARCHAR(50) NOT NULL,
    `Evaluated` BOOLEAN NOT NULL ,
    `Editable` BOOLEAN NOT NULL DEFAULT 0,
    `Dropped` BOOLEAN NOT NULL ,
    PRIMARY KEY ( `Classlist_ID` )
) ENGINE = MYISAM ;';
$result = $OSET->getConnection()->exec($sql);

        /** CREATE TABLE Faculty */

$sql = 'DROP TABLE IF EXISTS Faculty';
$result = $OSET->getConnection()->exec($sql);

$sql = 'CREATE TABLE `Faculty` (
    `Employee_ID` INT( 20 ) NOT NULL ,
    `Name` VARCHAR( 100 ) NULL ,
    `Instructor_Code` VARCHAR( 40 ) NULL,
    PRIMARY KEY ( `Employee_ID` )
) ENGINE = MYISAM ;';
$result = $OSET->getConnection()->exec($sql);

        /** GET Data and Insert to Faculty */

$sql = 'SELECT instructorcode,employeeid,firstname,lastname from osetuser_employees_view';

$result = $CRS->fetchAll($sql);
$rowCount = count($result);

$counter = 0;
while($counter<$rowCount){

    $data = array(
        'Employee_ID' => $result[$counter]['employeeid'],
        'Name' => strtoupper($result[$counter]['firstname']). Chr(32) .strtoupper($result[$counter]['
            lastname']),
        'Instructor_Code' => str_replace(chr(32),'',$result[$counter]['instructorcode'])
    );

```

```

    );

    $OSET->insert('Faculty', $data);
    $counter++;
}

        /** GET Data and Insert to Classlists */

    $sql = "SELECT studentid ,classid from osetuser_classlists_view where classid >= '$sem' and classid < '
        $sem1'";
    $result = $CRS->fetchAll($sql);
    $rowCount = count($result);
    $counter = 0 ;

    while($counter<$rowCount) {
        $Student_IDC = substr_replace($result[$counter]['studentid'], '-', 4, 0);
        $data = array(
            'Class_ID' => $result[$counter]['classid'],
            'Student_ID' => $Student_IDC,
            'Classlist_ID'=>$result[$counter]['classid'].$Student_IDC
        );

        $OSET->insert('Classlists', $data);
        $counter++;
    }

        /** GET Data and Insert to Student */

    $semester=(int)$Semester_Flag['Extended_Value'];
    $sql = "SELECT studentid,aysem,unit from osetuser_studentterms_view where aysem = '$semester' and
        officiallyenrolled = 'TRUE'";
    $result = $CRS->fetchAll($sql);
    $rowCount = count($result);

    $counter = 0;
    while($counter<$rowCount){
        $studentid = $result[$counter]['studentid'];

        $sql = "SELECT studentid,lastname,firstname from osetuser_students_view WHERE studentid='$studentid'";

        $result2 = $CRS->fetchRow($sql);
        $Student_ID = substr_replace($result2['studentid'], '-', 4, 0);
        $data = array(
            'Student_ID' => $Student_ID,
            'Name' => $result2['lastname'] . ", " . $result2['firstname'],
            'College_Code'=> $result[$counter]['unit']
        );

        $OSET->insert('Student', $data);
        $counter++;
    }

    $Flags->updateFlag(4,TRUE);
    $Flags->updateFlag(3,FALSE);
    $Flags->updateFlag(1,TRUE);

    $this->_helper->redirector('index');
}

public function closeAction(){

    $Flags = new Application_Model_DbTable_Flags();

    $OSET = Zend_Db_Table::getDefaultAdapter();

    $College = new Application_Model_DbTable_College();
    $Colleges = $College->fetchAll();

    $counter = 0;
    while($counter < count($Colleges)){
        $College->update(array('Downloaded'=>FALSE, 'SET_Scores_Calculated'=>FALSE), 'College_Code =' .Chr(34) .
            $Colleges[$counter]['College_Code'] .Chr(34));
        $counter++;
    }

    $sql = "TRUNCATE TABLE `Class`";
    $result = $OSET->getConnection()->exec($sql);

    $sql = "TRUNCATE TABLE `Text_Results_Per_Respondent`";
    $result = $OSET->getConnection()->exec($sql);

    $Flags->updateFlag(4,FALSE);
    $Flags->updateFlag(3,FALSE);
    $Flags->updateFlag(1,FALSE);

    $this->_helper->redirector('index');
}

```

```
}
```

```
<?php
class EvaluationSystemManagerHomeController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        $OSET = Zend_Db_Table::getDefaultAdapter();
        $Flags = new Application_Model_DbTable_Flags();
        $Flagsx = $Flags->fetchAll();

        if(count($Flagsx)==0){

            $sql = "INSERT INTO `Flags` (`Flag_ID`, `Flag_Name`, `Value`, `Extended_Value`) VALUES
            (1, 'classes_downloaded', 0, ''),
            (2, 'semester', 1, '20112'),
            (3, 'passwords_generated', 0, ''),
            (4, 'Evaluation_Mode', 0, ''),
            (5, 'SET_Scores_On', 0, '');";

            $result = $OSET->getConnection()->exec($sql);
        }

    }

    public function indexAction()
    {

        /** CREATE TABLE Subject **/

    }

}
```

```
<?php
class EvaluationSystemManagerPartController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();

        $College = new Application_Model_DbTable_College();
        $Colleges = $College->fetchAll();

        $counter=0;
        $Activated_Flag = FALSE;
        while($counter < count($Colleges)){
            if($Colleges[$counter]['Activated']==TRUE){
                $Activated_Flag = TRUE;
                break;
            }
            $counter++;
        }
        if($Activated_Flag == TRUE){
            $this->_helper->redirector('index','evaluation-system-manager-questionnaire');
        }
    }

    public function indexAction()
    {
        $SET_Questionnaire_Type_ID = (int)$this->_getParam('SET_Questionnaire_Type_ID', 0);
        $this->view->SET_Questionnaire_Type_ID = $SET_Questionnaire_Type_ID;

        $SET_Questionnaire = new Application_Model_DbTable_SETQuestionnaire();
        $SET_Questionnaire_Type_Name = $SET_Questionnaire->getSETQuestionnaireName($SET_Questionnaire_Type_ID);

        $this->view->SET_Questionnaire_Type_Name = $SET_Questionnaire_Type_Name;

        $SET_Questionnaire_Parts = new Application_Model_DbTable_SETQuestionnairePart();
        $this->view->SET_Questionnaire_Parts = $SET_Questionnaire_Parts->fetchAll('SET_Questionnaire_Type_ID = '
            . $SET_Questionnaire_Type_ID, 'Part_Orientation_ID');

        $Content = $this->_getParam('Content',null);
        // echo $Content;
        $New_Orientation = array();
        if($Content!=null){
            $Content_Array = explode("&", $Content);
            //echo $Content_Array[0];
            $i = 0;
            foreach($Content_Array as $CA){
                $New_CA = substr_replace($CA,"",0,4);
                $New_CA = explode('_', $New_CA);
                $New_Orientation[] = $New_CA[0];
                echo $New_Orientation[$i];
                echo "<br />";
            }
        }
    }
}
```

```

        $i++;
    }
}
// $SET_Questionnaire_Parts = new Application_Model_DbTable_SETQuestionnairePart();
$SET_Questionnaire_Parts->arrangeParts($New_Orientation,$SET_Questionnaire_Type_ID);
$this->_helper->redirector('index',null,null,array('SET_Questionnaire_Type_ID'=>
    $SET_Questionnaire_Type_ID));
}
}

public function addAction()
{
$SET_Questionnaire_Type_ID = (int)$this->_getParam('SET_Questionnaire_Type_ID', 0);
$form = new Application_Form_SETQuestionnairePart();

$form->submit->setLabel('Add');
    $this->view->form = $form;
if ($this->getRequest()->isPost()) {
    $formData = $this->getRequest()->getPost();
    if($formData['cancel']!=null){
        $this->_helper->redirector('index',null,null,array('SET_Questionnaire_Type_ID'=>
            $SET_Questionnaire_Type_ID));
    }
    if ($form->isValid($formData)) {

        $SET_Questionnaire_Part_Name = $form->getValue('SET_Questionnaire_Part_Name');
        $Calculate_Average = $form->getValue('Calculate_Average');
if($Calculate_Average==NULL){
    $Calculate_Average = 0;
}

        $SET_Questionnaire_Part = new Application_Model_DbTable_SETQuestionnairePart();

        $SET_Questionnaire_Part->addSETQuestionnairePart($SET_Questionnaire_Type_ID,
            $SET_Questionnaire_Part_Name,$Part_Orientation_ID, $Calculate_Average);
        $this->_helper->redirector('index',null,null,array('SET_Questionnaire_Type_ID'=>
            $SET_Questionnaire_Type_ID));
    } else {
        $form->populate($formData);
    }
}
}

function editAction()
{
$SET_Questionnaire_Type_ID = (int)$this->_getParam('SET_Questionnaire_Type_ID', 0);
$form = new Application_Form_SETQuestionnairePart();
$form->submit->setLabel('Save');

    $this->view->form = $form;
if ($this->getRequest()->isPost()) {
    $formData = $this->getRequest()->getPost();
    if($formData['cancel']!=null){
        $this->_helper->redirector('index',null,null,array('SET_Questionnaire_Type_ID'=>
            $SET_Questionnaire_Type_ID));
    }
    if ($form->isValid($formData)) {
$SET_Questionnaire_Part_ID = $this->_getParam('SET_Questionnaire_Part_ID', 0);
        $SET_Questionnaire_Part_Name = $form->getValue('SET_Questionnaire_Part_Name');
$Calculate_Average = $form->getValue('Calculate_Average');
        $SET_Questionnaire_Part = new Application_Model_DbTable_SETQuestionnairePart();
        $SET_Questionnaire_Part->updateSETQuestionnairePart($SET_Questionnaire_Part_ID,
            $SET_Questionnaire_Part_Name,$Part_Orientation_ID,$SET_Questionnaire_Type_ID,
            $Calculate_Average);
        $this->_helper->redirector('index',null,null,array('SET_Questionnaire_Type_ID'=>
            $SET_Questionnaire_Type_ID));
    } else {
        $form->populate($formData);
    }
} else {
    $SET_Questionnaire_Part_ID = $this->_getParam('SET_Questionnaire_Part_ID', 0);
if ($SET_Questionnaire_Part_ID > 0) {
        $SET_Questionnaire_Part = new Application_Model_DbTable_SETQuestionnairePart();
        $form->populate($SET_Questionnaire_Part->getSETQuestionnairePart($SET_Questionnaire_Part_ID));
    }
}
}

public function deleteAction()
{
$SET_Questionnaire_Type_ID = (int)$this->_getParam('SET_Questionnaire_Type_ID', 0);
    if ($this->getRequest()->isPost()) {
        $del = $this->getRequest()->getPost('del');
        if ($del == 'Yes') {
            $SET_Questionnaire_Part_ID = $this->getRequest()->getPost('SET_Questionnaire_Part_ID');
            $SET_Questionnaire_Part = new Application_Model_DbTable_SETQuestionnairePart();
            $SET_Questionnaire_Part->deleteSETQuestionnairePart($SET_Questionnaire_Part_ID);
        }
        $this->_helper->redirector('index',null,null,array('SET_Questionnaire_Type_ID'=>
            $SET_Questionnaire_Type_ID));
    } else {
        $SET_Questionnaire_Part_ID = $this->_getParam('SET_Questionnaire_Part_ID', 0);
        $SET_Questionnaire_Part = new Application_Model_DbTable_SETQuestionnairePart();
    }
}
}

```

```

        $this->view->SET_Questionnaire_Part = $SET_Questionnaire_Part->getSETQuestionnairePart(
            $SET_Questionnaire_Part_ID);
    }
}
}
class ValidPartName extends Zend_Validate_Abstract
{
    const DUPLICATE = 'Duplicate';

    protected $_messageTemplates = array(
        self::DUPLICATE => "'%value%' already exists."
    );

    public function isValid($value)
    {
        $this->_setValue($value);
        $Answer_Type = new Application_Model_DbTable_AnswerType();

        if (!$Answer_Type->isExist($value)) {
            return true;
        }
        $this->_error(self::DUPLICATE);
        return false;
    }
}
}

```

```
<?php
```

```

class EvaluationSystemManagerQuestionController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();

        $College = new Application_Model_DbTable_College();
        $Colleges = $College->fetchAll();

        $counter=0;
        $Activated_Flag = FALSE;
        while($counter < count($Colleges)){
            if($Colleges[$counter]['Activated']==TRUE){
                $Activated_Flag = TRUE;
                break;
            }
            $counter++;
        }
        if($Activated_Flag == TRUE){
            $this->_helper->redirector('index','evaluation-system-manager-questionnaire');
        }
    }

    public function indexAction()
    {
        $SET_Questionnaire_Type_ID = (int)$this->_getParam('SET_Questionnaire_Type_ID', 0);
        $this->view->SET_Questionnaire_Type_ID = $SET_Questionnaire_Type_ID;

        $SET_Questionnaire_Part_ID = (int)$this->_getParam('SET_Questionnaire_Part_ID', 0);
        $this->view->SET_Questionnaire_Part_ID = $SET_Questionnaire_Part_ID;

        $Content = $this->_getParam('Content',null);
        // echo $Content;
        $New_Orientation = array();
        if($Content!=null){
            $Content_Array = explode("&", $Content);
            //echo $Content_Array[0];
            $i = 0;
            foreach($Content_Array as $CA){
                $New_CA = substr_replace($CA,"",0,4);
                $New_CA = explode('_', $New_CA);
                $New_Orientation[] = $New_CA[0];
                echo $New_Orientation[$i];
                echo "<br />";
                $i++;
            }
            $SET_Questionnaire_Question = new Application_Model_DbTable_SETQuestionnaireQuestion();
            $SET_Questionnaire_Question->arrangeQuestions($New_Orientation,$SET_Questionnaire_Part_ID);
            $this->_helper->redirector('index',null,null,array('SET_Questionnaire_Type_ID'=>
                $SET_Questionnaire_Type_ID,'SET_Questionnaire_Part_ID'=>$SET_Questionnaire_Part_ID));
        }
        // echo $Content_Array[1];

        $SET_Questionnaire = new Application_Model_DbTable_SETQuestionnaire();
        $SET_Questionnaire_Type_Name = $SET_Questionnaire->getSETQuestionnaireName($SET_Questionnaire_Type_ID);
        $this->view->SET_Questionnaire_Type_Name = $SET_Questionnaire_Type_Name;

        $SOSET = Zend_Db_Table::getDefaultAdapter();
    }
}

```

```

$sql = "SELECT SET_Questionnaire_Questions.Question, SET_Questionnaire_Questions.
      SET_Questionnaire_Question_ID,
      SET_Questionnaire_Questions.Question_Orientation_ID, SET_Questionnaire_Questions.Answer_Type_ID,
      SET_Questionnaire_Questions.SET_Questionnaire_Part_ID, Answer_Type.Answer_Type_Name,
      SET_Questionnaire_Questions.Weight
FROM SET_Questionnaire_Questions
LEFT JOIN Answer_Type ON SET_Questionnaire_Questions.Answer_Type_ID = Answer_Type.Answer_Type_ID
WHERE SET_Questionnaire_Questions.SET_Questionnaire_Part_ID = $SET_Questionnaire_Part_ID
ORDER BY SET_Questionnaire_Questions.Question_Orientation_ID;";

$this->view->SET_Questionnaire_Questions = $OSET->fetchAll($sql);

}

public function addAction()
{
    $SET_Questionnaire_Part_ID = (int)$this->getParam('SET_Questionnaire_Part_ID', 0);
    $SET_Questionnaire_Type_ID = (int)$this->getParam('SET_Questionnaire_Type_ID', 0);
    $Answer_Type = new Application_Model_DbTable_AnswerType();

    $SET_Questionnaire = new Application_Model_DbTable_SETQuestionnaire();
    $Max_Weight = $SET_Questionnaire->getMaxWeight($SET_Questionnaire_Type_ID);

    $form = new Application_Form_SETQuestionnaireQuestion();
    $mw = 1;
    while($mw <= $Max_Weight){
        $form->Weight->addMultiOption($mw, $mw);
        $mw++;
    }

    $SET_Questionnaire_Question = new Application_Model_DbTable_SETQuestionnaireQuestion();

    $form->submit->setLabel('Add');
    $this->view->form = $form;

    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();

        if($formData['cancel']!=null){
            $this->_helper->redirector('index', null, null, array('SET_Questionnaire_Part_ID'=>
                $SET_Questionnaire_Part_ID, 'SET_Questionnaire_Type_ID'=>$SET_Questionnaire_Type_ID));
        }

        if ($form->isValid($formData)) {

            $Question = $form->getValue('Question');
            $Required = $form->getValue('Required');
            $Weight = $form->getValue('Weight');
            $Included = $form->getValue('Included');
            $Answer_Type_ID = $form->getValue('Answer_Type_ID');
            $Answer_Type_Details = $Answer_Type->getAnswerType($Answer_Type_ID);
            if($Answer_Type_Details['Type']=='MS'){
                $SET_Questionnaire_Question->addSETQuestionnaireQuestion($SET_Questionnaire_Part_ID,$Question,
                    $Answer_Type_ID, $Required, $Weight, $Included[0]);
            }
            else if($Answer_Type_Details['Type']=='MM'){
                $SET_Questionnaire_Question->addSETQuestionnaireQuestion($SET_Questionnaire_Part_ID,$Question,
                    $Answer_Type_ID, $Required, $Weight, null);
            }
            $this->_helper->redirector('index', null, null, array('SET_Questionnaire_Type_ID'=>
                $SET_Questionnaire_Type_ID, 'SET_Questionnaire_Part_ID'=>$SET_Questionnaire_Part_ID));
        } else {
            $form->populate($formData);
        }
    }
}

function editAction()
{
    $SET_Questionnaire_Type_ID = (int)$this->getParam('SET_Questionnaire_Type_ID', 0);
    $SET_Questionnaire_Part_ID = (int)$this->getParam('SET_Questionnaire_Part_ID', 0);
    $Answer_Type = new Application_Model_DbTable_AnswerType();

    $SET_Questionnaire = new Application_Model_DbTable_SETQuestionnaire();
    $Max_Weight = $SET_Questionnaire->getMaxWeight($SET_Questionnaire_Type_ID);

    $form = new Application_Form_SETQuestionnaireQuestion();
    $mw = 1;
    while($mw <= $Max_Weight){
        $form->Weight->addMultiOption($mw, $mw);
        $mw++;
    }

    $form->submit->setLabel('Save');
    $SET_Questionnaire_Question = new Application_Model_DbTable_SETQuestionnaireQuestion();

    $this->view->form = $form;
    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();

        if($formData['cancel']!=null){
            $this->_helper->redirector('index', null, null, array('SET_Questionnaire_Part_ID'=>
                $SET_Questionnaire_Part_ID, 'SET_Questionnaire_Type_ID'=>$SET_Questionnaire_Type_ID));
        }
    }
}

```



```

        if ($form->isValid($formData)) {
            $SET_Questionnaire_Question_ID = $this->_getParam('SET_Questionnaire_Question_ID', 0);

            $Question = $form->getValue('Question');
            $Required = $form->getValue('Required');
            $Weight = $form->getValue('Weight');
            $Included = $form->getValue('Included');
            $Answer_Type_ID = $form->getValue('Answer_Type_ID');
            $Answer_Type_Details = $Answer_Type->getAnswerType($Answer_Type_ID);
            if($Answer_Type_Details['Type']=='MS'){
                $SET_Questionnaire_Question->updateSETQuestionnaireQuestion($SET_Questionnaire_Question_ID, $Question
                , $SET_Questionnaire_Part_ID, $Answer_Type_ID, $Required, $Weight, $Included(0));
            } else if($Answer_Type_Details['Type']=='MM'){
                $SET_Questionnaire_Question->updateSETQuestionnaireQuestion($SET_Questionnaire_Question_ID, $Question
                , $SET_Questionnaire_Part_ID, $Answer_Type_ID, $Required, $Weight, null);
            }
            $this->_helper->redirector('index', null, null, array('SET_Questionnaire_Type_ID'=>
            $SET_Questionnaire_Type_ID, 'SET_Questionnaire_Part_ID'=>$SET_Questionnaire_Part_ID));
        } else {
            $form->populate($formData);
        }
    } else {
        $SET_Questionnaire_Question_ID = $this->_getParam('SET_Questionnaire_Question_ID', 0);
        if ($SET_Questionnaire_Question_ID > 0) {

            $form->populate($SET_Questionnaire_Question->getSETQuestionnaireQuestion(
            $SET_Questionnaire_Question_ID));

        }
    }
}

public function deleteAction()
{
    $SET_Questionnaire_Type_ID = (int)$this->_getParam('SET_Questionnaire_Type_ID', 0);
    $SET_Questionnaire_Part_ID = (int)$this->_getParam('SET_Questionnaire_Part_ID', 0);
    if ($this->getRequest()->isPost()) {
        $del = $this->getRequest()->getPost('del');
        if ($del == 'Yes') {
            $SET_Questionnaire_Question_ID = $this->getRequest()->getPost('SET_Questionnaire_Question_ID');
            $SET_Questionnaire_Question = new Application_Model_DbTable_SETQuestionnaireQuestion();
            $SET_Questionnaire_Question->deleteSETQuestionnaireQuestion($SET_Questionnaire_Question_ID);
        }
        $this->_helper->redirector('index', null, null, array('SET_Questionnaire_Type_ID'=>
        $SET_Questionnaire_Type_ID, 'SET_Questionnaire_Part_ID'=>$SET_Questionnaire_Part_ID));
    } else {
        $SET_Questionnaire_Question_ID = $this->_getParam('SET_Questionnaire_Question_ID', 0);
        $SET_Questionnaire_Question = new Application_Model_DbTable_SETQuestionnaireQuestion();
        $this->view->SET_Questionnaire_Question = $SET_Questionnaire_Question->getSETQuestionnaireQuestion(
        $SET_Questionnaire_Question_ID);
    }
}
}
}

```

```

<?php

class EvaluationSystemManagerQuestionnaireController extends Zend_Controller_Action
{

    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);

        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();

        $College = new Application_Model_DbTable_College();
        $Colleges = $College->fetchAll();

        $counter=0;
        $Activated_Flag = FALSE;
        while($counter < count($Colleges)){
            if($Colleges[$counter]['Activated']==TRUE){
                $Activated_Flag = TRUE;
                break;
            }
            $counter++;
        }
        if($action!='index' && $Activated_Flag == TRUE){
            $this->_helper->redirector('index');
        }
    }

    public function indexAction()
    {
        $SET_Questionnaire = new Application_Model_DbTable_SETQuestionnaire();
        $this->view->SET_Questionnaire = $SET_Questionnaire->fetchAll();

        $College = new Application_Model_DbTable_College();
        $Colleges = $College->fetchAll();
    }
}

```

```

$counter=0;
$Activated_Flag = FALSE;
while($counter < count($Colleges)){
    if($Colleges[$counter]['Activated']==TRUE){
        $Activated_Flag = TRUE;
        break;
    }
    $counter++;
}
$this->view->Activated_Flag = $Activated_Flag;

}

public function addAction()
{
    $form = new Application_Form_SETQuestionnaire();
    $form->submit->setLabel('Add');
    $this->view->form = $form;
    $form->SET_Questionnaire_Type_Name->addValidator(new ValidQuestionnaireTypeName());
    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();
        if($formData['cancel']!=null){
            $this->_helper->redirector('index');
        }
        if ($form->isValid($formData)) {
            $SET_Questionnaire_Type_Name = $form->getValue('SET_Questionnaire_Type_Name');
            $Max_Weight = $form->getValue('Max_Weight');
            $users = new Application_Model_DbTable_SETQuestionnaire();
            $users->addSETQuestionnaire($SET_Questionnaire_Type_Name, $Max_Weight);
            $this->_helper->redirector('index');
        } else {
            $form->populate($formData);
        }
    }
}

function editAction()
{
    $form = new Application_Form_SETQuestionnaire();
    $form->submit->setLabel('Save');
    $SET_Questionnaire_Type_Name_Param = $this->_getParam('SET_Questionnaire_Type_Name', 0);
    $this->view->form = $form;
    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();
        if(strtoupper($formData['SET_Questionnaire_Type_Name'])!=strtoupper($SET_Questionnaire_Type_Name_Param)){
            $form->SET_Questionnaire_Type_Name->addValidator(new ValidQuestionnaireTypeName());
        }
        if($formData['cancel']!=null){
            $this->_helper->redirector('index', null,null,array('Answer_Type_ID'=>$Answer_Type_ID));
        }
        if ($form->isValid($formData)) {
            $SET_Questionnaire_Type_ID = $this->_getParam('SET_Questionnaire_Type_ID', 0);
            $SET_Questionnaire_Type_Name = $form->getValue('SET_Questionnaire_Type_Name');
            $Max_Weight = $form->getValue('Max_Weight');
            $SET_Questionnaire = new Application_Model_DbTable_SETQuestionnaire();
            $SET_Questionnaire->updateSETQuestionnaire($SET_Questionnaire_Type_ID,
                $SET_Questionnaire_Type_Name, $Max_Weight);
            $this->_helper->redirector('index');
        } else {
            $form->populate($formData);
        }
    } else {
        $SET_Questionnaire_Type_ID = $this->_getParam('SET_Questionnaire_Type_ID', 0);
        if ($SET_Questionnaire_Type_ID > 0) {
            $SET_Questionnaire = new Application_Model_DbTable_SETQuestionnaire();
            $form->populate($SET_Questionnaire->getSETQuestionnaire($SET_Questionnaire_Type_ID));

            //echo $SET_Questionnaire_Type_ID;
        }
    }
}

public function deleteAction()
{
    if ($this->getRequest()->isPost()) {
        $del = $this->getRequest()->getPost('del');
        if ($del == 'Yes') {
            $SET_Questionnaire_Type_ID = $this->getRequest()->getPost('SET_Questionnaire_Type_ID');
            $SET_Questionnaire = new Application_Model_DbTable_SETQuestionnaire();
            $SET_Questionnaire->deleteSETQuestionnaire($SET_Questionnaire_Type_ID);
        }
        $this->_helper->redirector('index');
    } else {
        $SET_Questionnaire_Type_ID = $this->_getParam('SET_Questionnaire_Type_ID', 0);
        $SET_Questionnaire = new Application_Model_DbTable_SETQuestionnaire();
        $this->view->SET_Questionnaire = $SET_Questionnaire->getSETQuestionnaire($SET_Questionnaire_Type_ID
        );
    }
}

public function previewAction(){

```

```

$OSET = Zend_Db_Table::getDefaultAdapter();

$Counter = $this->_getParam('Counter', 0);

$this->view->Counter = $Counter + 1;

//echo $Instructors_Array[$Instructor_Index];

$send = false;
$form = new Application_Form_Evaluate();
$this->view->form = $form;

$SET_Quiz = new Application_Model_DbTable_SETQuiz();
$SET_Quiz_Type_ID = $this->_getParam('SET_Quiz_Type_ID', 0);

$this->view->SET_Quiz_Type_ID = $SET_Quiz_Type_ID;
$SET_Quiz_Details = $SET_Quiz->getSETQuiz($SET_Quiz_Type_ID);
$this->view->SET_Quiz_Type_Name = $SET_Quiz_Details['SET_Quiz_Type_Name'];

$SET_Quiz_Part = new Application_Model_DbTable_SETQuizPart();
$SET_Quiz_Parts = $SET_Quiz->getParts($SET_Quiz_Type_ID);
$this->view->SET_Quiz_Parts = $SET_Quiz_Parts;

$SET_Quiz_Part_ID = $SET_Quiz_Parts[$Counter]['SET_Quiz_Part_ID'];
$this->view->SET_Quiz_Part_ID = $SET_Quiz_Part_ID;

$SET_Quiz_Part_Details = $SET_Quiz_Part->getSETQuizPart(
    $SET_Quiz_Part_ID);
$this->view->PartName = $SET_Quiz_Part_Details['SET_Quiz_Part_Name'];

$submit = new Zend_Form_Element_Submit('submit');
$submit->setAttrib('id', 'submitbutton');
$Submit_Label = "Save and Proceed to Next Part >>";
$Last = false;
if(!$SET_Quiz_Parts[$Counter+1]['SET_Quiz_Part_ID']){
    // if it is already in the last part
    $Last = true;

    if(!$Instructors_Array[$Instructor_Index+1]){
        $Submit_Label = "End of Preview";

        $send=true;
    }
    else{
        $Instructor_Index++;
        $Counter=0;
        $Submit_Label = "Next Teacher";
        $send=false;
    }
}

$this->view->Last = $Last;

$submit->setLabel($Submit_Label);

$SET_Quiz_Question = new Application_Model_DbTable_SETQuizQuestion();
$SET_Quiz_Questions = $SET_Quiz->getQuestions($SET_Quiz_Part_ID);

$CountOfQuestions = count($SET_Quiz_Questions);
$index=0;
while($index < $CountOfQuestions){
    $Answer_Type = new Application_Model_DbTable_AnswerType;
    $Answer_Type_Details = $Answer_Type->getAnswerType($SET_Quiz_Questions[$index]['Answer_Type_ID']);

    if($Answer_Type_Details['Type']=='MS'){
        $Question_Element = new Zend_Form_Element_Radio($SET_Quiz_Questions[$index]['SET_Quiz_Question_ID']);
        $Question_Element->setLabel($SET_Quiz_Questions[$index]['Question']);
        $Answer_Value = new Application_Model_DbTable_AnswerValues();
        $Answer_Values = $Answer_Value->getAnswerValues($SET_Quiz_Questions[$index]['Answer_Type_ID'],
            'Value_Orientation_ID');
        $index2 = 0;
        while($index2< count($Answer_Values)){
            $Question_Element->addMultiOption($Answer_Values[$index2]['Answer_Value_ID'], $Answer_Values[$index2]
                ['Value']);
            $index2++;
        }
    }
    if($Answered){
        $Answers_Index = 0;
        while($Answers_Index < $CountOfQuestions ){
            if($Part_Answers[$Answers_Index]['SET_Quiz_Question_ID'] == $SET_Quiz_Questions[
                $index]['SET_Quiz_Question_ID']){

```

```

        $Question_Element->setValue($Part_Answers[$Answers_Index]['Answer_Value_ID']);
        break;
    }
    $Answers_Index++;
}
}
if($SET_Questionnaire_Questions[$index]['Required']){
    $Question_Element->setRequired(true);
    //->addValidator('NotEmpty');
}
}
else if($Answer_Type_Details['Type']=='MM'){
    $Question_Element = new Zend_Form_Element_MultiCheckbox($SET_Questionnaire_Questions[$index]['
        SET_Questionnaire_Question_ID']);
    $Question_Element->setLabel($SET_Questionnaire_Questions[$index]['Question']);
    $Answer_Value = new Application_Model_DbTable_AnswerValues();
    $Answer_Values = $Answer_Value->getAnswerValues($SET_Questionnaire_Questions[$index]['Answer_Type_ID'])
        ;
    $index2 = 0;
    while($index2 < count($Answer_Values)){
        $Question_Element->addMultiOption($Answer_Values[$index2]['Answer_Value_ID'], $Answer_Values[$index2
            ]['Value']);
        $index2++;
    }

    if($Answered){
        $Answers_Index = 0;
        $Ans_Array_MM = array();
        while($Answers_Index < $CountOfQuestions ){
            if($Part_Answers[$Answers_Index]['SET_Questionnaire_Question_ID'] == $SET_Questionnaire_Questions[
                $index]['SET_Questionnaire_Question_ID'] ){
                $Ans_Array_MM[] = $Part_Answers[$Answers_Index]['Answer_Value_ID'];
                // $Question_Element->setValue($Part_Answers[$Answers_Index]['Answer_Value_ID']);
                //break;
            }
            $Answers_Index++;
        }
        $Question_Element->setValue($Ans_Array_MM);
    }
    if($SET_Questionnaire_Questions[$index]['Required']){
        $Question_Element->setRequired(true);
        //->addValidator('NotEmpty');
    }
}
}
else if($Answer_Type_Details['Type']=='T'){
    $Extra_Code_Array = explode(";", $Answer_Type_Details['Extra_Code']);
    $Question_Element = new Zend_Form_Element_Textarea($SET_Questionnaire_Questions[$index]['
        SET_Questionnaire_Question_ID']);
    $Question_Element->setLabel($SET_Questionnaire_Questions[$index]['Question'])
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('NotEmpty')
        ->setAttrib('cols', $Extra_Code_Array[2])
        ->setAttrib('rows', $Extra_Code_Array[1]);

    if($Extra_Code_Array[0]==1){
        $Question_Element->addFilter('Int');
    }

    if($SET_Questionnaire_Questions[$index]['Required']){
        $Question_Element->setRequired(true);
        // ->addValidator('NotEmpty');
    }
}
}
$Space = new Zend_Form_Element_Hidden('Space'.$index);

$form->addElement($Question_Element);
$form->addElement($Space);
$index++;
}

$form->addElement($submit);

$PButton = new Zend_Form_Element_Submit('PButton');
$PButton->setAttrib('id', 'PButton');
$PButton->setLabel("<<< Previous Part");
if($Counter > 0){
    $form->addElement($PButton);
}

if ($this->getRequest()->isPost() ) {

    $formData = $this->getRequest()->getPost();

    if($Counter > 0){

        if($formData['PButton']!=null){
            $this->_helper->redirector('preview', null, null, array('Counter'=>$Counter-1, '
                SET_Questionnaire_Type_ID'=>$SET_Questionnaire_Type_ID));
        }
    }
}
}

```

```

        if ($form->isValid($formData)) {

            if($send==true){

                $this->_helper->redirector('index');
            }
            else{

                $this->_helper->redirector('preview',null,null,array('Counter'=>$Counter+1, 'SET_Questionnaire_Type_ID'
                    =>$SET_Questionnaire_Type_ID));
            }
        } else {
            $form->populate($formData);
        }
    } else {
    }
}
}

class ValidQuestionnaireTypeName extends Zend_Validate_Abstract
{
    const DUPLICATE = 'Duplicate';

    protected $_messageTemplates = array(
        self::DUPLICATE => "'%value%' already exists."
    );

    public function isValid($value)
    {
        $this->_setValue($value);
        $SET_Questionnaire_Type = new Application_Model_DbTable_SETQuestionnaire();

        if (!$SET_Questionnaire_Type->isExist($value)) {
            return true;
        }
        $this->_error(self::DUPLICATE);
        return false;
    }
}

```

```

<?php

class EvaluationSystemManagerStatusController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        set_time_limit(0);
    }

    public function indexAction()
    {
        $College = new Application_Model_DbTable_College();
        $Colleges = $College->fetchAll();

        $this->view->Colleges = $Colleges;
    }

    public function classesAction()
    {
        $College_Code = $this->_getParam('College_Code',0);
        $College = new Application_Model_DbTable_College();
        $College_Details = $College->getCollege($College_Code);

        $this->view->College_Name = $College_Details['College_Name'];
        $this->view->Downloaded_Flag = $College_Details['Downloaded'];
        $this->view->Activated_Flag = $College_Details['Activated'];
        $this->view->College_Code = $College_Code;
        $Class_Average = new Application_Model_DbTable_ClassAverage();

        $Flag = $this->_getParam('Flag',0);
        $Subject = $this->_getParam('Subject', " ");
        $this->view->Flag = $Flag;
        $form = new Application_Form_SearchSubject();
        $this->view->form = $form;
        $form->Subject->setLabel('Subject / Instructor Code : ');
        $Department_Code = $this->_getParam('Department','DPSM');
        $Departments_Table = new Application_Model_DbTable_Department();
        $Departments = $Departments_Table->fetchAll('College_Code = '. Chr(34).$College_Code.Chr(34));
    }
}

```

```

$counter=0;
while($counter < count($Departments)){
    $form->Department->addMultiOption($Departments[$counter]['Department_Code'],$Departments[$counter]['
        Department_Code']);
    $counter++;
}
$form->Department->addMultiOption('x','All Departments');

if ($this->getRequest()->isPost()) {
    $formData = $this->getRequest()->getPost();
    if ($form->isValid($formData)) {

        $Subject = $form->getValue('Subject');
        $Department_Code = $form->getValue('Department');
        $this->_helper->redirector('classes',null,null,array('Subject'=>$Subject, 'College_Code'=>$College_Code
            , 'Flag'=>1, 'Department'=>$Department_Code));
        } else {
            $form->populate($formData);
        }
    } else {
        $Subject = $this->_getParam('Subject');
        $form->Subject->setValue($Subject);
        $form->Department->setValue($Department_Code);
    }
}

$OSET = Zend_Db_Table::getDefaultAdapter();

if($Department_Code!='x'){
    $sql = "SELECT Class.Subject, Class.Activated, Class_Average.Instructor_Code, Class_Average.
        Number_Of_Respondents, Class.Section, Class_Average.Respondents_Evaluated
        FROM Class_Average
        LEFT JOIN Class
        ON Class_Average.Class_ID = Class.Class_ID
        WHERE Class_Average.College_Code = '$College_Code' AND Class_Average.Department_Code = '
            $Department_Code' AND (Subject LIKE '%$Subject%' OR Instructor_Code LIKE '%$Subject%')
        ORDER BY Class.Subject; ";
} else {
    $sql = "SELECT Class.Subject, Class.Activated, Class_Average.Instructor_Code, Class_Average.
        Number_Of_Respondents, Class.Section, Class_Average.Respondents_Evaluated
        FROM Class_Average
        LEFT JOIN Class
        ON Class_Average.Class_ID = Class.Class_ID
        WHERE Class_Average.College_Code = '$College_Code' AND (Subject LIKE '%$Subject%' OR Instructor_Code
            LIKE '%$Subject%')
        ORDER BY Class.Subject; ";
}
$Classes = $OSET->fetchAll($sql);

$this->view->Classes = $Classes;
}

public function printstudentsAction(){

    $College = new Application_Model_DbTable_College();

    $College_Code = $this->_getParam('College_Code',0);

    $College_Details = $College->getCollege($College_Code);
    $College_Name = $College_Details['College_Name'];

    $this->view->College_Code = $College_Code;

    $OSET = Zend_Db_Table::getDefaultAdapter();

    ini_set("memory_limit","250M");
    require_once 'Zend/Pdf.php';
    require_once 'My/Pdf.php';
    require_once 'My/Pdf/Document.php';
    require_once 'My/Pdf/Page.php';
    require_once 'My/Pdf/Table.php';
    require_once 'My/Pdf/Table/Row.php';
    require_once 'My/Pdf/Table/Cell.php';
    require_once 'My/Pdf/Table/Column.php';
    require_once 'My/Pdf/Table/HeaderRow.php';

    $sql = "SELECT Student.Name, Class.Subject FROM Master_Classlist
        LEFT JOIN (Student,Class)
        ON (Master_Classlist.Student_ID = Student.Student_ID AND Master_Classlist.Class_ID=Class.Class_ID)
        WHERE Master_Classlist.Evaluated=0 AND Student.College_Code = '$College_Code' AND Master_Classlist.
            Dropped=0 AND Student.LOA=0
        ORDER BY Student.Name, Class.Subject ;";

    $result=$OSET->fetchAll($sql);
    try{
        $Name_of_PDF = "temp/Students_Incomplete_Evaluation";
        $pdf = new My_Pdf_Document($Name_of_PDF.'.pdf', '.');
        $this->view->Name_of_PDF = $Name_of_PDF;

        $page = $pdf->createPage();

        // define font resource
        $font = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_HELVETICA);
        $font2 = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_COURIER);

        $style = new Zend_Pdf_Style();
        $style->setLineColor( new Zend_Pdf_Color_Rgb( 0, 0, 0 ) );
    }
}

```

```

$style->setLineWidth( 1 );
// set font
$page->setFont($font, 14);

// create table
$table = new My_Pdf_Table(1);

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("Student Evaluation of Teachers - ". $College_Name);
$col->setWidth(1000);
$cols[]=$col;

$row->setColumns($cols);
$row->setCellPaddings(array(10,10,0,10));
$row->setFont($font, 13);
$table->addRow($row);

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("The following students still have subjects yet to be evaluated:");
$col->setWidth(1000);
$cols[]=$col;

$row->setColumns($cols);
$row->setCellPaddings(array(10,10,0,10));
$row->setFont($font, 13);
$table->addRow($row);
$page->addTable($table, 0, 0);

$table = new My_Pdf_Table(1);
$subject = "";
$counter=0;
while($counter<count($result)){
    $name = $result[$counter]['Name'];
    $curr_subj = $result[$counter]['Subject'];
    if($curr_subj!=$result[$counter+1]['Subject']){
        $subjects = $subjects . $result[$counter]['Subject'] . ", ";
    }
    if($name!=$result[$counter+1]['Name']){
        $row = new My_Pdf_Table_Row();
        $cols = array();

        $col = new My_Pdf_Table_Column();
        $col->setText($name);
        $col->setWidth(200);
        $cols[]=$col;

        $col = new My_Pdf_Table_Column();
        $col->setText($subjects );

        $cols[]=$col;

        $row->setColumns($cols);
        $row->setCellPaddings(array(10,10,10,10));
        $row->setFont($font, 11);
        $table->addRow($row);
        $subjects = "";
    }
    $counter++;
}

$page->addTable($table, 0, 50);

$pdf->addPage($page);
// save as file
$pdf->save($Name_of_PDF.'.pdf');
} catch (Zend_Pdf_Exception $e) {
die ('PDF error: ' . $e->getMessage());
} catch (Exception $e) {
die ('Application error: ' . $e->getMessage());
}
}
}

```

```

<?php
class EvaluationSystemManagerStudentsController extends Zend_Controller_Action
{
    public function init()

```

```

{
    error_reporting(E_ALL ^ E_NOTICE);
    $College = new Application_Model_DbTable_College();
    $Colleges = $College->fetchAll('Downloaded ='. 1);
    $Downloaded_Flag = TRUE;
    if(count($Colleges)==0){
        $Downloaded_Flag = FALSE;
    }
    if($Downloaded_Flag== FALSE){
        $this->_helper->redirector('index','evaluation-system-manager-subjects');
    }
}

public function indexAction()
{
    $Class = new Application_Model_DbTable_Class();

    $OSET = Zend_Db_Table::getDefaultAdapter();
    $Class_ID = $this->_getParam('Class_ID', 0);
    $this->view->Class_ID = $Class_ID;
    $Class_Details = $Class->getClass($Class_ID);
    $this->view->Section = $Class_Details['Section'];

    $this->view->Subject = $Class_Details['Subject'];

    $Classlists = new Application_Model_DbTable_Classlists();
    // $Classlist = $Classlists->fetchAll('Class_ID =' .int($Class_ID));

    $sql = "SELECT Student.Name, Classlists.Editable, Classlists.Classlist_ID
    FROM Classlists
    LEFT JOIN Student
    ON Classlists.Student_ID = Student.Student_ID
    WHERE Classlists.Class_ID = $Class_ID
    ORDER BY Student.Name;";

    $Classlist = $OSET->fetchAll($sql);

    $this->view->Classlist = $Classlist;
}

public function addAction(){

    $Class_ID = $this->_getParam('Class_ID',0);
    $Class = new Application_Model_DbTable_Class();
    $Class_Details = $Class->getClass($Class_ID);
    $this->view->Section = $Class_Details['Section'];
    $this->view->Subject = $Class_Details['Subject'];

    $form = new Application_Form_PlainStudent();
    $this->view->form = $form;

    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();

        if($formData['cancel']!=null){
            $this->_helper->redirector('index', null, null, array('Subject'=>$Subject));
        }

        if ($form->isValid($formData)) {
            $Students = new Application_Model_DbTable_Students();
            $Name = $form->getValue('Name');
            $Student_ID = $Students->getStudentID($Name);
            $Classlists = new Application_Model_DbTable_Classlists();
            $Classlists->addStudent($Class_ID, $Student_ID);
            $this->_helper->redirector('index', null, null, array('Class_ID'=>$Class_ID));
        } else {
            $form->populate($formData);
        }
    }
}

public function deleteAction(){

    $Classlist_ID = $this->_getParam('Classlist_ID',"dasdas");
    $Classlists = new Application_Model_DbTable_Classlists();
    $Classlist_Details = $Classlists->getClasslist($Classlist_ID);
    $Student = new Application_Model_DbTable_Students();

    $Student_Details = $Student->getStudent($Classlist_Details['Student_ID']);

    $this->view->Student_Name = $Student_Details['Name'];

    $Class_ID = $this->_getParam('Class_ID', 0);
    if ($this->getRequest()->isPost()) {
        $del = $this->getRequest()->getPost('del');
        if ($del == 'Yes') {
            $Classlists_ID = $this->getRequest()->getPost('Class_ID');
            $Classlists = new Application_Model_DbTable_Classlists();
            $Classlists->deleteClasslist($Classlist_ID);
        }
        $this->_helper->redirector('index', null, null, array('Class_ID'=>$Class_ID));
    } else {

```



```

        $Classlist_ID = $this->_getParam('Classlist_ID', 0);
        $Classlists = new Application_Model_DbTable_Classlists();
        $this->view->Classlist = $Classlists->getClasslist($Classlist_ID);
    }

}

}

class ValidSubject extends Zend_Validate_Abstract
{
    const DUPLICATE = 'Duplicate';

    protected $_messageTemplates = array(
        self::DUPLICATE => "'%value%' already exists."
    );

    public function isValid($value)
    {
        $this->_setValue($value);
        $Subject = new Application_Model_DbTable_Subject();

        if (!$Subject->isExist($value)) {
            return true;
        }
        $this->_error(self::DUPLICATE);
        return false;
    }
}

```

```
<?php
```

```

class EvaluationSystemManagerStudentStatusController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        set_time_limit(0);
    }

    public function indexAction()
    {
        $College = new Application_Model_DbTable_College();
        $Colleges = $College->fetchAll();

        $this->view->Colleges = $Colleges;
    }

    public function printstudentsAction(){

        $College = new Application_Model_DbTable_College();

        $College_Code = $this->_getParam('College_Code',0);

        $College_Details = $College->getCollege($College_Code);
        $College_Name = $College_Details['College_Name'];

        $this->view->College_Code = $College_Code;

        $OSET = Zend_Db_Table::getDefaultAdapter();

        ini_set("memory_limit","250M");
        require_once 'Zend/Pdf.php';
        require_once 'My/Pdf.php';
        require_once 'My/Pdf/Document.php';
        require_once 'My/Pdf/Page.php';
        require_once 'My/Pdf/Table.php';
        require_once 'My/Pdf/Table/Row.php';
        require_once 'My/Pdf/Table/Cell.php';
        require_once 'My/Pdf/Table/Column.php';
        require_once 'My/Pdf/Table/HeaderRow.php';

        $sql = "SELECT Student.Name, Class.Subject FROM Master_Classlist
        LEFT JOIN (Student,Class)
        ON (Master_Classlist.Student_ID = Student.Student_ID AND Master_Classlist.Class_ID=Class.Class_ID)
        WHERE Master_Classlist.Evaluated=0 AND Student.College_Code = '$College_Code' AND Master_Classlist.
        Dropped=0 AND Student.LOA=0
        ORDER BY Student.Name, Class.Subject ;";

        $result=$OSET->fetchAll($sql);

        try{
            $Name_of_PDF = "Students_Incomplete_Evaluation";
            $pdf = new My_Pdf_Document($Name_of_PDF.'.pdf', '.');
            $this->view->Name_of_PDF = $Name_of_PDF;

            $page = $pdf->createPage();

            // define font resource
            $font = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_HELVETICA);

```

```

$font2 = Zend_Pdf_Font::fontWithName(Zend_Pdf_Font::FONT_COURIER);

$style = new Zend_Pdf_Style();
$style->setLineColor( new Zend_Pdf_Color_Rgb( 0, 0, 0 ) );
$style->setLineWidth( 1 );
// set font
$page->setFont($font, 14);

// create table
$table = new My_Pdf_Table(1);

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("Student Evaluation of Teachers - ". $College_Name);
$col->setWidth(1000);
$cols[]=$col;

$row->setColumns($cols);
$row->setCellPaddings(array(10,10,0,10));
$row->setFont($font, 13);
$table->addRow($row);

$row = new My_Pdf_Table_Row();
$cols = array();

$col = new My_Pdf_Table_Column();
$col->setText("The following students still have subjects yet to be evaluated:");
$col->setWidth(1000);
$cols[]=$col;

$row->setColumns($cols);
$row->setCellPaddings(array(10,10,0,10));
$row->setFont($font, 13);
$table->addRow($row);
$page->addTable($table, 0, 0);

if(count($result)>0){
    $table = new My_Pdf_Table(2);
    $Subject = "";
    $counter=0;

    while($counter<count($result)){
        $Name = $result[$counter]['Name'];
        $Curr_Subj = $result[$counter]['Subject'];
        if($Curr_Subj!=$result[$counter+1]['Subject']){
            $Subjects = $Subjects . $result[$counter]['Subject'] . ", ";
        }
        if($Name!=$result[$counter+1]['Name']){
            $row = new My_Pdf_Table_Row();
            $cols = array();

            $col = new My_Pdf_Table_Column();
            $col->setText($Name);
            $col->setWidth(200);
            $cols[]=$col;

            $col = new My_Pdf_Table_Column();
            $col->setText($Subjects);

            $cols[]=$col;

            $row->setColumns($cols);
            $row->setCellPaddings(array(10,10,10,10));
            $row->setFont($font, 11);
            $table->addRow($row);
            $Subjects = "";
        }
        $counter++;
    }
}
else{
    $table = new My_Pdf_Table(1);
    $row = new My_Pdf_Table_Row();
    $cols = array();

    $col = new My_Pdf_Table_Column();
    $col->setText("No information about the students of this college is available.");
    $col->setWidth(1000);
    $cols[]=$col;

    $row->setColumns($cols);
    $row->setCellPaddings(array(10,10,0,10));
    $row->setFont($font2, 14);
    $table->addRow($row);
}

$page->addTable($table, 0, 50);

```

```

        $pdf->addPage($page);
        // save as file
        $pdf->save($Name_of_PDF.'.pdf');
    } catch (Zend_Pdf_Exception $e) {
        die ('PDF error: ' . $e->getMessage());
    } catch (Exception $e) {
        die ('Application error: ' . $e->getMessage());
    }
}
}
}

```

```
<?php
```

```

class EvaluationSystemManagerSubjectsController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);

        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();

        $College = new Application_Model_DbTable_College();
        $Colleges = $College->fetchAll('Downloaded ='. 1);
        $Downloaded_Flag = TRUE;
        if(count($Colleges)==0){
            $Downloaded_Flag = FALSE;
        }

        if($action!='index' && $Downloaded_Flag== FALSE){
            $this->_helper->redirector('index');
        }

    }

    public function indexAction()
    {
        $form = new Application_Form_SearchSubject();
        $this->view->form = $form;
        $College = new Application_Model_DbTable_College();
        $Colleges = $College->fetchAll('Downloaded ='. 1);
        $OSET = Zend_Db_Table::getDefaultAdapter();
        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();
            if ($form->isValid($formData)) {
                $SearchSubject = $form->getValue('Subject');
                $this->_helper->redirector('index', null, null, array('SearchSubject'=>$SearchSubject, 'Flag'=>1));
            } else {
                $form->populate($formData);
            }
        } else {
            $SearchSubject = $this->_getParam('SearchSubject');
            $form->Subject->setValue($SearchSubject);
        }

        $SearchSubject = $this->_getParam('SearchSubject', "");
        $Downloaded_Flag = TRUE;
        if(count($Colleges)==0){
            $Downloaded_Flag = False;
        }
    }else{
        /*$Subject = new Application_Model_DbTable_Subject();
        $Select = $Subject->select();
        $Select->where('Subject LIKE ?', '%'.$SearchSubject.'%');
        $counter = 0
        while($counter < count($Colleges) ){
            $Select->where('College_Code ='. Chr(34).$Colleges[$counter]['College_Code'].Chr(34));
            $counter++;
        }*/

        $SearchSubject = strtoupper($SearchSubject);
        //Subjects = $Subject->fetchAll($Select);
        $sql = "SELECT * FROM Subject_Questionnaire_Lists WHERE Subject LIKE '%$SearchSubject%' ";
        $sql = $sql . "AND ( ";
        $counter = 0;
        while($counter < count($Colleges) ){
            $College_Code = $Colleges[$counter]['College_Code'];
            $sql = $sql . " College_Code = '$College_Code' ";
            $counter++;
            if($counter < count($Colleges)){
                $sql = $sql . " OR ";
            }
        }
        $sql = $sql . " ) ORDER BY Subject;";
    }
}

```

```

        $Subjects = $OSET->fetchAll($sql);
        $this->view->Subjects = $Subjects;
    }
    $this->view->Downloaded_Flag = $Downloaded_Flag;
}

public function addAction(){
    $form = new Application_Form_PlainSubject();
    $this->view->form = $form;
    $form->Subject->addValidator(new ValidSubject());
    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();

        if($formData['cancel']!=null){
            $this->_helper->redirector('index');
        }
        if ($form->isValid($formData)) {

            $Subject = $form->getValue('Subject');
            $College_Code = $form->getValue('College_Code');
            $SET_Questionnaire_Type_ID = $form->getValue('SET_Questionnaire_Type_ID');

            $Subject_Table = new Application_Model_DbTable_Subject();
            $Subject_Table->addSubject($Subject, $College_Code, $SET_Questionnaire_Type_ID, TRUE);
            $this->_helper->redirector('index');
        } else {
            $form->populate($formData);
        }
    }
}

public function deleteAction(){
    if ($this->getRequest()->isPost()) {
        $del = $this->getRequest()->getPost('del');
        if ($del == 'Yes') {
            $Subject = $this->getRequest()->getPost('Subject');
            $Subjects = new Application_Model_DbTable_Subject();
            $Subjects->deleteSubject($Subject);
        }
        $this->_helper->redirector('index');
    } else {
        $Subject = $this->_getParam('Subject', "hello");
        $Subjects = new Application_Model_DbTable_Subject();
        $this->view->Subject = $Subjects->getSubject($Subject);
    }
}

}

class ValidSubject extends Zend_Validate_Abstract
{
    const DUPLICATE = 'Duplicate';

    protected $_messageTemplates = array(
        self::DUPLICATE => "'%value%' already exists."
    );

    public function isValid($value)
    {
        $this->_setValue($value);
        $Subject = new Application_Model_DbTable_Subject();

        if (!$Subject->isExist($value)) {
            return true;
        }
        $this->_error(self::DUPLICATE);
        return false;
    }
}

```

```
<?php
```

```

class EvaluationSystemManagerValueController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();

        $College = new Application_Model_DbTable_College();
        $Colleges = $College->fetchAll();

        $counter=0;
        $Activated_Flag = FALSE;
    }
}

```

```

while($counter < count($Colleges)){
    if($Colleges[$counter]['Activated']==TRUE){
        $Activated_Flag = TRUE;
        break;
    }
    $counter++;
}
if($Activated_Flag == TRUE){
    $this->_helper->redirector('index','evaluation-system-manager-answer');
}
}

public function indexAction()
{
    $Answer_Type_ID = $this->_getParam('Answer_Type_ID',0);
    $Answer_Type = new Application_Model_DbTable_AnswerType();
    $Answer_Type_Details = $Answer_Type->getAnswerType($Answer_Type_ID);

    $this->view->Answer_Type_Name = $Answer_Type_Details['Answer_Type_Name'];

    $this->view->Answer_Type_ID = $Answer_Type_ID;
    $Answer_Value = new Application_Model_DbTable_AnswerValues();
    $this->view->Answer_Type_ID = $Answer_Type_ID;
    $this->view->Answer_Value = $Answer_Value->fetchAll('Answer_Type_ID='.$Answer_Type_ID,'Value_Orientation_ID
    ');
    $Edit_Flag = $this->_getParam('flag',0);
    $this->view->Edit_Flag = $Edit_Flag;

    $Content = $this->_getParam('Content',null);
    // echo $Content;
    $New_Orientation = array();
    if($Content!=null){
        $Content_Array = explode("&", $Content);
        echo $Content_Array[0];
        $i = 0;
        foreach($Content_Array as $CA){
            $New_CA = substr_replace($CA,"",0,4);
            $New_CA = explode('_', $New_CA);
            $New_Orientation[] = $New_CA[0];
            echo $New_Orientation[$i];
            echo "<br />";
            $i++;
        }
        // $SET_Questionnaire_Parts = new Application_Model_DbTable_SETQuestionnairePart();
        $Answer_Value->arrangeValues($New_Orientation,$Answer_Type_ID);
        $this->_helper->redirector('index',null,null,array('Answer_Type_ID'=>$Answer_Type_ID, 'flag'=>$Edit_Flag)
        );
    }
}

public function editAction()
{
    $Answer_Type_ID = $this->_getParam('Answer_Type_ID',0);

    $Answer_Type = new Application_Model_DbTable_AnswerType();
    $Answer_Type_Details = $Answer_Type->getAnswerType($Answer_Type_ID);

    $this->view->Answer_Type_Name = $Answer_Type_Details['Answer_Type_Name'];

    $form = new Application_Form_AnswerValue();
    $form->submit->setLabel('Save');
    $this->view->form = $form;
    if ($this->getRequest()->isPost()) {
        $formData = $this->getRequest()->getPost();
        if($formData['cancel']!=null){
            $this->_helper->redirector('index', null,null,array('Answer_Type_ID'=>$Answer_Type_ID, '
            Answer_Type_Name'=>$Answer_Type_Name, 'flag'=>1));
        }
        if ($form->isValid($formData)) {
            $Answer_Value_ID = (int)$form->getValue('Answer_Value_ID');
            $Numeric_Value = $form->getValue('Numeric_Value');
            $Value = $form->getValue('Value');
            $Answer_Value = new Application_Model_DbTable_AnswerValues();
            $Answer_Value->updateAnswerValue($Answer_Value_ID, $Value, $Numeric_Value);
            $this->_helper->redirector('index', null, null, array('Answer_Type_ID'=>$Answer_Type_ID, '
            Answer_Type_Name'=>$Answer_Type_Name, 'flag'=>1));
        } else {
            $form->populate($formData);
        }
    } else {
        $Answer_Value_ID = $this->_getParam('Answer_Value_ID', 0);
        if ( $Answer_Value_ID > 0) {
            $Answer_Value = new Application_Model_DbTable_AnswerValues();
            $form->populate($Answer_Value->getAnswerValue($Answer_Value_ID));
        }
    }
}

public function addAction()
{
    $Answer_Type_ID = $this->_getParam('Answer_Type_ID',0);

    $Answer_Type = new Application_Model_DbTable_AnswerType();
    $Answer_Type_Details = $Answer_Type->getAnswerType($Answer_Type_ID);

```

```

$this->view->Answer_Type_Name = $Answer_Type_Details['Answer_Type_Name'];

    $form = new Application_Form_AnswerValue();
    $form->submit->setLabel('Save');
    $this->view->form = $form;
if ($this->getRequest()->isPost()) {
    $formData = $this->getRequest()->getPost();
if ($formData['cancel']!=null){
    $this->_helper->redirector('index', null, null, array('Answer_Type_ID'=>$Answer_Type_ID, '
    Answer_Type_Name'=>$Answer_Type_Name, 'flag'=>1));
}
    if ($form->isValid($formData)) {

        $Value = $form->getValue('Value');
        $Numeric_Value = $form->getValue('Numeric_Value');

        $Answer_Value = new Application_Model_DbTable_AnswerValues();
        $Answer_Value->addAnswerValue($Answer_Type_ID, $Value, $Numeric_Value);
        $this->_helper->redirector('index', null, null, array('Answer_Type_ID'=>$Answer_Type_ID, '
        Answer_Type_Name'=>$Answer_Type_Name, 'flag'=>1));
    } else {
        $form->populate($formData);
    }
}
}
public function deleteAction()
{
    $Answer_Type_ID = $this->_getParam('Answer_Type_ID',0);

if ($this->getRequest()->isPost()) {
    $del = $this->getRequest()->getPost('del');
    if ($del == 'Yes') {
        $Answer_Value_ID = $this->getRequest()->getPost('Answer_Value_ID');
        $Answer_Value = new Application_Model_DbTable_AnswerValues();
        $Answer_Value->deleteAnswerValue($Answer_Value_ID);
    }
    $this->_helper->redirector('index', null, null, array('Answer_Type_ID'=>$Answer_Type_ID));
} else {
    $Answer_Value_ID = $this->_getParam('Answer_Value_ID', 0);
    $Answer_Value = new Application_Model_DbTable_AnswerValues();
    $this->view->Answer_Value = $Answer_Value->getAnswerValue($Answer_Value_ID);
}
}
}
}

```

```

<?php

class IndexController extends Zend_Controller_Action
{

    public function init()
    {

        error_reporting(E_ALL ^ E_NOTICE);

    }

    public function indexAction()
    {
if(is_dir("Install/")){
    $this->_helper->redirector('index', 'install');
}

    $form = new Application_Form_Login();
    $request = $this->getRequest();
    if ($request->isPost()) {
        if ($form->isValid($request->getPost()) {
            if($form->getValue('Username')!=null && $form->getValue('Password')!=null){
                if ($this->_process($form->getValues()) ) {
                    // We're authenticated! Redirect to the home page

                }else{
                    $form->setDescription('Invalid username or password');
                }
            }
        } else{
            $form->setDescription('Invalid username or password');
        }
    }
    $this->view->form = $form;
}

protected function _process($values)
{
    // Get our authentication adapter and check credentials
    $adapter = $this->_getAuthAdapter();
    $adapter->setIdentity($values['Username']);
    $adapter->setCredential(sha1($values['Password']));

    $auth = Zend_Auth::getInstance();

```

```

$result = $auth->authenticate($adapter);
if ($result->isValid()) {
    $user = $adapter->getResultRowObject();
    $auth->getStorage()->write($user);

    $a=(array)($user);
    if($a['User_Type']==2 || $a['User_Type']==5 || $a['User_Type']==6 || $a['User_Type']==9){
        $this->_helper->redirector('index', 'adminhome');
    }
    else if($a['User_Type']==3 || $a['User_Type']==7){
        $this->_helper->redirector('index', 'evaluation-system-managerhome');
    }
    else if($a['User_Type']==4){
        $this->_helper->redirector('index', 'college-clerkhome');
    }
    return false;
}
}
/***** FOR STUDENTS *****/
$adapter = $this->_getAuthAdapter2();
$adapter->setIdentity($values['Username']);
$adapter->setCredential(sha1($values['Password']));

    $auth = Zend_Auth::getInstance();
    $result = $auth->authenticate($adapter);
    if ($result->isValid()) {
        $user = $adapter->getResultRowObject();
        $auth->getStorage()->write($user);
        $this->_helper->redirector('index', 'studenthome');
    }
/*****-----*****/

    return false;
}

protected function _getAuthAdapter()
{
    $dbAdapter = Zend_Db_Table::getDefaultAdapter();
    $authAdapter = new Zend_Auth_Adapter_DbTable($dbAdapter);

    $authAdapter->setTableName('Users')
        ->setIdentityColumn('Username')
        ->setCredentialColumn('Password');

    return $authAdapter;
}

protected function _getAuthAdapter2()
{
    $dbAdapter = Zend_Db_Table::getDefaultAdapter();
    $authAdapter = new Zend_Auth_Adapter_DbTable($dbAdapter);

    $authAdapter->setTableName('Student')
        ->setIdentityColumn('Student_ID')
        ->setCredentialColumn('Password');

    return $authAdapter;
}

public function logoutAction()
{
    Zend_Auth::getInstance()->clearIdentity();
    $this->_helper->redirector('index'); // back to login page
}

}

```

```

<?php
class InstallController extends Zend_Controller_Action
{
    public function init()
    {

    }

    public function indexAction()
    {

    }

    public function steponeAction(){

        $form = new Application_Form_Install();
        $this->view->form = $form;

        $Next_Flag = TRUE;

        if(extension_loaded('pgsql')){

```

```

        $this->view->PGSQL = TRUE;
    }else{
        $this->view->PGSQL = FALSE;
        $Next_Flag = FALSE;
    }
}

if(extension_loaded('mysql')){
    $this->view->MYSQL = TRUE;
}else{
    $this->view->MYSQL = FALSE;
    $Next_Flag = FALSE;
}

if(extension_loaded('session')){
    $this->view->SESSION = TRUE;
}else{
    $this->view->SESSION = FALSE;
    $Next_Flag = FALSE;
}

if(floor(PHP_VERSION)>4){
    $this->view->PHP = TRUE;
}else{
    $this->view->PHP = FALSE;
    $Next_Flag = FALSE;
}

//$this->view->Next_Flag = $Next_Flag;
if($Next_Flag == FALSE){
    $form->submit->setAttrib('disabled','disabled');
}
$form->submit->setLabel('Proceed to Next Step >> ');
$form->cancel->setLabel('Back');

if ($this->getRequest()->isPost() ) {
    $formData = $this->getRequest()->getPost();

    if($formData['cancel']!=null){
        $this->_helper->redirector('index');
    }
    if ($form->isValid($formData) ) {

        $this->_helper->redirector('steptwo');
    }
}

}

public function steptwoAction(){

    $form = new Application_Form_Install();
    $this->view->form = $form;

    $form2 = new Application_Form_OSET();
    $this->view->form2 = $form2;

    $Next_Flag = FALSE;
    $Next_Flag = $this->_getParam('Next_Flag',FALSE);
    $formData = $this->_getParam('formData',array());
    $OSET_IP_Address = $this->_getParam('OSET_IP_Address', 0);
    $OSET_Port_Number = $this->_getParam('OSET_Port_Number', 0);
    $OSET_Database_Name = $this->_getParam('OSET_Database_Name', 0);
    $OSET_Username = $this->_getParam('OSET_Username', 0);
    $OSET_Password = $this->_getParam('OSET_Password', 0);

    if($Next_Flag == FALSE){
        $form->submit->setAttrib('disabled','disabled');
    }
    $form->submit->setLabel('Proceed to Next Step >> ');
    $form->cancel->setLabel('Back');

    $Error = $this->_getParam('Error',FALSE);
    if($Error == TRUE){
        $form2->setDescription('Cannot connect to the database. ');
    }
    if ($this->getRequest()->isPost() ) {
        $formData = $this->getRequest()->getPost();

        if($formData['cancel']!=null){
            $this->_helper->redirector('stepone');
        }
        if($formData['test']!=null){
            $OSET_IP_Address = $formData['IP_Address'];
            $OSET_Port_Number = $formData['Port_Number'];
            $OSET_Database_Name = $formData['Database_Name'];
            $OSET_Username = $formData['Username'];
            $OSET_Password = $formData['Password'];
            $params = array(
                'host' => $OSET_IP_Address,
                'port' => $OSET_Port_Number,
                'username' => $OSET_Username,
                'password' => $OSET_Password,
                'dbname' => $OSET_Database_Name
            );
        }
    }
}

```



```

try {
    $db = Zend_Db::factory('Pdo_Mysql', $params);
    $db->getConnection();
    $this->_helper->redirector('steptwo',null,null,array('Next_Flag'=>TRUE, 'OSET_IP_Address'=>
        $OSET_IP_Address, 'OSET_Port_Number'=>$OSET_Port_Number, 'OSET_Database_Name'=>
        $OSET_Database_Name, 'OSET_Username'=>$OSET_Username, 'OSET_Password'=>$OSET_Password));
} catch (Zend_Db_Adapter_Exception $e) {
    $this->_helper->redirector('steptwo',null,null,array('Next_Flag'=>FALSE, 'Error'=>TRUE, '
        OSET_IP_Address'=>$OSET_IP_Address, 'OSET_Port_Number'=>$OSET_Port_Number, 'OSET_Database_Name
        '=>$OSET_Database_Name, 'OSET_Username'=>$OSET_Username, 'OSET_Password'=>$OSET_Password));
} catch (Zend_Exception $e) {
    // perhaps factory() failed to load the specified Adapter class
}
}

if ($form->isValid($formData)) {

    $this->_helper->redirector('stepthree',null,null,array('Next_Flag'=>FALSE, 'OSET_IP_Address'=>
        $OSET_IP_Address, 'OSET_Port_Number'=>$OSET_Port_Number, 'OSET_Database_Name'=>
        $OSET_Database_Name, 'OSET_Username'=>$OSET_Username, 'OSET_Password'=>$OSET_Password));
    }else{
    $form2->IP_Address->setValue($OSET_IP_Address);
    $form2->Port_Number->setValue($OSET_Port_Number);
    $form2->Database_Name->setValue($OSET_Database_Name);
    $form2->Username->setValue($OSET_Username);
    $form2->Password->setValue($OSET_Password);
}

}

public function stepthreeAction(){

    $OSET_IP_Address = $this->_getParam('OSET_IP_Address',0);
    $OSET_Port_Number = $this->_getParam('OSET_Port_Number',0);
    $OSET_Database_Name = $this->_getParam('OSET_Database_Name',0);
    $OSET_Username = $this->_getParam('OSET_Username',0);
    $OSET_Password = $this->_getParam('OSET_Password',0);

    $form = new Application_Form_Install();
    $this->view->form = $form;

    $form2 = new Application_Form_OSET();
    $this->view->form2 = $form2;

    $Next_Flag = FALSE;
    $Next_Flag = $this->_getParam('Next_Flag',FALSE);
    $formData = $this->_getParam('formData',array());
    $CRS_IP_Address = $this->_getParam('CRS_IP_Address', 0);
    $CRS_Port_Number = $this->_getParam('CRS_Port_Number', 0);
    $CRS_Database_Name = $this->_getParam('CRS_Database_Name', 0);
    $CRS_Username = $this->_getParam('CRS_Username', 0);
    $CRS_Password = $this->_getParam('CRS_Password', 0);

    if($Next_Flag == FALSE){
        $form->submit->setAttrib('disabled','disabled');
    }

    $Error = $this->_getParam('Error',FALSE);
    if($Error == TRUE){
        $form2->setDescription('Cannot connect to the database.');
```

```

        'CRS_Username'=>$CRS_Username,
        'CRS_Password'=>$CRS_Password,
        'OSET_IP_Address'=>$OSET_IP_Address,
        'OSET_Port_Number'=>$OSET_Port_Number,
        'OSET_Database_Name'=>$OSET_Database_Name,
        'OSET_Username'=>$OSET_Username,
        'OSET_Password'=>$OSET_Password
    ));

} catch (Zend_Db_Adapter_Exception $e) {
    $this->_helper->redirector('stepthree',null,null,array(
        'Next_Flag'=>FALSE,
        'Error'=> TRUE,
        'CRS_IP_Address'=>$CRS_IP_Address,
        'CRS_Port_Number'=>$CRS_Port_Number,
        'CRS_Database_Name'=>$CRS_Database_Name,
        'CRS_Username'=>$CRS_Username,
        'CRS_Password'=>$CRS_Password,
        'OSET_IP_Address'=>$OSET_IP_Address,
        'OSET_Port_Number'=>$OSET_Port_Number,
        'OSET_Database_Name'=>$OSET_Database_Name,
        'OSET_Username'=>$OSET_Username,
        'OSET_Password'=>$OSET_Password
    ));

} catch (Zend_Exception $e) {
    // perhaps factory() failed to load the specified Adapter class
}
}

if ($form->isValid($formData)) {

    $this->_helper->redirector('stepfour',null,null,
        array('Next_Flag'=>FALSE,
            'OSET_IP_Address'=>$OSET_IP_Address,
            'OSET_Port_Number'=>$OSET_Port_Number,
            'OSET_Database_Name'=>$OSET_Database_Name,
            'OSET_Username'=>$OSET_Username,
            'OSET_Password'=>$OSET_Password,
            'CRS_IP_Address'=>$CRS_IP_Address,
            'CRS_Port_Number'=>$CRS_Port_Number,
            'CRS_Database_Name'=>$CRS_Database_Name,
            'CRS_Username'=>$CRS_Username,
            'CRS_Password'=>$CRS_Password,
            'Once' => 1
        ));
    }
    }else{
    $form2->IP_Address->setValue($CRS_IP_Address);
    $form2->Port_Number->setValue($CRS_Port_Number);
    $form2->Database_Name->setValue($CRS_Database_Name);
    $form2->Username->setValue($CRS_Username);
    $form2->Password->setValue($CRS_Password);
}

}

public function stepfourAction(){
    $Once = $this->_getParam('Once',0);

    $OSET_IP_Address = $this->_getParam('OSET_IP_Address',0);
    $OSET_Port_Number = $this->_getParam('OSET_Port_Number',0);
    $OSET_Database_Name = $this->_getParam('OSET_Database_Name',0);
    $OSET_Username = $this->_getParam('OSET_Username',0);
    $OSET_Password = $this->_getParam('OSET_Password',0);

    $CRS_IP_Address = $this->_getParam('CRS_IP_Address',0);
    $CRS_Port_Number = $this->_getParam('CRS_Port_Number',0);
    $CRS_Database_Name = $this->_getParam('CRS_Database_Name',0);
    $CRS_Username = $this->_getParam('CRS_Username',0);
    $CRS_Password = $this->_getParam('CRS_Password',0);

    $Next_Flag = $this->_getParam('Next_Flag',FALSE);

    if($Once == 1){
        $config = new Zend_Config_Ini('../application/configs/application.ini',
            null,
            array('skipExtends' => true,
                'allowModifications' => true));

        // Modify a value
        $config->production->resources->multidb->db1->host = $OSET_IP_Address;
        $config->production->resources->multidb->db1->port = $OSET_Port_Number;
        $config->production->resources->multidb->db1->dbname = $OSET_Database_Name;
        $config->production->resources->multidb->db1->username = $OSET_Username;
        $config->production->resources->multidb->db1->password = $OSET_Password;

        $config->production->resources->multidb->db2->host = $CRS_IP_Address;
        $config->production->resources->multidb->db2->port = $CRS_Port_Number;
        $config->production->resources->multidb->db2->dbname = $CRS_Database_Name;
        $config->production->resources->multidb->db2->username = $CRS_Username;
        $config->production->resources->multidb->db2->password = $CRS_Password;

        // Write the config file
        $writer = new Zend_Config_Writer_Ini(array('config' => $config,

```

```

        'filename' => '../application/configs/application.ini');
    $writer->write();
}

$form = new Application_Form_Install();
$this->view->form = $form;

$form2 = new Application_Form_CreateTables();
$this->view->form2 = $form2;

if($Next_Flag == FALSE){
    $form->submit->setAttrib('disabled','disabled');
}
$this->view->Next_Flag = $Next_Flag;

$form->submit->setLabel('Proceed to Next Step >> ');
$form->cancel->setLabel('Back');

if ($this->getRequest()->isPost() {
    $formData = $this->getRequest()->getPost();

    if($formData['cancel']!=null){
        $this->_helper->redirector('stepthree',null,null,array(
            'Next_Flag'=>FALSE,
            'CRS_IP_Address'=>$CRS_IP_Address,
            'CRS_Port_Number'=>$CRS_Port_Number,
            'CRS_Database_Name'=>$CRS_Database_Name,
            'CRS_Username'=>$CRS_Username,
            'CRS_Password'=>$CRS_Password,
            'OSET_IP_Address'=>$OSET_IP_Address,
            'OSET_Port_Number'=>$OSET_Port_Number,
            'OSET_Database_Name'=>$OSET_Database_Name,
            'OSET_Username'=>$OSET_Username,
            'OSET_Password'=>$OSET_Password
        ));
    }
    if($formData['create']!=null){
        $OSET = Zend_Db_Table::getDefaultAdapter();

        $sql = "CREATE TABLE IF NOT EXISTS `Answer_Type` (
            `Answer_Type_ID` int(5) NOT NULL AUTO_INCREMENT,
            `Answer_Type_Name` varchar(30) NOT NULL,
            `Type` varchar(2) NOT NULL,
            `Extra_Code` varchar(20) DEFAULT NULL,
            PRIMARY KEY (`Answer_Type_ID`),
            UNIQUE KEY `Answer_Type_Name` (`Answer_Type_Name`)
        ) ENGINE=InnoDB;";

        $result = $OSET->getConnection()->exec($sql);

        $sql = "CREATE TABLE IF NOT EXISTS `Answer_Values` (
            `Answer_Value_ID` int(5) NOT NULL AUTO_INCREMENT,
            `Answer_Type_ID` int(5) NOT NULL,
            `Value` varchar(50) NOT NULL,
            `Numeric_Value` int(2) NOT NULL,
            `Value_Orientation_ID` int(3) DEFAULT NULL,
            PRIMARY KEY (`Answer_Value_ID`)
        ) ENGINE=InnoDB;";

        $result = $OSET->getConnection()->exec($sql);

        $sql = "CREATE TABLE IF NOT EXISTS `Audit_Trail` (
            `Audit_ID` int(11) NOT NULL AUTO_INCREMENT,
            `Action` varchar(10) DEFAULT NULL,
            `Table` varchar(100) DEFAULT NULL,
            `Column` varchar(100) DEFAULT NULL,
            `Row_ID` varchar(50) DEFAULT NULL,
            `Old_Value` varchar(150) DEFAULT NULL,
            `New_Value` varchar(150) DEFAULT NULL,
            `Updated_On` varchar(100) DEFAULT NULL,
            `Updated_By_User` varchar(100) DEFAULT NULL,
            PRIMARY KEY (`Audit_ID`)
        ) ENGINE=InnoDB ;";

        $result = $OSET->getConnection()->exec($sql);

        $sql = "CREATE TABLE IF NOT EXISTS `Class` (
            `Class_ID` int(11) NOT NULL AUTO_INCREMENT,
            `Subject` varchar(20) NOT NULL,
            `Section` varchar(20) NOT NULL,
            `Activated` tinyint(1) NOT NULL DEFAULT '1',
            `Department_Code` varchar(10) NOT NULL,
            `Instructors` varchar(100) NOT NULL,
            `College_Code` varchar(10) NOT NULL,
            `Editable` tinyint(1) NOT NULL DEFAULT '0',
            PRIMARY KEY (`Class_ID`)
        ) ENGINE=InnoDB;";

        $result = $OSET->getConnection()->exec($sql);

        $sql = "CREATE TABLE IF NOT EXISTS `Classlists` (
            `Class_ID` int(11) NOT NULL,
            `Student_ID` varchar(10) NOT NULL,
            `Classlist_ID` varchar(50) NOT NULL,

```

```

        'Evaluated' tinyint(1) NOT NULL,
        'Editable' tinyint(1) NOT NULL DEFAULT '0',
        'Dropped' tinyint(1) NOT NULL,
        PRIMARY KEY (`Classlist_ID`)
    ) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Class_Average` (
    `SET_Questionnaire_Type_ID` int(10) NOT NULL,
    `Class_ID` int(10) NOT NULL,
    `Instructor_Code` varchar(50) NOT NULL,
    `College_Code` varchar(10) NOT NULL,
    `Department_Code` varchar(10) NOT NULL,
    `Class_Average` float NOT NULL,
    `Class_Average_ID` varchar(100) NOT NULL,
    `Answered` tinyint(1) NOT NULL,
    `Number_Of_Respondents` int(3) NOT NULL,
    `Respondents_Evaluated` int(3) NOT NULL,
    PRIMARY KEY (`Class_Average_ID`)
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Class_Average_Per_Part` (
    `SET_Questionnaire_Type_ID` int(10) NOT NULL,
    `SET_Questionnaire_Part_ID` int(10) NOT NULL,
    `Class_ID` int(10) NOT NULL,
    `Instructor_Code` varchar(50) NOT NULL,
    `College_Code` varchar(10) NOT NULL,
    `Department_Code` varchar(10) NOT NULL,
    `Part_Average` float NOT NULL,
    `Average_Per_Part_ID` varchar(100) NOT NULL,
    `Answered` tinyint(1) NOT NULL,
    PRIMARY KEY (`Average_Per_Part_ID`)
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Class_Average_Per_Question` (
    `SET_Questionnaire_Type_ID` int(10) NOT NULL,
    `SET_Questionnaire_Part_ID` int(10) NOT NULL,
    `SET_Questionnaire_Question_ID` int(10) NOT NULL,
    `Class_ID` int(10) NOT NULL,
    `Answer_Type_ID` int(10) NOT NULL,
    `Instructor_Code` varchar(50) NOT NULL,
    `College_Code` varchar(10) NOT NULL,
    `Department_Code` varchar(10) NOT NULL,
    `Question_Average` float NOT NULL,
    `Average_Per_Question_ID` varchar(100) NOT NULL,
    `Answered` tinyint(1) NOT NULL,
    PRIMARY KEY (`Average_Per_Question_ID`)
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Class_Results_Per_Question` (
    `SET_Questionnaire_Type_ID` int(10) NOT NULL,
    `SET_Questionnaire_Part_ID` int(10) NOT NULL,
    `SET_Questionnaire_Question_ID` int(10) NOT NULL,
    `Class_ID` int(10) NOT NULL,
    `Instructor_Code` varchar(50) NOT NULL,
    `Count` int(5) NOT NULL,
    `Class_Result_ID` varchar(100) NOT NULL,
    `College_Code` varchar(10) NOT NULL,
    `Department_Code` varchar(10) NOT NULL,
    `Answer_Type_ID` int(10) NOT NULL,
    `Answer_Value_ID` int(5) NOT NULL,
    `Answered` tinyint(1) NOT NULL,
    PRIMARY KEY (`Class_Result_ID`)
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "DROP TABLE IF EXISTS `College`;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `College` (
    `College_Name` varchar(50) NOT NULL,
    `College_Code` varchar(10) NOT NULL,
    `Downloaded` tinyint(4) NOT NULL,
    `Activated` tinyint(1) NOT NULL,
    `SET_Scores_Calculated` tinyint(1) NOT NULL,
    PRIMARY KEY (`College_Code`),
    UNIQUE KEY `College_Name` (`College_Name`)
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "INSERT INTO `College` (`College_Name`, `College_Code`, `Downloaded`, `Activated`, `
    SET_Scores_Calculated`) VALUES
    ('College of Arts and Sciences', 'CAS', 1, 0, 1),
    ('College of Medicine', 'CM', 0, 0, 0),
    ('College of Public Health', 'CPH', 0, 0, 0),
    ('College of Pharmacy', 'CP', 0, 0, 0),
    ('College of Nursing', 'CN', 1, 0, 0),
    ('College of Dentistry', 'CD', 0, 0, 0),

```

```

        ('College of Allied Medical Professions', 'CAMP', 0, 0, 0);";

$result = $OSET->getConnection()->exec($sql);

$sql = "DROP TABLE IF EXISTS `Department`";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Department` (
  `Department_Name` varchar(50) NOT NULL,
  `Department_Code` varchar(10) NOT NULL DEFAULT '',
  `College_Code` varchar(10) NOT NULL,
  `Downloaded` tinyint(1) NOT NULL,
  `SET_Scores_Calculated` tinyint(1) NOT NULL,
  PRIMARY KEY (`Department_Code`),
  UNIQUE KEY `Department_Name` (`Department_Name`)
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "INSERT INTO `Department` (`Department_Name`, `Department_Code`, `College_Code`, `Downloaded`, `
SET_Scores_Calculated`) VALUES
  ('Department of Arts and Communication', 'DAC', 'CAS', 0, 1),
  ('Allied Medical Professions Department', 'DAMP', 'CAMP', 0, 1),
  ('Department of Biology', 'DB', 'CAS', 0, 1),
  ('Department of Behavioral Science', 'DBS', 'CAS', 0, 1),
  ('Dentistry Department', 'DD', 'CD', 0, 1),
  ('Medicine Department', 'DM', 'CM', 0, 1),
  ('Nursing Undergraduate Department', 'DN', 'CN', 0, 1),
  ('Pharmacy Department', 'DP', 'CP', 0, 1),
  ('Department of Physical Education', 'DPE', 'CAS', 0, 1),
  ('Public Health Department', 'DPH', 'CPH', 0, 1),
  ('Department of Physical Sciences and Mathematics', 'DPSM', 'CAS', 0, 1),
  ('Department of Social Sciences', 'DSS', 'CAS', 0, 1),
  ('Graduate Studies Department - CAMP', 'GDCAMP', 'CAMP', 0, 1),
  ('Graduate Studies Department - CAS', 'GDCAS', 'CAS', 0, 1),
  ('Graduate Studies Department - CD', 'GDCD', 'CD', 0, 1),
  ('Graduate Studies Department - CM', 'GDCM', 'CM', 0, 1),
  ('Graduate Studies Department - CN', 'GDCN', 'CN', 0, 1),
  ('Graduate Studies Department - CP', 'GDCCP', 'CP', 0, 1),
  ('Graduate Studies Department - CPH', 'GDCCPH', 'CPH', 0, 1);";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Faculty` (
  `Employee_ID` int(20) NOT NULL,
  `Name` varchar(100) DEFAULT NULL,
  `Instructor_Code` varchar(40) DEFAULT NULL,
  PRIMARY KEY (`Employee_ID`)
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "DROP TABLE IF EXISTS `Flags`";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Flags` (
  `Flag_ID` int(11) NOT NULL AUTO_INCREMENT,
  `Flag_Name` varchar(20) NOT NULL,
  `Value` tinyint(1) NOT NULL,
  `Extended_Value` varchar(20) NOT NULL,
  PRIMARY KEY (`Flag_ID`),
  UNIQUE KEY `Flag_Name` (`Flag_Name`)
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "INSERT INTO `Flags` (`Flag_ID`, `Flag_Name`, `Value`, `Extended_Value`) VALUES
  (1, 'classes_downloaded', 0, ''),
  (2, 'semester', 1, '2012'),
  (3, 'passwords_generated', 0, ''),
  (4, 'Evaluation_Mode', 0, ''),
  (5, 'SET_Scores_On', 0, '');";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Instructor_Average` (
  `Instructor_Code` varchar(50) NOT NULL,
  `College_Code` varchar(10) NOT NULL,
  `Answered` tinyint(1) NOT NULL,
  `Department_Code` varchar(10) NOT NULL,
  `Instructor_Average` float NOT NULL,
  PRIMARY KEY (`Instructor_Code`)
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Master_Classlist` (
  `Instructor_Code` varchar(50) NOT NULL,
  `Class_ID` int(10) NOT NULL,
  `Student_ID` varchar(10) NOT NULL,
  `Master_Classlist_ID` varchar(50) NOT NULL,
  `Evaluated` tinyint(1) NOT NULL,
  `College_Code` varchar(10) NOT NULL,
  `Dropped` tinyint(1) NOT NULL,

```

```

        PRIMARY KEY ('Master_Classlist_ID')
    ) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Results_Per_Respondent` (
    `Result_ID` int(5) NOT NULL AUTO_INCREMENT,
    `Result_Sequence` varchar(100) NOT NULL,
    `Class_ID` int(15) NOT NULL,
    `Instructors` varchar(100) NOT NULL,
    `SET_Questionnaire_Part_ID` int(5) NOT NULL,
    `SET_Questionnaire_Question_ID` int(5) NOT NULL,
    `Answer_Value_ID` int(5) NOT NULL,
    PRIMARY KEY ('Result_ID')
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Result_Sequence` (
    `Result_Sequence` varchar(100) NOT NULL,
    PRIMARY KEY ('Result_Sequence')
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Result_Sequence_Part` (
    `Result_Sequence_Part` varchar(100) NOT NULL,
    PRIMARY KEY ('Result_Sequence_Part')
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Semestral_Average` (
    `Instructor_Code` varchar(50) NOT NULL,
    `Average` float NOT NULL,
    `Semester_AY` int(10) NOT NULL,
    `Semestral_Average_ID` int(5) NOT NULL AUTO_INCREMENT,
    PRIMARY KEY ('Semestral_Average_ID')
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `SET_Questionnaire` (
    `SET_Questionnaire_Type_ID` int(5) NOT NULL AUTO_INCREMENT,
    `SET_Questionnaire_Type_Name` varchar(50) NOT NULL,
    `Max_Weight` int(2) NOT NULL,
    PRIMARY KEY ('SET_Questionnaire_Type_ID'),
    UNIQUE KEY `SET_Questionnaire_Type_Name` ('SET_Questionnaire_Type_Name')
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `SET_Questionnaire_Parts` (
    `SET_Questionnaire_Type_ID` int(5) NOT NULL,
    `SET_Questionnaire_Part_ID` int(5) NOT NULL AUTO_INCREMENT,
    `SET_Questionnaire_Part_Name` varchar(50) NOT NULL,
    `Part_Orientation_ID` int(5) NOT NULL,
    `Calculate_Average` tinyint(1) NOT NULL,
    PRIMARY KEY ('SET_Questionnaire_Part_ID')
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `SET_Questionnaire_Questions` (
    `SET_Questionnaire_Question_ID` int(5) NOT NULL AUTO_INCREMENT,
    `SET_Questionnaire_Part_ID` int(5) NOT NULL,
    `Answer_Type_ID` int(5) NOT NULL DEFAULT '1',
    `Question` varchar(150) NOT NULL,
    `Question_Orientation_ID` int(11) NOT NULL,
    `Required` tinyint(1) NOT NULL,
    `Weight` int(2) NOT NULL DEFAULT '1',
    `Included` tinyint(1) NOT NULL,
    PRIMARY KEY ('SET_Questionnaire_Question_ID')
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Static_Subject_Questionnaire_Lists` (
    `Subject` varchar(50) NOT NULL,
    `SET_Questionnaire_Type_ID` int(5) NOT NULL,
    PRIMARY KEY ('Subject')
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Student` (
    `ID` int(9) NOT NULL AUTO_INCREMENT,
    `Student_ID` varchar(10) NOT NULL,
    `Name` varchar(150) NOT NULL,
    `Password` varchar(50) NOT NULL,
    `College_Code` varchar(50) NOT NULL,
    `LOA` tinyint(1) NOT NULL,
    PRIMARY KEY ('Student_ID'),
    UNIQUE KEY `ID` ('ID')
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Subject_Questionnaire_Lists` (

```

```

        'Subject' varchar(50) NOT NULL,
        'SET_Questionnaire_Type_ID' int(5) NOT NULL,
        'College_Code' varchar(10) NOT NULL,
        'Department_Code' varchar(10) NOT NULL,
        'Editable' tinyint(1) NOT NULL,
        PRIMARY KEY ('Subject')
    ) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Text_Results_Per_Respondent` (
    'Result_ID' int(15) NOT NULL AUTO_INCREMENT,
    'Result_Sequence' varchar(100) NOT NULL,
    'Class_ID' int(15) NOT NULL,
    'Instructors' varchar(100) NOT NULL,
    'SET_Questionnaire_Part_ID' int(5) NOT NULL,
    'SET_Questionnaire_Question_ID' int(5) NOT NULL,
    'Text_Answer' varchar(200) NOT NULL,
    PRIMARY KEY ('Result_ID')
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$sql = "DROP TABLE IF EXISTS `Users`;";
$result = $OSET->getConnection()->exec($sql);

$sql = "CREATE TABLE IF NOT EXISTS `Users` (
    'Username' varchar(50) NOT NULL,
    'Password' varchar(50) NOT NULL,
    'User_Type' int(1) NOT NULL,
    'First_Name' varchar(50) NOT NULL,
    'Last_Name' varchar(50) NOT NULL,
    'College_Code' varchar(15) DEFAULT NULL,
    PRIMARY KEY ('Username')
) ENGINE=InnoDB;";

$result = $OSET->getConnection()->exec($sql);

$this->helper->redirector('stepfour', null, null, array(
    'Next_Flag' => TRUE,
    'CRS_IP_Address' => $CRS_IP_Address,
    'CRS_Port_Number' => $CRS_Port_Number,
    'CRS_Database_Name' => $CRS_Database_Name,
    'CRS_Username' => $CRS_Username,
    'CRS_Password' => $CRS_Password,
    'OSET_IP_Address' => $OSET_IP_Address,
    'OSET_Port_Number' => $OSET_Port_Number,
    'OSET_Database_Name' => $OSET_Database_Name,
    'OSET_Username' => $OSET_Username,
    'OSET_Password' => $OSET_Password
));

}
if ($form->isValid($formData)) {

    $this->helper->redirector('stepfive', null, null, array(
        'Next_Flag' => FALSE,
        'CRS_IP_Address' => $CRS_IP_Address,
        'CRS_Port_Number' => $CRS_Port_Number,
        'CRS_Database_Name' => $CRS_Database_Name,
        'CRS_Username' => $CRS_Username,
        'CRS_Password' => $CRS_Password,
        'OSET_IP_Address' => $OSET_IP_Address,
        'OSET_Port_Number' => $OSET_Port_Number,
        'OSET_Database_Name' => $OSET_Database_Name,
        'OSET_Username' => $OSET_Username,
        'OSET_Password' => $OSET_Password
    ));

}
}

}

public function stepfiveAction(){

    $OSET_IP_Address = $this->getParam('OSET_IP_Address', 0);
    $OSET_Port_Number = $this->getParam('OSET_Port_Number', 0);
    $OSET_Database_Name = $this->getParam('OSET_Database_Name', 0);
    $OSET_Username = $this->getParam('OSET_Username', 0);
    $OSET_Password = $this->getParam('OSET_Password', 0);

    $CRS_IP_Address = $this->getParam('CRS_IP_Address', 0);
    $CRS_Port_Number = $this->getParam('CRS_Port_Number', 0);
    $CRS_Database_Name = $this->getParam('CRS_Database_Name', 0);
    $CRS_Username = $this->getParam('CRS_Username', 0);
    $CRS_Password = $this->getParam('CRS_Password', 0);

    $form = new Application_Form_Administrator();
    $this->view->form = $form;

    $form->submit->setLabel('Save and End Installation >> ');
    $form->cancel->setLabel('Back');
}

```

```

$Users = new Application_Model_DbTable_Users();

if ($this->getRequest()->isPost()) {
    $formData = $this->getRequest()->getPost();

    if($formData['cancel']!=null){
        $this->_helper->redirector('stepfour',null,null,array(
            'Next_Flag'=>TRUE,
            'CRS_IP_Address'=>$CRS_IP_Address,
            'CRS_Port_Number'=>$CRS_Port_Number,
            'CRS_Database_Name'=>$CRS_Database_Name,
            'CRS_Username'=>$CRS_Username,
            'CRS_Password'=>$CRS_Password,
            'OSET_IP_Address'=>$OSET_IP_Address,
            'OSET_Port_Number'=>$OSET_Port_Number,
            'OSET_Database_Name'=>$OSET_Database_Name,
            'OSET_Username'=>$OSET_Username,
            'OSET_Password'=>$OSET_Password
        ));
    }

    if ($form->isValid($formData)) {
        $Password = sha1($form->getValue('Password'));
        $Username = $form->getValue('Username');
        $counter=0;
        $First_Name = $form->getValue('First_Name');
        $Last_Name = $form->getValue('Last_Name');
        $Users = new Application_Model_DbTable_Users();
        $Users->addUser($Password, $Username, 2, $First_Name, $Last_Name, 'CAS');

        $this->_helper->redirector('laststep');
    }
    else{
        $form->populate($formData);
    }
    }else{
}

}

public function laststepAction(){
    rmdir('Install');
}

}

```

```

<?php

class StudentAccountManagementChangePasswordController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
    }

    public function indexAction()
    {
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            try{
                $Student_ID = $auth->getIdentity()->Student_ID;
            } catch (Exception $e) {
                //$username = "Student";
            }
        }

        $form = new Application_Form_AccountChangePassword();
        $this->view->form = $form;
        $form->Password->addValidator(new Zend_Validate_Callback(function($value) {
            $auth = Zend_Auth::getInstance();
            if ($auth->hasIdentity()) {
                try{
                    $Password = $auth->getIdentity()->Password;
                } catch (Exception $e) {
                    //$username = "Student";
                }
            }
            if($Password == sha1($value)){
                return true;
            }else{
                return false;
            }
        }));

        if ($this->getRequest()->isPost()) {
            $formData = $this->getRequest()->getPost();

```



```

        if($formData['cancel']!=null){
            $this->_helper->redirector('index','student-account-managementhome');
        }
        if ($form->isValid($formData)) {
            $New_Password= sha1($form->getValue('New_Password'));
            $Students = new Application_Model_DbTable_Students();
            $Students->updateStudentByStudentID($Student_ID,$New_Password);
            $this->_helper->redirector('index','student-account-managementhome');
        } else {
            $form->populate($formData);
        }
    }
}
}

```

```

<?php
class StudentAccountManagementHomeController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
    }

    public function indexAction()
    {
        $auth = Zend_Auth::getInstance();
        $Student_ID = $auth->getIdentity()->Student_ID;
        $this->view->Student_ID = $Student_ID;
    }
}

```

```

<?php
class StudentHomeController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
    }

    public function indexAction()
    {
        $auth = Zend_Auth::getInstance();
        $Student_ID = $auth->getIdentity()->Student_ID;
        $this->view->Student_ID = $Student_ID;
    }
}

```

```

<?php
class StudentViewSubjectsController extends Zend_Controller_Action
{
    public function init()
    {
        error_reporting(E_ALL ^ E_NOTICE);
    }

    public function indexAction()
    {
        $auth = Zend_Auth::getInstance();
        $Student_ID = $auth->getIdentity()->Student_ID;
        $this->view->Student_ID = $Student_ID;

        $Student = new Application_Model_DbTable_Students();
        $Student_Details = $Student->getStudent($Student_ID);

        $this->view->LOA = $Student_Details['LOA'];

        $OSET = Zend_Db_Table::getDefaultAdapter();

        $sql = "SELECT Class.Subject, Class.Section, Master_Classlist.Instructor_Code, Master_Classlist.Class_ID,
                Master_Classlist.Evaluated, Class.College_Code, Class.Activated, Master_Classlist.Dropped
                FROM Master_Classlist

```

```

LEFT JOIN Class
ON Master_Classlist.Class_ID = Class.Class_ID
WHERE Master_Classlist.Student_ID = '$Student_ID'
ORDER BY Class.Subject";

$College = new Application_Model_DbTable_College();

$Classes = $OSET->fetchAll($sql);

$this->view->Classes = $Classes;
$College_Activated_Flag = array();

$count = 0;
while($count < count($Classes){
    $College_Activated_Flag[$count] = $College->getActivatedFlag($Classes[$count]['College_Code']);
    $count++;
}
$this->view->College_Activated_Flag = $College_Activated_Flag;
}

public function evaluateAction()
{
    $auth = Zend_Auth::getInstance();
    $Student_ID = $auth->getIdentity()->Student_ID;
    $this->view->Student_ID = $Student_ID;

    $OSET = Zend_Db_Table::getDefaultAdapter();

    $Subject = $this->_getParam('Subject', 0);

    $Class_ID = $this->_getParam('Class_ID', 0);
    if($Class_ID==0){
        $this->_helper->redirector('index');
    }

    $Instructors = $this->_getParam('Instructors', 0);
    $Counter = $this->_getParam('Counter', 0);
    $Instructor_Index = $this->_getParam('Instructor_Index', 0);
    $Instructors_Array = explode(";", $Instructors);
    $Result_Sequence = "";
    $Result_Sequence = $Student_ID . $Class_ID . $Instructors_Array[0];

    $Class_Table = new Application_Model_DbTable_Class();
    $Class_Details = $Class_Table->getClass($Class_ID);
    $this->view->Subject = $Class_Details['Subject'];
    $this->view->Counter = $Counter + 1;

    $this->view->Instructor = $Instructors_Array[$Instructor_Index];
    //echo $Instructors_Array[$Instructor_Index];

    $error = $this->_getParam('error', false);
    $this->view->error = $error;
    $send = false;
    $form = new Application_Form_Evaluate();
    $this->view->form = $form;

    $Subject_Table = new Application_Model_DbTable_Subject();
    $Subject_Details = $Subject_Table->getSubject($Subject);
    $SET_Questionnaire_Type_ID = $Subject_Details['SET_Questionnaire_Type_ID'];
    $Result_Sequence_Part = new Application_Model_DbTable_ResultSequencePart();
    $SET_Questionnaire_Part = new Application_Model_DbTable_SETQuestionnairePart();
    $SET_Questionnaire_Parts = $SET_Questionnaire_Part->getParts($SET_Questionnaire_Type_ID);
    $this->view->SET_Questionnaire_Parts = $SET_Questionnaire_Parts;

    $pcounter=0;
    $isEvaluatedArray = array();
    while($pcounter < count($SET_Questionnaire_Parts){
        $RS = $Student_ID . $Class_ID . $Instructors_Array[0].$SET_Questionnaire_Parts[$pcounter]['SET_Questionnaire_Part_ID'];
        $isEvaluatedArray[$SET_Questionnaire_Parts[$pcounter]['SET_Questionnaire_Part_ID']] = $Result_Sequence_Part->isEvaluated($RS);
        $pcounter++;
    }

    $this->view->isEvaluatedArray = $isEvaluatedArray;

    $SET_Questionnaire_Part_ID = $SET_Questionnaire_Parts[$Counter]['SET_Questionnaire_Part_ID'];
    $this->view->SET_Questionnaire_Part_ID = $SET_Questionnaire_Part_ID;

    $Result_Sequence = $Result_Sequence . $SET_Questionnaire_Part_ID;

    $SET_Questionnaire_Part_Details = $SET_Questionnaire_Part->getSETQuestionnairePart($SET_Questionnaire_Part_ID);
    $this->view->PartName = $SET_Questionnaire_Part_Details['SET_Questionnaire_Part_Name'];

    $submit = new Zend_Form_Element_Submit('submit');
    $submit->setAttrib('id', 'submitbutton');
    $Submit_Label = "Save and Proceed to Next Part >>";
    $Last = false;
    if(!$SET_Questionnaire_Parts[$Counter+1]['SET_Questionnaire_Part_ID']){
        // if it is already in the last part
        $Last = true;

        $Ready = TRUE;
        $pcounter=0;
        $pcount = count($SET_Questionnaire_Parts)-1;
        $RS = "";
    }
}

```

```

while($pcounter<$pcount){
    $RS = $Student_ID . $Class_ID . $Instructors_Array[0].$SET_Questionnaire_Parts[$pcounter]['
        SET_Questionnaire_Part_ID'];

    if(!$Result_Sequence_Part->isEvaluated($RS)){
        $Ready = FALSE;
        break;
    }
    $pcounter++;
}

if(!$Instructors_Array[$Instructor_Index+1]){
    $Submit_Label = "Finish";
    if($Ready==FALSE){
        $submit->setAttrib('disabled','disabled');
    }
    $send=true;
}
else{
    $Instructor_Index++;
    $Counter=0;
    $Submit_Label = "Next Teacher";
    $send=false;
}
}

$this->view->Last = $Last;

$submit->setLabel($Submit_Label);

$SET_Questionnaire_Question = new Application_Model_DbTable_SETQuestionnaireQuestion();
$SET_Questionnaire_Questions = $SET_Questionnaire_Question->getQuestions($SET_Questionnaire_Part_ID);

$Text_Result_Per_Respondent = new Application_Model_DbTable_TextResultsPerRespondent();
$Result_Per_Respondent = new Application_Model_DbTable_ResultsPerRespondent();
$Result_Sequence_Part = new Application_Model_DbTable_ResultSequencePart();
$Answered = false;
if($Result_Sequence_Part->isEvaluated($Result_Sequence)){
    $Answered=true;
    $Part_Answers = $Result_Per_Respondent->getAnswers($Result_Sequence);
    $Text_Part_Answers = $Text_Result_Per_Respondent->getAnswers($Result_Sequence);
}

$CountOfQuestions = count($SET_Questionnaire_Questions);
$index=0;
while($index < $CountOfQuestions){
    $Answer_Type = new Application_Model_DbTable_AnswerType;
    $Answer_Type_Details = $Answer_Type->getAnswerType($SET_Questionnaire_Questions[$index]['Answer_Type_ID
        ']);

    if($Answer_Type_Details['Type']=='MS'){
        $Question_Element = new Zend_Form_Element_Radio($SET_Questionnaire_Questions[$index]['
            SET_Questionnaire_Question_ID']);
        $Question_Element->setLabel($SET_Questionnaire_Questions[$index]['Question']);
        $Answer_Value = new Application_Model_DbTable_AnswerValues();
        $Answer_Values = $Answer_Value->getAnswerValues($SET_Questionnaire_Questions[$index]['Answer_Type_ID
            ','Value_Orientation_ID']);
        $index2 = 0;
        while($index2< count($Answer_Values)){
            $Question_Element->addMultiOption($Answer_Values[$index2]['Answer_Value_ID'], $Answer_Values[$index2
                ]['Value']);
            $index2++;
        }
        if($Answered){
            $Answers_Index = 0;
            while($Answers_Index < $CountOfQuestions ){
                if($Part_Answers[$Answers_Index]['SET_Questionnaire_Question_ID'] == $SET_Questionnaire_Questions[
                    $index]['SET_Questionnaire_Question_ID']){
                    $Question_Element->setValue($Part_Answers[$Answers_Index]['Answer_Value_ID']);
                    break;
                }
                $Answers_Index++;
            }
        }
        if($SET_Questionnaire_Questions[$index]['Required']){
            $Question_Element->setRequired(true);
            //->addValidator('NotEmpty');
        }
    }
    else if($Answer_Type_Details['Type']=='MM'){
        $Question_Element = new Zend_Form_Element_MultiCheckbox($SET_Questionnaire_Questions[$index]['
            SET_Questionnaire_Question_ID']);
        $Question_Element->setLabel($SET_Questionnaire_Questions[$index]['Question']);
        $Answer_Value = new Application_Model_DbTable_AnswerValues();
        $Answer_Values = $Answer_Value->getAnswerValues($SET_Questionnaire_Questions[$index]['Answer_Type_ID']
            );
        $index2 = 0;
        while($index2< count($Answer_Values)){
            $Question_Element->addMultiOption($Answer_Values[$index2]['Answer_Value_ID'], $Answer_Values[$index2
                ]['Value']);
            $index2++;
        }
    }
    if($Answered){

```

```

$Answers_Index = 0;
$Ans_Array_MM = array();
while($Answers_Index < $CountOfQuestions ){
    if($Part_Answers[$Answers_Index]['SET_Questionnaire_Question_ID'] == $SET_Questionnaire_Questions[
        $index]['SET_Questionnaire_Question_ID'] ){
        $Ans_Array_MM[] = $Part_Answers[$Answers_Index]['Answer_Value_ID'];
        // $Question_Element->setValue($Part_Answers[$Answers_Index]['Answer_Value_ID']);
        //break;
    }
    $Answers_Index++;
}
$Question_Element->setValue($Ans_Array_MM);
}
if($SET_Questionnaire_Questions[$index]['Required'] ){
    $Question_Element->setRequired(true);
    //->addValidator('NotEmpty');
}
}
else if($Answer_Type_Details['Type']=='T'){
    $Extra_Code_Array = explode(";", $Answer_Type_Details['Extra_Code']);
    $Question_Element = new Zend_Form_Element_Textarea($SET_Questionnaire_Questions[$index]['
        SET_Questionnaire_Question_ID']);
    $Question_Element->setLabel($SET_Questionnaire_Questions[$index]['Question'])
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('NotEmpty')
        ->setAttrib('cols', $Extra_Code_Array[2])
        ->setAttrib('rows', $Extra_Code_Array[1]);

    if($Extra_Code_Array[0]==1){
        $Question_Element->addFilter('Int');
    }

    if($Answered){
        $Answers_Index = 0;
        while($Answers_Index < $CountOfQuestions ){
            if($Text_Part_Answers[$Answers_Index]['SET_Questionnaire_Question_ID'] ==
                $SET_Questionnaire_Questions[$index]['SET_Questionnaire_Question_ID'] ){
                $Question_Element->setValue($Text_Part_Answers[$Answers_Index]['Text_Answer']);
                break;
            }
            $Answers_Index++;
        }
    }
    if($SET_Questionnaire_Questions[$index]['Required'] ){
        $Question_Element->setRequired(true);
        //->addValidator('NotEmpty');
    }
}

$Space = new Zend_Form_Element_Hidden('Space'.$index);

$form->addElement($Question_Element);
$form->addElement($Space);
$index++;
}

$form->addElement($submit);

$PButton = new Zend_Form_Element_Submit('PButton');
$PButton->setAttrib('id', 'PButton');
$PButton->setLabel("<<< Previous Part");
if($Counter > 0){
    $form->addElement($PButton);
}

if ($this->getRequest()->isPost() ) {

    $formData = $this->getRequest()->getPost();

    if($Counter > 0){

        if($formData['PButton']!=null){
            $this->helper->redirector('evaluate', null, null, array('Subject'=>$Subject, 'Counter'=>$Counter-1, '
                Class_ID'=>$Class_ID, 'Instructors'=>$Instructors, 'Instructor_Index'=>$Instructor_Index, '
                Student_ID'=>$Student_ID));
        }

    }

    if ($form->isValid($formData)) {
        $index=0;
        if($Answered){
            $Result_Per_Respondent->deleteAnswers($Result_Sequence);
            $Text_Result_Per_Respondent->deleteAnswers($Result_Sequence);
            $Result_Sequence_Part->deleteResultSequencePart($Result_Sequence);
        }
        while($index <count($SET_Questionnaire_Questions)){
            $Answer_Type = new Application_Model_DbTable_AnswerType;
            $Answer_Type_Details = $Answer_Type->getAnswerType($SET_Questionnaire_Questions[$index]['
                Answer_Type_ID']);

            if($Answer_Type_Details['Type']=='MS'){

```

```

        $Answer_Value_ID = $form->getValue($SET_Questionnaire_Questions[$index]['
            SET_Questionnaire_Question_ID']);
        // $Result_Per_Respondent = new Application_Model_DbTable_ResultsPerRespondent();
        $Result_Per_Respondent->addResult($Class_ID,$Instructors_Array[$Instructor_Index],
            $SET_Questionnaire_Part_ID,$SET_Questionnaire_Questions[$index]['
                SET_Questionnaire_Question_ID'],$Answer_Value_ID,$Result_Sequence);
    }
    if($Answer_Type_Details['Type']=='MM'){
        $Answer_Value_ID_Array = $form->getValue($SET_Questionnaire_Questions[$index]['
            SET_Questionnaire_Question_ID']);
        // $Result_Per_Respondent = new Application_Model_DbTable_ResultsPerRespondent();
        $AV_Index = 0;
        while($AV_Index < count($Answer_Value_ID_Array)){
            $Result_Per_Respondent->addResult($Class_ID,$Instructors_Array[$Instructor_Index],
                $SET_Questionnaire_Part_ID,$SET_Questionnaire_Questions[$index]['
                    SET_Questionnaire_Question_ID'],$Answer_Value_ID_Array[$AV_Index],$Result_Sequence);
            $AV_Index++;
        }
    }
    if($Answer_Type_Details['Type']=='T'){
        $Text_Answer = $form->getValue($SET_Questionnaire_Questions[$index]['SET_Questionnaire_Question_ID
            ']);
        // $Text_Result_Per_Respondent = new Application_Model_DbTable_TextResultsPerRespondent();
        $Text_Result_Per_Respondent->addResult($Class_ID,$Instructors_Array[$Instructor_Index],
            $SET_Questionnaire_Part_ID,$SET_Questionnaire_Questions[$index]['
                SET_Questionnaire_Question_ID'],$Text_Answer,$Result_Sequence);
    }
    $index++;
}

if($Send==true){
    $Result_Sequence_Table = new Application_Model_DbTable_ResultSequence();
    $Result_Sequence_Table->addResultSequence($Student_ID.$Class_ID.$Instructors_Array[0]);
    $Result_Sequence_Part->addResultSequencePart($Result_Sequence);

    // add to Class_Results...
    $Class_Results_Per_Question = new Application_Model_DbTable_ClassResultsPerQuestion();
    $Class_Average_Per_Question = new Application_Model_DbTable_ClassAveragePerQuestion();
    $Class_Average_Per_Part = new Application_Model_DbTable_ClassAveragePerPart();
    $Class_Average = new Application_Model_DbTable_ClassAverage();
    $Instructor_Average = new Application_Model_DbTable_InstructorAverage();

    $Select = $Result_Per_Respondent->select();
    $Select->where('Result_Sequence LIKE ?', '%'.strtoupper($Student_ID.$Class_ID.$Instructors_Array[0])
        .'%.');
    $Results_To_Add = $Result_Per_Respondent->fetchAll($Select);
    // $Results_To_Add = $Result_Per_Respondent->fetchAll('Result_Sequence ='.Chr(34).$Student_ID.
        $Class_ID.$Instructors_Array[0].Chr(34));
    $Rcounter = 0;
    while($Rcounter < count($Results_To_Add)){
        if($Results_To_Add[$Rcounter]['Answer_Value_ID']!=0){
            $Class_Results_Per_Question->addCount($Results_To_Add[$Rcounter]['Class_ID'],$Results_To_Add[
                $Rcounter]['Instructors'],$Results_To_Add[$Rcounter]['SET_Questionnaire_Question_ID'],
                $Results_To_Add[$Rcounter]['Answer_Value_ID']);
        }
        $Class_Average_Per_Question->setAnswered($Results_To_Add[$Rcounter]['Class_ID'],$Results_To_Add[
            $Rcounter]['Instructors'],$Results_To_Add[$Rcounter]['SET_Questionnaire_Question_ID']);
        $Class_Average_Per_Part->setAnswered($Results_To_Add[$Rcounter]['Class_ID'],$Results_To_Add[
            $Rcounter]['Instructors'],$Results_To_Add[$Rcounter]['SET_Questionnaire_Part_ID']);
        $Class_Average->setAnswered($Results_To_Add[$Rcounter]['Class_ID'],$Results_To_Add[$Rcounter]['
            Instructors']);
        $Class_Average_ID = $Results_To_Add[$Rcounter]['Instructors'].$Results_To_Add[$Rcounter]['Class_ID
            '];

        $Instructor_Average->setAnswered($Results_To_Add[$Rcounter]['Instructors']);
        $Rcounter++;
    }
    $Class_Average->addCount($Class_ID,$Instructors_Array[0]);

    $Master_Classlist = new Application_Model_DbTable_MasterClasslist();
    $Master_Classlist->setEvaluated($Instructors_Array[0], $Class_ID, $Student_ID);

    $this->helper->redirector('index',null,null,array('Subject'=>$Subject, 'Counter'=>0));
}
else{
    $Result_Sequence_Part->addResultSequencePart($Result_Sequence);
    $this->helper->redirector('evaluate',null,null,array('Subject'=>$Subject, 'Counter'=>$Counter+1, '
        Class_ID'=>$Class_ID, 'Instructors'=>$Instructors, 'Instructor_Index'=>$Instructor_Index));
}
} else {
    $form->populate($formData);
}
} else {

}

}

public function agreementAction(){

```

```

$form = new Application_Form_Agreement();
$this->view->form = $form;

$Subject = $this->getParam('Subject','xx');
$Class_ID = $this->getParam('Class_ID',0);
$Instructors = $this->getParam('Instructors','xx');
$Counter = $this->getParam('Counter',0);
$Instructor_Index = $this->getParam('Instructor_Index');

if ($this->getRequest()->isPost()) {
    $formData = $this->getRequest()->getPost();

    if($formData['cancel']!=null){
        $this->_helper->redirector('index');
    }

    if ($form->isValid($formData)) {

        $this->_helper->redirector('evaluate',null,null,array('controller'=>'student-view-subjects','action'=>'
        agreement', 'Subject'=> $Subject, 'Class_ID'=>$Class_ID, 'Instructors'=>$Instructors, 'Counter'=>
        $Counter, 'Instructor_Index'=>$Instructor_Index));
    }
}
}
}

```

3. Forms

```

<?php

class Application_Form_AccountChangePassword extends Zend_Form
{

    public function init()
    {
        $this->setName('user');

        $Password = new Zend_Form_Element_Password('Password');
        $Password->setLabel('Old Password:');
        ->setRequired(true)
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('Alnum')
        ->addValidator('NotEmpty');

        $New_Password = new Zend_Form_Element_Password('New_Password');
        $New_Password->setLabel('New Password:');
        ->setRequired(true)
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('Alnum')
        ->addValidator('NotEmpty')
        ->addValidator('StringLength', false, array(6, 20));

        $Confirm_Password = new Zend_Form_Element_Password('Confirm_Password');
        $Confirm_Password->setLabel('Confirm New Password:');
        ->setRequired(true)
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('Alnum')
        ->addValidator('NotEmpty')
        ->addValidator('StringLength', false, array(6, 20))
        ->addValidator(new Zend_Validate_Identical($_POST['New_Password']));

        $this->addElements(array($Password, $New_Password, $Confirm_Password));

        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));

        $cancel = new Zend_Form_Element_Submit('cancel');
        $cancel->setLabel('Cancel');
        //->setDecorators(array('ViewHelper'));

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('submit', 'submitbutton')
        //->setDecorators(array('ViewHelper'))
        ->setLabel('Save');
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
    }
}

```

```

$cancel->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$this->addElements(array($submit,$cancel));
$this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
$this->getDisplayGroup('submitButtons')->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
        placement' => 'PREPEND')),
    'DtDdWrapper'
    )
);
}
}

```

<?php

```

class Application_Form_AddInstructor extends Zend_Form
{
    public function init()
    {
        $subject = new Zend_Form_Element_Text('Subject');
        $subject->setLabel('Subject')
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->setAttrib('disabled','disabled');

        $faculty = new Application_Model_DbTable_Faculty();
        $allFaculty = $faculty->fetchAll();
        $rowcount = count($allFaculty);
        $counter = 0;

        while($counter<$rowcount){
            $row[] = $allFaculty[$counter]['Name'];
            $counter++;
        }

        ZendX_JQuery_View_Helper_JQuery::enableNoConflictMode();
        $instructor = new ZendX_JQuery_Form_Element_AutoComplete('Instructor');
        $instructor->setJQueryParams(array('source' => $row));
        $instructor->setLabel('Instructor')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->addValidator(new MyValid_Faculty());

        $this->addElements(array($subject, $instructor));

        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));

        $instructor->setDecorators(array(
            array('UiWidgetElement', array('tag' => '')), // it necessary to include for jquery elements
            array('Errors'),
            array('Description', array('tag' => 'span')),
            array('HtmlTag', array('tag' => 'td')),
            array('Label', array('tag' => 'td', 'class' =>'element')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr')),
        ));

        $cancel = new Zend_Form_Element_Submit('cancel');
        $cancel->setLabel('Cancel');
        //->setDecorators(array('ViewHelper'));

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('User_ID', 'submitbutton')
            //->setDecorators(array('ViewHelper'))
            ->setLabel('Save');
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $cancel->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $this->addElements(array($submit,$cancel));
        $this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
        $this->getDisplayGroup('submitButtons')->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
            array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
                placement' => 'PREPEND')),
        ));
    }
}

```

```

        'DtDdWrapper'
    )
};

}

}

}

<?php
class Application_Form_Administrator extends Zend_Form
{
    public function init()
    {
        $this->setName('user');

        $Username = new Zend_Form_Element_Text('Username');
        $Username->setLabel('Username : ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->addValidator('Alnum', false, array('allowWhiteSpace' => false))
            ->addValidator('StringLength', false, array(6, 20));

        $Password = new Zend_Form_Element_Text('Password');
        $Password->setLabel('Password : ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->addValidator('Alnum', false, array('allowWhiteSpace' => false))
            ->addValidator('StringLength', false, array(6, 20));

        $First_Name = new Zend_Form_Element_Text('First_Name');
        $First_Name->setLabel('First Name : ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty');

        $Last_Name = new Zend_Form_Element_Text('Last_Name');
        $Last_Name->setLabel('Last Name : ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty');

        // ->setDecorators(array('ViewHelper'));

        $this->addElements(array( $Username,$Password, $First_Name,$Last_Name));

        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));

        $cancel = new Zend_Form_Element_Submit('cancel');
        $cancel->setLabel('Cancel');
        //->setDecorators(array('ViewHelper'));

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('User_ID', 'submitbutton')
        //->setDecorators(array('ViewHelper'))
        ->setLabel('Save');
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $cancel->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $this->addElements(array($submit,$cancel));
        $this->addDisplayGroup(array('cancel','submit'), 'submitButton');
        $this->getDisplayGroup('submitButton')->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
            array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', 'placement' => 'PREPEND')),
        ));
    }
}

```



```

                'DtDdWrapper'
            )
        );
    }
}

<?php
class Application_Form_Agreement extends Zend_Form
{
    public function init()
    {
        $this->setElementDecorators(array(
            'ViewHelper', 'Errors',
            array(array('data' => 'HtmlTag'), array('tag' => 'td', 'class' => 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));

        $cancel = new Zend_Form_Element_Submit('cancel');
        $cancel->setLabel('I Do Not Agree');
        //->setDecorators(array('ViewHelper'));

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('User_ID', 'submitbutton')
        //->setDecorators(array('ViewHelper'))
        ->setLabel('I Have Read And I Agree');
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' => 'em', 'class' => 'element'))
        ));
        $cancel->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' => 'em', 'class' => 'element'))
        ));
        $this->addElements(array($cancel, $submit));
        $this->addDisplayGroup(array('cancel', 'submit'), 'submitButtons');
        $this->getDisplayGroup('submitButtons')->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'td', 'class' => 'wahaha')),
            array(array('emptyrow' => 'HtmlTag'), array('tag' => 'td', 'class' => 'element', 'placement' => 'PREPEND')),
            'DtDdWrapper'
        ));
    }
}
}

```

```

<?php
class Application_Form_AnswerType extends Zend_Form
{
    public function init()
    {
        $this->setName('Answer Type');
        $Answer_Type_ID = new Zend_Form_Element_Hidden('Answer_Type_ID');
        $Answer_Type_ID->addFilter('Int');

        $Answer_Type_Name = new Zend_Form_Element_Text('Answer_Type_Name');
        $Answer_Type_Name->setLabel('Name :')
        ->setRequired(true)
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('NotEmpty')
        ->addValidator('StringLength', false, array(6, 30));
        //->addValidator('Alnum', false, array('allowWhiteSpace' => true));

        $Type = new Zend_Form_Element_Radio('Type');
        $Type->setLabel('Type: ')
        ->setRequired(true)
        ->addMultiOption('MS', 'Multiple Choice, Single Answer')
        ->addMultiOption('MM', 'Multiple Choice, Multiple Answer')
        ->addValidator('NotEmpty');
    }
}

```

```

$this->addElement(array($Answer_Type_ID, $Answer_Type_Name,$Type));

$this->setElementDecorators(array(
    'ViewHelper','Errors',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array('Label', array('tag' => 'td')),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$this->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'table')),
    'Form'
));

$cancel = new Zend_Form_Element_Submit('cancel');
$cancel->setLabel('Cancel');
//->setDecorators(array('ViewHelper'));

$submit = new Zend_Form_Element_Submit('submit');
$submit->setAttrib('User_ID', 'submitbutton')
//->setDecorators(array('ViewHelper'))
->setLabel('Save');
$submit->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$cancel->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$this->addElement(array($submit,$cancel));
$this->addDisplayGroup(array('submit', 'cancel'), 'submitButton');
$this->getDisplayGroup('submitButton')->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', 'placement' => 'PREPEND')),
    'DtDdWrapper'
    )
);
}

}

```

```
<?php
```

```

class Application_Form_AnswerTypeTextbox extends Zend_Form
{
    public function init()
    {
        $this->setName('Answer Type');
        $Answer_Type_ID = new Zend_Form_Element_Hidden('Answer_Type_ID');
        $Answer_Type_ID->addFilter('Int');

        $Answer_Type_Name= new Zend_Form_Element_Text('Answer_Type_Name');
        $Answer_Type_Name->setLabel('Answer Type Name :')
        ->setRequired(true)
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('NotEmpty')
        ->addValidator('StringLength', false, array(6, 30));

        $Input_Type = new Zend_Form_Element_Radio('Input_Type');
        $Input_Type->setLabel('Input type :')
        ->setRequired(true)
        ->addMultiOption(0,'Varchar')
        ->addMultiOption(1,'Integer')
        ->addValidator('NotEmpty');

        $Row = new Zend_Form_Element_Text('Row');
        $Row->setLabel('Number of rows:')
        ->addFilter('Int')
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->setRequired(true)
        ->addValidator('NotEmpty')
        ->setValue(4);

        $Column = new Zend_Form_Element_Text('Column');
        $Column->setLabel('Number of columns:')
        ->addFilter('Int')
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->setRequired(true)
        ->addValidator('NotEmpty')
        ->setValue(25);

        $this->addElement(array($Answer_Type_ID, $Answer_Type_Name, $Input_Type, $Row, $Column));
        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),

```

```

        array('Label', array('tag' => 'td')),
        array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
    ));

    $this->setDecorators(array(
        'FormElements',
        array('HtmlTag', array('tag' => 'table')),
        'Form'
    ));

    $cancel = new Zend_Form_Element_Submit('cancel');
    $cancel->setLabel('Cancel');
    //->setDecorators(array('ViewHelper'));

    $submit = new Zend_Form_Element_Submit('submit');
    $submit->setAttrib('User_ID', 'submitbutton')
    //->setDecorators(array('ViewHelper'))
    ->setLabel('Save');
    $submit->setDecorators(array('ViewHelper',
        array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
    ));
    $cancel->setDecorators(array('ViewHelper',
        array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
    ));
    $this->addElements(array($submit,$cancel));
    $this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
    $this->getDisplayGroup('submitButtons')->setDecorators(array(
        'FormElements',
        array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
        array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
            placement' => 'PREPEND')),
        'DtDdWrapper'
    )
    );
}
}
}

```

```
<?php
```

```

class Application_Form_AnswerValue extends Zend_Form
{

    public function init()
    {
        $this->setName('Answer Type');
        $Answer_Value_ID = new Zend_Form_Element_Hidden('Answer_Value_ID');
        $Answer_Value_ID->addFilter('Int');

        $Value= new Zend_Form_Element_Text('Value');
        $Value->setLabel('Choice :')
        ->setRequired(true)
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('NotEmpty')
        ->addValidator('StringLength', false, array(1, 50));

        $Numeric_Value= new Zend_Form_Element_Text('Numeric_Value');
        $Numeric_Value->setLabel('Numeric Value:')
        ->setRequired(true)
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('Int')
        ->addValidator('NotEmpty')
        ->addValidator('StringLength', false, array(1, 2));

        $this->addElements(array($Answer_Value_ID, $Value, $Numeric_Value));
        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));

        $cancel = new Zend_Form_Element_Submit('cancel');
        $cancel->setLabel('Cancel');
        //->setDecorators(array('ViewHelper'));

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('User_ID', 'submitbutton')
        //->setDecorators(array('ViewHelper'))
        ->setLabel('Save');
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $cancel->setDecorators(array('ViewHelper',

```

```

        array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
    ));
    $this->addElements(array($submit,$cancel));
    $this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
    $this->getDisplayGroup('submitButtons')->setDecorators(array(
        'FormElements',
        array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
        array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
            placement' => 'PREPEND')),
        'DtDdWrapper'
    )
    );
}
}

```

```

<?php
class Application_Form_ChangePassword extends Zend_Form
{
    public function init()
    {
        $this->setName('user');

        $Password = new Zend_Form_Element_Text('Password');
        $Password->setLabel('New Password:');
        $Password->setRequired(true)
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('NotEmpty')
        ->setRequired(true);

        $this->addElement($Password);

        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));

        $cancel = new Zend_Form_Element_Submit('cancel');
        $cancel->setLabel('Cancel');
        //->setDecorators(array('ViewHelper'));

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('submit', 'submitbutton')
        //->setDecorators(array('ViewHelper'))
        ->setLabel('Save');
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $cancel->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $this->addElements(array($submit,$cancel));
        $this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
        $this->getDisplayGroup('submitButtons')->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
            array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
                placement' => 'PREPEND')),
            'DtDdWrapper'
        )
        );
    }
}

```

```

<?php
class Application_Form_ChooseAnswerType extends Zend_Form
{
    public function init()
    {

        $Type = new Zend_Form_Element_Radio('Type');
        $Type->setLabel('Type')
    }
}

```

```

        ->setRequired(true)
        ->addMultiOption('1','Textbox')
            ->addMultiOption('0','MM - Multiple Choice, Multiple Answer / MS - Multiple Choice,
                Single Answer')
        ->addValidator('NotEmpty');

$submit = new Zend_Form_Element_Submit('submit');

$this->addElements(array($Type));

$this->setElementDecorators(array(
    'ViewHelper','Errors',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array('Label', array('tag' => 'td')),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$this->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'table')),
    'Form'
));
$this->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'table')),
    'Form'
));

$cancel = new Zend_Form_Element_Submit('cancel');
$cancel->setLabel('Cancel');
    //->setDecorators(array('ViewHelper'));

$submit = new Zend_Form_Element_Submit('submit');
$submit->setAttrib('User_ID', 'submitbutton')
    //->setDecorators(array('ViewHelper'))
    ->setLabel('Proceed');
$submit->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$cancel->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$this->addElements(array($submit,$cancel));
$this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
$this->getDisplayGroup('submitButtons')->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
        placement' => 'PREPEND')),
    'DtDdWrapper'
    )
);
}
}

```

```
<?php
```

```

class Application_Form_Class extends Zend_Form
{
    public function init()
    {
        $this->setName('Class');
        $Class_ID = new Zend_Form_Element_Hidden('Class_ID');
        $Class_ID->addFilter('Int');

        $Faculty = new Application_Model_DbTable_Faculty();
        $AllFaculty = $Faculty->fetchAll();
        $rowcount = count($AllFaculty);
        $counter = 0;

        while($counter<$rowcount){
            $row[] = $AllFaculty[$counter]['Name'];
            $counter++;
        }

        ZendX_JQuery_View_Helper_JQuery::enableNoConflictMode();
        $Instructors = new ZendX_JQuery_Form_Element_AutoComplete('Name');
        $Instructors->setJQueryParams(array('source' => $row));
        $Instructors->setLabel('Instructors')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->addValidator(new MyValid_Faculty());

        $Activated = new Zend_Form_Element_Radio('Activated');
        $Activated->setLabel('Status')
            ->setRequired(true)
    }
}

```

```

        ->addMultiOption(0,'Deactivate')
            ->addMultiOption(1,'Activate')
        ->addValidator('NotEmpty');

$this->addElement(array($Class_ID, $Subject, $Instructors, $Activated));

$this->setElementDecorators(array(
    'ViewHelper','Errors',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array('Label', array('tag' => 'td')),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$this->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'table')),
    'Form'
));

$cancel = new Zend_Form_Element_Submit('cancel');
$cancel->setLabel('Cancel');
//->setDecorators(array('ViewHelper'));

$submit = new Zend_Form_Element_Submit('submit');
$submit->setAttrib('User_ID', 'submitbutton')
//->setDecorators(array('ViewHelper'))
->setLabel('Save');
$submit->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$cancel->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$this->addElement(array($submit,$cancel));
$this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
$this->getDisplayGroup('submitButtons')->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', 'placement' => 'PREPEND')),
    'DtDdWrapper'
    )
);
}

}

class MyValid_Faculty extends Zend_Validate_Abstract
{
    const MSGERROR = 'msgError';

    protected $_messageTemplates = array(
        self::MSGERROR => "%value% is not a member of the faculty."
    );

    public function isValid($value)
    {
        $this->_setValue($value);

        $isValid = true;

        $Faculty = new Application_Model_DbTable_Faculty();
        $isvalid = $Faculty->getFacultyByName($value);

        if($isvalid==false){
            $this->_error(self::MSGERROR);
        }

        return $isvalid;
    }
}

```

```

<?php

class Application_Form_Class2 extends Zend_Form
{
    public function init()
    {
        $this->setName('Class2');
    }
}

```

```

<?php
class Application_Form_College extends Zend_Form
{

    public function init()
    {

        $College_Name = new Zend_Form_Element_Text('College_Name');
        $College_Name->setLabel('College Name : ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->addValidator('StringLength', false, array(6, 50));

        $College_Code = new Zend_Form_Element_Text('College_Code');
        $College_Code->setLabel('College Code : ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->addValidator('StringLength', false, array(1, 10));

        $this->addElements(array($College_Name,$College_Code));

        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));

        $cancel = new Zend_Form_Element_Submit('cancel');
        $cancel->setLabel('Cancel');
        //->setDecorators(array('ViewHelper'));

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('User_ID', 'submitbutton')
            //->setDecorators(array('ViewHelper'))
            ->setLabel('Save');
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $cancel->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $this->addElements(array($submit,$cancel);
        $this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
        $this->getDisplayGroup('submitButtons')->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
            array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
                placement' => 'PREPEND')),
            'DtDdWrapper'
        )
        );
    }
}

```

```

<?php
class Application_Form_CreateTables extends Zend_Form
{

    public function init()
    {
        $this->setName('OSET');

        $test = new Zend_Form_Element_Submit('create');
        $test->setLabel('Create Tables');

        $this->addElements(array($test));

        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
        ));
    }
}

```

```

        'Form'
    ));

    $test->setDecorators(array('ViewHelper',
        array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
    ));
    $this->addDisplayGroup(array( 'create'), 'submitButtons');
    $this->getDisplayGroup('submitButtons')->setDecorators(array(
        'FormElements',
        array('HtmlTag', array('tag' => 'td', 'class'=>'wahaha')),
        array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
            placement' => 'PREPEND')),
        'DtDdWrapper'
    )
    );
}

}

```

```

<?php

class Application_Form_Department extends Zend_Form
{

    public function init()
    {

        $Department_Name = new Zend_Form_Element_Text('Department_Name');
        $Department_Name->setLabel('Department Name : ');
        $Department_Name->setRequired(true)
        $Department_Name->addFilter('StripTags')
        $Department_Name->addFilter('StringTrim')
        $Department_Name->addValidator('NotEmpty')
        $Department_Name->addValidator('StringLength', false, array(6, 50));

        $Department_Code = new Zend_Form_Element_Text('Department_Code');
        $Department_Code->setLabel('Department Unit : ');
        $Department_Code->setRequired(true)
        $Department_Code->addFilter('StripTags')
        $Department_Code->addFilter('StringTrim')
        $Department_Code->addValidator('NotEmpty')
        $Department_Code->addValidator('StringLength', false, array(1, 10));

        $this->addElements(array($Department_Name,$Department_Code));

        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));

        $cancel = new Zend_Form_Element_Submit('cancel');
        $cancel->setLabel('Cancel');
        //->setDecorators(array('ViewHelper'));

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('User_ID', 'submitbutton')
        //->setDecorators(array('ViewHelper'))
        $submit->setLabel('Save');
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $cancel->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $this->addElements(array($submit,$cancel));
        $this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
        $this->getDisplayGroup('submitButtons')->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'td', 'class'=>'wahaha')),
            array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
                placement' => 'PREPEND')),
            'DtDdWrapper'
        )
        );
    }

}

```



```

<?php
class Application_Form_EditAnswerType extends Zend_Form
{

    public function init()
    {
        $this->setName('Answer Type');
        $Answer_Type_ID = new Zend_Form_Element_Hidden('Answer_Type_ID');
        $Answer_Type_ID->addFilter('Int');

        $Answer_Type_Name= new Zend_Form_Element_Text('Answer_Type_Name');
        $Answer_Type_Name->setLabel('Name :')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->addValidator('StringLength', false, array(6, 30));
            //->addValidator('Alnum', false, array('allowWhiteSpace' => true));

        $Type = new Zend_Form_Element_Radio('Type');
        $Type->setLabel('Type: ')
            ->setRequired(true)
            ->addMultiOption('MS','Multiple Choice, Single Answer')
            ->addMultiOption('MM','Multiple Choice, Multiple Answer')
            ->addValidator('NotEmpty');

        $editchoices = new Zend_Form_Element_Submit('editchoices');
        $editchoices->setAttrib('id', 'submitbutton')
            ->setLabel('Edit Choices');

        $this->addElements(array($Answer_Type_ID, $Answer_Type_Name,$Type,$editchoices));

        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $editchoices->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', 'placement' => 'PREPEND'
                )),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));

        $cancel = new Zend_Form_Element_Submit('cancel');
        $cancel->setLabel('Cancel');
        //->setDecorators(array('ViewHelper'));

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('User_ID', 'submitbutton')
            //->setDecorators(array('ViewHelper'))
            ->setLabel('Save');
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $cancel->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $this->addElements(array($submit,$cancel));
        $this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
        $this->getDisplayGroup('submitButtons')->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
            array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
                placement' => 'PREPEND')),
            'DtDdWrapper'
        ))
    }

}

```

```

<?php
class Application_Form_Evaluate extends Zend_Form
{

    public function init()

```

```
    {  
    }  
}
```

```
<?php
```

```
class Application_Form_EvaluationMode extends Zend_Form  
{
```

```
    public function init()  
    {
```

```
        $SET_Questionnaire = new Application_Model_DbTable_SETQuestionnaire();  
        $SET_Questionnaires = $SET_Questionnaire->fetchAll();
```

```
        $SET_Questionnaire_Type_ID = new Zend_Form_Element_Select('SET_Questionnaire_Type_ID');  
        $SET_Questionnaire_Type_ID->setLabel('SET Questionnaire: ');  
        $SET_Questionnaire_Type_ID->setRequired(true);  
        $SET_Questionnaire_Type_ID->addValidator('NotEmpty');
```

```
        foreach($SET_Questionnaires as $SQ){  
            $SET_Questionnaire_Type_ID->addMultiOption($SQ->SET_Questionnaire_Type_ID, $SQ->  
                SET_Questionnaire_Type_Name);  
        }  
    }
```

```
    $this->addElement($SET_Questionnaire_Type_ID);
```

```
    $this->setElementDecorators(array(  
        'ViewHelper', 'Errors',  
        array(array('data' => 'HtmlTag'), array('tag' => 'td', 'class' => 'element')),  
        array('Label', array('tag' => 'td')),  
        array(array('row' => 'HtmlTag'), array('tag' => 'tr'))  
    ));
```

```
    $this->setDecorators(array(  
        'FormElements',  
        array('HtmlTag', array('tag' => 'table')),  
        'Form'  
    ));
```

```
    $cancel = new Zend_Form_Element_Submit('cancel');  
    $cancel->setLabel('Cancel');  
    $cancel->setDecorators(array('ViewHelper'));
```

```
    $submit = new Zend_Form_Element_Submit('submit');  
    $submit->setAttrib('User_ID', 'submitbutton');  
    $submit->setDecorators(array('ViewHelper'))  
    $submit->setLabel('Open Evaluation Mode');  
    $submit->setDecorators(array('ViewHelper',  
        array(array('data' => 'HtmlTag'), array('tag' => 'em', 'class' => 'element'))  
    ));
```

```
    $cancel->setDecorators(array('ViewHelper',  
        array(array('data' => 'HtmlTag'), array('tag' => 'em', 'class' => 'element'))  
    ));
```

```
    $this->addElement($submit);
```

```
    $this->addDisplayGroup(array('submit', 'cancel'), 'submitButton');
```

```
    $this->getDisplayGroup('submitButton')->setDecorators(array(  
        'FormElements',  
        array('HtmlTag', array('tag' => 'td', 'class' => 'wahaha')),  
        array(array('emptyrow' => 'HtmlTag'), array('tag' => 'td', 'class' => 'element', '  
            placement' => 'PREPEND')),  
        'DtDdWrapper'  
    ));
```

```
    }  
}
```

```
<?php
```

```
class Application_Form_Install extends Zend_Form  
{
```

```
    public function init()  
    {
```

```
        $this->setElementDecorators(array(  
            'ViewHelper', 'Errors',  
            array(array('data' => 'HtmlTag'), array('tag' => 'td', 'class' => 'element')),  
            array('Label', array('tag' => 'td')),  
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))  
        ));
```

```
        $this->setDecorators(array(  
            'FormElements',  
            array('HtmlTag', array('tag' => 'table')),  
            'Form'  
        ));
```

```

        'FormElements',
        array('HtmlTag', array('tag' => 'table')),
        'Form'
    ));
    $this->setDecorators(array(
        'FormElements',
        array('HtmlTag', array('tag' => 'table')),
        'Form'
    ));

    $cancel = new Zend_Form_Element_Submit('cancel');
    $cancel->setLabel('Cancel');
    //->setDecorators(array('ViewHelper'));

    $submit = new Zend_Form_Element_Submit('submit');
    $submit->setAttrib('User_ID', 'submitbutton')
    //->setDecorators(array('ViewHelper'))
    ->setLabel('Proceed');
    $submit->setDecorators(array('ViewHelper',
        array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
    ));
    $cancel->setDecorators(array('ViewHelper',
        array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
    ));
    $this->addElements(array($cancel,$submit));
    $this->addDisplayGroup(array('cancel', 'submit'), 'submitButtons');
    $this->getDisplayGroup('submitButtons')->setDecorators(array(
        'FormElements',
        array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
        array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
            placement' => 'PREPEND')),
        'DtDdWrapper'
    )
    );
}
}

```

```
<?php
```

```

class Application_Form_Login extends Zend_Form
{
    public function init()
    {
        $this->setName("login");
        $this->setMethod('post');

        $this->addElement('text', 'Username', array(
            'filters' => array('StringTrim', 'StringToLower'),
            'validators' => array(
                array('StringLength', false, array(0, 50)),
            ),
            'required' => false,
            'label' => 'Username:',
        ));

        $this->addElement('password', 'Password', array(
            'filters' => array('StringTrim'),
            'validators' => array(
                array('StringLength', false, array(0, 50)),
            ),
            'required' => false,
            'label' => 'Password:',
        ));

        $this->addElement('submit', 'login', array(
            'required' => false,
            'ignore' => true,
            'label' => 'Login',
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            array('Description', array('tag' => 'li', 'class' => 'error')),
            'Form'
        ));
    }
}

```

```
<?php
```

```

class Application_Form_OSETI extends Zend_Form
{
    public function init()
    {

```

```

$this->setName('OSET');

$IP_Address = new Zend_Form_Element_Text('IP_Address');
$IP_Address->setLabel('IP Address/host : ')
->setRequired(true)
->addFilter('StripTags')
->addFilter('StringTrim')
->addValidator('NotEmpty');

$Port_Number = new Zend_Form_Element_Text('Port_Number');
$Port_Number->setLabel('Port Number : ')
->setRequired(true)
->addFilter('StripTags')
->addFilter('StringTrim')
->addValidator('NotEmpty');

$Database_Name = new Zend_Form_Element_Text('Database_Name');
$Database_Name->setLabel('Database Name : ')
->setRequired(true)
->addFilter('StripTags')
->addFilter('StringTrim')
->addValidator('NotEmpty');

$Username = new Zend_Form_Element_Text('Username');
$Username->setLabel('Username : ')
->setRequired(true)
->addFilter('StripTags')
->addFilter('StringTrim')
->addValidator('NotEmpty');

$Password = new Zend_Form_Element_Text('Password');
$Password->setLabel('Password : ')
->setRequired(true)
->addFilter('StripTags')
->addFilter('StringTrim')
->addValidator('NotEmpty');

$test = new Zend_Form_Element_Submit('test');
$test->setLabel('Check');

$this->addElements(array($IP_Address, $Port_Number, $Database_Name,$Username,$Password, $test));

$this->setElementDecorators(array(
    'ViewHelper','Errors',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array('Label', array('tag' => 'td')),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$this->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'table')),
    array('Description', array('tag' => 'li', 'class' => 'error')),
    'Form'
));

$test->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$this->addDisplayGroup(array('test'), 'submitButtons');
$this->getDisplayGroup('submitButtons')->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
        placement' => 'PREPEND')),
    'DtDdWrapper'
    )
);
}

}

```

```

<?php
class Application_Form_PlainClass extends Zend_Form
{
    public function init()
    {
        $Section = new Zend_Form_Element_Text('Section');
        $Section->setLabel('Section: ')
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->setRequired(true);
    }
}

```

```

$this->addElement($Section);

$this->setElementDecorators(array(
    'ViewHelper','Errors',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array('Label', array('tag' => 'td')),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$this->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'table')),
    'Form'
));

$cancel = new Zend_Form_Element_Submit('cancel');
$cancel->setLabel('Cancel');
    //->setDecorators(array('ViewHelper'));

$submit = new Zend_Form_Element_Submit('submit');
$submit->setAttrib('User_ID', 'submitbutton')
    //->setDecorators(array('ViewHelper'))
    ->setLabel('Save');
$submit->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$cancel->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$this->addElements(array($submit,$cancel));
$this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
$this->getDisplayGroup('submitButtons')->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
        placement' => 'PREPEND')),
    'DtDdWrapper'
    )
));
}

}

```

```

<?php
class Application_Form_PlainStudent extends Zend_Form
{
    public function init()
    {

        $Student = new Application_Model_DbTable_Students();
        $Students = $Student->fetchAll();
        $rowcount = count($Students);
        $counter = 0;

        while($counter<$rowcount){
            $row[] = $Students[$counter]['Name'];
            $counter++;
        }

        ZendX_JQuery_View_Helper_JQuery::enableNoConflictMode();
        $Student_Elt = new ZendX_JQuery_Form_Element_AutoComplete('Name');
        $Student_Elt->setJQueryParams(array('source' => $row));
        $Student_Elt->setLabel('Student Name: ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->addValidator(new MyValid_Student());

        $this->addElement($Student_Elt);

        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));
        $Student_Elt->setDecorators(array(
            array('UiWidgetElement', array('tag' => '')), // it necessary to include for jquery elements

```

```

        array('Errors'),
        array('Description', array('tag' => 'span')),
        array('HtmlTag', array('tag' => 'td')),
        array('Label', array('tag' => 'td', 'class' => 'element')),
        array(array('row' => 'HtmlTag'), array('tag' => 'tr')),
    ));

    $cancel = new Zend_Form_Element_Submit('cancel');
    $cancel->setLabel('Cancel');
    //->setDecorators(array('ViewHelper'));

    $submit = new Zend_Form_Element_Submit('submit');
    $submit->setAttrib('User_ID', 'submitbutton')
    //->setDecorators(array('ViewHelper'))
    ->setLabel('Save');
    $submit->setDecorators(array('ViewHelper',
        array(array('data' => 'HtmlTag'), array('tag' => 'em', 'class' => 'element'))
    ));
    $cancel->setDecorators(array('ViewHelper',
        array(array('data' => 'HtmlTag'), array('tag' => 'em', 'class' => 'element'))
    ));
    $this->addElements(array($submit, $cancel));
    $this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
    $this->getDisplayGroup('submitButtons')->setDecorators(array(
        'FormElements',
        array('HtmlTag', array('tag' => 'td', 'class' => 'wahaha')),
        array(array('emptyrow' => 'HtmlTag'), array('tag' => 'td', 'class' => 'element', 'placement' => 'PREPEND')),
        'DtDdWrapper'
    ));
}

}

class MyValid_Student extends Zend_Validate_Abstract
{
    const MSGERROR = 'msgError';

    protected $_messageTemplates = array(
        self::MSGERROR => "'%value%' is not a student in UPM."
    );

    public function isValid($value)
    {
        $this->_setValue($value);

        $isValid = true;

        $Student = new Application_Model_DbTable_Students();
        $isvalid = $Student->getStudentByName($value);

        if($isvalid==false){
            $this->_error(self::MSGERROR);
        }

        return $isvalid;
    }
}

```

```
<?php
```

```

class Application_Form_PlainSubject extends Zend_Form
{

    public function init()
    {
        $this->setName('Subject');

        $Subject = new Zend_Form_Element_Text('Subject');
        $Subject->setLabel('Subject')
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->setRequired(true);

        $College = new Application_Model_DbTable_College();
        $College_Details = $College->fetchAll('Downloaded ='. 1);

        $College_Code = new Zend_Form_Element_Select('College_Code');
        $College_Code->setLabel('College :');
        foreach($College_Details as $CD){
            $College_Code->addMultiOption($CD->College_Code, $CD->College_Name);
        }

        $SET_Questionnaire = new Application_Model_DbTable_SETQuestionnaire();
        $SET_Questionnaires = $SET_Questionnaire->fetchAll();

        $SET_Questionnaire_Type_ID = new Zend_Form_Element_Select('SET_Questionnaire_Type_ID');
        $SET_Questionnaire_Type_ID->setLabel('SET Questionnaire Type: ')
        ->setRequired(true)
    }
}

```

```

        ->addValidator('NotEmpty');
foreach($SET_Questionnaires as $SQ) {
    $SET_Questionnaire_Type_ID->addMultiOption($SQ->SET_Questionnaire_Type_ID, $SQ->
        SET_Questionnaire_Type_Name);
}

$this->addElement($Subject);
$this->addElement($College_Code);
$this->addElement($SET_Questionnaire_Type_ID);

$this->setElementDecorators(array(
    'ViewHelper','Errors',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array('Label', array('tag' => 'td')),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$this->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'table')),
    'Form'
));

$cancel = new Zend_Form_Element_Submit('cancel');
$cancel->setLabel('Cancel');
//->setDecorators(array('ViewHelper'));

$submit = new Zend_Form_Element_Submit('submit');
$submit->setAttrib('User_ID', 'submitbutton')
//->setDecorators(array('ViewHelper'))
->setLabel('Save');
$submit->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$cancel->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$this->addElements(array($submit,$cancel));
$this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
$this->getDisplayGroup('submitButtons')->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
        placement' => 'PREPEND')),
    'DtDdWrapper'
    )
);
}
}

```

```

<?php
class Application_Form_Regenerate extends Zend_Form
{
    public function init()
    {
        $Name= new Zend_Form_Element_Text('Name');

        $Name ->setLabel("Student's Name :")
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('NotEmpty');

        $submit = new Zend_Form_Element_Submit('Search');
        $submit->setAttrib('Name', 'Searchbutton');
        $this->addElements(array($Name, $submit));
        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', 'placement' => 'PREPEND'
                )),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));
    }
}

```

```

<?php
class Application_Form_SearchInstructor extends Zend_Form
{

    public function init()
    {
        $this->setName('Instructor');

        $Department_Select = new Zend_Form_Element_Select('Department');
        $Department_Select->setLabel('Department');

        $Instructor = new Zend_Form_Element_Text('Instructor');
        $Instructor->setLabel('Instructor')
            ->addFilter('StripTags')
            ->addFilter('StringTrim');

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('Instructor', 'submitbutton')
            ->setLabel('Search');
        $this->addElements(array($Department_Select, $Instructor, $submit));
        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', 'placement' => 'PREPEND'
                )),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));
    }
}

```

```

<?php
class Application_Form_SearchSubject extends Zend_Form
{

    public function init()
    {
        $this->setName('Subject');

        $Department_Select = new Zend_Form_Element_Select('Department');
        $Department_Select->setLabel('Department');

        $Subject = new Zend_Form_Element_Text('Subject');
        $Subject->setLabel('Subject: ')
            ->addFilter('StripTags')
            ->addFilter('StringTrim');

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('Subject', 'submitbutton')
            ->setLabel('Search');
        $this->addElements(array($Department_Select,$Subject, $submit));
        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', 'placement' => 'PREPEND'
                )),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));
    }
}

```

```

<?php
class Application_Form_SearchUser extends Zend_Form
{

    public function init()
    {

```



```

$Name= new Zend_Form_Element_Text('Name');

$Name ->setLabel("Search User :")
      ->addFilter('StripTags')
      ->addFilter('StringTrim')
      ->setValue("")
      ->addValidator('NotEmpty');

$submit = new Zend_Form_Element_Submit('Search');
$submit->setAttrib('Name', 'Searchbutton');
$this->addElements(array($Name, $submit));

$this->setElementDecorators(array(
    'ViewHelper','Errors',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array('Label', array('tag' => 'td')),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));
$submit->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', 'placement' => 'PREPEND'
        )),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$this->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'table')),
    'Form'
));
}
}

```

```
<?php
```

```

class Application_Form_SETQuestionnaire extends Zend_Form
{

    public function init()
    {

        $SET_Questionnaire_Type_Name = new Zend_Form_Element_Text('SET_Questionnaire_Type_Name');
        $SET_Questionnaire_Type_Name->setLabel('Name: ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->addValidator('Alnum', false, array('allowWhiteSpace' => true))
            ->addValidator('StringLength', false, array(6, 20));

        $Max_Weight = new Zend_Form_Element_Text('Max_Weight');
        $Max_Weight->setLabel('Max Weight: ')
            ->addValidator('Int')
            ->setRequired(true)
            ->setValue(1)
            ->addValidator('NotEmpty');

        $this->addElements(array($SET_Questionnaire_Type_Name, $Max_Weight));
        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));
        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));

        $cancel = new Zend_Form_Element_Submit('cancel');
        $cancel->setLabel('Cancel');
        //->setDecorators(array('ViewHelper'));

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('User_ID', 'submitbutton')
            //->setDecorators(array('ViewHelper'))
            ->setLabel('Save');
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $cancel->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $this->addElements(array($submit, $cancel));
        $this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
    }
}

```

```

$this->getDisplayGroup('submitButtons')->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'td', 'class'=>'wahaha')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
        placement' => 'PREPEND')),
    'DtDdWrapper'
    )
);
}
}

```

```
<?php
```

```

class Application_Form_SETQuestionnairePart extends Zend_Form
{

    public function init()
    {

        $SET_Questionnaire_Part_Name = new Zend_Form_Element_Text('SET_Questionnaire_Part_Name');
        $SET_Questionnaire_Part_Name->setLabel('Part Name')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->addValidator('StringLength', false, array(6, 50));

        $Calculate_Average = new Zend_Form_Element_Checkbox('Calculate_Average');
        $Calculate_Average->setLabel('Calculate Average:');

        $this->addElements(array($SET_Questionnaire_Part_Name, $Calculate_Average));

        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));

        $cancel = new Zend_Form_Element_Submit('cancel');
        $cancel->setLabel('Cancel');
        //->setDecorators(array('ViewHelper'));

        $submit = new Zend_Form_Element_Submit('submit');
        $submit->setAttrib('User_ID', 'submitbutton')
            //->setDecorators(array('ViewHelper'))
            ->setLabel('Save');
        $submit->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $cancel->setDecorators(array('ViewHelper',
            array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
        ));
        $this->addElements(array($submit,$cancel));
        $this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
        $this->getDisplayGroup('submitButtons')->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'td', 'class'=>'wahaha')),
            array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
                placement' => 'PREPEND')),
            'DtDdWrapper'
            )
        );
    }
}

```

```
<?php
```

```

class Application_Form_SETQuestionnaireQuestion extends Zend_Form
{

    public function init()
    {

        $Question = new Zend_Form_Element_Textarea('Question');
        $Question->setLabel('Question: ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->setAttrib('cols', '40')
    }
}

```

```

        ->setAttrib('rows', '4')
        ->addValidator('StringLength', false, array(6, 150));

$Answer_Type = new Application_Model_DbTable_AnswerType();
$Answer_Types = $Answer_Type->fetchAll();

$Answer_Type_ID = new Zend_Form_Element_Select('Answer_Type_ID');
$Answer_Type_ID->setLabel('Answer Type: ');
        ->setRequired(true)
        ->addValidator('NotEmpty');
foreach($Answer_Types as $AT){
    $Answer_Type_ID->addMultiOption($AT->Answer_Type_ID, $AT->Answer_Type_Name);
}

$Required = new Zend_Form_Element_Checkbox('Required');
$Required->setLabel('Required');

$Weight = new Zend_Form_Element_Select('Weight');
$Weight->setLabel('Weight: ');

$Included = new Zend_Form_Element_MultiCheckbox('Included');
$Included->addMultiOption(1,'Calculate Average (for Multiple Choice, Single Answer) ');

$this->addElements(array($Question, $Answer_Type_ID, $Required, $Weight, $Included));

$this->setElementDecorators(array(
    'ViewHelper','Errors',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array('Label', array('tag' => 'td')),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$this->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'table')),
    'Form'
));

$cancel = new Zend_Form_Element_Submit('cancel');
$cancel->setLabel('Cancel');
    //->setDecorators(array('ViewHelper'));

$submit = new Zend_Form_Element_Submit('submit');
$submit->setAttrib('User_ID', 'submitbutton')
    //->setDecorators(array('ViewHelper'))
    ->setLabel('Save');
$submit->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$cancel->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$this->addElements(array($submit,$cancel));
$this->addDisplayGroup(array('submit', 'cancel'), 'submitButton');
$this->getDisplayGroup('submitButton')->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'td', 'class'=>'wahaha')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', 'placement' => 'PREPEND')),
    'DtDdWrapper'
    )
);
}
}

```

```

<?php
class Application_Form_Setup extends Zend_Form
{
    public function init()
    {
        $date = new Zend_Date();
        //$Year = Zend_Date::YEAR($date);
        //echo $Year;
        $Year = $date->get(Zend_Date::YEAR);
        $Year_Start = $Year - 5;

        $Academic_Year = new Zend_Form_Element_Select('Academic_Year');
        $Academic_Year->setLabel('Academic Year: ')
            ->setRequired(true);

        while($Year_Start < $Year +1 ){
            $StringAY = (string)($Year_Start)." - ". (string)($Year_Start+1);
            $Academic_Year->addMultiOption($Year_Start,$StringAY);
            $Year_Start++;
        }

        $Semester = new Zend_Form_Element_Radio('Semester');
        $Semester->setLabel('Semester: ')
    }
}

```

```

->setRequired(true)
->addMultiOption('1','First')
    ->addMultiOption('2','Second')
->addValidator('NotEmpty');

$this->addElements(array($Academic_Year, $Semester));

$this->setElementDecorators(array(
    'ViewHelper','Errors',
    array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
    array('Label', array('tag' => 'td')),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$this->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'table')),
    'Form'
));

$cancel = new Zend_Form_Element_Submit('cancel');
$cancel->setLabel('Cancel');
    //->setDecorators(array('ViewHelper'));

$submit = new Zend_Form_Element_Submit('submit');
$submit->setAttrib('User_ID', 'submitbutton')
    //->setDecorators(array('ViewHelper'))
    ->setLabel('Save');
$submit->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$cancel->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$this->addElement($submit);
$this->addDisplayGroup(array('submit', 'cancel'), 'submitButton');
$this->getDisplayGroup('submitButton')->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
        placement' => 'PREPEND')),
    'DtDdWrapper'
    )
);
}

}

```

```

<?php
class Application_Form_Subject extends Zend_Form
{
    public function init()
    {
        $this->setName('Subject');

        $Subject = new Zend_Form_Element_Text('Subject');
        $Subject->setLabel('Subject')
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->setAttrib('disabled','disabled');

        $SET_Questionnaire = new Application_Model_DbTable_SETQuestionnaire();
        $SET_Questionnaires = $SET_Questionnaire->fetchAll();

        $SET_Questionnaire_Type_ID = new Zend_Form_Element_Select('SET_Questionnaire_Type_ID');
        $SET_Questionnaire_Type_ID->setLabel('SET_Questionnaire Type: ')
            ->setRequired(true)
            ->addValidator('NotEmpty');
        foreach($SET_Questionnaires as $SQ){
            $SET_Questionnaire_Type_ID->addMultiOption($SQ->SET_Questionnaire_Type_ID, $SQ->
                SET_Questionnaire_Type_Name);
        }

        $this->addElements(array($Subject, $SET_Questionnaire_Type_ID);

        $this->setElementDecorators(array(
            'ViewHelper','Errors',
            array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
            array('Label', array('tag' => 'td')),
            array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
        ));

        $this->setDecorators(array(
            'FormElements',
            array('HtmlTag', array('tag' => 'table')),
            'Form'
        ));
    }
}

```

```

$cancel = new Zend_Form_Element_Submit('cancel');
$cancel->setLabel('Cancel');
//->setDecorators(array('ViewHelper'));

$submit = new Zend_Form_Element_Submit('submit');
$submit->setAttrib('User_ID', 'submitbutton')
//->setDecorators(array('ViewHelper'))
->setLabel('Save');
$submit->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$cancel->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
));
$this->addElements(array($submit,$cancel));
$this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
$this->getDisplayGroup('submitButtons')->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
        placement' => 'PREPEND')),
    'DtDdWrapper'
)
);
}
}

```

<?php

```

class Application_Form_User extends Zend_Form
{
    public function init()
    {
        $this->setName('user');

        $Username = new Zend_Form_Element_Text('Username');
        $Username->setLabel('Username : ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->addValidator('Alnum', false, array('allowWhiteSpace' => false))
            ->addValidator('StringLength', false, array(6, 20));

        $Password = new Zend_Form_Element_Text('Password');
        $Password->setLabel('Password : ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty')
            ->addValidator('Alnum', false, array('allowWhiteSpace' => false))
            ->addValidator('StringLength', false, array(6, 20));

        $First_Name = new Zend_Form_Element_Text('First_Name');
        $First_Name->setLabel('First Name : ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty');

        $Last_Name = new Zend_Form_Element_Text('Last_Name');
        $Last_Name->setLabel('Last Name : ')
            ->setRequired(true)
            ->addFilter('StripTags')
            ->addFilter('StringTrim')
            ->addValidator('NotEmpty');

        $User_Type = new Zend_Form_Element_MultiCheckbox('User_Type');
        $User_Type->setLabel('User Role : ')
            ->setRequired(true)
            ->addMultiOption(2,'Administrator')
            ->addMultiOption(3,'Evaluation System Manager')
            ->addMultiOption(4,'College Clerk')
            ->addValidator('NotEmpty');

        $College = new Application_Model_DbTable_College();
        $College_Details = $College->fetchAll();

        $College_Code = new Zend_Form_Element_Select('College_Code');
        $College_Code->setLabel('If College Clerk choose College:');
        foreach($College_Details as $CD){
            $College_Code->addMultiOption($CD->College_Code, $CD->College_Name);
        }

        // ->setDecorators(array('ViewHelper'));

        $this->addElements(array($Username,$Password, $First_Name,$Last_Name, $User_Type, $College_Code));
    }
}

```

```

$this->setElementDecorators(array(
    'ViewHelper', 'Errors',
    array(array('data' => 'HtmlTag'), array('tag' => 'td', 'class' => 'element')),
    array('Label', array('tag' => 'td')),
    array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
));

$this->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'table')),
    'Form'
));

$cancel = new Zend_Form_Element_Submit('cancel');
$cancel->setLabel('Cancel');
//->setDecorators(array('ViewHelper'));

$submit = new Zend_Form_Element_Submit('submit');
$submit->setAttrib('User_ID', 'submitbutton')
//->setDecorators(array('ViewHelper'))
->setLabel('Save');
$submit->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' => 'em', 'class' => 'element'))
));
$cancel->setDecorators(array('ViewHelper',
    array(array('data' => 'HtmlTag'), array('tag' => 'em', 'class' => 'element'))
));
$this->addElements(array($submit, $cancel));
$this->addDisplayGroup(array('submit', 'cancel'), 'submitButton');
$this->getDisplayGroup('submitButton')->setDecorators(array(
    'FormElements',
    array('HtmlTag', array('tag' => 'td', 'class' => 'wahaha')),
    array(array('emptyrow' => 'HtmlTag'), array('tag' => 'td', 'class' => 'element', '
        placement' => 'PREPEND')),
    'DtDdWrapper'
    )
));
}

}

```

```

<?php
class Application_Form_User2 extends Zend_Form
{

    public function init()
    {
        $this->setName('user');
        $User_ID = new Zend_Form_Element_Hidden('User_ID');
        $User_ID->addFilter('Int');

        $Username = new Zend_Form_Element_Text('Username');
        $Username->setLabel('Username')
        //->setRequired(true)
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('Alnum');
        //->addValidator('NotEmpty');

        $First_Name = new Zend_Form_Element_Text('First_Name');
        $First_Name->setLabel('First Name')
        ->setRequired(true)
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('NotEmpty');

        $Last_Name = new Zend_Form_Element_Text('Last_Name');
        $Last_Name->setLabel('Last Name')
        ->setRequired(true)
        ->addFilter('StripTags')
        ->addFilter('StringTrim')
        ->addValidator('NotEmpty');

        $User_Type = new Zend_Form_Element_MultiCheckbox('User_Type');
        $User_Type->setLabel('User Role')
        ->setRequired(true)
        ->addMultiOption(2, 'Administrator')
        ->addMultiOption(3, 'Evaluation System Manager')
        ->addMultiOption(4, 'College Clerk')
        ->addValidator('NotEmpty');

        $College = new Application_Model_DbTable_College();
        $College_Details = $College->fetchAll();

        $College_Code = new Zend_Form_Element_Select('College_Code');
        $College_Code->setLabel('If College Clerk choose College:');
        foreach($College_Details as $CD) {
            $College_Code->addMultiOption($CD->College_Code, $CD->College_Name);
        }
    }
}

```

```

    }

    $this->addElements(array($User_ID, $Username, $First_Name,$Last_Name, $User_Type, $College_Code));

    $this->setElementDecorators(array(
        'ViewHelper','Errors',
        array(array('data' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element')),
        array('Label', array('tag' => 'td')),
        array(array('row' => 'HtmlTag'), array('tag' => 'tr'))
    ));

    $this->setDecorators(array(
        'FormElements',
        array('HtmlTag', array('tag' => 'table')),
        'Form'
    ));

    $cancel = new Zend_Form_Element_Submit('cancel');
    $cancel->setLabel('Cancel');
    //->setDecorators(array('ViewHelper'));

    $submit = new Zend_Form_Element_Submit('submit');
    $submit->setAttrib('User_ID', 'submitbutton')
    //->setDecorators(array('ViewHelper'))
    ->setLabel('Save');
    $submit->setDecorators(array('ViewHelper',
        array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
    ));
    $cancel->setDecorators(array('ViewHelper',
        array(array('data' => 'HtmlTag'), array('tag' =>'em', 'class'=> 'element'))
    ));
    $this->addElements(array($submit,$cancel));
    $this->addDisplayGroup(array('submit', 'cancel'), 'submitButtons');
    $this->getDisplayGroup('submitButtons')->setDecorators(array(
        'FormElements',
        array('HtmlTag', array('tag' => 'td','class'=>'wahaha')),
        array(array('emptyrow' => 'HtmlTag'), array('tag' =>'td', 'class'=> 'element', '
            placement' => 'PREPEND')),
        'DtDdWrapper'
    )
    );
}
}
}

```

4. Layout

```

<?php
$this->headMeta()->appendHttpEquiv(
    'Content-Type', 'text/html;charset=utf-8');
$this->headTitle('OSET 3.0')->setSeparator(' - ');

echo $this->doctype(); ?>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <?php echo $this->headMeta(); ?>
    <?php echo $this->headTitle(); ?>

    <?php echo $this->headLink()->prependStylesheet($this->baseUrl().'css/oset-layout.css'); ?>
    <?php echo $this->headLink()->appendStylesheet($this->baseUrl().'js/jquery/css/ui-lightness/jquery-ui-1.8.2.
        custom.css'); ?>
    <?php echo $this->headLink()->appendStylesheet($this->baseUrl().'css/status.css'); ?>
    <?php echo $this->headLink()->appendStylesheet($this->baseUrl().'css/oset.css'); ?>
    <?php echo $this->headLink()->appendStylesheet($this->baseUrl().'css/popup.css'); ?>
    <?php echo $this->headLink()->appendStylesheet($this->baseUrl().'css/tablesorter.css'); ?>
    <?php //echo $this->headLink()->appendStylesheet($this->baseUrl().'css/style.css'); ?>
    <?php //echo $this->headScript()->appendFile($this->baseUrl().'js/header.js') ?>

    <?php echo $this->headScript()->appendFile($this->baseUrl().'js/redips-drag-min.js'); ?>
    <?php echo $this->headScript()->appendFile($this->baseUrl().'js/script.js'); ?>
    <?php echo $this->jQuery()
        ->setVersion('1.4.2')
        ->setUiVersion('1.8.2'); ?>

    <script language="javascript">
    timerID = setTimeout("exPDF.print();", 1000);
    </script>
    <link rel="shortcut icon" href="../../css/favicon.ico" type="image/x-icon" />
</head>
<body onload="REDIPS.drag.init()">
<div id="header">
    <div id="logged-in-as"><?php echo $this->loggedIns(); ?></div>
</div>

<?php echo $this->layout()->content;

?>

```

```
</body>
</html>
```

5. Models - Database Tables

```
<?php
class Application_Model_DbTable_AnswerType extends Zend_Db_Table_Abstract
{
    protected $_name = 'Answer_Type';

    public function getID($Answer_Type_Name) {
        $Answer_Type_Name = Chr(34).$Answer_Type_Name.Chr(34);
        $row = $this->fetchRow('Answer_Type_Name ='.$Answer_Type_Name);
        return $row->Answer_Type_ID;
    }
    public function isExist($value) {
        $value = Chr(34).$value.Chr(34);
        $row = $this->fetchRow('Answer_Type_Name ='.$value);
        if (!$row) {
            return false;
        }
        return true;
    }
    public function getAnswerType($Answer_Type_ID) {
        $Answer_Type_ID = (int)$Answer_Type_ID;

        $row = $this->fetchRow('Answer_Type_ID=' . $Answer_Type_ID);
        if (!$row) {
            throw new Exception("Could not find row $Answer_Type_ID");
        }
        return $row->toArray();
    }
    public function updateAnswerType($Answer_Type_ID, $Answer_Type_Name, $Type, $Extra_Code)
    {
        $data = array (
            'Answer_Type_Name'=>$Answer_Type_Name,
            'Type'=>$Type,
            'Extra_Code'=>$Extra_Code
        );
        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Answer_Type_ID,$this->_name, 'Answer_Type_ID', 'UPDATE');

        $this->update($data, 'Answer_Type_ID = ' . (int)$Answer_Type_ID);
    }
    public function addAnswerType($Answer_Type_Name, $Type, $Extra_Code)
    {
        $data = array (
            'Answer_Type_Name'=>$Answer_Type_Name,
            'Type'=>$Type,
            'Extra_Code' => $Extra_Code
        );
        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Answer_Type_ID,$this->_name, 'Answer_Type_ID', 'INSERT');

        $this->insert($data);
    }
    public function deleteAnswerType($Answer_Type_ID)
    {
        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record(null, $Answer_Type_ID,$this->_name, 'Answer_Type_ID', 'DELETE');

        $this->delete('Answer_Type_ID = ' . (int)$Answer_Type_ID);
    }
}

```

```
<?php
class Application_Model_DbTable_AnswerValues extends Zend_Db_Table_Abstract
{
    protected $_name = 'Answer_Values';

    public function getAnswerValue($Answer_Value_ID)
    {
        $row = $this->fetchRow('Answer_Value_ID='.$Answer_Value_ID);
        if (!$row) {
            throw new Exception("Could not find row $Answer_Value_ID");
        }
        return $row->toArray();
    }
    public function getWeight($Answer_Value_ID) {

        $row = $this->fetchRow('Answer_Value_ID='.$Answer_Value_ID);
        if (!$row) {
            throw new Exception("Could not find row $Answer_Value_ID");
        }
    }
}

```



```

    }
    return $row->Numeric_Value;
}

public function getAnswerValues($Answer_Type_ID){
    $Answer_Type_ID = (int)$Answer_Type_ID;

    $row = $this->fetchAll('Answer_Type_ID=' . $Answer_Type_ID);
    if (!$row) {
        throw new Exception("Could not find row $Answer_Type_ID");
    }
    return $row->toArray();
}

public function updateAnswerValue($Answer_Value_ID, $Value, $Numeric_Value)
{
    $data = array(
        'Value'=>$Value,
        'Numeric_Value'=>$Numeric_Value
    );

    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, $Answer_Value_ID,$this->_name, 'Answer_Value_ID', 'UPDATE');

    $this->update($data, 'Answer_Value_ID='.(int)$Answer_Value_ID);
}

public function addAnswerValue($Answer_Type_ID, $Value, $Numeric_Value){
    $data = array(
        'Value' => $Value,
        'Answer_Type_ID' => $Answer_Type_ID,
        'Numeric_Value' => $Numeric_Value
    );
    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, $Answer_Value_ID,$this->_name, 'Answer_Value_ID', 'INSERT');

    $this->insert($data);
}

public function deleteAnswerValue($Answer_Value_ID){
    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record(null, $Answer_Value_ID,$this->_name, 'Answer_Value_ID', 'DELETE');

    $this->delete('Answer_Value_ID = ' . (int)$Answer_Value_ID);
}

public function arrangeValues($New_Orientation,$Answer_Type_ID){
    $row = $this->fetchAll('Answer_Type_ID =' . $Answer_Type_ID);

    $counter =0;
    while($counter < count($row)){
        $data = array('Value_Orientation_ID'=> $counter+1);
        $this->update($data, 'Answer_Value_ID = ' . (int)$New_Orientation[$counter]);
        $counter++;
    }
}
}

```

```
<?php
```

```

class Application_Model_DbTable_AuditTrail extends Zend_Db_Table_Abstract
{
    protected $_name = 'Audit_Trail';

    public function record($data, $Row_ID, $Table, $Primary_Key, $Action)
    {
        date_default_timezone_set('Asia/Manila');
        $OSET = Zend_Db_Table::getDefaultAdapter();
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            $User = $auth->getIdentity()->Username;
        }else{
            $User = "NO_IDENTITY";
        }

        $values = array();

        $values['Table'] = $Table;
        $values['Updated_On'] = date('m/d/Y h:i:s a', time());
        $values['Updated_By_User'] = $User;
        $values['Row_ID'] = $Row_ID;
        $values['Action'] = $Action;

        if($Action=='UPDATE'){

            $Select = $OSET->select();
            $Select->from($Table);
            $Select->where($Primary_Key." = '". $Row_ID. "'");
            $row = $OSET->fetchRow($Select);

            //go through all data to log the modified columns

```

```

        if($Row_ID!=null){
            foreach($data as $key => $value){
                //check if modified log the modification
                if($row->$key != $value){
                    $values['New_Value'] = $value;
                    $values['Column'] = $key;
                    $values['Old_Value'] = $row[$key];

                    $this->insert($values);
                }
            }
        }
    }
else if($Action == 'INSERT'){

    foreach($data as $key => $value){
        //check if modified log the modification
        if($row->$key != $value){
            $values['New_Value'] = $value;
            $values['Column'] = $key;
            $values['Old_Value'] = null;

            $this->insert($values);
        }
    }

}
else if($Action == 'DELETE'){
    $this->insert($values);
}
}
}
}

<?php
class Application_Model_DbTable_Class extends Zend_Db_Table_Abstract
{
    protected $_name = 'Class';

    public function getClass($Class_ID)
    {
        $Class_ID = (int)$Class_ID;
        $row = $this->fetchRow('Class_ID = ' . $Class_ID);
        if (!$row) {
            throw new Exception("Could not find row $Class_ID");
        }
        return $row->toArray();
    }

    public function addClass($Subject, $Section, $College_Code, $Department_Code){

        $data = array (
            'Subject'=>$Subject,
            'College_Code'=>$College_Code,
            'Department_Code'=>$Department_Code,
            'Section'=>$Section,
            'Activated'=>TRUE,
            'Editable'=>TRUE,
            'Instructors'=>'');

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Class_ID,$this->_name, 'Class_ID', 'INSERT');
        $this->insert($data);

    }

    public function updateClass($Class_ID, $Instructors)
    {
        $data = array(
            'Instructors' => $Instructors
        );

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Class_ID,$this->_name, 'Class_ID', 'UPDATE');

        $this->update($data, 'Class_ID = ' . (int)$Class_ID);
    }

    public function deleteClass($Class_ID){

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record(null, $Class_ID,$this->_name, 'Class_ID', 'DELETE');

        $this->delete('Class_ID = ' . (int)$Class_ID);
    }

    public function deleteByCollegeCode($College_Code){
        $College_Code = Chr(34). $College_Code .Chr(34);

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record(null, $College_Code, $this->_name, 'College_Code', 'DELETE');
    }
}

```

```

        $this->delete('College_Code = ' . $College_Code);
    }

    public function getSubject($Class_ID){
        $Class_ID = (int)$Class_ID;
        $row = $this->fetchRow('Class_ID = ' . $Class_ID);
        if (!$row) {
            throw new Exception("Could not find row $Class_ID");
        }
        return $row->Subject;
    }

    public function updateActivatedFlag($Class_ID, $Flag){

        $data = array(
            'Activated' => $Flag
        );
        $this->update($data, 'Class_ID = ' . (int)$Class_ID);
        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Class_ID,$this->_name, 'Class_ID', 'UPDATE');

    }

}

```

```

<?php
class Application_Model_DbTable_ClassAverage extends Zend_Db_Table_Abstract
{
    protected $_name = 'Class_Average';

    public function deleteByDepartmentUnit($Department_Code){
        $Department_Code = Chr(34). $Department_Code .Chr(34);
        $this->delete('Department_Code = ' . $Department_Code);
    }

    public function deleteByCollegeCode($College_Code){
        $College_Code = Chr(34). $College_Code .Chr(34);
        $this->delete('College_Code = ' . $College_Code);
    }

    public function setAnswered($Class_ID,$Instructor_Code){

        $Class_Average_ID = $Instructor_Code.$Class_ID;

        $row = $this->fetchRow('Class_Average_ID = ' .Chr(34).$Class_Average_ID.Chr(34));
        if(!$row){
            throw new Exception("Could not find row $Class_Average_ID");
        }

        $data=array(
            'Answered'=>True
        );

        $this->update($data,'Class_Average_ID = ' .Chr(34).$Class_Average_ID.Chr(34));
    }

    public function addCount($Class_ID,$Instructor_Code){

        $Class_Average_ID = $Instructor_Code.$Class_ID;

        $row = $this->fetchRow('Class_Average_ID = ' .Chr(34).$Class_Average_ID.Chr(34));
        if(!$row){
            throw new Exception("Could not find row $Class_Average_ID");
        }
        $Count = 0;
        $Count = $row->Respondents_Evaluated + 1;
        $data = array(
            'Respondents_Evaluated'=>$Count
        );

        $this->update($data,'Class_Average_ID = ' .Chr(34).$Class_Average_ID.Chr(34));
    }

}

```

```

<?php
class Application_Model_DbTable_ClassAveragePerPart extends Zend_Db_Table_Abstract
{
    protected $_name = 'Class_Average_Per_Part';

    public function deleteByDepartmentUnit($Department_Code){
        $Department_Code = Chr(34). $Department_Code .Chr(34);
        $this->delete('Department_Code = ' . $Department_Code);
    }

    public function deleteByCollegeCode($College_Code){

```

```

        $College_Code = Chr(34). $College_Code .Chr(34);
        $this->delete('College_Code = ' . $College_Code);
    }
    public function setAnswered($Class_ID,$Instructor_Code,$SET_Questionnaire_Part_ID){

        $Average_Per_Part_ID = $Instructor_Code.$Class_ID.$SET_Questionnaire_Part_ID;

        $data=array('Answered'=>True);

        $this->update($data,'Average_Per_Part_ID = ' .Chr(34).$Average_Per_Part_ID.Chr(34));

    }

}

```

```

<?php
class Application_Model_DbTable_ClassAveragePerQuestion extends Zend_Db_Table_Abstract
{
    protected $_name = 'Class_Average_Per_Question';

    public function deleteByDepartmentUnit($Department_Code){
        $Department_Code = Chr(34). $Department_Code .Chr(34);
        $this->delete('Department_Code = ' . $Department_Code);
    }

    public function deleteByCollegeCode($College_Code){
        $College_Code = Chr(34). $College_Code .Chr(34);
        $this->delete('College_Code = ' . $College_Code);
    }

    public function setAnswered($Class_ID,$Instructor_Code,$SET_Questionnaire_Question_ID){

        $Average_Per_Question_ID = $Instructor_Code.$Class_ID.$SET_Questionnaire_Question_ID;

        $data=array('Answered'=>True);

        $this->update($data,'Average_Per_Question_ID = ' .Chr(34).$Average_Per_Question_ID.Chr(34));

    }

}

```

```

<?php
class Application_Model_DbTable_Classlists extends Zend_Db_Table_Abstract
{
    protected $_name = 'Classlists';

    public function getClasses($Student_ID){

        $Student_ID = (int)$Student_ID;
        $row = $this->fetchAll('Student_ID = ' . $Student_ID);
        if (!$row) {
            throw new Exception("Could not find row $Student_ID");
        }
        return $row->toArray();
        return $row->toArray();
    }

    public function updateDroppedFlag($Classlist_ID,$flag){

        $data=array('Dropped'=>$flag);

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Classlist_ID,$this->_name, 'Classlist_ID', 'UPDATE');

        $this->update($data,'Classlist_ID = ' .Chr(34).$Classlist_ID.Chr(34));

    }

    public function deleteClasslist($Classlist_ID){
        $this->delete('Classlist_ID = ' . Chr(34).$Classlist_ID.Chr(34));

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record(null, $Classlist_ID,$this->_name, 'Classlist_ID', 'DELETE');

    }

    public function addStudent($Class_ID, $Student_ID){

        $data = array(
            'Student_ID'=>$Student_ID,
            'Class_ID'=>$Class_ID,
            'Classlist_ID'=>$Class_ID.$Student_ID,
            'Editable'=>TRUE
        );
        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Classlist_ID,$this->_name, 'Classlist_ID', 'INSERT');

        $this->insert($data);
    }
}

```

```

    }
    public function getClasslist($Classlist_ID)
    {
        $row = $this->fetchRow('Classlist_ID = ' .Chr(34). $Classlist_ID.Chr(34));
        if (!$row) {
            throw new Exception("Could not find row $Classlist_ID");
        }
        return $row->toArray();
    }
}

```

```

<?php
class Application_Model_DbTable_ClassResultsPerQuestion extends Zend_Db_Table_Abstract
{
    protected $_name = 'Class_Results_Per_Question';

    public function deleteByDepartmentUnit($Department_Code){
        $Department_Code = Chr(34). $Department_Code .Chr(34);
        $this->delete('Department_Code = ' . $Department_Code);
    }
    public function deleteByCollegeCode($College_Code){
        $College_Code = Chr(34). $College_Code .Chr(34);
        $this->delete('College_Code = ' . $College_Code);
    }
}

public function addCount($Class_ID,$Instructor_Code,$SET_Questionnaire_Question_ID,$Answer_Value_ID){

    $Class_Result_ID = $Instructor_Code.$Class_ID.$SET_Questionnaire_Question_ID.$Answer_Value_ID;

    $row = $this->fetchRow('Class_Result_ID = ' . Chr(34).$Class_Result_ID.Chr(34));
    if(!$row){
        throw new Exception("Could not find row $Class_Result_ID");
    }
    $Count = 0;
    $Count = $row->Count + 1;
    $data = array('Count'=>$Count);
    $this->update($data,'Class_Result_ID = ' .Chr(34).$Class_Result_ID.Chr(34));
}
}

```

```

<?php
class Application_Model_DbTable_College extends Zend_Db_Table_Abstract
{
    protected $_name = 'College';

    public function updateFlag($College_Code, $flag){
        $College_Code = Chr(34). $College_Code .Chr(34);
        $data = array(
            'Downloaded'=>$flag
        );
        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $College_Code,$this->_name, 'College_Code', 'UPDATE');

        $this->update($data, 'College_Code = ' . $College_Code);
    }

    public function updateSETScoreFlag($College_Code, $flag){
        $College_Code = Chr(34). $College_Code .Chr(34);
        $data = array(
            'SET_Scores_Calculated'=>$flag
        );
        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $College_Code,$this->_name, 'College_Code', 'UPDATE');

        $this->update($data, 'College_Code = ' . $College_Code);
    }

    public function getActivatedFlag($College_Code){
        $College_Code = Chr(34). $College_Code .Chr(34);
        $row = $this->fetchRow('College_Code = ' . $College_Code);
        if(!$row){
            return false;
        }
        return $row->Activated;
    }

    public function isExist($value){
        $value = Chr(34).$value.Chr(34);
        $row = $this->fetchRow('College_Name = ' . $value);
        if(!$row){
            return false;
        }
        return true;
    }
}

```

```

public function isCodeExist($value){
    $value = Chr(34).$value.Chr(34);
    $row = $this->fetchRow('College_Code = '.$value);
    if(!$row){
        return false;
    }
    return true;
}

public function updateActivatedFlag($College_Code, $flag){
    $College_Code = Chr(34). $College_Code .Chr(34);
    $data = array(
        'Activated'=>$flag
    );
    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, $College_Code,$this->_name, 'College_Code', 'UPDATE');

    $this->update($data, 'College_Code = ' . $College_Code);
}

public function getCollege($College_Code)
{
    $College_Code = Chr(34). $College_Code .Chr(34);
    $row = $this->fetchRow('College_Code = ' . $College_Code);
    if (!$row) {
        throw new Exception("Could not find row $College_Code");
    }
    return $row->toArray();
}

public function addCollege($College_Name, $College_Code)
{
    $data = array(
        'College_Name' => $College_Name,
        'College_Code' => $College_Code
    );
    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, $College_Code,$this->_name, 'College_Code', 'INSERT');

    $this->insert($data);
}

public function updateCollege($College_Name, $College_Code, $College_Code_Orig)
{
    $College_Code_Orig = Chr(34). $College_Code_Orig .Chr(34);
    $data = array(
        'College_Name' => $College_Name,
        'College_Code'=>$College_Code
    );
    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, $College_Code,$this->_name, 'College_Code', 'UPDATE');

    $this->update($data, 'College_Code = ' . $College_Code_Orig);
}

public function deleteCollege($College_Code)
{
    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record(null, $College_Code,$this->_name, 'College_Code', 'DELETE');
    $College_Code = Chr(34). $College_Code .Chr(34);
    $this->delete('College_Code = ' . $College_Code);
}

}

```

```
<?php
```

```

class Application_Model_DbTable_Department extends Zend_Db_Table_Abstract
{
    protected $_name = 'Department';

    public function isExist($value){
        $value = Chr(34).$value.Chr(34);
        $row = $this->fetchRow('Department_Name = '.$value);
        if(!$row){
            return false;
        }
        return true;
    }

    public function isUnitExist($value){
        $value = Chr(34).$value.Chr(34);
        $row = $this->fetchRow('Department_Code = '.$value);
        if(!$row){
            return false;
        }
        return true;
    }

    public function updateSETScoresCalculatedFlag($Department_Code,$Flag){
        $Department_Code = Chr(34). $Department_Code .Chr(34);
        $data = array(
            'SET_Scores_Calculated'=>$Flag
        );
    }
}

```

```

    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, $Department_Code,$this->_name, 'Department_Code', 'UPDATE');

    $this->update($data, 'Department_Code = ' . $Department_Code);
}

public function getDepartment($Department_Code)
{
    $Department_Code = Chr(34). $Department_Code .Chr(34);
    $row = $this->fetchRow('Department_Code = ' . $Department_Code);
    if (!$row) {
        throw new Exception("Could not find row $Department_Code");
    }
    return $row->toArray();
}

public function addDepartment($Department_Name, $Department_Code, $College_Code)
{
    $data = array(
        'Department_Name' => $Department_Name,
        'Department_Code' => $Department_Code,
        'College_Code' => $College_Code
    );

    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, $Department_Code,$this->_name, 'Department_Code', 'INSERT');
    $this->insert($data);
}

public function updateDepartment($Department_Name, $Department_Code, $Department_Code_Orig)
{
    $Department_Code_Orig = Chr(34). $Department_Code_Orig .Chr(34);
    $data = array(
        'Department_Name' => $Department_Name,
        'Department_Code' =>$Department_Code
    );
    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, $Department_Code,$this->_name, 'Department_Code', 'UPDATE');

    $this->update($data, 'Department_Code = ' . $Department_Code_Orig);
}

public function deleteDepartment($Department_Code)
{
    $Department_Code = Chr(34). $Department_Code .Chr(34);
    $this->delete('Department_Code = ' . $Department_Code);

    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record(null, $Department_Code,$this->_name, 'Department_Code', 'DELETE');
}

public function mapCollege($Department_Code)
{
    $Department_Code = Chr(34). $Department_Code .Chr(34);
    $row = $this->fetchRow('Department_Code = ' . $Department_Code);
    if (!$row){
        return null;
    }
    return $row->College_Code;
}
}
}

```

```

<?php
class Application_Model_DbTable_Dummy extends Zend_Db_Table_Abstract
{
    protected $_name = 'Dummy';

    public function addDummy($ID, $Password)
    {
        $data = array(
            'ID'=>$ID,
            'Password' => $Password
        );
        $this->insert($data);
    }
}

```

```

<?php
class Application_Model_DbTable_Faculty extends Zend_Db_Table_Abstract
{
    protected $_name = 'Faculty';

    public function getFacultyByName($Name)
    {
        $Name = Chr(34).$Name.Chr(34);
        $row = $this->fetchRow('Name = ' . $Name);

        if (!$row) {

```

```

        return false;
    }
    return true;
}

public function getFaculty($Name){

    $Name = Chr(34).$Name.Chr(34);
    $row = $this->fetchRow('Name = ' . $Name);
    if (!$row){
        throw new Exception("Could not find row $Name");
    }
    return $row->toArray();
}

public function getFacultyName($Instructor_Code){

    $Instructor_Code = Chr(34).$Instructor_Code.Chr(34);
    $row = $this->fetchRow('Instructor_Code=' . $Instructor_Code);
    if (!$row){
        throw new Exception("Could not find instructor code $Instructor_Code");
    }
    return $row->Name;
}

public function getInstructorCode($Name){
    $Name = Chr(34).$Name.Chr(34);
    $row = $this->fetchRow('Name = ' . $Name);
    if (!$row){
        throw new Exception("Could not find row $Name");
    }
    return $row->Instructor_Code;
}

}

```

```

<?php

class Application_Model_DbTable_Flags extends Zend_Db_Table_Abstract
{

    protected $_name = 'Flags';

    public function getFlag($Flag_ID)
    {
        $Flag_ID = (int)$Flag_ID;
        $row = $this->fetchRow('Flag_ID = ' . $Flag_ID);
        if (!$row) {
            throw new Exception("Could not find row $Flag_ID");
        }
        return $row->toArray();
    }

    public function updateFlag($Flag_ID, $Value)
    {
        $data = array(
            'Value' => $Value
        );

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Flag_ID,$this->_name, 'Flag_ID', 'UPDATE');

        $this->update($data, 'Flag_ID = ' . (int)$Flag_ID);
    }

    public function updateFlagx($Flag_ID, $Value, $Extended_Value){
        $data = array(
            'Value'=>$Value,
            'Extended_Value'=>$Extended_Value
        );

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Flag_ID,$this->_name, 'Flag_ID', 'UPDATE');

        $this->update($data, 'Flag_ID = ' . (int)$Flag_ID);
    }
}

```

```

<?php

class Application_Model_DbTable_InstructorAverage extends Zend_Db_Table_Abstract
{

    protected $_name = 'Instructor_Average';

    public function deleteByCollegeCode($College_Code){
        $College_Code = Chr(34). $College_Code .Chr(34);
        $this->delete('College_Code = ' . $College_Code);
    }

    public function setAnswered($Instructor_Code){

        $data=array('Answered'=>True);
    }
}

```



```

        $this->update($data,'Instructor_Code = '.Chr(34).$Instructor_Code.Chr(34));
    }
}

```

```

<?php
class Application_Model_DbTable_MasterClasslist extends Zend_Db_Table_Abstract
{
    protected $_name = 'Master_Classlist';

    public function deleteByDepartmentUnit($Department_Code){
        $Department_Code = Chr(34). $Department_Code .Chr(34);
        $this->delete('Department_Code = ' . $Department_Code);
    }

    public function deleteByCollegeCode($College_Code){
        $College_Code = Chr(34). $College_Code .Chr(34);
        $this->delete('College_Code = ' . $College_Code);
    }

    public function setEvaluated($Instructor_Code, $Class_ID, $Student_ID){

        $Master_Classlist_ID = $Instructor_Code.$Class_ID.$Student_ID;

        $data=array('Evaluated'=>True);

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Master_Classlist_ID,$this->_name, 'Master_Classlist_ID', 'UPDATE');

        $this->update($data,'Master_Classlist_ID = ' .Chr(34).$Master_Classlist_ID.Chr(34));
    }

    public function updateDroppedFlag($Master_Classlist_ID,$flag){

        //$Master_Classlist_ID = $Instructor_Code.$Class_ID.$Student_ID;

        $data=array('Dropped'=>$flag);

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Master_Classlist_ID,$this->_name, 'Master_Classlist_ID', 'UPDATE');

        $this->update($data,'Master_Classlist_ID = ' .Chr(34).$Master_Classlist_ID.Chr(34));
    }

}

```

```

<?php
class Application_Model_DbTable_ResultSequence extends Zend_Db_Table_Abstract
{
    protected $_name = 'Result_Sequence';

    public function addResultSequence($Result_Sequence){

        $data = array(
            'Result_Sequence' => $Result_Sequence
        );
        $this->insert($data);
    }

    public function isEvaluated($Result_Sequence){

        $Result_Sequence = Chr(34).$Result_Sequence.Chr(34);
        $row = $this->fetchRow('Result_Sequence = ' . $Result_Sequence);
        if(!$row){
            return false;
        }
        return true;
    }

}

```

```

<?php
class Application_Model_DbTable_ResultSequencePart extends Zend_Db_Table_Abstract
{
    protected $_name = 'Result_Sequence_Part';

    public function addResultSequencePart($Result_Sequence){

        $data = array(
            'Result_Sequence_Part' => $Result_Sequence
        );
        $this->insert($data);
    }

}

```

```

public function isEvaluated($Result_Sequence){

    $Result_Sequence = Chr(34).$Result_Sequence.Chr(34);
    $row = $this->fetchRow('Result_Sequence_Part = ' . $Result_Sequence);
    if(!$row){
        return false;
    }
    return true;
}

public function deleteResultSequencePart($Result_Sequence){
    $Result_Sequence = Chr(34).$Result_Sequence.Chr(34);
    $this->delete('Result_Sequence_Part = ' . $Result_Sequence);
}
}

```

<?php

```

class Application_Model_DbTable_ResultsPerRespondent extends Zend_Db_Table_Abstract
{
    protected $_name = 'Results_Per_Respondent';

    public function getCount($Instructor_Code, $Class_ID, $SET_Questionnaire_Question_ID,$Answer_Value_ID)
    {
        $Select = $this->select();
        $Select->from($this, array('count(*) as amount'));
        $Select->where('Instructors = ' . Chr(34).$Instructor_Code.Chr(34));
        $Select->where('Class_ID = ' . (int)$Class_ID);
        $Select->where('SET_Questionnaire_Question_ID = ' . (int)$SET_Questionnaire_Question_ID);
        $Select->where('Answer_Value_ID = ' . (int)$Answer_Value_ID);
        $row = $this->fetchAll($Select);
        if(!$row){
            return 0;
        }
        return($row[0]->amount);
    }

    public function addResult($Class_ID,$Instructors,$SET_Questionnaire_Part_ID,$SET_Questionnaire_Question_ID,
        $Answer_Value_ID,$Result_Sequence){

        if(!$Answer_Value_ID){
            $Answer_Value_ID = 0;
        }

        $data = array(
            'Class_ID' => $Class_ID,
            'Instructors' => $Instructors,
            'SET_Questionnaire_Part_ID' => $SET_Questionnaire_Part_ID,
            'SET_Questionnaire_Question_ID' => $SET_Questionnaire_Question_ID,
            'Answer_Value_ID' => $Answer_Value_ID,
            'Result_Sequence'=>$Result_Sequence
        );
        $this->insert($data);
    }

    public function getAnswers($Result_Sequence){
        $Result_Sequence = Chr(34).$Result_Sequence.Chr(34);
        $row = $this->fetchAll('Result_Sequence = ' . $Result_Sequence);
        if (!$row) {
            throw new Exception("Could not find row $Result_Sequence");
        }
        return $row->toArray();
    }

    public function deleteAnswers($Result_Sequence){
        $Result_Sequence = Chr(34).$Result_Sequence.Chr(34);
        $this->delete('Result_Sequence = ' . $Result_Sequence);
    }
}

```

<?php

```

class Application_Model_DbTable_SemestralAverage extends Zend_Db_Table_Abstract
{
    protected $_name = 'Semestral_Average';

}

```

<?php

```

class Application_Model_DbTable_SETQuestionnaire extends Zend_Db_Table_Abstract
{
    protected $_name = 'SET_Questionnaire';
    protected $_dependentTables = array('Application_Model_DbTable_SETQuestionnairePart');
}

```

```

public function isExist($value){
    $value = Chr(34).$value.Chr(34);
    $row = $this->fetchRow('SET_Questionnaire_Type_Name = '.$value);
    if(!$row){
        return false;
    }
    return true;
}

public function getMaxWeight($SET_Questionnaire_Type_ID){
    $row = $this->fetchRow('SET_Questionnaire_Type_ID = ' . $SET_Questionnaire_Type_ID);
    if(!$row){
        return 1;
    }
    return $row->Max_Weight;
}

public function getSETQuestionnaire($SET_Questionnaire_Type_ID)
{
    $SET_Questionnaire_Type_ID = (int)$SET_Questionnaire_Type_ID;
    $row = $this->fetchRow('SET_Questionnaire_Type_ID = ' . $SET_Questionnaire_Type_ID);
    if (!$row) {
        throw new Exception("Could not find row $SET_Questionnaire_Type_ID");
    }
    return $row->toArray();
}

public function addSETQuestionnaire($SET_Questionnaire_Type_Name, $Max_Weight)
{
    $data = array(
        'SET_Questionnaire_Type_Name' => $SET_Questionnaire_Type_Name,
        'Max_Weight'=>$Max_Weight
    );
    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, null,$this->_name, 'SET_Questionnaire_Type_ID', 'INSERT');

    $this->insert($data);
}

public function updateSETQuestionnaire($SET_Questionnaire_Type_ID, $SET_Questionnaire_Type_Name, $Max_Weight)
{
    $data = array(
        'SET_Questionnaire_Type_Name' => $SET_Questionnaire_Type_Name,
        'Max_Weight'=>$Max_Weight
    );
    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, $SET_Questionnaire_Type_ID,$this->_name, 'SET_Questionnaire_Type_ID', 'UPDATE
    ');

    $this->update($data, 'SET_Questionnaire_Type_ID = ' . (int)$SET_Questionnaire_Type_ID);
}

public function deleteSETQuestionnaire($SET_Questionnaire_Type_ID)
{
    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record(null, $SET_Questionnaire_Type_ID,$this->_name, 'SET_Questionnaire_Type_ID', 'DELETE
    ');

    $this->delete('SET_Questionnaire_Type_ID = ' . (int)$SET_Questionnaire_Type_ID);
    //$row = $this->find($SET_Questionnaire_Type_ID);
    //$row2 = $row->current();
    //$row2->delete();
}

public function getSETQuestionnaireName($SET_Questionnaire_Type_ID)
{
    $SET_Questionnaire_Type_ID = (int)$SET_Questionnaire_Type_ID;
    $row = $this->fetchRow('SET_Questionnaire_Type_ID = ' . $SET_Questionnaire_Type_ID);
    if (!$row) {
        throw new Exception("Could not find row $SET_Questionnaire_Type_ID");
    }
    return $row['SET_Questionnaire_Type_Name'];
}
}
}

```

```

<?php

class Application_Model_DbTable_SETQuestionnairePart extends Zend_Db_Table_Abstract
{
    protected $_name = 'SET_Questionnaire_Parts';
    protected $_dependentTables = array('Application_Model_DbTable_SETQuestionnaireQuestion');

    protected $_referenceMap = array(
        'SETQuestionnaire' => array(
            'columns' => array('SET_Questionnaire_Type_ID'),
            'refTableClass' => 'Application_Model_DbTable_SETQuestionnaire',
            'refColumns' => array('SET_Questionnaire_Type_ID'),
            'onDelete' => self::CASCADE,
            'onUpdate' => self::RESTRICT
        )
    );
    public function addSETQuestionnairePart($SET_Questionnaire_Type_ID,$SET_Questionnaire_Part_Name,
        $Calculate_Average)
    {

```

```

if($Calculate_Average== null){
    $Calculate_Average = 0;
}

$data = array(
    'SET_Questionnaire_Part_Name' => $SET_Questionnaire_Part_Name,
    'SET_Questionnaire_Type_ID' => $SET_Questionnaire_Type_ID,
    'Calculate_Average'=> $Calculate_Average
);
$Audit_Trail = new Application_Model_DbTable_AuditTrail();
$Audit_Trail->record($data, null, $this->_name, null, 'INSERT');

$this->insert($data);
}

public function getSETQuestionnairePart($SET_Questionnaire_Part_ID)
{
    $SET_Questionnaire_Part_ID = (int)$SET_Questionnaire_Part_ID;
    $row = $this->fetchRow('SET_Questionnaire_Part_ID = ' . $SET_Questionnaire_Part_ID);
    if (!$row) {
        throw new Exception("Could not find row $SET_Questionnaire_Part_ID");
    }
    return $row->toArray();
}

public function deleteSETQuestionnairePart($SET_Questionnaire_Part_ID)
{
    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record(null, $SET_Questionnaire_Part_ID, $this->_name, 'SET_Questionnaire_Part_ID', 'DELETE')
    ;

    $this->delete('SET_Questionnaire_Part_ID = ' . (int)$SET_Questionnaire_Part_ID);
    // $row = $this->find($SET_Questionnaire_Part_ID);
    // $row2 = $row->current();
    // $row2->delete();
}

public function updateSETQuestionnairePart($SET_Questionnaire_Part_ID, $SET_Questionnaire_Part_Name,
    $Part_Orientation_ID,$SET_Questionnaire_Type_ID, $Calculate_Average){

    $data = array(
        'SET_Questionnaire_Part_Name' => $SET_Questionnaire_Part_Name,
        'Calculate_Average'=> $Calculate_Average
    );

    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, $SET_Questionnaire_Part_ID, $this->_name, 'SET_Questionnaire_Part_ID', 'UPDATE
    ');

    $this->update($data, 'SET_Questionnaire_Part_ID = ' . (int)$SET_Questionnaire_Part_ID);
}

public function getParts($SET_Questionnaire_Type_ID){
    $row = $this->fetchAll('SET_Questionnaire_Type_ID=' . $SET_Questionnaire_Type_ID, 'Part_Orientation_ID');
    if(!$row){
        throw new Exception("Could not find row $SET_Questionnaire_Type_ID");
    }
}

return $row->toArray();
}

public function arrangeParts($New_Orientation,$SET_Questionnaire_Type_ID){
    $row = $this->fetchAll('SET_Questionnaire_Type_ID=' . $SET_Questionnaire_Type_ID);

    $counter =0;
    while($counter < count($row)){
        $data = array('Part_Orientation_ID'=> $counter+1);

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, (int)$New_Orientation[$counter], $this->_name, 'SET_Questionnaire_Part_ID', '
        UPDATE');

        $this->update($data, 'SET_Questionnaire_Part_ID = ' . (int)$New_Orientation[$counter]);
        $counter++;
    }
}
}
}

```

```
<?php
```

```

class Application_Model_DbTable_SETQuestionnaireQuestion extends Zend_Db_Table_Abstract
{
    protected $_name = 'SET_Questionnaire_Questions';

    protected $_referenceMap = array(
        'SETQuestionnairePart' => array(
            'columns' => array('SET_Questionnaire_Part_ID'),
            'refTableClass' => 'Application_Model_DbTable_SETQuestionnairePart',
            'refColumns' => array('SET_Questionnaire_Part_ID'),

```

```

        'onDelete'      => self::CASCADE,
        'onUpdate'     => self::RESTRICT
    )
);

public function getSETQuestionnaireQuestion($SET_Questionnaire_Question_ID)
{
    $SET_Questionnaire_Question_ID = (int)$SET_Questionnaire_Question_ID;
    $row = $this->fetchRow('SET_Questionnaire_Question_ID = ' . $SET_Questionnaire_Question_ID);
    if (!$row) {
        throw new Exception("Could not find row $SET_Questionnaire_Question_ID");
    }
    return $row->toArray();
}

public function addSETQuestionnaireQuestion($SET_Questionnaire_Part_ID, $Question, $Answer_Type_ID, $Required
, $Weight, $Included)
{
    if (!$Included){
        $Included = 0;
    }
    $row = $this->fetchAll('SET_Questionnaire_Part_ID = ' . $SET_Questionnaire_Part_ID);
    $max = 0;
    foreach($row as $SQQ){
        if($SQQ->Question_Orientation_ID > $max){
            $max = $SQQ->Question_Orientation_ID;
        }
    }
    $data = array(
        'Question' => $Question,
        'SET_Questionnaire_Part_ID' => $SET_Questionnaire_Part_ID,
        'Question_Orientation_ID' => $max+1,
        'Answer_Type_ID' => $Answer_Type_ID,
        'Required' => $Required,
        'Weight' => $Weight,
        'Included' => $Included
    );

    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, null, $this->_name, null, 'INSERT');

    $this->insert($data);
}

public function updateSETQuestionnaireQuestion($SET_Questionnaire_Question_ID, $Question,
$SET_Questionnaire_Part_ID, $Answer_Type_ID, $Required, $Weight, $Included){

    if (!$Included){
        $Included = 0;
    }

    $data = array(
        'Question' => $Question,

        'Answer_Type_ID' => $Answer_Type_ID,
        'Required' => $Required,
        'Weight' => $Weight,
        'Included' => $Included
    );
    $this->update($data, 'SET_Questionnaire_Question_ID = ' . (int)$SET_Questionnaire_Question_ID);

    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record($data, $SET_Questionnaire_Question_ID, $this->_name, 'SET_Questionnaire_Question_ID',
        'UPDATE');

}

public function deleteSETQuestionnaireQuestion($SET_Questionnaire_Question_ID)
{
    $Audit_Trail = new Application_Model_DbTable_AuditTrail();
    $Audit_Trail->record(null, $SET_Questionnaire_Question_ID, $this->_name, 'SET_Questionnaire_Question_ID', '
DELETE');

    $this->delete('SET_Questionnaire_Question_ID = ' . (int)$SET_Questionnaire_Question_ID, 'SETQuestionnairePart
');
}

public function arrangeQuestions($Question_Orientation, $SET_Questionnaire_Part_ID){
    $row = $this->fetchAll('SET_Questionnaire_Part_ID = ' . $SET_Questionnaire_Part_ID);

    $counter =0;
    while($counter < count($row)){
        $data = array('Question_Orientation_ID'=> $counter+1);

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, (int)$Question_Orientation[$counter], $this->_name, '
SET_Questionnaire_Question_ID', 'UPDATE');

        $this->update($data, 'SET_Questionnaire_Question_ID = ' . (int)$Question_Orientation[$counter]);
        $counter++;
    }
}

public function getQuestions($SET_Questionnaire_Part_ID){

    $row = $this->fetchAll('SET_Questionnaire_Part_ID = ' . $SET_Questionnaire_Part_ID, 'Question_Orientation_ID');
}

```

```

        if(!$row){
            throw new Exception("Could not find row $SET_Questionnaire_Part_ID");
        }
    }

    return $row->toArray();
}

}

```

```
<?php
```

```

class Application_Model_DbTable_StaticSubject extends Zend_Db_Table_Abstract
{
    protected $_name = 'Static_Subject_Questionnaire_Lists';

    public function record($data){
        $SubjectExists = $this->isExist($data['Subject']);

        if(!$SubjectExists){
            $this->insert($data);
        }else{
            $this->update($data, 'Subject='.Chr(34).$data['Subject'].Chr(34));
        }
    }

    public function updateSubject($Subject, $SET_Questionnaire_Type_ID)
    {
        $SET_Questionnaire_Type_ID = (int)$SET_Questionnaire_Type_ID;
        $data = array(
            'Subject' => $Subject,
            'SET_Questionnaire_Type_ID' => $SET_Questionnaire_Type_ID
        );

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Subject, $this->_name, 'Subject', 'UPDATE');

        $Subject = Chr(34).$Subject.Chr(34);
        $this->update($data, 'Subject = '.$Subject);
    }

    public function getSubject($Subject){
        $Subject = Chr(34).$Subject.Chr(34);
        $row = $this->fetchRow('Subject = ' . $Subject);
        if (!$row){
            throw new Exception("Could not find row $Subject");
        }
        return $row->toArray();
    }

    public function getSETQuestionnaire($Subject){
        $Subject = Chr(34).$Subject.Chr(34);
        $row = $this->fetchRow('Subject = ' . $Subject);
        if (!$row){
            throw new Exception("Could not find row $Subject");
        }
        return $row->SET_Questionnaire_Type_ID;
    }

    public function addSubject($Subject, $College_Code, $SET_Questionnaire_Type_ID, $Editable){
        $data = array (
            'Subject'=>$Subject,
            'College_Code'=>$College_Code,
            'SET_Questionnaire_Type_ID' => $SET_Questionnaire_Type_ID,
            'Editable'=> $Editable
        );

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Subject, $this->_name, 'Subject', 'INSERT');

        $this->insert($data);
    }

    public function deleteSubject($Subject){
        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record(null, $Subject, $this->_name, 'Subject', 'DELETE');

        $this->delete('Subject = ' .Chr(34). $Subject.Chr(34));
    }

    public function isExist($value){
        $value = Chr(34).$value.Chr(34);
        $row = $this->fetchRow('Subject = '.$value);
        if(!$row){
            return false;
        }
        return true;
    }
}

```

```

<?php
class Application_Model_DbTable_Students extends Zend_Db_Table_Abstract
{
    protected $_name = 'Student';

    public function getStudentID($Name){
        $Name = Chr(34).$Name.Chr(34);
        $row = $this->fetchRow('Name = ' . $Name);
        if (!$row){
            throw new Exception("Could not find row $Name");
        }
        return $row->Student_ID;
    }

    public function getStudentByName($Name)
    {
        $Name = Chr(34).$Name.Chr(34);
        $row = $this->fetchRow('Name = ' . $Name);

        if (!$row) {
            return false;
        }
        return true;
    }

    public function updateStudent($id, $password)
    {
        $data = array(
            'Password' => $password
        );
        $this->update($data, 'id = ' . (int)$id);
    }

    public function updateStudentByStudentID($Student_ID, $Password){

        $data = array(
            'Password' => $Password
        );

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Student_ID, $this->_name, 'Student_ID', 'UPDATE');

        $this->update($data, 'Student_ID = ' . Chr(34).$Student_ID.Chr(34));
    }

    public function getStudent($Student_ID)
    {
        $row = $this->fetchRow('Student_ID = ' . Chr(34).$Student_ID.Chr(34));
        if (!$row) {
            throw new Exception("Could not find row $Student_ID");
        }
        return $row->toArray();
    }

    public function updateLOAFlag($Student_ID,$flag){

        $data = array('LOA'=>$flag);
        //echo "yeas";
        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Student_ID, $this->_name, 'Student_ID', 'UPDATE');

        $this->update($data, 'Student_ID = ' . Chr(34).$Student_ID.Chr(34));
    }

    public function countStudent(){
        $row = $this->fetchAll();
        return count($row);
    }

}

```

```

<?php
class Application_Model_DbTable_Subject extends Zend_Db_Table_Abstract
{
    protected $_name = 'Subject_Questionnaire_Lists';

    public function updateSubject($Subject, $SET_Questionnaire_Type_ID)
    {
        $SET_Questionnaire_Type_ID = (int)$SET_Questionnaire_Type_ID;
        $data = array(
            'Subject' => $Subject,
            'SET_Questionnaire_Type_ID' => $SET_Questionnaire_Type_ID
        );

        $StaticSubject = new Application_Model_DbTable_StaticSubject();
        $StaticSubject->record($data);
    }
}

```

```

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Subject, $this->_name, 'Subject', 'UPDATE');

        $Subject = Chr(34).$Subject.Chr(34);
        $this->update($data, 'Subject = ' . $Subject);
    }

    public function getSubject($Subject){
        $Subject = Chr(34).$Subject.Chr(34);
        $row = $this->fetchRow('Subject = ' . $Subject);
        if (!$row){
            throw new Exception("Could not find row $Subject");
        }
        return $row->toArray();
    }

    public function getSETQuestionnaire($Subject){
        $Subject = Chr(34).$Subject.Chr(34);
        $row = $this->fetchRow('Subject = ' . $Subject);
        if (!$row){
            throw new Exception("Could not find row $Subject");
        }
        return $row->SET_Questionnaire_Type_ID;
    }

    public function addSubject($Subject, $College_Code, $SET_Questionnaire_Type_ID, $Editable){
        $data = array (
            'Subject'=>$Subject,
            'College_Code'=>$College_Code,
            'SET_Questionnaire_Type_ID' => $SET_Questionnaire_Type_ID,
            'Editable'=> $Editable
        );

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Subject, $this->_name, 'Subject', 'INSERT');

        $this->insert($data);
    }

    public function deleteSubject($Subject){

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record(null, $Subject, $this->_name, 'Subject', 'DELETE');

        $this->delete('Subject = ' . Chr(34). $Subject.Chr(34));
    }

    public function isExist($value){
        $value = Chr(34).$value.Chr(34);
        $row = $this->fetchRow('Subject = ' . $value);
        if (!$row){
            return false;
        }
        return true;
    }
}

```

```
<?php
```

```

class Application_Model_DbTable_TextResultsPerRespondent extends Zend_Db_Table_Abstract
{
    protected $_name = 'Text_Results_Per_Respondent';

    public function addResult($Class_ID,$Instructors,$SET_Questionnaire_Part_ID,$SET_Questionnaire_Question_ID,
        $Text_Answer,$Result_Sequence){

        $data = array(
            'Class_ID' => $Class_ID,
            'Instructors' => $Instructors,
            'SET_Questionnaire_Part_ID' => $SET_Questionnaire_Part_ID,
            'SET_Questionnaire_Question_ID' => $SET_Questionnaire_Question_ID,
            'Text_Answer' => $Text_Answer,
            'Result_Sequence'=>$Result_Sequence
        );
        $this->insert($data);
    }

    public function getAnswers($Result_Sequence){
        $Result_Sequence = Chr(34).$Result_Sequence.Chr(34);
        $row = $this->fetchAll('Result_Sequence = ' . $Result_Sequence);
        if (!$row) {
            throw new Exception("Could not find row $Result_Sequence");
        }
        return $row->toArray();
    }

    public function deleteAnswers($Result_Sequence){
        $Result_Sequence = Chr(34).$Result_Sequence.Chr(34);
        $this->delete('Result_Sequence = ' . $Result_Sequence);
    }

    public function getAccumulatedAnswers($Class_ID, $Instructor_Code, $SET_Questionnaire_Question_ID){
        $Select = $this->select();
    }
}

```



```

$select->where('Class_ID = ' . $Class_ID);
$select->where('Instructors = ' .Chr(34).$Instructor_Code.Chr(34));
$select->where('SET_Questionnaire_Question_ID = ' . $SET_Questionnaire_Question_ID);

$row = $this->fetchAll($select);
    if (!$row) {
        throw new Exception("Could not find row $Result_Sequence");
    }
return $row->toArray();
}
}

```

```

<?php

```

```

class Application_Model_DbTable_Users extends Zend_Db_Table_Abstract
{
    protected $_name = 'Users';

    public function isExist($value){
        $value = Chr(34).$value.Chr(34);
        $row = $this->fetchRow('Username = ' . $value);
        if (!$row){
            return false;
        }
        return true;
    }

    public function getUser($Username)
    {
        $row = $this->fetchRow('Username = ' .Chr(34). $Username.Chr(34));
        if (!$row) {
            throw new Exception("Could not find row $Username");
        }
        return $row->toArray();
    }

    public function addUser($Password, $Username, $User_Type, $First_Name,$Last_Name,$College_Code)
    {
        $data = array(
            'Password' => $Password,
            'Username' => $Username,
            'User_Type' => $User_Type,
            'First_Name'=>$First_Name,
            'Last_Name'=>$Last_Name,
            'College_Code'=>$College_Code
        );

        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Username,$this->_name, 'Username', 'INSERT');

        $this->insert($data);
    }

    public function updateUser($Username, $User_Type,$First_Name,$Last_Name, $College_Code)
    {
        $data = array(
            'User_Type' => $User_Type,
            'First_Name'=>$First_Name,
            'Last_Name'=>$Last_Name,
            'College_Code'=>$College_Code
        );
        //$this->updateGroup($data, $Username);
        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record($data, $Username,$this->_name, 'Username', 'UPDATE');
        $this->update($data, 'Username = ' .Chr(34). $Username.Chr(34));
    }

    public function deleteUser($Username)
    {
        $Audit_Trail = new Application_Model_DbTable_AuditTrail();
        $Audit_Trail->record(null, $Username,$this->_name, 'Username', 'DELETE');

        $this->delete('Username = ' .Chr(34). $Username.Chr(34));
    }

}

public function changePassword($Password, $Username){
    $data = array('Password' => $Password);

    $this->update($data,'Username = ' .Chr(34). $Username.Chr(34));
}

public function logUpdate(array $values)
{

```

```

$OSET = Zend_Db_Table::getDefaultAdapter();
$columnMapping = array(
    'Table' => 'Table',
    'Column' => 'Column',
    'Row_ID' => 'Row_ID',
    'Old_Value' => 'Old_Value',
    'New_Value' => 'New_Value',
    'Updated_On' => 'Updated_On',
    'Updated_By_User' => 'Updated_By_User',
    'msg'=>'msg');

$writer = new Zend_Log_Writer_Db($OSET, 'Audit_Trail', $columnMapping);

$logger = new Zend_Log($writer);

//$logger->setEventItem('Audit_Id', $values['Audit_Id']);
$logger->setEventItem('Table', $values['Table']);
$logger->setEventItem('Column', $values['Column']);
$logger->setEventItem('Row_ID', $values['Row_ID']);
$logger->setEventItem('Old_Value', $values['Old_Value']);
$logger->setEventItem('New_Value', $values['New_Value']);
$logger->setEventItem('Updated_On', $values['Updated_On']);
$logger->setEventItem('Updated_By_User', $values['Updated_By_User']);
$logger->info('Update');
}

public function updateGroup($data,$Row_ID)
{
    $row = $this->fetchRow('Username = ' .Chr(34) . $Row_ID.Chr(34));

    $auth = Zend_Auth::getInstance();
    if ($auth->hasIdentity()) {
        $User = $auth->getIdentity()->Username;
    }else{
        $User = "NO_IDENTITY";
    }

    $values = array();

    $values['Table'] = $this->_name;
    $values['Updated_On'] = date("m/d/y",time() );
    $values['Updated_By_User'] = $User;
    $values['Row_ID'] = $Row_ID;
    //go through all data to log the modified columns
    foreach($data as $key => $value){
        //check if modified log the modification
        if($row->$key != $value){
            $values['New_Value'] = $value;
            $values['Column'] = $key;
            $values['Old_Value'] = $row->$key;

            $this->logUpdate($values);
        }
    }

    // set the row data
    /*
    $row->name                = $data['name'];
    $row->description        = $data['description'];

    $row->updatedBy          = $data['updatedBy'];
    $row->updatedOn          = date('Y-m-d H:i:s');

    $id = $row->save();

    return $id;
    */
}
}

```

6. View Helpers

```

<?php
class Zend_View_Helper_LoggedInsAs extends Zend_View_Helper_Abstract
{
    public function loggedInsAs ()
    {
        $request = Zend_Controller_Front::getInstance()->getRequest();
        $controller = $request->getControllerName();
        $action = $request->getActionName();

        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {
            try{
                $username = $auth->getIdentity()->First_Name;
                $User_Type = $auth->getIdentity()->User_Type;
            } catch (Exception $e) {
                $username = "Student";
                $User_Type = null;
            }
        }

        if(substr($controller,0,5)=='admin'){

```

```

        if($User_Type!=5 && $User_Type!=6 && $User_Type!=9 && $User_Type!=2){
            header( 'Location: ../..//' );
        }
    }

    if(substr($controller,0,10)=='evaluation'){
        if($User_Type!=5 && $User_Type!=7 && $User_Type!=9 && $User_Type!=3){
            header( 'Location: ../..//' );
        }
    }

    if(substr($controller,0,7)=='college'){
        if($User_Type!=6 && $User_Type!=7 && $User_Type!=9 && $User_Type!=4){
            header( 'Location: ../..//' );
        }
    }
}

$logoutUrl = $this->view->url(array('controller'=>'index', 'action'=>'logout'), null, true);
$AdminUrl = $this->view->url(array('controller'=>'adminhome', 'action'=>'index'), null, true);
$CollegeClerkUrl = $this->view->url(array('controller'=>'college-clerkhome', 'action'=>'index'), null,
true);
$EvaluationSystemManagerUrl = $this->view->url(array('controller'=>'evaluation-system-managerhome', '
action'=>'index'), null, true);
if($username){
    $ReturnString = 'Welcome ' . $username. ' . <a href="'. $logoutUrl.'">Logout.</a>';

    return $ReturnString;

}

else{
    return 'Welcome Student ' .<a href="'. $logoutUrl.'">Logout.</a>';
}
}

if($controller == 'index' && $action == 'index') {
    return '';
}
else{
    if($controller!='install'){
        header( 'Location: ../..//' );
    }
}

if($controller!='install'){
    $loginUrl = $this->view->url(array('controller'=>'index', 'action'=>'index'));
}
return '<a href="'. $loginUrl.'">Login</a>';
}
}
}
}
}
}
}

```

```

<?php
class Zend_View_Helper_UserType extends Zend_View_Helper_Abstract
{
    public function UserType($User)
    {
        $auth = Zend_Auth::getInstance();
        if ($auth->hasIdentity()) {

            if($User=="Admin"){
                if($auth->getIdentity()->User_Type==5 ||$auth->getIdentity()->User_Type==6 || $auth->getIdentity()->
                    User_Type==9 || $auth->getIdentity()->User_Type==2){
                    return true;
                }else{
                    return false;
                }
            }

            if($User=="Evaluation" ){
                if($auth->getIdentity()->User_Type==5 || $auth->getIdentity()->User_Type==7 || $auth->getIdentity()->
                    User_Type==9 || $auth->getIdentity()->User_Type==3){
                    return true;
                }else{
                    return false;
                }
            }

            if($User=="College"){
                if($auth->getIdentity()->User_Type==6 || $auth->getIdentity()->User_Type==7 || $auth->getIdentity()->
                    User_Type==9 || $auth->getIdentity()->User_Type==4 ){
                    return true;
                }else{
                    return false;
                }
            }

            if($User="CollegeEvaluation"){
                if($auth->getIdentity()->User_Type==3 || $auth->getIdentity()->User_Type==4 || $auth->getIdentity()->
                    User_Type==7 ){
                    return true;
                }else{
                    return false;
                }
            }
        }
    }
}

```

```

        return false;
    }
}
}
}

```

7. View Scripts

```

<div id="content">
    <div id="oset-lc">
        <div class="module-div">
            <h1>Administration</h1>
            <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?"><strong><em>Logout </em></strong></a>
        </div>
        <div class="module-div">
            <h1>User Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?" class="current">View Accounts</a>
        </div>
        <div class="module-div">
            <h1>Student Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?" >Generate Accounts</a>
        </div>
        <div class="module-div">
            <h1>Colleges</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?"> View Colleges</a>
        </div>
        <?php if($this->UserType("Evaluation")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'));?">Evaluation System Management</a></h1>
        </div>
        <?php }
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?">College Clerk Utilities</a></h1>
        </div>
        <?php } ?>
    </div><!-- #oset-lc -->
    <div id="oset-rc">
        <?php
        $this->title = "User Accounts";
        $this->headTitle($this->title);
        ?>
        <h1> User Accounts </h1>
    </div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?">Administration </a></h1>
        </div>
        <?php } ?>
        <?php if($this->UserType("Evaluation")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'));?">Evaluation System Management</a></h1>
        </div>
        <?php }
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?">College Clerk Utilities</a></h1>
        </div>
    </div>

```

```

</div>
<?php } ?>

<div class="module-div">
  <h1>Account Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">Home
  </a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout </
  em></strong></a>
  <a href="<?php echo $this->url(array('controller'=>'account-management-change-password','action'=>'index
  '));?>" class="current">Change Password</a>
</div>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

  <?php
  $this->title = "Change Password";
  $this->headTitle($this->title);
  ?>
  <h1> Change Password</h1>
  <br />
  <div id="formcss">
    <?php echo $this->form; ?>
  </div>

  <noscript>
    <div class="module-div fail-msg-div">
      <h1>No JS</h1>
      <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
      </p>
    </div>
  </noscript>

</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
      </a></h1>

    </div>
    <?php } ?>
    <?php if($this->UserType("Evaluation")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
      );?>">Evaluation System Management</a></h1>

    </div>

    <?php }
    if($this->UserType("College")) { ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
        College Clerk Utilities</a></h1>

    </div>
    <?php } ?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
        Account Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>" class
      ="current">Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout </
      em></strong></a>
      <a href="<?php echo $this->url(array('controller'=>'account-management-change-password','action'=>'index
      '));?>">Change Password</a>
    </div>

  </div><!-- #oset-lc -->

  <div id="oset-rc">

    <?php
    $this->title = "Home";
    $this->headTitle($this->title);
    ?>
    <h1> Home </h1>
  </div>

```

```

</noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>

</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
      </a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout </
      em></strong></a>
    </div>

    <div class="module-div">
      <h1>User Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" class="current">View
      Accounts</a>
    </div>

    <div class="module-div">
      <h1>Student Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>" >
      Generate Accounts</a>
    </div>

    <div class="module-div">
      <h1>Colleges</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>"> View
      Colleges</a>
    </div>

    <?php if($this->UserType("Evaluation")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
      );?>">Evaluation System Management</a></h1>
    </div>

    <?php }
    if($this->UserType("College")) { ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
      College Clerk Utilities</a></h1>
    </div>
    <?php } ?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
      Account Management</a></h1>
    </div>

  </div><!-- #oset-lc -->

  <div id="oset-rc">

    <?php
    $this->title = "User Accounts";
    $this->headTitle($this->title);
    ?>
    <h1> User Accounts </h1>

    <div id="formcss">
    <?php echo $this->form; ?>
    </div>
    <?php
    $NumberOfResults = count($this->users);
    if (!$this->Flag==1){
    ?>
    <?php if($NumberOfResults > 0){ ?>

      <?php if($NumberOfResults>1){ ?>
      <p>There were <?php echo $NumberOfResults; ?> results found. </p>

      <?php }
      else {
      echo "There was one result found.";
      }
    }else echo "There were no results found."; ?>
    }
    }
  </div>

```

```

<p><a href="#"<?php echo $this->url(array('controller'=>'admin',
'action'=>'add'));?>" + Add new user</a></p>
<table>
<tr>
<th><a style="#"<?php if ($this->Sort=="First_Name"){ echo "color:grey;"} ?>" class="thead" href="#"<?php
echo $this->url(array('controller'=>'admin',
'action'=>'index', 'Sort'=>'First_Name'));?>">First Name</a></th>
<th><a style="#"<?php if ($this->Sort=="Last_Name"){ echo "color:grey;"} ?>" class="thead" href="#"<?php
echo $this->url(array('controller'=>'admin',
'action'=>'index', 'Sort'=>'Last_Name'));?>">Last Name</a></th>
<th><a style="#"<?php if ($this->Sort=="Username"){ echo "color:grey;"} ?>" class="thead" href="#"<?php
echo $this->url(array('controller'=>'admin',
'action'=>'index', 'Sort'=>'Username'));?>">Username</a></th>
<th>User Role</th>
<th></th>
</tr>
<?php foreach($this->users as $user) : ?>
<tr>
<td><?php echo $this->escape($user->First_Name);?></td>
<td><?php echo $this->escape($user->Last_Name);?></td>
<td><?php echo $this->escape($user->Username);?></td>
<td><?php if($this->escape($user->User_Type)==2){
echo "Administrator";
}
else if ($this->escape($user->User_Type)==3){
echo "Evaluation System Manager";
}
else if ($this->escape($user->User_Type)==4){
echo "College Clerk";
}
else if ($this->escape($user->User_Type)==5){
echo "Administrator;Evaluation System Manager";
}
else if ($this->escape($user->User_Type)==6){
echo "Administrator;College Clerk";
}
else if ($this->escape($user->User_Type)==7){
echo "Evaluation System Manager;College Clerk";
}
else if ($this->escape($user->User_Type)==9){
echo "Administrator;Evaluation System Manager;College Clerk";
}
?>
</td>
<td>
<a href="#"<?php echo $this->url(array('controller'=>'admin',
'action'=>'edit', 'Username'=>$user->Username));?>"| Edit |</a>
<a href="#"<?php echo $this->url(array('controller'=>'admin',
'action'=>'delete', 'Username'=>$user->Username));?>">Delete |</a>
<a href="#"<?php echo $this->url(array('controller'=>'admin',
'action'=>'changepassword', 'Username'=>$user->Username));?>">Change Password |</a>
</td>
</tr>
<?php endforeach; ?>
</table>
</div>
</div>

```

```

<div id="content">
<div id="oset-lc">
<div class="module-div2">
<h1><a href="#"<?php echo $this->url(array('controller'=>'adminhome', 'action'=>'index'));?>">Administration
</a></h1>
</div>
<div class="module-div">
<a href="#"<?php echo $this->url(array('controller'=>'adminhome', 'action'=>'index'));?>" >Home</a>
<a href="#"<?php echo $this->url(array('controller'=>'index', 'action'=>'logout'));?>"><strong><em>Logout</em>
</a>
</div>
<div class="module-div">
<h1>User Accounts</h1>
<a href="#"<?php echo $this->url(array('controller'=>'admin', 'action'=>'index'));?>" class="current">
View Accounts</a>
</div>
<div class="module-div">
<h1>Student Accounts</h1>
<a href="#"<?php echo $this->url(array('controller'=>'admin-student-accounts', 'action'=>'index'));?>" >
Generate Accounts</a>
</div>
<div class="module-div">
<h1>Colleges</h1>
<a href="#"<?php echo $this->url(array('controller'=>'admin-colleges', 'action'=>'index'));?>"> View
Colleges</a>
</div>
<?php if($this->UserType("Evaluation")) {?>
<div class="module-div2">

```

```

        <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome', 'action'=>'index')
        );?>">Evaluation System Management</a></h1>
    </div>

</div>

<?php
    if($this->UserType("College")) { ?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome', 'action'=>'index'));?>">
        College Clerk Utilities</a></h1>

</div>
<?php } ?>

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome', 'action'=>'index'));?>">
        Account Management</a></h1>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

<?php
    $this->title = "Add new user";
    $this->headTitle($this->title);
    ?>
<h1> Add New User </h1>
<div id="formcss">
<?php echo $this->form ; ?>
</div>
<noscript>
    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
</noscript>
</div>
</div>

```

```

<div id="content">

<div id="oset-lc">

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'adminhome', 'action'=>'index'));?>">Administration
    </a></h1>
</div>
<div class="module-div">
    <a href="<?php echo $this->url(array('controller'=>'adminhome', 'action'=>'index'));?>" >Home</a>
    <a href="<?php echo $this->url(array('controller'=>'index', 'action'=>'logout'));?>"><strong><em>Logout</
    em</strong></a>
</div>

<div class="module-div">
    <h1>User Accounts</h1>
    <a href="<?php echo $this->url(array('controller'=>'admin', 'action'=>'index'));?>" class="current">
        View Accounts</a>
</div>

<div class="module-div">
    <h1>Student Accounts</h1>
    <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts', 'action'=>'index'));?>" >
        Generate Accounts</a>
</div>

<div class="module-div">
    <h1>Colleges</h1>
    <a href="<?php echo $this->url(array('controller'=>'admin-colleges', 'action'=>'index'));?>"> View
        Colleges</a>
</div>

<?php if($this->UserType("Evaluation")) { ?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome', 'action'=>'index')
    );?>">Evaluation System Management</a></h1>

</div>

<?php
    if($this->UserType("College")) { ?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome', 'action'=>'index'));?>">
        College Clerk Utilities</a></h1>

</div>
<?php } ?>

<div class="module-div2">

```



```

        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
            Account Management</a></h1>
    </div>
</div><!-- #oset-oset-lc -->
<div id="oset-rc">
    <?php
        $this->title = "Change Password";
        $this->headTitle($this->title);
    ?>
    <h1> Change Password <span style="color:maroon"> ( <?php echo $this->Username; ?> )</span></h1>

    <div id="formcss">
        <?php echo $this->form ;?>
    </div>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
        </div>

        <div class="module-div">
            <h1>User Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" class="current">
                View Accounts</a>
        </div>

        <div class="module-div">
            <h1>Student Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>" >
                Generate Accounts</a>
        </div>

        <div class="module-div">
            <h1>Colleges</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>"> View
                Colleges</a>
        </div>

        <?php if($this->UserType("Evaluation")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                );?>">Evaluation System Management</a></h1>
        </div>

        <?php }
        if($this->UserType("College")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
                College Clerk Utilities</a></h1>
        </div>
        <?php } ?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
                Account Management</a></h1>
        </div>
    </div><!-- #oset-lc -->
<div id="oset-rc">

    <?php
        $this->title = "Delete user";
        $this->headTitle($this->title);
    ?>
    <h1> Delete User </h1>
    <p>Are you sure that you want to delete
        <br>'<?php echo $this->escape($this->user['Username']); ?>'
    </p>
    <form action="<?php echo $this->url(array('action'=>'delete')); ?>" method="post">
    <div>
        <input type="hidden" name="Username" value="<?php echo $this->user['Username']; ?>" />
        <input type="submit" name="del" value="Yes" />
        <input type="submit" name="del" value="No" />
    </div>
    </form>
</div>

```

</div>

```
<div id="content">
  <div id="oset-lc">
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
      </a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
    </div>

    <div class="module-div">
      <h1>User Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" class="current">
        View Accounts</a>
    </div>

    <div class="module-div">
      <h1>Student Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>" >
        Generate Accounts</a>
    </div>

    <div class="module-div">
      <h1>Colleges</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>"> View
        Colleges</a>
    </div>

    <?php if($this->UserType("Evaluation")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
      );?>">Evaluation System Management</a></h1>
    </div>

    <?php }
    if($this->UserType("College")) { ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
        College Clerk Utilities</a></h1>
    </div>
    <?php } ?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
        Account Management</a></h1>
    </div>

  </div><!-- #oset-oset-lc -->
  <div id="oset-rc">
    <?php
      $this->title = "Edit user";
      $this->headTitle($this->title);
    ?>
    <h1> Edit User </h1>
    <div id="formcss">
      <?php echo $this->form ;?>
    </div>
  </div>
</div>
```

```
<div id="content">
  <div id="oset-lc">
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
      </a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
    </div>

    <div class="module-div">
      <h1>User Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
    </div>

    <div class="module-div">
```

```

        <h1>Student Accounts</h1>
        <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>">
            Generate Accounts</a>
    </div>

    <div class="module-div">
        <h1>Colleges</h1>
        <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>" class="
            current"> View Colleges</a>
    </div>

    <div class="module-div">
        <h1>SET </h1>
        <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
    </div>

    <?php if($this->UserType("Evaluation")) {?>
    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>">Evaluation System Management</a></h1>

    </div>

    <?php }
    if($this->UserType("College")) { ?>
    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
            College Clerk Utilities</a></h1>

    </div>
    <?php } ?>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
            Account Management</a></h1>

    </div>

</div><!-- #oset-lc -->

<div id="oset-rc">

    <h1>Colleges</h1>
    <p> </p>
    <?php
    $this->title = "Colleges";
    $this->headTitle($this->title);
    ?>

    <p><a href="<?php echo $this->url(array('controller'=>'admin-colleges',
        'action'=>'add'));?>" + Add new College</a></p>
    <table>
    <tr>
        <th>College Name</th>
        <th>College Code</th>
        <th></th>

    </tr>
    <?php foreach($this->Colleges as $College) : ?>
    <tr>
    <td><?php echo $this->escape($College->College_Name);?></td>
    <td><?php echo $this->escape($College->College_Code);?></td>
    <td>
        <a href="<?php echo $this->url(array('controller'=>'admin-departments',
            'action'=>'index', 'College_Name'=>$College->College_Name, 'College_Code'=>$College->College_Code)
                );?>">| View Departments </a>
        <a href="<?php echo $this->url(array('controller'=>'admin-colleges',
            'action'=>'edit', 'College_Name'=>$College->College_Name, 'College_Code'=>$College->College_Code)
                );?>">| Edit |</a>
        <a href="<?php echo $this->url(array('controller'=>'admin-colleges',
            'action'=>'delete', 'College_Code'=>$College->College_Code));?>">Delete |</a>
    </td>
    </tr>
    <?php endforeach; ?>
    </table>

    <noscript>
    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
    </noscript>
    </div>
</div>

<div id="content">

    <div id="oset-lc">

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>

```

```

</div>
<div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>">Logout</a>
</div>

<div class="module-div">
  <h1>User Accounts</h1>
  <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
</div>

<div class="module-div">
  <h1>Student Accounts</h1>
  <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>" >Generate Accounts</a>
</div>

<div class="module-div">
  <h1>Colleges</h1>
  <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>" class="current"> View Colleges</a>
</div>

<?php if($this->UserType("Evaluation")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'));?>">Evaluation System Management</a></h1>
</div>

<?php }
  if($this->UserType("College")) { ?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">College Clerk Utilities</a></h1>
</div>
<?php } ?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">Account Management</a></h1>
</div>

</div><!-- #oset-lc -->
<div id="oset-rc">

  <h1>Add College</h1>
  <p> </p>
  <?php
  $this->title = "Colleges";
  $this->headTitle($this->title);
  ?>

  <div id="formcss">
    <?php echo $this->form; ?>
  </div>

  <noscript>
    <div class="module-div fail-msg-div">
      <h1>No JS</h1>
      <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
      </p>
    </div>
  </noscript>
</div>
</div>

```

```

<div id="content">
  <div id="oset-lc">

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>">Logout</a>
    </div>

    <div class="module-div">
      <h1>User Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
    </div>

```

```

<div class="module-div">
  <h1>Student Accounts</h1>
  <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>">
    Generate Accounts</a>
</div>

<div class="module-div">
  <h1>Colleges</h1>
  <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>" class="
    current"> View Colleges</a>
</div>

<div class="module-div">
  <h1>SET </h1>
  <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
</div>

<?php if($this->UserType("Evaluation")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
    );?>">Evaluation System Management</a></h1>

</div>

<?php }
  if($this->UserType("College")) { ?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
    College Clerk Utilities</a></h1>

</div>
<?php } ?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>

</div>
</div><!-- #oset-lc -->
<div id="oset-rc">

  <h1> Delete College</h1>
  <p>Are you sure that you want to delete
    '<?php echo $this->escape($this->College['College_Name']); ?>'
  </p>
  <form action="<?php echo $this->url(array('action'=>'delete')); ?>" method="post">
  <div>
    <input type="hidden" name="College_Code" value="<?php echo $this->College['College_Code']; ?>" />
    <input type="submit" name="del" value="Yes" />
    <input type="submit" name="del" value="No" />
  </div>
  </form>
</div>
</div>

```

```

<div id="content">
  <div id="oset-lc">

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
        em></strong></a>
    </div>

    <div class="module-div">
      <h1>User Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
    </div>

    <div class="module-div">
      <h1>Student Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>">
        Generate Accounts</a>
    </div>

    <div class="module-div">
      <h1>Colleges</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>" class="
        current"> View Colleges</a>
    </div>

    <div class="module-div">
      <h1>SET </h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
    </div>

    <?php if($this->UserType("Evaluation")) {?>

```

```

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>

</div>

<?php
  if($this->UserType("College")) { ?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
    College Clerk Utilities</a></h1>

</div>
<?php } ?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

  <h1>Edit College</h1>
  <p> </p>
  <?php
  $this->title = "Colleges";
  $this->headTitle($this->title);
  ?>

  <div id="formcss">
    <?php echo $this->form; ?>
  </div>

  <noscript>
    <div class="module-div fail-msg-div">
      <h1>No JS</h1>
      <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
      </p>
    </div>
  </noscript>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
    </div>

    <div class="module-div">
      <h1>User Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
    </div>

    <div class="module-div">
      <h1>Student Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>">
        Generate Accounts</a>
    </div>

    <div class="module-div">
      <h1>Colleges</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>" class="
        current"> View Colleges</a>
    </div>

    <div class="module-div">
      <h1>SET </h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
    </div>

    <?php if($this->UserType("Evaluation")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>

    </div>

    <?php
    if($this->UserType("College")) { ?>

```

```

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));">?>">
    College Clerk Utilities</a></h1>

</div>
<?php } ?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));">?>">
    Account Management</a></h1>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

  <h1>Departments <span style="color:maroon"> ( <?php echo $this->College_Name; ?>)</span></h1>
  <p> </p>
  <?php
  $this->title = "Departments";
  $this->headTitle($this->title);
  ?>

  <p><a href="<?php echo $this->url(array('controller'=>'admin-departments',
    'action'=>'add', 'College_Code'=>$this->College_Code, 'College_Name'=>$this->College_Name));?"> + Add
    new Department</a></p>

  <table>
  <tr>
    <th>Department Name</th>
    <th>Department Unit</th>
    <th></th>

  </tr>
  <?php foreach($this->Departments as $Department) : ?>
  <tr>
    <td><?php echo $this->escape($Department->Department_Name);?></td>
    <td><?php echo $this->escape($Department->Department_Code);?></td>
    <td>
      <a href="<?php echo $this->url(array('controller'=>'admin-departments',
        'action'=>'edit', 'Department_Name'=>$Department->Department_Name, 'Department_Code'=>$Department->
        Department_Code,'College_Code'=>$this->College_Code, 'College_Name'=>$this->College_Name))
        ;?">| Edit |</a>
      <a href="<?php echo $this->url(array('controller'=>'admin-departments',
        'action'=>'delete', 'Department_Code'=>$Department->Department_Code,'College_Code'=>$this->
        College_Code, 'College_Name'=>$this->College_Name));?">Delete |</a>

    </td>
  </tr>
  <?php endforeach; ?>
  </table>
  <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));">?>">Back to View
    Colleges</a>

  <noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
  </noscript>
  </div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));">?>">Administration
        </a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));">?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));">?>"><strong><em>Logout</em></strong></a>
    </div>

    <div class="module-div">
      <h1>User Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));">?>" >View Accounts</a>
    </div>

    <div class="module-div">
      <h1>Student Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));">?>">
        Generate Accounts</a>
    </div>

    <div class="module-div">
      <h1>Colleges</h1>
    </div>

```

```

        <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>" class="
            current"> View Colleges</a>
</div>

<div class="module-div">
    <h1>SET </h1>
    <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
</div>

<?php if($this->UserType("Evaluation")) {?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Evaluation System Management</a></h1>

</div>

<?php }
    if($this->UserType("College")) { ?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
        College Clerk Utilities</a></h1>

</div>
<?php } ?>

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
        Account Management</a></h1>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

    <h1>Add Department</h1>
    <p> </p>
    <?php
    $this->title = "Departments";
    $this->headTitle($this->title);
    ?>

    <div id="formcss">
        <?php echo $this->form; ?>
    </div>

    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

```

```

<div id="content">

    <div id="oset-lc">

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
                em></strong></a>
        </div>

        <div class="module-div">
            <h1>User Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
        </div>

        <div class="module-div">
            <h1>Student Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>">
                Generate Accounts</a>
        </div>

        <div class="module-div">
            <h1>Colleges</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>" class="
                current"> View Colleges</a>
        </div>

        <div class="module-div">
            <h1>SET </h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
        </div>
    </div>

```



```

<?php if($this->UserType("Evaluation")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>

</div>

<?php }
  if($this->UserType("College")) { ?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
    College Clerk Utilities</a></h1>

</div>
<?php } ?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>

</div>
</div><!-- #oset-lc -->

<div id="oset-rc">

  <h1> Delete Department</h1>
  <p>Are you sure that you want to delete
    '<?php echo $this->escape($this->Department['Department_Name']); ?>'
  </p>
  <form action="<?php echo $this->url(array('action'=>'delete')); ?>" method="post">
  <div>
    <input type="hidden" name="Department_Code" value="<?php echo $this->Department['Department_Code']; ?>"
      />
    <input type="submit" name="del" value="Yes" />
    <input type="submit" name="del" value="No" />
  </div>
  </form>
</div>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em>
        </strong></a>
    </div>

    <div class="module-div">
      <h1>User Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
    </div>

    <div class="module-div">
      <h1>Student Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>">
        Generate Accounts</a>
    </div>

    <div class="module-div">
      <h1>Colleges</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>" class="
        current"> View Colleges</a>
    </div>

    <div class="module-div">
      <h1>SET </h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
    </div>

    <?php if($this->UserType("Evaluation")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>

    </div>

    <?php }
      if($this->UserType("College")) { ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
        College Clerk Utilities</a></h1>

    </div>
    <?php } ?>

    <div class="module-div2">

```

```

        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
            Account Management</a></h1>
    </div>
</div><!-- #oset-lc -->
<div id="oset-rc">
    <h1>Edit Department</h1>
    <p> </p>
    <?php
    $this->title = "Departments";
    $this->headTitle($this->title);
    ?>

    <div id="formcss">
        <?php echo $this->form; ?>
    </div>

    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>"class="current">
                Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
        </div>

        <div class="module-div">
            <h1>User Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
        </div>

        <div class="module-div">
            <h1>Student Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>" >
                Generate Accounts</a>
        </div>

        <div class="module-div">
            <h1>Colleges</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>" > View
                Colleges</a>
        </div>

        <div class="module-div">
            <h1>SET </h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
        </div>

        <?php if($this->UserType("Evaluation")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                );?>">Evaluation System Management</a></h1>
        </div>

        <?php }
        if($this->UserType("College")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
                College Clerk Utilities</a></h1>
        </div>
        <?php } ?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
                Account Management</a></h1>
        </div>
    </div>

```

```

</div><!-- #oset-lc -->
<div id="oset-rc">
    <h1 class="module-name-h1">Home</h1>
    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <div class="module-div2">
            <h1><?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>Administration</h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
        </div>
        <div class="module-div">
            <h1>User Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
        </div>
        <div class="module-div">
            <h1>Student Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>"
                class="current">Generate Accounts</a>
        </div>
        <div class="module-div">
            <h1>Colleges</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>"> View
                Colleges</a>
        </div>
        <div class="module-div">
            <h1>SET </h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
        </div>
        <?php if($this->UserType("Evaluation")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                );?>">Evaluation System Management</a></h1>
        </div>
        <?php }
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
                College Clerk Utilities</a></h1>
        </div>
        <?php } ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
                Account Management</a></h1>
        </div>
    </div><!-- #oset-lc -->
    <div id="oset-rc">
        <h1>Regenerate Account</h1>
        <?php
            $this->title = "Regenerate Account";
            $this->headTitle($this->title);?>
        <div id="formcss">
            <?php echo $this->form; ?>
        </div>
        <?php
            $NumberOfResults = count($this->Results);
            if (!$this->Flag==1){
                ?>
            <?php if($NumberOfResults > 0){ ?>

```

```

<?php if($NumberOfResults>1){ ??
<p>There were <?php echo $NumberOfResults; ?? results found. </p>

<?php }
else {
echo "There was one result found.";
} ??
<table>
<tr>
<th>Student Number</th>
<th>Name</th>
<th></th>
</tr>
<?php foreach($this->Results as $Results){ ??
<tr>
<td> <?php echo $Results->Student_ID; ??</td>
<td> <?php echo $Results->Name; ?? </td>
<td> <a href="<?php echo $this->url(array('controller'=>'admin-regenerate', 'action'=>'regenerate', '
Student_ID'=>$Results->Student_ID, 'Name'=>$Results->Name)); ??>"> Regenerate Password </a> </td>
>
</tr>
<?php } ??
<table>
<?php }else echo "There were no results found."; }??

<br />
<a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>" > Back
</a>
<noscript>
<div class="module-div fail-msg-div">
<h1>No JS</h1>
<p>
This site will not work correctly unless JavaScript is enabled.<br />
Please enable JavaScript then refresh your browser.
</p>
</div>
</noscript>
</div>
</div>

```

```

<div id="content">
<div id="oset-lc">
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
</a></h1>
</div>
<div class="module-div">
<a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
<a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em>
</strong></a>
</div>
<div class="module-div">
<h1>User Accounts</h1>
<a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
</div>
<div class="module-div">
<h1>Student Accounts</h1>
<a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>"
class="current">Generate Accounts</a>
</div>
<div class="module-div">
<h1>Colleges</h1>
<a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>"> View
Colleges</a>
</div>
<div class="module-div">
<h1>SET </h1>
<a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
</div>
<?php if($this->UserType("Evaluation")) {??
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>
</div>
<?php }
if($this->UserType("College")) { ??
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
College Clerk Utilities</a></h1>
</div>
<?php } ??
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
Account Management</a></h1>

```

```

</div>
</div><!-- #oset-lc -->
<div id="oset-rc">
  <h1>Regenerate Account</h1>
  <?php
  $this->title = "Regenerate Account";
  $this->headTitle($this->title);
  ?>
  <p> </p>
  <br></br>
  <p> New password for <?php echo $this->Name; ?> with Student ID <span style="color:maroon;font-weight:bold
  ;"> <?php echo $this->Student_ID; ?> </span> is
  <span style="color:maroon;font-weight:bold"> <?php echo $this->Password; ?> </span> .</p>
  <br></br>
  <input type=button value="Back" onClick="history.go(-1)">
  <noscript>
  <div class="module-div fail-msg-div">
  <h1>No JS</h1>
  <p>
  This site will not work correctly unless JavaScript is enabled.<br />
  Please enable JavaScript then refresh your browser.
  </p>
  </div>
  </noscript>
  </div>
</div>
</div>
<div id="content">
  <div id="oset-lc">
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
      </a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
      em></strong></a>
    </div>
    <div class="module-div">
      <h1>User Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
    </div>
    <div class="module-div">
      <h1>Student Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>" >
      Generate Accounts</a>
    </div>
    <div class="module-div">
      <h1>Colleges</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>"> View
      Colleges</a>
    </div>
    <div class="module-div">
      <h1>SET </h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" class="current
      " > Setup</a>
    </div>
    <?php if($this->UserType("Evaluation")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'
      ));?>">Evaluation System Management</a></h1>
    </div>
    <?php }
    if($this->UserType("College")) { ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
      College Clerk Utilities</a></h1>
    </div>
    <?php } ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
      Account Management</a></h1>
    </div>
  </div>

```

```

</div><!-- #oset-lc -->

<div id="oset-rc">

    <h1>SET Setup</h1>

    <h3> The SET is currently set for <span style="color:maroon"> <?php echo $this->Semester_Words; ?> </span>
    Academic Year <span style="color:maroon"> <?php echo $this->Academic_Year; ?> - <?php echo $this->
    Academic_Year+1; ?></span></h3>

    <?php
    $this->title = "SET Setup";
    $this->headTitle($this->title);?>
    <div id="formcss" style="width:40%">
    <?php echo $this->form; ?>
    </div>

    <noscript>
    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
    </noscript>
</div>
</div>

```

```

<div id="content">

    <div id="oset-lc">

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
            </a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
        </div>

        <div class="module-div">
            <h1>User Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
        </div>

        <div class="module-div">
            <h1>Student Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>"
            class="current">Generate Accounts</a>
        </div>

        <div class="module-div">
            <h1>Colleges</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>"> View
            Colleges</a>
        </div>

        <div class="module-div">
            <h1>SET </h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
        </div>

        <?php if($this->UserType("Evaluation")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>">Evaluation System Management</a></h1>
        </div>

        <?php }
        if($this->UserType("College")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
            College Clerk Utilities</a></h1>
        </div>
        <?php } ?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
            Account Management</a></h1>
        </div>

    </div><!-- #oset-lc -->

<div id="oset-rc">

    <h1>Generate Accounts</h1>

```

```

<?php
$this->title = "Generate Accounts";
$this->headTitle($this->title);

if((int)$this->escape($this->flags2['Value']) == FALSE){

    if((int)$this->escape($this->flags['Value']) == TRUE){?>
    <div class=oset-rc>
    <h3> Students' information have already been downloaded. <a href="<?php echo $this->url(array('controller'=>'
    '=>'admin-student-accounts','action'=>'generate'));?>"> Generate random passwords</a> for the
    students. </h3>
    <br></br>
    <li> Generating passwords for student accounts may take several minutes.</li>
    <?php
    }else{?>
    <h3> No student information have been downloaded. </h3>
    <?php
    }
    }
    else{?>
    <h3>Passwords have already been generated. You can <a href="<?php echo $this->url(array('controller'=>'
    admin-student-accounts','action'=>'print'));?>">print</a> a copy of the students' login information
    .</h3>
    <br></br>
    <h3>You can download the pdf file <a href="<?php echo $this->url(array('controller'=>'admin-student-
    accounts','action'=>'download'));?>" > here. </a></h3>
    <br></br>
    <h3> <a href="<?php echo $this->url(array('controller'=>'admin-regenerate','action'=>'index', 'Name'=>'',
    'Flag'=>'1'));?>">+ Regenerate password for a student. </a></h3>
    <?php }?>

    <noscript>
    <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
    This site will not work correctly unless JavaScript is enabled.<br />
    Please enable JavaScript then refresh your browser.
    </p>
    </div>
    </noscript>
    </div>
    </div>

```

```

<div id="content">
    <div id="oset-1c">
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
            </a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
            em></strong></a>
        </div>
        <div class="module-div">
            <h1>User Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
        </div>
        <div class="module-div">
            <h1>Student Accounts</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>"
            class="current">Generate Accounts</a>
        </div>
        <div class="module-div">
            <h1>Colleges</h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>"> View
            Colleges</a>
        </div>
        <div class="module-div">
            <h1>SET </h1>
            <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>"> Setup</a>
        </div>
        <?php if($this->UserType("Evaluation")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>">Evaluation System Management</a></h1>
        </div>
        <?php }
        if($this->UserType("College")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
            College Clerk Utilities</a></h1>
        </div>
        <?php } ?>

```

```

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc">
  <h1>Download PDF </h1>
  <p> </p>
  <?php
  $this->title = "Download PDF";
  $this->headTitle($this->title);

  ?>
  <ul>
    <li> Students' Login Information have been downloaded.</li>
  </ul>

  <noscript>
    <div class="module-div fail-msg-div">
      <h1>No JS</h1>
      <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
      </p>
    </div>
  </noscript>
</div>
</div>
</div>


---


<div id="content">
  <div id="oset-lc">
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em>
        </strong></a>
    </div>

    <div class="module-div">
      <h1>User Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
    </div>

    <div class="module-div">
      <h1>Student Accounts</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>"
        class="current">Generate Accounts</a>
    </div>

    <div class="module-div">
      <h1>Colleges</h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>"> View
        Colleges</a>
    </div>
    <div class="module-div">
      <h1>SET </h1>
      <a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
    </div>
    <?php if($this->UserType("Evaluation")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Evaluation System Management</a></h1>
    </div>

    <?php }
    if($this->UserType("College")) { ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
        College Clerk Utilities</a></h1>
    </div>
    <?php } ?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
        Account Management</a></h1>
    </div>
  </div><!-- #oset-lc -->
<div id="oset-rc">

```



```

<h1>Generate Accounts</h1>
<p> </p>
<?php
$this->title = "Generate Accounts";
$this->headTitle($this->title);

?>
<ul>
<li> Passwords for students have already been generated.</li>
</ul>
<br> </br>
<input type=button value="Back" onClick="history.go(-1)">

<noscript>
<div class="module-div fail-msg-div">
<h1>No JS</h1>
<p>
This site will not work correctly unless JavaScript is enabled.<br />
Please enable JavaScript then refresh your browser.
</p>
</div>
</noscript>
</div>
</div>

```

```

<div id="content">
<div id="oset-lc">
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
</a></h1>
</div>
<div class="module-div">
<a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Home</a>
<a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
</div>
<div class="module-div">
<h1>User Accounts</h1>
<a href="<?php echo $this->url(array('controller'=>'admin','action'=>'index'));?>" >View Accounts</a>
</div>
<div class="module-div">
<h1>Student Accounts</h1>
<a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));?>"
class="current">Generate Accounts</a>
</div>
<div class="module-div">
<h1>Colleges</h1>
<a href="<?php echo $this->url(array('controller'=>'admin-colleges','action'=>'index'));?>"> View
Colleges</a>
</div>
<div class="module-div">
<h1>SET </h1>
<a href="<?php echo $this->url(array('controller'=>'admin-setup','action'=>'index'));?>" > Setup</a>
</div>
<?php if($this->UserType("Evaluation")) {?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>
</div>
<?php }
if($this->UserType("College")) { ?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
College Clerk Utilities</a></h1>
</div>
<?php } ?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc">
<h1>Print SET Student Login Information PDF </h1>
<p> </p>
<?php
$this->title = "Print PDF";
$this->headTitle($this->title);
$Name_of_PDF = $this->Name_of_PDF;

```

```

?>

<iframe src="<?php echo $this->baseUrl().'/'.$Name_of_PDF.'.pdf' ?>" id="PDFtoPrint" width="100%" height
="500px"> Student Accounts</iframe>
<br>
</br>
<input type="button" value="Print" onclick="document.getElementById('PDFtoPrint').focus(); document.
getElementById('PDFtoPrint').contentWindow.print();">
<br />
<a href="<?php echo $this->url(array('controller'=>'admin-student-accounts','action'=>'index'));" ?>" > Back
</a>
<noscript>
<div class="module-div fail-msg-div">
<h1>No JS</h1>
<p>
This site will not work correctly unless JavaScript is enabled.<br />
Please enable JavaScript then refresh your browser.
</p>
</div>
</noscript>
</div>
</div>

```

```

<div id="content">
<div id="oset-lc">
<?php if($this->UserType("Admin")) {?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));" ?>">Administration
</a></h1>
</div>
<?php }
if($this->UserType("Evaluation")) { ?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'
));?" ?>">Evaluation System Management</a></h1>
</div>
<?php } ?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));" ?>" >
College Clerk Utilities</a></h1>
</div>
<div class="module-div">
<a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));" ?>" >Home</a>
<a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));" ?>"><strong><em>Logout</
em></strong></a>
</div>
<div class="module-div">
<h1>Classes Management</h1>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'
));?" ?>" >Download Classes</a>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));" ?>" >
Classes/Faculty Selection</a>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'
));?" ?>" > List of Students</a>
</div>
<div class="module-div">
<h1>SET</h1>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'
));?" ?>" > Evaluation Mode</a>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'
));?" ?>"
class="current" > Assignment of SET Questions</a>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'
));?" ?>"
> SET Scores</a>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'
));?" ?>"
> Class Evaluation Status</a>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
'));?" ?>" > Student Evaluation Status</a>
</div>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'
));?" ?>">
Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc">
<h1 class="module-name-h1">Assignment of SET Questionnaire <span style="color:maroon"> ( <?php echo $this->
College_Name; ?> )</span></h1>
<?php

```

```

    $this->title = "Assignment of SET Questionnaire";
    $this->headTitle($this->title);
?>
<br />
<?php if($this->DFlag == FALSE){?>
    <h3>Classes for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> this semester
        have not yet been downloaded.</h3>
<?php } else if($this->Activated_Flag == TRUE) { ?>
    <h3>SET for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> is currently
        activated. This function is disabled</h3>
<?php } else{?>

    <br />
    <?php if ($this->Flag==1){ ?>
    <div id="formcss">
        <?php echo $this->form; ?>
    </div>
    <?php
    }else{
    ?>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index', 'Flag'
            =>1));?>">Search Subject</a>
    <?php } ?>

<table>
    <tr>
        <th>Subject</th>
        <th>SET Questionnaire Type</th>
        <th></th>
    </tr>

<?php

    $Subject = $this->Subject;
    $counter =0;
    while($counter < count($Subject)){ ?>
    <tr>
        <td> <?php echo $Subject[$counter]['Subject']; ?> </td>
        <td> <?php echo $Subject[$counter]['SET_Questionnaire_Type_Name']; ?> </td>
        <td>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment',
                'action'=>'edit', 'Subject'=> $Subject[$counter]['Subject'], 'SET_Questionnaire_Type_ID' =>
                $Subject[$counter]['SET_Questionnaire_Type_ID']));?>">Change SET Questionnaire Type</a>
            </td>
        <?php $counter++; ?>
    </tr>
<?php }
?>
</table>
<?php } ?>
<noscript>
    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
</noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>
        </div>

        <?php
        }
        if($this->UserType("Evaluation")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                );?>">Evaluation System Management</a></h1>
        </div>
        <?php } ?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
                College Clerk Utilities</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
        </div>

        <div class="module-div">
            <h1>Classes Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
                ;?>" >Download Classes</a>
        </div>
    </div>

```

```

        <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));" >
            Classes/Faculty Selection</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
            ;?" > List of Students</a>
    </div>

    <div class="module-div">
        <h1>SET</h1>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
            ;?" > Evaluation Mode</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));" >"
            class="current" > Assignment of SET Questions</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));" >"
            > SET Scores</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));" >"
            > Class Evaluation Status</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
            '));?" > Student Evaluation Status</a>

    </div>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));" >">
            Account Management</a></h1>

    </div>

</div><!-- #oset-lc -->

<div id="oset-rc">

    <h1 class="module-name-h1">Assignment of SET Questionnaire</h1>

    <?php

        $this->title = "Edit Default Assignment";
        $this->headTitle($this->title);

    ?>
    <br />

    <div id="formcss">
        <?php echo $this->form; ?>
    </div>

    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

<div id="content">

    <div id="oset-lc">

        <?php if($this->UserType("Admin")) {?>
            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));" >">Administration
                    </a></h1>
            </div>

            <?php }
            if($this->UserType("Evaluation")) { ?>
            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                    );?" >">Evaluation System Management</a></h1>
            </div>
            <?php } ?>

            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));" >" >
                    College Clerk Utilities</a></h1>
            </div>
            <div class="module-div">
                <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));" >" >Home</a>
                <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));" >"><strong><em>Logout</
                    em></strong></a>
            </div>

            <div class="module-div">
                <h1>Classes Management</h1>
                <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
                    ;?" class="current" >Download Classes</a>
                <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));" >" >
                    Classes/Faculty Selection</a>
            </div>

```

```

        <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
        ;?>" > List of Students</a>
</div>

<div class="module-div">
    <h1>SET</h1>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
    ;?>" > Evaluation Mode</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));>"
    > Assignment of SET Questions</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));>"
    > SET Scores</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));>"
    > Class Evaluation Status</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
    '));?>" > Student Evaluation Status</a>
</div>

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));>"
    Account Management</a></h1>
</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

    <h1 class="module-name-h1">Download Classes <span style="color:maroon"> ( <?php echo $this->College_Name;
    ?> )</span></h1>

    <?php
    $this->title = "Download Classes";
    $this->headTitle($this->title);
    ?>

    <?php if($this->Evaluation_Mode_Flag == FALSE){ ?>
    <h3>SET is still closed for all colleges </h3>
    <?php }else {?>
    <?php if($this->Activated_Flag==TRUE){ ?>
    <br />
    <h3>SET for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> is currently
    activated. This function is disabled</h3>
    <?php } else {?>
    <div class=oset-rc>
    <?php
    if($this->flags==TRUE){?>

    <h3> Classes for <span style="color:grey;"> <?php echo $this->College_Name ?> </span> this semester have
    already been downloaded. You can <a href="<?php echo $this->url(array('controller'=>'college-clerk
    -class-management','action'=>'download'));>"> redownload</a> the classes. </h3>
    <?php
    }else{?>
    <h3> Classes for <span style="color:grey;"> <?php echo $this->College_Name ?> </span> this semester
    have not yet been downloaded. <a href="<?php echo $this->url(array('controller'=>'college-clerk-
    class-management','action'=>'download'));>"> Download the classes.</a></h3>
    <?php
    }
    ?>
    </div>
    <?php } ?>

    <br />
    <li> Downloading can take several minutes.</li>
    <?php }?>
    <noscript>
    <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
    This site will not work correctly unless JavaScript is enabled.<br />
    Please enable JavaScript then refresh your browser.
    </p>
    </div>
    </noscript>
    </div>
</div>

<div id="content">

    <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));>">Administration
    </a></h1>
    </div>

    <?php }
    if($this->UserType("Evaluation")) { ?>
    <div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
    );?>">Evaluation System Management</a></h1>

```

```

</div>
<?php ) ?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
    College Clerk Utilities</a></h1>
</div>
<div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>">strong<em>Logout</em></a>
</div>

<div class="module-div">
  <h1>Classes Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'));?>" class="current" >Download Classes</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
    Classes/Faculty Selection</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'));?>" >
    List of Students</a>
</div>

<div class="module-div">
  <h1>SET</h1>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'));?>" >
    Evaluation Mode</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>" >
    Assignment of SET Questions</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>" >
    SET Scores</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>" >
    Class Evaluation Status</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index'));?>" >
    Student Evaluation Status</a>
</div>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>" >
    Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc" class=oset-rc>

  <h1 class="module-name-h1">Download Classes</h1>

  <?php
  $this->title = "Download Classes";
  $this->headTitle($this->title);

  ?>
  <ul>
  <li> Faculty data have been downloaded.</li>
  <li> Classes have been downloaded.</li>
  <li> Lists of students per class have been downloaded.</li>
  <li> Students' data have been downloaded.</li>
  </ul>
  <br />
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'));?>" >
    Back </a>
  <noscript>
  <div class="module-div fail-msg-div">
  <h1>No JS</h1>
  <p>
  This site will not work correctly unless JavaScript is enabled.<br />
  Please enable JavaScript then refresh your browser.
  </p>
  </div>
  </noscript>
  </div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>
    </div>

    <?php
    }
    if($this->UserType("Evaluation")) { ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'));?>">Evaluation System Management</a></h1>
    </div>
    }
  }

```

```

</div>
<?php } ?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
    College Clerk Utilities</a></h1>
</div>
<div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>">Logout</
  em></strong></a>
</div>

<div class="module-div">
  <h1>Classes Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
  ;?>" >Download Classes</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
    Classes/Faculty Selection</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
  ;?>" > List of Students</a>
</div>

<div class="module-div">
  <h1>SET</h1>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
  ;?>" class="current"> Evaluation Mode</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
  > Assignment of SET Questions</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
  > SET Scores</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
  > Class Evaluation Status</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
  '));?>" > Student Evaluation Status</a>
</div>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc">
  <h1 class="module-name-h1"> Evaluation Mode <span style="color:maroon"> ( <?php echo $this->College_Name;
  ?> )</span></h1>
  <?php
  $this->title = "Evaluation Mode";
  $this->headTitle($this->title);
  ?>
  <?php if($this->Downloaded_Flag == FALSE) { ?>
    <h3>Classes for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> this semester
    have not yet been downloaded.</h3>
  <?php } else { ?>
  <?php if($this->Evaluation_Mode['Value'] == False){?>
    <h3>Student Evaluation of Teachers for <span style="color:maroon;"><?php echo $this->College_Name; ?> </
    span> is currently deactivated. <a href="<?php echo $this->url(array('controller'=>'college-clerk-
    evaluation-mode','action'=>'activate', 'College_Code'=>$this->College_Code));?>"> Activate SET.</a
    ><h3>
  <?php }else{?>
    <h3>Student Evaluation of Teachers for <span style="color:maroon;"><?php echo $this->College_Name; ?> </
    span> is currently activated.<a href="<?php echo $this->url(array('controller'=>'college-clerk-
    evaluation-mode','action'=>'deactivate', 'College_Code'=>$this->College_Code));?>"> Deactivate SET
    .</a> <h3>
    <br />
    <li>Students are now allowed to evaluate their teachers.</li>
  <?php } ?>
  <br />
  <?php } ?>
  <noscript>
  <div class="module-div fail-msg-div">
  <h1>No JS</h1>
  <p>
  This site will not work correctly unless JavaScript is enabled.<br />
  Please enable JavaScript then refresh your browser.
  </p>
  </div>
  </noscript>
  </div>
</div>
</div>

<div id="content">
  <div id="oset-lc">
    <?php if($this->UserType("Admin")) {?>

```

```

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
  </a></h1>

</div>

<?php
  if($this->UserType("Evaluation")) { ?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
  );?>">Evaluation System Management</a></h1>

</div>
<?php } ?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
  College Clerk Utilities</a></h1>
</div>
<div class="module-div2">
  <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
  em></strong></a>
</div>

<div class="module-div2">
  <h1>Classes Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
  ;?>" >Download Classes</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
  Classes/Faculty Selection</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
  ;?>" > List of Students</a>
</div>

<div class="module-div2">
  <h1>SET</h1>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
  ;?>" class="current"> Evaluation Mode</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
  > Assignment of SET Questions</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
  > SET Scores</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
  > Class Evaluation Status</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
  '));?>" > Student Evaluation Status</a>
</div>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
  Account Management</a></h1>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

  <h1 class="module-name-h1">Evaluation Mode</h1>

  <?php
  $this->title = "Evaluation Mode";
  $this->headTitle($this->title);

  ?>

  <h3>Activated.</h3>
  <?php echo $this->College_Code; ?>

  <noscript>
  <div class="module-div fail-msg-div">
  <h1>No JS</h1>
  <p>
  This site will not work correctly unless JavaScript is enabled.<br />
  Please enable JavaScript then refresh your browser.
  </p>
  </div>
  </noscript>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
      </a></h1>

    </div>

```



```

<?php }
    if($this->UserType("Evaluation")) { ?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>

</div>
<?php } ?>

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
        College Clerk Utilities</a></h1>
</div>
<div class="module-div">
    <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
    <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
em></strong></a>
</div>

<div class="module-div">
<h1>Classes Management</h1>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
;?>" >Download Classes</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
        Classes/Faculty Selection</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
;?>" > List of Students</a>
</div>

<div class="module-div">
<h1>SET</h1>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
;?>" class="current"> Evaluation Mode</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
    > Assignment of SET Questions</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
    > SET Scores</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
    > Class Evaluation Status</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
'));?>" > Student Evaluation Status</a>
</div>

<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>

</div>

</div><!-- #oset-lc -->
<div id="oset-rc">

    <h1 class="module-name-h1">Evaluation Mode</h1>

    <?php
    $this->title = "Evaluation Mode";
    $this->headTitle($this->title);

    ?>

    <h3>SET for <span style="color:maroon"><?php echo $this->College_Name; ?></span> is deactivated. SET Scores
    is being calculated.</h3>

    <?php
    $Departments = $this->Departments;
    $counter =0; ?>
    <ul>
    <?php
    while($counter<count($Departments)){
        if($Departments[$counter]['SET_Scores_Calculated']== TRUE)
        {
            ?>
            <li> SET Scores for <span style="color:maroon"> <?php echo $Departments[$counter]['Department_Name'];
            ?></span> has been calculated.</li>
            <?php
            }
            $counter++;
        }
    }
    if($this->SET_Score_Complete == TRUE){?>
    <li> SET Scores for the whole college has been calculated.</li>
    <?php
    }else{
    ?>
    <li>Calculating.....</li>
    <?php
    }
    ?>
    </ul>
    <br />
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'));
    ?>">Back to Evaluation Mode</a>

</noscript>

```

```

<div class="module-div fail-msg-div">
  <h1>No JS</h1>
  <p>
    This site will not work correctly unless JavaScript is enabled.<br />
    Please enable JavaScript then refresh your browser.
  </p>
</div>
</noscript>
</div>
</div>

```

```

<div id="content">
  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>

    </div>

    <?php }
    if($this->UserType("Evaluation")) { ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Evaluation System Management</a></h1>

    </div>
    <?php } ?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
        College Clerk Utilities</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" class="
        current">Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
        em></strong></a>
    </div>

    <div class="module-div">
      <h1>Classes Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
        ;?>" >Download Classes</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
        Classes/Faculty Selection</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
        ;?>" > List of Students</a>
    </div>

    <div class="module-div">
      <h1>SET</h1>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
        ;?>" > Evaluation Mode</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
        > Assignment of SET Questions</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
        > SET Scores</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
        > Class Evaluation Status</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
        '));?>" > Student Evaluation Status</a>
    </div>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
        Account Management</a></h1>
    </div>

  </div><!-- #oset-lc -->

  <div id="oset-rc">

    <h1 class="module-name-h1">Home</h1>

    <noscript>
      <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
          This site will not work correctly unless JavaScript is enabled.<br />
          Please enable JavaScript then refresh your browser.
        </p>
      </div>
    </noscript>
  </div>
</div>

```

```

<div id="content">

```

```

<div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>
    </div>

    <?php }
    if($this->UserType("Evaluation")) { ?>
    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Evaluation System Management</a></h1>
    </div>
    <?php } ?>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
        College Clerk Utilities</a></h1>
    </div>
    <div class="module-div">
        <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
        <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
        em></strong></a>
    </div>

    <div class="module-div">
        <h1>Classes Management</h1>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
        ;?>" >Download Classes</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>"
        class="current"> Classes/Faculty Selection</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
        ;?>" > List of Students</a>
    </div>

    <div class="module-div">
        <h1>SET</h1>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
        ;?>" > Evaluation Mode</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
        > Assignment of SET Questions</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
        > SET Scores</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
        > Class Evaluation Status</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
        ');?>" > Student Evaluation Status</a>
    </div>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
        Account Management</a></h1>
    </div>

</div><!-- #oset-lc -->

<div id="oset-rc">
    <h1 class="module-name-h1">Classes Management <span style="color:maroon"> ( <?php echo $this->College_Name;
    ?> ) </span></h1>
    <?php if($this->DFlag == FALSE) {?>
    <h3>Classes for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> this semester
    have not yet been downloaded.</h3>
    <?php }else if($this->Activated_Flag == TRUE) { ?>
    <br />
    <h3>SET for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> is currently
    activated. This function is disabled</h3>
    <?php }else{?>

    <br />
    <?php if ($this->Flag==1) { ?>
    <div id="formcss">
        <?php echo $this->form; ?>
    </div>
    <?php }else{
    ?>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index', 'Flag
        '=>1));?>">Search Subject</a>
    <?php } ?>
    <br />
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index', 'Array_Flag
    '=>1, 'Subject'=>$this->Subject));?>">Check All | </a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index', 'Array_Flag
    '=>2, 'Subject'=>$this->Subject));?>">Uncheck All</a>
    <form action="<?php echo $this->url(array('action'=>'index')); ?>" method="post">
    <table>

    <tr>

        <th>Subject</th>

```

```

        <th>Section</th>
        <th>Instructors</th>
        <th>Activated</th>
        <th></th>
    </tr>
    <?php $Activated_Array = $this->Activated_Array;
        $Classes = $this->Classes;
        $counter=0
    ?>
    <?php while($counter<count($Classes)){ ?>
    <tr>

        <td><?php echo $Classes[$counter]['Subject'];?></td>
        <td><?php echo $Classes[$counter]['Section'];?></td>
        <td><?php if($Classes[$counter]['Instructors']==''){
            echo "TBA";
        }else{
            echo $Classes[$counter]['Instructors'];
        }
        ?>
        </td>
        <td>
            <?php
            if ($Activated_Array[$counter]== TRUE){ ?>

                <input type="checkbox" value=1 checked="true" name="<?php echo $Classes[$counter]['Class_ID'] ?>">
            <?php }
            else{?>

                <input type="checkbox" value=0 name="<?php echo $Classes[$counter]['Class_ID'] ?>">
            <?php }?>

        </td>
        <td><a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'editclass', '
            Class_ID'=>$Classes[$counter]['Class_ID']));?>"| Edit |</a>

        </td>
    </tr>
    <?php $counter++;
    }?>
</table>
<input type="submit" name="saveactivate" value="Save Activation Status">
</form>
<?php }?>
<noscript>
    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
</noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
            </a></h1>
        </div>
        <?php }
            if($this->UserType("Evaluation")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>">Evaluation System Management</a></h1>
        </div>
        <?php } ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
            College Clerk Utilities</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
            em></strong></a>
        </div>
        <div class="module-div">
            <h1>Classes Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
            ;?>" >Download Classes</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>"
            class="current"> Classes/Faculty Selection</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
            ;?>" > List of Students</a>
        </div>
    </div>

```

```

        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
            > Class Evaluation Status</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
            '));?>" > Student Evaluation Status</a>
    </div>

    <div class="module-div">
        <h1>SET</h1>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
            ;?>" > Evaluation Mode</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
            > Assignment of SET Questions</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
            > SET Scores</a>
    </div>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>"
            Account Management</a></h1>

    </div>
</div><!-- #oset-lc -->

<div id="oset-rc">

    <h1 class="module-name-h1">Add Instructor</h1>
    <?php

        $this->title = "Add Instructor";
        $this->headTitle($this->title);

    ?>
    <br/>
    <div id="formcss">
    <?php echo $this->form; ?>
    </div>

    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

```

```

<div id="content">

    <div id="oset-lc">

        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>

        </div>

        <?php }
            if($this->UserType("Evaluation")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                );?>">Evaluation System Management</a></h1>

        </div>
        <?php } ?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
                College Clerk Utilities</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
                em></strong></a>
        </div>

        <div class="module-div">
            <h1>Classes Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
                ;?>" >Download Classes</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>"
                class="current"> Classes/Faculty Selection</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
                ;?>" > List of Students</a>
        </div>

        <div class="module-div">
            <h1>SET</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
                ;?>" > Evaluation Mode</a>

```

```

        <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
        > Assignment of SET Questions</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
        > SET Scores</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
        > Class Evaluation Status</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
        '));?>" > Student Evaluation Status</a>
    </div>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>"
        Account Management</a></h1>

    </div>

</div><!-- #oset-lc -->

<div id="oset-rc">

    <h1 class="module-name-h1">Edit Class</h1>
    <?php
    $this->title = "Edit Class";
    $this->headTitle = ($this->title);

    ?>
    <div id="formcss">
        <?php echo $this->form; ?>
    </div>
    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

<div id="content">

    <div id="oset-lc">

        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>"Administration
            </a></h1>

        </div>

        <?php }
        if($this->UserType("Evaluation")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>"Evaluation System Management</a></h1>

        </div>
        <?php } ?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
            College Clerk Utilities</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"<strong><em>Logout</
            em></strong></a>
        </div>

        <div class="module-div">
            <h1>Classes Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
            ;?>" >Download Classes</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>"
            class="current"> Classes/Faculty Selection</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
            ;?>" > List of Students</a>
        </div>

        <div class="module-div">
            <h1>SET</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
            ;?>" > Evaluation Mode</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
            > Assignment of SET Questions</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
            > SET Scores</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
            > Class Evaluation Status</a>
        </div>
    </div>

```

```

        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
        '));?>" > Student Evaluation Status</a>
</div>

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
        Account Management</a></h1>
</div>
</div><!-- #oset-lc -->

<div id="oset-rc">
    <h1>Remove Instructor </h1>
    <p>Are you sure that you want to remove

        ' <?php echo $this->escape($this->Instructor_To_Delete_Name); ?>'
    </p>
    <form action="<?php echo $this->url(array('action'=>'delete')); ?>" method="post">
    <div>
        <input type="hidden" name="Class_ID" value="<?php echo $this->Class_ID; ?>" />
        <input type="submit" name="del" value="Yes" />
        <input type="submit" name="del" value="No" />
    </div>
    </form>
    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>
        </div>
        <?php }
        if($this->UserType("Evaluation")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                );?>">Evaluation System Management</a></h1>
        </div>
        <?php } ?>
    </div>
    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
            College Clerk Utilities</a></h1>
    </div>
    <div class="module-div">
        <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
        <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
            em></strong></a>
    </div>
    <div class="module-div">
        <h1>Classes Management</h1>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
            ;?>" >Download Classes</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>"
            class="current"> Classes/Faculty Selection</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
            ;?>" > List of Students</a>
    </div>
    <div class="module-div">
        <h1>SET</h1>
        <h1>SET</h1>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
            ;?>" > Evaluation Mode</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
            > Assignment of SET Questions</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
            > SET Scores</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
            > Class Evaluation Status</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
            '));?>" > Student Evaluation Status</a>
    </div>
    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
            Account Management</a></h1>
    </div>

```

```

</div>
</div><!-- #oset-lc -->
<div id="oset-rc">
  <h1 class="module-name-h1">Edit Class <span style="color:maroon"> <?php echo $this->Subject. " - " . $this
    ->Section; ?> </span></h1>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'add', 'Class_ID'=>
    $this->Class_ID, 'Instructors'=>$this->Instructors, 'Activated'=>$this->Activated, 'Subject'=>$this->
    Subject));?>"> Add Instructor </a>
  <?php if($this->Instructor_Flag == FALSE){?>
  <br />
  <br />
  <li>There are no instructors assigned to this class yet.</li>
  <?php }else{?>
  <table>
  <tr>
  <th>Instructor Name</th>
  <th>Instructor Code</th>
  <th></th>
  </tr>
  <?php foreach($this->Instructors_Details as $ID) : ?>
  <tr>
  <td><?php echo $this->escape($ID->Name);?></td>
  <td><?php echo $this->escape($ID->Instructor_Code);?></td>
  <td><a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'delete', '
    Class_ID'=>$this->Class_ID, 'Instructor_To_Delete'=>$ID->Instructor_Code, 'Instructor_To_Delete_Name
    '=>$ID->Name));?>"> Delete Instructor </a></td>
  </tr>
  <?php endforeach; ?>
  </table>
  <?php } ?>
  <br />
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>"> Back
    to Classes Management </a>
  <noscript>
  <div class="module-div fail-msg-div">
  <h1>No JS</h1>
  <p>
  This site will not work correctly unless JavaScript is enabled.<br />
  Please enable JavaScript then refresh your browser.
  </p>
  </div>
  </noscript>
  </div>
</div>
</div>

```

```

<div id="content">
  <div id="oset-lc">
  <?php if($this->UserType("Admin")) {?>
  <div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
    </a></h1>
  </div>
  <?php }
  if($this->UserType("Evaluation")) { ?>
  <div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'
    ));?>">Evaluation System Management</a></h1>
  </div>
  <?php } ?>
  <div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
    College Clerk Utilities</a></h1>
  </div>
  <div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
    em></strong></a>
  </div>
  <div class="module-div">
  <h1>Classes Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'
    ));?>" >Download Classes</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
    Classes/Faculty Selection</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'
    ));?>" > List of Students</a>
  </div>
  <div class="module-div">
  <h1>SET</h1>

```



```

        <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
        ;?>" > Evaluation Mode</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
        > Assignment of SET Questions</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
        class="current" > SET Scores</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
        > Class Evaluation Status</a>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
        ');?>" > Student Evaluation Status</a>
    </div>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
            Account Management</a></h1>

    </div>

</div><!-- #oset-lc -->

<div id="oset-rc">

    <h1 class="module-name-h1">SET Scores <span style="color:maroon;"> ( <?php echo $this->Subject ?> )</span
    ></h1>

    <?php
    $this->title = "SET Scores";
    $this->headTitle($this->title);

    ?>
    <?php if($this->Type != 'T'){?>
    <table>
        <tr>
            <th> Choice </th>
            <th> Answer Count </th>

        </tr>

    <?php
        $Answers = $this->Answers;
        $counter =0;
        while($counter < count($Answers)){ ?>
        <tr>
            <td> <?php echo $Answers[$counter]['Value']; ?> </td>
            <td> <?php echo $Answers[$counter]['Count']; ?> </td>

            <?php $counter++; ?>
        </tr>
    <?php }
    ?>
    </table>
    <?php }
    else{
    ?>
    <table>
        <tr>
            <th>Respondent Numer</th>
            <th>Answer</th>
        </tr>
    <?php
        $Answers = $this->Answers;
        $counter =0;
        while($counter < count($Answers)){ ?>
        <tr>
            <td> <?php echo $counter ?> </td>
            <td> <?php echo $Answers[$counter]['Text_Answer']; ?> </td>

            <?php $counter++; ?>
        </tr>
    <?php }
    ?>
    </table>

    <?php
    }
    ?>

    <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores',
        'action'=>'questiondetails','Instructor_Code'=>$this->Instructor_Code, 'Class_ID'=>$this->
        Class_ID, 'SET_Questionnaire_Part_ID'=>$this->SET_Questionnaire_Part_ID));?>"> Back to SET
        Questions</a>

</noscript>
    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
</noscript>
</div>
</div>

```

```

<div id="content">
  <div id="oset-lc">
    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
      </a></h1>
    </div>
    <?php }
    if($this->UserType("Evaluation")) { ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
      );?>">Evaluation System Management</a></h1>
    </div>
    <?php } ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
      College Clerk Utilities</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
      em></strong></a>
    </div>
    <div class="module-div">
      <h1>Classes Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
      ;?>" >Download Classes</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
      Classes/Faculty Selection</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
      ;?>" > List of Students</a>
    </div>
    <div class="module-div">
      <h1>SET</h1>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
      ;?>" > Evaluation Mode</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
      > Assignment of SET Questions</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
      class="current" > SET Scores</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
      > Class Evaluation Status</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
      '));?>" > Student Evaluation Status</a>
    </div>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
      Account Management</a></h1>
    </div>
  </div><!-- #oset-lc -->
  <div id="oset-rc">
    <h1 class="module-name-h1">SET Scores <span style="color:maroon;"> ( <?php echo $this->Instructor_Name ?> )
    </span></h1>
    <?php
    $this->title = "Evaluation Mode";
    $this->headTitle($this->title);
    ?>
    <table>
      <tr>
        <th> Subject </th>
        <th> Section </th>
        <th> SET Average</th>
        <th></th>
      </tr>
    </table>
    <?php
    $Classes = $this->Classes;
    $counter =0;
    while($counter < count($Classes)){ ?>
    <tr>
      <td> <?php echo $Classes[$counter]['Subject']; ?> </td>
      <td> <?php echo $Classes[$counter]['Section']; ?> </td>
      <td> <?php echo $Classes[$counter]['Class_Average']; ?> </td>
      <td>
        <?php if($Classes[$counter]['Answered'] == TRUE){ ?>

```

```

<a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores',
    'action'=>'partdetails',
    'Instructor_Code'=> $this->Instructor_Code,
    'Class_ID'=> $Classes[$counter]['Class_ID'],
    'Subject'=> $Classes[$counter]['Subject']
)); ?>" | SET Scores per Part |
</a>

<a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores',
    'action'=>'fullreport',
    'Instructor_Code'=> $this->Instructor_Code,
    'Class_ID'=> $Classes[$counter]['Class_ID'],
    'Subject'=> $Classes[$counter]['Subject'],
    'SET_Questionnaire_Type_ID'=>$Classes[$counter]['SET_Questionnaire_Type_ID']
)); ?>"> View Full Report |
</a>
<?php } else { ?>
    <em> This class has not been evaluated.</em>
<?php } ?>

</td>
<?php $counter++; ?>
</tr>
<?php }
?>
</table>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores',
    'action'=>'index')); ?>"> Back to Instructors</a>

<noscript>
<div class="module-div fail-msg-div">
<h1>No JS</h1>
<p>
    This site will not work correctly unless JavaScript is enabled.<br />
    Please enable JavaScript then refresh your browser.
</p>
</div>
</noscript>
</div>
</div>

```

```

<div id="content">
<div id="oset-lc">

<?php if($this->UserType("Admin")) {?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
    </a></h1>
</div>

<?php }
    if($this->UserType("Evaluation")) { ?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
    );?>">Evaluation System Management</a></h1>
</div>
<?php } ?>

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
        College Clerk Utilities</a></h1>
</div>
<div class="module-div">
    <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
    <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em>
    </strong></a>
</div>

<div class="module-div">
<h1>Classes Management</h1>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
    ;?>" >Download Classes</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
        Classes/Faculty Selection</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
    ;?>" > List of Students</a>
</div>

<div class="module-div">
<h1>SET</h1>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
    ;?>" > Evaluation Mode</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
    > Assignment of SET Questions</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
    class="current" > SET Scores</a>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
    > Class Evaluation Status</a>

```

```

        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
        '));?>" > Student Evaluation Status</a>
    </div>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
            Account Management</a></h1>

    </div>

</div><!-- #oset-lc -->

<div id="oset-rc">

    <h1 class="module-name-h1">SET Scores <span style="color:maroon;"> ( <?php echo $this->Instructor_Name.' -
        '. $this->Subject ;?> )</span></h1>

    <?php
    $this->title = "Print Full Report";
    $this->headTitle($this->title);
    $Name_of_PDF = $this->Name_of_PDF;
    ?>

    <iframe src="<?php echo $this->baseUrl().'/'.$Name_of_PDF.'.pdf' ?>" id="PDFtoPrint" width="100%" height
        ="500px"></iframe>
    <br>
    </br>
    <input type="button" value="Print" onclick="document.getElementById('PDFtoPrint').focus(); document.
        getElementById('PDFtoPrint').contentWindow.print();">
    <br />
    <a href="javascript: history.go(-1)">Back</a>
    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

```

```

<div id="content">

    <div id="oset-lc">

        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>

        </div>

        <?php }
            if($this->UserType("Evaluation")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'
                ));?>">Evaluation System Management</a></h1>

        </div>
        <?php } ?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
                College Clerk Utilities</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
                em></strong></a>
        </div>

        <div class="module-div">
            <h1>Classes Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
                ;?>" >Download Classes</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
                Classes/Faculty Selection</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
                ;?>" > List of Students</a>
        </div>

        <div class="module-div">
            <h1>SET</h1>
            <h1>SET</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
                ;?>" > Evaluation Mode</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
                > Assignment of SET Questions</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
                class="current" > SET Scores</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
                > Class Evaluation Status</a>
        </div>
    </div>

```

```

        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
        '));?>" > Student Evaluation Status</a>
</div>

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
        Account Management</a></h1>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

    <h1 class="module-name-h1">SET Scores <span style="color:maroon"> ( <?php echo $this->College_Name; ?> )</
    span></h1>

    <?php
    $this->title = "Evaluation Mode";
    $this->headTitle($this->title);

    ?>

    <?php if($this->Activated_Flag == True){?>
    <br />
    <h3>Student Evaluation of Teachers for <span style="color:maroon"><?php echo $this->College_Name; ?> </
    span> is currently activated. <h3>
    <br />
    <li>SET Scores are calculated once the SET is deactivated.</li>
    <?php }else if($this->Downloaded_Flag == False){?>
    <h3>Classes for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> this semester
    have not yet been downloaded.</h3>
    <?php }else if($this->SET_Scores_Calculated == False){?>
    <h3>SET for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> has not yet started
    .</h3>
    <?php }else{ ?>

    <br />
    <?php if ($this->SearchInstructorFlag==1){ ?>
    <div id="formcss">
        <?php echo $this->form; ?>
    </div>
    <?php
    }else{
    ?>
        <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index', '
        SearchInstructorFlag'=>1));?>">Search Instructor</a>
    <?php } ?>

    <table>
    <tr>
    <th> Instructor Name </th>
    <th> SET Average</th>
    <th></th>
    <th></th>
    </tr>

    <?php

    $Instructors = $this->Instructors;
    $counter =0;
    while($counter < count($Instructors)){ ?>
    <tr>
    <td> <?php echo $Instructors[$counter]['Name']; ?> </td>
    <td> <?php echo $Instructors[$counter]['Instructor_Average']; ?> </td>
    <td>
    <?php if($Instructors[$counter]['Answered'] == TRUE){ ?>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores',
    'action'=>'classdetails', 'Instructor_Code'=> $Instructors[$counter]['Instructor_Code'], )); ?>">
    View SET Scores of each class this semester </a>
    <?php }else{ ?>
    <em> Classes for this semester were not evaluated. </em>
    <?php } ?>

    </td>
    <td><a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores',
    'action'=>'previoussetscores', 'Instructor_Code'=> $Instructors[$counter]['Instructor_Code'], ));
    ?>"> View SET Scores of previous semesters</a></td>
    <?php $counter++; ?>
    </tr>
    <?php }
    ?>
    </table>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'
    printinstructors',
    'College_Code'=>$this->College_Code, 'Department_Code'=>$this->Department_Code,
    'Instructor'=>$this->Instructor)); ?>">Print Instructors' Score</a>

    <?php } ?>

    <noscript>
    <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
    This site will not work correctly unless JavaScript is enabled.<br />
    Please enable JavaScript then refresh your browser.
    </p>

```

```

        </div>
    </noscript>
</div>
</div>

<div id="content">

    <div id="oset-lc">

        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
            </a></h1>

        </div>

        <?php }
        if($this->UserType("Evaluation")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>">Evaluation System Management</a></h1>

        </div>
        <?php } ?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
            College Clerk Utilities</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
            em></strong></a>
        </div>

        <div class="module-div">
            <h1>Classes Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
            ;?>" >Download Classes</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
            Classes/Faculty Selection</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
            ;?>" > List of Students</a>
        </div>

        <div class="module-div">
            <h1>SET</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
            ;?>" > Evaluation Mode</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
            > Assignment of SET Questions</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
            class="current" > SET Scores</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
            > Class Evaluation Status</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
            '));?>" > Student Evaluation Status</a>
        </div>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
            Account Management</a></h1>
        </div>

    </div><!-- #oset-lc -->

    <div id="oset-rc">

        <h1 class="module-name-h1">SET Scores <span style="color:maroon;"> ( <?php echo $this->Subject ?> )</span
        ></h1>

        <?php
        $this->title = "Evaluation Mode";
        $this->headTitle($this->title);

        ?>

        <table>
            <tr>
                <th> Part Name </th>
                <th> Part Average </th>
            </tr>
        </table>

        <?php
        $Parts = $this->Parts;
        $counter =0;
        while($counter < count($Parts)){ ?>
            <tr>
                <td> <?php echo $Parts[$counter]['SET_Questionnaire_Part_Name']; ?> </td>

```

```

        <td> <?php echo $Parts[$counter]['Part_Average']; ?> </td>
        <td>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores',
                'action'=>'questiondetails',
                'Instructor_Code'=> $this->Instructor_Code,
                'Class_ID'=> $Parts[$counter]['Class_ID'],
                'SET_Questionnaire_Part_ID'=>$Parts[$counter]['SET_Questionnaire_Part_ID']
            )); ?>"> View SET Scores per Question</a>
        </td>
    </tr>
    <?php $counter++; ?>
</tr>
<?php }
?>
</table>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores',
    'action'=>'classdetails', 'Instructor_Code'=>$this->Instructor_Code)); ?>"> Back to Subjects</a>

<noscript>
<div class="module-div fail-msg-div">
<h1>No JS</h1>
<p>
    This site will not work correctly unless JavaScript is enabled.<br />
    Please enable JavaScript then refresh your browser.
</p>
</div>
</noscript>
</div>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome', 'action'=>'index')); ?>">Administration
                </a></h1>
        </div>
        <?php }
        if($this->UserType("Evaluation")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome', 'action'=>'index')
                ); ?>">Evaluation System Management</a></h1>
        </div>
        <?php } ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome', 'action'=>'index')); ?>" >
                College Clerk Utilities</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'college-clerkhome', 'action'=>'index')); ?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index', 'action'=>'logout')); ?>"><strong><em>Logout</em></strong></a>
        </div>
        <div class="module-div">
            <h1>Classes Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management', 'action'=>'index'))
                ; ?>" >Download Classes</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection', 'action'=>'index')); ?>" >
                Classes/Faculty Selection</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list', 'action'=>'index'))
                ; ?>" > List of Students</a>
        </div>
        <div class="module-div">
            <h1>SET</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode', 'action'=>'index'))
                ; ?>" > Evaluation Mode</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment', 'action'=>'index')); ?>"
                > Assignment of SET Questions</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores', 'action'=>'index')); ?>"
                class="current" > SET Scores</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status', 'action'=>'index')); ?>"
                > Class Evaluation Status</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status', 'action'=>'index
                ')); ?>" > Student Evaluation Status</a>
        </div>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome', 'action'=>'index')); ?>">
                Account Management</a></h1>
        </div>
    </div><!-- #oset-lc -->
<div id="oset-rc">

```

```
<h1 class="module-name-h1">SET Scores <span style="color:maroon;"> ( <?php echo $this->Instructor_Name; ?>
) </span></h1>

<?php
$this->title = "SET Scores";
$this->headTitle($this->title);
$Name_of_PDF = $this->Name_of_PDF;
?>

<iframe src="<?php echo $this->baseUrl().'/'.$Name_of_PDF.'.pdf' ?>" id="PDFtoPrint" width="100%" height
="500px"></iframe>
<br>
</br>
<input type="button" value="Print" onclick="document.getElementById('PDFtoPrint').focus(); document.
getElementById('PDFtoPrint').contentWindow.print();">

<br/>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>">Back
</a>
<noscript>
<div class="module-div fail-msg-div">
<h1>No JS</h1>
<p>
This site will not work correctly unless JavaScript is enabled.<br />
Please enable JavaScript then refresh your browser.
</p>
</div>
</noscript>
</div>
</div>
```

```
<div id="content">
<div id="oset-1c">

<?php if($this->UserType("Admin")) {?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
</a></h1>

</div>

<?php }
if($this->UserType("Evaluation")) { ?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>

</div>
<?php } ?>

<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
College Clerk Utilities</a></h1>
</div>
<div class="module-div">
<a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
<a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
em></strong></a>
</div>

<div class="module-div">
<h1>Classes Management</h1>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
;?>" >Download Classes</a>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
Classes/Faculty Selection</a>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
;?>" > List of Students</a>
</div>

<div class="module-div">
<h1>SET</h1>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
;?>" > Evaluation Mode</a>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
> Assignment of SET Questions</a>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
class="current" > SET Scores</a>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
> Class Evaluation Status</a>
<a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
'));?>" > Student Evaluation Status</a>
</div>

<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
Account Management</a></h1>

</div>
```



```

</div><!-- #oset-lc -->
<div id="oset-rc">
  <h1 class="module-name-h1">SET Scores <span style="color:maroon;"> ( <?php echo $this->Instructor_Name.' -
    '. $this->Subject ;?> )</span></h1>
  <?php
    $this->title = "Evaluation Mode";
    $this->headTitle($this->title);
    $Name_of_PDF = $this->Name_of_PDF;
    ?>
  <iframe src="<?php echo $this->baseUrl().'/'.$Name_of_PDF.'.pdf' ?>" id="PDFtoPrint" width="100%" height
    ="500px"></iframe>
  <br>
  </br>
  <input type="button" value="Print" onclick="document.getElementById('PDFtoPrint').focus(); document.
    getElementById('PDFtoPrint').contentWindow.print();">
  <br/>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));">Back
  </a>
  <noscript>
    <div class="module-div fail-msg-div">
      <h1>No JS</h1>
      <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
      </p>
    </div>
  </noscript>
</div>
</div>

```

```

<div id="content">
  <div id="oset-lc">
    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));">Administration
      </a></h1>
    </div>
    <?php }
    if($this->UserType("Evaluation")) { ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'
        ));?>">Evaluation System Management</a></h1>
    </div>
    <?php } ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));" >
        College Clerk Utilities</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));"><strong><em>Logout</
        em></strong></a>
    </div>
    <div class="module-div">
      <h1>Classes Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
        ;?>" >Download Classes</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));" >
        Classes/Faculty Selection</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
        ;?>" > List of Students</a>
    </div>
    <div class="module-div">
      <h1>SET</h1>
      <h2>SET</h2>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
        ;?>" > Evaluation Mode</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));" >
        Assignment of SET Questions</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));" >
        class="current" > SET Scores</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));" >
        Class Evaluation Status</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
        '));?>" > Student Evaluation Status</a>
    </div>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));">
        Account Management</a></h1>
    </div>

```

```

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

  <h1 class="module-name-h1">SET Scores <span style="color:maroon;"> ( <?php echo $this->Subject ?> )</span
  ></h1>

  <?php
  $this->title = "SET Scores";
  $this->headTitle($this->title);

  ?>

  <table>
  <tr>
  <th> Question </th>
  <th> Question Average </th>
  <th></th>

  </tr>

  <?php

  $Questions = $this->Questions;
  $counter =0;
  while($counter < count($Questions)){ ?>
  <tr>
  <td> <?php echo $Questions[$counter]['Question']; ?> </td>
  <td> <?php echo $Questions[$counter]['Question_Average']; ?> </td>
  <td>
  <?php if($Questions[$counter]['Type']!= 'T'){ ?>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores',
  'action'=>'answerdetails',
  'Instructor_Code'=> $this->Instructor_Code,
  'Class_ID'=> $this->Class_ID,
  'SET_Questionnaire_Question_ID'=> $Questions[$counter]['SET_Questionnaire_Question_ID'],
  'SET_Questionnaire_Part_ID'=>$this->SET_Questionnaire_Part_ID,
  'Answer_Type_ID'=>$Questions[$counter]['Answer_Type_ID']
  )); ?>"> View Answer Count per Choice </a>

  <?php }
  else{
  ?>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores',
  'action'=>'answerdetails',
  'Instructor_Code'=> $this->Instructor_Code,
  'Class_ID'=> $this->Class_ID,
  'SET_Questionnaire_Question_ID'=> $Questions[$counter]['SET_Questionnaire_Question_ID'],
  'SET_Questionnaire_Part_ID'=>$this->SET_Questionnaire_Part_ID,
  'Answer_Type_ID'=>$Questions[$counter]['Answer_Type_ID']
  )); ?>"> View Answers </a>

  <?php } ?>
  </td>
  <?php $counter++; ?>
  </tr>
  <?php }
  ?>
  </table>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores',
  'action'=>'partdetails', 'Instructor_Code'=>$this->Instructor_Code, 'Class_ID'=>$this->Class_ID));
  ?>"> Back to SET Parts</a>

  <noscript>
  <div class="module-div fail-msg-div">
  <h1>No JS</h1>
  <p>
  This site will not work correctly unless JavaScript is enabled.<br />
  Please enable JavaScript then refresh your browser.
  </p>
  </div>
  </noscript>
  </div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

  <?php if($this->UserType("Admin")) {?>
  <div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'adminhome', 'action'=>'index')); ?>">Administration
  </a></h1>

  </div>

  <?php }
  if($this->UserType("Evaluation")) { ?>
  <div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome', 'action'=>'index')
  ); ?>">Evaluation System Management</a></h1>

  </div>
  <?php } ?>

```

```

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
    College Clerk Utilities</a></h1>
</div>
<div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
</div>

<div class="module-div">
  <h1>Classes Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
    ;?>" >Download Classes</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
    Classes/Faculty Selection</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
    ;?>" > List of Students</a>
</div>

<div class="module-div">
  <h1>SET</h1>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
    ;?>" > Evaluation Mode</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
    > Assignment of SET Questions</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
    > SET Scores</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
    class="current"> Class Evaluation Status</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
    '));?>" > Student Evaluation Status</a>
</div>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>
</div>

</div><!-- #oset-lc -->
<div id="oset-rc">
  <h1 class="module-name-h1">Class Evaluation Status <span style="color:maroon;"> ( <?php echo $this->
    College_Name; ?> )</span></h1>

  <?php

    $this->title = "Evaluation Status";
    $this->headTitle($this->title);
    //echo $this->form;

    // $Subject = $this->Subject;
  ?>
  <?php if($this->Downloaded_Flag == FALSE){ ?>
    <h3>Classes for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> this semester
      have not yet been downloaded.</h3>
  <?php }else if($this->Activated_Flag == FALSE){ ?>
    <h3>SET for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> is not activated.</h3>
  <?php }else { ?>
  <?php
    $Classes = $this->Classes;
    $counter=0;
  ?>
  <br />

  <?php if ($this->Flag==1){ ?>
  <br />
  <div id="formcss">
    <?php echo $this->form; ?>
  </div>
  <?php
  }else{
  ?>
    <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index', 'Flag
      '=>1));?>">Search Subject</a>
  <?php } ?>
  <br />

  <table>
  <tr>
    <th>Subject</th>
    <th>Section </th>
    <th>Instructor</th>
    <th>Number of Respondents</th>
    <th>Respondents who evaluated</th>
  </tr>
  <?php while($counter<count($Classes)){ ?>
  <tr>
    <td> <?php echo $Classes[$counter]['Subject']; ?> </td>
    <td> <?php echo $Classes[$counter]['Section']; ?> </td>
    <td> <?php echo $Classes[$counter]['Instructor_Code'] ?></td>
    <td><?php echo $Classes[$counter]['Number_Of_Respondents'] ?></td>
  </tr>
  </table>

```

```

        <td><?php echo $Classes[$counter]['Respondents_Evaluated'] ?></td>
    </tr>
    <?php
        $counter++;
    }
    ?>
</table>
<?php } ?>
<noscript>
    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
</noscript>
</div>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>
        </div>
        <?php }
        if($this->UserType("Evaluation")) { ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                );?>">Evaluation System Management</a></h1>
        </div>
        <?php } ?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
                College Clerk Utilities</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
                em></strong></a>
        </div>
        <div class="module-div">
            <h1>Classes Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
                ;?>" >Download Classes</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
                Classes/Faculty Selection</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
                ;?>" > List of Students</a>
        </div>
        <div class="module-div">
            <h1>SET</h1>
            <h2>SET</h2>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
                ;?>" > Evaluation Mode</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>"
                > Assignment of SET Questions</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>"
                > SET Scores</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>"
                > Class Evaluation Status</a>
            <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
                ');?>" class="current"> Student Evaluation Status</a>
        </div>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
                Account Management</a></h1>
        </div>
    </div><!-- #oset-lc -->
    <div id="oset-rc">
        <h1 class="module-name-h1">Student Evaluation Status <span style="color:maroon"> ( <?php echo $this->
            College_Name; ?> )</span></h1>
        <?php
            $this->title = "Evaluation Status";
            $this->headTitle($this->title);
            $Name_of_PDF = $this->Name_of_PDF;
        </div>

```

```

?>
<?php if($this->Downloaded_Flag == FALSE){ ?>
  <h3>Classes for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> this semester
  have not yet been downloaded.</h3>
<?php }else if($this->Activated_Flag == FALSE){ ?>
  <h3>SET for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> is not activated.</
  h3>
<?php }else { ?>
<iframe src="<?php echo $this->baseUrl().'/'.$Name_of_PDF.'.pdf' ?>" id="PDFtoPrint" width="100%" height
  ="500px"> Evaluation Status</iframe>

  <br />
<input type="button" value="Print" onclick="document.getElementById('PDFtoPrint').focus(); document.
  getElementById('PDFtoPrint').contentWindow.print();" />
<br />
<a href="javascript: history.go(-1)">Back</a>
<?php } ?>
<br />

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));">Administration
      </a></h1>
    </div>

    <?php }
    if($this->UserType("Evaluation")) { ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
      );?>">Evaluation System Management</a></h1>
    </div>
    <?php } ?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));" >
      College Clerk Utilities</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));"><strong><em>Logout</
      em></strong></a>
    </div>

    <div class="module-div">
      <h1>Classes Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'))
      ;?>" >Download Classes</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));" >
      Classes/Faculty Selection</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'))
      ;?>" class="current"> List of Students</a>
    </div>

    <div class="module-div">
      <h1>SET</h1>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'))
      ;?>" > Evaluation Mode</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));" >
      Assignment of SET Questions</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));" >
      SET Scores</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));" >
      Class Evaluation Status</a>
      <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index
      ');?>" > Student Evaluation Status</a>
    </div>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));">
      Account Management</a></h1>
    </div>

  </div><!-- #oset-lc -->

```

```

<div id="oset-rc">
  <?php
    $this->title = "List of Students";
    $this->headTitle($this->title);
  ?>

  <h1 class="module-name-h1">List of Students - <span style="color:maroon"> <?php echo $this->College_Name
    ?></span></h1>
  <?php if($this->Activated_Flag == TRUE) { ?>
    <br />
    <h3>SET for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> is currently
      activated. This function is disabled</h3>
  <?php } else if($this->Downloaded_Flag == FALSE){ ?>

    <h3>Classes for <span style="color:maroon;"> <?php echo $this->College_Name ?> </span> this semester
      have not yet been downloaded.</h3>
  <?php } else { ?>

  <?php $Students = $this->Students;
    $Activated_Array = $this->Activated_Array;
    ?>

  <div id="formcss">
  <?php echo $this->form; ?>
  </div>
  <form action="<?php echo $this->url(array('action'=>'index')); ?>" method="post">
  <table>
    <tr>
      <th>Name</th>
      <th>Student Number</th>
      <th>LOA</th>
      <th></th>
    </tr>
    <?php
      $counter=0;
      while($counter<count($Students)){
    ?>
    <tr>
      <td><?php echo $Students[$counter]['Name']; ?></td>
      <td><?php echo $Students[$counter]['Student_ID']; ?></td>
    <td>
      <?php
        if ($Activated_Array[$counter]== TRUE){ ?>

          <input type="checkbox" value=1 checked="true" name="<?php echo $Students[$counter]['Student_ID'] ?>">
        <?php }
        else{?>

          <input type="checkbox" value=0 name="<?php echo $Students[$counter]['Student_ID'] ?>">
        <?php }?>

      </td>
      <td> <a href="<?php echo $this->url(array('action'=>'viewclasses', 'Student_ID'=>$Students[$counter]['
        Student_ID']); ?>"> View Classes </a></td>
    </tr>

    <?php $counter++;
      }
    ?>
  </table>
  <input type="submit" name="saveactivate" value="Save LOA status">
  </form>
  <?php } ?>
  <noscript>
    <div class="module-div fail-msg-div">
      <h1>No JS</h1>
      <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
      </p>
    </div>
  </noscript>
  </div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome', 'action'=>'index')); ?>">Administration
        </a></h1>
    </div>

    <?php }
      if($this->UserType("Evaluation")) { ?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome', 'action'=>'index'
        ); ?>">Evaluation System Management</a></h1>
    </div>

```

```

</div>
<?php } ?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >
    College Clerk Utilities</a></h1>
</div>
<div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>">strong<em>Logout</em></strong></a>
</div>

<div class="module-div">
  <h1>Classes Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-class-management','action'=>'index'));?>" >Download Classes</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-selection','action'=>'index'));?>" >
    Classes/Faculty Selection</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'));?>"
    class="current"> List of Students</a>
</div>

<div class="module-div">
  <h1>SET</h1>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-evaluation-mode','action'=>'index'));?>" >
    Evaluation Mode</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-assignment','action'=>'index'));?>" >
    Assignment of SET Questions</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-scores','action'=>'index'));?>" >
    SET Scores</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-status','action'=>'index'));?>" >
    Class Evaluation Status</a>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-set-student-status','action'=>'index'));?>" >
    Student Evaluation Status</a>
</div>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>" >
    Account Management</a></h1>
</div>

</div><!-- #oset-lc -->

<div id="oset-rc">
  <?php $Classes = $this->Classes;
  $Activated_Array = $this->Activated_Array;
  ?>
  <h1 class="module-name-h1">List of Classes <span style="color:maroon"> ( <?php echo $this->Student_Name; ?>
    )</span> </h1>
  <div id="formcss">
  <?php echo $this->form; ?>
  </div>
  <form action="<?php echo $this->url(array('action'=>'viewclasses'));?>" method="post">
  <table>
    <tr>
      <th>Subject</th>
      <th>Section</th>
      <th>Dropped</th>
    </tr>
    <tr>
      <?php
        $counter=0;
        while($counter<count($Classes)){
      ?>
      <tr>
        <td><?php echo $Classes[$counter]['Subject']; ?></td>
        <td><?php echo $Classes[$counter]['Section']; ?> </td>
        <td>
          <?php
            if ($Activated_Array[$counter]== TRUE){ ?>
              <input type="checkbox" value=1 checked="true" name="<?php echo $Classes[$counter]['Classlist_ID']
                ?>">
            <?php }
            else{?>
              <input type="checkbox" value=0 name="<?php echo $Classes[$counter]['Classlist_ID'] ?>">
            <?php }?>
          </td>
        </tr>
      <?php $counter++;
      }
    ?>
  </table>
  <input type="submit" name="saveactivate" value="Save Drop status">
  <br/>
  <a href="<?php echo $this->url(array('controller'=>'college-clerk-students-list','action'=>'index'));?>" >
    Back</a>
</form>

```

```

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <title>Zend Framework Default Application</title>
</head>
<body>
  <h1>An error occurred</h1>
  <h2><?php echo $this->message ?></h2>

  <?php if (isset($this->exception)): ?>

  <h3>Exception information:</h3>
  <p>
    <b>Message:</b> <?php echo $this->exception->getMessage() ?>
  </p>

  <h3>Stack trace:</h3>
  <pre><?php echo $this->exception->getTraceAsString() ?>
  </pre>

  <h3>Request Parameters:</h3>
  <pre><?php echo $this->escape(var_export($this->request->getParams(), true)) ?>
  </pre>

  <?php endif ?>

</body>
</html>

```

```

<div id="content">
  <div id="oset-lc">
    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
      </a></h1>
    </div>
    <?php }?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
      );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
      ;?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
      em></strong></a>
    </div>
    <div class="module-div">
      <h1>Evaluation Mode</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
      '=>'index'));?>" > SET Setup </a>
    </div>
    <div class="module-div">
      <h1>Courses' SET Questionnaire</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
      index'));?>" >Default Assignment</a>
    </div>
    <div class="module-div">
      <h1>SET Questionnaire Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
      '=>'index'));?>" >SET Questionnaire Types</a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
      ');?>" class="current" >Answer Types</a>
    </div>
    <div class="module-div">
      <h1>Status</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
      ');?>" >Class Evaluation </a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
      '=>'index'));?>" >Student Evaluation </a>
    </div>

```



```

<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'index'));" > View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));" >
    College Clerk Utilities</a></h1>

</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));" >
    Account Management</a></h1>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

<h1 class="module-name-h1">Add Answer Type</h1>

<?php

  $this->title = "Add Answer Type";
  $this->headTitle($this->title);

?>

<div id="formcss">
<?php echo $this->form; ?>
</div>

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

```

```

<div id="content">

<div id="oset-lc">

<?php if($this->UserType("Admin")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));" >Administration
  </a></h1>

</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'));" >Evaluation System Management</a></h1>
</div>
<div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'));" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));" ><strong><em>Logout</em></strong></a>
</div>

<div class="module-div">
  <h1>Evaluation Mode</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action'=>'index'));" > SET Setup </a>
</div>

<div class="module-div">
  <h1>Courses' SET Questionnaire</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'index'));" >Default Assignment</a>
</div>

<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'index'));" >SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index'));" class="current" >Answer Types</a>
</div>

```

```

<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
  ');?>" >Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
  '=>'index'));?>" >Student Evaluation </a>
</div>

<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
  index'));?>" > View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
  College Clerk Utilities</a></h1>

</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
  Account Management</a></h1>

</div>

</div><!-- #oset-lc -->
<div id="oset-rc">
<h1 class="module-name-h1">Add Answer Type</h1>

<?php

  $this->title = "Add Answer Type";
  $this->headTitle($this->title);

?>
<div id="formcss">
<?php echo $this->form; ?>
</div>

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

```

```

<div id="content">
  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
      </a></h1>

    </div>

    <?php }?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
      );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
      ;?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
      em></strong></a>
    </div>

    <div class="module-div">
      <h1>Evaluation Mode</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
      '=>'index'));?>" > SET Setup </a>
    </div>

    <div class="module-div">
      <h1>Courses' SET Questionnaire</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
      index'));?>" >Default Assignment</a>
    </div>
  </div>

```

```

<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'index'));">SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index'));" class="current" >Answer Types</a>
</div>

<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index'));">Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'=>'index'));">Student Evaluation </a>
</div>

<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'index'));"> View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));">College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));">Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc">
<h1 class="module-name-h1">Choose Answer Type</h1>
<?php
  $this->title = "Choose Answer Type";
  $this->headTitle($this->title);

  //$Answer_Type = $this->Answer_Type;
  //$Subject = $this->Subject;
?>

<?php echo $this->form; ?>

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>


---


<div id="content">
  <div id="oset-lc">
    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));">Administration</a></h1>
    </div>
    <?php }?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'));">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'));">Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));"><strong><em>Logout</em></strong></a>
    </div>
    <div class="module-div">
      <h1>Evaluation Mode</h1>

```

```

        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action'=>'index'));" > SET Setup </a>
</div>

<div class="module-div">
    <h1>Courses' SET Questionnaire</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'index'));" >Default Assignment</a>
</div>

<div class="module-div">
    <h1>SET Questionnaire Management</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'index'));" >SET Questionnaire Types</a>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index'));" class="current" >Answer Types</a>
</div>

<div class="module-div">
    <h1>Status</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index'));" >Class Evaluation </a>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'=>'index'));" >Student Evaluation </a>
</div>

<div class="module-div">
    <h1>Subjects Management</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'index'));" > View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));" >College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));" >Account Management</a></h1>
</div>

</div><!-- #oset-lc -->
<div id="oset-rc">
<h1 class="module-name-h1">Delete Answer Type</h1>

<?php
    $this->title = "Delete Answer Type";
    $this->headTitle($this->title);
?>
<p>Are you sure that you want to delete
    '<?php echo $this->escape($this->Answer_Type['Answer_Type_Name']); ?>'
</p>
<form action="<?php echo $this->url(array('action'=>'delete')); ?>" method="post">
<div>
    <input type="hidden" name="Answer_Type_ID" value="<?php echo $this->Answer_Type['Answer_Type_ID']; ?>" />
    <input type="submit" name="del" value="Yes" />
    <input type="submit" name="del" value="No" />
</div>
</form>

<noscript>
    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
</noscript>
</div>
</div>

<div id="content">
<div id="oset-lc">

<?php if($this->UserType("Admin")) {?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));" >Administration
        </a></h1>
</div>

<?php }?>

```

```

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>
</div>
<div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
;?>" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
em></strong></a>
</div>
<div class="module-div">
  <h1>Evaluation Mode</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
'=>'index'));?>" > SET Setup </a>
</div>
<div class="module-div">
  <h1>Courses' SET Questionnaire</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
index'));?>" >Default Assignment</a>
</div>
<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
'=>'index'));?>" >SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
'));?>" class="current" >Answer Types</a>
</div>
<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
'));?>" >Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
'=>'index'));?>" >Student Evaluation </a>
</div>
<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
index'));?>" > View All Subjects </a>
</div>
<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
College Clerk Utilities</a></h1>
</div>
<?php }?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc">
<h1 class="module-name-h1">Edit Answer Type</h1>
<?php
  $this->title = "Edit Answer Type";
  $this->headTitle($this->title);

  // $Answer_Type = $this->Answer_Type;
  // $Subject = $this->Subject;
?>
<div id="formcss">
  <?php echo $this->form; ?>
</div>

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

```

```

<div id="content">

```

```

<div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>
    </div>

    <?php }?>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
        ;?>" >Home</a>
        <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
        em></strong></a>
    </div>

    <div class="module-div">
        <h1>Evaluation Mode</h1>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
        '=>'index'));?>" > SET Setup </a>
    </div>

    <div class="module-div">
        <h1>Courses' SET Questionnaire</h1>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
        index'));?>" >Default Assignment</a>
    </div>

    <div class="module-div">
        <h1>SET Questionnaire Management</h1>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
        '=>'index'));?>" >SET Questionnaire Types</a>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
        '));?>" class="current" >Answer Types</a>
    </div>

    <div class="module-div">
        <h1>Status</h1>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
        '));?>" >Class Evaluation </a>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
        '=>'index'));?>" >Student Evaluation </a>
    </div>

    <div class="module-div">
        <h1>Subjects Management</h1>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
        index'));?>" > View All Subjects </a>
    </div>

    <?php if($this->UserType("College")) {?>
    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
        College Clerk Utilities</a></h1>
    </div>

    <?php }?>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
        Account Management</a></h1>
    </div>
</div><!-- #oset-lc -->

<div id="oset-rc">
<h1 class="module-name-h1">Edit Answer Type</h1>

<?php

    $this->title = "Edit Answer Type";
    $this->headTitle($this->title);

    // $Answer_Type = $this->Answer_Type;
    // $Subject = $this->Subject;
    ?>
    <div id="formcss">
        <?php echo $this->form; ?>
    </div>

<noscript>
    <div class="module-div fail-msg-div">

```

```

        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
</noscript>
</div>
</div>

<div id="content">

    <div id="oset-lc">

        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>

        </div>

        <?php }?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                );?>">Evaluation System Management</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
                ;?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
                em></strong></a>
        </div>

        <div class="module-div">
            <h1>Evaluation Mode</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
                '=>'index'));?>" > SET Setup </a>
        </div>

        <div class="module-div">
            <h1>Courses' SET Questionnaire</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
                index'));?>" >Default Assignment</a>
        </div>

        <div class="module-div">
            <h1>SET Questionnaire Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
                '=>'index'));?>" >SET Questionnaire Types</a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
                '));?>" class="current" >Answer Types</a>
        </div>

        <div class="module-div">
            <h1>Status</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
                '));?>" >Class Evaluation </a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
                '=>'index'));?>" >Student Evaluation </a>
        </div>

        <div class="module-div">
            <h1>Subjects Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
                index'));?>" > View All Subjects </a>
        </div>

        <?php if($this->UserType("College")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
                College Clerk Utilities</a></h1>

        </div>
        <?php }?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
                Account Management</a></h1>

        </div>
    </div><!-- #oset-lc -->

    <div id="oset-rc">

    <h1 class="module-name-h1">Answer Types </h1>

    <?php

        $this->title = "Answer Types";
        $this->headTitle($this->title);
        $Answer_Type = $this->Answer_Type;
        //$Subject = $this->Subject;
    </div>

```

```

?>

<?php if($this->Activated_Flag == TRUE) { ?>

    <h3> One of the colleges has its SET Activated. This function is disabled.</h3>
<?php } else{ ?>

    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer', 'action'=>'
        chooseadd'))?>"> + Add New Answer Type</a>
<!--<a href="<?php //echo $this->url(array('controller'=>'evaluation-system-manager-answer', 'action'=>'add
        '))?>"> + Add New Answer Type (MS/MM)</a><p></p>
    <a href="<?php //echo $this->url(array('controller'=>'evaluation-system-manager-answer', 'action'=>'
        addtextbox'))?>"> + Add New Answer Type(Textbox)</a> <p></p>
-->
<table>
<tr>

    <th>Name</th>
    <th>Type</th>
    <th></th>
</tr>
<?php foreach($Answer_Type as $AT){ ?>
<tr>

    <td> <?php echo $AT->Answer_Type_Name ?></td>
    <td> <?php
        if($AT->Type=='MS')
            echo "Multiple Choice, Single Answer";
        if($AT->Type=='MM')
            echo "Multiple Choice,Multiple Answer";
        if($AT->Type=="T")
            echo "Textbox";
        ?>
    </td>
    <td><?php if($AT->Type!="T"){ ?>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer', '
            action'=>'edit', 'Answer_Type_ID'=>$AT->Answer_Type_ID ))?>">| Edit |</a>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer', '
            action'=>'delete', 'Answer_Type_ID'=>$AT->Answer_Type_ID))?>">Delete |</a>

        <?php }else if($AT->Type=="T") { ?>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer', '
            action'=>'edittextbox', 'Answer_Type_ID'=>$AT->Answer_Type_ID))?>">| Edit |</a>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer', '
            action'=>'delete', 'Answer_Type_ID'=>$AT->Answer_Type_ID))?>">Delete |</a>

        <?php } ?>
    </td>
</tr>
<?php } ?>
</table>
<?php } ?>

<noscript>
<div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
    </p>
</div>
</noscript>
</div>
</div>

```

```

<div id="content">

<div id="oset-1c">

<?php if($this->UserType("Admin")) { ?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>

</div>

<?php } ?>

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Evaluation System Management</a></h1>
</div>
<div class="module-div">
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
        ;?>" >Home</a>
    <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
        em></strong></a>
</div>

<div class="module-div">
    <h1>Evaluation Mode</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
        '=>'index'));?>" > SET Setup </a>
</div>

<div class="module-div">

```



```

<h1>Courses' SET Questionnaire</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
    index'));" class="current">Default Assignment</a>
</div>

<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
    '=>'index'));">SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
    '));;">Answer Types</a>
</div>

<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
    '));;">Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
    '=>'index'));">Student Evaluation </a>
</div>

<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
    index'));"> View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));">
    College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));">
    Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc">

  <h1 class="module-name-h1">Default Assignment of SET Questionnaire Type to Subjects</h1>

  <?php

    $this->title = "Default Assignment";
    $this->headTitle($this->title);
    //echo $this->form;

    // $Subject = $this->Subject;
    ?>

  <?php if($this->Activated_Flag == TRUE) { ?>

    <h3> One of the colleges has its SET Activated. This function is disabled.</h3>
  <?php } else{ ?>
  <?php if ($this->Flag==1) { ?>
  <br />
  <div id="formcss">
    <?php echo $this->form; ?>
  </div>
  <?php
  }else{
  ?>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
      index', 'Flag'=>1));;">Search Subject</a>
  <?php } ?>
  <table>
    <tr>
      <th>Subject</th>
      <th>SET Questionnaire Type</th>
      <th></th>
    </tr>
  </table>

  <?php

    $Subject = $this->Subject;
    $counter = 0;
    while($counter < count($Subject)){ ?>
    <tr>
      <td> <?php echo $Subject[$counter]['Subject']; ?> </td>
      <td> <?php echo $Subject[$counter]['SET_Questionnaire_Type_Name']; ?> </td>
      <td>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment',
          'action'=>'edit', 'Subject'=> $Subject[$counter]['Subject'], 'SET_Questionnaire_Type_ID' =>
            $Subject[$counter]['SET_Questionnaire_Type_ID']));;">Change SET Questionnaire Type</a>
        </td>
      <?php $counter++; ?>
    </tr>
  </table>
  <?php }
  ?>

```

```

</table>
<?php } ?>
<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

```

```

<div id="content">
  <div id="oset-lc">
    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>
    </div>
    <?php }?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
        em></strong></a>
    </div>
    <div class="module-div">
      <h1>Evaluation Mode</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
        '=>'index'));?>" > SET Setup </a>
    </div>
    <div class="module-div">
      <h1>Courses' SET Questionnaire</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
        index'));?>" class="current">Default Assignment</a>
    </div>
    <div class="module-div">
      <h1>SET Questionnaire Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
        '=>'index'));?>" >SET Questionnaire Types</a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
        '));?>" >Answer Types</a>
    </div>
    <div class="module-div">
      <h1>Status</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
        '));?>" >Class Evaluation </a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
        '=>'index'));?>" >Student Evaluation </a>
    </div>
    <div class="module-div">
      <h1>Subjects Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
        index'));?>" > View All Subjects </a>
    </div>
    <?php if($this->UserType("College")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
        College Clerk Utilities</a></h1>
    </div>
    <?php }?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
        Account Management</a></h1>
    </div>
  </div><!-- #oset-lc -->
  <div id="oset-rc">
    <h1 class="module-name-h1">Default Assignment of SET Questionnaire Type to Subjects</h1>
    <?php

```

```

        $this->title = "Edit Default Assignment";
        $this->headTitle($this->title);
    }
    <br />
    <div id="formcss">
        <?php echo $this->form; ?>
    </div>
    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>
        </div>
        <?php }?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                );?>">Evaluation System Management</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
                ;?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
                em></strong></a>
        </div>
        <div class="module-div">
            <h1>Evaluation Mode</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
                '=>'index'));?>" > SET Setup </a>
        </div>
        <div class="module-div">
            <h1>Courses' SET Questionnaire</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
                index'));?>" >Default Assignment</a>
        </div>
        <div class="module-div">
            <h1>SET Questionnaire Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
                '=>'index'));?>" >SET Questionnaire Types</a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
                '));?>" >Answer Types</a>
        </div>
        <div class="module-div">
            <h1>Status</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
                '));?>" >Class Evaluation </a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
                '=>'index'));?>" >Student Evaluation </a>
        </div>
        <div class="module-div">
            <h1>Subjects Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
                index'));?>" class="current"> View All Subjects </a>
        </div>
        <?php if($this->UserType("College")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
                College Clerk Utilities</a></h1>
        </div>
        <?php }?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
                Account Management</a></h1>
        </div>
    </div>

```

```

</div><!-- #oset-lc -->
<div id="oset-rc">
  <h1 class="module-name-h1">View Classes - <span style="color:maroon"><?php echo $this->Subject; ?></span></h1>
  <?php
    $this->title = "View Classes";
    $this->headTitle($this->title);
    $Classes = $this->Classes;
    //echo $this->form;

    // $Class = $this->Class;
  ?>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-classes','action'=>'add', 'Subject'=>$this->Subject)); ?>">+ Add New Class</a>
  <table>
    <tr>
      <th>Section</th>
    </tr>
    <tr>
      <td><?php $counter =0; ?>
      <?php while($counter < count($Classes)){ ?>
        <tr>
          <td><?php echo $Classes[$counter]['Section'] ?></td>
          <td>
            <a href = "<?php echo $this->url(array('controller'=>'evaluation-system-manager-students','action'=>'index', 'Class_ID'=>$Classes[$counter]['Class_ID'], 'Subject'=>$this->Subject)); ?>">View Students </a>
            <?php if($Classes[$counter]['Editable']==TRUE){ ?>
              <a href = "<?php echo $this->url(array('controller'=>'evaluation-system-manager-classes','action'=>'delete', 'Class_ID'=>$Classes[$counter]['Class_ID'], 'Subject'=>$this->Subject)); ?>">Delete | </a>
            <?php } ?>
          </td>
        </tr>
        <?php $counter++;
      } ?>
    </table>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'index')) ;?>"> Back </a>
  <noscript>
    <div class="module-div fail-msg-div">
      <h1>No JS</h1>
      <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
      </p>
    </div>
  </noscript>
</div>
</div>

```

```

<div id="content">
  <div id="oset-lc">
    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index')); ?>">Administration </a></h1>
    </div>
    <?php }?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')) ;?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')) ;?>">Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout')); ?>"><strong><em>Logout</em></strong></a>
    </div>
    <div class="module-div">
      <h1>Evaluation Mode</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action'=>'index')); ?>"> SET Setup </a>
    </div>
    <div class="module-div">
      <h1>Courses' SET Questionnaire</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'index')); ?>"> Default Assignment</a>
    </div>
    <div class="module-div">
      <h1>SET Questionnaire Management</h1>
    </div>
  </div>

```

```

        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
        '=>'index'));?>" >SET Questionnaire Types</a>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
        '));?>" >Answer Types</a>
</div>

<div class="module-div">
    <h1>Status</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
    '));?>" >Class Evaluation </a>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
    '=>'index'));?>" >Student Evaluation </a>
</div>

<div class="module-div">
    <h1>Subjects Management</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
    index'));?>" class="current"> View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>"
    College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>"
    Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc">
    <h1 class="module-name-h1">Add New Class</h1>
    <?php
        $this->title = "Add New Class";
        $this->headTitle($this->title);
        $Subjects = $this->Subjects;
        //echo $this->form;

        // $Subject = $this->Subject;
    ?>
    <div id="formcss">
        <?php echo $this->form; ?>
    </div>
    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
            </a></h1>
        </div>
        <?php }?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>">Evaluation System Management</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
            ;?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
            em></strong></a>
        </div>
        <div class="module-div">
            <h1>Evaluation Mode</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
            '=>'index'));?>" > SET Setup </a>
    </div>

```

```

</div>

<div class="module-div">
  <h1>Courses' SET Questionnaire</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'index'));?>" >Default Assignment</a>
</div>

<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'index'));?>" >SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index'));?>" >Answer Types</a>
</div>

<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index'));?>" >Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'=>'index'));?>" >Student Evaluation </a>
</div>

<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'index'));?>" class="current" > View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>" >Account Management</a></h1>
</div>

</div><!-- #oset-lc -->
<div id="oset-rc">
  <?php
    $this->title = "Delete Subject";
    $this->headTitle($this->title);

    //$Subject = $this->Subject;
  ?>
  <h1> Delete Section </h1>
  <p>Are you sure that you want to delete

  '<?php echo $this->escape($this->Classes['Section']); ?>'
</p>
  <form action="<?php echo $this->url(array('action'=>'delete')); ?>" method="post">
  <div>
    <input type="hidden" name="Class_ID" value="<?php echo $this->Classes['Class_ID']; ?>" />
    <input type="submit" name="del" value="Yes" />
    <input type="submit" name="del" value="No" />
  </div>
  </form>

  <noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
  </noscript>
</div>
</div>

```

```

<div id="content">
  <div id="oset-lc">

  <?php if($this->UserType("Admin")) {?>
  <div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
      </a></h1>
  </div>

```

```

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>
</div>
<div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
);?>">Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
em></strong></a>
</div>

<div class="module-div">
  <h1>Evaluation Mode</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
'=>'index'));?>" class="current" > SET Setup </a>
</div>

<div class="module-div">
  <h1>Courses' SET Questionnaire</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
index'));?>">Default Assignment</a>
</div>

<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
'=>'index'));?>">SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
'));?>">Answer Types</a>
</div>

<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
'));?>">Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
'=>'index'));?>">Student Evaluation </a>
</div>

<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
index'));?>"> View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'))
);?>">Account Management</a></h1>
</div>

</div><!-- #oset-lc -->
<div id="oset-rc">
<h1 class="module-name-h1">Evaluation Mode</h1>
<?php
  $this->title = "Evaluation Mode";
  $this->headTitle($this->title);
?>
<br/>
<?php if($this->Setup_Flag== FALSE){ ?>
<h3> The Admin has not yet set the semester and academic year.</h3>
<?php } else { ?>
<?php if($this->Evaluation_Mode == TRUE){ ?>
<h3>Evaluation Mode for all colleges is <span style="color:Green">OPEN</span>.</h3>
  <br />
  <?php if($this->Activated_Flag == TRUE) { ?>
    <li> <span style="color:maroon">Evaluation Mode cannot be closed since one of the colleges has its
    SET Activated </span></li>
  <?php }else{ ?>
    <h3> <a href = "<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode
','action'=>'close')); ?>"> Close the Evaluation Mode </a></h3>
  <br />

```

```

        <li> Closing the Evaluation Mode will delete all the classes.</li>
    <?php } ?>
<?php }else{ ?>
<h3>Evaluation Mode for all colleges is closed.</h3>
<br /> <li> To open evaluation, select first a default SET Questionnaire for all subjects.</li>
<div id ="formcss" style="width:65%">
<?php echo $this->form; ?>
</div>
<?php } ?>
<?php } ?>
<noscript>
<div class="module-div fail-msg-div">
<h1>No JS</h1>
<p>
This site will not work correctly unless JavaScript is enabled.<br />
Please enable JavaScript then refresh your browser.
</p>
</div>
</noscript>
</div>
</div>

```

```

<div id="content">
<div id="oset-lc">
<?php if($this->UserType("Admin")) {?>
<div class="module-div2">
<h1><a href=?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>Administration
</a></h1>
</div>
<?php }?>
<div class="module-div2">
<h1><a href=?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>Evaluation System Management</a></h1>
</div>
<div class="module-div">
<a href=?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
;?>" class="current">Home</a>
<a href=?php echo $this->url(array('controller'=>'index','action'=>'logout'));?><strong><em>Logout</
em></strong></a>
</div>
<div class="module-div">
<h1>Evaluation Mode</h1>
<a href=?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
'=>'index'));?>" > SET Setup </a>
</div>
<div class="module-div">
<h1>Courses' SET Questionnaire</h1>
<a href=?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
index'));?>" >Default Assignment</a>
</div>
<div class="module-div">
<h1>SET Questionnaire Management</h1>
<a href=?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
'=>'index'));?>" >SET Questionnaire Types</a>
<a href=?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
'));?>" >Answer Types</a>
</div>
<div class="module-div">
<h1>Status</h1>
<a href=?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
'));?>" >Class Evaluation </a>
<a href=?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
'=>'index'));?>" >Student Evaluation </a>
</div>
<div class="module-div">
<h1>Subjects Management</h1>
<a href=?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
index'));?>" > View All Subjects </a>
</div>
<?php if($this->UserType("College")) {?>
<div class="module-div2">
<h1><a href=?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>
College Clerk Utilities</a></h1>
</div>
<?php }?>
<div class="module-div2">
<h1><a href=?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>
Account Management</a></h1>
</div>

```



```

</div><!-- #oset-lc -->

<div id="oset-rc">

    <h1 class="module-name-h1">Home</h1>

    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

```

```

<div id="content">

    <div id="oset-lc">

        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
            </a></h1>

        </div>

        <?php }?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>">Evaluation System Management</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
            em></strong></a>
        </div>

        <div class="module-div">
            <h1>Evaluation Mode</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
            '=>'index'));?>" > SET Setup </a>
        </div>

        <div class="module-div">
            <h1>Courses' SET Questionnaire</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
            index'));?>" >Default Assignment</a>
        </div>

        <div class="module-div">
            <h1>SET Questionnaire Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
            '=>'index'));?>" class="current">SET Questionnaire Types</a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
            '));?>" >Answer Types</a>
        </div>

        <div class="module-div">
            <h1>Status</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
            '));?>" >Class Evaluation </a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
            '=>'index'));?>" >Student Evaluation </a>
        </div>

        <div class="module-div">
            <h1>Subjects Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
            index'));?>" > View All Subjects </a>
        </div>

        <?php if($this->UserType("College")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
            College Clerk Utilities</a></h1>
        </div>

        <?php }?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
            Account Management</a></h1>
        </div>
    </div><!-- #oset-lc -->

```

```

<div id="oset-rc">
    <h1 class="module-name-h1">Add SET Questionnaire Part</h1>

    <br/>
    <?php

        $this->title = "ADD SET Questionnaire Part";
        $this->headTitle($this->title);

    ?>

    <div id="formcss">
        <?php echo $this->form; ?>
    </div>

    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
            </a></h1>

        </div>

        <?php }?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>">Evaluation System Management</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
            em></strong></a>
        </div>

        <div class="module-div">
            <h1>Evaluation Mode</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
            '=>'index'));?>" > SET Setup </a>
        </div>

        <div class="module-div">
            <h1>Courses' SET Questionnaire</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
            index'));?>" >Default Assignment</a>
        </div>

        <div class="module-div">
            <h1>SET Questionnaire Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
            '=>'index'));?>" class="current">SET Questionnaire Types</a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
            '));?>" >Answer Types</a>
        </div>

        <div class="module-div">
            <h1>Status</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
            '));?>" >Class Evaluation </a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
            '=>'index'));?>" >Student Evaluation </a>
        </div>

        <div class="module-div">
            <h1>Subjects Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
            index'));?>" > View All Subjects </a>
        </div>

        <?php if($this->UserType("College")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
            College Clerk Utilities</a></h1>
        </div>
    </div>

```

```

</div>

<?php )?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">Account Management</a></h1>
</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

  <?php

    $this->title = "Delete SET Questionnaire Part";
    $this->headTitle($this->title);

    // $Subject = $this->Subject;
    ?>
  <h1> Delete SET Questionnaire Type </h1>
  <p>Are you sure that you want to delete

    ' <?php echo $this->escape($this->SET_Questionnaire_Part['SET_Questionnaire_Part_Name']); ?>'
  </p>
  <form action="<?php echo $this->url(array('action'=>'delete')); ?>" method="post">
  <div>
    <input type="hidden" name="SET_Questionnaire_Part_ID" value="<?php echo $this->SET_Questionnaire_Part['
      SET_Questionnaire_Part_ID']; ?>" />
    <input type="submit" name="del" value="Yes" />
    <input type="submit" name="del" value="No" />
  </div>
  </form>

  <noscript>
    <div class="module-div fail-msg-div">
      <h1>No JS</h1>
      <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
      </p>
    </div>
  </noscript>
</div>
</div>
</div>

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>
    </div>

    <?php }?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
        em></strong></a>
    </div>

    <div class="module-div">
      <h1>Evaluation Mode</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
        '=>'index'));?>"> SET Setup </a>
    </div>

    <div class="module-div">
      <h1>Courses' SET Questionnaire</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
        index'));?>">Default Assignment</a>
    </div>

    <div class="module-div">
      <h1>SET Questionnaire Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
        '=>'index'));?>" class="current">SET Questionnaire Types</a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
        '));?>">Answer Types</a>
    </div>

    <div class="module-div">
      <h1>Status</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
        '));?>">Class Evaluation </a>
    </div>
  </div>
</div>

```

```

        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
        '=>'index'));" >Student Evaluation </a>
</div>

<div class="module-div">
    <h1>Subjects Management</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
    index'));" > View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));">
    College Clerk Utilities</a></h1>

</div>

<?php }?>

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));">
    Account Management</a></h1>

</div>
</div><!-- #oset-lc -->
<div id="oset-rc">

    <h1 class="module-name-h1">Edit SET Questionnaire Part</h1>

    <br/>
    <?php

        $this->title = "Edit SET Questionnaire Part";
        $this->headTitle($this->title);

    ?>
    <div id="formcss">
        <?php echo $this->form; ?>
    </div>

    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

```

```

<div id="content">

    <div id="oset-lc">

        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));">Administration
            </a></h1>

        </div>

        <?php }?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'
            ));?">Evaluation System Management</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
            ;?" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));"><strong><em>Logout</
            em></strong></a>
        </div>

        <div class="module-div">
            <h1>Evaluation Mode</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
            '=>'index'));" > SET Setup </a>
        </div>

        <div class="module-div">
            <h1>Courses' SET Questionnaire</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
            index'));" >Default Assignment</a>
        </div>

        <div class="module-div">
            <h1>SET Questionnaire Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
            '=>'index'));" class="current">SET Questionnaire Types</a>
        </div>
    </div>

```

```

        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
        '));?>" >Answer Types</a>
</div>

<div class="module-div">
    <h1>Status</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
    '));?>" >Class Evaluation </a>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
    '=>'index'));?>" >Student Evaluation </a>
</div>

<div class="module-div">
    <h1>Subjects Management</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
    index'));?>" > View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
    College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc">

<?php
    $this->title = "SET Questionnaire Parts";
    $this->headTitle($this->title);
    $SET_Questionnaire_Type_ID = $this->SET_Questionnaire_Type_ID;
    $SET_Questionnaire_Type_Name = $this->SET_Questionnaire_Type_Name;
    //$Subject = $this->Subject;
    ?>

<h1 class="module-name-h1">SET Questionnaire Parts <span style="color:maroon"> ( <?php echo
    $SET_Questionnaire_Type_Name; ?> )</span></h1>

<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-part','action'=>'add', '
    SET_Questionnaire_Type_ID'=>$SET_Questionnaire_Type_ID));?>" > + Add New Part </a>

<div id="drag" width=100%>
<table id="tbl1">
    <tr>

        <th class="mark">Name</th>

        <th class="mark"></th>
    </tr>

<?php
foreach($this->SET_Questionnaire_Parts as $SQP) { ?>
    <tr class="rl">

        <td class="rowhandler"> <div id="<?php echo $SQP->SET_Questionnaire_Part_ID; ?>"class="drag row" style
        ="border:0px;"> <?php echo $SQP->SET_Questionnaire_Part_Name ?> </div></td>

        <td>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-question','action'=>'
            index', 'SET_Questionnaire_Part_ID'=>$SQP->SET_Questionnaire_Part_ID, '
            SET_Questionnaire_Type_ID'=>$SQP->SET_Questionnaire_Type_ID));?>" > | View Questions | </a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-part','action'=>'edit
            ', 'SET_Questionnaire_Part_ID'=>$SQP->SET_Questionnaire_Part_ID, 'SET_Questionnaire_Type_ID'=>
            $SQP->SET_Questionnaire_Type_ID));?>" > Edit | </a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-part','action'=>'
            delete', 'SET_Questionnaire_Part_ID'=>$SQP->SET_Questionnaire_Part_ID, '
            SET_Questionnaire_Type_ID'=>$SQP->SET_Questionnaire_Type_ID));?>" > Delete | </a>
        </td>
    </tr>
</table>
</div>

<div><input style="valign:right;" type="button" value="Save order of parts" class="button" onclick="save()"
    title="Send content to the server"/><span class="message_line"></span></div>

<br/>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'
    index'));?>" > Back to SET Questionnaires </a>
<noscript>
    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />

```

```

        Please enable JavaScript then refresh your browser.
    </p>
</div>
</noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>
            </div>
            <?php }?>
            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                    );?>">Evaluation System Management</a></h1>
            </div>
            <div class="module-div">
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                    );?>" >Home</a>
                <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
                    em></strong></a>
            </div>
            <div class="module-div">
                <h1>Evaluation Mode</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action'
                    =>'index'));?>" > SET Setup </a>
            </div>
            <div class="module-div">
                <h1>Courses' SET Questionnaire</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
                    index'));?>" >Default Assignment</a>
            </div>
            <div class="module-div">
                <h1>SET Questionnaire Management</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'
                    =>'index'));?>" class="current">SET Questionnaire Types</a>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index'
                    ));?>" >Answer Types</a>
            </div>
            <div class="module-div">
                <h1>Status</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index'
                    ));?>" >Class Evaluation </a>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'
                    =>'index'));?>" >Student Evaluation </a>
            </div>
            <div class="module-div">
                <h1>Subjects Management</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
                    index'));?>" > View All Subjects </a>
            </div>
            <?php if($this->UserType("College")) {?>
            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
                    College Clerk Utilities</a></h1>
            </div>
            <?php }?>
            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
                    Account Management</a></h1>
            </div>
        </div><!-- #oset-lc -->
    <div id="oset-rc">
        <h1 class="module-name-h1"> Add Question </h1>
        <?php
            $this->title = "Add Question";
            $this->headTitle($this->title);
            //$Subject = $this->Subject;
        ?>
    </div>

```

```

<div id="formcss">
  <?php echo $this->form; ?>
</div>

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>
    </div>

    <?php }?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
        ;?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
        em></strong></a>
    </div>

    <div class="module-div">
      <h1>Evaluation Mode</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
        '=>'index'));?>" > SET Setup </a>
    </div>

    <div class="module-div">
      <h1>Courses' SET Questionnaire</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
        index'));?>" >Default Assignment</a>
    </div>

    <div class="module-div">
      <h1>SET Questionnaire Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
        '=>'index'));?>" class="current">SET Questionnaire Types</a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
        ');?>" >Answer Types</a>
    </div>

    <div class="module-div">
      <h1>Status</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
        ');?>" >Class Evaluation </a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
        '=>'index'));?>" >Student Evaluation </a>
    </div>

    <div class="module-div">
      <h1>Subjects Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
        index'));?>" > View All Subjects </a>
    </div>

    <?php if($this->UserType("College")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
        College Clerk Utilities</a></h1>
    </div>

    <?php }?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
        Account Management</a></h1>
    </div>

    </div><!-- #oset-lc -->

```

```

<div id="oset-rc">
    <?php
        $this->title = "Delete SET Questionnaire Question";
        $this->headTitle($this->title);

        // $Subject = $this->Subject;
    ?>
    <h1> Delete SET Questionnaire Question </h1>
    <p>Are you sure that you want to delete

        ' <?php echo $this->escape($this->SET_Questionnaire_Question['Question']); ?>'
    </p>
    <form action="<?php echo $this->url(array('action'=>'delete')); ?>" method="post">
    <div>
        <input type="hidden" name="SET_Questionnaire_Question_ID" value="<?php echo $this->
            SET_Questionnaire_Question['SET_Questionnaire_Question_ID']; ?>" />
        <input type="submit" name="del" value="Yes" />
        <input type="submit" name="del" value="No" />
    </div>
    </form>

    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                    </a></h1>
            </div>
            <?php }?>

            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                    );?>">Evaluation System Management</a></h1>
            </div>
            <div class="module-div">
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
                    ;?>" >Home</a>
                <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
                    em></strong></a>
            </div>

            <div class="module-div">
                <h1>Evaluation Mode</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action'
                    '=>'index'));?>" > SET Setup </a>
            </div>

            <div class="module-div">
                <h1>Courses' SET Questionnaire</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
                    index'));?>" >Default Assignment</a>
            </div>

            <div class="module-div">
                <h1>SET Questionnaire Management</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'
                    '=>'index'));?>" class="current">SET Questionnaire Types</a>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index'
                    '));?>" >Answer Types</a>
            </div>

            <div class="module-div">
                <h1>Status</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index'
                    '));?>" >Class Evaluation </a>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'
                    '=>'index'));?>" >Student Evaluation </a>
            </div>

            <div class="module-div">
                <h1>Subjects Management</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
                    index'));?>" > View All Subjects </a>
            </div>

        <?php if($this->UserType("College")) {?>

```



```

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
    College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>
</div>

</div><!-- #oset-lc -->
<div id="oset-rc">
<h1 class="module-name-h1"> Edit Question </h1>

<?php

  $this->title = "Edit Question";
  $this->headTitle($this->title);

  // $Subject = $this->Subject;
  ?>
<div id="formcss">
  <?php echo $this->form; ?>
</div>

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

```

```

<div id="content">

<div id="oset-lc">

<?php if($this->UserType("Admin")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
  </a></h1>
</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
  );?>">Evaluation System Management</a></h1>
</div>
<div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
  );?>" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
  em></strong></a>
</div>

<div class="module-div">
  <h1>Evaluation Mode</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
  '=>'index'));?>" > SET Setup </a>
</div>

<div class="module-div">
  <h1>Courses' SET Questionnaire</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
  index'));?>" >Default Assignment</a>
</div>

<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
  '=>'index'));?>" class="current">SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
  ');?>" >Answer Types</a>
</div>

<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
  ');?>" >Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
  '=>'index'));?>" >Student Evaluation </a>
</div>

```

```

<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'index'));?>" > View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
    College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>
</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

<?php

  $this->title = "SET Questionnaire Questions";
  $this->headTitle($this->title);
  $SET_Questionnaire_Type_ID = $this->SET_Questionnaire_Type_ID;
  $SET_Questionnaire_Type_Name = $this->SET_Questionnaire_Type_Name;
  $SET_Questionnaire_Part_ID = $this->SET_Questionnaire_Part_ID;

  // $Subject = $this->Subject;
  ?>

<h1 class="module-name-h1">SET Questionnaire Questions <span style="color:maroon"> ( <?php echo
  $SET_Questionnaire_Type_Name; ?> )</span></h1>

<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-question','action'=>'add', '
  SET_Questionnaire_Part_ID'=>$SET_Questionnaire_Part_ID,'SET_Questionnaire_Type_ID'=>
  $SET_Questionnaire_Type_ID ));?>" + Add New Question </a>
<div id="drag" width=100%>
  <table id="tbl1">
    <tr >
      <th class="mark">Question</th>
      <th class="mark">Answer Type</th>
      <th class="mark">Weight</th>
      <th class="mark"></th>
    </tr>
  <?php
  $$SQQ = $this->SET_Questionnaire_Questions;
  $counter=0;
  ?>
  <?php while($counter < count($$SQQ)) { ?>
    <tr class="rl" id="<?php echo $$SQQ[$counter]['SET_Questionnaire_Question_ID']. "#"; ?>">

      <td class="rowhandler" id="<?php echo "#.$$SQQ[$counter]['SET_Questionnaire_Question_ID']. "#"; ?>" <
      div id="<?php echo $$SQQ[$counter]['SET_Questionnaire_Question_ID']; ?>"class="drag row" style
      ="border:0px;"> <?php echo $$SQQ[$counter]['Question'] ?> </div></td>
      <td> <?php echo $$SQQ[$counter]['Answer_Type_Name'] ?></td>
      <td> <?php echo $$SQQ[$counter]['Weight'] ?></td>
      <td>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-question','action'=>'
        edit', 'SET_Questionnaire_Part_ID'=>$$SQQ[$counter]['SET_Questionnaire_Part_ID'], '
        SET_Questionnaire_Question_ID'=>$$SQQ[$counter]['SET_Questionnaire_Question_ID'], '
        SET_Questionnaire_Type_ID'=>$SET_Questionnaire_Type_ID));?>"> Edit </a>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-question','action
        '=>'delete', 'SET_Questionnaire_Part_ID'=>$$SQQ[$counter]['SET_Questionnaire_Part_ID'], '
        SET_Questionnaire_Question_ID'=>$$SQQ[$counter]['SET_Questionnaire_Question_ID'], '
        SET_Questionnaire_Type_ID'=>$SET_Questionnaire_Type_ID));?>"> Delete </a>
      </td>
    </tr>
  <?php $counter++;} ?>

  </table>
</div>
<div><input style="valign:right;" type="button" value="Save order of questions" class="button" onclick="
  save()" title="Send content to the server"/><span class="message_line"></span></div>
<br/>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-part','action'=>'index'));
  ?>" > Back to SET Questionnaire Parts </a>
<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

```

```

<div id="content">

<div id="oset-lc">

<?php if($this->UserType("Admin")) {?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
</a></h1>

</div>

<?php }?>

<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>
</div>
<div class="module-div">
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
;?>" >Home</a>
<a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
em></strong></a>
</div>

<div class="module-div">
<h1>Evaluation Mode</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
'=>'index'));?>" > SET Setup </a>
</div>

<div class="module-div">
<h1>Courses' SET Questionnaire</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
index'));?>" >Default Assignment</a>
</div>

<div class="module-div">
<h1>SET Questionnaire Management</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
'=>'index'));?>" class="current">SET Questionnaire Types</a>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
'));?>" >Answer Types</a>
</div>

<div class="module-div">
<h1>Status</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
'));?>" >Class Evaluation </a>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
'=>'index'));?>" >Student Evaluation </a>
</div>

<div class="module-div">
<h1>Subjects Management</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
index'));?>" > View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
College Clerk Utilities</a></h1>

</div>

<?php }?>

<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
Account Management</a></h1>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

<h1 class="module-name-h1">Add New SET Questionnaire Type</h1>

<?php

$this->title = "ADD SET Questionnaire Type";
$this->headTitle($this->title);

// $Subject = $this->Subject;
?>
<br></br>
<div id="formcss">
<?php echo $this->form; ?>
</div>

<noscript>

```

```

    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
</noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>
        </div>
        <?php }?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                );?>">Evaluation System Management</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
                ;?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
                em></strong></a>
        </div>
        <div class="module-div">
            <h1>Evaluation Mode</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
                '=>'index'));?>" > SET Setup </a>
        </div>
        <div class="module-div">
            <h1>Courses' SET Questionnaire</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
                index'));?>" >Default Assignment</a>
        </div>
        <div class="module-div">
            <h1>SET Questionnaire Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
                '=>'index'));?>" class="current">SET Questionnaire Types</a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
                '));?>" >Answer Types</a>
        </div>
        <div class="module-div">
            <h1>Status</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
                '));?>" >Class Evaluation </a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
                '=>'index'));?>" >Student Evaluation </a>
        </div>
        <div class="module-div">
            <h1>Subjects Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
                index'));?>" > View All Subjects </a>
        </div>
        <?php if($this->UserType("College")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
                College Clerk Utilities</a></h1>
        </div>
        <?php }?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
                Account Management</a></h1>
        </div>
    </div><!-- #oset-lc -->
<div id="oset-rc">
    <?php
        $this->title = "ADD SET Questionnaire Type";
        $this->headTitle($this->title);
        //$Subject = $this->Subject;
    </div>

```

```

?>
<h1> Delete SET Questionnaire Type </h1>
<p>Are you sure that you want to delete

' <?php echo $this->escape($this->SET_Questionnaire['SET_Questionnaire_Type_Name']); ?>'
</p>
<form action="<?php echo $this->url(array('action'=>'delete')); ?>" method="post">
<div>
  <input type="hidden" name="SET_Questionnaire_Type_ID" value="<?php echo $this->SET_Questionnaire['
    SET_Questionnaire_Type_ID']; ?>" />
  <input type="submit" name="del" value="Yes" />
  <input type="submit" name="del" value="No" />
</div>
</form>

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>

    </div>

    <?php }?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
        em></strong></a>
    </div>

    <div class="module-div">
      <h1>Evaluation Mode</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
        '=>'index'));?>" > SET Setup </a>
    </div>

    <div class="module-div">
      <h1>Courses' SET Questionnaire</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
        index'));?>" >Default Assignment</a>
    </div>

    <div class="module-div">
      <h1>SET Questionnaire Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
        '=>'index'));?>" class="current">SET Questionnaire Types</a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
        ');?>" >Answer Types</a>
    </div>

    <div class="module-div">
      <h1>Status</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
        ');?>" >Class Evaluation </a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
        '=>'index'));?>" >Student Evaluation </a>
    </div>

    <div class="module-div">
      <h1>Subjects Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
        index'));?>" > View All Subjects </a>
    </div>

    <?php if($this->UserType("College")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
        College Clerk Utilities</a></h1>
    </div>

    <?php }?>

```

```

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>
</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

  <h1 class="module-name-h1">Edit SET Questionnaire Type</h1>

  <?php

    $this->title = "Edit SET Questionnaire Type";
    $this->headTitle($this->title);

    // $Subject = $this->Subject;
  ?>
  <br></br>
  <div id="formcss">
  <?php echo $this->form; ?>
  </div>

  <noscript>
    <div class="module-div fail-msg-div">
      <h1>No JS</h1>
      <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
      </p>
    </div>
  </noscript>
</div>
</div>
</div>

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>
    </div>

    <?php }?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
        );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
        ;?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
    </div>

    <div class="module-div">
      <h1>Evaluation Mode</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
        '=>'index'));?>" > SET Setup </a>
    </div>

    <div class="module-div">
      <h1>Courses' SET Questionnaire</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
        index'));?>" >Default Assignment</a>
    </div>

    <div class="module-div">
      <h1>SET Questionnaire Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
        '=>'index'));?>" class="current">SET Questionnaire Types</a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
        '));?>" >Answer Types</a>
    </div>

    <div class="module-div">
      <h1>Status</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
        '));?>" >Class Evaluation </a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
        '=>'index'));?>" >Student Evaluation </a>
    </div>

    <div class="module-div">
      <h1>Subjects Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
        index'));?>" > View All Subjects </a>
    </div>
  </div>

```

```

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
    College Clerk Utilities</a></h1>

</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

  <h1 class="module-name-h1">Preview of SET Questionnaire <span style="color:maroon"> ( <?php echo $this->
    SET_Questionnaire_Type_Name; ?> ) </span></h1>

  <?php
    $counter = 0;
    $SET_Questionnaire_Parts = $this->SET_Questionnaire_Parts;
    $SET_Questionnaire_Part_ID = $this->SET_Questionnaire_Part_ID;
    $isEvaluatedArray = $this->isEvaluatedArray;
    $error = $this->error;
    $Last = $this->Last;

  ?>
  <p><h2>
  <?php
    while($counter<count($SET_Questionnaire_Parts)){
      if($SET_Questionnaire_Part_ID==$SET_Questionnaire_Parts[$counter]['SET_Questionnaire_Part_ID']){?>
        <span style="color:grey"> <?php echo $SET_Questionnaire_Parts[$counter]['SET_Questionnaire_Part_Name
          ']' ?> </span> |
        <?php }
        else{ ?>

          <a style ="color:maroon;font-size:15pt;font-family:Times New Roman;font-weight:normal"href="<?php
            echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'
              preview', 'SET_Questionnaire_Type_ID'=>$this->SET_Questionnaire_Type_ID, 'Counter'=>$counter)
              );?>"><?php echo $SET_Questionnaire_Parts[$counter]['SET_Questionnaire_Part_Name'] ?> </a>
            |

          <?php }
          $counter++;
        }
      ?>
    </h2></p>

  <?php

    $this->title = "Preview of SET Questionnaire";
    $this->headTitle($this->title);
    echo $this->form;
    //Subject = $this->Subject;
  ?>

  <noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
  </noscript>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

  <?php if($this->UserType("Admin")) {?>
  <div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
      </a></h1>

  </div>

  <?php }?>

  <div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
      );?>">Evaluation System Management</a></h1>

  </div>
  <div class="module-div">
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
      );?>" >Home</a>
  </div>

```

```

        <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
    </div>

    <div class="module-div">
        <h1>Evaluation Mode</h1>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action'=>'index'));?>" > SET Setup </a>
    </div>

    <div class="module-div">
        <h1>Courses' SET Questionnaire</h1>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'index'));?>" >Default Assignment</a>
    </div>

    <div class="module-div">
        <h1>SET Questionnaire Management</h1>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'index'));?>" class="current">SET Questionnaire Types</a>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index'));?>" >Answer Types</a>
    </div>

    <div class="module-div">
        <h1>Status</h1>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index'));?>" >Class Evaluation </a>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'=>'index'));?>" >Student Evaluation </a>
    </div>

    <div class="module-div">
        <h1>Subjects Management</h1>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'index'));?>" > View All Subjects </a>
    </div>

    <?php if($this->UserType("College")) {?>
    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">College Clerk Utilities</a></h1>
    </div>

    <?php }?>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">Account Management</a></h1>
    </div>

</div><!-- #oset-lc -->

<div id="oset-rc">

    <h1 class="module-name-h1">SET Questionnaire Types</h1>

    <?php

        $this->title = "SET Questionnaire Types";
        $this->headTitle($this->title);

        // $Subject = $this->Subject;
    ?>
    <?php if($this->Activated_Flag == TRUE) { ?>

        <h3> One of the colleges has its SET Activated. This function is disabled.</h3>
    <?php } else{ ?>

    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'add'));?>" > Add New SET Questionnaire Type </a>
    <table>
        <tr>

            <th>Name</th>
            <th>Max Weight</th>
            <th></th>
        </tr>

    <?php foreach($this->SET_Questionnaire as $SQ) { ?>
        <tr>

            <td> <?php echo $SQ->SET_Questionnaire_Type_Name ?></td>
            <td> <?php echo $SQ->Max_Weight ?> </td>
            <td> <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-part','action'=>'index','SET_Questionnaire_Type_ID'=>$SQ->SET_Questionnaire_Type_ID, 'SET_Questionnaire_Type_Name'=>$SQ->SET_Questionnaire_Type_Name));?>" > View Parts | </a>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'edit','SET_Questionnaire_Type_ID'=>$SQ->SET_Questionnaire_Type_ID, 'SET_Questionnaire_Type_Name'=>$SQ->SET_Questionnaire_Type_Name));?>" > Edit | </a>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'delete','SET_Questionnaire_Type_ID'=>$SQ->SET_Questionnaire_Type_ID));?>" > Delete | </a>
            </td>
        </tr>
    </div>

```



```

        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','
        action'=>'preview', 'SET_Questionnaire_Type_ID'=>$SQ->SET_Questionnaire_Type_ID));?>">
        Preview | </a>
    </td>
</tr>
<?php } ?>
</table>

<?php } ?>
<noscript>
    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
</noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">

        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
            </a></h1>

        </div>

        <?php }?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>">Evaluation System Management</a></h1>
        </div>
        <div class="module-div">

            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
            );?>" >Home</a>

            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
            em></strong></a>

        </div>

        <div class="module-div">
            <h1>Evaluation Mode</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
            '=>'index'));?>" > SET Setup </a>
        </div>

        <div class="module-div">
            <h1>Courses' SET Questionnaire</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
            index'));?>" >Default Assignment</a>
        </div>

        <div class="module-div">
            <h1>SET Questionnaire Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
            '=>'index'));?>" >SET Questionnaire Types</a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
            ');?>" >Answer Types</a>
        </div>

        <div class="module-div">
            <h1>Status</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
            ');?>" class="current">Class Evaluation </a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
            '=>'index'));?>" >Student Evaluation </a>
        </div>

        <div class="module-div">
            <h1>Subjects Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
            index'));?>" > View All Subjects </a>
        </div>

        <?php if($this->UserType("College")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
            College Clerk Utilities</a></h1>

        </div>

        <?php }?>
    </div>

```

```

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));">
    Account Management</a></h1>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

  <h1 class="module-name-h1">Evaluation Status </h1>

  <?php

    $this->title = "Evaluation Status";
    $this->headTitle($this->title);
    //echo $this->form;

    // $Subject = $this->Subject;
  ?>

  <?php
    $Colleges = $this->Colleges;
    $counter=0;
  ?>
  <table>
    <tr>
      <th>College</th>
      <th>Status</th>
      <th>Classes Downloaded </th>
      <th></th>
    </tr>
    <?php while($counter<count($Colleges)){ ?>
      <tr>
        <td> <?php echo $Colleges[$counter]['College_Name']; ?> </td>
        <?php if($Colleges[$counter]['Activated'] == TRUE){?>
          <td> <span style="color:green"><em> Activated </em></span></td>
        <?php } else{ ?>
          <td><em> Deactivated </em></td>
        <?php } ?>
        <?php if($Colleges[$counter]['Downloaded'] == TRUE){?>
          <td> <span style="color:green"><em> Yes </em></span></td>
        <?php } else{ ?>
          <td><em> No </em></td>
        <?php } ?>
        <td><a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'
          classes','College_Code'=>$Colleges[$counter]['College_Code'])); ?>">View status of classes</a></td>
      </tr>
      <?php
        $counter++;
      }
    ?>
  </table>
  <noscript>
    <div class="module-div fail-msg-div">
      <h1>No JS</h1>
      <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
      </p>
    </div>
  </noscript>
</div>
</div>

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));">Administration
        </a></h1>

    </div>

    <?php }?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
        );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
        ;?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));"><strong><em>Logout</em></strong></a>
    </div>

    <div class="module-div">
      <h1>Evaluation Mode</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
        '=>'index'));">" > SET Setup </a>
    </div>
  </div>

```

```

<div class="module-div">
  <h1>Courses' SET Questionnaire</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'index'));?>" >Default Assignment</a>
</div>

<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'index'));?>" >SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index'));?>" >Answer Types</a>
</div>

<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index'));?>" class="current">Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'=>'index'));?>" >Student Evaluation </a>
</div>

<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'index'));?>" > View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
    College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>
</div>
</div><!-- #oset-lc -->

<div id="oset-rc">

  <h1 class="module-name-h1">Evaluation Status <span style="color:maroon"> ( <?php echo $this->College_Name;
  ?> )</span></h1>

  <?php

  $this->title = "Evaluation Status";
  $this->headTitle($this->title);
  //echo $this->form;

  // $Subject = $this->Subject;
  ?>

  <?php
  $Classes = $this->Classes;
  $counter=0;
  ?>
  <br />

  <?php if ($this->Flag==1) { ?>
  <br />
  <div id="formcss">
    <?php echo $this->form; ?>
  </div>
  <?php
  }else{
  ?>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'classes','Flag'=>1));?>">Search Subject</a>
  <?php } ?>
  <br />

  <table>
  <tr>
    <th>Subject</th>
    <th>Section </th>
    <th>Instructor</th>
    <th>Number of Respondents</th>
    <th>Respondents who evaluated</th>
  </tr>
  <?php while($counter<count($Classes)){ ?>
  <tr>
    <td> <?php echo $Classes[$counter]['Subject']; ?> </td>
    <td> <?php echo $Classes[$counter]['Section']; ?> </td>
    <td> <?php echo $Classes[$counter]['Instructor_Code'] ?></td>
    <td><?php echo $Classes[$counter]['Number_Of_Respondents'] ?></td>
    <td><?php echo $Classes[$counter]['Respondents_Evaluated'] ?></td>
  </tr>

```

```

        <?php
            $counter++;
        }
    ?>
</table>

<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index'))
;?>">Back to status of colleges</a>

<noscript>
    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
</noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                    </a></h1>
            </div>
            <?php }?>
            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
                    ;?>">Evaluation System Management</a></h1>
            </div>
            <div class="module-div">
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
                    ;?>" >Home</a>
                <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></a>
            </div>
            <div class="module-div">
                <h1>Evaluation Mode</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action'=>'index'))
                    ;?>" > SET Setup </a>
            </div>
            <div class="module-div">
                <h1>Courses' SET Questionnaire</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'index'))
                    ;?>" >Default Assignment</a>
            </div>
            <div class="module-div">
                <h1>SET Questionnaire Management</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'index'))
                    ;?>" >SET Questionnaire Types</a>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index'))
                    ;?>" >Answer Types</a>
            </div>
            <div class="module-div">
                <h1>Status</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index'))
                    ;?>" >Class Evaluation </a>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'=>'index'))
                    ;?>" >Student Evaluation </a>
            </div>
            <div class="module-div">
                <h1>Subjects Management</h1>
                <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'index'))
                    ;?>" > View All Subjects </a>
            </div>
            <?php if($this->UserType("College")) {?>
            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
                    College Clerk Utilities</a></h1>
            </div>
            <?php } ?>
            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'))
                    ;?>">Account Management</a></h1>
            </div>
        </div>
    </div>

```

```

</div><!-- #oset-lc -->
<div id="oset-rc">
    <h1 class="module-name-h1">Evaluation Status</h1>
    <?php
    $this->title = "Evaluation Status";
    $this->headTitle($this->title);
    $Name_of_PDF = $this->Name_of_PDF;
    ?>
    <iframe src="<?php echo $this->baseUrl().'/'.$Name_of_PDF.'.pdf' ?>" id="PDFtoPrint" width="100%" height
    ="500px"> ada</iframe>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'classes',
    College_Code'=>$this->College_Code));?>"> Back.</a>
    <noscript>
    <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
    This site will not work correctly unless JavaScript is enabled.<br />
    Please enable JavaScript then refresh your browser.
    </p>
    </div>
    </noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
    </a></h1>
    </div>
    <?php }?>
    <div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
    );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
    ;?>" >Home</a>
    <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
    em></strong></a>
    </div>
    <div class="module-div">
    <h1>Evaluation Mode</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
    '=>'index'));?>" > SET Setup </a>
    </div>
    <div class="module-div">
    <h1>Courses' SET Questionnaire</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
    index'));?>" >Default Assignment</a>
    </div>
    <div class="module-div">
    <h1>SET Questionnaire Management</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
    '=>'index'));?>" >SET Questionnaire Types</a>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
    ');?>" >Answer Types</a>
    </div>
    <div class="module-div">
    <h1>Status</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
    ');?>" >Class Evaluation </a>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
    '=>'index'));?>" >Student Evaluation </a>
    </div>
    <div class="module-div">
    <h1>Subjects Management</h1>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
    index'));?>" class="current"> View All Subjects </a>
    </div>
    <?php if($this->UserType("College")) {?>
    <div class="module-div2">
    <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
    College Clerk Utilities</a></h1>
    </div>

```

```

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

  <h1 class="module-name-h1">View Students - <span style="color:maroon"><?php echo $this->Subject; ?> - <?php
    echo $this->Section; ?></span></h1>

  <?php

    $this->title = "View Classes";
    $this->headTitle($this->title);
    $Classlist = $this->Classlist;
    //echo $this->form;

    // $Class = $this->Class;
  ?>

  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-students','action'=>'add', '
    Class_ID'=>$this->Class_ID)); ?>">+ Add New Student</a>
  <table>
    <tr>
      <th>Student Name</th>
      <th></th>
    </tr>
    <?php $counter =0; ?>
    <?php while($counter < count($Classlist)){ ?>
      <tr>
        <td> <?php echo $Classlist[$counter]['Name'] ?></td>
        <td>
          <?php if($Classlist[$counter]['Editable']== TRUE) { ?>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-students','action
              '=>'delete', 'Classlist_ID'=>$Classlist[$counter]['Classlist_ID'], 'Class_ID'=>$this->
                Class_ID)); ?>">Delete</a>
            <?php } ?>
          </td>
        </tr>
        <?php $counter++;
      } ?>
    </table>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-classes','action'=>'index', '
      Subject'=>$this->Subject));?>"> Back </a>
  <noscript>
    <div class="module-div fail-msg-div">
      <h1>No JS</h1>
      <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
      </p>
    </div>
  </noscript>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>

    </div>

    <?php }?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
        ;?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
        em></strong></a>
    </div>

    <div class="module-div">
      <h1>Evaluation Mode</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
        '=>'index'));?>" > SET Setup </a>
    </div>

    <div class="module-div">
      <h1>Courses' SET Questionnaire</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
        index'));?>" >Default Assignment</a>
    </div>

```

```

<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'index'));?>" >SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index'));?>" >Answer Types</a>
</div>

<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index'));?>" >Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'=>'index'));?>" >Student Evaluation </a>
</div>

<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'index'));?>" class="current"> View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>" >Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc">

  <h1 class="module-name-h1">Add New Student</h1>

  <?php

  $this->title = "Add New Student";
  $this->headTitle($this->title);
  $Subjects = $this->Subjects;
  //echo $this->form;

  // $Subject = $this->Subject;
  ?>

  <div id="formcss">
  <?php echo $this->form; ?>
  </div>

  <noscript>
  <div class="module-div fail-msg-div">
  <h1>No JS</h1>
  <p>
  This site will not work correctly unless JavaScript is enabled.<br />
  Please enable JavaScript then refresh your browser.
  </p>
  </div>
  </noscript>
</div>
</div>

```

```

<div id="content">
  <div id="oset-lc">

  <?php if($this->UserType("Admin")) {?>
  <div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration </a></h1>
  </div>

  <?php }?>

  <div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'));?>">Evaluation System Management</a></h1>
  </div>
  <div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'));?>" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
  </div>

```

```

<div class="module-div">
  <h1>Evaluation Mode</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action'=>'index'));?>" > SET Setup </a>
</div>

<div class="module-div">
  <h1>Courses' SET Questionnaire</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'index'));?>" >Default Assignment</a>
</div>

<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'index'));?>" >SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index'));?>" >Answer Types</a>
</div>

<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index'));?>" >Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'=>'index'));?>" >Student Evaluation </a>
</div>

<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'index'));?>" class="current" > View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>" >College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>" >Account Management</a></h1>
</div>

</div><!-- #oset-lc -->
<div id="oset-rc">

<?php

  $this->title = "Delete Subject";
  $this->headTitle($this->title);

  // $Subject = $this->Subject;
  ?>
  <h1> Delete Student </h1>
  <p>Are you sure that you want to delete

  '<?php echo $this->escape($this->Student_Name); ?>'
  </p>
  <form action="<?php echo $this->url(array('action'=>'delete')); ?>" method="post">
  <div>
    <input type="hidden" name="Classlist_ID" value="<?php echo $this->Classlist['Classlist_ID']; ?>" />
    <input type="submit" name="del" value="Yes" />
    <input type="submit" name="del" value="No" />
  </div>
  </form>

  <noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
  </noscript>
</div>
</div>

<div id="content">

<div id="oset-lc">

<?php if($this->UserType("Admin")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>" >Administration </a></h1>

```



```

</div>
<?php }?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>
</div>
<div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
;?>" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
em></strong></a>
</div>
<div class="module-div">
  <h1>Evaluation Mode</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
'=>'index'));?>" > SET Setup </a>
</div>
<div class="module-div">
  <h1>Courses' SET Questionnaire</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
index'));?>" >Default Assignment</a>
</div>
<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
'=>'index'));?>" >SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
'));?>" >Answer Types</a>
</div>
<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
'));?>" >Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
'=>'index'));?>" class="current">Student Evaluation </a>
</div>
<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
index'));?>" > View All Subjects </a>
</div>
<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
College Clerk Utilities</a></h1>
</div>
<?php }?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc">
  <h1 class="module-name-h1">Student Evaluation Status </h1>
  <?php
    $this->title = "Student Evaluation Status";
    $this->headTitle($this->title);
    //echo $this->form;
    // $Subject = $this->Subject;
  ?>
  <?php
    $Colleges = $this->Colleges;
    $counter=0;
  ?>
  <table>
    <tr>
      <th>College</th>
      <th></th>
    </tr>
    <?php while($counter<count($Colleges)){ ?>
      <tr>
        <td> <?php echo $Colleges[$counter]['College_Name']; ?> </td>

```

```
 <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status', action'=>'printstudents', 'College_Code'=>$Colleges[$counter]['College_Code'])); ?>">View students who still have subjects to evaluate</a></td> </tr> <?php     $counter++; } ?> </table> <noscript> <div class="module-div fail-msg-div"> <h1>No JS</h1> <p> This site will not work correctly unless JavaScript is enabled.<br /> Please enable JavaScript then refresh your browser. </p> </div> </noscript> </div> </div> </div> |
```

```

<div id="content">
<div id="oset-lc">
<?php if($this->UserType("Admin")) {?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'adminhome', 'action'=>'index')); ?>">Administration
</a></h1>
</div>
<?php }?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome', 'action'=>'index')
); ?>">Evaluation System Management</a></h1>
</div>
<div class="module-div">
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome', 'action'=>'index'))
; ?>" >Home</a>
<a href="<?php echo $this->url(array('controller'=>'index', 'action'=>'logout')); ?>"><strong><em>Logout</
em></strong></a>
</div>
<div class="module-div">
<h1>Evaluation Mode</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode', 'action
'=>'index')); ?>" > SET Setup </a>
</div>
<div class="module-div">
<h1>Courses' SET Questionnaire</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment', 'action'=>'
index')); ?>" >Default Assignment</a>
</div>
<div class="module-div">
<h1>SET Questionnaire Management</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire', 'action
'=>'index')); ?>" >SET Questionnaire Types</a>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer', 'action'=>'index
')); ?>" >Answer Types</a>
</div>
<div class="module-div">
<h1>Status</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status', 'action'=>'index
')); ?>" >Class Evaluation </a>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status', 'action
'=>'index')); ?>" class="current">Student Evaluation </a>
</div>
<div class="module-div">
<h1>Subjects Management</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects', 'action'=>'
index')); ?>" > View All Subjects </a>
</div>
<?php if($this->UserType("College")) {?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome', 'action'=>'index')); ?>">
College Clerk Utilities</a></h1>
</div>
<?php } ?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome', 'action'=>'index')
); ?>">Account Management</a></h1>

```

```

        </div>
</div><!-- #oset-lc -->
<div id="oset-rc">
    <h1 class="module-name-h1">Student Evaluation Status</h1>
    <?php
    $this->title = "Student Evaluation Status";
    $this->headTitle($this->title);
    $Name_of_PDF = $this->Name_of_PDF;
    ?>
    <iframe src="<?php echo $this->baseUrl().'/'.$Name_of_PDF.'.pdf' ?>" id="PDFtoPrint" width="100%" height
    ="500px"> ada</iframe>
    <br />
    <input type="button" value="Print" onclick="document.getElementById('PDFtoPrint').focus(); document.
    getElementById('PDFtoPrint').contentWindow.print();">
    <br />
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'=>'
    index'));>"> Back to Colleges</a>
    <br />
    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));>">Administration
            </a></h1>
        </div>
        <?php }?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'
            ));>">Evaluation System Management</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'
            ));>">Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));>"><strong><em>Logout</
            em></strong></a>
        </div>
        <div class="module-div">
            <h1>Evaluation Mode</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
            '=>'index'));>"> SET Setup </a>
        </div>
        <div class="module-div">
            <h1>Courses' SET Questionnaire</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
            index'));>">Default Assignment</a>
        </div>
        <div class="module-div">
            <h1>SET Questionnaire Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
            '=>'index'));>">SET Questionnaire Types</a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
            '));>">Answer Types</a>
        </div>
        <div class="module-div">
            <h1>Status</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
            '));>">Class Evaluation </a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
            '=>'index'));>">Student Evaluation </a>
        </div>
        <div class="module-div">
            <h1>Subjects Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
            index'));>" class="current"> View All Subjects </a>
        </div>
    </div>

```

```

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
    College Clerk Utilities</a></h1>

</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

  <h1 class="module-name-h1">View Subjects</h1>

  <?php

    $this->title = "View Subjects";
    $this->headTitle($this->title);
    $Subjects = $this->Subjects;
    //echo $this->form;

    // $Subject = $this->Subject;
  ?>
  <?php if($this->Downloaded_Flag == FALSE){ ?>
    <h3>None of the Colleges has downloaded its classes for the semester.</h3>
  <?php } else{ ?>
  <div id="formcss">
  <?php echo $this->form; ?>
  </div>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'add'));
    ?>">+ Add New Subject</a>
  <table>
    <tr>
      <th>Subject Name</th>
      <th></th>
    </tr>
    <?php $counter =0; ?>
    <?php while($counter < count($Subjects)){ ?>
      <tr>
        <td> <?php echo $Subjects[$counter]['Subject'] ?></td>
        <td>
          <a href = "<?php echo $this->url(array('controller'=>'evaluation-system-manager-classes','action
            '=>'index', 'Subject'=>$Subjects[$counter]['Subject'])); ?>"> View Classes </a>
          <?php if($Subjects[$counter]['Editable']==TRUE) { ?>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action
              '=>'delete', 'Subject'=>$Subjects[$counter]['Subject'])); ?>" | Delete |</a>
          <?php } ?>
        </td>
      </tr>
      <?php $counter++;
    } ?>
  </table>
  <?php } ?>
  <noscript>
    <div class="module-div fail-msg-div">
      <h1>No JS</h1>
      <p>
        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
      </p>
    </div>
  </noscript>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>

    </div>

    <?php }?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
        );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
        ;?>">Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
        em></strong></a>
    </div>

```

```

<div class="module-div">
  <h1>Evaluation Mode</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action'=>'index'));?>" > SET Setup </a>
</div>

<div class="module-div">
  <h1>Courses' SET Questionnaire</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'index'));?>" >Default Assignment</a>
</div>

<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'=>'index'));?>" >SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index'));?>" >Answer Types</a>
</div>

<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index'));?>" >Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'=>'index'));?>" >Student Evaluation </a>
</div>

<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'index'));?>" class="current"> View All Subjects </a>
</div>

<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
    College Clerk Utilities</a></h1>
</div>

<?php }?>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'));?>">
    Account Management</a></h1>
</div>
</div><!-- #oset-lc -->

<div id="oset-rc">

  <h1 class="module-name-h1">Add New Subject</h1>

  <?php

    $this->title = "Add New Subject";
    $this->headTitle($this->title);
    $Subjects = $this->Subjects;
    //echo $this->form;

    // $Subject = $this->Subject;
  ?>

  <div id="formcss">
  <?php echo $this->form; ?>
  </div>

  <noscript>
  <div class="module-div fail-msg-div">
  <h1>No JS</h1>
  <p>
  This site will not work correctly unless JavaScript is enabled.<br />
  Please enable JavaScript then refresh your browser.
  </p>
  </div>
  </noscript>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
        </a></h1>
    </div>

    <?php }?>
  </div>

```

```

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
  );?>">Evaluation System Management</a></h1>
</div>
<div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
  ;?>" >Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout')) ;?>"><strong><em>Logout</
  em></strong></a>
</div>
<div class="module-div">
  <h1>Evaluation Mode</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action'
  '=>'index')) ;?>" > SET Setup </a>
</div>
<div class="module-div">
  <h1>Courses' SET Questionnaire</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
  index')) ;?>" >Default Assignment</a>
</div>
<div class="module-div">
  <h1>SET Questionnaire Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
  '=>'index')) ;?>" >SET Questionnaire Types</a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
  ')) ;?>" >Answer Types</a>
</div>
<div class="module-div">
  <h1>Status</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
  ')) ;?>" >Class Evaluation </a>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
  '=>'index')) ;?>" >Student Evaluation </a>
</div>
<div class="module-div">
  <h1>Subjects Management</h1>
  <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
  index')) ;?>" class="current" > View All Subjects </a>
</div>
<?php if($this->UserType("College")) {?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index')) ;?>">
  College Clerk Utilities</a></h1>
</div>
<?php }?>
<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index')) ;?>">
  Account Management</a></h1>
</div>
</div><!-- #oset-lc -->
<div id="oset-rc">
  <?php
  $this->title = "Delete Subject";
  $this->headTitle($this->title);
  // $Subject = $this->Subject;
  ?>
  <h1> Delete Subject </h1>
  <p>Are you sure that you want to delete
  ' <?php echo $this->escape($this->Subject['Subject']); ?>'
  </p>
  <form action="<?php echo $this->url(array('action'=>'delete')) ;?>" method="post">
  <div>
    <input type="hidden" name="Subject" value="<?php echo $this->Subject['Subject']; ?>" />
    <input type="submit" name="del" value="Yes" />
    <input type="submit" name="del" value="No" />
  </div>
  </form>
  <noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
  </noscript>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <?php if($this->UserType("Admin")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
      </a></h1>
    </div>

    <?php }?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
      );?>">Evaluation System Management</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
      ;?>" >Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
      em></strong></a>
    </div>

    <div class="module-div">
      <h1>Evaluation Mode</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
      '=>'index'));?>" > SET Setup </a>
    </div>

    <div class="module-div">
      <h1>Courses' SET Questionnaire</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
      index'));?>" >Default Assignment</a>
    </div>

    <div class="module-div">
      <h1>SET Questionnaire Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
      '=>'index'));?>" >SET Questionnaire Types</a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
      ');?>" class="current" >Answer Types</a>
    </div>

    <div class="module-div">
      <h1>Status</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
      ');?>" >Class Evaluation </a>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
      '=>'index'));?>" >Student Evaluation </a>
    </div>

    <div class="module-div">
      <h1>Subjects Management</h1>
      <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
      index'));?>" > View All Subjects </a>
    </div>

    <?php if($this->UserType("College")) {?>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
      College Clerk Utilities</a></h1>
    </div>

    <?php }?>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'))
      ;?>">Account Management</a></h1>
    </div>

  </div><!-- #oset-lc -->

  <div id="oset-rc">

  <h1 class="module-name-h1">Add Answer Value <span style="color:maroon"> (<?php echo $this->Answer_Type_Name;
  ?>) </span></h1>
  <div id="formcss">
  <?php

  $this->title = "Add Answer Value ";
  $this->headTitle($this->title);

  echo $this->form;

  ?>
  </div>

  <noscript>
  <div class="module-div fail-msg-div">

```

```

        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
</noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
                </a></h1>
        </div>
        <?php }?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
                );?>">Evaluation System Management</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
                ;?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
                em></strong></a>
        </div>
        <div class="module-div">
            <h1>Evaluation Mode</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action'
                =>'index'));?>" > SET Setup </a>
        </div>
        <div class="module-div">
            <h1>Courses' SET Questionnaire</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
                index'));?>" >Default Assignment</a>
        </div>
        <div class="module-div">
            <h1>SET Questionnaire Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action'
                =>'index'));?>" >SET Questionnaire Types</a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
                '));?>" class="current" >Answer Types</a>
        </div>
        <div class="module-div">
            <h1>Status</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
                '));?>" >Class Evaluation </a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action'
                =>'index'));?>" >Student Evaluation </a>
        </div>
        <div class="module-div">
            <h1>Subjects Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
                index'));?>" > View All Subjects </a>
        </div>
        <?php if($this->UserType("College")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
                College Clerk Utilities</a></h1>
        </div>
        <?php }?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'))
                ;?>">Account Management</a></h1>
        </div>
    </div><!-- #oset-lc -->
    <div id="oset-rc">
        <h1 class="module-name-h1">Delete Answer Value</h1>
        <?php
            $this->title = "Delete Answer Value";
            $this->headTitle($this->title);
        </?php
    </div>

```



```

?>
<br />
<p>Are you sure that you want to delete
'<?php echo $this->escape($this->Answer_Value['Value']); ?>'
</p>
<form action="<?php echo $this->url(array('action'=>'delete')); ?>" method="post">
<div>
<input type="hidden" name="Answer_Value_ID" value="<?php echo $this->Answer_Value['Answer_Value_ID']; ?>"
/>
<input type="submit" name="del" value="Yes" />
<input type="submit" name="del" value="No" />
</div>
</form>

<noscript>
<div class="module-div fail-msg-div">
<h1>No JS</h1>
<p>
This site will not work correctly unless JavaScript is enabled.<br />
Please enable JavaScript then refresh your browser.
</p>
</div>
</noscript>
</div>
</div>

```

```

<div id="content">
<div id="oset-lc">
<?php if($this->UserType("Admin")) {?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
</a></h1>
</div>
<?php }?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index')
);?>">Evaluation System Management</a></h1>
</div>
<div class="module-div">
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
;?>" >Home</a>
<a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
em></strong></a>
</div>
<div class="module-div">
<h1>Evaluation Mode</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
'=>'index'));?>" > SET Setup </a>
</div>
<div class="module-div">
<h1>Courses' SET Questionnaire</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
index'));?>" >Default Assignment</a>
</div>
<div class="module-div">
<h1>SET Questionnaire Management</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
'=>'index'));?>" >SET Questionnaire Types</a>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
'));?>" class="current" >Answer Types</a>
</div>
<div class="module-div">
<h1>Status</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
'));?>" >Class Evaluation </a>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
'=>'index'));?>" >Student Evaluation </a>
</div>
<div class="module-div">
<h1>Subjects Management</h1>
<a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects','action'=>'
index'));?>" > View All Subjects </a>
</div>
<?php if($this->UserType("College")) {?>
<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome','action'=>'index'));?>">
College Clerk Utilities</a></h1>
</div>

```

```

<?php }?>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome','action'=>'index'))
        ;?>">Account Management</a></h1>

    </div>

</div><!-- #oset-lc -->

<div id="oset-rc">

<h1 class="module-name-h1">Edit Answer Value <span style="color:maroon"> (<?php echo $this->Answer_Type_Name;
?>) </span></h1>
<div id="formcss">
<?php

    $this->title = "Edit Answer Value ";
    $this->headTitle($this->title);
    echo $this->form;
    // $Answer_Value = $this->Answer_Value;
    // $Subject = $this->Subject;
    ?>

<noscript>
    <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
        </p>
    </div>
</noscript>
</div>
</div>

```

```

<div id="content">

    <div id="oset-lc">

        <?php if($this->UserType("Admin")) {?>
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'adminhome','action'=>'index'));?>">Administration
            </a></h1>

        </div>

        <?php }?>

        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
            );?>">Evaluation System Management</a></h1>
        </div>
        <div class="module-div">
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-managerhome','action'=>'index'))
            ;?>" >Home</a>
            <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</
            em></strong></a>
        </div>

        <div class="module-div">
            <h1>Evaluation Mode</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-evaluation-mode','action
            '=>'index'));?>" > SET Setup </a>
        </div>

        <div class="module-div">
            <h1>Courses' SET Questionnaire</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-assignment','action'=>'
            index'));?>" >Default Assignment</a>
        </div>

        <div class="module-div">
            <h1>SET Questionnaire Management</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-questionnaire','action
            '=>'index'));?>" >SET Questionnaire Types</a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer','action'=>'index
            '));?>" class="current" >Answer Types</a>
        </div>

        <div class="module-div">
            <h1>Status</h1>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-status','action'=>'index
            '));?>" >Class Evaluation </a>
            <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-student-status','action
            '=>'index'));?>" >Student Evaluation </a>
        </div>

        <div class="module-div">
            <h1>Subjects Management</h1>

```

```

        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-subjects', 'action'=>'
            index'));?>" > View All Subjects </a>
    </div>

    <?php if($this->UserType("College")) {?>
    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'college-clerkhome', 'action'=>'index'));?>">
            College Clerk Utilities</a></h1>

    </div>

    <?php }?>

    <div class="module-div2">
        <h1><a href="<?php echo $this->url(array('controller'=>'account-managementhome', 'action'=>'index'))
            ;?>">Account Management</a></h1>

    </div>

</div><!-- #oset-lc -->
<div id="oset-rc">
<h1 class="module-name-h1">Answer Values <span style="color:maroon"> (<?php echo $this->Answer_Type_Name;
    ?>) </span></h1>

    <?php

        $this->title = "Answer Types";
        $this->headTitle($this->title);
        $Answer_Value = $this->Answer_Value;

    ?>
    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-value', 'action'=>'add', '
        Answer_Type_ID'=>$this->Answer_Type_ID))?>" + Add New Choice</a>
    <div id="drag">
    <table id="tbl1">
        <tr>

            <th class="mark">Value</th>
            <th class="mark">Numeric_Value</th>
            <th></th>
        </tr>
        <?php foreach($Answer_Value as $AV){ ?>
            <tr class="r1">

                <td class="rowhandler"> <div id="<?php echo $AV->Answer_Value_ID; ?>"class="drag row" style="border:0
                    px;"> <?php echo $AV->Value; ?> </div></td>
                <td> <?php echo $AV->Numeric_Value; ?></td>
                <td>
                    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-value', 'action'=>'
                        edit', 'Answer_Value_ID'=>$AV->Answer_Value_ID, 'Answer_Type_ID'=>$AV->Answer_Type_ID, '
                        Answer_Type_Name'=>$this->Answer_Type_Name))?>">| Edit |</a>
                    <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-value', 'action'=>'
                        delete', 'Answer_Value_ID'=>$AV->Answer_Value_ID, 'Answer_Type_ID'=>$AV->Answer_Type_ID, '
                        Answer_Type_Name'=>$this->Answer_Type_Name))?>">Delete |</a>

                </td>
            </tr>
        </table>
    </div>

    <div><input style="valign:right;" type="button" value="Save order of choices" class="button" onclick="save
        ()" title="Send content to the server"/><span class="message_line"></span></div>

    <?php if($this->Edit_Flag!=1){ ?>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer', 'action'=>'index
            '))?>"> Back to Answer Types</a>
    <?php }else{ ?>
        <a href="<?php echo $this->url(array('controller'=>'evaluation-system-manager-answer', 'action'=>'edit',
            'Answer_Type_ID'=>$this->Answer_Type_ID))?>"> Back to Edit Answer Type</a>
    <?php } ?>
    <noscript>
        <div class="module-div fail-msg-div">
            <h1>No JS</h1>
            <p>
                This site will not work correctly unless JavaScript is enabled.<br />
                Please enable JavaScript then refresh your browser.
            </p>
        </div>
    </noscript>
</div>
</div>

<div id="content" class="login-page" style="width:90%">

```

```

<div id="oset-lcp">
  <h1>Announcements</h1>
</div>

<div id="oset-rc">
  <?php $this->headTitle('Login'); ?>
  <h1>Login</h1>

  <?php

  echo $this->form->setAction($this->url());
  ?>

  <h2>Sign-in problems?</h2>
  <p>For the site to work properly, your browser must have JavaScript and cookies enabled.</p>
  <h2>Inquiries?</h2>

  <p>You may email me at <b>ishmael927@gmail.com</b>. </p>
  <noscript>
    <h2 class="error">No JS</h2>
    <p>Your browser does not have JavaScript enabled. You must enable it before logging in.</p>
  </noscript>

  <div id="no-cookies-msg" style="display:none">
    <h2 class="error">No Cookies</h2>
    <p>Your browser does not accept cookies from this site. You must allow it before logging in.</p>
  </div>

  <div id="div_sidebar">
    <h2>Important Dates to Remember</h2>
    <h3>Second Semester 2011-2012</h3>
    <ul id="ul_impt-dates">
      <li><em>March 10, 2012</em> End of 1st Round of Defense</li>
      <li><em>March 17, 2012</em> End of 2nd Round of Defense</li>
      <li><em>April 20,2012</em> Commencement Exercise</li>
    </ul>
  </div>
</div>

<br /><br /><center>View script for controller <b>Auth</b> and script/action name <b>logout</b></center>

<div id="content">
  <div id="oset-lc">

  <div class="module-div">
    <a href="" class="current">Installation Home</a>
    <a href="">STEP 1 - System Requirements</a>
    <a href="">STEP 2 - OSET Database Setup</a>
    <a href="">STEP 3 - CRS Database Setup</a>
    <a href="">STEP 4 - Create Tables</a>
    <a href="">STEP 5 - Create Administrator </a>
    <a href="">End Installation </a>
  </div>

</div><!-- #oset-lc -->

<div id="oset-rc">

<h1 class="module-name-h1">OSET Installation </h1>
<h3> This will guide you in installing OSET.</h3>
<a href = "<?php echo $this->url(array('controller'=>'install', 'action'=>'stepone'))?>"> Install OSET.</a>

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

<div id="content">

```

```

<div id="oset-lc">

<div class="module-div">
  <a href="" >Installation Home</a>
  <a href="">STEP 1 - System Requirements</a>
  <a href="">STEP 2 - OSET Database Setup</a>
  <a href="">STEP 3 - CRS Database Setup</a>
  <a href="" >STEP 4 - Create Tables</a>
  <a href=""> STEP 5 - Create Administrator </a>
  <a href="" class="current"> End Installation </a>
</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

<h1 class="module-name-h1">End OSET Installation </h1>
<h3> Thank You for installing OSET!</h3>
<a href = "<?php echo $this->url(array('controller'=>'index','action'=>'index'))?>"> Proceed to OSET</a>

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <div class="module-div">
      <a href="" >Installation Home</a>
      <a href="" >STEP 1 - System Requirements</a>
      <a href="" >STEP 2 - OSET Database Setup</a>
      <a href="" >STEP 3 - CRS Database Access Setup</a>
      <a href="" >STEP 4 - Create Tables</a>
      <a href="" class="current"> STEP 5 - Create Administrator </a>
      <a href=""> End Installation </a>
    </div>

    </div><!-- #oset-lc -->

    <div id="oset-rc">

      <h1 class="module-name-h1">STEP 5 - Create Administrator </h1>

      <li> <span style="color:maroon"> All fields are required.</span></li>

      <br />

      <div id="formcss2" style="width:50%">

        <?php echo $this->form; ?>
      </div>

      <noscript>
        <div class="module-div fail-msg-div">
          <h1>No JS</h1>
          <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
          </p>
        </div>
      </noscript>
    </div>
  </div>

```

```

<div id="content">

```

```

<div id="oset-lc">

<div class="module-div">
  <a href="" >Installation Home</a>
  <a href="" >STEP 1 - System Requirements</a>
  <a href="" >STEP 2 - OSET Database Setup</a>
  <a href="" >STEP 3 - CRS Database Access Setup</a>
  <a href="" class="current">STEP 4 - Create Tables</a>
  <a href="" >STEP 5 - Create Administrator </a>
  <a href="" > End Installation </a>
</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

<h1 class="module-name-h1">STEP 4 - Create OSET Tables </h1>
<li> <span style="color:maroon"> Configuration file has been well setup.</span></li>
<li> <span style="color:maroon"> Click "Create Table" to create the tables needed for OSET.</span></li>

<br />

<div id="formcss">
<?php echo $this->form2; ?>

<br />

<?php if($this->Next_Flag == TRUE){ ?>
  <h3>The following tables have been created:</h3>
  <ul>
    <li>Answer Types</li>
    <li>Answer Values</li>
    <li>Audit Trail</li>
    <li>Class</li>
    <li>Classlists</li>
    <li>Class Average</li>
    <li>Class Average Per Part</li>
    <li>Class Average Per Question</li>
    <li>Class Results Per Question</li>
    <li>College</li>
    <li>Department</li>
    <li>Faculty</li>
    <li>Flags</li>
    <li>Instructor Average</li>
    <li>Master Classlist</li>
    <li>Results Per Respondent</li>
    <li>Result Sequence</li>
    <li>Result Sequence Part</li>
    <li>Semestral Average</li>
    <li>SET Questionnaire</li>
    <li>SET Questionnaire Parts</li>
    <li>SET Questionnaire Questions</li>
    <li>Static Subject Questionnaire Lists</li>
    <li>Student</li>
    <li>Subject Questionnaire Lists</li>
    <li>Text Results Per Respondent</li>
    <li>Users</li>
  </ul>

<?php } ?>

<?php echo $this->form; ?>
</div>

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

<div id="content">

  <div id="oset-lc">

```

```

<div class="module-div">
  <a href="" >Installation Home</a>
  <a href="" class="current">STEP 1 - System Requirements</a>
  <a href="">STEP 2 - OSET Database Setup</a>
  <a href="">STEP 3 - CRS Database Setup</a>
  <a href="" >STEP 4 - Create Tables</a>
  <a href=""> STEP 5 - Create Administrator </a>
  <a href=""> End Installation </a>
</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

<h1 class="module-name-h1">STEP 1 - System Requirements </h1>
<li> <span style="color:maroon"> The following must be working for OSET to work properly: </span></li>
<br />

<table>
  <tr>
    <th>Extension</th>
    <th>Description</th>
    <th>Status</th>
  </tr>
  <tr>
    <td>PostgreSQL(PgSQL) </td>
    <td>Database Needed for CRS access</td>
    <td>
      <?php if($this->PGSQL == TRUE){ ?>
        <span style="color:green;font-weight:bold"> OK </span>
      <?php }else{ ?>
        <span style="color:red;font-weight:bold"> NO </span>
      <?php } ?>
    </td>
  </tr>
  <tr>
    <td>MySQL </td>
    <td>Database Needed for OSET</td>
    <td>
      <?php if($this->MYSQL == TRUE){ ?>
        <span style="color:green;font-weight:bold"> OK </span>
      <?php }else{ ?>
        <span style="color:red;font-weight:bold"> NO </span>
      <?php } ?>
    </td>
  </tr>
  <tr>
    <td>Session </td>
    <td>Handler used to store/retrieve data</td>
    <td>
      <?php if($this->SESSION == TRUE){ ?>
        <span style="color:green;font-weight:bold"> OK </span>
      <?php }else{ ?>
        <span style="color:red;font-weight:bold"> NO </span>
      <?php } ?>
    </td>
  </tr>
  <tr>
    <td>PHP </td>
    <td>Version of PHP (required version is 4 up)</td>
    <td>
      <?php if($this->PHP == TRUE){ ?>
        <span style="color:green;font-weight:bold"> OK </span>
      <?php }else{ ?>
        <span style="color:red;font-weight:bold"> NO </span>
      <?php } ?>
    </td>
  </tr>
</table>
<br />
<div id="formcss">
<?php echo $this->form; ?>
</div>

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

<div id="content">

<div id="oset-lc">

```

```

<div class="module-div">
  <a href="" >Installation Home</a>
  <a href="" >STEP 1 - System Requirements</a>
  <a href="" >STEP 2 - OSET Database Setup</a>
  <a href="" class="current">STEP 3 - CRS Database Access Setup</a>
  <a href="" >STEP 4 - Create Tables</a>
  <a href="" >STEP 5 - Create Administrator </a>
  <a href="" >End Installation </a>
</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

<h1 class="module-name-h1">STEP 3 - CRS Database Access Setup </h1>
<li> <span style="color:maroon"> Fill in the right value on each field: </span></li>
<br />
<div id="formcss2" style="width:50%">
<?php echo $this->form2; ?>
</div>
<br />
<div id="formcss">
<?php echo $this->form; ?>
</div>

<noscript>
  <div class="module-div fail-msg-div">
    <h1>No JS</h1>
    <p>
      This site will not work correctly unless JavaScript is enabled.<br />
      Please enable JavaScript then refresh your browser.
    </p>
  </div>
</noscript>
</div>
</div>

```

```

<div id="content">

  <div id="oset-lc">

    <div class="module-div">
      <a href="" >Installation Home</a>
      <a href="" >STEP 1 - System Requirements</a>
      <a href="" class="current">STEP 2 - OSET Database Setup</a>
      <a href="">STEP 3 - CRS Database Setup</a>
      <a href="" >STEP 4 - Create Tables</a>
      <a href="" >STEP 5 - Create Administrator </a>
      <a href="" >End Installation </a>
    </div>

    </div><!-- #oset-lc -->

    <div id="oset-rc">

      <h1 class="module-name-h1">STEP 2 - OSET Database Setup </h1>
      <li> <span style="color:maroon"> Fill in the right value on each field: </span></li>
      <br />
      <div id="formcss2" style="width:50%">
      <?php echo $this->form2; ?>
      </div>
      <br />
      <div id="formcss">
      <?php echo $this->form; ?>
      </div>

      <noscript>
        <div class="module-div fail-msg-div">
          <h1>No JS</h1>
          <p>
            This site will not work correctly unless JavaScript is enabled.<br />
            Please enable JavaScript then refresh your browser.
          </p>
        </div>
      </noscript>
    </div>
  </div>

```

```

<div id="content">
  <div id="oset-lc">

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'studenthome','action'=>'index'));?>">Main</a></h1>
    </div>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'student-account-managementhome','action'=>'index'));?>">Account Management</a></h1>
    </div>

    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'student-account-managementhome','action'=>'index'));?>">Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout </em></strong></a>
      <a href="<?php echo $this->url(array('controller'=>'student-account-management-change-password','action'=>'index'));?>" class="current">Change Password</a>
    </div>

  </div><!-- #oset-lc -->
  <div id="oset-rc">

    <h1 class="module-name-h1">Change Password</h1>
    <br />
    <div id="formcss">
      <?php echo $this->form; ?>
    </div>
    <noscript>
      <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
          This site will not work correctly unless JavaScript is enabled.<br />
          Please enable JavaScript then refresh your browser.
        </p>
      </div>
    </noscript>
  </div>
</div>

```

```

<div id="content">
  <div id="oset-lc">

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'studenthome','action'=>'index'));?>">Main</a></h1>
    </div>

    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'student-account-managementhome','action'=>'index'));?>">Account Management</a></h1>
    </div>

    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'student-account-managementhome','action'=>'index'));?>" class="current">Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout </em></strong></a>
      <a href="<?php echo $this->url(array('controller'=>'student-account-management-change-password','action'=>'index'));?>">Change Password</a>
    </div>

  </div><!-- #oset-lc -->
  <div id="oset-rc">

    <h1 class="module-name-h1">Student Account Management</h1>

    <noscript>
      <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
          This site will not work correctly unless JavaScript is enabled.<br />
          Please enable JavaScript then refresh your browser.
        </p>
      </div>
    </noscript>
  </div>
</div>

```

```

<div id="content">
  <div id="oset-lc">
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'studenthome','action'=>'index'));?>">Main</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'studenthome','action'=>'index'));?>" class="current">Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
    </div>
    <div class="module-div">
      <h1>SET</h1>
      <a href="<?php echo $this->url(array('controller'=>'student-view-subjects','action'=>'index'));?>" >View Subjects </a>
    </div>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'student-account-managementhome','action'=>'index'));?>">Account Management</a></h1>
    </div>
  </div><!-- #oset-lc -->
  <div id="oset-rc">
    <h1 class="module-name-h1">Student Home</h1>
    <p><h3 style="color:grey">Dear Student,</h3><p>
    <h3 style="margin-left:20pt;color:grey;">
      To improve the degree programs of our College and maximize the benefits that you get from your
      classes, may we request you to share with us your thoughts, feelings and suggestions on how
      this course can be improved. Below are series of questions which you need to answer as honestly
      as you can. Kindly answer all items. Be assured that your answers will be treated with utmost
      confidentiality. Data will be analyzed as a group and there is no way in which your teacher can
      identify you. Hence, your grade in this subject will not, in anyway, be affected by your responses.
      As data analysis takes quite a time, the results of this survey will only be shown to your teacher in
      the next semester.<br></br>
      Thank you for your participation.
    </h3>
    <?php if($this->Student_ID == '2009-01492' ){ ?>
    <?php } ?>
    <noscript>
      <div class="module-div fail-msg-div">
        <h1>No JS</h1>
        <p>
          This site will not work correctly unless JavaScript is enabled.<br />
          Please enable JavaScript then refresh your browser.
        </p>
      </div>
    </noscript>
  </div>
</div>

```

```

<div id="content">
  <div id="oset-lc">
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'studenthome','action'=>'index'));?>">Main</a></h1>
    </div>
    <div class="module-div">
      <a href="<?php echo $this->url(array('controller'=>'studenthome','action'=>'index'));?>">Home</a>
      <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
    </div>
    <div class="module-div">
      <h1>SET</h1>
      <a href="<?php echo $this->url(array('controller'=>'student-view-subjects','action'=>'index'));?>" class="current">View Subjects </a>
    </div>
    <div class="module-div2">
      <h1><a href="<?php echo $this->url(array('controller'=>'student-account-managementhome','action'=>'index'));?>">Account Management</a></h1>
    </div>
  </div>

```

```

</div>

</div><!-- #oset-lc -->

<div id="oset-rc">

<h1 class="module-name-h1">View Subjects</h1>
<?php

    $this->title = "View Subjects";
    $this->headTitle($this->title);

    $Student_ID = $this->Student_ID;
    ?>

<?php
    $Classes = $this->Classes;
    $Evaluated_Flag = $this->Evaluated_Flag;
    $College_Activated_Flag = $this->College_Activated_Flag;
    $LOA = $this->LOA;
    $counter =0;
    $index = 0;
    ?>

<table>
<tr>
<th>Subject</th>
<th>Section</th>
<th>Instructor Code</th>
<th></th>
</tr>
</tr>
<?php
    $counter=0;
    while($counter<count($Classes)){

    ?>
<tr>
<td><?php echo $Classes[$counter]['Subject']; ?></td>
<td><?php echo $Classes[$counter]['Section']; ?> </td>
<td><?php echo $Classes[$counter]['Instructor_Code']; ?></td>
<td>
<?php if ($LOA == FALSE && $Classes[$counter]['Evaluated'] == FALSE && $Classes[$counter]['Dropped
'] ==FALSE && $Classes[$counter]['Activated'] == TRUE && $College_Activated_Flag[$counter] ==
TRUE ){ ?>
<a href="<?php echo $this->url(array('controller'=>'student-view-subjects','action'=>'agreement',
'Subject'=> $Classes[$counter]['Subject'], 'Class_ID'=>$Classes[$counter]['Class_ID'], '
Instructors'=>$Classes[$counter]['Instructor_Code'], 'Counter'=>0, 'Instructor_Index'=>0),
null,true);?>">Evaluate</a>
<?php }
else{ ?>
<?php if($LOA == TRUE || $Classes[$counter]['Dropped']==TRUE || $Classes[$counter]['Activated
']==FALSE || $College_Activated_Flag[$counter]==FALSE ) { ?>
<?php if($Classes[$counter]['Dropped']==TRUE ){ ?>
<em> Dropped </em>
<?php }else{ ?>
<em> Deactivated</em>
<?php } ?>
<?php }else{ ?>
<em>Evaluated</em>
<?php } ?>
<?php } ?>
</td>
</tr>

<?php $counter++;

    }
    ?>
</table>

<noscript>
<div class="module-div fail-msg-div">
<h1>No JS</h1>
<p>
This site will not work correctly unless JavaScript is enabled.<br />
Please enable JavaScript then refresh your browser.
</p>
</div>
</noscript>
</div>
</div>

<div id="content">

<div id="oset-lc">

<div class="module-div2">
<h1><a href="<?php echo $this->url(array('controller'=>'studenthome','action'=>'index'));?>">Main</a></h1>
>

```

```

</div>

<div class="module-div">
  <a href="<?php echo $this->url(array('controller'=>'studenthome','action'=>'index'));?>">Home</a>
  <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
</div>

<div class="module-div">
  <h1>SET</h1>
  <a href="<?php echo $this->url(array('controller'=>'student-view-subjects','action'=>'index'));?>"
    class="current">View Subjects </a>
</div>

<div class="module-div2">
  <h1><a href="<?php echo $this->url(array('controller'=>'student-account-managementhome','action'=>'index'));?>">Account Management</a></h1>
</div>

</div><!-- #oset-lc -->

<div id="oset-rc">
  <?php
    $counter = 0;
    $SET_Questionnaire_Parts = $this->SET_Questionnaire_Parts;
    $SET_Questionnaire_Part_ID = $this->SET_Questionnaire_Part_ID;
    $isEvaluatedArray = $this->isEvaluatedArray;
    $error = $this->error;
    $Last = $this->Last;
  ?>

  <h1 class="module-name-h1">Evaluate Subject <span style="color:maroon;font-family:Times New Roman;"><?php
    echo $this->Subject; ?> - <?php echo $this->Instructor ?></span></h1>
  <p><h2>
    <?php
      while($counter<count($SET_Questionnaire_Parts)){
        if($SET_Questionnaire_Part_ID==$SET_Questionnaire_Parts[$counter]['SET_Questionnaire_Part_ID']){?>
          <span style="color:grey"> <?php echo $SET_Questionnaire_Parts[$counter]['SET_Questionnaire_Part_Name'
            ''] ?> </span> |
          <?php }
          else{ ?>

            <?php if($isEvaluatedArray[$SET_Questionnaire_Parts[$counter]['SET_Questionnaire_Part_ID']]==FALSE) {
              ?>
              <a style ="color:maroon;font-size:15pt;font-family:Times New Roman;font-weight:normal"href="<?php
                echo $this->url(array('controller'=>'student-view-subjects','action'=>'evaluate', 'Counter'=>
                  $counter));?>"><?php echo $SET_Questionnaire_Parts[$counter]['SET_Questionnaire_Part_Name']
                  ?> </a> |
              <?php } else { ?>
                <a style ="color:green;font-size:15pt;font-family:Times New Roman;font-weight:normal"href="<?php
                  echo $this->url(array('controller'=>'student-view-subjects','action'=>'evaluate', 'Counter'=>
                    $counter));?>"><?php echo $SET_Questionnaire_Parts[$counter]['SET_Questionnaire_Part_Name']
                    ?> </a> |
                <?php } ?>

            <?php } ?>

            <?php }
            $counter++;
          }
        ?>
      </h2></p>
      <?php if($error == true){ ?>
        <li> <span> Some questions are required. Please fill them up.</span><li>
      <?php } ?>
      <?php if($Last == true){ ?>
        <li>
          <span style="color:darkred">This is the last part. This part can only be saved if the previous parts
            have been answered and submitted (colored <span style="color:green">green </span>).</span>
          <br />
          <span style="color:red">Warning: Once you clicked the "Finish" button, your answers on all parts will
            be submitted and can not be altered.</span>
        </li>
      <?php } ?>

    <?php } ?>

  <?php

    $this->title = "Evaluated Subjects";
    $this->headTitle($this->title);

    // $Student_ID = $this->Student_ID;
    echo $this->form;
  ?>

</noscript>
<div class="module-div fail-msg-div">
  <h1>No JS</h1>
  <p>

```

```

        This site will not work correctly unless JavaScript is enabled.<br />
        Please enable JavaScript then refresh your browser.
    </p>
</div>
</noscript>
</div>
</div>

```

```

<div id="content">
    <div id="oset-lc">
        <div class="module-div2">
            <h1><a href="<?php echo $this->url(array('controller'=>'studenthome','action'=>'index'));?>">Main</a></h1>
            </div>
            <div class="module-div">
                <a href="<?php echo $this->url(array('controller'=>'studenthome','action'=>'index'));?>">Home</a>
                <a href="<?php echo $this->url(array('controller'=>'index','action'=>'logout'));?>"><strong><em>Logout</em></strong></a>
            </div>
            <div class="module-div">
                <h1>SET</h1>
                <a href="<?php echo $this->url(array('controller'=>'student-view-subjects','action'=>'index'));?>"
                    class="current">View Subjects </a>
            </div>
            <div class="module-div2">
                <h1><a href="<?php echo $this->url(array('controller'=>'student-account-managementhome','action'=>'index'));?>">Account Management</a></h1>
            </div>
        </div><!-- #oset-lc -->
    <div id="oset-rc">
        <h1 class="module-name-h1">Evaluation Agreement</h1>
        <?php
            $this->title = "Evaluation Agreement";
            $this->headTitle($this->title);
            $Student_ID = $this->Student_ID;
            ?>
        <table>
        <tr>
        <td>
            <h3 style="margin-left:20pt;color:grey;">
                To improve the degree programs of our College and maximize the benefits that you get from your
                classes, may we request you to share with us your thoughts, feelings and suggestions on how
                this course can be improved. On the next page are series of questions which you need to answer as
                honestly
                as you can. Kindly answer all items. Be assured that your answers will be treated with utmost
                confidentiality. Data will be analyzed as a group and there is no way in which your teacher can
                identify you. Hence, your grade in this subject will not, in anyway, be affected by your responses.
                As data analysis takes quite a time, the results of this survey will only be shown to your teacher in
                the next semester.<br></br>
                Thank you for your participation.
            </h3>
            <div id="formcss">
                <?php echo $this->form; ?>
            </div>
        </td></tr>
        </table>
        <noscript>
            <div class="module-div fail-msg-div">
                <h1>No JS</h1>
                <p>
                    This site will not work correctly unless JavaScript is enabled.<br />
                    Please enable JavaScript then refresh your browser.
                </p>
            </div>
        </noscript>
    </div>
</div>

```

8. Bootstrap

```
<?php
class Bootstrap extends Zend_Application_Bootstrap_Bootstrap
{
    protected function _initView()
    {
        /*
        $view = new Zend_View();
        $view->doctype('XHTML1_STRICT');
        $view->headTitle('Dating 2.0');
        $view->headLink()->appendStylesheet('/css/960gs.css');
        $view->headLink()->appendStylesheet('/css/site-wide.css');
        $view->headLink()->appendStylesheet('/css/ui-lightness/jquery-ui-1.8.2.custom.css');
        $view->addHelperPath('ZendX/JQuery/View/Helper/', 'ZendX_JQuery_View_Helper');
        $view->jQuery()->enable();
        $view->jQuery()->setVersion('1.4.2');
        $view->jQuery()->setUiVersion('1.8.2');
        $view->jQuery()->uiEnable();
        $viewRenderer = new Zend_Controller_Action_Helper_ViewRenderer();
        $viewRenderer->setView($view);
        Zend_Controller_Action_HelperBroker::addHelper($viewRenderer);*/
        /*
        $view = new Zend_View();
        $view->addHelperPath('ZendX/JQuery/View/Helper/', 'ZendX_JQuery_View_Helper');
        $viewRenderer = Zend_Controller_Action_HelperBroker::getStaticHelper('ViewRenderer');
        $viewRenderer->setView($view);*/

        $view = new Zend_View();

        $view->addHelperPath('ZendX/JQuery/View/Helper', 'ZendX_JQuery_View_Helper');
        // $view->jQuery()->addStylesheet('/js/jquery/css/ui-lightness/jquery-ui-1.8.16.custom.css')
        // ->setLocalPath('/js/jquery/js/jquery-1.6.2.min.js')
        // ->setUiLocalPath('/js/jquery/js/jquery-ui-1.8.16.custom.min.js');
        // $view->jQuery()->enable();
        // $view->jQuery()->setVersion('1.6.2');
        // $view->jQuery()->setUiVersion('1.8.16');
        // $view->jQuery()->uiEnable();

        $viewRenderer = new Zend_Controller_Action_Helper_ViewRenderer();
        $viewRenderer->setView($view);
        Zend_Controller_Action_HelperBroker::addHelper($viewRenderer);

        $session = new Zend_Session_Namespace('myapp');
        Zend_Registry::set('session', $session);

        $resource = $this->getPluginResource('multidb');
        $resource->init();

        $db1 = $resource->getDb('db1');
        $db2 = $resource->getDb('db2');

        $session = Zend_Registry::get('session');
        $session->dbApp = $db1;
        $session->dbBB = $db2;

    }
}
}
```

9. Cascading Style Sheet

```
#logged-in-as {
    margin-top: 10px;
    margin-right: 10px;
    float:right;

    font-size:12pt;
    font-family:Times New Roman;
    text-align:right;
}

#logged-in-as a{
    color:grey;
}

body, h1, h2, h3, h4, h5, h6, p, ol, ul, li, em {
    font-family:Georgia;
    font-size: 10pt;
    font-weight: normal;
    margin: 0;
    padding: 0;
    outline: 0;
}
```

```

a{
  text-decoration:none;
  color:grey;
  font-weight:bold;
}

body {
  background: #FFF url('oset4s.jpg') repeat-x top;
  color: #3C3C3C;
  font: 10pt Arial, "Trebuchet MS", Tahoma, Verdana, sans-serif;
  margin: 0 auto;
}

/* HEADER */
div#header {
  background: transparent url('osetreal.jpg') no-repeat top left;
  color: #FFF;
  height: 109px;
  width: 100%;
}
div#header p {
  line-height: 72px;
  text-align: right;
  width: 100%;
}
div#header a.logout {
  background: #000;
  border: 2px solid #411;
  color: #FFF;
  font-weight: 600;
  line-height: 35px;
  margin: 0 20px 0 10px;
  padding: 5px 15px;
  text-decoration: none;
  -moz-border-radius: 4px;
}
div#header em {
  font-weight: 600;
}

/* SUBHEADER (user info display) styles */
div#subheader {
  color: #CCC;
  font-size: 9pt;
  line-height: 26px;
  text-align: center;
  width: 100%;
}
div#subheader span {
  margin-right: 10px;
}
div#subheader span a {
  background: url('../images/down-arrow.gif') no-repeat top right;
  border-bottom: 1px solid #CCC;
  color: #CCC;
  padding-right: 15px;
  text-decoration: none;
}
div#subheader span a:hover {
  border-color: #FFF;
  color: #FFF;
}
div#subheader span.user-settings /* user choices */ {
}

/* CONTENT DIV -- holder lang */
div#content {
  clear: both;
  margin: 0 auto;
  padding-top: 1%;
  width: 99%;
}

/* LEFT COLUMN */
div#oset-lc {
  float: left;
  width: 18%;
}
#oset-lc div.module-div {
  margin: 0 1%;
}
#oset-lc div.module-div h1{
  border-bottom: 1px solid #444;
  color: #391009;
  font-size: 90%;
  margin: 15px 0 0;
  padding: 5px 0;
  padding-left: 10px;
}
#oset-lc div.module-div a {
  background: #FFF;
  border-bottom: 1px solid #CCC;
  color: #444;
  display: block;

```

```

padding: 7px 15px;
text-decoration: none;
padding-left: 30px;
}
#oset-lc div.module-div a:hover {
background: #391009;
color: #FFF;
}
#oset-lc div.module-div a.current, #oset-lc div.module-div a.current:hover {
background: #391009 url('../images/current-module.gif') no-repeat 15px 9px;
color: #FFF;
padding-left: 30px;
}

#oset-lc div.module-div2 {
margin: 0 1%;
}

#oset-lc div.module-div2 h1{
border-bottom: 1px solid #444;
color: maroon;
font-size: 100%;
margin: 15px 0 0;
padding: 5px 0;
}
#oset-lc div.module-div2 a {
background: #FFF;
color: inherit;
display: block;
text-decoration: none;
}
#oset-lc div.module-div2 a:hover {

color: grey;
}
#oset-lc div.module-div2 a.current, #oset-lc div.module-div2 a.current:hover {
background: #391009 url('../images/current-module.gif') no-repeat 15px 9px;
color: #FFF;
padding-left: 30px;
}

/* LAYOUT FOR PUBLIC PAGE */
div#oset-lcp {
float: left;
width: 70%;
}
#oset-lcp div.module-div {
margin: 0 1%;
}
#oset-lcp div.module-div h1{
border-bottom: 1px solid #444;
color: #391009;
font-size: 100%;
margin: 15px 0 0;
padding: 5px 0;
}
#oset-lcp h1 {
color: #695949;
border-bottom: 1px solid #282828;
}

#oset-lcp h2 {
/*border-bottom: 1px solid #282828;*/
/*color: #282828;*/
color: #391009;
font-size: 12pt;
font-weight: bold;
margin: 10px 0;
}
#oset-lcp div.module-div a {
background: #FFF;
border-bottom: 1px solid #CCC;
color: #444;
display: block;
padding: 7px 15px;
text-decoration: none;
}
#oset-lcp div.module-div a:hover {
background: #391009;
color: #FFF;
}
#oset-lcp div.module-div a.current, #oset-lc div.module-div a.current:hover {
background: #391009 url('../images/current-module.gif') no-repeat 15px 9px;
color: #FFF;
padding-left: 30px;
}

a.thead{
color:white;
}
a.thead:hover{
color:grey;
}
a.thead:active{
color:grey;
}

/* RIGHT COLUMN */

```



```

div#oset-rc {
  float: left;
  line-height: 1.5;
  margin-left: 2%;
  width: 78%;
}

h1 {
  color: #000;
  font-size: 18pt;
  font-weight: 600;
  line-height: 1;
  margin: 15px 0 10px;
}

a{
  color:maroon;
}
a:hover{
  color:grey;
}

#oset-rc div.user-status-div {
}

/* HEADINGS */
#oset-rc h2 {
  border-bottom: 1px solid #282828;
  color: #282828;
  font-size: 14pt;
  margin: 10px 0;
}
#oset-rc h3 {
  color: #3C3C3C;
  font-size: 11pt;
  font-weight: 600;
  margin: 7px 0 5px;
}

#oset-rc .required{
  background-image:url('required.png');
  background-position:top right;
  background-repeat:no-repeat;
  padding-right:10px;
}

/* NORMAL ELEMENTS */
#oset-rc p {
  margin: 5px 0 3px;
}

/* LISTS */
ol, ul {
  margin: 5px 0;
}
li {
  margin-left: 2.0em;
}
li ol, li ul {
  margin: 0;
}

ul.errors{
  color:red;
}

/* SORTING LINKS */
a.a_sort {
  background: #E6E6E6;
  color: #555;
  margin: 0 7px 0 0;
  padding: 4px 7px 3px;
}
a.current-sort {
  background: #444;
  border: 2px solid #444;
  color: #FFF;
  font-weight: bold;
  text-decoration: none;
}
a.tab {
  background: #E6E6E6;
  color: #666;
  margin: 0 7px 0 0;
  padding: 4px 7px 3px;
  text-decoration: none;
  position:Relative;
  top: 1px;
}
a.tab:hover {
  background: #CCC;
  color: #000;
}
a.current-tab, a.current-tab:hover {
  background: #444;
  border: 2px solid #444;
  color: #FFF;
  font-weight: bold;
}

```

```

        text-decoration: none;
        position:Relative;
        top: 1px;
    }
    a.tab_error {
        background: #ad2525;
        border: none;
        color: #FFF;
        font-weight: bold;
        font-style:normal;
        text-decoration: none;
    }
    a.current-tab_error {
        background: #ad1212;
        border: none;
        color: #FFF;
        font-weight: bold;
        font-style:normal;
        text-decoration: none;
    }
}

div#formcss{
    width:80%;
}

#formcss table{
    border:0px;
    width:60%;
}

#formcss tr{
    border:0px;
}
#formcss td{
    border:0px;
}
#formcss tr:hover{
    background:inherit;
}

div#formcss3{
    width:60%;
}

#formcss3 table{
    border:0px;
}

#formcss3 tr{
    border:0px;
}
#formcss3 td{
    border:0px;
}
#formcss3 tr:hover{
    background:inherit;
}

/* FOOTER */
div#footer {
    display: none;
    background: #000;
    width: 100%;
    clear: both;
}

/* FORMS */
div.parthead {
    font-weight: bold;
    color: #3b3b3b;
    /*background: #000;*/
    padding:4px 4px 0px 4px;
    margin-bottom: 15px;
    border: 1px solid #efefef;
    overflow: hidden;
    width: 100%;
}
div.question {
    background:#FCFCF0;
    color: #000;
    border-top: 1px solid #E3E3E3;
    padding: 4px 4px 4px 0px;
    overflow: hidden;
    width: 100%;
}
th.th_question {
    width: 70%;
}
tr.tr_subquestion td{
    background:#FCFCF0;
    color: #000;
    padding: 3px 3px 0px 18px;
}

```

```

        overflow: hidden;
        width: 100%;
        text-indent: 30px;
    }
    tr.tr_subquestion td textarea{
        position: relative;
        left: 5%;
    }
    table.form{
        background: #FCFCF0;
        border-collapse: collapse;
        border: 3px solid #444;
    }
    table.form tr td{
        border: 0;
        border-bottom: 1px solid #EEDCE;
        padding: 5px 7px;
    }
    .tr_submit {
        background: #EFECE0;
    }
    .td_rank{
        font-weight: bold;
        font-size: 1.2em;
    }
    table.form td.td_label {
        width: 150px;
    }

    .form input, .form select, .form textarea {
        padding: 2px;
        margin: 2px inherit;
    }

/* TABLES */
table {
    border-collapse: collapse;
    border: 3px solid #444;
    color: #000;
    margin-bottom: 10px;
    padding: 3px 3px;
    width: 100%;
}
table.invisible{
    border-collapse: collapse;
    border: 0px #FFF;
    color: #000;
    margin-bottom: 10px;
    padding: 3px 3px;
    width: 100%;
}
table.invisible tr td, table tr th {
    border: 1px solid #FFFFFF;
    line-height: 0.80;
    padding: 5px 3px;
    vertical-align: center;
}
table tr td, table tr th {
    border: 1px solid #E0E0E0;
    line-height: 1.25;
    padding: 5px 3px;
    vertical-align: center;
}
tr: hover{
    background: lightgrey;
}
th {
    background: #695949;
    color: #FFF;
    text-align: center;
}
.tr_odd { /*the lighter color... in general*/
    background: #FCFCEC;
}
.tr_even {
    background: #EFECE0;
}
.tr_highlight {
    background: #CFCCE0;
}
.tr_conflict {
    background: #FPECEC;
}
.row-heading td {
    padding: 5px;
}
.column-name th {
    background: #404049;
    color: #FFF;
    font-size: 11pt;
    font-weight: bold;
}
a.action-link {
    color: #00F;
    display: block;
    margin: 3px 0;
}

```

```

a.action-link:hover {
    text-decoration: none;
}

/* OTHERS */

/* ALIGNMENT CLASSES */
.align-center {
    margin: inherit auto;
    text-align: center;
}
.align-left {
    text-align: left;
}
.align-right {
    text-align: right;
}
.float-left {
    float: left;
}
.float-right {
    float: right;
}

/* IMG FORMATS */
img {
    vertical-align: middle;
}

/* EFFECTS */
.translucent{
    opacity:0.4;
}

.darken {
    width: 100%;
    height: 100%;
    background: #000 url(none) repeat;
    display:none;
    position:absolute;
    top: 0px;
    left: 0px;
    z-index: 50;
    opacity: .7;
}

table#addquestion_form, table#table_newset {
    border-bottom: 1px solid #afafaf;
    border-top: none;
    border-right: none;
    border-left: none;
    padding-bottom: 7px;
}

table#addquestion_form tr td, table#table_newset tr td {
    border: none;
}

.sub_choice {
    position:relative; top:-6px; left: 3px;
}
table.clickable {
    border:none;
}
table.clickable td{
    background: #FFFFFF;
    border-collapse: collapse;
    border-top: 1px solid #444;
    border-bottom: 1px solid #444;
    border-left:none;
    border-right:none;
    cursor: pointer;
}

table.jaye{
    border-collapse: collapse;
    border: 3px solid #444;
    width: 21%;
}

table.jaye tr, table.jaye td{
    border: none;
}

table.graph_table td{
    border: none;
}

}

.td_radio input {
    text-align: center;
}

.td_choicesvertical input {
    margin-left: 5%;
}

ul.tabs {

```

```
margin: 0;
padding: 0;
}
ul.tabs li {
background: #FFF;

border: 1px solid #444;
border-bottom-color: #444;
display: inline;
margin-left: 10px;
padding: 5px 10px 1px;
}
ul.tabs li.active {
background: #695949;
color: #FFFFFF;
border: 1px solid #999;
border-bottom: 0;
font-weight: bold;
padding: 5px 10px 2px;
}
ul.tabs a.active {
text-decoration: none;
color: #FFF;
}
ul.tabs a.inactive {
text-decoration: none;
color: #000;
}
}
```

XII. Acknowledgement

Hello Maam/Sir! Good Morning, or Good afternoon... I feel free today... on this Easter Sunday :), we are blessed with a fine summer day today

Since this is an acknowledgement part, let me first express my gratitude to the person that cares for my thesis as much as i do.... to the person that would remind me every night and day to do my thesis... and would check it carefully and PROFESSIONALY from the words that i wrote here to the codes that ive typed in that OSET yeah!.... to the person i talked with kahit madaling araw na... malakas tlga xa.. pero anu naman kaya iniinom nya na hindi nmn daw xa marunong magtimpla ng kape bka kunwari lang haha... to the person unselfish of his time.. na naglalagay tlga sa sked nya ng pangalan ng advisee nya para d makalimutan... strict yes.... pero worthy... yes i can better introduce him with his credentials etc etc but im leaving it to other venue, there are better persons for saying those.... let this be mine:)... this is for the one na sisigawan pa ako pag mabagal ung system.... haha.... na ako naman ay di mapakali... for the one na talagang chinallenge ako.... subok na subok... tibay ng loob ko.... pero talo din... iniyakan ko rin to..... SOBRA :)... para sa pinakamagaling na adviser... SIR RICHARD BRYANN CHUA!!.... and you! who will read this acknowledgement... do remember his name :).. I think this is the best place to say thank you to my sire.... since i want to thank him forever... i wanna put it on something that can withstand the test of time, if not forever.... AND THIS IS IT... IN My THESIS.... coz ds will be stuck on the department, library, deans office of College of Arts And Sciences as long as the university stands still. Yes Papers may worn out... BUT CDs wont! :) softcopies are the harder ones! hahaha.... But still... after some years... i wanna read this acknowledgement section again... with its pages turned brown.... id be happy to stay alive until that day... Bless me God.. thank You... and mind you readers.... my adviser will be the 1st one to read this after me... :) not even my parents... that is how IN he is in this thesis of mine :) i will forever be mindful of him :) Thank you sir Bryann... forever na tong linyang to dito :)

salamat salamat salamat ng marami!!!!

AND if ever UP Manila would like to use Online Student Evaluation of Teachers 3.0.... id give it freely... as my tribute to the life the university has given me... and to the life it will give me after graduation... Salamat UP Manila :)

To my tito boy, who took care of me for my parent's stead.... How could i move on without food and proper shelter :) haha... thank you tito boy...

To my parents and sibs, stop worrying na... ito na gagraduate na po.... :) thank you for the all the support, emotional, physical, spiritual and especially Financial support :) during thesis days... i always love Mondays... thank you Nay Tay... i love you po... you never gave up on me... and be rest assured, whatever may God offer me in my journey... we will always share it... :)

To my brothers and sisters in Alpha Phi Omega Up Manila,.. I have left you for a little while, it is because i want to speak well of our name :)... and to fulfill our life long code.. that We exist to inspire, to teach, to act with courage, to live with honor, and to show the way.. we dont just fight for our principles but we live upto them.. We move to win!

i will always be true....

"This above all: to thine own self be true, And it must follow, as the night the day, Thou canst not then be false to any man." -William Shakespeare.

to my co-comsci students.... especially sa 07 at 08.... thank you for keeping me in company... sa hirap ng course naten kehalangan tlga ng ka agapay dito haha... at pag graduate naten... "we'll show them how menacing we are.. we are lions!" - TROY hahaha... mami JJ, salamat sa mga encouragement sa fb.... haha:) hugs...

and to someone who served as my inspiration.... and still... and forever will... Thank you... ms.C. your name appears here somewhere... or somewhere in the system (OSET 3.0) or in my system perhaps... =) i wanna see you again... my forever lovely... i wanna see your smile.... your smile that reminds me of Dreamworks... Dream works yes... :) this is for you... from your number one fan... :)

To our dear God.... who have given me all of these special people and all the things that i have now and i will have... on this day of Yours.. with my deepest and sincerest emotion.... I say “Thank You!!”.. pinkamataas na pagpupugay po para sa Inyo!... because without You im weak and with You.. I Am Invincible... I can say a lot of things here, about thanksgiving.. about your miracles... and about your loving.... but you hear more, those words that are silent, words that are spoken by our hearts... and so be it... I started this thesis with a prayer.... and so im ending it with one...

“All-wise and all-knowing Father, soverign in Your perfect will and keeper of Your perfect plan, bless me with wisdom today... To do what is right... To choose the way of love... to appraise in the light of eternity... and to decide in harmony with Your Word... May your Holy Spirit guide me always, that will all be Your glory and praise. In Jesus’ Name. Amen. I put my trust in you... and I’m not afraid...